

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	1
Derived Variables - Household	2
Household Smoking.....	4
Demographic Variables - Person	7
Smoking Status.....	9
Past Smoking.....	10
Derived Variables - Person	11
Weekly Pattern.....	12
Smoking Behaviour.....	14
Cigarette Brand.....	14
Cigarette Access.....	19
Cigarette Source	21
Derived Variables - Person	22
Smoking Cessation	26
Derived Variables - Person	31
Cessation Methods	31
Other Cessation Methods	35
Cessation Products.....	37
Health Professionals	37
Smoking and Pregnancy.....	40
Tobacco Products	41
Smoking in Vehicles.....	45
Opinions on Smoking.....	50
Exposure to Second-hand Smoke	52
Language and Education	57
Derived Variables - Person	57
Language and Education	58
Labour Force	58
Derived Variables - Person	60
Student Income.....	60
Marijuana Use.....	61
Weight Variable.....	62

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

2009 : 2009	Survey year	FREQ 11,093	WTD 27,767,403
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

07 : 12	Survey month	FREQ 11,093	WTD 27,767,403
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	1,097	430,938
11	Prince Edward Island	1,079	116,758
12	Nova Scotia	1,090	788,007
13	New Brunswick	1,088	632,870
24	Quebec	1,102	6,505,128
35	Ontario	1,132	10,771,161
46	Manitoba	1,195	973,750
47	Saskatchewan	1,273	823,317
48	Alberta	1,074	2,928,711
59	British Columbia	963	3,796,763
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	7,640	21,496,825
2	Rural	3,069	5,653,536
9	Not stated	384	617,041
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	9,572	24,044,059
05	5 or more	1,521	3,723,344
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	8,081	19,874,050
01	One	1,766	3,776,223
02	Two or more	1,246	4,117,130
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	4,943	18,195,973
01	One	3,760	5,552,577
02	Two or more	2,390	4,018,852
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	6,673	14,677,604
01	One	2,466	5,792,476
02	Two or more	1,954	7,297,322
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	3,257	8,629,117
01	One	3,074	6,102,071
02	Two or more	4,762	13,036,215
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **HHTYPE** Position: 25 Length: 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	30	24,786
02	Households with only 20-24 year old members	229	287,377
03	Households with only 25-44 year old members	574	2,405,070
04	Households with only 45-64 year old members	1,489	4,396,901
05	Households with only 65+ year old members	1,197	3,415,807
06	Households with adults (20+) and children aged 0-11 only	1,015	4,197,743
07	Households with adults (20+) and teens aged 12-19 only	3,611	5,583,288
08	Households with adults (20+) and young children aged 0-11 and teens aged 0-19 only	1,010	1,983,551
09	Other compositions	1,938	5,472,880
		===== 11,093	===== 27,767,403

Coverage: All households
Note: Derived from the roster entries

Section: Household Smoking (HS)

Variable Name: **HS_Q10** Position: 27 Length: 1

Does anyone in your household smoke cigarettes?

		FREQ	WTD
1	Yes	3,306	7,168,657
2	No	7,787	20,598,745
		===== 11,093	===== 27,767,403

Coverage: Household respondent

Variable Name: **HS_Q20** Position: 28 Length: 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 00 : 15

		FREQ	WTD
00	None	9,743	24,529,918
01 : 15	# of people that smoke inside the home	1,350	3,237,484
		===== 11,093	===== 27,767,403

Coverage: Household respondent

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	620	1,444,281
2	11 to 20 cigarettes	342	809,010
3	21 to 30 cigarettes	203	519,341
4	31 to 40 cigarettes	47	113,424
5	41 or more cigarettes	88	243,907
6	Valid skip	9,743	24,529,918
7	Don't know	47	97,290
8	Refusal	3	10,232
		=====	=====
		11,093	27,767,403

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	652	1,793,839
2	No	9,067	22,712,148
6	Valid skip	1,350	3,237,484
7	Don't know	24	23,931
		=====	=====
		11,093	27,767,403

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	931	2,139,986
2	No	1,061	2,875,775
6	Valid skip	9,067	22,712,148
7	Don't know	8	8,482
8	Refusal	2	7,080
9	Not stated	24	23,931
		=====	=====
		11,093	27,767,403

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **HS_Q60A** Position: 33 Length: 1

How is smoking cigarettes restricted inside your home

...Allowed in certain rooms only?

		FREQ	WTD
1	Yes	684	1,646,667
2	No	247	493,318
6	Valid skip	10,128	25,587,923
9	Not stated	34	39,494
		=====	=====
		11,093	27,767,403

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** Position: 34 Length: 1

How is smoking cigarettes restricted inside your home

...Restricted in the presence of young children?

		FREQ	WTD
1	Yes	411	702,145
2	No	520	1,437,841
6	Valid skip	10,128	25,587,923
9	Not stated	34	39,494
		=====	=====
		11,093	27,767,403

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60C** Position: 35 Length: 1

How is smoking cigarettes restricted inside your home

...Allowed only if windows are open or with another type of ventilation?

		FREQ	WTD
1	Yes	420	860,224
2	No	511	1,279,762
6	Valid skip	10,128	25,587,923
9	Not stated	34	39,494
		=====	=====
		11,093	27,767,403

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home

...Other restriction(s)?

		FREQ	WTD
1	Yes	161	438,477
2	No	770	1,701,508
6	Valid skip	10,128	25,587,923
9	Not stated	34	39,494
		=====	=====
		11,093	27,767,403

Coverage: Households where smoking is restricted inside the home

Section: Demographic Variables - Person

Variable Name: **DVAGE** *Position:* 37 *Length:* 3

Age of respondent, derived from PA_Q01

Allowed values: 015 : 085

		FREQ	WTD
015 : 084	Age of respondent	10,930	27,340,429
85	85 or more	163	426,974
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Ages greater than 85 were recoded to 85.

Variable Name: **AGEGRP5** *Position:* 40 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	3,012	2,205,343
2	20-24 years	2,037	2,280,554
3	25-34 years	849	4,646,989
4	35-44 years	1,154	4,781,597
5	45 years and over	4,041	13,852,919
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Derived from PA_Q01

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **AGEGRP7** *Position:* 41 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	1,826	1,297,965
02	18-19 years	1,186	907,379
03	20-22 years	1,334	1,464,486
04	23-24 years	703	816,068
05	25-44 years	2,003	9,428,587
06	45-64 years	2,622	9,420,020
07	65 years and over	1,419	4,432,900
		=====	=====
		11,093	27,767,403

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 43 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	5,056	13,702,354
2	Female	6,037	14,065,049
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **DVMARST** *Position:* 44 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	4,159	17,283,995
2	Widowed/Divorced/Separated	1,256	2,953,056
3	Single, never married	5,534	7,341,062
9	Not stated	144	189,289
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Smoking Status (SS)

Variable Name: **SS_Q10** Position: 45 Length: 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	1,560	3,873,360
2	Occasionally	537	1,070,625
3	Not at all	8,996	22,823,418
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **SS_Q20** Position: 46 Length: 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	570	1,166,280
2	No	8,963	22,727,763
6	Valid skip	1,560	3,873,360
		=====	=====
		11,093	27,767,403

Coverage: Respondents who are not current daily smokers

Variable Name: **SS_Q30** Position: 47 Length: 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	1,560	3,914,130
2	No	570	1,125,510
6	Valid skip	8,963	22,727,763
		=====	=====
		11,093	27,767,403

Coverage: Current daily smokers or respondents who smoked in the past

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

Variable Name: **SS_Q40** Position: 48 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	4,283	12,149,435
2	No	6,810	15,617,968
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Section: Past Smoking (PS)

Variable Name: **PS_Q10** Position: 49 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,561	4,278,364
2	No	5,122	11,191,440
6	Valid skip	4,409	12,280,875
7	Don't know	1	16,724
		=====	=====
		11,093	27,767,403

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Variable Name: **PS_Q20** Position: 50 Length: 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	2,276	6,921,124
2	No	496	1,317,644
6	Valid skip	8,315	19,519,095
7	Don't know	5	9,186
9	Not stated	1	353
		=====	=====
		11,093	27,767,403

Coverage: Former or occasional smokers who did not smoke daily in the past 30 days or who did not smoke at all in the past 30 days

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **PS_Q30** Position: 51 Length: 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 56	Age smoked first cigarette	5,829	16,166,407
96	Valid skip	5,122	11,191,440
97	Don't know	138	386,383
98	Refusal	2	6,096
99	Not stated	2	17,077
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** Position: 53 Length: 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
05 : 68	Age begin smoking cigarettes daily	3,736	10,485,926
96	Valid skip	7,250	16,946,655
97	Don't know	97	301,377
98	Refusal	1	5,882
99	Not stated	9	27,563
		=====	=====
		11,093	27,767,403

Coverage: Respondents who are actually daily smokers or who have ever smoked cigarettes daily

Section: Derived Variables - Person

Variable Name: **DVYRSSMK** Position: 55 Length: 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 75

		FREQ	WTD
00 : 71	# of yrs the respondent smoked	2,071	4,886,717
96	Valid skip	8,996	22,823,418
99	Not stated	26	57,267
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

Note: Derived from AGE and PS_Q30. Ages greater than 75 were recoded to 75.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Weekly Pattern (WP)

Variable Name: **WP_Q10A** Position: 57 Length: 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... yesterday?

Allowed values:	00 : 90		FREQ	WTD
00 : 62	Number of cigarettes smoked yesterday		2,022	4,874,213
96	Valid skip		8,963	22,727,763
97	Don't know		108	165,426
			=====	=====
			11,093	27,767,403

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10B** Position: 59 Length: 2

... 2 days ago?

Allowed values:	00 : 91		FREQ	WTD
00 : 62	Number of cigarettes smoked 2 days ago		1,994	4,852,820
96	Valid skip		8,963	22,727,763
97	Don't know		28	21,394
99	Not stated		108	165,426
			=====	=====
			11,093	27,767,403

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10C** Position: 61 Length: 2

... 3 days ago?

Allowed values:	00 : 91		FREQ	WTD
00 : 60	Number of cigarettes smoked 3 days ago		1,976	4,821,964
96	Valid skip		8,963	22,727,763
97	Don't know		18	30,856
99	Not stated		136	186,820
			=====	=====
			11,093	27,767,403

Coverage: Daily smokers or those who smoked in the last 30 days

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **WP_Q10D** *Position:* 63 *Length:* 2

... 4 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 60	Number of cigarettes smoked 4 days ago	1,962	4,791,607
96	Valid skip	8,963	22,727,763
97	Don't know	14	30,357
99	Not stated	154	217,676
		=====	=====
		11,093	27,767,403

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10E** *Position:* 65 *Length:* 2

... 5 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 60	Number of cigarettes smoked 5 days ago	1,955	4,780,001
96	Valid skip	8,963	22,727,763
97	Don't know	7	11,606
99	Not stated	168	248,033
		=====	=====
		11,093	27,767,403

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10F** *Position:* 67 *Length:* 2

... 6 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 60	Number of cigarettes smoked 6 days ago	1,954	4,779,814
96	Valid skip	8,963	22,727,763
97	Don't know	1	188
99	Not stated	175	259,639
		=====	=====
		11,093	27,767,403

Coverage: Daily smokers or those who smoked in the last 30 days

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **WP_Q10G** Position: 69 Length: 2

...7 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 60	Number of cigarettes smoked 7 days ago	1,954	4,779,814
96	Valid skip	8,963	22,727,763
99	Not stated	176	259,826
		=====	=====
		11,093	27,767,403

Coverage: Daily smokers or those who smoked in the last 30 days

Section: Smoking Behaviour (SB)

Variable Name: **SB_Q10** Position: 71 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	329	842,663
2	6 to 30 minutes	534	1,444,136
3	31 to 60 minutes	276	722,920
4	More than 60 minutes	405	841,586
6	Valid skip	9,533	23,894,043
7	Don't know	12	14,320
9	Not stated	4	7,735
		=====	=====
		11,093	27,767,403

Coverage: Current daily smokers

Section: Cigarette Brand (CB)

Variable Name: **CB_Q15** Position: 72 Length: 1

Within the past 12 months, have you bought a brand other than your usual brand?

		FREQ	WTD
1	Yes	875	1,647,035
2	No	904	2,262,323
6	Valid skip	8,996	22,823,418
7	Don't know	12	13,588
8	Refusal	6	5,610
9	Not stated	300	1,015,428
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **CB_Q16A** *Position:* 73 *Length:* 1

Why did you buy another brand?

...Price

		FREQ	WTD
1	Yes	308	579,538
2	No	552	1,059,247
6	Valid skip	9,900	25,085,742
7	Don't know	14	7,991
8	Refusal	1	259
9	Not stated	318	1,034,626
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have bought a brand other than their usual brand of cigarettes

Variable Name: **CB_Q16B** *Position:* 74 *Length:* 1

Why did you buy another brand?

...Friend or family member recommended

		FREQ	WTD
1	Yes	19	33,610
2	No	841	1,605,175
6	Valid skip	9,900	25,085,742
7	Don't know	14	7,991
8	Refusal	1	259
9	Not stated	318	1,034,626
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have bought a brand other than their usual brand of cigarettes

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **CB_Q16C** Position: 75 Length: 1

Why did you buy another brand?

...Usual brand was out of stock or not available

		FREQ	WTD
1	Yes	298	651,440
2	No	562	987,345
6	Valid skip	9,900	25,085,742
7	Don't know	14	7,991
8	Refusal	1	259
9	Not stated	318	1,034,626
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have bought a brand other than their usual brand of cigarettes

Variable Name: **CB_Q16D** Position: 76 Length: 1

Why did you buy another brand?

...Store clerk recommended this brand

		FREQ	WTD
1	Yes	4	3,032
2	No	856	1,635,754
6	Valid skip	9,900	25,085,742
7	Don't know	14	7,991
8	Refusal	1	259
9	Not stated	318	1,034,626
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have bought a brand other than their usual brand of cigarettes

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

Variable Name: **CB_Q16E** Position: 77 Length: 1

Why did you buy another brand?

...Wanted to try a flavoured tobacco product

		FREQ	WTD
1	Yes	14	16,536
2	No	846	1,622,249
6	Valid skip	9,900	25,085,742
7	Don't know	14	7,991
8	Refusal	1	259
9	Not stated	318	1,034,626
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have bought a brand other than their usual brand of cigarettes

Variable Name: **CB_Q16F** Position: 78 Length: 1

Why did you buy another brand?

...Wanted to try another brand

		FREQ	WTD
1	Yes	149	184,968
2	No	711	1,453,817
6	Valid skip	9,900	25,085,742
7	Don't know	14	7,991
8	Refusal	1	259
9	Not stated	318	1,034,626
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have bought a brand other than their usual brand of cigarettes

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

Variable Name: **CB_Q16G** *Position:* 79 *Length:* 1

Why did you buy another brand?

...Other

		FREQ	WTD
1	Yes	105	199,914
2	No	755	1,438,871
6	Valid skip	9,900	25,085,742
7	Don't know	14	7,991
8	Refusal	1	259
9	Not stated	318	1,034,626
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have bought a brand other than their usual brand of cigarettes

Variable Name: **CB_Q20** *Position:* 80 *Length:* 1

At the present time, do you roll your own or make your own cigarettes:

		FREQ	WTD
1	All the time	77	145,276
2	Most of the time	55	58,928
3	Sometimes	165	190,336
4	Never	1,496	3,532,172
6	Valid skip	8,996	22,823,418
7	Don't know	3	927
9	Not stated	301	1,016,346
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Cigarette Access (CA)

Variable Name: **CA_G10** *Position:* 81 *Length:* 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them at a small grocery / corner store	1,045	2,559,884
02	I buy them at a supermarket	183	475,388
03	I buy them at a gasoline station	440	924,387
04	I buy them at another kind of store	64	262,538
05	I get them for free from a family member, a friend or someone else	155	177,240
06	I buy them from a First Nations Reserve (either on-site or delivery service)	59	221,980
07	Other	125	276,380
96	Valid skip	8,996	22,823,418
97	Don't know	15	13,516
98	Refusal	6	24,020
99	Not stated	5	8,652
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

Variable Name: **CA_Q20** *Position:* 83 *Length:* 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	35	16,319
2	No	97	61,197
6	Valid skip	10,935	27,643,699
9	Not stated	26	46,187
		=====	=====
		11,093	27,767,403

Coverage: Current smokers between the ages of 15 to 18 who don't usually buy cigarettes from a store

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **CA_Q30** Position: 84 Length: 1

(In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	135	80,558
2	No	88	41,466
6	Valid skip	10,842	27,598,005
8	Refusal	1	237
9	Not stated	27	47,137
		=====	=====
		11,093	27,767,403

Coverage: Current smokers between the ages of 15 to 18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** Position: 85 Length: 1

(In the past 12 months), has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	97	47,132
2	No	126	75,094
6	Valid skip	10,842	27,598,005
9	Not stated	28	47,172
		=====	=====
		11,093	27,767,403

Coverage: Current smokers between the ages of 15 to 18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q50** Position: 86 Length: 1

(In the past 12 months), have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	195	95,332
2	No	124	87,854
6	Valid skip	10,745	27,536,808
8	Refusal	1	237
9	Not stated	28	47,172
		=====	=====
		11,093	27,767,403

Coverage: Current smokers between the ages of 15 to 18

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Cigarette Source (CS)

Variable Name: **CS_Q31** *Position:* 87 *Length:* 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	544	1,072,033
2	No	10,517	26,592,078
7	Don't know	15	57,552
8	Refusal	3	16,835
9	Not stated	14	28,906
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **CS_Q41** *Position:* 88 *Length:* 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	195	184,026
2	No	344	884,767
6	Valid skip	10,517	26,592,078
7	Don't know	5	3,240
9	Not stated	32	103,292
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever purchased or gave cigarettes to a minor

Variable Name: **CS_Q51** *Position:* 89 *Length:* 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	86	75,791
2	No	107	107,769
6	Valid skip	10,861	27,476,845
7	Don't know	2	465
9	Not stated	37	106,532
		=====	=====
		11,093	27,767,403

Coverage: Respondents who in the past 12 months have purchased or gave cigarettes to a minor

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 90 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	0	0
03	3 mg	14	54,853
04	4 mg	92	317,916
05	5 mg	0	0
06	6 mg	1	5,854
07	7 mg	11	25,618
08	8 mg	33	153,251
09	9 mg	62	106,790
10	10 mg	98	253,532
11	11 mg	127	379,900
12	12 mg	343	743,057
13	13 mg	290	608,571
14	14 mg	408	886,369
15	15 mg	230	391,402
16	16 mg	21	97,337
17	17 mg or more	0	0
96	Valid skip	8,996	22,823,418
99	Not stated	367	919,534
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who usually smoke the same brand of cigarettes
Note: Derived from CB_Q12.

Variable Name: **DVSST1** *Position:* 92 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	2,097	4,943,984
2	Former smoker	2,312	7,336,891
3	Never smoked	6,684	15,486,528
		=====	=====
		11,093	27,767,403

Coverage: All respondents
Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **DVSST2** *Position:* 93 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	1,560	3,873,360
02	Current occasional smoker	537	1,070,625
03	Former daily smoker	2,029	6,389,492
04	Former occasional smoker	278	939,518
05	Experimental smoker	1,561	4,278,364
06	Lifetime abstainer	5,122	11,191,440
99	Not stated	6	24,605
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 95 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	2,130	5,039,640
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	2,278	7,267,895
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	6,685	15,459,868
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **DVSS2** Position: 96 Length: 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	1,631	4,018,757
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	374	862,783
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	1,991	6,286,861
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	282	973,153
05	Beginner: smoked in last 30 days, <100 cigarettes in life	125	158,100
06	Past experimental smoker	1,565	4,271,119
07	Lifetime abstainer	5,120	11,188,749
99	Not stated	5	7,881
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Variable Name: **DVCIGWK** Position: 98 Length: 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 420	# of cigs smoked per week	1,954	4,779,814
996	Valid skip	8,963	22,727,763
999	Not stated	176	259,826
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** Position: 101 Length: 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 60	Avg # of cigarettes smoked/day	1,954	4,779,814
96	Valid skip	8,963	22,727,763
99	Not stated	176	259,826
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over seven days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **DVNDSMK** *Position:* 103 *Length:* 2

Derived variable for number of days respondent smoked in the last seven days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last 7 days	1,954	4,779,814
96	Valid skip	8,963	22,727,763
99	Not stated	176	259,826
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 105 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 60	Avg. smoked on the days they smoked	1,954	4,779,814
96	Valid skip	8,963	22,727,763
99	Not stated	176	259,826
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 107 *Length:* 1

Derived variable for current smokers' smoking pattern in the past seven days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	1,520	3,860,208
2	Weekdays only	6	40,709
3	Weekend only	5	4,288
4	Did not smoke in last seven days	116	235,565
5	Other pattern	307	639,043
6	Valid skip	8,963	22,727,763
9	Not stated	176	259,826
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who have smoked in the last 30 days

Note: Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

Variable Name: **DVDAILY** Position: 108 Length: 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
01 : 60	Average smoked-Daily smokers	1,436	3,679,918
96	Valid skip	9,533	23,894,043
99	Not stated	124	193,442
		=====	=====
		11,093	27,767,403

Coverage: Daily smokers
 Note: Based on WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** Position: 110 Length: 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	726	1,421,164
2	Regular price brand	1,196	3,092,904
6	Valid skip	8,996	22,823,418
9	Not stated	175	429,917
		=====	=====
		11,093	27,767,403

Coverage: Current smokers
 Note: Based on CB_Q12 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation (SC)

Variable Name: **SC_Q010** Position: 111 Length: 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	198	419,695
2	1 to 2 years ago	175	352,757
3	3 to 5 years ago	184	610,428
4	More than 5 years ago	1,745	5,944,970
6	Valid skip	8,781	20,430,512
7	Don't know	6	2,352
8	Refusal	1	55
9	Not stated	3	6,633
		=====	=====
		11,093	27,767,403

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SC_Q020** Position: 112 Length: 2

In what month did you stop smoking?

		FREQ	WTD
01	January	16	28,158
02	February	15	17,787
03	March	17	57,330
04	April	9	16,548
05	May	19	51,038
06	June	15	23,516
07	July	20	78,350
08	August	19	29,838
09	September	18	21,686
10	October	18	35,339
11	November	15	16,356
12	December	6	18,115
96	Valid skip	10,885	27,338,668
97	Don't know	11	25,635
99	Not stated	10	9,040
		=====	=====
		11,093	27,767,403

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** Position: 114 Length: 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	121	294,411
02	Pregnancy or a baby in the household	16	25,013
03	Less stress in life	2	360
04	Cost of cigarettes	19	21,092
05	Smoking is less socially acceptable	6	3,387
06	Some other reason	33	74,967
96	Valid skip	10,885	27,338,668
97	Don't know	1	464
99	Not stated	10	9,040
		=====	=====
		11,093	27,767,403

Coverage: Respondents who stopped smoking less than one year ago

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SC_Q040** Position: 116 Length: 2

Approximately, how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	2,209	7,005,960
96	Valid skip	8,781	20,430,512
97	Don't know	95	307,275
98	Refusal	5	17,023
99	Not stated	3	6,633
		=====	=====
		11,093	27,767,403

Coverage: Former smokers

Variable Name: **SC_Q050** Position: 118 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Average cigs smoked per day before quit	2,189	6,874,024
96	Valid skip	8,781	20,430,512
97	Don't know	114	449,929
98	Refusal	5	5,833
99	Not stated	4	7,104
		=====	=====
		11,093	27,767,403

Coverage: Former smokers

Variable Name: **SC_Q060** Position: 120 Length: 1

Are you seriously considering quitting within the next six months?

		FREQ	WTD
1	Yes	1,249	2,876,334
2	No	757	1,827,189
6	Valid skip	8,996	22,823,418
7	Don't know	79	225,955
8	Refusal	1	191
9	Not stated	11	14,315
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SC_Q070** Position: 121 Length: 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	588	1,283,303
2	No	575	1,398,820
6	Valid skip	9,753	24,650,607
7	Don't know	86	194,211
9	Not stated	91	240,462
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** Position: 122 Length: 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	# of attempts stop smoking for 24 hrs	2,217	5,215,363
96	Valid skip	8,788	22,394,684
97	Don't know	65	133,418
98	Refusal	1	191
99	Not stated	22	23,747
		=====	=====
		11,093	27,767,403

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** Position: 124 Length: 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 50	# of attempts stop smoking for 1 week	1,170	2,455,675
96	Valid skip	9,829	25,140,925
97	Don't know	10	19,537
98	Refusal	1	273
99	Not stated	83	150,993
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SC_Q100** Position: 126 Length: 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	4	18,255
02	Stress, need to relax or to calm down	341	729,595
03	Boredom	59	92,080
04	Addiction / habit	247	579,335
05	Lack of support or information	2	1,041
06	Going out more (bars, parties)	59	108,651
07	Increased availability	1	408
08	No reason / felt like it	95	175,838
09	Family or friends smoke	110	242,958
10	Other	87	200,885
96	Valid skip	9,969	25,397,220
97	Don't know	29	61,164
99	Not stated	90	159,972
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **SC_Q110** Position: 128 Length: 1

Have you ever tried to quit smoking?

		FREQ	WTD
1	Yes	653	1,932,991
2	No	395	783,563
6	Valid skip	10,013	25,012,641
7	Don't know	1	98
8	Refusal	1	191
9	Not stated	30	37,919
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who did not try to quit in the past year

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **STOPSMK** *Position:* 129 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	# of mths. quit before survey	187	394,061
18	1-2 years	175	352,757
48	3-5 years	184	610,428
60	More than 5 years ago	1,745	5,944,970
96	Valid skip	8,781	20,430,512
99	Not stated	21	34,674
		=====	=====
		11,093	27,767,403

Coverage: Former smokers
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods (CM)

Variable Name: **CM_Q10** *Position:* 131 *Length:* 1

Have you tried to quit smoking in the past two years?

		FREQ	WTD
1	Yes	237	615,440
2	No	415	1,313,898
6	Valid skip	10,408	25,796,203
7	Don't know	1	3,653
9	Not stated	32	38,209
		=====	=====
		11,093	27,767,403

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** *Position:* 132 *Length:* 1

In the past two years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	385	1,143,401
2	No	1,250	2,429,661
6	Valid skip	9,423	24,139,387
7	Don't know	1	12,633
9	Not stated	34	42,321
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **CM_Q40** *Position:* 133 *Length:* 1

(In the past two years), did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	370	755,324
2	No	1,266	2,830,371
6	Valid skip	9,423	24,139,387
9	Not stated	34	42,321
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q61** *Position:* 134 *Length:* 1

(In the past two years), did you use a medication such as 'Zyban', 'Wellbutrin' or 'Champix'?

		FREQ	WTD
1	Yes	244	640,500
2	No	1,389	2,944,387
6	Valid skip	9,423	24,139,387
7	Don't know	2	755
9	Not stated	35	42,374
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81A** *Position:* 135 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...You were concerned about possible side effects?

		FREQ	WTD
1	Yes	175	465,075
2	No	747	1,391,133
6	Valid skip	10,115	25,843,142
7	Don't know	13	9,783
8	Refusal	5	2,468
9	Not stated	38	55,802
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **CM_Q81B** Position: 136 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...You didn't believe these products work?

		FREQ	WTD
1	Yes	213	515,618
2	No	709	1,340,590
6	Valid skip	10,115	25,843,142
7	Don't know	13	9,783
8	Refusal	5	2,468
9	Not stated	38	55,802
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81C** Position: 137 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...You didn't have enough information about these products?

		FREQ	WTD
1	Yes	102	110,975
2	No	820	1,745,233
6	Valid skip	10,115	25,843,142
7	Don't know	13	9,783
8	Refusal	5	2,468
9	Not stated	38	55,802
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **CM_Q81D** Position: 138 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' , 'Wellbutrin' or 'Champix' to help you quit smoking

...They cost too much?

		FREQ	WTD
1	Yes	217	402,783
2	No	705	1,453,424
6	Valid skip	10,115	25,843,142
7	Don't know	13	9,783
8	Refusal	5	2,468
9	Not stated	38	55,802
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81E** Position: 139 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' , 'Wellbutrin' or 'Champix' to help you quit smoking

...Some other reason?

		FREQ	WTD
1	Yes	546	1,035,902
2	No	376	820,305
6	Valid skip	10,115	25,843,142
7	Don't know	13	9,783
8	Refusal	5	2,468
9	Not stated	38	55,802
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Other Cessation Methods (OM)

Variable Name: **OM_Q030** *Position:* 140 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	506	972,102
2	No	1,134	2,622,054
6	Valid skip	9,401	24,120,722
7	Don't know	1	191
9	Not stated	51	52,332
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q070** *Position:* 141 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,128	2,443,199
2	No	505	1,140,132
6	Valid skip	9,401	24,120,722
7	Don't know	8	11,017
9	Not stated	51	52,332
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q081** *Position:* 142 *Length:* 1

Are you aware of any smoking cessation programs, plans or support offered at your workplace?

		FREQ	WTD
1	Yes	267	671,249
2	No	1,367	2,916,276
6	Valid skip	9,401	24,120,722
7	Don't know	5	5,512
8	Refusal	1	463
9	Not stated	52	53,180
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **OM_Q091** *Position:* 143 *Length:* 1

Have you used any of these programs, plans or support?

		FREQ	WTD
1	Yes	34	81,170
2	No	233	590,079
6	Valid skip	10,768	27,036,998
9	Not stated	58	59,155
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q099** *Position:* 144 *Length:* 1

Are you aware of 1-800 quitline or a smokers' helpline available to help you quit smoking?

		FREQ	WTD
1	Yes	985	1,913,350
2	No	434	920,374
6	Valid skip	9,401	24,120,722
7	Don't know	4	3,376
8	Refusal	1	15,283
9	Not stated	268	794,298
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q100** *Position:* 145 *Length:* 1

Did you use a 1-800 quitline or a smokers' helpline?

		FREQ	WTD
1	Yes	59	117,358
2	No	1,090	2,323,990
6	Valid skip	9,835	25,041,097
9	Not stated	109	284,958
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and who are aware of telephone 1-800 quitlines or a smokers' helpline to call for help in quitting smoking.

Note: This question was labelled as OM_Q090 prior to 2006 cycle 1.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **OM_Q130** Position: 146 Length: 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	188	305,102
2	No	23	65,838
6	Valid skip	10,790	27,226,947
9	Not stated	92	169,515
		=====	=====
		11,093	27,767,403

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

Section: Cessation Products (CP)

Variable Name: **CP_Q10** Position: 147 Length: 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)

		FREQ	WTD
1	Yes	233	520,396
2	No	1,846	4,407,123
6	Valid skip	8,996	22,823,418
7	Don't know	1	212
8	Refusal	1	191
9	Not stated	16	16,061
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

Section: Health Professionals (HP)

Variable Name: **HP_Q010** Position: 148 Length: 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	1,596	3,864,554
2	No	478	1,047,135
6	Valid skip	8,996	22,823,418
7	Don't know	4	13,170
8	Refusal	2	678
9	Not stated	17	18,447
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **HP_Q020** *Position:* 149 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	808	2,270,313
2	No	786	1,591,611
6	Valid skip	9,474	23,870,554
7	Don't know	2	2,630
9	Not stated	23	32,295
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who saw a doctor in the past 12 months

Variable Name: **HP_Q030** *Position:* 150 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	474	1,435,863
2	No	333	833,231
6	Valid skip	10,260	25,462,165
7	Don't know	1	1,219
9	Not stated	25	34,925
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q040** *Position:* 151 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	1,242	2,989,916
2	No	831	1,932,613
6	Valid skip	8,996	22,823,418
7	Don't know	5	2,330
8	Refusal	2	678
9	Not stated	17	18,447
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **HP_Q050** Position: 152 Length: 1

Did they (the dentist or dental hygienist) advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	362	1,025,315
2	No	874	1,952,965
6	Valid skip	9,827	24,756,032
7	Don't know	6	11,636
9	Not stated	24	21,455
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who saw a dentist in the past 12 months

Variable Name: **HP_Q060** Position: 153 Length: 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	102	224,916
2	No	259	797,675
6	Valid skip	10,701	26,708,997
7	Don't know	1	2,723
9	Not stated	30	33,091
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q100** Position: 154 Length: 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	934	2,364,086
2	No	1,140	2,559,038
6	Valid skip	8,996	22,823,418
7	Don't know	4	1,737
8	Refusal	2	678
9	Not stated	17	18,447
		=====	=====
		11,093	27,767,403

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **HP_Q110** *Position:* 155 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	159	318,933
2	No	774	2,044,948
6	Valid skip	10,136	25,382,456
7	Don't know	1	205
9	Not stated	23	20,861
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who talked with a pharmacist in the past 12 months

Variable Name: **HP_Q120** *Position:* 156 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	118	237,870
2	No	41	81,063
6	Valid skip	10,910	27,427,404
9	Not stated	24	21,066
		=====	=====
		11,093	27,767,403

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Section: Smoking and Pregnancy (SP)

Variable Name: **SP_Q10** *Position:* 157 *Length:* 1

Have you been pregnant in the past five years?

		FREQ	WTD
1	Yes	598	1,893,525
2	No	1,587	3,887,644
6	Valid skip	8,900	21,959,633
7	Don't know	1	497
8	Refusal	4	11,938
9	Not stated	3	14,166
		=====	=====
		11,093	27,767,403

Coverage: Women aged 20 to 44

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SP_Q20** Position: 158 Length: 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	99	169,174
2	No	131	355,156
6	Valid skip	10,855	27,216,472
9	Not stated	8	26,601
		=====	=====
		11,093	27,767,403

Coverage: Women aged 20 to 44 who are daily, occasional or former smokers (who quit less than five years ago) and were pregnant in the last five years

Variable Name: **SP_Q30** Position: 159 Length: 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	41	73,092
2	No	544	1,785,306
3	Not applicable (no spouse/partner)	13	35,126
6	Valid skip	10,487	25,847,277
9	Not stated	8	26,601
		=====	=====
		11,093	27,767,403

Coverage: Women aged 20 to 44 who were pregnant in the last five years

Section: Tobacco Products (TP)

Variable Name: **TP_Q017** Position: 160 Length: 1

Have you ever tried smoking a little cigar or cigarillo?

		FREQ	WTD
1	Yes	4,169	10,334,093
2	No	6,877	17,336,872
7	Don't know	9	13,767
8	Refusal	3	1,123
9	Not stated	35	81,547
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **TP_Q021** *Position:* 161 *Length:* 1

In the past 30 days, did you smoke any little cigars or cigarillos?

		FREQ	WTD
1	Yes	694	1,081,292
2	No	3,475	9,252,802
6	Valid skip	6,877	17,336,872
9	Not stated	47	96,437
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever smoked a little cigar or cigarillo

Variable Name: **TP_Q022** *Position:* 162 *Length:* 1

Were these (little cigars or cigarillos) plain, flavoured or both?

		FREQ	WTD
1	Plain	59	166,041
2	Flavoured	509	720,423
3	Both	117	175,217
6	Valid skip	10,352	26,589,674
7	Don't know	9	19,611
9	Not stated	47	96,437
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have smoked a little cigar or cigarillos in the past 30 days

Variable Name: **TP_Q024** *Position:* 163 *Length:* 1

Have you ever tried smoking a cigar not including little cigars or cigarillos?

		FREQ	WTD
1	Yes	3,146	8,764,845
2	No	7,897	18,888,522
7	Don't know	9	12,765
8	Refusal	5	3,000
9	Not stated	36	98,271
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **TP_Q027** *Position:* 164 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

		FREQ	WTD
1	Yes	230	438,515
2	No	2,913	8,309,651
6	Valid skip	7,897	18,888,522
7	Don't know	3	16,678
9	Not stated	50	114,036
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever smoked a cigar

Variable Name: **TP_Q028** *Position:* 165 *Length:* 1

Were these cigars plain, flavoured or both?

		FREQ	WTD
1	Plain	128	332,458
2	Flavoured	57	49,962
3	Both	38	48,512
6	Valid skip	10,810	27,198,173
7	Don't know	7	7,584
9	Not stated	53	130,714
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have smoked a cigar in the past 30 days

Variable Name: **TP_Q030** *Position:* 166 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,461	4,198,815
2	No	9,582	23,432,376
7	Don't know	9	34,940
8	Refusal	5	3,000
9	Not stated	36	98,271
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **TP_Q040** *Position:* 167 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	81	146,465
2	No	1,380	4,052,350
6	Valid skip	9,582	23,432,376
9	Not stated	50	136,211
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever smoked a pipe

Variable Name: **TP_Q041** *Position:* 168 *Length:* 1

Was the pipe tobacco plain, flavoured or both?

		FREQ	WTD
1	Plain	27	76,812
2	Flavoured	40	47,375
3	Both	13	22,165
6	Valid skip	10,962	27,484,726
7	Don't know	1	114
9	Not stated	50	136,211
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have smoked a pipe in the past 30 days

Variable Name: **TP_Q050** *Position:* 169 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,104	2,460,772
2	No	9,942	25,172,314
7	Don't know	4	25,854
8	Refusal	5	3,000
9	Not stated	38	105,463
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **TP_Q060** Position: 170 Length: 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	121	132,091
2	No	983	2,328,681
6	Valid skip	9,942	25,172,314
9	Not stated	47	134,316
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Variable Name: **TP_Q061** Position: 171 Length: 1

Was the chewing tobacco, pinch or snuff plain, flavoured or both?

		FREQ	WTD
1	Plain	33	54,117
2	Flavoured	55	45,982
3	Both	30	29,329
6	Valid skip	10,925	27,500,996
7	Don't know	3	2,662
9	Not stated	47	134,316
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have chewed tobacco in the past 30 days

Section: Smoking in Vehicles (SV)

Variable Name: **SV_Q10** Position: 172 Length: 1

Do you, or a member of your household, own or lease a motor vehicle? Include cars, pickup trucks, minivans, vans and SUVs.

		FREQ	WTD
1	Yes	9,927	25,005,173
2	No	1,114	2,632,000
7	Don't know	2	1,796
8	Refusal	10	16,999
9	Not stated	40	111,434
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

Variable Name: **SV_Q20** Position: 173 Length: 1

Is smoking allowed inside any motor vehicle that you, or a member of your household, own or lease?

		FREQ	WTD
1	Yes	2,187	4,503,720
2	No	7,701	20,468,833
6	Valid skip	1,114	2,632,000
7	Don't know	39	32,621
9	Not stated	52	130,230
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle

Variable Name: **SV_Q30** Position: 174 Length: 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,364	3,005,136
2	No	501	620,208
3	Never has children under 18 in vehicles	306	855,520
6	Valid skip	8,815	23,100,833
7	Don't know	15	21,904
8	Refusal	1	951
9	Not stated	91	162,850
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

Variable Name: **SV_Q40** Position: 175 Length: 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	757	1,471,575
2	No	1,418	3,005,418
6	Valid skip	8,815	23,100,833
7	Don't know	12	26,727
9	Not stated	91	162,850
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SV_Q50A** Position: 176 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Restricted if any occupant is a non-smoker?

		FREQ	WTD
1	Yes	214	524,517
2	No	538	943,956
6	Valid skip	10,233	26,106,251
7	Don't know	4	2,986
8	Refusal	1	116
9	Not stated	103	189,577
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q50B** Position: 177 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Restricted by the number of cigarettes smoked?

		FREQ	WTD
1	Yes	28	31,273
2	No	724	1,437,200
6	Valid skip	10,233	26,106,251
7	Don't know	4	2,986
8	Refusal	1	116
9	Not stated	103	189,577
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SV_Q50C** Position: 178 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Allowed only when driving alone?

		FREQ	WTD
1	Yes	108	294,743
2	No	644	1,173,730
6	Valid skip	10,233	26,106,251
7	Don't know	4	2,986
8	Refusal	1	116
9	Not stated	103	189,577
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q50D** Position: 179 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Allowed only when the fan, air conditioner, heater is turned on or the window is open?

		FREQ	WTD
1	Yes	345	525,841
2	No	407	942,633
6	Valid skip	10,233	26,106,251
7	Don't know	4	2,986
8	Refusal	1	116
9	Not stated	103	189,577
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SV_Q50E** Position: 180 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Other?

		FREQ	WTD
1	Yes	183	335,744
2	No	569	1,132,729
6	Valid skip	10,233	26,106,251
7	Don't know	4	2,986
8	Refusal	1	116
9	Not stated	103	189,577
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q60** Position: 181 Length: 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	1,919	4,056,106
2	Sometimes	176	259,922
3	Rarely	30	49,599
4	Never	23	62,929
6	Valid skip	8,815	23,100,833
7	Don't know	37	74,902
9	Not stated	93	163,111
		=====	=====
		11,093	27,767,403

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Opinions on Smoking (OS)

Variable Name: **OS_Q10** *Position:* 182 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	8,462	21,131,775
2	Smoking should be allowed only in a section of a restaurant that is enclosed	1,348	3,085,608
3	Smoking should be allowed only in a designated section of a restaurant	1,087	2,976,500
4	Smoking should be allowed anywhere in a restaurant	87	270,102
7	Don't know	55	168,634
8	Refusal	10	18,784
9	Not stated	44	115,999
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 183 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	5,978	15,109,585
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	2,282	5,506,539
3	Smoking should be allowed only in a designated section of a bar or tavern	1,821	4,316,739
4	Smoking should be allowed anywhere in a bar or tavern	603	1,587,645
7	Don't know	324	991,306
8	Refusal	39	138,092
9	Not stated	46	117,496
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **OS_Q30** *Position:* 184 *Length:* 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	3,707	10,310,078
2	Smoking should be allowed only in enclosed smoking areas in the workplace	801	2,357,791
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	6,291	14,284,278
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	126	329,948
7	Don't know	104	312,029
8	Refusal	14	52,805
9	Not stated	50	120,473
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **OS_Q31** *Position:* 185 *Length:* 1

Which of the following statements comes closest to how you feel about smoking inside a car or any other motor vehicle when children or youth under the age of 18 are present?

		FREQ	WTD
1	Smoking should not be allowed at any time	10,052	25,661,775
2	Smoking should be allowed only when either a window is open or when the fan, air conditioner, heater is turned on	762	1,416,873
3	Smoking should be allowed at any time	113	191,452
7	Don't know	101	341,022
8	Refusal	14	31,614
9	Not stated	51	124,666
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **OS_Q40** *Position:* 186 *Length:* 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	1,920	4,478,754
02	Friends / peers	5,159	12,319,535
03	Parents	1,985	5,453,777
04	Other adults	144	261,607
05	Brother / sister	57	109,718
06	Celebrities	190	515,758
07	Tobacco industry	631	1,664,857
08	Government	283	861,209
09	Other (do not specify)	359	1,065,755
97	Don't know	294	839,178
98	Refusal	19	72,314
99	Not stated	52	124,941
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Section: Exposure to Second-hand Smoke (EX)

Variable Name: **EX_Q010** *Position:* 188 *Length:* 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...inside a car or other vehicle?

		FREQ	WTD
1	Yes	3,453	5,760,409
2	No	7,557	21,821,140
7	Don't know	18	31,716
8	Refusal	13	29,197
9	Not stated	52	124,941
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

Variable Name: **EX_Q020** *Position:* 189 *Length:* 1

...inside someone else's home?

		FREQ	WTD
1	Yes	3,493	7,054,217
2	No	7,518	20,543,044
7	Don't know	17	16,003
8	Refusal	13	29,197
9	Not stated	52	124,941
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **EX_Q030** *Position:* 190 *Length:* 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	3,516	8,364,906
2	No	7,475	19,155,195
7	Don't know	34	76,686
8	Refusal	16	45,674
9	Not stated	52	124,941
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **EX_Q040** *Position:* 191 *Length:* 1

...inside a restaurant?

		FREQ	WTD
1	Yes	276	775,489
2	No	10,737	26,806,777
7	Don't know	13	30,541
8	Refusal	15	29,655
9	Not stated	52	124,941
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **EX_Q050** Position: 192 Length: 1

...inside a bar or tavern?

		FREQ	WTD
1	Yes	423	985,103
2	No	10,591	26,598,213
7	Don't know	12	29,490
8	Refusal	15	29,655
9	Not stated	52	124,941
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **EX_Q060** Position: 193 Length: 1

...at a bus stop or shelter?

		FREQ	WTD
1	Yes	2,047	4,426,932
2	No	8,947	23,055,959
7	Don't know	31	104,360
8	Refusal	16	55,210
9	Not stated	52	124,941
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **EX_Q070** Position: 194 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...at an entrance to a building?

		FREQ	WTD
1	Yes	5,919	14,684,517
2	No	5,057	12,792,327
7	Don't know	48	110,238
8	Refusal	17	55,380
9	Not stated	52	124,941
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

Variable Name: **EX_Q080** *Position:* 195 *Length:* 1

...at your workplace?

		FREQ	WTD
1	Yes	2,323	5,612,687
2	No	8,688	21,934,739
7	Don't know	10	34,536
8	Refusal	18	55,609
9	Not stated	54	129,832
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **EX_Q091** *Position:* 196 *Length:* 1

... on a school property?

		FREQ	WTD
1	Yes	1,925	2,349,901
2	No	9,080	25,177,665
7	Don't know	16	54,358
8	Refusal	18	55,647
9	Not stated	54	129,832
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **EX_Q100** *Position:* 197 *Length:* 1

...at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	4,211	8,858,246
2	No	6,779	18,631,549
7	Don't know	31	92,173
8	Refusal	17	55,380
9	Not stated	55	130,055
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

Variable Name: **EX_Q110** Position: 198 Length: 1

...outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	6,453	15,349,370
2	No	4,504	11,975,400
7	Don't know	62	240,576
8	Refusal	19	72,003
9	Not stated	55	130,055
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **EX_Q120** Position: 199 Length: 1

...anywhere else?

		FREQ	WTD
1	Yes	477	1,365,849
2	No	10,507	26,119,258
7	Don't know	36	96,257
8	Refusal	18	55,984
9	Not stated	55	130,055
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **EX_Q130** Position: 200 Length: 1

Overall, excluding your own smoking, in the past month were you exposed to second-hand smoke:

		FREQ	WTD
1	Every day	1,020	2,230,927
2	Almost every day	1,210	2,369,981
3	At least once a week	3,352	7,721,082
4	At least once in the past month	3,545	9,657,117
6	Valid skip	1,751	5,142,226
7	Don't know	81	237,421
8	Refusal	6	37,870
9	Not stated	128	370,778
		=====	=====
		11,093	27,767,403

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Language and Education (LA)

Variable Name: **LA_Q10** Position: 201 Length: 1

What language do you speak most often at home?

		FREQ	WTD
1	English	9,094	18,944,396
2	French	1,297	5,769,973
3	Both English and French	81	334,221
4	Other	530	2,493,747
7	Don't know	7	5,799
8	Refusal	22	77,046
9	Not stated	62	142,220
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Section: Derived Variables - Person

Variable Name: **DVEDUC** Position: 202 Length: 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	3,064	4,331,898
2	Completed secondary	4,418	9,665,257
3	Completed community college, technical college, CEGEP or nurse's college	1,649	5,962,333
4	Completed university or teacher's college	1,807	7,414,322
9	Not stated	155	393,593
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Language and Education

Variable Name: **GPLA_Q20** *Position:* 203 *Length:* 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	96	247,273
02	Completed elementary	220	362,312
03	Some secondary	2,749	3,722,509
04	Completed secondary	2,713	6,283,106
05	Some community college, technical college, CEGEP or nurse's training	532	1,385,620
06	Completed community college, technical college, CEGEP or nurse's training	1,649	5,962,333
07	Some university or teacher's college	1,093	1,659,829
08	Completed university or teacher's college	1,807	7,414,322
09	Other education or training	80	336,701
99	Not stated	154	393,397
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force (LF)

Variable Name: **LF_Q10** *Position:* 205 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	8,092	19,664,728
2	No	2,912	7,900,759
7	Don't know	4	9,950
8	Refusal	30	61,912
9	Not stated	55	130,055
		=====	=====
		11,093	27,767,403

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **LF_Q20** *Position:* 206 *Length:* 1

Are you currently working at a job or a business?

		FREQ	WTD
1	Yes	6,391	17,010,066
2	No	1,699	2,633,942
6	Valid skip	2,912	7,900,759
8	Refusal	2	20,719
9	Not stated	89	201,917
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have worked at a job or business in the past 12 months

Variable Name: **LF_Q51** *Position:* 207 *Length:* 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed outside the building, worksite or company vehicle	7,015	17,534,790
2	Smoking is allowed in designated areas within the building, worksite or company vehicle	481	784,167
3	Smoking is not restricted at all	380	708,577
4	Other - Respondent does not have a fixed workplace	109	270,143
6	Valid skip	2,912	7,900,759
7	Don't know	94	275,966
8	Refusal	10	56,734
9	Not stated	92	236,267
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have worked at a job or business in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVNOCS10** *Position:* 208 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	312	1,307,494
02	Business, Finance and Administrative Occupations	1,211	3,532,678
03	Natural and Applied Sciences and Related Occupations	400	1,587,667
04	Health Occupations	476	1,449,562
05	Occupations in Social Science, Education, Government Service and Religion	555	1,667,928
06	Occupations in Art, Culture, Recreation and Sport	384	836,141
07	Sales and Service Occupations	2,864	4,506,955
08	Trades, Transport and Equipment Operators and Related Occupations	1,073	2,763,841
09	Occupations Unique to Primary Industry	423	633,600
10	Occupations Unique to Processing, Manufacturing and Utilities	236	731,521
96	Valid Skip	2,914	7,912,158
99	Not Stated	245	837,858
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income (SI)

Variable Name: **SI_Q10** *Position:* 210 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	3,236	2,825,223
2	No	1,776	1,637,093
6	Valid skip	6,044	23,281,506
7	Don't know	3	2,472
8	Refusal	16	7,812
9	Not stated	18	13,298
		=====	=====
		11,093	27,767,403

Coverage: Respondents less than 25 years of age

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **SI_G20** *Position:* 211 *Length:* 2

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	163	154,674
02	\$010 to \$024	546	443,104
03	\$025 to \$049	395	352,053
04	\$050 to \$099	642	542,411
05	\$100 to \$199	682	616,394
06	\$200 or more	546	474,863
96	Valid Skip	7,820	24,918,598
99	Not Stated	299	265,305
		=====	=====
		11,093	27,767,403

Coverage: Respondents under 25 years of age who currently attend a school, college or university
Note: Derived from SI_Q20.

Section: Marijuana Use (MU)

Variable Name: **MU_Q10** *Position:* 213 *Length:* 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	818	1,923,815
2	Yes, more than once	3,388	8,452,165
3	No	6,649	16,624,815
7	Don't know	33	130,648
8	Refusal	148	491,522
9	Not stated	57	144,438
		=====	=====
		11,093	27,767,403

Coverage: All respondents

Variable Name: **MU_Q20** *Position:* 214 *Length:* 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	1,487	2,555,904
2	No	2,714	7,814,664
6	Valid skip	6,649	16,624,815
7	Don't know	2	3,008
8	Refusal	3	2,404
9	Not stated	238	766,608
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever used marijuana, cannabis or hashish

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

Variable Name: **MU_Q30** *Position:* 215 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	494	971,047
2	1 to 3 times a month	296	415,429
3	Once a week	171	341,826
4	More than once a week	220	322,794
5	Every day	200	385,112
6	Valid skip	9,459	24,532,681
7	Don't know	8	25,342
8	Refusal	2	1,150
9	Not stated	243	772,020
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 216 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
05 : 70	Age first used marijuana	4,151	10,256,282
96	Valid skip	6,649	16,624,815
97	Don't know	50	116,421
98	Refusal	5	3,277
99	Not stated	238	766,608
		=====	=====
		11,093	27,767,403

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: Weight Variable

Variable Name: **WTPP** *Position:* 218 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

INDEX

A	
AGE0014	2
AGE1524	3
AGE2544	3
AGE45PL.....	3
AGEGRP5.....	7
AGEGRP7.....	8
C	
CA_G10	19
CA_Q20	19
CA_Q30	20
CA_Q40	20
CA_Q50	20
CB_Q15	14
CB_Q16A	15
CB_Q16B.....	15
CB_Q16C.....	16
CB_Q16D	16
CB_Q16E.....	17
CB_Q16F.....	17
CB_Q16G	18
CB_Q20	18
CM_Q10	31
CM_Q20	31
CM_Q40	32
CM_Q61	32
CM_Q81A.....	32
CM_Q81B.....	33
CM_Q81C.....	33
CM_Q81D.....	34
CM_Q81E.....	34
CP_Q10.....	37
CS_Q31.....	21
CS_Q41.....	21
CS_Q51.....	21
D	
DVAGE.....	7
DVAVCIG7	24
DVAVCIGD	25
DVCIGWK	24
DVDAILY	26
DVEDUC.....	57
DVLOWTAR.....	22
DVMARST	8
DVNDSMK	25
DVNOCS10	60
DVPRICE	26
DVSMKPTN.....	25
DVSS1	23
DVSS2	24
DVSST1	22
DVSST2.....	23
DVURBAN.....	2
DVYRSSMK	11
E	
EX_Q010	52
EX_Q020	53
EX_Q030	53
EX_Q040	53
EX_Q050	54
EX_Q060	54
EX_Q070	54
EX_Q080	55
EX_Q091	55
EX_Q100	55
EX_Q110	56
EX_Q120	56
EX_Q130	56
G	
GPLA_Q20	58
H	
HHSIZE	2
HHTYPE.....	4
HP_Q010.....	37
HP_Q020.....	38
HP_Q030.....	38
HP_Q040.....	38
HP_Q050.....	39
HP_Q060.....	39
HP_Q100.....	39
HP_Q110.....	40
HP_Q120.....	40
HS_Q10.....	4
HS_Q20.....	4

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)**

HS_Q30.....	5	SC_Q050.....	28
HS_Q40.....	5	SC_Q060.....	28
HS_Q50.....	5	SC_Q070.....	29
HS_Q60A.....	6	SC_Q080.....	29
HS_Q60B.....	6	SC_Q090.....	29
HS_Q60C.....	6	SC_Q100.....	30
HS_Q60D.....	7	SC_Q110.....	30
L		SEX.....	8
LA_Q10.....	57	SI_G20.....	61
LF_Q10.....	58	SI_Q10.....	60
LF_Q20.....	59	SP_Q10.....	40
LF_Q51.....	59	SP_Q20.....	41
M		SP_Q30.....	41
MU_Q10.....	61	SS_Q10.....	9
MU_Q20.....	61	SS_Q20.....	9
MU_Q30.....	62	SS_Q30.....	9
MU_Q40.....	62	SS_Q40.....	10
O		STOPSMK.....	31
OM_Q030.....	35	SV_Q10.....	45
OM_Q070.....	35	SV_Q20.....	46
OM_Q081.....	35	SV_Q30.....	46
OM_Q091.....	36	SV_Q40.....	46
OM_Q099.....	36	SV_Q50A.....	47
OM_Q100.....	36	SV_Q50B.....	47
OM_Q130.....	37	SV_Q50C.....	48
OS_Q10.....	50	SV_Q50D.....	48
OS_Q20.....	50	SV_Q50E.....	49
OS_Q30.....	51	SV_Q60.....	49
OS_Q31.....	51	T	
OS_Q40.....	52	TP_Q017.....	41
P		TP_Q021.....	42
PROV.....	1	TP_Q022.....	42
PS_Q10.....	10	TP_Q024.....	42
PS_Q20.....	10	TP_Q027.....	43
PS_Q30.....	11	TP_Q028.....	43
PS_Q40.....	11	TP_Q030.....	43
PUMFID.....	1	TP_Q040.....	44
R		TP_Q041.....	44
REFMONTH.....	1	TP_Q050.....	44
REFYEAR.....	1	TP_Q060.....	45
S		TP_Q061.....	45
SB_Q10.....	14	W	
SC_Q010.....	26	WP_Q10A.....	12
SC_Q020.....	27	WP_Q10B.....	12
SC_Q030.....	27	WP_Q10C.....	12
SC_Q040.....	28	WP_Q10D.....	13

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2009
Public Use Microdata File (Person)

WP_Q10E	13	WP_Q10G.....	14
WP_Q10F	13	WTPP	62