

Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual

TABLE OF CONTENTS

Identification Variables.....	1
Demographic Variables - Household	1
Derived Variables - Household	2
Household Smoking.....	4
Demographic Variables - Person	7
Smoking Status.....	9
Past Smoking.....	10
Derived Variables - Person	12
Weekly Pattern.....	12
Smoking Behaviour.....	14
Cigarette Brand.....	15
Cigarette Access.....	15
Cigarette Source	17
Cheaper Cigarettes.....	18
Derived Variables - Person	35
Smoking Cessation	39
Derived Variables - Person	44
Cessation Methods	44
Other Cessation Methods	48
Cessation Products.....	50
Health Professionals	50
Smoking and Pregnancy.....	53
Tobacco Products	54
Smoking in Vehicles.....	58
Opinions on Smoking.....	62
Exposure to Second-hand Smoke	65
Language and Education	69
Derived Variables - Person	70
Language and Education	70
Labour Force	71
Derived Variables - Person	73
Student Income.....	73
Marijuana Use.....	74
Weight Variable.....	75

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

2010 : 2010	Survey year	FREQ	WTD
		19,822	28,093,501
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

02 : 12	Survey month	FREQ	WTD
		19,822	28,093,501
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	1,802	432,948
11	Prince Edward Island	1,942	117,874
12	Nova Scotia	2,043	791,185
13	New Brunswick	1,860	635,780
24	Quebec	1,982	6,568,820
35	Ontario	1,927	10,896,753
46	Manitoba	2,288	985,743
47	Saskatchewan	2,100	833,642
48	Alberta	2,109	2,974,577
59	British Columbia	1,769	3,856,179
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	13,518	21,616,672
2	Rural	5,627	5,813,768
9	Not stated	677	663,062
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 09	Number of people	16,936	24,450,624
05	5 or more	2,886	3,642,877
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	14,482	20,356,741
01	One	3,033	3,697,696
02	Two or more	2,307	4,039,064
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	9,047	19,084,581
01	One	6,473	4,966,443
02	Two or more	4,302	4,042,478
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	12,107	14,871,296
01	One	4,291	5,950,502
02	Two or more	3,424	7,271,703
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	5,516	8,481,784
01	One	5,516	6,284,121
02	Two or more	8,790	13,327,597
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **HHTYPE** Position: 25 Length: 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc)

		FREQ	WTD
01	Households with only 18-19 year old members	31	11,854
02	Households with only 20-24 year old members	391	280,274
03	Households with only 25-44 year old members	993	2,569,697
04	Households with only 45-64 year old members	2,737	4,345,972
05	Households with only 65+ year old members	2,186	3,698,479
06	Households with adults and children aged 0-11 only	1,913	4,148,722
07	Households with adults and teens aged 12-19 only	6,211	5,414,156
08	Households with adults and young children and teens aged 0-19 only	1,752	1,896,435
09	Other compositions	3,608	5,727,912
		=====	=====
		19,822	28,093,501

Coverage: All households
Note: Derived from the roster entries

Section: Household Smoking (HS)

Variable Name: **HS_Q10** Position: 27 Length: 1

Does anyone in your household smoke cigarettes?

		FREQ	WTD
1	Yes	5,599	7,086,765
2	No	14,223	21,006,737
		=====	=====
		19,822	28,093,501

Coverage: Household respondent

Variable Name: **HS_Q20** Position: 28 Length: 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 00 : 15

		FREQ	WTD
00 : 15	Number of people	19,822	28,093,501
		=====	=====
		19,822	28,093,501

Coverage: Household respondent

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **HS_Q30** Position: 30 Length: 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	811	1,034,554
2	11 to 20 cigarettes	563	642,220
3	21 to 30 cigarettes	367	429,413
4	31 to 40 cigarettes	83	109,853
5	41 or more cigarettes	153	208,418
6	Valid skip	17,779	25,619,412
7	Don't know	64	48,975
8	Refusal	2	657
		=====	=====
		19,822	28,093,501

Coverage: HS_Q20=(01:15)

Variable Name: **HS_Q40** Position: 31 Length: 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	1,083	1,806,799
2	No	16,661	23,765,684
6	Valid skip	2,043	2,474,090
7	Don't know	34	46,360
8	Refusal	1	570
		=====	=====
		19,822	28,093,501

Coverage: HS_Q20=(00, DK or RF)

Variable Name: **HS_Q50** Position: 32 Length: 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	1,451	1,839,204
2	No	1,668	2,437,311
6	Valid skip	16,661	23,765,684
7	Don't know	6	4,306
8	Refusal	1	67
9	Not stated	35	46,929
		=====	=====
		19,822	28,093,501

Coverage: HS_Q20=(01:15) or HS_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **HS_Q60A** Position: 33 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed in certain rooms only?

		FREQ	WTD
1	Yes	992	1,288,663
2	No	456	549,566
6	Valid skip	18,329	26,202,995
7	Don't know	3	975
9	Not stated	42	51,303
		=====	=====
		19,822	28,093,501

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60B** Position: 34 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... restricted in the presence of young children?

		FREQ	WTD
1	Yes	627	732,404
2	No	821	1,105,825
6	Valid skip	18,329	26,202,995
7	Don't know	3	975
9	Not stated	42	51,303
		=====	=====
		19,822	28,093,501

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed only if windows are open or with another type of ventilation?

		FREQ	WTD
1	Yes	704	974,784
2	No	744	863,445
6	Valid skip	18,329	26,202,995
7	Don't know	3	975
9	Not stated	42	51,303
		=====	=====
		19,822	28,093,501

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... other restriction(s)?

		FREQ	WTD
1	Yes	242	333,860
2	No	1,206	1,504,369
6	Valid skip	18,329	26,202,995
7	Don't know	3	975
9	Not stated	42	51,303
		=====	=====
		19,822	28,093,501

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Section: Demographic Variables - Person

Variable Name: **DVAGE** *Position:* 37 *Length:* 3
Collection Name: **PA_Q01**

Age of respondent

Allowed values: 015 : 085

		FREQ	WTD
015 : 084	Age	19,526	27,744,852
085	85 years and over	296	348,650
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Derived from PA_Q01. Ages greater than 85 were recoded to 85.

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **AGEGRP5** *Position:* 40 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	5,082	2,194,432
2	20-24 years	3,833	2,301,422
3	25-34 years	1,514	4,721,672
4	35-44 years	1,941	4,758,746
5	45 years and over	7,452	14,117,230
		=====	=====
		19,822	28,093,501

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 41 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	3,165	1,361,123
02	18-19 years	1,917	833,309
03	20-22 years	2,480	1,448,609
04	23-24 years	1,353	852,813
05	25-44 years	3,455	9,480,417
06	45-64 years	4,872	9,582,245
07	65 years and over	2,580	4,534,985
		=====	=====
		19,822	28,093,501

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 43 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	9,043	13,866,486
2	Female	10,779	14,227,016
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **DVMARST** Position: 44 Length: 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	7,538	17,434,010
2	Widowed/Divorced/Separated	2,324	3,059,320
3	Single, never married	9,764	7,421,142
9	Not stated	196	179,030
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Section: Smoking Status (SS)

Variable Name: **SS_Q10** Position: 45 Length: 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	2,669	3,667,171
2	Occasionally	912	1,034,697
3	Not at all	16,241	23,391,633
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **SS_Q20** Position: 46 Length: 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	911	1,012,463
2	No	16,242	23,413,867
6	Valid skip	2,669	3,667,171
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(2 or 3)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SS_Q30** Position: 47 Length: 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	2,598	3,661,920
2	No	982	1,017,714
6	Valid skip	16,242	23,413,867
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **SS_Q40** Position: 48 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	7,315	11,926,786
2	No	12,507	16,166,716
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Section: Past Smoking (PS)

Variable Name: **PS_Q10** Position: 49 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	2,792	4,040,913
2	No	9,467	11,941,125
6	Valid skip	7,562	12,111,349
7	Don't know	1	115
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=3 and SS_Q40=2

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **PS_Q20** *Position:* 50 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	3,935	7,025,311
2	No	846	1,233,488
6	Valid skip	15,037	19,833,606
7	Don't know	4	1,096
		=====	=====
		19,822	28,093,501

Coverage: (SS_Q10=2 and (SS_Q20=2 or SS_Q30=2)) or (SS_Q10=3 and SS_Q40=1)

Variable Name: **PS_Q30** *Position:* 51 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 61	Age	10,164	15,813,962
96	Valid skip	9,467	11,941,125
97	Don't know	185	337,099
98	Refusal	3	1,091
99	Not stated	3	225
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1) or PS_Q10=1

Variable Name: **PS_Q40** *Position:* 53 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
06 : 64	Age	6,435	10,449,443
96	Valid skip	13,213	17,399,808
97	Don't know	164	241,687
98	Refusal	3	889
99	Not stated	7	1,674
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or PS_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Derived Variables - Person

Variable Name: **DVYRSSMK** Position: 55 Length: 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 74	Number of years	3,531	4,617,367
75	75 years and over	1	15,021
96	Valid skip	16,241	23,391,633
99	Not stated	49	69,480
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)
Note: Derived from DVAGE and PS_Q30. Ages greater than 75 were recoded to 75.

Section: Weekly Pattern (WP)

Variable Name: **WP_Q10A** Position: 57 Length: 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 90	Number of cigarettes	3,407	4,506,334
96	Valid skip	16,242	23,413,867
97	Don't know	173	173,300
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10B** Position: 59 Length: 2

... Tuesday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,353	4,450,130
96	Valid skip	16,242	23,413,867
97	Don't know	54	56,204
99	Not stated	173	173,300
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **WP_Q10C** Position: 61 Length: 2

... Wednesday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,312	4,414,517
96	Valid skip	16,242	23,413,867
97	Don't know	41	35,613
99	Not stated	227	229,504
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10D** Position: 63 Length: 2

... Thursday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,293	4,399,527
96	Valid skip	16,242	23,413,867
97	Don't know	19	14,990
99	Not stated	268	265,117
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10E** Position: 65 Length: 2

... Friday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,290	4,398,932
96	Valid skip	16,242	23,413,867
97	Don't know	3	594
99	Not stated	287	280,108
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **WP_Q10F** Position: 67 Length: 2

... Saturday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,287	4,397,327
96	Valid skip	16,242	23,413,867
97	Don't know	3	1,605
99	Not stated	290	280,702
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10G** Position: 69 Length: 2

... Sunday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,284	4,395,680
96	Valid skip	16,242	23,413,867
97	Don't know	3	1,647
99	Not stated	293	282,307
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1 or SS_Q20=1

Section: Smoking Behaviour (SB)

Variable Name: **SB_Q10** Position: 71 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	582	637,844
2	6 to 30 minutes	893	1,407,150
3	31 to 60 minutes	484	686,988
4	More than 60 minutes	681	906,819
6	Valid skip	17,153	24,426,330
7	Don't know	19	22,762
8	Refusal	1	120
9	Not stated	9	5,488
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Cigarette Brand (CB)

Variable Name: **CB_Q20** Position: 72 Length: 1

At the present time, do you roll your own or make your own cigarettes:

		FREQ	WTD
1	All the time	181	165,221
2	Most of the time	104	81,610
3	Sometimes	326	298,302
4	Never	2,954	4,143,717
6	Valid skip	16,241	23,391,633
9	Not stated	16	13,018
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Section: Cigarette Access (CA)

Variable Name: **CA_G10** Position: 73 Length: 2
Collection Name: **CA_Q10**

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them at a small grocery / corner store	1,821	2,620,040
02	I buy them at a supermarket	313	386,356
03	I buy them at a gasoline station	713	723,619
04	I buy them at another kind of store	92	171,683
05	I get them for free from a family member, a friend or someone else	270	182,855
06	I buy them from a First Nations Reserve (either on-site or delivery service)	100	207,495
07	Other	231	370,847
96	Valid skip	16,241	23,391,633
97	Don't know	16	16,779
98	Refusal	8	9,066
99	Not stated	17	13,127
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Note: Derived from CA_Q10

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CA_Q20** Position: 75 Length: 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	43	18,983
2	No	161	53,006
6	Valid skip	19,577	27,982,539
9	Not stated	41	38,973
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CA_G10=(05:07) and DVAGE=(15:18)

Variable Name: **CA_Q30** Position: 76 Length: 1

(In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	192	82,504
2	No	130	53,157
6	Valid skip	19,456	27,917,545
7	Don't know	1	709
8	Refusal	2	614
9	Not stated	41	38,973
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:04) and DVAGE=(15:18)

Variable Name: **CA_Q40** Position: 77 Length: 1

(In the past 12 months), has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	136	58,849
2	No	186	77,478
6	Valid skip	19,456	27,917,545
7	Don't know	1	43
8	Refusal	1	563
9	Not stated	42	39,023
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:04) and DVAGE=(15:18)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CA_Q50** Position: 78 Length: 1

(In the past 12 months), have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	299	109,096
2	No	186	80,844
6	Valid skip	19,295	27,864,539
9	Not stated	42	39,023
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:07) and DVAGE=(15:18)

Section: Cigarette Source (CS)

Variable Name: **CS_Q31** Position: 79 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	899	1,010,207
2	No	18,861	27,012,097
7	Don't know	35	47,596
8	Refusal	4	1,367
9	Not stated	23	22,233
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **CS_Q41** Position: 80 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	310	191,705
2	No	586	817,556
6	Valid skip	18,861	27,012,097
7	Don't know	3	946
9	Not stated	62	71,197
		=====	=====
		19,822	28,093,501

Coverage: CS_Q31=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CS_Q51** Position: 81 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	124	78,962
2	No	183	109,430
6	Valid skip	19,447	27,829,653
7	Don't know	3	3,313
9	Not stated	65	72,144
		=====	=====
		19,822	28,093,501

Coverage: CS_Q31=1 and CS_Q41=1

Section: Cheaper Cigarettes (CC)

Variable Name: **CC_Q20** Position: 82 Length: 1
Collection Name: **CC_Q020**

In the past six months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	1,111	1,499,052
2	No	2,428	3,167,380
6	Valid skip	16,241	23,391,633
7	Don't know	19	13,475
8	Refusal	1	563
9	Not stated	22	21,399
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q40** Position: 83 Length: 1
Collection Name: **CC_Q040**

In the past six months, did you buy:

... from the internet?

		FREQ	WTD
1	Yes	3	3,831
2	No	3,555	4,675,388
6	Valid skip	16,241	23,391,633
9	Not stated	23	22,649
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q50** Position: 84 Length: 1
Collection Name: **CC_Q050**

In the past six months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	4	1,066
2	No	3,552	4,675,762
6	Valid skip	16,241	23,391,633
9	Not stated	25	25,041
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q55** Position: 85 Length: 1
Collection Name: **CC_Q055**

In the past six months, did you buy:

... from a First Nations Reserve?

		FREQ	WTD
1	Yes	456	662,434
2	No	3,095	4,011,702
6	Valid skip	16,241	23,391,633
7	Don't know	5	2,691
9	Not stated	25	25,041
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q60** Position: 86 Length: 1
Collection Name: **CC_Q060**

In the past six months, did you buy:

... from outside your province?

		FREQ	WTD
1	Yes	474	488,843
2	No	3,079	4,186,608
6	Valid skip	16,241	23,391,633
7	Don't know	1	413
9	Not stated	27	26,004
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q70** Position: 87 Length: 1
Collection Name: **CC_Q070**

In the past six months, did you buy:

... cigarettes that may have been smuggled?

		FREQ	WTD
1	Yes	61	57,715
2	No	3,475	4,581,394
6	Valid skip	16,241	23,391,633
7	Don't know	17	36,448
8	Refusal	1	307
9	Not stated	27	26,004
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q80** Position: 88 Length: 1
Collection Name: **CC_Q080**

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	121	156,622
2	No	3,428	4,504,906
6	Valid skip	16,241	23,391,633
7	Don't know	4	13,628
9	Not stated	28	26,713
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q100A** Position: 89 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a regular retail store (i.e. convenience store)?

		FREQ	WTD
1	Yes	328	448,979
2	No	122	207,124
6	Valid skip	19,320	27,388,982
7	Don't know	3	1,910
8	Refusal	3	4,420
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q100B** Position: 90 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a delivery service?

		FREQ	WTD
1	Yes	5	2,924
2	No	445	653,180
6	Valid skip	19,320	27,388,982
7	Don't know	3	1,910
8	Refusal	3	4,420
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q100C** Position: 91 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a friend?

		FREQ	WTD
1	Yes	72	120,404
2	No	378	535,700
6	Valid skip	19,320	27,388,982
7	Don't know	3	1,910
8	Refusal	3	4,420
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q100D** Position: 92 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a family member?

		FREQ	WTD
1	Yes	26	14,759
2	No	424	641,345
6	Valid skip	19,320	27,388,982
7	Don't know	3	1,910
8	Refusal	3	4,420
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q100E** Position: 93 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a co-worker?

		FREQ	WTD
1	Yes	15	56,178
2	No	435	599,925
6	Valid skip	19,320	27,388,982
7	Don't know	3	1,910
8	Refusal	3	4,420
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q100F** Position: 94 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... other (specify)?

		FREQ	WTD
1	Yes	25	34,044
2	No	425	622,060
6	Valid skip	19,320	27,388,982
7	Don't know	3	1,910
8	Refusal	3	4,420
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q110** Position: 95 Length: 1

Thinking about the last time you bought these cigarettes, what did you buy? Was it ... ?

		FREQ	WTD
1	A pack of 20 cigarettes	49	57,437
2	A pack of 25 cigarettes	196	133,556
3	A carton (200 cigarettes)	138	286,467
4	A bag of 200 cigarettes	46	162,961
5	Other	23	13,861
6	Valid skip	19,320	27,388,982
7	Don't know	3	4,043
8	Refusal	1	4,109
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120A** Position: 96 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through

... a friend?

		FREQ	WTD
1	Yes	155	265,591
2	No	277	366,797
6	Valid skip	19,320	27,388,982
7	Don't know	21	24,620
8	Refusal	3	5,425
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q120B** Position: 97 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a family member?

		FREQ	WTD
1	Yes	66	92,154
2	No	366	540,235
6	Valid skip	19,320	27,388,982
7	Don't know	21	24,620
8	Refusal	3	5,425
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120C** Position: 98 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a co-worker?

		FREQ	WTD
1	Yes	22	45,130
2	No	410	587,259
6	Valid skip	19,320	27,388,982
7	Don't know	21	24,620
8	Refusal	3	5,425
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q120D** Position: 99 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... word of mouth?

		FREQ	WTD
1	Yes	103	176,811
2	No	329	455,578
6	Valid skip	19,320	27,388,982
7	Don't know	21	24,620
8	Refusal	3	5,425
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120E** Position: 100 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a sign on or near a First Nations Reserve?

		FREQ	WTD
1	Yes	62	73,519
2	No	370	558,869
6	Valid skip	19,320	27,388,982
7	Don't know	21	24,620
8	Refusal	3	5,425
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q120F** Position: 101 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... other (specify)?

		FREQ	WTD
1	Yes	61	50,847
2	No	371	581,542
6	Valid skip	19,320	27,388,982
7	Don't know	21	24,620
8	Refusal	3	5,425
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q130** Position: 102 Length: 1

How easy was it for you to buy these cigarettes? Would you say it was ... ?

		FREQ	WTD
1	Very easy	328	473,814
2	Relatively easy	95	144,370
3	Difficult	23	24,467
4	Very difficult	5	1,245
6	Valid skip	19,320	27,388,982
7	Don't know	4	14,429
8	Refusal	1	4,109
9	Not stated	46	42,086
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q140A** Position: 103 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a regular retail store (i.e. convenience store)?

		FREQ	WTD
1	Yes	3	3,309
2	No	54	52,867
6	Valid skip	19,701	27,961,981
7	Don't know	2	441
8	Refusal	2	1,098
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140B** Position: 104 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a First Nations Reserve?

		FREQ	WTD
1	Yes	8	5,388
2	No	49	50,789
6	Valid skip	19,701	27,961,981
7	Don't know	2	441
8	Refusal	2	1,098
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q140C** Position: 105 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a delivery service?

		FREQ	WTD
1	Yes	1	901
2	No	56	55,275
6	Valid skip	19,701	27,961,981
7	Don't know	2	441
8	Refusal	2	1,098
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140D** Position: 106 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a friend?

		FREQ	WTD
1	Yes	35	34,961
2	No	22	21,216
6	Valid skip	19,701	27,961,981
7	Don't know	2	441
8	Refusal	2	1,098
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q140E** Position: 107 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a family member?

		FREQ	WTD
1	Yes	3	1,461
2	No	54	54,715
6	Valid skip	19,701	27,961,981
7	Don't know	2	441
8	Refusal	2	1,098
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140F** Position: 108 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a co-worker?

		FREQ	WTD
1	Yes	1	114
2	No	56	56,062
6	Valid skip	19,701	27,961,981
7	Don't know	2	441
8	Refusal	2	1,098
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q140G** Position: 109 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from

... other (specify)?

		FREQ	WTD
1	Yes	7	10,157
2	No	50	46,019
6	Valid skip	19,701	27,961,981
7	Don't know	2	441
8	Refusal	2	1,098
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q150** Position: 110 Length: 1

Thinking about the last time you bought these cigarettes, what did you buy? Was it ... ?

		FREQ	WTD
1	A pack of 20 cigarettes	8	5,082
2	A pack of 25 cigarettes	10	11,525
3	A carton (200 cigarettes)	13	10,270
4	A bag of 200 cigarettes	24	21,494
5	Other	3	7,288
6	Valid skip	19,701	27,961,981
7	Don't know	2	1,119
8	Refusal	1	937
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q160A** Position: 111 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a friend?

		FREQ	WTD
1	Yes	34	31,924
2	No	25	25,250
6	Valid skip	19,701	27,961,981
7	Don't know	1	380
8	Refusal	1	161
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160B** Position: 112 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a family member?

		FREQ	WTD
1	Yes	4	8,854
2	No	55	48,320
6	Valid skip	19,701	27,961,981
7	Don't know	1	380
8	Refusal	1	161
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q160C** Position: 113 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a co-worker?

		FREQ	WTD
1	Yes	3	422
2	No	56	56,752
6	Valid skip	19,701	27,961,981
7	Don't know	1	380
8	Refusal	1	161
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160D** Position: 114 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... word of mouth?

		FREQ	WTD
1	Yes	18	11,756
2	No	41	45,418
6	Valid skip	19,701	27,961,981
7	Don't know	1	380
8	Refusal	1	161
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q160E** Position: 115 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a sign on or near a First Nations Reserve?

		FREQ	WTD
1	Yes	1	1,023
2	No	58	56,151
6	Valid skip	19,701	27,961,981
7	Don't know	1	380
8	Refusal	1	161
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160F** Position: 116 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... other (specify)?

		FREQ	WTD
1	Yes	3	11,021
2	No	56	46,153
6	Valid skip	19,701	27,961,981
7	Don't know	1	380
8	Refusal	1	161
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CC_Q170** Position: 117 Length: 1

How easy was it for you to buy these cigarettes? Would you say it was ... ?

		FREQ	WTD
1	Very easy	43	43,508
2	Relatively easy	13	12,453
3	Difficult	2	568
4	Very difficult	1	644
6	Valid skip	19,701	27,961,981
7	Don't know	1	380
8	Refusal	1	161
9	Not stated	60	73,806
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** Position: 118 Length: 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	4	15,729
03	3 mg	14	37,666
04	4 mg	161	305,634
05	5 mg	0	0
06	6 mg	2	12,912
07	7 mg	21	44,090
08	8 mg	52	75,075
09	9 mg	70	52,884
10	10 mg	161	226,516
11	11 mg	248	545,749
12	12 mg	596	603,764
13	13 mg	421	454,470
14	14 mg	646	835,095
15	15 mg	399	484,964
16	16 mg	38	73,757
17	17 mg or more	0	0
96	Valid skip	16,291	23,456,921
99	Not stated	698	868,277
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and CB_Q15=(2, DK or RF)

Note: Derived from CB_Q12.

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **DVSST1** *Position:* 120 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	3,581	4,701,868
2	Former smoker	3,981	7,409,480
3	Never smoked	12,260	15,982,153
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Variable Name: **DVSST2** *Position:* 121 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	2,669	3,667,171
02	Current occasional smoker	912	1,034,697
03	Former daily smoker	3,524	6,540,861
04	Former occasional smoker	455	867,886
05	Experimental smoker	2,792	4,040,913
06	Lifetime abstainer	9,467	11,941,125
99	Not stated	3	849
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 123 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	3,580	4,679,634
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	3,967	7,434,452
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	12,275	15,979,415
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **DVNDSMK** *Position:* 131 *Length:* 2

Derived variable for number of days respondent smoked in the last seven days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	Number of days	3,284	4,395,680
96	Valid skip	16,242	23,413,867
99	Not stated	296	283,954
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVAVCIGD** *Position:* 133 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Average number of cigarettes	3,284	4,395,680
96	Valid skip	16,242	23,413,867
99	Not stated	296	283,954
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVSMKPTN** *Position:* 135 *Length:* 1

Derived variable for current smokers' smoking pattern in the past seven days

		FREQ	WTD
1	Smoked every day	2,575	3,660,507
2	Weekdays only	6	6,769
3	Weekend only	11	21,111
4	Did not smoke in last seven days	168	186,051
5	Other pattern	524	521,241
6	Valid skip	16,242	23,413,867
9	Not stated	296	283,954
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Note: Derived from WP_Q10A to WP_Q10G. Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **DVDAILY** Position: 136 Length: 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Average number of cigarettes	2,470	3,468,623
96	Valid skip	17,153	24,426,330
99	Not stated	199	198,549
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=1

Note: Derived from WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** Position: 138 Length: 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	1,262	1,362,743
2	Regular price brand	1,945	2,932,033
6	Valid skip	16,241	23,391,633
9	Not stated	374	407,093
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Note: Derived from CB_Q12 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation (SC)

Variable Name: **SC_Q010** Position: 139 Length: 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	303	384,061
2	1 to 2 years ago	280	446,583
3	3 to 5 years ago	341	600,390
4	More than 5 years ago	3,041	5,959,634
6	Valid skip	15,841	20,684,021
7	Don't know	10	11,232
8	Refusal	5	7,173
9	Not stated	1	408
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=3 and SS_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SC_Q020** Position: 140 Length: 2

In what month did you stop smoking?

		FREQ	WTD
01	January	30	55,066
02	February	29	50,023
03	March	31	43,502
04	April	19	18,931
05	May	14	13,089
06	June	20	22,067
07	July	22	15,841
08	August	16	37,234
09	September	23	23,855
10	October	29	35,924
11	November	27	31,118
12	December	35	34,826
96	Valid skip	19,503	27,690,627
97	Don't know	8	2,585
99	Not stated	16	18,813
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

Variable Name: **SC_Q030** Position: 142 Length: 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	204	255,881
02	Pregnancy or a baby in the household	22	24,767
03	Less stress in life	2	543
04	Cost of cigarettes	20	34,408
05	Smoking is less socially acceptable	10	4,827
06	Some other reason	45	63,634
96	Valid skip	19,503	27,690,627
99	Not stated	16	18,813
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SC_Q040** Position: 144 Length: 2

Approximately, how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Number of attempts	3,833	7,195,966
96	Valid skip	15,841	20,684,021
97	Don't know	141	203,988
98	Refusal	6	9,118
99	Not stated	1	408
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q050** Position: 146 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Average number of cigarettes	3,815	7,114,811
96	Valid skip	15,841	20,684,021
97	Don't know	153	275,869
98	Refusal	12	18,393
99	Not stated	1	408
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q060** Position: 148 Length: 1

Are you seriously considering quitting within the next six months?

		FREQ	WTD
1	Yes	2,085	2,691,765
2	No	1,338	1,776,343
6	Valid skip	16,241	23,391,633
7	Don't know	127	205,089
8	Refusal	3	1,958
9	Not stated	28	26,713
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SC_Q070** Position: 149 Length: 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	969	1,186,960
2	No	1,006	1,388,636
6	Valid skip	17,579	25,167,976
7	Don't know	110	116,170
9	Not stated	158	233,760
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and SC_Q060=1

Variable Name: **SC_Q080** Position: 150 Length: 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	Number of attempts	3,729	4,935,211
96	Valid skip	15,922	22,988,759
97	Don't know	124	122,333
98	Refusal	3	1,673
99	Not stated	44	45,526
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) or SC_Q010=1

Variable Name: **SC_Q090** Position: 152 Length: 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 52	Number of attempts	1,975	2,286,373
96	Valid skip	17,671	25,626,258
97	Don't know	26	31,465
98	Refusal	1	60
99	Not stated	149	149,346
		=====	=====
		19,822	28,093,501

Coverage: (SS_Q10=(1 or 2) or SC_Q010=1) and SC_Q080=(01:94)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SC_Q100** Position: 154 Length: 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	14	32,229
02	Stress, need to relax or to calm down	665	806,551
03	Boredom	69	41,539
04	Addiction / habit	390	497,718
05	Lack of support or information	2	196
06	Going out more (bars, parties)	75	84,598
07	Increased availability	2	1,174
08	No reason / felt like it	171	163,244
09	Family or friends smoke	221	211,253
10	Other	124	154,312
96	Valid skip	17,873	25,857,620
97	Don't know	44	71,930
99	Not stated	172	171,136
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and SC_Q080=(01:94)

Variable Name: **SC_Q110** Position: 156 Length: 1

Have you ever tried to quit smoking?

		FREQ	WTD
1	Yes	1,127	1,822,495
2	No	642	777,229
6	Valid skip	17,981	25,418,984
7	Don't know	2	978
8	Refusal	1	544
9	Not stated	69	73,270
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Derived Variables - Person

Variable Name: **STOPSMK** *Position:* 157 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	Number of months	295	381,476
18	1-2 years	280	446,583
48	3-5 years	341	600,390
60	More than 5 years ago	3,041	5,959,634
96	Valid skip	15,841	20,684,021
99	Not stated	24	21,398
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=3 and SS_Q40=1
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods (CM)

Variable Name: **CM_Q10** *Position:* 159 *Length:* 1

Have you tried to quit smoking in the past two years?

		FREQ	WTD
1	Yes	461	586,634
2	No	664	1,235,343
6	Valid skip	18,623	26,196,213
7	Don't know	2	518
9	Not stated	72	74,793
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF) and SC_Q110=1

Variable Name: **CM_Q20** *Position:* 160 *Length:* 1

In the past two years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	626	937,135
2	No	2,171	2,523,401
6	Valid skip	16,948	24,554,748
7	Don't know	1	1,193
9	Not stated	76	77,023
		=====	=====
		19,822	28,093,501

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CM_Q40** Position: 161 Length: 1

(In the past two years), did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	582	769,219
2	No	2,215	2,691,317
6	Valid skip	16,948	24,554,748
7	Don't know	1	1,193
9	Not stated	76	77,023
		=====	=====
		19,822	28,093,501

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q61** Position: 162 Length: 1

(In the past two years), did you use a medication such as 'Zyban', 'Wellbutrin' or 'Champix'?

		FREQ	WTD
1	Yes	443	711,740
2	No	2,353	2,748,505
6	Valid skip	16,948	24,554,748
7	Don't know	1	1,193
9	Not stated	77	77,315
		=====	=====
		19,822	28,093,501

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q81A** Position: 163 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You were concerned about possible side effects

		FREQ	WTD
1	Yes	344	430,191
2	No	1,256	1,309,237
6	Valid skip	18,116	26,227,009
7	Don't know	23	43,365
8	Refusal	3	926
9	Not stated	80	82,772
		=====	=====
		19,822	28,093,501

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CM_Q81B** Position: 164 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't believe these products work

		FREQ	WTD
1	Yes	341	393,353
2	No	1,259	1,346,075
6	Valid skip	18,116	26,227,009
7	Don't know	23	43,365
8	Refusal	3	926
9	Not stated	80	82,772
		=====	=====
		19,822	28,093,501

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81C** Position: 165 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't have enough information about these products

		FREQ	WTD
1	Yes	194	154,084
2	No	1,406	1,585,345
6	Valid skip	18,116	26,227,009
7	Don't know	23	43,365
8	Refusal	3	926
9	Not stated	80	82,772
		=====	=====
		19,822	28,093,501

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **CM_Q81D** Position: 166 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

They cost too much

		FREQ	WTD
1	Yes	396	353,152
2	No	1,204	1,386,277
6	Valid skip	18,116	26,227,009
7	Don't know	23	43,365
8	Refusal	3	926
9	Not stated	80	82,772
		=====	=====
		19,822	28,093,501

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81E** Position: 167 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

Some other reason

		FREQ	WTD
1	Yes	917	1,029,274
2	No	683	710,154
6	Valid skip	18,116	26,227,009
7	Don't know	23	43,365
8	Refusal	3	926
9	Not stated	80	82,772
		=====	=====
		19,822	28,093,501

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Other Cessation Methods (OM)

Variable Name: **OM_Q030** Position: 168 Length: 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	825	990,462
2	No	1,988	2,474,836
6	Valid skip	16,948	24,554,748
7	Don't know	3	4,500
8	Refusal	1	7,561
9	Not stated	57	61,394
		=====	=====
		19,822	28,093,501

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q070** Position: 169 Length: 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,947	2,388,600
2	No	864	1,082,469
6	Valid skip	16,948	24,554,748
7	Don't know	5	6,072
9	Not stated	58	61,612
		=====	=====
		19,822	28,093,501

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q081** Position: 170 Length: 1

Are you aware of any smoking cessation programs, plans or support offered at your workplace?

		FREQ	WTD
1	Yes	481	698,760
2	No	2,313	2,751,386
6	Valid skip	16,948	24,554,748
7	Don't know	14	20,780
8	Refusal	8	6,215
9	Not stated	58	61,612
		=====	=====
		19,822	28,093,501

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **OM_Q091** Position: 171 Length: 1

Have you used any of these programs, plans or support?

		FREQ	WTD
1	Yes	73	155,411
2	No	408	543,349
6	Valid skip	19,261	27,306,135
9	Not stated	80	88,607
		=====	=====
		19,822	28,093,501

Coverage: ((SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))) and OM_Q081=1

Variable Name: **OM_Q100** Position: 172 Length: 1

Did you use a 1-800 quitline or a smokers helpline?

		FREQ	WTD
1	Yes	92	107,049
2	No	1,875	2,319,831
6	Valid skip	17,691	25,423,368
9	Not stated	164	243,254
		=====	=====
		19,822	28,093,501

Coverage: ((SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))) and OM_Q099=1

Variable Name: **OM_Q130** Position: 173 Length: 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	334	328,736
2	No	36	36,228
6	Valid skip	19,325	27,583,894
7	Don't know	1	95
9	Not stated	126	144,549
		=====	=====
		19,822	28,093,501

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2 and OM_Q030=2 and OM_Q070=2 and (OM_Q081=2 or (OM_Q081=1 and OM_Q091=2)) and (OM_Q099=2 or (OM_Q099=1 and OM_Q100=2))

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Cessation Products (CP)

Variable Name: **CP_Q10** Position: 174 Length: 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)

		FREQ	WTD
1	Yes	466	696,978
2	No	3,074	3,949,554
6	Valid skip	16,241	23,391,633
7	Don't know	5	10,540
8	Refusal	1	4,460
9	Not stated	35	40,337
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Section: Health Professionals (HP)

Variable Name: **HP_Q010** Position: 175 Length: 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	2,762	3,604,734
2	No	778	1,051,524
6	Valid skip	16,241	23,391,633
7	Don't know	5	5,032
9	Not stated	36	40,578
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Variable Name: **HP_Q020** Position: 176 Length: 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	1,437	2,005,462
2	No	1,317	1,595,048
6	Valid skip	17,019	24,443,157
7	Don't know	5	2,917
8	Refusal	3	1,308
9	Not stated	41	45,610
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and HP_Q010=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **HP_Q031** *Position:* 177 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	841	1,286,915
2	No	592	714,025
6	Valid skip	18,336	26,038,205
7	Don't know	4	4,523
9	Not stated	49	49,834
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and HP_Q010=1 and HP_Q020=1

Variable Name: **HP_Q040** *Position:* 178 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	2,170	2,918,561
2	No	1,367	1,738,350
6	Valid skip	16,241	23,391,633
7	Don't know	6	3,474
8	Refusal	2	905
9	Not stated	36	40,578
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Variable Name: **HP_Q050** *Position:* 179 *Length:* 1

Did they (the dentist or dental hygienist) advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	671	1,114,960
2	No	1,482	1,790,291
6	Valid skip	17,608	25,129,983
7	Don't know	13	8,328
8	Refusal	2	171
9	Not stated	46	49,767
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and HP_Q040=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **HP_Q061** *Position:* 180 *Length:* 1

Did they (the dentist or dental hygienist) provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	211	398,036
2	No	457	714,653
6	Valid skip	19,090	26,920,274
7	Don't know	3	2,272
9	Not stated	61	58,267
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and HP_Q040=1 and HP_Q050=1

Variable Name: **HP_Q100** *Position:* 181 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	1,604	2,105,126
2	No	1,932	2,545,555
6	Valid skip	16,241	23,391,633
7	Don't know	5	5,328
8	Refusal	2	470
9	Not stated	38	45,388
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2)

Variable Name: **HP_Q110** *Position:* 182 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	300	375,542
2	No	1,302	1,728,148
6	Valid skip	18,173	25,937,188
7	Don't know	1	751
8	Refusal	1	687
9	Not stated	45	51,187
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and HP_Q100=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **HP_Q121** *Position:* 183 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	216	295,908
2	No	83	79,519
6	Valid skip	19,475	27,665,336
7	Don't know	1	114
9	Not stated	47	52,624
		=====	=====
		19,822	28,093,501

Coverage: SS_Q10=(1 or 2) and HP_Q100=1 and HP_Q110=1

Section: Smoking and Pregnancy (SP)

Variable Name: **SP_Q10** *Position:* 184 *Length:* 1

Have you been pregnant in the past five years?

		FREQ	WTD
1	Yes	1,102	1,853,116
2	No	2,870	3,952,770
6	Valid skip	15,836	22,250,101
7	Don't know	1	19
8	Refusal	4	22,252
9	Not stated	9	15,243
		=====	=====
		19,822	28,093,501

Coverage: SEX=2 and DVAGE=(20:44)

Variable Name: **SP_Q20** *Position:* 185 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	166	152,105
2	No	253	315,715
6	Valid skip	19,386	27,585,335
7	Don't know	2	412
8	Refusal	1	2,421
9	Not stated	14	37,514
		=====	=====
		19,822	28,093,501

Coverage: SEX=2 and DVAGE=(20:44) and (SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1:3))) and SP_Q10=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SP_Q30** *Position:* 186 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	87	96,103
2	No	986	1,735,592
3	Not applicable (no spouse/partner)	26	19,342
6	Valid skip	18,706	26,202,872
7	Don't know	1	112
8	Refusal	1	354
9	Not stated	15	39,127
		=====	=====
		19,822	28,093,501

Coverage: SEX=2 and DVAGE=(20:44) and SP_Q10=1

Section: Tobacco Products (TP)

Variable Name: **TP_Q017** *Position:* 187 *Length:* 1

Have you ever tried smoking a little cigar or cigarillo?

		FREQ	WTD
1	Yes	7,227	10,237,438
2	No	12,521	17,756,127
7	Don't know	16	33,897
8	Refusal	2	470
9	Not stated	56	65,570
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **TP_Q021** *Position:* 188 *Length:* 1

In the past 30 days, did you smoke any little cigars or cigarillos?

		FREQ	WTD
1	Yes	917	870,178
2	No	6,310	9,367,260
6	Valid skip	12,521	17,756,127
9	Not stated	74	99,937
		=====	=====
		19,822	28,093,501

Coverage: TP_Q017=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **TP_Q022** *Position:* 189 *Length:* 1

Were these (little cigars or cigarillos) plain, flavoured or both?

		FREQ	WTD
1	Plain	122	224,137
2	Flavoured	606	506,260
3	Both	178	123,614
6	Valid skip	18,831	27,123,386
7	Don't know	10	16,153
9	Not stated	75	99,951
		=====	=====
		19,822	28,093,501

Coverage: TP_Q017=1 and TP_Q021=1

Variable Name: **TP_Q024** *Position:* 190 *Length:* 1

Have you ever tried smoking a cigar not including little cigars or cigarillos?

		FREQ	WTD
1	Yes	5,197	8,068,776
2	No	14,547	19,944,562
7	Don't know	16	12,994
8	Refusal	2	470
9	Not stated	60	66,699
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **TP_Q027** *Position:* 191 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

		FREQ	WTD
1	Yes	391	383,283
2	No	4,806	7,685,493
6	Valid skip	14,547	19,944,562
9	Not stated	78	80,164
		=====	=====
		19,822	28,093,501

Coverage: TP_Q024=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **TP_Q028** *Position:* 192 *Length:* 1

Were these cigars plain, flavoured or both?

		FREQ	WTD
1	Plain	268	289,202
2	Flavoured	65	54,205
3	Both	52	24,813
6	Valid skip	19,353	27,630,055
7	Don't know	6	15,063
9	Not stated	78	80,164
		=====	=====
		19,822	28,093,501

Coverage: TP_Q024=1 and TP_Q027=1

Variable Name: **TP_Q030** *Position:* 193 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	2,534	4,003,824
2	No	17,217	24,009,103
7	Don't know	6	12,615
8	Refusal	2	470
9	Not stated	63	67,489
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 194 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	132	128,610
2	No	2,402	3,875,214
6	Valid skip	17,217	24,009,103
9	Not stated	71	80,574
		=====	=====
		19,822	28,093,501

Coverage: TP_Q030=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **TP_Q041** *Position:* 195 *Length:* 1

Was the pipe tobacco plain, flavoured or both?

		FREQ	WTD
1	Plain	52	38,021
2	Flavoured	52	70,313
3	Both	21	7,137
6	Valid skip	19,619	27,884,318
7	Don't know	7	13,139
9	Not stated	71	80,574
		=====	=====
		19,822	28,093,501

Coverage: TP_Q030=1 and TP_Q040=1

Variable Name: **TP_Q050** *Position:* 196 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,893	2,167,615
2	No	17,860	25,842,366
7	Don't know	2	909
8	Refusal	2	470
9	Not stated	65	82,141
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **TP_Q060** *Position:* 197 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	172	123,811
2	No	1,721	2,043,804
6	Valid skip	17,860	25,842,366
9	Not stated	69	83,520
		=====	=====
		19,822	28,093,501

Coverage: TP_Q050=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **TP_Q061** *Position:* 198 *Length:* 1

Was the chewing tobacco, pinch or snuff plain, flavoured or both?

		FREQ	WTD
1	Plain	52	41,127
2	Flavoured	85	64,285
3	Both	34	18,081
6	Valid skip	19,581	27,886,170
7	Don't know	1	319
9	Not stated	69	83,520
		=====	=====
		19,822	28,093,501

Coverage: TP_Q050=1 and TP_Q060=1

Section: Smoking in Vehicles (SV)

Variable Name: **SV_Q10** *Position:* 199 *Length:* 1

Do you, or a member of your household, own or lease a motor vehicle? Include cars, pickup trucks, minivans, vans and SUVs.

		FREQ	WTD
1	Yes	17,610	24,774,926
2	No	2,128	3,170,546
7	Don't know	2	958
8	Refusal	11	55,940
9	Not stated	71	91,132
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **SV_Q20** *Position:* 200 *Length:* 1

Is smoking allowed inside any motor vehicle that you, or a member of your household, own or lease?

		FREQ	WTD
1	Yes	3,525	3,919,087
2	No	14,012	20,740,330
6	Valid skip	2,128	3,170,546
7	Don't know	69	81,177
8	Refusal	1	2,185
9	Not stated	87	180,176
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SV_Q30** Position: 201 Length: 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	2,283	2,779,258
2	No	704	583,281
3	Never has children under 18 in vehicles	499	536,446
6	Valid skip	16,140	23,910,876
7	Don't know	38	20,025
8	Refusal	1	76
9	Not stated	157	263,539
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1 and SV_Q20=1

Variable Name: **SV_Q40** Position: 202 Length: 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,234	1,399,588
2	No	2,255	2,485,932
6	Valid skip	16,140	23,910,876
7	Don't know	36	33,567
9	Not stated	157	263,539
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1 and SV_Q20=1

Variable Name: **SV_Q50A** Position: 203 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted if any occupant is a non-smoker

		FREQ	WTD
1	Yes	330	469,195
2	No	901	929,526
6	Valid skip	18,395	26,396,808
7	Don't know	3	868
9	Not stated	193	297,105
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SV_Q50B** Position: 204 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted by the number of cigarettes smoked

		FREQ	WTD
1	Yes	28	45,560
2	No	1,203	1,353,161
6	Valid skip	18,395	26,396,808
7	Don't know	3	868
9	Not stated	193	297,105
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50C** Position: 205 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when driving alone

		FREQ	WTD
1	Yes	149	181,935
2	No	1,082	1,216,786
6	Valid skip	18,395	26,396,808
7	Don't know	3	868
9	Not stated	193	297,105
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SV_Q50D** Position: 206 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when the fan, air conditioner, heater is turned on or the window is open

		FREQ	WTD
1	Yes	619	547,511
2	No	612	851,209
6	Valid skip	18,395	26,396,808
7	Don't know	3	868
9	Not stated	193	297,105
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50E** Position: 207 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Other (specify)

		FREQ	WTD
1	Yes	279	379,221
2	No	952	1,019,499
6	Valid skip	18,395	26,396,808
7	Don't know	3	868
9	Not stated	193	297,105
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SV_Q60** Position: 208 Length: 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	3,059	3,361,187
2	Sometimes	253	301,310
3	Rarely	54	55,314
4	Never	61	85,783
6	Valid skip	16,140	23,910,876
7	Don't know	94	107,618
8	Refusal	3	3,461
9	Not stated	158	267,954
		=====	=====
		19,822	28,093,501

Coverage: SV_Q10=1 and SV_Q20=1

Section: Opinions on Smoking (OS)

Variable Name: **OS_Q10** Position: 209 Length: 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	15,485	21,688,564
2	Smoking should be allowed only in a section of a restaurant that is enclosed	2,148	2,998,130
3	Smoking should be allowed only in a designated section of a restaurant	1,846	2,844,758
4	Smoking should be allowed anywhere in a restaurant	161	252,736
7	Don't know	83	146,033
8	Refusal	15	19,870
9	Not stated	84	143,411
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **OS_Q20** *Position:* 210 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	11,277	16,026,186
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	3,813	5,196,463
3	Smoking should be allowed only in a designated section of a bar or tavern	3,146	4,361,881
4	Smoking should be allowed anywhere in a bar or tavern	944	1,362,895
7	Don't know	471	843,694
8	Refusal	79	152,129
9	Not stated	92	150,254
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **OS_Q30** *Position:* 211 *Length:* 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	6,816	10,308,636
2	Smoking should be allowed only in enclosed smoking areas in the workplace	1,226	1,998,616
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	11,308	15,015,090
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	182	217,617
7	Don't know	169	342,864
8	Refusal	25	51,184
9	Not stated	96	159,496
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **OS_Q31** Position: 212 Length: 1

Which of the following statements comes closest to how you feel about smoking inside a car or any other motor vehicle when children or youth under the age of 18 are present?

		FREQ	WTD
1	Smoking should not be allowed at any time	18,167	26,181,213
2	Smoking should be allowed only when either a window is open or when the fan, air conditioner, heater is turned on	1,197	1,280,282
3	Smoking should be allowed at any time	192	225,776
7	Don't know	136	186,646
8	Refusal	29	51,674
9	Not stated	101	167,910
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **OS_Q40** Position: 213 Length: 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	3,278	4,397,863
02	Friends / peers	9,010	11,433,003
03	Parents	3,818	6,135,409
04	Other adults	306	386,344
05	Brother / sister	105	109,701
06	Celebrities	322	393,104
07	Tobacco industry	1,137	1,992,679
08	Government	459	822,952
09	Other (do not specify)	757	1,317,101
97	Don't know	482	868,732
98	Refusal	40	51,810
99	Not stated	108	184,805
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Exposure to Second-hand Smoke (EX)

Variable Name: **EX_Q010** Position: 215 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	5,600	5,319,702
2	No	14,066	22,498,689
7	Don't know	28	49,765
8	Refusal	14	26,773
9	Not stated	114	198,573
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **EX_Q020** Position: 216 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside someone else's home?

		FREQ	WTD
1	Yes	5,791	6,630,160
2	No	13,872	21,194,143
7	Don't know	29	42,659
8	Refusal	15	27,793
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **EX_Q030** Position: 217 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	5,935	8,162,860
2	No	13,714	19,647,135
7	Don't know	41	53,148
8	Refusal	17	31,611
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **EX_Q040** Position: 218 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a restaurant?

		FREQ	WTD
1	Yes	500	811,761
2	No	19,172	27,006,488
7	Don't know	18	44,895
8	Refusal	17	31,611
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **EX_Q050** Position: 219 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a bar or tavern?

		FREQ	WTD
1	Yes	698	1,035,026
2	No	18,974	26,783,558
7	Don't know	18	44,559
8	Refusal	17	31,611
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **EX_Q060** Position: 220 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	3,599	4,555,484
2	No	16,056	23,267,500
7	Don't know	34	39,410
8	Refusal	18	32,361
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **EX_Q070** Position: 221 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	10,507	14,917,435
2	No	9,109	12,785,151
7	Don't know	72	158,995
8	Refusal	19	33,175
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **EX_Q080** Position: 222 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at your workplace?

		FREQ	WTD
1	Yes	3,704	5,433,573
2	No	15,961	22,396,225
7	Don't know	18	29,088
8	Refusal	24	35,869
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **EX_Q091** Position: 223 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... on a school property?

		FREQ	WTD
1	Yes	3,281	2,372,781
2	No	16,380	25,446,212
7	Don't know	25	41,814
8	Refusal	21	33,948
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **EX_Q100** Position: 224 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	7,464	9,382,736
2	No	12,172	18,384,189
7	Don't know	48	85,062
8	Refusal	23	42,769
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **EX_Q110** Position: 225 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	11,210	15,107,453
2	No	8,401	12,602,205
7	Don't know	74	149,950
8	Refusal	22	35,147
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **EX_Q120** Position: 226 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... anywhere else?

		FREQ	WTD
1	Yes	724	1,152,596
2	No	18,912	26,575,010
7	Don't know	46	123,704
8	Refusal	25	43,445
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **EX_Q130** Position: 227 Length: 1

Overall, excluding your own smoking, in the past month were you exposed to second-hand smoke:

		FREQ	WTD
1	Every day	1,706	2,182,562
2	Almost every day	1,907	2,305,505
3	At least once a week	5,650	7,472,951
4	At least once in the past month	6,782	10,024,265
6	Valid skip	3,448	5,508,885
7	Don't know	100	183,161
8	Refusal	14	31,863
9	Not stated	215	384,309
		=====	=====
		19,822	28,093,501

Coverage: EX_Q010=1 or EX_Q020=1 or EX_Q030=1 or EX_Q040=1 or EX_Q050=1 or EX_Q060=1 or EX_Q070=1 or EX_Q080=1 or EX_Q091=1 or EX_Q100=1 or EX_Q110=1 or EX_Q120=1

Section: Language and Education (LA)

Variable Name: **LA_Q10** Position: 228 Length: 1

What language do you speak most often at home?

		FREQ	WTD
1	English	16,203	19,178,897
2	French	2,288	5,860,672
3	Both English and French	113	136,545
4	Other	1,057	2,622,011
7	Don't know	7	11,936
8	Refusal	38	84,588
9	Not stated	116	198,852
		=====	=====
		19,822	28,093,501

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Derived Variables - Person

Variable Name: **DVEDUC** *Position:* 229 *Length:* 1
Collection Name: **LA_Q20**

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	5,486	4,594,907
2	Completed secondary	7,771	9,908,177
3	Completed community college, technical college, CEGEP or nurse's college	2,859	5,669,275
4	Completed university or teacher's college	3,445	7,373,854
9	Not stated	261	547,288
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=(01,02,03 or 04) then DVEDUC=1; if LA_Q20=(05,06,08 or 10) then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

Section: Language and Education

Variable Name: **GPLA_Q20** *Position:* 230 *Length:* 2
Collection Name: **LA_Q20**

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	171	329,212
02	Completed elementary	389	467,861
03	Some secondary	4,927	3,797,955
04	Completed secondary	4,740	6,329,243
05	Some community college, technical college, CEGEP or nurse's training	989	1,329,883
06	Completed community college, technical college, CEGEP or nurse's training	2,859	5,669,275
07	Some university or teacher's college	1,878	1,850,279
08	Completed university or teacher's college	3,449	7,374,838
09	Other education or training	164	398,772
99	Not stated	256	546,183
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Labour Force (LF)

Variable Name: **LF_Q10** *Position:* 232 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	14,028	19,586,055
2	No	5,616	8,143,809
7	Don't know	8	32,700
8	Refusal	55	132,191
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **LF_Q20** *Position:* 233 *Length:* 1

Are you currently working at a job or a business?

		FREQ	WTD
1	Yes	11,225	17,222,730
2	No	2,801	2,361,641
6	Valid skip	5,616	8,143,809
8	Refusal	2	1,684
9	Not stated	178	363,637
		=====	=====
		19,822	28,093,501

Coverage: LF_Q10=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **LF_Q51** Position: 234 Length: 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed outside the building, worksite or company vehicle	12,353	17,680,837
2	Smoking is allowed in designated areas within the building, worksite or company vehicle	736	692,264
3	Smoking is not restricted at all	593	647,009
4	Other - Respondent does not have a fixed workplace	189	293,790
6	Valid skip	5,616	8,143,809
7	Don't know	135	231,021
8	Refusal	20	39,449
9	Not stated	180	365,322
		=====	=====
		19,822	28,093,501

Coverage: LF_Q10=1

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Section: Derived Variables - Person

Variable Name: **DVNOCS10** *Position:* 235 *Length:* 2
Collection Name:

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	579	1,156,589
02	Business, Finance and Administrative Occupations	2,165	3,676,544
03	Natural and Applied Sciences and Related Occupations	712	1,605,665
04	Health Occupations	805	1,309,296
05	Occupations in Social Science, Education, Government Service and Religion	1,051	1,869,482
06	Occupations in Art, Culture, Recreation and Sport	582	738,539
07	Sales and Service Occupations	4,933	4,714,600
08	Trades, Transport and Equipment Operators and Related Occupations	1,827	2,670,435
09	Occupations Unique to Primary Industry	720	669,449
10	Occupations Unique to Processing, Manufacturing and Utilities	378	619,993
96	Valid skip	5,616	8,143,809
99	Not stated	454	919,101
		=====	=====
		19,822	28,093,501

Coverage: LF_Q10=1

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income (SI)

Variable Name: **SI_Q10** *Position:* 237 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	5,539	2,785,498
2	No	3,300	1,677,064
6	Valid skip	10,907	23,597,648
7	Don't know	4	2,723
8	Refusal	22	8,521
9	Not stated	50	22,048
		=====	=====
		19,822	28,093,501

Coverage: DVAGE=(15:24)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **SI_G20** Position: 238 Length: 2
Collection Name: **SI_Q20**

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	283	139,496
02	\$010 to \$024	1,123	541,552
03	\$025 to \$049	682	316,532
04	\$050 to \$099	992	494,551
05	\$100 to \$199	1,158	571,837
06	\$200 or more	890	508,286
96	Valid skip	14,207	25,274,711
99	Not stated	487	246,537
		=====	=====
		19,822	28,093,501

Coverage: DVAGE=(15:24) and SI_Q10=1
Note: Derived from SI_Q20.

Section: Marijuana Use (MU)

Variable Name: **MU_Q10** Position: 240 Length: 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	1,581	2,111,602
2	Yes, more than once	5,952	8,650,986
3	No	11,921	16,690,363
7	Don't know	39	72,419
8	Refusal	214	369,385
9	Not stated	115	198,747
		=====	=====
		19,822	28,093,501

Coverage: All respondents

Variable Name: **MU_Q20** Position: 241 Length: 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	2,541	2,437,887
2	No	4,986	8,306,634
6	Valid skip	11,921	16,690,363
7	Don't know	4	17,420
8	Refusal	2	647
9	Not stated	368	640,550
		=====	=====
		19,822	28,093,501

Coverage: MU_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

Variable Name: **MU_Q30** *Position:* 242 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	862	903,887
2	1 to 3 times a month	509	466,491
3	Once a week	258	272,116
4	More than once a week	370	303,405
5	Every day	372	368,236
6	Valid skip	17,067	25,115,707
7	Don't know	6	3,339
8	Refusal	4	1,703
9	Not stated	374	658,617
		=====	=====
		19,822	28,093,501

Coverage: MU_Q10=2 and MU_Q20=1

Variable Name: **MU_Q41** *Position:* 243 *Length:* 2

How old were you when you first used or tried marijuana, cannabis or hashish?

Allowed values: 04 : 94

		FREQ	WTD
06 : 72	Age	7,459	10,658,991
96	Valid skip	11,921	16,690,363
97	Don't know	69	101,249
98	Refusal	5	2,348
99	Not stated	368	640,550
		=====	=====
		19,822	28,093,501

Coverage: MU_Q10=(1 or 2)

Section: Weight Variable

Variable Name: **WTPP** *Position:* 245 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual

INDEX

A	
AGE0014	2
AGE1524	3
AGE2544	3
AGE45PL.....	3
AGEGRP5.....	8
AGEGRP7.....	8
C	
CA_G10	15
CA_Q20	16
CA_Q30	16
CA_Q40	16
CA_Q50	17
CB_Q20	15
CC_Q100A	21
CC_Q100B.....	21
CC_Q100C.....	22
CC_Q100D	22
CC_Q100E.....	23
CC_Q100F.....	23
CC_Q110	24
CC_Q120A	24
CC_Q120B.....	25
CC_Q120C.....	25
CC_Q120D	26
CC_Q120E.....	26
CC_Q120F.....	27
CC_Q130	27
CC_Q140A	28
CC_Q140B.....	28
CC_Q140C.....	29
CC_Q140D	29
CC_Q140E.....	30
CC_Q140F.....	30
CC_Q140G	31
CC_Q150	31
CC_Q160A	32
CC_Q160B.....	32
CC_Q160C.....	33
CC_Q160D	33
CC_Q160E.....	34
CC_Q160F.....	34
CC_Q170	35
CC_Q20	18
CC_Q40	18
CC_Q50	19
CC_Q55	19
CC_Q60	19
CC_Q70	20
CC_Q80	20
CM_Q10	44
CM_Q20	44
CM_Q40	45
CM_Q61	45
CM_Q81A.....	45
CM_Q81B.....	46
CM_Q81C.....	46
CM_Q81D.....	47
CM_Q81E.....	47
CP_Q10.....	50
CS_Q31.....	17
CS_Q41.....	17
CS_Q51.....	18
D	
DVAGE.....	7
DVAVCIG7	37
DVAVCIGD	38
DVCIGWK	37
DVDAILY	39
DVEDUC.....	70
DVLOWTAR.....	35
DVMARST	9
DVNDSMK	38
DVNOCS10	73
DVPRICE	39
DVSMKPTN.....	38
DVSS1	36
DVSS2	37
DVSST1	36
DVSST2.....	36
DVURBAN.....	2
DVYRSSMK	12
E	
EX_Q010	65

**Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual**

EX_Q020	65	O	
EX_Q030	65	OM_Q030	48
EX_Q040	66	OM_Q070	48
EX_Q050	66	OM_Q081	48
EX_Q060	66	OM_Q091	49
EX_Q070	67	OM_Q100	49
EX_Q080	67	OM_Q130	49
EX_Q091	67	OS_Q10.....	62
EX_Q100	68	OS_Q20.....	63
EX_Q110	68	OS_Q30.....	63
EX_Q120	68	OS_Q31.....	64
EX_Q130	69	OS_Q40.....	64
G		P	
GPLA_Q20	70	PROV	1
H		PS_Q10	10
HHSIZE	2	PS_Q20	11
HHTYPE.....	4	PS_Q30	11
HP_Q010.....	50	PS_Q40	11
HP_Q020.....	50	PUMFID	1
HP_Q031.....	51	R	
HP_Q040.....	51	REFMONTH.....	1
HP_Q050.....	51	REFYEAR	1
HP_Q061.....	52	S	
HP_Q100.....	52	SB_Q10.....	14
HP_Q110.....	52	SC_Q010.....	39
HP_Q121.....	53	SC_Q020.....	40
HS_Q10.....	4	SC_Q030.....	40
HS_Q20.....	4	SC_Q040.....	41
HS_Q30.....	5	SC_Q050.....	41
HS_Q40.....	5	SC_Q060.....	41
HS_Q50.....	5	SC_Q070.....	42
HS_Q60A.....	6	SC_Q080.....	42
HS_Q60B.....	6	SC_Q090.....	42
HS_Q60C.....	7	SC_Q100.....	43
HS_Q60D.....	7	SC_Q110.....	43
L		SEX.....	8
LA_Q10	69	SI_G20	74
LF_Q10.....	71	SI_Q10	73
LF_Q20.....	71	SP_Q10	53
LF_Q51	72	SP_Q20	53
M		SP_Q30	54
MU_Q10	74	SS_Q10	9
MU_Q20	74	SS_Q20	9
MU_Q30	75	SS_Q30	10
MU_Q41	75	SS_Q40	10
		STOPSMK	44

Canadian Tobacco Use Monitoring Survey - 2010
Public Use Microdata File (Person) – Annual

SV_Q10.....	58	TP_Q028.....	56
SV_Q20.....	58	TP_Q030.....	56
SV_Q30.....	59	TP_Q040.....	56
SV_Q40.....	59	TP_Q041.....	57
SV_Q50A.....	59	TP_Q050.....	57
SV_Q50B.....	60	TP_Q060.....	57
SV_Q50C.....	60	TP_Q061.....	58
SV_Q50D.....	61	W	
SV_Q50E.....	61	WP_Q10A.....	12
SV_Q60.....	62	WP_Q10B.....	12
T		WP_Q10C.....	13
TP_Q017.....	54	WP_Q10D.....	13
TP_Q021.....	54	WP_Q10E.....	13
TP_Q022.....	55	WP_Q10F.....	14
TP_Q024.....	55	WP_Q10G.....	14
TP_Q027.....	55	WTPP.....	75