

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	1
Derived Variables - Household	2
Household Smoking.....	4
Demographic Variables - Person	7
Smoking Status.....	9
Past Smoking.....	10
Derived Variables - Person	11
Weekly Pattern.....	12
Smoking Behaviour.....	14
Cigarette Brand.....	14
Cigarette Access.....	19
Cigarette Source	21
Cheaper Cigarettes.....	22
Derived Variables - Person	38
Smoking Cessation	42
Derived Variables - Person	47
Cessation Methods	47
Other Cessation Methods	51
Cessation Products.....	53
Health Professionals	53
Smoking and Pregnancy.....	56
Tobacco Products.....	57
Smoking in Vehicles.....	61
Opinions on Smoking.....	66
Exposure to Second-hand Smoke	68
Language and Education	73
Derived Variables - Person	73
Language and Education	74
Labour Force	74
Derived Variables - Person	76
Student Income.....	76
Marijuana Use.....	77
Weight Variable.....	78

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

2010 : 2010	Survey year	FREQ	WTD
		9,020	27,982,182
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

02 : 06	Survey month	FREQ	WTD
		9,020	27,982,182
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	812	432,672
11	Prince Edward Island	862	117,255
12	Nova Scotia	922	790,098
13	New Brunswick	874	634,661
24	Quebec	920	6,547,650
35	Ontario	898	10,852,420
46	Manitoba	1,018	981,303
47	Saskatchewan	960	830,180
48	Alberta	948	2,959,176
59	British Columbia	806	3,836,766
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	6,204	21,241,309
2	Rural	2,549	6,107,433
9	Not stated	267	633,440
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 09	Number of people	7,716	24,590,892
05	5 or more	1,304	3,391,290
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	6,615	20,387,620
01	One	1,379	3,815,090
02	Two or more	1,026	3,779,471
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	4,015	18,738,529
01	One	3,050	5,313,464
02	Two or more	1,955	3,930,188
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	5,424	14,693,985
01	One	2,009	6,127,652
02	Two or more	1,587	7,160,545
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	2,589	8,524,062
01	One	2,524	6,217,359
02	Two or more	3,907	13,240,761
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	396	1,115,989
2	11 to 20 cigarettes	273	675,291
3	21 to 30 cigarettes	191	464,246
4	31 to 40 cigarettes	45	158,778
5	41 or more cigarettes	67	165,027
6	Valid skip	8,014	25,352,064
7	Don't know	32	49,272
8	Refusal	2	1,515
		=====	=====
		9,020	27,982,182

Coverage: HS_Q20=(01:15)

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	509	1,887,134
2	No	7,488	23,425,722
6	Valid skip	1,006	2,630,117
7	Don't know	17	39,208
		=====	=====
		9,020	27,982,182

Coverage: HS_Q20=(00, DK or RF)

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	689	1,978,351
2	No	822	2,533,638
6	Valid skip	7,488	23,425,722
7	Don't know	3	5,128
8	Refusal	1	134
9	Not stated	17	39,208
		=====	=====
		9,020	27,982,182

Coverage: HS_Q20=(01:15) or HS_Q40=1

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

Variable Name: **HS_Q60A** *Position:* 33 *Length:* 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed in certain rooms only?

		FREQ	WTD
1	Yes	472	1,489,737
2	No	217	488,614
6	Valid skip	8,310	25,959,360
9	Not stated	21	44,471
		=====	=====
		9,020	27,982,182

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... restricted in the presence of young children?

		FREQ	WTD
1	Yes	290	768,527
2	No	399	1,209,824
6	Valid skip	8,310	25,959,360
9	Not stated	21	44,471
		=====	=====
		9,020	27,982,182

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed only if windows are open or with another type of ventilation?

		FREQ	WTD
1	Yes	334	973,490
2	No	355	1,004,861
6	Valid skip	8,310	25,959,360
9	Not stated	21	44,471
		=====	=====
		9,020	27,982,182

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **HS_Q60D** Position: 36 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... other restriction(s)?

		FREQ	WTD
1	Yes	120	359,364
2	No	569	1,618,987
6	Valid skip	8,310	25,959,360
9	Not stated	21	44,471
		=====	=====
		9,020	27,982,182

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Section: Demographic Variables - Person

Variable Name: **DVAGE** Position: 37 Length: 3
Collection Name: **PA_Q01**

Age of respondent

Allowed values: 015 : 085

		FREQ	WTD
015 : 084	Age	8,903	27,641,203
085	85 years and over	117	340,979
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Derived from PA_Q01. Ages greater than 85 were recoded to 85.

Variable Name: **AGEGRP5** Position: 40 Length: 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	2,391	2,197,422
2	20-24 years	1,772	2,294,625
3	25-34 years	698	4,696,002
4	35-44 years	876	4,759,872
5	45 years and over	3,283	14,034,261
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Derived from PA_Q01

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **AGEGRP7** *Position:* 41 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	1,495	1,379,864
02	18-19 years	896	817,558
03	20-22 years	1,165	1,492,337
04	23-24 years	607	802,289
05	25-44 years	1,574	9,455,874
06	45-64 years	2,147	9,534,494
07	65 years and over	1,136	4,499,766
		=====	=====
		9,020	27,982,182

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 43 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	4,171	13,810,924
2	Female	4,849	14,171,258
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **DVMARST** *Position:* 44 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	3,359	17,407,776
2	Widowed/Divorced/Separated	1,050	3,135,526
3	Single, never married	4,509	7,282,428
9	Not stated	102	156,450
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Smoking Status (SS)

Variable Name: **SS_Q10** Position: 45 Length: 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	1,209	3,777,653
2	Occasionally	444	1,127,960
3	Not at all	7,367	23,076,568
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **SS_Q20** Position: 46 Length: 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	433	1,071,775
2	No	7,378	23,132,753
6	Valid skip	1,209	3,777,653
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(2 or 3)

Variable Name: **SS_Q30** Position: 47 Length: 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	1,188	3,772,635
2	No	454	1,076,794
6	Valid skip	7,378	23,132,753
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SS_Q40** Position: 48 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	3,351	12,001,202
2	No	5,669	15,980,980
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Section: Past Smoking (PS)

Variable Name: **PS_Q10** Position: 49 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,281	4,239,267
2	No	4,260	11,539,499
6	Valid skip	3,479	12,203,415
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=3 and SS_Q40=2

Variable Name: **PS_Q20** Position: 50 Length: 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	1,831	7,186,877
2	No	385	1,053,681
6	Valid skip	6,802	19,740,453
7	Don't know	2	1,171
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=2 and (SS_Q20=2 or SS_Q30=2)) or (SS_Q10=3 and SS_Q40=1)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **PS_Q30** *Position:* 51 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 61	Age	4,671	16,064,028
96	Valid skip	4,260	11,539,499
97	Don't know	87	376,240
98	Refusal	1	2,310
99	Not stated	1	104
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1) or PS_Q10=1

Variable Name: **PS_Q40** *Position:* 53 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
06 : 64	Age	2,968	10,730,361
96	Valid skip	5,978	17,016,481
97	Don't know	69	232,341
98	Refusal	2	1,724
99	Not stated	3	1,275
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=1 or PS_Q20=1

Section: Derived Variables - Person

Variable Name: **DVYRSSMK** *Position:* 55 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 74	Number of years	1,633	4,820,475
75	75 years and over	1	32,658
96	Valid skip	7,367	23,076,568
99	Not stated	19	52,480
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

Note: Derived from DVAGE and PS_Q30. Ages greater than 75 were recoded to 75.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Weekly Pattern (WP)

Variable Name: **WP_Q10A** *Position:* 57 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

<i>Allowed values:</i>	00 : 90		FREQ	WTD
00 : 90	Number of cigarettes		1,567	4,655,741
96	Valid skip		7,378	23,132,753
97	Don't know		75	193,687
			=====	=====
			9,020	27,982,182

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10B** *Position:* 59 *Length:* 2

... Tuesday?

<i>Allowed values:</i>	00 : 91		FREQ	WTD
00 : 90	Number of cigarettes		1,537	4,580,666
96	Valid skip		7,378	23,132,753
97	Don't know		30	75,075
99	Not stated		75	193,687
			=====	=====
			9,020	27,982,182

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10C** *Position:* 61 *Length:* 2

... Wednesday?

<i>Allowed values:</i>	00 : 91		FREQ	WTD
00 : 90	Number of cigarettes		1,521	4,554,179
96	Valid skip		7,378	23,132,753
97	Don't know		16	26,487
99	Not stated		105	268,762
			=====	=====
			9,020	27,982,182

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **WP_Q10D** Position: 63 Length: 2

... Thursday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	1,510	4,529,400
96	Valid skip	7,378	23,132,753
97	Don't know	11	24,780
99	Not stated	121	295,249
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10E** Position: 65 Length: 2

... Friday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	1,508	4,529,044
96	Valid skip	7,378	23,132,753
97	Don't know	2	355
99	Not stated	132	320,029
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10F** Position: 67 Length: 2

... Saturday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	1,508	4,529,044
96	Valid skip	7,378	23,132,753
99	Not stated	134	320,384
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **WP_Q10G** Position: 69 Length: 2

... Sunday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	1,507	4,526,021
96	Valid skip	7,378	23,132,753
97	Don't know	1	3,024
99	Not stated	134	320,384
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=1 or SS_Q20=1

Section: Smoking Behaviour (SB)

Variable Name: **SB_Q10** Position: 71 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	264	640,179
2	6 to 30 minutes	411	1,496,594
3	31 to 60 minutes	225	750,312
4	More than 60 minutes	294	855,564
6	Valid skip	7,811	24,204,528
7	Don't know	8	30,043
9	Not stated	7	4,961
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=1

Section: Cigarette Brand (CB)

Variable Name: **CB_Q15** Position: 72 Length: 1

Within the past 12 months, have you bought a brand other than your usual brand?

		FREQ	WTD
1	Yes	746	2,058,603
2	No	888	2,807,457
6	Valid skip	7,367	23,076,568
7	Don't know	8	19,043
8	Refusal	1	173
9	Not stated	10	20,337
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Cigarette Access (CA)

Variable Name: **CA_G10** Position: 81 Length: 2
Collection Name: **CA_Q10**

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them at a small grocery / corner store	847	2,724,798
02	I buy them at a supermarket	139	418,824
03	I buy them at a gasoline station	315	739,977
04	I buy them at another kind of store	40	130,926
05	I get them for free from a family member, a friend or someone else	123	179,337
06	I buy them from a First Nations Reserve (either on-site or delivery service)	42	220,390
07	Other	127	459,249
96	Valid skip	7,367	23,076,568
97	Don't know	7	10,690
98	Refusal	3	1,086
99	Not stated	10	20,337
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)
Note: Derived from CA_Q10

Variable Name: **CA_Q20** Position: 83 Length: 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	19	21,929
2	No	82	63,402
6	Valid skip	8,899	27,864,737
9	Not stated	20	32,113
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CA_G10=(05:07) and DVAGE=(15:18)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CA_Q30** *Position:* 84 *Length:* 1

(In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	95	91,293
2	No	66	55,570
6	Valid skip	8,836	27,800,406
7	Don't know	1	1,504
8	Refusal	2	1,295
9	Not stated	20	32,113
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:04) and DVAGE=(15:18)

Variable Name: **CA_Q40** *Position:* 85 *Length:* 1

(In the past 12 months), has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	67	60,913
2	No	95	87,454
6	Valid skip	8,836	27,800,406
8	Refusal	1	1,188
9	Not stated	21	32,220
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:04) and DVAGE=(15:18)

Variable Name: **CA_Q50** *Position:* 86 *Length:* 1

(In the past 12 months), have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	145	125,868
2	No	100	87,090
6	Valid skip	8,754	27,737,004
9	Not stated	21	32,220
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:07) and DVAGE=(15:18)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Cigarette Source (CS)

Variable Name: **CS_Q31** Position: 87 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	467	1,117,362
2	No	8,527	26,811,280
7	Don't know	10	12,105
8	Refusal	2	2,290
9	Not stated	14	39,144
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **CS_Q41** Position: 88 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	161	176,490
2	No	305	940,720
6	Valid skip	8,527	26,811,280
7	Don't know	1	151
9	Not stated	26	53,540
		=====	=====
		9,020	27,982,182

Coverage: CS_Q31=1

Variable Name: **CS_Q51** Position: 89 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	64	76,875
2	No	96	97,215
6	Valid skip	8,832	27,752,000
7	Don't know	1	2,400
9	Not stated	27	53,691
		=====	=====
		9,020	27,982,182

Coverage: CS_Q31=1 and CS_Q41=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Cheaper Cigarettes (CC)

Variable Name: **CC_Q20** Position: 90 Length: 1
Collection Name: **CC_Q020**

In the past six months, did you buy:
... a discount brand?

		FREQ	WTD
1	Yes	525	1,701,542
2	No	1,109	3,158,178
6	Valid skip	7,367	23,076,568
7	Don't know	5	9,444
8	Refusal	1	1,188
9	Not stated	13	35,262
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q40** Position: 91 Length: 1
Collection Name: **CC_Q040**

In the past six months, did you buy:
... from the internet?

		FREQ	WTD
1	Yes	2	8,103
2	No	1,638	4,862,249
6	Valid skip	7,367	23,076,568
9	Not stated	13	35,262
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q50** Position: 92 Length: 1
Collection Name: **CC_Q050**

In the past six months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	1	1,375
2	No	1,639	4,868,977
6	Valid skip	7,367	23,076,568
9	Not stated	13	35,262
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q55** Position: 93 Length: 1
Collection Name: **CC_Q055**

In the past six months, did you buy:

... from a First Nations Reserve?

		FREQ	WTD
1	Yes	216	788,548
2	No	1,421	4,077,675
6	Valid skip	7,367	23,076,568
7	Don't know	3	4,128
9	Not stated	13	35,262
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q60** Position: 94 Length: 1
Collection Name: **CC_Q060**

In the past six months, did you buy:

... from outside your province?

		FREQ	WTD
1	Yes	220	505,225
2	No	1,419	4,363,793
6	Valid skip	7,367	23,076,568
9	Not stated	14	36,596
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q70** Position: 95 Length: 1
Collection Name: **CC_Q070**

In the past six months, did you buy:

... cigarettes that may have been smuggled?

		FREQ	WTD
1	Yes	34	67,549
2	No	1,596	4,746,007
6	Valid skip	7,367	23,076,568
7	Don't know	8	54,711
8	Refusal	1	751
9	Not stated	14	36,596
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q80** Position: 96 Length: 1
Collection Name: **CC_Q080**

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	69	197,975
2	No	1,569	4,669,539
6	Valid skip	7,367	23,076,568
9	Not stated	15	38,099
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q100A** Position: 97 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from

... a regular retail store (i.e. convenience store)?

		FREQ	WTD
1	Yes	154	491,190
2	No	59	294,766
6	Valid skip	8,783	27,141,926
7	Don't know	2	1,994
8	Refusal	1	598
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q100B** Position: 98 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a delivery service?

		FREQ	WTD
1	Yes	3	5,954
2	No	210	780,003
6	Valid skip	8,783	27,141,926
7	Don't know	2	1,994
8	Refusal	1	598
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q100C** Position: 99 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a friend?

		FREQ	WTD
1	Yes	35	215,996
2	No	178	569,960
6	Valid skip	8,783	27,141,926
7	Don't know	2	1,994
8	Refusal	1	598
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q100D** Position: 100 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a family member?

		FREQ	WTD
1	Yes	8	14,426
2	No	205	771,531
6	Valid skip	8,783	27,141,926
7	Don't know	2	1,994
8	Refusal	1	598
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q100E** Position: 101 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a co-worker?

		FREQ	WTD
1	Yes	8	59,282
2	No	205	726,674
6	Valid skip	8,783	27,141,926
7	Don't know	2	1,994
8	Refusal	1	598
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q100F** Position: 102 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from

... other (specify)?

		FREQ	WTD
1	Yes	13	32,090
2	No	200	753,867
6	Valid skip	8,783	27,141,926
7	Don't know	2	1,994
8	Refusal	1	598
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q110** Position: 103 Length: 1

Thinking about the last time you bought these cigarettes, what did you buy? Was it ... ?

		FREQ	WTD
1	A pack of 20 cigarettes	24	89,100
2	A pack of 25 cigarettes	93	163,669
3	A carton (200 cigarettes)	58	262,352
4	A bag of 200 cigarettes	27	249,346
5	Other	13	19,957
6	Valid skip	8,783	27,141,926
7	Don't know	1	4,125
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q120A** Position: 104 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a friend?

		FREQ	WTD
1	Yes	75	324,766
2	No	134	430,531
6	Valid skip	8,783	27,141,926
7	Don't know	7	33,252
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120B** Position: 105 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a family member?

		FREQ	WTD
1	Yes	33	124,635
2	No	176	630,661
6	Valid skip	8,783	27,141,926
7	Don't know	7	33,252
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q120C** Position: 106 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a co-worker?

		FREQ	WTD
1	Yes	10	64,449
2	No	199	690,848
6	Valid skip	8,783	27,141,926
7	Don't know	7	33,252
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120D** Position: 107 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... word of mouth?

		FREQ	WTD
1	Yes	52	197,385
2	No	157	557,911
6	Valid skip	8,783	27,141,926
7	Don't know	7	33,252
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q120E** Position: 108 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a sign on or near a First Nations Reserve?

		FREQ	WTD
1	Yes	33	87,321
2	No	176	667,975
6	Valid skip	8,783	27,141,926
7	Don't know	7	33,252
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120F** Position: 109 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... other (specify)?

		FREQ	WTD
1	Yes	27	43,015
2	No	182	712,282
6	Valid skip	8,783	27,141,926
7	Don't know	7	33,252
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q130** Position: 110 Length: 1

How easy was it for you to buy these cigarettes? Would you say it was ... ?

		FREQ	WTD
1	Very easy	157	545,722
2	Relatively easy	48	187,250
3	Difficult	6	19,855
4	Very difficult	3	1,463
6	Valid skip	8,783	27,141,926
7	Don't know	2	34,258
9	Not stated	21	51,708
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q140A** Position: 111 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a regular retail store (i.e. convenience store)?

		FREQ	WTD
1	Yes	1	2,473
2	No	32	64,756
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140B** Position: 112 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a First Nations Reserve?

		FREQ	WTD
1	Yes	4	2,660
2	No	29	64,569
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

Variable Name: **CC_Q140C** Position: 113 Length: 1
 Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
 ... a delivery service?

		FREQ	WTD
1	Yes	1	1,688
2	No	32	65,541
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140D** Position: 114 Length: 1
 Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
 ... a friend?

		FREQ	WTD
1	Yes	21	45,435
2	No	12	21,795
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

Variable Name: **CC_Q140E** Position: 115 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a family member?

		FREQ	WTD
1	Yes	1	2,404
2	No	32	64,826
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140F** Position: 116 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a co-worker?

		FREQ	WTD
1	Yes	1	252
2	No	32	66,977
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q140G** Position: 117 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from

... other (specify)?

		FREQ	WTD
1	Yes	5	12,568
2	No	28	54,661
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q150** Position: 118 Length: 1

Thinking about the last time you bought these cigarettes, what did you buy? Was it ... ?

		FREQ	WTD
1	A pack of 20 cigarettes	3	4,517
2	A pack of 25 cigarettes	7	12,579
3	A carton (200 cigarettes)	5	7,803
4	A bag of 200 cigarettes	17	28,313
5	Other	2	14,337
6	Valid skip	8,959	27,816,295
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160A** Position: 119 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through

... a friend?

		FREQ	WTD
1	Yes	13	25,119
2	No	20	42,111
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q160B** Position: 120 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a family member?

		FREQ	WTD
1	Yes	3	17,507
2	No	30	49,723
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160C** Position: 121 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a co-worker?

		FREQ	WTD
1	Yes	3	884
2	No	30	66,346
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q160D** Position: 122 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... word of mouth?

		FREQ	WTD
1	Yes	14	14,727
2	No	19	52,503
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160E** Position: 123 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a sign on or near a First Nations Reserve?

		FREQ	WTD
1	Yes	1	2,473
2	No	32	64,756
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q160F** Position: 124 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... other (specify)?

		FREQ	WTD
1	Yes	3	22,310
2	No	30	44,920
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q170** Position: 125 Length: 1

How easy was it for you to buy these cigarettes? Would you say it was ... ?

		FREQ	WTD
1	Very easy	26	60,532
2	Relatively easy	5	4,384
3	Difficult	1	684
4	Very difficult	1	1,630
6	Valid skip	8,959	27,816,295
8	Refusal	1	319
9	Not stated	27	98,338
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 126 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	2	6,138
03	3 mg	11	72,378
04	4 mg	87	356,685
05	5 mg	0	0
06	6 mg	1	13,830
07	7 mg	9	37,414
08	8 mg	23	64,731
09	9 mg	33	51,444
10	10 mg	75	252,609
11	11 mg	107	457,902
12	12 mg	285	669,856
13	13 mg	181	423,315
14	14 mg	279	839,886
15	15 mg	165	500,510
16	16 mg	15	90,008
17	17 mg or more	0	0
96	Valid skip	7,415	23,210,243
99	Not stated	332	935,232
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and CB_Q15=(2, DK or RF)
Note: Derived from CB_Q12.

Variable Name: **DVSST1** *Position:* 128 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	1,653	4,905,613
2	Former smoker	1,826	7,297,802
3	Never smoked	5,541	15,778,767
		=====	=====
		9,020	27,982,182

Coverage: All respondents
Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **DVSST2** *Position:* 129 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	1,209	3,777,653
02	Current occasional smoker	444	1,127,960
03	Former daily smoker	1,630	6,600,067
04	Former occasional smoker	195	696,715
05	Experimental smoker	1,281	4,239,267
06	Lifetime abstainer	4,260	11,539,499
99	Not stated	1	1,020
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 131 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	1,642	4,849,428
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	1,822	7,365,569
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	5,556	15,767,185
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **DVNDSMK** *Position:* 139 *Length:* 2

Derived variable for number of days respondent smoked in the last seven days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	Number of days	1,507	4,526,021
96	Valid skip	7,378	23,132,753
99	Not stated	135	323,408
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVAVCIGD** *Position:* 141 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Average number of cigarettes	1,507	4,526,021
96	Valid skip	7,378	23,132,753
99	Not stated	135	323,408
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVSMKPTN** *Position:* 143 *Length:* 1

Derived variable for current smokers' smoking pattern in the past seven days

		FREQ	WTD
1	Smoked every day	1,166	3,757,629
2	Weekdays only	3	3,127
3	Weekend only	4	7,511
4	Did not smoke in last seven days	77	186,105
5	Other pattern	257	571,648
6	Valid skip	7,378	23,132,753
9	Not stated	135	323,408
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Note: Derived from WP_Q10A to WP_Q10G. Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **DVDAILY** Position: 144 Length: 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Average number of cigarettes	1,120	3,526,478
96	Valid skip	7,811	24,204,528
99	Not stated	89	251,176
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=1

Note: Derived from WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** Position: 146 Length: 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	527	1,294,721
2	Regular price brand	915	3,032,409
6	Valid skip	7,367	23,076,568
9	Not stated	211	578,483
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

Note: Derived from CB_Q12 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation (SC)

Variable Name: **SC_Q010** Position: 147 Length: 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	150	439,855
2	1 to 2 years ago	148	570,871
3	3 to 5 years ago	164	567,702
4	More than 5 years ago	1,356	5,697,647
6	Valid skip	7,194	20,684,380
7	Don't know	5	10,736
8	Refusal	3	10,991
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=3 and SS_Q40=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SC_Q020** Position: 148 Length: 2

In what month did you stop smoking?

		FREQ	WTD
01	January	20	80,389
02	February	16	47,669
03	March	20	46,310
04	April	12	17,224
05	May	6	12,949
06	June	6	9,410
07	July	6	18,833
08	August	2	25,378
09	September	11	35,791
10	October	11	35,061
11	November	16	60,313
12	December	18	45,069
96	Valid skip	8,862	27,520,601
97	Don't know	6	5,458
99	Not stated	8	21,726
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

Variable Name: **SC_Q030** Position: 150 Length: 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	104	317,891
02	Pregnancy or a baby in the household	13	37,353
03	Less stress in life	0	0
04	Cost of cigarettes	6	4,771
05	Smoking is less socially acceptable	1	201
06	Some other reason	26	79,638
96	Valid skip	8,862	27,520,601
99	Not stated	8	21,726
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SC_Q040** Position: 152 Length: 2

Approximately, how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Number of attempts	1,751	7,070,358
96	Valid skip	7,194	20,684,380
97	Don't know	72	216,453
98	Refusal	3	10,991
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q050** Position: 154 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Average number of cigarettes	1,743	7,028,461
96	Valid skip	7,194	20,684,380
97	Don't know	76	243,897
98	Refusal	7	25,443
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q060** Position: 156 Length: 1

Are you seriously considering quitting within the next six months?

		FREQ	WTD
1	Yes	990	2,958,958
2	No	588	1,693,215
6	Valid skip	7,367	23,076,568
7	Don't know	59	214,152
8	Refusal	1	1,188
9	Not stated	15	38,099
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SC_Q070** Position: 157 Length: 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	469	1,370,914
2	No	467	1,439,713
6	Valid skip	7,955	24,769,784
7	Don't know	54	148,331
9	Not stated	75	253,440
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and SC_Q060=1

Variable Name: **SC_Q080** Position: 158 Length: 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	Number of attempts	1,726	5,138,822
96	Valid skip	7,209	22,614,987
97	Don't know	61	166,943
98	Refusal	1	1,603
99	Not stated	23	59,826
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) or SC_Q010=1

Variable Name: **SC_Q090** Position: 160 Length: 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 30	Number of attempts	914	2,312,655
96	Valid skip	8,019	25,441,229
97	Don't know	13	22,016
98	Refusal	1	120
99	Not stated	73	206,162
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=(1 or 2) or SC_Q010=1) and SC_Q080=(01:94)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SC_Q100** Position: 162 Length: 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	6	32,080
02	Stress, need to relax or to calm down	303	834,945
03	Boredom	25	35,188
04	Addiction / habit	186	467,359
05	Lack of support or information	1	383
06	Going out more (bars, parties)	32	97,615
07	Increased availability	1	924
08	No reason / felt like it	70	115,226
09	Family or friends smoke	110	211,987
10	Other	59	168,591
96	Valid skip	8,117	25,697,887
97	Don't know	24	88,305
99	Not stated	86	231,691
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and SC_Q080=(01:94)

Variable Name: **SC_Q110** Position: 164 Length: 1

Have you ever tried to quit smoking?

		FREQ	WTD
1	Yes	522	2,058,762
2	No	296	751,845
6	Valid skip	8,165	25,088,554
9	Not stated	37	83,020
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF)

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

Section: Derived Variables - Person

Variable Name: **STOPSMK** *Position:* 165 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	Number of months	144	434,396
18	1-2 years	148	570,871
48	3-5 years	164	567,702
60	More than 5 years ago	1,356	5,697,647
96	Valid skip	7,194	20,684,380
99	Not stated	14	27,185
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=3 and SS_Q40=1
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods (CM)

Variable Name: **CM_Q10** *Position:* 167 *Length:* 1

Have you tried to quit smoking in the past two years?

		FREQ	WTD
1	Yes	204	711,761
2	No	317	1,346,065
6	Valid skip	8,461	25,840,399
7	Don't know	1	937
9	Not stated	37	83,020
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF) and SC_Q110=1

Variable Name: **CM_Q20** *Position:* 168 *Length:* 1

In the past two years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	287	1,092,689
2	No	1,019	2,659,973
6	Valid skip	7,674	24,142,026
9	Not stated	40	87,494
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CM_Q40** Position: 169 Length: 1

(In the past two years), did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	274	938,197
2	No	1,032	2,814,466
6	Valid skip	7,674	24,142,026
9	Not stated	40	87,494
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q61** Position: 170 Length: 1

(In the past two years), did you use a medication such as 'Zyban', 'Wellbutrin' or 'Champix'?

		FREQ	WTD
1	Yes	203	799,748
2	No	1,102	2,952,294
6	Valid skip	7,674	24,142,026
9	Not stated	41	88,115
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q81A** Position: 171 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You were concerned about possible side effects

		FREQ	WTD
1	Yes	163	442,578
2	No	586	1,292,741
6	Valid skip	8,214	26,081,810
7	Don't know	13	61,994
8	Refusal	2	1,602
9	Not stated	42	101,456
		=====	=====
		9,020	27,982,182

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CM_Q81B** Position: 172 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't believe these products work

		FREQ	WTD
1	Yes	164	347,619
2	No	585	1,387,700
6	Valid skip	8,214	26,081,810
7	Don't know	13	61,994
8	Refusal	2	1,602
9	Not stated	42	101,456
		=====	=====
		9,020	27,982,182

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81C** Position: 173 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't have enough information about these products

		FREQ	WTD
1	Yes	101	159,436
2	No	648	1,575,884
6	Valid skip	8,214	26,081,810
7	Don't know	13	61,994
8	Refusal	2	1,602
9	Not stated	42	101,456
		=====	=====
		9,020	27,982,182

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **CM_Q81D** Position: 174 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

They cost too much

		FREQ	WTD
1	Yes	194	352,600
2	No	555	1,382,719
6	Valid skip	8,214	26,081,810
7	Don't know	13	61,994
8	Refusal	2	1,602
9	Not stated	42	101,456
		=====	=====
		9,020	27,982,182

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81E** Position: 175 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

Some other reason

		FREQ	WTD
1	Yes	414	979,485
2	No	335	755,835
6	Valid skip	8,214	26,081,810
7	Don't know	13	61,994
8	Refusal	2	1,602
9	Not stated	42	101,456
		=====	=====
		9,020	27,982,182

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Other Cessation Methods (OM)

Variable Name: **OM_Q030** Position: 176 Length: 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	387	995,355
2	No	928	2,762,621
6	Valid skip	7,674	24,142,026
7	Don't know	1	2,933
9	Not stated	30	79,246
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q070** Position: 177 Length: 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	915	2,551,496
2	No	399	1,206,244
6	Valid skip	7,674	24,142,026
7	Don't know	2	3,170
9	Not stated	30	79,246
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q081** Position: 178 Length: 1

Are you aware of any smoking cessation programs, plans or support offered at your workplace?

		FREQ	WTD
1	Yes	211	710,149
2	No	1,096	3,028,604
6	Valid skip	7,674	24,142,026
7	Don't know	5	9,956
8	Refusal	4	12,201
9	Not stated	30	79,246
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **OM_Q091** Position: 179 Length: 1

Have you used any of these programs, plans or support?

		FREQ	WTD
1	Yes	29	141,006
2	No	182	569,143
6	Valid skip	8,770	27,170,629
9	Not stated	39	101,403
		=====	=====
		9,020	27,982,182

Coverage: ((SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))) and OM_Q081=1

Variable Name: **OM_Q099** Position: 180 Length: 1

Are you aware of 1-800 quitline or a smokers help lines available to help you quit smoking?

		FREQ	WTD
1	Yes	819	2,263,500
2	No	318	811,886
6	Valid skip	7,674	24,142,026
9	Not stated	209	764,770
		=====	=====
		9,020	27,982,182

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q100** Position: 181 Length: 1

Did you use a 1-800 quitline or a smokers helpline?

		FREQ	WTD
1	Yes	32	84,222
2	No	914	2,655,154
6	Valid skip	7,992	24,953,912
9	Not stated	82	288,894
		=====	=====
		9,020	27,982,182

Coverage: ((SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))) and OM_Q099=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **OM_Q130** *Position:* 182 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	159	396,609
2	No	19	39,098
6	Valid skip	8,783	27,369,538
7	Don't know	1	196
9	Not stated	58	176,740
		=====	=====
		9,020	27,982,182

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2 and OM_Q030=2 and OM_Q070=2 and (OM_Q081=2 or (OM_Q081=1 and OM_Q091=2)) and (OM_Q099=2 or (OM_Q099=1 and OM_Q100=2))

Section: Cessation Products (CP)

Variable Name: **CP_Q10** *Position:* 183 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)

		FREQ	WTD
1	Yes	192	616,257
2	No	1,441	4,232,124
6	Valid skip	7,367	23,076,568
7	Don't know	1	1,633
9	Not stated	19	55,599
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

Section: Health Professionals (HP)

Variable Name: **HP_Q010** *Position:* 184 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	1,261	3,708,804
2	No	369	1,133,710
6	Valid skip	7,367	23,076,568
7	Don't know	4	7,501
9	Not stated	19	55,599
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **HP_Q020** *Position:* 185 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	651	1,967,407
2	No	607	1,737,882
6	Valid skip	7,736	24,210,279
7	Don't know	1	959
8	Refusal	2	2,556
9	Not stated	23	63,099
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and HP_Q010=1

Variable Name: **HP_Q031** *Position:* 186 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	374	1,312,715
2	No	275	653,458
6	Valid skip	8,343	25,948,160
7	Don't know	2	1,233
9	Not stated	26	66,615
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and HP_Q010=1 and HP_Q020=1

Variable Name: **HP_Q040** *Position:* 187 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	1,017	3,034,983
2	No	615	1,812,967
6	Valid skip	7,367	23,076,568
8	Refusal	2	2,064
9	Not stated	19	55,599
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **HP_Q050** *Position:* 188 *Length:* 1

Did they (the dentist or dental hygienist) advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	318	1,211,275
2	No	691	1,811,727
6	Valid skip	7,982	24,889,535
7	Don't know	6	7,364
8	Refusal	1	288
9	Not stated	22	61,993
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and HP_Q040=1

Variable Name: **HP_Q061** *Position:* 189 *Length:* 1

Did they (the dentist or dental hygienist) provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	100	433,047
2	No	217	777,218
6	Valid skip	8,673	26,701,262
7	Don't know	1	1,010
9	Not stated	29	69,645
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and HP_Q040=1 and HP_Q050=1

Variable Name: **HP_Q100** *Position:* 190 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	719	2,118,063
2	No	910	2,725,716
6	Valid skip	7,367	23,076,568
7	Don't know	2	826
8	Refusal	2	1,080
9	Not stated	20	59,928
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **HP_Q110** *Position:* 191 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	130	438,080
2	No	588	1,678,220
6	Valid skip	8,277	25,802,284
8	Refusal	1	1,763
9	Not stated	24	61,835
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and HP_Q100=1

Variable Name: **HP_Q121** *Position:* 192 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	90	347,243
2	No	39	90,559
6	Valid skip	8,865	27,480,504
7	Don't know	1	277
9	Not stated	25	63,598
		=====	=====
		9,020	27,982,182

Coverage: SS_Q10=(1 or 2) and HP_Q100=1 and HP_Q110=1

Section: Smoking and Pregnancy (SP)

Variable Name: **SP_Q10** *Position:* 193 *Length:* 1

Have you been pregnant in the past five years?

		FREQ	WTD
1	Yes	530	2,004,760
2	No	1,283	3,774,234
6	Valid skip	7,200	22,154,585
8	Refusal	2	16,309
9	Not stated	5	32,293
		=====	=====
		9,020	27,982,182

Coverage: SEX=2 and DVAGE=(20:44)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SP_Q20** Position: 194 Length: 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	74	155,079
2	No	124	348,317
6	Valid skip	8,815	27,430,183
9	Not stated	7	48,602
		=====	=====
		9,020	27,982,182

Coverage: SEX=2 and DVAGE=(20:44) and (SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1:3))) and SP_Q10=1

Variable Name: **SP_Q30** Position: 195 Length: 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	44	89,119
2	No	473	1,896,121
3	Not applicable (no spouse/partner)	11	18,438
6	Valid skip	8,483	25,928,819
7	Don't know	1	273
8	Refusal	1	809
9	Not stated	7	48,602
		=====	=====
		9,020	27,982,182

Coverage: SEX=2 and DVAGE=(20:44) and SP_Q10=1

Section: Tobacco Products (TP)

Variable Name: **TP_Q017** Position: 196 Length: 1

Have you ever tried smoking a little cigar or cigarillo?

		FREQ	WTD
1	Yes	3,412	10,591,454
2	No	5,570	17,261,431
7	Don't know	7	34,029
8	Refusal	2	1,080
9	Not stated	29	94,188
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **TP_Q021** *Position:* 197 *Length:* 1

In the past 30 days, did you smoke any little cigars or cigarillos?

		FREQ	WTD
1	Yes	474	891,116
2	No	2,938	9,700,338
6	Valid skip	5,570	17,261,431
9	Not stated	38	129,297
		=====	=====
		9,020	27,982,182

Coverage: TP_Q017=1

Variable Name: **TP_Q022** *Position:* 198 *Length:* 1

Were these (little cigars or cigarillos) plain, flavoured or both?

		FREQ	WTD
1	Plain	54	139,144
2	Flavoured	325	569,162
3	Both	87	147,920
6	Valid skip	8,508	26,961,769
7	Don't know	7	34,861
9	Not stated	39	129,325
		=====	=====
		9,020	27,982,182

Coverage: TP_Q017=1 and TP_Q021=1

Variable Name: **TP_Q024** *Position:* 199 *Length:* 1

Have you ever tried smoking a cigar not including little cigars or cigarillos?

		FREQ	WTD
1	Yes	2,463	8,345,291
2	No	6,517	19,535,189
7	Don't know	6	5,315
8	Refusal	2	1,080
9	Not stated	32	95,307
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **TP_Q027** *Position:* 200 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

		FREQ	WTD
1	Yes	199	396,239
2	No	2,264	7,949,052
6	Valid skip	6,517	19,535,189
9	Not stated	40	101,702
		=====	=====
		9,020	27,982,182

Coverage: TP_Q024=1

Variable Name: **TP_Q028** *Position:* 201 *Length:* 1

Were these cigars plain, flavoured or both?

		FREQ	WTD
1	Plain	135	289,005
2	Flavoured	31	53,630
3	Both	30	29,257
6	Valid skip	8,781	27,484,240
7	Don't know	3	24,347
9	Not stated	40	101,702
		=====	=====
		9,020	27,982,182

Coverage: TP_Q024=1 and TP_Q027=1

Variable Name: **TP_Q030** *Position:* 202 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,183	4,393,070
2	No	7,800	23,478,673
7	Don't know	2	13,085
8	Refusal	2	1,080
9	Not stated	33	96,274
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **TP_Q040** *Position:* 203 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	57	145,402
2	No	1,126	4,247,668
6	Valid skip	7,800	23,478,673
9	Not stated	37	110,439
		=====	=====
		9,020	27,982,182

Coverage: TP_Q030=1

Variable Name: **TP_Q041** *Position:* 204 *Length:* 1

Was the pipe tobacco plain, flavoured or both?

		FREQ	WTD
1	Plain	24	55,896
2	Flavoured	19	70,866
3	Both	11	11,426
6	Valid skip	8,926	27,726,341
7	Don't know	3	7,214
9	Not stated	37	110,439
		=====	=====
		9,020	27,982,182

Coverage: TP_Q030=1 and TP_Q040=1

Variable Name: **TP_Q050** *Position:* 205 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	910	2,204,739
2	No	8,072	25,678,010
7	Don't know	2	1,919
8	Refusal	2	1,080
9	Not stated	34	96,434
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **TP_Q060** *Position:* 206 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	78	134,013
2	No	832	2,070,726
6	Valid skip	8,072	25,678,010
9	Not stated	38	99,433
		=====	=====
		9,020	27,982,182

Coverage: TP_Q050=1

Variable Name: **TP_Q061** *Position:* 207 *Length:* 1

Was the chewing tobacco, pinch or snuff plain, flavoured or both?

		FREQ	WTD
1	Plain	26	58,555
2	Flavoured	36	61,464
3	Both	16	13,994
6	Valid skip	8,904	27,748,736
9	Not stated	38	99,433
		=====	=====
		9,020	27,982,182

Coverage: TP_Q050=1 and TP_Q060=1

Section: Smoking in Vehicles (SV)

Variable Name: **SV_Q10** *Position:* 208 *Length:* 1

Do you, or a member of your household, own or lease a motor vehicle? Include cars, pickup trucks, minivans, vans and SUVs.

		FREQ	WTD
1	Yes	8,028	24,927,437
2	No	952	2,946,728
7	Don't know	1	188
8	Refusal	4	11,049
9	Not stated	35	96,780
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SV_Q20** *Position:* 209 *Length:* 1

Is smoking allowed inside any motor vehicle that you, or a member of your household, own or lease?

		FREQ	WTD
1	Yes	1,618	4,000,959
2	No	6,372	20,745,877
6	Valid skip	952	2,946,728
7	Don't know	37	116,571
9	Not stated	41	172,047
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1

Variable Name: **SV_Q30** *Position:* 210 *Length:* 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,044	2,958,365
2	No	338	507,933
3	Never has children under 18 in vehicles	218	512,129
6	Valid skip	7,324	23,692,605
7	Don't know	18	22,533
9	Not stated	78	288,617
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1 and SV_Q20=1

Variable Name: **SV_Q40** *Position:* 211 *Length:* 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	517	1,341,730
2	No	1,086	2,624,180
6	Valid skip	7,324	23,692,605
7	Don't know	15	35,049
9	Not stated	78	288,617
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1 and SV_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SV_Q50A** Position: 212 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted if any occupant is a non-smoker

		FREQ	WTD
1	Yes	144	390,118
2	No	371	949,729
6	Valid skip	8,410	26,316,785
7	Don't know	2	1,883
9	Not stated	93	323,666
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50B** Position: 213 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted by the number of cigarettes smoked

		FREQ	WTD
1	Yes	17	63,538
2	No	498	1,276,309
6	Valid skip	8,410	26,316,785
7	Don't know	2	1,883
9	Not stated	93	323,666
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SV_Q50C** Position: 214 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when driving alone

		FREQ	WTD
1	Yes	66	210,702
2	No	449	1,129,145
6	Valid skip	8,410	26,316,785
7	Don't know	2	1,883
9	Not stated	93	323,666
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50D** Position: 215 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when the fan, air conditioner, heater is turned on or the window is open

		FREQ	WTD
1	Yes	236	483,423
2	No	279	856,424
6	Valid skip	8,410	26,316,785
7	Don't know	2	1,883
9	Not stated	93	323,666
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SV_Q50E** Position: 216 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Other (specify)

		FREQ	WTD
1	Yes	125	403,388
2	No	390	936,458
6	Valid skip	8,410	26,316,785
7	Don't know	2	1,883
9	Not stated	93	323,666
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q60** Position: 217 Length: 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	1,415	3,419,099
2	Sometimes	107	277,379
3	Rarely	23	71,743
4	Never	30	124,731
6	Valid skip	7,324	23,692,605
7	Don't know	39	90,659
8	Refusal	3	7,348
9	Not stated	79	298,618
		=====	=====
		9,020	27,982,182

Coverage: SV_Q10=1 and SV_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Opinions on Smoking (OS)

Variable Name: **OS_Q10** *Position:* 218 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	7,007	21,201,249
2	Smoking should be allowed only in a section of a restaurant that is enclosed	1,054	3,471,624
3	Smoking should be allowed only in a designated section of a restaurant	810	2,726,809
4	Smoking should be allowed anywhere in a restaurant	68	184,648
7	Don't know	33	188,072
8	Refusal	6	13,199
9	Not stated	42	196,581
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 219 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	5,036	15,599,775
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	1,837	5,536,820
3	Smoking should be allowed only in a designated section of a bar or tavern	1,419	4,370,207
4	Smoking should be allowed anywhere in a bar or tavern	451	1,385,208
7	Don't know	196	754,408
8	Refusal	33	128,918
9	Not stated	48	206,846
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **OS_Q30** Position: 220 Length: 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	3,076	9,899,429
2	Smoking should be allowed only in enclosed smoking areas in the workplace	586	2,235,875
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	5,144	15,019,861
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	82	202,773
7	Don't know	72	332,297
8	Refusal	10	66,742
9	Not stated	50	225,205
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **OS_Q31** Position: 221 Length: 1

Which of the following statements comes closest to how you feel about smoking inside a car or any other motor vehicle when children or youth under the age of 18 are present?

		FREQ	WTD
1	Smoking should not be allowed at any time	8,209	25,990,195
2	Smoking should be allowed only when either a window is open or when the fan, air conditioner, heater is turned on	584	1,260,111
3	Smoking should be allowed at any time	101	241,989
7	Don't know	57	186,144
8	Refusal	18	77,112
9	Not stated	51	226,630
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **OS_Q40** Position: 222 Length: 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	1,508	4,203,786
02	Friends / peers	4,135	11,587,888
03	Parents	1,708	6,133,959
04	Other adults	139	349,653
05	Brother / sister	39	137,325
06	Celebrities	161	385,048
07	Tobacco industry	491	1,943,417
08	Government	205	787,283
09	Other (do not specify)	349	1,287,501
97	Don't know	212	839,428
98	Refusal	21	97,844
99	Not stated	52	229,050
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Section: Exposure to Second-hand Smoke (EX)

Variable Name: **EX_Q010** Position: 224 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	2,604	5,415,421
2	No	6,343	22,239,695
7	Don't know	11	27,095
8	Refusal	7	67,428
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **EX_Q020** Position: 225 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside someone else's home?

		FREQ	WTD
1	Yes	2,721	6,850,133
2	No	6,219	20,785,193
7	Don't know	16	43,639
8	Refusal	9	70,674
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **EX_Q030** Position: 226 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	2,521	7,235,350
2	No	6,418	20,412,086
7	Don't know	17	31,529
8	Refusal	9	70,674
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **EX_Q040** Position: 227 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a restaurant?

		FREQ	WTD
1	Yes	250	885,176
2	No	8,700	26,780,239
7	Don't know	6	13,550
8	Refusal	9	70,674
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

Variable Name: **EX_Q050** Position: 228 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a bar or tavern?

		FREQ	WTD
1	Yes	346	1,014,622
2	No	8,602	26,648,382
7	Don't know	8	15,961
8	Refusal	9	70,674
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **EX_Q060** Position: 229 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	1,673	4,439,116
2	No	7,265	23,199,809
7	Don't know	18	40,040
8	Refusal	9	70,674
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **EX_Q070** Position: 230 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	4,803	14,357,118
2	No	4,110	13,101,930
7	Don't know	43	219,917
8	Refusal	9	70,674
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

Variable Name: **EX_Q080** Position: 231 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at your workplace?

		FREQ	WTD
1	Yes	1,590	5,029,447
2	No	7,352	22,628,637
7	Don't know	9	14,751
8	Refusal	14	76,804
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **EX_Q091** Position: 232 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... on a school property?

		FREQ	WTD
1	Yes	1,660	2,542,461
2	No	7,286	25,124,094
7	Don't know	9	11,290
8	Refusal	10	71,794
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **EX_Q100** Position: 233 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	3,448	9,092,910
2	No	5,482	18,459,995
7	Don't know	24	108,796
8	Refusal	11	87,938
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **EX_Q110** Position: 234 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	5,090	14,981,177
2	No	3,835	12,560,562
7	Don't know	30	136,106
8	Refusal	10	71,794
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **EX_Q120** Position: 235 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... anywhere else?

		FREQ	WTD
1	Yes	310	1,011,281
2	No	8,628	26,589,337
7	Don't know	15	60,995
8	Refusal	12	88,025
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **EX_Q130** Position: 236 Length: 1

Overall, excluding your own smoking, in the past month were you exposed to second-hand smoke:

		FREQ	WTD
1	Every day	772	2,121,490
2	Almost every day	847	2,383,830
3	At least once a week	2,637	7,549,015
4	At least once in the past month	3,074	9,868,284
6	Valid skip	1,532	5,406,203
7	Don't know	45	162,731
8	Refusal	7	36,955
9	Not stated	106	453,674
		=====	=====
		9,020	27,982,182

Coverage: EX_Q010=1 or EX_Q020=1 or EX_Q030=1 or EX_Q040=1 or EX_Q050=1 or EX_Q060=1 or EX_Q070=1 or EX_Q080=1 or EX_Q091=1 or EX_Q100=1 or EX_Q110=1 or EX_Q120=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Language and Education (LA)

Variable Name: **LA_Q10** Position: 237 Length: 1

What language do you speak most often at home?

		FREQ	WTD
1	English	7,345	19,038,734
2	French	1,073	5,931,692
3	Both English and French	44	154,291
4	Other	479	2,479,409
7	Don't know	3	5,760
8	Refusal	20	139,525
9	Not stated	56	232,770
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Section: Derived Variables - Person

Variable Name: **DVEDUC** Position: 238 Length: 1
Collection Name: **LA_Q20**

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	2,619	4,769,993
2	Completed secondary	3,456	9,727,018
3	Completed community college, technical college, CEGEP or nurse's college	1,276	5,357,351
4	Completed university or teacher's college	1,547	7,514,689
9	Not stated	122	613,131
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=(01,02,03 or 04) then DVEDUC=1; if LA_Q20=(05,06,08 or 10) then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Language and Education

Variable Name: **GPLA_Q20** *Position:* 239 *Length:* 2
Collection Name: **LA_Q20**

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	85	370,056
02	Completed elementary	184	547,317
03	Some secondary	2,351	3,852,881
04	Completed secondary	2,050	6,144,036
05	Some community college, technical college, CEGEP or nurse's training	475	1,376,412
06	Completed community college, technical college, CEGEP or nurse's training	1,276	5,357,351
07	Some university or teacher's college	853	1,772,457
08	Completed university or teacher's college	1,547	7,514,689
09	Other education or training	78	434,113
99	Not stated	121	612,869
		=====	=====
		9,020	27,982,182

Coverage: All respondents
Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force (LF)

Variable Name: **LF_Q10** *Position:* 241 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	6,379	19,331,029
2	No	2,552	8,214,721
7	Don't know	5	5,860
8	Refusal	29	198,029
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **LF_Q20** Position: 242 Length: 1

Are you currently working at a job or a business?

		FREQ	WTD
1	Yes	5,016	16,835,606
2	No	1,362	2,495,253
6	Valid skip	2,552	8,214,721
8	Refusal	1	171
9	Not stated	89	436,432
		=====	=====
		9,020	27,982,182

Coverage: LF_Q10=1

Variable Name: **LF_Q51** Position: 243 Length: 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed outside the building, worksite or company vehicle	5,638	17,274,554
2	Smoking is allowed in designated areas within the building, worksite or company vehicle	296	726,432
3	Smoking is not restricted at all	278	721,966
4	Other - Respondent does not have a fixed workplace	99	351,988
6	Valid skip	2,552	8,214,721
7	Don't know	59	210,406
8	Refusal	8	45,513
9	Not stated	90	436,602
		=====	=====
		9,020	27,982,182

Coverage: LF_Q10=1

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVNOCS10** *Position:* 244 *Length:* 2
Collection Name:

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	285	1,299,617
02	Business, Finance and Administrative Occupations	957	3,404,561
03	Natural and Applied Sciences and Related Occupations	332	1,529,046
04	Health Occupations	367	1,333,253
05	Occupations in Social Science, Education, Government Service and Religion	444	1,817,260
06	Occupations in Art, Culture, Recreation and Sport	274	751,602
07	Sales and Service Occupations	2,302	4,665,424
08	Trades, Transport and Equipment Operators and Related Occupations	815	2,611,520
09	Occupations Unique to Primary Industry	325	721,914
10	Occupations Unique to Processing, Manufacturing and Utilities	187	775,442
96	Valid skip	2,552	8,214,721
99	Not stated	180	857,822
		=====	=====
		9,020	27,982,182

Coverage: LF_Q10=1

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income (SI)

Variable Name: **SI_Q10** *Position:* 246 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	2,696	2,893,256
2	No	1,427	1,553,069
6	Valid skip	4,857	23,490,135
7	Don't know	2	1,365
8	Refusal	12	10,139
9	Not stated	26	34,218
		=====	=====
		9,020	27,982,182

Coverage: DVAGE=(15:24)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **SI_G20** Position: 247 Length: 2
Collection Name: **SI_Q20**

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	143	139,937
02	\$010 to \$024	578	571,344
03	\$025 to \$049	332	366,694
04	\$050 to \$099	511	560,617
05	\$100 to \$199	563	580,485
06	\$200 or more	380	471,148
96	Valid skip	6,284	25,043,203
99	Not stated	229	248,754
		=====	=====
		9,020	27,982,182

Coverage: DVAGE=(15:24) and SI_Q10=1
Note: Derived from SI_Q20.

Section: Marijuana Use (MU)

Variable Name: **MU_Q10** Position: 249 Length: 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	755	2,194,267
2	Yes, more than once	2,770	8,741,889
3	No	5,327	16,354,607
7	Don't know	18	29,523
8	Refusal	95	429,354
9	Not stated	55	232,543
		=====	=====
		9,020	27,982,182

Coverage: All respondents

Variable Name: **MU_Q20** Position: 250 Length: 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	1,201	2,436,720
2	No	2,320	8,463,513
6	Valid skip	5,327	16,354,607
7	Don't know	3	34,652
8	Refusal	1	1,272
9	Not stated	168	691,419
		=====	=====
		9,020	27,982,182

Coverage: MU_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)**

Variable Name: **MU_Q30** Position: 251 Length: 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	387	844,134
2	1 to 3 times a month	263	535,623
3	Once a week	119	306,358
4	More than once a week	166	294,133
5	Every day	177	355,663
6	Valid skip	7,731	24,909,886
7	Don't know	2	5,158
8	Refusal	3	3,886
9	Not stated	172	727,343
		=====	=====
		9,020	27,982,182

Coverage: MU_Q10=2 and MU_Q20=1

Variable Name: **MU_Q41** Position: 252 Length: 2

How old were you when you first used or tried marijuana, cannabis or hashish?

Allowed values: 04 : 94

		FREQ	WTD
06 : 72	Age	3,494	10,824,275
96	Valid skip	5,327	16,354,607
97	Don't know	30	111,214
98	Refusal	1	667
99	Not stated	168	691,419
		=====	=====
		9,020	27,982,182

Coverage: MU_Q10=(1 or 2)

Section: Weight Variable

Variable Name: **WTPP** Position: 254 Length: 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

INDEX

A	
AGE0014	2
AGE1524	3
AGE2544	3
AGE45PL.....	3
AGEGRP5.....	7
AGEGRP7.....	8
C	
CA_G10	19
CA_Q20	19
CA_Q30	20
CA_Q40	20
CA_Q50	20
CB_Q15	14
CB_Q16A	15
CB_Q16B.....	15
CB_Q16C.....	16
CB_Q16D	16
CB_Q16E.....	17
CB_Q16F.....	17
CB_Q16G	18
CB_Q20	18
CC_Q100A	24
CC_Q100B.....	25
CC_Q100C.....	25
CC_Q100D	26
CC_Q100E.....	26
CC_Q100F	27
CC_Q110	27
CC_Q120A	28
CC_Q120B.....	28
CC_Q120C.....	29
CC_Q120D	29
CC_Q120E.....	30
CC_Q120F	30
CC_Q130	30
CC_Q140A	31
CC_Q140B.....	31
CC_Q140C.....	32
CC_Q140D	32
CC_Q140E.....	33
CC_Q140F	33
CC_Q140G	34
CC_Q150	34
CC_Q160A	34
CC_Q160B.....	35
CC_Q160C.....	35
CC_Q160D	36
CC_Q160E.....	36
CC_Q160F	37
CC_Q170	37
CC_Q20	22
CC_Q40	22
CC_Q50	23
CC_Q55	23
CC_Q60	23
CC_Q70	24
CC_Q80	24
CM_Q10	47
CM_Q20	47
CM_Q40	48
CM_Q61	48
CM_Q81A.....	48
CM_Q81B.....	49
CM_Q81C.....	49
CM_Q81D.....	50
CM_Q81E.....	50
CP_Q10.....	53
CS_Q31.....	21
CS_Q41.....	21
CS_Q51.....	21
D	
DVAGE.....	7
DVAVCIG7	40
DVAVCIGD	41
DVCIGWK	40
DVDAILY	42
DVEDUC.....	73
DVLOWTAR.....	38
DVMARST.....	8
DVNDSMK	41
DVNOCS10	76
DVPRICE	42
DVSMKPTN.....	41

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

DVSS1	39	LF_Q20	75
DVSS2	40	LF_Q51	75
DVSST1	38	M	
DVSST2	39	MU_Q10	77
DVURBAN	2	MU_Q20	77
DVYRSSMK	11	MU_Q30	78
E		MU_Q41	78
EX_Q010	68	O	
EX_Q020	69	OM_Q030	51
EX_Q030	69	OM_Q070	51
EX_Q040	69	OM_Q081	51
EX_Q050	70	OM_Q091	52
EX_Q060	70	OM_Q099	52
EX_Q070	70	OM_Q100	52
EX_Q080	71	OM_Q130	53
EX_Q091	71	OS_Q10	66
EX_Q100	71	OS_Q20	66
EX_Q110	72	OS_Q30	67
EX_Q120	72	OS_Q31	67
EX_Q130	72	OS_Q40	68
G		P	
GPLA_Q20	74	PROV	1
H		PS_Q10	10
HHSIZE	2	PS_Q20	10
HHTYPE	4	PS_Q30	11
HP_Q010	53	PS_Q40	11
HP_Q020	54	PUMFID	1
HP_Q031	54	R	
HP_Q040	54	REFMONTH	1
HP_Q050	55	REFYEAR	1
HP_Q061	55	S	
HP_Q100	55	SB_Q10	14
HP_Q110	56	SC_Q010	42
HP_Q121	56	SC_Q020	43
HS_Q10	4	SC_Q030	43
HS_Q20	4	SC_Q040	44
HS_Q30	5	SC_Q050	44
HS_Q40	5	SC_Q060	44
HS_Q50	5	SC_Q070	45
HS_Q60A	6	SC_Q080	45
HS_Q60B	6	SC_Q090	45
HS_Q60C	6	SC_Q100	46
HS_Q60D	7	SC_Q110	46
L		SEX	8
LA_Q10	73	SI_G20	77
LF_Q10	74	SI_Q10	76

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2010
Public Use Microdata File (Person)

SP_Q10.....	56	TP_Q021.....	58
SP_Q20.....	57	TP_Q022.....	58
SP_Q30.....	57	TP_Q024.....	58
SS_Q10.....	9	TP_Q027.....	59
SS_Q20.....	9	TP_Q028.....	59
SS_Q30.....	9	TP_Q030.....	59
SS_Q40.....	10	TP_Q040.....	60
STOPSMK.....	47	TP_Q041.....	60
SV_Q10.....	61	TP_Q050.....	60
SV_Q20.....	62	TP_Q060.....	61
SV_Q30.....	62	TP_Q061.....	61
SV_Q40.....	62	W	
SV_Q50A.....	63	WP_Q10A.....	12
SV_Q50B.....	63	WP_Q10B.....	12
SV_Q50C.....	64	WP_Q10C.....	12
SV_Q50D.....	64	WP_Q10D.....	13
SV_Q50E.....	65	WP_Q10E.....	13
SV_Q60.....	65	WP_Q10F.....	13
T		WP_Q10G.....	14
TP_Q017.....	57	WTPP.....	78