

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)

TABLE OF CONTENTS

Identification Variables.....	1
Demographic Variables - Household	1
Derived Variables - Household	2
Household Smoking.....	4
Demographic Variables - Person	7
Smoking Status.....	9
Past Smoking.....	10
Derived Variables - Person	12
Weekly Pattern.....	12
Smoking Behaviour.....	14
Cigarette Brand.....	15
Cigarette Access.....	19
Cigarette Source	21
Cheaper Cigarettes.....	22
Derived Variables - Person	39
Smoking Cessation	43
Derived Variables - Person	48
Cessation Methods	48
Other Cessation Methods	52
Cessation Products.....	54
Health Professionals	54
Smoking and Pregnancy.....	57
Tobacco Products	58
Smoking in Vehicles.....	62
Opinions on Smoking.....	67
Exposure to Second-hand Smoke	69
Language and Education	74
Derived Variables - Person	74
Language and Education	75
Labour Force	75
Derived Variables - Person	77
Student Income.....	77
Marijuana Use.....	78
Weight Variable.....	79

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	7,314	21,689,936
2	Rural	3,078	5,808,121
9	Not stated	410	688,212
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	Number of people	9,220	24,360,733
05	5 or more	1,582	3,825,535
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	7,867	20,221,051
01	One	1,654	3,589,952
02	Two or more	1,281	4,375,265
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	5,032	19,474,310
01	One	3,423	4,647,898
02	Two or more	2,347	4,064,061
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	6,683	15,036,171
01	One	2,282	5,793,454
02	Two or more	1,837	7,356,642
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	2,927	8,489,729
01	One	2,992	6,276,574
02	Two or more	4,883	13,419,965
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	415	960,604
2	11 to 20 cigarettes	290	632,369
3	21 to 30 cigarettes	176	400,617
4	31 to 40 cigarettes	38	89,733
5	41 or more cigarettes	86	247,841
6	Valid skip	9,765	25,806,126
7	Don't know	32	48,978
		=====	=====
		10,802	28,186,268

Coverage: HS_Q20=(01:15)

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	574	1,759,856
2	No	9,173	23,992,921
6	Valid skip	1,037	2,380,142
7	Don't know	17	52,360
8	Refusal	1	988
		=====	=====
		10,802	28,186,268

Coverage: HS_Q20=(00, DK or RF)

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	762	1,729,242
2	No	846	2,407,282
6	Valid skip	9,173	23,992,921
7	Don't know	3	3,474
9	Not stated	18	53,349
		=====	=====
		10,802	28,186,268

Coverage: HS_Q20=(01:15) or HS_Q40=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **HS_Q60A** Position: 33 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed in certain rooms only?

		FREQ	WTD
1	Yes	520	1,133,612
2	No	239	593,703
6	Valid skip	10,019	26,400,203
7	Don't know	3	1,927
9	Not stated	21	56,823
		=====	=====
		10,802	28,186,268

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60B** Position: 34 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... restricted in the presence of young children?

		FREQ	WTD
1	Yes	337	716,590
2	No	422	1,010,725
6	Valid skip	10,019	26,400,203
7	Don't know	3	1,927
9	Not stated	21	56,823
		=====	=====
		10,802	28,186,268

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **HS_Q60C** Position: 35 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed only if windows are open or with another type of ventilation?

		FREQ	WTD
1	Yes	370	985,554
2	No	389	741,761
6	Valid skip	10,019	26,400,203
7	Don't know	3	1,927
9	Not stated	21	56,823
		=====	=====
		10,802	28,186,268

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60D** Position: 36 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... other restriction(s)?

		FREQ	WTD
1	Yes	122	314,508
2	No	637	1,412,807
6	Valid skip	10,019	26,400,203
7	Don't know	3	1,927
9	Not stated	21	56,823
		=====	=====
		10,802	28,186,268

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Section: Demographic Variables - Person

Variable Name: **DVAGE** Position: 37 Length: 3
Collection Name: **PA_Q01**

Age of respondent

Allowed values: 015 : 085

		FREQ	WTD
015 : 084	Age	10,623	27,855,224
085	85 years and over	179	331,044
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Derived from PA_Q01. Ages greater than 85 were recoded to 85.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **AGEGRP5** *Position:* 40 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	2,691	2,191,940
2	20-24 years	2,061	2,307,086
3	25-34 years	816	4,743,063
4	35-44 years	1,065	4,757,807
5	45 years and over	4,169	14,186,372
		=====	=====
		10,802	28,186,268

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 41 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	1,670	1,350,372
02	18-19 years	1,021	841,568
03	20-22 years	1,315	1,417,871
04	23-24 years	746	889,215
05	25-44 years	1,881	9,500,870
06	45-64 years	2,725	9,622,037
07	65 years and over	1,444	4,564,334
		=====	=====
		10,802	28,186,268

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 43 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	4,872	13,912,788
2	Female	5,930	14,273,480
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **DVMARST** *Position:* 44 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	4,179	17,544,078
2	Widowed/Divorced/Separated	1,274	3,002,850
3	Single, never married	5,255	7,441,373
9	Not stated	94	197,967
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Section: Smoking Status (SS)

Variable Name: **SS_Q10** *Position:* 45 *Length:* 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	1,460	3,577,506
2	Occasionally	468	974,892
3	Not at all	8,874	23,633,871
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **SS_Q20** *Position:* 46 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	478	985,879
2	No	8,864	23,622,883
6	Valid skip	1,460	3,577,506
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(2 or 3)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SS_Q30** Position: 47 Length: 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	1,410	3,564,253
2	No	528	999,132
6	Valid skip	8,864	23,622,883
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **SS_Q40** Position: 48 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	3,964	11,839,253
2	No	6,838	16,347,015
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Section: Past Smoking (PS)

Variable Name: **PS_Q10** Position: 49 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,511	3,905,006
2	No	5,207	12,266,172
6	Valid skip	4,083	12,014,886
7	Don't know	1	204
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=3 and SS_Q40=2

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVYRSSMK** Position: 55 Length: 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 73	Number of years	1,898	4,462,486
75	75 years and over	0	0
96	Valid skip	8,874	23,633,871
99	Not stated	30	89,912
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

Note: Derived from DVAGE and PS_Q30. Ages greater than 75 were recoded to 75.

Section: Weekly Pattern (WP)

Variable Name: **WP_Q10A** Position: 57 Length: 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 75	Number of cigarettes	1,840	4,396,456
96	Valid skip	8,864	23,622,883
97	Don't know	98	166,929
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10B** Position: 59 Length: 2

... Tuesday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 75	Number of cigarettes	1,816	4,354,774
96	Valid skip	8,864	23,622,883
97	Don't know	24	41,682
99	Not stated	98	166,929
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **WP_Q10C** *Position:* 61 *Length:* 2

... Wednesday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 75	Number of cigarettes	1,791	4,314,427
96	Valid skip	8,864	23,622,883
97	Don't know	25	40,347
99	Not stated	122	208,611
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10D** *Position:* 63 *Length:* 2

... Thursday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 75	Number of cigarettes	1,783	4,308,156
96	Valid skip	8,864	23,622,883
97	Don't know	8	6,271
99	Not stated	147	248,958
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10E** *Position:* 65 *Length:* 2

... Friday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 75	Number of cigarettes	1,782	4,307,405
96	Valid skip	8,864	23,622,883
97	Don't know	1	751
99	Not stated	155	255,229
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **WP_Q10F** Position: 67 Length: 2

... Saturday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 75	Number of cigarettes	1,779	4,304,597
96	Valid skip	8,864	23,622,883
97	Don't know	3	2,809
99	Not stated	156	255,980
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10G** Position: 69 Length: 2

... Sunday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 75	Number of cigarettes	1,777	4,303,615
96	Valid skip	8,864	23,622,883
97	Don't know	2	981
99	Not stated	159	258,789
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1 or SS_Q20=1

Section: Smoking Behaviour (SB)

Variable Name: **SB_Q10** Position: 71 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	318	620,620
2	6 to 30 minutes	482	1,352,451
3	31 to 60 minutes	259	640,519
4	More than 60 minutes	387	938,381
6	Valid skip	9,342	24,608,762
7	Don't know	11	19,508
8	Refusal	1	228
9	Not stated	2	5,799
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Cigarette Brand (CB)

Variable Name: **CB_Q15** Position: 72 Length: 1

Within the past 12 months, have you bought a brand other than your usual brand?

		FREQ	WTD
1	Yes	906	1,951,858
2	No	996	2,577,868
6	Valid skip	8,874	23,633,871
7	Don't know	14	12,360
8	Refusal	6	3,023
9	Not stated	6	7,288
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

Variable Name: **CB_Q16A** Position: 73 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand

... price?

		FREQ	WTD
1	Yes	323	774,399
2	No	574	1,164,507
6	Valid skip	9,870	26,211,738
7	Don't know	9	12,952
9	Not stated	26	22,672
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CB_Q16B** Position: 74 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand

... friend or family member recommended?

		FREQ	WTD
1	Yes	2	2,320
2	No	895	1,936,587
6	Valid skip	9,870	26,211,738
7	Don't know	9	12,952
9	Not stated	26	22,672
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q16C** Position: 75 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand

... usual brand was out of stock or not available?

		FREQ	WTD
1	Yes	327	693,838
2	No	570	1,245,069
6	Valid skip	9,870	26,211,738
7	Don't know	9	12,952
9	Not stated	26	22,672
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CB_Q16F** Position: 78 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand

... wanted to try another brand?

		FREQ	WTD
1	Yes	162	306,254
2	No	735	1,632,653
6	Valid skip	9,870	26,211,738
7	Don't know	9	12,952
9	Not stated	26	22,672
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q16G** Position: 79 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand

... other?

		FREQ	WTD
1	Yes	101	242,467
2	No	796	1,696,439
6	Valid skip	9,870	26,211,738
7	Don't know	9	12,952
9	Not stated	26	22,672
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q20** Position: 80 Length: 1

At the present time, do you roll your own or make your own cigarettes:

		FREQ	WTD
1	All the time	100	175,451
2	Most of the time	53	61,714
3	Sometimes	176	262,835
4	Never	1,593	4,045,110
6	Valid skip	8,874	23,633,871
9	Not stated	6	7,288
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Cigarette Access (CA)

Variable Name: **CA_G10** Position: 81 Length: 2
Collection Name: **CA_Q10**

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them at a small grocery / corner store	974	2,534,150
02	I buy them at a supermarket	174	359,651
03	I buy them at a gasoline station	398	712,530
04	I buy them at another kind of store	52	211,327
05	I get them for free from a family member, a friend or someone else	147	191,766
06	I buy them from a First Nations Reserve (either on-site or delivery service)	58	208,506
07	Other	104	289,241
96	Valid skip	8,874	23,633,871
97	Don't know	9	22,662
98	Refusal	5	15,070
99	Not stated	7	7,494
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)
Note: Derived from CA_Q10

Variable Name: **CA_Q20** Position: 83 Length: 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	24	16,032
2	No	79	45,103
6	Valid skip	10,678	28,079,907
9	Not stated	21	45,226
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CA_G10=(05:07) and DVAGE=(15:18)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CA_Q30** *Position:* 84 *Length:* 1

(In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	97	73,904
2	No	64	51,622
6	Valid skip	10,620	28,015,516
9	Not stated	21	45,226
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:04) and DVAGE=(15:18)

Variable Name: **CA_Q40** *Position:* 85 *Length:* 1

(In the past 12 months), has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	69	56,824
2	No	91	68,610
6	Valid skip	10,620	28,015,516
7	Don't know	1	91
9	Not stated	21	45,226
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:04) and DVAGE=(15:18)

Variable Name: **CA_Q50** *Position:* 86 *Length:* 1

(In the past 12 months), have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	154	96,163
2	No	86	74,465
6	Valid skip	10,541	27,970,413
9	Not stated	21	45,226
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CA_G10=(01:07) and DVAGE=(15:18)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Cigarette Source (CS)

Variable Name: **CS_Q31** Position: 87 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	432	902,938
2	No	10,334	27,199,577
7	Don't know	25	74,800
8	Refusal	2	680
9	Not stated	9	8,273
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **CS_Q41** Position: 88 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	149	207,991
2	No	281	693,399
6	Valid skip	10,334	27,199,577
7	Don't know	2	1,549
9	Not stated	36	83,753
		=====	=====
		10,802	28,186,268

Coverage: CS_Q31=1

Variable Name: **CS_Q51** Position: 89 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	60	81,072
2	No	87	123,047
6	Valid skip	10,615	27,892,975
7	Don't know	2	3,871
9	Not stated	38	85,302
		=====	=====
		10,802	28,186,268

Coverage: CS_Q31=1 and CS_Q41=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Cheaper Cigarettes (CC)

Variable Name: **CC_Q20** Position: 90 Length: 1
Collection Name: **CC_Q020**

In the past six months, did you buy:
... a discount brand?

		FREQ	WTD
1	Yes	586	1,305,584
2	No	1,319	3,217,505
6	Valid skip	8,874	23,633,871
7	Don't know	14	20,373
9	Not stated	9	8,936
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q40** Position: 91 Length: 1
Collection Name: **CC_Q040**

In the past six months, did you buy:
... from the internet?

		FREQ	WTD
1	Yes	1	590
2	No	1,917	4,540,438
6	Valid skip	8,874	23,633,871
9	Not stated	10	11,370
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q50** Position: 92 Length: 1
Collection Name: **CC_Q050**

In the past six months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	3	898
2	No	1,913	4,536,097
6	Valid skip	8,874	23,633,871
9	Not stated	12	15,403
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q55** Position: 93 Length: 1
Collection Name: **CC_Q055**

In the past six months, did you buy:

... from a First Nations Reserve?

		FREQ	WTD
1	Yes	240	574,655
2	No	1,674	3,961,551
6	Valid skip	8,874	23,633,871
7	Don't know	2	788
9	Not stated	12	15,403
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q60** Position: 94 Length: 1
Collection Name: **CC_Q060**

In the past six months, did you buy:

... from outside your province?

		FREQ	WTD
1	Yes	254	456,856
2	No	1,660	4,078,829
6	Valid skip	8,874	23,633,871
7	Don't know	1	676
9	Not stated	13	16,037
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q70** Position: 95 Length: 1
Collection Name: **CC_Q070**

In the past six months, did you buy:

... cigarettes that may have been smuggled?

		FREQ	WTD
1	Yes	27	53,751
2	No	1,879	4,463,407
6	Valid skip	8,874	23,633,871
7	Don't know	9	19,203
9	Not stated	13	16,037
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q80** Position: 96 Length: 1
Collection Name: **CC_Q080**

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	52	117,962
2	No	1,859	4,396,136
6	Valid skip	8,874	23,633,871
7	Don't know	4	22,263
9	Not stated	13	16,037
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

Variable Name: **CC_Q100A** Position: 97 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from

... a regular retail store (i.e. convenience store)?

		FREQ	WTD
1	Yes	174	431,648
2	No	63	133,974
6	Valid skip	10,537	27,576,525
7	Don't know	1	1,450
8	Refusal	2	7,584
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q100B** Position: 98 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a delivery service?

		FREQ	WTD
1	Yes	2	1,978
2	No	235	563,643
6	Valid skip	10,537	27,576,525
7	Don't know	1	1,450
8	Refusal	2	7,584
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q100C** Position: 99 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a friend?

		FREQ	WTD
1	Yes	37	46,309
2	No	200	519,313
6	Valid skip	10,537	27,576,525
7	Don't know	1	1,450
8	Refusal	2	7,584
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q100D** Position: 100 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a family member?

		FREQ	WTD
1	Yes	18	15,532
2	No	219	550,089
6	Valid skip	10,537	27,576,525
7	Don't know	1	1,450
8	Refusal	2	7,584
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q100E** Position: 101 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from
... a co-worker?

		FREQ	WTD
1	Yes	7	45,808
2	No	230	519,814
6	Valid skip	10,537	27,576,525
7	Don't know	1	1,450
8	Refusal	2	7,584
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q100F** Position: 102 Length: 1
Collection Name: **CC_Q100**

Where did you purchase these cigarettes? Was it from

... other (specify)?

		FREQ	WTD
1	Yes	12	38,324
2	No	225	527,298
6	Valid skip	10,537	27,576,525
7	Don't know	1	1,450
8	Refusal	2	7,584
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q110** Position: 103 Length: 1

Thinking about the last time you bought these cigarettes, what did you buy? Was it ... ?

		FREQ	WTD
1	A pack of 20 cigarettes	25	40,435
2	A pack of 25 cigarettes	103	102,035
3	A carton (200 cigarettes)	80	314,624
4	A bag of 200 cigarettes	19	98,723
5	Other	10	7,417
6	Valid skip	10,537	27,576,525
7	Don't know	2	3,907
8	Refusal	1	7,514
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q120A** Position: 104 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a friend?

		FREQ	WTD
1	Yes	80	235,198
2	No	143	312,425
6	Valid skip	10,537	27,576,525
7	Don't know	14	16,770
8	Refusal	3	10,262
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120B** Position: 105 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a family member?

		FREQ	WTD
1	Yes	33	76,521
2	No	190	471,102
6	Valid skip	10,537	27,576,525
7	Don't know	14	16,770
8	Refusal	3	10,262
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q120C** Position: 106 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a co-worker?

		FREQ	WTD
1	Yes	12	20,335
2	No	211	527,288
6	Valid skip	10,537	27,576,525
7	Don't know	14	16,770
8	Refusal	3	10,262
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120D** Position: 107 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... word of mouth?

		FREQ	WTD
1	Yes	51	149,076
2	No	172	398,547
6	Valid skip	10,537	27,576,525
7	Don't know	14	16,770
8	Refusal	3	10,262
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q120E** Position: 108 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... a sign on or near a First Nations Reserve?

		FREQ	WTD
1	Yes	29	61,767
2	No	194	485,856
6	Valid skip	10,537	27,576,525
7	Don't know	14	16,770
8	Refusal	3	10,262
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q120F** Position: 109 Length: 1
Collection Name: **CC_Q120**

How did you first become aware that you could buy these cigarettes? Was it through
... other (specify)?

		FREQ	WTD
1	Yes	34	60,947
2	No	189	486,676
6	Valid skip	10,537	27,576,525
7	Don't know	14	16,770
8	Refusal	3	10,262
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q130** Position: 110 Length: 1

How easy was it for you to buy these cigarettes? Would you say it was ... ?

		FREQ	WTD
1	Very easy	171	426,707
2	Relatively easy	47	99,014
3	Difficult	17	38,571
4	Very difficult	2	925
6	Valid skip	10,537	27,576,525
7	Don't know	2	1,924
8	Refusal	1	7,514
9	Not stated	25	35,088
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q55=1

Variable Name: **CC_Q140A** Position: 111 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a regular retail store (i.e. convenience store)?

		FREQ	WTD
1	Yes	2	4,219
2	No	22	46,679
6	Valid skip	10,742	28,079,350
7	Don't know	2	1,088
8	Refusal	1	1,765
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q140B** Position: 112 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a First Nations Reserve?

		FREQ	WTD
1	Yes	4	8,946
2	No	20	41,952
6	Valid skip	10,742	28,079,350
7	Don't know	2	1,088
8	Refusal	1	1,765
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140C** Position: 113 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a delivery service?

		FREQ	WTD
1	Yes	0	0
2	No	24	50,898
6	Valid skip	10,742	28,079,350
7	Don't know	2	1,088
8	Refusal	1	1,765
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q140D** Position: 114 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a friend?

		FREQ	WTD
1	Yes	14	28,119
2	No	10	22,779
6	Valid skip	10,742	28,079,350
7	Don't know	2	1,088
8	Refusal	1	1,765
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140E** Position: 115 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a family member?

		FREQ	WTD
1	Yes	2	614
2	No	22	50,284
6	Valid skip	10,742	28,079,350
7	Don't know	2	1,088
8	Refusal	1	1,765
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q140F** Position: 116 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... a co-worker?

		FREQ	WTD
1	Yes	0	0
2	No	24	50,898
6	Valid skip	10,742	28,079,350
7	Don't know	2	1,088
8	Refusal	1	1,765
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q140G** Position: 117 Length: 1
Collection Name: **CC_Q140**

Where did you purchase these cigarettes? Was it from
... other (specify)?

		FREQ	WTD
1	Yes	2	9,000
2	No	22	41,898
6	Valid skip	10,742	28,079,350
7	Don't know	2	1,088
8	Refusal	1	1,765
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q150** Position: 118 Length: 1

Thinking about the last time you bought these cigarettes, what did you buy? Was it ... ?

		FREQ	WTD
1	A pack of 20 cigarettes	5	5,325
2	A pack of 25 cigarettes	3	12,031
3	A carton (200 cigarettes)	8	13,054
4	A bag of 200 cigarettes	7	19,200
5	Other	1	100
6	Valid skip	10,742	28,079,350
7	Don't know	2	2,276
8	Refusal	1	1,765
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160A** Position: 119 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a friend?

		FREQ	WTD
1	Yes	21	44,193
2	No	5	8,600
6	Valid skip	10,742	28,079,350
7	Don't know	1	957
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q160B** Position: 120 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a family member?

		FREQ	WTD
1	Yes	1	374
2	No	25	52,420
6	Valid skip	10,742	28,079,350
7	Don't know	1	957
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160C** Position: 121 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a co-worker?

		FREQ	WTD
1	Yes	0	0
2	No	26	52,794
6	Valid skip	10,742	28,079,350
7	Don't know	1	957
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q160D** Position: 122 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... word of mouth?

		FREQ	WTD
1	Yes	4	8,227
2	No	22	44,567
6	Valid skip	10,742	28,079,350
7	Don't know	1	957
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q160E** Position: 123 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... a sign on or near a First Nations Reserve?

		FREQ	WTD
1	Yes	0	0
2	No	26	52,794
6	Valid skip	10,742	28,079,350
7	Don't know	1	957
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CC_Q160F** Position: 124 Length: 1
Collection Name: **CC_Q160**

How did you first become aware that you could buy these cigarettes? Was it through
... other (specify)?

		FREQ	WTD
1	Yes	0	0
2	No	26	52,794
6	Valid skip	10,742	28,079,350
7	Don't know	1	957
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

Variable Name: **CC_Q170** Position: 125 Length: 1

How easy was it for you to buy these cigarettes? Would you say it was ... ?

		FREQ	WTD
1	Very easy	17	32,757
2	Relatively easy	8	19,569
3	Difficult	1	468
4	Very difficult	0	0
6	Valid skip	10,742	28,079,350
7	Don't know	1	957
9	Not stated	33	53,167
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CC_Q70=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 126 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	2	24,689
03	3 mg	3	5,116
04	4 mg	74	271,592
05	5 mg	0	0
06	6 mg	1	19,252
07	7 mg	12	49,665
08	8 mg	29	83,093
09	9 mg	37	49,850
10	10 mg	86	193,578
11	11 mg	141	587,796
12	12 mg	311	571,693
13	13 mg	240	491,971
14	14 mg	367	824,923
15	15 mg	234	512,425
16	16 mg	23	53,246
17	17 mg or more	0	0
96	Valid skip	8,876	23,634,235
99	Not stated	366	813,145
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and CB_Q15=(2, DK or RF)
Note: Derived from CB_Q12.

Variable Name: **DVSST1** *Position:* 128 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	1,928	4,552,397
2	Former smoker	2,155	7,462,488
3	Never smoked	6,719	16,171,382
		=====	=====
		10,802	28,186,268

Coverage: All respondents
Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **DVSST2** *Position:* 129 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	1,460	3,577,506
02	Current occasional smoker	468	974,892
03	Former daily smoker	1,894	6,471,792
04	Former occasional smoker	260	990,160
05	Experimental smoker	1,511	3,905,006
06	Lifetime abstainer	5,207	12,266,172
99	Not stated	2	740
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 131 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	1,938	4,563,385
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	2,145	7,443,348
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	6,719	16,179,535
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **DVSS2** *Position:* 132 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	1,511	3,755,505
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	308	640,399
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	1,879	6,453,336
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	265	989,476
05	Beginner: smoked in last 30 days, <100 cigarettes in life	119	167,481
06	Past experimental smoker	1,515	3,915,947
07	Lifetime abstainer	5,204	12,263,588
99	Not stated	1	536
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Variable Name: **DVCIGWK** *Position:* 134 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 525	Number of cigarettes	1,777	4,303,615
996	Valid skip	8,864	23,622,883
999	Not stated	161	259,770
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVAVCIG7** *Position:* 137 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Average number of cigarettes	1,777	4,303,615
96	Valid skip	8,864	23,622,883
99	Not stated	161	259,770
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Note: Averaged over seven days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **DVNDSMK** *Position:* 139 *Length:* 2

Derived variable for number of days respondent smoked in the last seven days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	Number of days	1,777	4,303,615
96	Valid skip	8,864	23,622,883
99	Not stated	161	259,770
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVAVCIGD** *Position:* 141 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Average number of cigarettes	1,777	4,303,615
96	Valid skip	8,864	23,622,883
99	Not stated	161	259,770
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVSMKPTN** *Position:* 143 *Length:* 1

Derived variable for current smokers' smoking pattern in the past seven days

		FREQ	WTD
1	Smoked every day	1,409	3,589,913
2	Weekdays only	3	9,027
3	Weekend only	7	34,605
4	Did not smoke in last seven days	91	190,728
5	Other pattern	267	479,342
6	Valid skip	8,864	23,622,883
9	Not stated	161	259,770
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Note: Derived from WP_Q10A to WP_Q10G. Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **DVDAILY** Position: 144 Length: 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Average number of cigarettes	1,350	3,412,805
96	Valid skip	9,342	24,608,762
99	Not stated	110	164,701
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=1
Note: Derived from WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** Position: 146 Length: 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	735	1,390,500
2	Regular price brand	1,030	2,904,910
6	Valid skip	8,874	23,633,871
9	Not stated	163	256,988
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)
Note: Derived from CB_Q12 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation (SC)

Variable Name: **SC_Q010** Position: 147 Length: 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	153	335,620
2	1 to 2 years ago	132	365,505
3	3 to 5 years ago	177	606,410
4	More than 5 years ago	1,685	6,138,130
6	Valid skip	8,647	20,723,780
7	Don't know	5	11,399
8	Refusal	2	4,702
9	Not stated	1	723
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=3 and SS_Q40=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SC_Q020** Position: 148 Length: 2

In what month did you stop smoking?

		FREQ	WTD
01	January	10	26,489
02	February	13	52,150
03	March	11	46,616
04	April	7	23,599
05	May	8	12,525
06	June	14	29,255
07	July	16	14,174
08	August	14	38,129
09	September	12	12,889
10	October	18	43,769
11	November	11	11,505
12	December	17	23,957
96	Valid skip	10,641	27,833,824
97	Don't know	2	563
99	Not stated	8	16,823
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

Variable Name: **SC_Q030** Position: 150 Length: 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	100	203,988
02	Pregnancy or a baby in the household	9	17,626
03	Less stress in life	2	952
04	Cost of cigarettes	14	64,490
05	Smoking is less socially acceptable	9	8,141
06	Some other reason	19	40,423
96	Valid skip	10,641	27,833,824
99	Not stated	8	16,823
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SC_Q040** Position: 152 Length: 2

Approximately, how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Number of attempts	2,082	7,265,960
96	Valid skip	8,647	20,723,780
97	Don't know	69	187,471
98	Refusal	3	8,334
99	Not stated	1	723
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q050** Position: 154 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Average number of cigarettes	2,072	7,157,682
96	Valid skip	8,647	20,723,780
97	Don't know	77	290,279
98	Refusal	5	13,804
99	Not stated	1	723
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q060** Position: 156 Length: 1

Are you seriously considering quitting within the next six months?

		FREQ	WTD
1	Yes	1,095	2,501,025
2	No	750	1,836,836
6	Valid skip	8,874	23,633,871
7	Don't know	68	195,963
8	Refusal	2	2,537
9	Not stated	13	16,037
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SC_Q070** Position: 157 Length: 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	500	1,050,300
2	No	539	1,356,619
6	Valid skip	9,624	25,470,706
7	Don't know	56	94,105
9	Not stated	83	214,537
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and SC_Q060=1

Variable Name: **SC_Q080** Position: 158 Length: 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	Number of attempts	2,003	4,769,699
96	Valid skip	8,713	23,281,427
97	Don't know	63	100,417
98	Refusal	2	1,865
99	Not stated	21	32,860
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) or SC_Q010=1

Variable Name: **SC_Q090** Position: 160 Length: 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 52	Number of attempts	1,061	2,293,698
96	Valid skip	9,652	25,737,936
97	Don't know	13	39,200
99	Not stated	76	115,434
		=====	=====
		10,802	28,186,268

Coverage: (SS_Q10=(1 or 2) or SC_Q010=1) and SC_Q080=(01:94)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SC_Q100** Position: 162 Length: 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	8	31,970
02	Stress, need to relax or to calm down	362	777,026
03	Boredom	44	47,083
04	Addiction / habit	204	534,374
05	Lack of support or information	1	42
06	Going out more (bars, parties)	43	73,183
07	Increased availability	1	1,316
08	No reason / felt like it	101	196,721
09	Family or friends smoke	111	228,263
10	Other	65	146,661
96	Valid skip	9,756	25,946,712
97	Don't know	20	67,775
99	Not stated	86	135,142
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and SC_Q080=(01:94)

Variable Name: **SC_Q110** Position: 164 Length: 1

Have you ever tried to quit smoking?

		FREQ	WTD
1	Yes	605	1,603,774
2	No	346	810,983
6	Valid skip	9,816	25,701,753
7	Don't know	2	1,825
8	Refusal	1	891
9	Not stated	32	67,042
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **STOPSMK** *Position:* 165 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	Number of months	151	335,057
18	1-2 years	132	365,505
48	3-5 years	177	606,410
60	More than 5 years ago	1,685	6,138,130
96	Valid skip	8,647	20,723,780
99	Not stated	10	17,387
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=3 and SS_Q40=1
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods (CM)

Variable Name: **CM_Q10** *Position:* 167 *Length:* 1

Have you tried to quit smoking in the past two years?

		FREQ	WTD
1	Yes	257	471,157
2	No	347	1,132,383
6	Valid skip	10,162	26,512,736
7	Don't know	1	234
9	Not stated	35	69,758
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF) and SC_Q110=1

Variable Name: **CM_Q20** *Position:* 168 *Length:* 1

In the past two years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	339	815,213
2	No	1,152	2,439,854
6	Valid skip	9,274	24,859,288
7	Don't know	1	1,921
9	Not stated	36	69,992
		=====	=====
		10,802	28,186,268

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CM_Q40** Position: 169 Length: 1

(In the past two years), did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	308	653,042
2	No	1,183	2,602,025
6	Valid skip	9,274	24,859,288
7	Don't know	1	1,921
9	Not stated	36	69,992
		=====	=====
		10,802	28,186,268

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q61** Position: 170 Length: 1

(In the past two years), did you use a medication such as 'Zyban', 'Wellbutrin' or 'Champix'?

		FREQ	WTD
1	Yes	240	690,702
2	No	1,251	2,564,366
6	Valid skip	9,274	24,859,288
7	Don't know	1	1,921
9	Not stated	36	69,992
		=====	=====
		10,802	28,186,268

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q81A** Position: 171 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You were concerned about possible side effects

		FREQ	WTD
1	Yes	181	414,266
2	No	670	1,322,956
6	Valid skip	9,902	26,358,146
7	Don't know	10	18,503
8	Refusal	1	287
9	Not stated	38	72,109
		=====	=====
		10,802	28,186,268

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CM_Q81B** Position: 172 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't believe these products work

		FREQ	WTD
1	Yes	177	433,499
2	No	674	1,303,723
6	Valid skip	9,902	26,358,146
7	Don't know	10	18,503
8	Refusal	1	287
9	Not stated	38	72,109
		=====	=====
		10,802	28,186,268

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81C** Position: 173 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't have enough information about these products

		FREQ	WTD
1	Yes	93	152,232
2	No	758	1,584,990
6	Valid skip	9,902	26,358,146
7	Don't know	10	18,503
8	Refusal	1	287
9	Not stated	38	72,109
		=====	=====
		10,802	28,186,268

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **CM_Q81D** Position: 174 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

They cost too much

		FREQ	WTD
1	Yes	202	349,400
2	No	649	1,387,822
6	Valid skip	9,902	26,358,146
7	Don't know	10	18,503
8	Refusal	1	287
9	Not stated	38	72,109
		=====	=====
		10,802	28,186,268

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81E** Position: 175 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

Some other reason

		FREQ	WTD
1	Yes	503	1,068,971
2	No	348	668,251
6	Valid skip	9,902	26,358,146
7	Don't know	10	18,503
8	Refusal	1	287
9	Not stated	38	72,109
		=====	=====
		10,802	28,186,268

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Other Cessation Methods (OM)

Variable Name: **OM_Q030** Position: 176 Length: 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	438	1,023,264
2	No	1,060	2,232,634
6	Valid skip	9,274	24,859,288
7	Don't know	2	6,331
8	Refusal	1	14,271
9	Not stated	27	50,480
		=====	=====
		10,802	28,186,268

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q070** Position: 177 Length: 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,032	2,289,608
2	No	465	977,704
6	Valid skip	9,274	24,859,288
7	Don't know	3	8,765
9	Not stated	28	50,903
		=====	=====
		10,802	28,186,268

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q081** Position: 178 Length: 1

Are you aware of any smoking cessation programs, plans or support offered at your workplace?

		FREQ	WTD
1	Yes	270	728,407
2	No	1,217	2,515,827
6	Valid skip	9,274	24,859,288
7	Don't know	9	30,522
8	Refusal	4	1,320
9	Not stated	28	50,903
		=====	=====
		10,802	28,186,268

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **OM_Q091** Position: 179 Length: 1

Have you used any of these programs, plans or support?

		FREQ	WTD
1	Yes	44	191,337
2	No	226	537,070
6	Valid skip	10,491	27,375,115
9	Not stated	41	82,746
		=====	=====
		10,802	28,186,268

Coverage: ((SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))) and OM_Q081=1

Variable Name: **OM_Q099** Position: 180 Length: 1

Are you aware of 1-800 quitline or a smokers help lines available to help you quit smoking?

		FREQ	WTD
1	Yes	863	1,760,862
2	No	425	908,722
6	Valid skip	9,274	24,859,288
9	Not stated	240	657,397
		=====	=====
		10,802	28,186,268

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q100** Position: 181 Length: 1

Did you use a 1-800 quitline or a smokers helpline?

		FREQ	WTD
1	Yes	60	129,526
2	No	961	2,085,631
6	Valid skip	9,699	25,768,010
9	Not stated	82	203,101
		=====	=====
		10,802	28,186,268

Coverage: ((SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))) and OM_Q099=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **OM_Q130** Position: 182 Length: 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	175	278,294
2	No	17	31,127
6	Valid skip	10,542	27,757,354
9	Not stated	68	119,493
		=====	=====
		10,802	28,186,268

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2 and OM_Q030=2 and OM_Q070=2 and (OM_Q081=2 or (OM_Q081=1 and OM_Q091=2)) and (OM_Q099=2 or (OM_Q099=1 and OM_Q100=2))

Section: Cessation Products (CP)

Variable Name: **CP_Q10** Position: 183 Length: 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)

		FREQ	WTD
1	Yes	274	753,508
2	No	1,633	3,741,772
6	Valid skip	8,874	23,633,871
7	Don't know	4	17,619
8	Refusal	1	8,368
9	Not stated	16	31,130
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

Section: Health Professionals (HP)

Variable Name: **HP_Q010** Position: 184 Length: 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	1,501	3,519,720
2	No	409	999,168
6	Valid skip	8,874	23,633,871
7	Don't know	1	1,921
9	Not stated	17	31,589
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **HP_Q020** *Position:* 185 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	786	2,034,578
2	No	710	1,480,184
6	Valid skip	9,283	24,633,038
7	Don't know	4	4,371
8	Refusal	1	587
9	Not stated	18	33,510
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and HP_Q010=1

Variable Name: **HP_Q031** *Position:* 186 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	467	1,260,133
2	No	317	768,186
6	Valid skip	9,993	26,113,222
7	Don't know	2	6,259
9	Not stated	23	38,468
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and HP_Q010=1 and HP_Q020=1

Variable Name: **HP_Q040** *Position:* 187 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	1,153	2,814,931
2	No	752	1,698,814
6	Valid skip	8,874	23,633,871
7	Don't know	6	7,063
9	Not stated	17	31,589
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **HP_Q050** *Position:* 188 *Length:* 1

Did they (the dentist or dental hygienist) advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	353	995,022
2	No	791	1,804,565
6	Valid skip	9,626	25,332,685
7	Don't know	7	9,623
8	Refusal	1	69
9	Not stated	24	44,305
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and HP_Q040=1

Variable Name: **HP_Q061** *Position:* 189 *Length:* 1

Did they (the dentist or dental hygienist) provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	111	345,796
2	No	240	646,562
6	Valid skip	10,417	27,137,250
7	Don't know	2	2,664
9	Not stated	32	53,996
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and HP_Q040=1 and HP_Q050=1

Variable Name: **HP_Q100** *Position:* 190 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	885	2,103,535
2	No	1,022	2,403,596
6	Valid skip	8,874	23,633,871
7	Don't know	3	8,024
9	Not stated	18	37,242
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **HP_Q110** *Position:* 191 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	170	323,519
2	No	714	1,778,631
6	Valid skip	9,896	26,037,467
7	Don't know	1	1,385
9	Not stated	21	45,266
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and HP_Q100=1

Variable Name: **HP_Q121** *Position:* 192 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	126	249,838
2	No	44	73,682
6	Valid skip	10,610	27,816,098
9	Not stated	22	46,651
		=====	=====
		10,802	28,186,268

Coverage: SS_Q10=(1 or 2) and HP_Q100=1 and HP_Q110=1

Section: Smoking and Pregnancy (SP)

Variable Name: **SP_Q10** *Position:* 193 *Length:* 1

Have you been pregnant in the past five years?

		FREQ	WTD
1	Yes	572	1,763,741
2	No	1,587	4,063,777
6	Valid skip	8,636	22,329,698
7	Don't know	1	34
8	Refusal	2	26,211
9	Not stated	4	2,807
		=====	=====
		10,802	28,186,268

Coverage: SEX=2 and DVAGE=(20:44)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SP_Q20** Position: 194 Length: 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	92	143,034
2	No	129	305,130
6	Valid skip	10,571	27,703,917
7	Don't know	2	701
8	Refusal	1	4,435
9	Not stated	7	29,052
		=====	=====
		10,802	28,186,268

Coverage: SEX=2 and DVAGE=(20:44) and (SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1:3))) and SP_Q10=1

Variable Name: **SP_Q30** Position: 195 Length: 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	43	94,349
2	No	513	1,647,631
3	Not applicable (no spouse/partner)	15	19,190
6	Valid skip	10,223	26,393,475
9	Not stated	8	31,623
		=====	=====
		10,802	28,186,268

Coverage: SEX=2 and DVAGE=(20:44) and SP_Q10=1

Section: Tobacco Products (TP)

Variable Name: **TP_Q017** Position: 196 Length: 1

Have you ever tried smoking a little cigar or cigarillo?

		FREQ	WTD
1	Yes	3,815	9,888,919
2	No	6,951	18,224,782
7	Don't know	9	29,966
9	Not stated	27	42,600
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **TP_Q021** *Position:* 197 *Length:* 1

In the past 30 days, did you smoke any little cigars or cigarillos?

		FREQ	WTD
1	Yes	443	822,652
2	No	3,372	9,066,267
6	Valid skip	6,951	18,224,782
9	Not stated	36	72,567
		=====	=====
		10,802	28,186,268

Coverage: TP_Q017=1

Variable Name: **TP_Q022** *Position:* 198 *Length:* 1

Were these (little cigars or cigarillos) plain, flavoured or both?

		FREQ	WTD
1	Plain	68	269,657
2	Flavoured	281	451,118
3	Both	91	99,751
6	Valid skip	10,323	27,291,049
7	Don't know	3	2,127
9	Not stated	36	72,567
		=====	=====
		10,802	28,186,268

Coverage: TP_Q017=1 and TP_Q021=1

Variable Name: **TP_Q024** *Position:* 199 *Length:* 1

Have you ever tried smoking a cigar not including little cigars or cigarillos?

		FREQ	WTD
1	Yes	2,734	7,822,732
2	No	8,030	20,300,464
7	Don't know	10	19,532
9	Not stated	28	43,540
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **TP_Q027** *Position:* 200 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

		FREQ	WTD
1	Yes	192	368,226
2	No	2,542	7,454,506
6	Valid skip	8,030	20,300,464
9	Not stated	38	63,072
		=====	=====
		10,802	28,186,268

Coverage: TP_Q024=1

Variable Name: **TP_Q028** *Position:* 201 *Length:* 1

Were these cigars plain, flavoured or both?

		FREQ	WTD
1	Plain	133	288,654
2	Flavoured	34	49,634
3	Both	22	21,011
6	Valid skip	10,572	27,754,970
7	Don't know	3	8,926
9	Not stated	38	63,072
		=====	=====
		10,802	28,186,268

Coverage: TP_Q024=1 and TP_Q027=1

Variable Name: **TP_Q030** *Position:* 202 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,351	3,709,832
2	No	9,417	24,419,144
7	Don't know	4	12,955
9	Not stated	30	44,337
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **TP_Q040** *Position:* 203 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	75	124,549
2	No	1,276	3,585,282
6	Valid skip	9,417	24,419,144
9	Not stated	34	57,292
		=====	=====
		10,802	28,186,268

Coverage: TP_Q030=1

Variable Name: **TP_Q041** *Position:* 204 *Length:* 1

Was the pipe tobacco plain, flavoured or both?

		FREQ	WTD
1	Plain	28	25,740
2	Flavoured	33	76,145
3	Both	10	4,376
6	Valid skip	10,693	28,004,426
7	Don't know	4	18,287
9	Not stated	34	57,292
		=====	=====
		10,802	28,186,268

Coverage: TP_Q030=1 and TP_Q040=1

Variable Name: **TP_Q050** *Position:* 205 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	983	2,111,435
2	No	9,788	26,004,046
9	Not stated	31	70,787
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **TP_Q060** *Position:* 206 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	94	111,098
2	No	889	2,000,336
6	Valid skip	9,788	26,004,046
9	Not stated	31	70,787
		=====	=====
		10,802	28,186,268

Coverage: TP_Q050=1

Variable Name: **TP_Q061** *Position:* 207 *Length:* 1

Was the chewing tobacco, pinch or snuff plain, flavoured or both?

		FREQ	WTD
1	Plain	26	26,397
2	Flavoured	49	62,367
3	Both	18	21,707
6	Valid skip	10,677	28,004,383
7	Don't know	1	627
9	Not stated	31	70,787
		=====	=====
		10,802	28,186,268

Coverage: TP_Q050=1 and TP_Q060=1

Section: Smoking in Vehicles (SV)

Variable Name: **SV_Q10** *Position:* 208 *Length:* 1

Do you, or a member of your household, own or lease a motor vehicle? Include cars, pickup trucks, minivans, vans and SUVs.

		FREQ	WTD
1	Yes	9,582	24,683,982
2	No	1,176	3,322,852
7	Don't know	1	1,575
8	Refusal	7	92,117
9	Not stated	36	85,742
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SV_Q20** *Position:* 209 *Length:* 1

Is smoking allowed inside any motor vehicle that you, or a member of your household, own or lease?

		FREQ	WTD
1	Yes	1,907	3,911,851
2	No	7,640	20,713,365
6	Valid skip	1,176	3,322,852
7	Don't know	32	51,081
8	Refusal	1	4,334
9	Not stated	46	182,785
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1

Variable Name: **SV_Q30** *Position:* 210 *Length:* 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,239	2,682,038
2	No	366	644,070
3	Never has children under 18 in vehicles	281	566,073
6	Valid skip	8,816	24,036,217
7	Don't know	20	19,519
8	Refusal	1	151
9	Not stated	79	238,200
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1 and SV_Q20=1

Variable Name: **SV_Q40** *Position:* 211 *Length:* 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	717	1,477,308
2	No	1,169	2,401,612
6	Valid skip	8,816	24,036,217
7	Don't know	21	32,931
9	Not stated	79	238,200
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1 and SV_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SV_Q50A** Position: 212 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted if any occupant is a non-smoker

		FREQ	WTD
1	Yes	186	551,363
2	No	530	925,746
6	Valid skip	9,985	26,437,829
7	Don't know	1	199
9	Not stated	100	271,131
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50B** Position: 213 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted by the number of cigarettes smoked

		FREQ	WTD
1	Yes	11	27,675
2	No	705	1,449,434
6	Valid skip	9,985	26,437,829
7	Don't know	1	199
9	Not stated	100	271,131
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SV_Q50C** Position: 214 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when driving alone

		FREQ	WTD
1	Yes	83	168,047
2	No	633	1,309,062
6	Valid skip	9,985	26,437,829
7	Don't know	1	199
9	Not stated	100	271,131
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50D** Position: 215 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when the fan, air conditioner, heater is turned on or the window is open

		FREQ	WTD
1	Yes	383	602,039
2	No	333	875,070
6	Valid skip	9,985	26,437,829
7	Don't know	1	199
9	Not stated	100	271,131
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SV_Q50E** Position: 216 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Other (specify)

		FREQ	WTD
1	Yes	154	368,385
2	No	562	1,108,724
6	Valid skip	9,985	26,437,829
7	Don't know	1	199
9	Not stated	100	271,131
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q60** Position: 217 Length: 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	1,644	3,364,529
2	Sometimes	146	323,843
3	Rarely	31	40,398
4	Never	31	58,199
6	Valid skip	8,816	24,036,217
7	Don't know	55	124,881
9	Not stated	79	238,200
		=====	=====
		10,802	28,186,268

Coverage: SV_Q10=1 and SV_Q20=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Opinions on Smoking (OS)

Variable Name: **OS_Q10** *Position:* 218 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	8,478	22,049,868
2	Smoking should be allowed only in a section of a restaurant that is enclosed	1,094	2,599,938
3	Smoking should be allowed only in a designated section of a restaurant	1,036	2,993,868
4	Smoking should be allowed anywhere in a restaurant	93	305,782
7	Don't know	50	117,319
8	Refusal	9	26,507
9	Not stated	42	92,987
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 219 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	6,241	16,352,493
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	1,976	4,916,147
3	Smoking should be allowed only in a designated section of a bar or tavern	1,727	4,386,745
4	Smoking should be allowed anywhere in a bar or tavern	493	1,326,175
7	Don't know	275	933,757
8	Refusal	46	172,955
9	Not stated	44	97,996
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **OS_Q30** Position: 220 Length: 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	3,740	10,590,433
2	Smoking should be allowed only in enclosed smoking areas in the workplace	640	1,805,732
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	6,164	15,063,494
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	100	226,848
7	Don't know	97	348,286
8	Refusal	15	50,118
9	Not stated	46	101,358
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **OS_Q31** Position: 221 Length: 1

Which of the following statements comes closest to how you feel about smoking inside a car or any other motor vehicle when children or youth under the age of 18 are present?

		FREQ	WTD
1	Smoking should not be allowed at any time	9,958	26,329,851
2	Smoking should be allowed only when either a window is open or when the fan, air conditioner, heater is turned on	613	1,298,294
3	Smoking should be allowed at any time	91	218,536
7	Don't know	79	181,317
8	Refusal	11	42,926
9	Not stated	50	115,344
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **OS_Q40** Position: 222 Length: 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	1,770	4,540,693
02	Friends / peers	4,875	11,312,100
03	Parents	2,110	6,170,897
04	Other adults	167	399,984
05	Brother / sister	66	83,651
06	Celebrities	161	408,039
07	Tobacco industry	646	2,026,543
08	Government	254	834,241
09	Other (do not specify)	408	1,348,846
97	Don't know	270	894,572
98	Refusal	19	24,647
99	Not stated	56	142,055
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Section: Exposure to Second-hand Smoke (EX)

Variable Name: **EX_Q010** Position: 224 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	2,996	5,306,827
2	No	7,723	22,645,410
7	Don't know	17	64,417
8	Refusal	7	5,730
9	Not stated	59	163,884
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **EX_Q020** Position: 225 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside someone else's home?

		FREQ	WTD
1	Yes	3,070	6,469,908
2	No	7,653	21,508,014
7	Don't know	13	38,732
8	Refusal	6	5,399
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **EX_Q030** Position: 226 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	3,414	8,957,392
2	No	7,296	18,973,794
7	Don't know	24	79,365
8	Refusal	8	11,502
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **EX_Q040** Position: 227 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a restaurant?

		FREQ	WTD
1	Yes	250	748,648
2	No	10,472	27,187,179
7	Don't know	12	74,723
8	Refusal	8	11,502
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **EX_Q050** Position: 228 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a bar or tavern?

		FREQ	WTD
1	Yes	352	1,080,656
2	No	10,372	26,860,535
7	Don't know	10	69,361
8	Refusal	8	11,502
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **EX_Q060** Position: 229 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	1,926	4,633,258
2	No	8,791	23,337,051
7	Don't know	16	38,851
8	Refusal	9	12,893
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **EX_Q070** Position: 230 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	5,704	15,435,040
2	No	4,999	12,480,434
7	Don't know	29	92,079
8	Refusal	10	14,500
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)

Variable Name: **EX_Q080** Position: 231 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at your workplace?

		FREQ	WTD
1	Yes	2,114	5,828,736
2	No	8,609	22,140,784
7	Don't know	9	38,033
8	Refusal	10	14,500
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **EX_Q091** Position: 232 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... on a school property?

		FREQ	WTD
1	Yes	1,621	2,212,965
2	No	9,094	25,730,318
7	Don't know	16	63,767
8	Refusal	11	15,003
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **EX_Q100** Position: 233 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	4,016	9,696,015
2	No	6,690	18,242,067
7	Don't know	24	66,716
8	Refusal	12	17,255
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **EX_Q110** Position: 234 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	6,120	15,223,983
2	No	4,566	12,623,275
7	Don't know	44	157,540
8	Refusal	12	17,255
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **EX_Q120** Position: 235 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... anywhere else?

		FREQ	WTD
1	Yes	414	1,235,632
2	No	10,284	26,589,070
7	Don't know	31	178,708
8	Refusal	13	18,642
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **EX_Q130** Position: 236 Length: 1

Overall, excluding your own smoking, in the past month were you exposed to second-hand smoke:

		FREQ	WTD
1	Every day	934	2,265,302
2	Almost every day	1,060	2,264,310
3	At least once a week	3,013	7,393,838
4	At least once in the past month	3,708	10,174,129
6	Valid skip	1,916	5,530,994
7	Don't know	55	204,829
8	Refusal	7	25,240
9	Not stated	109	327,626
		=====	=====
		10,802	28,186,268

Coverage: EX_Q010=1 or EX_Q020=1 or EX_Q030=1 or EX_Q040=1 or EX_Q050=1 or EX_Q060=1 or EX_Q070=1 or EX_Q080=1 or EX_Q091=1 or EX_Q100=1 or EX_Q110=1 or EX_Q120=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Language and Education (LA)

Variable Name: **LA_Q10** Position: 237 Length: 1

What language do you speak most often at home?

		FREQ	WTD
1	English	8,858	19,302,335
2	French	1,215	5,784,443
3	Both English and French	69	128,669
4	Other	578	2,740,543
7	Don't know	4	15,454
8	Refusal	18	50,609
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Section: Derived Variables - Person

Variable Name: **DVEDUC** Position: 238 Length: 1
Collection Name: **LA_Q20**

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	2,867	4,423,738
2	Completed secondary	4,315	10,103,304
3	Completed community college, technical college, CEGEP or nurse's college	1,583	5,917,924
4	Completed university or teacher's college	1,898	7,237,903
9	Not stated	139	503,399
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=(01,02,03 or 04) then DVEDUC=1; if LA_Q20=(05,06,08 or 10) then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Language and Education

Variable Name: **GPLA_Q20** Position: 239 Length: 2
Collection Name: **LA_Q20**

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	86	290,703
02	Completed elementary	205	388,220
03	Some secondary	2,576	3,744,814
04	Completed secondary	2,690	6,547,600
05	Some community college, technical college, CEGEP or nurse's training	514	1,271,229
06	Completed community college, technical college, CEGEP or nurse's training	1,583	5,917,924
07	Some university or teacher's college	1,025	1,917,806
08	Completed university or teacher's college	1,902	7,239,645
09	Other education or training	86	366,670
99	Not stated	135	501,658
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force (LF)

Variable Name: **LF_Q10** Position: 241 Length: 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	7,649	19,856,029
2	No	3,064	8,017,937
7	Don't know	3	58,187
8	Refusal	26	89,899
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **LF_Q20** Position: 242 Length: 1

Are you currently working at a job or a business?

		FREQ	WTD
1	Yes	6,209	17,556,789
2	No	1,439	2,296,669
6	Valid skip	3,064	8,017,937
8	Refusal	1	2,571
9	Not stated	89	312,301
		=====	=====
		10,802	28,186,268

Coverage: LF_Q10=1

Variable Name: **LF_Q51** Position: 243 Length: 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed outside the building, worksite or company vehicle	6,715	18,045,529
2	Smoking is allowed in designated areas within the building, worksite or company vehicle	440	653,359
3	Smoking is not restricted at all	315	621,813
4	Other - Respondent does not have a fixed workplace	90	248,136
6	Valid skip	3,064	8,017,937
7	Don't know	76	254,883
8	Refusal	12	29,739
9	Not stated	90	314,873
		=====	=====
		10,802	28,186,268

Coverage: LF_Q10=1

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVNOCS10** *Position:* 244 *Length:* 2
Collection Name:

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	294	1,069,665
02	Business, Finance and Administrative Occupations	1,208	3,859,041
03	Natural and Applied Sciences and Related Occupations	380	1,670,230
04	Health Occupations	438	1,289,514
05	Occupations in Social Science, Education, Government Service and Religion	607	1,963,755
06	Occupations in Art, Culture, Recreation and Sport	308	706,498
07	Sales and Service Occupations	2,631	4,744,838
08	Trades, Transport and Equipment Operators and Related Occupations	1,012	2,753,220
09	Occupations Unique to Primary Industry	395	658,316
10	Occupations Unique to Processing, Manufacturing and Utilities	191	509,809
96	Valid skip	3,064	8,017,937
99	Not stated	274	943,445
		=====	=====
		10,802	28,186,268

Coverage: LF_Q10=1

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income (SI)

Variable Name: **SI_Q10** *Position:* 246 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	2,843	2,703,507
2	No	1,873	1,772,328
6	Valid skip	6,050	23,687,242
7	Don't know	2	3,789
8	Refusal	10	7,201
9	Not stated	24	12,201
		=====	=====
		10,802	28,186,268

Coverage: DVAGE=(15:24)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **SI_G20** Position: 247 Length: 2
Collection Name: **SI_Q20**

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	140	138,812
02	\$010 to \$024	545	518,549
03	\$025 to \$049	350	277,984
04	\$050 to \$099	481	442,653
05	\$100 to \$199	595	568,096
06	\$200 or more	510	536,053
96	Valid skip	7,923	25,459,570
99	Not stated	258	244,550
		=====	=====
		10,802	28,186,268

Coverage: DVAGE=(15:24) and SI_Q10=1
Note: Derived from SI_Q20.

Section: Marijuana Use (MU)

Variable Name: **MU_Q10** Position: 249 Length: 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	826	2,061,714
2	Yes, more than once	3,182	8,517,156
3	No	6,594	17,015,866
7	Don't know	21	103,162
8	Refusal	119	324,155
9	Not stated	60	164,215
		=====	=====
		10,802	28,186,268

Coverage: All respondents

Variable Name: **MU_Q20** Position: 250 Length: 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	1,340	2,437,123
2	No	2,666	8,140,927
6	Valid skip	6,594	17,015,866
7	Don't know	1	692
8	Refusal	1	129
9	Not stated	200	591,532
		=====	=====
		10,802	28,186,268

Coverage: MU_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

Variable Name: **MU_Q30** *Position:* 251 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	475	950,490
2	1 to 3 times a month	246	403,609
3	Once a week	139	237,036
4	More than once a week	204	318,964
5	Every day	195	366,043
6	Valid skip	9,336	25,315,977
7	Don't know	4	1,705
8	Refusal	1	93
9	Not stated	202	592,352
		=====	=====
		10,802	28,186,268

Coverage: MU_Q10=2 and MU_Q20=1

Variable Name: **MU_Q41** *Position:* 252 *Length:* 2

How old were you when you first used or tried marijuana, cannabis or hashish?

Allowed values: 04 : 94

		FREQ	WTD
07 : 70	Age	3,965	10,495,328
96	Valid skip	6,594	17,015,866
97	Don't know	39	79,261
98	Refusal	4	4,281
99	Not stated	200	591,532
		=====	=====
		10,802	28,186,268

Coverage: MU_Q10=(1 or 2)

Section: Weight Variable

Variable Name: **WTPP** *Position:* 254 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)

INDEX

A	
AGE0014	2
AGE1524	3
AGE2544	3
AGE45PL.....	3
AGEGRP5.....	8
AGEGRP7.....	8
C	
CA_G10	19
CA_Q20	19
CA_Q30	20
CA_Q40	20
CA_Q50	20
CB_Q15	15
CB_Q16A	15
CB_Q16B.....	16
CB_Q16C.....	16
CB_Q16D	17
CB_Q16E.....	17
CB_Q16F.....	18
CB_Q16G	18
CB_Q20	18
CC_Q100A	24
CC_Q100B.....	25
CC_Q100C.....	25
CC_Q100D	26
CC_Q100E.....	26
CC_Q100F	27
CC_Q110	27
CC_Q120A	28
CC_Q120B.....	28
CC_Q120C.....	29
CC_Q120D	29
CC_Q120E.....	30
CC_Q120F	30
CC_Q130	31
CC_Q140A	31
CC_Q140B.....	32
CC_Q140C.....	32
CC_Q140D	33
CC_Q140E.....	33
CC_Q140F	34
CC_Q140G	34
CC_Q150	35
CC_Q160A	35
CC_Q160B.....	36
CC_Q160C.....	36
CC_Q160D	37
CC_Q160E.....	37
CC_Q160F	38
CC_Q170	38
CC_Q20	22
CC_Q40	22
CC_Q50	23
CC_Q55	23
CC_Q60	23
CC_Q70	24
CC_Q80	24
CM_Q10	48
CM_Q20	48
CM_Q40	49
CM_Q61	49
CM_Q81A.....	49
CM_Q81B.....	50
CM_Q81C.....	50
CM_Q81D.....	51
CM_Q81E.....	51
CP_Q10.....	54
CS_Q31.....	21
CS_Q41.....	21
CS_Q51.....	21
D	
DVAGE.....	7
DVAVCIG7	41
DVAVCIGD	42
DVCIGWK	41
DVDAILY	43
DVEDUC.....	74
DVLOWTAR.....	39
DVMARST.....	9
DVNDSMK	42
DVNOCS10	77
DVPRICE	43
DVSMKPTN.....	42

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)**

DVSS1	40	LF_Q20	76
DVSS2	41	LF_Q51	76
DVSST1	39	M	
DVSST2	40	MU_Q10	78
DVURBAN	2	MU_Q20	78
DVYRSSMK	12	MU_Q30	79
E		MU_Q41	79
EX_Q010	69	O	
EX_Q020	70	OM_Q030	52
EX_Q030	70	OM_Q070	52
EX_Q040	70	OM_Q081	52
EX_Q050	71	OM_Q091	53
EX_Q060	71	OM_Q099	53
EX_Q070	71	OM_Q100	53
EX_Q080	72	OM_Q130	54
EX_Q091	72	OS_Q10	67
EX_Q100	72	OS_Q20	67
EX_Q110	73	OS_Q30	68
EX_Q120	73	OS_Q31	68
EX_Q130	73	OS_Q40	69
G		P	
GPLA_Q20	75	PROV	1
H		PS_Q10	10
HHSIZE	2	PS_Q20	11
HHTYPE	4	PS_Q30	11
HP_Q010	54	PS_Q40	11
HP_Q020	55	PUMFID	1
HP_Q031	55	R	
HP_Q040	55	REFMONTH	1
HP_Q050	56	REFYEAR	1
HP_Q061	56	S	
HP_Q100	56	SB_Q10	14
HP_Q110	57	SC_Q010	43
HP_Q121	57	SC_Q020	44
HS_Q10	4	SC_Q030	44
HS_Q20	4	SC_Q040	45
HS_Q30	5	SC_Q050	45
HS_Q40	5	SC_Q060	45
HS_Q50	5	SC_Q070	46
HS_Q60A	6	SC_Q080	46
HS_Q60B	6	SC_Q090	46
HS_Q60C	7	SC_Q100	47
HS_Q60D	7	SC_Q110	47
L		SEX	8
LA_Q10	74	SI_G20	78
LF_Q10	75	SI_Q10	77

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2010
Public Use Microdata File (Person)

SP_Q10	57	TP_Q021	59
SP_Q20	58	TP_Q022	59
SP_Q30	58	TP_Q024	59
SS_Q10	9	TP_Q027	60
SS_Q20	9	TP_Q028	60
SS_Q30	10	TP_Q030	60
SS_Q40	10	TP_Q040	61
STOPSMK	48	TP_Q041	61
SV_Q10	62	TP_Q050	61
SV_Q20	63	TP_Q060	62
SV_Q30	63	TP_Q061	62
SV_Q40	63	W	
SV_Q50A	64	WP_Q10A	12
SV_Q50B	64	WP_Q10B	12
SV_Q50C	65	WP_Q10C	13
SV_Q50D	65	WP_Q10D	13
SV_Q50E	66	WP_Q10E	13
SV_Q60	66	WP_Q10F	14
T		WP_Q10G	14
TP_Q017	58	WTPP	79