

Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	2
Derived Variables - Household	3
Household Smoking.....	5
Demographic Variables - Person	8
Smoking Status.....	10
Past Smoking.....	11
Derived Variables - Person	13
Weekly Pattern.....	13
Smoking Behaviour.....	15
Cigarette Brand.....	16
Cigarette Access.....	20
Cigarette Source	22
Purchasing Patterns.....	23
Derived Variables - Person	31
Smoking Cessation	35
Derived Variables - Person	40
Cessation Methods	40
Other Cessation Methods	44
Cessation Products.....	46
Health Professionals	46
Smoking and Pregnancy	49
Tobacco Products	50
Smoking in Vehicles.....	57
Opinions on Smoking.....	62
Exposure to Second-hand Smoke	64
Language and Education	69
Derived Variables - Person	69
Language and Education	70
Labour Force.....	70
Derived Variables - Person	72
Student Income.....	72
Marijuana Use.....	73
Weight Variable.....	74

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

		FREQ	WTD
2011 : 2011	Survey year	20,703	28,347,474
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

		FREQ	WTD
02	February	1,793	4,705,583
03	March and April	3,682	4,709,436
05	May and June	3,984	4,719,558
07	July and August	3,890	4,728,537
09	September and October	3,738	4,737,974
11	November and December	3,616	4,746,386
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	2,085	430,637
11	Prince Edward Island	2,185	119,556
12	Nova Scotia	2,141	794,181
13	New Brunswick	2,079	630,498
24	Quebec	2,105	6,624,538
35	Ontario	2,057	10,999,105
46	Manitoba	2,274	1,001,566
47	Saskatchewan	2,115	843,159
48	Alberta	1,881	3,051,576
59	British Columbia	1,781	3,852,658
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Population centre	14,122	22,098,818
2	Rural	5,863	5,490,241
9	Not stated	718	758,415
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: The category 'Population centre' is historically comparable to 'Urban' which was used in previous years for CTUMS.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	Number of people	17,737	24,313,320
05	5 or more	2,966	4,034,155
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	15,205	20,259,687
01	One	3,180	3,744,792
02	Two or more	2,318	4,342,995
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	9,341	19,104,812
01	One	6,763	5,256,839
02	Two or more	4,599	3,985,824
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	12,941	15,496,091
01	One	4,370	5,462,473
02	Two or more	3,392	7,388,910
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	5,356	8,055,420
01	One	5,824	6,612,195
02	Two or more	9,523	13,679,860
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual

Variable Name: **HHTYPE** Position: 25 Length: 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc)

		FREQ	WTD
01	Households with only 18-19 year old members	22	9,851
02	Households with only 20-24 year old members	333	195,498
03	Households with only 25-44 year old members	965	2,486,662
04	Households with only 45-64 year old members	2,858	4,554,302
05	Households with only 65+ year old members	2,339	3,611,716
06	Households with adults and children aged 0-11 only	1,927	4,358,503
07	Households with adults and teens aged 12-19 only	6,634	5,199,440
08	Households with adults and young children and teens aged 0-19 only	1,862	2,174,978
09	Other compositions	3,763	5,756,526
		=====	=====
		20,703	28,347,474

Coverage: All households
Note: Derived from the roster entries

Section: Household Smoking (HS)

Variable Name: **HS_Q10** Position: 27 Length: 1

Does anyone in your household smoke cigarettes?

		FREQ	WTD
1	Yes	5,846	7,373,635
2	No	14,857	20,973,839
		=====	=====
		20,703	28,347,474

Coverage: Household respondent

Variable Name: **HS_Q20** Position: 28 Length: 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 00 : 15

		FREQ	WTD
00 : 15	Number of people	20,703	28,347,474
		=====	=====
		20,703	28,347,474

Coverage: Household respondent

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q30** Position: 30 Length: 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	915	1,225,746
2	11 to 20 cigarettes	591	741,172
3	21 to 30 cigarettes	331	455,358
4	31 to 40 cigarettes	67	100,821
5	41 or more cigarettes	136	184,078
6	Valid skip	18,628	25,583,908
7	Don't know	34	54,920
8	Refusal	1	1,471
		=====	=====
		20,703	28,347,474

Coverage: HS_Q20=(01:15)

Variable Name: **HS_Q40** Position: 31 Length: 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	1,063	1,704,539
2	No	17,522	23,826,230
6	Valid skip	2,075	2,763,567
7	Don't know	43	53,139
		=====	=====
		20,703	28,347,474

Coverage: HS_Q20=(00, DK or RF)

Variable Name: **HS_Q50** Position: 32 Length: 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	1,506	1,996,795
2	No	1,621	2,445,928
6	Valid skip	17,522	23,826,230
7	Don't know	8	23,977
8	Refusal	1	1,197
9	Not stated	45	53,348
		=====	=====
		20,703	28,347,474

Coverage: HS_Q20=(01:15) or HS_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q60A** Position: 33 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed in certain rooms only?

		FREQ	WTD
1	Yes	989	1,369,960
2	No	516	607,357
6	Valid skip	19,143	26,272,157
7	Don't know	1	19,479
9	Not stated	54	78,522
		=====	=====
		20,703	28,347,474

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60B** Position: 34 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... restricted in the presence of young children?

		FREQ	WTD
1	Yes	683	799,640
2	No	822	1,177,677
6	Valid skip	19,143	26,272,157
7	Don't know	1	19,479
9	Not stated	54	78,522
		=====	=====
		20,703	28,347,474

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q60C** Position: 35 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed only if windows are open or with another type of ventilation?

		FREQ	WTD
1	Yes	798	1,032,578
2	No	707	944,739
6	Valid skip	19,143	26,272,157
7	Don't know	1	19,479
9	Not stated	54	78,522
		=====	=====
		20,703	28,347,474

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60D** Position: 36 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... other restriction(s)?

		FREQ	WTD
1	Yes	226	292,070
2	No	1,279	1,685,247
6	Valid skip	19,143	26,272,157
7	Don't know	1	19,479
9	Not stated	54	78,522
		=====	=====
		20,703	28,347,474

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Section: Demographic Variables - Person

Variable Name: **DVAGE** Position: 37 Length: 3
Collection Name: **PA_Q01**

Age of respondent

Allowed values: 015 : 085

		FREQ	WTD
015 : 084	Age	20,435	27,952,832
085	85 years and over	268	394,643
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Derived from PA_Q01. Ages greater than 85 were recoded to 85.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **AGEGRP5** *Position:* 40 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	5,394	2,176,875
2	20-24 years	3,998	2,371,752
3	25-34 years	1,442	4,729,042
4	35-44 years	2,006	4,647,093
5	45 years and over	7,863	14,422,712
		=====	=====
		20,703	28,347,474

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 41 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	3,344	1,323,033
02	18-19 years	2,050	853,842
03	20-22 years	2,656	1,580,259
04	23-24 years	1,342	791,493
05	25-44 years	3,448	9,376,134
06	45-64 years	5,101	9,730,309
07	65 years and over	2,762	4,692,403
		=====	=====
		20,703	28,347,474

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 43 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	9,675	14,005,091
2	Female	11,028	14,342,383
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **DVMARST** Position: 44 Length: 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	7,719	17,532,381
2	Widowed/Divorced/Separated	2,461	3,171,730
3	Single, never married	10,327	7,434,441
9	Not stated	196	208,924
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Section: Smoking Status (SS)

Variable Name: **SS_Q10** Position: 45 Length: 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	2,737	3,895,668
2	Occasionally	971	1,014,852
3	Not at all	16,995	23,436,955
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **SS_Q20** Position: 46 Length: 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	1,005	1,142,031
2	No	16,961	23,309,775
6	Valid skip	2,737	3,895,668
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(2 or 3)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SS_Q30** Position: 47 Length: 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	2,705	3,907,283
2	No	1,037	1,130,417
6	Valid skip	16,961	23,309,775
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **SS_Q40** Position: 48 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	7,657	11,933,058
2	No	13,046	16,414,417
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Section: Past Smoking (PS)

Variable Name: **PS_Q10** Position: 49 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	2,857	4,196,991
2	No	9,923	12,047,972
6	Valid skip	7,923	12,102,511
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=3 and SS_Q40=2

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PS_Q20** *Position:* 50 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	4,149	6,886,577
2	No	903	1,105,707
6	Valid skip	15,645	20,342,555
7	Don't know	5	7,508
9	Not stated	1	5,127
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=2 and (SS_Q20=2 or SS_Q30=2)) or (SS_Q10=3 and SS_Q40=1)

Variable Name: **PS_Q30** *Position:* 51 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 75	Age	10,585	15,977,702
96	Valid skip	9,923	12,047,972
97	Don't know	186	307,459
98	Refusal	3	2,985
99	Not stated	6	11,356
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1) or PS_Q10=1

Variable Name: **PS_Q40** *Position:* 53 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
04 : 74	Age	6,697	10,397,721
96	Valid skip	13,811	17,552,595
97	Don't know	179	370,861
98	Refusal	3	3,352
99	Not stated	13	22,945
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or PS_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Derived Variables - Person

Variable Name: **DVYRSSMK** *Position:* 55 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 71	Number of years	3,651	4,806,985
75	75 years and over	1	38
96	Valid skip	16,995	23,436,955
99	Not stated	56	103,497
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

Note: Derived from DVAGE and PS_Q30. Ages greater than 75 were recoded to 75.

Section: Weekly Pattern (WP)

Variable Name: **WP_Q10A** *Position:* 57 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 90	Number of cigarettes	3,516	4,789,785
96	Valid skip	16,961	23,309,775
97	Don't know	224	245,217
98	Refusal	2	2,697
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10B** *Position:* 59 *Length:* 2

... Tuesday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,447	4,722,531
96	Valid skip	16,961	23,309,775
97	Don't know	69	67,254
99	Not stated	226	247,915
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10C** Position: 61 Length: 2

... Wednesday?

Allowed values:	00 : 91		
		FREQ	WTD
00 : 90	Number of cigarettes	3,401	4,678,991
96	Valid skip	16,961	23,309,775
97	Don't know	46	43,540
99	Not stated	295	315,168
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10D** Position: 63 Length: 2

... Thursday?

Allowed values:	00 : 91		
		FREQ	WTD
00 : 90	Number of cigarettes	3,379	4,666,453
96	Valid skip	16,961	23,309,775
97	Don't know	22	12,538
99	Not stated	341	358,708
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10E** Position: 65 Length: 2

... Friday?

Allowed values:	00 : 91		
		FREQ	WTD
00 : 90	Number of cigarettes	3,374	4,664,502
96	Valid skip	16,961	23,309,775
97	Don't know	5	1,951
99	Not stated	363	371,246
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or SS_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10F** Position: 67 Length: 2

... Saturday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,367	4,662,706
96	Valid skip	16,961	23,309,775
97	Don't know	7	1,796
99	Not stated	368	373,197
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10G** Position: 69 Length: 2

... Sunday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	3,363	4,638,580
96	Valid skip	16,961	23,309,775
97	Don't know	4	24,126
99	Not stated	375	374,993
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1 or SS_Q20=1

Section: Smoking Behaviour (SB)

Variable Name: **SB_Q10** Position: 71 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	592	776,171
2	6 to 30 minutes	925	1,237,071
3	31 to 60 minutes	492	819,562
4	More than 60 minutes	703	1,029,580
6	Valid skip	17,966	24,451,807
7	Don't know	17	20,055
9	Not stated	8	13,228
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Cigarette Brand (CB)

Variable Name: **CB_Q15** Position: 72 Length: 1

Within the past 12 months, have you bought a brand other than your usual brand?

		FREQ	WTD
1	Yes	1,676	1,929,543
2	No	1,989	2,926,836
6	Valid skip	16,995	23,436,955
7	Don't know	26	34,404
8	Refusal	3	555
9	Not stated	14	19,182
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

Variable Name: **CB_Q16A** Position: 73 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand

... price?

		FREQ	WTD
1	Yes	511	594,281
2	No	1,147	1,316,745
6	Valid skip	18,984	26,363,791
7	Don't know	18	18,517
9	Not stated	43	54,141
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **CB_Q16B** Position: 74 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand

... friend or family member recommended?

		FREQ	WTD
1	Yes	31	25,785
2	No	1,627	1,885,241
6	Valid skip	18,984	26,363,791
7	Don't know	18	18,517
9	Not stated	43	54,141
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q16C** Position: 75 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand

... usual brand was out of stock or not available?

		FREQ	WTD
1	Yes	594	711,169
2	No	1,064	1,199,857
6	Valid skip	18,984	26,363,791
7	Don't know	18	18,517
9	Not stated	43	54,141
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual

Variable Name: **CB_Q16D** *Position:* 76 *Length:* 1
Collection Name: **CB_Q16**

Why did you buy another brand
... store clerk recommended this brand?

		FREQ	WTD
1	Yes	4	10,161
2	No	1,654	1,900,865
6	Valid skip	18,984	26,363,791
7	Don't know	18	18,517
9	Not stated	43	54,141
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q16E** *Position:* 77 *Length:* 1
Collection Name: **CB_Q16**

Why did you buy another brand
... wanted to try a flavoured tobacco product?

		FREQ	WTD
1	Yes	33	32,701
2	No	1,625	1,878,325
6	Valid skip	18,984	26,363,791
7	Don't know	18	18,517
9	Not stated	43	54,141
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **CB_Q16F** Position: 78 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand
... wanted to try another brand?

		FREQ	WTD
1	Yes	347	306,516
2	No	1,311	1,604,510
6	Valid skip	18,984	26,363,791
7	Don't know	18	18,517
9	Not stated	43	54,141
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q16G** Position: 79 Length: 1
Collection Name: **CB_Q16**

Why did you buy another brand
... other?

		FREQ	WTD
1	Yes	215	297,261
2	No	1,443	1,613,765
6	Valid skip	18,984	26,363,791
7	Don't know	18	18,517
9	Not stated	43	54,141
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q20** Position: 80 Length: 1

At the present time, do you roll your own or make your own cigarettes:

		FREQ	WTD
1	All the time	190	182,887
2	Most of the time	122	76,108
3	Sometimes	333	213,950
4	Never	3,048	4,418,242
6	Valid skip	16,995	23,436,955
7	Don't know	1	149
9	Not stated	14	19,182
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Cigarette Access (CA)

Variable Name: **CA_G10** Position: 81 Length: 2
Collection Name: **CA_Q10**

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them at a small grocery / corner store	1,824	2,606,963
02	I buy them at a supermarket	277	345,982
03	I buy them at a gasoline station	881	993,923
04	I buy them at another kind of store	130	308,970
05	I get them for free from a family member, a friend or someone else	276	170,342
06	I buy them from a First Nations Reserve (either on-site or delivery service)	88	194,800
07	Other	194	228,366
96	Valid skip	16,995	23,436,955
97	Don't know	17	40,530
98	Refusal	7	1,460
99	Not stated	14	19,182
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)
Note: Derived from CA_Q10

Variable Name: **CA_Q20** Position: 83 Length: 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	49	13,121
2	No	138	58,260
6	Valid skip	20,478	28,214,920
9	Not stated	38	61,173
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CA_Q10=(01, 07:15) and DVAGE=(15:18)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **CA_Q30** Position: 84 Length: 1

(In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	189	69,876
2	No	124	34,543
6	Valid skip	20,350	28,181,229
7	Don't know	2	654
9	Not stated	38	61,173
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CA_Q10=(01:15) and DVAGE=(15:18) and CA_Q20=1

Variable Name: **CA_Q40** Position: 85 Length: 1

(In the past 12 months), has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	158	52,654
2	No	156	52,378
6	Valid skip	20,350	28,181,229
7	Don't know	1	42
9	Not stated	38	61,173
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CA_Q10=(01:15) and DVAGE=(15:18) and CA_Q20=1

Variable Name: **CA_Q50** Position: 86 Length: 1

(In the past 12 months), have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	288	94,311
2	No	165	69,023
6	Valid skip	20,212	28,122,968
9	Not stated	38	61,173
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and CA_Q10=(01:15) and DVAGE=(15:18) and CA_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Cigarette Source (CS)

Variable Name: **CS_Q31** *Position:* 87 *Length:* 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	854	1,027,064
2	No	19,800	27,216,773
7	Don't know	24	60,248
8	Refusal	3	2,927
9	Not stated	22	40,463
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **CS_Q41** *Position:* 88 *Length:* 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	308	200,167
2	No	539	818,344
6	Valid skip	19,800	27,216,773
7	Don't know	6	7,725
9	Not stated	50	104,465
		=====	=====
		20,703	28,347,474

Coverage: CS_Q31=1

Variable Name: **CS_Q51** *Position:* 89 *Length:* 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	115	70,891
2	No	188	118,621
6	Valid skip	20,339	28,035,117
7	Don't know	5	10,654
9	Not stated	56	112,190
		=====	=====
		20,703	28,347,474

Coverage: CS_Q31=1 and CS_Q41=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Purchasing Patterns (PP)

Variable Name: **PP_Q010** *Position:* 90 *Length:* 1

In the past six months, did you buy cigarettes on a First Nations Reserve?

		FREQ	WTD
1	Yes	446	548,964
2	No	3,234	4,328,144
6	Valid skip	16,995	23,436,955
7	Don't know	6	4,863
8	Refusal	3	1,837
9	Not stated	19	26,710
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

Variable Name: **PP_Q020** *Position:* 91 *Length:* 1

In the past six months, did you buy cigarettes that you believe may have been smuggled?
Smuggled cigarettes include purchased cigarettes that were not manufactured on a First Nations Reserve, were not manufactured in Canada, do not contain a government of Canada Health Warning message and do not carry a tax stamp. Legally imported cigarettes are not smuggled cigarettes.

		FREQ	WTD
1	Yes	93	157,616
2	No	3,565	4,658,295
6	Valid skip	16,995	23,436,955
7	Don't know	25	57,968
8	Refusal	2	6,385
9	Not stated	23	30,256
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PP_Q030** *Position:* 92 *Length:* 1

In the past six months, did you buy cigarettes from a store or gas station, that was not on a First Nations Reserve?

		FREQ	WTD
1	Yes	3,182	4,231,308
2	No	496	642,482
6	Valid skip	16,995	23,436,955
7	Don't know	6	6,431
8	Refusal	1	42
9	Not stated	23	30,256
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

Variable Name: **PP_Q040** *Position:* 93 *Length:* 1

In the past six months, did you buy cigarettes from a source other than those just mentioned?

		FREQ	WTD
1	Yes	260	357,995
2	No	3,416	4,501,922
6	Valid skip	16,995	23,436,955
7	Don't know	8	10,857
9	Not stated	24	39,745
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

Variable Name: **PP_Q050** *Position:* 94 *Length:* 3

What percentage of all the cigarettes you bought in the past six months were bought on a First Nations Reserve?

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	347	442,931
996	Valid skip	20,288	27,803,334
997	Don't know	14	5,409
999	Not stated	54	95,801
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2)) and (more than one instance of (PP_Q010=1, PP_Q020=1, PP_Q030=1, PP_Q040=1) and PP_Q010=1)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PP_Q060** *Position:* 97 *Length:* 3

What percentage of all the cigarettes you bought in the past six months do you believe may have been smuggled?

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	83	145,037
996	Valid skip	20,555	28,081,153
997	Don't know	4	3,018
999	Not stated	61	118,266
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2)) and (more than one instance of (PP_Q010=1, PP_Q020=1, PP_Q030=1, PP_Q040=1) and PP_Q020=1)

Variable Name: **PP_Q070** *Position:* 100 *Length:* 3

What percentage of all the cigarettes you bought in the past six months were bought from a store or gas station?

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	577	756,283
996	Valid skip	20,054	27,471,354
997	Don't know	17	24,853
998	Refusal	2	294
999	Not stated	53	94,691
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2)) and (more than one instance of (PP_Q010=1, PP_Q020=1, PP_Q030=1, PP_Q040=1) and PP_Q030=1)

Variable Name: **PP_Q071** *Position:* 103 *Length:* 3

What percentage of all the cigarettes you bought in the past six months were bought from another source?

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	231	325,565
996	Valid skip	20,413	27,907,108
997	Don't know	6	20,197
998	Refusal	2	283
999	Not stated	51	94,322
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2)) and (more than one instance of (PP_Q010=1, PP_Q020=1, PP_Q030=1, PP_Q040=1) and PP_Q040=1)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PP_Q080** *Position:* 106 *Length:* 3

What percentage of all the cigarettes you bought in the past six months from a store or gas station were discount brand cigarettes? Discount brand cigarettes are brand-name cigarettes manufactured by a multinational company and sold at a lower-than-average price.

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	3,046	4,088,581
996	Valid skip	17,491	24,079,437
997	Don't know	122	115,618
998	Refusal	6	13,398
999	Not stated	38	50,440
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q030=1

Variable Name: **PP_Q081** *Position:* 109 *Length:* 3

What percentage of all the cigarettes you bought in the past six months from a store or gas station were full-priced, premium cigarettes? Full-priced, premium brand cigarettes are brand-name cigarettes manufactured by a multinational company and sold at average or higher-than average prices.

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	3,056	4,068,346
996	Valid skip	17,491	24,079,437
997	Don't know	112	135,853
998	Refusal	6	13,398
999	Not stated	38	50,440
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q030=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PP_Q090** Position: 112 Length: 2

The last time you bought cigarettes that came from a First Nations Reserve, how much did you buy? Was it...?

		FREQ	WTD
01	A pack of 20 cigarettes	52	55,891
02	A pack of 25 cigarettes	220	131,915
03	A bag of 200 cigarettes	33	73,120
04	A carton (200 cigarettes)	99	256,404
05	Some other quantity	43	49,604
06	Did not buy First Nations Reserve cigarettes	190	229,536
96	Valid skip	19,997	27,429,985
97	Don't know	15	28,490
98	Refusal	13	38,093
99	Not stated	41	54,436
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and (PP_Q010=1 or PP_Q040=1)

Variable Name: **PP_Q100** Position: 114 Length: 2

How did you first become aware that you could buy these cigarettes? Was it through ...?

		FREQ	WTD
01	A co-worker	16	15,792
02	A family member	71	99,961
03	A friend (not a co-worker)	122	160,343
04	Word of mouth	70	98,894
05	A sign on or near a First Nations Reserve	64	68,831
06	Other	91	106,044
96	Valid skip	20,187	27,659,521
97	Don't know	28	45,559
98	Refusal	13	38,093
99	Not stated	41	54,436
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q090 in (1,2,3,4,5,DK,RF)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PP_Q110A** Position: 116 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a store (excluding on a First Nations Reserve)?

		FREQ	WTD
1	Yes	8	14,961
2	No	85	142,655
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q110B** Position: 117 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... on a First Nations Reserve?

		FREQ	WTD
1	Yes	13	27,468
2	No	80	130,147
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q110C** Position: 118 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a delivery service?

		FREQ	WTD
1	Yes	3	7,234
2	No	90	150,382
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PP_Q110D** Position: 119 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a co-worker?

		FREQ	WTD
1	Yes	10	13,263
2	No	83	144,353
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q110E** Position: 120 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a family member?

		FREQ	WTD
1	Yes	9	8,487
2	No	84	149,128
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q110F** Position: 121 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a friend (not a co-worker)?

		FREQ	WTD
1	Yes	44	62,249
2	No	49	95,366
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PP_Q110G** Position: 122 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... other?

		FREQ	WTD
1	Yes	13	32,329
2	No	80	125,287
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q120** Position: 123 Length: 1

The last time you bought cigarettes that may have been smuggled, what quantity did you buy?
Was it ...?

		FREQ	WTD
1	A pack of 20 cigarettes	16	21,743
2	A pack of 25 cigarettes	11	7,244
3	A bag of 200 cigarettes	30	59,217
4	A carton (200 cigarettes)	20	47,613
5	Some other quantity	15	17,054
6	Valid skip	20,560	28,095,250
7	Don't know	1	4,745
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **PP_Q130** *Position:* 124 *Length:* 1

How did you first become aware that you could buy cigarettes that may have been smuggled?
Was it through ...?

		FREQ	WTD
1	A co-worker	3	8,371
2	A family member	8	2,771
3	A friend (not a co-worker)	41	66,570
4	Word of mouth	27	57,558
5	Other	14	22,345
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q140** *Position:* 125 *Length:* 1

How easy or difficult was it for you to buy these cigarettes? Would you say it was ...?

		FREQ	WTD
1	Very easy	51	105,196
2	Easy	34	49,159
3	Difficult	5	1,639
4	Very difficult	3	1,621
6	Valid skip	20,560	28,095,250
9	Not stated	50	94,609
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Section: Derived Variables - Person

Variable Name: **DVSST1** *Position:* 126 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	3,708	4,910,519
2	Former smoker	4,215	7,191,992
3	Never smoked	12,780	16,244,963
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **DVSST2** Position: 127 Length: 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	2,737	3,895,668
02	Current occasional smoker	971	1,014,852
03	Former daily smoker	3,731	6,424,586
04	Former occasional smoker	480	756,940
05	Experimental smoker	2,857	4,196,991
06	Lifetime abstainer	9,923	12,047,972
99	Not stated	4	10,466
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **DVSS1** Position: 129 Length: 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	3,742	5,037,699
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	4,162	7,113,377
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	12,799	16,196,398
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **DVSS2** *Position:* 130 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	2,869	4,088,578
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	626	731,103
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	3,659	6,335,764
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	499	767,147
05	Beginner: smoked in last 30 days, <100 cigarettes in life	247	218,018
06	Past experimental smoker	2,889	4,155,638
07	Lifetime abstainer	9,910	12,040,760
99	Not stated	4	10,466
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Variable Name: **DVCIGWK** *Position:* 132 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 630	Number of cigarettes	3,363	4,638,580
996	Valid skip	16,961	23,309,775
999	Not stated	379	399,119
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVAVCIG7** *Position:* 135 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Average number of cigarettes	3,363	4,638,580
96	Valid skip	16,961	23,309,775
99	Not stated	379	399,119
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Note: Averaged over seven days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **DVNDSMK** *Position:* 137 *Length:* 2

Derived variable for number of days respondent smoked in the last seven days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	Number of days	3,363	4,638,580
96	Valid skip	16,961	23,309,775
99	Not stated	379	399,119
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVAVCIGD** *Position:* 139 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Average number of cigarettes	3,363	4,638,580
96	Valid skip	16,961	23,309,775
99	Not stated	379	399,119
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVSMKPTN** *Position:* 141 *Length:* 1

Derived variable for current smokers' smoking pattern in the past seven days

		FREQ	WTD
1	Smoked every day	2,632	3,837,234
2	Weekdays only	18	31,602
3	Weekend only	12	10,509
4	Did not smoke in last seven days	205	263,169
5	Other pattern	496	496,066
6	Valid skip	16,961	23,309,775
9	Not stated	379	399,119
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Note: Derived from WP_Q10A to WP_Q10G. Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **DVDAILY** *Position:* 142 *Length:* 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Average number of cigarettes	2,506	3,672,038
96	Valid skip	17,966	24,451,807
99	Not stated	231	223,630
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=1

Note: Derived from WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** *Position:* 144 *Length:* 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	1,373	1,364,779
2	Regular price brand	2,291	3,495,107
6	Valid skip	16,995	23,436,955
9	Not stated	44	50,633
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

Note: Derived from CB_Q12 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation (SC)

Variable Name: **SC_Q010** *Position:* 145 *Length:* 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	332	409,573
2	1 to 2 years ago	309	379,759
3	3 to 5 years ago	339	575,164
4	More than 5 years ago	3,218	5,781,222
6	Valid skip	16,488	21,155,483
7	Don't know	7	8,099
8	Refusal	3	23,395
9	Not stated	7	14,781
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=3 and SS_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q020** Position: 146 Length: 2

In what month did you stop smoking?

		FREQ	WTD
01	January	53	79,087
02	February	33	43,123
03	March	23	16,942
04	April	27	32,253
05	May	17	8,111
06	June	18	16,553
07	July	21	15,185
08	August	27	31,115
09	September	25	39,122
10	October	32	65,517
11	November	24	41,550
12	December	24	15,665
96	Valid skip	20,354	27,891,627
97	Don't know	8	5,351
99	Not stated	17	46,274
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

Variable Name: **SC_Q030** Position: 148 Length: 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	200	282,107
02	Pregnancy or a baby in the household	30	46,806
03	Less stress in life	3	5,219
04	Cost of cigarettes	31	11,607
05	Smoking is less socially acceptable	13	7,219
06	Some other reason	53	51,761
96	Valid skip	20,354	27,891,627
97	Don't know	2	4,854
99	Not stated	17	46,274
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q040** Position: 150 Length: 2

Approximately, how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Number of attempts	4,068	6,924,524
96	Valid skip	16,488	21,155,483
97	Don't know	133	229,810
98	Refusal	5	20,941
99	Not stated	9	16,715
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q050** Position: 152 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Average number of cigarettes	4,042	6,834,708
96	Valid skip	16,488	21,155,483
97	Don't know	157	320,522
98	Refusal	6	19,731
99	Not stated	10	17,031
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q060** Position: 154 Length: 1

Are you seriously considering quitting within the next six months?

		FREQ	WTD
1	Yes	2,197	3,074,301
2	No	1,349	1,599,596
6	Valid skip	16,995	23,436,955
7	Don't know	127	196,450
8	Refusal	1	836
9	Not stated	34	39,337
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q070** Position: 155 Length: 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	1,047	1,389,053
2	No	1,030	1,511,908
6	Valid skip	18,344	25,036,551
7	Don't know	120	173,340
9	Not stated	162	236,623
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and SC_Q060=1

Variable Name: **SC_Q080** Position: 156 Length: 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	Number of attempts	3,860	5,119,645
96	Valid skip	16,646	22,981,108
97	Don't know	138	157,039
98	Refusal	7	3,912
99	Not stated	52	85,772
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) or SC_Q010=1

Variable Name: **SC_Q090** Position: 158 Length: 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 52	Number of attempts	1,929	2,292,515
96	Valid skip	18,582	25,779,156
97	Don't know	18	38,477
98	Refusal	2	383
99	Not stated	172	236,943
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) or SC_Q010=1) and SC_Q080=(01:94)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q100** Position: 160 Length: 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	7	7,212
02	Stress, need to relax or to calm down	604	763,294
03	Boredom	74	51,006
04	Addiction / habit	382	466,259
05	Lack of support or information	6	6,447
06	Going out more (bars, parties)	102	70,069
07	Increased availability	6	12,770
08	No reason / felt like it	129	169,152
09	Family or friends smoke	203	264,053
10	Other	154	180,969
96	Valid skip	18,794	26,027,958
97	Don't know	42	75,511
98	Refusal	1	2,152
99	Not stated	199	250,622
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and SC_Q080=(01:94)

Variable Name: **SC_Q110** Position: 162 Length: 1

Have you ever tried to quit smoking?

		FREQ	WTD
1	Yes	1,204	1,955,900
2	No	746	834,685
6	Valid skip	18,663	25,449,796
7	Don't know	8	7,104
8	Refusal	1	159
9	Not stated	81	99,831
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Derived Variables - Person

Variable Name: **STOPSMK** *Position:* 163 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	Number of months	324	404,222
18	1-2 years	309	379,759
48	3-5 years	339	575,164
60	More than 5 years ago	3,218	5,781,222
96	Valid skip	16,488	21,155,483
99	Not stated	25	51,625
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=3 and SS_Q40=1
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods (CM)

Variable Name: **CM_Q10** *Position:* 165 *Length:* 1

Have you tried to quit smoking in the past two years?

		FREQ	WTD
1	Yes	442	576,721
2	No	760	1,375,372
6	Valid skip	19,409	26,284,481
7	Don't know	2	3,806
9	Not stated	90	107,094
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF) and SC_Q110=1

Variable Name: **CM_Q20** *Position:* 166 *Length:* 1

In the past two years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	576	870,005
2	No	2,184	2,546,990
6	Valid skip	17,843	24,811,406
7	Don't know	4	3,943
9	Not stated	96	115,131
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q40** Position: 167 Length: 1

(In the past two years), did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	573	679,835
2	No	2,190	2,740,841
6	Valid skip	17,843	24,811,406
7	Don't know	1	262
9	Not stated	96	115,131
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q61** Position: 168 Length: 1

(In the past two years), did you use a medication such as 'Zyban', 'Wellbutrin' or 'Champix'?

		FREQ	WTD
1	Yes	419	664,836
2	No	2,344	2,755,605
6	Valid skip	17,843	24,811,406
9	Not stated	97	115,628
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q81A** Position: 169 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You were concerned about possible side effects

		FREQ	WTD
1	Yes	338	408,328
2	No	1,272	1,410,026
6	Valid skip	18,968	26,371,599
7	Don't know	23	36,004
8	Refusal	3	3,123
9	Not stated	99	118,396
		=====	=====
		20,703	28,347,474

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q81B** Position: 170 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't believe these products work

		FREQ	WTD
1	Yes	359	427,337
2	No	1,251	1,391,017
6	Valid skip	18,968	26,371,599
7	Don't know	23	36,004
8	Refusal	3	3,123
9	Not stated	99	118,396
		=====	=====
		20,703	28,347,474

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81C** Position: 171 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't have enough information about these products

		FREQ	WTD
1	Yes	208	222,607
2	No	1,402	1,595,746
6	Valid skip	18,968	26,371,599
7	Don't know	23	36,004
8	Refusal	3	3,123
9	Not stated	99	118,396
		=====	=====
		20,703	28,347,474

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q81D** Position: 172 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

They cost too much

		FREQ	WTD
1	Yes	378	387,975
2	No	1,232	1,430,379
6	Valid skip	18,968	26,371,599
7	Don't know	23	36,004
8	Refusal	3	3,123
9	Not stated	99	118,396
		=====	=====
		20,703	28,347,474

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81E** Position: 173 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

Some other reason

		FREQ	WTD
1	Yes	897	1,037,688
2	No	713	780,665
6	Valid skip	18,968	26,371,599
7	Don't know	23	36,004
8	Refusal	3	3,123
9	Not stated	99	118,396
		=====	=====
		20,703	28,347,474

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Other Cessation Methods (OM)

Variable Name: **OM_Q030** *Position:* 174 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	790	761,104
2	No	1,999	2,672,570
6	Valid skip	17,843	24,811,406
9	Not stated	71	102,394
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q070** *Position:* 175 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,912	2,221,846
2	No	873	1,208,830
6	Valid skip	17,843	24,811,406
7	Don't know	3	2,940
9	Not stated	72	102,452
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q081** *Position:* 176 *Length:* 1

Are you aware of any smoking cessation programs, plans or support offered at your workplace?

		FREQ	WTD
1	Yes	476	606,592
2	No	2,289	2,799,146
6	Valid skip	17,843	24,811,406
7	Don't know	19	23,994
8	Refusal	4	3,885
9	Not stated	72	102,452
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **OM_Q091** Position: 177 Length: 1

Have you used any of these programs, plans or support?

		FREQ	WTD
1	Yes	61	41,176
2	No	414	565,211
6	Valid skip	20,132	27,610,552
7	Don't know	1	204
9	Not stated	95	130,331
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2)) and OM_Q081=1

Variable Name: **OM_Q099** Position: 178 Length: 1

Are you aware of 1-800 quitline or a smokers help lines available to help you quit smoking?

		FREQ	WTD
1	Yes	1,830	2,041,550
2	No	790	1,083,855
6	Valid skip	17,843	24,811,406
7	Don't know	2	3,263
9	Not stated	238	407,400
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q100** Position: 179 Length: 1

Did you use a 1-800 quitline or a smokers helpline?

		FREQ	WTD
1	Yes	89	104,883
2	No	1,855	2,119,410
6	Valid skip	18,633	25,895,261
7	Don't know	2	1,901
9	Not stated	124	226,019
		=====	=====
		20,703	28,347,474

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2)) and OM_Q099=(1 or NS)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **OM_Q130** *Position:* 180 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	363	474,358
2	No	38	42,624
6	Valid skip	20,191	27,653,363
7	Don't know	1	5,502
9	Not stated	110	171,627
		=====	=====
		20,703	28,347,474

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2 and OM_Q030=2 and OM_Q070=2 and (OM_Q081=2 or (OM_Q081=1 and OM_Q091=2)) and (OM_Q099=2 or (OM_Q099=1 and OM_Q100=2))

Section: Cessation Products (CP)

Variable Name: **CP_Q10** *Position:* 181 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)

		FREQ	WTD
1	Yes	471	640,458
2	No	3,187	4,223,143
6	Valid skip	16,995	23,436,955
7	Don't know	6	2,113
8	Refusal	1	159
9	Not stated	43	44,646
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

Section: Health Professionals (HP)

Variable Name: **HP_Q010** *Position:* 182 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	2,834	3,732,558
2	No	820	1,101,652
6	Valid skip	16,995	23,436,955
7	Don't know	7	12,377
8	Refusal	2	9,681
9	Not stated	45	54,252
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q020** *Position:* 183 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	1,406	2,300,144
2	No	1,422	1,419,128
6	Valid skip	17,815	24,538,607
7	Don't know	5	13,126
9	Not stated	55	76,470
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and HP_Q010=1

Variable Name: **HP_Q031** *Position:* 184 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	866	1,446,901
2	No	538	851,933
6	Valid skip	19,237	25,957,735
7	Don't know	2	1,310
9	Not stated	60	89,596
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and HP_Q010=1 and HP_Q020=1

Variable Name: **HP_Q040** *Position:* 185 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	2,228	3,006,698
2	No	1,431	1,839,457
6	Valid skip	16,995	23,436,955
7	Don't know	2	598
8	Refusal	1	9,354
9	Not stated	46	54,412
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q050** *Position:* 186 *Length:* 1

Did they (the dentist or dental hygienist) advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	678	1,196,062
2	No	1,541	1,790,632
6	Valid skip	18,426	25,276,412
7	Don't know	9	20,004
9	Not stated	49	64,364
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and HP_Q040=1

Variable Name: **HP_Q061** *Position:* 187 *Length:* 1

Did they (the dentist or dental hygienist) provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	221	388,628
2	No	447	779,205
6	Valid skip	19,967	27,067,045
7	Don't know	10	28,230
9	Not stated	58	84,368
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and HP_Q040=1 and HP_Q050=1

Variable Name: **HP_Q100** *Position:* 188 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	1,746	2,472,877
2	No	1,909	2,371,087
6	Valid skip	16,995	23,436,955
7	Don't know	5	2,463
8	Refusal	2	9,681
9	Not stated	46	54,412
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q110** *Position:* 189 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	269	407,308
2	No	1,474	2,064,162
6	Valid skip	18,904	25,808,042
7	Don't know	3	1,406
9	Not stated	53	66,555
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and HP_Q100=1

Variable Name: **HP_Q121** *Position:* 190 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	221	286,373
2	No	48	120,935
6	Valid skip	20,378	27,872,204
9	Not stated	56	67,962
		=====	=====
		20,703	28,347,474

Coverage: SS_Q10=(1 or 2) and HP_Q100=1 and HP_Q110=1

Section: Smoking and Pregnancy (SP)

Variable Name: **SP_Q10** *Position:* 191 *Length:* 1

Have you been pregnant in the past five years?

		FREQ	WTD
1	Yes	1,047	1,960,447
2	No	2,900	3,853,017
6	Valid skip	16,741	22,521,731
7	Don't know	4	5,575
8	Refusal	5	1,284
9	Not stated	6	5,421
		=====	=====
		20,703	28,347,474

Coverage: SEX=2 and DVAGE=(20:44)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SP_Q20** Position: 192 Length: 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	151	134,793
2	No	240	378,306
6	Valid skip	20,295	27,821,902
7	Don't know	1	39
9	Not stated	16	12,435
		=====	=====
		20,703	28,347,474

Coverage: SEX=2 and DVAGE=(20:44) and (SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1:3))) and SP_Q10=1

Variable Name: **SP_Q30** Position: 193 Length: 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	63	45,466
2	No	953	1,895,602
3	Not applicable (no spouse/partner)	30	18,873
6	Valid skip	19,641	26,374,748
7	Don't know	1	506
9	Not stated	15	12,280
		=====	=====
		20,703	28,347,474

Coverage: SEX=2 and DVAGE=(20:44) and SP_Q10=1

Section: Tobacco Products (TP)

Variable Name: **TP_Q017** Position: 194 Length: 1

Have you ever tried smoking a little cigar or cigarillo?

		FREQ	WTD
1	Yes	7,428	10,266,582
2	No	13,187	17,954,366
7	Don't know	16	22,821
8	Refusal	3	19,083
9	Not stated	69	84,624
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q021** *Position:* 195 *Length:* 1

In the past 30 days, did you smoke any little cigars or cigarillos?

		FREQ	WTD
1	Yes	764	744,759
2	No	6,663	9,519,501
6	Valid skip	13,187	17,954,366
7	Don't know	1	2,321
9	Not stated	88	126,527
		=====	=====
		20,703	28,347,474

Coverage: TP_Q017=1

Variable Name: **TP_Q022** *Position:* 196 *Length:* 1

Were these (little cigars or cigarillos) plain, flavoured or both?

		FREQ	WTD
1	Plain	137	208,088
2	Flavoured	472	392,895
3	Both	139	133,116
6	Valid skip	19,850	27,473,867
7	Don't know	16	10,660
9	Not stated	89	128,848
		=====	=====
		20,703	28,347,474

Coverage: TP_Q017=1 and TP_Q021=1

Variable Name: **TP_Q023A** *Position:* 197 *Length:* 1

Did any of the flavoured little cigars or cigarillos you smoked in the past 30 days have a cigarette-type filter? A plastic filter is not considered to be a cigarette-type filter.

		FREQ	WTD
1	Yes	98	85,686
2	No	210	186,681
5	Not applicable	9,459	14,134,577
6	Valid skip	10,877	13,871,400
7	Don't know	6	1,997
9	Not stated	53	67,133
		=====	=====
		20,703	28,347,474

Coverage: TP_Q022=(2 or 3)

Note: This question was not asked (5) from February to June 2011.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q023B** *Position:* 198 *Length:* 3

How many little flavoured cigars or cigarillos were in the last pack purchased?

Allowed values: 000 : 990

		FREQ	WTD
000 : 025	Cigars	95	68,880
995	Not applicable	9,459	14,134,577
996	Valid skip	11,087	14,058,081
997	Don't know	9	18,803
999	Not stated	53	67,133
		=====	=====
		20,703	28,347,474

Coverage: TP_Q023A = (1 or DK, RF)

Note: This question was not asked (995) from February to June 2011.

Variable Name: **TP_Q024** *Position:* 201 *Length:* 1

Have you ever tried smoking a cigar not including little cigars or cigarillos?

		FREQ	WTD
1	Yes	5,467	8,090,364
2	No	15,150	20,102,255
7	Don't know	12	48,952
8	Refusal	3	19,083
9	Not stated	71	86,822
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **TP_Q027** *Position:* 202 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

		FREQ	WTD
1	Yes	379	358,357
2	No	5,085	7,723,303
6	Valid skip	15,150	20,102,255
7	Don't know	2	1,095
9	Not stated	87	162,465
		=====	=====
		20,703	28,347,474

Coverage: TP_Q024=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q028** *Position:* 203 *Length:* 1

Were these cigars plain, flavoured or both?

		FREQ	WTD
1	Plain	261	269,449
2	Flavoured	55	41,835
3	Both	50	40,900
6	Valid skip	20,235	27,825,558
7	Don't know	13	6,173
9	Not stated	89	163,560
		=====	=====
		20,703	28,347,474

Coverage: TP_Q024=1 and TP_Q027=1

Variable Name: **TP_Q030** *Position:* 204 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	2,757	3,881,832
2	No	17,862	24,346,480
7	Don't know	8	7,964
8	Refusal	2	15,029
9	Not stated	74	96,169
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 205 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	123	69,184
2	No	2,634	3,812,649
6	Valid skip	17,862	24,346,480
9	Not stated	84	119,163
		=====	=====
		20,703	28,347,474

Coverage: TP_Q030=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q041** *Position:* 206 *Length:* 1

Was the pipe tobacco plain, flavoured or both?

		FREQ	WTD
1	Plain	56	27,773
2	Flavoured	37	21,309
3	Both	22	12,724
6	Valid skip	20,496	28,159,128
7	Don't know	7	6,821
8	Refusal	1	557
9	Not stated	84	119,163
		=====	=====
		20,703	28,347,474

Coverage: TP_Q030=1 and TP_Q040=1

Variable Name: **TP_Q050** *Position:* 207 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	2,071	2,311,800
2	No	18,550	25,914,978
7	Don't know	5	9,312
8	Refusal	2	15,029
9	Not stated	75	96,355
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **TP_Q060** *Position:* 208 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	202	143,596
2	No	1,869	2,168,204
6	Valid skip	18,550	25,914,978
9	Not stated	82	120,696
		=====	=====
		20,703	28,347,474

Coverage: TP_Q050=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q061** *Position:* 209 *Length:* 1

Was the chewing tobacco, pinch or snuff plain, flavoured or both?

		FREQ	WTD
1	Plain	65	55,360
2	Flavoured	88	66,533
3	Both	48	21,547
6	Valid skip	20,419	28,083,182
7	Don't know	1	156
9	Not stated	82	120,696
		=====	=====
		20,703	28,347,474

Coverage: TP_Q050=1 and TP_Q060=1

Variable Name: **TP_Q070** *Position:* 210 *Length:* 1

Have you ever tried a tobacco water-pipe, also known as a hookah, sheesha, nargeelay, hubble-bubble or gouza to smoke tobacco?

		FREQ	WTD
1	Yes	1,800	2,281,409
2	No	18,817	25,943,925
7	Don't know	7	10,543
8	Refusal	3	15,205
9	Not stated	76	96,393
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **TP_Q080** *Position:* 211 *Length:* 1

In the past 30 days, have you smoked a tobacco water-pipe?

		FREQ	WTD
1	Yes	253	227,257
2	No	1,417	1,889,595
6	Valid skip	18,817	25,943,925
7	Don't know	1	736
9	Not stated	215	285,961
		=====	=====
		20,703	28,347,474

Coverage: TP_Q070=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q090A** Position: 212 Length: 1
Collection Name: **TP_Q090**

What type of tobacco did you smoke in the water-pipe

... flavoured tobacco?

		FREQ	WTD
1	Yes	195	179,794
2	No	50	45,600
6	Valid skip	20,234	27,833,520
7	Don't know	2	972
8	Refusal	1	105
9	Not stated	221	287,484
		=====	=====
		20,703	28,347,474

Coverage: TP_Q070=1 and TP_Q80=1

Variable Name: **TP_Q090B** Position: 213 Length: 1
Collection Name: **TP_Q090**

What type of tobacco did you smoke in the water-pipe

... regular tobacco?

		FREQ	WTD
1	Yes	27	18,245
2	No	218	207,149
6	Valid skip	20,234	27,833,520
7	Don't know	2	972
8	Refusal	1	105
9	Not stated	221	287,484
		=====	=====
		20,703	28,347,474

Coverage: TP_Q070=1 and TP_Q80=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q090C** Position: 214 Length: 1
Collection Name: **TP_Q090**

What type of tobacco did you smoke in the water-pipe

... a product other than tobacco?

		FREQ	WTD
1	Yes	41	32,191
2	No	204	193,202
6	Valid skip	20,234	27,833,520
7	Don't know	2	972
8	Refusal	1	105
9	Not stated	221	287,484
		=====	=====
		20,703	28,347,474

Coverage: TP_Q070=1 and TP_Q80=1

Variable Name: **TP_Q100** Position: 215 Length: 1

Do you believe that smoking tobacco in a water-pipe is ...?

		FREQ	WTD
1	More harmful than smoking cigarettes	49	79,781
2	Less harmful than smoking cigarettes	89	58,322
3	Neither more harmful nor less harmful than smoking cigarettes	88	68,669
6	Valid skip	20,234	27,833,520
7	Don't know	22	19,699
9	Not stated	221	287,484
		=====	=====
		20,703	28,347,474

Coverage: TP_Q070=1 and TP_Q80=1

Section: Smoking in Vehicles (SV)

Variable Name: **SV_Q10** Position: 216 Length: 1

Do you, or a member of your household, own or lease a motor vehicle? Include cars, pickup trucks, minivans, vans and SUVs.

		FREQ	WTD
1	Yes	18,642	25,333,793
2	No	1,969	2,873,731
8	Refusal	7	27,376
9	Not stated	85	112,575
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SV_Q20** Position: 217 Length: 1

Is smoking allowed inside any motor vehicle that you, or a member of your household, own or lease?

		FREQ	WTD
1	Yes	3,651	4,173,910
2	No	14,915	21,043,976
6	Valid skip	1,969	2,873,731
7	Don't know	73	105,851
8	Refusal	1	2,215
9	Not stated	94	147,791
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1

Variable Name: **SV_Q30** Position: 218 Length: 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	2,446	2,890,933
2	No	634	560,618
3	Never has children under 18 in vehicles	543	697,252
6	Valid skip	16,884	23,917,707
7	Don't know	28	25,107
9	Not stated	168	255,858
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1 and SV_Q20=1

Variable Name: **SV_Q40** Position: 219 Length: 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,374	1,468,295
2	No	2,241	2,668,082
6	Valid skip	16,884	23,917,707
7	Don't know	36	37,532
9	Not stated	168	255,858
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1 and SV_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SV_Q50A** Position: 220 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted if any occupant is a non-smoker

		FREQ	WTD
1	Yes	438	428,098
2	No	931	1,039,578
6	Valid skip	19,125	26,585,789
7	Don't know	5	619
9	Not stated	204	293,390
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50B** Position: 221 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted by the number of cigarettes smoked

		FREQ	WTD
1	Yes	40	33,477
2	No	1,329	1,434,199
6	Valid skip	19,125	26,585,789
7	Don't know	5	619
9	Not stated	204	293,390
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SV_Q50C** Position: 222 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when driving alone

		FREQ	WTD
1	Yes	158	245,469
2	No	1,211	1,222,208
6	Valid skip	19,125	26,585,789
7	Don't know	5	619
9	Not stated	204	293,390
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50D** Position: 223 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when the fan, air conditioner, heater is turned on or the window is open

		FREQ	WTD
1	Yes	742	632,374
2	No	627	835,303
6	Valid skip	19,125	26,585,789
7	Don't know	5	619
9	Not stated	204	293,390
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SV_Q50E** Position: 224 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Other (specify)

		FREQ	WTD
1	Yes	274	345,238
2	No	1,095	1,122,438
6	Valid skip	19,125	26,585,789
7	Don't know	5	619
9	Not stated	204	293,390
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q60** Position: 225 Length: 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	3,205	3,723,068
2	Sometimes	260	257,193
3	Rarely	52	57,424
4	Never	50	50,641
6	Valid skip	16,884	23,917,707
7	Don't know	82	85,361
8	Refusal	2	222
9	Not stated	168	255,858
		=====	=====
		20,703	28,347,474

Coverage: SV_Q10=1 and SV_Q20=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Opinions on Smoking (OS)

Variable Name: **OS_Q10** *Position:* 226 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	16,333	22,073,147
2	Smoking should be allowed only in a section of a restaurant that is enclosed	2,256	3,135,623
3	Smoking should be allowed only in a designated section of a restaurant	1,744	2,579,539
4	Smoking should be allowed anywhere in a restaurant	188	281,489
7	Don't know	69	82,368
8	Refusal	15	45,810
9	Not stated	98	149,498
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 227 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	11,789	16,571,978
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	4,199	5,182,345
3	Smoking should be allowed only in a designated section of a bar or tavern	3,083	4,174,980
4	Smoking should be allowed anywhere in a bar or tavern	977	1,365,561
7	Don't know	497	756,686
8	Refusal	53	137,755
9	Not stated	105	158,169
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **OS_Q30** *Position:* 228 *Length:* 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	6,516	9,613,388
2	Smoking should be allowed only in enclosed smoking areas in the workplace	1,254	1,862,592
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	12,431	16,112,106
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	216	336,765
7	Don't know	144	160,131
8	Refusal	30	93,215
9	Not stated	112	169,278
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **OS_Q31** *Position:* 229 *Length:* 1

Which of the following statements comes closest to how you feel about smoking inside a car or any other motor vehicle when children or youth under the age of 18 are present?

		FREQ	WTD
1	Smoking should not be allowed at any time	19,005	26,348,033
2	Smoking should be allowed only when either a window is open or when the fan, air conditioner, heater is turned on	1,202	1,288,987
3	Smoking should be allowed at any time	237	336,993
7	Don't know	123	150,162
8	Refusal	22	53,625
9	Not stated	114	169,674
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **OS_Q40** Position: 230 Length: 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	3,564	4,539,642
02	Friends / peers	9,684	12,400,864
03	Parents	3,800	5,872,945
04	Other adults	292	401,592
05	Brother / sister	99	93,144
06	Celebrities	303	412,060
07	Tobacco industry	1,064	1,621,116
08	Government	466	708,377
09	Other (do not specify)	736	1,093,096
97	Don't know	547	933,904
98	Refusal	31	93,022
99	Not stated	117	177,713
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Section: Exposure to Second-hand Smoke (EX)

Variable Name: **EX_Q010** Position: 232 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	5,631	5,498,091
2	No	14,905	22,548,232
7	Don't know	23	56,541
8	Refusal	20	60,061
9	Not stated	124	184,549
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q020** Position: 233 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside someone else's home?

		FREQ	WTD
1	Yes	5,639	6,118,309
2	No	14,890	21,913,788
7	Don't know	27	69,080
8	Refusal	21	60,547
9	Not stated	126	185,750
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **EX_Q030** Position: 234 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	6,222	8,044,529
2	No	14,291	19,974,352
7	Don't know	42	63,876
8	Refusal	22	78,967
9	Not stated	126	185,750
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **EX_Q040** Position: 235 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a restaurant?

		FREQ	WTD
1	Yes	425	690,061
2	No	20,111	27,350,505
7	Don't know	19	42,191
8	Refusal	22	78,967
9	Not stated	126	185,750
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q050** Position: 236 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a bar or tavern?

		FREQ	WTD
1	Yes	636	1,007,313
2	No	19,891	27,025,047
7	Don't know	27	50,315
8	Refusal	23	79,049
9	Not stated	126	185,750
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **EX_Q060** Position: 237 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	3,715	4,787,798
2	No	16,796	23,153,039
7	Don't know	39	136,353
8	Refusal	25	81,164
9	Not stated	128	189,119
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **EX_Q070** Position: 238 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	10,920	14,536,336
2	No	9,536	13,398,373
7	Don't know	93	143,321
8	Refusal	25	79,900
9	Not stated	129	189,545
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q080** Position: 239 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at your workplace?

		FREQ	WTD
1	Yes	4,036	5,610,337
2	No	16,481	22,422,353
7	Don't know	22	42,255
8	Refusal	34	82,510
9	Not stated	130	190,019
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **EX_Q091** Position: 240 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... on a school property?

		FREQ	WTD
1	Yes	3,468	2,265,759
2	No	17,058	25,766,810
7	Don't know	18	38,517
8	Refusal	29	86,369
9	Not stated	130	190,019
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **EX_Q100** Position: 241 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	7,888	9,141,253
2	No	12,603	18,832,439
7	Don't know	53	102,139
8	Refusal	28	81,264
9	Not stated	131	190,380
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q110** Position: 242 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	11,738	15,358,482
2	No	8,727	12,503,359
7	Don't know	80	214,479
8	Refusal	27	80,775
9	Not stated	131	190,380
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **EX_Q120** Position: 243 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... anywhere else?

		FREQ	WTD
1	Yes	667	1,070,591
2	No	19,815	26,815,027
7	Don't know	59	179,751
8	Refusal	31	91,725
9	Not stated	131	190,380
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **EX_Q130** Position: 244 Length: 1

Overall, excluding your own smoking, in the past month were you exposed to second-hand smoke:

		FREQ	WTD
1	Every day	1,601	1,895,592
2	Almost every day	2,037	2,228,236
3	At least once a week	5,936	7,771,106
4	At least once in the past month	7,102	9,902,439
6	Valid skip	3,638	5,774,736
7	Don't know	122	258,383
8	Refusal	13	43,809
9	Not stated	254	473,174
		=====	=====
		20,703	28,347,474

Coverage: EX_Q010=1 or EX_Q020=1 or EX_Q030=1 or EX_Q040=1 or EX_Q050=1 or EX_Q060=1 or EX_Q070=1 or EX_Q080=1 or EX_Q091=1 or EX_Q100=1 or EX_Q110=1 or EX_Q120=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Language and Education (LA)

Variable Name: **LA_Q10** Position: 245 Length: 1

What language do you speak most often at home?

		FREQ	WTD
1	English	16,785	18,957,361
2	French	2,370	5,723,666
3	Both English and French	114	171,732
4	Other	1,182	3,077,066
7	Don't know	8	20,466
8	Refusal	43	141,118
9	Not stated	201	256,066
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Section: Derived Variables - Person

Variable Name: **DVEDUC** Position: 246 Length: 1
Collection Name: **LA_Q20**

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	5,688	4,483,911
2	Completed secondary	8,087	9,869,719
3	Completed community college, technical college, CEGEP or nurse's college	3,080	5,497,665
4	Completed university or teacher's college	3,576	7,976,924
9	Not stated	272	519,256
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=(01,02,03 or 04) then DVEDUC=1; if LA_Q20=(05,06,08 or 10) then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Language and Education

Variable Name: **GPLA_Q20** Position: 247 Length: 2
Collection Name: **LA_Q20**

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	167	198,212
02	Completed elementary	381	482,672
03	Some secondary	5,090	3,745,039
04	Completed secondary	4,835	6,196,736
05	Some community college, technical college, CEGEP or nurse's training	1,040	1,451,731
06	Completed community college, technical college, CEGEP or nurse's training	3,079	5,497,641
07	Some university or teacher's college	2,045	1,953,198
08	Completed university or teacher's college	3,572	7,975,260
09	Other education or training	129	221,217
99	Not stated	365	625,768
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force (LF)

Variable Name: **LF_Q10** Position: 249 Length: 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	14,894	20,142,761
2	No	5,603	7,835,457
7	Don't know	6	9,951
8	Refusal	65	165,496
9	Not stated	135	193,809
		=====	=====
		20,703	28,347,474

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **LF_Q20** Position: 250 Length: 1

Are you currently working at a job or a business?

		FREQ	WTD
1	Yes	11,624	17,394,944
2	No	3,265	2,740,382
6	Valid skip	5,605	7,838,218
7	Don't know	1	2,936
8	Refusal	4	4,500
9	Not stated	204	366,495
		=====	=====
		20,703	28,347,474

Coverage: LF_Q10=1

Variable Name: **LF_Q51** Position: 251 Length: 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed outside the building, worksite or company vehicle	13,227	18,123,808
2	Smoking is allowed in designated areas within the building, worksite or company vehicle	575	736,193
3	Smoking is not restricted at all	690	717,970
4	Other - Respondent does not have a fixed workplace	219	243,300
6	Valid skip	5,605	7,838,218
7	Don't know	148	242,297
8	Refusal	30	71,758
9	Not stated	209	373,931
		=====	=====
		20,703	28,347,474

Coverage: LF_Q10=1

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Section: Derived Variables - Person

Variable Name: **DVNOCS10** *Position:* 252 *Length:* 2
Collection Name:

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	577	1,414,239
02	Business, Finance and Administrative Occupations	2,284	3,751,221
03	Natural and Applied Sciences and Related Occupations	696	1,396,528
04	Health Occupations	872	1,406,037
05	Occupations in Social Science, Education, Government Service and Religion	1,062	1,865,796
06	Occupations in Art, Culture, Recreation and Sport	599	704,854
07	Sales and Service Occupations	5,114	4,513,382
08	Trades, Transport and Equipment Operators and Related Occupations	2,096	3,068,581
09	Occupations Unique to Primary Industry	819	695,379
10	Occupations Unique to Processing, Manufacturing and Utilities	466	700,761
96	Valid skip	5,605	7,838,218
99	Not stated	513	992,478
		=====	=====
		20,703	28,347,474

Coverage: LF_Q10=1

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income (SI)

Variable Name: **SI_Q10** *Position:* 254 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	6,032	2,905,980
2	No	3,284	1,614,723
6	Valid skip	11,311	23,798,847
7	Don't know	4	1,560
8	Refusal	25	8,069
9	Not stated	47	18,296
		=====	=====
		20,703	28,347,474

Coverage: DVAGE=(15:24)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **SI_G20** Position: 255 Length: 2
Collection Name: **SI_Q20**

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	357	172,632
02	\$010 to \$024	1,165	538,192
03	\$025 to \$049	806	382,859
04	\$050 to \$099	1,112	522,683
05	\$100 to \$199	1,176	602,975
06	\$200 or more	950	434,708
96	Valid skip	14,595	25,413,570
99	Not stated	542	279,854
		=====	=====
		20,703	28,347,474

Coverage: DVAGE=(15:24) and SI_Q10=1
Note: Derived from SI_Q20.

Section: Marijuana Use (MU)

Variable Name: **MU_Q10** Position: 257 Length: 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	1,618	2,303,006
2	Yes, more than once	6,045	8,474,854
3	No	12,631	16,954,580
7	Don't know	26	47,677
8	Refusal	250	376,309
9	Not stated	133	191,048
		=====	=====
		20,703	28,347,474

Coverage: All respondents

Variable Name: **MU_Q20** Position: 258 Length: 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	2,678	2,577,489
2	No	4,972	8,180,050
6	Valid skip	12,631	16,954,580
7	Don't know	10	15,035
8	Refusal	3	5,286
9	Not stated	409	615,034
		=====	=====
		20,703	28,347,474

Coverage: MU_Q10=(1 or 2)

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

Variable Name: **MU_Q30** *Position:* 259 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	862	944,178
2	1 to 3 times a month	517	536,241
3	Once a week	304	267,686
4	More than once a week	381	337,978
5	Every day	424	353,333
6	Valid skip	17,773	25,232,751
7	Don't know	10	15,415
8	Refusal	10	24,537
9	Not stated	422	635,355
		=====	=====
		20,703	28,347,474

Coverage: MU_Q10=2 and MU_Q20=1

Variable Name: **MU_Q41** *Position:* 260 *Length:* 2

How old were you when you first used or tried marijuana, cannabis or hashish?

Allowed values: 04 : 94

		FREQ	WTD
06 : 75	Age	7,586	10,641,264
96	Valid skip	12,631	16,954,580
97	Don't know	73	134,479
98	Refusal	4	2,118
99	Not stated	409	615,034
		=====	=====
		20,703	28,347,474

Coverage: MU_Q10=(1 or 2)

Section: Weight Variable

Variable Name: **WTPP** *Position:* 262 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

INDEX

A

AGE0014	3
AGE1524	3
AGE2544	4
AGE45PL	4
AGEGRP5	9
AGEGRP7	9

C

CA_G10	20
CA_Q20	20
CA_Q30	21
CA_Q40	21
CA_Q50	21
CB_Q15	16
CB_Q16A	16
CB_Q16B	17
CB_Q16C	17
CB_Q16D	18
CB_Q16E	18
CB_Q16F	19
CB_Q16G	19
CB_Q20	19
CM_Q10	40
CM_Q20	40
CM_Q40	41
CM_Q61	41
CM_Q81A	41
CM_Q81B	42
CM_Q81C	42
CM_Q81D	43
CM_Q81E	43
CP_Q10	46
CS_Q31	22
CS_Q41	22
CS_Q51	22

D

DVAGE	8
DVAVCIG7	33
DVAVCIGD	34

DVCIGWK	33
DVDAILY	35
DVEDUC	69
DVMARST	10
DVNDSMK	34
DVNOCS10	72
DVPRICE	35
DVSMKPTN	34
DVSS1	32
DVSS2	33
DVSST1	31
DVSST2	32
DVURBAN	2
DVYRSSMK	13

E

EX_Q010	64
EX_Q020	65
EX_Q030	65
EX_Q040	65
EX_Q050	66
EX_Q060	66
EX_Q070	66
EX_Q080	67
EX_Q091	67
EX_Q100	67
EX_Q110	68
EX_Q120	68
EX_Q130	68

G

GPLA_Q20	70
----------------	----

H

HHSIZE	3
HHTYPE	5
HP_Q010	46
HP_Q020	47
HP_Q031	47
HP_Q040	47
HP_Q050	48

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

HP_Q061	48	PP_Q060.....	25
HP_Q100.....	48	PP_Q070.....	25
HP_Q110.....	49	PP_Q071.....	25
HP_Q121	49	PP_Q080.....	26
HS_Q10	5	PP_Q081.....	26
HS_Q20	5	PP_Q090.....	27
HS_Q30	6	PP_Q100.....	27
HS_Q40	6	PP_Q110A	28
HS_Q50	6	PP_Q110B	28
HS_Q60A.....	7	PP_Q110C	28
HS_Q60B.....	7	PP_Q110D	29
HS_Q60C	8	PP_Q110E	29
HS_Q60D	8	PP_Q110F	29
L		PP_Q110G.....	30
LA_Q10.....	69	PP_Q120.....	30
LF_Q10.....	70	PP_Q130.....	31
LF_Q20.....	71	PP_Q140.....	31
LF_Q51	71	PROV	2
M		PS_Q10.....	11
MU_Q10	73	PS_Q20.....	12
MU_Q20	73	PS_Q30.....	12
MU_Q30	74	PS_Q40.....	12
MU_Q41	74	PUMFID	1
O		R	
OM_Q030	44	REFMONTH.....	1
OM_Q070	44	REFYEAR	1
OM_Q081	44	S	
OM_Q091	45	SB_Q10.....	15
OM_Q099	45	SC_Q010	35
OM_Q100	45	SC_Q020	36
OM_Q130	46	SC_Q030	36
OS_Q10	62	SC_Q040	37
OS_Q20.....	62	SC_Q050	37
OS_Q30.....	63	SC_Q060	37
OS_Q31.....	63	SC_Q070	38
OS_Q40.....	64	SC_Q080	38
P		SC_Q090	38
PP_Q010	23	SC_Q100	39
PP_Q020	23	SC_Q110	39
PP_Q030	24	SEX.....	9
PP_Q040	24	SI_G20.....	73
PP_Q050	24	SI_Q10.....	72
		SP_Q10.....	49
		SP_Q20.....	50

**Canadian Tobacco Use Monitoring Survey - 2011
Public Use Microdata File (Person) - Annual**

SP_Q30	50	TP_Q027	52
SS_Q10	10	TP_Q028	53
SS_Q20	10	TP_Q030	53
SS_Q30	11	TP_Q040	53
SS_Q40	11	TP_Q041	54
STOPSMK	40	TP_Q050	54
SV_Q10	57	TP_Q060	54
SV_Q20	58	TP_Q061	55
SV_Q30	58	TP_Q070	55
SV_Q40	58	TP_Q080	55
SV_Q50A	59	TP_Q090A	56
SV_Q50B	59	TP_Q090B	56
SV_Q50C	60	TP_Q090C	57
SV_Q50D	60	TP_Q100	57
SV_Q50E	61		
SV_Q60	61	W	
T		WP_Q10A	13
TP_Q017	50	WP_Q10B	13
TP_Q021	51	WP_Q10C	14
TP_Q022	51	WP_Q10D	14
TP_Q023A	51	WP_Q10E	14
TP_Q023B	52	WP_Q10F	15
TP_Q024	52	WP_Q10G	15
		WTPP	74