

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	2
Derived Variables - Household	3
Household Smoking	5
Demographic Variables - Person	8
Smoking Status	10
Past Smoking	11
Derived Variables - Person	13
Weekly Pattern	13
Smoking Behaviour	15
Cigarette Brand	16
Cigarette Access	20
Cigarette Source	22
Purchasing Patterns	23
Derived Variables - Person	32
Smoking Cessation	36
Derived Variables - Person	41
Cessation Methods	41
Other Cessation Methods	45
Cessation Products	47
Health Professionals	48
Smoking and Pregnancy	51
Tobacco Products	52
Smoking in Vehicles	59
Opinions on Smoking	63
Exposure to Second-hand Smoke	66
Language and Education	70
Derived Variables - Person	71
Language and Education	71
Labour Force	72
Derived Variables - Person	74
Student Income	74
Marijuana Use	75
Weight Variable	76

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

			FREQ	WTD
2012 : 2012	Survey year		19,286	28,680,393
			=====	=====
			19,286	28,680,393

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

			FREQ	WTD
02	February		1,847	4,758,896
03	March and April		3,690	4,763,647
05	May and June		3,607	4,774,462
07	July and August		3,517	4,785,645
09	September and October		3,329	4,794,242
11	November and December		3,296	4,803,500
			=====	=====
			19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	1,971	429,516
11	Prince Edward Island	1,975	120,890
12	Nova Scotia	2,154	795,519
13	New Brunswick	1,908	631,717
24	Quebec	2,001	6,686,906
35	Ontario	1,792	11,143,676
46	Manitoba	2,118	1,012,663
47	Saskatchewan	1,923	855,033
48	Alberta	1,792	3,114,487
59	British Columbia	1,652	3,889,985
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Population centre	12,847	22,191,471
2	Rural	5,474	5,360,153
9	Not stated	965	1,128,769
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: The category 'Population centre' is historically comparable to 'Urban' which was used in previous years for CTUMS.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	Number of people	16,520	24,566,543
05	5 or more	2,766	4,113,850
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	14,053	20,413,274
01	One	2,905	3,655,601
02	Two or more	2,328	4,611,518
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	9,055	19,500,542
01	One	6,137	4,917,973
02	Two or more	4,094	4,261,878
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	12,216	15,372,386
01	One	3,971	6,078,182
02	Two or more	3,099	7,229,825
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	4,732	7,879,815
01	One	5,441	6,405,060
02	Two or more	9,113	14,395,517
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc)

		FREQ	WTD
01	Households with only 18-19 year old members	22	5,304
02	Households with only 20-24 year old members	225	159,872
03	Households with only 25-44 year old members	749	2,261,420
04	Households with only 45-64 year old members	2,695	4,318,870
05	Households with only 65+ year old members	2,425	3,718,511
06	Households with adults and children aged 0-11 only	1,817	4,499,540
07	Households with adults and teens aged 12-19 only	6,024	5,452,371
08	Households with adults and young children and teens aged 0-19 only	1,798	2,200,589
09	Other compositions	3,531	6,063,915
		=====	=====
		19,286	28,680,393

Coverage: All households

Note: Derived from the roster entries

Section: **Household Smoking (HS)**

Variable Name: **HS_Q10** *Position:* 27 *Length:* 1

Does anyone in your household smoke cigarettes?

		FREQ	WTD
1	Yes	5,196	7,171,827
2	No	14,090	21,508,565
		=====	=====
		19,286	28,680,393

Coverage: Household respondent

Variable Name: **HS_Q20** *Position:* 28 *Length:* 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 00 : 15

		FREQ	WTD
00 : 15	Number of people	19,286	28,680,393
		=====	=====
		19,286	28,680,393

Coverage: Household respondent

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	712	1,054,495
2	11 to 20 cigarettes	498	758,652
3	21 to 30 cigarettes	264	348,453
4	31 to 40 cigarettes	62	72,447
5	41 or more cigarettes	92	144,510
6	Valid skip	17,588	26,211,033
7	Don't know	64	88,198
8	Refusal	5	1,938
9	Not stated	1	666
		=====	=====
		19,286	28,680,393

Coverage: HS_Q20=(01:15)

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	895	1,503,568
2	No	16,653	24,641,858
6	Valid skip	1,698	2,469,359
7	Don't know	39	65,022
9	Not stated	1	586
		=====	=====
		19,286	28,680,393

Coverage: HS_Q20=(00, DK or RF)

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	1,248	1,714,447
2	No	1,329	2,236,224
6	Valid skip	16,653	24,641,858
7	Don't know	11	17,786
8	Refusal	4	3,804
9	Not stated	41	66,274
		=====	=====
		19,286	28,680,393

Coverage: HS_Q20=(01:15) or HS_Q40=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **HS_Q60A** Position: 33 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed in certain rooms only?

		FREQ	WTD
1	Yes	852	1,158,189
2	No	390	548,063
6	Valid skip	17,982	26,878,082
7	Don't know	6	8,195
9	Not stated	56	87,864
		=====	=====
		19,286	28,680,393

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60B** Position: 34 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... restricted in the presence of young children?

		FREQ	WTD
1	Yes	601	785,873
2	No	641	920,378
6	Valid skip	17,982	26,878,082
7	Don't know	6	8,195
9	Not stated	56	87,864
		=====	=====
		19,286	28,680,393

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **HS_Q60C** Position: 35 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... allowed only if windows are open or with another type of ventilation?

		FREQ	WTD
1	Yes	661	943,703
2	No	581	762,549
6	Valid skip	17,982	26,878,082
7	Don't know	6	8,195
9	Not stated	56	87,864
		=====	=====
		19,286	28,680,393

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Variable Name: **HS_Q60D** Position: 36 Length: 1
Collection Name: **HS_Q60**

How is smoking cigarettes restricted inside your home

... other restriction(s)?

		FREQ	WTD
1	Yes	184	330,545
2	No	1,058	1,375,706
6	Valid skip	17,982	26,878,082
7	Don't know	6	8,195
9	Not stated	56	87,864
		=====	=====
		19,286	28,680,393

Coverage: (HS_Q20=(01:15) or HS_Q40=1) and HS_Q50=1

Section: Demographic Variables - Person

Variable Name: **DVAGE** Position: 37 Length: 3
Collection Name: **PA_Q01**

Age of respondent

Allowed values: 015 : 085

		FREQ	WTD
015 : 084	Age	18,985	28,236,657
085	85 years and over	301	443,735
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Derived from PA_Q01. Ages greater than 85 were recoded to 85.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **AGEGRP5** *Position:* 40 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	4,897	2,142,412
2	20-24 years	3,592	2,404,897
3	25-34 years	1,294	4,793,332
4	35-44 years	1,821	4,646,799
5	45 years and over	7,682	14,692,952
		=====	=====
		19,286	28,680,393

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 41 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	2,998	1,284,068
02	18-19 years	1,899	858,344
03	20-22 years	2,370	1,570,521
04	23-24 years	1,222	834,376
05	25-44 years	3,115	9,440,131
06	45-64 years	4,788	9,790,027
07	65 years and over	2,894	4,902,925
		=====	=====
		19,286	28,680,393

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 43 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	8,753	14,163,149
2	Female	10,533	14,517,244
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **DVMARST** *Position:* 44 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	7,313	17,709,303
2	Widowed/Divorced/Separated	2,371	3,232,144
3	Single, never married	9,383	7,499,629
9	Not stated	219	239,318
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Section: **Smoking Status (SS)**

Variable Name: **SS_Q10** *Position:* 45 *Length:* 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	2,355	3,399,566
2	Occasionally	819	1,230,421
3	Not at all	16,112	24,050,406
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **SS_Q20** *Position:* 46 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	878	1,279,938
2	No	16,053	24,000,888
6	Valid skip	2,355	3,399,566
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(2 or 3)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SS_Q30** *Position:* 47 *Length:* 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	2,349	3,458,161
2	No	884	1,221,343
6	Valid skip	16,053	24,000,888
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **SS_Q40** *Position:* 48 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	7,116	12,467,275
2	No	12,170	16,213,118
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Section: **Past Smoking (PS)**

Variable Name: **PS_Q10** *Position:* 49 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	2,725	4,476,656
2	No	9,227	11,561,533
6	Valid skip	7,334	12,642,204
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=3 and SS_Q40=2

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PS_Q20** *Position:* 50 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	4,035	7,525,011
2	No	816	1,473,308
6	Valid skip	14,432	19,677,670
7	Don't know	1	2,727
9	Not stated	2	1,676
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=2 and (SS_Q20=2 or SS_Q30=2)) or (SS_Q10=3 and SS_Q40=1)

Variable Name: **PS_Q30** *Position:* 51 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 61	Age	9,836	16,714,460
96	Valid skip	9,229	11,569,752
97	Don't know	215	393,722
98	Refusal	3	401
99	Not stated	3	2,057
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1) or PS_Q10=1

Variable Name: **PS_Q40** *Position:* 53 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
05 : 60	Age	6,202	10,607,451
96	Valid skip	12,893	17,751,412
97	Don't know	183	313,567
98	Refusal	2	317
99	Not stated	6	7,646
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=1 or PS_Q20=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Derived Variables - Person

Variable Name: **DVYRSSMK** *Position:* 55 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 72	Number of years	3,122	4,542,974
75	75 years and over	0	0
96	Valid skip	16,112	24,050,406
99	Not stated	52	87,012
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Note: Derived from DVAGE and PS_Q30. Ages greater than 75 were recoded to 75.

Section: Weekly Pattern (WP)

Variable Name: **WP_Q10A** *Position:* 57 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 75	Number of cigarettes	3,034	4,411,779
96	Valid skip	16,053	24,000,888
97	Don't know	198	267,491
98	Refusal	1	234
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10B** *Position:* 59 *Length:* 2

... Tuesday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 75	Number of cigarettes	2,991	4,351,609
96	Valid skip	16,053	24,000,888
97	Don't know	43	60,171
99	Not stated	199	267,725
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=1 or SS_Q20=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

<i>Variable Name:</i>	WP_Q10C	<i>Position:</i>	61	<i>Length:</i>	2
... Wednesday?					
<i>Allowed values:</i>	00 : 91				
				FREQ	WTD
00 : 75	Number of cigarettes			2,952	4,260,266
96	Valid skip			16,053	24,000,888
97	Don't know			39	91,343
99	Not stated			242	327,896
				=====	=====
				19,286	28,680,393
Coverage: SS_Q10=1 or SS_Q20=1					

<i>Variable Name:</i>	WP_Q10D	<i>Position:</i>	63	<i>Length:</i>	2
... Thursday?					
<i>Allowed values:</i>	00 : 91				
				FREQ	WTD
00 : 75	Number of cigarettes			2,916	4,206,058
96	Valid skip			16,053	24,000,888
97	Don't know			36	54,207
99	Not stated			281	419,239
				=====	=====
				19,286	28,680,393
Coverage: SS_Q10=1 or SS_Q20=1					

<i>Variable Name:</i>	WP_Q10E	<i>Position:</i>	65	<i>Length:</i>	2
... Friday?					
<i>Allowed values:</i>	00 : 91				
				FREQ	WTD
00 : 90	Number of cigarettes			2,910	4,199,007
96	Valid skip			16,053	24,000,888
97	Don't know			5	6,964
98	Refusal			1	87
99	Not stated			317	473,446
				=====	=====
				19,286	28,680,393
Coverage: SS_Q10=1 or SS_Q20=1					

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **WP_Q10F** *Position:* 67 *Length:* 2

... Saturday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes	2,904	4,191,232
96	Valid skip	16,053	24,000,888
97	Don't know	6	7,776
99	Not stated	323	480,497
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=1 or SS_Q20=1

Variable Name: **WP_Q10G** *Position:* 69 *Length:* 2

... Sunday?

Allowed values: 00 : 91

		FREQ	WTD
00 : 75	Number of cigarettes	2,903	4,190,183
96	Valid skip	16,053	24,000,888
97	Don't know	1	1,049
99	Not stated	329	488,273
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=1 or SS_Q20=1

Section: **Smoking Behaviour (SB)**

Variable Name: **SB_Q10** *Position:* 71 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	495	734,796
2	6 to 30 minutes	842	1,322,660
3	31 to 60 minutes	456	632,075
4	More than 60 minutes	538	688,596
6	Valid skip	16,931	25,280,827
7	Don't know	16	12,798
9	Not stated	8	8,642
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Cigarette Brand (CB)

Variable Name: **CB_Q15** *Position:* 72 *Length:* 1

Within the past 12 months, have you bought a brand other than your usual brand?

		FREQ	WTD
1	Yes	1,353	1,565,009
2	No	1,776	2,983,297
6	Valid skip	16,112	24,050,406
7	Don't know	33	68,167
8	Refusal	1	135
9	Not stated	11	13,379
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Variable Name: **CB_Q16A** *Position:* 73 *Length:* 1
Collection Name: **CB_Q16**

Why did you buy another brand

... price?

		FREQ	WTD
1	Yes	410	503,144
2	No	934	1,045,152
6	Valid skip	17,888	27,033,703
7	Don't know	6	5,329
8	Refusal	3	11,385
9	Not stated	45	81,681
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q16B** Position: 74 Length: 1
Collection Name: **CB_Q16**

... friend or family member recommended?

		FREQ	WTD
1	Yes	21	10,099
2	No	1,323	1,538,196
6	Valid skip	17,888	27,033,703
7	Don't know	6	5,329
8	Refusal	3	11,385
9	Not stated	45	81,681
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: CB_Q16C Position: 75 Length: 1
Collection Name: CB_Q16

... usual brand was out of stock or not available?

		FREQ	WTD
1	Yes	462	529,025
2	No	882	1,019,270
6	Valid skip	17,888	27,033,703
7	Don't know	6	5,329
8	Refusal	3	11,385
9	Not stated	45	81,681
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: CB_Q16D Position: 76 Length: 1
Collection Name: CB_Q16

... store clerk recommended this brand?

		FREQ	WTD
1	Yes	4	946
2	No	1,340	1,547,349
6	Valid skip	17,888	27,033,703
7	Don't know	6	5,329
8	Refusal	3	11,385
9	Not stated	45	81,681
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: CB_Q16E Position: 77 Length: 1
Collection Name: CB_Q16

... wanted to try a flavoured tobacco product?

		FREQ	WTD
1	Yes	21	15,553
2	No	1,323	1,532,742
6	Valid skip	17,888	27,033,703
7	Don't know	6	5,329
8	Refusal	3	11,385
9	Not stated	45	81,681
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: **CB_Q16F** Position: 78 Length: 1
Collection Name: **CB_Q16**

... wanted to try another brand?

		FREQ	WTD
1	Yes	264	240,987
2	No	1,080	1,307,309
6	Valid skip	17,888	27,033,703
7	Don't know	6	5,329
8	Refusal	3	11,385
9	Not stated	45	81,681
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

Variable Name: CB_Q16G Position: 79 Length: 1
Collection Name: CB_Q16

... other?

		FREQ	WTD
1	Yes	200	275,498
2	No	1,144	1,272,797
6	Valid skip	17,888	27,033,703
7	Don't know	6	5,329
8	Refusal	3	11,385
9	Not stated	45	81,681
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CB_Q15=1

<i>Variable Name:</i>	CB_Q20	<i>Position:</i>	80	<i>Length:</i>	1
At the present time, do you roll your own or make your own cigarettes:					
				FREQ	WTD
1	All the time			148	152,791
2	Most of the time			93	63,248
3	Sometimes			294	235,163
4	Never			2,625	4,162,268
6	Valid skip			16,112	24,050,406
7	Don't know			1	691
8	Refusal			1	2,017
9	Not stated			12	13,808
				=====	=====
				19,286	28,680,393

Section: Cigarette Access (CA)

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them at a small grocery / corner store	1,532	2,379,558
02	I buy them at a supermarket	254	339,364
03	I buy them at a gasoline station	757	930,032
04	I buy them at another kind of store	101	166,145
05	I get them for free from a family member, a friend or someone else	230	256,553
06	I buy them from a First Nations Reserve (either on-site or delivery service)	93	223,834
07	Other	157	251,413
96	Valid skip	16,112	24,050,406
97	Don't know	33	60,290
98	Refusal	5	8,989
99	Not stated	12	13,808
		=====	=====
		19,286	28,680,393

June 18, 2013

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **CA_Q20** *Position:* 83 *Length:* 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	32	10,713
2	No	136	49,988
6	Valid skip	19,068	28,536,604
9	Not stated	50	83,088
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CA_Q10=(01, 07:15) and DVAGE=(15:18)

Variable Name: **CA_Q30** *Position:* 84 *Length:* 1

(In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	141	61,328
2	No	104	41,233
6	Valid skip	18,990	28,494,485
8	Refusal	1	259
9	Not stated	50	83,088
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CA_Q10=(01:15) and DVAGE=(15:18) and CA_Q20=1

Variable Name: **CA_Q40** *Position:* 85 *Length:* 1

(In the past 12 months), has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	106	40,340
2	No	139	62,221
6	Valid skip	18,990	28,494,485
8	Refusal	1	259
9	Not stated	50	83,088
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CA_Q10=(01:15) and DVAGE=(15:18) and CA_Q20=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **CA_Q50** Position: 86 Length: 1

(In the past 12 months), have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	243	91,432
2	No	139	61,377
6	Valid skip	18,854	28,444,496
9	Not stated	50	83,088
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and CA_Q10=(01:15) and DVAGE=(15:18) and CA_Q20=1

Section: Cigarette Source (CS)

Variable Name: **CS_Q31** Position: 87 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	718	915,456
2	No	18,523	27,715,993
7	Don't know	22	26,707
8	Refusal	6	2,405
9	Not stated	17	19,832
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **CS_Q41** Position: 88 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	232	167,940
2	No	484	747,026
6	Valid skip	18,523	27,715,993
7	Don't know	2	490
9	Not stated	45	48,943
		=====	=====
		19,286	28,680,393

Coverage: CS_Q31=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **CS_Q51** *Position:* 89 *Length:* 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	109	83,582
2	No	123	84,358
6	Valid skip	19,007	28,463,019
9	Not stated	47	49,434
		=====	=====
		19,286	28,680,393

Coverage: CS_Q31=1 and CS_Q41=1

Section: **Purchasing Patterns (PP)**

Variable Name: **PP_Q010** *Position:* 90 *Length:* 1

In the past six months, did you buy cigarettes on a First Nations Reserve?

		FREQ	WTD
1	Yes	424	590,179
2	No	2,716	3,983,411
6	Valid skip	16,112	24,050,406
7	Don't know	17	42,679
8	Refusal	2	484
9	Not stated	15	13,234
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Variable Name: **PP_Q020** *Position:* 91 *Length:* 1

In the past six months, did you buy cigarettes that you believe may have been smuggled?
 Smuggled cigarettes include purchased cigarettes that were not manufactured on a First Nations Reserve, were not manufactured in Canada, do not contain a government of Canada Health Warning message and do not carry a tax stamp. Legally imported cigarettes are not smuggled cigarettes.

		FREQ	WTD
1	Yes	54	57,549
2	No	3,068	4,485,896
6	Valid skip	16,112	24,050,406
7	Don't know	31	67,289
8	Refusal	4	3,251
9	Not stated	17	16,003
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q030** *Position:* 92 *Length:* 1

In the past six months, did you buy cigarettes from a store or gas station, that was not on a First Nations Reserve?

		FREQ	WTD
1	Yes	2,683	3,941,231
2	No	441	615,471
6	Valid skip	16,112	24,050,406
7	Don't know	31	57,181
8	Refusal	2	101
9	Not stated	17	16,003
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Variable Name: **PP_Q040** *Position:* 93 *Length:* 1

In the past six months, did you buy cigarettes from a source other than those just mentioned?

		FREQ	WTD
1	Yes	227	290,871
2	No	2,915	4,286,101
6	Valid skip	16,112	24,050,406
7	Don't know	14	36,926
8	Refusal	1	87
9	Not stated	17	16,003
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Variable Name: **PP_Q050** *Position:* 94 *Length:* 3

What percentage of all the cigarettes you bought in the past six months were bought on a First Nations Reserve?

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	295	379,285
996	Valid skip	18,899	28,154,107
997	Don't know	21	31,283
998	Refusal	2	3,508
999	Not stated	69	112,210
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2)) and (more than one instance of (PP_Q010=1, PP_Q020=1, PP_Q030=1, PP_Q040=1) and PP_Q010=1)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q060** *Position:* 97 *Length:* 3

What percentage of all the cigarettes you bought in the past six months do you believe may have been smuggled?

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	47	48,025
996	Valid skip	19,156	28,503,596
997	Don't know	3	4,792
999	Not stated	80	123,980
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2)) and (more than one instance of (PP_Q010=1, PP_Q020=1, PP_Q030=1, PP_Q040=1) and PP_Q020=1)

Variable Name: **PP_Q070** *Position:* 100 *Length:* 3

What percentage of all the cigarettes you bought in the past six months were bought from a store or gas station?

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	475	593,247
996	Valid skip	18,713	27,928,954
997	Don't know	26	37,357
998	Refusal	3	8,625
999	Not stated	69	112,210
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2)) and (more than one instance of (PP_Q010=1, PP_Q020=1, PP_Q030=1, PP_Q040=1) and PP_Q030=1)

Variable Name: **PP_Q071** *Position:* 103 *Length:* 3

What percentage of all the cigarettes you bought in the past six months were bought from another source?

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	189	268,553
996	Valid skip	19,019	28,291,523
997	Don't know	9	8,107
999	Not stated	69	112,210
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2)) and (more than one instance of (PP_Q010=1, PP_Q020=1, PP_Q030=1, PP_Q040=1) and PP_Q040=1)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q080** *Position:* 106 *Length:* 3

What percentage of all the cigarettes you bought in the past six months from a store or gas station were discount brand cigarettes? Discount brand cigarettes are brand-name cigarettes manufactured by a multinational company and sold at a lower-than-average price.

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	2,530	3,696,027
996	Valid skip	16,553	24,665,877
997	Don't know	142	221,986
998	Refusal	5	20,392
999	Not stated	56	76,111
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q030=1

Variable Name: **PP_Q081** *Position:* 109 *Length:* 3

What percentage of all the cigarettes you bought in the past six months from a store or gas station were full-priced, premium cigarettes? Full-priced, premium brand cigarettes are brand-name cigarettes manufactured by a multinational company and sold at average or higher-than average prices.

Allowed values: 000 : 100

		FREQ	WTD
000 : 100	Cigarettes	2,545	3,709,366
996	Valid skip	16,553	24,665,877
997	Don't know	126	202,526
998	Refusal	6	26,512
999	Not stated	56	76,111
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q030=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q090** *Position:* 112 *Length:* 2

The last time you bought cigarettes that came from a First Nations Reserve, how much did you buy? Was it...?

		FREQ	WTD
01	A pack of 20 cigarettes	42	66,533
02	A pack of 25 cigarettes	223	146,973
03	A bag of 200 cigarettes	26	83,155
04	A carton (200 cigarettes)	97	234,594
05	Some other quantity	49	65,295
06	Did not buy First Nations Reserve cigarettes	154	192,928
96	Valid skip	18,631	27,791,410
97	Don't know	10	24,527
98	Refusal	10	5,167
99	Not stated	44	69,811
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and (PP_Q010=1 or PP_Q040=1)

Variable Name: **PP_Q100** *Position:* 114 *Length:* 2

How did you first become aware that you could buy these cigarettes? Was it through ...?

		FREQ	WTD
01	A co-worker	22	54,910
02	A family member	67	54,489
03	A friend (not a co-worker)	110	168,951
04	Word of mouth	82	165,452
05	A sign on or near a First Nations Reserve	53	45,720
06	Other	89	98,083
96	Valid skip	18,785	27,984,337
97	Don't know	24	33,473
98	Refusal	10	5,167
99	Not stated	44	69,811
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q090 in (1,2,3,4,5,DK,RF)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q110A** Position: 116 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a store (excluding on a First Nations Reserve)?

		FREQ	WTD
1	Yes	4	5,262
2	No	46	50,949
6	Valid skip	19,180	28,536,301
7	Don't know	1	465
8	Refusal	2	804
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q110B** Position: 117 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... on a First Nations Reserve?

		FREQ	WTD
1	Yes	6	11,716
2	No	44	44,495
6	Valid skip	19,180	28,536,301
7	Don't know	1	465
8	Refusal	2	804
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q110C** Position: 118 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a delivery service?

		FREQ	WTD
1	Yes	0	0
2	No	50	56,211
6	Valid skip	19,180	28,536,301
7	Don't know	1	465
8	Refusal	2	804
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q110D** Position: 119 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a co-worker?

		FREQ	WTD
1	Yes	7	8,982
2	No	43	47,229
6	Valid skip	19,180	28,536,301
7	Don't know	1	465
8	Refusal	2	804
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q110E** Position: 120 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a family member?

		FREQ	WTD
1	Yes	2	358
2	No	48	55,853
6	Valid skip	19,180	28,536,301
7	Don't know	1	465
8	Refusal	2	804
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q110F** Position: 121 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... from a friend (not a co-worker)?

		FREQ	WTD
1	Yes	25	22,586
2	No	25	33,625
6	Valid skip	19,180	28,536,301
7	Don't know	1	465
8	Refusal	2	804
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q110G** Position: 122 Length: 1
Collection Name: **PP_Q110**

Where did you buy the cigarettes that you believed may have been smuggled? Was it
... other?

		FREQ	WTD
1	Yes	7	7,385
2	No	43	48,826
6	Valid skip	19,180	28,536,301
7	Don't know	1	465
8	Refusal	2	804
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q120** Position: 123 Length: 1

The last time you bought cigarettes that may have been smuggled, what quantity did you buy?
Was it ...?

		FREQ	WTD
1	A pack of 20 cigarettes	7	5,733
2	A pack of 25 cigarettes	11	13,343
3	A bag of 200 cigarettes	13	15,254
4	A carton (200 cigarettes)	11	10,308
5	Some other quantity	9	11,437
6	Valid skip	19,180	28,536,301
7	Don't know	1	941
8	Refusal	1	465
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **PP_Q130** *Position:* 124 *Length:* 1

How did you first become aware that you could buy cigarettes that may have been smuggled?
 Was it through ...?

		FREQ	WTD
1	A co-worker	4	7,481
2	A family member	4	2,989
3	A friend (not a co-worker)	14	9,097
4	Word of mouth	24	29,293
5	Other	6	8,154
6	Valid skip	19,180	28,536,301
8	Refusal	1	465
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Variable Name: **PP_Q140** *Position:* 125 *Length:* 1

How easy or difficult was it for you to buy these cigarettes? Would you say it was ...?

		FREQ	WTD
1	Very easy	33	38,536
2	Easy	15	13,635
3	Difficult	2	4,485
4	Very difficult	2	358
6	Valid skip	19,180	28,536,301
8	Refusal	1	465
9	Not stated	53	86,611
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and PP_Q020=1

Section: Derived Variables - Person

Variable Name: **DVSST1** *Position:* 126 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	3,174	4,629,987
2	Former smoker	4,159	8,011,341
3	Never smoked	11,953	16,039,065
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **DVSST2** *Position:* 127 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	2,355	3,399,566
02	Current occasional smoker	819	1,230,421
03	Former daily smoker	3,677	6,950,260
04	Former occasional smoker	479	1,050,970
05	Experimental smoker	2,725	4,476,656
06	Lifetime abstainer	9,227	11,561,533
99	Not stated	4	10,987
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 129 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	3,233	4,679,504
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	4,105	7,959,999
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	11,948	16,040,889
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **DVSS2** *Position:* 130 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	2,462	3,614,551
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	549	892,724
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	3,618	6,865,489
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	484	1,084,399
05	Beginner: smoked in last 30 days, <100 cigarettes in life	222	172,229
06	Past experimental smoker	2,730	4,483,162
07	Lifetime abstainer	9,218	11,557,727
99	Not stated	3	10,110
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Variable Name: **DVCIGWK** *Position:* 132 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 525	Number of cigarettes	2,903	4,190,183
996	Valid skip	16,053	24,000,888
999	Not stated	330	489,322
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVAVCIG7** *Position:* 135 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Average number of cigarettes	2,903	4,190,183
96	Valid skip	16,053	24,000,888
99	Not stated	330	489,322
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Note: Averaged over seven days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **DVNDSMK** *Position:* 137 *Length:* 2

Derived variable for number of days respondent smoked in the last seven days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	Number of days	2,903	4,190,183
96	Valid skip	16,053	24,000,888
99	Not stated	330	489,322
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVAVCIGD** *Position:* 139 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Average number of cigarettes	2,903	4,190,183
96	Valid skip	16,053	24,000,888
99	Not stated	330	489,322
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Variable Name: **DVSMKPTN** *Position:* 141 *Length:* 1

Derived variable for current smokers' smoking pattern in the past seven days

		FREQ	WTD
1	Smoked every day	2,294	3,376,246
2	Weekdays only	14	21,729
3	Weekend only	7	2,515
4	Did not smoke in last seven days	187	201,547
5	Other pattern	401	588,146
6	Valid skip	16,053	24,000,888
9	Not stated	330	489,322
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) or SS_Q20=1

Note: Derived from WP_Q10A to WP_Q10G. Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **DVDAILY** *Position:* 142 *Length:* 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Average number of cigarettes	2,152	3,131,880
96	Valid skip	16,931	25,280,827
99	Not stated	203	267,686
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=1

Note: Derived from WP_Q10A to WP_Q10G.

Section: **Smoking Cessation (SC)**

Variable Name: **SC_Q010** *Position:* 144 *Length:* 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	314	507,814
2	1 to 2 years ago	286	459,752
3	3 to 5 years ago	348	680,739
4	More than 5 years ago	3,192	6,310,047
6	Valid skip	15,128	20,676,395
7	Don't know	10	12,136
8	Refusal	6	33,088
9	Not stated	2	422
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=3 and SS_Q40=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SC_Q020** *Position:* 145 *Length:* 2

In what month did you stop smoking?

		FREQ	WTD
01	January	45	32,409
02	February	38	73,278
03	March	24	67,352
04	April	27	82,787
05	May	21	57,122
06	June	24	33,490
07	July	29	45,466
08	August	21	32,956
09	September	17	12,518
10	October	24	23,493
11	November	17	15,215
12	December	15	17,053
96	Valid skip	18,954	28,126,933
97	Don't know	12	14,675
99	Not stated	18	45,645
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

Variable Name: **SC_Q030** *Position:* 147 *Length:* 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	183	284,578
02	Pregnancy or a baby in the household	20	32,500
03	Less stress in life	1	315
04	Cost of cigarettes	33	52,868
05	Smoking is less socially acceptable	11	12,368
06	Some other reason	65	124,449
96	Valid skip	18,954	28,126,933
97	Don't know	1	736
99	Not stated	18	45,645
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=3 and SS_Q40=1 and SC_Q010=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SC_Q040** *Position:* 149 *Length:* 2

Approximately, how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Number of attempts	3,981	7,632,820
96	Valid skip	15,128	20,676,395
97	Don't know	166	357,474
98	Refusal	7	10,356
99	Not stated	4	3,348
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q050** *Position:* 151 *Length:* 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Average number of cigarettes	3,962	7,586,265
96	Valid skip	15,128	20,676,395
97	Don't know	184	408,322
98	Refusal	8	6,063
99	Not stated	4	3,348
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=3 and SS_Q40=1

Variable Name: **SC_Q060** *Position:* 153 *Length:* 1

Are you seriously considering quitting within the next six months?

		FREQ	WTD
1	Yes	1,870	2,802,061
2	No	1,157	1,631,655
6	Valid skip	16,112	24,050,406
7	Don't know	118	168,612
8	Refusal	3	5,093
9	Not stated	26	22,565
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SC_Q070** *Position:* 154 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	880	1,226,897
2	No	866	1,419,593
6	Valid skip	17,269	25,682,061
7	Don't know	121	149,028
8	Refusal	2	6,181
9	Not stated	148	196,633
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and SC_Q060=1

Variable Name: **SC_Q080** *Position:* 155 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	Number of attempts	3,321	4,896,633
96	Valid skip	15,780	23,496,947
97	Don't know	134	216,616
98	Refusal	3	947
99	Not stated	48	69,251
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) or SC_Q010=1

Variable Name: **SC_Q090** *Position:* 157 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 50	Number of attempts	1,746	2,347,718
96	Valid skip	17,352	26,063,428
97	Don't know	22	22,967
98	Refusal	1	689
99	Not stated	165	245,592
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) or SC_Q010=1) and SC_Q080=(01:94)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SC_Q100** *Position:* 159 *Length:* 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	9	27,242
02	Stress, need to relax or to calm down	529	726,431
03	Boredom	70	95,822
04	Addiction / habit	356	509,103
05	Lack of support or information	1	654
06	Going out more (bars, parties)	85	109,406
07	Increased availability	7	9,868
08	No reason / felt like it	137	116,369
09	Family or friends smoke	175	197,328
10	Other	129	191,869
96	Valid skip	17,557	26,369,884
97	Don't know	42	37,227
98	Refusal	2	2,199
99	Not stated	187	286,990
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and SC_Q080=(01:94)

Variable Name: **SC_Q110** *Position:* 161 *Length:* 1

Have you ever tried to quit smoking?

		FREQ	WTD
1	Yes	987	1,745,024
2	No	604	828,502
6	Valid skip	17,615	25,986,804
7	Don't know	7	5,913
8	Refusal	2	258
9	Not stated	71	113,891
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Derived Variables - Person

Variable Name: **STOPSMK** *Position:* 162 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	Number of months	302	493,139
18	1-2 years	286	459,752
48	3-5 years	348	680,739
60	More than 5 years ago	3,192	6,310,047
96	Valid skip	15,128	20,676,395
99	Not stated	30	60,320
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=3 and SS_Q40=1
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods (CM)

Variable Name: **CM_Q10** *Position:* 164 *Length:* 1

Have you tried to quit smoking in the past two years?

		FREQ	WTD
1	Yes	363	510,322
2	No	621	1,232,600
6	Valid skip	18,219	26,815,306
7	Don't know	3	2,102
9	Not stated	80	120,063
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and SC_Q080=(00, DK or RF) and SC_Q110=1

Variable Name: **CM_Q20** *Position:* 165 *Length:* 1

In the past two years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	545	911,340
2	No	1,936	2,547,994
6	Valid skip	16,719	25,098,296
9	Not stated	86	122,763
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **CM_Q40** *Position:* 166 *Length:* 1

(In the past two years), did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	561	698,137
2	No	1,918	2,760,279
6	Valid skip	16,719	25,098,296
7	Don't know	1	93
8	Refusal	1	825
9	Not stated	86	122,763
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q61** *Position:* 167 *Length:* 1

(In the past two years), did you use a medication such as 'Zyban', 'Wellbutrin' or 'Champix'?

		FREQ	WTD
1	Yes	375	668,874
2	No	2,103	2,777,242
6	Valid skip	16,719	25,098,296
7	Don't know	2	12,392
8	Refusal	1	825
9	Not stated	86	122,763
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **CM_Q81A** *Position:* 168 *Length:* 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You were concerned about possible side effects

		FREQ	WTD
1	Yes	331	509,323
2	No	1,106	1,381,754
6	Valid skip	17,736	26,625,697
7	Don't know	21	25,976
8	Refusal	2	1,041
9	Not stated	90	136,602
		=====	=====
		19,286	28,680,393

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **CM_Q81B** Position: 169 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't believe these products work

		FREQ	WTD
1	Yes	316	485,366
2	No	1,121	1,405,711
6	Valid skip	17,736	26,625,697
7	Don't know	21	25,976
8	Refusal	2	1,041
9	Not stated	90	136,602
		=====	=====
		19,286	28,680,393

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81C** Position: 170 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

You didn't have enough information about these products

		FREQ	WTD
1	Yes	177	197,735
2	No	1,260	1,693,342
6	Valid skip	17,736	26,625,697
7	Don't know	21	25,976
8	Refusal	2	1,041
9	Not stated	90	136,602
		=====	=====
		19,286	28,680,393

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **CM_Q81D** Position: 171 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

They cost too much

		FREQ	WTD
1	Yes	368	449,591
2	No	1,069	1,441,486
6	Valid skip	17,736	26,625,697
7	Don't know	21	25,976
8	Refusal	2	1,041
9	Not stated	90	136,602
		=====	=====
		19,286	28,680,393

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Variable Name: **CM_Q81E** Position: 172 Length: 1
Collection Name: **CM_Q81**

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking?

Some other reason

		FREQ	WTD
1	Yes	791	1,098,732
2	No	646	792,344
6	Valid skip	17,736	26,625,697
7	Don't know	21	25,976
8	Refusal	2	1,041
9	Not stated	90	136,602
		=====	=====
		19,286	28,680,393

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Other Cessation Methods (OM)

Variable Name: **OM_Q030** *Position:* 173 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	663	749,841
2	No	1,837	2,749,876
6	Valid skip	16,719	25,098,296
9	Not stated	67	82,380
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q070** *Position:* 174 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,714	2,232,065
2	No	784	1,267,101
6	Valid skip	16,719	25,098,296
7	Don't know	2	551
9	Not stated	67	82,380
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q081** *Position:* 175 *Length:* 1

Are you aware of any smoking cessation programs, plans or support offered at your workplace?

		FREQ	WTD
1	Yes	408	628,136
2	No	2,080	2,848,581
6	Valid skip	16,719	25,098,296
7	Don't know	10	19,413
8	Refusal	2	3,587
9	Not stated	67	82,380
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **OM_Q091** Position: 176 Length: 1

Have you used any of these programs, plans or support?

		FREQ	WTD
1	Yes	39	83,500
2	No	369	544,636
6	Valid skip	18,799	27,946,877
9	Not stated	79	105,379
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2)) and OM_Q081=1

Variable Name: **OM_Q099** Position: 177 Length: 1

Are you aware of 1-800 quitline or a smokers help lines available to help you quit smoking?

		FREQ	WTD
1	Yes	1,917	2,651,163
2	No	581	847,998
6	Valid skip	16,719	25,098,296
7	Don't know	2	556
9	Not stated	67	82,380
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2))

Variable Name: **OM_Q100** Position: 178 Length: 1

Did you use a 1-800 quitline or a smokers helpline?

		FREQ	WTD
1	Yes	107	157,251
2	No	1,810	2,493,912
6	Valid skip	17,300	25,946,294
9	Not stated	69	82,936
		=====	=====
		19,286	28,680,393

Coverage: (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or CM_Q10=1 or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2)) and OM_Q099=(1 or NS)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **OM_Q130** *Position:* 179 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	337	536,319
2	No	46	88,654
6	Valid skip	18,821	27,962,832
7	Don't know	1	601
8	Refusal	1	151
9	Not stated	80	91,835
		=====	=====
		19,286	28,680,393

Coverage: CM_Q20=2 and CM_Q40=2 and CM_Q61=2 and OM_Q030=2 and OM_Q070=2 and (OM_Q081=2 or (OM_Q081=1 and OM_Q091=2)) and (OM_Q099=2 or (OM_Q099=1 and OM_Q100=2))

Section: **Cessation Products (CP)**

Variable Name: **CP_Q10** *Position:* 180 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)

		FREQ	WTD
1	Yes	441	604,177
2	No	2,690	3,988,555
6	Valid skip	16,112	24,050,406
7	Don't know	9	12,090
8	Refusal	2	651
9	Not stated	32	24,514
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Health Professionals (HP)

Variable Name: **HP_Q010** *Position:* 181 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	2,469	3,565,619
2	No	660	1,033,407
6	Valid skip	16,112	24,050,406
7	Don't know	9	4,703
8	Refusal	3	1,155
9	Not stated	33	25,103
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Variable Name: **HP_Q020** *Position:* 182 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	1,222	1,989,836
2	No	1,242	1,574,168
6	Valid skip	16,772	25,083,813
7	Don't know	4	1,411
9	Not stated	46	31,165
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and HP_Q010=1

Variable Name: **HP_Q031** *Position:* 183 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	709	1,208,447
2	No	508	779,228
6	Valid skip	18,014	26,657,981
7	Don't know	5	2,161
9	Not stated	50	32,576
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and HP_Q010=1 and HP_Q020=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **HP_Q040** Position: 184 Length: 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	1,908	2,866,548
2	No	1,220	1,724,208
6	Valid skip	16,112	24,050,406
7	Don't know	8	9,400
8	Refusal	3	1,155
9	Not stated	35	28,675
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Variable Name: **HP_Q050** Position: 185 Length: 1

Did they (the dentist or dental hygienist) advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	582	1,110,154
2	No	1,317	1,729,364
6	Valid skip	17,332	25,774,614
7	Don't know	9	27,030
9	Not stated	46	39,230
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and HP_Q040=1

Variable Name: **HP_Q061** Position: 186 Length: 1

Did they (the dentist or dental hygienist) provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	179	271,471
2	No	399	834,769
6	Valid skip	18,649	27,503,978
7	Don't know	4	3,914
9	Not stated	55	66,260
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and HP_Q040=1 and HP_Q050=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **HP_Q100** *Position:* 187 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	1,487	2,253,566
2	No	1,643	2,344,265
6	Valid skip	16,112	24,050,406
7	Don't know	6	2,326
8	Refusal	3	1,155
9	Not stated	35	28,675
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2)

Variable Name: **HP_Q110** *Position:* 188 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	248	299,021
2	No	1,235	1,947,921
6	Valid skip	17,755	26,394,671
7	Don't know	4	6,624
9	Not stated	44	32,156
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and HP_Q100=1

Variable Name: **HP_Q121** *Position:* 189 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban', 'Wellbutrin', 'Champix' or counselling programs?

		FREQ	WTD
1	Yes	195	251,491
2	No	52	43,535
6	Valid skip	18,990	28,342,592
7	Don't know	1	3,996
9	Not stated	48	38,780
		=====	=====
		19,286	28,680,393

Coverage: SS_Q10=(1 or 2) and HP_Q100=1 and HP_Q110=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Smoking and Pregnancy (SP)

Variable Name: **SP_Q10** *Position:* 190 *Length:* 1

Have you been pregnant in the past five years?

		FREQ	WTD
1	Yes	985	1,919,278
2	No	2,643	3,924,619
6	Valid skip	15,642	22,806,202
7	Don't know	4	7,046
8	Refusal	5	19,616
9	Not stated	7	3,632
		=====	=====
		19,286	28,680,393

Coverage: SEX=2 and DVAGE=(20:44)

Variable Name: **SP_Q20** *Position:* 191 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	131	120,928
2	No	209	344,174
6	Valid skip	18,927	28,180,015
7	Don't know	3	4,982
9	Not stated	16	30,294
		=====	=====
		19,286	28,680,393

Coverage: SEX=2 and DVAGE=(20:44) and (SS_Q10=(1 or 2) or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1:3))) and SP_Q10=1

Variable Name: **SP_Q30** *Position:* 192 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	55	46,684
2	No	903	1,851,261
3	Not applicable (no spouse/partner)	27	21,333
6	Valid skip	18,285	26,730,821
9	Not stated	16	30,294
		=====	=====
		19,286	28,680,393

Coverage: SEX=2 and DVAGE=(20:44) and SP_Q10=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Tobacco Products (TP)

Variable Name: **TP_Q017** *Position:* 193 *Length:* 1

Have you ever tried smoking a little cigar or cigarillo?

		FREQ	WTD
1	Yes	6,819	10,994,765
2	No	12,396	17,604,945
7	Don't know	19	37,523
8	Refusal	4	1,252
9	Not stated	48	41,908
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **TP_Q021** *Position:* 194 *Length:* 1

In the past 30 days, did you smoke any little cigars or cigarillos?

		FREQ	WTD
1	Yes	714	894,866
2	No	6,105	10,099,899
6	Valid skip	12,396	17,604,945
9	Not stated	71	80,683
		=====	=====
		19,286	28,680,393

Coverage: TP_Q017=1

Variable Name: **TP_Q022** *Position:* 195 *Length:* 1

Were these (little cigars or cigarillos) plain, flavoured or both?

		FREQ	WTD
1	Plain	137	300,550
2	Flavoured	443	492,861
3	Both	124	89,679
6	Valid skip	18,501	27,704,844
7	Don't know	10	11,775
9	Not stated	71	80,683
		=====	=====
		19,286	28,680,393

Coverage: TP_Q017=1 and TP_Q021=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **TP_Q023A** *Position:* 196 *Length:* 1

Did any of the flavoured little cigars or cigarillos you smoked in the past 30 days have a cigarette-type filter? A plastic filter is not considered to be a cigarette-type filter.

		FREQ	WTD
1	Yes	187	199,126
2	No	381	389,608
6	Valid skip	18,638	28,005,394
7	Don't know	9	5,582
9	Not stated	71	80,683
		=====	=====
		19,286	28,680,393

Coverage: TP_Q022=(2 or 3)

Variable Name: **TP_Q023B** *Position:* 197 *Length:* 3

How many little flavoured cigars or cigarillos were in the last pack purchased?

Allowed values: 000 : 990

		FREQ	WTD
000 : 025	Cigars	182	200,040
996	Valid skip	19,019	28,395,002
997	Don't know	14	4,667
999	Not stated	71	80,683
		=====	=====
		19,286	28,680,393

Coverage: TP_Q023A = (1 or DK, RF)

Variable Name: **TP_Q024** *Position:* 200 *Length:* 1

Have you ever tried smoking a cigar not including little cigars or cigarillos?

		FREQ	WTD
1	Yes	4,765	8,017,294
2	No	14,454	20,591,355
7	Don't know	10	13,266
8	Refusal	3	1,155
9	Not stated	54	57,323
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **TP_Q027** *Position:* 201 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

		FREQ	WTD
1	Yes	334	452,108
2	No	4,430	7,564,993
6	Valid skip	14,454	20,591,355
7	Don't know	1	194
9	Not stated	67	71,744
		=====	=====
		19,286	28,680,393

Coverage: TP_Q024=1

Variable Name: **TP_Q028** *Position:* 202 *Length:* 1

Were these cigars plain, flavoured or both?

		FREQ	WTD
1	Plain	229	383,447
2	Flavoured	55	32,753
3	Both	40	24,126
6	Valid skip	18,884	28,156,347
7	Don't know	8	9,296
8	Refusal	1	2,017
9	Not stated	69	72,407
		=====	=====
		19,286	28,680,393

Coverage: TP_Q024=1 and TP_Q027=1

Variable Name: **TP_Q030** *Position:* 203 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	2,479	4,065,964
2	No	16,738	24,520,910
7	Don't know	8	30,545
8	Refusal	5	3,537
9	Not stated	56	59,436
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **TP_Q040** *Position:* 204 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	126	99,663
2	No	2,353	3,966,301
6	Valid skip	16,738	24,520,910
9	Not stated	69	93,518
		=====	=====
		19,286	28,680,393

Coverage: TP_Q030=1

Variable Name: **TP_Q041** *Position:* 205 *Length:* 1

Was the pipe tobacco plain, flavoured or both?

		FREQ	WTD
1	Plain	55	52,126
2	Flavoured	39	32,331
3	Both	22	8,696
6	Valid skip	19,091	28,487,211
7	Don't know	9	5,219
8	Refusal	1	1,292
9	Not stated	69	93,518
		=====	=====
		19,286	28,680,393

Coverage: TP_Q030=1 and TP_Q040=1

Variable Name: **TP_Q050** *Position:* 206 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,838	2,348,172
2	No	17,378	26,253,647
7	Don't know	8	9,170
8	Refusal	3	1,155
9	Not stated	59	68,249
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **TP_Q060** *Position:* 207 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	197	152,234
2	No	1,640	2,194,865
6	Valid skip	17,378	26,253,647
7	Don't know	1	1,072
9	Not stated	70	78,574
		=====	=====
		19,286	28,680,393

Coverage: TP_Q050=1

Variable Name: **TP_Q061** *Position:* 208 *Length:* 1

Was the chewing tobacco, pinch or snuff plain, flavoured or both?

		FREQ	WTD
1	Plain	60	44,017
2	Flavoured	92	70,769
3	Both	39	32,018
6	Valid skip	19,018	28,448,512
7	Don't know	5	3,413
8	Refusal	1	2,017
9	Not stated	71	79,646
		=====	=====
		19,286	28,680,393

Coverage: TP_Q050=1 and TP_Q060=1

Variable Name: **TP_Q070** *Position:* 209 *Length:* 1

Have you ever tried a tobacco water-pipe, also known as a hookah, sheesha, nargeelay, hubble-bubble or gouza to smoke tobacco?

		FREQ	WTD
1	Yes	1,706	2,754,839
2	No	17,504	25,815,933
7	Don't know	9	16,877
8	Refusal	6	20,470
9	Not stated	61	72,274
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **TP_Q080** Position: 210 Length: 1

In the past 30 days, have you smoked a tobacco water-pipe?

		FREQ	WTD
1	Yes	239	250,810
2	No	1,467	2,504,029
6	Valid skip	17,504	25,815,933
9	Not stated	76	109,621
		=====	=====
		19,286	28,680,393

Coverage: TP_Q070=1

Variable Name: **TP_Q090A** Position: 211 Length: 1
Collection Name: **TP_Q090**

What type of tobacco did you smoke in the water-pipe

... flavoured tobacco?

		FREQ	WTD
1	Yes	188	203,071
2	No	47	41,956
6	Valid skip	18,971	28,319,962
7	Don't know	3	3,327
8	Refusal	1	2,456
9	Not stated	76	109,621
		=====	=====
		19,286	28,680,393

Coverage: TP_Q070=1 and TP_Q80=1

Variable Name: **TP_Q090B** Position: 212 Length: 1
Collection Name: **TP_Q090**

What type of tobacco did you smoke in the water-pipe

... regular tobacco?

		FREQ	WTD
1	Yes	25	25,987
2	No	210	219,040
6	Valid skip	18,971	28,319,962
7	Don't know	3	3,327
8	Refusal	1	2,456
9	Not stated	76	109,621
		=====	=====
		19,286	28,680,393

Coverage: TP_Q070=1 and TP_Q80=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **TP_Q090C** Position: 213 Length: 1
Collection Name: **TP_Q090**

What type of tobacco did you smoke in the water-pipe

... a product other than tobacco?

		FREQ	WTD
1	Yes	43	39,056
2	No	192	205,971
6	Valid skip	18,971	28,319,962
7	Don't know	3	3,327
8	Refusal	1	2,456
9	Not stated	76	109,621
		=====	=====
		19,286	28,680,393

Coverage: TP_Q070=1 and TP_Q80=1

Variable Name: **TP_Q100** Position: 214 Length: 1

Do you believe that smoking tobacco in a water-pipe is ...?

		FREQ	WTD
1	More harmful than smoking cigarettes	58	95,212
2	Less harmful than smoking cigarettes	87	64,043
3	Neither more harmful nor less harmful than smoking cigarettes	80	76,465
6	Valid skip	18,971	28,319,962
7	Don't know	13	14,559
8	Refusal	1	532
9	Not stated	76	109,621
		=====	=====
		19,286	28,680,393

Coverage: TP_Q070=1 and TP_Q80=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Smoking in Vehicles (SV)

Variable Name: **SV_Q10** *Position:* 215 *Length:* 1

Do you, or a member of your household, own or lease a motor vehicle? Include cars, pickup trucks, minivans, vans and SUVs.

		FREQ	WTD
1	Yes	17,334	25,732,630
2	No	1,869	2,848,404
7	Don't know	3	1,718
8	Refusal	11	17,041
9	Not stated	69	80,599
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **SV_Q20** *Position:* 216 *Length:* 1

Is smoking allowed inside any motor vehicle that you, or a member of your household, own or lease?

		FREQ	WTD
1	Yes	3,137	4,086,640
2	No	14,111	21,513,018
6	Valid skip	1,869	2,848,404
7	Don't know	78	121,220
8	Refusal	5	8,479
9	Not stated	86	102,632
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1

Variable Name: **SV_Q30** *Position:* 217 *Length:* 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	2,157	2,703,268
2	No	501	493,728
3	Never has children under 18 in vehicles	440	836,852
6	Valid skip	15,980	24,361,422
7	Don't know	37	51,535
8	Refusal	2	1,258
9	Not stated	169	232,330
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1 and SV_Q20=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SV_Q40** *Position:* 218 *Length:* 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,159	1,451,963
2	No	1,930	2,564,269
6	Valid skip	15,980	24,361,422
7	Don't know	47	69,941
8	Refusal	1	467
9	Not stated	169	232,330
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1 and SV_Q20=1

Variable Name: **SV_Q50A** *Position:* 219 *Length:* 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted if any occupant is a non-smoker

		FREQ	WTD
1	Yes	392	458,839
2	No	766	991,887
6	Valid skip	17,910	26,925,691
7	Don't know	1	1,237
9	Not stated	217	302,739
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SV_Q50B** Position: 220 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Restricted by the number of cigarettes smoked

		FREQ	WTD
1	Yes	44	32,740
2	No	1,114	1,417,986
6	Valid skip	17,910	26,925,691
7	Don't know	1	1,237
9	Not stated	217	302,739
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50C** Position: 221 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when driving alone

		FREQ	WTD
1	Yes	161	220,281
2	No	997	1,230,445
6	Valid skip	17,910	26,925,691
7	Don't know	1	1,237
9	Not stated	217	302,739
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SV_Q50D** Position: 222 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Allowed only when the fan, air conditioner, heater is turned on or the window is open

		FREQ	WTD
1	Yes	558	617,940
2	No	600	832,786
6	Valid skip	17,910	26,925,691
7	Don't know	1	1,237
9	Not stated	217	302,739
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Variable Name: **SV_Q50E** Position: 223 Length: 1
Collection Name: **SV_Q50**

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

Other (specify)

		FREQ	WTD
1	Yes	243	404,540
2	No	915	1,046,186
6	Valid skip	17,910	26,925,691
7	Don't know	1	1,237
9	Not stated	217	302,739
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1 and SV_Q20=1 and SV_Q40=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SV_Q60** Position: 224 Length: 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	2,759	3,617,577
2	Sometimes	207	248,115
3	Rarely	41	51,243
4	Never	40	45,175
6	Valid skip	15,980	24,361,422
7	Don't know	86	102,001
8	Refusal	3	3,095
9	Not stated	170	251,766
		=====	=====
		19,286	28,680,393

Coverage: SV_Q10=1 and SV_Q20=1

Section: Opinions on Smoking (OS)

Variable Name: **OS_Q10** Position: 225 Length: 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	15,273	22,724,944
2	Smoking should be allowed only in a section of a restaurant that is enclosed	2,049	3,009,779
3	Smoking should be allowed only in a designated section of a restaurant	1,633	2,498,827
4	Smoking should be allowed anywhere in a restaurant	159	198,320
7	Don't know	79	102,421
8	Refusal	17	37,254
9	Not stated	76	108,847
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **OS_Q20** *Position:* 226 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	11,233	16,948,597
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	3,804	5,087,111
3	Smoking should be allowed only in a designated section of a bar or tavern	2,850	4,419,302
4	Smoking should be allowed anywhere in a bar or tavern	824	1,352,480
7	Don't know	438	651,208
8	Refusal	58	109,323
9	Not stated	79	112,373
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **OS_Q30** *Position:* 227 *Length:* 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	5,885	9,164,812
2	Smoking should be allowed only in enclosed smoking areas in the workplace	1,054	1,588,823
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	11,922	17,315,310
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	179	211,351
7	Don't know	130	210,186
8	Refusal	32	69,183
9	Not stated	84	120,727
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **OS_Q31** *Position:* 228 *Length:* 1

Which of the following statements comes closest to how you feel about smoking inside a car or any other motor vehicle when children or youth under the age of 18 are present?

		FREQ	WTD
1	Smoking should not be allowed at any time	17,968	27,019,173
2	Smoking should be allowed only when either a window is open or when the fan, air conditioner, heater is turned on	929	938,616
3	Smoking should be allowed at any time	155	295,972
7	Don't know	115	226,762
8	Refusal	31	54,949
9	Not stated	88	144,922
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **OS_Q40** *Position:* 229 *Length:* 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	3,162	4,368,026
02	Friends / peers	8,970	12,130,716
03	Parents	3,726	6,395,042
04	Other adults	273	350,214
05	Brother / sister	82	81,130
06	Celebrities	298	401,920
07	Tobacco industry	968	1,756,528
08	Government	458	878,835
09	Other (do not specify)	682	1,116,724
97	Don't know	547	976,464
98	Refusal	29	79,054
99	Not stated	91	145,741
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Exposure to Second-hand Smoke (EX)

Variable Name: **EX_Q010** *Position:* 231 *Length:* 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	4,909	5,244,801
2	No	14,240	23,210,996
7	Don't know	20	46,842
8	Refusal	16	25,860
9	Not stated	101	151,893
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **EX_Q020** *Position:* 232 *Length:* 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside someone else's home?

		FREQ	WTD
1	Yes	4,690	5,634,990
2	No	14,464	22,849,494
7	Don't know	14	18,116
8	Refusal	17	25,900
9	Not stated	101	151,893
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **EX_Q030** *Position:* 233 *Length:* 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	5,606	7,959,513
2	No	13,526	20,457,272
7	Don't know	37	85,854
8	Refusal	16	25,860
9	Not stated	101	151,893
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **EX_Q040** Position: 234 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a restaurant?

		FREQ	WTD
1	Yes	338	505,350
2	No	18,813	27,973,045
7	Don't know	17	24,184
8	Refusal	17	25,922
9	Not stated	101	151,893
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **EX_Q050** Position: 235 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... inside a bar or tavern?

		FREQ	WTD
1	Yes	523	724,169
2	No	18,629	27,762,186
7	Don't know	14	14,799
8	Refusal	19	27,345
9	Not stated	101	151,893
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **EX_Q060** Position: 236 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	3,340	4,661,471
2	No	15,799	23,781,966
7	Don't know	26	42,775
8	Refusal	18	41,750
9	Not stated	103	152,431
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **EX_Q070** Position: 237 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	9,832	14,555,045
2	No	9,261	13,814,963
7	Don't know	72	131,992
8	Refusal	18	25,962
9	Not stated	103	152,431
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **EX_Q080** Position: 238 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at your workplace?

		FREQ	WTD
1	Yes	3,640	5,959,754
2	No	15,504	22,502,006
7	Don't know	20	38,423
8	Refusal	19	27,780
9	Not stated	103	152,431
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **EX_Q091** Position: 239 Length: 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... on a school property?

		FREQ	WTD
1	Yes	3,046	2,331,996
2	No	16,097	26,133,270
7	Don't know	20	33,307
8	Refusal	20	29,389
9	Not stated	103	152,431
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **EX_Q100** *Position:* 240 *Length:* 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	7,142	9,666,117
2	No	11,960	18,720,285
7	Don't know	59	97,247
8	Refusal	22	44,312
9	Not stated	103	152,431
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **EX_Q110** *Position:* 241 *Length:* 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	10,704	15,609,035
2	No	8,363	12,684,092
7	Don't know	90	189,762
8	Refusal	25	44,953
9	Not stated	104	152,551
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **EX_Q120** *Position:* 242 *Length:* 1

(In the past month, excluding your own smoking were you exposed to second-hand smoke:)

... anywhere else?

		FREQ	WTD
1	Yes	760	1,228,588
2	No	18,347	27,190,291
7	Don't know	51	64,403
8	Refusal	24	44,559
9	Not stated	104	152,551
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **EX_Q130** Position: 243 Length: 1

Overall, excluding your own smoking, in the past month were you exposed to second-hand smoke:

		FREQ	WTD
1	Every day	1,443	1,974,810
2	Almost every day	1,733	2,186,989
3	At least once a week	5,372	7,717,462
4	At least once in the past month	6,733	10,201,183
6	Valid skip	3,667	5,904,722
7	Don't know	115	313,653
8	Refusal	17	21,925
9	Not stated	206	359,648
		=====	=====
		19,286	28,680,393

Coverage: EX_Q010=1 or EX_Q020=1 or EX_Q030=1 or EX_Q040=1 or EX_Q050=1 or EX_Q060=1 or EX_Q070=1 or EX_Q080=1 or EX_Q091=1 or EX_Q100=1 or EX_Q110=1 or EX_Q120=1

Section: Language and Education (LA)

Variable Name: **LA_Q10** Position: 244 Length: 1

What language do you speak most often at home?

		FREQ	WTD
1	English	15,629	19,499,168
2	French	2,251	5,833,256
3	Both English and French	111	136,134
4	Other	1,083	2,903,163
7	Don't know	15	31,232
8	Refusal	34	68,112
9	Not stated	163	209,327
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Derived Variables - Person

Variable Name: **DVEDUC** Position: 245 Length: 1
Collection Name: **LA_Q20**

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	5,232	4,548,895
2	Completed secondary	7,531	9,849,888
3	Completed community college, technical college, CEGEP or nurse's college	2,883	5,620,466
4	Completed university or teacher's college	3,388	8,229,983
9	Not stated	252	431,160
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=(01,02,03 or 04) then DVEDUC=1; if LA_Q20=(05,06,08 or 10) then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

Section: Language and Education

Variable Name: **GPLA_Q20** Position: 246 Length: 2
Collection Name: **LA_Q20**

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	157	257,940
02	Completed elementary	295	373,117
03	Some secondary	4,732	3,833,992
04	Completed secondary	4,486	6,028,793
05	Some community college, technical college, CEGEP or nurse's training	957	1,409,565
06	Completed community college, technical college, CEGEP or nurse's training	2,883	5,620,466
07	Some university or teacher's college	1,929	2,058,675
08	Completed university or teacher's college	3,381	8,225,952
09	Other education or training	131	310,348
99	Not stated	335	561,546
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Labour Force (LF)

Variable Name: **LF_Q10** *Position:* 248 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	13,541	20,333,822
2	No	5,579	8,050,155
7	Don't know	12	32,456
8	Refusal	46	104,428
9	Not stated	108	159,531
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **LF_Q20** *Position:* 249 *Length:* 1

Are you currently working at a job or a business?

		FREQ	WTD
1	Yes	10,768	17,806,367
2	No	2,767	2,524,059
6	Valid skip	5,579	8,050,155
7	Don't know	1	146
8	Refusal	4	2,759
9	Not stated	167	296,907
		=====	=====
		19,286	28,680,393

Coverage: LF_Q10=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **LF_Q51** Position: 250 Length: 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed outside the building, worksite or company vehicle	12,062	18,643,304
2	Smoking is allowed in designated areas within the building, worksite or company vehicle	532	593,662
3	Smoking is not restricted at all	563	622,270
4	Other - Respondent does not have a fixed workplace	242	252,214
6	Valid skip	5,579	8,050,155
7	Don't know	114	192,005
8	Refusal	22	27,358
9	Not stated	172	299,425
		=====	=====
		19,286	28,680,393

Coverage: LF_Q10=1

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Section: Derived Variables - Person

Variable Name: **DVNOCS10** *Position:* 251 *Length:* 2
Collection Name:

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	647	1,487,479
02	Business, Finance and Administrative Occupations	2,064	3,620,453
03	Natural and Applied Sciences and Related Occupations	637	1,422,703
04	Health Occupations	775	1,232,963
05	Occupations in Social Science, Education, Government Service and Religion	967	1,987,876
06	Occupations in Art, Culture, Recreation and Sport	588	782,529
07	Sales and Service Occupations	4,514	4,586,197
08	Trades, Transport and Equipment Operators and Related Occupations	1,736	2,736,677
09	Occupations Unique to Primary Industry	704	597,442
10	Occupations Unique to Processing, Manufacturing and Utilities	358	613,308
96	Valid skip	5,579	8,050,155
99	Not stated	717	1,562,611
		=====	=====
		19,286	28,680,393

Coverage: LF_Q10=1

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income (SI)

Variable Name: **SI_Q10** *Position:* 253 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	5,501	2,918,917
2	No	2,908	1,573,021
6	Valid skip	10,797	24,133,083
7	Don't know	7	3,852
8	Refusal	25	21,549
9	Not stated	48	29,972
		=====	=====
		19,286	28,680,393

Coverage: DVAGE=(15:24)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **SI_G20** Position: 254 Length: 2
Collection Name: **SI_Q20**

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	319	191,964
02	\$010 to \$024	1,051	494,076
03	\$025 to \$049	716	350,844
04	\$050 to \$099	1,008	540,071
05	\$100 to \$199	1,118	595,161
06	\$200 or more	859	488,470
96	Valid skip	13,705	25,706,104
99	Not stated	510	313,704
		=====	=====
		19,286	28,680,393

Coverage: DVAGE=(15:24) and SI_Q10=1
Note: Derived from SI_Q20.

Section: Marijuana Use (MU)

Variable Name: **MU_Q10** Position: 256 Length: 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	1,560	2,285,204
2	Yes, more than once	5,606	8,817,570
3	No	11,779	16,980,617
7	Don't know	32	54,636
8	Refusal	200	382,731
9	Not stated	109	159,636
		=====	=====
		19,286	28,680,393

Coverage: All respondents

Variable Name: **MU_Q20** Position: 257 Length: 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	2,507	2,851,605
2	No	4,657	8,250,501
6	Valid skip	11,779	16,980,617
7	Don't know	1	156
8	Refusal	1	512
9	Not stated	341	597,002
		=====	=====
		19,286	28,680,393

Coverage: MU_Q10=(1 or 2)

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

Variable Name: **MU_Q30** *Position:* 258 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	756	1,028,401
2	1 to 3 times a month	535	687,969
3	Once a week	260	315,769
4	More than once a week	368	300,042
5	Every day	396	412,591
6	Valid skip	16,611	25,320,257
7	Don't know	11	15,474
8	Refusal	6	2,220
9	Not stated	343	597,670
		=====	=====
		19,286	28,680,393

Coverage: MU_Q10=2 and MU_Q20=1

Variable Name: **MU_Q41** *Position:* 259 *Length:* 2

How old were you when you first used or tried marijuana, cannabis or hashish?

Allowed values: 04 : 94

		FREQ	WTD
06 : 75	Age	7,090	10,963,540
96	Valid skip	11,779	16,980,617
97	Don't know	70	128,451
98	Refusal	6	10,782
99	Not stated	341	597,002
		=====	=====
		19,286	28,680,393

Coverage: MU_Q10=(1 or 2)

Section: Weight Variable

Variable Name: **WTPP** *Position:* 261 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

INDEX

A

AGE0014	3
AGE1524	3
AGE2544	4
AGE45PL	4
AGEGRP5	9
AGEGRP7	9

C

CA_G10	20
CA_Q20	21
CA_Q30	21
CA_Q40	21
CA_Q50	22
CB_Q15	16
CB_Q16A	16
CB_Q16B	17
CB_Q16C	17
CB_Q16D	18
CB_Q16E	18
CB_Q16F	19
CB_Q16G	19
CB_Q20	20
CM_Q10	41
CM_Q20	41
CM_Q40	42
CM_Q61	42
CM_Q81A	42
CM_Q81B	43
CM_Q81C	43
CM_Q81D	44
CM_Q81E	44
CP_Q10	47
CS_Q31	22
CS_Q41	22
CS_Q51	23

D

DVAGE	8
DVAVCIG7	34
DVAVCIGD	35

DVCIGWK	34
DVDAILY	36
DVEDUC	71
DVMARST	10
DVNDSMK	35
DVNOCS10	74
DVSMKPTN	35
DVSS1	33
DVSS2	34
DVSST1	32
DVSST2	33
DVURBAN	2
DVYRSSMK	13

E

EX_Q010	66
EX_Q020	66
EX_Q030	66
EX_Q040	67
EX_Q050	67
EX_Q060	67
EX_Q070	68
EX_Q080	68
EX_Q091	68
EX_Q100	69
EX_Q110	69
EX_Q120	69
EX_Q130	70

G

GPLA_Q20	71
----------------	----

H

HHSIZE	3
HHTYPE	5
HP_Q010	48
HP_Q020	48
HP_Q031	48
HP_Q040	49
HP_Q050	49
HP_Q061	49

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

HP_Q100.....	50	PP_Q070.....	25
HP_Q110.....	50	PP_Q071.....	25
HP_Q121.....	50	PP_Q080.....	26
HS_Q10.....	5	PP_Q081.....	26
HS_Q20.....	5	PP_Q090.....	27
HS_Q30.....	6	PP_Q100.....	27
HS_Q40.....	6	PP_Q110A.....	28
HS_Q50.....	6	PP_Q110B.....	28
HS_Q60A.....	7	PP_Q110C.....	29
HS_Q60B.....	7	PP_Q110D.....	29
HS_Q60C.....	8	PP_Q110E.....	30
HS_Q60D.....	8	PP_Q110F.....	30
L		PP_Q110G.....	31
LA_Q10.....	70	PP_Q120.....	31
LF_Q10.....	72	PP_Q130.....	32
LF_Q20.....	72	PP_Q140.....	32
LF_Q51.....	73	PROV.....	2
M		PS_Q10.....	11
MU_Q10.....	75	PS_Q20.....	12
MU_Q20.....	75	PS_Q30.....	12
MU_Q30.....	76	PS_Q40.....	12
MU_Q41.....	76	PUMFID.....	1
O		R	
OM_Q030.....	45	REFMONTH.....	1
OM_Q070.....	45	REFYEAR.....	1
OM_Q081.....	45	S	
OM_Q091.....	46	SB_Q10.....	15
OM_Q099.....	46	SC_Q010.....	36
OM_Q100.....	46	SC_Q020.....	37
OM_Q130.....	47	SC_Q030.....	37
OS_Q10.....	63	SC_Q040.....	38
OS_Q20.....	64	SC_Q050.....	38
OS_Q30.....	64	SC_Q060.....	38
OS_Q31.....	65	SC_Q070.....	39
OS_Q40.....	65	SC_Q080.....	39
P		SC_Q090.....	39
PP_Q010.....	23	SC_Q100.....	40
PP_Q020.....	23	SC_Q110.....	40
PP_Q030.....	24	SEX.....	9
PP_Q040.....	24	SI_G20.....	75
PP_Q050.....	24	SI_Q10.....	74
PP_Q060.....	25	SP_Q10.....	51
		SP_Q20.....	51
		SP_Q30.....	51

Canadian Tobacco Use Monitoring Survey - 2012
Public Use Microdata File (Person) - Annual

SS_Q10	10	TP_Q028.....	54
SS_Q20	10	TP_Q030.....	54
SS_Q30	11	TP_Q040.....	55
SS_Q40	11	TP_Q041.....	55
STOPSMK	41	TP_Q050.....	55
SV_Q10	59	TP_Q060.....	56
SV_Q20	59	TP_Q061.....	56
SV_Q30	59	TP_Q070.....	56
SV_Q40	60	TP_Q080.....	57
SV_Q50A.....	60	TP_Q090A	57
SV_Q50B.....	61	TP_Q090B	57
SV_Q50C.....	61	TP_Q090C	58
SV_Q50D.....	62	TP_Q100.....	58
SV_Q50E.....	62		
SV_Q60	63	W	
T		WP_Q10A	13
TP_Q017	52	WP_Q10B	13
TP_Q021	52	WP_Q10C	14
TP_Q022	52	WP_Q10D	14
TP_Q023A.....	53	WP_Q10E	14
TP_Q023B.....	53	WP_Q10F	15
TP_Q024	53	WP_Q10G.....	15
TP_Q027	54	WTPP.....	76