

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

TABLE OF CONTENTS

Geographic - Derived Variables	1
Demographic - PMK.....	5
Demographic - Spouse	7
Demographic - Child	9
Demographic - Derived Variables	12
Household Characteristics	24
Education - PMK.....	25
Education - Spouse.....	30
Education - Derived Variables - PMK.....	34
Education - Derived Variables - Spouse	36
Literacy - Household.....	37
Labour Force - PMK.....	40
Labour Force - Spouse	47
Labour Force - Derived Variables - PMK	54
Labour Force - Derived Variables - Spouse.....	59
Labour Force - Derived Variables - Household.....	64
Income - PMK.....	66
Income - Spouse.....	67
Income - Household.....	68
Income - Derived Variables - PMK.....	70
Income - Derived Variables - Spouse	71
Income - Derived Variables - Household	71
Income - Imputation flag - PMK.....	72
Income - Imputation flag - Spouse	73
Income - Imputation flag - Household	74
Adult Health - PMK	76
Adult Health - Spouse	90
Maternal History.....	104
Adult Health - Derived Variables - PMK	105
Adult Health - Derived Variables - Spouse.....	106
Adult Health - Depression - PMK	107
Adult Health - Depression Score - PMK.....	113
Family Functioning.....	114
Family Functioning - Scale.....	121
Neighbourhood Safety	122
Neighbourhood Safety - Scores.....	128
Social Support	130
Social Support - Scores	137
Socio-Demographic - PMK	138
Socio-Demographic - Spouse	177
Socio-Demographic - Derived Variables - PMK.....	215
Socio-Demographic - Derived Variables - Spouse.....	219

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Socio-Demographic - Derived Variables - Household.....	222
Child Education.....	223
Direct Measures.....	248
Child Health	250
Child Health - Derived Variables.....	287
Medical/Biological	290
Medical/Biological - Derived Variables.....	322
Work After Birth.....	329
Work After Birth - Derived Variables	338
Child Development - Derived Variables	338
Temperament	341
Literacy	350
Communication	359
Child Activities.....	362
Child Activities - Derived Variables	378
Behaviour.....	378
Behaviour - Scores	396
Positive Behaviour	403
Sleep.....	410
Motor and Social Development.....	413
Motor and Social Development - Scores.....	427
Relationships	429
Parenting	432
Parenting - Scales.....	452
Family and Custody History	458
Child Care.....	469
Child Care - Derived Variables.....	484
Socio-Demographic - Child	488
Socio-Demographic - Derived Variables - Child.....	530
Age and stages	533
Ages and Stages - Scores	533
PPVT - Scores	535
Who Am I? - Scales	536
Number Knowledge	539
Longitudinal Flags.....	540
Child Care Flag.....	541
Longitudinal Flags.....	541
Weighting and Linking.....	542

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Geographic - Derived Variables

Variable Name: **FGEHD03** *Position:* 1 *Length:* 2

Province of residence

		FREQ	WTD
10	Newfoundland and Labrador	618	29,126
11	Prince Edward Island	494	8,411
12	Nova Scotia	701	52,459
13	New Brunswick	702	42,818
24	Quebec	1,589	441,624
35	Ontario	2,746	814,014
46	Manitoba	847	76,681
47	Saskatchewan	816	64,489
48	Alberta	1,041	227,870
59	British Columbia	960	241,392
60	Yukon	0	0
61	Northwest Territories	0	0
62	Nunavut	0	0
76	United States	0	0
77	Outside Canada and USA	0	0
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FGEHbD06** *Position:* 3 *Length:* 4

Census Metropolitan Area (CMA) or Census Agglomeration (CA) - 2001 Census Code

		FREQ	WTD
000	Territories	0	0
001	St. John's	191	12,073
010	Grand Falls-Windsor	25	869
011	Gander	16	554
015	Corner Brook	38	1,570
025	Labrador City	19	672
105	Charlottetown	191	3,115
110	Summerside	58	1,067
205	Halifax	183	19,265
210	Kentville	24	1,855
215	Truro	42	3,284
220	New Glasgow	33	2,658
225	Cape Breton	49	5,224
305	Moncton	135	8,651
310	Saint John	117	7,394
320	Fredericton	99	6,151
328	Bathurst	19	1,262
330	Campbellton	11	762
335	Edmundston	29	1,740
403	Matane	4	768
404	Rimouski	10	1,870
405	Riviere-du-Loup	4	842
406	Baie-Comeau	20	1,798
408	Chicoutimi - Jonquière	85	9,409
410	Alma	3	701
411	Dolbeau-Mistassini	6	1,970
412	Sept-Iles	17	1,423
421	Quebec	116	39,478
428	Saint-Georges	28	2,309
430	Thetford Mines	2	289
433	Sherbrooke	111	10,181
435	Magog	4	1,330
437	Cowansville	3	1,033
440	Victoriaville	10	3,569
442	Trois-Rivières	85	9,010
444	Shawinigan	10	2,112
446	La Tuque	1	137
447	Drummondville	11	5,497
450	Granby	21	4,266
452	Saint-Hyacinthe	24	5,005
454	Sorel-Tracy	7	2,270
456	Joliette	4	1,483
459	Saint-Jean-sur-Richelieu	27	6,214
462	Montreal	340	218,226
465	Salaberry-de-Valleyfield	8	1,931
468	Lachute	0	0
480	Val-d'Or	11	1,428
481	Amos	16	2,019
485	Rouyn-Noranda	20	2,206

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

501	Cornwall	16	4,712
502	Hawkesbury	2	1,024
505	Ottawa - Hull	237	79,554
512	Brockville	10	2,883
515	Pembroke	8	908
516	Petawawa	20	2,081
521	Kingston	69	9,472
522	Belleville	12	8,276
527	Cobourg	3	938
528	Port Hope	3	1,583
529	Peterborough	9	4,660
530	Kawartha Lakes	14	3,920
532	Oshawa	171	23,681
535	Toronto	511	327,795
537	Hamilton	135	48,655
539	St. Catharines - Niagara	133	29,154
541	Kitchener	124	24,001
543	Brantford	38	9,445
544	Woodstock	13	2,340
546	Tillsonburg	9	2,239
547	Norfolk	34	6,136
550	Guelph	76	12,351
553	Stratford	19	2,304
555	London	141	33,117
556	Chatham-Kent	40	7,386
557	Leamington	15	3,174
559	Windsor	123	23,517
562	Sarnia	20	3,774
566	Owen Sound	4	1,510
567	Collingwood	3	430
568	Barrie	34	12,240
569	Orillia	8	2,316
571	Midland	9	1,563
575	North Bay	36	4,298
580	Greater Sudbury	126	10,780
582	Elliot Lake	2	637
584	Haileybury	2	329
586	Timmins	12	2,940
590	Sault Ste. Marie	22	5,009
595	Thunder Bay	100	8,046
598	Kenora	5	1,689
602	Winnipeg	385	45,636
607	Portage la Prairie	21	1,538
610	Brandon	47	4,237
640	Thompson	42	1,375
705	Regina	173	14,124
710	Yorkton	12	909
715	Moose Jaw	32	2,356
720	Swift Current	11	827
725	Saskatoon	164	14,020
735	North Battleford	20	1,639
745	Prince Albert	52	2,562
750	Estevan	10	762
805	Medicine Hat	35	8,815
806	Brooks	11	2,966

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

810	Lethbridge	33	6,529
825	Calgary	198	57,589
830	Red Deer	36	4,539
833	Camrose	3	1,222
835	Edmonton	273	74,362
840	Lloydminster	18	2,304
845	Cold Lake	30	4,597
850	Grande Prairie	40	5,199
860	Wood Buffalo	33	3,980
865	Wetaskiwin	3	894
905	Cranbrook	6	1,326
913	Penticton	5	1,819
915	Kelowna	40	10,105
918	Vernon	10	2,782
925	Kamloops	18	4,254
930	Chilliwack	31	4,830
932	Abbotsford	103	10,637
933	Vancouver	333	127,653
934	Squamish	0	0
935	Victoria	94	17,384
937	Duncan	17	5,239
938	Nanaimo	11	3,139
939	Parksville	3	774
940	Port Alberni	7	1,775
943	Courtenay	13	3,174
944	Campbell River	5	1,180
945	Powell River	4	895
950	Williams Lake	12	2,429
952	Quesnel	4	669
955	Prince Rupert	14	1,436
960	Kitimat	8	672
965	Terrace	24	2,192
970	Prince George	34	5,016
975	Dawson Creek	6	1,022
977	Fort St. John	21	1,625
990	Whitehorse	0	0
995	Yellowknife	0	0
996	Non-CMA/CA Strongly Influenced zone	703	108,709
997	Non-CMA/CA Moderately Influenced zone	1,115	126,511
998	Non-CMA/CA Weakly Influenced zone	1,381	127,039
999	Non-CMA/CA Not Influenced zone	155	13,803
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: Based on postal code. The physical address can differ for the mailing address.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FGEHbD07** *Position:* 7 *Length:* 8

PROVINCE/Census Division (CD)/Dissemination Area (DA) from 2001 Census (8 characters-2 for Province, 2 for CD, 4 for DA)

Coverage: All respondents

Note: Based on postal code. The physical address can differ for the mailing address. If the postal code covers more than one DA, one DA is chosen.

Variable Name: **FGEHbD04** *Position:* 15 *Length:* 1
Collection Name: GEHBDV04

Size of area of residence in which the child lives, according to 2001 Census counts.

		FREQ	WTD
1	Rural area	2,027	220,181
2	Urban, population < 30,000	3,349	457,908
3	Urban, population 30,000 to 99,999	1,099	166,319
4	Urban, population 100,000 to 499,999	1,838	251,851
5	Urban, population 500,000 or over	2,201	902,625
9	Not stated Age of PMK	0	0
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: Based on postal code. The physical address can differ for the mailing address.

Variable Name: **FDMHPC** *Position:* 16 *Length:* 6
Collection Name: LISTPOST

Postal Code

Coverage: All respondents

Section: **Demographic - PMK**

Variable Name: **FMMPQ01** *Position:* 22 *Length:* 3
Collection Name: EFFAGEYR

Age of PMK as of December 31, 2004

<i>Allowed values:</i>		FREQ	WTD
015 : 099			
016 : 075	Age of PMK	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMMPQ02	<i>Position:</i>	25	<i>Length:</i>	1
<i>Collection Name:</i>	GENDER				

Gender of PMK

		FREQ		WTD
F	Female	9,354		1,738,809
M	Male	1,160		260,075
		=====		=====
		10,514		1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FMMPQ03A	<i>Position:</i>	26	<i>Length:</i>	4
<i>Collection Name:</i>	BIRTHYEA				

Year of birth of PMK

<i>Allowed values:</i>	1903 : 1989			
		FREQ		WTD
1929 : 1988	Year of birth of PMK	10,514		1,998,884
		=====		=====
		10,514		1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FMMPQ03B	<i>Position:</i>	30	<i>Length:</i>	2
<i>Collection Name:</i>	BIRTHMON				

Month of birth of PMK

<i>Allowed values:</i>	01 : 12			
		FREQ		WTD
01 : 12	Month of birth of PMK	10,514		1,998,884
		=====		=====
		10,514		1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FMMPQ03C	<i>Position:</i>	32	<i>Length:</i>	2
<i>Collection Name:</i>	BIRTHDAY				

Day of birth of PMK

<i>Allowed values:</i>	01 : 31			
		FREQ		WTD
01 : 31	Day of birth of PMK	10,514		1,998,884
		=====		=====
		10,514		1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMMPQ04	<i>Position:</i>	34	<i>Length:</i>	2
<i>Collection Name:</i>	MARSTAT				

Marital status

		FREQ	WTD
01	Married	7,353	1,384,817
02	Living common-law	1,913	375,224
03	Widowed	26	3,555
04	Separated	352	66,064
05	Divorced	115	23,723
06	Single, never married	755	145,502
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Section: Demographic - Spouse

<i>Variable Name:</i>	FMMSQ01	<i>Position:</i>	36	<i>Length:</i>	3
<i>Collection Name:</i>	EFFAGEYR				

Age of spouse/partner of the PMK as of December 31, 2004

<i>Allowed values:</i>		015 : 099			
				FREQ	WTD
017 : 069	Age of spouse/partner			9,231	1,753,082
996	Valid skip			1,283	245,802
				=====	=====
				10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FMMSQ02	<i>Position:</i>	39	<i>Length:</i>	1
<i>Collection Name:</i>	GENDER				

Gender of spouse/partner of the PMK

		FREQ	WTD
F	Female	1,087	249,273
M	Male	8,144	1,503,809
6	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMMSQ03A	<i>Position:</i>	40	<i>Length:</i>	4
<i>Collection Name:</i>	BIRTHYEA				

Birth year of spouse/partner of PMK

<i>Allowed values:</i>	1903 : 1987		FREQ	WTD
1935 : 1987	Birth year of spouse/partner of PMK		9,231	1,753,082
9996	Valid skip		1,283	245,802
			=====	=====
			10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FMMSQ03B	<i>Position:</i>	44	<i>Length:</i>	2
<i>Collection Name:</i>	BIRTHMON				

Birth month of spouse/partner of PMK

<i>Allowed values:</i>	01 : 12		FREQ	WTD
01 : 12	Birth month of spouse/partner of PMK		9,231	1,753,082
96	Valid skip		1,283	245,802
			=====	=====
			10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FMMSQ03C	<i>Position:</i>	46	<i>Length:</i>	2
<i>Collection Name:</i>	BIRTHDAY				

Birth day of spouse/partner of PMK

<i>Allowed values:</i>	01 : 31		FREQ	WTD
01 : 31	Birth day of spouse/partner of PMK		9,231	1,753,082
96	Valid skip		1,283	245,802
			=====	=====
			10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMMSQ04	<i>Position:</i>	48	<i>Length:</i>	2
<i>Collection Name:</i>	MARSTAT				

Marital status of spouse of PMK

		FREQ	WTD
01	Married	7,334	1,380,769
02	Living common-law	1,897	372,313
96	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Section: Demographic - Child

<i>Variable Name:</i>	FMMCQ01	<i>Position:</i>	50	<i>Length:</i>	3
<i>Collection Name:</i>	EFFAGEYR				

Age of child as of December 31, 2004

		FREQ	WTD
000	0 Year	1,457	321,606
001	1 Year	2,064	324,755
002	2 Years	1,627	328,426
003	3 Years	1,834	331,807
004	4 Years	1,662	341,393
005	5 Years	1,870	350,897
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: The age of the child determines, in most cases, the questions that will be asked about him. Instead of using the child's actual age, the NLSCY uses a calculated age called effective age. This is done to ensure the child stays in the age group to which he is assigned regardless of whether collection takes place before or after the child's birthday. For Cycle 6, the effective age is calculated as 2004 minus year of birth. For example a child born in 2000 would have an effective age of 4 years old (2004-2000). Note that the actual age of the child at the time of the interview is sometimes different from the effective age.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMMCbQ1A	<i>Position:</i>	53	<i>Length:</i>	3
<i>Collection Name:</i>	AGE				

Actual age of child at time of interview

		FREQ	WTD
000	0 Year	1,183	260,104
001	1 Year	2,170	360,727
002	2 Years	2,073	406,414
003	3 Years	1,744	325,246
004	4 Years	1,769	355,142
005	5 Years	1,556	290,811
006	6 Years	19	439
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FMMCdQ1B	<i>Position:</i>	56	<i>Length:</i>	4
<i>Collection Name:</i>	AGEMONTH				

Actual age in months of child at time of interview

<i>Allowed values:</i>			
	0001 : 0268		
		FREQ	WTD
0004 : 0075	Actual age in months	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FMMCQ02	<i>Position:</i>	60	<i>Length:</i>	1
<i>Collection Name:</i>	GENDER				

Gender of child

		FREQ	WTD
F	Female	5,065	975,845
M	Male	5,449	1,023,039
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMMCQ03A	<i>Position:</i>	61	<i>Length:</i>	4
<i>Collection Name:</i>	BIRTHYEA				

Year of birth of child

<i>Allowed values:</i>	1982 : 2004				
				FREQ	WTD
1999 : 2004	Child's birth year			10,514	1,998,884
				=====	=====
				10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FMMCQ03B	<i>Position:</i>	65	<i>Length:</i>	2
<i>Collection Name:</i>	BIRTHMON				

Child's birth month

<i>Allowed values:</i>	01 : 12				
				FREQ	WTD
01 : 12	Child's birth month			10,514	1,998,884
				=====	=====
				10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FMMCQ03C	<i>Position:</i>	67	<i>Length:</i>	2
<i>Collection Name:</i>	BIRTHDAY				

Child's birth day

<i>Allowed values:</i>	01 : 31				
				FREQ	WTD
01 : 31	Child's birth day			10,514	1,998,884
				=====	=====
				10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMMCQ05** *Position:* 69 *Length:* 1
Collection Name: ENQ04

Would you prefer to be interviewed in English or in French?

		FREQ	WTD
1	English	8,756	1,564,242
2	French	1,679	408,090
3	Other	39	13,684
9	Not Stated	40	12,868
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FMMHfQ06** *Position:* 70 *Length:* 8
Collection Name: INTVDATE

Interview date

Allowed values: 20041004 : 20050710

Coverage: All respondents

Section: **Demographic - Derived Variables**

Variable Name: **FDMHD02** *Position:* 78 *Length:* 2
Collection Name: DEMDV02

Total number of persons in the household (including the child)

		FREQ	WTD
01 : 16			
02 : 15	Persons in the household (incl. child)	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FDMCfD03** *Position:* 80 *Length:* 2
Collection Name: DEMDV03

Child's parent status - Child lives with:

		FREQ	WTD
11	Both biological parents	8,927	1,702,892
21	Biological mother and step father	145	24,169
22	Biological father and step mother	22	6,571
31	2 adoptive parents	63	9,531
41	1 biological and 1 adoptive	3	464
44	2 parents - other: 1 adoptive and 1 step	1	18
46	2 parents - other: 2 foster	11	807
48	2 parents - other: same sex couple	2	676
51	Biological mother and no father	1,216	234,359
61	Biological father and no mother	76	11,642
71	Single parent - other: 1 female non-biological parent	11	2,656
72	Single parent - other: 1 male non-biological parent	0	0
81	Does not live with a parent	37	5,099
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If both code 48 and another code (e.g., 31 or 41) apply, then code 48 is used.

Variable Name: **FDMCD04** *Position:* 82 *Length:* 1
Collection Name: DEMDV04

Child lives with:

		FREQ	WTD
1	Two parents	9,174	1,745,128
2	One parent only	1,303	248,658
3	Does not live with a parent	37	5,099
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: Includes biological, adoptive, step and foster parents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMCD05	<i>Position:</i>	83	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV05				

Child lives with:

		FREQ	WTD
1	Both biological parents	8,927	1,702,892
2	One biological parent only	1,464	277,881
3	Does not live with a biological parent	123	18,111
		=====	=====
		10,514	1,998,884

Coverage: All respondents
Note: Excludes adoptive parents

<i>Variable Name:</i>	FDMCD06	<i>Position:</i>	84	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV06				

Relationship of the PMK to the child

		FREQ	WTD
11	Biological mother	9,144	1,702,788
12	Step mother	8	2,911
13	Adoptive mother	70	11,846
14	Foster mother	14	1,291
21	Biological father	1,144	257,415
22	Step father	2	319
23	Adoptive father	6	771
24	Foster father	0	0
31	Other related female (e.g. grandmother, aunt)	118	19,972
32	Other related male (e.g. grandfather, uncle)	8	1,571
41	Unrelated female	0	0
42	Unrelated male	0	0
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FDMPD06A	<i>Position:</i>	86	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV6A				

Does the PMK have a spouse living in the household?

		FREQ	WTD
1	Yes	9,231	1,753,082
2	No	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMCD06B	<i>Position:</i>	87	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV6B				

Relationship of the spouse of the PMK to the child

		FREQ	WTD
11	Biological mother	1,062	243,511
12	Step mother	13	3,631
13	Adoptive mother	6	805
14	Foster mother	0	0
21	Biological father	7,858	1,457,224
22	Step father	144	23,868
23	Adoptive father	58	8,969
24	Foster father	11	807
31	Other related female (e.g. grandmother, aunt)	6	1,325
32	Other related male (e.g. grandfather, uncle)	73	12,941
41	Other unrelated female	0	0
42	Other unrelated male	0	0
50	PMK does not have a spouse	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FDMCD06C	<i>Position:</i>	89	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV6C				

Parental-PMK status of child

		FREQ	WTD
1	Child lives with at least one parent but the PMK is a non-parent relative	89	16,444
2	Child lives with at least one parent but the PMK is a non relative	0	0
3	Child lives with at least one parent and the PMK is a parent	10,388	1,977,341
4	Child does not live with a parent	37	5,099
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMPD06D	<i>Position:</i>	90	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV6D				

Age group of PMK

		FREQ	WTD
1	15 to 24	932	164,498
2	25 to 29	2,401	419,051
3	30 to 34	3,435	622,412
4	35 to 39	2,498	512,769
5	40 and over	1,248	280,155
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old
Note: This derived variable is based on FMMPQ01

<i>Variable Name:</i>	FDMSD06E	<i>Position:</i>	91	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV6E				

Age group of spouse of PMK

		FREQ	WTD
1	15 to 24	328	58,089
2	25 to 29	1,470	257,256
3	30 to 34	2,883	529,235
4	35 to 39	2,670	523,141
5	40 and over	1,880	385,361
6	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This derived variable is based on FMMSQ01.

<i>Variable Name:</i>	FDMHD06F	<i>Position:</i>	92	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV6F				

Teenage status (0 to 19 years old) of PMK and spouse

		FREQ	WTD
01	Both PMK and spouse are non-teenagers	9,189	1,745,394
02	Teenage PMK - non teenage spouse	31	4,955
03	Teenage spouse - non teenage PMK	7	1,980
04	Teenage PMK and spouse	4	753
05	Non-teenage PMK - no spouse	1,246	240,581
06	Teenage PMK - no spouse	37	5,222
		=====	=====
		10,514	1,998,884

Coverage: PMK and/or spouse with selected child aged 0 to 5 years old
Note: This variable is based on FMMPQ01 and FMMSQ01

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMHD07	<i>Position:</i>	94	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV07				

Total number of children aged 0 to 17 years living in household at time of interview (including the selected child)

<i>Allowed values:</i>	01 : 10		FREQ	WTD
01 : 10	Children aged 0 to 17 in the household		10,514	1,998,884
			=====	=====
			10,514	1,998,884

Coverage: All respondents
Note: Age is determined as of December 31, 2004

<i>Variable Name:</i>	FDMCD08	<i>Position:</i>	96	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV08				

Total number of siblings of the selected child living in the household at time of interview (including full, half, step, adopted and foster siblings and excluding the child himself). This includes siblings of all ages.

<i>Allowed values:</i>	00 : 13		FREQ	WTD
00 : 11	Siblings of the child in the household		10,514	1,998,884
			=====	=====
			10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FDMCD09	<i>Position:</i>	98	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV09				

Number of older siblings of the selected child living in household at time of interview (including full, half, step, adopted and foster siblings).

<i>Allowed values:</i>	00 : 13		FREQ	WTD
00 : 11	Older siblings of the child in household		10,514	1,998,884
			=====	=====
			10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMCD10	<i>Position:</i>	100	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV10				

Number of younger siblings (of the child) living in household (including full, half, step, adopted and foster siblings)

Allowed values: 00 : 07

		FREQ	WTD
00 : 06	Younger siblings of child in household	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FDMCD11	<i>Position:</i>	102	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV11				

Number of siblings (of the child) of exactly the same age living in household at time of interview (excluding the child himself).

Allowed values: 00 : 02

		FREQ	WTD
00 : 02	Siblings same age as child in household	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FDMCD12	<i>Position:</i>	104	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV12				

Total number of other children aged 0 to 17 years old living in the household at time of interview, who are not siblings of the child.

Allowed values: 00 : 05

		FREQ	WTD
00 : 04	Children 0 to 17 who are not siblings	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: Age is determined as of December 31, 2004

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMCD13	<i>Position:</i>	106	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV13				

Total number of adults aged 18 years old and over living in the household at time of interview, who are not a parent of the selected child. This includes siblings.

<i>Allowed values:</i>	00 : 08		FREQ	WTD
00 : 07	Persons 18+ (excluding parents)		10,514	1,998,884
			=====	=====
			10,514	1,998,884

Coverage: All respondents
Note: Age is determined as of December 31, 2004

<i>Variable Name:</i>	FDMCD14	<i>Position:</i>	108	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV14				

Blended family

		FREQ	WTD
1	Child is a member of a blended family	815	144,063
2	Child is not a member of a blended family but is in a couple census family (step or intact)	8,348	1,600,258
3	Other (child is a member of a single parent family, is a foster child or does not live with a parent)	1,351	254,564
		=====	=====
		10,514	1,998,884

Coverage: All respondents
Note: A blended family refers to a couple census family (married or common-law couple with 2 or more children, one of whom does not share the same natural and/or adoptive parents as the other child(ren). This would indicate that the child has half and/or step siblings living in the household. (Foster children are not included in the census family). In the derivation of blended, intact, step and type of step family derived variables (FDMCD14, 15, 16 & 17) if a child is the biological child of one parent and the adoptive child of the other parent then this child is treated like the step child of the adoptive parent. However, if a child is the adoptive child of both parents, then this child is treated the same as a biological child of both parents.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMCD15	<i>Position:</i>	109	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV15				

Step family

		FREQ	WTD
1	Child is a member of a step family	926	165,355
2	Child is not a member of a step family but is in a couple census family (i.e., child is a member of an intact family)	8,237	1,578,966
3	Other (child is a member of a single parent family, is a foster child or does not live with a parent)	1,351	254,564
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: A step family refers to a couple census family (married or common-law couples) with at least one of the children is in a step relationship with at least one of the parents. (Foster children are not included in the census family).

<i>Variable Name:</i>	FDMCD16	<i>Position:</i>	110	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV16				

Intact family

		FREQ	WTD
1	Child is a member of an intact family	8,237	1,578,966
2	Child is not a member of an intact family but is in a couple census family	926	165,355
3	Other (child is a member of a single parent family, is a foster child or does not live with a parent)	1,351	254,564
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: An intact family refers to a census couple family (married or common-law couple), children are the natural and/or adopted offspring of both members of the couple. (Foster children are not included in the census family).

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMCfD17	<i>Position:</i>	111	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV17				

Type of step family

		FREQ	WTD
11	Hers-couple, biological/adopted children of the female parent and the step children of the other parent	97	16,809
12	His-couple, biological/adopted children of the male parent and the step children of the other parent	14	4,483
13	Hers and Theirs-couple, with children of the female partner as well as children of the new union	639	107,838
14	His and Theirs-couple, with children of the male partner as well as children of the new union	125	25,012
15	His and Hers-couple with biological/adopted children of the female partner and biological/adopted children of the male partner	16	3,367
16	His Hers and Theirs-couple with biological/adopted children of the female partner, biological/adopted children of the male partner and children of the new union	35	7,845
20	Child is a member of an intact family	8,237	1,578,966
30	Other (child is a member of a single parent family, is a foster child or does not live with a parent)	1,351	254,564
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FDMCD18	<i>Position:</i>	113	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV18				

Age of biological mother at birth of child

Allowed values: 13 : 48

		FREQ	WTD
14 : 48	Mother's age at birth of child	10,291	1,962,305
95	Biological mother is not in the household	223	36,579
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMCD18B	<i>Position:</i>	115	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV18B				

Age group of biological mother at birth of child

		FREQ	WTD
01	13 to 24	2,207	390,378
02	25 to 29	3,418	603,936
03	30 to 34	3,118	624,628
04	35 to 39	1,300	285,666
05	40 and over	248	57,697
95	Biological mother is not in the household	223	36,579
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FDMCD19	<i>Position:</i>	117	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV19				

Age of biological father at birth of child

<i>Allowed values:</i>		15 : 72	
		FREQ	WTD
16 : 65	Father's age at birth of child	9,027	1,721,360
95	Biological father is not in the household	1,487	277,524
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FDMCD19B	<i>Position:</i>	119	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV19B				

Age group of biological father at birth of child

		FREQ	WTD
01	15 to 24	798	133,923
02	25 to 29	2,401	415,262
03	30 to 34	3,156	598,776
04	35 to 39	1,814	381,512
05	40 and over	858	191,887
95	Biological father is not in the household	1,487	277,524
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDMCD20	<i>Position:</i>	121	<i>Length:</i>	2
<i>Collection Name:</i>	DEMDV20				

Teenage status (<= 19 years old) of biological parents at birth of child

		FREQ	WTD
01	Both parents non-teenagers	8,734	1,669,473
02	Teenage mother - non-teenage father	151	24,762
03	Teenage father - non-teenage mother	7	1,897
04	Teenage father and mother	35	6,760
05	Non-teenage mother - age of father unknown	1,146	223,717
06	Non-teenage father - age of mother unknown	98	18,262
07	Teenage mother, age of father unknown	218	35,696
08	Teenage father, age of mother unknown	2	206
95	Neither biological mother nor biological father is in the household	123	18,111
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FDMCfD23	<i>Position:</i>	123	<i>Length:</i>	1
<i>Collection Name:</i>	DEMDV23				

Did the PMK change during last three cycles?

		FREQ	WTD
1	Response to all applicable cycles with same PMK	4,367	933,779
2	Response to all applicable cycles with at least one PMK difference	1,463	349,537
3	Non-response or temporarily out of scope at Cycles 4 or 5.	0	0
6	Valid skip	4,684	715,568
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old, excluding those introduced in Cycle 6.

Note: The applicable cycles for the respondents introduced in Cycles 1 or 4 are Cycles 4, 5 and 6. For those introduced in Cycle 5, the applicable cycles are Cycle 5 and Cycle 6.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Household Characteristics

Variable Name: **FHHHQ06** *Position:* 124 *Length:* 2
Collection Name: INCQ8

What type of dwelling do you live in? Is it a:...

		FREQ	WTD
01	Single detached	7,702	1,315,568
02	Double	369	94,591
03	Row or terrace	504	128,585
04	Duplex	384	75,998
05	Low rise apartment (fewer than 5 stories) or flat	684	175,616
06	High rise apartment (5 stories or more)	169	80,344
07	Institution	0	0
08	Hotel, rooming/lodging house, camp	5	526
09	Mobile home	313	33,697
10	Other	85	18,107
98	Refusal	4	1,503
99	Not stated	295	74,347
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Variable Name: **FHHHQ01** *Position:* 126 *Length:* 1
Collection Name: INCQ9

Is this dwelling owned by a member of your household?

		FREQ	WTD
1	Yes	7,740	1,386,775
2	No	2,474	535,985
8	Refusal	5	1,778
9	Not stated	295	74,347
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHHHQ09** *Position:* 127 *Length:* 1
Collection Name: INCQ10

Is there a mortgage on this dwelling?

		FREQ	WTD
1	Yes	6,660	1,219,398
2	No	1,034	158,182
6	Valid skip	2,474	535,985
7	Don't know	30	5,551
8	Refusal	16	3,643
9	Not stated	300	76,125
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old who answered 'Yes' to FHHHQ01 (dwelling owned by a member of the household)

Variable Name: **FHHHQ03** *Position:* 128 *Length:* 2
Collection Name: INCQ11

How many bedrooms are there in this dwelling?

Allowed values: 00 : 20

		FREQ	WTD
00 : 14	Total bedrooms in dwelling	10,210	1,922,051
98	Refusal	9	2,486
99	Not stated	295	74,347
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Section: Education - PMK

Variable Name: **FEDPQ05** *Position:* 130 *Length:* 1
Collection Name: EDAQ1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	720	142,217
2	No	9,542	1,792,137
9	Not stated	252	64,530
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDPQ06	<i>Position:</i>	131	<i>Length:</i>	1
<i>Collection Name:</i>	EDAQ2				

Are you enrolled as a full time or part time student?

		FREQ	WTD
1	Full time	349	59,999
2	Part time	369	81,649
6	Valid skip	9,542	1,792,137
7	Don't know	2	569
9	Not stated	252	64,530
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if currently attending school

<i>Variable Name:</i>	FEDPQ01	<i>Position:</i>	132	<i>Length:</i>	2
<i>Collection Name:</i>	EDAQ3				

Excluding kindergarten, how many years of elementary and high school have you successfully completed?

		FREQ	WTD
01	No schooling	4	796
02	1 to 5 years	10	1,770
03	6 years	10	2,099
04	7 years	69	14,420
05	8 years	111	20,973
06	9 years	136	23,234
07	10 years	253	47,691
08	11 years	564	116,134
09	12 years	7,482	1,292,943
10	13 years	1,670	427,317
97	Don't know	8	2,519
99	Not stated	197	48,988
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available or set based on FEDPeQ4B.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDPQ02	<i>Position:</i>	134	<i>Length:</i>	1
<i>Collection Name:</i>	EDAQ4				

Have you graduated from high school?

		FREQ	WTD
1	Yes	9,169	1,723,399
2	No	1,135	222,477
6	Valid skip	4	796
7	Don't know	1	705
9	Not stated	205	51,507
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if had some elementary or secondary schooling
Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available or set based on FEDPeQ4B.

<i>Variable Name:</i>	FEDPQ03	<i>Position:</i>	135	<i>Length:</i>	1
<i>Collection Name:</i>	EDAQ5				

Have you ever attended a post-secondary institution or school such as a university, community college, business school, trade or vocational school or CEGEP?

		FREQ	WTD
1	Yes	7,235	1,361,038
2	No	3,070	585,543
6	Valid skip	4	796
9	Not stated	205	51,507
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if had some elementary or secondary schooling
Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available or set based on FEDPeQ4B.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDPcQ7A** *Position:* 136 *Length:* 2
Collection Name: EDAQ7A

I am going to read you a list of activities. Excluding for work or school please tell me if you do each of them daily, weekly, monthly, several times a year, once or twice a year or never

...use a public library?

		FREQ	WTD
01	Daily	63	14,798
02	Weekly	1,314	261,066
03	Monthly	2,035	416,937
04	Several times a year	1,184	231,172
05	Once or twice a year	2,149	372,985
06	Never	3,499	633,420
97	Don't know	7	1,583
99	Not stated	263	66,924
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FEDPcQ7B** *Position:* 138 *Length:* 2
Collection Name: EDAQ7B

I am going to read you a list of activities. Excluding for work or school please tell me if you do each of them daily, weekly, monthly, several times a year, once or twice a year or never

...write letters or anything else that is more than one page in length?

		FREQ	WTD
01	Daily	841	170,268
02	Weekly	1,787	352,474
03	Monthly	1,816	331,766
04	Several times a year	1,129	211,445
05	Once or twice a year	2,137	371,588
06	Never	2,523	489,662
97	Don't know	17	4,334
99	Not stated	264	67,348
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDPcQ7C** *Position:* 140 *Length:* 2
Collection Name: EDAQ7C

I am going to read you a list of activities. Excluding for work or school please tell me if you do each of them daily, weekly, monthly, several times a year, once or twice a year or never

...read newspapers or magazines?

		FREQ	WTD
01	Daily	4,513	863,444
02	Weekly	4,236	778,699
03	Monthly	879	167,914
04	Several times a year	210	39,996
05	Once or twice a year	136	21,104
06	Never	271	59,504
97	Don't know	5	874
99	Not stated	264	67,348
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FEDPcQ7D** *Position:* 142 *Length:* 2
Collection Name: EDAQ7D

I am going to read you a list of activities. Excluding for work or school please tell me if you do each of them daily, weekly, monthly, several times a year, once or twice a year or never

...read books?

		FREQ	WTD
01	Daily	4,072	750,347
02	Weekly	2,017	386,474
03	Monthly	1,404	259,762
04	Several times a year	694	138,727
05	Once or twice a year	1,044	197,227
06	Never	1,005	195,633
97	Don't know	13	3,351
98	Refusal	1	15
99	Not stated	264	67,348
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Education - Spouse

Variable Name: **FEDSQ05** *Position:* 144 *Length:* 1
Collection Name: EDAQ1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	390	75,205
2	No	8,463	1,582,831
6	Valid skip	1,283	245,802
7	Don't know	1	546
8	Refusal	4	592
9	Not stated	373	93,908
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FEDSQ06** *Position:* 145 *Length:* 1
Collection Name: EDAQ2

Are you enrolled as a full time or part time student?

		FREQ	WTD
1	Full time	152	27,137
2	Part time	238	48,068
6	Valid skip	9,746	1,828,633
9	Not stated	378	95,045
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, if currently attending school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDSQ01** *Position:* 146 *Length:* 2
Collection Name: EDAQ3

Excluding kindergarten, how many years of elementary and high school have you successfully completed?

		FREQ	WTD
01	No schooling	7	2,614
02	1 to 5 years	7	1,026
03	6 years	12	2,749
04	7 years	83	17,285
05	8 years	123	23,975
06	9 years	162	25,065
07	10 years	268	44,868
08	11 years	534	99,656
09	12 years	6,411	1,112,062
10	13 years	1,336	355,424
96	Valid skip	1,283	245,802
97	Don't know	22	4,671
98	Refusal	6	985
99	Not stated	260	62,702
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available or set based on FEDSeQ4B.

Variable Name: **FEDSQ02** *Position:* 148 *Length:* 1
Collection Name: EDAQ4

Have you graduated from high school?

		FREQ	WTD
1	Yes	7,770	1,472,123
2	No	1,166	209,986
6	Valid skip	1,290	248,416
9	Not stated	288	68,358
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, if had some elementary or secondary schooling

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available or set based on FEDSeQ4B.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDSQ03	<i>Position:</i>	149	<i>Length:</i>	1
<i>Collection Name:</i>	EDAQ5				

Have you ever attended a post-secondary institution or school such as a university, community college, business school, trade or vocational school or CEGEP?

		FREQ	WTD
1	Yes	5,928	1,127,455
2	No	3,002	554,222
6	Valid skip	1,290	248,416
7	Don't know	6	433
9	Not stated	288	68,358
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, if had some elementary or secondary schooling
Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available or set based on FEDSeQ4B.

<i>Variable Name:</i>	FEDScQ7A	<i>Position:</i>	150	<i>Length:</i>	2
<i>Collection Name:</i>	EDAQ7A				

I am going to read you a list of activities. Excluding for work or school please tell me if you do each of them daily, weekly, monthly, several times a year, once or twice a year or never

...use a public library?

		FREQ	WTD
01	Daily	44	11,544
02	Weekly	499	111,084
03	Monthly	872	188,033
04	Several times a year	641	139,873
05	Once or twice a year	1,617	306,397
06	Never	5,159	897,588
96	Valid skip	1,283	245,802
97	Don't know	13	2,366
98	Refusal	11	1,592
99	Not stated	375	94,605
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDScQ7B** *Position:* 152 *Length:* 2
Collection Name: EDAQ7B

I am going to read you a list of activities. Excluding for work or school please tell me if you do each of them daily, weekly, monthly, several times a year, once or twice a year or never

...write letters or anything else that is more than one page in length?

		FREQ	WTD
01	Daily	694	146,146
02	Weekly	1,061	211,141
03	Monthly	938	181,624
04	Several times a year	594	123,310
05	Once or twice a year	1,520	276,097
06	Never	3,999	709,026
96	Valid skip	1,283	245,802
97	Don't know	39	9,540
99	Not stated	386	96,198
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FEDScQ7C** *Position:* 154 *Length:* 2
Collection Name: EDAQ7C

I am going to read you a list of activities. Excluding for work or school please tell me if you do each of them daily, weekly, monthly, several times a year, once or twice a year or never

...read newspapers or magazines?

		FREQ	WTD
01	Daily	4,608	873,902
02	Weekly	3,082	560,774
03	Monthly	626	123,702
04	Several times a year	129	21,500
05	Once or twice a year	105	15,357
06	Never	275	57,183
96	Valid skip	1,283	245,802
97	Don't know	19	4,383
99	Not stated	387	96,279
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDScQ7D** *Position:* 156 *Length:* 2
Collection Name: EDAQ7D

I am going to read you a list of activities. Excluding for work or school please tell me if you do each of them daily, weekly, monthly, several times a year, once or twice a year or never

...read books?

		FREQ	WTD
01	Daily	2,152	397,448
02	Weekly	1,396	282,085
03	Monthly	1,223	226,602
04	Several times a year	617	119,847
05	Once or twice a year	1,295	234,508
06	Never	2,131	389,487
96	Valid skip	1,283	245,802
97	Don't know	28	6,435
98	Refusal	2	392
99	Not stated	387	96,279
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Section: Education - Derived Variables - PMK

Variable Name: **FEDPeD02** *Position:* 158 *Length:* 1
Collection Name: EDADV02

Highest level of schooling obtained

		FREQ	WTD
1	Less than secondary	1,110	218,065
2	Secondary school graduation	1,952	364,393
3	Some post-secondary	1,364	237,560
4	College or university degree (including trade)	5,747	1,102,565
5	Other	133	23,707
9	Not stated	208	52,594
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on question FEDPeQ4B, including data from previous cycles.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDPD04	<i>Position:</i>	159	<i>Length:</i>	2
<i>Collection Name:</i>	EDADV04				

Years of education

<i>Allowed values:</i>	00 : 20		FREQ	WTD
00 : 20	Number of years of education		10,173	1,922,583
99	Not stated		341	76,301
			=====	=====
			10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FEDPQ01 and FEDPeQ4B, including data from previous cycles.

<i>Variable Name:</i>	FEDPeQ4B	<i>Position:</i>	161	<i>Length:</i>	2
<i>Collection Name:</i>	EDADV6AB				

What is the highest grade or level of education you have attended or completed?

		FREQ	WTD
01	No schooling	4	796
02	Some elementary (1 to 8 years)	88	18,222
03	Completed elementary	110	20,789
04	Some secondary	908	178,258
05	Completed secondary	1,952	364,393
06	Some post-secondary (university; community, technical or teacher's college; CEGEP; nurse's training)	1,364	237,560
07	Completed community college, technical college, CEGEP or nurse's training	3,021	531,009
08	Completed university or teacher's college	2,211	447,548
09	Master's degree	419	103,228
10	Doctorate or medical degree	96	20,780
11	Other education or training	133	23,707
99	Not stated	208	52,594
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This variable is the combination of questions EDAQ6A and EDAQ6B, including data from previous cycles.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Education - Derived Variables - Spouse

Variable Name: **FEDSeD02** *Position:* 163 *Length:* 1
Collection Name: EDADV02

Highest level of schooling obtained

		FREQ	WTD
1	Less than secondary	1,144	208,080
2	Secondary school graduation	1,848	344,385
3	Some post-secondary	1,059	188,086
4	College or university degree (including trade)	4,720	911,632
5	Other	137	24,045
6	Valid skip	1,283	245,802
9	Not stated	323	76,854
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on question FEDSeQ4B, including data from previous cycles.

Variable Name: **FEDSD04** *Position:* 164 *Length:* 2
Collection Name: EDADV04

Years of education

Allowed values: 00 : 20

		FREQ	WTD
00 : 20	Years of education	8,771	1,652,183
96	Valid skip	1,283	245,802
99	Not stated	460	100,899
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FEDSQ01 and FEDSeQ4B, including data from previous cycles.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDSeQ4B** *Position:* 166 *Length:* 2
Collection Name: EDADV6AB

What is the highest grade or level of education you have attended or completed?

		FREQ	WTD
01	No schooling	7	2,614
02	Some elementary (1 to 8 years)	102	21,059
03	Completed elementary	120	23,648
04	Some secondary	915	160,759
05	Completed secondary	1,848	344,385
06	Some post-secondary (university; community, technical or teacher's college; CEGEP; nurse's training)	1,059	188,086
07	Completed community college, technical college, CEGEP or nurse's training	2,574	443,884
08	Completed university or teacher's college	1,603	337,953
09	Master's degree	382	99,753
10	Doctorate or medical degree	161	30,042
11	Other education or training	137	24,045
96	Valid skip	1,283	245,802
99	Not stated	323	76,854
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This variable is the combination of questions EDAQ6A and EDAQ6B, including data from previous cycles.

Section: **Literacy - Household**

Variable Name: **FEDHcQ8A** *Position:* 168 *Length:* 1
Collection Name: EDAQ8A

Which of the following materials do you currently have in your home

...daily newspapers?

		FREQ	WTD
1	Yes	2,211	326,904
2	No	2,318	347,505
6	Valid skip	5,806	1,278,570
7	Don't know	2	239
8	Refusal	1	183
9	Not stated	176	45,482
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old, if first interview (only asked to one respondent per household)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDHcQ8B** *Position:* 169 *Length:* 1
Collection Name: EDAQ8B

Which of the following materials do you currently have in your home

...magazines/weekly newspapers?

		FREQ	WTD
1	Yes	3,591	522,585
2	No	938	151,825
6	Valid skip	5,806	1,278,570
7	Don't know	2	239
8	Refusal	1	183
9	Not stated	176	45,482
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old, if first interview (only asked to one respondent per household)

Variable Name: **FEDHcQ8C** *Position:* 170 *Length:* 1
Collection Name: EDAQ8C

Which of the following materials do you currently have in your home

...more than 25 books?

		FREQ	WTD
1	Yes	3,979	578,178
2	No	550	96,232
6	Valid skip	5,806	1,278,570
7	Don't know	2	239
8	Refusal	1	183
9	Not stated	176	45,482
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old, if first interview (only asked to one respondent per household)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDHcQ8D** *Position:* 171 *Length:* 1
Collection Name: EDAQ8D

Which of the following materials do you currently have in your home

...a (multi volume) encyclopedia?

		FREQ	WTD
1	Yes	1,823	267,500
2	No	2,706	406,910
6	Valid skip	5,806	1,278,570
7	Don't know	2	239
8	Refusal	1	183
9	Not stated	176	45,482
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old, if first interview (only asked to one respondent per household)

Variable Name: **FEDHcQ8E** *Position:* 172 *Length:* 1
Collection Name: EDAQ8E

Which of the following materials do you currently have in your home

...a dictionary?

		FREQ	WTD
1	Yes	4,106	616,764
2	No	423	57,646
6	Valid skip	5,806	1,278,570
7	Don't know	2	239
8	Refusal	1	183
9	Not stated	176	45,482
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old, if first interview (only asked to one respondent per household)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDHQ8F** *Position:* 173 *Length:* 1
Collection Name: EDAQ8F

Which of the following materials do you currently have in your home

...none?

		FREQ	WTD
1	Yes	41	6,381
2	No	4,488	668,029
6	Valid skip	5,806	1,278,570
7	Don't know	2	239
8	Refusal	1	183
9	Not stated	176	45,482
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old, if first interview (only asked to one respondent per household)

Section: Labour Force - PMK

Variable Name: **FLFPQ02** *Position:* 174 *Length:* 1
Collection Name: LFSQ2

Have you worked for pay or profit at any time in the past 12 months?

		FREQ	WTD
1	Yes	7,657	1,406,742
2	No	2,590	524,238
7	Don't know	1	78
8	Refusal	2	810
9	Not stated	264	67,015
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLFPcQ3A	<i>Position:</i>	175	<i>Length:</i>	2
<i>Collection Name:</i>	LFSQ3A				

How many jobs do you currently hold?

<i>Allowed values:</i>	00 : 10		FREQ	WTD
00 : 05	Number of jobs currently held		7,656	1,406,523
96	Valid skip		2,590	524,238
98	Refusal		1	219
99	Not stated		267	67,904
			=====	=====
			10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

<i>Variable Name:</i>	FLFPbQ03	<i>Position:</i>	177	<i>Length:</i>	2
<i>Collection Name:</i>	LFSQ3				

During the past 12 months, how many weeks did you do any work at a job or a business? Include weeks on paid vacation leave, paid maternity or parental leave, paid sick leave

<i>Allowed values:</i>	01 : 52		FREQ	WTD
01 : 52	Total weeks worked		7,605	1,397,027
96	Valid skip		2,590	524,238
97	Don't know		49	8,804
98	Refusal		1	175
99	Not stated		269	68,639
			=====	=====
			10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLFPbQ04	<i>Position:</i>	179	<i>Length:</i>	2
<i>Collection Name:</i>	LFSQ4				

About how many hours a week did you usually work?

		FREQ	WTD
01	Less than ten hours	401	67,716
02	Between 10 to 19 hours	670	130,300
03	Between 20 to 29 hours	1,072	192,146
04	Between 30 to 39 hours	2,377	437,370
05	Between 40 to 49 hours	2,539	470,678
06	50 hours or more	585	105,362
96	Valid skip	2,590	524,238
97	Don't know	11	2,434
99	Not stated	269	68,639
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

<i>Variable Name:</i>	FLFPbQ5A	<i>Position:</i>	181	<i>Length:</i>	1
<i>Collection Name:</i>	LFSQ5A				

Which of the following best describes the hours you usually worked during those weeks

...regular daytime schedule or shift?

		FREQ	WTD
1	Yes	5,448	1,042,575
2	No	2,202	361,811
6	Valid skip	2,590	524,238
7	Don't know	4	1,591
9	Not stated	270	68,669
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFPbQ5B** *Position:* 182 *Length:* 1
Collection Name: LFSQ5B

Which of the following best describes the hours you usually worked during those weeks

...regular evening shift?

		FREQ	WTD
1	Yes	560	99,975
2	No	7,090	1,304,411
6	Valid skip	2,590	524,238
7	Don't know	4	1,591
9	Not stated	270	68,669
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFPbQ5C** *Position:* 183 *Length:* 1
Collection Name: LFSQ5C

Which of the following best describes the hours you usually worked during those weeks

...regular night shift?

		FREQ	WTD
1	Yes	181	31,873
2	No	7,469	1,372,513
6	Valid skip	2,590	524,238
7	Don't know	4	1,591
9	Not stated	270	68,669
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFPbQ5D** *Position:* 184 *Length:* 1
Collection Name: LFSQ5D

Which of the following best describes the hours you usually worked during those weeks

...rotating shift (e.g. change from days to evenings to nights)?

		FREQ	WTD
1	Yes	863	123,271
2	No	6,787	1,281,116
6	Valid skip	2,590	524,238
7	Don't know	4	1,591
9	Not stated	270	68,669
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFPbQ5E** *Position:* 185 *Length:* 1
Collection Name: LFSQ5E

Which of the following best describes the hours you usually worked during those weeks

...split shift?

		FREQ	WTD
1	Yes	45	6,831
2	No	7,605	1,397,555
6	Valid skip	2,590	524,238
7	Don't know	4	1,591
9	Not stated	270	68,669
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFPbQ5F** *Position:* 186 *Length:* 1
Collection Name: LFSQ5F

Which of the following best describes the hours you usually worked during those weeks

...on call?

		FREQ	WTD
1	Yes	112	20,072
2	No	7,538	1,384,315
6	Valid skip	2,590	524,238
7	Don't know	4	1,591
9	Not stated	270	68,669
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFPbQ5G** *Position:* 187 *Length:* 1
Collection Name: LFSQ5G

Which of the following best describes the hours you usually worked during those weeks

...irregular schedule?

		FREQ	WTD
1	Yes	646	111,297
2	No	7,004	1,293,089
6	Valid skip	2,590	524,238
7	Don't know	4	1,591
9	Not stated	270	68,669
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFPbQ06** *Position:* 188 *Length:* 1
Collection Name: LFSQ6

During those weeks, did you usually work weekends?

		FREQ	WTD
1	Yes	2,940	492,147
2	No	4,710	911,853
6	Valid skip	2,590	524,238
7	Don't know	4	1,977
9	Not stated	270	68,669
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFPbQ13** *Position:* 189 *Length:* 1
Collection Name: LFSQ13

At this work, do you work mainly for others for wages, salary or commission, or in your own business, farm or professional practice?

		FREQ	WTD
1	For others for wages, salary or commision	2,098	432,489
2	In own business, farm or professional practice	289	69,972
3	Unpaid family worker	3	604
6	Valid skip	2,590	524,238
8	Refused	1	87
9	Not stated	5,533	971,494
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFPf17B** *Position:* 190 *Length:* 2
Collection Name: LFSQ17

During the past 12 months, for the weeks that you were not working for pay or profit, what was the main reason?

		FREQ	WTD
01	Own illness or disability	206	32,575
02	Pregnancy	647	117,023
03	Caring for own children	3,104	611,302
04	Caring for elder relative(s)	5	578
05	Other personal or family responsibilities	202	39,023
06	School or educational leave	297	54,877
07	Labour dispute	10	1,530
08	Temporary layoff due to seasonal conditions	289	30,343
09	Temporary layoff non-seasonal	163	21,441
10	Permanent layoff	132	24,385
11	Unpaid or partially paid vacation	169	33,692
96	Valid skip	4,940	949,886
97	Don't know	25	4,022
98	Refusal	6	1,214
99	Not stated	319	76,993
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who did not work in the past 12 months or worked less than 52 weeks

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Labour Force - Spouse

Variable Name: **FLFSQ02** *Position:* 192 *Length:* 1
Collection Name: LFSQ2

Have you worked for pay or profit at any time in the past 12 months?

		FREQ	WTD
1	Yes	8,407	1,554,880
2	No	438	100,948
6	Valid skip	1,283	245,802
7	Don't know	2	733
8	Refusal	6	1,194
9	Not stated	378	95,327
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FLFScQ3A** *Position:* 193 *Length:* 2
Collection Name: LFSQ3A

How many jobs do you currently hold?

Allowed values: 00 : 10

		FREQ	WTD
00 : 05	Total jobs currently held	8,400	1,553,296
96	Valid skip	1,721	346,750
97	Don't know	6	1,052
98	Refusal	1	533
99	Not stated	386	97,254
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFSbQ03** *Position:* 195 *Length:* 2
Collection Name: LFSQ3

During the past 12 months, how many weeks did you do any work at a job or a business? Include weeks on paid vacation leave, paid maternity or parental leave, paid sick leave

Allowed values: 01 : 52

		FREQ	WTD
01 : 52	Weeks worked past 12 months	8,346	1,542,466
96	Valid skip	1,721	346,750
97	Don't know	55	10,359
98	Refusal	5	1,522
99	Not stated	387	97,787
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFSbQ04** *Position:* 197 *Length:* 2
Collection Name: LFSQ4

About how many hours a week did you usually work?

		FREQ	WTD
01	Less than ten hours	53	11,058
02	Between 10 to 19 hours	103	22,176
03	Between 20 to 29 hours	196	43,989
04	Between 30 to 39 hours	1,141	230,891
05	Between 40 to 49 hours	4,539	841,517
06	50 hours or more	2,344	400,045
96	Valid skip	1,721	346,750
97	Don't know	26	3,991
98	Refusal	3	551
99	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFSbQ5A** *Position:* 199 *Length:* 1
Collection Name: LFSQ5A

Which of the following best describes the hours you usually worked during those weeks

...regular daytime schedule or shift?

		FREQ	WTD
1	Yes	6,247	1,185,521
2	No	2,151	367,414
6	Valid skip	1,721	346,750
7	Don't know	2	397
8	Refusal	5	886
9	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFSbQ5B** *Position:* 200 *Length:* 1
Collection Name: LFSQ5B

Which of the following best describes the hours you usually worked during those weeks

...regular evening shift?

		FREQ	WTD
1	Yes	378	77,218
2	No	8,020	1,475,717
6	Valid skip	1,721	346,750
7	Don't know	2	397
8	Refusal	5	886
9	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFSbQ5C** *Position:* 201 *Length:* 1
Collection Name: LFSQ5C

Which of the following best describes the hours you usually worked during those weeks

...regular night shift?

		FREQ	WTD
1	Yes	218	44,665
2	No	8,180	1,508,270
6	Valid skip	1,721	346,750
7	Don't know	2	397
8	Refusal	5	886
9	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFSbQ5D** *Position:* 202 *Length:* 1
Collection Name: LFSQ5D

Which of the following best describes the hours you usually worked during those weeks

...rotating shift (e.g., change from days to evenings to nights)?

		FREQ	WTD
1	Yes	995	152,387
2	No	7,403	1,400,548
6	Valid skip	1,721	346,750
7	Don't know	2	397
8	Refusal	5	886
9	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFSbQ5E** *Position:* 203 *Length:* 1
Collection Name: LFSQ5E

Which of the following best describes the hours you usually worked during those weeks

...split shift?

		FREQ	WTD
1	Yes	56	9,611
2	No	8,342	1,543,324
6	Valid skip	1,721	346,750
7	Don't know	2	397
8	Refusal	5	886
9	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFSbQ5F** *Position:* 204 *Length:* 1
Collection Name: LFSQ5F

Which of the following best describes the hours you usually worked during those weeks

...on call?

		FREQ	WTD
1	Yes	153	22,337
2	No	8,245	1,530,598
6	Valid skip	1,721	346,750
7	Don't know	2	397
8	Refusal	5	886
9	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFSbQ5G** *Position:* 205 *Length:* 1
Collection Name: LFSQ5G

Which of the following best describes the hours you usually worked during those weeks

...irregular schedule?

		FREQ	WTD
1	Yes	725	120,063
2	No	7,673	1,432,872
6	Valid skip	1,721	346,750
7	Don't know	2	397
8	Refusal	5	886
9	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFSbQ06** *Position:* 206 *Length:* 1
Collection Name: LFSQ6

During those weeks, did you usually work weekends?

		FREQ	WTD
1	Yes	3,724	617,504
2	No	4,668	934,478
6	Valid skip	1,721	346,750
7	Don't know	8	1,612
8	Refusal	5	623
9	Not stated	388	97,916
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFSbQ13** *Position:* 207 *Length:* 1
Collection Name: LFSQ13

At this work, do you work mainly for others for wages, salary or commission, or in your own business, farm or professional practice?

		FREQ	WTD
1	For others for wages,salary or commision	2,437	503,791
2	In own business, farm or professional practice	549	123,342
3	Unpaid family worker	5	471
6	Valid skip	1,721	346,750
7	Don't know	1	66
9	Not stated	5,801	1,024,463
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in the past 12 months

Variable Name: **FLFSf17B** *Position:* 208 *Length:* 2
Collection Name: LFSQ17

During the past 12 months, for the weeks that you were not working for pay or profit, what was the main reason?

		FREQ	WTD
01	Own illness or disability	164	33,331
02	Pregnancy	68	15,535
03	Caring for own children	416	95,636
04	Caring for elder relative(s)	4	226
05	Other personal or family responsibilities	84	15,056
06	School or educational leave	150	27,998
07	Labour dispute	19	2,019
08	Temporary layoff due to seasonal conditions	488	55,197
09	Temporary layoff non-seasonal	206	30,934
10	Permanent layoff	155	37,159
11	Unpaid or partially paid vacation	154	32,969
96	Valid skip	8,118	1,534,695
97	Don't know	36	8,454
98	Refusal	12	1,876
99	Not stated	440	107,799
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who did not work in past 12 months or worked less than 52 weeks

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Labour Force - Derived Variables - PMK

Variable Name: **FLFPfD5A** *Position:* 210 *Length:* 4
Collection Name: LFSDV05A

North American Industry Classification System (NAICS 2002) code for current or most recent job

<i>Allowed values:</i>	1100 : 9191		
		FREQ	WTD
1100 : 9141	NAICS 02 for current job	7,626	1,401,173
9996	Valid skip	2,590	524,238
9999	Not stated	298	73,473
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FLFPfD6A** *Position:* 214 *Length:* 4
Collection Name: LFSDV06A

National Occupational Classification-Statistics (NOC-S), 2001 code for current or most recent job

		FREQ	WTD
Response:	NOC-S 01 code	7,624	1,401,267
9996	Valid skip	2,590	524,238
9999	Not stated	300	73,379
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLFPfD7A	<i>Position:</i>	218	<i>Length:</i>	2
<i>Collection Name:</i>	LFSDV07A				

North American Industry Classification System (NAICS 2002) code for current or most recent job-grouped

		FREQ	WTD
01	Agriculture	143	19,122
02	Forestry, Fishing, Mining, Oil and Gas	139	14,690
03	Utilities	35	7,553
04	Construction	183	38,501
05	Manufacturing	681	144,845
06	Trade	1,018	199,414
07	Transportation and Warehousing	227	48,425
08	Finance, Insurance, Real Estate and Leasing	464	95,349
09	Professional, Scientific and Technical Services	387	93,100
10	Management, Administrative and Other Support	265	52,461
11	Educational Services	818	132,798
12	Health Care and Social Assistance	1,728	288,129
13	Information, Culture and Recreation	251	48,025
14	Accommodation and Food Services	501	84,672
15	Other Services	333	58,405
16	Public Administration	453	75,682
96	Valid skip	2,590	524,238
99	Not Stated	298	73,473
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old
Note: This derived variable is based on FLFPfD5A

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFPfD8A** Position: 220 Length: 2
Collection Name: **LFSDV08**

National Occupational Classification-Statistics NOC-S, 2001 code for current or more recent job-grouped

		FREQ	WTD
01	Senior Management Occupations	17	5,393
02	Other Management Occupations	435	88,650
03	Professional Occupations in Business and Finance	221	54,458
04	Financial, Secretarial and Administrative Occupations	519	93,803
05	Clerical Occupations, Including Supervisors	978	177,661
06	Natural and Applied Sciences and Related Occupations	327	78,508
07	Professional Occupations in Health, Nurse Supervisors and Registered Nurses	464	77,599
08	Technical, Assisting and Related Occupations in Health	419	73,251
09	Occupations in Social Science, Government Service and Religion	793	146,769
10	Teachers and Professors	573	95,374
11	Occupations in Art, Culture, Recreation and Sport	177	34,835
12	Wholesale, Technical, Insurance, Real Estate Sales Specialists, and Retail, Wholesale and Grain Buyers	152	34,110
13	Retail Salespersons, Sales Clerks, Cashiers, Including Retail Trade Supervisors	479	78,471
14	Chefs and Cooks, and Occupations in Food and Beverage Service, Including Supervisors	278	43,252
15	Occupation in Protective Services	86	14,683
16	Childcare and Home Support Workers	133	22,524
17	Sales and Service Occupations N.E.C., Including Occupations in Travel and Accommodation, Attendants in Recreation and Sport as well as Supervisors	606	102,301
18	Contractors and Supervisors in Trades and Transportation	23	5,109
19	Construction Trades	46	11,209
20	Other Trades Occupations	142	27,014
21	Transport and Equipment Operators	113	28,663
22	Trades Helpers, Construction, and Transportation Labourers and Related Occupations	59	10,381
23	Occupations Unique to Primary Industry	225	24,664
24	Machine Operators and Assemblers in Manufacturing, Including Supervisors	281	59,531
25	Labourer in Processing, Manufacturing and Utilities	78	13,055
96	Valid skip	2,590	524,238
99	Not stated	300	73,379
		=====	=====

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

10,514 1,998,884

Coverage: PMK with selected child aged 0 to 5 years old
Note: This derived variable is based on FLFPfD6A

<i>Variable Name:</i>	FLFPD25	<i>Position:</i>	222	<i>Length:</i>	1
<i>Collection Name:</i>	LFSDV25				

Current Working Status

		FREQ	WTD
1	Currently working (i.e., at the time of collection)	6,863	1,286,864
2	Not currently working but had at least one job in the past 12 months	793	119,659
3	Not currently working and did not work during past year	2,590	524,238
9	Not stated	268	68,123
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old
Note: This derived variable is based on questions FLFPQ02 and FLFPcQ3A

<i>Variable Name:</i>	FLFPD34	<i>Position:</i>	223	<i>Length:</i>	2
<i>Collection Name:</i>	LFSDV34				

Total non-work duration - Total number of weeks in the past year for which you did not work for pay or profit

<i>Allowed values:</i>		FREQ	WTD
00 : 51	Number of weeks PMK did not work	7,605	1,397,027
96	Valid skip	2,590	524,238
99	Not stated	319	77,618
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who worked in the past 12 months
Note: This derived variable is based on questions FLFPQ02 and FLFPbQ03

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLFPbD38	<i>Position:</i>	225	<i>Length:</i>	2
<i>Collection Name:</i>	LFSDV38				

Work Status for the year

		FREQ	WTD
01	Worked most of the year (> = 48 weeks) usually full time (> = 30 hours per week)	4,008	774,649
02	Worked most of the year (> = 48 weeks) usually part time (< 30 hours per week)	1,151	217,729
04	Worked 26 to 47 weeks usually full time (> = 30 hours per week)	707	111,972
05	Worked 26 to 47 weeks usually part time (< 30 hours per week)	395	70,117
07	Worked 01 to 25 weeks usually full time (> = 30 hours per week)	768	124,011
08	Worked 01 to 25 weeks usually part time (< 30 hours per week)	573	98,358
10	Did not work during the past year	2,590	524,238
99	Not stated	322	77,809
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FLFPQ02, FLFPbQ03 and FLFPbQ04

<i>Variable Name:</i>	FLFPD51	<i>Position:</i>	227	<i>Length:</i>	1
<i>Collection Name:</i>	LFSDV51				

Current work/study situation

		FREQ	WTD
1	Currently works but does not attend a school, college or university	6,506	1,213,537
2	Currently attends a school, college or university but does not work	361	68,538
3	Currently works and attends a school, college or university	357	73,327
4	Currently does not work and does not attend a school college or university	3,022	575,359
9	Not stated	268	68,123
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on question FEDPQ05 and derived variable FLFPD25

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Labour Force - Derived Variables - Spouse

Variable Name: **FLFSfD5A** *Position:* 228 *Length:* 4
Collection Name: LFSDV05A

North American Industry Classification System (NAICS 2002) code for current or most recent job

Allowed values: 1100 : 9191

		FREQ	WTD
1100 : 9191	NAICS 02 Code for current job-spouse	8,334	1,540,925
9996	Valid skip	1,721	346,750
9999	Not stated	459	111,209
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FLFSfD6A** *Position:* 232 *Length:* 4
Collection Name: LFSDV06A

National Occupational Classification-Statistics (NOC-S), 2001 code for current or most recent job

		FREQ	WTD
Response:	NOC-S 01 code for current job-spouse	8,330	1,539,810
9996	Valid skip	1,721	346,750
9999	Not stated	463	112,324
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLFSfD7A	<i>Position:</i>	236	<i>Length:</i>	2
<i>Collection Name:</i>	LFSDV07A				

North American Industry Classification System (NAICS 2002) code for current or most recent job-grouped

		FREQ	WTD
01	Agriculture	341	39,713
02	Forestry, Fishing, Mining, Oil and Gas	532	56,054
03	Utilities	127	20,415
04	Construction	875	164,079
05	Manufacturing	1,498	302,979
06	Trade	1,104	211,038
07	Transportation and Warehousing	496	89,290
08	Finance, Insurance, Real Estate and Leasing	319	74,226
09	Professional, Scientific and Technical Services	516	127,838
10	Management, Administrative and Other Support	234	45,246
11	Educational Services	441	72,675
12	Health Care and Social Assistance	477	81,538
13	Information, Culture and Recreation	281	59,228
14	Accommodation and Food Services	218	41,623
15	Other Services	343	61,016
16	Public Administration	532	93,968
96	Valid skip	1,721	346,750
99	Not stated	459	111,209
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on FLFSfD5A

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLFSfD8A** Position: 238 Length: 2
Collection Name: **LFSDV08A**

National Occupational Classification-Statistics NOC-S, 2001 code for current or more recent job-grouped

		FREQ	WTD
01	Senior Management Occupations	41	10,142
02	Other Management Occupations	827	166,651
03	Professional Occupations in Business and Finance	186	43,647
04	Financial, Secretarial and Administrative Occupations	167	31,924
05	Clerical Occupations, Including Supervisors	383	82,863
06	Natural and Applied Sciences and Related Occupations	837	172,990
07	Professional Occupations in Health, Nurse Supervisors and Registered Nurses	190	33,168
08	Technical, Assisting and Related Occupations in Health	136	20,784
09	Occupations in Social Science, Government Service and Religion	261	49,659
10	Teachers and Professors	316	54,527
11	Occupations in Art, Culture, Recreation and Sport	138	33,437
12	Wholesale, Technical, Insurance, Real Estate Sales Specialists, and Retail, Wholesale and Grain Buyers	310	58,898
13	Retail Salespersons, Sales Clerks, Cashiers, Including Retail Trade Supervisors	229	39,296
14	Chefs and Cooks, and Occupations in Food and Beverage Service, Including Supervisors	106	23,464
15	Occupation in Protective Services	220	38,027
16	Childcare and Home Support Workers	21	3,041
17	Sales and Service Occupations N.E.C., Including Occupations in Travel and Accommodation, Attendants/Sales and Service Occupations in Recreation and Sport as well as Supervisors	314	60,099
18	Contractors and Supervisors in Trades and Transportation	215	42,751
19	Construction Trades	343	66,243
20	Other Trades Occupations	943	162,112
21	Transport and Equipment Operators	507	88,746
22	Trades Helpers, Construction, and Transportation Labourers and Related Occupations	198	38,262
23	Occupations Unique to Primary Industry	739	81,218
24	Machine Operators and Assemblers in Manufacturing, Including Supervisors	591	118,848
25	Labourer in Processing, Manufacturing and Utilities	112	19,011
96	Valid skip	1,721	346,750
99	Not stated	463	112,324
		=====	=====

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

10,514 1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This derived variable is based on FLFSfD6A

<i>Variable Name:</i>	FLFSD25	<i>Position:</i>	240	<i>Length:</i>	1
<i>Collection Name:</i>	LFSDV25				

Current Working Status

		FREQ	WTD
1	Currently working (i.e., at the time of collection)	8,106	1,505,481
2	Not currently working but had at least one job in the past 12 months	294	47,815
3	Not currently working and did not work during past year	438	100,948
6	Valid skip	1,283	245,802
9	Not stated	393	98,838
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This derived variable is based on questions FLFSQ02 and FLFScQ3A

<i>Variable Name:</i>	FLFSD34	<i>Position:</i>	241	<i>Length:</i>	2
<i>Collection Name:</i>	LFSDV34				

Total non-work duration - Total number of weeks in the past year for which you did not work for pay or profit

Allowed values: 00 : 51

		FREQ	WTD
00 : 51	Weeks did not work for pay-spouse	8,346	1,542,466
96	Valid skip	1,721	346,750
99	Not stated	447	109,668
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who worked in past 12 months
Note: This derived variable is based on questions FLFSQ02 and FLFSbQ03

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLFSbD38	<i>Position:</i>	243	<i>Length:</i>	2
<i>Collection Name:</i>	LFSDV38				

Work Status for the year

		FREQ	WTD
01	Worked most of the year (> = 48 weeks) usually full time (> = 30 hours per week)	6,829	1,282,603
02	Worked most of the year (> = 48 weeks) usually part time (< 30 hours per week)	214	47,264
04	Worked 26 to 47 weeks usually full time (> = 30 hours per week)	703	115,515
05	Worked 26 to 47 weeks usually part time (< 30 hours per week)	47	8,071
07	Worked 01 to 25 weeks usually full time (> = 30 hours per week)	444	65,418
08	Worked 01 to 25 weeks usually part time (< 30 hours per week)	86	20,309
10	Did not work during the past year	438	100,948
96	Valid skip	1,283	245,802
99	Not stated	470	112,955
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This derived variable is based on questions FLFSQ02, FLFSbQ03 and FLFSbQ04

<i>Variable Name:</i>	FLFSD51	<i>Position:</i>	245	<i>Length:</i>	1
<i>Collection Name:</i>	LFSDV51				

Current work/study situation

		FREQ	WTD
1	Currently works but does not attend a school, college or university	7,820	1,451,154
2	Currently attends a school, college or university but does not work	102	20,074
3	Currently works and attends a school, college or university	286	54,327
4	Currently does not work and does not attend a school college or university	630	128,689
6	Valid skip	1,283	245,802
9	Not stated	393	98,838
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This derived variable is based on question FEDSQ05 and derived variable FLFSD25

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Labour Force - Derived Variables - Household

Variable Name: **FLFHD49B** *Position:* 246 *Length:* 2
Collection Name: LFSDV49B

Current work/study situation of PMK and spouse

		FREQ	WTD
01	PMK and spouse both currently work or attend a school, college or university	5,862	1,083,620
02	PMK currently works or attends a school, college or university but spouse does neither	438	97,634
03	Spouse currently works or attends a school, college or university but PMK does neither	2,329	439,579
04	Neither the PMK nor the spouse work or attend a school, college or university	188	29,881
05	PMK currently works or attends a school, college or university and there is no spouse	812	146,229
06	PMK does not currently work or attend a school, college or university and there is no spouse	435	88,046
99	Not stated	450	113,894
		=====	=====
		10,514	1,998,884

Coverage: PMK and spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FEDPQ05 and FEDSQ05, FLFPbQ03 and FLFSbQ03 and derived variables FLFPD25 and FLFSD25

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLFHD50	<i>Position:</i>	248	<i>Length:</i>	2
<i>Collection Name:</i>	LFHDV50				

Reference year LFS Status of PMK & Spouse Combined (Most of the year refers to 48 to 52 weeks, more than half of the year refers to 26 to 47 weeks, less than half refers to 1 to 25 weeks)

		FREQ	WTD
01	PMK & spouse worked most of the year	3,772	719,930
02	PMK worked most of the year and spouse worked for more than half	335	57,407
03	PMK worked most of the year and spouse worked less than half	235	38,817
04	PMK worked most of the year and spouse did not work	241	59,503
05	PMK worked more than half the year and spouse worked most of the year	729	116,535
06	PMK & spouse worked more than half the year	114	18,153
07	PMK worked more than half the year and spouse worked less than half	65	11,394
08	PMK worked more than half the year and spouse did not work	35	8,093
09	PMK worked less than half the year and spouse worked most of the year	822	148,632
10	PMK worked less than half the year and spouse worked more than half	145	19,617
11	PMK & spouse worked less than half the year	111	12,357
12	PMK worked less than half the year and spouse did not work	34	6,399
13	PMK did not work and spouse worked most of the year	1,694	341,068
14	PMK did not work and spouse worked more than half the year	159	29,049
15	PMK did not work & spouse worked less than half the year	119	23,185
16	PMK & spouse did not work	117	23,527
17	PMK worked most of the year and there is no spouse	480	91,603
18	PMK worked more than half of the year and there is no spouse	144	24,449
19	PMK worked less than half of the year and there is no spouse	202	30,656
20	PMK did not work and there is no spouse	411	85,372
99	Not stated	550	133,138
		=====	=====
		10,514	1,998,884

Coverage: PMK and spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FEDPQ05 and FEDSQ05, FLFPbQ03 and FLFSbQ03 and derived variables FLFPD25 and FLFSD25

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Income - PMK

Variable Name: **FINPc1AA** *Position:* 250 *Length:* 6
Collection Name: INCQ1A

During the past 12 months, what was your personal income from wages and salaries (before deductions)?

Allowed values: 000000 : 999995

000000 : 500000	Income sources before deductions	FREQ 10,514 =====	WTD 1,998,884 =====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This variable includes imputed data

Variable Name: **FINPc1AB** *Position:* 256 *Length:* 6
Collection Name: INCQ1B

During the past 12 months, what was your net income from self employment (including business, professional, commission, child care, etc.)?

Allowed values: 000000 : 999995

000000 : 500000	Net income-self-employment	FREQ 10,514 =====	WTD 1,998,884 =====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This variable includes imputed data

Variable Name: **FINPc1AC** *Position:* 262 *Length:* 6
Collection Name: INCQ1C

During the past 12 months, what was your personal income from Employment Insurance benefits (before deductions and repayments)?

Allowed values: 000000 : 018585

000000 : 018585	Income-Employment Insurance	FREQ 10,514 =====	WTD 1,998,884 =====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This variable includes imputed data

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Income - Spouse

Variable Name: **FINSc1AA** *Position:* 268 *Length:* 6
Collection Name: INCQ1A1

During the past 12 months, what was your spouse or partner's personal income from wages and salaries (before deductions)?

Allowed values: 000000 : 999995

		FREQ	WTD
000000 : 750000	Income before deductions	9,231	1,753,082
999996	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This variable includes imputed data

Variable Name: **FINSc1AB** *Position:* 274 *Length:* 6
Collection Name: INCQ1B1

During the past 12 months, what was your spouse or partner's net income from self employment (including business, professional, commission, child care, etc.)?

Allowed values: 000000 : 999995

		FREQ	WTD
000000 : 400000	Net income-Self-employment	9,231	1,753,082
999996	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This variable includes imputed data

Variable Name: **FINSc1AC** *Position:* 280 *Length:* 6
Collection Name: INCQ1C1

During the past 12 months, what was your spouse or partner's income from Employment Insurance benefits (before deductions and repayments)?

Allowed values: 000000 : 018585

		FREQ	WTD
000000 : 018585	Income-Empl Insurance	9,231	1,753,082
999996	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This variable includes imputed data

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Income - Household

Variable Name: **FINHe1AD** *Position:* 286 *Length:* 6
Collection Name: INCQ1D

During the past 12 months, what was your household's total income from Canada Child Tax Benefit and provincial child benefits?

Allowed values: 000000 : 999995

		FREQ	WTD
000000 : 027240	Total child tax	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old
Note: This variable includes imputed data

Variable Name: **FINHe1AE** *Position:* 292 *Length:* 6
Collection Name: INCQ1E

During the past 12 months, what was your household's total income from social assistance (welfare) and provincial income supplements?

Allowed values: 000000 : 025000

		FREQ	WTD
000000 : 025000	Income Supplements	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old
Note: This variable includes imputed data

Variable Name: **FINHe1AF** *Position:* 298 *Length:* 6
Collection Name: INCQ1F

During the past 12 months, what was your household's total income from Child and spousal support?

Allowed values: 000000 : 999995

		FREQ	WTD
000000 : 049000	Child and spousal support	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old
Note: This variable includes imputed data

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FINHe1AG	<i>Position:</i>	304	<i>Length:</i>	6
<i>Collection Name:</i>	INCQ1G				

During the past 12 months, what was your household's total income from all other sources, including dividends, interest, capital gains, tips, etc.?

<i>Allowed values:</i>	000000 : 999995		FREQ	WTD
000000 : 250000	Income from all other sources		10,514	1,998,884
			=====	=====
			10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old
Note: This variable includes imputed data

<i>Variable Name:</i>	FINHeQ03	<i>Position:</i>	310	<i>Length:</i>	7
<i>Collection Name:</i>	HHLDV01				

What is your best estimate of your total household income from all sources in the past 12 months, that is the total income from all household members, before taxes and deductions?

<i>Allowed values:</i>	0000000 : 9999995		FREQ	WTD
0006000 : 1000000	Estimated total household income		10,514	1,998,884
			=====	=====
			10,514	1,998,884

Coverage: All respondents
Note: This variable includes imputed data and is the sum of FINPeD04, FINSeD04 (if applicable), FINHe1AD, FINHe1AE, FINHe1AF and FINHe1AG.

<i>Variable Name:</i>	FINHdQ05	<i>Position:</i>	317	<i>Length:</i>	1
<i>Collection Name:</i>	INCQ5				

Please tell me whether you strongly agree, agree, disagree or strongly disagree with the following statement. You worry about whether the money you have will be enough to support your family.

		FREQ	WTD
1	Strongly agree	1,686	309,095
2	Agree	3,508	644,670
3	Disagree	3,506	666,446
4	Strongly disagree	1,489	299,718
7	Don't know	21	3,752
8	Refusal	11	1,687
9	Not stated	293	73,516
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FINHdQ06** *Position:* 318 *Length:* 1
Collection Name: INCQ6

Compared to your financial situation a year ago, are you and your family ...

		FREQ	WTD
1	Better off	2,984	575,820
2	Worse off	1,543	301,282
3	Just about the same	5,660	1,041,185
7	Don't know	15	3,315
8	Refusal	6	1,248
9	Not stated	306	76,034
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old

Variable Name: **FINHdQ07** *Position:* 319 *Length:* 1
Collection Name: INCQ7

Now looking ahead, do you think that a year from now you (and your family) will be ...

		FREQ	WTD
1	Better off	4,811	942,125
2	Worse off	484	89,562
3	Just about the same	4,807	869,242
7	Don't know	98	20,015
8	Refusal	2	659
9	Not stated	312	77,282
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old

Section: **Income - Derived Variables - PMK**

Variable Name: **FINPeD04** *Position:* 320 *Length:* 6
Collection Name: PMKDV01

Derived personal income

Allowed values: 000000 : 999995

		FREQ	WTD
000000 : 500000	Derived personal income (PMK)	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on imputed data related to questions FINPc1AA, FINPc1AB and FINPc1AC

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Income - Derived Variables - Spouse

Variable Name: **FINSeD04** *Position:* 326 *Length:* 6
Collection Name: SPODV01

Derived personal income

Allowed values: 000000 : 999995

		FREQ	WTD
000000 : 750000	Derived personal income - Spouse	9,231	1,753,082
999996	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on imputed data related to questions FINSc1AA, FINSc1AB and FINSc1AC

Section: Income - Derived Variables - Household

Variable Name: **FINHD03A** *Position:* 332 *Length:* 5
Collection Name: INCDV03A

Low income cut-offs for 2004 (1992 base)

Allowed values: 14000 : 53821

		FREQ	WTD
17429 : 53821	Low-income cut-off	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: Low cut-offs income are based on FGEHbD04 and FDMHD02.

Variable Name: **FINHD04A** *Position:* 337 *Length:* 5
Collection Name: INCDV04A

Ratio of the household low income cut-off for 2004 (1992 base)

Allowed values: 00123 : 29718

		FREQ	WTD
00123 : 29718	Ratio of household low income cutoff	10,514	1,998,884
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on FINHD03A and FINHeQ03. Data for this variable should be divided by 1000 to obtain true ratio value.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: **Income - Imputation flag - PMK**

Variable Name: **FINPeI03** *Position:* 342 *Length:* 1
Collection Name: PMKINCI

Imputation flag-Estimated personal income - (FINPeD04)

		FREQ	WTD
0	No imputation	8,841	1,671,606
1	At least one source of income imputed	1,673	327,278
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FINPI1AA** *Position:* 343 *Length:* 1
Collection Name: INCI1A

Imputation flag - Personal income from wages and salaries (FINPc1AA)

		FREQ	WTD
0	No imputation	9,229	1,745,940
1	Deterministic imputation	21	2,695
2	Donor ratio imputation	768	157,292
3	Donor imputation	496	92,958
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FINPI1AB** *Position:* 344 *Length:* 1
Collection Name: INCI1B

Imputation flag- Net income from self-employment (FINPc1AB)

		FREQ	WTD
0	No imputation	9,436	1,779,092
1	Deterministic imputation	13	2,347
2	Donor ratio imputation	585	123,319
3	Donor imputation	480	94,127
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FINPI1AC	<i>Position:</i>	345
<i>Collection Name:</i>	INC11C	<i>Length:</i>	1

Imputation flag- Personal income from Employment Insurance benefits (FINPc1AC)

		FREQ	WTD
0	No imputation	9,308	1,764,981
1	Deterministic imputation	38	5,335
2	Donor ratio imputation	632	128,018
3	Donor imputation	536	100,550
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Section: Income - Imputation flag - Spouse

<i>Variable Name:</i>	FINSeI03	<i>Position:</i>	346
<i>Collection Name:</i>	SPOINCI	<i>Length:</i>	1

Imputation Flag-Estimated personal income (FINSeD04)

		FREQ	WTD
0	No imputation	7,499	1,421,485
1	At least one source of income imputed	1,732	331,597
6	Valid skip (no spouse)	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FINS1AA	<i>Position:</i>	347
<i>Collection Name:</i>	INC11A1	<i>Length:</i>	1

Imputation flag - Personal income from wages and salaries (FINSc1AA)

		FREQ	WTD
0	No imputation	7,750	1,465,916
1	Deterministic imputation	35	7,015
2	Donor ratio imputation	831	174,857
3	Donor imputation	615	105,293
6	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FINSI1AB** *Position:* 348 *Length:* 1
Collection Name: INC11B1

Imputation flag- Net income from self-employment (FINSc1AB)

		FREQ	WTD
0	No imputation	8,002	1,514,367
1	Deterministic imputation	30	3,295
2	Donor ratio imputation	659	138,516
3	Donor imputation	540	96,904
6	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FINSI1AC** *Position:* 349 *Length:* 1
Collection Name: INC11C1

Imputation flag- Personal income from Employment Insurance benefits (FINSc1AC)

		FREQ	WTD
0	No imputation	8,130	1,538,936
1	Deterministic imputation	47	8,500
2	Donor ratio imputation	571	117,687
3	Donor imputation	483	87,959
6	Valid skip	1,283	245,802
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Section: **Income - Imputation flag - Household**

Variable Name: **FINHeI02** *Position:* 350 *Length:* 1
Collection Name: PINCTOTH

Imputation flag-Estimated income for the household (FINHeQ03)

		FREQ	WTD
0	No imputation	8,223	1,560,314
1	Estimated income imputation	516	90,651
2	Donor trend imputation by income range	267	53,765
3	Donor trend imputation	466	105,925
4	Donor imputation by income range	362	61,541
5	Donor imputation	680	126,688
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FINHI1AD** *Position:* 351 *Length:* 1
Collection Name: INCI1D

Imputation flag for household's total income from Canada Child Tax Benefit and provincial child benefits (FINHe1AD)

		FREQ	WTD
0	No imputation	8,823	1,664,115
1	Deterministic imputation	0	0
2	Donor ratio imputation	992	200,262
3	Donor imputation	699	134,507
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old

Variable Name: **FINHI1AE** *Position:* 352 *Length:* 1
Collection Name: INCI1E

Imputation flag for household's total income from social assistance (welfare) and provincial income supplements (FINHe1AE)

		FREQ	WTD
0	No imputation	9,456	1,780,178
1	Deterministic imputation	5	566
2	Donor ratio imputation	545	119,866
3	Donor imputation	508	98,274
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old

Variable Name: **FINHI1AF** *Position:* 353 *Length:* 1
Collection Name: INCI1F

Imputation flag for household's total income from Child and spousal support (FINHe1AF)

		FREQ	WTD
0	No imputation	9,457	1,782,968
1	Deterministic imputation	6	1,091
2	Donor ratio imputation	543	115,927
3	Donor imputation	508	98,898
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FINHI1AG** *Position:* 354 *Length:* 1
Collection Name: INCI1G

Imputation flag for household's total income from all other sources, including dividends, interest, capital gains, tips, etc. (FINHe1AG)

		FREQ	WTD
0	No imputation	9,396	1,770,916
1	Deterministic imputation	0	0
2	Donor ratio imputation	585	123,806
3	Donor imputation	533	104,162
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse of any selected child aged 0 to 5 years old

Section: **Adult Health - PMK**

Variable Name: **FHLPQ01** *Position:* 355 *Length:* 1
Collection Name: HLAQ1

The following questions ask about your health. In general, would you say your health is :

		FREQ	WTD
1	Excellent	3,748	702,610
2	Very good	3,876	714,929
3	Good	2,070	406,379
4	Fair	412	79,222
5	Poor	110	21,804
7	Don't know	3	484
8	Refusal	2	832
9	Not stated	293	72,624
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHPQ1A	<i>Position:</i>	356	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AA				

Do you have any of the following long term conditions

...food or digestive allergies?

		FREQ	WTD
1	Yes	436	74,656
2	No	9,571	1,794,523
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHPd1AB	<i>Position:</i>	357	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AB				

Do you have any of the following long term conditions

...respiratory allergies such as hay fever?

		FREQ	WTD
1	Yes	960	188,091
2	No	9,047	1,681,088
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCHPQ1B** *Position:* 358 *Length:* 1
Collection Name: HLAQ1AC

Do you have any of the following long term conditions

...any other allergies?

		FREQ	WTD
1	Yes	919	161,079
2	No	9,088	1,708,100
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FCHPQ1C** *Position:* 359 *Length:* 1
Collection Name: HLAQ1AD

Do you have any of the following long term conditions

...asthma?

		FREQ	WTD
1	Yes	773	147,525
2	No	9,234	1,721,654
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHPQ1D	<i>Position:</i>	360	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AE				

Do you have any of the following long term conditions

...arthritis or rheumatism?

		FREQ	WTD
1	Yes	344	53,035
2	No	9,663	1,816,143
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHPQ1E	<i>Position:</i>	361	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AF				

Do you have any of the following long term conditions

...back problems excluding arthritis?

		FREQ	WTD
1	Yes	932	164,480
2	No	9,075	1,704,699
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHPQ1F	<i>Position:</i>	362	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AG				

Do you have any of the following long term conditions

...high blood pressure?

		FREQ	WTD
1	Yes	222	35,448
2	No	9,785	1,833,730
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHPQ1G	<i>Position:</i>	363	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AH				

Do you have any of the following long term conditions

...migraine headaches?

		FREQ	WTD
1	Yes	916	158,719
2	No	9,091	1,710,460
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCHPQ1H** *Position:* 364 *Length:* 1
Collection Name: HLAQ1AI

Do you have any of the following long term conditions

...chronic bronchitis or emphysema?

		FREQ	WTD
1	Yes	106	16,685
2	No	9,901	1,852,494
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FCHPQ1I** *Position:* 365 *Length:* 1
Collection Name: HLAQ1AJ

Do you have any of the following long term conditions

...sinusitis?

		FREQ	WTD
1	Yes	246	40,724
2	No	9,761	1,828,455
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHPQ1J	<i>Position:</i>	366	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AK				

Do you have any of the following long term conditions

...diabetes?

		FREQ	WTD
1	Yes	108	16,921
2	No	9,899	1,852,258
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHPQ1K	<i>Position:</i>	367	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AL				

Do you have any of the following long term conditions

...epilepsy?

		FREQ	WTD
1	Yes	46	9,913
2	No	9,961	1,859,266
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCHPQ1L** *Position:* 368 *Length:* 1
Collection Name: HLAQ1AM

Do you have any of the following long term conditions

...heart disease?

		FREQ	WTD
1	Yes	42	9,353
2	No	9,965	1,859,826
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FCHPQ1M** *Position:* 369 *Length:* 1
Collection Name: HLAQ1AN

Do you have any of the following long term conditions

...cancer?

		FREQ	WTD
1	Yes	34	6,552
2	No	9,973	1,862,627
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHPQ1N	<i>Position:</i>	370	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AO				

Do you have any of the following long-term conditions

...stomach or intestinal ulcers?

		FREQ	WTD
1	Yes	120	21,793
2	No	9,887	1,847,386
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHPQ1O	<i>Position:</i>	371	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AP				

Do you have any of the following long term conditions

...effects of stroke?

		FREQ	WTD
1	Yes	11	4,033
2	No	9,996	1,865,145
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHPQ1U	<i>Position:</i>	372	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AQ				

Do you have any of the following long term conditions

...any other long term condition?

		FREQ	WTD
1	Yes	671	100,597
2	No	9,336	1,768,582
7	Don't know	1	77
8	Refusal	7	2,213
9	Not stated	499	127,415
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FRSPd1AA	<i>Position:</i>	373	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1B1				

Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?

		FREQ	WTD
1	Yes, sometimes	472	77,141
2	Yes, often	347	63,372
3	No	9,397	1,784,025
7	Don't know	1	550
8	Refusal	3	921
9	Not stated	294	72,875
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FRSPQ01A** *Position:* 374 *Length:* 1
Collection Name: HLAQ1B

Does a physical condition or mental condition or health problem reduce the amount or kind of activity you can do

...at home?

		FREQ	WTD
1	Yes, sometimes	488	86,830
2	Yes, often	252	42,944
3	No	9,475	1,794,406
7	Don't know	1	550
8	Refusal	1	358
9	Not stated	297	73,796
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FRSPdQ1F** *Position:* 375 *Length:* 1
Collection Name: HLAQ1C

Does a physical condition or mental condition or health problem reduce the amount or kind of activity you can do

...at work or at school?

		FREQ	WTD
1	Yes, sometimes	306	52,544
2	Yes, often	139	23,250
3	No	7,569	1,411,477
6	Valid skip	2,201	436,908
7	Don't know	1	550
9	Not stated	298	74,155
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: Not applicable to respondents not working or not in school.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FRSPQ01E	<i>Position:</i>	376	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1D				

Does a physical condition or mental condition or health problem reduce the amount or kind of activity you can do

...in caring for children?

		FREQ	WTD
1	Yes, sometimes	365	67,034
2	Yes, often	126	22,662
3	No	9,724	1,834,483
7	Don't know	1	550
9	Not stated	298	74,155
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FRSPQ01D	<i>Position:</i>	377	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1E				

Does a physical condition or mental condition or health problem reduce the amount or kind of activity you can do

...in other activities, for example, transportation or leisure?

		FREQ	WTD
1	Yes, sometimes	452	81,497
2	Yes, often	193	36,233
3	No	9,566	1,804,431
7	Don't know	4	2,515
8	Refusal	1	53
9	Not stated	298	74,155
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLPQ02	<i>Position:</i>	378	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ2				

At the present time do you smoke cigarettes daily, occasionally or not at all?

		FREQ	WTD
1	Daily	1,761	307,199
2	Occasionally	568	105,455
3	Not at all	7,884	1,511,286
7	Don't know	2	909
8	Refusal	5	1,160
9	Not stated	294	72,875
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FHLPQ03	<i>Position:</i>	379	<i>Length:</i>	2
<i>Collection Name:</i>	HLAQ3				

How many cigarettes do you smoke each day now?

Allowed values: 01 : 95

		FREQ	WTD
01 : 78	Number of cigarettes	1,755	305,981
96	Valid skip	8,452	1,616,741
97	Don't know	6	1,218
99	Not stated	301	74,944
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who smoke daily

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLPcQ05** *Position:* 381 *Length:* 2
Collection Name: HLAQ5

During the past 12 months, how often did you drink beer, wine, liquor or any other alcoholic beverage?

		FREQ	WTD
01	Every day	80	22,073
02	4 to 6 times a week	101	27,612
03	2 or 3 times a week	658	143,244
04	Once a week	1,270	255,569
05	2 or 3 times a month	1,191	219,850
06	Once a month	1,457	251,589
07	Less than once a month	3,092	508,753
08	Never	2,347	492,432
97	Don't know	13	2,774
98	Refusal	11	2,114
99	Not stated	294	72,875
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FHLPcQ5A** *Position:* 383 *Length:* 2
Collection Name: HLAQ5A

On those occasions, on average how many alcoholic beverages (drinks) would you consume?

Allowed values: 01 : 20

		FREQ	WTD
01 : 20	Average number of alcoholic beverages	7,820	1,424,884
96	Valid skip	2,347	492,432
97	Don't know	42	6,580
99	Not stated	305	74,988
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who drank alcohol in past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLPQ06** *Position:* 385 *Length:* 3
Collection Name: HLAQ6

How many times in the past 12 months have you had 5 or more drinks on one occasion?

Allowed values: 000 : 365

		FREQ	WTD
000 : 280	Drank 5 or more drinks on one occasion	7,797	1,421,751
996	Valid skip	2,347	492,432
997	Don't know	63	9,181
998	Refusal	2	532
999	Not stated	305	74,988
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, who drank alcohol in past 12 months

Section: **Adult Health - Spouse**

Variable Name: **FHLSQ01** *Position:* 388 *Length:* 1
Collection Name: HLAQ1

The following questions ask about your health. In general, would you say your health is:

		FREQ	WTD
1	Excellent	3,415	639,614
2	Very good	3,244	586,233
3	Good	1,818	357,891
4	Fair	290	57,351
5	Poor	59	11,966
6	Valid skip	1,283	245,802
7	Don't know	3	930
8	Refusal	11	1,774
9	Not stated	391	97,324
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1A	<i>Position:</i>	389	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AA				

Do you have any of the following long term conditions

...food or digestive allergies?

		FREQ	WTD
1	Yes	254	46,453
2	No	8,414	1,573,594
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHSd1AB	<i>Position:</i>	390	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AB				

Do you have any of the following long term conditions

...respiratory allergies such as hay fever?

		FREQ	WTD
1	Yes	741	144,158
2	No	7,927	1,475,889
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1B	<i>Position:</i>	391	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AC				

Do you have any of the following long term conditions

...any other allergies?

		FREQ	WTD
1	Yes	524	91,648
2	No	8,144	1,528,399
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHSQ1C	<i>Position:</i>	392	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AD				

Do you have any of the following long term conditions

...asthma?

		FREQ	WTD
1	Yes	500	87,071
2	No	8,168	1,532,976
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1D	<i>Position:</i>	393	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AE				

Do you have any of the following long term conditions

...arthritis or rheumatism?

		FREQ	WTD
1	Yes	259	38,494
2	No	8,409	1,581,553
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHSQ1E	<i>Position:</i>	394	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AF				

Do you have any of the following long term conditions

...back problems excluding arthritis?

		FREQ	WTD
1	Yes	731	133,684
2	No	7,937	1,486,363
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1F	<i>Position:</i>	395	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AG				

Do you have any of the following long term conditions

...high blood pressure?

		FREQ	WTD
1	Yes	241	41,291
2	No	8,427	1,578,756
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHSQ1G	<i>Position:</i>	396	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AH				

Do you have any of the following long term conditions

...migraine headaches?

		FREQ	WTD
1	Yes	341	59,920
2	No	8,327	1,560,127
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1H	<i>Position:</i>	397	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AI				

Do you have any of the following long term conditions

...chronic bronchitis or emphysema?

		FREQ	WTD
1	Yes	46	7,378
2	No	8,622	1,612,668
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHSQ1I	<i>Position:</i>	398	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AJ				

Do you have any of the following long term conditions

...sinusitis?

		FREQ	WTD
1	Yes	121	20,289
2	No	8,547	1,599,758
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1J	<i>Position:</i>	399	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AK				

Do you have any of the following long term conditions

...diabetes?

		FREQ	WTD
1	Yes	106	16,466
2	No	8,562	1,603,581
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHSQ1K	<i>Position:</i>	400	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AL				

Do you have any of the following long term conditions

...epilepsy?

		FREQ	WTD
1	Yes	25	4,944
2	No	8,643	1,615,102
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1L	<i>Position:</i>	401	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AM				

Do you have any of the following long term conditions

...heart disease?

		FREQ	WTD
1	Yes	40	5,934
2	No	8,628	1,614,113
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHSQ1M	<i>Position:</i>	402	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AN				

Do you have any of the following long term conditions

...cancer?

		FREQ	WTD
1	Yes	9	1,857
2	No	8,659	1,618,190
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1N	<i>Position:</i>	403	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AO				

Do you have any of the following long term conditions

...stomach or intestinal ulcers?

		FREQ	WTD
1	Yes	113	17,403
2	No	8,555	1,602,644
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FCHSQ1O	<i>Position:</i>	404	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AP				

Do you have any of the following long term conditions

...effects of stroke?

		FREQ	WTD
1	Yes	8	607
2	No	8,660	1,619,440
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCHSQ1U	<i>Position:</i>	405	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1AQ				

Do you have any of the following long term conditions

...any other long term condition?

		FREQ	WTD
1	Yes	458	71,093
2	No	8,210	1,548,954
6	Valid skip	1,283	245,802
7	Don't know	3	493
8	Refusal	17	2,775
9	Not stated	543	129,766
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FRSSd1AA	<i>Position:</i>	406	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ1B1				

Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?

		FREQ	WTD
1	Yes, sometimes	387	63,629
2	Yes, often	302	46,624
3	No	8,133	1,542,163
6	Valid skip	1,283	245,802
7	Don't know	4	1,039
8	Refusal	13	2,221
9	Not stated	392	97,405
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FRSSQ01A** *Position:* 407 *Length:* 1
Collection Name: HLAQ1B

Does a physical condition or mental condition or health problem reduce the amount or kind of activity you can do

...at home?

		FREQ	WTD
1	Yes, sometimes	356	63,625
2	Yes, often	158	27,183
3	No	8,309	1,561,944
6	Valid skip	1,283	245,802
7	Don't know	2	631
8	Refusal	1	72
9	Not stated	405	99,626
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FRSSdQ1F** *Position:* 408 *Length:* 1
Collection Name: HLAQ1C

Does a physical condition or mental condition or health problem reduce the amount or kind of activity you can do

...at work or at school?

		FREQ	WTD
1	Yes, sometimes	298	50,457
2	Yes, often	122	21,738
3	No	7,879	1,467,091
6	Valid skip	1,805	359,116
7	Don't know	4	784
9	Not stated	406	99,698
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: Not applicable to respondents not working or not in school.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FRSSQ01E** *Position:* 409 *Length:* 1
Collection Name: HLAQ1D

Does a physical condition or mental condition or health problem reduce the amount or kind of activity you can do

...in caring for children?

		FREQ	WTD
1	Yes, sometimes	221	38,743
2	Yes, often	67	13,468
3	No	8,534	1,600,052
6	Valid skip	1,283	245,802
7	Don't know	3	1,121
9	Not stated	406	99,698
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FRSSQ01D** *Position:* 410 *Length:* 1
Collection Name: HLAQ1E

Does a physical condition or mental condition or health problem reduce the amount or kind of activity you can do

...in other activities, for example, transportation or leisure?

		FREQ	WTD
1	Yes, sometimes	337	61,959
2	Yes, often	137	25,135
3	No	8,346	1,564,918
6	Valid skip	1,283	245,802
7	Don't know	5	1,371
9	Not stated	406	99,698
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLSQ02	<i>Position:</i>	411	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ2				

At the present time do you smoke cigarettes daily, occasionally or not at all?

		FREQ	WTD
1	Daily	1,707	311,996
2	Occasionally	426	75,283
3	Not at all	6,685	1,263,991
6	Valid skip	1,283	245,802
7	Don't know	6	1,289
8	Refusal	15	3,116
9	Not stated	392	97,405
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FHLSQ03	<i>Position:</i>	412	<i>Length:</i>	2
<i>Collection Name:</i>	HLAQ3				

How many cigarettes do you smoke each day now?

Allowed values: 01 : 95

		FREQ	WTD
01 : 50	Number of cigarettes (spouse)	1,674	307,130
96	Valid skip	8,394	1,585,077
97	Don't know	33	4,867
99	Not stated	413	101,811
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who smoke daily

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLScQ05	<i>Position:</i>	414	<i>Length:</i>	2
<i>Collection Name:</i>	HLAQ5				

During the past 12 months, how often did you drink beer, wine, liquor or any other alcoholic beverage?

		FREQ	WTD
01	Every day	264	60,796
02	4 to 6 times a week	263	59,971
03	2 or 3 times a week	1,199	236,912
04	Once a week	1,691	310,395
05	2 or 3 times a month	1,244	207,266
06	Once a month	1,146	191,624
07	Less than once a month	1,597	277,409
08	Never	1,376	299,856
96	Valid skip	1,283	245,802
97	Don't know	37	6,915
98	Refusal	21	3,979
99	Not stated	393	97,958
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FHLScQ5A	<i>Position:</i>	416	<i>Length:</i>	2
<i>Collection Name:</i>	HLAQ5A				

On those occasions, on average how many alcoholic beverages (drinks) would you consume?

Allowed values: 01 : 20

		FREQ	WTD
01 : 20	Average number of beverages (spouse)	7,328	1,334,366
96	Valid skip	2,659	545,658
97	Don't know	107	15,898
98	Refusal	6	1,025
99	Not stated	414	101,937
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who drank alcohol in past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLSQ06** *Position:* 418 *Length:* 3
Collection Name: HLAQ6

How many times in the past 12 months have you had 5 or more drinks on one occasion?

Allowed values: 000 : 365

		FREQ	WTD
000 : 365	Times drank 5 or more	7,211	1,308,618
996	Valid skip	2,659	545,658
997	Don't know	220	41,465
998	Refusal	4	181
999	Not stated	420	102,962
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, who drank alcohol in past 12 months

Section: Maternal History

Variable Name: **FHLMQ8** *Position:* 421 *Length:* 2
Collection Name: HLAQ8

Now I would like to ask you some questions about your past pregnancies. How many times throughout your life have you been pregnant including any pregnancies which did not go full term?

Allowed values: 00 : 20

		FREQ	WTD
00 : 14	Times been pregnant	4,179	615,816
96	Valid skip	6,099	1,326,701
97	Don't know	4	678
98	Refusal	12	2,274
99	Not stated	220	53,415
		=====	=====
		10,514	1,998,884

Coverage: Female PMK or spouse, with selected child aged 0 to 5 years old, if first interview and non proxy
Note: This variable is released at the household level.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLMQ9** **Position:** 423 **Length:** 2
Collection Name: HLAQ9

How many babies have you had?

Allowed values: 00 : 20

		FREQ	WTD
00 : 11	Number of babies	4,132	608,256
96	Valid skip	6,145	1,334,103
97	Don't know	1	160
99	Not stated	236	56,366
		=====	=====
		10,514	1,998,884

Coverage: Female PMK or spouse, with selected child aged 0 to 5 years old, who have had past pregnancies, if first interview and non proxy

Note: This variable is released at the household level.

Variable Name: **FHLMQ11** **Position:** 425 **Length:** 2
Collection Name: HLAQ11

At what age did you have your first baby?

Allowed values: 10 : 55

		FREQ	WTD
11 : 44	Age had first baby	4,124	607,003
96	Valid skip	6,152	1,335,273
98	Refusal	1	82
99	Not stated	237	56,526
		=====	=====
		10,514	1,998,884

Coverage: Female PMK or spouse, with selected child aged 0 to 5 years old, who have had past pregnancies and babies, if first interview and non proxy

Note: This variable is released at the household level.

Section: **Adult Health - Derived Variables - PMK**

Variable Name: **FCHPD01** **Position:** 427 **Length:** 1
Collection Name: CHPDV01

Presence of chronic condition

		FREQ	WTD
1	Yes	4,000	703,034
2	No	6,007	1,166,145
9	Not stated	507	129,705
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FCHPQ1A to FCHPQ1U and HLAQ1AR . If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FRSPdD01** *Position:* 428 *Length:* 1
Collection Name: HLARSTDV

Presence of activity restriction

		FREQ	WTD
1	Yes	942	167,900
2	No	9,270	1,755,286
9	Not stated	302	75,698
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FRSPQ01A, FRSPdQ1F, FRSPQ01E and FRSPQ01D

Section: Adult Health - Derived Variables - Spouse

Variable Name: **FCHSD01** *Position:* 429 *Length:* 1
Collection Name: CHPDV01

Presence of chronic condition

		FREQ	WTD
1	Yes	2,990	529,444
2	No	5,678	1,090,602
6	Valid skip	1,283	245,802
9	Not stated	563	133,035
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FCHSQ1A to FCHSQ1U and HLAQ1AR. If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FRSSdD01** *Position:* 430 *Length:* 1
Collection Name: HLARSTDV

Presence of activity restriction

		FREQ	WTD
1	Yes	689	121,723
2	No	8,131	1,530,290
6	Valid skip	1,283	245,802
9	Not stated	411	101,069
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FRSSQ01A, FRSSdQ1F, FRSSQ01E and FRSSQ01D

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Adult Health - Depression - PMK

Variable Name: **FDPPQ12A** *Position:* 431 *Length:* 1
Collection Name: HLAQ12A

How often have you felt or behaved this way during the past week

...I did not feel like eating; my appetite was poor?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	7,957	1,484,598
2	Some or a little of the time (1 or 2 days)	1,091	216,801
3	Occasionally or a moderate amount of time (3 or 4 days)	574	112,392
4	Most or all of the time (5 or 7 days)	324	61,576
7	Don't know	11	2,891
8	Refusal	31	5,779
9	Not stated	526	114,848
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

Variable Name: **FDPPQ12B** *Position:* 432 *Length:* 1
Collection Name: HLAQ12B

How often have you felt or behaved this way during the past week

...I felt that I could not shake off the blues even with help from my friends?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	8,639	1,615,367
2	Some or a little of the time (1 or 2 days)	839	169,425
3	Occasionally or a moderate amount of time (3 or 4 days)	298	55,351
4	Most or all of the time (5 or 7 days)	158	33,345
7	Don't know	17	3,991
8	Refusal	5	700
9	Not stated	558	120,705
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FDPPQ12C** *Position:* 433 *Length:* 1
Collection Name: HLAQ12C

How often have you felt or behaved this way during the past week

...I had trouble keeping my mind on what I was doing?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	6,950	1,325,662
2	Some or a little of the time (1 or 2 days)	2,057	377,718
3	Occasionally or a moderate amount of time (3 or 4 days)	612	109,344
4	Most or all of the time (5 or 7 days)	310	60,340
7	Don't know	20	3,845
8	Refusal	2	570
9	Not stated	563	121,405
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

Variable Name: **FDPPQ12D** *Position:* 434 *Length:* 1
Collection Name: HLAQ12D

How often have you felt or behaved this way during the past week

...I felt depressed?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	8,151	1,530,575
2	Some or a little of the time (1 or 2 days)	1,226	237,201
3	Occasionally or a moderate amount of time (3 or 4 days)	371	70,015
4	Most or all of the time (5 or 7 days)	185	35,677
7	Don't know	14	3,112
8	Refusal	2	329
9	Not stated	565	121,975
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FDPPQ12E** *Position:* 435 *Length:* 1
Collection Name: HLAQ12E

How often have you felt or behaved this way during the past week

...I felt that everything I did was an effort?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	7,140	1,341,890
2	Some or a little of the time (1 or 2 days)	1,769	335,693
3	Occasionally or a moderate amount of time (3 or 4 days)	550	107,752
4	Most or all of the time (5 or 7 days)	466	86,465
7	Don't know	22	4,780
9	Not stated	567	122,304
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

Variable Name: **FDPPQ12F** *Position:* 436 *Length:* 1
Collection Name: HLAQ12F

How often have you felt or behaved this way during the past week

...I felt hopeful about the future?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	501	115,133
2	Some or a little of the time (1 or 2 days)	874	144,804
3	Occasionally or a moderate amount of time (3 or 4 days)	1,072	207,223
4	Most or all of the time (5 or 7 days)	7,447	1,398,230
7	Don't know	50	9,359
8	Refusal	2	1,062
9	Not stated	568	123,074
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDPPQ12G	<i>Position:</i>	437	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ12G				

How often have you felt or behaved this way during the past week

...my sleep was restless?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	5,102	972,852
2	Some or a little of the time (1 or 2 days)	2,225	412,668
3	Occasionally or a moderate amount of time (3 or 4 days)	1,144	220,625
4	Most or all of the time (5 or 7 days)	1,456	265,049
7	Don't know	17	3,554
9	Not stated	570	124,136
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

<i>Variable Name:</i>	FDPPQ12H	<i>Position:</i>	438	<i>Length:</i>	1
<i>Collection Name:</i>	HLAQ12H				

How often have you felt or behaved this way during the past week

...I was happy?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	146	33,745
2	Some or a little of the time (1 or 2 days)	474	99,271
3	Occasionally or a moderate amount of time (3 or 4 days)	735	148,786
4	Most or all of the time (5 or 7 days)	8,574	1,588,868
7	Don't know	15	4,079
9	Not stated	570	124,136
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FDPPQ12I** *Position:* 439 *Length:* 1
Collection Name: HLAQ12I

How often have you felt or behaved this way during the past week

...I felt lonely?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	7,893	1,478,707
2	Some or a little of the time (1 or 2 days)	1,297	249,190
3	Occasionally or a moderate amount of time (3 or 4 days)	451	85,128
4	Most or all of the time (5 or 7 days)	289	59,071
7	Don't know	13	2,617
8	Refusal	1	35
9	Not stated	570	124,136
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

Variable Name: **FDPPQ12J** *Position:* 440 *Length:* 1
Collection Name: HLAQ12J

How often have you felt or behaved this way during the past week

...I enjoyed life?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	217	56,614
2	Some or a little of the time (1 or 2 days)	448	91,473
3	Occasionally or a moderate amount of time (3 or 4 days)	728	157,157
4	Most or all of the time (5 or 7 days)	8,536	1,565,421
7	Don't know	14	4,048
9	Not stated	571	124,171
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FDPPQ12K** *Position:* 441 *Length:* 1
Collection Name: HLAQ12K

How often have you felt or behaved this way during the past week

...I had crying spells?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	8,448	1,583,316
2	Some or a little of the time (1 or 2 days)	987	193,346
3	Occasionally or a moderate amount of time (3 or 4 days)	331	62,741
4	Most or all of the time (5 or 7 days)	165	32,483
7	Don't know	12	2,826
9	Not stated	571	124,171
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

Variable Name: **FDPPQ12L** *Position:* 442 *Length:* 1
Collection Name: HLAQ12L

How often have you felt or behaved this way during the past week

...I felt that people disliked me?

		FREQ	WTD
1	Rarely or none of the time (less than 1 day)	9,161	1,715,958
2	Some or a little of the time (1 or 2 days)	490	95,022
3	Occasionally or a moderate amount of time (3 or 4 days)	138	32,622
4	Most or all of the time (5 or 7 days)	135	26,543
7	Don't know	18	4,406
8	Refusal	1	162
9	Not stated	571	124,171
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non proxy

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Adult Health - Depression Score - PMK

Variable Name: **FDPPS01** *Position:* 443 *Length:* 2
Collection Name: HLADEPH

Score - Depression scale

		FREQ	WTD
00	00	2,324	426,676
01	01	1,347	251,804
02	02	1,130	211,012
03	03	1,165	211,589
04	04	784	146,818
05	05	605	114,867
06	06	508	94,717
07	07	358	69,126
08	08	279	58,257
09	09	256	48,144
10	10	174	34,891
11	11	153	30,792
12	12	127	27,874
13	13	99	21,283
14	14	95	17,041
15	15	83	18,769
16	16	61	10,721
17	17	54	9,574
18	18	38	6,234
19	19	37	9,936
20	20	29	6,538
21	21	22	4,963
22	22	25	3,343
23	23	13	2,089
24	24	14	1,681
25	25	15	2,330
26	26	8	1,751
27	27	11	4,365
28	28	5	1,056
29	29	6	804
30	30	5	988
31	31	5	765
32	32	5	926
33	33	4	652
34	34	0	0
35	35	2	87
36	36	3	505
99	Not stated	665	145,917
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if non-proxy

Note: This derived variable is based on questions FDPPQ12A, FDPPQ12B, FDPPQ12C, FDPPQ12D, FDPPQ12E, FDPPQ12F, FDPPQ12G, FDPPQ12H, FDPPQ12I, FDPPQ12J, FDPPQ12K and FDPPQ12L. The values were reversed for FDPPQ12F, FDPPQ12H and FDPPQ12J. The total score varies from 0 to 36, a high score indicating the presence of depression symptoms.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Family Functioning

Variable Name: **FFNHQ01A** *Position:* 445 *Length:* 1
Collection Name: FNCQ1A

Planning family activities is difficult because we misunderstand each other.

		FREQ	WTD
1	Strongly agree	176	34,180
2	Agree	884	164,495
3	Disagree	5,319	985,749
4	Strongly disagree	3,775	723,044
7	Don't know	31	9,268
8	Refusal	40	7,127
9	Not stated	289	75,020
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Variable Name: **FFNHQ01B** *Position:* 446 *Length:* 1
Collection Name: FNCQ1B

In times of crisis we can turn to each other for support.

		FREQ	WTD
1	Strongly agree	5,245	978,435
2	Agree	4,563	848,051
3	Disagree	253	59,356
4	Strongly disagree	88	20,206
7	Don't know	31	9,183
8	Refusal	4	832
9	Not stated	330	82,822
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FFNHQ01C	<i>Position:</i>	447	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1C				

We cannot talk to each other about sadness we feel.

		FREQ	WTD
1	Strongly agree	165	39,475
2	Agree	767	150,695
3	Disagree	5,475	1,019,390
4	Strongly disagree	3,739	695,235
7	Don't know	31	9,610
8	Refusal	3	825
9	Not stated	334	83,654
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FFNHQ01D	<i>Position:</i>	448	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1D				

Individuals, in the family, are accepted for what they are.

		FREQ	WTD
1	Strongly agree	4,806	904,578
2	Agree	5,075	942,094
3	Disagree	211	43,270
4	Strongly disagree	55	13,591
7	Don't know	29	10,722
8	Refusal	1	150
9	Not stated	337	84,479
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FFNHQ01E	<i>Position:</i>	449	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1E				

We avoid discussing our fears or concerns.

		FREQ	WTD
1	Strongly agree	119	24,624
2	Agree	910	170,572
3	Disagree	5,971	1,104,786
4	Strongly disagree	3,144	602,667
7	Don't know	32	11,606
9	Not stated	338	84,629
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FFNHQ01F	<i>Position:</i>	450	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1F				

We express feelings to each other.

		FREQ	WTD
1	Strongly agree	3,841	733,969
2	Agree	5,913	1,092,359
3	Disagree	335	67,171
4	Strongly disagree	57	10,644
7	Don't know	27	9,638
8	Refusal	3	474
9	Not stated	338	84,629
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FFNHQ01G	<i>Position:</i>	451	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1G				

There are lots of bad feelings in our family.

		FREQ	WTD
1	Strongly agree	78	13,502
2	Agree	496	89,924
3	Disagree	5,412	1,005,960
4	Strongly disagree	4,145	792,456
7	Don't know	40	11,761
8	Refusal	2	179
9	Not stated	341	85,103
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FFNHQ01H	<i>Position:</i>	452	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1H				

We feel accepted for what we are.

		FREQ	WTD
1	Strongly agree	4,050	765,822
2	Agree	5,801	1,078,187
3	Disagree	219	43,104
4	Strongly disagree	66	14,488
7	Don't know	35	12,000
9	Not stated	343	85,282
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FFNHQ01I	<i>Position:</i>	453	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1I				

Making decisions is a problem for our family.

		FREQ	WTD
1	Strongly agree	83	15,431
2	Agree	806	143,256
3	Disagree	6,120	1,138,349
4	Strongly disagree	3,118	605,199
7	Don't know	41	10,968
8	Refusal	2	363
9	Not stated	344	85,319
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FFNHQ01J	<i>Position:</i>	454	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1J				

We are able to make decisions about how to solve problems.

		FREQ	WTD
1	Strongly agree	3,283	630,756
2	Agree	6,429	1,192,234
3	Disagree	332	62,312
4	Strongly disagree	88	17,020
7	Don't know	36	10,881
9	Not stated	346	85,681
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FFNHQ01K	<i>Position:</i>	455	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1K				

We don't get along well together.

		FREQ	WTD
1	Strongly agree	123	27,766
2	Agree	393	74,091
3	Disagree	5,395	1,010,089
4	Strongly disagree	4,223	790,509
7	Don't know	33	10,489
8	Refusal	1	259
9	Not stated	346	85,681
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FFNHQ01L	<i>Position:</i>	456	<i>Length:</i>	1
<i>Collection Name:</i>	FNCQ1L				

We confide in each other.

		FREQ	WTD
1	Strongly agree	3,620	684,041
2	Agree	6,119	1,132,062
3	Disagree	332	74,888
4	Strongly disagree	61	11,416
7	Don't know	34	10,280
8	Refusal	1	257
9	Not stated	347	85,940
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FFNHQ01M	<i>Position:</i>	457
<i>Collection Name:</i>	FNCQ1M	<i>Length:</i>	1

Drinking is a source of tension or disagreement in our family.

		FREQ	WTD
1	Strongly agree	104	16,700
2	Agree	461	82,431
3	Disagree	4,317	754,301
4	Strongly disagree	5,260	1,050,822
7	Don't know	23	8,186
8	Refusal	1	248
9	Not stated	348	86,197
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Family Functioning - Scale

Variable Name: **FFNHS01** *Position:* 458 *Length:* 2
Collection Name: FNCS01

Family functioning score

		FREQ	WTD
00	00	1,040	194,316
01	01	515	105,240
02	02	430	73,671
03	03	505	98,390
04	04	426	88,112
05	05	372	65,608
06	06	497	84,993
07	07	424	85,503
08	08	436	76,746
09	09	530	99,547
10	10	581	108,627
11	11	743	139,942
12	12	1,989	360,168
13	13	672	135,142
14	14	306	55,723
15	15	161	31,871
16	16	97	18,116
17	17	72	14,458
18	18	61	12,443
19	19	41	9,589
20	20	34	6,988
21	21	20	2,939
22	22	12	2,160
23	23	12	2,255
24	24	16	1,794
25	25	4	1,972
26	26	4	257
27	27	4	585
28	28	1	104
29	29	4	837
30	30	2	438
31	31	0	0
32	32	2	223
33	33	4	652
34	34	0	0
35	35	1	143
36	36	2	567
99	Not stated	494	118,763
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: This factor score was derived using the items (FFNHQ01A to FFNHQ01L). The values were reversed for FFNHQ01A, FFNHQ01C, FFNHQ01E, FFNHQ01G, FFNHQ01I and FFNHQ01K. The total score varies between 0 and 36, a high score indicating family dysfunction.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Neighbourhood Safety

Variable Name: **FSFHQ01** *Position:* 460 *Length:* 3
Collection Name: SAFQ1

How many years have you lived at this address?

Allowed values: 000 : 099

		FREQ	WTD
000 : 051	Years lived at this address	10,202	1,918,171
997	Don't know	13	2,880
998	Refusal	11	2,714
999	Not stated	288	75,119
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Variable Name: **FSFHQ02** *Position:* 463 *Length:* 1
Collection Name: SAFQ2

How do you feel about your neighbourhood as a place to bring up children

...is it?

		FREQ	WTD
1	Excellent	5,238	974,341
2	Good	3,287	611,225
3	Average	1,285	256,210
4	Poor	285	53,669
5	Very poor	98	19,501
7	Don't know	19	5,156
8	Refusal	2	164
9	Not stated	300	78,618
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSFHQ03** *Position:* 464 *Length:* 1
Collection Name: SAFQ3

Are you involved in any local voluntary organizations such as school groups, church groups, community or ethnic associations?

		FREQ	WTD
1	Yes	3,382	578,037
2	No	6,824	1,340,436
7	Don't know	4	1,529
8	Refusal	2	101
9	Not stated	302	78,781
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Variable Name: **FSFHcQ04** *Position:* 465 *Length:* 1
Collection Name: SAFQ4

Other than on special occasions (such as weddings or funerals), how often did you attend religious services or meetings in the past 12 months?

		FREQ	WTD
1	At least once a week	2,115	377,243
2	At least once a month	1,423	259,017
3	At least 3 or 4 times	1,668	297,888
4	At least once	1,370	250,941
5	Never	3,614	729,380
7	Don't know	15	4,317
8	Refusal	4	448
9	Not stated	305	79,648
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSFHQ05A	<i>Position:</i>	466	<i>Length:</i>	1
<i>Collection Name:</i>	SAFQ5A				

It is safe to walk alone in this neighbourhood after dark.

		FREQ	WTD
1	Strongly agree	3,082	545,796
2	Agree	5,699	1,072,412
3	Disagree	1,115	234,079
4	Strongly disagree	234	49,783
7	Don't know	80	16,200
8	Refusal	13	3,698
9	Not stated	291	76,917
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSFHQ05B	<i>Position:</i>	467	<i>Length:</i>	1
<i>Collection Name:</i>	SAFQ5B				

It is safe for children to play outside during the day.

		FREQ	WTD
1	Strongly agree	3,520	589,139
2	Agree	6,030	1,161,646
3	Disagree	539	137,617
4	Strongly disagree	78	18,912
7	Don't know	41	10,463
8	Refusal	2	492
9	Not stated	304	80,615
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSFHQ05C	<i>Position:</i>	468	<i>Length:</i>	1
<i>Collection Name:</i>	SAFQ5C				

There are safe parks, playgrounds and play spaces in this neighbourhood.

		FREQ	WTD
1	Strongly agree	2,779	537,469
2	Agree	5,615	1,111,795
3	Disagree	1,294	192,187
4	Strongly disagree	444	58,985
7	Don't know	73	16,568
8	Refusal	3	773
9	Not stated	306	81,107
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSFHQ06A	<i>Position:</i>	469	<i>Length:</i>	1
<i>Collection Name:</i>	SAFQ6A				

Please tell me whether you strongly agree, agree, disagree, or strongly disagree about the following statements when thinking of your neighbours. If there is a problem around here, the neighbours get together to deal with it.

		FREQ	WTD
1	Strongly agree	1,671	301,424
2	Agree	5,389	1,012,114
3	Disagree	1,754	324,658
4	Strongly disagree	302	57,153
7	Don't know	1,070	218,268
8	Refusal	18	3,185
9	Not stated	310	82,083
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSFHQ06B	<i>Position:</i>	470	<i>Length:</i>	1
<i>Collection Name:</i>	SAFQ6B				

There are adults in the neighbourhood that children can look up to.

		FREQ	WTD
1	Strongly agree	2,214	373,068
2	Agree	6,577	1,204,189
3	Disagree	652	160,125
4	Strongly disagree	80	16,359
7	Don't know	653	156,923
8	Refusal	10	2,952
9	Not stated	328	85,268
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSFHQ06C	<i>Position:</i>	471	<i>Length:</i>	1
<i>Collection Name:</i>	SAFQ6C				

People around here are willing to help their neighbours.

		FREQ	WTD
1	Strongly agree	2,532	444,646
2	Agree	6,660	1,237,203
3	Disagree	533	119,574
4	Strongly disagree	75	14,901
7	Don't know	375	94,171
8	Refusal	1	168
9	Not stated	338	88,220
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSFHQ06D	<i>Position:</i>	472	<i>Length:</i>	1
<i>Collection Name:</i>	SAFQ6D				

You can count on adults in this neighbourhood to watch out that children are safe and don't get in trouble.

		FREQ	WTD
1	Strongly agree	2,446	426,676
2	Agree	6,302	1,168,486
3	Disagree	829	183,509
4	Strongly disagree	89	17,708
7	Don't know	502	113,407
8	Refusal	7	710
9	Not stated	339	88,389
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSFHQ06E	<i>Position:</i>	473	<i>Length:</i>	1
<i>Collection Name:</i>	SAFQ6E				

When I'm away from home, I know that my neighbours will keep their eyes open for possible trouble.

		FREQ	WTD
1	Strongly agree	2,796	493,242
2	Agree	6,300	1,157,894
3	Disagree	640	153,024
4	Strongly disagree	88	21,624
7	Don't know	342	81,919
8	Refusal	1	631
9	Not stated	347	90,549
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Neighbourhood Safety - Scores

Variable Name: **FSFHS5** *Position:* 474 *Length:* 2
Collection Name: SAFHS05

Safety Score

		FREQ	WTD
00	00	26	5,099
01	01	16	4,162
02	02	40	7,314
03	03	150	33,877
04	04	553	108,512
05	05	1,461	260,045
06	06	3,948	761,351
07	07	1,113	207,637
08	08	971	174,456
09	09	1,758	318,621
99	Not stated	478	117,810
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: This factor was derived using the following items: FSFHQ05A, FSFHQ05B and FSFHQ05C. The values were reversed to create this scale. No imputation was done for this score. The score varies between 0 and 9, a high score indicating a sense of high degree of safety in the neighbourhood.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSFHS6	<i>Position:</i>	476	<i>Length:</i>	2
<i>Collection Name:</i>	SAFHS06				

Neighbours Score

		FREQ	WTD
00	00	22	4,652
01	01	9	1,466
02	02	9	2,645
03	03	30	6,592
04	04	46	9,340
05	05	155	43,953
06	06	162	31,275
07	07	222	48,177
08	08	362	65,697
09	09	887	153,965
10	10	3,448	631,017
11	11	707	126,310
12	12	455	86,078
13	13	470	89,278
14	14	511	89,739
15	15	1,116	187,214
99	Not stated	1,903	421,487
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: This factor was derived using the following items: FSFHQ06A, FSFHQ06B, FSFHQ06C, FSFHQ06D and FSFHQ06E. The values were reversed to create this scale. No imputation was done for this score. The score varies between 0 and 15, a high score indicating a high degree of neighbour cohesiveness.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Social Support

Variable Name: **FSPHQ01A** *Position:* 478 *Length:* 1
Collection Name: SUPQ1A

Do you strongly disagree, disagree, agree or strongly agree with the following statement

...if something went wrong, no one would help me?

		FREQ	WTD
1	Strongly disagree	4,613	837,423
2	Disagree	5,201	988,781
3	Agree	252	60,042
4	Strongly agree	95	20,342
7	Don't know	25	7,351
8	Refusal	36	6,157
9	Not stated	292	78,787
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: The order of the response categories has been reversed from what is seen in the original Cycle 6 questionnaire to ensure consistency with previous cycles response categories.

Variable Name: **FSPHQ01B** *Position:* 479 *Length:* 1
Collection Name: SUPQ1B

Do you strongly disagree, disagree, agree or strongly agree with the following statemen

...I have family and friends who help me feel safe, secure and happy?

		FREQ	WTD
1	Strongly disagree	54	10,418
2	Disagree	105	26,055
3	Agree	4,903	944,787
4	Strongly agree	5,104	926,936
7	Don't know	18	4,864
8	Refusal	1	795
9	Not stated	329	85,030
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: The order of the response categories has been reversed from what is seen in the original Cycle 6 questionnaire to ensure consistency with previous cycles response categories.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSPHQ01C** *Position:* 480 *Length:* 1
Collection Name: SUPQ1D

Do you strongly disagree, disagree, agree or strongly agree with the following statement

...there is someone I trust whom I would turn to for advice if I were having problems?

		FREQ	WTD
1	Strongly disagree	63	11,862
2	Disagree	111	31,778
3	Agree	4,982	949,244
4	Strongly agree	5,011	914,949
7	Don't know	17	5,227
9	Not stated	330	85,825
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: The order of the response categories has been reversed from what is seen in the original Cycle 6 questionnaire to ensure consistency with previous cycles response categories.

Variable Name: **FSPHQ01D** *Position:* 481 *Length:* 1
Collection Name: SUPQ1E

Do you strongly disagree, disagree, agree or strongly agree with the following statement

...there is no one I feel comfortable talking about problems with?

		FREQ	WTD
1	Strongly disagree	4,344	800,457
2	Disagree	5,444	1,028,804
3	Agree	305	63,478
4	Strongly agree	76	16,257
7	Don't know	14	3,942
8	Refusal	1	122
9	Not stated	330	85,825
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: The order of the response categories has been reversed from what is seen in the original Cycle 6 questionnaire to ensure consistency with previous cycles response categories.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSPHQ01E** *Position:* 482 *Length:* 1
Collection Name: SUPQ1F

Do you strongly disagree, disagree, agree or strongly agree with the following statement

...I lack a feeling of closeness with another person?

		FREQ	WTD
1	Strongly disagree	4,238	777,144
2	Disagree	5,323	1,013,611
3	Agree	468	92,219
4	Strongly agree	118	21,632
7	Don't know	31	7,491
8	Refusal	5	841
9	Not stated	331	85,947
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: The order of the response categories has been reversed from what is seen in the original Cycle 6 questionnaire to ensure consistency with previous cycles response categories.

Variable Name: **FSPHQ01F** *Position:* 483 *Length:* 1
Collection Name: SUPQ1G

Do you strongly disagree, disagree, agree or strongly agree with the following statement

...there are people I can count on in an emergency?

		FREQ	WTD
1	Strongly disagree	39	5,985
2	Disagree	76	21,125
3	Agree	4,862	918,205
4	Strongly agree	5,185	962,588
7	Don't know	14	3,436
8	Refusal	1	42
9	Not stated	337	87,504
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: The order of the response categories has been reversed from what is seen in the original Cycle 6 questionnaire to ensure consistency with previous cycles response categories.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSPHd01H** *Position:* 484 *Length:* 1
Collection Name: SUPQ1H

Do you strongly disagree, disagree, agree or strongly agree with the following statement

...I feel part of a group of people who share my attitudes and beliefs?

		FREQ	WTD
1	Strongly disagree	66	14,278
2	Disagree	371	83,536
3	Agree	5,906	1,101,768
4	Strongly agree	3,782	698,242
7	Don't know	50	13,461
8	Refusal	1	54
9	Not stated	338	87,546
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: The order of the response categories has been reversed from what is seen in original Cycle 6 questionnaire to ensure consistency with previous cycles response categories.

Variable Name: **FSPHd01I** *Position:* 485 *Length:* 1
Collection Name: SUPQ1I

Do you strongly disagree, disagree, agree or strongly agree with the following statement

...there is no one who shares my interests and concerns?

		FREQ	WTD
1	Strongly disagree	3,816	699,710
2	Disagree	5,999	1,124,381
3	Agree	268	62,814
4	Strongly agree	54	12,853
7	Don't know	36	10,857
8	Refusal	1	98
9	Not stated	340	88,170
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: The order of the response categories has been reversed from what is seen in original Cycle 6 questionnaire to ensure consistency with previous cycles response categories.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSPHeQ2A** *Position:* 486 *Length:* 1
Collection Name: SUPQ2A

When I face problems or difficulties in my family, I respond by seeking information, advice or support from

...persons in other families who have faced similar problems?

		FREQ	WTD
1	Yes	8,081	1,478,969
2	No	2,057	423,861
7	Don't know	43	9,449
8	Refusal	37	6,424
9	Not stated	296	80,182
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Variable Name: **FSPHeQ2B** *Position:* 487 *Length:* 1
Collection Name: SUPQ2B

When I face problems or difficulties in my family, I respond by seeking information, advice or support from

...community agencies and programs designed to help families in a similar situation?

		FREQ	WTD
1	Yes	3,822	685,034
2	No	6,316	1,217,795
7	Don't know	43	9,449
8	Refusal	37	6,424
9	Not stated	296	80,182
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSPHeQ2C	<i>Position:</i>	488	<i>Length:</i>	1
<i>Collection Name:</i>	SUPQ2C				

When I face problems or difficulties in my family, I respond by seeking information, advice or support from

...spiritual or religious leaders or communities?

		FREQ	WTD
1	Yes	3,005	529,214
2	No	7,133	1,373,616
7	Don't know	43	9,449
8	Refusal	37	6,424
9	Not stated	296	80,182
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSPHeQ2D	<i>Position:</i>	489	<i>Length:</i>	1
<i>Collection Name:</i>	SUPQ2D				

When I face problems or difficulties in my family, I respond by seeking information, advice or support from

...a family doctor or professional counsellor?

		FREQ	WTD
1	Yes	5,986	1,098,025
2	No	4,152	804,804
7	Don't know	43	9,449
8	Refusal	37	6,424
9	Not stated	296	80,182
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSPHeQ2E	<i>Position:</i>	490	<i>Length:</i>	1
<i>Collection Name:</i>	SUPQ2E				

When I face problems or difficulties in my family, I respond by seeking information, advice or support from

...books, magazines, or sites on the Internet?

		FREQ	WTD
1	Yes	6,214	1,128,254
2	No	3,924	774,576
7	Don't know	43	9,449
8	Refusal	37	6,424
9	Not stated	296	80,182
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSPHfQ2F	<i>Position:</i>	491	<i>Length:</i>	1
<i>Collection Name:</i>	SUPQ2F				

When I face problems or difficulties in my family, I respond by seeking information, advice or support from

...I don't seek information, advice or support from others?

		FREQ	WTD
1	Yes	520	108,217
2	No	9,618	1,794,612
7	Don't know	43	9,449
8	Refusal	37	6,424
9	Not stated	296	80,182
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Social Support - Scores

Variable Name: **FSPHS01** *Position:* 492 *Length:* 2
Collection Name: SUPS01

Social support score

		FREQ	WTD
00	00	0	0
01	01	0	0
02	02	0	0
03	03	0	0
04	04	1	47
05	05	1	231
06	06	3	541
07	07	3	1,657
08	08	5	2,115
09	09	10	1,849
10	10	8	2,238
11	11	22	6,940
12	12	45	10,042
13	13	80	19,317
14	14	160	35,592
15	15	495	101,003
16	16	2,850	529,012
17	17	680	121,412
18	18	558	101,929
19	19	483	92,488
20	20	576	111,761
21	21	643	126,861
22	22	569	98,810
23	23	692	133,936
24	24	2,194	388,094
99	Not stated	436	113,010
		=====	=====
		10,514	1,998,884

Coverage: PMK or spouse with selected child aged 0 to 5 years old

Note: This factor score was derived using the items FSPHQ01A, FSPHQ01B, FSPHQ01C, FSPHQ01D, FSPHQ01E, FSPHQ01F, FSPHD01H and FSPHD01I. The values were reversed for FSPHQ01A, FSPHQ01D, FSPHQ01E and FSPHD01I. The total score varies between 0 and 24, a high score indicating the presence of social support.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Socio-Demographic - PMK

Variable Name: **FSDPQ1** *Position:* 494 *Length:* 2
Collection Name: SOCAQ1

In what country were you born?

		FREQ	WTD
01	Canada	8,860	1,469,232
02	China	55	15,956
03	France	27	10,135
04	Germany	28	6,879
05	Greece	3	774
06	Guyana	8	4,594
07	Hong Kong	13	6,148
08	Hungary	4	885
09	India	86	32,631
10	Italy	14	5,691
11	Jamaica	16	7,817
12	Netherlands (Holland)	13	2,054
13	Philippines	86	29,217
14	Poland	18	4,292
15	Portugal	21	8,316
16	United Kingdom (England, Scotland, Northern Ireland, Wales)	88	23,062
17	United States	108	21,264
18	Vietnam	35	12,276
19	Other	563	213,845
97	Don't know	1	67
98	Refusal	5	1,260
99	Not stated	462	122,490
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDPQ2B	<i>Position:</i>	496	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ2B				

Are you now, or have you ever been a landed immigrant?

		FREQ	WTD
1	Yes	963	342,104
2	No	150	45,020
6	Valid skip	8,921	1,484,696
7	Don't know	5	1,290
8	Refusal	1	106
9	Not stated	474	125,668
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, born outside Canada and not Canadian citizen by birth
Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FSDPQ3	<i>Position:</i>	497	<i>Length:</i>	4
<i>Collection Name:</i>	SOCAQ3				

In what year did you first immigrate to Canada?

Allowed values: 1901 : 2004

		FREQ	WTD
1960 : 2004	In what year first immigrated to Canada	1,103	380,209
9996	Valid skip	8,921	1,484,696
9997	Don't know	4	1,564
9998	Refusal	2	196
9999	Not stated	484	132,219
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, born outside Canada and not Canadian citizen by birth
Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4A** *Position:* 501 *Length:* 1
Collection Name: SOCAQ4A

To which ethnic or cultural group did your ancestors belong

...Canadian?

		FREQ	WTD
1	Yes	2,956	531,201
2	No	6,886	1,317,240
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4B** *Position:* 502 *Length:* 1
Collection Name: SOCAQ4B

To which ethnic or cultural group did your ancestors belong

...French?

		FREQ	WTD
1	Yes	2,048	352,867
2	No	7,794	1,495,574
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4C** *Position:* 503 *Length:* 1
Collection Name: SOCAQ4C

To which ethnic or cultural group did your ancestors belong

...English?

		FREQ	WTD
1	Yes	2,019	325,937
2	No	7,823	1,522,503
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4D** *Position:* 504 *Length:* 1
Collection Name: SOCAQ4D

To which ethnic or cultural group did your ancestors belong

...German?

		FREQ	WTD
1	Yes	1,019	155,537
2	No	8,823	1,692,903
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4E** *Position:* 505 *Length:* 1
Collection Name: SOCAQ4E

To which ethnic or cultural group did your ancestors belong

...Scottish?

		FREQ	WTD
1	Yes	1,555	237,047
2	No	8,287	1,611,394
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4F** *Position:* 506 *Length:* 1
Collection Name: SOCAQ4F

To which ethnic or cultural group did your ancestors belong

...Irish?

		FREQ	WTD
1	Yes	1,319	201,072
2	No	8,523	1,647,369
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4G** *Position:* 507 *Length:* 1
Collection Name: SOCAQ4G

To which ethnic or cultural group did your ancestors belong

...Italian?

		FREQ	WTD
1	Yes	289	83,077
2	No	9,553	1,765,364
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4H** *Position:* 508 *Length:* 1
Collection Name: SOCAQ4H

To which ethnic or cultural group did your ancestors belong

...Ukrainian?

		FREQ	WTD
1	Yes	428	67,665
2	No	9,414	1,780,775
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4I** *Position:* 509 *Length:* 1
Collection Name: SOCAQ4I

To which ethnic or cultural group did your ancestors belong

...Dutch (Netherlands)?

		FREQ	WTD
1	Yes	311	56,210
2	No	9,531	1,792,231
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4J** *Position:* 510 *Length:* 1
Collection Name: SOCAQ4J

To which ethnic or cultural group did your ancestors belong

...Chinese?

		FREQ	WTD
1	Yes	125	43,045
2	No	9,717	1,805,395
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4K** *Position:* 511 *Length:* 1
Collection Name: SOCAQ4K

To which ethnic or cultural group did your ancestors belong

...Jewish?

		FREQ	WTD
1	Yes	30	10,139
2	No	9,812	1,838,301
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4L** *Position:* 512 *Length:* 1
Collection Name: SOCAQ4L

To which ethnic or cultural group did your ancestors belong

...Polish?

		FREQ	WTD
1	Yes	203	32,603
2	No	9,639	1,815,837
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4M** *Position:* 513 *Length:* 1
Collection Name: SOCAQ4M

To which ethnic or cultural group did your ancestors belong

...Portuguese?

		FREQ	WTD
1	Yes	64	20,134
2	No	9,778	1,828,306
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4N** *Position:* 514 *Length:* 1
Collection Name: SOCAQ4N

To which ethnic or cultural group did your ancestors belong

...South Asian?

		FREQ	WTD
1	Yes	150	60,144
2	No	9,692	1,788,296
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4O** *Position:* 515 *Length:* 1
Collection Name: SOCAQ4O

To which ethnic or cultural group did your ancestors belong

...Black?

		FREQ	WTD
1	Yes	48	17,610
2	No	9,794	1,830,830
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4P** *Position:* 516 *Length:* 1
Collection Name: SOCAQ4P

To which ethnic or cultural group did your ancestors belong

...North American Indian?

		FREQ	WTD
1	Yes	372	59,034
2	No	9,470	1,789,407
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4Q** *Position:* 517 *Length:* 1
Collection Name: SOCAQ4Q

To which ethnic or cultural group did your ancestors belong

...Métis?

		FREQ	WTD
1	Yes	175	19,313
2	No	9,667	1,829,127
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ4R** *Position:* 518 *Length:* 1
Collection Name: SOCAQ4R

To which ethnic or cultural group did your ancestors belong

...Inuit/Eskimo?

		FREQ	WTD
1	Yes	26	2,949
2	No	9,816	1,845,492
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ4S** *Position:* 519 *Length:* 1
Collection Name: SOCAQ4S

To which ethnic or cultural group did your ancestors belong

...other?

		FREQ	WTD
1	Yes	1,531	388,155
2	No	8,311	1,460,285
7	Don't know	106	14,081
8	Refusal	6	1,517
9	Not stated	560	134,845
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPb4AA** *Position:* 520 *Length:* 1
Collection Name: SOCAQ4AA

How would you best describe your race or colour

...White?

		FREQ	WTD
1	Yes	9,006	1,544,258
2	No	1,031	329,331
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPb4AB** *Position:* 521 *Length:* 1
Collection Name: SOCAQ4AB

How would you best describe your race or colour

...Chinese?

		FREQ	WTD
1	Yes	122	42,476
2	No	9,915	1,831,112
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPb4AC** *Position:* 522 *Length:* 1
Collection Name: SOCAQ4AC

How would you best describe your race or colour

...South Asian (for example East Indian, Pakistani, Punjabi, Sri Lankan)?

		FREQ	WTD
1	Yes	190	81,579
2	No	9,847	1,792,009
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPb4AD** *Position:* 523 *Length:* 1
Collection Name: SOCAQ4AD

How would you best describe your race or colour

...Black (for example African, Haitian, Jamaican, Somali)?

		FREQ	WTD
1	Yes	119	54,219
2	No	9,918	1,819,369
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPb4AE** *Position:* 524 *Length:* 1
Collection Name: SOCAQ4AE

How would you best describe your race or colour

...Native/Aboriginal people (North American Indian, Métis or Inuit/Eskimo)?

		FREQ	WTD
1	Yes	264	35,787
2	No	9,773	1,837,802
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPb4AF** *Position:* 525 *Length:* 1
Collection Name: SOCAQ4AF

How would you best describe your race or colour

...Arab/West Asian (for example Armenian, Egyptian, Iranian, Lebanese, Moroccan)?

		FREQ	WTD
1	Yes	73	28,036
2	No	9,964	1,845,553
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPb4AG** *Position:* 526 *Length:* 1
Collection Name: SOCAQ4AG

How would you best describe your race or colour

...Filipino?

		FREQ	WTD
1	Yes	91	31,052
2	No	9,946	1,842,537
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPb4AH** *Position:* 527 *Length:* 1
Collection Name: SOCAQ4AH

How would you best describe your race or colour

...South East Asian (for example Cambodian, Indonesian, Laotian, Vietnamese)?

		FREQ	WTD
1	Yes	48	15,604
2	No	9,989	1,857,984
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPb4AI** *Position:* 528 *Length:* 1
Collection Name: SOCAQ4AI

How would you best describe your race or colour

...Latin American?

		FREQ	WTD
1	Yes	44	13,737
2	No	9,993	1,859,851
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPb4AJ** *Position:* 529 *Length:* 1
Collection Name: SOCAQ4AJ

How would you best describe your race or colour

...Japanese?

		FREQ	WTD
1	Yes	6	1,907
2	No	10,031	1,871,682
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPb4AK** *Position:* 530 *Length:* 1
Collection Name: SOCAQ4AK

How would you best describe your race or colour

...Korean?

		FREQ	WTD
1	Yes	18	5,036
2	No	10,019	1,868,552
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPb4AL** *Position:* 531 *Length:* 1
Collection Name: SOCAQ4AL

How would you best describe your race or colour

...other?

		FREQ	WTD
1	Yes	112	33,824
2	No	9,925	1,839,764
7	Don't know	5	697
8	Refusal	4	1,162
9	Not stated	468	123,437
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDPQ5A** *Position:* 532 *Length:* 1
Collection Name: SOCAQ5A

In which language can you conduct a conversation

...English?

		FREQ	WTD
1	Yes	9,171	1,667,956
2	No	1,028	247,616
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5B** *Position:* 533 *Length:* 1
Collection Name: SOCAQ5B

In which language can you conduct a conversation

...French?

		FREQ	WTD
1	Yes	2,738	601,592
2	No	7,461	1,313,979
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5C** *Position:* 534 *Length:* 1
Collection Name: SOCAQ5C

In which language can you conduct a conversation

...Arabic?

		FREQ	WTD
1	Yes	88	33,126
2	No	10,111	1,882,446
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5D** *Position:* 535 *Length:* 1
Collection Name: SOCAQ5D

In which language can you conduct a conversation

...Chinese?

		FREQ	WTD
1	Yes	105	37,594
2	No	10,094	1,877,977
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5E** *Position:* 536 *Length:* 1
Collection Name: SOCAQ5E

In which language can you conduct a conversation

...Cree?

		FREQ	WTD
1	Yes	43	4,697
2	No	10,156	1,910,874
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5F** *Position:* 537 *Length:* 1
Collection Name: SOCAQ5F

In which language can you conduct a conversation

...German?

		FREQ	WTD
1	Yes	227	37,142
2	No	9,972	1,878,430
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5G** *Position:* 538 *Length:* 1
Collection Name: SOCAQ5G

In which language can you conduct a conversation

...Greek?

		FREQ	WTD
1	Yes	18	6,258
2	No	10,181	1,909,313
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5H** *Position:* 539 *Length:* 1
Collection Name: SOCAQ5H

In which language can you conduct a conversation

...Hungarian?

		FREQ	WTD
1	Yes	15	6,332
2	No	10,184	1,909,239
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5I** *Position:* 540 *Length:* 1
Collection Name: SOCAQ5I

In which language can you conduct a conversation

...Italian?

		FREQ	WTD
1	Yes	125	50,303
2	No	10,074	1,865,268
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5J** *Position:* 541 *Length:* 1
Collection Name: SOCAQ5J

In which language can you conduct a conversation

...Korean?

		FREQ	WTD
1	Yes	14	4,715
2	No	10,185	1,910,856
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5K** *Position:* 542 *Length:* 1
Collection Name: SOCAQ5K

In which language can you conduct a conversation

...Persian (Farsi)?

		FREQ	WTD
1	Yes	25	9,868
2	No	10,174	1,905,703
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5L** *Position:* 543 *Length:* 1
Collection Name: SOCAQ5L

In which language can you conduct a conversation

...Polish?

		FREQ	WTD
1	Yes	35	7,014
2	No	10,164	1,908,558
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5M** *Position:* 544 *Length:* 1
Collection Name: SOCAQ5M

In which language can you conduct a conversation

...Portuguese?

		FREQ	WTD
1	Yes	55	21,613
2	No	10,144	1,893,958
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5N** *Position:* 545 *Length:* 1
Collection Name: SOCAQ5N

In which language can you conduct a conversation

...Punjabi?

		FREQ	WTD
1	Yes	88	29,610
2	No	10,111	1,885,961
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5O** *Position:* 546 *Length:* 1
Collection Name: SOCAQ5O

In which language can you conduct a conversation

...Spanish?

		FREQ	WTD
1	Yes	173	52,955
2	No	10,026	1,862,616
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5P** *Position:* 547 *Length:* 1
Collection Name: SOCAQ5P

In which language can you conduct a conversation

...Tagalog (Filipino)?

		FREQ	WTD
1	Yes	89	31,656
2	No	10,110	1,883,915
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5Q** *Position:* 548 *Length:* 1
Collection Name: SOCAQ5Q

In which language can you conduct a conversation

...Ukrainian?

		FREQ	WTD
1	Yes	21	4,763
2	No	10,178	1,910,808
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ5R** *Position:* 549 *Length:* 1
Collection Name: SOCAQ5R

In which language can you conduct a conversation

...Vietnamese?

		FREQ	WTD
1	Yes	31	10,233
2	No	10,168	1,905,339
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ5S** *Position:* 550 *Length:* 1
Collection Name: SOCAQ5S

In which language can you conduct a conversation

...other?

		FREQ	WTD
1	Yes	492	170,579
2	No	9,707	1,744,992
7	Don't know	2	612
8	Refusal	4	1,075
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6A** *Position:* 551 *Length:* 1
Collection Name: SOCAQ6A

What is the language that you first learned at home in childhood and can still understand

...English?

		FREQ	WTD
1	Yes	7,233	1,138,501
2	No	2,964	776,804
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6B** *Position:* 552 *Length:* 1
Collection Name: SOCAQ6B

What is the language that you first learned at home in childhood and can still understand

...French?

		FREQ	WTD
1	Yes	1,861	404,168
2	No	8,336	1,511,138
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6C** *Position:* 553 *Length:* 1
Collection Name: SOCAQ6C

What is the language that you first learned at home in childhood and can still understand

...Arabic?

		FREQ	WTD
1	Yes	76	28,060
2	No	10,121	1,887,245
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6D** *Position:* 554 *Length:* 1
Collection Name: SOCAQ6D

What is the language that you first learned at home in childhood and can still understand

...Chinese?

		FREQ	WTD
1	Yes	102	37,008
2	No	10,095	1,878,297
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6E** *Position:* 555 *Length:* 1
Collection Name: SOCAQ6E

What is the language that you first learned at home in childhood and can still understand

...Cree?

		FREQ	WTD
1	Yes	35	3,902
2	No	10,162	1,911,403
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6F** *Position:* 556 *Length:* 1
Collection Name: SOCAQ6F

What is the language that you first learned at home in childhood and can still understand

...German?

		FREQ	WTD
1	Yes	171	23,358
2	No	10,026	1,891,948
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6G** *Position:* 557 *Length:* 1
Collection Name: SOCAQ6G

What is the language that you first learned at home in childhood and can still understand

...Greek?

		FREQ	WTD
1	Yes	13	4,653
2	No	10,184	1,910,652
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6H** *Position:* 558 *Length:* 1
Collection Name: SOCAQ6H

What is the language that you first learned at home in childhood and can still understand

...Hungarian?

		FREQ	WTD
1	Yes	13	5,371
2	No	10,184	1,909,934
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6I** *Position:* 559 *Length:* 1
Collection Name: SOCAQ6I

What is the language that you first learned at home in childhood and can still understand

...Italian?

		FREQ	WTD
1	Yes	81	32,423
2	No	10,116	1,882,883
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6J** *Position:* 560 *Length:* 1
Collection Name: SOCAQ6J

What is the language that you first learned at home in childhood and can still understand

...Korean?

		FREQ	WTD
1	Yes	17	6,351
2	No	10,180	1,908,954
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6K** *Position:* 561 *Length:* 1
Collection Name: SOCAQ6K

What is the language that you first learned at home in childhood and can still understand

...Persian (Farsi)?

		FREQ	WTD
1	Yes	21	8,361
2	No	10,176	1,906,944
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6L** *Position:* 562 *Length:* 1
Collection Name: SOCAQ6L

What is the language that you first learned at home in childhood and can still understand

...Polish?

		FREQ	WTD
1	Yes	26	4,912
2	No	10,171	1,910,393
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6M** *Position:* 563 *Length:* 1
Collection Name: SOCAQ6M

What is the language that you first learned at home in childhood and can still understand

...Portuguese?

		FREQ	WTD
1	Yes	39	15,596
2	No	10,158	1,899,710
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6N** *Position:* 564 *Length:* 1
Collection Name: SOCAQ6N

What is the language that you first learned at home in childhood and can still understand

...Punjabi?

		FREQ	WTD
1	Yes	76	26,182
2	No	10,121	1,889,124
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6O** *Position:* 565 *Length:* 1
Collection Name: SOCAQ6O

What is the language that you first learned at home in childhood and can still understand

...Spanish?

		FREQ	WTD
1	Yes	61	23,410
2	No	10,136	1,891,896
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6P** *Position:* 566 *Length:* 1
Collection Name: SOCAQ6P

What is the language that you first learned at home in childhood and can still understand

...Tagalog (Filipino)?

		FREQ	WTD
1	Yes	85	30,251
2	No	10,112	1,885,055
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6Q** *Position:* 567 *Length:* 1
Collection Name: SOCAQ6Q

What is the language that you first learned at home in childhood and can still understand

...Ukrainian?

		FREQ	WTD
1	Yes	15	4,105
2	No	10,182	1,911,200
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPQ6R** *Position:* 568 *Length:* 1
Collection Name: SOCAQ6R

What is the language that you first learned at home in childhood and can still understand

...Vietnamese?

		FREQ	WTD
1	Yes	26	8,521
2	No	10,171	1,906,784
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPQ6S** *Position:* 569 *Length:* 1
Collection Name: SOCAQ6S

What is the language that you first learned at home in childhood and can still understand

...other?

		FREQ	WTD
1	Yes	386	143,918
2	No	9,811	1,771,387
7	Don't know	2	612
8	Refusal	6	1,340
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPc6AA** *Position:* 570 *Length:* 1
Collection Name: SOCAQ6AA

What language do you speak most often at home

...English?

		FREQ	WTD
1	Yes	7,924	1,316,488
2	No	2,274	598,985
7	Don't know	2	612
8	Refusal	5	1,173
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDPc6AB** *Position:* 571 *Length:* 1
Collection Name: SOCAQ6AB

What language do you speak most often at home

...French?

		FREQ	WTD
1	Yes	1,807	407,975
2	No	8,391	1,507,499
7	Don't know	2	612
8	Refusal	5	1,173
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Variable Name: **FSDPc6AC** *Position:* 572 *Length:* 1
Collection Name: SOCAQ6AC

What language do you speak most often at home

...other?

		FREQ	WTD
1	Yes	714	254,053
2	No	9,484	1,661,420
7	Don't know	2	612
8	Refusal	5	1,173
9	Not stated	309	81,626
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDPQ8	<i>Position:</i>	573	<i>Length:</i>	2
<i>Collection Name:</i>	SOCAQ8				

What, if any, is your religion?

		FREQ	WTD
01	No religion	1,623	344,249
02	Roman Catholic	4,242	803,781
03	United	992	135,242
04	Anglican	695	102,021
05	Presbyterian	237	37,666
06	Lutheran	231	35,271
07	Baptist	319	42,924
08	Eastern Orthodox	44	14,360
09	Jewish	33	14,103
10	Islam (Muslim)	160	69,470
11	Buddhist	36	12,846
12	Hindu	60	31,301
13	Sikh	60	20,076
14	Jehovah's Witnesses	49	10,424
15	Other	1,376	234,393
97	Don't know	24	4,911
98	Refusal	23	3,815
99	Not stated	310	82,030
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Socio-Demographic - Spouse

Variable Name: **FSDSQ1** *Position:* 575 *Length:* 2
Collection Name: SOCAQ1

In what country were you born?

		FREQ	WTD
01	Canada	7,580	1,255,833
02	China	52	16,477
03	France	24	6,952
04	Germany	31	6,403
05	Greece	0	0
06	Guyana	10	3,999
07	Hong Kong	18	6,407
08	Hungary	0	0
09	India	97	37,973
10	Italy	9	3,431
11	Jamaica	13	3,635
12	Netherlands (Holland)	26	3,742
13	Philippines	73	25,852
14	Poland	12	1,775
15	Portugal	19	9,761
16	United Kingdom (England, Scotland, Northern Ireland, Wales)	103	23,090
17	United States	96	15,358
18	Vietnam	22	7,935
19	Other	537	200,178
96	Valid skip	1,283	245,802
97	Don't know	3	394
98	Refusal	12	2,143
99	Not stated	494	121,746
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ2B	<i>Position:</i>	577	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ2B				

Are you now, or have you ever been a landed immigrant?

		FREQ	WTD
1	Yes	931	321,141
2	No	126	31,711
6	Valid skip	8,927	1,516,768
7	Don't know	5	1,556
8	Refusal	1	358
9	Not stated	524	127,350
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, born outside Canada and not Canadian citizen by birth
Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FSDSQ3	<i>Position:</i>	578	<i>Length:</i>	4
<i>Collection Name:</i>	SOCAQ3				

In what year did you first immigrate to Canada?

Allowed values: 1901 : 2004

		FREQ	WTD
1951 : 2004	Year immigrated to Canada (spouse)	1,040	346,553
9996	Valid skip	8,927	1,516,768
9997	Don't know	11	2,651
9998	Refusal	2	449
9999	Not stated	534	132,464
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, born outside Canada and not Canadian citizen by birth
Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4A** *Position:* 582 *Length:* 1
Collection Name: SOCAQ4A

To which ethnic or cultural group did your ancestors belong

...Canadian?

		FREQ	WTD
1	Yes	2,556	467,276
2	No	5,869	1,126,556
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4B** *Position:* 583 *Length:* 1
Collection Name: SOCAQ4B

To which ethnic or cultural group did your ancestors belong

...French?

		FREQ	WTD
1	Yes	1,582	273,493
2	No	6,843	1,320,339
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4C** *Position:* 584 *Length:* 1
Collection Name: SOCAQ4C

To which ethnic or cultural group did your ancestors belong

...English?

		FREQ	WTD
1	Yes	1,532	235,773
2	No	6,893	1,358,059
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4D** *Position:* 585 *Length:* 1
Collection Name: SOCAQ4D

To which ethnic or cultural group did your ancestors belong

...German?

		FREQ	WTD
1	Yes	821	123,924
2	No	7,604	1,469,907
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4E** *Position:* 586 *Length:* 1
Collection Name: SOCAQ4E

To which ethnic or cultural group did your ancestors belong

...Scottish?

		FREQ	WTD
1	Yes	1,111	166,221
2	No	7,314	1,427,611
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4F** *Position:* 587 *Length:* 1
Collection Name: SOCAQ4F

To which ethnic or cultural group did your ancestors belong

...Irish?

		FREQ	WTD
1	Yes	850	121,451
2	No	7,575	1,472,380
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4G** *Position:* 588 *Length:* 1
Collection Name: SOCAQ4G

To which ethnic or cultural group did your ancestors belong

...Italian?

		FREQ	WTD
1	Yes	237	74,108
2	No	8,188	1,519,724
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4H** *Position:* 589 *Length:* 1
Collection Name: SOCAQ4H

To which ethnic or cultural group did your ancestors belong

...Ukrainian?

		FREQ	WTD
1	Yes	322	50,827
2	No	8,103	1,543,005
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4I** *Position:* 590 *Length:* 1
Collection Name: SOCAQ4I

To which ethnic or cultural group did your ancestors belong

...Dutch (Netherlands)?

		FREQ	WTD
1	Yes	284	45,150
2	No	8,141	1,548,681
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4J** *Position:* 591 *Length:* 1
Collection Name: SOCAQ4J

To which ethnic or cultural group did your ancestors belong

...Chinese?

		FREQ	WTD
1	Yes	122	40,054
2	No	8,303	1,553,777
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4K** *Position:* 592 *Length:* 1
Collection Name: SOCAQ4K

To which ethnic or cultural group did your ancestors belong

...Jewish?

		FREQ	WTD
1	Yes	32	11,056
2	No	8,393	1,582,775
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4L** *Position:* 593 *Length:* 1
Collection Name: SOCAQ4L

To which ethnic or cultural group did your ancestors belong

...Polish?

		FREQ	WTD
1	Yes	155	24,736
2	No	8,270	1,569,096
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4M** *Position:* 594 *Length:* 1
Collection Name: SOCAQ4M

To which ethnic or cultural group did your ancestors belong

...Portuguese?

		FREQ	WTD
1	Yes	42	18,043
2	No	8,383	1,575,788
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4N** *Position:* 595 *Length:* 1
Collection Name: SOCAQ4N

To which ethnic or cultural group did your ancestors belong

...South Asian?

		FREQ	WTD
1	Yes	141	58,500
2	No	8,284	1,535,332
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4O** *Position:* 596 *Length:* 1
Collection Name: SOCAQ4O

To which ethnic or cultural group did your ancestors belong

...Black?

		FREQ	WTD
1	Yes	52	15,570
2	No	8,373	1,578,262
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4P** *Position:* 597 *Length:* 1
Collection Name: SOCAQ4P

To which ethnic or cultural group did your ancestors belong

...North American Indian?

		FREQ	WTD
1	Yes	211	32,535
2	No	8,214	1,561,297
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4Q** *Position:* 598 *Length:* 1
Collection Name: SOCAQ4Q

To which ethnic or cultural group did your ancestors belong

...Métis?

		FREQ	WTD
1	Yes	94	10,895
2	No	8,331	1,582,936
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ4R** *Position:* 599 *Length:* 1
Collection Name: SOCAQ4R

To which ethnic or cultural group did your ancestors belong

...Inuit/Eskimo?

		FREQ	WTD
1	Yes	13	1,575
2	No	8,412	1,592,257
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ4S** *Position:* 600 *Length:* 1
Collection Name: **SOCAQ4S**

To which ethnic or cultural group did your ancestors belong

...other?

		FREQ	WTD
1	Yes	1,308	331,274
2	No	7,117	1,262,557
6	Valid skip	1,283	245,802
7	Don't know	169	20,102
8	Refusal	14	2,553
9	Not stated	623	136,595
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSb4AA** *Position:* 601 *Length:* 1
Collection Name: **SOCAQ4AA**

How would you best describe your race or colour

...White?

		FREQ	WTD
1	Yes	7,787	1,329,993
2	No	922	296,174
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSb4AB** *Position:* 602 *Length:* 1
Collection Name: SOCAQ4AB

How would you best describe your race or colour

...Chinese?

		FREQ	WTD
1	Yes	126	42,246
2	No	8,583	1,583,921
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSb4AC** *Position:* 603 *Length:* 1
Collection Name: SOCAQ4AC

How would you best describe your race or colour

...South Asian (for example East Indian, Pakistani, Punjabi, Sri Lankan)?

		FREQ	WTD
1	Yes	183	77,693
2	No	8,526	1,548,474
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSb4AD** *Position:* 604 *Length:* 1
Collection Name: SOCAQ4AD

How would you best describe your race or colour

...Black (for example African, Haitian, Jamaican, Somali)?

		FREQ	WTD
1	Yes	117	40,974
2	No	8,592	1,585,193
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSb4AE** *Position:* 605 *Length:* 1
Collection Name: SOCAQ4AE

How would you best describe your race or colour

...Native/Aboriginal people (North American Indian, Métis or Inuit/Eskimo)?

		FREQ	WTD
1	Yes	179	22,182
2	No	8,530	1,603,984
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSb4AF** *Position:* 606 *Length:* 1
Collection Name: SOCAQ4AF

How would you best describe your race or colour

...Arab / West Asian (for example Armenian, Egyptian, Iranian, Lebanese, Moroccan)?

		FREQ	WTD
1	Yes	80	30,441
2	No	8,629	1,595,726
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSb4AG** *Position:* 607 *Length:* 1
Collection Name: SOCAQ4AG

How would you best describe your race or colour

...Filipino?

		FREQ	WTD
1	Yes	71	23,499
2	No	8,638	1,602,668
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSb4AH** *Position:* 608 *Length:* 1
Collection Name: SOCAQ4AH

How would you best describe your race or colour

...South East Asian (for example Cambodian, Indonesian, Laotian, Vietnamese)?

		FREQ	WTD
1	Yes	42	16,418
2	No	8,667	1,609,749
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSb4AI** *Position:* 609 *Length:* 1
Collection Name: SOCAQ4AI

How would you best describe your race or colour

...Latin American?

		FREQ	WTD
1	Yes	40	15,260
2	No	8,669	1,610,907
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSb4AJ** *Position:* 610 *Length:* 1
Collection Name: SOCAQ4AJ

How would you best describe your race or colour

...Japanese?

		FREQ	WTD
1	Yes	11	4,309
2	No	8,698	1,621,857
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSb4AK** *Position:* 611 *Length:* 1
Collection Name: SOCAQ4AK

How would you best describe your race or colour

...Korean?

		FREQ	WTD
1	Yes	13	3,903
2	No	8,696	1,622,264
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSb4AL** *Position:* 612 *Length:* 1
Collection Name: SOCAQ4AL

How would you best describe your race or colour

...other?

		FREQ	WTD
1	Yes	113	32,922
2	No	8,596	1,593,244
6	Valid skip	1,283	245,802
7	Don't know	10	2,287
8	Refusal	11	1,833
9	Not stated	501	122,795
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: If firstint = 2 (Not the first interview for this adult in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDSQ5A** *Position:* 613 *Length:* 1
Collection Name: SOCAQ5A

In which language can you conduct a conversation

...English?

		FREQ	WTD
1	Yes	7,928	1,437,775
2	No	893	212,555
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ5B	<i>Position:</i>	614	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5B				

In which language can you conduct a conversation

...French?

		FREQ	WTD
1	Yes	2,215	483,175
2	No	6,606	1,167,156
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSQ5C	<i>Position:</i>	615	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5C				

In which language can you conduct a conversation

...Arabic?

		FREQ	WTD
1	Yes	97	35,959
2	No	8,724	1,614,372
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ5D** *Position:* 616 *Length:* 1
Collection Name: SOCAQ5D

In which language can you conduct a conversation

...Chinese?

		FREQ	WTD
1	Yes	91	29,855
2	No	8,730	1,620,475
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ5E** *Position:* 617 *Length:* 1
Collection Name: SOCAQ5E

In which language can you conduct a conversation

...Cree?

		FREQ	WTD
1	Yes	24	2,265
2	No	8,797	1,648,065
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ5F	<i>Position:</i>	618	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5F				

In which language can you conduct a conversation

...German?

		FREQ	WTD
1	Yes	208	32,448
2	No	8,613	1,617,883
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSQ5G	<i>Position:</i>	619	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5G				

In which language can you conduct a conversation

...Greek?

		FREQ	WTD
1	Yes	8	2,322
2	No	8,813	1,648,009
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ5H	<i>Position:</i>	620	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5H				

In which language can you conduct a conversation

...Hungarian?

		FREQ	WTD
1	Yes	6	1,593
2	No	8,815	1,648,737
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSQ5I	<i>Position:</i>	621	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5I				

In which language can you conduct a conversation

...Italian?

		FREQ	WTD
1	Yes	108	43,896
2	No	8,713	1,606,435
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ5J** *Position:* 622 *Length:* 1
Collection Name: SOCAQ5J

In which language can you conduct a conversation

...Korean?

		FREQ	WTD
1	Yes	19	6,962
2	No	8,802	1,643,369
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ5K** *Position:* 623 *Length:* 1
Collection Name: SOCAQ5K

In which language can you conduct a conversation

...Persian (Farsi)?

		FREQ	WTD
1	Yes	24	10,458
2	No	8,797	1,639,873
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ5L	<i>Position:</i>	624	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5L				

In which language can you conduct a conversation

...Polish?

		FREQ	WTD
1	Yes	30	5,468
2	No	8,791	1,644,862
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSQ5M	<i>Position:</i>	625	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5M				

In which language can you conduct a conversation

...Portuguese?

		FREQ	WTD
1	Yes	44	18,644
2	No	8,777	1,631,687
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ5N	<i>Position:</i>	626	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5N				

In which language can you conduct a conversation

...Punjabi?

		FREQ	WTD
1	Yes	82	28,067
2	No	8,739	1,622,264
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSQ5O	<i>Position:</i>	627	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5O				

In which language can you conduct a conversation

...Spanish?

		FREQ	WTD
1	Yes	130	43,236
2	No	8,691	1,607,095
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ5P** *Position:* 628 *Length:* 1
Collection Name: SOCAQ5P

In which language can you conduct a conversation

...Tagalog (Filipino)?

		FREQ	WTD
1	Yes	76	27,807
2	No	8,745	1,622,523
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ5Q** *Position:* 629 *Length:* 1
Collection Name: SOCAQ5Q

In which language can you conduct a conversation

...Ukrainian?

		FREQ	WTD
1	Yes	21	4,554
2	No	8,800	1,645,776
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ5R	<i>Position:</i>	630	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5R				

In which language can you conduct a conversation

...Vietnamese?

		FREQ	WTD
1	Yes	27	9,336
2	No	8,794	1,640,994
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSQ5S	<i>Position:</i>	631	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ5S				

In which language can you conduct a conversation

...other?

		FREQ	WTD
1	Yes	482	162,101
2	No	8,339	1,488,230
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	11	2,254
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ6A** *Position:* 632 *Length:* 1
Collection Name: SOCAQ6A

What is the language that you first learned at home in childhood and can still understand

...English?

		FREQ	WTD
1	Yes	6,091	947,404
2	No	2,727	702,613
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ6B** *Position:* 633 *Length:* 1
Collection Name: SOCAQ6B

What is the language that you first learned at home in childhood and can still understand

...French?

		FREQ	WTD
1	Yes	1,686	352,374
2	No	7,132	1,297,643
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ6C** *Position:* 634 *Length:* 1
Collection Name: SOCAQ6C

What is the language that you first learned at home in childhood and can still understand

...Arabic?

		FREQ	WTD
1	Yes	83	31,504
2	No	8,735	1,618,513
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ6D** *Position:* 635 *Length:* 1
Collection Name: SOCAQ6D

What is the language that you first learned at home in childhood and can still understand

...Chinese?

		FREQ	WTD
1	Yes	89	30,330
2	No	8,729	1,619,687
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ6E** *Position:* 636 *Length:* 1
Collection Name: SOCAQ6E

What is the language that you first learned at home in childhood and can still understand

...Cree?

		FREQ	WTD
1	Yes	16	1,656
2	No	8,802	1,648,361
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ6F** *Position:* 637 *Length:* 1
Collection Name: SOCAQ6F

What is the language that you first learned at home in childhood and can still understand

...German?

		FREQ	WTD
1	Yes	164	24,141
2	No	8,654	1,625,876
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ6G** *Position:* 638 *Length:* 1
Collection Name: SOCAQ6G

What is the language that you first learned at home in childhood and can still understand

...Greek?

		FREQ	WTD
1	Yes	6	1,645
2	No	8,812	1,648,371
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ6H** *Position:* 639 *Length:* 1
Collection Name: SOCAQ6H

What is the language that you first learned at home in childhood and can still understand

...Hungarian?

		FREQ	WTD
1	Yes	8	1,829
2	No	8,810	1,648,188
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ6I** *Position:* 640 *Length:* 1
Collection Name: SOCAQ6I

What is the language that you first learned at home in childhood and can still understand

...Italian?

		FREQ	WTD
1	Yes	77	30,260
2	No	8,741	1,619,756
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ6J** *Position:* 641 *Length:* 1
Collection Name: SOCAQ6J

What is the language that you first learned at home in childhood and can still understand

...Korean?

		FREQ	WTD
1	Yes	16	6,999
2	No	8,802	1,643,018
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ6K	<i>Position:</i>	642	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ6K				

What is the language that you first learned at home in childhood and can still understand

...Persian (Farsi)?

		FREQ	WTD
1	Yes	20	9,074
2	No	8,798	1,640,942
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSQ6L	<i>Position:</i>	643	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ6L				

What is the language that you first learned at home in childhood and can still understand

...Polish?

		FREQ	WTD
1	Yes	20	3,314
2	No	8,798	1,646,702
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSQ6M	<i>Position:</i>	644	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ6M				

What is the language that you first learned at home in childhood and can still understand

...Portuguese?

		FREQ	WTD
1	Yes	30	12,675
2	No	8,788	1,637,342
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSQ6N	<i>Position:</i>	645	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ6N				

What is the language that you first learned at home in childhood and can still understand

...Punjabi?

		FREQ	WTD
1	Yes	71	23,178
2	No	8,747	1,626,838
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ6O** *Position:* 646 *Length:* 1
Collection Name: SOCAQ6O

What is the language that you first learned at home in childhood and can still understand

...Spanish?

		FREQ	WTD
1	Yes	61	25,301
2	No	8,757	1,624,715
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ6P** *Position:* 647 *Length:* 1
Collection Name: SOCAQ6P

What is the language that you first learned at home in childhood and can still understand

...Tagalog (Filipino)?

		FREQ	WTD
1	Yes	72	26,595
2	No	8,746	1,623,422
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ6Q** *Position:* 648 *Length:* 1
Collection Name: SOCAQ6Q

What is the language that you first learned at home in childhood and can still understand

...Ukrainian?

		FREQ	WTD
1	Yes	10	3,025
2	No	8,808	1,646,992
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSQ6R** *Position:* 649 *Length:* 1
Collection Name: SOCAQ6R

What is the language that you first learned at home in childhood and can still understand

...Vietnamese?

		FREQ	WTD
1	Yes	19	7,602
2	No	8,799	1,642,415
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ6S** *Position:* 650 *Length:* 1
Collection Name: SOCAQ6S

What is the language that you first learned at home in childhood and can still understand

...other?

		FREQ	WTD
1	Yes	398	138,966
2	No	8,420	1,511,051
6	Valid skip	1,283	245,802
7	Don't know	5	1,036
8	Refusal	13	2,472
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Variable Name: **FSDSc6AA** *Position:* 651 *Length:* 1
Collection Name: SOCAQ6AA

What language do you speak most often at home

...English?

		FREQ	WTD
1	Yes	6,787	1,117,239
2	No	2,033	532,984
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	12	2,362
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSc6AB	<i>Position:</i>	652	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ6AB				

What language do you speak most often at home

...French?

		FREQ	WTD
1	Yes	1,575	346,984
2	No	7,245	1,303,239
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	12	2,362
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

<i>Variable Name:</i>	FSDSc6AC	<i>Position:</i>	653	<i>Length:</i>	1
<i>Collection Name:</i>	SOCAQ6AC				

What language do you speak most often at home

...other?

		FREQ	WTD
1	Yes	654	234,985
2	No	8,166	1,415,238
6	Valid skip	1,283	245,802
7	Don't know	4	939
8	Refusal	12	2,362
9	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSQ8** *Position:* 654 *Length:* 2
Collection Name: SOCAQ8

What, if any, is your religion?

		FREQ	WTD
01	No religion	1,635	325,955
02	Roman Catholic	3,534	675,223
03	United	763	101,274
04	Anglican	566	80,455
05	Presbyterian	183	29,092
06	Lutheran	197	27,127
07	Baptist	267	39,068
08	Eastern Orthodox	42	12,873
09	Jewish	35	13,804
10	Islam (Muslim)	161	67,737
11	Buddhist	36	13,680
12	Hindu	64	30,414
13	Sikh	58	18,613
14	Jehovah's Witnesses	39	8,039
15	Other	1,170	196,565
96	Valid skip	1,283	245,802
97	Don't know	58	8,824
98	Refusal	28	4,781
99	Not stated	395	99,557
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Section: **Socio-Demographic - Derived Variables - PMK**

Variable Name: **FSDPD01** *Position:* 656 *Length:* 3
Collection Name: SDPDV01

Age at time of immigration

Allowed values: 000 : 058

		FREQ	WTD
000 : 058	How old at time of immigration	1,103	380,209
996	Valid skip	8,921	1,484,696
999	Not stated	490	133,979
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, born outside Canada and not Canadian citizen by birth

Note: This derived variable is based on the year of birth (FMMPQ03A) and question FSDPQ3. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDPD02	<i>Position:</i>	659	<i>Length:</i>	3
<i>Collection Name:</i>	SDPDV02				

Number of years since first immigrating to Canada

<i>Allowed values:</i>	001 : 064		FREQ	WTD
000 : 044	How many years since immigrating		1,103	380,209
996	Valid skip		8,921	1,484,696
999	Not stated		490	133,979
			=====	=====
			10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, born outside Canada and not Canadian citizen by birth
Note: This derived variable is based on question FSDPQ3. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

<i>Variable Name:</i>	FSDPD2AA	<i>Position:</i>	662	<i>Length:</i>	1
<i>Collection Name:</i>	SDPDV2AA				

Citizenship Status - PMK

		FREQ	WTD
1	Canadian citizen by birth	8,921	1,484,696
2	Canadian citizen by naturalization	702	247,904
3	Not a Canadian citizen	418	139,865
9	Not stated	473	126,419
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old
Note: This derived variable is based on questions FSDPQ1 and SOCAQ2A. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

<i>Variable Name:</i>	FSDPD02B	<i>Position:</i>	663	<i>Length:</i>	1
<i>Collection Name:</i>	SDPDV02B				

Number of years since first immigrating to Canada - grouped

		FREQ	WTD
1	0 to 4 years	216	69,634
2	5 to 9 years	261	94,355
3	10 or more years	626	216,220
6	Valid skip	8,921	1,484,696
9	Not stated	490	133,979
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old, if born outside Canada and not Canadian citizen by birth
Note: This derived variable is based on FSDPD02

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDPD03	<i>Position:</i>	664	<i>Length:</i>	2
<i>Collection Name:</i>	SDPDV03				

Immigration and official language status

		FREQ	WTD
01	Canadian by birth (in Canada or outside of Canada), speaking French and English, with or without any other languages	1,597	314,395
02	Canadian by birth (in Canada or outside of Canada), speaking English only or French only, with or without a second language	7,265	1,158,747
03	Canadian by birth (in Canada or outside of Canada), speaking neither French nor English	3	568
04	Canadian by naturalization, speaking French and English, with or without other languages	63	23,197
05	Canadian by naturalization, speaking English only or French only, with or without a second language	609	214,305
06	Canadian by naturalization, speaking neither French nor English	17	5,086
07	Not a Canadian citizen	418	139,865
99	Not stated	542	142,721
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FSDPQ5A, FSDPQ5B and FSDPD2AA. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

<i>Variable Name:</i>	FSDPD04	<i>Position:</i>	666	<i>Length:</i>	1
<i>Collection Name:</i>	SDPDV04				

Recoded Place of birth

		FREQ	WTD
1	Canada	8,860	1,469,232
2	United States	108	21,264
3	Europe	216	62,087
4	Asia	275	96,228
5	Other	587	226,255
9	Not stated	468	123,817
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on question FSDPQ1. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDPD05	<i>Position:</i>	667	<i>Length:</i>	2
<i>Collection Name:</i>	SDPDV05				

Language in which person is able to conduct a conversation

		FREQ	WTD
01	English only	6,247	953,253
02	French only	944	210,591
03	English and French only	1,541	292,471
04	English and French and other	206	73,327
05	English and other (not French)	1,177	348,905
06	French and other (not English)	47	25,203
07	Neither English nor French (other)	37	11,821
99	Not stated	315	83,313
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FSDPQ5A to FSDPQ5S

<i>Variable Name:</i>	FSDPD06	<i>Position:</i>	669	<i>Length:</i>	2
<i>Collection Name:</i>	SDPDV06				

Language first learned at home and still understood

		FREQ	WTD
01	English only	7,104	1,107,597
02	French only	1,795	387,602
03	English and French only	61	15,046
04	English and French and other	1	106
05	English and other (not French)	67	15,752
06	French and other (not English)	4	1,413
07	Neither English nor French (other)	1,165	387,789
99	Not stated	317	83,578
		=====	=====
		10,514	1,998,884

Coverage: PMK with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FSDPQ6A to FSDPQ6S

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Socio-Demographic - Derived Variables - Spouse

Variable Name: **FSDSD01** *Position:* 671 *Length:* 3
Collection Name: SDSDV01

Age at time of immigration

Allowed values: 000 : 058

		FREQ	WTD
000 : 060	Age at time of immigration-spouse	1,040	346,553
996	Valid skip	8,927	1,516,768
999	Not stated	547	135,563
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, born outside Canada and not Canadian citizen by birth
Note: This derived variable is based on the year of birth (FMMSQ03A) and question FSDSQ3. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

Variable Name: **FSDSD02** *Position:* 674 *Length:* 3
Collection Name: SDSDV02

Number of years since first immigrating to Canada

Allowed values: 000 : 064

		FREQ	WTD
000 : 053	Number of years since immigrating-spouse	1,040	346,553
996	Valid skip	8,927	1,516,768
999	Not stated	547	135,563
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old, born outside Canada and not Canadian citizen by birth
Note: This derived variable is based on question FSDSQ3. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

Variable Name: **FSDSD2AA** *Position:* 677 *Length:* 1
Collection Name: SDSDV2AA

Citizenship Status - Spouse of the PMK

		FREQ	WTD
1	Canadian citizen by birth	7,644	1,270,965
2	Canadian citizen by naturalization	648	210,230
3	Not a Canadian citizen	425	146,268
6	Valid skip	1,283	245,802
9	Not stated	514	125,619
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This derived variable is based on questions FSDSQ1 and SOCAQ2A. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSD02B	<i>Position:</i>	678	<i>Length:</i>	1
<i>Collection Name:</i>	SDSDV02B				

Number of years since first immigrating to Canada - grouped

		FREQ	WTD
1	0 to 4 years	194	66,314
2	5 to 9 years	247	91,857
3	10 or more years	599	188,382
6	Valid skip	8,927	1,516,768
9	Not stated	547	135,563
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old born outside Canada and not Canadian citizen by birth
Note: This derived variable is based on FSDSD02

<i>Variable Name:</i>	FSDSD03	<i>Position:</i>	679	<i>Length:</i>	2
<i>Collection Name:</i>	SDSDV03				

Immigration and official language status

		FREQ	WTD
01	Canadian by birth (in Canada or outside of Canada), speaking French and English, with or without any other languages	1,239	247,727
02	Canadian by birth (in Canada or outside of Canada), speaking English only or French only, with or without a second language	6,300	1,000,393
03	Canadian by birth (in Canada or outside of Canada), speaking neither French nor English	6	1,356
04	Canadian by naturalization, speaking French and English, with or without other languages	79	27,414
05	Canadian by naturalization, speaking English only or French only, with or without a second language	528	164,497
06	Canadian by naturalization, speaking neither French nor English	26	10,533
07	Not a Canadian citizen	425	146,268
96	Valid skip	1,283	245,802
99	Not stated	628	154,894
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old
Note: This derived variable is based on questions FSDSQ5A, FSDSQ5B and FSDSD2AA. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDSD04	<i>Position:</i>	681	<i>Length:</i>	1
<i>Collection Name:</i>	SDSDV04				

Recoded Place of birth

		FREQ	WTD
1	Canada	7,580	1,255,833
2	United States	96	15,358
3	Europe	224	55,153
4	Asia	262	94,644
5	Other	560	207,811
6	Valid skip	1,283	245,802
9	Not stated	509	124,282
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on question FSDSQ1. If Firstint=2 (Not the first interview for this adult in Cycle 6) this variable includes data from previous cycles when available.

<i>Variable Name:</i>	FSDSD05	<i>Position:</i>	682	<i>Length:</i>	2
<i>Collection Name:</i>	SDSDV05				

Language in which person is able to conduct a conversation

		FREQ	WTD
01	English only	5,475	825,380
02	French only	792	167,970
03	English and French only	1,217	235,658
04	English and French and other	177	65,590
05	English and other (not French)	1,059	311,148
06	French and other (not English)	29	13,957
07	Neither English nor French (other)	72	30,628
96	Valid skip	1,283	245,802
99	Not stated	410	102,751
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FSDSQ5A to FSDSQ5S.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDSD06** *Position:* 684 *Length:* 2
Collection Name: SDSDV06

Language first learned at home and still understood

		FREQ	WTD
01	English only	5,981	921,695
02	French only	1,625	341,168
03	English and French only	58	10,270
04	English and French and other	2	615
05	English and other (not French)	50	14,823
06	French and other (not English)	1	320
07	Neither English nor French (other)	1,101	361,124
96	Valid skip	1,283	245,802
99	Not stated	413	103,065
		=====	=====
		10,514	1,998,884

Coverage: Spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on questions FSDSQ6A to FSDSQ6S.

Section: **Socio-Demographic - Derived Variables - Household**

Variable Name: **FSDHfD4B** *Position:* 686 *Length:* 1
Collection Name: SDPDV04B

Combined parental place of birth

		FREQ	WTD
1	PMK and spouse born in Canada	7,175	1,155,424
2	PMK born in Canada, spouse born outside Canada	443	109,766
3	PMK born outside Canada, spouse born in Canada	373	95,388
4	PMK and spouse born outside Canada	688	257,932
6	Valid skip	1,283	245,802
9	Not stated	552	134,572
		=====	=====
		10,514	1,998,884

Coverage: PMK and spouse with selected child aged 0 to 5 years old

Note: This derived variable is based on FSDPD04 and FSDSD04 (if applicable)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Child Education

Variable Name: **FEDCbQ0** *Position:* 687 *Length:* 2
Collection Name: EDUQ1

What type of school is this child currently in

...is it a?

		FREQ	WTD
01	Public school	1,662	340,708
02	Catholic school, publicly funded	365	97,304
03	Private school	243	57,910
04	Not in school	1,153	174,788
05	Taught at home (home schooled)	20	3,438
06	Child in an institution (for example hospital, young offender facility, child welfare facility)	1	293
07	Other	63	11,378
96	Valid skip	6,982	1,306,594
97	Don't know	1	160
99	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCeQ0A** *Position:* 689 *Length:* 2
Collection Name: EDUQ2

In which province or territory is this school/institution?

		FREQ	WTD
10	Newfoundland and Labrador	139	5,998
11	Prince Edward Island	58	944
12	Nova Scotia	124	8,627
13	New Brunswick	146	8,212
24	Quebec	275	76,136
35	Ontario	848	275,576
46	Manitoba	167	16,058
47	Saskatchewan	178	14,695
48	Alberta	211	50,935
59	British Columbia	187	49,908
60	Yukon	0	0
61	Northwest Territories	0	0
62	Nunavut	0	0
96	Valid skip	8,156	1,485,113
97	Don't know	1	368
99	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

Variable Name: **FEDCfD01** *Position:* 691 *Length:* 2
Collection Name: EDUDV01

School grade (National Level) the child is in

		FREQ	WTD
02	Junior kindergarten	685	189,035
03	Kindergarten/Primary (N.S.)	1,562	301,913
04	Grade 1	15	2,894
17	Ungraded	68	13,098
96	Valid skip	8,156	1,485,113
99	Not stated	28	6,831
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This derived variable is based on question EDUQ3. Not applicable for children who are not in school, taught at home or in an institution.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCQ12A	<i>Position:</i>	693	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ3A				

In what language is this child mainly taught?

		FREQ	WTD
1	English	1,815	386,949
2	French	447	101,754
3	Both languages	61	15,019
4	Other	10	3,577
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

<i>Variable Name:</i>	FEDCc12B	<i>Position:</i>	694	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ3B				

Is this child in a language immersion program?

		FREQ	WTD
1	Yes	210	45,289
2	No	2,122	461,372
6	Valid skip	8,156	1,485,113
7	Don't know	2	797
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCc12C** *Position:* 695 *Length:* 1
Collection Name: EDUQ3C

As far as you know, approximately what percentage of his time is spent in the immersion language?

		FREQ	WTD
1	25% or less	33	8,059
2	26 to 50%	45	10,929
3	51 to 75%	41	9,954
4	More than 75%	88	15,792
6	Valid skip	10,278	1,946,485
7	Don't know	3	555
9	Not stated	26	7,110
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school and participating in a language immersion program

Variable Name: **FEDCeQ3D** *Position:* 696 *Length:* 1
Collection Name: EDUQ3D

Is this child enrolled in an academic program with a specially designed curriculum other than a language immersion program (for example special education program, a program for gifted students, English or French as a second language)?

		FREQ	WTD
1	Yes	47	12,497
2	No	2,286	494,638
6	Valid skip	8,156	1,485,113
7	Don't know	1	324
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCe3EA** *Position:* 697 *Length:* 1
Collection Name: EDUQ3EA

What type of academic program is this child enrolled in
...school program for hearing or visually impaired students?

		FREQ	WTD
1	Yes	2	1,147
2	No	41	10,903
6	Valid skip	10,442	1,979,750
7	Don't know	2	150
8	Refusal	2	297
9	Not stated	25	6,637
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school and enrolled in a special academic program

Variable Name: **FEDCe3EB** *Position:* 698 *Length:* 1
Collection Name: EDUQ3EB

What type of academic program is this child enrolled in
...school program for special needs students such as special education, (excluding hearing or visually impaired students)?

		FREQ	WTD
1	Yes	15	3,857
2	No	28	8,193
6	Valid skip	10,442	1,979,750
7	Don't know	2	150
8	Refusal	2	297
9	Not stated	25	6,637
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school and enrolled in a special academic program

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCe3EC** *Position:* 699 *Length:* 1
Collection Name: EDUQ3EC

What type of academic program is this child enrolled in

...school program for gifted students such as scientifically advanced programs, an enriched or advanced program?

		FREQ	WTD
1	Yes	9	3,126
2	No	34	8,924
6	Valid skip	10,442	1,979,750
7	Don't know	2	150
8	Refusal	2	297
9	Not stated	25	6,637
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school and enrolled in a special academic program

Variable Name: **FEDCe3ED** *Position:* 700 *Length:* 1
Collection Name: EDUQ3ED

What type of academic program is this child enrolled in

...an English or French as a second language program?

		FREQ	WTD
1	Yes	13	3,057
2	No	30	8,993
6	Valid skip	10,442	1,979,750
7	Don't know	2	150
8	Refusal	2	297
9	Not stated	25	6,637
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school and enrolled in a special academic program

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCe3EE** *Position:* 701 *Length:* 1
Collection Name: EDUQ3EE

What type of academic program is this child enrolled in

...a program targeting the arts or sports?

		FREQ	WTD
1	Yes	1	282
2	No	42	11,768
6	Valid skip	10,442	1,979,750
7	Don't know	2	150
8	Refusal	2	297
9	Not stated	25	6,637
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school and enrolled in a special academic program

Variable Name: **FEDCe3EF** *Position:* 702 *Length:* 1
Collection Name: EDUQ3EF

What type of academic program is this child enrolled in

...a trade/vocational program?

		FREQ	WTD
1	Yes	2	516
2	No	41	11,534
6	Valid skip	10,442	1,979,750
7	Don't know	2	150
8	Refusal	2	297
9	Not stated	25	6,637
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school and enrolled in a special academic program

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCe3EG** *Position:* 703 *Length:* 1
Collection Name: EDUQ3EG

What type of academic program is this child enrolled in

...an alternative program for students returning to school or with children?

		FREQ	WTD
1	Yes	1	63
2	No	42	11,987
6	Valid skip	10,442	1,979,750
7	Don't know	2	150
8	Refusal	2	297
9	Not stated	25	6,637
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school and enrolled in a special academic program

Variable Name: **FEDCeQ4A** *Position:* 704 *Length:* 1
Collection Name: EDUQ4

In a typical week, how often does this child attend junior kindergarten/ pre-school or senior kindergarten/primary?

		FREQ	WTD
1	Full days- every day	612	123,486
2	Half days - every day	871	212,540
3	Full days - alternate days	524	112,460
4	Half days - alternate days	113	21,480
5	Some other combination	127	20,983
6	Valid skip	8,239	1,501,105
9	Not stated	28	6,831
		=====	=====
		10,514	1,998,884

Coverage: Children in junior kindergarten or kindergarten

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCe02	<i>Position:</i>	705	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ5				

Did this child attend junior kindergarten/pre-school?

		FREQ	WTD
1	Yes	1,054	222,018
2	No	522	82,613
6	Valid skip	8,909	1,687,246
7	Don't know	1	176
9	Not stated	28	6,831
		=====	=====
		10,514	1,998,884

Coverage: Children in kindergarten, grade 1 or 2

<i>Variable Name:</i>	FEDCe03	<i>Position:</i>	706	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ6				

Did this child attend Senior kindergarten/primary?

		FREQ	WTD
1	Yes	11	2,546
2	No	4	348
6	Valid skip	10,471	1,989,159
9	Not stated	28	6,831
		=====	=====
		10,514	1,998,884

Coverage: Children in grades 1 or 2

<i>Variable Name:</i>	FEDCQ06	<i>Position:</i>	707	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ7				

In the past two years, that is, since the end of the school year of the last interview, has this child ever repeated a grade (including kindergarten)?

		FREQ	WTD
1	Yes	2	418
2	No	1,576	304,463
6	Valid skip	8,909	1,687,246
9	Not stated	27	6,757
		=====	=====
		10,514	1,998,884

Coverage: Children in grades kindergarten to 12

Note: If first interview (firstint =1) the question is: 'Has this child ever repeated a grade (including kindergarten)'

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCfD03	<i>Position:</i>	708	<i>Length:</i>	2
<i>Collection Name:</i>	EDUDV03				

School grade (National Level) the child repeated

		FREQ	WTD
02	Junior kindergarten	0	0
03	Kindergarten/Primary (N.S.)	2	418
96	Valid skip	10,485	1,991,709
99	Not stated	27	6,757
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This derived variable is based on question EDUQ8. Not applicable for those who answered FEDCQ06 = 2 or who are not in school, taught at home or in an institution.

<i>Variable Name:</i>	FEDCdQ7F	<i>Position:</i>	710	<i>Length:</i>	2
<i>Collection Name:</i>	EDUQ9				

What was the main reason for repeating this grade?

		FREQ	WTD
01	Not academically ready for the next grade	1	73
02	Physical impairment (such as speech, hearing, sight, etc.)	0	0
03	Illness	0	0
04	Difficulty with the language of instruction	0	0
05	Not socially ready for the next grade	0	0
06	Changed school system	0	0
07	Other	1	345
96	Valid skip	10,485	1,991,709
99	Not stated	27	6,757
		=====	=====
		10,514	1,998,884

Coverage: Children who repeated a grade

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCdQ9A	<i>Position:</i>	712	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ10				

Other than the progression through the school system in your area, has this child changed schools since the last interview?

		FREQ	WTD
1	Yes	125	35,247
2	No	1,691	362,593
6	Valid skip	8,674	1,594,730
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

<i>Variable Name:</i>	FEDCdQ9B	<i>Position:</i>	713	<i>Length:</i>	2
<i>Collection Name:</i>	EDUQ11				

How many times has he changed schools since the last interview?

Allowed values: 01 : 10

		FREQ	WTD
01 : 04	How many times changed schools	125	35,247
96	Valid skip	10,365	1,957,323
99	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who changed schools

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCQ10	<i>Position:</i>	715	<i>Length:</i>	2
<i>Collection Name:</i>	EDUQ12				

For the most recent change in schools, what was the reason for changing?

		FREQ	WTD
01	Family or child moved	51	16,113
02	Child not progressing well	0	0
04	Child not getting along well with others	0	0
05	Concerns about standards and quality of teaching at the school	7	2,230
08	Other	31	8,064
09	Wanted a specific program	19	5,116
10	Child started attending school (for example, had previously been home schooled or had not been in school)	17	3,725
96	Valid skip	10,365	1,957,323
99	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who changed schools

<i>Variable Name:</i>	FEDCd11A	<i>Position:</i>	717	<i>Length:</i>	2
<i>Collection Name:</i>	EDUQ13				

Aside from school changes, since the last interview, how many times has this child moved, that is changed his usual place of residence?

Allowed values: 00 : 10

		FREQ	WTD
00 : 10	How many times moved	2,334	507,458
96	Valid skip	8,156	1,485,113
99	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCdQ13** *Position:* 719 *Length:* 2
Collection Name: EDUQ14

During the previous school year, about how many days was this child absent from school for any reason?

		FREQ	WTD
01	0 days	328	62,675
02	1 to 3 days	391	82,194
03	4 to 6 days	279	69,455
04	7 to 10 days	142	35,939
05	11 to 20 days	59	19,423
06	More than 20 days	32	10,748
07	Not in school last year	1,096	224,941
96	Valid skip	8,156	1,485,113
97	Don't know	7	2,083
99	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

Variable Name: **FEDCd13A** *Position:* 721 *Length:* 2
Collection Name: EDUQ15

What was the main reason for this child being absent from school?

		FREQ	WTD
01	Health reasons (illness or injuries)	161	45,936
02	Problems with transportation	5	895
03	Problems with the weather	3	425
04	A family vacation	40	14,138
05	A fear of school (school phobia)	2	631
06	A problem with the teacher	0	0
07	A problem with children at school	1	30
08	Difficulties with childcare arrangements	6	1,333
09	Other	15	2,722
96	Valid skip	10,250	1,924,378
99	Not stated	31	8,396
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 4, 5 or 6 to FEDCDQ13 (absent 7 or more days of school during the previous school year)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCQ14A** *Position:* 723 *Length:* 2
Collection Name: EDUQ16

Based on your knowledge of his school work, including his report cards, how is this child doing in the following areas at school this year

...reading?

		FREQ	WTD
01	Very well	24	5,241
02	Well	7	1,845
03	Average	8	491
04	Poorly	0	0
05	Very poorly	0	0
96	Valid skip	10,447	1,984,387
97	Don't know	1	162
99	Not stated	27	6,757
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 who are in grade 1 or higher

Variable Name: **FEDCQ14B** *Position:* 725 *Length:* 2
Collection Name: EDUQ18

Based on your knowledge of his school work, including his report cards, how is this child doing in the following areas at school this year

...mathematics?

		FREQ	WTD
01	Very well	17	4,119
02	Well	14	3,284
03	Average	8	398
04	Poorly	0	0
05	Very poorly	0	0
96	Valid skip	10,447	1,984,202
97	Don't know	1	124
99	Not stated	27	6,757
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 who are in grade 1 or higher

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCQ14C** *Position:* 727 *Length:* 2
Collection Name: EDUQ19

Based on your knowledge of his school work, including his report cards, how is this child doing in the following areas at school this year

...written work such as composition?

		FREQ	WTD
01	Very well	12	2,516
02	Well	11	2,666
03	Average	4	1,036
04	Poorly	1	162
05	Very poorly	0	0
96	Valid skip	10,458	1,985,585
97	Don't know	1	162
99	Not stated	27	6,757
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 who are in grade 1 or higher

Variable Name: **FEDCQ14D** *Position:* 729 *Length:* 2
Collection Name: EDUQ21

Based on your knowledge of his school work, including his report cards

...how is he doing overall?

		FREQ	WTD
01	Very well	38	7,636
02	Well	22	4,787
03	Average	7	765
04	Poorly	0	0
05	Very poorly	0	0
96	Valid skip	10,420	1,978,938
99	Not stated	27	6,757
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 who are in grade 1 or higher

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCc16B** *Position:* 731 *Length:* 1
Collection Name: EDUQ29

Since this child started school in the fall how many times have you been contacted by phone or in writing by his school regarding his behaviour problems or challenges at school?

		FREQ	WTD
1	Never	2,084	457,853
2	Once or twice	208	41,365
3	Three or four times	21	5,028
4	Five times or more	20	3,052
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

Variable Name: **FEDCQ17** *Position:* 732 *Length:* 1
Collection Name: EDUQ30

With regard to how he feels about school, how often does he look forward to going to school?

		FREQ	WTD
1	Almost never	71	18,119
2	Rarely	20	3,982
3	Sometimes	101	22,490
4	Often	252	51,958
5	Almost always	1,885	409,964
6	Valid skip	8,156	1,485,113
7	Don't know	4	696
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCe18B	<i>Position:</i>	733	<i>Length:</i>	2
<i>Collection Name:</i>	EDUQ32				

How far do you hope this child will go in school?

		FREQ	WTD
01	Primary/elementary school	3	328
02	Secondary or high school	102	20,227
03	Community college, CEGEP or nursing school	170	41,273
04	Trade, technical or vocational school, or business college	64	10,094
05	University	1,630	361,403
06	Post-secondary, unspecified	330	64,188
07	Other	19	7,467
96	Valid skip	8,156	1,485,113
97	Don't know	15	2,231
98	Refusal	1	248
99	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

<i>Variable Name:</i>	FEDCc18C	<i>Position:</i>	735	<i>Length:</i>	2
<i>Collection Name:</i>	EDUQ33				

How often do you and this child talk about school work or behaviour in class?

		FREQ	WTD
01	Daily	1,843	404,911
02	A few times a week	365	77,415
03	Once a week	59	14,115
04	A few times a month	16	2,703
05	Once a month	6	1,728
06	Less than once a month	2	599
07	Rarely	39	5,228
96	Valid skip	8,156	1,485,113
97	Don't know	2	405
98	Refusal	2	354
99	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCc18D** *Position:* 737 *Length:* 2
Collection Name: EDUQ34

How often do you and this child talk about his school friends or activities?

		FREQ	WTD
01	Daily	1,946	422,466
02	A few times a week	335	74,046
03	Once a week	30	6,180
04	A few times a month	4	636
05	Once a month	3	414
06	Less than once a month	2	599
07	Rarely	10	2,359
96	Valid skip	8,156	1,485,113
99	Not stated	28	7,072
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

Variable Name: **FEDCQ19A** *Position:* 739 *Length:* 1
Collection Name: EDUQ35

Please indicate whether you strongly agree, agree, disagree, or strongly disagree

...academic progress is very important at this school?

		FREQ	WTD
1	Strongly agree	35	6,998
2	Agree	29	5,206
3	Disagree	2	177
4	Strongly disagree	0	0
6	Valid skip	10,419	1,979,337
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	27	6,757
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school (except those in kindergarten)

Note: Excludes respondent who answered not applicable

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCQ19B** *Position:* 740 *Length:* 1
Collection Name: EDUQ36

Please indicate whether you strongly agree, agree, disagree, or strongly disagree

...most children in this school enjoy being there?

		FREQ	WTD
1	Strongly agree	35	7,684
2	Agree	37	6,009
3	Disagree	0	0
4	Strongly disagree	0	0
6	Valid skip	10,412	1,977,902
7	Don't know	2	283
9	Not stated	28	7,006
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school (except those in kindergarten)

Note: Excludes respondent who answered not applicable

Variable Name: **FEDCQ19C** *Position:* 741 *Length:* 1
Collection Name: EDUQ37

Please indicate whether you strongly agree, agree, disagree, or strongly disagree

...parents are made to feel welcome in this school?

		FREQ	WTD
1	Strongly agree	45	8,669
2	Agree	28	5,048
3	Disagree	0	0
4	Strongly disagree	1	174
6	Valid skip	10,411	1,977,827
7	Don't know	1	160
9	Not stated	28	7,006
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school (except those in kindergarten)

Note: Excludes respondent who answered not applicable

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCQ19D** *Position:* 742 *Length:* 1
Collection Name: EDUQ38

Please indicate whether you strongly agree, agree, disagree, or strongly disagree

...school spirit is very high?

		FREQ	WTD
1	Strongly agree	40	7,742
2	Agree	28	5,457
3	Disagree	1	29
4	Strongly disagree	0	0
6	Valid skip	10,415	1,978,317
7	Don't know	1	160
8	Refusal	1	174
9	Not stated	28	7,006
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school (except those in kindergarten)

Note: Excludes respondent who answered not applicable

Variable Name: **FEDCc19E** *Position:* 743 *Length:* 1
Collection Name: EDUQ39

Please indicate whether you strongly agree, agree, disagree, or strongly disagree

...this school offers parents many opportunities to be involved in school activities?

		FREQ	WTD
1	Strongly agree	37	6,631
2	Agree	29	5,347
3	Disagree	2	788
4	Strongly disagree	1	327
6	Valid skip	10,414	1,978,059
7	Don't know	2	552
9	Not stated	29	7,180
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school (except those in kindergarten)

Note: Excludes respondent who answered not applicable

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCb21A** *Position:* 744 *Length:* 1
Collection Name: EDUQ40A

During the past school year, did you do any of the following

...speak to, correspond or visit your child's teacher?

		FREQ	WTD
1	Yes	1,460	325,646
2	No	872	181,404
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

Variable Name: **FEDCb21B** *Position:* 745 *Length:* 1
Collection Name: EDUQ40B

During the past school year, did you do any of the following

...visit your child's class?

		FREQ	WTD
1	Yes	1,411	316,011
2	No	921	191,040
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCc21C	<i>Position:</i>	746	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ40C				

During the past school year, did you do any of the following

...attend a school event in which your child participated, (for example a play, sports competition or science fair)?

		FREQ	WTD
1	Yes	957	221,877
2	No	1,375	285,174
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

<i>Variable Name:</i>	FEDCb21E	<i>Position:</i>	747	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ40D				

During the past school year, did you do any of the following

...volunteer in your child's class or help with a class trip?

		FREQ	WTD
1	Yes	790	177,230
2	No	1,542	329,820
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FEDCb21F** *Position:* 748 *Length:* 1
Collection Name: EDUQ40E

During the past school year, did you do any of the following

...help elsewhere in the school, such as in the library or computer room.?

		FREQ	WTD
1	Yes	256	56,029
2	No	2,076	451,022
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

Variable Name: **FEDCe21G** *Position:* 749 *Length:* 1
Collection Name: EDUQ40F

During the past school year, did you do any of the following

...attend a parent-school meeting?

		FREQ	WTD
1	Yes	806	189,383
2	No	1,526	317,668
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCe21I	<i>Position:</i>	750	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ40G				

During the past school year, did you do any of the following

...participate in fund-raising for the school?

		FREQ	WTD
1	Yes	803	169,860
2	No	1,529	337,190
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

<i>Variable Name:</i>	FEDCe21J	<i>Position:</i>	751	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ40H				

During the past school year, did you do any of the following

...participate in other school activities?

		FREQ	WTD
1	Yes	453	102,795
2	No	1,879	404,255
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FEDCb21K	<i>Position:</i>	752	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ40I				

During the past school year, did you do any of the following

...no activities?

		FREQ	WTD
1	Yes	23	4,586
2	No	2,309	502,465
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

<i>Variable Name:</i>	FEDCf21L	<i>Position:</i>	753	<i>Length:</i>	1
<i>Collection Name:</i>	EDUQ40J				

During the past school year, did you do any of the following

...not in school last year?

		FREQ	WTD
1	Yes	778	161,832
2	No	1,554	345,219
6	Valid skip	8,156	1,485,113
7	Don't know	1	160
8	Refusal	1	248
9	Not stated	24	6,313
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Direct Measures

Variable Name: **FDIReQ01** *Position:* 754 *Length:* 1
Collection Name: DIRQ1

Does this child understand English or French well enough to follow instructions and do the activities with me?

		FREQ	WTD
1	Yes	3,461	674,204
2	No	38	10,270
6	Valid skip	6,982	1,306,594
7	Don't know	5	457
8	Refusal	1	248
9	Not stated	27	7,110
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FDIReQ02** *Position:* 755 *Length:* 1
Collection Name: DIRQ2

Can this child see colours well enough to distinguish red from white?

		FREQ	WTD
1	Yes	3,439	669,135
2	No	20	3,235
6	Valid skip	7,020	1,316,864
7	Don't know	6	1,352
9	Not stated	29	8,299
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FDIRQ03	<i>Position:</i>	756	<i>Length:</i>	1
<i>Collection Name:</i>	DIRQ3				

Which hand does this child use when drawing figures?

		FREQ	WTD
1	Right hand	2,936	573,843
2	Left hand	369	66,789
3	Both hands	159	33,078
6	Valid skip	7,020	1,316,864
7	Don't know	1	11
9	Not stated	29	8,299
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FDIRQ04	<i>Position:</i>	757	<i>Length:</i>	1
<i>Collection Name:</i>	DIRQ4				

In which language would you like this child to do the activities?

		FREQ	WTD
1	English	2,895	537,157
2	French	568	136,312
6	Valid skip	7,020	1,316,864
7	Don't know	1	138
8	Refusal	1	115
9	Not stated	29	8,299
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Child Health

Variable Name: **FHLCQ01** *Position:* 758 *Length:* 1
Collection Name: HLTQ1

In general, would you say this child's health is:

		FREQ	WTD
1	Excellent	6,761	1,273,076
2	Very good	2,702	510,218
3	Good	847	169,905
4	Fair	132	25,708
5	Poor	25	5,522
8	Refusal	1	248
9	Not stated	46	14,207
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FHLCQ02** *Position:* 759 *Length:* 1
Collection Name: HLTQ2

Over the past few months, how often has this child been in good health?

		FREQ	WTD
1	Almost all the time	8,657	1,631,692
2	Often	1,314	254,447
3	About half of the time	356	66,841
4	Sometimes	110	24,763
5	Almost never	28	5,833
7	Don't know	2	853
9	Not stated	47	14,455
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ03B	<i>Position:</i>	760	<i>Length:</i>	4.2
<i>Collection Name:</i>	HLTDV03				

What is child's height in metres and centimetres? (without shoes)

<i>Allowed values:</i>	0.29 : 1.75		FREQ	WTD
0.56 : 1.32	Child's height in m and cm		7,241	1,308,490
9.99	Not stated		3,273	690,394
			=====	=====
			10,514	1,998,884

Coverage: All respondents

Note: This variable is derived from questions HLTQ3, HLTQ3A1, HLTQ3A2, HLTQ3A3, HLTQ3A4, HLTQ3A5, HLTQ3A6.

<i>Variable Name:</i>	FHLCQ04A	<i>Position:</i>	764	<i>Length:</i>	6.2
<i>Collection Name:</i>	HLTDV04				

What is child's weight in kilograms and grams?

<i>Allowed values:</i>	004.00 : 077.11		FREQ	WTD
004.08 : 040.82	Weight in kilograms & grams		10,040	1,873,120
999.99	Not stated		474	125,764
			=====	=====
			10,514	1,998,884

Coverage: All respondents

Note: This variable is derived from questions HLTQ4 and HLTQ4A

<i>Variable Name:</i>	FHLCdQ5A	<i>Position:</i>	770	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ5A				

Does this child have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?

			FREQ	WTD
1	Yes, sometimes		265	49,111
2	Yes, often		255	49,808
3	No		9,943	1,885,159
7	Don't know		4	435
9	Not stated		47	14,370
			=====	=====
			10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCdQ5B** *Position:* 771 *Length:* 1
Collection Name: HLTQ5B

Does a physical condition or mental condition or health problem reduce the amount or the kind of activity this child can do

...at home?

		FREQ	WTD
1	Yes, sometimes	174	28,958
2	Yes, often	131	27,509
3	No	10,157	1,927,601
7	Don't know	1	10
9	Not stated	51	14,806
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FHLCeQ5E** *Position:* 772 *Length:* 1
Collection Name: HLTQ5C

Does a physical condition or mental condition or health problem reduce the amount or the kind of activity this child can do

...at child care?

		FREQ	WTD
1	Yes, sometimes	81	13,022
2	Yes, often	51	10,825
3	No	6,811	1,257,478
6	Valid skip	3,516	701,928
7	Don't know	3	816
9	Not stated	52	14,816
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: Not applicable to selected children not in child care.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCdQ5C** *Position:* 773 *Length:* 1
Collection Name: HLTQ5D

Does a physical condition or mental condition or health problem reduce the amount or the kind of activity this child can do

...at work or at school?

		FREQ	WTD
1	Yes, sometimes	75	15,404
2	Yes, often	39	11,465
3	No	4,126	837,728
6	Valid skip	6,218	1,118,248
7	Don't know	1	407
9	Not stated	55	15,631
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: Not applicable to selected children not working or not in school.

Variable Name: **FHLCeQ5D** *Position:* 774 *Length:* 1
Collection Name: HLTQ5E

Does a physical condition or mental condition or health problem reduce the amount or the kind of activity this child can do

...in other activities, for example, transportation, play, sports or games?

		FREQ	WTD
1	Yes, sometimes	169	23,790
2	Yes, often	92	21,850
3	No	10,196	1,936,532
7	Don't know	1	674
9	Not stated	56	16,039
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ06** *Position:* 775 *Length:* 1
Collection Name: HLTQ6A

Is he usually able to see clearly, and without distortion, the words in a story book without glasses or contact lenses?

		FREQ	WTD
1	Yes	3,370	658,255
2	No	122	23,746
6	Valid skip	6,982	1,306,594
7	Don't know	8	1,474
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FHLCQ07** *Position:* 776 *Length:* 1
Collection Name: HLTQ7A

Is he usually able to see clearly, and without distortion, the words in a story book with glasses or contact lenses?

		FREQ	WTD
1	Yes	111	20,210
2	No	8	2,548
3	Doesn't wear glasses or contact lenses	8	1,898
6	Valid skip	10,352	1,964,849
7	Don't know	3	564
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'No, cannot see the words in a story book without glasses or contact lenses'

Variable Name: **FHLCQ08** *Position:* 777 *Length:* 1
Collection Name: HLTQ8

Is he able to see at all?

		FREQ	WTD
1	Yes	18	4,623
2	No	1	387
6	Valid skip	10,463	1,985,058
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'No, cannot see the words in a story book with glasses or contact lenses'

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ09** *Position:* 778 *Length:* 1
Collection Name: HLTQ9

Is he able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?

		FREQ	WTD
1	Yes	3,450	673,105
2	No	41	8,214
6	Valid skip	6,983	1,306,981
7	Don't know	8	1,768
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'Yes, can see'

Variable Name: **FHLCQ10** *Position:* 779 *Length:* 1
Collection Name: HLTQ10

Is he usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?

		FREQ	WTD
1	Yes	34	6,359
2	No	8	1,967
3	Doesn't wear glasses or contacts	4	570
6	Valid skip	10,433	1,980,087
7	Don't know	3	1,087
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'No, cannot see well enough to recognize a friend on the other side of the street without glasses or contact lenses'

Variable Name: **FHLCQ11** *Position:* 780 *Length:* 1
Collection Name: HLTQ11

Is this child usually able to hear what is said in a group conversation with at least three other people without a hearing aid?

		FREQ	WTD
1	Yes	3,463	675,232
2	No	30	7,042
6	Valid skip	6,982	1,306,594
7	Don't know	7	1,201
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ12** *Position:* 781 *Length:* 1
Collection Name: HLTQ12

Is he usually able to hear what is said in a group conversation with at least three other people with a hearing aid?

		FREQ	WTD
1	Yes	16	4,168
2	No	3	433
3	Doesn't wear a hearing aid	18	3,642
6	Valid skip	10,445	1,981,826
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who said 'No, they are not usually able to hear what is said in a group conversation with at least three other people without a hearing aid'

Variable Name: **FHLCQ13** *Position:* 782 *Length:* 1
Collection Name: HLTQ13

Is he able to hear at all?

		FREQ	WTD
1	Yes	21	4,075
2	No	0	0
6	Valid skip	10,461	1,985,993
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who said 'No or doesn't wear a hearing aid' to 'Is he usually able to hear what is said in a group conversation with at least three other people with a hearing aid?'

Variable Name: **FHLCQ14** *Position:* 783 *Length:* 1
Collection Name: HLTQ14

Is he usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid?

		FREQ	WTD
1	Yes	30	6,042
2	No	6	2,056
6	Valid skip	10,445	1,981,826
7	Don't know	1	145
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who said 'No or doesn't wear a hearing aid, they are not usually able to hear what is said in a group conversation with at least three other people without a hearing aid' and 'Yes, can hear at all'

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ15** *Position:* 784 *Length:* 1
Collection Name: HLTQ15

Is he usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?

		FREQ	WTD
1	Yes	3	461
2	No	1	101
3	Doesn't wear a hearing aid	3	1,639
6	Valid skip	10,475	1,987,868
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who said 'No, they are not usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid'

Variable Name: **FHLCQ16** *Position:* 785 *Length:* 1
Collection Name: HLTQ16

Is this child usually able to be understood completely when speaking with strangers in his own language?

		FREQ	WTD
1	Yes	3,286	638,421
2	No	213	44,790
6	Valid skip	6,982	1,306,594
7	Don't know	1	264
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FHLCQ17** *Position:* 786 *Length:* 1
Collection Name: HLTQ17

Is he able to be understood partially when speaking with strangers in his own language?

		FREQ	WTD
1	Yes	189	39,466
2	No	23	5,265
6	Valid skip	10,268	1,945,015
7	Don't know	1	58
9	Not stated	33	9,079
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who said 'No, are not usually able to be understood completely when speaking with strangers in his own language'

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ18	<i>Position:</i>	787	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ18				

Is he able to be understood completely when speaking with those who know him well?

		FREQ	WTD
1	Yes	153	32,713
2	No	60	12,230
6	Valid skip	10,268	1,945,015
7	Don't know	1	111
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who said 'No, are not usually able to be understood completely when speaking with strangers in his own language'

<i>Variable Name:</i>	FHLCQ19	<i>Position:</i>	788	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ19				

Is he able to be understood partially when speaking with those who know him well?

		FREQ	WTD
1	Yes	53	8,886
2	No	7	3,344
6	Valid skip	10,421	1,977,728
9	Not stated	33	8,926
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who said 'No, they are not able to be understood completely when speaking with those who know him well'

<i>Variable Name:</i>	FHLCQ20	<i>Position:</i>	789	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ20A				

Is he usually able to walk without difficulty and without mechanical support such as braces, a cane or crutches?

		FREQ	WTD
1	Yes	3,476	676,851
2	No	24	6,624
6	Valid skip	6,982	1,306,594
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ21** *Position:* 790 *Length:* 1
Collection Name: HLTQ21

Is he able to walk at all?

		FREQ	WTD
1	Yes	17	4,257
2	No	7	2,367
6	Valid skip	10,458	1,983,445
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered No to 'Is ... usually able to walk without difficulty and without mechanical support such as braces, a cane or crutches?'

Variable Name: **FHLCQ22** *Position:* 791 *Length:* 1
Collection Name: HLTQ22A

Does he require mechanical support such as braces, a cane or crutches to be able to walk?

		FREQ	WTD
1	Yes	9	3,110
2	No	8	1,148
6	Valid skip	10,465	1,985,812
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'Yes, able to walk at all' and No to 'Is ... usually able to walk without difficulty and without mechanical support such as braces, a cane or crutches?'

Variable Name: **FHLCQ23** *Position:* 792 *Length:* 1
Collection Name: HLTQ23

Does he require the help of another person to be able to walk?

		FREQ	WTD
1	Yes	8	2,249
2	No	9	2,008
6	Valid skip	10,465	1,985,812
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'Yes, able to walk at all' and No to 'Is ... usually able to walk without difficulty and without mechanical support such as braces, a cane or crutches?'

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ24** *Position:* 793 *Length:* 1
Collection Name: HLTQ24

Does he require a wheelchair to get around?

		FREQ	WTD
1	Yes	7	2,709
2	No	17	3,915
6	Valid skip	10,458	1,983,445
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'Yes, able to walk at all' and No to 'Is ... usually able to walk without difficulty and without mechanical support such as braces, a cane or crutches?'

Variable Name: **FHLCQ25** *Position:* 794 *Length:* 1
Collection Name: HLTQ25

How often does he use a wheelchair?

		FREQ	WTD
1	Always	3	1,645
2	Often	3	815
3	Sometimes	0	0
4	Never	1	248
6	Valid skip	10,475	1,987,360
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who use a wheelchair

Variable Name: **FHLCQ26** *Position:* 795 *Length:* 1
Collection Name: HLTQ26

Does he need the help of another person to get around in the wheelchair?

		FREQ	WTD
1	Yes	6	2,359
2	No	1	350
6	Valid skip	10,475	1,987,360
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who use a wheelchair

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ27** *Position:* 796 *Length:* 1
Collection Name: HLTQ27

Is this child usually able to grasp and handle small objects such as a pencil or scissors?

		FREQ	WTD
1	Yes	3,486	679,408
2	No	13	3,893
6	Valid skip	6,982	1,306,594
7	Don't know	1	173
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FHLCQ28** *Position:* 797 *Length:* 1
Collection Name: HLTQ28

Does he require the help of another person because of limitations in the use of hands or fingers?

		FREQ	WTD
1	Yes	10	2,742
2	No	3	1,151
6	Valid skip	10,468	1,986,002
9	Not stated	33	8,988
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'No, not usually able to grasp and handle small objects such as a pencil or scissor

Variable Name: **FHLCQ29** *Position:* 798 *Length:* 1
Collection Name: HLTQ29

Does he require the help of another person with:

		FREQ	WTD
1	Some tasks	3	869
2	Most tasks	1	259
3	Almost all tasks	1	15
4	All tasks	5	1,600
6	Valid skip	10,471	1,987,154
9	Not stated	33	8,988
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who require the help of another person because of limitations in the use of hands or fingers

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ30	<i>Position:</i>	799	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ30				

Does he require special equipment, for example, devices to assist in dressing because of limitations in the use of hands or fingers?

		FREQ	WTD
1	Yes	4	846
2	No	9	3,047
6	Valid skip	10,468	1,986,002
9	Not stated	33	8,988
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who answered 'No, not usually able to grasp and handle small objects such as a pencil or scissors'

<i>Variable Name:</i>	FHLCQ31	<i>Position:</i>	800	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ31				

Would you describe this child as being usually:

		FREQ	WTD
1	Happy and interested in life	3,322	647,964
2	Somewhat happy	167	33,629
3	Somewhat unhappy	9	1,694
4	Unhappy with little interest in life	2	188
5	So unhappy that life is not worthwhile	0	0
6	Valid skip	6,982	1,306,594
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ32** *Position:* 801 *Length:* 1
Collection Name: HLTQ32

How would you describe this child's usual ability to remember things

...is he?

		FREQ	WTD
1	Able to remember most things	3,285	640,917
2	Somewhat forgetful	202	39,176
3	Very forgetful	8	2,343
4	Unable to remember anything at all	3	609
6	Valid skip	6,982	1,306,594
7	Don't know	2	431
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FHLCQ33** *Position:* 802 *Length:* 1
Collection Name: HLTQ33

How would you describe his usual ability to think and solve day to day problems

...is he?

		FREQ	WTD
1	Able to think clearly and solve problems	3,038	584,323
2	Having a little difficulty	361	80,729
3	Having some difficulty	81	14,396
4	Having a great deal of difficulty	11	1,617
5	Unable to think or solve problems	7	1,864
6	Valid skip	6,982	1,306,594
7	Don't know	2	546
9	Not stated	32	8,815
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ34	<i>Position:</i>	803	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ34				

Is this child usually free of pain or discomfort

		FREQ	WTD
1	Yes	3,435	671,268
2	No	61	11,291
6	Valid skip	6,982	1,306,594
7	Don't know	3	864
9	Not stated	33	8,867
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FHLCQ35	<i>Position:</i>	804	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ35				

How would you describe the usual intensity of his pain or discomfort:

		FREQ	WTD
1	Mild	28	5,080
2	Moderate	30	5,967
3	Severe	3	243
6	Valid skip	10,417	1,977,862
9	Not stated	36	9,731
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who have pain or discomfort

<i>Variable Name:</i>	FHLCQ36	<i>Position:</i>	805	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ36				

How many activities does his pain or discomfort prevent him from doing?

		FREQ	WTD
1	None	26	5,280
2	A few	23	3,927
3	Some	10	1,990
4	Most	2	93
6	Valid skip	10,417	1,977,862
9	Not stated	36	9,731
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who have pain or discomfort

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCe37	<i>Position:</i>	806	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ37				

In the past 12 months was this child injured seriously enough to require medical attention, by a doctor, nurse or dentist?

		FREQ	WTD
1	Yes	886	152,831
2	No	9,577	1,830,982
7	Don't know	3	648
9	Not stated	48	14,423
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FHLCe38	<i>Position:</i>	807	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ38				

How many times was he injured and required medical attention?

Allowed values: 1 : 5

		FREQ	WTD
1 : 5	Times required medical attention	886	152,831
6	Valid skip	9,577	1,830,982
9	Not stated	51	15,070
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who were injured in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ39** *Position:* 808 *Length:* 2
Collection Name: HLTQ39

For the most serious injury, what type of injury did he have?

		FREQ	WTD
01	Broken or fractured bones	137	22,198
02	Burn or scald	62	8,741
03	Dislocation	50	8,206
04	Sprain or strain	42	6,014
05	Cut, scrape or bruise	379	70,466
06	Concussion	45	9,669
07	Poisoning by substance or liquid	10	1,572
08	Internal injury	8	1,827
09	Dental injury	49	8,505
10	Other	103	15,493
11	Multiple injuries	1	141
96	Valid skip	9,577	1,830,982
99	Not stated	51	15,070
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who were injured in the past 12 months

Variable Name: **FHLCQ40** *Position:* 810 *Length:* 2
Collection Name: HLTQ40

What part of his body was injured?

		FREQ	WTD
01	Eyes	20	3,090
02	Face or scalp (excluding eyes)	163	31,518
03	Head or neck (excluding eyes and face or scalp)	152	28,275
04	Arms or hands	213	33,687
05	Legs or feet	89	14,375
06	Back or spine	1	56
07	Trunk (excluding back or spine) (include chest, internal organs, etc.)	13	2,221
08	Shoulder	17	2,221
09	Hip	2	182
10	Multiple sites	0	0
96	Valid skip	9,793	1,868,189
99	Not stated	51	15,070
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who were injured in the past 12 months (Broken or fractured bones, burn or scald, dislocation, sprain or strain or cut, scrape or bruise)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ41	<i>Position:</i>	812	<i>Length:</i>	2
<i>Collection Name:</i>	HLTQ41				

What happened (for example, was the injury the result of a fall, motor vehicle collision, a physical assault, etc.)?

		FREQ	WTD
01	Motor vehicle collision passenger	2	245
02	Motor vehicle collision pedestrian	1	33
03	Motor vehicle collision riding bicycle	2	338
04	Other bicycle accident	23	3,470
05	Fall (excluding bicycle or sports)	548	97,821
06	Sports (excluding bicycle)	25	4,115
07	Physical assault	2	270
08	Scalded by hot liquids or food	26	3,092
09	Accidental poisoning	7	954
10	Self inflicted poisoning	3	705
11	Other intentionally self inflicted injuries	14	2,121
12	Natural/environmental factors (ex. animal bite, sting)	11	1,389
13	Fire/flames or resulting fumes	11	1,834
14	Near drowning	0	0
15	Other	208	35,647
96	Valid skip	9,577	1,830,982
97	Don't know	3	796
99	Not stated	51	15,070
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who were injured in the past 12 months

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ42** *Position:* 814 *Length:* 2
Collection Name: HLTQ42

Where did the injury happen (for example at home, on the street, in a playground, at school, etc.)?

		FREQ	WTD
01	Inside respondent's own home/apartment	461	76,058
02	Outside respondent's home, apartment, including yard, driveway, parking lot or in shared areas related to home such as apartment hallway or laundry room	124	23,628
03	In or around other private residence	104	14,878
04	Inside school/daycare centre or on school/centre grounds	49	9,829
05	At an indoor or outdoor sports facility (other than school)	15	1,980
06	Other building used by general public	35	7,296
07	On sidewalk/street/highway in respondent's neighbourhood	14	2,202
08	On any other sidewalk/street/highway	4	1,271
09	In a playground/park (other than school)	33	5,556
10	Other	45	9,391
96	Valid skip	9,577	1,830,982
97	Don't know	1	674
98	Refusal	1	70
99	Not stated	51	15,070
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who were injured in the past 12 months

Variable Name: **FHLCQ43A** *Position:* 816 *Length:* 1
Collection Name: HLTQ43A

The following questions are about asthma. Has this child ever had asthma that was diagnosed by a health professional?

		FREQ	WTD
1	Yes	890	173,656
2	No	9,565	1,809,301
7	Don't know	10	1,425
8	Refusal	1	81
9	Not stated	48	14,423
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ43B	<i>Position:</i>	817	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ43B				

Does this condition or health problem prevent or limit his participation in school, at play or any other activity normal for a child his age?

		FREQ	WTD
1	Yes	137	25,123
2	No	753	148,533
6	Valid skip	9,565	1,809,301
9	Not stated	59	15,928
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old with asthma

<i>Variable Name:</i>	FHLCQ43C	<i>Position:</i>	818	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ43C				

Has he had an attack of asthma in the past 12 months?

		FREQ	WTD
1	Yes	388	72,816
2	No	501	100,639
6	Valid skip	9,565	1,809,301
7	Don't know	1	200
9	Not stated	59	15,928
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old with asthma

<i>Variable Name:</i>	FHLCQ44	<i>Position:</i>	819	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ44				

Has he had wheezing or whistling in the chest at any time in the past 12 months?

		FREQ	WTD
1	Yes	2,507	437,188
2	No	7,949	1,545,724
7	Don't know	9	1,469
9	Not stated	49	14,503
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCe45N** *Position:* 820 *Length:* 1
Collection Name: HLTQ45A

Has a health professional diagnosed any of the following long term conditions for this child

...food or digestive allergies?

		FREQ	WTD
1	Yes	476	98,328
2	No	9,989	1,885,630
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45A and HLTQ45AA

Variable Name: **FHLCe45O** *Position:* 821 *Length:* 1
Collection Name: HLTQ45B

Has a health professional diagnosed any of the following long term conditions for this child

...respiratory allergies such as hay fever?

		FREQ	WTD
1	Yes	233	44,769
2	No	10,232	1,939,189
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45B and HLTQ45AB

Variable Name: **FHLCe45A** *Position:* 822 *Length:* 1
Collection Name: HLTQ45C

Has a health professional diagnosed any of the following long term conditions for this child

...any other allergies?

		FREQ	WTD
1	Yes	486	85,613
2	No	9,979	1,898,345
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45C and HLTQ45AC

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCe45B** *Position:* 823 *Length:* 1
Collection Name: HLTQ45D

Has a health professional diagnosed any of the following long term conditions for this child

...bronchitis?

		FREQ	WTD
1	Yes	252	39,860
2	No	10,213	1,944,098
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45D and HLTQ45AD

Variable Name: **FHLCe45C** *Position:* 824 *Length:* 1
Collection Name: HLTQ45E

Has a health professional diagnosed any of the following long term conditions for this child

...heart condition or disease?

		FREQ	WTD
1	Yes	124	21,601
2	No	10,341	1,962,357
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45E and HLTQ45AE

Variable Name: **FHLCe45D** *Position:* 825 *Length:* 1
Collection Name: HLTQ45F

Has a health professional diagnosed any of the following long term conditions for this child

...epilepsy?

		FREQ	WTD
1	Yes	16	2,084
2	No	10,449	1,981,874
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45F and HLTQ45AF

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCe45E** *Position:* 826 *Length:* 1
Collection Name: HLTQ45G

Has a health professional diagnosed any of the following long term conditions for this child

...cerebral palsy?

		FREQ	WTD
1	Yes	11	4,283
2	No	10,454	1,979,674
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45G and HLTQ45AG

Variable Name: **FHLCe45F** *Position:* 827 *Length:* 1
Collection Name: HLTQ45H

Has a health professional diagnosed any of the following long term conditions for this child

...kidney condition or disease?

		FREQ	WTD
1	Yes	45	11,391
2	No	10,420	1,972,567
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45H and HLTQ45AH

Variable Name: **FHLCe45G** *Position:* 828 *Length:* 1
Collection Name: HLTQ45I

Has a health professional diagnosed any of the following long term conditions for this child

...mental handicap?

		FREQ	WTD
1	Yes	20	3,260
2	No	10,445	1,980,698
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45I and HLTQ45AI

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCe45J** *Position:* 829 *Length:* 1
Collection Name: HLTQ45J

Has a health professional diagnosed any of the following long term conditions for this child

...any other long term condition?

		FREQ	WTD
1	Yes	408	74,861
2	No	10,057	1,909,097
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45J and HLTQ45AM

Variable Name: **FHLCe45K** *Position:* 830 *Length:* 1
Collection Name: HLTQ45K

Has a health professional diagnosed any of the following long term conditions for this child

...none?

		FREQ	WTD
1	Yes	8,739	1,667,158
2	No	1,726	316,800
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions HLTQ45K and HLTQ45AN

Variable Name: **FHLCe45H** *Position:* 831 *Length:* 1
Collection Name: HLTQ45AJ

Has a health professional diagnosed any of the following long term conditions for this child

...learning disability?

		FREQ	WTD
1	Yes	51	7,556
2	No	5,278	1,005,415
6	Valid skip	5,148	974,787
9	Not stated	37	11,126
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCe45M** *Position:* 832 *Length:* 1
Collection Name: HLTQ45AK

Has a health professional diagnosed any of the following long term conditions for this child

...attention deficit disorder (with or without hyperactivity)?

		FREQ	WTD
1	Yes	17	3,937
2	No	5,312	1,009,035
6	Valid skip	5,148	974,787
9	Not stated	37	11,126
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FHLCe45I** *Position:* 833 *Length:* 1
Collection Name: HLTQ45AL

Has a health professional diagnosed any of the following long term conditions for this child

...emotional, psychological or nervous difficulties?

		FREQ	WTD
1	Yes	13	928
2	No	5,316	1,012,044
6	Valid skip	5,148	974,787
9	Not stated	37	11,126
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ46	<i>Position:</i>	834	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ46				

How often does this child have nose or throat infections?

		FREQ	WTD
1	Almost all the time	43	9,366
2	Often	278	59,432
3	From time to time	1,198	228,743
4	Rarely	2,455	451,330
5	Never	2,984	549,575
6	Valid skip	3,532	692,290
7	Don't know	5	1,414
9	Not stated	19	6,734
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old

<i>Variable Name:</i>	FHLCQ47A	<i>Position:</i>	835	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ47A				

Since his birth, has he had an ear infection (otitis)?

		FREQ	WTD
1	Yes	3,377	574,898
2	No	3,572	722,935
6	Valid skip	3,532	692,290
7	Don't know	14	2,027
9	Not stated	19	6,734
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old

<i>Variable Name:</i>	FHLCf47B	<i>Position:</i>	836	<i>Length:</i>	2
<i>Collection Name:</i>	HLTQ47B				

How many times

Allowed values: 01 : 30

		FREQ	WTD
01 : 30	Number of ear infections	3,360	572,496
96	Valid skip	7,104	1,415,225
97	Don't know	17	2,402
99	Not stated	33	8,761
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old who have had an ear infection

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCe48A	<i>Position:</i>	838	<i>Length:</i>	2
<i>Collection Name:</i>	HLTQ48A				

In the past year, how many times have you seen or talked on the telephone with any of the following about this child's physical, emotional or mental health (Exclude at time of birth for babies.)

...a medical doctor (family physician or specialist)?

<i>Allowed values:</i>	00 : 94			
		FREQ	WTD	
00 : 80	Times seen a medical doctor	10,434	1,976,095	
97	Don't know	30	7,916	
98	Refusal	2	450	
99	Not stated	48	14,423	
		=====	=====	
		10,514	1,998,884	

Coverage: All respondents

<i>Variable Name:</i>	FHLCe48D	<i>Position:</i>	840	<i>Length:</i>	2
<i>Collection Name:</i>	HLTQ48D				

In the past year, how many times have you seen or talked on the telephone with any of the following about this child's physical, emotional or mental health (Exclude at time of birth for babies.)

...a public health nurse or nurse practitioner?

<i>Allowed values:</i>	00 : 94			
		FREQ	WTD	
00 : 94	Times seen a public health nurse	10,439	1,979,391	
97	Don't know	25	4,620	
99	Not stated	50	14,873	
		=====	=====	
		10,514	1,998,884	

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCe48E	<i>Position:</i>	842	<i>Length:</i>	2
<i>Collection Name:</i>	HLTQ48E				

In the past year, how many times have you seen or talked on the telephone with any of the following about this child's physical, emotional or mental health (Exclude at time of birth for babies.)

...a dentist/orthodontist?

<i>Allowed values:</i>	00 : 94			
		FREQ	WTD	
00 : 12	Times seen a dentist/orthodontist	10,462	1,983,099	
97	Don't know	2	912	
99	Not stated	50	14,873	
		=====	=====	
		10,514	1,998,884	

Coverage: All respondents

<i>Variable Name:</i>	FHLCe48I	<i>Position:</i>	844	<i>Length:</i>	2
<i>Collection Name:</i>	HLTQ48I				

In the past year, how many times have you seen or talked on the telephone with any of the following about this child's physical, emotional or mental health (Exclude at time of birth for babies.)

...any other person trained to provide treatment or counsel, for example a speech therapist or a social worker?

<i>Allowed values:</i>	00 : 94			
		FREQ	WTD	
00 : 94	Times seen other trained professional	10,459	1,982,492	
97	Don't know	5	1,519	
99	Not stated	50	14,873	
		=====	=====	
		10,514	1,998,884	

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ49** *Position:* 846 *Length:* 1
Collection Name: HLTQ49

In the past 12 months, was this child an overnight patient in a hospital?

		FREQ	WTD
1	Yes	754	127,900
2	No	9,711	1,856,511
7	Don't know	1	51
9	Not stated	48	14,423
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FHLCQ50** *Position:* 847 *Length:* 1
Collection Name: HLTQ50

For what reason?

		FREQ	WTD
1	Respiratory illness or disease	287	50,367
2	Gastrointestinal illness or disease	93	17,501
3	Injuries	35	7,536
4	Other	338	52,426
6	Valid skip	9,711	1,856,511
7	Don't know	1	71
9	Not stated	49	14,473
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who were overnight patients in a hospital

Variable Name: **FHLCQ51A** *Position:* 848 *Length:* 1
Collection Name: HLTQ51A

Does he take any of the following prescribed medication on a regular basis

...ventolin, inhalers or puffers for asthma?

		FREQ	WTD
1	Yes	638	126,550
2	No	9,827	1,857,619
8	Refusal	1	292
9	Not stated	48	14,423
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ51B** *Position:* 849 *Length:* 1
Collection Name: HLTQ51B

Does he take the following prescribed medication on a regular basis

...ritalin or other similar medications?

		FREQ	WTD
1	Yes	19	4,444
2	No	10,446	1,979,726
9	Not stated	49	14,715
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FHLCQ51C** *Position:* 850 *Length:* 1
Collection Name: HLTQ51C

Does he take the following prescribed medication on a regular basis

...tranquilizers or nerve pills?

		FREQ	WTD
1	Yes	8	2,263
2	No	10,456	1,981,356
7	Don't know	1	550
9	Not stated	49	14,715
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FHLCQ51D** *Position:* 851 *Length:* 1
Collection Name: HLTQ51D

Does he take the following prescribed medication on a regular basis

...anti convulsants or anti-epileptic pills?

		FREQ	WTD
1	Yes	29	4,488
2	No	10,435	1,979,132
7	Don't know	1	550
9	Not stated	49	14,715
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ51E** *Position:* 852 *Length:* 1
Collection Name: HLTQ51E

Does he take the following prescribed medication on a regular basis

...other medications?

		FREQ	WTD
1	Yes	435	76,008
2	No	10,029	1,907,612
7	Don't know	1	550
9	Not stated	49	14,715
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FHLCQ52A** *Position:* 853 *Length:* 1
Collection Name: HLTQ52

Since the last interview has this child experienced any event or situation that has caused him a great amount of worry or unhappiness?

		FREQ	WTD
1	Yes	740	148,361
2	No	2,759	535,259
6	Valid skip	6,982	1,306,594
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This variable is a combination of questions HLTQ52A and HLTQ52A1.

Variable Name: **FHLCQ52B** *Position:* 854 *Length:* 1
Collection Name: HLTQ52BA

What was this

...death of a parent or parents?

		FREQ	WTD
1	Yes	13	2,793
2	No	726	145,406
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ52C	<i>Position:</i>	855	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BB				

What was this

...death in family (other than parents)?

		FREQ	WTD
1	Yes	156	28,501
2	No	583	119,698
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

<i>Variable Name:</i>	FHLCQ52D	<i>Position:</i>	856	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BC				

What was this

...divorce/separation of parents?

		FREQ	WTD
1	Yes	147	27,394
2	No	592	120,805
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ52E	<i>Position:</i>	857	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BD				

What was this

...move?

		FREQ	WTD
1	Yes	84	18,687
2	No	655	129,512
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

<i>Variable Name:</i>	FHLCQ52F	<i>Position:</i>	858	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BE				

What was this

...stay in hospital?

		FREQ	WTD
1	Yes	23	5,572
2	No	716	142,627
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ52G	<i>Position:</i>	859	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BF				

What was this

...stay in foster home?

		FREQ	WTD
1	Yes	4	1,088
2	No	735	147,111
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

<i>Variable Name:</i>	FHLCQ52H	<i>Position:</i>	860	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BG				

What was this

...other separation from parents?

		FREQ	WTD
1	Yes	35	6,289
2	No	704	141,910
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ52I	<i>Position:</i>	861	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BH				

What was this

...illness/injury of child?

		FREQ	WTD
1	Yes	35	4,448
2	No	704	143,751
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

<i>Variable Name:</i>	FHLCQ52J	<i>Position:</i>	862	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BI				

What was this

...illness/injury of a family member?

		FREQ	WTD
1	Yes	40	7,401
2	No	699	140,798
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ52K	<i>Position:</i>	863	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BJ				

What was this

...abuse/fear of abuse?

		FREQ	WTD
1	Yes	8	2,171
2	No	731	146,028
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

<i>Variable Name:</i>	FHLCQ52L	<i>Position:</i>	864	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BK				

What was this

...change in household members?

		FREQ	WTD
1	Yes	25	3,988
2	No	714	144,212
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCQ52M	<i>Position:</i>	865	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BL				

What was this

...alcoholism or mental health disorder in family?

		FREQ	WTD
1	Yes	7	1,455
2	No	732	146,744
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

<i>Variable Name:</i>	FHLCQ52N	<i>Position:</i>	866	<i>Length:</i>	1
<i>Collection Name:</i>	HLTQ52BM				

What was this

...conflict between parents?

		FREQ	WTD
1	Yes	19	3,552
2	No	720	144,647
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCQ52O** *Position:* 867 *Length:* 1
Collection Name: HLTQ52BN

What was this

...other?

		FREQ	WTD
1	Yes	261	55,084
2	No	478	93,115
6	Valid skip	9,741	1,841,853
8	Refusal	1	162
9	Not stated	33	8,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who reported a situation that caused worry or unhappiness

Section: Child Health - Derived Variables

Variable Name: **FHLCQD2A** *Position:* 868 *Length:* 4.2
Collection Name: HLTCD02A

Health Utility Index (2)

Allowed values: -.30 : 1.00

		FREQ	WTD
-.24 : 1.00	Health Utility Index(2)	3,451	673,575
9.96	Valid skip	6,982	1,306,594
9.99	Not stated	81	18,715
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: The Health Utility Index (HUI) is a generic health status index that is able to synthesize both quantitative and qualitative aspects of health. The system was developed at McMaster University Centre for Health Economics and Policy Analysis. The Comprehensive Health Status Measurement System (CHSMS) provides a description of an individual's overall functional health based on eight attributes: vision, hearing, speech, mobility (ability to get around), dexterity (use of hands and fingers), cognition (memory and thinking), emotion (feelings), and pain and discomfort. Each person's preferences are represented as a numerical value (typically between 0 and 1) with 1 representing high overall function. (The questions used to create this index are: FHLCQ06 to FHLCQ24, FHLCQ27 to FHLCQ34 and FHLCQ36.)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCbD45** **Position:** 872 **Length:** 1
Collection Name: DVCHRHLT

Presence of chronic condition

		FREQ	WTD
1	Yes	1,726	316,800
2	No	8,739	1,667,158
9	Not stated	49	14,926
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on questions FHLCE45N, FHLCE45O, FHLCE45A, FHLCE45B, FHLCE45C, FHLCE45K, FHLCE45D, FHLCE45E, FHLCE45F, FHLCE45G, FHLCE45J, FHLCE45H, FHLCE45M, FHLCE45I

Variable Name: **FHLCD51** **Position:** 873 **Length:** 1
Collection Name: DVHLTQ51

Use of prescription medication on a regular basis

		FREQ	WTD
1	Yes	991	186,640
2	No	9,473	1,796,979
9	Not stated	50	15,265
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on questions FHLCQ51A to FHLCQ51E

Variable Name: **FHLCEs01** **Position:** 874 **Length:** 7.3
Collection Name: CHLDBMI

Calculated value for Body Mass Index (BMI)

Allowed values: 005.000 : 050.000

		FREQ	WTD
007.639 : 043.399	Calculated BMI	5,083	923,539
999.996	Valid Skip	3,239	602,343
999.999	Not Stated	2,192	473,001
		=====	=====
		10,514	1,998,884

Coverage: Children aged at least 24 months

Note: This derived variable is based on FHLCQ03B and FHLCQ04A. For information concerning the quality of this variable, see the User Guide, Chapter 13

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCeD02	<i>Position:</i>	881	<i>Length:</i>	1
<i>Collection Name:</i>	CHLDBMI2				

Calculated value for Body Mass Index (BMI) - Cole Method

		FREQ	WTD
1	Normal Weight	3,107	575,433
2	Overweight	893	160,281
3	Obese	1,083	187,826
6	Valid Skip	3,239	602,343
9	Not Stated	2,192	473,001
		=====	=====
		10,514	1,998,884

Coverage: Children aged at least 24 months

Note: This derived variable is based on FHLCQ03B and FHLCQ04A. For information concerning the quality of this variable, see the User Guide, Chapter 13

<i>Variable Name:</i>	FHLCeD03	<i>Position:</i>	882	<i>Length:</i>	2
<i>Collection Name:</i>	CHLDBMI3				

Calculated value for Body Mass Index (BMI) - Centre for Disease Control Method

		FREQ	WTD
01	3rd Percentile	87	18,989
02	5th Percentile	136	23,809
03	10th Percentile	320	65,424
04	25th Percentile	507	85,827
05	50th Percentile	816	146,432
06	75th Percentile	458	90,668
07	85th Percentile	223	38,755
08	90th Percentile	400	68,506
09	95th Percentile	232	42,800
10	97th Percentile	1,396	244,778
11	Below the 3rd Percentile	508	97,551
96	Valid Skip	3,239	602,343
99	Not Stated	2,192	473,001
		=====	=====
		10,514	1,998,884

Coverage: Children aged at least 24 months

Note: This derived variable is based on FHLCQ03B and FHLCQ04A. For information concerning the quality of this variable, see the User Guide, Chapter 13

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Medical/Biological

Variable Name: **FMDCQ01A** *Position:* 884 *Length:* 1
Collection Name: MEDQ1A

The following are prenatal questions concerning this child. During the pregnancy with this child did you suffer from any of the following

...pregnancy diabetes?

		FREQ	WTD
1	Yes	504	101,413
2	No	7,981	1,462,035
6	Valid skip	530	87,027
7	Don't know	5	287
9	Not stated	1,494	348,123
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ01B** *Position:* 885 *Length:* 1
Collection Name: MEDQ1B

During the pregnancy with this child did you suffer from

...high blood pressure?

		FREQ	WTD
1	Yes	975	163,605
2	No	7,508	1,399,233
6	Valid skip	530	87,027
7	Don't know	7	864
9	Not stated	1,494	348,156
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ01C** *Position:* 886 *Length:* 1
Collection Name: MEDQ1C

During the pregnancy with this child did you suffer from

...other physical problems?

		FREQ	WTD
1	Yes	1,485	261,893
2	No	7,006	1,301,941
6	Valid skip	530	87,027
7	Don't know	2	129
9	Not stated	1,491	347,895
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCbQ2A** *Position:* 887 *Length:* 1
Collection Name: MEDQ2A

From whom did you receive prenatal care

...a doctor?

		FREQ	WTD
1	Yes	7,769	1,400,175
2	No	723	163,733
6	Valid skip	530	87,027
7	Don't know	2	129
9	Not stated	1,490	347,821
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: FMDCbQ2B **Position:** 888 **Length:** 1
Collection Name: MEDQ2B

From whom did you receive prenatal care

...a nurse?

		FREQ	WTD
1	Yes	417	67,382
2	No	8,075	1,496,525
6	Valid skip	530	87,027
7	Don't know	2	129
9	Not stated	1,490	347,821
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: FMDCbQ2C **Position:** 889 **Length:** 1
Collection Name: MEDQ2C

From whom did you receive prenatal care

...a midwife?

		FREQ	WTD
1	Yes	314	69,631
2	No	8,178	1,494,277
6	Valid skip	530	87,027
7	Don't know	2	129
9	Not stated	1,490	347,821
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCbQ2D	<i>Position:</i>	890	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ2D				

From whom did you receive prenatal care

...other?

		FREQ	WTD
1	Yes	238	49,991
2	No	8,254	1,513,917
6	Valid skip	530	87,027
7	Don't know	2	129
9	Not stated	1,490	347,821
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCbQ2E	<i>Position:</i>	891	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ2E				

From whom did you receive prenatal care

...nobody?

		FREQ	WTD
1	Yes	151	37,000
2	No	8,341	1,526,907
6	Valid skip	530	87,027
7	Don't know	2	129
9	Not stated	1,490	347,821
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ03	<i>Position:</i>	892	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ3				

Did you smoke during your pregnancy with this child?

		FREQ	WTD
1	Yes	1,512	261,574
2	No	6,980	1,302,333
6	Valid skip	530	87,027
7	Don't know	2	129
9	Not stated	1,490	347,821
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ04	<i>Position:</i>	893	<i>Length:</i>	2
<i>Collection Name:</i>	MEDQ4				

How many cigarettes per day did you smoke during your pregnancy with this child?

Allowed values: 01 : 40

		FREQ	WTD
01 : 40	Cigarettes per day during pregnancy	1,494	258,301
96	Valid skip	7,510	1,389,360
97	Don't know	13	2,364
99	Not stated	1,497	348,859
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she smoked during pregnancy
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ05A** *Position:* 895 *Length:* 1
Collection Name: MEDQ5A

At what stage in your pregnancy did you smoke this amount

...during the first three months?

		FREQ	WTD
1	Yes	519	101,713
2	No	992	159,709
6	Valid skip	7,510	1,389,360
7	Don't know	1	152
9	Not stated	1,492	347,950
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she smoked during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ05B** *Position:* 896 *Length:* 1
Collection Name: MEDQ5B

At what stage in your pregnancy did you smoke this amount

...during the second three months?

		FREQ	WTD
1	Yes	428	91,195
2	No	1,083	170,227
6	Valid skip	7,510	1,389,360
7	Don't know	1	152
9	Not stated	1,492	347,950
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she smoked during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ05C** *Position:* 897 *Length:* 1
Collection Name: MEDQ5C

At what stage in your pregnancy did you smoke this amount

...during the third three months?

		FREQ	WTD
1	Yes	399	89,247
2	No	1,112	172,175
6	Valid skip	7,510	1,389,360
7	Don't know	1	152
9	Not stated	1,492	347,950
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she smoked during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ05D** *Position:* 898 *Length:* 1
Collection Name: MEDQ5D

At what stage in your pregnancy did you smoke this amount

...throughout?

		FREQ	WTD
1	Yes	1,185	202,081
2	No	326	59,341
6	Valid skip	7,510	1,389,360
7	Don't know	1	152
9	Not stated	1,492	347,950
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she smoked during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ06	<i>Position:</i>	899	<i>Length:</i>	2
<i>Collection Name:</i>	MEDQ6				

How frequently did you consume alcohol during your pregnancy with this child? (e.g. beer, wine, liquor)

		FREQ	WTD
01	Never	7,424	1,328,384
02	Less than once a month	856	185,057
03	1 to 3 Times a month	142	32,007
04	Once a week	57	15,116
05	2 or 3 Times a week	10	2,330
06	4 to 6 Times a week	1	383
07	Everyday	2	631
96	Valid skip	530	87,027
97	Don't know	2	129
99	Not stated	1,490	347,821
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ07	<i>Position:</i>	901	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ7				

On the days when you drank, how many drinks did you usually have?

		FREQ	WTD
1	1 or 2	980	222,625
2	3 or 4	44	6,572
3	5 or more	32	3,777
6	Valid skip	7,954	1,415,411
7	Don't know	11	2,045
9	Not stated	1,493	348,453
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she drank alcohol during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ08A** *Position:* 902 *Length:* 1
Collection Name: MEDQ8A

At what stage in your pregnancy did you consume this quantity

...during the first three months?

		FREQ	WTD
1	Yes	390	75,108
2	No	650	152,765
6	Valid skip	7,954	1,415,411
7	Don't know	8	2,629
9	Not stated	1,512	352,971
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she drank alcohol during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ08B** *Position:* 903 *Length:* 1
Collection Name: MEDQ8B

At what stage in your pregnancy did you consume this quantity

...during the second three months?

		FREQ	WTD
1	Yes	359	83,371
2	No	681	144,501
6	Valid skip	7,954	1,415,411
7	Don't know	8	2,629
9	Not stated	1,512	352,971
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she drank alcohol during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ08C** *Position:* 904 *Length:* 1
Collection Name: MEDQ8C

At what stage in your pregnancy did you consume this quantity

...during the third three months?

		FREQ	WTD
1	Yes	384	96,143
2	No	656	131,730
6	Valid skip	7,954	1,415,411
7	Don't know	8	2,629
9	Not stated	1,512	352,971
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she drank alcohol during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ08D** *Position:* 905 *Length:* 1
Collection Name: MEDQ8D

At what stage in your pregnancy did you consume this quantity

...throughout?

		FREQ	WTD
1	Yes	263	61,302
2	No	777	166,570
6	Valid skip	7,954	1,415,411
7	Don't know	14	4,520
9	Not stated	1,506	351,080
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she drank alcohol during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ09A	<i>Position:</i>	906	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ9A				

Did you take any prescription medications during your pregnancy with this child?

		FREQ	WTD
1	Yes	2,671	468,922
2	No	5,816	1,094,304
6	Valid skip	530	87,027
7	Don't know	3	289
9	Not stated	1,494	348,342
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ09B	<i>Position:</i>	907	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ9BA				

At what stage in your pregnancy did you take these

...during the first three months?

		FREQ	WTD
1	Yes	885	166,450
2	No	1,771	300,363
6	Valid skip	6,346	1,181,331
7	Don't know	7	1,299
8	Refusal	1	132
9	Not stated	1,504	349,309
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she took prescription medication during pregnancy
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ09C** *Position:* 908 *Length:* 1
Collection Name: MEDQ9BB

At what stage in your pregnancy did you take these

...during the second three months?

		FREQ	WTD
1	Yes	857	158,575
2	No	1,799	308,238
6	Valid skip	6,346	1,181,331
7	Don't know	7	1,299
8	Refusal	1	132
9	Not stated	1,504	349,309
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she took prescription medication during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ09D** *Position:* 909 *Length:* 1
Collection Name: MEDQ9BC

At what stage in your pregnancy did you take these

...during the third three months?

		FREQ	WTD
1	Yes	855	162,059
2	No	1,801	304,754
6	Valid skip	6,346	1,181,331
7	Don't know	7	1,299
8	Refusal	1	132
9	Not stated	1,504	349,309
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she took prescription medication during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ09E** *Position:* 910 *Length:* 1
Collection Name: MEDQ9BD

At what stage in your pregnancy did you take these
...throughout?

		FREQ	WTD
1	Yes	863	146,517
2	No	1,793	320,296
6	Valid skip	6,346	1,181,331
7	Don't know	11	1,686
8	Refusal	1	132
9	Not stated	1,500	348,922
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she took prescription medication during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ10A** *Position:* 911 *Length:* 1
Collection Name: MEDQ10A

Did you take any over the counter drugs during your pregnancy with this child?

		FREQ	WTD
1	Yes	3,104	550,680
2	No	5,368	1,010,214
6	Valid skip	530	87,027
7	Don't know	13	1,733
9	Not stated	1,499	349,231
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ10B** *Position:* 912 *Length:* 1
Collection Name: MEDQ10BA

At what stage in your pregnancy did you take these

...during the first three months?

		FREQ	WTD
1	Yes	736	134,378
2	No	2,274	400,915
6	Valid skip	5,898	1,097,240
7	Don't know	53	8,614
9	Not stated	1,553	357,737
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she took over-the-counter drugs during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ10C** *Position:* 913 *Length:* 1
Collection Name: MEDQ10BB

At what stage in your pregnancy did you take these

...during the second three months?

		FREQ	WTD
1	Yes	932	179,391
2	No	2,078	355,903
6	Valid skip	5,898	1,097,240
7	Don't know	53	8,614
9	Not stated	1,553	357,737
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she took over-the-counter drugs during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ10D** *Position:* 914 *Length:* 1
Collection Name: MEDQ10BC

At what stage in your pregnancy did you take these

...during the third three months?

		FREQ	WTD
1	Yes	1,005	191,664
2	No	2,005	343,629
6	Valid skip	5,898	1,097,240
7	Don't know	53	8,614
9	Not stated	1,553	357,737
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she took over-the-counter drugs during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ10E** *Position:* 915 *Length:* 1
Collection Name: MEDQ10BD

At what stage in your pregnancy did you take these

...throughout?

		FREQ	WTD
1	Yes	1,556	267,054
2	No	1,454	268,239
6	Valid skip	5,898	1,097,240
7	Don't know	83	13,556
9	Not stated	1,523	352,795
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother and she took over-the-counter drugs during pregnancy

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ15	<i>Position:</i>	916	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ15				

Was this a single birth or twins or triplets?

		FREQ	WTD
1	Single birth	9,532	1,781,343
2	Twins	177	54,527
3	Triplets	5	1,392
4	More than triplets	2	950
6	Valid skip	111	14,717
7	Don't know	2	172
9	Not stated	685	145,784
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ16	<i>Position:</i>	917	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ16				

Was the delivery vaginal or caesarian?

		FREQ	WTD
1	Vaginal	7,373	1,406,645
2	Caesarian	2,340	430,706
6	Valid skip	111	14,717
7	Don't know	1	66
8	Refusal	1	292
9	Not stated	688	146,459
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ17	<i>Position:</i>	918	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ17				

Was this child born head first?

		FREQ	WTD
1	Yes	7,310	1,391,386
2	No	58	13,404
6	Valid skip	2,451	445,423
7	Don't know	4	648
9	Not stated	691	148,023
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father) and child's delivery was vaginal

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ18	<i>Position:</i>	919	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ18				

For delivery, what birthing aids were used?

		FREQ	WTD
1	None	6,229	1,190,769
2	Forceps	496	88,874
3	Cupping glass (suction cup)	591	113,977
6	Valid skip	2,451	445,423
7	Don't know	35	5,996
8	Refusal	1	29
9	Not stated	711	153,817
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father) and child's delivery was vaginal

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ21A	<i>Position:</i>	920	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ21A				

Did this child receive special medical care following his birth?

		FREQ	WTD
1	Yes	1,756	321,060
2	No	7,952	1,516,019
6	Valid skip	111	14,717
7	Don't know	8	752
9	Not stated	687	146,336
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ21B	<i>Position:</i>	921	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ21BA				

What type of special medical care was received

...intensive care?

		FREQ	WTD
1	Yes	666	120,677
2	No	1,083	198,875
6	Valid skip	8,063	1,530,736
7	Don't know	3	826
8	Refusal	1	138
9	Not stated	698	147,632
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father) and child received special medical care following birth.

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ21C** *Position:* 922 *Length:* 1
Collection Name: MEDQ21BB

What type of special medical care was received

...ventilation/oxygen?

		FREQ	WTD
1	Yes	453	82,188
2	No	1,296	237,364
6	Valid skip	8,063	1,530,736
7	Don't know	3	826
8	Refusal	1	138
9	Not stated	698	147,632
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father) and child received special medical care following birth.

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ21D** *Position:* 923 *Length:* 1
Collection Name: MEDQ21BC

What type of special medical care was received

...transfer to a specialized hospital?

		FREQ	WTD
1	Yes	101	20,161
2	No	1,648	299,391
6	Valid skip	8,063	1,530,736
7	Don't know	3	826
8	Refusal	1	138
9	Not stated	698	147,632
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father) and child received special medical care following birth.

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ21E** *Position:* 924 *Length:* 1
Collection Name: MEDQ21BD

What type of special medical care was received

...other?

		FREQ	WTD
1	Yes	787	140,422
2	No	962	179,130
6	Valid skip	8,063	1,530,736
7	Don't know	3	826
8	Refusal	1	138
9	Not stated	698	147,632
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father) and child received special medical care following birth.

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ21F** *Position:* 925 *Length:* 2
Collection Name: MEDQ21C

For how many days, in total, was this care received?

Allowed values: 01 : 60

		FREQ	WTD
01 : 60	Total days of specialized care	1,731	317,211
96	Valid skip	8,063	1,530,736
97	Don't know	9	996
98	Refusal	1	39
99	Not stated	710	149,902
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father) and child received special medical care following birth.

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ22** *Position:* 927 *Length:* 1
Collection Name: MEDQ22

Compared to other babies in general, would you say that this child's health at birth was:

		FREQ	WTD
1	Excellent	6,623	1,230,068
2	Very good	1,857	366,381
3	Good	833	169,200
4	Fair	243	44,165
5	Poor	153	26,531
6	Valid skip	111	14,717
7	Don't know	5	1,591
9	Not stated	689	146,231
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ23A** *Position:* 928 *Length:* 1
Collection Name: MEDQ23A

After this child's delivery, did you suffer from any of the following conditions

...postpartum haemorrhage?

		FREQ	WTD
1	Yes	170	38,260
2	No	2,488	581,372
6	Valid skip	3,642	482,458
7	Don't know	5	891
9	Not stated	4,209	895,903
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ23B** *Position:* 929 *Length:* 1
Collection Name: MEDQ23B

After this child's delivery, did you suffer from

...postpartum infection?

		FREQ	WTD
1	Yes	142	30,950
2	No	2,521	589,842
6	Valid skip	3,642	482,458
7	Don't know	1	168
9	Not stated	4,208	895,465
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ23C** *Position:* 930 *Length:* 1
Collection Name: MEDQ23C1

After this child's delivery, did you suffer from

...postpartum depression?

		FREQ	WTD
1	Yes	366	86,378
2	No	2,296	533,731
6	Valid skip	3,642	482,458
7	Don't know	2	198
9	Not stated	4,208	896,119
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ23D	<i>Position:</i>	931	<i>Length:</i>	3
<i>Collection Name:</i>	MEDQ23C3				

For how long?

<i>Allowed values:</i>	001 : 995		FREQ	WTD
001 : 360	Number of days		360	84,995
996	Valid skip		5,938	1,016,189
999	Not stated		4,216	897,700
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and mother suffered from post-partum depression

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ23F	<i>Position:</i>	934	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ23D				

After this child's delivery, did you suffer from

...postpartum hypertension?

		FREQ	WTD
1	Yes	39	7,812
2	No	1,977	461,093
6	Valid skip	3,642	482,458
7	Don't know	6	1,304
8	Refusal	2	291
9	Not stated	4,848	1,045,926
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ24A	<i>Position:</i>	935	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ24A				

Were you hospitalized for special medical care for any period immediately following the birth of this child?

		FREQ	WTD
1	Yes	197	44,790
2	No	2,470	577,107
6	Valid skip	3,642	482,458
8	Refusal	1	110
9	Not stated	4,204	894,419
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ24B	<i>Position:</i>	936	<i>Length:</i>	2
<i>Collection Name:</i>	MEDQ24B				

For how many days?

Allowed values: 01 : 60

		FREQ	WTD
01 : 24	Number of days	197	44,790
96	Valid skip	6,112	1,059,565
99	Not stated	4,205	894,529
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and mother was hospitalized following child's birth

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCQ25	<i>Position:</i>	938	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ25				

The following are a few questions on breast feeding. Are you currently breast feeding this child?

		FREQ	WTD
1	Yes	1,010	251,110
2	No	7,744	1,566,369
6	Valid skip	1,594	142,260
7	Don't know	1	66
8	Refusal	1	29
9	Not stated	164	39,049
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if it had not already been reported in a previous interview that the child had stopped breast feeding

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. For this reason, the response may not reflect the current breast-feeding situation for children aged 2 to 5 years. If no information has been collected from the biological parent (mother or father) at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ26	<i>Position:</i>	939	<i>Length:</i>	1
<i>Collection Name:</i>	MEDQ26				

Did you breast feed him even if only for a short time?

		FREQ	WTD
1	Yes	6,248	1,295,711
2	No	1,495	270,484
6	Valid skip	2,604	393,371
9	Not stated	167	39,319
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if the child is not currently breast feeding (excluding those children for whom it had been reported in a previous interview that they had already stopped breast feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ27** *Position:* 940 *Length:* 2
Collection Name: MEDQ27

For how long?

		FREQ	WTD
01	Less than 1 week	417	78,390
02	1 to 4 weeks	810	160,022
03	5 to 8 weeks	470	95,501
04	9 to 12 weeks	267	58,497
05	3 to 6 months	1,798	371,437
06	7 to 9 months	991	209,970
07	10 to 12 months	897	189,677
08	13 to 16 months	348	70,907
09	More than 16 months	245	59,604
96	Valid skip	4,099	663,854
97	Don't know	4	1,441
99	Not stated	168	39,583
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if the child is not currently breast feeding, but had been breast fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ28A** *Position:* 942 *Length:* 1
Collection Name: MEDQ28A

What was the main reason you stopped breast feeding him

...not enough milk/hungry baby?

		FREQ	WTD
1	Yes	1,356	286,770
2	No	4,867	1,002,022
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: FMDQC28B **Position:** 943 **Length:** 1
Collection Name: MEDQ28B

What was the main reason you stopped breast feeding him

...inconvenienced/fatigue?

		FREQ	WTD
1	Yes	596	116,139
2	No	5,627	1,172,653
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: FMDQC28C **Position:** 944 **Length:** 1
Collection Name: MEDQ28C

What was the main reason you stopped breast feeding him

...difficulty with breast feeding techniques?

		FREQ	WTD
1	Yes	377	71,407
2	No	5,846	1,217,385
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ28D** *Position:* 945 *Length:* 1
Collection Name: MEDQ28D

What was the main reason you stopped breast feeding him

...sore nipples/engorged breast?

		FREQ	WTD
1	Yes	347	71,435
2	No	5,876	1,217,358
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ28E** *Position:* 946 *Length:* 1
Collection Name: MEDQ28E

What was the main reason you stopped breast feeding him

...mother's illness?

		FREQ	WTD
1	Yes	177	34,446
2	No	6,046	1,254,346
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ28F** *Position:* 947 *Length:* 1
Collection Name: MEDQ28F

What was the main reason you stopped breast feeding him

...planned to stop at this time?

		FREQ	WTD
1	Yes	870	172,506
2	No	5,353	1,116,286
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ28G** *Position:* 948 *Length:* 1
Collection Name: MEDQ28G

What was the main reason you stopped breast feeding him

...baby weaned himself?

		FREQ	WTD
1	Yes	1,117	247,213
2	No	5,106	1,041,580
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ28H** *Position:* 949 *Length:* 1
Collection Name: MEDQ28H

What was the main reason you stopped breast feeding him

...physician told me to stop?

		FREQ	WTD
1	Yes	93	17,711
2	No	6,130	1,271,082
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ28I** *Position:* 950 *Length:* 1
Collection Name: MEDQ28I

What was the main reason you stopped breast feeding him

...returned to work/school?

		FREQ	WTD
1	Yes	820	164,510
2	No	5,403	1,124,282
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ28J** *Position:* 951 *Length:* 1
Collection Name: MEDQ28J

What was the main reason you stopped breast feeding him

...partner/father wanted me to stop?

		FREQ	WTD
1	Yes	19	3,908
2	No	6,204	1,284,884
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ28K** *Position:* 952 *Length:* 1
Collection Name: MEDQ28K

What was the main reason you stopped breast feeding him

...formula feeding preferable?

		FREQ	WTD
1	Yes	120	23,359
2	No	6,103	1,265,434
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCQ28L** *Position:* 953 *Length:* 1
Collection Name: MEDQ28L

What was the main reason you stopped breast feeding him

...wanted to drink alcohol?

		FREQ	WTD
1	Yes	7	1,210
2	No	6,216	1,287,582
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ28M** *Position:* 954 *Length:* 1
Collection Name: MEDQ28M

What was the main reason you stopped breast feeding him

...other?

		FREQ	WTD
1	Yes	944	203,238
2	No	5,279	1,085,555
6	Valid skip	4,099	663,854
7	Don't know	8	1,392
8	Refusal	1	70
9	Not stated	183	44,775
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father) and if child is not currently breast-feeding, but had been breast-fed in the past (excluding those children for whom it had been reported in a previous interview that they had already stopped breast-feeding)

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Medical/Biological - Derived Variables

Variable Name: **FHLCbD4D** *Position:* 955 *Length:* 1
Collection Name: DVHLT4D1

Was child born before or after the due date?

		FREQ	WTD
1	Before	4,458	857,925
2	After	3,522	612,444
3	On due date	1,700	360,977
6	Valid skip	111	14,717
9	Not stated	723	152,821
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: This derived variable is based on question (MEDQ12A). If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

Variable Name: **FMDCQ12C** *Position:* 956 *Length:* 3
Collection Name: MEDV12C

How many days before or after the due date was this child born?

Allowed values: 001 : 105

		FREQ	WTD
001 : 105	Number of days before or after due date	7,951	1,466,836
996	Valid skip	1,811	375,694
999	Not stated	752	156,355
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)

Note: This derived variable is based on questions MEDQ12A, MEDQ12B, MEDQ12C1 and MEDQ12C2. If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of the interview in previous cycles, this variable value will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FHLCbD4C	<i>Position:</i>	959	<i>Length:</i>	5.3
<i>Collection Name:</i>	BWGHTDV1				

Birth weight in kilograms and grams

Allowed values: 0.510 : 7.000

		FREQ	WTD
0.907 : 7.000	Birth weight in kilograms and grams	9,634	1,822,321
9.996	Valid skip	111	14,717
9.999	Not stated	769	161,846
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: This derived variable is based on questions (MEDQ13A, MEDQ13B, MEDQ13C, MEDQ13C1). If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCQ14B	<i>Position:</i>	964	<i>Length:</i>	2
<i>Collection Name:</i>	MEDV14A				

Birth length in centimetres

Allowed values: 30 : 95

		FREQ	WTD
33 : 76	Birth length in centimetres	8,254	1,497,611
96	Valid skip	111	14,717
99	Not stated	2,149	486,556
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)

Note: This derived variable is based on questions MEDQ14A, MEDQ14B, MEDQ14C. If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of the interview in previous cycles, this variable value will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMDCD01** **Position:** 966 **Length:** 1
Collection Name: MEDDV01

Number of prenatal problems experienced (Includes diabetes, high blood pressure and other physical problems. Other physical problems counts as one problem.)

Allowed values: 0 : 3

		FREQ	WTD
0 : 3	Number of prenatal problems	8,478	1,562,505
6	Valid skip	530	87,027
9	Not stated	1,506	349,352
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: This derived variable is based on questions FMDCQ01A, FMDCQ01B and FMDCQ01C. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother at the time of the interview in previous cycles, this variable value will be 'Not stated'.

Variable Name: **FMDCD02** **Position:** 967 **Length:** 2
Collection Name: MEDDV02

Stage of pregnancy that mother smoked

		FREQ	WTD
01	First trimester only	154	25,383
02	Second trimester only	26	5,869
03	Third trimester only	45	9,384
04	First and second trimester	53	6,851
05	First and third trimester	5	1,388
06	Second and third trimester	42	10,384
07	Throughout entire pregnancy	1,186	202,162
08	Not at all	6,980	1,302,333
96	Valid skip	530	87,027
99	Not stated	1,493	348,102
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother

Note: This derived variable is based on questions FMDCQ03, FMDCQ05A, FMDCQ05B, FMDCQ05C and FMDCQ05D. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother at the time of the interview in previous cycles, this variable value will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCD03	<i>Position:</i>	969	<i>Length:</i>	2
<i>Collection Name:</i>	MEDDV03				

Stage of pregnancy that mother consumed alcohol

		FREQ	WTD
01	First trimester only	282	49,664
02	Second trimester only	165	35,861
03	Third trimester only	205	51,542
04	First and second trimester	23	4,419
05	First and third trimester	8	1,509
06	Second and third trimester	94	23,576
07	Throughout entire pregnancy	263	61,302
08	Not at all	7,424	1,328,384
96	Valid skip	530	87,027
99	Not stated	1,520	355,600
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother
Note: This derived variable is based on questions FMDCQ06, FMDCQ08A, FMDCQ08B, FMDCQ08C and FMDCQ08D. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother at the time of the interview in previous cycles, this variable value will be 'Not stated'.

<i>Variable Name:</i>	FMDCD04	<i>Position:</i>	971	<i>Length:</i>	2
<i>Collection Name:</i>	MEDDV04				

Stage of pregnancy that mother took prescription medication

		FREQ	WTD
01	First trimester only	558	100,359
02	Second trimester only	438	76,937
03	Third trimester only	522	93,673
04	First and second trimester	116	19,633
05	First and third trimester	30	6,380
06	Second and third trimester	122	21,927
07	Throughout entire pregnancy	870	147,904
08	Not at all	5,816	1,094,304
96	Valid skip	530	87,027
99	Not stated	1,512	350,740
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother
Note: This derived variable is based on questions FMDCQ09A, FMDCQ09B, FMDCQ09C, FMDCQ09D and FMDCQ09E. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother at the time of the interview in previous cycles, this variable value will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCD05	<i>Position:</i>	973	<i>Length:</i>	2
<i>Collection Name:</i>	MEDDV05				

Stage of pregnancy that mother took over-the-counter drugs

		FREQ	WTD
01	First trimester only	337	58,817
02	Second trimester only	414	77,769
03	Third trimester only	503	93,133
04	First and second trimester	33	5,522
05	First and third trimester	16	2,063
06	Second and third trimester	138	28,244
07	Throughout entire pregnancy	1,569	269,745
08	Not at all	5,368	1,010,214
96	Valid skip	530	87,027
99	Not stated	1,606	366,350
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological mother
Note: This derived variable is based on questions FMDCQ10A, FMDCQ10B, FMDCQ10C, FMDCQ10D and FMDCQ10E. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother at the time of the interview in previous cycles, this variable value will be 'Not stated'.

<i>Variable Name:</i>	FMDCD06	<i>Position:</i>	975	<i>Length:</i>	3
<i>Collection Name:</i>	MEDDV06				

Gestational age of child in days

Allowed values: 164 : 304

		FREQ	WTD
171 : 304	Gestation age of child in days	9,647	1,827,132
996	Valid skip	111	14,717
999	Not stated	756	157,035
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)
Note: This derived variable is based on questions MEDQ12A and FMDCQ12C. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCD07	<i>Position:</i>	978	<i>Length:</i>	1
<i>Collection Name:</i>	MEDDV07				

Prematurity

		FREQ	WTD
1	Child born prematurely - gestational age 258 days or less	983	196,973
2	Child born in normal range - gestational age 259 to 293 days	8,619	1,623,987
3	Child born late - gestational age 294 days or longer	45	6,172
6	Valid skip	111	14,717
9	Not stated	756	157,035
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)

Note: This derived variable is based on FMDCD06. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother or father at the time of interview in previous cycles, this variable will be 'Not stated'.

<i>Variable Name:</i>	FMDCD08	<i>Position:</i>	979	<i>Length:</i>	1
<i>Collection Name:</i>	MEDDV08				

Birth Weight

		FREQ	WTD
1	Normal (\geq 2500 grams)	9,155	1,707,577
2	Moderately low (1500 to 2499 grams)	422	97,900
3	Very low ($<$ 1500 grams)	57	16,844
6	Valid skip	111	14,717
9	Not stated	769	161,846
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old (or if first interview), if respondent is the biological parent (mother or father)

Note: This derived variable is based on questions MEDQ13B, MEDQ13C and MEDQ13C1. The derived variable includes data from previous cycles when available. If no information has been collected from the biological mother or father at the time of the interview in previous cycles, this variable value will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCD09	<i>Position:</i>	980	<i>Length:</i>	1
<i>Collection Name:</i>	MEDDV09				

Post-partum depression

		FREQ	WTD
1	None	2,296	533,731
2	14 days or less	143	36,136
3	More than 14 days	217	48,859
6	Valid skip	3,642	482,458
9	Not stated	4,216	897,700
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: This derived variable is based on questions FMDCQ23C and FMDCQ23D. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother or father at the time of the interview in previous cycles, this variable value will be 'Not stated'.

<i>Variable Name:</i>	FMDCD10	<i>Position:</i>	981	<i>Length:</i>	1
<i>Collection Name:</i>	MEDDV10				

Number of post-partum problems (includes post-partum haemorrhage, post-partum infection, post-partum depression for more than 14 days and post-partum hypertension)

Allowed values: 0 : 4

		FREQ	WTD
0 : 3	Number of post-partum problems	2,001	465,775
6	Valid skip	3,642	482,458
9	Not stated	4,871	1,050,651
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: This derived variable is based on FMDCQ23A, FMDCQ23B, FMDCQ23F and FMDCD09. The derived variable includes data from the previous cycles when available. If no information has been collected from the biological mother or father at the time of the interview in previous cycles, this variable value will be 'Not stated'.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMDCD26	<i>Position:</i>	982	<i>Length:</i>	1
<i>Collection Name:</i>	MEDDV26				

Has the child ever been breast-fed?

		FREQ	WTD
1	Yes	7,258	1,546,821
2	No	1,496	270,658
6	Valid skip	1,594	142,260
9	Not stated	166	39,144
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, if respondent is the biological parent (mother or father)

Note: This derived variable is based on questions FMDCQ25 and FMDCQ26, as well as data carried forward from previous cycles when available. If no information has been collected from the biological mother or father at the time of the interview in previous cycles, this variable value will be 'Not stated'.

Section: Work After Birth

<i>Variable Name:</i>	FWBCeQ1	<i>Position:</i>	983	<i>Length:</i>	1
<i>Collection Name:</i>	WABQ1				

Did you work at a job or a business at any point before this child's birth?

		FREQ	WTD
1	Yes	4,939	958,419
2	No	1,424	312,808
6	Valid skip	4,127	722,830
7	Don't know	12	1,878
8	Refusal	1	93
9	Not stated	11	2,857
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FWBCeQ2** *Position:* 984 *Length:* 1
Collection Name: WABQ2

How long before this child's birth did you stop working?

		FREQ	WTD
1	In weeks only	2,453	478,445
2	In months only	2,203	425,863
3	In months and years	32	6,002
4	In years only	192	35,711
6	Valid skip	5,551	1,035,637
7	Don't know	55	11,663
8	Refusal	4	736
9	Not stated	24	4,827
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old whose mother worked before birth

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FWBCeQ2A** *Position:* 985 *Length:* 2
Collection Name: WABQ2A

Enter number of weeks.

Allowed values: 01 : 52

		FREQ	WTD
01 : 45	Number of weeks	2,450	477,890
96	Valid skip	7,978	1,503,214
97	Don't know	3	555
99	Not stated	83	17,226
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old who answered "in weeks only" in FWBCeQ2

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FWBCeQ2B	<i>Position:</i>	987	<i>Length:</i>	2
<i>Collection Name:</i>	WABQ2B				

Enter number of years

<i>Allowed values:</i>	01 : 15			
		FREQ	WTD	
01 : 15	Number of years	224	41,713	
96	Valid skip	10,207	1,939,946	
99	Not stated	83	17,226	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 0 to 3 years old who answered "in months and years" or "in years only" in FWBCeQ2
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FWBCeQ2C	<i>Position:</i>	989	<i>Length:</i>	2
<i>Collection Name:</i>	WABQ2C				

Enter number of months

<i>Allowed values:</i>	01 : 12			
		FREQ	WTD	
01 : 12	Number of months	2,233	431,584	
96	Valid skip	8,196	1,549,793	
97	Don't know	2	282	
99	Not stated	83	17,226	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 0 to 3 years old who answered "in months only" or "in months and years" in FWBCeQ2
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FWBCeQ3	<i>Position:</i>	991	<i>Length:</i>	1
<i>Collection Name:</i>	WABQ3				

Were you on paid or unpaid maternity or parental leave, including those weeks paid by employment insurance after stopping work?

		FREQ	WTD	
1	Yes	3,959	765,909	
2	No	740	146,539	
6	Valid skip	5,719	1,067,129	
7	Don't know	8	1,245	
9	Not stated	88	18,062	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 0 to 3 years old whose mother worked before birth
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FWBCe3A	<i>Position:</i>	992	<i>Length:</i>	1
<i>Collection Name:</i>	WABQ3A				

How long were you on paid maternity or parental leave?

		FREQ	WTD
1	In weeks only	704	135,559
2	In months only	1,343	259,538
3	In months and years	101	20,326
4	In years only	1,538	297,829
6	Valid skip	6,709	1,262,843
7	Don't know	22	3,268
8	Refusal	1	214
9	Not stated	96	19,307
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old whose mothers were on maternity or parental leave

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FWBCe3A1	<i>Position:</i>	993	<i>Length:</i>	2
<i>Collection Name:</i>	WABQ3A1				

Number of weeks.

Allowed values: 01 : 52

		FREQ	WTD
01 : 52	Number/weeks	703	135,488
96	Valid skip	9,691	1,840,536
97	Don't know	1	70
99	Not stated	119	22,790
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old who answered "in weeks only" in FWBCe3A

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FWBCe3A2	<i>Position:</i>	995	<i>Length:</i>	2
<i>Collection Name:</i>	WABQ3A2				

Number of years.

<i>Allowed values:</i>	01 : 15			
		FREQ	WTD	
01 : 12	Number/years	1,639	318,154	
96	Valid skip	8,756	1,657,940	
99	Not stated	119	22,790	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 0 to 3 years old who answered "in months and years" or "in years only" in FWBCe3A
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FWBCe3A3	<i>Position:</i>	997	<i>Length:</i>	2
<i>Collection Name:</i>	WABQ3A3				

Number of months

<i>Allowed values:</i>	01 : 12			
		FREQ	WTD	
01 : 12	Number/months	1,442	279,660	
96	Valid skip	8,951	1,696,231	
97	Don't know	2	203	
99	Not stated	119	22,790	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 0 to 3 years old who answered "in months only" or "in months and years" in FWBCe3A
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FWBCe3B	<i>Position:</i>	999	<i>Length:</i>	1
<i>Collection Name:</i>	WABQ3B				

How long were you on unpaid maternity or parental leave?

		FREQ	WTD
1	In weeks only	492	99,963
2	In months only	489	95,645
3	In months and years	26	4,919
4	In years only	106	22,051
6	Valid skip	9,243	1,747,032
7	Don't know	37	6,355
8	Refusal	1	58
9	Not stated	120	22,860
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old whose mothers were on maternity or parental leave

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FWBCe3B1	<i>Position:</i>	1000	<i>Length:</i>	2
<i>Collection Name:</i>	WABQ3B1				

Number of weeks.

Allowed values: 01 : 52

		FREQ	WTD
01 : 52	How many weeks	487	98,873
96	Valid skip	9,864	1,869,648
97	Don't know	5	1,090
99	Not stated	158	29,274
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old who answered "in weeks only" in FWBCe3B

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FWBCe3B2	<i>Position:</i>	1002	<i>Length:</i>	2
<i>Collection Name:</i>	WABQ3B2				

Number of years

<i>Allowed values:</i>	01 : 15		FREQ	WTD
01 : 08	How many years		132	26,971
96	Valid skip		10,224	1,942,640
99	Not stated		158	29,274
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 3 years old who answered "in months and years" or "in years only" in FWBCe3B
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FWBCe3B3	<i>Position:</i>	1004	<i>Length:</i>	2
<i>Collection Name:</i>	WABQ3B3				

Number of months

<i>Allowed values:</i>	01 : 12		FREQ	WTD
01 : 12	How many months?		515	100,564
96	Valid skip		9,841	1,869,046
99	Not stated		158	29,274
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 3 years old who answered "in months only" or "in months and years" in FWBCe3B
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FMDCbQ29	<i>Position:</i>	1006	<i>Length:</i>	1
<i>Collection Name:</i>	WABQ4A				

Did you work at a job or a business at any point since this child's birth?

		FREQ	WTD
1	Yes	7,106	1,290,798
2	No	3,075	675,158
6	Valid skip	305	27,946
7	Don't know	8	751
8	Refusal	1	100
9	Not stated	19	4,131
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 3 years old and children 4 or 5 years old, not in school, who are new respondents or whose mother had not worked after birth in previous cycle
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FWBCcQ1B** *Position:* 1007 *Length:* 1
Collection Name: WABQ4B

Did you work at a job or business at any point between this child's birth and when this child started school?

		FREQ	WTD
1	Yes	329	47,710
2	No	396	99,414
6	Valid skip	9,778	1,849,455
8	Refusal	1	25
9	Not stated	10	2,279
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old, in school, who are new respondents or children 4 or 5 years old in school, whose mother had not worked after birth in previous cycle

Variable Name: **FMDCbQ31** *Position:* 1008 *Length:* 3
Collection Name: WABQ6

How many hours a week did you usually work at that time?

Allowed values: 001 : 097

		FREQ	WTD
001 : 090	Total hrs a week usually worked	7,361	1,323,690
996	Valid skip	3,043	653,251
997	Don't know	54	11,462
999	Not stated	56	10,481
		=====	=====
		10,514	1,998,884

Coverage: Children 0 to 5 years old whose mother has worked after birth

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FWBCcQ4A	<i>Position:</i>	1011	<i>Length:</i>	1
<i>Collection Name:</i>	WABQ7A				

Have you worked continuously since then?

		FREQ	WTD
1	Yes	5,353	996,120
2	No, but worked at least half of the time between then and now	820	130,018
3	No, worked less than half of the time between then and now	855	149,584
6	Valid skip	3,372	700,944
7	Don't know	6	332
9	Not stated	108	21,887
		=====	=====
		10,514	1,998,884

Coverage: Children 0 to 3 years old and children 4 or 5 years old who are not in school

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FWBCcQ4B	<i>Position:</i>	1012	<i>Length:</i>	1
<i>Collection Name:</i>	WABQ7B				

Did you work continuously between when you started to work and until this child started school?

		FREQ	WTD
1	Yes	182	27,397
2	No, but worked at least half of the time	69	10,046
3	No, worked less than half of the time	76	10,192
6	Valid skip	10,182	1,951,029
9	Not stated	5	219
		=====	=====
		10,514	1,998,884

Coverage: Children 4 or 5 years old, who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Work After Birth - Derived Variables

Variable Name: **FWBCcD2B** *Position:* 1013 *Length:* 6.2
Collection Name: WABDVALL

Age of child (in months) when the mother started working

Allowed values: 000.00 : 168.00

		FREQ	WTD
000.00 : 060.00	Enter months old	7,354	1,319,154
999.96	Valid skip	3,043	653,251
999.99	Not stated	117	26,479
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose mother worked after child's birth

Note: This derived variable is based on questions WABQ5A, WABQ5B and WABQ5C. The derived variable also includes data from the previous cycles when available.

Section: Child Development - Derived Variables

Variable Name: **FMLCfD01** *Position:* 1019 *Length:* 2
Collection Name: MILDV01

Age (in months) when this child first sat up

Allowed values: 01 : 47

		FREQ	WTD
01 : 30	Age - when this child first sat up	9,102	1,780,964
95	Child has not done this yet	30	6,822
96	Valid skip	1,099	157,710
99	Not stated	283	53,388
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. This derived variable is based on question MILQ1. In Cycle 6 if response to MILQ1=0 'Child has not yet done this', then the value has been set to '95'

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMLCfD02	<i>Position:</i>	1021	<i>Length:</i>	2
<i>Collection Name:</i>	MILDV02				

Age (in months) when this child started eating solid food

Allowed values: 01 : 47

		FREQ	WTD
01 : 25	Age - when this child started eating	9,265	1,814,906
95	Child has not done this yet	17	3,958
96	Valid skip	1,099	157,710
99	Not stated	133	22,310
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. This derived variable is based on question MILQ2. In Cycle 6 if response to MILQ2=0 'Child has not yet done this', then the value has been set to '95'

<i>Variable Name:</i>	FMLCfD03	<i>Position:</i>	1023	<i>Length:</i>	2
<i>Collection Name:</i>	MILDV03				

Age (in months) when this child started feeding himself by picking up small pieces of food with his fingers and putting them in his mouth

Allowed values: 01 : 47

		FREQ	WTD
01 : 36	Age - when this child feeding himself	9,149	1,789,366
95	Child has not done this yet	60	15,273
96	Valid skip	1,099	157,710
99	Not stated	206	36,535
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. This derived variable is based on question MILQ3. In Cycle 6 if response to MILQ3=0 'Child has not yet done this', then the value has been set to '95'

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMLCfD04	<i>Position:</i>	1025	<i>Length:</i>	2
<i>Collection Name:</i>	MILDV04				

Age (in months) when this child took his first steps

Allowed values: 01 : 47

		FREQ	WTD
01 : 36	Age - when this child took first steps	8,858	1,724,414
95	Child has not done this yet	482	104,581
96	Valid skip	1,099	157,710
99	Not stated	75	12,179
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. This derived variable is based on question MILQ4. In Cycle 6 if response to MILQ4=0 'Child has not yet done this', then the value has been set to '95'

<i>Variable Name:</i>	FMLCfD05	<i>Position:</i>	1027	<i>Length:</i>	2
<i>Collection Name:</i>	MILDV05				

Age (in months) when this child started saying his first words. (By word I mean a sound or sounds a baby says consistently)

Allowed values: 01 : 47

		FREQ	WTD
01 : 36	Age when this child - his first words	8,448	1,649,322
95	Child has not done this yet	61	14,840
96	Valid skip	1,633	274,962
99	Not stated	372	59,759
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available. This derived variable is based on question MILQ5. In Cycle 6 if response to MILQ5=0 'Child has not yet done this', then the value has been set to '95'

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Temperament

Variable Name: **FTMCe01** *Position:* 1029 *Length:* 2
Collection Name: TMPQ1

On a scale of 1 to 7, 1 being very easy, how easy or difficult is it for you to calm or soothe this child when he is upset?

		FREQ	WTD
01	Very easy	1,780	327,995
02	02	1,413	265,393
03	03	1,030	190,154
04	04	482	100,109
05	05	364	69,543
06	06	131	25,842
07	Difficult	100	21,415
96	Valid skip	5,177	985,257
97	Don't know	7	1,855
98	Refusal	13	5,921
99	Not stated	17	5,400
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

Variable Name: **FTMCQ05** *Position:* 1031 *Length:* 2
Collection Name: TMPQ5

How many times per day, on average, does this child get fussy and irritable for either short or long periods of time?

		FREQ	WTD
01	Never	324	64,669
02	1 or 2 times per day	3,118	580,129
03	3 or 4 times per day	1,332	251,458
04	5 or 6 times per day	315	61,874
05	7 to 9 times per day	86	15,694
06	10 to 14 times per day	72	15,035
07	15 times per day or more	33	6,032
96	Valid skip	5,177	985,257
97	Don't know	26	7,007
99	Not stated	31	11,728
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FTMCe06** *Position:* 1033 *Length:* 2
Collection Name: TMPQ6

On a scale of 1 to 7, 1 being very little, how much does he cry or fuss in general?

		FREQ	WTD
01	Very little; much less than the average baby/child	1,820	343,207
02	02	1,563	286,418
03	03	1,066	207,496
04	04	526	99,656
05	05	214	42,220
06	06	72	14,471
07	A lot; much more than the average baby/child	35	5,842
96	Valid skip	5,177	985,257
97	Don't know	9	2,426
98	Refusal	1	162
99	Not stated	31	11,728
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

Variable Name: **FTMCQ07** *Position:* 1035 *Length:* 2
Collection Name: TMPQ7

How easily does he get upset?

		FREQ	WTD
01	Very hard to upset even by things that upset most babies/children	846	171,317
02	02	1,139	216,439
03	03	1,298	239,943
04	04	928	174,514
05	05	617	105,967
06	06	254	48,561
07	Very easily upset by things that wouldn't bother most babies/children	207	41,107
96	Valid skip	5,177	985,257
97	Don't know	15	3,398
98	Refusal	1	490
99	Not stated	32	11,890
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FTMCfQ08** *Position:* 1037 *Length:* 2
Collection Name: TMPQ8

When he gets upset (for example, before feeding, during diapering, etc.), how vigorously or loudly does he cry and fuss?

		FREQ	WTD
01	Very mild intensity or loudness	551	110,310
02	02	738	136,137
03	03	1,080	203,386
04	04	887	157,190
05	05	923	165,295
06	06	514	106,118
07	Very loud or intense, really cuts loose	599	118,257
96	Valid skip	5,177	985,257
97	Don't know	12	4,552
99	Not stated	33	12,380
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

Variable Name: **FTMCQ09** *Position:* 1039 *Length:* 2
Collection Name: TMPQ9

How does he react when you are dressing him?

		FREQ	WTD
01	Very well--likes it	370	85,218
02	02	167	37,124
03	03	170	38,697
04	04	107	23,925
05	05	82	16,544
06	06	49	9,583
07	Doesn't like it at all	78	14,710
96	Valid skip	9,453	1,761,819
97	Don't know	5	1,253
99	Not stated	33	10,010
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 11 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FTMCQ11** *Position:* 1041 *Length:* 2
Collection Name: TMPQ11

How much does he smile and make happy sounds?

		FREQ	WTD
01	A great deal, much more than most infants/children	2,897	504,133
02	02	920	181,638
03	03	243	45,399
04	04	77	13,914
05	05	55	10,161
06	06	31	6,980
07	Very little, much less than most infants/children	22	4,964
96	Valid skip	6,238	1,222,322
97	Don't know	1	101
98	Refusal	1	150
99	Not stated	29	9,122
		=====	=====
		10,514	1,998,884

Coverage: Children aged 12 to 35 months old

Variable Name: **FTMCQ12** *Position:* 1043 *Length:* 2
Collection Name: TMPQ12

What kind of mood is he generally in?

		FREQ	WTD
01	Very happy and cheerful	3,333	622,450
02	02	1,240	237,811
03	03	473	90,250
04	04	166	31,415
05	05	64	12,516
06	06	11	3,158
07	Serious	9	1,607
96	Valid skip	5,177	985,257
97	Don't know	7	1,889
99	Not stated	34	12,530
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FTMCQ14** *Position:* 1045 *Length:* 2
Collection Name: TMPQ14

How much does he want to be held?

		FREQ	WTD
01	Wants to be free most of the time	99	28,030
02	02	126	26,899
03	03	251	53,268
04	04	258	54,659
05	05	150	30,448
06	06	60	13,704
07	A great deal wants to be held almost all the time	77	17,627
96	Valid skip	9,453	1,761,819
97	Don't know	7	2,421
99	Not stated	33	10,010
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 11 months old

Variable Name: **FTMCQ15** *Position:* 1047 *Length:* 2
Collection Name: TMPQ15

How does he respond to disruptions and changes in everyday routine, such as when you go to church, a meeting, on trips, etc.?

		FREQ	WTD
01	Very favourably, doesn't get upset	2,209	432,204
02	02	1,394	245,312
03	03	901	164,343
04	04	410	84,845
05	05	214	40,802
06	06	81	15,228
07	Very unfavourably, gets quite upset	75	12,726
96	Valid skip	5,177	985,257
97	Don't know	18	5,514
98	Refusal	1	121
99	Not stated	34	12,530
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FTMCQ17	<i>Position:</i>	1049	<i>Length:</i>	2
<i>Collection Name:</i>	TMPQ17				

How changeable is this child's mood?

		FREQ	WTD
01	Changes seldom and changes slowly when he does change	1,458	283,603
02	02	1,463	272,416
03	03	1,108	195,315
04	04	586	113,841
05	05	344	64,402
06	06	133	27,152
07	Changes often and rapidly	182	37,533
96	Valid skip	5,177	985,257
97	Don't know	28	6,713
99	Not stated	35	12,651
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

<i>Variable Name:</i>	FTMCQ19	<i>Position:</i>	1051	<i>Length:</i>	2
<i>Collection Name:</i>	TMPQ19				

On average, how much attention does he require, other than for caregiving (feeding, bathing, diaper changes, etc.)?

		FREQ	WTD
01	Very little, much less than the average baby/child	830	167,610
02	02	1,004	178,765
03	03	1,359	242,266
04	04	936	176,818
05	05	597	112,574
06	06	274	54,182
07	A lot, much more than the average baby/child	281	63,665
96	Valid skip	5,177	985,257
97	Don't know	21	5,095
99	Not stated	35	12,651
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FTMCQ20	<i>Position:</i>	1053	<i>Length:</i>	2
<i>Collection Name:</i>	TMPQ20				

When left alone, he plays well by himself?

		FREQ	WTD
01	Almost always	2,585	484,436
02	02	1,124	207,066
03	03	777	148,152
04	04	401	73,110
05	05	239	48,249
06	06	76	15,293
07	Almost never--won't play by himself	74	19,136
96	Valid skip	5,177	985,257
97	Don't know	23	5,126
98	Refusal	3	408
99	Not stated	35	12,651
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

<i>Variable Name:</i>	FTMCQ23	<i>Position:</i>	1055	<i>Length:</i>	2
<i>Collection Name:</i>	TMPQ23				

How did this child respond to his first bath?

		FREQ	WTD
01	Very well--baby loved it	466	110,943
02	02	80	16,902
03	03	70	16,173
04	04	41	7,492
05	05	59	11,378
06	06	53	10,313
07	Terribly--didn't like it	248	51,289
96	Valid skip	9,453	1,761,819
97	Don't know	10	2,505
99	Not stated	34	10,070
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 11 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FTMCQ23A** *Position:* 1057 *Length:* 2
Collection Name: TMPQ23A

How does this child typically respond to new playthings?

		FREQ	WTD
01	Always responds favourably	2,687	483,550
02	02	917	167,115
03	03	375	67,389
04	04	151	29,325
05	05	79	13,452
06	06	12	2,379
07	Always responds negatively or fearfully	13	1,751
96	Valid skip	6,238	1,222,322
97	Don't know	9	2,072
98	Refusal	1	57
99	Not stated	32	9,472
		=====	=====
		10,514	1,998,884

Coverage: Children aged 12 to 35 months old

Variable Name: **FTMCcQ25** *Position:* 1059 *Length:* 2
Collection Name: TMPQ25

How does he typically respond to a new person?

		FREQ	WTD
01	Almost always responds favourably	1,206	233,110
02	02	1,009	187,740
03	03	1,137	206,188
04	04	763	144,381
05	05	545	99,434
06	06	235	44,434
07	Almost always responds negatively at first	245	50,305
96	Valid skip	5,309	1,014,547
97	Don't know	26	5,692
98	Refusal	1	117
99	Not stated	38	12,936
		=====	=====
		10,514	1,998,884

Coverage: Children aged 6 to 35 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FTMCcQ26** *Position:* 1061 *Length:* 2
Collection Name: TMPQ26

How does he typically respond to being in a new place?

		FREQ	WTD
01	Almost always responds favourably	1,679	327,838
02	02	1,307	245,800
03	03	1,069	184,218
04	04	560	104,524
05	05	312	57,369
06	06	114	26,953
07	Almost always responds negatively at first	102	18,575
96	Valid skip	5,309	1,014,547
97	Don't know	22	5,843
98	Refusal	1	164
99	Not stated	39	13,053
		=====	=====
		10,514	1,998,884

Coverage: Children aged 6 to 35 months old

Variable Name: **FTMCcQ27** *Position:* 1063 *Length:* 2
Collection Name: TMPQ27

How well does he adapt to things (such as baths, new people and new places) or new experiences (such as new playthings, new foods, new people, etc.)?

		FREQ	WTD
01	Very well always likes it eventually	2,096	401,193
02	02	1,513	279,770
03	03	953	170,547
04	04	393	75,177
05	05	124	22,789
06	06	35	9,006
07	Almost always dislikes it in the end	27	6,123
96	Valid skip	5,309	1,014,547
97	Don't know	23	6,020
98	Refusal	1	496
99	Not stated	40	13,217
		=====	=====
		10,514	1,998,884

Coverage: Children aged 6 to 35 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FTMCfQ33** *Position:* 1065 *Length:* 2
Collection Name: TMPQ33

Please rate the overall degree of difficulty this child would present for the average parent.

		FREQ	WTD
01	Very easy	2,096	397,129
02	02	1,511	283,425
03	03	993	183,416
04	04	398	79,441
05	05	182	35,863
06	06	64	10,989
07	Highly difficult to deal with	36	5,251
96	Valid skip	5,177	985,257
97	Don't know	15	4,220
99	Not stated	42	13,894
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 35 months old

Section: Literacy

Variable Name: **FLTCdQ1A** *Position:* 1067 *Length:* 1
Collection Name: LITQ1A

How often do you (or your spouse) get a chance to do the following with this child

...play action games (such as peek-a-boo or patty cake)?

		FREQ	WTD
1	Rarely or never	61	14,324
2	A few times a month	35	7,916
3	Once a week	83	18,260
4	A few times a week	761	142,456
5	Daily	4,186	786,405
6	Valid skip	5,366	1,024,097
7	Don't know	5	577
8	Refusal	4	641
9	Not stated	13	4,207
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 2 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLTCdQ1B** *Position:* 1068 *Length:* 1
Collection Name: LITQ1B

How often do you (or your spouse) get a chance to do the following with this child

...take him shopping or on errands?

		FREQ	WTD
1	Rarely or never	99	24,256
2	A few times a month	202	37,432
3	Once a week	1,054	198,318
4	A few times a week	2,437	462,278
5	Daily	1,334	247,136
6	Valid skip	5,366	1,024,097
7	Don't know	5	519
9	Not stated	17	4,848
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 2 years old

Variable Name: **FLTCdQ1C** *Position:* 1069 *Length:* 1
Collection Name: LITQ1C

How often do you (or your spouse) get a chance to do the following with this child

...read stories or show pictures or wordless baby books to this child?

		FREQ	WTD
1	Rarely or never	156	40,486
2	A few times a month	70	17,033
3	Once a week	198	41,008
4	A few times a week	949	198,671
5	Daily	3,749	671,670
6	Valid skip	5,366	1,024,097
7	Don't know	9	1,071
9	Not stated	17	4,848
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 2 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLTCdQ1D** *Position:* 1070 *Length:* 1
Collection Name: LITQ1E

How often do you (or your spouse) get a chance to do the following with this child

...tell stories to him?

		FREQ	WTD
1	Rarely or never	574	131,661
2	A few times a month	357	71,215
3	Once a week	624	121,770
4	A few times a week	2,354	472,452
5	Daily	6,533	1,182,060
7	Don't know	14	3,320
8	Refusal	1	35
9	Not stated	57	16,371
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FLTCfQ1E** *Position:* 1071 *Length:* 1
Collection Name: LITQ1F

How often do you (or your spouse) get a chance to do the following with this child

...sing songs with him?

		FREQ	WTD
1	Rarely or never	367	81,242
2	A few times a month	320	61,043
3	Once a week	567	114,650
4	A few times a week	2,511	478,301
5	Daily	6,680	1,245,062
7	Don't know	9	1,782
8	Refusal	2	397
9	Not stated	58	16,406
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLTCdQ1G** *Position:* 1072 *Length:* 1
Collection Name: LITQ1H

How often do you (or your spouse) get a chance to do the following with this child

...teach him new words?

		FREQ	WTD
1	Rarely or never	176	42,491
2	A few times a month	46	7,622
3	Once a week	114	19,524
4	A few times a week	569	112,947
5	Daily	4,203	782,764
6	Valid skip	5,366	1,024,097
7	Don't know	20	3,924
8	Refusal	1	269
9	Not stated	19	5,246
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 2 years old

Variable Name: **FLTCdQ4H** *Position:* 1073 *Length:* 1
Collection Name: LITQ1I

How often do you (or your spouse) get a chance to do the following with this child

...teach him to read words?

		FREQ	WTD
1	Rarely or never	1,317	242,491
2	A few times a month	232	40,174
3	Once a week	391	77,167
4	A few times a week	1,349	268,506
5	Daily	2,034	383,542
6	Valid skip	5,148	974,787
7	Don't know	1	156
9	Not stated	42	12,061
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLTCdQ1H** *Position:* 1074 *Length:* 1
Collection Name: LITQ1J

How often do you (or your spouse) get a chance to do the following with this child

...take him outside for a walk or to play in the yard, park, or playground?

		FREQ	WTD
1	Rarely or never	139	31,156
2	A few times a month	224	49,492
3	Once a week	748	165,850
4	A few times a week	3,973	761,705
5	Daily	5,353	970,359
7	Don't know	16	3,250
9	Not stated	61	17,072
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FLTCfQ4B** *Position:* 1075 *Length:* 1
Collection Name: LITQ2A

How often do you (or your spouse) get a chance to do the following with this child

...read aloud to him or listen to him read or try to read?

		FREQ	WTD
1	Rarely or never	233	58,937
2	A few times a month	123	28,446
3	Once a week	225	55,064
4	A few times a week	1,282	258,617
5	Daily	3,463	611,722
6	Valid skip	5,148	974,787
8	Refusal	1	47
9	Not stated	39	11,264
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLTCdQ4F** *Position:* 1076 *Length:* 1
Collection Name: LITQ2C

How often do you (or your spouse) get a chance to do the following with this child

...teach him to name printed letters and/or numbers?

		FREQ	WTD
1	Rarely or never	514	101,448
2	A few times a month	226	42,573
3	Once a week	468	89,949
4	A few times a week	1,958	380,773
5	Daily	2,152	395,939
6	Valid skip	5,148	974,787
7	Don't know	4	1,281
8	Refusal	1	27
9	Not stated	43	12,108
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FLTCdQ4P** *Position:* 1077 *Length:* 1
Collection Name: LITQ2D

How often do you (or your spouse) get a chance to do the following with this child

...encourage him to use numbers in day to day activities, (for example, counting the cookies on a plate)?

		FREQ	WTD
1	Rarely or never	180	44,059
2	A few times a month	103	21,297
3	Once a week	206	45,631
4	A few times a week	1,352	281,736
5	Daily	3,479	618,592
6	Valid skip	5,148	974,787
7	Don't know	2	649
9	Not stated	44	12,135
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLTCdQ2	<i>Position:</i>	1078	<i>Length:</i>	1
<i>Collection Name:</i>	LITQ2E				

Does another adult do any of these activities with this child?

		FREQ	WTD
1	Yes	9,121	1,709,895
2	No	1,321	270,097
7	Don't know	8	1,646
8	Refusal	1	100
9	Not stated	63	17,146
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FLTCf03	<i>Position:</i>	1079	<i>Length:</i>	2
<i>Collection Name:</i>	LITQ3				

How many months old was this child when you or your spouse started to read to him or show picture books?

Allowed values: 00 : 61

		FREQ	WTD
00 : 48	Age in mths you started to read to him	10,271	1,941,290
95	No one has ever done this with this child	105	26,374
97	Don't know	58	12,322
98	Refusal	4	381
99	Not stated	76	18,516
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint=2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLTCdQ7A** *Position:* 1081 *Length:* 1
Collection Name: LITQ6A

At home, how often does this child do these activities

...look at books, magazines, comics, etc. or try to read on his own?

		FREQ	WTD
1	Rarely or never	85	20,100
2	A few times a month	92	22,594
3	Once a week	184	36,143
4	A few times a week	1,371	293,295
5	Daily	5,207	965,077
6	Valid skip	3,521	646,361
9	Not stated	54	15,315
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Variable Name: **FLTCdQ7C** *Position:* 1082 *Length:* 1
Collection Name: LITQ6C

At home, how often does this child do these activities

...do puzzles?

		FREQ	WTD
1	Rarely or never	676	143,769
2	A few times a month	839	152,694
3	Once a week	902	169,578
4	A few times a week	1,962	372,330
5	Daily	940	173,407
6	Valid skip	5,148	974,787
7	Don't know	3	186
9	Not stated	44	12,135
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FLTCdQ7E** *Position:* 1083 *Length:* 1
Collection Name: LITQ6D

At home, how often does this child do these activities

...play with pencils or markers doing real or pretend writing?

		FREQ	WTD
1	Rarely or never	112	22,311
2	A few times a month	94	18,226
3	Once a week	205	40,253
4	A few times a week	1,666	338,965
5	Daily	4,862	917,454
6	Valid skip	3,521	646,361
9	Not stated	54	15,315
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Variable Name: **FLTCdQ13** *Position:* 1084 *Length:* 1
Collection Name: LITQ9

How often does he talk about a book with family or friends?

		FREQ	WTD
1	Rarely or never	630	129,246
2	A few times a month	385	78,780
3	Once a week	576	122,920
4	A few times a week	1,741	331,244
5	Daily	1,973	347,770
6	Valid skip	5,148	974,787
7	Don't know	18	2,660
8	Refusal	1	39
9	Not stated	42	11,438
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLTCdQ14	<i>Position:</i>	1085	<i>Length:</i>	1
<i>Collection Name:</i>	LITQ10				

How often does he go to the library or bookmobile, including the school library?

		FREQ	WTD
1	Rarely or never	4,485	758,246
2	A few times a month	1,663	306,358
3	Once a week	2,040	436,679
4	A few times a week	695	137,962
5	Daily	96	19,536
6	Valid skip	1,457	321,606
7	Don't know	20	3,295
8	Refusal	2	180
9	Not stated	56	15,022
		=====	=====
		10,514	1,998,884

Coverage: Children aged 1 to 5 years old

Section: Communication

<i>Variable Name:</i>	FCMCdQ1A	<i>Position:</i>	1086	<i>Length:</i>	1
<i>Collection Name:</i>	COMQ1A				

When he is paying attention, how often is this child able to carry out a simple instruction after hearing it only once?

		FREQ	WTD
1	Never	49	12,392
2	Sometimes	955	209,539
3	Often	4,320	790,089
6	Valid skip	5,148	974,787
8	Refusal	1	50
9	Not stated	41	12,026
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCMCdQ1B** *Position:* 1087 *Length:* 1
Collection Name: COMQ1B

If he does not understand what someone has said, how often will this child ask for it to be repeated or explained?

		FREQ	WTD
1	Never	387	85,157
2	Sometimes	1,868	358,782
3	Often	3,052	564,657
6	Valid skip	5,148	974,787
7	Don't know	16	3,288
8	Refusal	1	136
9	Not stated	42	12,076
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FCMCdQ1C** *Position:* 1088 *Length:* 1
Collection Name: COMQ1C

How often does this child follow what is being talked about in a conversation, and stay on the same topic?

		FREQ	WTD
1	Never	123	35,424
2	Sometimes	1,531	314,565
3	Often	3,653	658,512
6	Valid skip	5,148	974,787
7	Don't know	16	3,384
9	Not stated	43	12,212
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCMCdQ1E** *Position:* 1089 *Length:* 1
Collection Name: COMQ1E

How often can this child be relied on to pass simple messages from one person to another without getting the message mixed up?

		FREQ	WTD
1	Never	199	41,549
2	Sometimes	1,540	296,579
3	Often	3,569	671,719
6	Valid skip	5,148	974,787
7	Don't know	13	1,813
8	Refusal	2	225
9	Not stated	43	12,212
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FCMCdQ1H** *Position:* 1090 *Length:* 1
Collection Name: COMQ1H

How often does this child clearly explain about things he has seen or done so that you get a good idea what happened?

		FREQ	WTD
1	Never	89	21,440
2	Sometimes	1,073	215,469
3	Often	4,158	774,076
6	Valid skip	5,148	974,787
7	Don't know	1	675
9	Not stated	45	12,437
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCMCdQ11** *Position:* 1091 *Length:* 1
Collection Name: COMQ11

How often is this child's speech easily understood, even by people who haven't met him before?

		FREQ	WTD
1	Never	56	18,137
2	Sometimes	473	89,707
3	Often	1,295	220,384
6	Valid skip	8,680	1,667,077
9	Not stated	10	3,579
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 years old

Note: The children aged 4 or 5 years old are asked this information in FHLCQ16 to FHLCQ19 (Health Utility Index).

Section: Child Activities

Variable Name: **FACCD2AA** *Position:* 1092 *Length:* 1
Collection Name: ACTQ2AA

Does this child attend any of the following programs or activities

...nursery school or preschool?

		FREQ	WTD
1	Yes	1,707	290,685
2	No	8,740	1,689,533
7	Don't know	7	905
8	Refusal	2	123
9	Not stated	58	17,638
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions ACTQ2AA and ACTQ2AAA

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCQ2AB	<i>Position:</i>	1093	<i>Length:</i>	1
<i>Collection Name:</i>	ACTQ2AB				

Does this child attend any of the following programs or activities

...play group?

		FREQ	WTD
1	Yes	1,604	288,033
2	No	8,843	1,692,185
7	Don't know	7	905
8	Refusal	2	123
9	Not stated	58	17,638
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions ACTQ2AB and ACTQ2AAB

<i>Variable Name:</i>	FACCQ2AC	<i>Position:</i>	1094	<i>Length:</i>	1
<i>Collection Name:</i>	ACTQ2AC				

Does this child attend any of the following programs or activities

...drop in centre?

		FREQ	WTD
1	Yes	1,035	215,475
2	No	9,412	1,764,743
7	Don't know	7	905
8	Refusal	2	123
9	Not stated	58	17,638
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions ACTQ2AC and ACTQ2AAC

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FACCD2AH** *Position:* 1095 *Length:* 1
Collection Name: ACTQ2AD

Does this child attend any of the following programs or activities

...parent and child lessons or program?

		FREQ	WTD
1	Yes	1,063	209,947
2	No	9,384	1,770,271
7	Don't know	7	905
8	Refusal	2	123
9	Not stated	58	17,638
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions ACTQ2AD and ACTQ2AAE

Variable Name: **FACCD2AI** *Position:* 1096 *Length:* 1
Collection Name: ACTQ2AE

Does this child attend any of the following programs or activities

...library storytime or other reading program or book club?

		FREQ	WTD
1	Yes	1,316	243,541
2	No	9,131	1,736,676
7	Don't know	7	905
8	Refusal	2	123
9	Not stated	58	17,638
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions ACTQ2AE and ACTQ2AAF

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FACCd2AJ** *Position:* 1097 *Length:* 1
Collection Name: ACTQ2AF

Does this child attend any of the following programs or activities

...none?

		FREQ	WTD
1	Yes	5,919	1,159,598
2	No	4,528	820,620
7	Don't know	7	905
8	Refusal	2	123
9	Not stated	58	17,638
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions ACTQ2AF and ACTQ2AAG

Variable Name: **FACCQ2AE** *Position:* 1098 *Length:* 1
Collection Name: ACTQ2AAD

Does this child attend any of the following programs or activities

...infant stimulation program?

		FREQ	WTD
1	Yes	141	33,781
2	No	3,365	609,574
6	Valid skip	6,993	1,352,523
7	Don't know	6	882
8	Refusal	2	123
9	Not stated	7	2,001
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 or 1 year old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCQ2B	<i>Position:</i>	1099	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ2B				

For about how many hours a week does he attend these in total?

<i>Allowed values:</i>	01 : 20			
		FREQ	WTD	
01 : 20	Total hours per week	4,469	808,006	
96	Valid skip	5,919	1,159,598	
97	Don't know	56	12,196	
98	Refusal	3	417	
99	Not stated	67	18,666	
		=====	=====	
		10,514	1,998,884	

Coverage: Children 0 to 5 years old who attended a program listed in ACTQ2A or ACTQ2AA

<i>Variable Name:</i>	FACCe3A	<i>Position:</i>	1101	<i>Length:</i>	1
<i>Collection Name:</i>	ACTQ3A				

In the past 12 months, outside of school hours, how often has this child

...taken part in sports with a coach or instructor (except dance, gymnastics or martial arts)?

		FREQ	WTD	
1	Most days	43	8,364	
2	A few times a week	640	112,367	
3	About once a week	1,191	234,086	
4	About once a month	91	19,122	
5	Almost never	3,354	636,990	
6	Valid skip	5,148	974,787	
7	Don't know	5	1,151	
8	Refusal	3	252	
9	Not stated	39	11,765	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FACCb3AA** *Position:* 1102 *Length:* 1
Collection Name: ACTQ3AA

In the past 12 months, outside of school hours, how often has this child

...taken lessons or instruction in other organized physical activities with a coach or instructor such as dance, gymnastics or martial arts?

		FREQ	WTD
1	Most days	16	2,917
2	A few times a week	269	53,787
3	About once a week	1,110	222,344
4	About once a month	69	16,716
5	Almost never	3,856	715,596
6	Valid skip	5,148	974,787
7	Don't know	4	719
9	Not stated	42	12,018
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FACCQ3B** *Position:* 1103 *Length:* 1
Collection Name: ACTQ3B

In the past 12 months, outside of school hours, how often has this child

...taken part in unorganized sports or physical activities without a coach or instructor?

		FREQ	WTD
1	Most days	1,153	193,103
2	A few times a week	1,169	221,344
3	About once a week	791	155,554
4	About once a month	288	51,787
5	Almost never	1,915	388,689
6	Valid skip	5,148	974,787
7	Don't know	7	1,461
8	Refusal	1	140
9	Not stated	42	12,018
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FACCe3B1** *Position:* 1104 *Length:* 1
Collection Name: ACTQ3B1

Thinking of the sport or physical activity that he does the most often, how long does this child usually spend being active in one session?...This may be an activity with or without a coach or instructor

		FREQ	WTD
1	1 to 15 minutes	818	164,308
2	16 to 30 minutes	1,476	280,690
3	31 to 60 minutes	1,952	374,784
4	More than 1 hour	997	176,822
6	Valid skip	5,148	974,787
7	Don't know	70	14,084
8	Refusal	10	1,250
9	Not stated	43	12,158
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FACCQ3C** *Position:* 1105 *Length:* 1
Collection Name: ACTQ3C

In the past 12 months, outside of school hours, how often has this child
...taken lessons or instruction in music, art or other non sport activities?

		FREQ	WTD
1	Most days	30	7,074
2	A few times a week	79	18,030
3	About once a week	482	100,830
4	About once a month	90	17,417
5	Almost never	4,619	864,448
6	Valid skip	5,148	974,787
7	Don't know	12	2,820
8	Refusal	1	71
9	Not stated	53	13,408
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FACCQ3D** *Position:* 1106 *Length:* 1
Collection Name: ACTQ3D1

In the past 12 months, outside of school hours, how often has this child

...taken part in any clubs, groups or community programs with leadership, such as Beavers, Sparks or church groups?

		FREQ	WTD
1	Most days	6	1,319
2	A few times a week	74	13,359
3	About once a week	548	84,480
4	About once a month	49	7,552
5	Almost never	2,812	574,492
6	Valid skip	6,982	1,306,594
7	Don't know	3	1,121
9	Not stated	40	9,968
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FACCeQ4E** *Position:* 1107 *Length:* 1
Collection Name: ACTQ4AA

Does this child use a computer

...at home?

		FREQ	WTD
1	Yes	3,698	698,596
2	No	1,622	312,370
6	Valid skip	5,148	974,787
7	Don't know	6	1,117
8	Refusal	1	248
9	Not stated	39	11,765
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCeQ4F	<i>Position:</i>	1108	<i>Length:</i>	1
<i>Collection Name:</i>	ACTQ4AB				

Does this child use a computer

...at school / child care?

		FREQ	WTD
1	Yes	1,808	376,730
2	No	3,512	634,236
6	Valid skip	5,148	974,787
7	Don't know	6	1,117
8	Refusal	1	248
9	Not stated	39	11,765
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

<i>Variable Name:</i>	FACCeQ4G	<i>Position:</i>	1109	<i>Length:</i>	1
<i>Collection Name:</i>	ACTQ4AC				

Does this child use a computer

...somewhere else?

		FREQ	WTD
1	Yes	873	154,177
2	No	4,447	856,789
6	Valid skip	5,148	974,787
7	Don't know	6	1,117
8	Refusal	1	248
9	Not stated	39	11,765
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCeQ4H	<i>Position:</i>	1110	<i>Length:</i>	1
<i>Collection Name:</i>	ACTQ4AD				

Does this child use a computer

...doesn't use a computer?

		FREQ	WTD
1	Yes	1,164	220,516
2	No	4,156	790,450
6	Valid skip	5,148	974,787
7	Don't know	6	1,117
8	Refusal	1	248
9	Not stated	39	11,765
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

<i>Variable Name:</i>	FACCeQ4A	<i>Position:</i>	1111	<i>Length:</i>	4.1
<i>Collection Name:</i>	ACTQ4B				

Outside of school hours, on average, how many hours a day does he spend on a computer
 (playing games, including educational games, emailing, surfing the Internet, etc.)

Allowed values: 00.0 : 16.0

		FREQ	WTD
00.0 : 10.0	Hours per day child on computer	3,133	605,679
99.5	Only uses computer occasionally, not possible to average	992	179,249
99.6	Valid skip	6,312	1,195,303
99.7	Don't know	30	5,443
99.8	Refusal	1	79
99.9	Not stated	46	13,131
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FACCeQ4D** *Position:* 1115 *Length:* 1
Collection Name: ACTQ4C

Is there a computer in your home?

		FREQ	WTD
1	Yes	4,518	871,236
2	No	808	140,433
6	Valid skip	5,148	974,787
7	Don't know	1	663
9	Not stated	39	11,765
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FACCeQ4B** *Position:* 1116 *Length:* 4.1
Collection Name: ACTQ4D

On average, how many hours a day does he watch T.V., videos or play video games?

Allowed values: 00.0 : 16.0

		FREQ	WTD
00.0 : 16.0	Hours per day watching T.V. or videos	8,970	1,655,758
99.6	Valid skip	1,457	321,606
99.7	Don't know	33	5,247
99.8	Refusal	2	327
99.9	Not stated	52	15,946
		=====	=====
		10,514	1,998,884

Coverage: Children aged 1 to 5 years old

Variable Name: **FACCQ5** *Position:* 1120 *Length:* 1
Collection Name: ACTQ5

How often does he play alone (for example riding a bike, doing a craft or hobby, playing ball)?

		FREQ	WTD
1	Often	3,019	564,411
2	Sometimes	1,667	315,374
3	Seldom	539	108,499
4	Never	99	22,819
6	Valid skip	5,148	974,787
7	Don't know	2	980
8	Refusal	1	248
9	Not stated	39	11,765
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCdQ9A	<i>Position:</i>	1121	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ9A				

How many days a week do you and this child eat together?

		FREQ	WTD
01	Every day	3,088	604,520
02	5 to 6 days per week	235	41,497
03	3 to 4 days per week	137	27,466
04	1 to 2 days per week	30	5,813
05	1 to 2 times per month	2	815
06	Rarely or never	7	2,478
96	Valid skip	6,982	1,306,594
97	Don't know	2	1,095
99	Not stated	31	8,606
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FACCeQ9C	<i>Position:</i>	1123	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ9C				

How many days a week do you and this child play sports, cards or games together?

		FREQ	WTD
01	Every day	1,469	277,223
02	5 to 6 days per week	418	75,555
03	3 to 4 days per week	863	172,584
04	1 to 2 days per week	613	125,705
05	1 to 2 times per month	80	16,175
06	Rarely or never	57	15,778
96	Valid skip	6,982	1,306,594
97	Don't know	1	663
99	Not stated	31	8,606
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCdQ9E	<i>Position:</i>	1125	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ9E				

How many days a week do you and this child talk about things together?

		FREQ	WTD
01	Every day	3,321	642,004
02	5 to 6 days per week	89	20,222
03	3 to 4 days per week	58	13,243
04	1 to 2 days per week	25	4,045
05	1 to 2 times per month	2	699
06	Rarely or never	5	2,808
96	Valid skip	6,982	1,306,594
97	Don't know	1	663
99	Not stated	31	8,606
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FACCdQ9F	<i>Position:</i>	1127	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ9F				

How many days a week do you and this child do a project or chores together?

		FREQ	WTD
01	Every day	1,852	331,544
02	5 to 6 days per week	245	49,443
03	3 to 4 days per week	687	135,984
04	1 to 2 days per week	548	117,432
05	1 to 2 times per month	63	16,258
06	Rarely or never	105	32,358
96	Valid skip	6,982	1,306,594
97	Don't know	1	663
99	Not stated	31	8,606
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCdQ9G	<i>Position:</i>	1129	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ9G				

How many days a week do you and this child go on an outing together?

		FREQ	WTD
01	Every day	767	132,160
02	5 to 6 days per week	302	53,085
03	3 to 4 days per week	992	191,801
04	1 to 2 days per week	1,288	270,468
05	1 to 2 times per month	124	28,779
06	Rarely or never	27	6,727
96	Valid skip	6,982	1,306,594
97	Don't know	1	663
99	Not stated	31	8,606
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FACCd10A	<i>Position:</i>	1131	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ10A				

How many days a week does your spouse and this child eat together?

		FREQ	WTD
01	Every day	2,143	411,041
02	5 to 6 days per week	284	56,126
03	3 to 4 days per week	352	66,788
04	1 to 2 days per week	180	39,436
05	1 to 2 times per month	21	3,810
06	Rarely or never	26	7,251
96	Valid skip	7,451	1,399,461
97	Don't know	8	1,537
99	Not stated	49	13,434
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old, where there is a spouse present

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCe10C	<i>Position:</i>	1133	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ10C				

How many days a week does your spouse and this child play sports, cards or games together?

		FREQ	WTD
01	Every day	918	168,882
02	5 to 6 days per week	279	52,992
03	3 to 4 days per week	801	158,003
04	1 to 2 days per week	798	157,490
05	1 to 2 times per month	110	21,390
06	Rarely or never	100	25,697
96	Valid skip	7,451	1,399,461
97	Don't know	8	1,537
99	Not stated	49	13,434
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old, where there is a spouse present

<i>Variable Name:</i>	FACCd10E	<i>Position:</i>	1135	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ10E				

How many days a week does your spouse and this child talk about things together?

		FREQ	WTD
01	Every day	2,349	451,876
02	5 to 6 days per week	184	36,956
03	3 to 4 days per week	263	51,713
04	1 to 2 days per week	169	33,062
05	1 to 2 times per month	24	5,880
06	Rarely or never	16	4,859
96	Valid skip	7,451	1,399,461
97	Don't know	9	1,644
99	Not stated	49	13,434
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old, where there is a spouse present

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FACCD10F	<i>Position:</i>	1137	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ10F				

How many days a week does your spouse and this child do a project or chores together?

		FREQ	WTD
01	Every day	747	135,310
02	5 to 6 days per week	191	36,642
03	3 to 4 days per week	646	117,331
04	1 to 2 days per week	957	191,187
05	1 to 2 times per month	174	35,329
06	Rarely or never	289	68,131
96	Valid skip	7,451	1,399,461
97	Don't know	10	2,059
99	Not stated	49	13,434
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old, where there is a spouse present

<i>Variable Name:</i>	FACCD10G	<i>Position:</i>	1139	<i>Length:</i>	2
<i>Collection Name:</i>	ACTQ10G				

How many days a week does your spouse and this child go on an outing together?

		FREQ	WTD
01	Every day	303	52,200
02	5 to 6 days per week	175	28,086
03	3 to 4 days per week	720	136,350
04	1 to 2 days per week	1,458	297,760
05	1 to 2 times per month	265	53,964
06	Rarely or never	84	15,986
96	Valid skip	7,451	1,399,461
97	Don't know	9	1,644
99	Not stated	49	13,434
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old, where there is a spouse present

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Child Activities - Derived Variables

Variable Name: **FACCeD01** *Position:* 1141 *Length:* 2
Collection Name: ACTDV01

Total number of hours per day spent using a computer

		FREQ	WTD
01	Less than half an hour	901	184,531
02	Half an hour to 1 hour	2,014	376,664
03	More than 1 hour to less than 2 hours	26	6,246
04	2 hours to less than 3 hours	144	28,991
05	3 hours to less than 4 hours	27	5,324
06	4 hours or more	21	3,923
07	Only uses computer occasionally, not possible to average	992	179,249
96	Valid Skip	6,312	1,195,303
99	Not Stated	77	18,653
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old
Note: This derived variable is based on question FACCeQ4A

Section: Behaviour

Variable Name: **FBECQ5** *Position:* 1143 *Length:* 1
Collection Name: BEHQ1

The following are a few examples of how infants react to new foods (orange juice, apple purée, porridge, vegetables, etc.). Which of the following is the best approximation of how this child reacts?

		FREQ	WTD
1	He swallows everything without complaining	1,612	285,547
2	The first time he made faces or spit out the food, but after a few tries, he got used to it	2,969	533,521
3	The same reaction after several attempts, he continued to refuse most of the new foods	902	156,158
6	Valid skip	4,989	1,013,896
7	Don't know	18	1,965
8	Refusal	2	76
9	Not stated	22	7,721
		=====	=====
		10,514	1,998,884

Coverage: Children aged 1 to 3 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ5A** *Position:* 1144 *Length:* 1
Collection Name: BEHQ2

How often do you find this child difficult to feed?

		FREQ	WTD
1	Almost every time	40	9,808
2	Often	49	12,466
3	About half of the time	76	16,211
4	Sometimes	283	59,949
5	Almost never	997	220,538
6	Valid skip	9,057	1,677,278
7	Don't know	6	1,537
8	Refusal	1	61
9	Not stated	5	1,035
		=====	=====
		10,514	1,998,884

Coverage: Children less than 1 year old

Variable Name: **FBECQ6B** *Position:* 1145 *Length:* 1
Collection Name: BEHQ21

Using the answers never or not true, sometimes or somewhat true, or often or very true, how often would you say that this child

...can't sit still or is restless?

		FREQ	WTD
1	Never or not true	1,345	268,965
2	Sometimes or somewhat true	4,015	755,121
3	Often or very true	1,578	312,106
6	Valid skip	3,521	646,361
7	Don't know	6	1,374
9	Not stated	49	14,958
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ8E1** *Position:* 1146 *Length:* 1
Collection Name: BEHQ25

Using the answers never or not true, sometimes or somewhat true, or often or very true, how often would you say that this child

...is defiant?

		FREQ	WTD
1	Never or not true	758	160,784
2	Sometimes or somewhat true	2,204	394,411
3	Often or very true	472	96,193
6	Valid skip	7,053	1,338,651
7	Don't know	6	1,423
8	Refusal	1	67
9	Not stated	20	7,355
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

Variable Name: **FBECdQ6F** *Position:* 1147 *Length:* 1
Collection Name: BEHQ26

How often would you say that this child

...seems to be unhappy or sad?

		FREQ	WTD
1	Never or not true	4,481	847,390
2	Sometimes or somewhat true	2,400	475,083
3	Often or very true	59	13,668
6	Valid skip	3,521	646,361
7	Don't know	2	735
9	Not stated	51	15,647
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ6G** *Position:* 1148 *Length:* 1
Collection Name: BEHQ27

How often would you say that this child

...gets into many fights?

		FREQ	WTD
1	Never or not true	4,169	796,747
2	Sometimes or somewhat true	2,337	437,117
3	Often or very true	432	101,617
6	Valid skip	3,521	646,361
7	Don't know	3	962
8	Refusal	1	433
9	Not stated	51	15,647
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Variable Name: **FBECQ6I** *Position:* 1149 *Length:* 1
Collection Name: BEHQ29

How often would you say that this child

...is easily distracted, has trouble sticking to any activity?

		FREQ	WTD
1	Never or not true	3,425	666,838
2	Sometimes or somewhat true	3,055	567,079
3	Often or very true	453	100,151
6	Valid skip	3,521	646,361
7	Don't know	8	2,376
9	Not stated	52	16,080
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECQ6J	<i>Position:</i>	1150	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ30				

How often would you say that this child

...when mad at someone, tries to get others to dislike that person?

		FREQ	WTD
1	Never or not true	3,153	603,620
2	Sometimes or somewhat true	283	62,787
3	Often or very true	38	11,457
6	Valid skip	6,982	1,306,594
7	Don't know	27	5,819
9	Not stated	31	8,606
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FBECQ8J1	<i>Position:</i>	1151	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ31				

How often would you say that this child

...doesn't seem to feel guilty after misbehaving?

		FREQ	WTD
1	Never or not true	1,757	339,573
2	Sometimes or somewhat true	1,227	223,911
3	Often or very true	434	84,227
6	Valid skip	7,053	1,338,651
7	Don't know	20	4,563
8	Refusal	1	104
9	Not stated	22	7,855
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECQ6K	<i>Position:</i>	1152	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ32				

How often would you say that this child

...is not as happy as other children?

		FREQ	WTD
1	Never or not true	6,460	1,236,202
2	Sometimes or somewhat true	407	82,785
3	Often or very true	63	14,798
6	Valid skip	3,521	646,361
7	Don't know	10	2,554
9	Not stated	53	16,184
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

<i>Variable Name:</i>	FBECQ6P	<i>Position:</i>	1153	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ37				

How often would you say that this child

...can't concentrate, can't pay attention for long?

		FREQ	WTD
1	Never or not true	4,225	798,511
2	Sometimes or somewhat true	2,421	470,732
3	Often or very true	287	64,937
6	Valid skip	3,521	646,361
7	Don't know	7	2,159
9	Not stated	53	16,184
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECQ6Q	<i>Position:</i>	1154	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ38				

How often would you say that this child

...is too fearful or nervous?

		FREQ	WTD
1	Never or not true	4,886	941,442
2	Sometimes or somewhat true	1,858	350,903
3	Often or very true	191	42,446
6	Valid skip	3,521	646,361
7	Don't know	5	1,547
9	Not stated	53	16,184
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

<i>Variable Name:</i>	FBECQ6R	<i>Position:</i>	1155	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ39				

How often would you say that this child

...when mad at someone, becomes friends with another as revenge?

		FREQ	WTD
1	Never or not true	3,251	622,735
2	Sometimes or somewhat true	198	47,858
3	Often or very true	11	5,293
6	Valid skip	6,982	1,306,594
7	Don't know	41	7,798
9	Not stated	31	8,606
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ6R1** *Position:* 1156 *Length:* 1
Collection Name: BEHQ40

How often would you say that this child

...punishment doesn't change his behaviour?

		FREQ	WTD
1	Never or not true	1,797	344,580
2	Sometimes or somewhat true	1,320	244,219
3	Often or very true	295	58,211
6	Valid skip	7,053	1,338,651
7	Don't know	25	5,199
8	Refusal	1	65
9	Not stated	23	7,959
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

Variable Name: **FBECQ6S** *Position:* 1157 *Length:* 1
Collection Name: BEHQ41

How often would you say that this child

...is impulsive, acts without thinking?

		FREQ	WTD
1	Never or not true	2,622	511,727
2	Sometimes or somewhat true	3,614	673,231
3	Often or very true	658	142,837
6	Valid skip	3,521	646,361
7	Don't know	43	8,400
8	Refusal	2	79
9	Not stated	54	16,249
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECQ8T1	<i>Position:</i>	1158	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ43				

How often would you say that this child

...has temper tantrums or hot temper?

		FREQ	WTD
1	Never or not true	1,002	196,311
2	Sometimes or somewhat true	2,013	369,689
3	Often or very true	421	86,159
6	Valid skip	7,053	1,338,651
9	Not stated	25	8,074
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

<i>Variable Name:</i>	FBECQ6V	<i>Position:</i>	1159	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ45				

How often would you say that this child

...is worried?

		FREQ	WTD
1	Never or not true	4,734	902,386
2	Sometimes or somewhat true	2,051	400,851
3	Often or very true	119	26,669
6	Valid skip	3,521	646,361
7	Don't know	33	6,288
9	Not stated	56	16,328
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ6W** *Position:* 1160 *Length:* 1
Collection Name: BEHQ46

How often would you say that this child

...has difficulty waiting for his turn in games or groups?

		FREQ	WTD
1	Never or not true	2,472	506,063
2	Sometimes or somewhat true	3,607	658,058
3	Often or very true	825	160,797
6	Valid skip	3,521	646,361
7	Don't know	31	10,546
8	Refusal	2	731
9	Not stated	56	16,328
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Variable Name: **FBECQ6X** *Position:* 1161 *Length:* 1
Collection Name: BEHQ47

How often would you say that this child

...when somebody accidentally hurts him, he reacts with anger and fighting?

		FREQ	WTD
1	Never or not true	4,363	829,807
2	Sometimes or somewhat true	2,118	409,071
3	Often or very true	432	90,484
6	Valid skip	3,521	646,361
7	Don't know	22	6,102
9	Not stated	58	17,059
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ6Z** *Position:* 1162 *Length:* 1
Collection Name: BEHQ49

How often would you say that this child

...when mad at someone, says bad things behind the other's back?

		FREQ	WTD
1	Never or not true	3,101	597,641
2	Sometimes or somewhat true	349	75,181
3	Often or very true	27	6,204
6	Valid skip	6,982	1,306,594
7	Don't know	22	4,225
8	Refusal	1	403
9	Not stated	32	8,636
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FBECQ8Z1** *Position:* 1163 *Length:* 1
Collection Name: BEHQ50

How often would you say that this child

...has angry moods?

		FREQ	WTD
1	Never or not true	1,655	317,902
2	Sometimes or somewhat true	1,648	301,998
3	Often or very true	124	30,459
6	Valid skip	7,053	1,338,651
7	Don't know	7	1,069
9	Not stated	27	8,804
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECQ6AA	<i>Position:</i>	1164	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ51				

How often would you say that this child

...physically attacks people?

		FREQ	WTD
1	Never or not true	2,758	534,874
2	Sometimes or somewhat true	690	138,567
3	Often or very true	48	8,855
6	Valid skip	6,982	1,306,594
7	Don't know	3	954
9	Not stated	33	9,039
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FBECQ6CC	<i>Position:</i>	1165	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ53				

How often would you say that this child

...cries a lot?

		FREQ	WTD
1	Never or not true	4,291	795,171
2	Sometimes or somewhat true	2,301	449,349
3	Often or very true	339	89,158
6	Valid skip	3,521	646,361
7	Don't know	3	1,382
9	Not stated	59	17,462
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBEC6DD1** *Position:* 1166 *Length:* 1
Collection Name: BEHQ55

How often would you say that this child

...clings to adults or is too dependent?

		FREQ	WTD
1	Never or not true	1,848	344,070
2	Sometimes or somewhat true	1,317	247,565
3	Often or very true	266	58,640
6	Valid skip	7,053	1,338,651
7	Don't know	3	1,154
9	Not stated	27	8,804
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

Variable Name: **FBECQ6FF** *Position:* 1167 *Length:* 1
Collection Name: BEHQ57

How often would you say that this child

...threatens people?

		FREQ	WTD
1	Never or not true	3,123	597,345
2	Sometimes or somewhat true	356	79,314
3	Often or very true	15	5,432
6	Valid skip	6,982	1,306,594
7	Don't know	5	1,159
9	Not stated	33	9,039
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECd6JJ	<i>Position:</i>	1168	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ61				

How often would you say that this child

...bullies or is mean to others?

		FREQ	WTD
1	Never or not true	3,017	594,350
2	Sometimes or somewhat true	463	84,888
3	Often or very true	16	3,124
6	Valid skip	6,982	1,306,594
7	Don't know	3	888
9	Not stated	33	9,039
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FBECQ6LL	<i>Position:</i>	1169	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ62				

How often would you say that this child

...when mad at someone, says to others let's not be with him/her?

		FREQ	WTD
1	Never or not true	2,997	571,601
2	Sometimes or somewhat true	464	101,864
3	Often or very true	16	5,313
6	Valid skip	6,982	1,306,594
7	Don't know	22	4,472
9	Not stated	33	9,039
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBEC8LL1	<i>Position:</i>	1170	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ63				

How often would you say that this child

...constantly seeks help?

		FREQ	WTD
1	Never or not true	2,001	369,893
2	Sometimes or somewhat true	1,264	244,640
3	Often or very true	168	36,784
6	Valid skip	7,053	1,338,651
7	Don't know	1	111
9	Not stated	27	8,804
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

<i>Variable Name:</i>	FBECQ6MM	<i>Position:</i>	1171	<i>Length:</i>	1
<i>Collection Name:</i>	BEHQ64				

How often would you say that this child

...is nervous, high strung or tense?

		FREQ	WTD
1	Never or not true	5,811	1,105,739
2	Sometimes or somewhat true	1,020	209,889
3	Often or very true	92	16,895
6	Valid skip	3,521	646,361
7	Don't know	11	2,538
9	Not stated	59	17,462
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ6NN** *Position:* 1172 *Length:* 1
Collection Name: BEHQ65

How often would you say that this child

...kicks, bites or hits other children?

		FREQ	WTD
1	Never or not true	4,975	957,625
2	Sometimes or somewhat true	1,837	351,101
3	Often or very true	115	24,420
6	Valid skip	3,521	646,361
7	Don't know	7	1,915
9	Not stated	59	17,462
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Variable Name: **FBEC8PP1** *Position:* 1173 *Length:* 1
Collection Name: BEHQ68

How often would you say that this child

...doesn't want to sleep alone?

		FREQ	WTD
1	Never or not true	1,830	355,445
2	Sometimes or somewhat true	908	162,585
3	Often or very true	693	133,264
6	Valid skip	7,053	1,338,651
7	Don't know	3	134
9	Not stated	27	8,804
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ6QQ** *Position:* 1174 *Length:* 1
Collection Name: BEHQ69

How often would you say that this child

...is inattentive?

		FREQ	WTD
1	Never or not true	4,330	817,284
2	Sometimes or somewhat true	2,458	483,400
3	Often or very true	124	29,006
6	Valid skip	3,521	646,361
7	Don't know	21	5,229
8	Refusal	1	142
9	Not stated	59	17,462
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Variable Name: **FBEDQ8HH** *Position:* 1175 *Length:* 1
Collection Name: BEHQ69B

How often would you say that this child

...can not settle on anything for more than a few moments?

		FREQ	WTD
1	Never or not true	4,789	906,491
2	Sometimes or somewhat true	1,938	376,411
3	Often or very true	194	49,922
6	Valid skip	3,521	646,361
7	Don't know	10	1,643
8	Refusal	1	178
9	Not stated	61	17,878
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECQ6RR** *Position:* 1176 *Length:* 1
Collection Name: BEHQ70

How often would you say that this child

...has trouble enjoying himself?

		FREQ	WTD
1	Never or not true	6,356	1,210,070
2	Sometimes or somewhat true	538	116,346
3	Often or very true	34	6,936
6	Valid skip	3,521	646,361
7	Don't know	3	1,115
9	Not stated	62	18,056
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Variable Name: **FBECQ6TT** *Position:* 1177 *Length:* 1
Collection Name: BEHQ72

How often would you say that this child

...when mad at someone, tells that person's secrets to a third person?

		FREQ	WTD
1	Never or not true	3,334	643,089
2	Sometimes or somewhat true	110	26,215
3	Often or very true	9	4,095
6	Valid skip	6,982	1,306,594
7	Don't know	44	8,850
8	Refusal	2	1,002
9	Not stated	33	9,039
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBEC8TT1** *Position:* 1178 *Length:* 1
Collection Name: BEHQ73

How often would you say that this child

...gets too upset when separated from parents?

		FREQ	WTD
1	Never or not true	2,200	412,374
2	Sometimes or somewhat true	1,028	192,931
3	Often or very true	196	43,216
6	Valid skip	7,053	1,338,651
7	Don't know	7	2,314
9	Not stated	30	9,398
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

Section: **Behaviour - Scores**

Variable Name: **FBECeS01** *Position:* 1179 *Length:* 2
Collection Name: BEHS16

Hyperactivity - Inattention score

		FREQ	WTD
00	00	190	36,883
01	01	466	91,794
02	02	569	111,182
03	03	543	97,343
04	04	475	85,273
05	05	422	72,441
06	06	344	69,815
07	07	183	32,816
08	08	86	18,036
09	09	57	14,397
10	10	26	6,201
11	11	15	2,530
12	12	10	1,077
96	Valid skip	7,053	1,338,651
99	Not stated	75	20,444
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

Note: This factor score was derived using the following questions: FBECQ6B, FBECQ6I, FBECQ6P, FBEDQ8HH, FBECQ6W and FBECQ6QQ. The total score varies between 0 and 12, a high score indicating the presence of behaviours associated with hyperactivity/inattention.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECdS03	<i>Position:</i>	1181	<i>Length:</i>	2
<i>Collection Name:</i>	BEHS03				

Emotional disorder - Anxiety score

		FREQ	WTD
00	00	1,363	256,447
01	01	917	167,951
02	02	570	108,656
03	03	293	58,560
04	04	138	27,662
05	05	65	14,118
06	06	30	7,735
07	07	17	3,132
08	08	5	997
09	09	2	206
10	10	1	35
11	11	1	62
12	12	0	0
96	Valid skip	7,053	1,338,651
99	Not stated	59	14,672
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 or 3 years old

Note: This factor score was derived using the following questions: FBECQ6F, FBECQ6K, FBECQ6Q, FBECQ6V, FBECQ6MM and FBECQ6RR. The total score varies from 0 to 12 a high score indicating the presence of behaviours associated with anxiety and emotional disorder.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBEC S04	<i>Position:</i>	1183	<i>Length:</i>	2
<i>Collection Name:</i>	BEHS04				

Physical aggression & opposition score

			FREQ	WTD
00	00		142	32,016
01	01		265	54,879
02	02		401	68,071
03	03		463	86,757
04	04		489	83,496
05	05		404	77,633
06	06		388	70,855
07	07		291	53,443
08	08		213	42,323
09	09		119	29,184
10	10		76	15,732
11	11		47	7,910
12	12		30	7,356
13	13		20	3,000
14	14		16	3,874
15	15		5	960
16	16		3	261
96	Valid skip		7,053	1,338,651
99	Not stated		89	22,484
			=====	=====
			10,514	1,998,884

Coverage: Children aged 2 or 3 years old

Note: This factor score was derived using the following questions: FBECQ8E1, FBECQ6G, FBECQ6R1, FBECQ8T1, FBECQ8J1, FBECQ6X, FBECQ8Z1 and FBECQ6NN. The score varies between 0 and 16, a high score indicating behaviours associated with physical aggression and opposition.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBEC505	<i>Position:</i>	1185	<i>Length:</i>	2
<i>Collection Name:</i>	BEHS05				

Separation anxiety score

			FREQ	WTD
00	00		582	104,446
01	01		639	123,627
02	02		680	121,286
03	03		547	100,236
04	04		444	85,857
05	05		282	57,678
06	06		150	31,843
07	07		53	14,096
08	08		29	6,135
09	09		6	1,415
10	10		5	906
96	Valid skip		7,053	1,338,651
99	Not stated		44	12,709
			=====	=====
			10,514	1,998,884

Coverage: Children aged 2 or 3 years old

Note: This factor score was derived using the following questions: FBECQ6CC, FBEC6DD1, FBEC8LL1, FBEC8TT1 and FBEC8PP1. The total score varies from 0 to 10, a high score indicating behaviours associated with separation anxiety.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECdS06	<i>Position:</i>	1187	<i>Length:</i>	2
<i>Collection Name:</i>	BEHS12				

Hyperactivity - Inattention score

			FREQ	WTD
00	00		244	49,935
01	01		396	73,480
02	02		503	99,553
03	03		507	89,634
04	04		463	91,088
05	05		388	74,856
06	06		310	65,838
07	07		288	55,570
08	08		174	31,890
09	09		86	20,532
10	10		39	8,897
11	11		27	5,175
12	12		20	4,367
13	13		17	3,947
14	14		9	1,491
96	Valid skip		6,982	1,306,594
99	Not stated		61	16,035
			=====	=====
			10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This factor score was derived using the following questions: FBECQ6B, FBECQ6I, FBECQ6P, FBECQ6S, FBECQ6W, FBEDQ8HH and FBECQ6QQ. The total score varies from 0 to 14, a high score indicating the presence of hyperactive/inattentive behaviour.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECdS08	<i>Position:</i>	1189	<i>Length:</i>	2
<i>Collection Name:</i>	BEHS14				

Emotional disorder-anxiety score

			FREQ	WTD
00	00		934	180,970
01	01		809	142,481
02	02		598	113,639
03	03		453	95,700
04	04		319	63,785
05	05		192	41,912
06	06		97	24,333
07	07		39	8,816
08	08		16	3,213
09	09		11	2,808
10	10		3	399
11	11		2	97
12	12		1	284
13	13		1	52
14	14		0	0
96	Valid skip		6,982	1,306,594
99	Not stated		57	13,801
			=====	=====
			10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This factor score was derived using the following items: FBECdQ6F, FBECQ6K, FBECQ6Q, FBECQ6V, FBECQ6CC, FBECQ6MM and FBECQ6RR. The total score varies from 0 to 14, a high score indicating the presence of behaviours associated with anxiety and emotional disorder.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FBECdS09	<i>Position:</i>	1191	<i>Length:</i>	2
<i>Collection Name:</i>	BEHS09				

Conduct disorder - Physical aggression score

			FREQ	WTD
00	00		1,334	260,255
01	01		736	141,517
02	02		502	94,674
03	03		337	64,177
04	04		218	45,170
05	05		177	36,685
06	06		101	20,523
07	07		40	7,333
08	08		17	4,425
09	09		10	2,152
10	10		9	1,761
11	11		1	383
12	12		1	202
96	Valid skip		6,982	1,306,594
99	Not stated		49	13,033
			=====	=====
			10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This factor score was derived using the following items: FBECQ6G, FBECQ6X, FBECQ6AA, FBECQ6FF, FBECQ6JJ and FBECQ6NN. The total score varies from 0 to 12, a high score indicating behaviours associated with conduct disorder and physical aggression.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FBECs10** *Position:* 1193 *Length:* 2
Collection Name: BEHS10

Indirect aggression score

			FREQ	WTD
00	00		2,519	468,738
01	01		530	111,926
02	02		201	42,625
03	03		83	20,957
04	04		43	10,291
05	05		20	6,110
06	06		6	1,274
07	07		5	2,074
08	08		1	83
09	09		1	1,137
10	10		0	0
96	Valid skip		6,982	1,306,594
99	Not stated		123	27,075
			=====	=====
			10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This factor score was derived using the following items: FBECQ6J, FBECQ6R, FBECQ6Z, FBECQ6LL and FBECQ6TT. The total score varies from 0 to 10, a high score indicating behaviour associated with indirect aggression.

Section: **Positive Behaviour**

Variable Name: **FPBCdQ1A** *Position:* 1195 *Length:* 1
Collection Name: PBEQ1A

How often does this child

...play cooperatively with other children?

			FREQ	WTD
1	Never		21	4,445
2	Sometimes		665	131,545
3	Often		4,631	873,786
6	Valid skip		5,148	974,787
7	Don't know		3	809
8	Refusal		1	178
9	Not stated		45	13,335
			=====	=====
			10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPBCdQ1B	<i>Position:</i>	1196	<i>Length:</i>	1
<i>Collection Name:</i>	PBEQ1B				

How often does this child

...try to help someone who has been hurt?

		FREQ	WTD
1	Never	127	32,496
2	Sometimes	1,177	233,001
3	Often	3,945	728,474
6	Valid skip	5,148	974,787
7	Don't know	70	16,537
9	Not stated	47	13,589
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

<i>Variable Name:</i>	FPBCdQ1C	<i>Position:</i>	1197	<i>Length:</i>	1
<i>Collection Name:</i>	PBEQ1C				

How often does this child

...comfort another child who is crying or upset?

		FREQ	WTD
1	Never	141	37,162
2	Sometimes	1,455	280,890
3	Often	3,665	676,745
6	Valid skip	5,148	974,787
7	Don't know	57	15,311
9	Not stated	48	13,989
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPBCdQ1D** *Position:* 1198 *Length:* 1
Collection Name: PBEQ1D

How often does this child

...ask questions or take things apart to find out how they work?

		FREQ	WTD
1	Never	444	90,123
2	Sometimes	1,767	344,209
3	Often	3,098	573,066
6	Valid skip	5,148	974,787
7	Don't know	9	2,710
9	Not stated	48	13,989
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FPBCdQ1E** *Position:* 1199 *Length:* 1
Collection Name: PBEQ1E

How often does this child

...get excited about new books, toys or experiences

		FREQ	WTD
1	Never	27	6,832
2	Sometimes	286	71,026
3	Often	5,003	931,512
6	Valid skip	5,148	974,787
7	Don't know	2	738
9	Not stated	48	13,989
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPBCdQ1F	<i>Position:</i>	1200	<i>Length:</i>	1
<i>Collection Name:</i>	PBEQ1F				

How often does this child

...keep his temper?

		FREQ	WTD
1	Never	204	46,717
2	Sometimes	3,080	564,166
3	Often	2,027	397,988
6	Valid skip	5,148	974,787
7	Don't know	7	1,237
9	Not stated	48	13,989
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

<i>Variable Name:</i>	FPBCdQ1G	<i>Position:</i>	1201	<i>Length:</i>	1
<i>Collection Name:</i>	PBEQ1G				

How often does this child

...listen well and pay attention?

		FREQ	WTD
1	Never	46	11,964
2	Sometimes	2,239	417,643
3	Often	3,030	579,432
6	Valid skip	5,148	974,787
7	Don't know	3	1,069
9	Not stated	48	13,989
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPBCdQ1H** *Position:* 1202 *Length:* 1
Collection Name: PBEQ1H

How often does this child

...show self control?

		FREQ	WTD
1	Never	91	26,993
2	Sometimes	2,427	469,645
3	Often	2,789	510,786
6	Valid skip	5,148	974,787
7	Don't know	10	2,493
8	Refusal	1	190
9	Not stated	48	13,989
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FPBCdQ1I** *Position:* 1203 *Length:* 1
Collection Name: PBEQ1I

How often does this child

...finish things he starts?

		FREQ	WTD
1	Never	159	34,123
2	Sometimes	2,666	506,105
3	Often	2,489	468,200
6	Valid skip	5,148	974,787
7	Don't know	3	1,490
9	Not stated	49	14,179
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPBCdQ1N** *Position:* 1204 *Length:* 1
Collection Name: PBEQ1N

How often does this child

...persist with solving a problem, even when things go wrong for a while?

		FREQ	WTD
1	Never	404	88,720
2	Sometimes	3,034	562,691
3	Often	1,840	351,537
6	Valid skip	5,148	974,787
7	Don't know	37	5,983
8	Refusal	2	987
9	Not stated	49	14,179
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FPBCdQ10** *Position:* 1205 *Length:* 1
Collection Name: PBEQ10

How often does this child

...make an effort to do something, even if he doesn't feel confident about it?

		FREQ	WTD
1	Never	266	54,228
2	Sometimes	2,885	536,071
3	Often	2,120	408,505
6	Valid skip	5,148	974,787
7	Don't know	44	10,126
9	Not stated	51	15,166
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPBCdQ1P** *Position:* 1206 *Length:* 1
Collection Name: PBEQ1P

How often does this child

...clearly convey his needs?

		FREQ	WTD
1	Never	28	10,374
2	Sometimes	773	160,560
3	Often	4,511	837,087
6	Valid skip	5,148	974,787
7	Don't know	2	872
8	Refusal	1	39
9	Not stated	51	15,166
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Variable Name: **FPBCdQ1Q** *Position:* 1207 *Length:* 1
Collection Name: PBEQ1Q

How often does this child

...show independence while dressing?

		FREQ	WTD
1	Never	105	23,318
2	Sometimes	947	190,693
3	Often	4,260	794,101
6	Valid skip	5,148	974,787
7	Don't know	1	663
9	Not stated	53	15,322
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPBCdQ1R** *Position:* 1208 *Length:* 1
Collection Name: PBEQ1R

How often does this child

...show independence with washing and toileting?

		FREQ	WTD
1	Never	117	23,485
2	Sometimes	876	175,712
3	Often	4,319	808,915
6	Valid skip	5,148	974,787
7	Don't know	1	663
9	Not stated	53	15,322
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Section: **Sleep**

Variable Name: **FSLCeQ1** *Position:* 1209 *Length:* 1
Collection Name: SLPQ1

In general, how long does it take this child to go to sleep?

		FREQ	WTD
1	Less than 15 minutes	3,028	573,093
2	16 minutes to 30 minutes	1,470	273,451
3	31 minutes to 45 minutes	284	53,812
4	46 minutes to 60 minutes	198	40,270
5	More than 60 minutes	122	22,068
6	Valid skip	5,366	1,024,097
7	Don't know	23	5,425
8	Refusal	4	737
9	Not stated	19	5,930
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 2 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSLCdQ2	<i>Position:</i>	1210	<i>Length:</i>	2
<i>Collection Name:</i>	SLPQ2				

How many hours in a row does this child usually sleep at night?

<i>Allowed values:</i>	00 : 16		FREQ	WTD
00 : 15	Total hours in a row he sleeps at night		5,109	965,577
96	Valid skip		5,366	1,024,097
97	Don't know		14	1,878
98	Refusal		2	666
99	Not stated		23	6,667
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 2 years old

<i>Variable Name:</i>	FSLCeQ3B	<i>Position:</i>	1212	<i>Length:</i>	2
<i>Collection Name:</i>	SLPQ3				

From what age (in months) has this child slept for at least six hours uninterrupted at night?

<i>Allowed values:</i>	00 : 36		FREQ	WTD
00 : 31	Slept for 6 hours a night		4,390	822,388
96	Valid skip		5,979	1,142,807
97	Don't know		100	22,189
98	Refusal		5	2,224
99	Not stated		40	9,277
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 2 years old, who usually sleep 6 or more hours per night

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSLCdQ4	<i>Position:</i>	1214	<i>Length:</i>	2
<i>Collection Name:</i>	SLPQ4				

What is the longest time this child naps during the day?

		FREQ	WTD
01	Less than 1 hour	218	36,647
02	From 1 hour to less than 2 hours	2,012	382,612
03	From 2 hours to less than 3 hours	2,033	379,264
04	From 3 hours to less than 4 hours	582	122,653
05	4 hours or more	69	16,025
06	He/she does not nap anymore	194	25,991
96	Valid skip	5,366	1,024,097
97	Don't know	9	1,972
99	Not stated	31	9,623
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 2 years old

<i>Variable Name:</i>	FSLCdQ5	<i>Position:</i>	1216	<i>Length:</i>	1
<i>Collection Name:</i>	SLPQ5				

Does this child have a particular and long bedtime routine that he cannot go to sleep without?
 (For example: rocking, songs, nursery rhymes, etc. lasting more than 30 minutes.)

		FREQ	WTD
1	Yes	934	182,335
2	No	4,166	779,333
6	Valid skip	5,366	1,024,097
7	Don't know	16	3,429
8	Refusal	1	67
9	Not stated	31	9,623
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 2 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSLCdQ6** *Position:* 1217 *Length:* 1
Collection Name: SLPQ6

On average, how many times a night was your sleep interrupted by this child this past month?

		FREQ	WTD
1	Never	1,120	215,100
2	Once or twice	2,231	421,975
3	Three or four times	770	149,407
4	Five times or more	977	174,379
6	Valid skip	5,366	1,024,097
7	Don't know	17	4,136
9	Not stated	33	9,790
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 2 years old

Variable Name: **FSLCdQ7** *Position:* 1218 *Length:* 2
Collection Name: SLPQ7

How many hours a day does this child sleep on average?

Allowed values: 00 : 24

		FREQ	WTD
02 : 16	Total hours a day of sleep	5,319	1,009,784
96	Valid skip	5,148	974,787
97	Don't know	2	1,182
99	Not stated	45	13,131
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 5 years old

Section: **Motor and Social Development**

Variable Name: **FMSCQ08** *Position:* 1220 *Length:* 1
Collection Name: MSDQ8

When lying on his back and being pulled up to a sitting position, did this child ever hold his head stiffly so that it did not hang back as he was pulled up?

		FREQ	WTD
1	Yes	232	49,410
2	No	15	3,351
6	Valid skip	10,261	1,944,423
7	Don't know	6	1,700
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 6 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ09** *Position:* 1221 *Length:* 1
Collection Name: MSDQ9

Has he ever laughed out loud without being tickled or touched?

		FREQ	WTD
1	Yes	229	49,945
2	No	22	3,408
6	Valid skip	10,261	1,944,423
7	Don't know	1	538
8	Refusal	1	571
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 6 months old

Variable Name: **FMSCQ10** *Position:* 1222 *Length:* 1
Collection Name: MSDQ10

Has he ever held in one hand a moderate sized object such as a block or a rattle?

		FREQ	WTD
1	Yes	238	50,016
2	No	12	2,654
6	Valid skip	10,261	1,944,423
7	Don't know	2	1,220
9	Not stated	1	571
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 6 months old

Variable Name: **FMSCQ11** *Position:* 1223 *Length:* 1
Collection Name: MSDQ11

Has he ever rolled over on his own on purpose?

		FREQ	WTD
1	Yes	191	39,879
2	No	61	14,012
6	Valid skip	10,261	1,944,423
9	Not stated	1	571
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 6 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ12** *Position:* 1224 *Length:* 1
Collection Name: MSDQ12

Has this child ever seemed to enjoy looking in the mirror at himself?

		FREQ	WTD
1	Yes	621	140,994
2	No	34	7,619
6	Valid skip	9,830	1,841,843
7	Don't know	7	2,272
8	Refusal	1	61
9	Not stated	21	6,096
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 9 months old

Variable Name: **FMSCQ13** *Position:* 1225 *Length:* 1
Collection Name: MSDQ13

Has this child ever been pulled from a sitting to a standing position and supported his own weight with his legs stretched out?

		FREQ	WTD
1	Yes	560	126,860
2	No	101	23,941
6	Valid skip	9,830	1,841,843
7	Don't know	1	83
9	Not stated	22	6,156
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 9 months old

Variable Name: **FMSCQ14** *Position:* 1226 *Length:* 1
Collection Name: MSDQ14

Has he ever looked around with his eyes for a toy which was lost or not nearby?

		FREQ	WTD
1	Yes	512	115,617
2	No	129	29,623
6	Valid skip	9,830	1,841,843
7	Don't know	20	5,066
8	Refusal	1	578
9	Not stated	22	6,156
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 9 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ15** *Position:* 1227 *Length:* 1
Collection Name: MSDQ15

Has he ever sat alone with no help except for leaning forward on his hands or with just a little help from someone else?

		FREQ	WTD
1	Yes	507	109,368
2	No	153	39,914
6	Valid skip	9,830	1,841,843
7	Don't know	1	1,025
9	Not stated	23	6,734
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 9 months old

Variable Name: **FMSCQ16** *Position:* 1228 *Length:* 1
Collection Name: MSDQ16

Has he ever sat for 10 minutes without any support at all?

		FREQ	WTD
1	Yes	375	88,365
2	No	297	65,692
6	Valid skip	9,830	1,841,843
9	Not stated	12	2,984
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 to 8 months old (or age = 9 months old and MILQ1 <> 0)

Variable Name: **FMSCQ17** *Position:* 1229 *Length:* 1
Collection Name: MSDQ17

Has he ever pulled himself to a standing position without help from another person?

		FREQ	WTD
1	Yes	174	40,228
2	No	487	110,079
6	Valid skip	9,830	1,841,843
9	Not stated	23	6,734
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 to 9 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMSCQ18	<i>Position:</i>	1230	<i>Length:</i>	1
<i>Collection Name:</i>	MSDQ18				

Has this child ever crawled when left lying on his stomach?

		FREQ	WTD
1	Yes	756	160,118
2	No	461	102,690
6	Valid skip	9,260	1,727,512
7	Don't know	4	345
9	Not stated	33	8,218
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 to 12 months old

<i>Variable Name:</i>	FMSCQ19	<i>Position:</i>	1231	<i>Length:</i>	1
<i>Collection Name:</i>	MSDQ19				

Has he ever said any recognizable words such as 'mama' or 'dada'?

		FREQ	WTD
1	Yes	852	178,196
2	No	364	83,883
6	Valid skip	9,260	1,727,512
7	Don't know	5	1,075
9	Not stated	33	8,218
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 to 12 months old

<i>Variable Name:</i>	FMSCQ20	<i>Position:</i>	1232	<i>Length:</i>	1
<i>Collection Name:</i>	MSDQ20				

Has this child ever picked up small objects such as raisins or cookie crumbs, using only his thumb and first finger?

		FREQ	WTD
1	Yes	865	181,292
2	No	334	76,198
6	Valid skip	9,260	1,727,512
7	Don't know	21	5,371
8	Refusal	1	292
9	Not stated	33	8,218
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 to 12 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ21** *Position:* 1233 *Length:* 1
Collection Name: MSDQ21

Has he ever walked at least 2 steps with one hand held or holding on to something?

		FREQ	WTD
1	Yes	649	134,278
2	No	568	127,594
6	Valid skip	9,260	1,727,512
7	Don't know	2	161
9	Not stated	35	9,338
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 to 12 months old

Variable Name: **FMSCQ22** *Position:* 1234 *Length:* 1
Collection Name: MSDQ22

Has this child ever waved good-bye without help from another person?

		FREQ	WTD
1	Yes	1,189	236,640
2	No	593	131,512
6	Valid skip	8,687	1,620,138
7	Don't know	8	1,275
9	Not stated	37	9,319
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 to 15 months old

Variable Name: **FMSCQ23** *Position:* 1235 *Length:* 1
Collection Name: MSDQ23

Has he ever shown by his behaviour that he knows the names of common objects when somebody else names them out loud?

		FREQ	WTD
1	Yes	1,173	223,756
2	No	323	82,347
6	Valid skip	8,940	1,674,599
7	Don't know	40	9,112
8	Refusal	1	220
9	Not stated	37	8,850
		=====	=====
		10,514	1,998,884

Coverage: Children aged 7 to 15 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ24** *Position:* 1236 *Length:* 1
Collection Name: MSDQ24

Has he ever shown that he wanted something by pointing, pulling, or making pleasant sounds rather than crying or whining?

		FREQ	WTD
1	Yes	1,238	247,574
2	No	289	65,450
6	Valid skip	8,940	1,674,599
7	Don't know	9	2,191
9	Not stated	38	9,070
		=====	=====
		10,514	1,998,884

Coverage: Children aged 7 to 15 months old

Variable Name: **FMSCQ25** *Position:* 1237 *Length:* 1
Collection Name: MSDQ25

Has he ever stood alone on his feet for 10 seconds or more without holding on to anything or another person?

		FREQ	WTD
1	Yes	918	178,066
2	No	613	136,600
6	Valid skip	8,940	1,674,599
7	Don't know	5	549
9	Not stated	38	9,070
		=====	=====
		10,514	1,998,884

Coverage: Children aged 7 to 15 months old

Variable Name: **FMSCQ26** *Position:* 1238 *Length:* 1
Collection Name: MSDQ26

Has this child ever walked at least 2 steps without holding on to anything or another person?

		FREQ	WTD
1	Yes	1,371	249,893
2	No	708	158,095
6	Valid skip	8,417	1,587,393
7	Don't know	1	125
9	Not stated	17	3,377
		=====	=====
		10,514	1,998,884

Coverage: Children aged 7 to 8 months or 16 to 18 months (or 9 to 18 months old and MILQ4 <> 0)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ27** *Position:* 1239 *Length:* 1
Collection Name: MSDQ27

Has he ever crawled up at least 2 stairs or steps?

		FREQ	WTD
1	Yes	1,371	247,593
2	No	269	57,079
6	Valid skip	8,848	1,689,972
7	Don't know	10	1,571
9	Not stated	16	2,670
		=====	=====
		10,514	1,998,884

Coverage: Children aged 10 to 18 months old

Variable Name: **FMSCQ28** *Position:* 1240 *Length:* 1
Collection Name: MSDQ28

Has this child said 2 recognizable words besides 'mama' or 'dada'?

		FREQ	WTD
1	Yes	1,396	250,228
2	No	258	56,235
6	Valid skip	8,848	1,689,972
7	Don't know	2	283
9	Not stated	10	2,167
		=====	=====
		10,514	1,998,884

Coverage: Children aged 10 to 18 months old and MILQ5 <> 0

Variable Name: **FMSCQ29** *Position:* 1241 *Length:* 1
Collection Name: MSDQ29

Has this child ever run?

		FREQ	WTD
1	Yes	1,384	230,567
2	No	677	132,624
6	Valid skip	8,313	1,607,633
7	Don't know	3	365
8	Refusal	1	62
9	Not stated	136	27,632
		=====	=====
		10,514	1,998,884

Coverage: Children aged 10 to 21 months old where MSDQ26=1 or MILQ4 <> 0

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ30** *Position:* 1242 *Length:* 1
Collection Name: MSDQ30

Has he ever said the name of a familiar object, such as a ball?

		FREQ	WTD
1	Yes	1,464	242,809
2	No	705	143,847
6	Valid skip	8,313	1,607,633
7	Don't know	10	1,338
9	Not stated	22	3,258
		=====	=====
		10,514	1,998,884

Coverage: Children aged 10 to 21 months old

Variable Name: **FMSCQ31** *Position:* 1243 *Length:* 1
Collection Name: MSDQ31

Has he ever made a line with a crayon or pencil?

		FREQ	WTD
1	Yes	1,335	224,752
2	No	822	157,533
6	Valid skip	8,313	1,607,633
7	Don't know	20	4,676
8	Refusal	2	1,033
9	Not stated	22	3,258
		=====	=====
		10,514	1,998,884

Coverage: Children aged 10 to 21 months old

Variable Name: **FMSCQ32** *Position:* 1244 *Length:* 1
Collection Name: MSDQ32

Did he ever walk up at least 2 stairs with one hand held or holding the railing?

		FREQ	WTD
1	Yes	1,318	225,804
2	No	848	158,962
6	Valid skip	8,313	1,607,633
7	Don't know	11	2,195
9	Not stated	24	4,290
		=====	=====
		10,514	1,998,884

Coverage: Children aged 10 to 21 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ33** *Position:* 1245 *Length:* 1
Collection Name: MSDQ33

Has he ever fed himself with a spoon or fork without spilling much?

		FREQ	WTD
1	Yes	1,215	199,309
2	No	393	73,250
6	Valid skip	8,883	1,721,964
7	Don't know	7	1,878
9	Not stated	16	2,484
		=====	=====
		10,514	1,998,884

Coverage: Children aged 13 to 21 months old

Variable Name: **FMSCQ34** *Position:* 1246 *Length:* 1
Collection Name: MSDQ34

Has this child ever let someone know, without crying, that wearing wet (soiled) pants or diapers bothered him?

		FREQ	WTD
1	Yes	4,347	775,847
2	No	1,419	271,580
6	Valid skip	4,667	931,584
7	Don't know	29	6,553
8	Refusal	7	1,459
9	Not stated	45	11,862
		=====	=====
		10,514	1,998,884

Coverage: Children aged 13 to 47 months old

Variable Name: **FMSCQ35** *Position:* 1247 *Length:* 1
Collection Name: MSDQ35

Has he ever spoken a partial sentence of 3 words or more?

		FREQ	WTD
1	Yes	4,221	775,153
2	No	1,563	276,644
6	Valid skip	4,667	931,584
7	Don't know	10	2,145
8	Refusal	1	39
9	Not stated	52	13,320
		=====	=====
		10,514	1,998,884

Coverage: Children aged 13 to 47 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ36** *Position:* 1248 *Length:* 1
Collection Name: MSDQ36

Has he ever walked up stairs by himself without holding on to a rail?

		FREQ	WTD
1	Yes	3,921	712,160
2	No	1,847	336,577
6	Valid skip	4,667	931,584
7	Don't know	25	4,791
9	Not stated	54	13,773
		=====	=====
		10,514	1,998,884

Coverage: Children aged 13 to 47 months old

Variable Name: **FMSCQ37** *Position:* 1249 *Length:* 1
Collection Name: MSDQ37

Has he ever washed and dried his hands without any help except for turning the water on and off?

		FREQ	WTD
1	Yes	3,982	719,484
2	No	1,233	226,665
6	Valid skip	5,240	1,038,958
7	Don't know	7	1,018
9	Not stated	52	12,758
		=====	=====
		10,514	1,998,884

Coverage: Children aged 16 to 47 months old

Variable Name: **FMSCQ38** *Position:* 1250 *Length:* 1
Collection Name: MSDQ38

Has he ever counted 3 objects correctly?

		FREQ	WTD
1	Yes	3,720	693,540
2	No	1,483	250,008
6	Valid skip	5,240	1,038,958
7	Don't know	17	3,035
8	Refusal	2	585
9	Not stated	52	12,758
		=====	=====
		10,514	1,998,884

Coverage: Children aged 16 to 47 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMSCQ39	<i>Position:</i>	1251	<i>Length:</i>	1
<i>Collection Name:</i>	MSDQ39				

Has he ever gone to the toilet alone?

		FREQ	WTD
1	Yes	2,908	528,904
2	No	2,310	417,546
6	Valid skip	5,240	1,038,958
7	Don't know	2	133
9	Not stated	54	13,343
		=====	=====
		10,514	1,998,884

Coverage: Children aged 16 to 47 months old

<i>Variable Name:</i>	FMSCQ40	<i>Position:</i>	1252	<i>Length:</i>	1
<i>Collection Name:</i>	MSDQ40				

Has he ever walked upstairs by himself with no help, stepping on each step with only one foot?

		FREQ	WTD
1	Yes	3,180	585,669
2	No	1,991	351,887
6	Valid skip	5,240	1,038,958
7	Don't know	49	9,027
9	Not stated	54	13,343
		=====	=====
		10,514	1,998,884

Coverage: Children aged 16 to 47 months old

<i>Variable Name:</i>	FMSCQ41	<i>Position:</i>	1253	<i>Length:</i>	1
<i>Collection Name:</i>	MSDQ41				

Does he know his own age and sex?

		FREQ	WTD
1	Yes	3,010	554,221
2	No	1,636	296,127
6	Valid skip	5,763	1,126,165
7	Don't know	50	9,243
8	Refusal	2	198
9	Not stated	53	12,931
		=====	=====
		10,514	1,998,884

Coverage: Children aged 19 to 47 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ42** *Position:* 1254 *Length:* 1
Collection Name: MSDQ42

Has this child ever said the names of at least 4 colours?

		FREQ	WTD
1	Yes	3,415	625,493
2	No	1,269	231,217
6	Valid skip	5,763	1,126,165
7	Don't know	11	2,776
8	Refusal	1	104
9	Not stated	55	13,129
		=====	=====
		10,514	1,998,884

Coverage: Children aged 19 to 47 months old

Variable Name: **FMSCQ43** *Position:* 1255 *Length:* 1
Collection Name: MSDQ43

Has this child ever pedalled a tricycle at least 10 feet?

		FREQ	WTD
1	Yes	2,589	479,956
2	No	2,088	374,923
6	Valid skip	5,763	1,126,165
7	Don't know	18	4,608
9	Not stated	56	13,233
		=====	=====
		10,514	1,998,884

Coverage: Children aged 19 to 47 months old

Variable Name: **FMSCQ44** *Position:* 1256 *Length:* 1
Collection Name: MSDQ44

Has this child ever done a somersault without help from anybody?

		FREQ	WTD
1	Yes	2,339	432,028
2	No	1,766	334,079
6	Valid skip	6,298	1,208,504
7	Don't know	64	11,401
8	Refusal	2	1,065
9	Not stated	45	11,807
		=====	=====
		10,514	1,998,884

Coverage: Children aged 22 to 47 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ45** *Position:* 1257 *Length:* 1
Collection Name: MSDQ45

Has this child ever dressed himself without any help except for tying shoes (and buttoning the backs of outfits)?

		FREQ	WTD
1	Yes	2,502	454,499
2	No	1,662	322,487
6	Valid skip	6,298	1,208,504
7	Don't know	5	521
9	Not stated	47	12,872
		=====	=====
		10,514	1,998,884

Coverage: Children aged 22 to 47 months old

Variable Name: **FMSCQ46** *Position:* 1258 *Length:* 1
Collection Name: MSDQ46

Has this child ever said his first and last name together without someone's help? (Nickname may be used for first name.)

		FREQ	WTD
1	Yes	2,235	395,946
2	No	1,915	378,805
6	Valid skip	6,298	1,208,504
7	Don't know	19	2,757
9	Not stated	47	12,872
		=====	=====
		10,514	1,998,884

Coverage: Children aged 22 to 47 months old

Variable Name: **FMSCQ47** *Position:* 1259 *Length:* 1
Collection Name: MSDQ47

Has this child ever counted out loud up to 10?

		FREQ	WTD
1	Yes	2,446	448,121
2	No	1,722	329,119
6	Valid skip	6,298	1,208,504
7	Don't know	1	267
9	Not stated	47	12,872
		=====	=====
		10,514	1,998,884

Coverage: Children aged 22 to 47 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCQ48** *Position:* 1260 *Length:* 1
Collection Name: MSDQ48

Has this child ever drawn a picture of a man or woman with at least 2 parts of the body other than a head?

		FREQ	WTD
1	Yes	1,121	211,046
2	No	3,004	557,407
6	Valid skip	6,298	1,208,504
7	Don't know	44	9,055
9	Not stated	47	12,872
		=====	=====
		10,514	1,998,884

Coverage: Children aged 22 to 47 months old

Section: Motor and Social Development - Scores

Variable Name: **FMSCS01** *Position:* 1261 *Length:* 2

Raw score - For motor and social development scores

		FREQ	WTD
00	00	25	4,530
01	01	50	10,365
02	02	70	14,696
03	03	133	27,846
04	04	195	40,649
05	05	335	62,139
06	06	431	81,330
07	07	546	108,448
08	08	662	122,305
09	09	712	130,628
10	10	730	139,839
11	11	670	132,185
12	12	687	127,309
13	13	659	124,032
14	14	632	107,584
15	15	446	74,537
96	Valid skip	3,413	660,212
99	Not stated	118	30,251
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 47 months old

Note: For each age group there was a series of 15 questions to assess motor & social skills. The raw score was the sum of the number of yes- answers.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FMSCS02	<i>Position:</i>	1263	<i>Length:</i>	3
<i>Collection Name:</i>	MSDS02				

Standardized score for Motor and Social Standards - Based on Cycle 1 Standards

Allowed values: 001 : 159

		FREQ	WTD
001 : 159	Standardized motor-Social Standards	6,983	1,308,421
996	Valid skip	3,413	660,212
999	Refusal	118	30,251
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 47 months old

Note: The following process was used to standardize the raw score, which was based on 15 items for each age group. The raw score was standardized using weighted means and standard deviations calculated on Cycle 1 data for each age group (each month of age), in order to produce a score with a mean of 100 and a standard deviation of 15.

<i>Variable Name:</i>	FMSCDS03	<i>Position:</i>	1266	<i>Length:</i>	3
<i>Collection Name:</i>	C6MSDSTN				

Standardized score for motor and Social Development - Based on Cycle 5 standards

Allowed values: 001 : 148

		FREQ	WTD
001 : 154	Std score-motor, Cycle 5 standards	6,983	1,308,421
996	Valid skip	3,413	660,212
999	Not stated	118	30,251
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 47 months old

Note: The following process was used to standardize the raw score, which was based on 15 items for each age group. The raw score was standardized using weighted means and standard deviations calculated on Cycle 5 data for each age group (each month of age), in order to produce a score with a mean of 100 and a standard deviation of 15. There are no scores for those aged 0-2 months as there are not enough children in this age group to produce norms.

<i>Variable Name:</i>	FMSCIS1A	<i>Position:</i>	1269	<i>Length:</i>	2
-----------------------	-----------------	------------------	------	----------------	---

Flag indicating the question number of the first variable that was imputed for the MSD scales

Allowed values: 08 : 48

		FREQ	WTD
00	No imputation	6,576	1,230,933
08 : 48	Flag indicating 1st item imputed	525	107,739
96	Valid Skip	3,413	660,212
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 47 months old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FMSCIS1B** *Position:* 1271 *Length:* 2

Imputation flag indicating the question number of the second item imputed for MSD scores

Allowed values: 12 : 48

		FREQ	WTD
00	No imputation	7,048	1,328,388
12 : 48	Flag indicating 2nd item imputed	53	10,284
96	Valid Skip	3,413	660,212
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 47 months old

Section: **Relationships**

Variable Name: **FRLCe01** *Position:* 1273 *Length:* 1

Collection Name: RELQ1

About how many days a week does he do things with friends outside of school hours?

		FREQ	WTD
1	Never	398	95,090
2	1 day a week	799	166,238
3	2 or 3 days a week	1,284	243,206
4	4 or 5 days a week	577	103,206
5	6 or 7 days a week	440	74,831
6	Valid skip	6,982	1,306,594
7	Don't know	2	1,042
8	Refusal	1	71
9	Not stated	31	8,606
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FRLCQ06** *Position:* 1274 *Length:* 2
Collection Name: RELQ6

During the past 6 months, how well has this child gotten along with other kids, such as friends or classmates (excluding brothers or sisters)?

		FREQ	WTD
01	Very well, no problems	2,282	454,867
02	Quite well, hardly any problems	903	170,889
03	Pretty well, occasional problems	288	50,668
04	Not too well, frequent problems	9	1,702
05	Not well at all, constant problems	1	52
96	Valid skip	6,997	1,310,988
97	Don't know	2	1,042
99	Not stated	32	8,677
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FRLCQ08** *Position:* 1276 *Length:* 2
Collection Name: RELQ8

During the past 6 months, how well has he gotten along with his parent(s)?

		FREQ	WTD
01	Very well, no problems	2,033	415,430
02	Quite well, hardly any problems	1,046	188,555
03	Pretty well, occasional problems	402	75,825
04	Not too well, frequent problems	16	3,047
05	Not well at all, constant problems	0	0
96	Valid skip	6,984	1,306,686
97	Don't know	1	663
99	Not stated	32	8,677
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FRLCQ09	<i>Position:</i>	1278	<i>Length:</i>	2
<i>Collection Name:</i>	RELQ9				

During the past 6 months, how well has this child gotten along with his brother(s)/sister(s)?

		FREQ	WTD
01	Very well, no problems	909	192,224
02	Quite well, hardly any problems	994	191,701
03	Pretty well, occasional problems	893	165,860
04	Not too well, frequent problems	110	20,652
05	Not well at all, constant problems	13	3,061
96	Valid skip	7,557	1,415,221
97	Don't know	1	663
99	Not stated	37	9,503
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

<i>Variable Name:</i>	FRLCdQ07	<i>Position:</i>	1280	<i>Length:</i>	2
<i>Collection Name:</i>	RELQ10				

Since starting school in the fall, how well has he gotten along with his teacher at school?

		FREQ	WTD
01	Very well, no problems	2,036	440,942
02	Quite well, hardly any problems	219	48,369
03	Pretty well, occasional problems	56	13,112
04	Not too well, frequent problems	5	762
05	Not well at all, constant problems	1	63
96	Valid skip	8,167	1,487,194
97	Don't know	2	845
99	Not stated	28	7,598
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old, who attend school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Parenting

Variable Name: **FPRCQ01** *Position:* 1282 *Length:* 1
Collection Name: PARQ1

How often do you praise this child, by saying something like 'Good for you!' or 'What a nice thing you did!' or 'That's good going!'?

		FREQ	WTD
1	Never	20	5,388
2	About once a week or less	22	4,382
3	A few times a week	275	66,210
4	One or two times a day	1,665	325,193
5	Many times each day	8,283	1,545,171
6	Valid skip	140	22,834
7	Don't know	12	3,441
8	Refusal	12	2,060
9	Not stated	85	24,206
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old living with a birth, step or adoptive parent

Variable Name: **FPRCQ02** *Position:* 1283 *Length:* 1
Collection Name: PARQ2

How often do you and this child talk or play with each other, focusing attention on each other for five minutes or more, just for fun?

		FREQ	WTD
1	Never	11	3,080
2	About once a week or less	37	7,408
3	A few times a week	503	113,546
4	One or two times a day	2,963	575,384
5	Many times each day	6,751	1,247,530
6	Valid skip	140	22,834
7	Don't know	11	2,692
9	Not stated	98	26,409
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ03** *Position:* 1284 *Length:* 1
Collection Name: PARQ3

How often do you and this child laugh together?

		FREQ	WTD
1	Never	5	1,082
2	About once a week or less	13	3,051
3	A few times a week	212	46,672
4	One or two times a day	1,706	330,006
5	Many times each day	8,329	1,566,607
6	Valid skip	140	22,834
7	Don't know	10	2,042
8	Refusal	1	181
9	Not stated	98	26,409
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old living with a birth, step or adoptive parent

Variable Name: **FPRCQ04** *Position:* 1285 *Length:* 1
Collection Name: PARQ4

How often do you get annoyed with this child for saying or doing something he is not supposed to?

		FREQ	WTD
1	Never	904	188,014
2	About once a week or less	1,593	289,801
3	A few times a week	2,611	498,762
4	One or two times a day	3,678	677,640
5	Many times each day	1,447	285,678
6	Valid skip	140	22,834
7	Don't know	39	8,708
8	Refusal	3	857
9	Not stated	99	26,589
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCQ05	<i>Position:</i>	1286	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ5				

How often do you tell this child that he is bad or not as good as others?

		FREQ	WTD
1	Never	8,565	1,597,466
2	About once a week or less	986	192,199
3	A few times a week	378	79,276
4	One or two times a day	266	59,925
5	Many times each day	52	12,302
6	Valid skip	140	22,834
7	Don't know	24	7,136
8	Refusal	1	300
9	Not stated	102	27,446
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old living with a birth, step or adoptive parent

<i>Variable Name:</i>	FPRCQ06	<i>Position:</i>	1287	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ6				

How often do you do something special with this child that he enjoys?

		FREQ	WTD
1	Never	57	15,807
2	About once a week or less	1,286	272,915
3	A few times a week	3,472	655,562
4	One or two times a day	3,280	595,034
5	Many times each day	2,121	395,012
6	Valid skip	140	22,834
7	Don't know	55	13,973
9	Not stated	103	27,746
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ07** *Position:* 1288 *Length:* 1
Collection Name: PARDV07

How often do you play sports, hobbies or games with this child?

		FREQ	WTD
1	Never	130	31,648
2	About once a week or less	656	143,288
3	A few times a week	3,093	592,825
4	One or two times a day	3,456	633,357
5	Many times each day	2,919	543,153
6	Valid skip	140	22,834
9	Not stated	120	31,780
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old living with a birth, step or adoptive parent

Note: This variable is a combination of questions PARQ7 (3 to 5 years old) and PARQ7A (0 to 2 years old)

Variable Name: **FPRCQ08** *Position:* 1289 *Length:* 1
Collection Name: PARQ8

Of all the times that you talk to this child about his behaviour, what proportion is praise?

		FREQ	WTD
1	Never	10	1,288
2	Less than half the time	203	45,693
3	About half the time	1,222	250,046
4	More than half the time	4,204	812,364
5	All the time	1,171	204,695
6	Valid skip	3,608	659,916
7	Don't know	14	3,197
8	Refusal	1	268
9	Not stated	81	21,417
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ09** *Position:* 1290 *Length:* 1
Collection Name: PARQ9

Of all the times that you talk to this child about his behaviour, what proportion is disapproval?

		FREQ	WTD
1	Never	439	72,196
2	Less than half the time	5,109	974,554
3	About half the time	1,006	211,984
4	More than half the time	190	39,495
5	All the time	51	13,030
6	Valid skip	3,608	659,916
7	Don't know	28	5,961
8	Refusal	1	62
9	Not stated	82	21,685
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

Variable Name: **FPRCe10** *Position:* 1291 *Length:* 2
Collection Name: PARQ10

When you give this child a command or order to do something, what proportion of the time do you make sure that he does it?

		FREQ	WTD
01	Never	13	4,242
02	Less than half the time	190	43,764
03	About half the time	598	122,000
04	More than half the time	2,719	512,962
05	All the time	3,256	623,662
96	Valid skip	3,608	659,916
97	Don't know	9	2,433
98	Refusal	2	467
99	Not stated	119	29,438
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCe11	<i>Position:</i>	1293	<i>Length:</i>	2
<i>Collection Name:</i>	PARQ11				

If you tell this child he will get punished if he doesn't stop doing something, and he keeps doing it, how often will you punish him?

		FREQ	WTD
01	Never	180	45,844
02	Less than half the time	749	159,584
03	About half the time	713	151,172
04	More than half the time	1,962	371,747
05	All the time	3,079	554,985
96	Valid skip	3,608	659,916
97	Don't know	15	3,292
98	Refusal	1	67
99	Not stated	207	52,277
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

<i>Variable Name:</i>	FPRCQ12	<i>Position:</i>	1295	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ12				

How often does this child get away with things that you feel should have been punished?

		FREQ	WTD
1	Never	1,368	259,282
2	Less than half the time	3,975	757,860
3	About half the time	855	169,235
4	More than half the time	503	103,303
5	All the time	86	18,530
6	Valid skip	3,608	659,916
7	Don't know	30	7,697
9	Not stated	89	23,061
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCQ13	<i>Position:</i>	1296	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ13				

How often do you get angry when you punish this child?

		FREQ	WTD
1	Never	1,626	306,649
2	Less than half the time	3,864	732,919
3	About half the time	823	167,659
4	More than half the time	381	78,831
5	All the time	96	23,925
6	Valid skip	3,608	659,916
7	Don't know	27	5,925
9	Not stated	89	23,061
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

<i>Variable Name:</i>	FPRCQ14	<i>Position:</i>	1297	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ14				

How often do you think that the kind of punishment you give this child depends on your mood?

		FREQ	WTD
1	Never	2,394	463,148
2	Less than half the time	2,840	552,293
3	About half the time	869	162,782
4	More than half the time	521	101,264
5	All the time	160	28,530
6	Valid skip	3,608	659,916
7	Don't know	32	7,783
8	Refusal	1	107
9	Not stated	89	23,061
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ15** *Position:* 1298 *Length:* 1
Collection Name: PARQ15

How often do you feel you are having problems managing this child in general?

		FREQ	WTD
1	Never	3,558	679,943
2	Less than half the time	2,740	527,080
3	About half the time	352	72,646
4	More than half the time	126	27,509
5	All the time	32	7,114
6	Valid skip	3,608	659,916
7	Don't know	8	1,507
9	Not stated	90	23,168
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

Variable Name: **FPRCQ16** *Position:* 1299 *Length:* 1
Collection Name: PARQ16

How often is this child able to get out of a punishment when he really sets his mind to it?

		FREQ	WTD
1	Never	2,425	437,467
2	Less than half the time	2,746	531,724
3	About half the time	741	152,293
4	More than half the time	673	143,609
5	All the time	198	43,930
6	Valid skip	3,608	659,916
7	Don't know	32	6,678
8	Refusal	1	100
9	Not stated	90	23,168
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCQ17	<i>Position:</i>	1300	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ17				

How often when you discipline this child, does he ignore the punishment?

		FREQ	WTD
1	Never	3,052	589,411
2	Less than half the time	2,673	505,596
3	About half the time	565	117,716
4	More than half the time	399	77,882
5	All the time	95	19,919
6	Valid skip	3,608	659,916
7	Don't know	30	5,070
8	Refusal	1	104
9	Not stated	91	23,268
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

<i>Variable Name:</i>	FPRCQ18	<i>Position:</i>	1301	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ18				

How often do you have to discipline this child repeatedly for the same thing?

		FREQ	WTD
1	Never	1,213	238,166
2	Less than half the time	3,969	747,802
3	About half the time	944	185,521
4	More than half the time	573	120,414
5	All the time	94	19,888
6	Valid skip	3,608	659,916
7	Don't know	21	3,805
9	Not stated	92	23,372
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ25A** *Position:* 1302 *Length:* 1
Collection Name: PARQ18A

If there is a parenting decision to be made (e.g. rules to be set, child misbehaving, school decisions), how often do you and your spouse/partner agree on what to do?

		FREQ	WTD
1	Never	77	12,867
2	Less than half the time	259	54,586
3	About half the time	620	119,798
4	More than half the time	3,958	724,534
5	All the time	4,027	779,511
6	Valid skip	1,373	260,876
7	Don't know	34	6,917
8	Refusal	2	289
9	Not stated	164	39,506
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old living with a birth, step or adoptive parent and where there is a spouse present

Variable Name: **FPRCQ19** *Position:* 1303 *Length:* 1
Collection Name: PARQ19

Please tell me how often you, as his parent, do each of the following when this child breaks the rules or does things that he is not supposed to

...tell this child to stop?

		FREQ	WTD
1	Never	30	6,195
2	Rarely	189	39,471
3	Sometimes	863	181,949
4	Often	2,075	407,371
5	Always	3,648	678,301
6	Valid skip	3,608	659,916
7	Don't know	7	1,654
9	Not stated	94	24,026
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ20** *Position:* 1304 *Length:* 1
Collection Name: PARQ20

Please tell me how often you, as his parent, do each of the following when this child breaks the rules or does things that he is not supposed to

...ignore it, do nothing?

		FREQ	WTD
1	Never	3,421	628,933
2	Rarely	2,296	451,484
3	Sometimes	966	206,467
4	Often	85	18,136
5	Always	37	8,348
6	Valid skip	3,608	659,916
7	Don't know	7	1,576
9	Not stated	94	24,026
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

Variable Name: **FPRCQ21** *Position:* 1305 *Length:* 1
Collection Name: PARQ21

Please tell me how often you, as his parent, do each of the following when this child breaks the rules or does things that he is not supposed to

...raise your voice, scold or yell at him?

		FREQ	WTD
1	Never	583	113,524
2	Rarely	2,042	400,652
3	Sometimes	3,310	629,180
4	Often	779	151,192
5	Always	91	18,811
6	Valid skip	3,608	659,916
7	Don't know	6	1,420
8	Refusal	1	164
9	Not stated	94	24,026
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ22** *Position:* 1306 *Length:* 1
Collection Name: PARQ22

Please tell me how often you, as his parent, do each of the following when this child breaks the rules or does things that he is not supposed to

...calmly discuss the problem?

		FREQ	WTD
1	Never	83	19,905
2	Rarely	188	35,233
3	Sometimes	1,814	358,612
4	Often	3,420	663,184
5	Always	1,297	236,202
6	Valid skip	3,608	659,916
7	Don't know	9	1,643
9	Not stated	95	24,189
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

Variable Name: **FPRCQ23** *Position:* 1307 *Length:* 1
Collection Name: PARQ23

Please tell me how often you, as his parent, do each of the following when this child breaks the rules or does things that he is not supposed to

...use physical punishment?

		FREQ	WTD
1	Never	4,438	845,422
2	Rarely	1,815	352,054
3	Sometimes	512	108,512
4	Often	34	6,596
5	Always	6	942
6	Valid skip	3,608	659,916
7	Don't know	5	1,241
8	Refusal	1	11
9	Not stated	95	24,189
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ24** *Position:* 1308 *Length:* 1
Collection Name: PARQ24

Please tell me how often you, as his parent, do each of the following when this child breaks the rules or does things that he is not supposed to

...describe alternative ways of behaving that are acceptable?

		FREQ	WTD
1	Never	119	27,804
2	Rarely	185	32,773
3	Sometimes	1,463	273,837
4	Often	3,139	620,935
5	Always	1,888	356,029
6	Valid skip	3,608	659,916
7	Don't know	17	3,401
9	Not stated	95	24,189
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

Variable Name: **FPRCQ25** *Position:* 1309 *Length:* 1
Collection Name: PARQ25

Please tell me how often you, as his parent, do each of the following when this child breaks the rules or does things that he is not supposed to

...take away privileges or put him in his room?

		FREQ	WTD
1	Never	534	131,727
2	Rarely	665	143,931
3	Sometimes	2,290	441,065
4	Often	2,422	438,088
5	Always	891	158,622
6	Valid skip	3,608	659,916
7	Don't know	8	1,146
9	Not stated	96	24,389
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCQ26A	<i>Position:</i>	1310	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ31A				

Has this child ever experienced being hungry because the family has run out of food or money to buy food?

		FREQ	WTD
1	Yes	41	9,759
2	No	6,766	1,303,592
6	Valid skip	3,608	659,916
7	Don't know	1	332
9	Not stated	98	25,284
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

<i>Variable Name:</i>	FPRCQ26B	<i>Position:</i>	1311	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ31B				

How often?

		FREQ	WTD
1	Regularly, end of the month	5	1,565
2	More often than end of each month	2	406
3	Every few months	6	1,963
4	Occasionally, not a regular occurrence	28	5,826
6	Valid skip	10,374	1,963,508
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ26C** *Position:* 1312 *Length:* 1
Collection Name: PARQ31CA

How do you cope with feeding this child when this happens

...parent/guardian skips meals or eats less?

		FREQ	WTD
1	Yes	11	2,079
2	No	28	7,169
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to
FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

Variable Name: **FPRCQ26D** *Position:* 1313 *Length:* 1
Collection Name: PARQ31CB

How do you cope with feeding this child when this happens

...children skip meals or eat less?

		FREQ	WTD
1	Yes	3	338
2	No	36	8,911
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to
FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ26E** *Position:* 1314 *Length:* 1
Collection Name: PARQ31CC

How do you cope with feeding this child when this happens

...cut down on variety of food family usually eats?

		FREQ	WTD
1	Yes	11	3,790
2	No	28	5,458
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to
FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

Variable Name: **FPRCQ26F** *Position:* 1315 *Length:* 1
Collection Name: PARQ31CD

How do you cope with feeding this child when this happens

...seek help from relatives?

		FREQ	WTD
1	Yes	17	3,284
2	No	22	5,964
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to
FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ26G** *Position:* 1316 *Length:* 1
Collection Name: PARQ31CE

How do you cope with feeding this child when this happens

...seek help from friends?

		FREQ	WTD
1	Yes	5	964
2	No	34	8,285
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to
FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

Variable Name: **FPRCQ26H** *Position:* 1317 *Length:* 1
Collection Name: PARQ31CF

How do you cope with feeding this child when this happens

...seek help from social worker/government office?

		FREQ	WTD
1	Yes	3	924
2	No	36	8,325
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to
FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ26I** *Position:* 1318 *Length:* 1
Collection Name: PARQ31CG

How do you cope with feeding this child when this happens

...seek help from food bank (emergency food program)?

		FREQ	WTD
1	Yes	9	1,711
2	No	30	7,538
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to
FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

Variable Name: **FPRCQ26J** *Position:* 1319 *Length:* 1
Collection Name: PARQ31CH

How do you cope with feeding this child when this happens

...use school meal program?

		FREQ	WTD
1	Yes	3	983
2	No	36	8,266
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to
FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FPRCQ26K** *Position:* 1320 *Length:* 1
Collection Name: PARQ31CI

How do you cope with feeding this child when this happens

...other?

		FREQ	WTD
1	Yes	4	1,392
2	No	35	7,857
6	Valid skip	10,374	1,963,508
7	Don't know	2	511
9	Not stated	99	25,617
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent who answered 1 (Yes) to FPRCQ26A (ever experienced being hungry because the family has run out of food or money to buy food)

Variable Name: **FPRCQ27** *Position:* 1321 *Length:* 1
Collection Name: PARQ32

How often does this child see television shows or movies that have a lot of violence in them?

		FREQ	WTD
1	Often	79	19,586
2	Sometimes	600	122,739
3	Seldom	2,029	381,665
4	Never	4,098	789,316
6	Valid skip	3,608	659,916
7	Don't know	2	377
9	Not stated	98	25,284
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCQ28	<i>Position:</i>	1322	<i>Length:</i>	1
<i>Collection Name:</i>	PARQ33				

How often does this child see adults or teenagers in your house physically fighting, hitting or trying to hurt others?

		FREQ	WTD
1	Often	16	2,445
2	Sometimes	130	26,753
3	Seldom	320	60,477
4	Never	6,340	1,223,551
6	Valid skip	3,608	659,916
7	Don't know	2	457
9	Not stated	98	25,284
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with a birth, step or adoptive parent

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Parenting - Scales

Variable Name: **FPRCS01** *Position:* 1323 *Length:* 2
Collection Name: PARS01

Positive interaction

		FREQ	WTD
00	00	0	0
01	01	0	0
02	02	0	0
03	03	0	0
04	04	0	0
05	05	0	0
06	06	1	373
07	07	0	0
08	08	0	0
09	09	4	1,178
10	10	11	1,790
11	11	19	4,738
12	12	39	6,504
13	13	63	10,398
14	14	94	19,032
15	15	174	28,354
16	16	331	63,860
17	17	439	77,073
18	18	774	138,595
19	19	553	92,141
20	20	881	170,259
96	Valid skip	7,046	1,361,802
99	Not stated	85	22,785
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 or 1 year old, living with birth, step or adoptive parent

Note: This factor score was derived using the following questions: FPRCQ01, FPRCQ02, FPRCQ03, FPRCQ06 and FPRCQ07. The total score varies between 0 and 20, a high score indicating positive interactions.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCS02	<i>Position:</i>	1325	<i>Length:</i>	2
<i>Collection Name:</i>	PARS02				

Ineffective parenting style

			FREQ	WTD
00	00		701	139,774
01	01		539	97,693
02	02		527	97,193
03	03		889	149,131
04	04		494	88,310
05	05		90	15,915
06	06		93	17,172
07	07		43	8,026
08	08		23	5,210
96	Valid skip		7,046	1,361,802
99	Not stated		69	18,658
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 or 1 year old, living with birth, step or adoptive parent

Note: This factor score was derived using the following questions: FPRCQ04 and FPRCQ05. The total score varies between 0 and 8, a high score indicating hostile/ineffective interactions.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCS03	<i>Position:</i>	1327	<i>Length:</i>	2
<i>Collection Name:</i>	PARS03				

Score-positive interaction

		FREQ	WTD
00	00	1	510
01	01	0	0
02	02	1	248
03	03	0	0
04	04	0	0
05	05	2	400
06	06	0	0
07	07	4	1,124
08	08	21	6,825
09	09	33	9,571
10	10	88	19,843
11	11	134	26,626
12	12	307	67,277
13	13	499	102,678
14	14	732	149,411
15	15	883	176,925
16	16	1,196	230,771
17	17	983	171,922
18	18	964	179,200
19	19	456	80,886
20	20	513	91,452
96	Valid skip	3,608	659,916
99	Not stated	89	23,300
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with birth, step or adoptive parent

Note: This factor score was derived using the following questions: FPRCQ01, FPRCQ02, FPRCQ03, FPRCQ06, and FPRCQ07. The total score varies from 0 to 20, a high score indicating positive interactions.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCS04	<i>Position:</i>	1329	<i>Length:</i>	2
<i>Collection Name:</i>	PARS04				

Score-ineffective parenting style

		FREQ	WTD
00	00	23	2,381
01	01	55	9,974
02	02	88	17,796
03	03	186	33,554
04	04	325	60,531
05	05	497	95,027
06	06	711	133,863
07	07	885	164,464
08	08	806	159,684
09	09	840	163,199
10	10	641	123,901
11	11	503	90,754
12	12	368	70,594
13	13	260	55,473
14	14	204	41,135
15	15	133	27,518
16	16	86	19,474
17	17	56	13,737
18	18	23	5,181
19	19	25	6,331
20	20	8	2,657
21	21	1	221
22	22	4	636
23	23	0	0
24	24	0	0
25	25	0	0
26	26	0	0
27	27	0	0
28	28	0	0
96	Valid skip	3,608	659,916
99	Not stated	178	40,884
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with birth, step or adoptive parent

Note: This factor score was derived using the following questions: FPRCQ04, FPRCQ08, FPRCQ09, FPRCQ13, FPRCQ14, FPRCQ15 and FPRCQ18. The values for FPRCQ08 were reversed for the calculation of this factor score. The total score varies between 0 and 28, a high score indicating hostile/ineffective interactions.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCS05	<i>Position:</i>	1331	<i>Length:</i>	2
<i>Collection Name:</i>	PARS05				

Score-consistent parenting style

		FREQ	WTD
00	00	0	0
01	01	2	704
02	02	2	566
03	03	8	2,307
04	04	7	2,343
05	05	18	2,893
06	06	27	7,346
07	07	58	11,850
08	08	73	14,570
09	09	124	25,176
10	10	167	35,983
11	11	272	58,187
12	12	331	76,550
13	13	480	99,165
14	14	582	116,999
15	15	892	171,371
16	16	891	162,319
17	17	866	162,868
18	18	737	124,375
19	19	631	114,275
20	20	455	81,779
96	Valid skip	3,608	659,916
99	Not stated	283	67,341
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with birth, step or adoptive parent

Note: This factor score was derived using the following questions: FPRCe10, FPRCe11, FPRCQ12, FPRCQ16 and FPRCQ17. The values for FPRCQ12, FPRCQ16 and FPRCQ17 were reversed for the calculation of this score. The total score varies between 0 and 20, a high score indicating consistent parenting behaviour.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPRCS06	<i>Position:</i>	1333	<i>Length:</i>	2
<i>Collection Name:</i>	PARS06				

Score-rational parenting style

			FREQ	WTD
00	00		233	37,645
01	01		402	77,630
02	02		631	121,983
03	03		1,109	211,181
04	04		1,362	265,495
05	05		1,118	216,544
06	06		954	190,387
07	07		521	94,996
08	08		299	59,944
09	09		104	21,819
10	10		34	8,346
11	11		17	2,943
12	12		0	0
13	13		1	116
14	14		1	493
15	15		0	0
16	16		0	0
96	Valid skip		3,608	659,916
99	Not stated		120	29,445
			=====	=====
			10,514	1,998,884

Coverage: Children aged 2 to 5 years old living with birth, step or adoptive parent

Note: This factor score was derived using the following questions: FPRCQ21, FPRCQ22, FPRCQ23 and FPRCQ24. The values for FPRCQ22 and FPRCQ24 were reversed for the calculation of this score. The total score varies between 0 and 16, a high score indicating punitive/aversive interactions.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Family and Custody History

Variable Name: **FCSCfQ1** *Position:* 1335 *Length:* 1
Collection Name: CUSQ1

When this child was born/adopted, were his parents ...

		FREQ	WTD
1	Living together and legally married	3,082	474,242
2	Living together in a common-law relationship	1,200	186,609
3	No longer living together, but had previously been married	28	5,641
4	No longer living together, but had previously been common-law partners	92	14,320
5	Living apart and had never lived together as a couple	300	50,999
6	Valid skip	5,747	1,252,964
7	Don't know	13	2,723
8	Refusal	12	3,463
9	Not stated	40	7,923
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who did not respond in previous cycles

Variable Name: **FCSCeQ2** *Position:* 1336 *Length:* 1
Collection Name: CUSQ2

Since this child's birth/adoption, did his parents ever live together as a couple?

		FREQ	WTD
1	Yes	117	18,347
2	No	311	53,896
6	Valid skip	10,029	1,913,816
7	Don't know	8	2,372
8	Refusal	9	2,530
9	Not stated	40	7,923
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who did not respond in previous cycles, whose parents were not living together at the time of the child's birth / adoption

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCSCeQ2A	<i>Position:</i>	1337	<i>Length:</i>	1
<i>Collection Name:</i>	CUSQ2A				

Did this child's parents eventually get married?

		FREQ	WTD
1	Yes	186	20,454
2	No	1,124	182,936
6	Valid skip	9,147	1,782,668
9	Not stated	57	12,825
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who did not respond in previous cycles, whose parents were living common-law at the time of the child's birth / adoption or who started living together after the child's birth / adoption

<i>Variable Name:</i>	FCSCeQ5	<i>Position:</i>	1338	<i>Length:</i>	1
<i>Collection Name:</i>	CUSQ5				

Since this child's birth/adoption have his parents...

		FREQ	WTD
1	Lived together continuously	8,652	1,632,056
2	Separated for a period of time, but subsequently got back together	159	31,444
6	Valid skip	1,545	292,744
7	Don't know	11	3,480
8	Refusal	7	2,087
9	Not stated	140	37,074
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who are currently living with both parents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCSCfQ6** *Position:* 1339 *Length:* 1
Collection Name: CUSQ6

Based on the information we collected about the relationships of the people living in this household, this child is not currently living with his birth/adoptive father/mother/parents. Is this because his parents have separated or ended their relationship?

		FREQ	WTD
1	Yes	772	143,737
2	No	83	16,915
6	Valid skip	9,636	1,831,967
7	Don't know	2	329
8	Refusal	3	1,524
9	Not stated	18	4,413
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who are not currently living with both parents, excluding those whose parents have never been together since child's birth / adoption

Variable Name: **FCSCfQ6B** *Position:* 1340 *Length:* 1
Collection Name: CUSQ6A

Is this because this child's father/mother/parents died?

		FREQ	WTD
1	Yes	15	2,761
2	No	841	157,976
6	Valid skip	9,636	1,831,967
7	Don't know	1	244
8	Refusal	3	1,524
9	Not stated	18	4,413
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who are not currently living with both parents, excluding those whose parents have never been together since child's birth / adoption.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCSCfQ6C** *Position:* 1341 *Length:* 1
Collection Name: CUSQ6B

Is this for some other reason?

		FREQ	WTD
1	Yes	45	10,176
2	No	787	146,498
6	Valid skip	9,636	1,831,967
7	Don't know	1	538
8	Refusal	4	1,721
9	Not stated	41	7,984
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who are not currently living with both parents, excluding those whose parents have never been together since child's birth / adoption.

Variable Name: **FCSCeQ6A** *Position:* 1342 *Length:* 1
Collection Name: CUSQ6C

Has/ have either of this child's birth/adoptive father/mother/parents died?

		FREQ	WTD
1	Yes	4	1,029
2	No	506	98,125
6	Valid skip	9,993	1,897,152
7	Don't know	5	942
8	Refusal	2	719
9	Not stated	4	916
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who are not currently living with both parents and whose parents have never been together since child's birth / adoption.

Variable Name: **FCSCeD8** *Position:* 1343 *Length:* 5.2
Collection Name: CUS3AD1

What was this child's age, in years and months, when his parents' break up first occurred?

Allowed values: 00.00 : 18.00

		FREQ	WTD
00.00 : 05.58	Child's age break up first occurred	937	178,449
99.96	Valid skip	9,389	1,775,090
99.99	Not stated	188	45,344
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose parents have separated at least once since child's birth
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCSCeD9	<i>Position:</i>	1348	<i>Length:</i>	5.2
<i>Collection Name:</i>	CUS3AD2				

What was this child's age, in years and months, when his parents' got back together (after last separation)?

Allowed values: 00.00 : 18.00

		FREQ	WTD
00.25 : 05.08	Child's age parents got back together	38	7,716
99.96	Valid skip	10,472	1,989,806
99.99	Not stated	4	1,362
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose parents have separated at least once since child's birth

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available

<i>Variable Name:</i>	FCSCeQ14	<i>Position:</i>	1353	<i>Length:</i>	1
<i>Collection Name:</i>	CUSQ14				

At the present time, what type of contact does this child have with his father?

		FREQ	WTD
1	Shares living arrangements	93	15,976
2	Regular visits (at least once every 2 weeks)	545	110,986
3	Irregular visits (e.g. monthly, holidays, or no set pattern)	217	36,602
4	Phone/letter contact only	51	11,773
5	No contact	280	47,726
6	Valid skip	9,270	1,761,887
8	Refusal	1	279
9	Not stated	57	13,655
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who are currently living with biological / adoptive mother only, excluding those whose father is deceased or with incomplete information about father (FCSCfQ6B, FCSCeQ6A)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCSCeQ15** *Position:* 1354 *Length:* 1
Collection Name: CUSQ15

At the present time, what type of contact does this child have with his mother?

		FREQ	WTD
1	Shares living arrangements	38	5,806
2	Regular visits (at least once every 2 weeks)	30	7,723
3	Irregular visits (e.g. monthly, holidays, or no set pattern)	9	1,605
4	Phone/letter contact only	2	326
5	No contact	4	841
6	Valid skip	10,423	1,981,199
9	Not stated	8	1,385
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who are currently living with biological / adoptive father only, excluding those whose mother is deceased or with incomplete information about mother (FCSCfQ6B, FCSCeQ6A)

Variable Name: **FCSCeQ16** *Position:* 1355 *Length:* 1
Collection Name: CUSQ16

At the present time, does this child live mostly with his mother, mostly with his father, or equally with both?

		FREQ	WTD
1	Mostly with mother	45	6,168
2	Mostly with father	5	1,014
3	Equally with both parents	80	14,694
6	Valid skip	10,317	1,961,783
7	Don't know	2	232
9	Not stated	65	14,994
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who are currently living with one biological / adoptive parent only, excluding those whose other parent is deceased or with incomplete information about other parent (FCSCfQ6B, FCSCeQ6A), if child is sharing living arrangements with both parents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCSCeQ20	<i>Position:</i>	1356	<i>Length:</i>	1
<i>Collection Name:</i>	CUSQ20				

Did this child's parents eventually divorce?

		FREQ	WTD
1	Yes	66	13,362
2	No	246	45,121
6	Valid skip	10,177	1,933,814
7	Don't know	1	418
9	Not stated	24	6,169
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose parents are not currently together, neither parent is dead, and parents had lived together as married couple since child's birth, excluding those with incomplete information about a parent (FCSCfQ6B, FCSCeQ6A)

<i>Variable Name:</i>	FCSCeQ21	<i>Position:</i>	1357	<i>Length:</i>	1
<i>Collection Name:</i>	CUSQ21				

What type of arrangement is currently in place concerning this child's custody?

		FREQ	WTD
1	None	350	66,385
2	Private formal agreement between parents (e.g. written agreement, mediation)	194	36,638
3	Private informal agreement between parents (e.g. verbal agreement)	354	67,307
4	Court ordered agreement	332	61,197
5	Court ordered agreement in progress	42	8,968
6	Valid skip	9,179	1,744,202
7	Don't know	3	961
8	Refusal	2	325
9	Not stated	58	12,902
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose parents are currently not together and neither parent is deceased, excluding those with incomplete information about a parent (FCSCfQ6B, FCSCeQ6A)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCSCeQ22** *Position:* 1358 *Length:* 1
Collection Name: CUSQ22

Who now has custody of this child?

		FREQ	WTD
1	Sole custody given to the mother	632	122,617
2	Sole custody given to the father	28	4,519
3	Shared physical custody given to both parents	227	40,563
4	Other	34	6,299
6	Valid skip	9,529	1,810,586
7	Don't know	1	113
9	Not stated	63	14,188
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose parents are currently not together and neither parent is deceased, excluding those with incomplete information about a parent (FCSCfQ6B, FCSCeQ6A), if there is a current custody agreement.

Variable Name: **FCSCeQ30** *Position:* 1359 *Length:* 1
Collection Name: CUSQ30

What type of agreement currently exists regarding support or maintenance payments for this child?

		FREQ	WTD
1	None	571	105,205
2	Private formal agreement between parents (e.g. written agreement, mediation)	131	25,752
3	Private informal agreement between parents (e.g. verbal agreement)	235	48,579
4	Court ordered agreement	296	53,361
5	Court ordered agreement in progress	40	8,143
6	Valid skip	9,179	1,744,202
7	Don't know	3	461
8	Refusal	1	279
9	Not stated	58	12,902
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose parents are currently not together and neither parent is deceased, excluding those with incomplete information about a parent (FCSCfQ6B, FCSCeQ6A)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCSCeQ31	<i>Position:</i>	1360	<i>Length:</i>	1
<i>Collection Name:</i>	CUSQ31				

Is this agreement for child support only, for support of the other parent, or both?

		FREQ	WTD
1	For child support only	617	115,920
2	For other parent's support only	5	467
3	For both	78	18,870
6	Valid skip	9,750	1,849,407
7	Don't know	2	577
9	Not stated	62	13,643
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose parents are currently not together and neither parent is deceased, excluding those with incomplete information about a parent (FCSCfQ6B, FCSCeQ6A), if a support agreement exists.

<i>Variable Name:</i>	FCSCeQ32	<i>Position:</i>	1361	<i>Length:</i>	2
<i>Collection Name:</i>	CUSQ32				

How regular have the maintenance support payments been?

		FREQ	WTD
01	Regular and on time	419	86,962
02	Regular but late sometimes	87	14,913
03	Irregular (had at least one payment in the last 6 months)	89	14,989
04	No payments for the last 6 months	9	1,073
05	No payments for the last year	13	4,077
06	No payments for the last few years	10	1,167
07	Payments never been received	58	9,593
08	Payments stopped due to change in circumstances, (e.g. court order, death of payer, etc.)	7	998
96	Valid skip	9,750	1,849,407
97	Don't know	8	1,193
98	Refusal	1	831
99	Not stated	63	13,682
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, whose parents are currently not together and neither parent is deceased, excluding those with incomplete information about a parent (FCSCfQ6B, FCSCeQ6A), if a support agreement exists.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCSCeQ40** *Position:* 1363 *Length:* 1
Collection Name: CUSQ40

Since this child's birth/father died/parents separated has his mother entered into another marriage or common-law relationship?

		FREQ	WTD
1	Yes, a marriage	32	5,612
2	Yes, a common-law relationship that eventually resulted in marriage	20	3,519
3	Yes, a common-law relationship	160	32,006
4	No	1,075	203,573
6	Valid skip	9,160	1,740,214
7	Don't know	8	1,019
9	Not state	59	12,941
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who are not currently living with both parents and whose mother is not deceased, excluding those with incomplete information about mother (FCSCfQ6B, FCSCeQ6A) or no contact with mother.

Variable Name: **FCSCeQ47** *Position:* 1364 *Length:* 1
Collection Name: CUSQ47

Did this child's mother have any children with her new partner(s)?

		FREQ	WTD
1	Yes	48	6,707
2	No	158	33,321
6	Valid skip	10,241	1,944,895
9	Not stated	67	13,961
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who are not currently living with both parents and whose mother is not deceased, excluding those with incomplete information about mother (FCSCfQ6B, FCSCeQ6A) or no contact with mother or those who answered yes to ECSCeQ47 in previous cycle, and whose mother has entered into a new union.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCSCeQ50** *Position:* 1365 *Length:* 1
Collection Name: CUSQ50

Since this child's birth/mother died/parents separated has his father entered into another marriage or common-law relationship?

		FREQ	WTD
1	Yes, a marriage	20	4,051
2	Yes, a common-law relationship that eventually resulted in marriage	10	2,818
3	Yes, a common-law relationship	216	44,965
4	No	706	128,807
6	Valid skip	9,457	1,791,705
7	Don't know	46	13,596
9	Not stated	59	12,941
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who are not currently living with both parents and whose father is not deceased, excluding those with incomplete information about father (FCSCfQ6B, FCSCeQ6A) or no contact with father

Variable Name: **FCSCeQ57** *Position:* 1366 *Length:* 1
Collection Name: CUSQ57

Did this child's father have any children with his new partner(s)?

		FREQ	WTD
1	Yes	33	9,919
2	No	206	40,754
6	Valid skip	10,168	1,921,280
7	Don't know	1	273
8	Refusal	1	121
9	Not stated	105	26,537
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who are not currently living with both parents and whose father is not deceased, excluding those with incomplete information about father (FCSCfQ6B, FCSCeQ6A) or no contact with father, if father has entered new union, or those who answered yes to ECSCeQ57 in previous cycle.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Child Care

Variable Name: **FCRCcQ1A** *Position:* 1367 *Length:* 1
Collection Name: CARDVQ1A

Wording for children aged 4 or 5 who are in school: While you (and your spouse/partner) are at work or studying, do you currently use child care such as daycare, babysitting, care by a relative or other caregiver, or a before and after school program? Wording for children aged 2 or 3 and children aged 4 or 5 who are not in school: While you (and your spouse/partner) are at work or studying, do you currently use child care such as daycare, babysitting or care by a relative or other caregiver, or a nursery school? Wording for children aged 0-1: While you (and your spouse/partner) are at work or studying, do you currently use child care such as daycare, babysitting or care by a relative or other caregiver?

		FREQ	WTD
1	Yes	5,555	997,915
2	No	4,853	973,043
9	Not stated	106	27,927
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This variable is a combination of questions CARQ1A1, CARQ1A2 and CARQ1A3

Variable Name: **FCRCQ1B** *Position:* 1368 *Length:* 1
Collection Name: CARQ1B

While you (and your spouse/partner) are at work or studying, which of the following methods of child care do you currently use

...care provided in someone else's home by a non relative?

		FREQ	WTD
1	Yes	2,022	326,368
2	No	3,533	671,546
6	Valid skip	4,853	973,043
9	Not stated	106	27,927
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCQ1BA	<i>Position:</i>	1369	<i>Length:</i>	3
<i>Collection Name:</i>	CARQ1B1				

For about how many hours per week is that?

<i>Allowed values:</i>	001 : 168		FREQ	WTD
001 : 087	Hours per week		2,012	323,601
996	Valid skip		8,386	1,644,589
997	Don't know		9	2,518
998	Refusal		1	248
999	Not stated		106	27,927
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1B (use care provided in someone else's home by a non-relative)

<i>Variable Name:</i>	FCRCQ1BB	<i>Position:</i>	1372	<i>Length:</i>	1
<i>Collection Name:</i>	CARQ1B2				

Is the person providing this care licensed by the government or approved by a family daycare agency?

		FREQ	WTD
1	Yes	694	130,935
2	No	1,276	189,825
6	Valid skip	8,386	1,644,589
7	Don't know	49	5,078
8	Refusal	3	530
9	Not stated	106	27,927
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1B (use care provided in someone else's home by a non-relative)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCRCQ1C** *Position:* 1373 *Length:* 1
Collection Name: CARQ1C

While you (and your spouse/partner) are at work or studying, do you currently use
...care in someone else's home by a relative?

		FREQ	WTD
1	Yes	1,441	229,278
2	No	4,114	768,637
6	Valid skip	4,853	973,043
9	Not stated	106	27,927
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Variable Name: **FCRCQ1CA** *Position:* 1374 *Length:* 3
Collection Name: CARQ1C1

For about how many hours per week is that?

Allowed values: 001 : 168

		FREQ	WTD
001 : 168	Hours per week	1,424	226,848
996	Valid skip	8,967	1,741,679
997	Don't know	15	2,201
998	Refusal	1	190
999	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1C (use care in someone else's home by a relative)

Variable Name: **FCRCQ1CB** *Position:* 1377 *Length:* 1
Collection Name: CARQ1C2

Is the person providing this care licensed by the government or approved by a family daycare agency?

		FREQ	WTD
1	Yes	63	10,403
2	No	1,372	218,302
6	Valid skip	8,967	1,741,679
7	Don't know	5	534
9	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1C (use care in someone else's home by a relative)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCRCQ1E** *Position:* 1378 *Length:* 1
Collection Name: CARQ1E

While you (and your spouse/partner) are at work or studying, do you currently use
...care in own home by a relative other than a sister or brother of the child?

		FREQ	WTD
1	Yes	1,009	177,567
2	No	4,545	820,309
6	Valid skip	4,853	973,043
9	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Variable Name: **FCRCQ1EA** *Position:* 1379 *Length:* 3
Collection Name: CARQ1E1

For about how many hours per week is that?

Allowed values: 001 : 168

		FREQ	WTD
001 : 100	Hours per week	988	172,010
996	Valid skip	9,398	1,793,351
997	Don't know	21	5,558
999	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1E (use care in own home by a relative other than a sister or brother of the child)

Variable Name: **FCRCd1EB** *Position:* 1382 *Length:* 1
Collection Name: CARQ1E2

Is the person providing this care licensed by the government or approved by a family daycare agency?

		FREQ	WTD
1	Yes	29	4,235
2	No	978	173,242
6	Valid skip	9,398	1,793,351
7	Don't know	2	90
9	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1E (use care in own home by a relative other than a sister or brother of the child)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCRCQ1F** *Position:* 1383 *Length:* 1
Collection Name: CARQ1F

While you (and your spouse/partner) are at work or studying, do you currently use
 ...care in own home by a non relative?

		FREQ	WTD
1	Yes	613	108,056
2	No	4,941	889,820
6	Valid skip	4,853	973,043
9	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Variable Name: **FCRCQ1FA** *Position:* 1384 *Length:* 3
Collection Name: CARQ1F1

For about how many hours per week is that?

Allowed values: 001 : 168

		FREQ	WTD
001 : 098	Hours per week	603	105,868
996	Valid skip	9,794	1,862,863
997	Don't know	10	2,188
999	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1F (use care in own home by a non-relative)

Variable Name: **FCRCd1FB** *Position:* 1387 *Length:* 1
Collection Name: CARQ1F2

Is the person providing this care licensed by the government or approved by a family daycare agency?

		FREQ	WTD
1	Yes	75	17,454
2	No	531	89,108
6	Valid skip	9,794	1,862,863
7	Don't know	7	1,494
9	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1F (use care in own home by a non-relative)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCQ1G	<i>Position:</i>	1388	<i>Length:</i>	1
<i>Collection Name:</i>	CARQ1G				

While you (and your spouse/partner) are at work or studying, do you currently use
 ...care in a daycare centre (including at workplace)?

		FREQ	WTD
1	Yes	1,662	325,607
2	No	3,891	672,071
6	Valid skip	4,853	973,043
7	Don't know	1	199
9	Not stated	107	27,965
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

<i>Variable Name:</i>	FCRCQ1GA	<i>Position:</i>	1389	<i>Length:</i>	3
<i>Collection Name:</i>	CARQ1G1				

For about how many hours per week is that?

Allowed values: 001 : 168

		FREQ	WTD
001 : 058	Hours per week	1,658	324,553
996	Valid skip	8,744	1,645,113
997	Don't know	4	1,054
999	Not stated	108	28,164
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1G (use care in a daycare centre (including at workplace))

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCRCQ1GB** *Position:* 1392 *Length:* 1
Collection Name: CARQ1G2

Is the child care program or daycare centre operated on a profit or non profit basis (include government sponsored care)

		FREQ	WTD
1	Profit	784	129,988
2	Non profit	778	175,265
6	Valid skip	8,744	1,645,113
7	Don't know	96	20,103
8	Refusal	4	250
9	Not stated	108	28,164
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1G (use care in a daycare centre (including at workplace))

Variable Name: **FCRCQ1H** *Position:* 1393 *Length:* 1
Collection Name: CARQ1H

While you (and your spouse/partner) are at work or studying, do you currently use

...care in a before or after school program?

		FREQ	WTD
1	Yes	173	43,407
2	No	1,002	203,267
6	Valid skip	9,299	1,742,966
7	Don't know	3	300
9	Not stated	37	8,943
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old who are in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCQ1HA	<i>Position:</i>	1394	<i>Length:</i>	3
<i>Collection Name:</i>	CARQ1H1				

For about how many hours per week is that?

<i>Allowed values:</i>	001 : 168			
		FREQ	WTD	
001 : 030	Hours per week	156	38,558	
996	Valid skip	10,301	1,946,234	
997	Don't know	1	685	
999	Not stated	56	13,407	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 4 or 5 years old who answered 'yes' to FCRCQ1H (use care in a before or after school program)

Note: The "Not Stated" values are slightly larger than usual due to an error in the computerized questionnaire.

<i>Variable Name:</i>	FCRCcQ1K	<i>Position:</i>	1397	<i>Length:</i>	1
<i>Collection Name:</i>	CARQ1K				

While you (and your spouse/partner) are at work or studying, do you currently use

...care in a nursery school/preschool?

		FREQ	WTD	
1	Yes	406	68,244	
2	No	3,963	680,492	
6	Valid skip	6,044	1,222,647	
7	Don't know	5	1,604	
9	Not stated	96	25,898	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 0 to 3 years old and children aged 4 or 5 years old who are not in school

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCc1KA	<i>Position:</i>	1398	<i>Length:</i>	3
<i>Collection Name:</i>	CARQ1K1				

For about how many hours per week is that?

<i>Allowed values:</i>	001 : 168		FREQ	WTD
001 : 050	Hours per week care in a nursery school		357	59,136
996	Valid skip		10,007	1,903,139
997	Don't know		4	944
998	Refusal		1	155
999	Not stated		145	35,511
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 5 years old who said 'yes' to FCRCc1K (use care in a nursery school/preschool)
Note: The "Not Stated" values are slightly larger than usual due to an error in the computerized questionnaire.

<i>Variable Name:</i>	FCRCcQ1J	<i>Position:</i>	1401	<i>Length:</i>	1
<i>Collection Name:</i>	CARQ1M				

While you (and your spouse/partner) are at work or studying, do you currently use?...Other child care arrangements, excluding care by a brother or sister.

		FREQ	WTD
1	Yes	166	26,990
2	No	5,049	902,656
6	Valid skip	4,853	973,043
9	Not stated	446	96,195
		=====	=====
		10,514	1,998,884

Coverage: All respondents
Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

<i>Variable Name:</i>	FCRCc1JA	<i>Position:</i>	1402	<i>Length:</i>	3
<i>Collection Name:</i>	CARQ1M1				

For about how many hours per week is that?

<i>Allowed values:</i>	001 : 168		FREQ	WTD
001 : 060	Hours per week		161	26,381
996	Valid skip		9,902	1,875,699
997	Don't know		5	609
999	Not stated		446	96,195
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCcQ1J (use other child care arrangements, excluding care by a brother or sister)
Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCQ1D	<i>Position:</i>	1405	<i>Length:</i>	1
<i>Collection Name:</i>	CARQ1N				

Is this child cared for at home by his brother or sister on a regular basis while you (and your spouse/partner) are working or studying?

		FREQ	WTD
1	Yes	165	33,690
2	No	6,348	1,249,769
6	Valid skip	3,885	685,715
7	Don't know	3	289
8	Refusal	1	279
9	Not stated	112	29,142
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: Not applicable to selected children with no brother or sister.

<i>Variable Name:</i>	FCRCQ1DA	<i>Position:</i>	1406	<i>Length:</i>	3
<i>Collection Name:</i>	CARQ1N1				

For about how many hours per week is that?

Allowed values: 001 : 168

		FREQ	WTD
001 : 042	Hours per week	161	32,780
996	Valid skip	10,233	1,935,484
997	Don't know	4	909
999	Not stated	116	29,711
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who answered 'yes' to FCRCQ1D (use care at home by his brother or sister on a regular basis)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCRCcQ2A** *Position:* 1409 *Length:* 2
Collection Name: CARQ2

Using this definition, what type of arrangement do you consider your main one?

		FREQ	WTD
01	Care in someone else's home by a non relative	1,686	268,326
02	Care in someone else's home by a relative	849	140,179
03	Care in child's home by a non relative	328	57,706
04	Care in child's home by a relative other than child's brother or sister	550	105,041
05	Care in child's home by child's brother or sister	57	11,341
06	Daycare centre	1,396	272,046
07	Before and after school program	102	27,065
08	Nursery school/Preschool	117	22,429
09	Child in own care	0	0
10	Other	10	1,035
96	Valid skip	4,887	978,382
97	Don't know	17	3,299
98	Refusal	4	337
99	Not stated	511	111,699
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: The main child care arrangement is the one used for the most hours. If there are 2 "main" arrangements with the same number of hours, the respondent should choose one for this section. The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

Variable Name: **FCRCe2AA** *Position:* 1411 *Length:* 2
Collection Name: CARQ2A1

How many other children, if any, are cared for regularly by this child's main caregiver when he is in his care? This includes children who are part time or full time (including the caregiver's own children) Please answer for the following age groups

...age 0 to 2 years?

Allowed values: 00 : 20

		FREQ	WTD
00 : 20	Children age 0 to 2 years	4,784	854,245
96	Valid skip	4,944	989,723
97	Don't know	242	38,076
98	Refusal	8	1,168
99	Not stated	536	115,672
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCRCe2AB** *Position:* 1413 *Length:* 2
Collection Name: CARQ2A2

How many other children, if any, are cared for regularly by this child's main caregiver when he is in his care? This includes children who are part time or full time (including the caregiver's own children) Please answer for the following age groups

...age 3 to 5 years?

<i>Allowed values:</i>	00 : 20		
		FREQ	WTD
00 : 20	Children age 3 to 5 years?	4,729	839,310
96	Valid skip	4,944	989,723
97	Don't know	295	52,286
98	Refusal	10	1,893
99	Not stated	536	115,672
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

Variable Name: **FCRCe2AC** *Position:* 1415 *Length:* 2
Collection Name: CARQ2A3

How many other children, if any, are cared for regularly by this child's main caregiver when he is in his care? This includes children who are part time or full time (including the caregiver's own children). Please answer for the following age groups

...age 6 years and over?

<i>Allowed values:</i>	00 : 20		
		FREQ	WTD
00 : 20	Children age 6 and over?	4,709	840,896
96	Valid skip	4,944	989,723
97	Don't know	314	50,575
98	Refusal	11	2,018
99	Not stated	536	115,672
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCe2CB	<i>Position:</i>	1417	<i>Length:</i>	2
<i>Collection Name:</i>	CARQ2A4				

How many caregivers, including your main caregiver, are responsible for these children? This includes any assistants who help at least part of the time on a regular basis when this child is there.

<i>Allowed values:</i>	01 : 10			
		FREQ	WTD	
01 : 10	Caregivers resp. for group	4,939	873,625	
96	Valid skip	4,944	989,723	
97	Don't know	91	19,089	
98	Refusal	4	774	
99	Not stated	536	115,672	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 0 to 5 years old who use child care

Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

<i>Variable Name:</i>	FCRCe2AD	<i>Position:</i>	1419	<i>Length:</i>	1
<i>Collection Name:</i>	CARQ2A5				

To your knowledge, does your main caregiver have any training in early childhood education, or child care at the college or university level?

		FREQ	WTD	
1	Yes	2,069	400,759	
2	No	2,708	449,140	
6	Valid skip	4,944	989,723	
7	Don't know	252	42,213	
8	Refusal	5	1,377	
9	Not stated	536	115,672	
		=====	=====	
		10,514	1,998,884	

Coverage: Children aged 0 to 5 years old who use child care

Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCRCQ03** *Position:* 1420 *Length:* 1
Collection Name: CARQ3

During the past 6 months, how well has this child gotten along with his main caregiver?

		FREQ	WTD
1	Very well, no problems	4,575	813,194
2	Quite well, hardly any problems	347	59,396
3	Pretty well, occasional problems	92	16,836
4	Not too well, frequent problems	8	1,472
5	Not well at all, constant problems	5	764
6	Valid skip	4,944	989,723
7	Don't know	7	1,826
9	Not stated	536	115,672
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

Variable Name: **FCRCQ04** *Position:* 1421 *Length:* 1
Collection Name: CARQ4

In the past 12 months, how many times have you changed your main child care arrangement and/or caregiver, excluding periods of care by yourself (or spouse/partner)?

		FREQ	WTD
1	None	4,079	725,032
2	1	733	132,195
3	2	165	27,722
4	3 or 4	95	16,203
5	5 or more	17	2,907
6	Valid skip	4,887	978,382
7	Don't know	3	819
9	Not stated	535	115,625
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCQ06	<i>Position:</i>	1422	<i>Length:</i>	1
<i>Collection Name:</i>	CARQ6				

Have you ever used child care for this child while you (and your spouse/partner) were at work or studying?

		FREQ	WTD
1	Yes	1,049	181,814
2	No	2,830	566,638
6	Valid skip	6,535	1,224,681
7	Don't know	3	108
9	Not stated	97	25,643
		=====	=====
		10,514	1,998,884

Coverage: Children aged 1 to 5 years old who don't currently use child care

<i>Variable Name:</i>	FCRCdQ6B	<i>Position:</i>	1423	<i>Length:</i>	2
<i>Collection Name:</i>	CARQ6B				

What age was this child when he was first placed in any child care arrangement?

Allowed values: 00 : 11

		FREQ	WTD
00 : 06	Age when first used child care	5,963	1,058,074
96	Valid skip	3,847	787,585
97	Don't know	23	4,682
98	Refusal	2	134
99	Not stated	679	148,409
		=====	=====
		10,514	1,998,884

Coverage: Children aged 1 to 5 years old

Note: Data have been carried forward from previous cycles when available. The "Not Stated" values are slightly larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FCRCQ07** *Position:* 1425 *Length:* 2
Collection Name: CARQ7

Overall, how many changes in child care arrangements has this child experienced since you began using child care, excluding periods of care by yourself (or spouse/partner)?

Allowed values: 00 : 50

		FREQ	WTD
00 : 43	Changes in child care	5,979	1,054,321
96	Valid skip	4,287	888,244
97	Don't know	8	1,960
98	Refusal	1	831
99	Not stated	239	53,528
		=====	=====
		10,514	1,998,884

Coverage: Children aged 1 to 5 years old

Note: The "Not Stated" values are slightly larger than usual due to an error in the computerized questionnaire.

Section: **Child Care - Derived Variables**

Variable Name: **FCRCfD2B** *Position:* 1427 *Length:* 1
Collection Name: CARDV02B

Use of child care arrangements

		FREQ	WTD
1	Yes	5,521	992,575
2	No	4,803	964,646
9	Not stated	190	41,662
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on questions FCRCcQ1A, FCRCeD2A and FCRCcQ2A. This includes care by child's brother or sister.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCD03	<i>Position:</i>	1428	<i>Length:</i>	2
<i>Collection Name:</i>	CARDV03				

Total number of care arrangements used to allow PMK (and spouse) to work or study

<i>Allowed values:</i>	01 : 09		FREQ	WTD
01 : 06	Arrangements		5,521	992,575
96	Valid skip		4,803	964,646
99	Not stated		190	41,662
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: This derived variable is based on questions FCRCQ1B, FCRCQ1C, FCRCQ1E, FCRCQ1F, FCRCQ1G, FCRCQ1H, FCRCcQ1K, FCRCcQ1J, FCRCQ1D.

<i>Variable Name:</i>	FCRCD04	<i>Position:</i>	1430	<i>Length:</i>	3
<i>Collection Name:</i>	CARDV04				

Number of hours per week spent in all care arrangements

<i>Allowed values:</i>	001 : 168		FREQ	WTD
001 : 168	Number of hours in all care arrangements		5,065	896,536
996	Valid skip		4,803	964,646
999	Not stated		646	137,701
			=====	=====
			10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: This derived variable is based on questions FCRCQ1BA, FCRCQ1CA, FCRCQ1EA, FCRCQ1FA, FCRCQ1GA, FCRCQ1HA, FCRCc1KA, FCRCc1JA, FCRCQ1DA. The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCeD2A	<i>Position:</i>	1433	<i>Length:</i>	2
<i>Collection Name:</i>	CARDV02A				

Primary Type of Childcare

		FREQ	WTD
01	Care in someone else's home by a non relative	1,686	268,326
02	Care in someone else's home by a relative	849	140,179
03	Care in child's home by a non relative	328	57,706
04	Care in child's home by a relative other than child's brother or sister brother or sister	550	105,041
05	Care in child's home by child's brother or sister	57	11,341
06	Daycare centre	1,396	272,046
07	Before and after school program	102	27,065
08	Nursery school/Preschool	117	22,429
09	Child in own care	0	0
10	Other	10	1,035
11	Does not use child care	4,803	964,646
99	Not stated	616	129,070
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on questions FCRCcQ2A, FCRCcQ1A, FCRCQ1D. The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

<i>Variable Name:</i>	FCRCD02	<i>Position:</i>	1435	<i>Length:</i>	3
<i>Collection Name:</i>	CARDV02				

Number of hours per week spent in primary care arrangement

Allowed values: 001 : 168

		FREQ	WTD
001 : 168	Number of hours in primary care	5,066	896,587
996	Valid skip	4,803	964,646
999	Not stated	645	137,650
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: This derived variable is based on questions FCRCeD2A, FCRCQ1BA, FCRCQ1CA, FCRCQ1FA, FCRCQ1EA, FCRCQ1DA, FCRCQ1GA, FCRCQ1HA, FCRCc1KA and FCRCc1JA. The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FCRCD06	<i>Position:</i>	1438	<i>Length:</i>	3
<i>Collection Name:</i>	CARDV06				

Length of time the primary care arrangement has been used (in months)

Allowed values: 000 : 140

		FREQ	WTD
001 : 072	Number of months primary care used	4,819	857,289
996	Valid skip	4,803	964,646
999	Not stated	892	176,949
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old who use child care

Note: This derived variable is based on questions CARQ2A, CARQ2B, FCRCeD2A and FMMHfQ06. The "Not Stated" values are larger than usual due to an error in the computerized questionnaire.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Socio-Demographic - Child

Variable Name: **FSDCQ1** *Position:* 1441 *Length:* 2
Collection Name: SOCBQ1

In what country was this child born?

		FREQ	WTD
01	Canada	10,322	1,944,263
02	China	10	1,624
03	France	2	1,055
04	Germany	3	269
05	Greece	0	0
06	Guyana	0	0
07	Hong Kong	1	272
08	Hungary	0	0
09	India	4	2,350
10	Italy	0	0
11	Jamaica	3	1,870
12	Netherlands (Holland)	0	0
13	Philippines	1	250
14	Poland	0	0
15	Portugal	1	117
16	United Kingdom (England, Scotland, Northern Ireland, Wales)	3	641
17	United States	25	4,844
18	Vietnam	1	390
19	Other	36	16,967
97	Don't know	3	365
98	Refusal	7	1,723
99	Not stated	92	21,883
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ2B	<i>Position:</i>	1443	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ2B				

Is he now, or has he ever been a landed immigrant?

		FREQ	WTD
1	Yes	45	17,627
2	No	22	5,675
6	Valid skip	10,344	1,951,247
9	Not stated	103	24,335
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who were born outside Canada and not Canadian citizen by birth
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FSDCQ3	<i>Position:</i>	1444	<i>Length:</i>	4
<i>Collection Name:</i>	SOCBQ3				

In what year did he first immigrate to Canada?

Allowed values: 1901 : 2004

		FREQ	WTD
1999 : 2004	Year first immigrated to Canada	60	21,461
9996	Valid skip	10,344	1,951,247
9997	Don't know	1	210
9999	Not stated	109	25,967
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who were born outside Canada and not Canadian citizen by birth
Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FSDCfQ3A	<i>Position:</i>	1448	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ3A				

Is this child an Aboriginal person, that is, North American Indian, Métis or Inuit?

		FREQ	WTD
1	Yes	587	77,414
2	No	9,800	1,888,283
7	Don't know	17	2,840
8	Refusal	9	2,733
9	Not stated	101	27,614
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCf3BA** *Position:* 1449 *Length:* 1
Collection Name: SOCBQ3BA

Is this child a North American Indian, Métis or Inuit

...North American Indian?

		FREQ	WTD
1	Yes	291	41,584
2	No	287	34,636
6	Valid skip	9,800	1,888,283
7	Don't know	9	1,195
9	Not stated	127	33,188
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who answered "Yes" to SOCBQ3A (child is an aboriginal person)

Variable Name: **FSDCf3BB** *Position:* 1450 *Length:* 1
Collection Name: SOCBQ3BB

Is this child a North American Indian, Métis or Inuit

...Métis?

		FREQ	WTD
1	Yes	272	32,632
2	No	306	43,587
6	Valid skip	9,800	1,888,283
7	Don't know	9	1,195
9	Not stated	127	33,188
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who answered "Yes" to SOCBQ3A (child is an aboriginal person)

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCf3BC** *Position:* 1451 *Length:* 1
Collection Name: SOCBQ3BC

Is this child a North American Indian, Métis or Inuit

...Inuit (Eskimo)?

		FREQ	WTD
1	Yes	21	2,557
2	No	557	73,662
6	Valid skip	9,800	1,888,283
7	Don't know	9	1,195
9	Not stated	127	33,188
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who answered "Yes" to SOCBQ3A (child is an aboriginal person)

Variable Name: **FSDCQ4A** *Position:* 1452 *Length:* 1
Collection Name: SOCBQ4A

To which ethnic or cultural group did his ancestors belong

...Canadian?

		FREQ	WTD
1	Yes	3,784	715,511
2	No	6,425	1,233,189
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4B** *Position:* 1453 *Length:* 1
Collection Name: SOCBQ4B

To which ethnic or cultural group did his ancestors belong

...French?

		FREQ	WTD
1	Yes	2,439	412,560
2	No	7,770	1,536,140
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4C** *Position:* 1454 *Length:* 1
Collection Name: SOCBQ4C

To which ethnic or cultural group did his ancestors belong

...English?

		FREQ	WTD
1	Yes	2,398	383,696
2	No	7,811	1,565,004
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4D** *Position:* 1455 *Length:* 1
Collection Name: SOCBQ4D

To which ethnic or cultural group did his ancestors belong

...German?

		FREQ	WTD
1	Yes	1,350	211,661
2	No	8,859	1,737,039
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4E** *Position:* 1456 *Length:* 1
Collection Name: SOCBQ4E

To which ethnic or cultural group did his ancestors belong

...Scottish?

		FREQ	WTD
1	Yes	1,878	280,825
2	No	8,331	1,667,876
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4F** *Position:* 1457 *Length:* 1
Collection Name: SOCBQ4F

To which ethnic or cultural group did his ancestors belong

...Irish?

		FREQ	WTD
1	Yes	1,565	238,785
2	No	8,644	1,709,915
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4G** *Position:* 1458 *Length:* 1
Collection Name: SOCBQ4G

To which ethnic or cultural group did his ancestors belong

...Italian?

		FREQ	WTD
1	Yes	413	115,138
2	No	9,796	1,833,563
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4H** *Position:* 1459 *Length:* 1
Collection Name: SOCBQ4H

To which ethnic or cultural group did his ancestors belong

...Ukrainian?

		FREQ	WTD
1	Yes	581	90,966
2	No	9,628	1,857,734
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4I** *Position:* 1460 *Length:* 1
Collection Name: SOCBQ4I

To which ethnic or cultural group did his ancestors belong

...Dutch (Netherlands)?

		FREQ	WTD
1	Yes	442	76,487
2	No	9,767	1,872,213
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4J** *Position:* 1461 *Length:* 1
Collection Name: SOCBQ4J

To which ethnic or cultural group did his ancestors belong

...Chinese?

		FREQ	WTD
1	Yes	176	59,039
2	No	10,033	1,889,662
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4K** *Position:* 1462 *Length:* 1
Collection Name: SOCBQ4K

To which ethnic or cultural group did his ancestors belong

...Jewish?

		FREQ	WTD
1	Yes	48	14,638
2	No	10,161	1,934,063
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4L** *Position:* 1463 *Length:* 1
Collection Name: SOCBQ4L

To which ethnic or cultural group did his ancestors belong

...Polish?

		FREQ	WTD
1	Yes	289	47,687
2	No	9,920	1,901,013
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4M** *Position:* 1464 *Length:* 1
Collection Name: SOCBQ4M

To which ethnic or cultural group did his ancestors belong

...Portuguese?

		FREQ	WTD
1	Yes	92	30,481
2	No	10,117	1,918,220
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4N** *Position:* 1465 *Length:* 1
Collection Name: SOCBQ4N

To which ethnic or cultural group did his ancestors belong

...South Asian?

		FREQ	WTD
1	Yes	152	62,036
2	No	10,057	1,886,664
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4O** *Position:* 1466 *Length:* 1
Collection Name: SOCBQ4O

To which ethnic or cultural group did his ancestors belong

...Black?

		FREQ	WTD
1	Yes	95	30,378
2	No	10,114	1,918,323
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4P** *Position:* 1467 *Length:* 1
Collection Name: SOCBQ4P

To which ethnic or cultural group did his ancestors belong

...North American Indian?

		FREQ	WTD
1	Yes	555	90,725
2	No	9,658	1,858,395
7	Don't know	110	16,617
8	Refusal	11	2,803
9	Not stated	180	30,344
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4Q** *Position:* 1468 *Length:* 1
Collection Name: SOCBQ4Q

To which ethnic or cultural group did his ancestors belong

...Métis?

		FREQ	WTD
1	Yes	362	45,112
2	No	9,856	1,904,491
7	Don't know	111	16,780
8	Refusal	11	2,803
9	Not stated	174	29,698
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ4R** *Position:* 1469 *Length:* 1
Collection Name: SOCBQ4R

To which ethnic or cultural group did his ancestors belong

...Inuit/Eskimo?

		FREQ	WTD
1	Yes	38	3,572
2	No	10,172	1,945,171
7	Don't know	111	16,768
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCQ4S** *Position:* 1470 *Length:* 1
Collection Name: SOCBQ4S

To which ethnic or cultural group did his ancestors belong

...other?

		FREQ	WTD
1	Yes	1,977	492,927
2	No	8,232	1,455,774
7	Don't know	112	16,811
8	Refusal	11	2,803
9	Not stated	182	30,570
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCb4AA** *Position:* 1471 *Length:* 1
Collection Name: SOCBQ4AA

How would you best describe his race or colour

...White?

		FREQ	WTD
1	Yes	9,343	1,624,765
2	No	1,049	344,100
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCb4AB** *Position:* 1472 *Length:* 1
Collection Name: SOCBQ4AB

How would you best describe his race or colour

...Chinese?

		FREQ	WTD
1	Yes	159	54,473
2	No	10,233	1,914,392
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCb4AC** *Position:* 1473 *Length:* 1
Collection Name: SOCBQ4AC

How would you best describe his race or colour

...South Asian (e.g. East Indian, Pakistani, Punjabi, Sri Lankan)?

		FREQ	WTD
1	Yes	225	98,415
2	No	10,167	1,870,450
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCb4AD** *Position:* 1474 *Length:* 1
Collection Name: SOCBQ4AD

How would you best describe his race or colour

...Black (e.g. African, Haitian, Jamaican, Somali)?

		FREQ	WTD
1	Yes	156	61,120
2	No	10,236	1,907,745
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCb4AE	<i>Position:</i>	1475	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ4AE				

How would you best describe his race or colour

...Native/Aboriginal people (e.g. North American Indian, Métis or Inuit/Eskimo)?

		FREQ	WTD
1	Yes	271	35,501
2	No	10,121	1,933,364
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

<i>Variable Name:</i>	FSDCb4AF	<i>Position:</i>	1476	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ4AF				

How would you best describe his race or colour

...Arab/West Asian (e.g. Armenian, Egyptian, Iranian, Lebanese, Moroccan)?

		FREQ	WTD
1	Yes	72	26,807
2	No	10,320	1,942,057
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCb4AG** *Position:* 1477 *Length:* 1
Collection Name: SOCBQ4AG

How would you best describe his race or colour

...Filipino?

		FREQ	WTD
1	Yes	93	29,580
2	No	10,299	1,939,285
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCb4AH** *Position:* 1478 *Length:* 1
Collection Name: SOCBQ4AH

How would you best describe his race or colour

...South East Asian (e.g. Cambodian, Indonesian, Laotian, Vietnamese)?

		FREQ	WTD
1	Yes	46	15,150
2	No	10,346	1,953,715
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCb4AI** *Position:* 1479 *Length:* 1
Collection Name: SOCBQ4AI

How would you best describe his race or colour

...Latin American?

		FREQ	WTD
1	Yes	35	12,889
2	No	10,357	1,955,975
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCb4AJ** *Position:* 1480 *Length:* 1
Collection Name: SOCBQ4AJ

How would you best describe his race or colour

...Japanese?

		FREQ	WTD
1	Yes	10	4,718
2	No	10,382	1,964,147
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCb4AK** *Position:* 1481 *Length:* 1
Collection Name: SOCBQ4AK

How would you best describe his race or colour

...Korean?

		FREQ	WTD
1	Yes	13	3,425
2	No	10,379	1,965,439
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

Variable Name: **FSDCb4AL** *Position:* 1482 *Length:* 1
Collection Name: SOCBQ4AL

How would you best describe his race or colour

...other?

		FREQ	WTD
1	Yes	169	51,594
2	No	10,223	1,917,271
7	Don't know	11	3,099
8	Refusal	17	4,519
9	Not stated	94	22,402
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: If firstint = 2 (Not the first interview for this child in Cycle 6), data have been carried forward from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5A	<i>Position:</i>	1483	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5A				

In which language can this child conduct a conversation

...English?

		FREQ	WTD
1	Yes	8,574	1,518,026
2	No	1,808	443,193
7	Don't know	20	5,859
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ5B	<i>Position:</i>	1484	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5B				

In which language can this child conduct a conversation

...French?

		FREQ	WTD
1	Yes	2,077	467,948
2	No	8,304	1,493,340
7	Don't know	21	5,790
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5C	<i>Position:</i>	1485	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5C				

In which language can this child conduct a conversation

...Arabic?

		FREQ	WTD
1	Yes	67	26,686
2	No	10,312	1,934,098
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ5D	<i>Position:</i>	1486	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5D				

In which language can this child conduct a conversation

...Chinese?

		FREQ	WTD
1	Yes	95	34,817
2	No	10,284	1,925,968
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ5E** *Position:* 1487 *Length:* 1
Collection Name: SOCBQ5E

In which language can this child conduct a conversation

...Cree?

		FREQ	WTD
1	Yes	22	2,552
2	No	10,357	1,958,233
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ5F** *Position:* 1488 *Length:* 1
Collection Name: SOCBQ5F

In which language can this child conduct a conversation

...German?

		FREQ	WTD
1	Yes	110	15,090
2	No	10,269	1,945,695
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5G	<i>Position:</i>	1489	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5G				

In which language can this child conduct a conversation

...Greek?

		FREQ	WTD
1	Yes	7	1,438
2	No	10,372	1,959,347
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ5H	<i>Position:</i>	1490	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5H				

In which language can this child conduct a conversation

...Hungarian?

		FREQ	WTD
1	Yes	5	1,273
2	No	10,374	1,959,512
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5I	<i>Position:</i>	1491	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5I				

In which language can this child conduct a conversation

...Italian?

		FREQ	WTD
1	Yes	44	17,916
2	No	10,335	1,942,868
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ5J	<i>Position:</i>	1492	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5J				

In which language can this child conduct a conversation

...Korean?

		FREQ	WTD
1	Yes	17	5,529
2	No	10,362	1,955,256
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5K	<i>Position:</i>	1493	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5K				

In which language can this child conduct a conversation

...Persian (Farsi)?

		FREQ	WTD
1	Yes	18	8,360
2	No	10,361	1,952,425
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ5L	<i>Position:</i>	1494	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5L				

In which language can this child conduct a conversation

...Polish?

		FREQ	WTD
1	Yes	20	3,788
2	No	10,359	1,956,997
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5M	<i>Position:</i>	1495	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5M				

In which language can this child conduct a conversation

...Portuguese?

		FREQ	WTD
1	Yes	24	11,868
2	No	10,355	1,948,917
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ5N	<i>Position:</i>	1496	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5N				

In which language can this child conduct a conversation

...Punjabi?

		FREQ	WTD
1	Yes	71	24,738
2	No	10,308	1,936,047
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5O	<i>Position:</i>	1497	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5O				

In which language can this child conduct a conversation

...Spanish?

		FREQ	WTD
1	Yes	97	32,052
2	No	10,282	1,928,733
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ5P	<i>Position:</i>	1498	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5P				

In which language can this child conduct a conversation

...Tagalog (Filipino)?

		FREQ	WTD
1	Yes	51	19,349
2	No	10,328	1,941,436
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5Q	<i>Position:</i>	1499	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5Q				

In which language can this child conduct a conversation

...Ukrainian?

		FREQ	WTD
1	Yes	11	3,658
2	No	10,368	1,957,127
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ5R	<i>Position:</i>	1500	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5R				

In which language can this child conduct a conversation

...Vietnamese?

		FREQ	WTD
1	Yes	24	9,016
2	No	10,355	1,951,769
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ5S	<i>Position:</i>	1501	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ5S				

In which language can this child conduct a conversation

...other?

		FREQ	WTD
1	Yes	379	140,350
2	No	10,000	1,820,435
7	Don't know	23	6,293
8	Refusal	10	3,832
9	Not stated	102	27,973
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ6A	<i>Position:</i>	1502	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ6A				

What is the language that he first learned at home in childhood and can still understand

...English?

		FREQ	WTD
1	Yes	8,080	1,361,419
2	No	2,303	600,669
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ6B** *Position:* 1503 *Length:* 1
Collection Name: SOCBQ6B

What is the language that he first learned at home in childhood and can still understand

...French?

		FREQ	WTD
1	Yes	1,878	413,736
2	No	8,505	1,548,351
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ6C** *Position:* 1504 *Length:* 1
Collection Name: SOCBQ6C

What is the language that he first learned at home in childhood and can still understand

...Arabic?

		FREQ	WTD
1	Yes	58	24,124
2	No	10,325	1,937,963
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ6D** *Position:* 1505 *Length:* 1
Collection Name: SOCBQ6D

What is the language that he first learned at home in childhood and can still understand

...Chinese?

		FREQ	WTD
1	Yes	86	30,095
2	No	10,297	1,931,992
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ6E** *Position:* 1506 *Length:* 1
Collection Name: SOCBQ6E

What is the language that he first learned at home in childhood and can still understand

...Cree?

		FREQ	WTD
1	Yes	16	1,608
2	No	10,367	1,960,479
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ6F	<i>Position:</i>	1507	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ6F				

What is the language that he first learned at home in childhood and can still understand

...German?

		FREQ	WTD
1	Yes	102	13,475
2	No	10,281	1,948,612
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCQ6G	<i>Position:</i>	1508	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ6G				

What is the language that he first learned at home in childhood and can still understand

...Greek?

		FREQ	WTD
1	Yes	1	209
2	No	10,382	1,961,878
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ6H** *Position:* 1509 *Length:* 1
Collection Name: SOCBQ6H

What is the language that he first learned at home in childhood and can still understand

...Hungarian?

		FREQ	WTD
1	Yes	3	858
2	No	10,380	1,961,230
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ6I** *Position:* 1510 *Length:* 1
Collection Name: SOCBQ6I

What is the language that he first learned at home in childhood and can still understand

...Italian?

		FREQ	WTD
1	Yes	20	10,131
2	No	10,363	1,951,957
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ6J** *Position:* 1511 *Length:* 1
Collection Name: SOCBQ6J

What is the language that he first learned at home in childhood and can still understand

...Korean?

		FREQ	WTD
1	Yes	15	5,902
2	No	10,368	1,956,186
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ6K** *Position:* 1512 *Length:* 1
Collection Name: SOCBQ6K

What is the language that he first learned at home in childhood and can still understand

...Persian (Farsi)?

		FREQ	WTD
1	Yes	16	7,599
2	No	10,367	1,954,489
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ6L** *Position:* 1513 *Length:* 1
Collection Name: SOCBQ6L

What is the language that he first learned at home in childhood and can still understand

...Polish?

		FREQ	WTD
1	Yes	17	3,692
2	No	10,366	1,958,396
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ6M** *Position:* 1514 *Length:* 1
Collection Name: SOCBQ6M

What is the language that he first learned at home in childhood and can still understand

...Portuguese?

		FREQ	WTD
1	Yes	9	3,324
2	No	10,374	1,958,763
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ6N** *Position:* 1515 *Length:* 1
Collection Name: SOCBQ6N

What is the language that he first learned at home in childhood and can still understand

...Punjabi?

		FREQ	WTD
1	Yes	66	22,687
2	No	10,317	1,939,401
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ6O** *Position:* 1516 *Length:* 1
Collection Name: SOCBQ6O

What is the language that he first learned at home in childhood and can still understand

...Spanish?

		FREQ	WTD
1	Yes	58	22,939
2	No	10,325	1,939,149
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ6P** *Position:* 1517 *Length:* 1
Collection Name: SOCBQ6P

What is the language that he first learned at home in childhood and can still understand

...Tagalog (Filipino)?

		FREQ	WTD
1	Yes	36	11,456
2	No	10,347	1,950,631
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ6Q** *Position:* 1518 *Length:* 1
Collection Name: SOCBQ6Q

What is the language that he first learned at home in childhood and can still understand

...Ukrainian?

		FREQ	WTD
1	Yes	5	2,467
2	No	10,378	1,959,620
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCQ6R** *Position:* 1519 *Length:* 1
Collection Name: SOCBQ6R

What is the language that he first learned at home in childhood and can still understand

...Vietnamese?

		FREQ	WTD
1	Yes	20	7,755
2	No	10,363	1,954,332
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCQ6S** *Position:* 1520 *Length:* 1
Collection Name: SOCBQ6S

What is the language that he first learned at home in childhood and can still understand

...other?

		FREQ	WTD
1	Yes	284	108,730
2	No	10,099	1,853,357
7	Don't know	16	3,857
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCc6AA	<i>Position:</i>	1521	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ6AA				

What language does he speak most often at home

...English?

		FREQ	WTD
1	Yes	8,147	1,385,768
2	No	2,219	570,522
7	Don't know	33	9,654
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCc6AB	<i>Position:</i>	1522	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ6AB				

What language does he speak most often at home

...French?

		FREQ	WTD
1	Yes	1,809	408,511
2	No	8,557	1,547,780
7	Don't know	33	9,654
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCc6AC	<i>Position:</i>	1523	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ6AC				

What language does he speak most often at home

...other?

		FREQ	WTD
1	Yes	647	224,139
2	No	9,719	1,732,152
7	Don't know	33	9,654
8	Refusal	12	4,328
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCe6BA	<i>Position:</i>	1524	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ6BA				

What language is spoken to this child most often at home by you (and your spouse)

...English?

		FREQ	WTD
1	Yes	8,115	1,369,967
2	No	2,280	595,624
7	Don't know	5	602
8	Refusal	11	4,080
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FSDCe6BB** *Position:* 1525 *Length:* 1
Collection Name: SOCBQ6BB

What language is spoken to this child most often at home by you (and your spouse)

...French?

		FREQ	WTD
1	Yes	1,923	429,026
2	No	8,472	1,536,565
7	Don't know	5	602
8	Refusal	11	4,080
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Variable Name: **FSDCe6BC** *Position:* 1526 *Length:* 1
Collection Name: SOCBQ6BC

What language is spoken to this child most often at home by you (and your spouse)

...other?

		FREQ	WTD
1	Yes	787	271,455
2	No	9,608	1,694,136
7	Don't know	5	602
8	Refusal	11	4,080
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCQ8	<i>Position:</i>	1527	<i>Length:</i>	2
<i>Collection Name:</i>	SOCBQ8				

What, if any, is this child's religion?

		FREQ	WTD
01	No religion	2,262	469,594
02	Roman Catholic	4,187	788,753
03	United	866	114,037
04	Anglican	592	83,290
05	Presbyterian	205	30,320
06	Lutheran	206	29,418
07	Baptist	292	41,046
08	Eastern Orthodox	41	14,101
09	Jewish	39	17,663
10	Islam (Muslim)	158	69,047
11	Buddhist	16	6,241
12	Hindu	63	34,558
13	Sikh	65	21,463
14	Jehovah's Witnesses	44	8,994
15	Other	1,316	230,941
97	Don't know	36	5,973
98	Refusal	23	4,835
99	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

<i>Variable Name:</i>	FSDCeQ9	<i>Position:</i>	1529	<i>Length:</i>	1
<i>Collection Name:</i>	SOCBQ9				

Other than on special occasions (such as weddings or funerals), how often did this child attend religious services or meetings in the past 12 months?

		FREQ	WTD
1	At least once a week	2,092	361,227
2	At least once a month	1,369	250,389
3	At least 3 or 4 times	1,579	272,196
4	At least once	1,292	241,795
5	Never	4,041	835,776
7	Don't know	13	3,249
8	Refusal	25	5,640
9	Not stated	103	28,611
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Socio-Demographic - Derived Variables - Child

Variable Name: **FSDCD01** *Position:* 1530 *Length:* 3
Collection Name: SDCDV01

Age at time of immigration

Allowed values: 000 : 011

		FREQ	WTD
000 : 003	Age at time of immigration	60	21,461
996	Valid skip	10,344	1,951,247
999	Not stated	110	26,176
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who were born outside Canada and not Canadian citizen by birth
Note: This derived variable is based on the year of birth (FMMCQ03A) and question FSDCQ3. This variable includes data from previous cycles when available.

Variable Name: **FSDCD02** *Position:* 1533 *Length:* 3
Collection Name: SDCDV02

Number of years since first immigrating to Canada

Allowed values: 000 : 021

		FREQ	WTD
000 : 005	Number of years since immigrating	60	21,461
996	Valid skip	10,344	1,951,247
999	Not stated	110	26,176
		=====	=====
		10,514	1,998,884

Coverage: Children aged 0 to 5 years old, who were born outside Canada and not Canadian citizen by birth
Note: This derived variable is based on question FSDCQ3. This variable includes data from previous cycles when available.

Variable Name: **FSDCD2AA** *Position:* 1536 *Length:* 1
Collection Name: SDCDV2AA

Citizenship Status - Child

		FREQ	WTD
1	Canadian citizen by birth	10,344	1,951,247
2	Canadian citizen by naturalization	34	9,647
3	Not a Canadian citizen	33	13,655
9	Not stated	103	24,335
		=====	=====
		10,514	1,998,884

Coverage: All respondents
Note: This derived variable is based on questions FSDCQ1 and SOCBQ2A. This variable includes data from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCD03	<i>Position:</i>	1537	<i>Length:</i>	2
<i>Collection Name:</i>	SDCDV03				

Immigration and official language status

		FREQ	WTD
01	Canadian by birth (in Canada or outside of Canada), speaking French and English, with or without any other languages	473	90,384
02	Canadian by birth (in Canada or outside of Canada), speaking English only or French only, with or without a second language	9,576	1,767,426
03	Canadian by birth (in Canada or outside of Canada), speaking neither French nor English	201	64,479
04	Canadian by naturalization, speaking French and English, with or without other languages	0	0
05	Canadian by naturalization, speaking English only or French only, with or without a second language	31	8,297
06	Canadian by naturalization, speaking neither French nor English	2	960
07	Not a Canadian citizen	33	13,655
99	Not stated	198	53,682
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on questions FSDCQ5A, FSDCQ5B and FSDCD2AA. This variable includes data from previous cycles when available.

<i>Variable Name:</i>	FSDCD04	<i>Position:</i>	1539	<i>Length:</i>	1
<i>Collection Name:</i>	SDCDV04				

Recoded Place of birth

		FREQ	WTD
1	Canada	10,322	1,944,263
2	United States	25	4,844
3	Europe	9	2,083
4	Asia	17	4,885
5	Other	39	18,837
9	Not stated	102	23,972
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on question FSDCQ1. This variable includes data from previous cycles when available.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FSDCD05	<i>Position:</i>	1540	<i>Length:</i>	2
<i>Collection Name:</i>	SDCDV05				

Language in which child is able to conduct a conversation

		FREQ	WTD
01	English only	7,369	1,185,563
02	French only	1,549	348,876
03	English and French only	433	77,557
04	English and French and other	45	14,300
05	English and other (not French)	727	240,606
06	French and other (not English)	50	27,215
07	Neither English nor French (other)	211	67,606
99	Not stated	130	37,162
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on questions FSDCQ5A to FSDCQ5S

<i>Variable Name:</i>	FSDCD06	<i>Position:</i>	1542	<i>Length:</i>	2
<i>Collection Name:</i>	SDCDV06				

Language first learned at home and still understood

		FREQ	WTD
01	English only	7,725	1,284,955
02	French only	1,700	377,306
03	English and French only	156	26,794
04	English and French and other	7	1,561
05	English and other (not French)	192	48,109
06	French and other (not English)	15	8,076
07	Neither English nor French (other)	588	215,287
99	Not stated	131	36,797
		=====	=====
		10,514	1,998,884

Coverage: All respondents

Note: This derived variable is based on questions FSDCQ6A to FSDCQ6S

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Age and stages

Variable Name: **AGESTAGE** *Position:* 1544 *Length:* 167

Includes items FAGCdQ1 to FAGCd416.

The Ages and Stages Questionnaires (ASQ) are used to identify infants and young children who show potential developmental problems. The questionnaires cover four domains of development: Communication: e.g., babbling, vocalizing, listening and understanding.

Fine motor: hand and finger movements.

Problem solving skills: learning and playing with toys, drawing.

Personal-Social skills: solitary, social play and play with others and toys, to dress and feed oneself.

A score is calculated for each domain (see FAGCdS01, FAGCdS02, FAGCdS03, FAGCdS04).

The items are not reproduced here for copyright reasons. For more information about the Ages and Stages Questionnaires, please contact:

Brookes Publishing Co. & Health Professions Press

P.O. Box 10624

Baltimore MD 21285-0624

tel. 410/337-9580

fax 410/337-8539

brookespublishing.com

Section: Ages and Stages - Scores

Variable Name: **FAGCdS01** *Position:* 1711 *Length:* 2
Collection Name: ASQPSLV

Problem Solve Score

Allowed values: 00 : 60

		FREQ	WTD
00 : 60	Problem Solve Score	6,793	1,279,298
96	Valid skip	3,413	660,212
99	Not stated	308	59,374
		=====	=====
		10,514	1,998,884

Coverage: Children aged 3 to 47 months

Note: This score is based on ages and stages section PRS - ©1999 Paul H. Brookes Publishing Co.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FAGCdS02	<i>Position:</i>	1713	<i>Length:</i>	2
<i>Collection Name:</i>	ASQPSOC				

Personal Score

<i>Allowed values:</i>	00 : 60		FREQ	WTD
00 : 60	Personal Score		7,005	1,315,273
96	Valid skip		3,413	660,212
99	Not stated		96	23,399
			=====	=====
			10,514	1,998,884

Coverage: Children aged 3 to 47 months

Note: This score is based on ages and stages section PER - ©1999 Paul H. Brookes Publishing Co.

<i>Variable Name:</i>	FAGCdS03	<i>Position:</i>	1715	<i>Length:</i>	2
<i>Collection Name:</i>	ASQCOMM				

Communication Score

<i>Allowed values:</i>	00 : 60		FREQ	WTD
00 : 60	Communication Score		7,027	1,322,476
96	Valid skip		3,413	660,212
99	Not stated		74	16,196
			=====	=====
			10,514	1,998,884

Coverage: Children aged 3 to 47 months

Note: This score is based on ages and stages section CMN - ©1999 Paul H. Brookes Publishing Co.

<i>Variable Name:</i>	FAGCdS04	<i>Position:</i>	1717	<i>Length:</i>	2
<i>Collection Name:</i>	ASQFMTR				

Fine Motor Score

<i>Allowed values:</i>	00 : 60		FREQ	WTD
00 : 60	Fine Motor Score		6,846	1,281,863
96	Valid skip		3,413	660,212
99	Not stated		255	56,809
			=====	=====
			10,514	1,998,884

Coverage: Children aged 3 to 47 months

Note: This score is based on ages and stages section FIM - ©1999 Paul H. Brookes Publishing Co.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: PPVT - Scores

Variable Name: **FPPCS01** *Position:* 1719 *Length:* 3
Collection Name: SCORSTAN

Standard Score for PPVT-R

Allowed values: 044 : 179

		FREQ	WTD
047 : 179	Standard Score for PPVT-R	3,184	612,530
996	Valid skip	6,982	1,306,594
999	Not stated	348	79,760
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FPPCS02** *Position:* 1722 *Length:* 3
Collection Name: SCOREBRU

Raw Score for PPVT-R

Allowed values: 001 : 152

		FREQ	WTD
001 : 152	Raw Score for PPVT-R	3,184	612,530
996	Valid skip	6,982	1,306,594
999	Not stated	348	79,760
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FPPCD01** *Position:* 1725 *Length:* 3
Collection Name: PPVTAGE

Age of child in months

Allowed values: 046 : 075

		FREQ	WTD
046 : 075	Age of child in months	3,184	612,530
996	Valid skip	6,982	1,306,594
999	Not stated	348	79,760
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FPPCD02	<i>Position:</i>	1728	<i>Length:</i>	1
<i>Collection Name:</i>	CALCLANG				

Language in which the child took the test

		FREQ	WTD
1	English	2,641	482,376
2	French	543	130,154
6	Valid skip	6,982	1,306,594
9	Not stated	348	79,760
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Section: Who Am I? - Scales

<i>Variable Name:</i>	FWICdS01	<i>Position:</i>	1729	<i>Length:</i>	2
-----------------------	-----------------	------------------	------	----------------	---

Scale - Who am I?

Allowed values: 10 : 40

		FREQ	WTD
10 : 40	Scale - Who am I	2,798	545,075
96	Valid skip	6,982	1,306,594
99	Not stated	734	147,215
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This scale represents the overall score for the Who am I? Direct measure. This assessment measures the child's understanding and use of conventional symbols and relevant early learning skills. Summing the value of each of the 10 individual items derived this score. Each individual items score ranges from 10 to 40 (from scribble to clear symbols).

<i>Variable Name:</i>	FWICdS02	<i>Position:</i>	1731	<i>Length:</i>	2
-----------------------	-----------------	------------------	------	----------------	---

Copying Scale - Who am I?

Allowed values: 05 : 20

		FREQ	WTD
05 : 20	Copying Scale - Who am I	2,798	545,075
96	Valid skip	6,982	1,306,594
99	Not stated	734	147,215
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This scale represents the copying scores for the Who am I? Direct measure. These tasks access the development of ability to conceptualize a given figure. Summing the values of each of the 5 individual items of figures derived this score. Each individual items score ranges from 1 to 4 (from scribble to clear symbols).

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FWICdS03** *Position:* 1733 *Length:* 2

Symbols Scale - Who am I?

Allowed values: 05 : 20

		FREQ	WTD
05 : 20	Symbols Scale - Who am I	2,798	545,075
96	Valid skip	6,982	1,306,594
99	Not stated	734	147,215
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This scale represents the symbols score for the Who am I? Direct measure. These tasks focus on the understanding that symbols have particular meanings. Summing the value of each of the 5 individual items of conventional symbols derived this score. Each individual items score ranges from 1 to 4 (from scribble to clear symbols).

Variable Name: **FWICfS04** *Position:* 1735 *Length:* 3

Standardized Score for Scale - Who am I?

Allowed values: 000 : 173

		FREQ	WTD
033 : 157	Score for Scale - Who am I	2,798	545,075
996	Valid skip	6,982	1,306,594
999	Not stated	734	147,215
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FWICfS05** *Position:* 1738 *Length:* 3

Standardized Score for Copying Scale

Allowed values: 000 : 148

		FREQ	WTD
024 : 145	Score for Copying Scale	2,798	545,075
996	Valid skip	6,982	1,306,594
999	Not stated	734	147,215
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FWICfS06** *Position:* 1741 *Length:* 3

Standardized Score for Symbols Scale - Who am I ?

Allowed values: 024 : 193

		FREQ	WTD
043 : 165	Score for Symbols Scale	2,798	545,075
996	Valid skip	6,982	1,306,594
999	Not stated	734	147,215
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FWICfD01** *Position:* 1744 *Length:* 1
Collection Name: WAILANG

Language in which the child took the Who am I? Assessment

		FREQ	WTD
1	English	2,382	448,270
2	French	410	95,388
6	Valid skip	6,982	1,306,594
9	Not stated	740	148,633
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Number Knowledge

Variable Name: **FKNCdS01** *Position:* 1745 *Length:* 1

Age Equivalent - Number Knowledge

		FREQ	WTD
0	Indicates that the child has not reached the predimensional level	212	42,640
1	Indicates that the child has reached the predimensional level (4 year old equivalent) level 1	1,837	361,115
2	Indicates that the child has reached the unidimensional level (6 year old equivalent) level 2	1,097	200,875
3	Indicates that the child has reached the bidimensional level (8 year old equivalent) level 3	21	3,491
6	Valid skip	6,982	1,306,594
9	Not stated	365	84,168
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Note: This variable represents the age equivalent for the child regarding the Number Knowledge direct measure. This assessment measures the child's intuitive knowledge of numbers by assessing their understanding of the system of whole numbers. Level 1 represents the proportion of correct responses for the predimensional level. There are 5 items in this level. To reach the age equivalent of this level the child has to get a proportion of at least 0.6 (i.e., get at least 3 out of 5 correct responses). Level 2 represents the proportion of correct responses for the unidimensional level. There are 8 items in this level. To reach the age equivalent of this level the child has to get a proportion of a least 0.6 (i.e., get 5 out of 8 correct responses). Level 3 represents the proportion of correct responses for the bidimensional level. There are 9 items in this level. To reach the age equivalent of this level the child has to get a proportion of a least 0.6 (i.e., get 6 out of 9 correct responses).

Variable Name: **FKNCfS02** *Position:* 1746 *Length:* 3

Age standardized 30-point-row score - Number Knowledge

Allowed values: 050 : 161

		FREQ	WTD
050 : 161	Standardized 30-point-row score	3,167	608,122
996	Valid skip	6,982	1,306,594
999	Not stated	365	84,168
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FKNCfS03** *Position:* 1749 *Length:* 2

30-point-raw score - Number Knowledge

Allowed values: 00 : 30

		FREQ	WTD
00 : 29	30-point-raw score	3,167	608,122
96	Valid skip	6,982	1,306,594
99	Not stated	365	84,168
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Variable Name: **FKNCfD01** *Position:* 1751 *Length:* 1
Collection Name: KNOLANG

Language - Number Knowledge

		FREQ	WTD
1	English	2,626	478,380
2	French	545	129,928
6	Valid skip	6,982	1,306,594
9	Not stated	361	83,982
		=====	=====
		10,514	1,998,884

Coverage: Children aged 4 or 5 years old

Section: **Longitudinal Flags**

Variable Name: **FHLCfZQ3** *Position:* 1752 *Length:* 1
Collection Name: ZHLTDV03

Flag indicating a discrepancy between current cycle and previous cycle for the child's height.

		FREQ	WTD
0	No discrepancy	2,812	581,666
1	Discrepancy	142	25,856
6	Valid skip	4,684	715,568
9	Not stated	2,876	675,794
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Note: This inconsistency flag is based on FHLCQ03B and data from previous cycles EHLCQ03B.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Variable Name: **FHLCfZQ4** *Position:* 1753 *Length:* 1
Collection Name: ZHLTDV04

Flag indicating a discrepancy between current cycle and previous cycle for the child's weight.

		FREQ	WTD
0	No discrepancy	5,166	1,095,320
1	Discrepancy	130	29,904
6	Valid skip	4,684	715,568
9	Not stated	534	158,092
		=====	=====
		10,514	1,998,884

Coverage: Children aged 2 to 5 years old

Note: This inconsistency flag is based on FHLCQ04A and data from previous cycles EHLCQ04A.

Section: Child Care Flag

Variable Name: **FCRCfZ01** *Position:* 1754 *Length:* 1
Collection Name: CARFIX

Flag indicating that the values for child care were recovered

		FREQ	WTD
0	Values not recovered	10,113	1,916,067
1	Values recovered	401	82,817
		=====	=====
		10,514	1,998,884

Note: An error in the computerized questionnaire led to an underreporting of use of child care. There are 401 cases where the data incorrectly showed that a child was not using any form of child care. We have been able to correct the data for some variables (use of child care, types of child care and hours spent in child care). However, we are not able to provide information about the main type of child care for these cases.

Section: Longitudinal Flags

Variable Name: **MEMCYCLE** *Position:* 1755 *Length:* 2
Collection Name: INCYCLEM

In which cycle did child enter survey?

		FREQ	WTD
04	Cycle 4	2,964	653,623
05	Cycle 5	2,866	629,693
06	Cycle 6	4,684	715,568
		=====	=====
		10,514	1,998,884

Coverage: All respondents

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

Section: Weighting and Linking

Variable Name: **PERSRUK** *Position:* 1757 *Length:* 14

Persruk-Unique person identifier-Child

Coverage: All respondents

Variable Name: **FIELDRUK** *Position:* 1771 *Length:* 12

Fieldruk-unique household identifier

Coverage: All respondents

Variable Name: **PPERSRUK** *Position:* 1783 *Length:* 14
Collection Name: PERSRUK

Unique person identifier - PMK

Coverage: All respondents

Variable Name: **SPERSRUK** *Position:* 1797 *Length:* 14
Collection Name: PERSRUK

Unique person identifier - Spouse

Coverage: All respondents

Variable Name: **FWTCW01C** *Position:* 1811 *Length:* 12.4
Collection Name: XSECWT

Child cross sectional weight

Note: For more details, please refer to the Weighting chapter of the User Guide

Variable Name: **FWTCW01L** *Position:* 1823 *Length:* 12.4
Collection Name: LONGWT

Child longitudinal weight

Note: For more details, please refer to the Weighting chapter of the User Guide

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

<i>Variable Name:</i>	FLWTCD	<i>Position:</i>	1835	<i>Length:</i>	1
<i>Collection Name:</i>	C6DATA				

Flag indicating if data was collected

			FREQ	WTD
1	Yes		10,514	1,998,884
2	No		0	0
			=====	=====
			10,514	1,998,884

Note: There are two types of records on the Early Childhood Development file (10 552 records). There are 10 514 records that are cross-sectionally in scope (i.e., the child resides in the 10 provinces) and data has been collected for them. These have FWTCW01C > 0 and FLWTCD = '1' and are the source data for this codebook. There are also 38 records that are out of scope cross-sectionally (e.g., child is dead or lives outside the 10 provinces) and no data was collected. These have FWTCW01C = 0, FWTCW01L > 0 and FLWTCD = '2'. Further, the 38 records in the second group have the 'Not stated' code assigned for all survey variables regardless of the child's age or other characteristics.

<i>Variable Name:</i>	PSTRATC	<i>Position:</i>	1836	<i>Length:</i>	4
-----------------------	----------------	------------------	------	----------------	---

Cross-sectional post-stratification variable

Note: This code uniquely identifies the child's post-stratification group. The first two digits are the age, the third character is sex ("M" or "F") and the last digit is province. Records that are cross-sectionally out of scope have PSTRATC = missing, rather than a special code. The cross-sectional weights match population estimates based on the 2001 Census for January 2005.

<i>Variable Name:</i>	PSTRATL	<i>Position:</i>	1840	<i>Length:</i>	7
-----------------------	----------------	------------------	------	----------------	---

Longitudinal post-stratification variable

Note: This code uniquely identifies the child's longitudinal post-stratification group. The first three characters are the cycle (e.g., 'c4_') the fourth and fifth digit are the age, the sixth character is sex ("M" or "F") and the last digit is province. Records that are longitudinally out of scope have PSTRATL = missing, rather than a special code. The longitudinal weights of the 2 and 3 year olds match population estimates based on the 2001 Census for January 2003, and the longitudinal weights of the 4 and 5 year olds match population estimates based on the 2001 Census for January 2001.

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

INDEX

A		FBEC8PP1	394
AGESTAGE	533	FBEC8TT1	397
F		FBECd6JJ	392
FACCB3AA	368	FBECdQ6F	381
FACCD10A	376	FBECdS03	398
FACCD10E	377	FBECdS06	401
FACCD10F	378	FBECdS08	402
FACCD10G	378	FBECdS09	403
FACCD2AA	363	FBECeS01	397
FACCD2AH	365	FBECQ5	379
FACCD2AI	365	FBECQ5A	380
FACCD2AJ	366	FBECQ6AA	390
FACCDQ9A	374	FBECQ6B	380
FACCDQ9E	375	FBECQ6CC	390
FACCDQ9F	375	FBECQ6FF	391
FACCDQ9G	376	FBECQ6G	382
FACCe10C	377	FBECQ6I	382
FACCe3A	367	FBECQ6J	383
FACCe3B1	369	FBECQ6K	384
FACCeD01	379	FBECQ6LL	392
FACCeQ4A	372	FBECQ6MM	393
FACCeQ4B	373	FBECQ6NN	394
FACCeQ4D	373	FBECQ6P	384
FACCeQ4E	370	FBECQ6Q	385
FACCeQ4F	371	FBECQ6QQ	395
FACCeQ4G	371	FBECQ6R	385
FACCeQ4H	372	FBECQ6R1	386
FACCeQ9C	374	FBECQ6RR	396
FACCCQ2AB	364	FBECQ6S	386
FACCCQ2AC	364	FBECQ6TT	396
FACCCQ2AE	366	FBECQ6V	387
FACCCQ2B	367	FBECQ6W	388
FACCCQ3B	368	FBECQ6X	388
FACCCQ3C	369	FBECQ6Z	389
FACCCQ3D	370	FBECQ8E1	381
FACCCQ5	373	FBECQ8J1	383
FAGCdS01	533	FBECQ8T1	387
FAGCdS02	534	FBECQ8Z1	389
FAGCdS03	534	FBECs04	399
FAGCdS04	534	FBECs05	400
FBEC6DD1	391	FBECs10	404
FBEC8LL1	393	FBEDQ8HH	395

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FCHPD01.....	106	FCRCcQ1K.....	477
FCHPd1AB.....	78	FCRCcQ2A.....	480
FCHPQ1A.....	78	FCRCD02.....	487
FCHPQ1B.....	79	FCRCD03.....	486
FCHPQ1C.....	79	FCRCD04.....	486
FCHPQ1D.....	80	FCRCD06.....	488
FCHPQ1E.....	80	FCRCd1EB.....	473
FCHPQ1F.....	81	FCRCd1FB.....	474
FCHPQ1G.....	81	FCRCdQ6B.....	484
FCHPQ1H.....	82	FCRCe2AA.....	480
FCHPQ1I.....	82	FCRCe2AB.....	481
FCHPQ1J.....	83	FCRCe2AC.....	481
FCHPQ1K.....	83	FCRCe2AD.....	482
FCHPQ1L.....	84	FCRCe2CB.....	482
FCHPQ1M.....	84	FCRCeD2A.....	487
FCHPQ1N.....	85	FCRCfD2B.....	485
FCHPQ1O.....	85	FCRCfZ01.....	541
FCHPQ1U.....	86	FCRCQ03.....	483
FCHSD01.....	107	FCRCQ04.....	483
FCHSd1AB.....	92	FCRCQ06.....	484
FCHSQ1A.....	92	FCRCQ07.....	485
FCHSQ1B.....	93	FCRCQ1B.....	470
FCHSQ1C.....	93	FCRCQ1BA.....	471
FCHSQ1D.....	94	FCRCQ1BB.....	471
FCHSQ1E.....	94	FCRCQ1C.....	472
FCHSQ1F.....	95	FCRCQ1CA.....	472
FCHSQ1G.....	95	FCRCQ1CB.....	472
FCHSQ1H.....	96	FCRCQ1D.....	479
FCHSQ1I.....	96	FCRCQ1DA.....	479
FCHSQ1J.....	97	FCRCQ1E.....	473
FCHSQ1K.....	97	FCRCQ1EA.....	473
FCHSQ1L.....	98	FCRCQ1F.....	474
FCHSQ1M.....	98	FCRCQ1FA.....	474
FCHSQ1N.....	99	FCRCQ1G.....	475
FCHSQ1O.....	99	FCRCQ1GA.....	475
FCHSQ1U.....	100	FCRCQ1GB.....	476
FCMCdQ1A.....	360	FCRCQ1H.....	476
FCMCdQ1B.....	361	FCRCQ1HA.....	477
FCMCdQ1C.....	361	FCSCeD8.....	462
FCMCdQ1E.....	362	FCSCeD9.....	463
FCMCdQ1H.....	362	FCSCeQ14.....	463
FCMCdQ1I.....	363	FCSCeQ15.....	464
FCRCc1JA.....	478	FCSCeQ16.....	464
FCRCc1KA.....	478	FCSCeQ2.....	459
FCRCcQ1A.....	470	FCSCeQ20.....	465
FCRCcQ1J.....	478	FCSCeQ21.....	465

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FCSCeQ22	466	FDMPD06D	17
FCSCeQ2A	460	FDMSD06E	17
FCSCeQ30	466	FDPPQ12A	108
FCSCeQ31	467	FDPPQ12B	108
FCSCeQ32	467	FDPPQ12C	109
FCSCeQ40	468	FDPPQ12D	109
FCSCeQ47	468	FDPPQ12E	110
FCSCeQ5	460	FDPPQ12F	110
FCSCeQ50	469	FDPPQ12G	111
FCSCeQ57	469	FDPPQ12H	111
FCSCeQ6A	462	FDPPQ12I	112
FCSCfQ1	459	FDPPQ12J	112
FCSCfQ6	461	FDPPQ12K	113
FCSCfQ6B	461	FDPPQ12L	113
FCSCfQ6C	462	FDPPS01	114
FDIREQ01	249	FEDCb21A	244
FDIREQ02	249	FEDCb21B	244
FDIREQ03	250	FEDCb21E	245
FDIREQ04	250	FEDCb21F	246
FDMCD04	14	FEDCb21K	248
FDMCD05	15	FEDCbQ0	224
FDMCD06	15	FEDCc12B	227
FDMCD06B	16	FEDCc12C	227
FDMCD06C	16	FEDCc16B	239
FDMCD08	18	FEDCc18C	240
FDMCD09	18	FEDCc18D	241
FDMCD10	19	FEDCc19E	243
FDMCD11	19	FEDCc21C	245
FDMCD12	19	FEDCd11A	235
FDMCD13	20	FEDCd13A	236
FDMCD14	20	FEDCdQ13	236
FDMCD15	21	FEDCdQ7F	234
FDMCD16	21	FEDCdQ9A	234
FDMCD18	22	FEDCdQ9B	234
FDMCD18B	23	FEDCe02	232
FDMCD19	23	FEDCe03	232
FDMCD19B	23	FEDCe18B	240
FDMCD20	24	FEDCe21G	246
FDMCfD03	14	FEDCe21I	247
FDMCfD17	22	FEDCe21J	247
FDMCfD23	24	FEDCe3EA	228
FDMHD02	13	FEDCe3EB	229
FDMHD06F	17	FEDCe3EC	229
FDMHD07	18	FEDCe3ED	230
FDMHPC	5	FEDCe3EE	230
FDMPD06A	15	FEDCe3EF	231

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FEDCe3EG	231	FEDSQ03	33
FEDCeQ0A	225	FEDSQ05	31
FEDCeQ3D	228	FEDSQ06	31
FEDCeQ4A	232	FFNHQ01A	115
FEDCf21L	248	FFNHQ01B	115
FEDCfD01	226	FFNHQ01C	116
FEDCfD03	233	FFNHQ01D	116
FEDCQ06	233	FFNHQ01E	117
FEDCQ10	235	FFNHQ01F	117
FEDCQ12A	226	FFNHQ01G	118
FEDCQ14A	237	FFNHQ01H	118
FEDCQ14B	237	FFNHQ01I	119
FEDCQ14C	238	FFNHQ01J	119
FEDCQ14D	238	FFNHQ01K	120
FEDCQ17	239	FFNHQ01L	120
FEDCQ19A	241	FFNHQ01M	121
FEDCQ19B	242	FFNHS01	122
FEDCQ19C	242	FGEHbD04	5
FEDCQ19D	243	FGEHbD06	2
FEDHcQ8A	38	FGEHbD07	5
FEDHcQ8B	39	FGEHD03	1
FEDHcQ8C	39	FHHHQ01	25
FEDHcQ8D	40	FHHHQ03	26
FEDHcQ8E	40	FHHHQ06	25
FEDHfQ8F	41	FHHHQ09	26
FEDPcQ7A	29	FHLCbD45	289
FEDPcQ7B	29	FHLCbD4C	324
FEDPcQ7C	30	FHLCbD4D	323
FEDPcQ7D	30	FHLCCD2A	288
FEDPD04	36	FHLCD51	289
FEDPeD02	35	FHLCDQ5A	252
FEDPeQ4B	36	FHLCDQ5B	253
FEDPQ01	27	FHLCDQ5C	254
FEDPQ02	28	FHLCe37	266
FEDPQ03	28	FHLCe38	266
FEDPQ05	26	FHLCe45A	271
FEDPQ06	27	FHLCe45B	272
FEDScQ7A	33	FHLCe45C	272
FEDScQ7B	34	FHLCe45D	272
FEDScQ7C	34	FHLCe45E	273
FEDScQ7D	35	FHLCe45F	273
FEDSD04	37	FHLCe45G	273
FEDSeD02	37	FHLCe45H	274
FEDSeQ4B	38	FHLCe45I	275
FEDSQ01	32	FHLCe45J	274
FEDSQ02	32	FHLCe45K	274

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FHLCe45M.....	275	FHLCQ33	264
FHLCe45N.....	271	FHLCQ34	265
FHLCe45O.....	271	FHLCQ35	265
FHLCe48A.....	277	FHLCQ36	265
FHLCe48D.....	277	FHLCQ39	267
FHLCe48E.....	278	FHLCQ40	267
FHLCe48I.....	278	FHLCQ41	268
FHLCeD02.....	290	FHLCQ42	269
FHLCeD03.....	290	FHLCQ43A.....	269
FHLCeQ5D.....	254	FHLCQ43B.....	270
FHLCeQ5E.....	253	FHLCQ43C.....	270
FHLCeS01	289	FHLCQ44	270
FHLCf47B	276	FHLCQ46	276
FHLCfZQ3.....	540	FHLCQ47A.....	276
FHLCfZQ4.....	541	FHLCQ49	279
FHLCQ01	251	FHLCQ50	279
FHLCQ02	251	FHLCQ51A.....	279
FHLCQ03B.....	252	FHLCQ51B.....	280
FHLCQ04A.....	252	FHLCQ51C.....	280
FHLCQ06	255	FHLCQ51D.....	280
FHLCQ07	255	FHLCQ51E.....	281
FHLCQ08	255	FHLCQ52A.....	281
FHLCQ09	256	FHLCQ52B.....	281
FHLCQ10	256	FHLCQ52C.....	282
FHLCQ11	256	FHLCQ52D.....	282
FHLCQ12	257	FHLCQ52E.....	283
FHLCQ13	257	FHLCQ52F	283
FHLCQ14	257	FHLCQ52G.....	284
FHLCQ15	258	FHLCQ52H.....	284
FHLCQ16	258	FHLCQ52I.....	285
FHLCQ17	258	FHLCQ52J.....	285
FHLCQ18	259	FHLCQ52K.....	286
FHLCQ19	259	FHLCQ52L.....	286
FHLCQ20	259	FHLCQ52M.....	287
FHLCQ21	260	FHLCQ52N.....	287
FHLCQ22	260	FHLCQ52O.....	288
FHLCQ23	260	FHLMQ11.....	106
FHLCQ24	261	FHLMQ8.....	105
FHLCQ25	261	FHLMQ9.....	106
FHLCQ26	261	FHLPcQ05	90
FHLCQ27	262	FHLPcQ5A	90
FHLCQ28	262	FHLPQ01	77
FHLCQ29	262	FHLPQ02.....	89
FHLCQ30	263	FHLPQ03.....	89
FHLCQ31	263	FHLPQ06.....	91
FHLCQ32	264	FHLScQ05	104

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FHLScQ5A	104	FLFPbQ06.....	46
FHLSQ01	91	FLFPbQ13.....	47
FHLSQ02	103	FLFPbQ5A.....	43
FHLSQ03	103	FLFPbQ5B.....	44
FHLSQ06.....	105	FLFPbQ5C.....	44
FIELDruk.....	542	FLFPbQ5D.....	45
FINHD03A	72	FLFPbQ5E	45
FINHD04A	72	FLFPbQ5F	46
FINHdQ05	70	FLFPbQ5G.....	46
FINHdQ06	71	FLFPcQ3A.....	42
FINHdQ07	71	FLFPD25.....	58
FINHe1AD.....	69	FLFPD34.....	58
FINHe1AE	69	FLFPD51.....	59
FINHe1AF	69	FLFPf17B	47
FINHe1AG.....	70	FLFPfD5A	55
FINHeI02	75	FLFPfD6A	55
FINHeQ03.....	70	FLFPfD7A	56
FINHI1AD	76	FLFPfD8A	57
FINHI1AE.....	76	FLFPQ02.....	41
FINHI1AF.....	76	FLFSbD38.....	64
FINHI1AG	77	FLFSbQ03.....	49
FINPc1AA	67	FLFSbQ04.....	49
FINPc1AB.....	67	FLFSbQ06.....	53
FINPc1AC.....	67	FLFSbQ13.....	54
FINPeD04	71	FLFSbQ5A.....	50
FINPeI03.....	73	FLFSbQ5B.....	50
FINPI1AA.....	73	FLFSbQ5C.....	51
FINPI1AB	73	FLFSbQ5D.....	51
FINPI1AC	74	FLFSbQ5E	52
FINSclAA	68	FLFSbQ5F	52
FINSclAB.....	68	FLFSbQ5G.....	53
FINSclAC.....	68	FLFSclQ3A	48
FINSeD04	72	FLFSD25.....	63
FINSeI03.....	74	FLFSD34.....	63
FINSI1AA.....	74	FLFSD51.....	64
FINSI1AB	75	FLFSf17B	54
FINSI1AC	75	FLFSfD5A	60
FKNCdS01.....	539	FLFSfD6A	60
FKNCfD01.....	540	FLFSfD7A	61
FKNCfS02	539	FLFSfD8A	62
FKNCfS03	540	FLFSQ02.....	48
FLFHD49B	65	FLTCdQ13.....	359
FLFHD50.....	66	FLTCdQ14.....	360
FLFPbD38.....	59	FLTCdQ1A	351
FLFPbQ03.....	42	FLTCdQ1B	352
FLFPbQ04.....	43	FLTCdQ1C	352

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FLTCdQ1D	353	FMDCQ08D	300
FLTCdQ1G	354	FMDCQ09A	301
FLTCdQ1H	355	FMDCQ09B	301
FLTCdQ2	357	FMDCQ09C	302
FLTCdQ4F	356	FMDCQ09D	302
FLTCdQ4H	354	FMDCQ09E	303
FLTCdQ4P	356	FMDCQ10A	303
FLTCdQ7A	358	FMDCQ10B	304
FLTCdQ7C	358	FMDCQ10C	304
FLTCdQ7E	359	FMDCQ10D	305
FLTCf03	357	FMDCQ10E	305
FLTCfQ1E	353	FMDCQ12C	323
FLTCfQ4B	355	FMDCQ14B	324
FLWTCD	543	FMDCQ15	306
FMDCbQ29	336	FMDCQ16	306
FMDCbQ2A	292	FMDCQ17	307
FMDCbQ2B	293	FMDCQ18	307
FMDCbQ2C	293	FMDCQ21A	308
FMDCbQ2D	294	FMDCQ21B	308
FMDCbQ2E	294	FMDCQ21C	309
FMDCbQ31	337	FMDCQ21D	309
FMDCD01	325	FMDCQ21E	310
FMDCD02	325	FMDCQ21F	310
FMDCD03	326	FMDCQ22	311
FMDCD04	326	FMDCQ23A	311
FMDCD05	327	FMDCQ23B	312
FMDCD06	327	FMDCQ23C	312
FMDCD07	328	FMDCQ23D	313
FMDCD08	328	FMDCQ23F	313
FMDCD09	329	FMDCQ24A	314
FMDCD10	329	FMDCQ24B	314
FMDCD26	330	FMDCQ25	315
FMDCQ01A	291	FMDCQ26	315
FMDCQ01B	291	FMDCQ27	316
FMDCQ01C	292	FMDCQ28A	316
FMDCQ03	295	FMDCQ28B	317
FMDCQ04	295	FMDCQ28C	317
FMDCQ05A	296	FMDCQ28D	318
FMDCQ05B	296	FMDCQ28E	318
FMDCQ05C	297	FMDCQ28F	319
FMDCQ05D	297	FMDCQ28G	319
FMDCQ06	298	FMDCQ28H	320
FMDCQ07	298	FMDCQ28I	320
FMDCQ08A	299	FMDCQ28J	321
FMDCQ08B	299	FMDCQ28K	321
FMDCQ08C	300	FMDCQ28L	322

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FMDCQ28M.....	322	FMSCQ24.....	420
FMLCfD01	339	FMSCQ25	420
FMLCfD02	340	FMSCQ26.....	420
FMLCfD03	340	FMSCQ27	421
FMLCfD04	341	FMSCQ28.....	421
FMLCfD05	341	FMSCQ29.....	421
FMMCbQ1A.....	11	FMSCQ30.....	422
FMMCdQ1B.....	11	FMSCQ31	422
FMMCQ01.....	10	FMSCQ32.....	422
FMMCQ02.....	12	FMSCQ33	423
FMMCQ03A.....	12	FMSCQ34.....	423
FMMCQ03B.....	12	FMSCQ35	423
FMMCQ03C.....	12	FMSCQ36.....	424
FMMCQ05.....	13	FMSCQ37	424
FMMHfQ06.....	13	FMSCQ38.....	424
FMMPQ01	6	FMSCQ39	425
FMMPQ02	6	FMSCQ40.....	425
FMMPQ03A	6	FMSCQ41	425
FMMPQ03B	7	FMSCQ42.....	426
FMMPQ03C	7	FMSCQ43	426
FMMPQ04	7	FMSCQ44.....	426
FMMSQ01	8	FMSCQ45	427
FMMSQ02.....	8	FMSCQ46.....	427
FMMSQ03A	8	FMSCQ47	427
FMMSQ03B	9	FMSCQ48.....	428
FMMSQ03C	9	FMSCS01.....	428
FMMSQ04.....	9	FMSCS02.....	429
FMSCDS03.....	429	FPBCdQ1A.....	404
FMSCIS1A	429	FPBCdQ1B	405
FMSCIS1B.....	430	FPBCdQ1C	405
FMSCQ08.....	414	FPBCdQ1D.....	406
FMSCQ09.....	415	FPBCdQ1E	406
FMSCQ10.....	415	FPBCdQ1F.....	407
FMSCQ11	415	FPBCdQ1G.....	407
FMSCQ12.....	416	FPBCdQ1H.....	408
FMSCQ13.....	416	FPBCdQ1I.....	408
FMSCQ14.....	416	FPBCdQ1N.....	409
FMSCQ15.....	417	FPBCdQ1O.....	409
FMSCQ16.....	417	FPBCdQ1P.....	410
FMSCQ17.....	417	FPBCdQ1Q.....	410
FMSCQ18.....	418	FPBCdQ1R.....	411
FMSCQ19.....	418	FPPCD01	535
FMSCQ20.....	418	FPPCD02	536
FMSCQ21	419	FPPCS01	535
FMSCQ22.....	419	FPPCS02.....	535
FMSCQ23.....	419	FPRCe10.....	437

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FPRCe11	438	FRLCQ06.....	431
FPRCQ01	433	FRLCQ08.....	431
FPRCQ02	433	FRLCQ09.....	432
FPRCQ03	434	FRSPd1AA	86
FPRCQ04	434	FRSPdD01	107
FPRCQ05	435	FRSPdQ1F	87
FPRCQ06	435	FRSPQ01A	87
FPRCQ07	436	FRSPQ01D	88
FPRCQ08	436	FRSPQ01E.....	88
FPRCQ09	437	FRSSd1AA	100
FPRCQ12	438	FRSSdD01	107
FPRCQ13	439	FRSSdQ1F	101
FPRCQ14	439	FRSSQ01A	101
FPRCQ15	440	FRSSQ01D	102
FPRCQ16	440	FRSSQ01E.....	102
FPRCQ17	441	FSDCb4AA.....	501
FPRCQ18	441	FSDCb4AB	501
FPRCQ19	442	FSDCb4AC	502
FPRCQ20	443	FSDCb4AD.....	502
FPRCQ21	443	FSDCb4AE	503
FPRCQ22	444	FSDCb4AF	503
FPRCQ23	444	FSDCb4AG.....	504
FPRCQ24	445	FSDCb4AH.....	504
FPRCQ25	445	FSDCb4AI	505
FPRCQ25A	442	FSDCb4AJ	505
FPRCQ26A	446	FSDCb4AK.....	506
FPRCQ26B	446	FSDCb4AL	506
FPRCQ26C	447	FSDCc6AA.....	526
FPRCQ26D	447	FSDCc6AB	526
FPRCQ26E	448	FSDCc6AC	527
FPRCQ26F.....	448	FSDCD01.....	530
FPRCQ26G	449	FSDCD02.....	530
FPRCQ26H	449	FSDCD03.....	531
FPRCQ26I.....	450	FSDCD04.....	531
FPRCQ26J	450	FSDCD05.....	532
FPRCQ26K.....	451	FSDCD06.....	532
FPRCQ27	451	FSDCD2AA	530
FPRCQ28	452	FSDCe6BA	527
FPRCS01.....	453	FSDCe6BB	528
FPRCS02.....	454	FSDCe6BC	528
FPRCS03.....	455	FSDCeQ9	529
FPRCS04.....	456	FSDCf3BA.....	490
FPRCS05.....	457	FSDCf3BB	490
FPRCS06.....	458	FSDCf3BC	491
FRLCdQ07.....	432	FSDCfQ3A	489
FRLCe01.....	430	FSDCQ1.....	488

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FSDCQ2B	489	FSDCQ6G	519
FSDCQ3	489	FSDCQ6H	520
FSDCQ4A	491	FSDCQ6I	520
FSDCQ4B	492	FSDCQ6J	521
FSDCQ4C	492	FSDCQ6K	521
FSDCQ4D	493	FSDCQ6L	522
FSDCQ4E	493	FSDCQ6M	522
FSDCQ4F	494	FSDCQ6N	523
FSDCQ4G	494	FSDCQ6O	523
FSDCQ4H	495	FSDCQ6P	524
FSDCQ4I	495	FSDCQ6Q	524
FSDCQ4J	496	FSDCQ6R	525
FSDCQ4K	496	FSDCQ6S	525
FSDCQ4L	497	FSDCQ8	529
FSDCQ4M	497	FSDHfD4B	223
FSDCQ4N	498	FSDPb4AA	150
FSDCQ4O	498	FSDPb4AB	151
FSDCQ4P	499	FSDPb4AC	151
FSDCQ4Q	499	FSDPb4AD	152
FSDCQ4R	500	FSDPb4AE	152
FSDCQ4S	500	FSDPb4AF	153
FSDCQ5A	507	FSDPb4AG	153
FSDCQ5B	507	FSDPb4AH	154
FSDCQ5C	508	FSDPb4AI	154
FSDCQ5D	508	FSDPb4AJ	155
FSDCQ5E	509	FSDPb4AK	155
FSDCQ5F	509	FSDPb4AL	156
FSDCQ5G	510	FSDPc6AA	175
FSDCQ5H	510	FSDPc6AB	176
FSDCQ5I	511	FSDPc6AC	176
FSDCQ5J	511	FSDPD01	216
FSDCQ5K	512	FSDPD02	217
FSDCQ5L	512	FSDPD02B	217
FSDCQ5M	513	FSDPD03	218
FSDCQ5N	513	FSDPD04	218
FSDCQ5O	514	FSDPD05	219
FSDCQ5P	514	FSDPD06	219
FSDCQ5Q	515	FSDPD2AA	217
FSDCQ5R	515	FSDPQ1	139
FSDCQ5S	516	FSDPQ2B	140
FSDCQ6A	516	FSDPQ3	140
FSDCQ6B	517	FSDPQ4A	141
FSDCQ6C	517	FSDPQ4B	141
FSDCQ6D	518	FSDPQ4C	142
FSDCQ6E	518	FSDPQ4D	142
FSDCQ6F	519	FSDPQ4E	143

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FSDPQ4F	143	FSDPQ6N	172
FSDPQ4G	144	FSDPQ6O	173
FSDPQ4H	144	FSDPQ6P	173
FSDPQ4I	145	FSDPQ6Q	174
FSDPQ4J	145	FSDPQ6R	174
FSDPQ4K	146	FSDPQ6S	175
FSDPQ4L	146	FSDPQ8	177
FSDPQ4M	147	FSDSb4AA	189
FSDPQ4N	147	FSDSb4AB	190
FSDPQ4O	148	FSDSb4AC	190
FSDPQ4P	148	FSDSb4AD	191
FSDPQ4Q	149	FSDSb4AE	191
FSDPQ4R	149	FSDSb4AF	192
FSDPQ4S	150	FSDSb4AG	192
FSDPQ5A	156	FSDSb4AH	193
FSDPQ5B	157	FSDSb4AI	193
FSDPQ5C	157	FSDSb4AJ	194
FSDPQ5D	158	FSDSb4AK	194
FSDPQ5E	158	FSDSb4AL	195
FSDPQ5F	159	FSDSc6AA	214
FSDPQ5G	159	FSDSc6AB	215
FSDPQ5H	160	FSDSc6AC	215
FSDPQ5I	160	FSDSD01	220
FSDPQ5J	161	FSDSD02	220
FSDPQ5K	161	FSDSD02B	221
FSDPQ5L	162	FSDSD03	221
FSDPQ5M	162	FSDSD04	222
FSDPQ5N	163	FSDSD05	222
FSDPQ5O	163	FSDSD06	223
FSDPQ5P	164	FSDSD2AA	220
FSDPQ5Q	164	FSDSQ1	178
FSDPQ5R	165	FSDSQ2B	179
FSDPQ5S	165	FSDSQ3	179
FSDPQ6A	166	FSDSQ4A	180
FSDPQ6B	166	FSDSQ4B	180
FSDPQ6C	167	FSDSQ4C	181
FSDPQ6D	167	FSDSQ4D	181
FSDPQ6E	168	FSDSQ4E	182
FSDPQ6F	168	FSDSQ4F	182
FSDPQ6G	169	FSDSQ4G	183
FSDPQ6H	169	FSDSQ4H	183
FSDPQ6I	170	FSDSQ4I	184
FSDPQ6J	170	FSDSQ4J	184
FSDPQ6K	171	FSDSQ4K	185
FSDPQ6L	171	FSDSQ4L	185
FSDPQ6M	172	FSDSQ4M	186

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FSDSQ4N	186	FSFHQ01	123
FSDSQ4O	187	FSFHQ02	123
FSDSQ4P	187	FSFHQ03	124
FSDSQ4Q	188	FSFHQ05A	125
FSDSQ4R	188	FSFHQ05B	125
FSDSQ4S	189	FSFHQ05C	126
FSDSQ5A	195	FSFHQ06A	126
FSDSQ5B	196	FSFHQ06B	127
FSDSQ5C	196	FSFHQ06C	127
FSDSQ5D	197	FSFHQ06D	128
FSDSQ5E	197	FSFHQ06E	128
FSDSQ5F	198	FSFHS5	129
FSDSQ5G	198	FSFHS6	130
FSDSQ5H	199	FSLCdQ2	412
FSDSQ5I	199	FSLCdQ4	413
FSDSQ5J	200	FSLCdQ5	413
FSDSQ5K	200	FSLCdQ6	414
FSDSQ5L	201	FSLCdQ7	414
FSDSQ5M	201	FSLCeQ1	411
FSDSQ5N	202	FSLCeQ3B	412
FSDSQ5O	202	FSPHd01H	134
FSDSQ5P	203	FSPHd01I	134
FSDSQ5Q	203	FSPHeQ2A	135
FSDSQ5R	204	FSPHeQ2B	135
FSDSQ5S	204	FSPHeQ2C	136
FSDSQ6A	205	FSPHeQ2D	136
FSDSQ6B	205	FSPHeQ2E	137
FSDSQ6C	206	FSPHfQ2F	137
FSDSQ6D	206	FSPHQ01A	131
FSDSQ6E	207	FSPHQ01B	131
FSDSQ6F	207	FSPHQ01C	132
FSDSQ6G	208	FSPHQ01D	132
FSDSQ6H	208	FSPHQ01E	133
FSDSQ6I	209	FSPHQ01F	133
FSDSQ6J	209	FSPHS01	138
FSDSQ6K	210	FTMCcQ25	349
FSDSQ6L	210	FTMCcQ26	350
FSDSQ6M	211	FTMCcQ27	350
FSDSQ6N	211	FTMCe01	342
FSDSQ6O	212	FTMCe06	343
FSDSQ6P	212	FTMCfQ08	344
FSDSQ6Q	213	FTMCfQ33	351
FSDSQ6R	213	FTMCQ05	342
FSDSQ6S	214	FTMCQ07	343
FSDSQ8	216	FTMCQ09	344
FSFHcQ04	124	FTMCQ11	345

National Longitudinal Survey of Children and Youth, Cycle 6, 2004
Master file (Early Childhood Development)

FTMCQ12.....	345	FWBCeQ2A.....	331
FTMCQ14.....	346	FWBCeQ2B.....	332
FTMCQ15.....	346	FWBCeQ2C.....	332
FTMCQ17.....	347	FWBCeQ3.....	332
FTMCQ19.....	347	FWICdS01	536
FTMCQ20.....	348	FWICdS02	536
FTMCQ23.....	348	FWICdS03	537
FTMCQ23A.....	349	FWICfD01	538
FWBCcD2B.....	339	FWICfS04.....	537
FWBCcQ1B.....	337	FWICfS05.....	537
FWBCcQ4A.....	338	FWICfS06.....	538
FWBCcQ4B.....	338	FWTCW01C.....	542
FWBCe3A.....	333	FWTCW01L.....	542
FWBCe3A1.....	333	M	
FWBCe3A2.....	334	MEMCYCLE.....	541
FWBCe3A3.....	334	P	
FWBCe3B.....	335	PERSRUK.....	542
FWBCe3B1.....	335	PPERSRUK	542
FWBCe3B2.....	336	PSTRATC.....	543
FWBCe3B3.....	336	PSTRATL	543
FWBCeQ1.....	330	S	
FWBCeQ2.....	331	SPERSRUK	542