

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.1

Variable: **RECORDNO** Position: 1 Length: 5

Record Number

Note: A unique record number for each record on the file

Variable: **AGEGRP** Position: 6 Length: 2

Grouped Age Cohorts

| | | FREQ | WTD |
|----|-------------------|-------|-----------|
| 01 | 12 TO 14 YEARS | 468 | 1,312,242 |
| 02 | 15 TO 19 YEARS | 905 | 2,088,268 |
| 03 | 20 TO 24 YEARS | 1,055 | 1,711,438 |
| 04 | 25 TO 29 YEARS | 1,196 | 2,107,585 |
| 05 | 30 TO 34 YEARS | 1,494 | 2,657,688 |
| 06 | 35 TO 39 YEARS | 1,362 | 2,644,321 |
| 07 | 40 TO 44 YEARS | 1,126 | 2,210,232 |
| 08 | 45 TO 49 YEARS | 1,043 | 1,893,828 |
| 09 | 50 TO 54 YEARS | 844 | 1,554,109 |
| 10 | 55 TO 59 YEARS | 760 | 1,317,239 |
| 11 | 60 TO 64 YEARS | 735 | 1,200,685 |
| 12 | 65 TO 69 YEARS | 724 | 1,110,023 |
| 13 | 70 TO 74 YEARS | 701 | 960,398 |
| 14 | 75 TO 79 YEARS | 489 | 633,969 |
| 15 | 80 YEARS OR OLDER | 498 | 546,576 |

Note: Age of respondent - grouped

Variable: **SEX** Position: 8 Length: 1

Respondent's sex

| | | FREQ | WTD |
|---|--------|-------|------------|
| 1 | MALE | 5,941 | 11,780,335 |
| 2 | FEMALE | 7,459 | 12,168,268 |

Note: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.2

Variable: **MARSTATG** Position: 9 Length: 1

Current marital status - grouped

| | | FREQ | WTD |
|---|----------------------------|-------|------------|
| 1 | MARRIED/COMMON-LAW/PARTNER | 7,148 | 14,074,327 |
| 2 | SINGLE | 3,659 | 6,887,734 |
| 3 | OTHER(WID/DIV/SEPERATED) | 2,592 | 2,982,957 |
| 9 | NOT STATED | 1 | 3,584 |

Note: All respondents

Variable: **DWELLOWN** Position: 10 Length: 1

Dwelling owned by a member of the household

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 9,194 | 17,136,684 |
| 2 | NO | 4,203 | 6,808,477 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 3 | 3,442 |

Variable: **NUMBEDRM** Position: 11 Length: 2

Number of bedrooms in dwelling

| | | FREQ | WTD |
|----|--------------------|-------|------------|
| 00 | NO BEDROOMS | 158 | 220,103 |
| 01 | 1 BEDROOM | 1,459 | 1,840,441 |
| 02 | 2 BEDROOMS | 3,172 | 4,954,095 |
| 03 | 3 BEDROOMS | 5,627 | 10,502,229 |
| 04 | 4 BEDROOMS | 2,348 | 4,897,950 |
| 05 | 5 BEDROOMS OR MORE | 630 | 1,523,196 |
| 99 | NOT STATED | 6 | 10,588 |

Note: If no separate enclosed bedroom, enter "00".

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.3

Variable: **PETS** Position: 13 Length: 1

Is there a pet in this household ?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 6,006 | 11,113,902 |
| 2 | NO | 7,391 | 12,831,300 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 3 | 3,401 |

Variable: **KINDPETG** Position: 14 Length: 2

What kind of pet ? - grouped

| | | FREQ | WTD |
|----|-------------------------|-------|------------|
| 01 | AT LEAST A DOG OR A CAT | 5,445 | 9,846,167 |
| 02 | OTHER ONLY | 559 | 1,263,429 |
| 96 | NOT APPLICABLE | 7,391 | 12,831,300 |
| 99 | NOT STATED | 5 | 7,706 |

Variable: **PETINDR** Position: 16 Length: 1

Pet(s) live(s) mainly indoors?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 4,490 | 8,230,653 |
| 2 | NO | 955 | 1,615,515 |
| 6 | NOT APPLICABLE | 7,950 | 14,094,729 |
| 9 | NOT STATED | 5 | 7,706 |

Variable: **HHSIZEG** Position: 17 Length: 1

Size of household - grouped

| | | FREQ | WTD |
|---|-------------------|-------|-----------|
| 1 | 1 MEMBER | 2,965 | 2,854,120 |
| 2 | 2 MEMBERS | 4,218 | 6,974,743 |
| 3 | 3 MEMBERS | 2,514 | 4,882,754 |
| 4 | 4 MEMBERS | 2,411 | 5,428,756 |
| 5 | 5 MEMBERS OR MORE | 1,292 | 3,808,230 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.4

Variable: **DVHHTP94** Position: 18 Length: 2

Derived type of household

| | | FREQ | WTD |
|----|--|-------|------------|
| 01 | COUPLE WITH CHILDREN <25 | 4,575 | 10,229,245 |
| 02 | COUPLE WITH CHILDREN >=25 &/OR RELATIVES | 437 | 1,134,494 |
| 03 | SINGLE | 2,965 | 2,854,120 |
| 04 | SINGLE WITH OTHERS | 396 | 714,033 |
| 05 | COUPLE WITH CHILDREN <25 AND RELATIVES | 378 | 1,169,013 |
| 06 | COUPLE ALONE | 3,109 | 5,370,497 |
| 07 | SINGLE PARENT WITH CHILDREN <25 ONLY | 1,037 | 1,494,718 |
| 08 | OTHER SINGLE PARENT HHLD | 316 | 611,565 |
| 09 | OTHER | 119 | 206,215 |
| 99 | NOT STATED | 68 | 164,703 |

Note: See Appendix F- Derived variables

Variable: **NUMLE5G** Position: 20 Length: 2

Are there persons in the household aged 5 years old or less?

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 01 | YES | 1,987 | 4,010,467 |
| 02 | NO | 11,413 | 19,938,136 |
| 06 | NOT APPLICABLE | 0 | 0 |
| 09 | NOT STATED | 0 | 0 |

Variable: **NUM6T11G** Position: 22 Length: 2

Are there persons in the household aged 6 to 11 years old?

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 01 | YES | 1,986 | 4,417,991 |
| 02 | NO | 11,414 | 19,530,612 |
| 06 | NOT APPLICABLE | 0 | 0 |
| 09 | NOT STATED | 0 | 0 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.5

Variable: **TW_Q1** Position: 24 Length: 1

During the past 2 weeks, did you stay in bed due to an illness or injury?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 899 | 1,619,107 |
| 2 | NO | 12,501 | 22,329,496 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 0 | 0 |

Note: All respondents

Variable: **TW_Q2** Position: 25 Length: 2

How many days did you stay in bed for all or most of the day?

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 00 | 0 DAYS | 76 | 134,372 |
| 01 | 1 DAY | 300 | 561,802 |
| 02 | 2 DAYS | 200 | 384,943 |
| 03 | 3 DAYS | 112 | 205,293 |
| 04 | 4 DAYS | 59 | 97,799 |
| 05 | 5 DAYS | 31 | 57,037 |
| 06 | 6 DAYS | 15 | 25,069 |
| 07 | 7 DAYS | 38 | 70,711 |
| 08 | 8 DAYS | 9 | 9,263 |
| 09 | 9 DAYS | 4 | 5,691 |
| 10 | 10 DAYS | 12 | 15,193 |
| 11 | 11 DAYS | 3 | 3,774 |
| 12 | 12 DAYS | 3 | 2,794 |
| 13 | 13 DAYS | 2 | 998 |
| 14 | 14 DAYS | 35 | 44,368 |
| 96 | NOT APPLICABLE | 12,501 | 22,329,496 |
| 99 | NOT STATED | 0 | 0 |

Note: Respondents who have answered TWOWK-Q1=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.6

Variable: **TW_Q3** Position: 27 Length: 1

Were there any days that you cut down on things because of illness or injury?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,747 | 2,925,574 |
| 2 | NO | 11,618 | 20,978,661 |
| 6 | NOT APPLICABLE | 35 | 44,368 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents who have answered TWOWK-Q1=2 or less than 14 days in TWOWK-Q2

Variable: **TW_Q4** Position: 28 Length: 2

How many days did you cut down on things for all or most of the day?

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 00 | 0 DAYS | 62 | 107,129 |
| 01 | 1 DAY | 257 | 498,837 |
| 02 | 2 DAYS | 302 | 513,745 |
| 03 | 3 DAYS | 217 | 393,529 |
| 04 | 4 DAYS | 138 | 247,469 |
| 05 | 5 DAYS | 93 | 142,582 |
| 06 | 6 DAYS | 44 | 61,011 |
| 07 | 7 DAYS | 155 | 242,387 |
| 08 | 8 DAYS | 17 | 24,685 |
| 09 | 9 DAYS | 14 | 19,401 |
| 10 | 10 DAYS | 64 | 103,250 |
| 11 | 11 DAYS | 17 | 19,139 |
| 12 | 12 DAYS | 39 | 60,496 |
| 13 | 13 DAYS | 22 | 33,553 |
| 14 | 14 DAYS | 306 | 458,360 |
| 96 | NOT APPLICABLE | 11,653 | 21,023,029 |
| 99 | NOT STATED | 0 | 0 |

Note: Respondents who have answered TWOWK-Q3=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.7

Variable: **TW_Q5** Position: 30 Length: 1

Do you have a regular medical doctor?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 11,640 | 20,820,452 |
| 2 | NO | 1,760 | 3,128,151 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 0 | 0 |

Note: All respondents

Variable: **DVDSDY94** Position: 31 Length: 2

Derived disability days

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 00 | 0 DAYS | 11,414 | 20,548,774 |
| 01 | 1 DAY | 339 | 682,292 |
| 02 | 2 DAYS | 320 | 572,998 |
| 03 | 3 DAYS | 214 | 374,970 |
| 04 | 4 DAYS | 153 | 275,078 |
| 05 | 5 DAYS | 104 | 173,416 |
| 06 | 6 DAYS | 68 | 118,397 |
| 07 | 7 DAYS | 127 | 196,689 |
| 08 | 8 DAYS | 42 | 60,517 |
| 09 | 9 DAYS | 28 | 55,663 |
| 10 | 10 DAYS | 56 | 98,445 |
| 11 | 11 DAYS | 10 | 14,618 |
| 12 | 12 DAYS | 24 | 36,118 |
| 13 | 13 DAYS | 9 | 17,822 |
| 14 | 14 DAYS | 492 | 722,808 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 0 | 0 |

Note: Based on TWOWK-Q2 and TWOWK-Q4

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.8

Variable: **UT_Q1** Position: 33 Length: 1

In the past 12 months, have you been a patient overnight in hospital, etc.?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,423 | 2,269,617 |
| 2 | NO | 11,976 | 21,677,619 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 1 | 1,367 |

Note: Respondents aged 12 years old or older

Variable: **UT_Q1A** Position: 34 Length: 3

For how many nights in the past 12 months?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered UTIL-Q1=1. Numeric values represent number of nights in the past 12 months. More than 31 nights were set to a value of 31.

Variable: **UT_Q2A** Position: 37 Length: 3

How many times have you consulted with a general practitioner in the past 12 months?

Observed Min: 0 Observed Max: 999

Note: Respondents aged 12 years old or older. Numeric values represent number of consultations in past 12 months. More than 31 consultations were set to a value of 31.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.9

Variable: **UT_Q3A** Position: 40 Length: 2

Where did the most recent consultation take place?

| | | FREQ | WTD |
|----|-------------------------------|-------|------------|
| 01 | WALK-IN CLINIC | 1,112 | 2,060,798 |
| 02 | OUTPATIENT CLINIC IN HOSPITAL | 407 | 573,088 |
| 03 | HOSPITAL EMERGENCY ROOM | 262 | 506,588 |
| 04 | HEALTH PROFESSIONAL'S OFFICE | 8,420 | 14,848,538 |
| 05 | COMMUNITY HEALTH CENTRE | 132 | 236,221 |
| 06 | AT HOME | 58 | 83,010 |
| 07 | TELEPHONE CONSULTATION ONLY | 144 | 208,504 |
| 08 | OTHER | 27 | 53,798 |
| 96 | NOT APPLICABLE | 2,812 | 5,330,304 |
| 99 | NOT STATED | 26 | 47,754 |

Note: Respondents who have answered UTIL-Q2A > 0

Variable: **UT_Q2B** Position: 42 Length: 3

How many times have you consulted an eye specialist in the past 12 months?

| | | FREQ | WTD |
|-----|------------------|-------|------------|
| 000 | 0 CONSULTATIONS | 8,742 | 15,529,999 |
| 001 | 1 CONSULTATION | 3,864 | 7,082,367 |
| 002 | 2 CONSULTATIONS | 447 | 775,388 |
| 003 | 3 CONSULTATIONS | 134 | 233,173 |
| 004 | 4 CONSULTATIONS | 107 | 142,778 |
| 005 | 5 CONSULTATIONS | 36 | 72,203 |
| 006 | 6 CONSULTATIONS | 28 | 41,277 |
| 007 | 7 CONSULTATIONS | 2 | 4,456 |
| 008 | 8 CONSULTATIONS | 6 | 14,864 |
| 009 | 9 CONSULTATIONS | 1 | 2,026 |
| 010 | 10 CONSULTATIONS | 6 | 10,954 |
| 011 | 11 CONSULTATIONS | 2 | 904 |
| 012 | 12 CONSULTATIONS | 19 | 29,614 |
| 996 | NOT APPLICABLE | 0 | 0 |
| 999 | NOT STATED | 6 | 8,600 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.10

Variable: **UT_Q2C** Position: 45 Length: 3

How many times have you consulted another medical doctor in the past 12 months?

| | | FREQ | WTD |
|-----|------------------|-------|------------|
| 000 | 0 CONSULTATIONS | 9,855 | 17,543,505 |
| 001 | 1 CONSULTATION | 1,536 | 2,740,415 |
| 002 | 2 CONSULTATIONS | 755 | 1,346,996 |
| 003 | 3 CONSULTATIONS | 338 | 616,994 |
| 004 | 4 CONSULTATIONS | 262 | 470,208 |
| 005 | 5 CONSULTATIONS | 123 | 239,836 |
| 006 | 6 CONSULTATIONS | 142 | 212,062 |
| 007 | 7 CONSULTATIONS | 54 | 115,885 |
| 008 | 8 CONSULTATIONS | 41 | 95,676 |
| 009 | 9 CONSULTATIONS | 25 | 46,994 |
| 010 | 10 CONSULTATIONS | 56 | 130,716 |
| 011 | 11 CONSULTATIONS | 10 | 17,960 |
| 012 | 12 CONSULTATIONS | 191 | 351,913 |
| 996 | NOT APPLICABLE | 0 | 0 |
| 999 | NOT STATED | 12 | 19,443 |

Note: Respondents aged 12 years old or older

Variable: **UT_Q3CG** Position: 48 Length: 2

Where did the most recent contact take place ? - grouped

| | | FREQ | WTD |
|----|-------------------------------|-------|------------|
| 01 | WALK-IN CLINIC | 147 | 255,170 |
| 02 | OUTPATIENT CLINIC IN HOSPITAL | 707 | 1,244,310 |
| 03 | HOSPITAL EMERGENCY ROOM | 137 | 262,732 |
| 04 | HEALTH PROFESSIONALS OFFICE | 2,425 | 4,438,818 |
| 05 | COMMUNITY HEALTHCENTRE/CLSC | 36 | 43,653 |
| 07 | TELEPHONE CONSULTATION ONLY | 26 | 34,976 |
| 08 | OTHER (INCLUDES AT HOME) | 55 | 105,997 |
| 96 | NOT APPLICABLE | 9,855 | 17,543,505 |
| 99 | NOT STATED | 12 | 19,443 |

Note: Respondents who have answered UTIL-Q2C > 0

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.11

Variable: **UT_Q2D** Position: 50 Length: 3

How many times have you seen a nurse for care or advice in the past 12 months?

| | | FREQ | WTD |
|-----|------------------|--------|------------|
| 000 | 0 CONSULTATIONS | 12,347 | 22,253,932 |
| 001 | 1 CONSULTATION | 396 | 664,224 |
| 002 | 2 CONSULTATIONS | 185 | 312,132 |
| 003 | 3 CONSULTATIONS | 97 | 163,928 |
| 004 | 4 CONSULTATIONS | 56 | 83,008 |
| 005 | 5 CONSULTATIONS | 35 | 56,444 |
| 006 | 6 CONSULTATIONS | 47 | 62,488 |
| 007 | 7 CONSULTATIONS | 7 | 8,709 |
| 008 | 8 CONSULTATIONS | 13 | 11,019 |
| 009 | 9 CONSULTATIONS | 3 | 2,336 |
| 010 | 10 CONSULTATIONS | 17 | 31,076 |
| 011 | 11 CONSULTATIONS | 1 | 52 |
| 012 | 12 CONSULTATIONS | 192 | 293,195 |
| 996 | NOT APPLICABLE | 0 | 0 |
| 999 | NOT STATED | 4 | 6,060 |

Note: Respondents aged 12 years old or older

Variable: **UT_Q3D** Position: 53 Length: 2

Where did the most recent consultation take place?

| | | FREQ | WTD |
|----|-------------------------------|--------|------------|
| 01 | WALK-IN CLINIC | 75 | 126,555 |
| 02 | OUTPATIENT CLINIC IN HOSPITAL | 105 | 179,520 |
| 03 | HOSPITAL EMERGENCY ROOM | 58 | 107,727 |
| 04 | HEALTH PROFESSIONAL'S OFFICE | 215 | 347,106 |
| 05 | COMMUNITY HEALTH CENTRE | 81 | 151,381 |
| 06 | AT HOME | 242 | 314,791 |
| 07 | TELEPHONE CONSULTATION ONLY | 175 | 262,498 |
| 08 | OTHER | 98 | 199,034 |
| 96 | NOT APPLICABLE | 12,347 | 22,253,932 |
| 99 | NOT STATED | 4 | 6,060 |

Note: Respondents who have answered UTIL-Q2D > 0

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.12

Variable: **UT_Q2E** Position: 55 Length: 3

How many times have you consulted with a dentist/orthodontist in the past 12 months?

| | | FREQ | WTD |
|-----|------------------|-------|------------|
| 000 | 0 CONSULTATIONS | 6,478 | 10,516,114 |
| 001 | 1 CONSULTATION | 3,216 | 6,036,924 |
| 002 | 2 CONSULTATIONS | 2,304 | 4,650,555 |
| 003 | 3 CONSULTATIONS | 524 | 1,060,779 |
| 004 | 4 CONSULTATIONS | 359 | 677,664 |
| 005 | 5 CONSULTATIONS | 156 | 266,341 |
| 006 | 6 CONSULTATIONS | 138 | 234,313 |
| 007 | 7 CONSULTATIONS | 35 | 71,791 |
| 008 | 8 CONSULTATIONS | 41 | 88,656 |
| 009 | 9 CONSULTATIONS | 12 | 22,268 |
| 010 | 10 CONSULTATIONS | 41 | 105,824 |
| 011 | 11 CONSULTATIONS | 2 | 4,271 |
| 012 | 12 CONSULTATIONS | 92 | 209,452 |
| 996 | NOT APPLICABLE | 0 | 0 |
| 999 | NOT STATED | 2 | 3,650 |

Note: Respondents aged 12 years old or older

Variable: **UT_Q2F** Position: 58 Length: 3

How many times have you consulted a chiropractor in the past 12 months?

Observed Min: 0 Observed Max: 999

Note: Respondents aged 12 years old or older. Numeric values represent number of consultations in past 12 months. More than 31 consultations were set to a value of 31.

Variable: **UT_Q2G** Position: 61 Length: 3

How many times have you consulted a physiotherapist in the past 12 months?

Observed Min: 0 Observed Max: 999

Note: Respondents aged 12 years old or older. Numeric values represent number of consultations in past 12 months. More than 31 consultations were set to a value of 31.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.13

Variable: **UT_Q2H** Position: 64 Length: 3

How many times have you consulted a social worker/counsellor in the past 12 months?

| | | FREQ | WTD |
|-----|------------------|--------|------------|
| 000 | 0 CONSULTATIONS | 12,685 | 22,801,570 |
| 001 | 1 CONSULTATION | 219 | 338,492 |
| 002 | 2 CONSULTATIONS | 108 | 185,614 |
| 003 | 3 CONSULTATIONS | 73 | 111,270 |
| 004 | 4 CONSULTATIONS | 56 | 84,935 |
| 005 | 5 CONSULTATIONS | 44 | 75,989 |
| 006 | 6 CONSULTATIONS | 39 | 75,549 |
| 007 | 7 CONSULTATIONS | 5 | 2,915 |
| 008 | 8 CONSULTATIONS | 22 | 34,703 |
| 009 | 9 CONSULTATIONS | 6 | 10,541 |
| 010 | 10 CONSULTATIONS | 33 | 63,558 |
| 011 | 11 CONSULTATIONS | 2 | 6,027 |
| 012 | 12 CONSULTATIONS | 104 | 152,085 |
| 996 | NOT APPLICABLE | 0 | 0 |
| 999 | NOT STATED | 4 | 5,355 |

Note: Respondents aged 12 years old or older

Variable: **UT_Q2I** Position: 67 Length: 3

How many times have you consulted with a psychologist in the past 12 months?

| | | FREQ | WTD |
|-----|------------------|--------|------------|
| 000 | 0 CONSULTATIONS | 13,098 | 23,409,701 |
| 001 | 1 CONSULTATION | 73 | 124,911 |
| 002 | 2 CONSULTATIONS | 33 | 57,279 |
| 003 | 3 CONSULTATIONS | 30 | 57,392 |
| 004 | 4 CONSULTATIONS | 20 | 52,050 |
| 005 | 5 CONSULTATIONS | 17 | 32,638 |
| 006 | 6 CONSULTATIONS | 20 | 36,624 |
| 007 | 7 CONSULTATIONS | 4 | 9,264 |
| 008 | 8 CONSULTATIONS | 10 | 13,602 |
| 009 | 9 CONSULTATIONS | 5 | 13,886 |
| 010 | 10 CONSULTATIONS | 18 | 28,994 |
| 011 | 11 CONSULTATIONS | 3 | 4,383 |
| 012 | 12 CONSULTATIONS | 64 | 100,636 |
| 996 | NOT APPLICABLE | 0 | 0 |
| 999 | NOT STATED | 5 | 7,242 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.14

Variable: **UT_Q2J** Position: 70 Length: 3

How many times have you consulted with speech therapist etc. in the past 12 months?

| | | FREQ | WTD |
|-----|------------------|--------|------------|
| 000 | 0 CONSULTATIONS | 13,219 | 23,600,740 |
| 001 | 1 CONSULTATION | 109 | 212,093 |
| 002 | 2 CONSULTATIONS | 20 | 51,552 |
| 003 | 3 CONSULTATIONS | 12 | 14,118 |
| 004 | 4 CONSULTATIONS | 6 | 12,167 |
| 005 | 5 CONSULTATIONS | 5 | 11,406 |
| 006 | 6 CONSULTATIONS | 3 | 6,644 |
| 007 | 7 CONSULTATIONS | 2 | 2,641 |
| 008 | 8 CONSULTATIONS | 1 | 1,186 |
| 009 | 9 CONSULTATIONS | 6 | 11,917 |
| 010 | 10 CONSULTATIONS | 2 | 1,726 |
| 011 | 11 CONSULTATIONS | 1 | 735 |
| 012 | 12 CONSULTATIONS | 12 | 19,767 |
| 996 | NOT APPLICABLE | 0 | 0 |
| 999 | NOT STATED | 2 | 1,910 |

Note: Respondents aged 12 years old or older

Variable: **UT_Q4** Position: 73 Length: 1

Have you consulted with an alternative health care provider in the past 12 months?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 679 | 1,222,729 |
| 2 | NO | 12,718 | 22,721,343 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 3 | 4,531 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.15

Variable: **UTQ5_A** Position: 74 Length: 1

Did you consult with a massage therapist in the past 12 months?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 336 | 594,407 |
| 2 | NO | 343 | 628,323 |
| 6 | NOT APPLICABLE | 12,718 | 22,721,343 |
| 9 | NOT STATED | 3 | 4,531 |

Note: Respondents who have answered UTIL-Q4=1

Variable: **UTQ5_B** Position: 75 Length: 1

Did you consult with an acupuncturist in the past 12 months?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 114 | 211,406 |
| 2 | NO | 565 | 1,011,323 |
| 6 | NOT APPLICABLE | 12,718 | 22,721,343 |
| 9 | NOT STATED | 3 | 4,531 |

Note: Respondents who have answered UTIL-Q4=1

Variable: **UTQ5_C** Position: 76 Length: 1

Did you consult with a homeopath or naturopath in the past 12 months?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 184 | 356,277 |
| 2 | NO | 495 | 866,452 |
| 6 | NOT APPLICABLE | 12,718 | 22,721,343 |
| 9 | NOT STATED | 3 | 4,531 |

Note: Respondents who have answered UTIL-Q4=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.16

Variable: **UTQ5_OTH** Position: 77 Length: 1

Did you see or talk to any other alternative health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 154 | 248,490 |
| 2 | NO | 525 | 974,239 |
| 6 | NOT APPLICABLE | 12,718 | 22,721,343 |
| 9 | NOT STATED | 3 | 4,531 |

Variable: **UT_Q6** Position: 78 Length: 1

During the past 12 months, did you ever need health care or advice but not receive it?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 596 | 981,027 |
| 2 | NO | 12,800 | 22,961,024 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 4 | 6,552 |

Note: Respondents aged 12 years old or older

Variable: **UT_Q7U** Position: 79 Length: 1

Thinking of the most recent time, why did you not get care?

| | | FREQ | WTD |
|---|---|--------|------------|
| 1 | DIFFICULTY GETTING ACCESS TO HLTH PROF. | 131 | 218,732 |
| 2 | FINANCIAL CONSTRAINTS | 62 | 110,678 |
| 3 | FELT HEALTH CARE PROVIDED INADEQUATE | 51 | 77,345 |
| 4 | CHOSE NOT TO SEE HEALTH PROFESSIONAL | 143 | 229,396 |
| 5 | OTHER | 195 | 331,914 |
| 6 | NOT APPLICABLE | 12,800 | 22,961,024 |
| 9 | NOT STATED | 18 | 19,514 |

Note: Respondents aged 12 years old or older Coding of answers reported

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.17

Variable: **UTQ8_A** Position: 80 Length: 1

Was treatment of a physical health problem the type of care that was needed?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 399 | 648,913 |
| 2 | NO | 197 | 332,114 |
| 6 | NOT APPLICABLE | 12,800 | 22,961,024 |
| 9 | NOT STATED | 4 | 6,552 |

Note: Respondents who have answered UTIL-Q6=1

Variable: **UTQ8_B** Position: 81 Length: 1

Was treatment of emotional/mental health problem the type of care needed?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 68 | 112,834 |
| 2 | NO | 528 | 868,193 |
| 6 | NOT APPLICABLE | 12,800 | 22,961,024 |
| 9 | NOT STATED | 4 | 6,552 |

Note: Respondents who have answered UTIL-Q6=1

Variable: **UTQ8_C** Position: 82 Length: 1

Was a regular check-up the type of care that was needed?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 31 | 47,124 |
| 2 | NO | 565 | 933,903 |
| 6 | NOT APPLICABLE | 12,800 | 22,961,024 |
| 9 | NOT STATED | 4 | 6,552 |

Note: Respondents who have answered UTIL-Q6=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.18

Variable: **UTQ8_D** Position: 83 Length: 1

Was the care of an injury the type of care that was needed?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 76 | 129,218 |
| 2 | NO | 520 | 851,809 |
| 6 | NOT APPLICABLE | 12,800 | 22,961,024 |
| 9 | NOT STATED | 4 | 6,552 |

Note: Respondents who have answered UTIL-Q6=1

Variable: **UTQ8_E** Position: 84 Length: 1

Was there any other type of care that was needed ?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 42 | 75,261 |
| 2 | NO | 554 | 905,766 |
| 6 | NOT APPLICABLE | 12,800 | 22,961,024 |
| 9 | NOT STATED | 4 | 6,552 |

Note: Respondents who have answered UTIL-Q6=1

Variable: **UT_Q9A** Position: 85 Length: 1

Have you received any home care services in the past 12 months?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 417 | 505,061 |
| 2 | NO | 11,996 | 20,884,340 |
| 6 | NOT APPLICABLE | 986 | 2,557,835 |
| 9 | NOT STATED | 1 | 1,367 |

Note: Respondents aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.19

Variable: **UTQ10_A** Position: 86 Length: 1

Received nursing care services (including V.O.N.)

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 142 | 198,535 |
| 2 | NO | 266 | 295,567 |
| 6 | NOT APPLICABLE | 12,982 | 23,442,175 |
| 9 | NOT STATED | 10 | 12,325 |

Note: Respondents who have answered UTIL-Q9=1. Coding of answers reported.

Variable: **UTQ10_B** Position: 87 Length: 1

Received housework services (including homemaker/home care)

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 224 | 246,097 |
| 2 | NO | 184 | 248,006 |
| 6 | NOT APPLICABLE | 12,982 | 23,442,175 |
| 9 | NOT STATED | 10 | 12,325 |

Note: Respondents who have answered UTIL-Q9=1. Coding of answers reported.

Variable: **UTQ10_C** Position: 88 Length: 1

Received personal care services

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 45 | 48,038 |
| 2 | NO | 363 | 446,064 |
| 6 | NOT APPLICABLE | 12,982 | 23,442,175 |
| 9 | NOT STATED | 10 | 12,325 |

Note: Respondents who have answered UTIL-Q9=1. Coding of answers reported.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.20

Variable: **UTQ10_D** Position: 89 Length: 1

Received meal preparation services

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 43 | 33,041 |
| 2 | NO | 365 | 461,061 |
| 6 | NOT APPLICABLE | 12,982 | 23,442,175 |
| 9 | NOT STATED | 10 | 12,325 |

Note: Respondents who have answered UTIL-Q9=1. Coding of answers reported.

Variable: **UTQ10_E** Position: 90 Length: 1

Received shopping services

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 3 | 3,444 |
| 2 | NO | 405 | 490,658 |
| 6 | NOT APPLICABLE | 12,982 | 23,442,175 |
| 9 | NOT STATED | 10 | 12,325 |

Note: Respondents who have answered UTIL-Q9=1. Coding of answers reported.

Variable: **UTQ10_F** Position: 91 Length: 1

Received other home care services

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 38 | 58,613 |
| 2 | NO | 370 | 435,490 |
| 6 | NOT APPLICABLE | 12,982 | 23,442,175 |
| 9 | NOT STATED | 10 | 12,325 |

Note: Respondents who have answered UTIL-Q9=1. Coding of answers reported.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.21

Variable: **DVHPCN94** Position: 92 Length: 1

Consultations with any health professionals in the past 12 months - derived

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 12,377 | 22,170,987 |
| 2 | NO | 1,011 | 1,754,484 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 23,132 |

Note: Based on UTIL-Q2A to UTIL-Q2J

Variable: **DVMDCN94** Position: 93 Length: 3

Derived number of consultations with medical doctor

Observed Min: 0 Observed Max: 999

Note: Sum of UTIL-Q2A and UTIL-Q2C. Numeric values represent number of consultations in past 12 months. More than 31 consultations were set to a value of 31.

Variable: **RES_FLG** Position: 96 Length: 1

Restriction of activity flag

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 3,029 | 4,780,073 |
| 2 | NO | 10,371 | 19,168,530 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents aged 12 years old or older. Any "yes" to RESTR-Q1A through RESTR-Q2.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.22

Variable: **RES_Q5G** Position: 97 Length: 2

Cause of health problem - grouped

| | | FREQ | WTD |
|----|--------------------|--------|------------|
| 01 | INJURY | 769 | 1,353,672 |
| 02 | EXISTED AT BIRTH | 270 | 453,658 |
| 03 | DISEASE OR ILLNESS | 1,148 | 1,662,333 |
| 04 | AGING | 363 | 522,851 |
| 05 | OTHER | 469 | 770,023 |
| 96 | NOT APPLICABLE | 10,371 | 19,168,530 |
| 99 | NOT STATED | 10 | 17,537 |

Note: Respondents aged 12 years old or older with RES_FLG=1

Variable: **RESQ6_A** Position: 99 Length: 1

Do you need the help of another person in preparing meals?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 249 | 372,941 |
| 2 | NO | 13,149 | 23,570,799 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 2 | 4,863 |

Note: Respondents aged 12 years old or older

Variable: **RESQ6_B** Position: 100 Length: 1

Do you need the help of another person in shopping for groceries or necessities?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 492 | 630,467 |
| 2 | NO | 12,906 | 23,313,273 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 2 | 4,863 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.23

Variable: **RESQ6_C** Position: 101 Length: 1

Do you need the help of another person in doing normal everyday housework?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 575 | 794,148 |
| 2 | NO | 12,823 | 23,149,591 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 2 | 4,863 |

Note: Respondents aged 12 years old or older

Variable: **RESQ6_D** Position: 102 Length: 1

Do you need the help of another person in doing heavy household chores?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,302 | 1,739,845 |
| 2 | NO | 12,096 | 22,203,894 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 2 | 4,863 |

Note: Respondents aged 12 years old or older

Variable: **RESQ6_E** Position: 103 Length: 1

Do you need the help of another person in personal care?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 151 | 205,687 |
| 2 | NO | 13,247 | 23,738,053 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 2 | 4,863 |

Note: Respondents ages 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.24

Variable: **RESQ6_F** Position: 104 Length: 1

Do you need the help of another person in moving about inside the house?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 83 | 140,392 |
| 2 | NO | 13,315 | 23,803,347 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 2 | 4,863 |

Note: Respondents aged 12 years old or older

Variable: **RESQ6_G** Position: 105 Length: 1

Do you need help of another person in none of the above?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 11,978 | 22,033,047 |
| 2 | NO | 1,420 | 1,910,693 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 2 | 4,863 |

Note: Respondents aged 12 years old or older (Yes means none of the above were answered.)

Variable: **DVRSTC94** Position: 106 Length: 2

Main condition or health problem which caused the activity limitation

| | | FREQ | WTD |
|----|--------------------------------------|--------|------------|
| 01 | DISEASE OF NERVOUS SYSTEM AND SENSES | 444 | 749,875 |
| 02 | ISCHAEMIC HEART DISEASE | 61 | 94,223 |
| 03 | OTHER HEART CONDITION | 229 | 291,360 |
| 04 | OTHER CIRCULATORY DISEASE | 76 | 114,752 |
| 05 | DISEASES OF RESPIRATORY SYSTEM | 315 | 526,354 |
| 06 | ARTHRITIS-LIMBS | 54 | 68,349 |
| 07 | ARTHRITIS-BACK AND SPINE | 15 | 25,781 |
| 08 | ARTHRITIS-OTHER | 324 | 434,274 |
| 09 | DISEASE OF THE MSCT-LIMBS | 330 | 556,058 |
| 10 | DISEASE OF THE MSCT-BACK | 460 | 761,586 |
| 11 | DISEASE OF THE MSCT-OTHER | 87 | 135,437 |
| 12 | OTHER | 540 | 852,279 |
| 96 | NOT APPLICABLE | 10,371 | 19,168,530 |
| 99 | NOT STATED | 94 | 169,744 |

Note: Based on RESTR-Q3 or RESTR-Q4. See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.25

Variable: **CHRQ1_A** Position: 108 Length: 1

Do you have any food allergies diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 791 | 1,300,908 |
| 2 | NO | 12,596 | 22,629,542 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older.

Variable: **CHRQ1_B** Position: 109 Length: 1

Do you have other allergies diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 2,386 | 4,358,420 |
| 2 | NO | 11,001 | 19,572,029 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_C** Position: 110 Length: 1

Do you have asthma diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 843 | 1,527,214 |
| 2 | NO | 12,544 | 22,403,236 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.26

Variable: **CHRQ1_D** Position: 111 Length: 1

Do you have arthritis or rheumatism diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 2,189 | 3,064,146 |
| 2 | NO | 11,198 | 20,866,304 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_E** Position: 112 Length: 1

Do you have back problems (excluding arthritis) diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 2,015 | 3,325,413 |
| 2 | NO | 11,372 | 20,605,037 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_F** Position: 113 Length: 1

Do you have high blood pressure diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,460 | 2,114,401 |
| 2 | NO | 11,927 | 21,816,048 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.27

Variable: **CHRQ1_G** Position: 114 Length: 1

Do you have migraine headaches diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,039 | 1,725,201 |
| 2 | NO | 12,348 | 22,205,249 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_H** Position: 115 Length: 1

Do you have chronic bronchitis or emphysema diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 485 | 781,191 |
| 2 | NO | 12,902 | 23,149,259 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_I** Position: 116 Length: 1

Do you have sinusitis diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 736 | 1,024,724 |
| 2 | NO | 12,651 | 22,905,726 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.28

Variable: **CHRQ1_J** Position: 117 Length: 1

Do you have diabetes diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 463 | 738,341 |
| 2 | NO | 12,924 | 23,192,109 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_K** Position: 118 Length: 1

Do you have epilepsy diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 84 | 145,998 |
| 2 | NO | 13,303 | 23,784,452 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_L** Position: 119 Length: 1

Do you have heart disease diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 680 | 945,675 |
| 2 | NO | 12,707 | 22,984,775 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.29

Variable: **CHRQ1_M** Position: 120 Length: 1

Do you have cancer diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 249 | 390,348 |
| 2 | NO | 13,138 | 23,540,102 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_N** Position: 121 Length: 1

Do you have stomach or intestinal ulcers diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 523 | 782,618 |
| 2 | NO | 12,864 | 23,147,832 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_O** Position: 122 Length: 1

Do you have the effects of a stroke diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 137 | 202,102 |
| 2 | NO | 13,250 | 23,728,347 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.30

Variable: **CHRQ1_P** Position: 123 Length: 1

Do you have urinary incontinence diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 181 | 242,968 |
| 2 | NO | 13,206 | 23,687,482 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1_Q** Position: 124 Length: 1

Do you have acne requiring medication prescribed by health professional?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 99 | 217,100 |
| 2 | NO | 3,523 | 6,999,985 |
| 6 | NOT APPLICABLE | 9,776 | 16,729,069 |
| 9 | NOT STATED | 2 | 2,449 |

Note: Respondents aged 12 to 29 years old

Variable: **CHRQ1_R** Position: 125 Length: 1

Do you have Alzheimer's disease diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 9 | 14,364 |
| 2 | NO | 12,392 | 21,358,250 |
| 6 | NOT APPLICABLE | 986 | 2,557,835 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.31

Variable: **CHRQ1_S** Position: 126 Length: 1

Do you have cataracts diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 439 | 580,208 |
| 2 | NO | 11,962 | 20,792,406 |
| 6 | NOT APPLICABLE | 986 | 2,557,835 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 18 years old or older

Variable: **CHRQ1_T** Position: 127 Length: 1

Do you have glaucoma diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 169 | 253,044 |
| 2 | NO | 12,232 | 21,119,570 |
| 6 | NOT APPLICABLE | 986 | 2,557,835 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 18 years old or older

Variable: **CHRQ1_U** Position: 128 Length: 1

Do you have any other long term condition diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 944 | 1,567,481 |
| 2 | NO | 12,443 | 22,362,968 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.32

Variable: **CHRQ1_V** Position: 129 Length: 1

No long-term conditions diagnosed by a health professional?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 5,658 | 10,832,358 |
| 2 | NO | 7,729 | 13,098,092 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents aged 12 years old or older

Variable: **CHRQ1CC1** Position: 130 Length: 1

Have you had an attack of asthma in the past 12 months?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 450 | 781,976 |
| 2 | NO | 392 | 742,750 |
| 6 | NOT APPLICABLE | 12,544 | 22,403,236 |
| 9 | NOT STATED | 14 | 20,642 |

Note: Respondents who have answered CHRON-Q1C=1

Variable: **CHRQ1CC2** Position: 131 Length: 1

Have you had wheezing or whistling in the chest in past 12 months?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 676 | 1,214,611 |
| 2 | NO | 167 | 312,603 |
| 6 | NOT APPLICABLE | 12,544 | 22,403,236 |
| 9 | NOT STATED | 13 | 18,153 |

Note: Respondents who have answered CHRON-Q1C=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.33

Variable: **IMIG_FLG** Position: 132 Length: 1

Derived flag indicating that the respondent is an immigrant

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,785 | 4,414,314 |
| 2 | NO | 11,615 | 19,534,289 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 0 | 0 |

Note: All respondents - Based on SOCIO-Q1

Variable: **DVIMMIG** Position: 133 Length: 1

Derived length of time in Canada since immigration

| | | FREQ | WTD |
|---|------------------|--------|------------|
| 1 | 0 TO 4 YEARS | 180 | 549,198 |
| 2 | 5 TO 9 YEARS | 217 | 632,758 |
| 3 | 10 YEARS OR MORE | 1,382 | 3,210,424 |
| 6 | BORN CANADA | 11,615 | 19,534,289 |
| 9 | NOT STATED | 6 | 21,933 |

Note: All respondents. Based on SOCIO-Q3.

Variable: **DVBORNG** Position: 134 Length: 2

Derived respondent's place of birth - grouped

| | | FREQ | WTD |
|----|--------------------------|--------|------------|
| 01 | CANADA | 11,560 | 19,420,473 |
| 02 | UNITED STATES AND MEXICO | 191 | 306,939 |
| 03 | SOUTH AMERICA/AFRICA | 238 | 727,349 |
| 04 | EUROPE/AUSTRALIA | 1,027 | 2,268,893 |
| 06 | ASIA | 353 | 1,128,979 |
| 99 | NOT STATED | 31 | 95,969 |

Note: All respondents. Based on SOCIO-Q1.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.34

Variable: **DVLANG94** Position: 136 Length: 2

Derived language in which respondent is able to conduct a conversation

| | | FREQ | WTD |
|----|-------------------------|-------|------------|
| 01 | ENGLISH ONLY | 8,066 | 12,194,354 |
| 02 | FRENCH ONLY | 1,390 | 3,099,155 |
| 03 | ENGLISH AND FRENCH ONLY | 2,015 | 4,083,011 |
| 04 | OTHER | 1,927 | 4,569,699 |
| 99 | NOT STATED | 2 | 2,384 |

Note: All respondents. Based on SOCIO-Q5.

Variable: **ED_Q5** Position: 138 Length: 1

Are you currently attending a school, college or university?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 1,436 | 3,179,015 |
| 2 | NO | 9,062 | 16,168,146 |
| 6 | NOT APPLICABLE | 2,890 | 4,582,735 |
| 9 | NOT STATED | 12 | 18,707 |

Note: Respondents aged 15 to 64 years old

Variable: **ED_Q6** Position: 139 Length: 1

Are you enrolled as a full-time or part-time student?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | FULL-TIME | 1,056 | 2,421,510 |
| 2 | PART-TIME | 361 | 719,851 |
| 6 | NOT APPLICABLE | 11,952 | 20,750,881 |
| 9 | NOT STATED | 31 | 56,360 |

Note: Respondents aged 15 to 64 years old who have answered EDUC-Q5=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.35

Variable: **DVEDC294** Position: 140 Length: 2

Derived highest level of education obtained

| | | FREQ | WTD |
|----|-------------------------------------|-------|-----------|
| 01 | NO SCHOOLING | 27 | 56,741 |
| 02 | ELEMENTARY SCHOOL | 1,273 | 2,346,920 |
| 03 | SOME SECONDARY SCHOOL | 3,257 | 5,459,802 |
| 04 | SECONDARY SCHOOL GRADUATION | 1,934 | 3,569,557 |
| 05 | OTHER BEYOND HIGH SCHOOL | 65 | 103,094 |
| 06 | SOME TRADE SCHOOL ETC. | 1,288 | 2,115,927 |
| 07 | SOME COMMUNITY COLLEGE | 1,065 | 2,034,726 |
| 08 | SOME UNIVERSITY | 723 | 1,296,717 |
| 09 | DIPLOMA/CERTIFICATE TRADE SCHOOL | 1,262 | 2,071,728 |
| 10 | DIPLOMA/CERTIFICATE COM. COL,CEGEP | 863 | 1,714,942 |
| 11 | BACHELOR DEGREE (INCLUDES LLB) | 1,293 | 2,485,499 |
| 12 | MASTER/DEGREE IN MEDECINE/DOCTORATE | 332 | 659,171 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 18 | 33,777 |

Note: Based on EDUC-Q1 to EDUC-Q4 and PROVINCE - 12 categories

Variable: **LFS_Q1** Position: 142 Length: 2

What do you consider to be your current main activity?

| | | FREQ | WTD |
|----|---------------------------------------|-------|-----------|
| 01 | CARING FOR FAMILY | 1,820 | 3,098,205 |
| 02 | WORKING FOR PAY OR PROFIT | 4,632 | 8,626,716 |
| 03 | WORK/CARING FOR FAMILY FOR PAY/PROFIT | 1,808 | 3,305,588 |
| 04 | GOING TO SCHOOL | 1,094 | 2,525,283 |
| 05 | RECOVERING FROM ILLNESS/ON DISABILITY | 388 | 572,533 |
| 06 | LOOKING FOR WORK | 487 | 778,257 |
| 07 | RETIRED | 2,523 | 3,445,017 |
| 08 | OTHER | 178 | 280,900 |
| 96 | NOT APPLICABLE | 468 | 1,312,242 |
| 99 | NOT STATED | 2 | 3,864 |

Note: Respondents aged 15 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.36

Variable: **DVPIN94** Position: 144 Length: 2

Derived Pineo socio-economic classification of occupations for main job

| | | FREQ | WTD |
|----|----------------------------------|-------|-----------|
| 01 | SELF-EMPLOYED PROFESSIONALS | 71 | 147,946 |
| 02 | EMPLOYED PROFESSIONALS | 615 | 1,145,831 |
| 03 | HIGH LEVEL MANAGEMENT | 228 | 455,291 |
| 04 | SEMI-PROFESSIONALS | 663 | 1,242,009 |
| 05 | TECHNICIANS | 145 | 289,554 |
| 06 | MIDDLE MANAGEMENT | 634 | 1,232,602 |
| 07 | SUPERVISORS | 185 | 347,261 |
| 08 | FOREMEN AND FOREWOMEN | 163 | 340,549 |
| 09 | SKILLED CLERICAL/SALES/SERVICE | 674 | 1,189,049 |
| 10 | SKILLED CRAFTS AND TRADES | 663 | 1,258,988 |
| 11 | FARMERS | 152 | 215,248 |
| 12 | SEMI-SKILLED CLERICAL/SALES | 1,181 | 2,216,822 |
| 13 | SEMI-SKILLED MANUAL | 766 | 1,560,944 |
| 14 | UNSKILLED CLERICAL/SALES/SERVICE | 731 | 1,241,027 |
| 15 | UNSKILLED MANUAL | 991 | 1,746,740 |
| 16 | FARM LABOURERS | 192 | 319,220 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 262 | 499,677 |

Note: Based on SOC 1991. Respondents who have worked in the past year.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.37

Variable: **DVSOCG94** Position: 146 Length: 2

Occupation codes grouped in 21 codes for main job - Derived Standard Occupation Codes

| | | FREQ | WTD |
|----|---------------------------|-------|-----------|
| 01 | MANAGERIAL,ADMINISTRATIVE | 991 | 1,969,906 |
| 02 | NATURAL SCIENCE | 253 | 523,845 |
| 03 | SOCIAL SCIENCE | 168 | 290,165 |
| 04 | RELIGION | 25 | 33,676 |
| 05 | TEACHING | 444 | 788,655 |
| 06 | MEDICINE | 419 | 707,169 |
| 07 | ARTISTIC | 158 | 294,551 |
| 08 | CLERICAL | 1,262 | 2,266,652 |
| 09 | SALES | 674 | 1,304,096 |
| 10 | SERVICES | 1,323 | 2,383,492 |
| 11 | FARMING | 357 | 554,794 |
| 12 | FISHING | 77 | 49,875 |
| 13 | FORESTRY | 55 | 86,306 |
| 14 | MINING | 24 | 28,651 |
| 15 | PROCESSING | 238 | 396,374 |
| 16 | MACHINING | 83 | 169,455 |
| 17 | FABRICATING | 535 | 1,148,130 |
| 18 | CONSTRUCTION | 424 | 829,735 |
| 19 | TRANSPORTATION | 289 | 563,405 |
| 20 | MATERIALS HANDLING | 172 | 381,276 |
| 21 | OTHER CRAFTS | 83 | 180,181 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 262 | 498,372 |

Note: Based on SOC1991. Respondents who have worked in the past year.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.38

Variable: **DVSICC94** Position: 148 Length: 2

Derived Industry Codes grouped in 13 codes for main job - Standard Industry Codes

| | | FREQ | WTD |
|----|---------------------------|-------|-----------|
| 01 | AGRICULTURAL | 323 | 495,937 |
| 02 | OTHER PRIMARY | 248 | 330,874 |
| 03 | MANUFACTURING/NON-DURABLE | 552 | 1,100,159 |
| 04 | MANUFACTURING/DURABLE | 397 | 898,322 |
| 05 | CONSTRUCTION | 445 | 869,641 |
| 06 | TRANSPORTATION | 562 | 1,066,647 |
| 07 | WHOLESALE TRADE | 349 | 690,604 |
| 08 | RETAIL TRADE | 946 | 1,825,175 |
| 09 | FINANCE | 405 | 788,912 |
| 10 | COMMUNITY SERVICES | 1,588 | 2,735,950 |
| 11 | PERSONAL SERVICES | 927 | 1,672,952 |
| 12 | BUSINESS SERVICES | 655 | 1,367,443 |
| 13 | PUBLIC ADMINISTRATION | 660 | 1,114,426 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 259 | 491,714 |

Note: Based on SIC 1991. Respondents who have worked in the past year.

Variable: **DVWK94** Position: 150 Length: 1

Derived variable for working status

| | | FREQ | WTD |
|---|-------------------------------------|-------|------------|
| 1 | CURRENTLY WORKING | 7,155 | 13,530,630 |
| 2 | NOT CURRENTLY WORKING-BUT HAD A JOB | 1,094 | 1,812,855 |
| 3 | DID NOT WORK DURING LAST 12 MONTHS | 4,616 | 7,187,602 |
| 6 | NOT APPLICABLE | 468 | 1,312,242 |
| 9 | NOT STATED | 67 | 105,274 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.39

Variable: **DVCOWD94** Position: 151 Length: 2

Derived duration of continuous work without a break of employment more than 30 days

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 MONTHS | 166 | 268,405 |
| 01 | 1 MONTH | 239 | 443,224 |
| 02 | 2 MONTHS | 268 | 470,573 |
| 03 | 3 MONTHS | 205 | 338,570 |
| 04 | 4 MONTHS | 197 | 343,875 |
| 05 | 5 MONTHS | 144 | 226,322 |
| 06 | 6 MONTHS | 153 | 242,792 |
| 07 | 7 MONTHS | 148 | 280,365 |
| 08 | 8 MONTHS | 119 | 218,310 |
| 09 | 9 MONTHS | 105 | 146,991 |
| 10 | 10 MONTHS | 135 | 237,388 |
| 11 | 11 MONTHS | 123 | 217,040 |
| 12 | 12 MONTHS | 6,230 | 11,885,009 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 84 | 129,895 |

Variable: **DVWH94** Position: 153 Length: 1

Derived working hours pattern based on all jobs reported

| | | FREQ | WTD |
|---|-------------------------------|-------|------------|
| 1 | 1 JOB FULL-TIME | 5,398 | 10,004,644 |
| 2 | 1 JOB PART-TIME | 1,212 | 2,442,389 |
| 3 | ONLY FULL-TIME AT ALL JOBS | 562 | 924,356 |
| 4 | ONLY PART-TIME AT ALL JOBS | 297 | 580,115 |
| 5 | SOME FULL-TIME,SOME PART-TIME | 749 | 1,334,994 |
| 6 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 9 | NOT STATED | 98 | 162,259 |

Note: Respondents who worked in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.40

Variable: **DVREAS94** Position: 154 Length: 2

Derived reasons for not currently working

| | | FREQ | WTD |
|----|---|-------|------------|
| 01 | OWN ILLNESS OR DISABILITY | 510 | 770,666 |
| 02 | FAMILY RESPONSIBILITIES | 972 | 1,714,941 |
| 03 | STUDENT/EDUCATIONAL LEAVE | 609 | 1,337,523 |
| 04 | LABOUR DISPUTES/LAYOFF | 603 | 915,386 |
| 05 | RETIRED THE ENTIRE YEAR | 2,402 | 3,251,625 |
| 06 | OTHER REASONS FOR NOT CURRENTLY WORKING | 599 | 993,272 |
| 96 | NOT APPLICABLE | 7,634 | 14,853,020 |
| 99 | NOT STATED | 71 | 112,169 |

Note: DVWK94=2 or 3

Variable: **DVNOJB94** Position: 156 Length: 2

Derived number of jobs

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 JOBS | 4,616 | 7,187,602 |
| 01 | 1 JOB | 6,618 | 12,460,211 |
| 02 | 2 JOBS | 1,298 | 2,353,572 |
| 03 | 3 JOBS OR MORE | 316 | 505,079 |
| 96 | NOT APPLICABLE | 468 | 1,312,242 |
| 99 | NOT STATED | 84 | 129,895 |

Note: Respondents aged 15 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.41

Variable: **DVJOB94** Position: 158 Length: 2

Combination of number of jobs and the fact that the jobs might overlap or gap

| | | FREQ | WTD |
|----|-------------------------------------|-------|------------|
| 01 | 1 JOB - WORKED FULL YEAR | 5,729 | 10,947,460 |
| 02 | 1 JOB - DIDN'T WORK FULL YEAR | 889 | 1,512,751 |
| 03 | 2+ JOBS-NO GAPS/NO OVERLAP | 297 | 513,881 |
| 04 | 2+ JOBS-NO GAPS/SOME OVERLAP | 947 | 1,736,036 |
| 05 | 2+ JOBS-AT LEAST ONE GAP/NO OVERLAP | 351 | 585,836 |
| 06 | 2+ JOBS-AT LEAST 1 GAP/SOME OVERLAP | 19 | 22,898 |
| 07 | 2+ JOBS- OTHER | 0 | 0 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 84 | 129,895 |

Note: Respondents who worked in the past 12 months

Variable: **DVNOGP94** Position: 160 Length: 1

Number of gaps of 30 days (1 month) or more

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 0 | 0 GAPS | 7,862 | 14,710,129 |
| 1 | 1 GAP | 309 | 515,492 |
| 2 | 2 GAPS OR MORE | 61 | 93,242 |
| 6 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 9 | NOT STATED | 84 | 129,895 |

Note: Respondents aged 15 years old or older

Variable: **DVEDLF94** Position: 161 Length: 1

Derived variable for labour force activity of those currently attending school

| | | FREQ | WTD |
|---|--------------------------------------|--------|------------|
| 1 | WORKED LAST 12 MTHS/SCHOOL FULL-TIME | 674 | 1,525,625 |
| 2 | WORKED LAST 12 MTHS-SCHOOL PART-TIME | 323 | 644,697 |
| 3 | DID NOT WORK/SCHOOL FULL-TIME | 369 | 871,444 |
| 4 | DID NOT WORK/SCHOOL PART-TIME | 38 | 75,155 |
| 6 | NOT APPLICABLE(NOT ATTENDING SCHOOL) | 11,884 | 20,652,695 |
| 9 | NOT STATED | 112 | 178,987 |

Note: Respondents aged 15 to 64 years old attending school

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.42

Variable: **DVMNWK94** Position: 162 Length: 1

Derived variable for whether or not main job is current

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 6,957 | 13,218,722 |
| 2 | NO | 1,277 | 2,105,305 |
| 6 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 9 | NOT STATED | 82 | 124,731 |

Note: Respondents who worked in the past 12 months

Variable: **DVMNWD94** Position: 163 Length: 2

Derived variable for main job work duration

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 MONTHS | 207 | 359,153 |
| 01 | 1 MONTH | 354 | 609,640 |
| 02 | 2 MONTHS | 345 | 585,789 |
| 03 | 3 MONTHS | 260 | 423,185 |
| 04 | 4 MONTHS | 233 | 418,015 |
| 05 | 5 MONTHS | 190 | 317,926 |
| 06 | 6 MONTHS | 186 | 293,713 |
| 07 | 7 MONTHS | 184 | 350,692 |
| 08 | 8 MONTHS | 134 | 256,403 |
| 09 | 9 MONTHS | 123 | 182,222 |
| 10 | 10 MONTHS | 140 | 257,170 |
| 11 | 11 MONTHS | 118 | 211,763 |
| 12 | 12 MONTHS | 5,760 | 11,058,356 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 82 | 124,731 |

Note: Respondents who worked in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.43

Variable: **DVMNWH94** Position: 165 Length: 1

Derived variable for main job working hours

| | | FREQ | WTD |
|---|--------------------------------|-------|------------|
| 1 | FULL TIME (30 HOURS OR MORE) | 6,560 | 12,014,671 |
| 2 | PART TIME (LESS THAN 30 HOURS) | 1,665 | 3,293,162 |
| 6 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 9 | NOT STATED | 91 | 140,925 |

Note: Respondents who worked in the past 12 months

Variable: **DVMNTH94** Position: 166 Length: 2

Derived variable for type of working hours for main job

| | | FREQ | WTD |
|----|---|-------|-----------|
| 01 | REGULAR SHIFT-NO WEEKEND | 4,364 | 8,225,435 |
| 02 | REGULAR SHIFT-WITH WEEKEND | 1,919 | 3,563,587 |
| 03 | ROTATING OR SPLIT SHIFT-NO WEEKEND | 183 | 376,129 |
| 04 | ROTATING OR SPLIT SHIFT-WITH WEEKEND | 734 | 1,245,312 |
| 05 | IRREGULAR/ON CALL SCHEDULE-NO WEEKEND | 254 | 483,309 |
| 06 | IRREGULAR/ON CALL SCHEDULE-WITH WEEKEND | 724 | 1,315,678 |
| 07 | OTHER-NO WEEKEND | 13 | 32,376 |
| 08 | OTHER-WITH WEEKEND | 39 | 73,332 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 86 | 133,600 |

Note: Respondents who worked in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.44

Variable: **DVWD194** Position: 168 Length: 2

Derived variable for work duration of first job

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 MONTHS | 222 | 383,799 |
| 01 | 1 MONTH | 349 | 611,053 |
| 02 | 2 MONTHS | 356 | 603,746 |
| 03 | 3 MONTHS | 252 | 411,893 |
| 04 | 4 MONTHS | 226 | 408,342 |
| 05 | 5 MONTHS | 191 | 318,704 |
| 06 | 6 MONTHS | 186 | 298,886 |
| 07 | 7 MONTHS | 184 | 352,978 |
| 08 | 8 MONTHS | 135 | 248,735 |
| 09 | 9 MONTHS | 120 | 178,601 |
| 10 | 10 MONTHS | 136 | 249,952 |
| 11 | 11 MONTHS | 118 | 210,733 |
| 12 | 12 MONTHS | 5,774 | 11,066,062 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 67 | 105,274 |

Note: Respondents who worked in the past 12 months

Variable: **DVWD294** Position: 170 Length: 2

Derived variable of work duration of second job

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 00 | 0 MONTHS | 94 | 160,482 |
| 01 | 1 MONTH | 169 | 287,007 |
| 02 | 2 MONTHS | 138 | 219,898 |
| 03 | 3 MONTHS | 145 | 237,752 |
| 04 | 4 MONTHS | 87 | 155,457 |
| 05 | 5 MONTHS | 90 | 158,693 |
| 06 | 6 MONTHS | 64 | 113,777 |
| 07 | 7 MONTHS | 68 | 133,216 |
| 08 | 8 MONTHS | 65 | 110,496 |
| 09 | 9 MONTHS | 47 | 59,431 |
| 10 | 10 MONTHS | 61 | 107,275 |
| 11 | 11 MONTHS | 34 | 70,918 |
| 12 | 12 MONTHS | 554 | 1,047,461 |
| 96 | NOT APPLICABLE | 11,717 | 20,981,466 |
| 99 | NOT STATED | 67 | 105,274 |

Note: Respondents who worked in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.45

Variable: **DVWD394** Position: 172 Length: 2

Derived variable for work duration of third job

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 00 | 0 MONTHS | 27 | 46,228 |
| 01 | 1 MONTH | 59 | 88,256 |
| 02 | 2 MONTHS | 47 | 67,370 |
| 03 | 3 MONTHS | 36 | 43,044 |
| 04 | 4 MONTHS | 25 | 42,958 |
| 05 | 5 MONTHS | 16 | 32,997 |
| 06 | 6 MONTHS | 25 | 40,871 |
| 07 | 7 MONTHS | 14 | 27,169 |
| 08 | 8 MONTHS | 10 | 23,560 |
| 09 | 9 MONTHS | 6 | 8,719 |
| 10 | 10 MONTHS | 8 | 11,886 |
| 11 | 11 MONTHS | 7 | 12,781 |
| 12 | 12 MONTHS | 37 | 61,387 |
| 96 | NOT APPLICABLE | 13,016 | 23,336,101 |
| 99 | NOT STATED | 67 | 105,274 |

Note: Respondents who worked in the past 12 months

Variable: **DVWH194** Position: 174 Length: 1

Derived variable for working hours for the first job

| | | FREQ | WTD |
|---|--------------------------------|-------|------------|
| 1 | FULL TIME (30 HOURS OR MORE) | 6,573 | 12,045,972 |
| 2 | PART TIME (LESS THAN 30 HOURS) | 1,667 | 3,281,319 |
| 6 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 9 | NOT STATED | 76 | 121,468 |

Note: Respondents who worked in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.46

Variable: **DVWH294** Position: 175 Length: 1

Derived variable for working hours for the second job

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 1 | FULL TIME (30 HOURS OR MORE) | 743 | 1,229,406 |
| 2 | PART TIME (LESS THAN 30 HOURS) | 864 | 1,609,574 |
| 6 | NOT APPLICABLE | 11,702 | 20,960,056 |
| 9 | NOT STATED | 91 | 149,567 |

Note: Respondents who worked in the past 12 months

Variable: **DVWH394** Position: 176 Length: 1

Derived variable for working hours for the third job

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 1 | FULL TIME (30 HOURS OR MORE) | 149 | 223,779 |
| 2 | PART TIME (LESS THAN 30 HOURS) | 164 | 277,684 |
| 6 | NOT APPLICABLE | 13,000 | 23,313,628 |
| 9 | NOT STATED | 87 | 133,512 |

Note: Respondents who worked in the past 12 months

Variable: **DVTH194** Position: 177 Length: 2

Derived variable for the type of working hours of the first job

| | | FREQ | WTD |
|----|---|-------|-----------|
| 01 | REGULAR SHIFT-NO WEEKEND | 4,374 | 8,239,791 |
| 02 | REGULAR SHIFT-WITH WEEKEND | 1,925 | 3,571,377 |
| 03 | ROTATING OR SPLIT SHIFT-NO WEEKEND | 181 | 371,736 |
| 04 | ROTATING OR SPLIT SHIFT-WITH WEEKEND | 738 | 1,254,174 |
| 05 | IRREGULAR/ON CALL SCHEDULE-NO WEEKEND | 248 | 467,903 |
| 06 | IRREGULAR/ON CALL SCHEDULE-WITH WEEKEND | 727 | 1,324,505 |
| 07 | OTHER-NO WEEKEND | 13 | 32,376 |
| 08 | OTHER-WITH WEEKEND | 39 | 72,753 |
| 96 | NOT APPLICABLE | 5,084 | 8,499,845 |
| 99 | NOT STATED | 71 | 114,143 |

Note: Respondents who worked in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.47

Variable: **DVTH294** Position: 179 Length: 2

Derived variable for the type of working hours of the second job

| | | FREQ | WTD |
|----|---|--------|------------|
| 01 | REGULAR SHIFT-NO WEEKEND | 619 | 1,122,537 |
| 02 | REGULAR SHIFT-WITH WEEKEND | 464 | 807,825 |
| 03 | ROTATING OR SPLIT SHIFT-NO WEEKEND | 15 | 30,503 |
| 04 | ROTATING OR SPLIT SHIFT-WITH WEEKEND | 111 | 164,993 |
| 05 | IRREGULAR/ON CALL SCHEDULE-NO WEEKEND | 100 | 168,809 |
| 06 | IRREGULAR/ON CALL SCHEDULE-WITH WEEKEND | 279 | 513,282 |
| 07 | OTHER-NO WEEKEND | 5 | 6,811 |
| 08 | OTHER-WITH WEEKEND | 21 | 41,698 |
| 96 | NOT APPLICABLE | 11,702 | 20,960,056 |
| 99 | NOT STATED | 84 | 132,088 |

Note: Respondents who worked in the past 12 months

Variable: **DVTH394** Position: 181 Length: 2

Derived variable for the type of working hours of the third job

| | | FREQ | WTD |
|----|---|--------|------------|
| 01 | REGULAR SHIFT-NO WEEKEND | 118 | 161,009 |
| 02 | REGULAR SHIFT-WITH WEEKEND | 96 | 154,993 |
| 03 | ROTATING OR SPLIT SHIFT-NO WEEKEND | 3 | 3,334 |
| 04 | ROTATING OR SPLIT SHIFT-WITH WEEKEND | 19 | 32,783 |
| 05 | IRREGULAR/ON CALL SCHEDULE-NO WEEKEND | 14 | 28,859 |
| 06 | IRREGULAR/ON CALL SCHEDULE-WITH WEEKEND | 60 | 111,811 |
| 07 | OTHER-NO WEEKEND | 0 | 0 |
| 08 | OTHER-WITH WEEKEND | 6 | 12,290 |
| 96 | NOT APPLICABLE | 13,000 | 23,313,628 |
| 99 | NOT STATED | 84 | 129,895 |

Note: Respondents who worked in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.48

Variable: **INC_Q2G** Position: 183 Length: 2

Main source of household income - grouped

| | | FREQ | WTD |
|----|----------------------|-------|------------|
| 01 | WAGES/SALARY | 8,809 | 17,319,327 |
| 02 | UI/WORK COMP/WELFARE | 1,081 | 1,652,306 |
| 03 | DIVIDENDS & INTEREST | 2,863 | 3,876,266 |
| 04 | SENIOR'S BENEFITS | 50 | 75,625 |
| 05 | CHILD TAX/ALIMONY | 199 | 359,670 |
| 06 | OTHER | 263 | 391,759 |
| 96 | NOT APPLICABLE | 39 | 78,038 |
| 99 | NOT STATED | 96 | 195,611 |

Variable: **DVHHIN94** Position: 185 Length: 2

Derived total household income from all sources in the past 12 months

| | | FREQ | WTD |
|----|----------------------|-------|-----------|
| 01 | NO INCOME | 106 | 200,682 |
| 02 | LESS THAN \$5,000 | 169 | 219,138 |
| 03 | \$5,000 TO \$9,999 | 711 | 741,047 |
| 04 | \$10,000 TO \$14,999 | 1,448 | 1,794,133 |
| 05 | \$15,000 TO \$19,999 | 1,244 | 1,728,581 |
| 06 | \$20,000 TO \$29,999 | 2,003 | 3,212,735 |
| 07 | \$30,000 TO \$39,999 | 1,891 | 3,316,975 |
| 08 | \$40,000 TO \$49,999 | 1,595 | 3,110,886 |
| 09 | \$50,000 TO \$59,999 | 1,267 | 2,639,361 |
| 10 | \$60,000 TO \$79,999 | 1,328 | 3,002,032 |
| 11 | \$80,000 AND MORE | 1,122 | 2,918,664 |
| 99 | NOT STATED | 516 | 1,064,367 |

Note: Based on INCOM-Q3

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.49

Variable: **DVINC594** Position: 187 Length: 1

Derived income adequacy in 5 discrete categories

| | | FREQ | WTD |
|---|---------------------|-------|-----------|
| 1 | LOWEST INCOME | 1,039 | 1,287,644 |
| 2 | LOWER MIDDLE INCOME | 1,928 | 2,767,546 |
| 3 | MIDDLE INCOME | 3,991 | 6,900,676 |
| 4 | UPPER MIDDLE INCOME | 4,395 | 8,277,731 |
| 5 | HIGHEST INCOME | 1,531 | 3,650,640 |
| 9 | NOT STATED | 516 | 1,064,367 |

Note: Based on DVHHSZ94 and DVHHIN94. See Appendix F - Derived variables

Variable: **PROVINCE** Position: 188 Length: 2

Province at the time of the interview

| | | FREQ | WTD |
|----|----------------------|-------|-----------|
| 10 | NEWFOUNDLAND | 824 | 483,364 |
| 11 | PRINCE EDWARD ISLAND | 807 | 109,603 |
| 12 | NOVA SCOTIA | 843 | 763,945 |
| 13 | NEW BRUNSWICK | 890 | 626,303 |
| 24 | QUEBEC | 2,362 | 6,029,670 |
| 35 | ONTARIO | 3,269 | 9,050,017 |
| 46 | MANITOBA | 956 | 890,751 |
| 47 | SASKATCHEWAN | 928 | 792,049 |
| 48 | ALBERTA | 1,179 | 2,166,103 |
| 59 | BRITISH COLUMBIA | 1,342 | 3,036,799 |

Note: Respondent's province at the time of the interview

Variable: **DVURBA** Position: 190 Length: 1

Derived Urban and Rural Area

| | | FREQ | WTD |
|---|--|-------|------------|
| 1 | RURAL | 2,989 | 3,057,965 |
| 2 | URBAN | 7,093 | 11,739,366 |
| 6 | N/A FOR BC NORTH. INTERIOR HEALTH REGION | 3,318 | 9,151,271 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.50

Variable: **DVHLRGA** Position: 191 Length: 2

Derived Health Regions in Ontario and British Columbia

| | | FREQ | WTD |
|----|---------------------------------------|--------|------------|
| 18 | NORTHERN INTERIOR (BC) | 49 | 101,255 |
| 51 | EAST (ONTARIO) | 560 | 1,299,298 |
| 52 | CENTRAL EAST (ONTARIO) | 1,242 | 4,114,224 |
| 53 | CENTRAL WEST (ONTARIO) | 701 | 1,772,710 |
| 54 | SOUTHWEST (ONTARIO) | 496 | 1,163,717 |
| 55 | NORTHEASTERN & NORTHWESTERN (ONTARIO) | 270 | 700,067 |
| 61 | CENTRAL (MANITOBA) | 0 | 0 |
| 62 | EASTMAN (MANITOBA) | 0 | 0 |
| 63 | INTERLAKE (MANITOBA) | 0 | 0 |
| 64 | NORMAN & THOMPSON (MANITOBA) | 0 | 0 |
| 65 | PARKLANDS (MANITOBA) | 0 | 0 |
| 67 | WESTMAN (MANITOBA) | 0 | 0 |
| 68 | WINNIPEG (MANITOBA) | 0 | 0 |
| 96 | NOT APPLICABLE | 10,082 | 14,797,331 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.51

Variable: **DVCMMA** Position: 193 Length: 3

Derived 1991 Census Metropolitan Area

| | | FREQ | WTD |
|-----|-----------------|--------|------------|
| 001 | ST. JOHN'S | 0 | 0 |
| 205 | HALIFAX | 0 | 0 |
| 310 | SAINT JOHN | 0 | 0 |
| 408 | CHICOUTIMI | 0 | 0 |
| 421 | QUEBEC | 0 | 0 |
| 433 | SHERBROOKE | 0 | 0 |
| 442 | TROIS-RIVIERES | 0 | 0 |
| 462 | MONTRÉAL | 861 | 2,655,250 |
| 505 | OTTAWA/HULL | 0 | 0 |
| 532 | OSHAWA | 0 | 0 |
| 535 | TORONTO | 0 | 0 |
| 537 | HAMILTON | 0 | 0 |
| 539 | ST. CATHERINE'S | 0 | 0 |
| 541 | KITCHENER | 0 | 0 |
| 555 | LONDON | 0 | 0 |
| 559 | WINDSOR | 0 | 0 |
| 580 | SUDBURY | 0 | 0 |
| 595 | THUNDER BAY | 0 | 0 |
| 602 | WINNIPEG | 0 | 0 |
| 705 | REGINA | 0 | 0 |
| 725 | SASKATOON | 0 | 0 |
| 825 | CALGARY | 0 | 0 |
| 835 | EDMONTON | 0 | 0 |
| 933 | VANCOUVER | 609 | 1,502,842 |
| 935 | VICTORIA | 0 | 0 |
| 996 | NOT APPLICABLE | 11,930 | 19,790,510 |

Variable: **GH_Q1** Position: 196 Length: 1

In general, how would you describe your health?

| | | FREQ | WTD |
|---|----------------|-------|-----------|
| 1 | EXCELLENT | 3,142 | 6,105,770 |
| 2 | VERY GOOD | 5,064 | 9,072,947 |
| 3 | GOOD | 3,551 | 6,377,355 |
| 4 | FAIR | 1,287 | 1,898,220 |
| 5 | POOR | 356 | 494,310 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.52

Variable: **GH_Q2** Position: 197 Length: 1

Are you pregnant?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 148 | 236,073 |
| 2 | NO | 4,320 | 7,360,666 |
| 6 | NOT APPLICABLE | 8,922 | 16,333,560 |
| 9 | NOT STATED | 10 | 18,303 |

Note: Females aged 15 to 49 years old

Variable: **DVGHI94** Position: 198 Length: 1

Derived health description index

| | | FREQ | WTD |
|---|-----------|-------|-----------|
| 0 | POOR | 356 | 494,310 |
| 1 | FAIR | 1,287 | 1,898,220 |
| 2 | GOOD | 3,551 | 6,377,355 |
| 3 | VERY GOOD | 5,064 | 9,072,947 |
| 4 | EXCELLENT | 3,142 | 6,105,770 |

Note: Based on GENHLT-Q1. Respondents aged 12 years old or older.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.53

Variable: **HEIGHT** Position: 199 Length: 2

How tall are you without shoes on?

| | | FREQ | WTD |
|----|-----------------------------------|-------|-----------|
| 25 | 4' 11" OR LESS (151.0 CM OR LESS) | 288 | 554,061 |
| 26 | 5' (151.1 TO 153.6 CM) | 526 | 833,508 |
| 27 | 5' 1" (153.7 TO 156.1 CM) | 584 | 1,010,914 |
| 28 | 5' 2" (156.2 TO 158.7 CM) | 1,093 | 1,778,092 |
| 29 | 5' 3" (158.8 TO 161.2 CM) | 1,191 | 2,223,220 |
| 30 | 5' 4" (161.3 TO 163.7 CM) | 1,305 | 2,081,819 |
| 31 | 5' 5" (163.8 TO 166.3 CM) | 1,136 | 1,868,860 |
| 32 | 5' 6" (166.4 TO 168.8 CM) | 1,203 | 2,063,483 |
| 33 | 5' 7" (168.9 TO 171.4 CM) | 1,142 | 2,070,284 |
| 34 | 5' 8" (171.5 TO 173.9 CM) | 1,438 | 2,641,648 |
| 35 | 5' 9" (174.0 TO 176.4 CM) | 642 | 1,291,776 |
| 36 | 5' 10" (176.5 TO 179.0 CM) | 866 | 1,733,411 |
| 37 | 5' 11" (179.1 TO 181.5 CM) | 741 | 1,344,976 |
| 38 | 6' (181.6 TO 184.1 CM) | 526 | 1,020,664 |
| 39 | 6' 1" (184.2 TO 186.6 CM) | 305 | 619,807 |
| 40 | 6' 2" OR MORE (186.7 CM OR MORE) | 402 | 777,335 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 12 | 34,746 |

Note: Respondents aged 12 years old or older. Numeric values represent coded height. Height less than 25 has been set to 25 and height greater than 40 has been set to 40.

Variable: **WEIGHTKG** Position: 201 Length: 4

How much do you weigh?

Observed Min: 46 Observed Max: 9999

Note: Weight in kilograms. Respondents aged 12 years old or older. Numeric values represent actual weight. Weight less than 46 was set to 46 and weight greater than 112 was set to 112.

Variable: **DVBMI94** Position: 205 Length: 4

Derived Body Mass Index (1 decimal place) - See Appendix F - Derived variables

Observed Min: 16 Observed Max: 99

Note: Respondents aged 20 to 64 years old, excluding pregnant women.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.54

Variable: **DVBMIC94** Position: 209 Length: 1

Derived standard weight - based on Body Mass Index.

| | | FREQ | WTD |
|---|---------------------|-------|-----------|
| 1 | INSUFFICIENT WEIGHT | 707 | 1,341,395 |
| 2 | ACCEPTABLE WEIGHT | 4,112 | 7,464,781 |
| 3 | SOME EXCESS WEIGHT | 2,238 | 4,098,244 |
| 4 | OVERWEIGHT | 2,318 | 3,990,824 |
| 6 | NOT APPLICABLE | 3,923 | 6,867,574 |
| 9 | NOT STATED | 102 | 185,785 |

Note: Based on DVBMI94 coded. See Appendix F - Derived variables

Variable: **PHP_Q1** Position: 210 Length: 2

When did you last have your blood pressure checked by a health professional?

| | | FREQ | WTD |
|----|----------------------------------|-------|------------|
| 01 | LESS THAN 6 MONTHS AGO | 6,620 | 11,088,389 |
| 02 | 6 MONTHS TO LESS THAN 1 YEAR AGO | 2,585 | 4,645,430 |
| 03 | 1 YEAR TO LESS THAN 2 YEARS AGO | 1,821 | 3,539,097 |
| 04 | 2 YEARS TO LESS THAN 5 YEARS AGO | 1,149 | 2,215,830 |
| 05 | 5 YEARS OR MORE AGO | 563 | 1,011,934 |
| 06 | NEVER | 446 | 947,185 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 216 | 500,738 |

Note: Respondents aged 12 years old or older

Variable: **PHP_Q2** Position: 212 Length: 1

Have you ever had a mammogram, that is, a breast x-ray?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 2,652 | 4,333,024 |
| 2 | NO | 1,983 | 2,833,589 |
| 6 | NOT APPLICABLE | 8,742 | 16,721,006 |
| 9 | NOT STATED | 23 | 60,983 |

Note: Females aged 35 years and older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.55

Variable: **PHP_Q2A** Position: 213 Length: 1

When was the last time?

| | | FREQ | WTD |
|---|----------------------------------|--------|------------|
| 1 | LESS THAN 6 MONTHS AGO | 563 | 961,802 |
| 2 | 6 MONTHS TO LESS THAN 1 YEAR AGO | 624 | 989,045 |
| 3 | 1 YEAR TO LESS THAN 2 YEARS AGO | 593 | 1,006,562 |
| 4 | 2 YEARS OR MORE AGO | 872 | 1,375,615 |
| 6 | NOT APPLICABLE | 10,725 | 19,554,595 |
| 9 | NOT STATED | 23 | 60,983 |

Note: Respondents who have answered PHP-Q2=1

Variable: **PHP_Q2B** Position: 214 Length: 1

Why did you have your last mammogram?

| | | FREQ | WTD |
|---|---------------------------------|--------|------------|
| 1 | BREAST PROBLEM | 544 | 861,334 |
| 2 | CHECK-UP, NO PARTICULAR PROBLEM | 2,064 | 3,386,737 |
| 3 | OTHER (SPECIFY) | 44 | 84,953 |
| 6 | NOT APPLICABLE | 10,725 | 19,554,595 |
| 9 | NOT STATED | 23 | 60,983 |

Note: Respondents who have answered PHP-Q2=1

Variable: **PHP_Q3** Position: 215 Length: 1

Have you ever had a pap smear test?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 5,964 | 9,097,010 |
| 2 | NO | 934 | 1,670,384 |
| 6 | NOT APPLICABLE | 6,453 | 13,063,874 |
| 9 | NOT STATED | 49 | 117,335 |

Note: Females aged 16 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.56

Variable: **PHP_Q3A** Position: 216 Length: 1

When was the last time?

| | | FREQ | WTD |
|---|----------------------------------|-------|------------|
| 1 | LESS THAN 6 MONTHS AGO | 1,558 | 2,454,392 |
| 2 | 6 MONTHS TO LESS THAN 1 YEAR AGO | 1,650 | 2,605,788 |
| 3 | 1 YEAR TO LESS THAN 3 YEARS AGO | 1,513 | 2,373,825 |
| 4 | 3 YEARS TO LESS THAN 5 YEARS AGO | 394 | 544,149 |
| 5 | 5 YEARS OR MORE AGO | 846 | 1,116,728 |
| 6 | NOT APPLICABLE | 7,387 | 14,734,258 |
| 9 | NOT STATED | 52 | 119,463 |

Note: Respondents who have answered PHP-Q3=1

Variable: **SMOK_Q1** Position: 217 Length: 1

Does anyone in this household smoke regularly inside the house?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 5,036 | 8,820,994 |
| 2 | NO | 8,359 | 15,111,995 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 5 | 15,614 |

Note: Respondents aged 12 years old or older

Variable: **SMOK_Q2** Position: 218 Length: 1

At the present time do you smoke cigarettes daily, occasionally or not at all?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | DAILY | 3,555 | 5,894,570 |
| 2 | OCCASIONALLY | 606 | 1,169,103 |
| 3 | NOT AT ALL | 9,234 | 16,869,317 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 5 | 15,614 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.57

Variable: **SMOK_Q3** Position: 219 Length: 3

At what age did you begin to smoke cigarettes daily?

| | | FREQ | WTD |
|-----|--------------------|-------|------------|
| 001 | LESS THAN 12 YEARS | 182 | 274,592 |
| 002 | 12 TO 14 YEARS | 810 | 1,323,311 |
| 003 | 15 TO 17 YEARS | 1,397 | 2,383,267 |
| 004 | 18 TO 19 YEARS | 498 | 830,743 |
| 005 | 20 TO 24 YEARS | 407 | 692,483 |
| 006 | 25 TO 29 YEARS | 129 | 197,384 |
| 007 | 30 TO 34 YEARS | 55 | 92,423 |
| 008 | 35 TO 39 YEARS | 25 | 39,100 |
| 009 | 40 TO 44 YEARS | 22 | 26,408 |
| 010 | 45 TO 49 YEARS | 4 | 6,058 |
| 011 | 50 YEARS OR OLDER | 13 | 10,473 |
| 996 | NOT APPLICABLE | 9,840 | 18,038,419 |
| 999 | NOT STATED | 18 | 33,940 |

Note: Respondents who have answered SMOK-Q2=1

Variable: **SMOK_Q4** Position: 222 Length: 3

How many cigarettes do you smoke each day now?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered SMOK-Q2=1

Variable: **SMOK_Q4A** Position: 225 Length: 1

Have you ever smoked cigarettes at all?

| | | FREQ | WTD |
|---|----------------|-------|-----------|
| 1 | YES | 4,150 | 7,301,282 |
| 2 | NO | 5,084 | 9,568,035 |
| 6 | NOT APPLICABLE | 4,161 | 7,063,672 |
| 9 | NOT STATED | 5 | 15,614 |

Note: Respondents who have answered SMOK-Q2=3

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.58

Variable: **SMOK_Q5** Position: 226 Length: 1

Have you ever smoked cigarettes daily?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 3,464 | 5,949,188 |
| 2 | NO | 1,292 | 2,521,197 |
| 6 | NOT APPLICABLE | 8,639 | 15,462,605 |
| 9 | NOT STATED | 5 | 15,614 |

Note: Respondents who have answered SMOK-Q2=2 or SMOK-Q4A=1

Variable: **SMOK_Q6** Position: 227 Length: 2

At what age did you begin to smoke (cigarettes) daily?

| | | FREQ | WTD |
|----|--------------------|-------|------------|
| 01 | LESS THAN 12 YEARS | 112 | 148,145 |
| 02 | 12 TO 14 YEARS | 626 | 1,146,301 |
| 03 | 15 TO 17 YEARS | 1,255 | 2,170,426 |
| 04 | 18 TO 19 YEARS | 589 | 1,008,258 |
| 05 | 20 TO 24 YEARS | 573 | 984,243 |
| 06 | 25 TO 29 YEARS | 155 | 256,202 |
| 07 | 30 TO 34 YEARS | 76 | 129,250 |
| 08 | 35 TO 39 YEARS | 23 | 33,568 |
| 09 | 40 TO 44 YEARS | 31 | 42,866 |
| 10 | 45 TO 49 YEARS | 6 | 10,500 |
| 11 | 50 YEARS OR OLDER | 10 | 8,099 |
| 96 | NOT APPLICABLE | 9,931 | 17,983,801 |
| 99 | NOT STATED | 13 | 26,943 |

Note: Respondents who have answered SMOK-Q5=1

Variable: **SMOK_Q7** Position: 229 Length: 3

How many cigarettes did you usually smoke each day?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered SMOK-Q5=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.59

Variable: **SMOK_Q8** Position: 232 Length: 3

At what age did you stop smoking (cigarettes) daily?

| | | FREQ | WTD |
|-----|--------------------|-------|------------|
| 001 | LESS THAN 12 YEARS | 2 | 851 |
| 002 | 12 TO 14 YEARS | 41 | 106,760 |
| 003 | 15 TO 17 YEARS | 118 | 220,206 |
| 004 | 18 TO 19 YEARS | 139 | 236,957 |
| 005 | 20 TO 24 YEARS | 465 | 793,106 |
| 006 | 25 TO 29 YEARS | 475 | 863,918 |
| 007 | 30 TO 34 YEARS | 453 | 885,323 |
| 008 | 35 TO 39 YEARS | 377 | 694,951 |
| 009 | 40 TO 44 YEARS | 315 | 531,611 |
| 010 | 45 TO 49 YEARS | 237 | 353,430 |
| 011 | 50 TO 54 YEARS | 254 | 386,185 |
| 012 | 55 TO 59 YEARS | 204 | 317,681 |
| 013 | 60 TO 64 YEARS | 179 | 247,048 |
| 014 | 65 TO 69 YEARS | 99 | 149,333 |
| 015 | 70 TO 74 YEARS | 68 | 91,696 |
| 016 | 75 TO 79 YEARS | 13 | 31,973 |
| 017 | 80 YEARS OR OLDER | 11 | 11,733 |
| 996 | NOT APPLICABLE | 9,931 | 17,983,801 |
| 999 | NOT STATED | 19 | 42,041 |

Note: Respondents who have answered SMOK-Q5=1

Variable: **DVSMKT94** Position: 235 Length: 2

Derived type of smoker - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|---|-------|-----------|
| 01 | DAILY SMOKER | 3,555 | 5,894,570 |
| 02 | OCCASIONAL SMOKER (FORMER DAILY SMOKER) | 359 | 686,970 |
| 03 | ALWAYS AN OCCASIONAL SMOKER | 247 | 482,132 |
| 04 | FORMER DAILY SMOKER | 3,105 | 5,262,217 |
| 05 | FORMER OCCASIONAL SMOKER | 1,045 | 2,039,064 |
| 06 | NEVER SMOKED | 5,084 | 9,568,035 |
| 99 | NOT STATED | 5 | 15,614 |

Note: Based on SMOK-Q2, SMOK-Q4A, SMOK-Q5.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.60

Variable: **DVSMKY94** Position: 237 Length: 3

Derived number of years smoked - See Appendix F - Derived Variables

Observed Min: 0 Observed Max: 999

Note: Respondents who are current smokers or were former daily smokers.

Variable: **ALC_Q1** Position: 240 Length: 1

During the past 12 months, did you have a drink (i.e. beer, wine etc)?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 10,118 | 18,310,202 |
| 2 | NO | 3,276 | 5,626,310 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents aged 12 years old or older

Variable: **ALC_Q2** Position: 241 Length: 2

During the past 12 months, how often did you drink alcoholic beverages?

| | | FREQ | WTD |
|----|------------------------|-------|-----------|
| 01 | EVERY DAY | 559 | 1,112,733 |
| 02 | 4 TO 6 TIMES A WEEK | 473 | 925,735 |
| 03 | 2 TO 3 TIMES A WEEK | 1,605 | 3,019,747 |
| 04 | ONCE A WEEK | 1,780 | 3,245,982 |
| 05 | 2 TO 3 TIMES A MONTH | 1,549 | 2,811,547 |
| 06 | ONCE A MONTH | 1,222 | 2,181,840 |
| 07 | LESS THAN ONCE A MONTH | 2,925 | 5,004,437 |
| 96 | NOT APPLICABLE | 3,276 | 5,626,310 |
| 99 | NOT STATED | 11 | 20,273 |

Note: Respondents who have answered ALCO-Q1=1

Variable: **ALC_Q3** Position: 243 Length: 3

How many times in past 12 months did you have 5 or more drinks on one occasion?

Observed Min: 0 Observed Max: 999

Note: Respondents who have answered ALCO-Q1=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.61

Variable: **ALC_Q4** Position: 246 Length: 3

In past 12 months, what is the highest number of drinks you had on one occasion?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered ALCO-Q1=1

Variable: **ALC_Q5** Position: 249 Length: 1

Thinking back over the past week, did you have a drink (beer, wine, etc)?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 5,655 | 10,413,034 |
| 2 | NO | 4,463 | 7,897,168 |
| 6 | NOT APPLICABLE | 3,276 | 5,626,310 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q1=1

Variable: **ALC_Q5_1** Position: 250 Length: 3

How many drinks did you have on Monday?

Observed Min: 0 Observed Max: 999

Note: Respondents who answered ALCO-Q5=1

Variable: **ALC_Q5_2** Position: 253 Length: 3

How many drinks did you have on Tuesday?

Observed Min: 0 Observed Max: 999

Note: Respondents who have answered ALCO-Q5=1

Variable: **ALC_Q5_3** Position: 256 Length: 3

How many drinks did you have on Wednesday?

Observed Min: 0 Observed Max: 999

Note: Respondents who have answered ALCO-Q5=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.62

Variable: **ALC_Q5_4** Position: 259 Length: 3

How many drinks did you have on Thursday?

Observed Min: 0 Observed Max: 999

Note: Respondents who have answered ALCO-Q5=1

Variable: **ALC_Q5_5** Position: 262 Length: 3

How many drinks did you have on Friday?

Observed Min: 0 Observed Max: 999

Note: Respondents who have answered ALCO-Q5=1

Variable: **ALC_Q5_6** Position: 265 Length: 3

How many drinks did you have on Saturday?

Observed Min: 0 Observed Max: 999

Note: Respondents who have answered ALCO-Q5=1

Variable: **ALC_Q5_7** Position: 268 Length: 3

How many drinks did you have on Sunday?

Observed Min: 0 Observed Max: 999

Note: Respondents who have answered ALCO-Q5=1

Variable: **ALC_Q5B** Position: 271 Length: 1

Did you ever have a drink?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,884 | 2,952,208 |
| 2 | NO | 1,392 | 2,674,101 |
| 6 | NOT APPLICABLE | 10,118 | 18,310,202 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q1=2

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.63

Variable: **ALC_Q6** Position: 272 Length: 1

Did you ever regularly drink more than 12 drinks a week?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 335 | 432,328 |
| 2 | NO | 1,549 | 2,519,880 |
| 6 | NOT APPLICABLE | 11,510 | 20,984,303 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q5B=1

Variable: **ALCQ7_A** Position: 273 Length: 1

Did you reduce or quit drinking because of dieting?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 5 | 8,737 |
| 2 | NO | 330 | 423,592 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **ALCQ7_B** Position: 274 Length: 1

Did you reduce or quit drinking because of athletic training?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1 | 1,663 |
| 2 | NO | 334 | 430,665 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.64

Variable: **ALCQ7_C** Position: 275 Length: 1

Did you reduce or quit drinking because of pregnancy?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 2 | 2,098 |
| 2 | NO | 333 | 430,230 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **ALCQ7_D** Position: 276 Length: 1

Did you reduce or quit drinking because you were getting older?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 27 | 29,957 |
| 2 | NO | 308 | 402,371 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **ALCQ7_E** Position: 277 Length: 1

Did you reduce or quit drinking because you were drinking too much?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 142 | 184,824 |
| 2 | NO | 193 | 247,505 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.65

Variable: **ALCQ7_F** Position: 278 Length: 1

Did you reduce or quit drinking because it affected your work?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 43 | 58,450 |
| 2 | NO | 292 | 373,879 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **ALCQ7_G** Position: 279 Length: 1

Did you reduce or quit drinking because it interfered with family or home life?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 69 | 89,134 |
| 2 | NO | 266 | 343,194 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **ALCQ7_H** Position: 280 Length: 1

Did you reduce or quit drinking because it affected your physical health?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 109 | 119,920 |
| 2 | NO | 226 | 312,408 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.66

Variable: **ALCQ7_I** Position: 281 Length: 1

Did you reduce or quit drinking because it affected your friendships?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 43 | 44,967 |
| 2 | NO | 292 | 387,361 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **ALCQ7_J** Position: 282 Length: 1

Did you reduce or quit drinking because it affected your financial position?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 54 | 55,771 |
| 2 | NO | 281 | 376,557 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **ALCQ7_K** Position: 283 Length: 1

Did you reduce or quit drinking because it affected your outlook on life?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 34 | 38,603 |
| 2 | NO | 301 | 393,725 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.67

Variable: **ALCQ7_L** Position: 284 Length: 1

Did you reduce or quit drinking because of the influence of family or friends?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 25 | 35,296 |
| 2 | NO | 310 | 397,032 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **ALCQ7_M** Position: 285 Length: 1

Did you reduce or quit drinking for any other reason?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 48 | 68,593 |
| 2 | NO | 287 | 363,735 |
| 6 | NOT APPLICABLE | 13,059 | 23,504,183 |
| 9 | NOT STATED | 6 | 12,091 |

Note: Respondents who have answered ALCO-Q6=1

Variable: **DVALT94** Position: 286 Length: 1

Derived type of drinker

| | | FREQ | WTD |
|---|--------------------|-------|------------|
| 1 | REGULAR DRINKER | 7,188 | 13,297,584 |
| 2 | OCCASIONAL DRINKER | 2,925 | 5,004,437 |
| 3 | DO NOT DRINK NOW | 1,884 | 2,952,208 |
| 4 | ABSTINENTS | 1,392 | 2,674,101 |
| 9 | NOT STATED | 11 | 20,273 |

Note: Based on ALC-Q2 and ALC-Q5B. See Appendix F - Derived variables

Variable: **DVALWV94** Position: 287 Length: 3

Derived weekly total of alcohol consumed - Based on ALC-Q5A

Observed Min: 0 Observed Max: 999

Note: Sum of number of drinks on all days in week prior to survey. Based on ALC-Q5A.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.68

Variable: **DVALAV94** Position: 290 Length: 2

Derived average daily consumption

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 DRINKS | 6,911 | 12,468,712 |
| 01 | 1 DRINK | 2,085 | 3,852,902 |
| 02 | 2 DRINKS | 614 | 1,070,626 |
| 03 | 3 DRINKS | 242 | 421,048 |
| 04 | 4 DRINKS | 98 | 193,720 |
| 05 | 5 DRINKS | 57 | 106,606 |
| 06 | 6 DRINKS | 33 | 55,609 |
| 07 | 7 DRINKS | 16 | 32,358 |
| 08 | 8 DRINKS | 12 | 18,461 |
| 09 | 9 DRINKS | 2 | 4,975 |
| 10 | 10 DRINKS | 3 | 3,809 |
| 11 | 11 DRINKS | 2 | 3,134 |
| 12 | 12 DRINKS | 4 | 5,888 |
| 13 | 13 DRINKS | 1 | 524 |
| 14 | 14 DRINKS | 1 | 1,299 |
| 96 | NOT APPLICABLE | 3,276 | 5,626,310 |
| 99 | NOT STATED | 43 | 82,623 |

Note: Based on DVALWV94. Weekly total divided by 7.

Variable: **PAQ1_A** Position: 292 Length: 1

In the past 3 months, did you walk for exercise?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 8,751 | 15,279,175 |
| 2 | NO | 4,454 | 8,232,617 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.69

Variable: **PAQ1_B** Position: 293 Length: 1

In the past 3 months, did you garden or do yard work?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 5,866 | 10,192,654 |
| 2 | NO | 7,339 | 13,319,138 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_C** Position: 294 Length: 1

In the past 3 months, did you swim?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 2,922 | 5,852,698 |
| 2 | NO | 10,283 | 17,659,094 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_D** Position: 295 Length: 1

In the past 3 months, did you bicycle?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 3,161 | 6,417,354 |
| 2 | NO | 10,044 | 17,094,437 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.70

Variable: **PAQ1_E** Position: 296 Length: 1

In the past 3 months, did you do popular or social dancing?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 3,236 | 5,643,303 |
| 2 | NO | 9,969 | 17,868,488 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_F** Position: 297 Length: 1

In the past 3 months, did you do home exercises?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 3,546 | 6,472,703 |
| 2 | NO | 9,659 | 17,039,089 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_G** Position: 298 Length: 1

In the past 3 months, did you play ice hockey?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 549 | 1,220,841 |
| 2 | NO | 12,656 | 22,290,951 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.71

Variable: **PAQ1_H** Position: 299 Length: 1

In the past 3 months, did you go skating?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 998 | 2,129,973 |
| 2 | NO | 12,207 | 21,381,819 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_I** Position: 300 Length: 1

In the past 3 months, did you go downhill skiing?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 492 | 1,074,983 |
| 2 | NO | 12,713 | 22,436,808 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_J** Position: 301 Length: 1

In the past 3 months, did you go jogging or running?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,581 | 3,442,078 |
| 2 | NO | 11,624 | 20,069,713 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.72

Variable: **PAQ1_K** Position: 302 Length: 1

In the past 3 months, did you go golfing?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,284 | 2,478,819 |
| 2 | NO | 11,921 | 21,032,972 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_L** Position: 303 Length: 1

In the past 3 months, did you go to exercise class or aerobics?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 977 | 1,902,545 |
| 2 | NO | 12,228 | 21,609,247 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_M** Position: 304 Length: 1

In the past 3 months, did you go cross-country skiing?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 375 | 709,060 |
| 2 | NO | 12,830 | 22,802,732 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.73

Variable: **PAQ1_N** Position: 305 Length: 1

In the past 3 months, did you go bowling?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,373 | 2,651,710 |
| 2 | NO | 11,832 | 20,860,082 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_O** Position: 306 Length: 1

In the past 3 months, did you play baseball or softball?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,321 | 2,582,669 |
| 2 | NO | 11,884 | 20,929,122 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_P** Position: 307 Length: 1

In the past 3 months, did you play tennis?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 613 | 1,384,268 |
| 2 | NO | 12,592 | 22,127,523 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.74

Variable: **PAQ1_Q** Position: 308 Length: 1

In the past 3 months, did you do weight-training?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,410 | 2,834,313 |
| 2 | NO | 11,795 | 20,677,479 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_R** Position: 309 Length: 1

In the past 3 months, did you go fishing?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,517 | 2,708,510 |
| 2 | NO | 11,688 | 20,803,282 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_S** Position: 310 Length: 1

In the past 3 months, did you play volleyball?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 855 | 1,914,224 |
| 2 | NO | 12,350 | 21,597,568 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.75

Variable: **PAQ1_T** Position: 311 Length: 1

In the past 3 months, did you do yoga or tai-chi?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 209 | 410,229 |
| 2 | NO | 12,996 | 23,101,562 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_U** Position: 312 Length: 1

In the past three months did you do any other activity (#1)?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,131 | 2,390,555 |
| 2 | NO | 12,074 | 21,121,236 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

Variable: **PAQ1_V** Position: 313 Length: 1

In the past 3 months, did you do none of the above?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,226 | 2,046,843 |
| 2 | NO | 11,979 | 21,464,949 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.76

Variable: **PA_Q1W** Position: 314 Length: 1

In the past 3 months did you do any other activity (#2)?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 222 | 541,895 |
| 2 | NO | 909 | 1,848,660 |
| 6 | NOT APPLICABLE | 12,074 | 21,121,236 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents who have answered PHYS-Q1U = 1

Variable: **PA_Q1X** Position: 315 Length: 1

In the past 3 months did you do any other activity (#3)?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 60 | 173,840 |
| 2 | NO | 162 | 368,055 |
| 6 | NOT APPLICABLE | 12,983 | 22,969,896 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents who have answered PHYS-Q1W=1

Variable: **PA_Q2A** Position: 316 Length: 3

In the past 3 months how many times did you walk for exercise for leisure?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1A=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.77

Variable: **PA_Q3A** Position: 319 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|-------|-----------|
| 1 | 1 TO 15 MINUTES | 1,071 | 1,906,462 |
| 2 | 16 TO 30 MINUTES | 3,481 | 6,129,815 |
| 3 | 31 TO 60 MINUTES | 2,973 | 5,090,622 |
| 4 | MORE THAN ONE HOUR | 1,203 | 2,107,852 |
| 6 | NOT APPLICABLE | 4,454 | 8,232,617 |
| 9 | NOT STATED | 218 | 481,235 |

Note: Respondents who have answered PHYS-Q1A=1

Variable: **PA_Q2B** Position: 320 Length: 3

In the past 3 months, how many times did you do gardening or yard work?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1B=1

Variable: **PA_Q3B** Position: 323 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|-------|------------|
| 1 | 1 TO 15 MINUTES | 356 | 593,373 |
| 2 | 16 TO 30 MINUTES | 1,281 | 2,169,711 |
| 3 | 31 TO 60 MINUTES | 1,639 | 2,885,646 |
| 4 | MORE THAN ONE HOUR | 2,582 | 4,533,757 |
| 6 | NOT APPLICABLE | 7,339 | 13,319,138 |
| 9 | NOT STATED | 203 | 446,979 |

Note: Respondents who have answered PHYS-Q1B=1

Variable: **PA_Q2C** Position: 324 Length: 3

In the past 3 months, how many times did you go swimming?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1C=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.78

Variable: **PA_Q3C** Position: 327 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 257 | 516,275 |
| 2 | 16 TO 30 MINUTES | 769 | 1,501,762 |
| 3 | 31 TO 60 MINUTES | 1,011 | 2,061,643 |
| 4 | MORE THAN ONE HOUR | 880 | 1,763,994 |
| 6 | NOT APPLICABLE | 10,283 | 17,659,094 |
| 9 | NOT STATED | 200 | 445,836 |

Note: Respondents who have answered PHYS-Q1C=1

Variable: **PA_Q2D** Position: 328 Length: 3

In the past 3 months, how many times did you bicycle for leisure?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1D=1

Variable: **PA_Q3D** Position: 331 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 438 | 900,770 |
| 2 | 16 TO 30 MINUTES | 1,055 | 2,106,592 |
| 3 | 31 TO 60 MINUTES | 920 | 1,895,519 |
| 4 | MORE THAN ONE HOUR | 741 | 1,502,671 |
| 6 | NOT APPLICABLE | 10,044 | 17,094,437 |
| 9 | NOT STATED | 202 | 448,614 |

Note: Respondents who have answered PHYS-Q1D=1

Variable: **PA_Q2E** Position: 332 Length: 3

In the past 3 months, how many times did you do popular/social dance?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1E=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.79

Variable: **PA_Q3E** Position: 335 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|-------|------------|
| 1 | 1 TO 15 MINUTES | 144 | 225,799 |
| 2 | 16 TO 30 MINUTES | 262 | 429,590 |
| 3 | 31 TO 60 MINUTES | 406 | 708,485 |
| 4 | MORE THAN ONE HOUR | 2,421 | 4,274,854 |
| 6 | NOT APPLICABLE | 9,969 | 17,868,488 |
| 9 | NOT STATED | 198 | 441,386 |

Note: Respondents who have answered PHYS-Q1E=1

Variable: **PA_Q2F** Position: 336 Length: 3

In the past 3 months, how many times did you do home exercises?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1F=1

Variable: **PA_Q3F** Position: 339 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|-------|------------|
| 1 | 1 TO 15 MINUTES | 1,143 | 1,970,783 |
| 2 | 16 TO 30 MINUTES | 1,495 | 2,777,649 |
| 3 | 31 TO 60 MINUTES | 689 | 1,306,591 |
| 4 | MORE THAN ONE HOUR | 205 | 384,255 |
| 6 | NOT APPLICABLE | 9,659 | 17,039,089 |
| 9 | NOT STATED | 209 | 470,236 |

Note: Respondents who have answered PHYS-Q1F=1

Variable: **PA_Q2G** Position: 340 Length: 3

In the past 3 months, how many times did you play ice hockey?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1G=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.80

Variable: **PA_Q3G** Position: 343 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 5 | 12,482 |
| 2 | 16 TO 30 MINUTES | 25 | 54,073 |
| 3 | 31 TO 60 MINUTES | 132 | 250,236 |
| 4 | MORE THAN ONE HOUR | 386 | 898,038 |
| 6 | NOT APPLICABLE | 12,656 | 22,290,951 |
| 9 | NOT STATED | 196 | 442,823 |

Note: Respondents who have answered PHYS-Q1G=1

Variable: **PA_Q2H** Position: 344 Length: 3

In the past 3 months, how many times did you go skating?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1H=1

Variable: **PA_Q3H** Position: 347 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 37 | 77,899 |
| 2 | 16 TO 30 MINUTES | 131 | 261,105 |
| 3 | 31 TO 60 MINUTES | 412 | 892,505 |
| 4 | MORE THAN ONE HOUR | 416 | 892,839 |
| 6 | NOT APPLICABLE | 12,207 | 21,381,819 |
| 9 | NOT STATED | 197 | 442,436 |

Note: Respondents who have answered PHYS-Q1H=1

Variable: **PA_Q2I** Position: 348 Length: 3

In the past 3 months, how many times did you go downhill skiing?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1I=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.81

Variable: **PA_Q3I** Position: 351 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 4 | 9,345 |
| 2 | 16 TO 30 MINUTES | 4 | 11,763 |
| 3 | 31 TO 60 MINUTES | 8 | 17,878 |
| 4 | MORE THAN ONE HOUR | 475 | 1,034,971 |
| 6 | NOT APPLICABLE | 12,713 | 22,436,808 |
| 9 | NOT STATED | 196 | 437,837 |

Note: Respondents who have answered PHYS-Q1I=1

Variable: **PA_Q2J** Position: 352 Length: 3

In the past 3 months, how many times did you go jogging or running?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1J=1

Variable: **PA_Q3J** Position: 355 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 332 | 732,754 |
| 2 | 16 TO 30 MINUTES | 708 | 1,584,422 |
| 3 | 31 TO 60 MINUTES | 414 | 847,838 |
| 4 | MORE THAN ONE HOUR | 123 | 269,397 |
| 6 | NOT APPLICABLE | 11,624 | 20,069,713 |
| 9 | NOT STATED | 199 | 444,479 |

Note: Respondents who have answered PHYS-Q1J=1

Variable: **PA_Q2K** Position: 356 Length: 3

In the past 3 months, how many times did you go golfing?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1K=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.82

Variable: **PA_Q3K** Position: 359 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 7 | 20,208 |
| 2 | 16 TO 30 MINUTES | 16 | 24,943 |
| 3 | 31 TO 60 MINUTES | 42 | 96,538 |
| 4 | MORE THAN ONE HOUR | 1,217 | 2,334,641 |
| 6 | NOT APPLICABLE | 11,921 | 21,032,972 |
| 9 | NOT STATED | 197 | 439,300 |

Note: Respondents who have answered PHYS-Q1K=1

Variable: **PA_Q2L** Position: 360 Length: 3

In the past 3 months, how many times did you participate in exercise class?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1L=1

Variable: **PA_Q3L** Position: 363 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 65 | 123,205 |
| 2 | 16 TO 30 MINUTES | 166 | 320,230 |
| 3 | 31 TO 60 MINUTES | 514 | 979,021 |
| 4 | MORE THAN ONE HOUR | 230 | 475,908 |
| 6 | NOT APPLICABLE | 12,228 | 21,609,247 |
| 9 | NOT STATED | 197 | 440,992 |

Note: Respondents who have answered PHYS-Q1L=1

Variable: **PA_Q2M** Position: 364 Length: 3

In the past 3 months, how many times did you go cross-country skiing?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1M=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.83

Variable: **PA_Q3M** Position: 367 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 13 | 23,512 |
| 2 | 16 TO 30 MINUTES | 28 | 43,293 |
| 3 | 31 TO 60 MINUTES | 95 | 172,601 |
| 4 | MORE THAN ONE HOUR | 238 | 468,627 |
| 6 | NOT APPLICABLE | 12,830 | 22,802,732 |
| 9 | NOT STATED | 196 | 437,837 |

Note: Respondents who have answered PHYS-Q1M=1

Variable: **PA_Q2N** Position: 368 Length: 3

In the past 3 months, how many times did you go bowling?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1N=1

Variable: **PA_Q3N** Position: 371 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 7 | 15,173 |
| 2 | 16 TO 30 MINUTES | 32 | 62,738 |
| 3 | 31 TO 60 MINUTES | 246 | 462,207 |
| 4 | MORE THAN ONE HOUR | 1,088 | 2,111,592 |
| 6 | NOT APPLICABLE | 11,832 | 20,860,082 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents who have answered PHYS-Q1N=1

Variable: **PA_Q2O** Position: 372 Length: 3

In the past 3 months, how many times did you play baseball or softball?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1O=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.84

Variable: **PA_Q3O** Position: 375 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 25 | 55,350 |
| 2 | 16 TO 30 MINUTES | 77 | 158,473 |
| 3 | 31 TO 60 MINUTES | 227 | 430,662 |
| 4 | MORE THAN ONE HOUR | 990 | 1,937,121 |
| 6 | NOT APPLICABLE | 11,884 | 20,929,122 |
| 9 | NOT STATED | 197 | 437,875 |

Note: Respondents who have answered PHYS-Q1O=1

Variable: **PA_Q2P** Position: 376 Length: 3

In the past 3 months, how many times did you play tennis?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1P=1

Variable: **PA_Q3P** Position: 379 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 16 | 49,517 |
| 2 | 16 TO 30 MINUTES | 53 | 103,393 |
| 3 | 31 TO 60 MINUTES | 204 | 457,830 |
| 4 | MORE THAN ONE HOUR | 339 | 772,503 |
| 6 | NOT APPLICABLE | 12,592 | 22,127,523 |
| 9 | NOT STATED | 196 | 437,837 |

Note: Respondents who have answered PHYS-Q1P=1

Variable: **PA_Q2Q** Position: 380 Length: 3

In the past 3 months, how many times did you do weight-training?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1Q=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.85

Variable: **PA_Q3Q** Position: 383 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 162 | 300,675 |
| 2 | 16 TO 30 MINUTES | 392 | 814,280 |
| 3 | 31 TO 60 MINUTES | 447 | 904,736 |
| 4 | MORE THAN ONE HOUR | 406 | 808,862 |
| 6 | NOT APPLICABLE | 11,795 | 20,677,479 |
| 9 | NOT STATED | 198 | 442,571 |

Note: Respondents who have answered PHYS-Q1Q=1

Variable: **PA_Q2R** Position: 384 Length: 3

In the past 3 months, how many times did you go fishing?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1R=1

Variable: **PA_Q3R** Position: 387 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 24 | 35,258 |
| 2 | 16 TO 30 MINUTES | 39 | 66,889 |
| 3 | 31 TO 60 MINUTES | 106 | 191,006 |
| 4 | MORE THAN ONE HOUR | 1,346 | 2,414,248 |
| 6 | NOT APPLICABLE | 11,688 | 20,803,282 |
| 9 | NOT STATED | 197 | 437,921 |

Note: Respondents who have answered PHYS-Q1R=1

Variable: **PA_Q2S** Position: 388 Length: 3

In the past 3 months, how many times did you play volleyball?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1S=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.86

Variable: **PA_Q3S** Position: 391 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 24 | 53,244 |
| 2 | 16 TO 30 MINUTES | 115 | 273,074 |
| 3 | 31 TO 60 MINUTES | 253 | 627,630 |
| 4 | MORE THAN ONE HOUR | 462 | 957,992 |
| 6 | NOT APPLICABLE | 12,350 | 21,597,568 |
| 9 | NOT STATED | 196 | 439,095 |

Note: Respondents who have answered PHYS-Q1S=1

Variable: **PA_Q2T** Position: 392 Length: 3

In the past 3 months, how many times did you do yoga or tai-chi?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1T=1

Variable: **PA_Q3T** Position: 395 Length: 1

About how much time did you spend on each occasion?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 43 | 78,584 |
| 2 | 16 TO 30 MINUTES | 62 | 127,390 |
| 3 | 31 TO 60 MINUTES | 57 | 125,845 |
| 4 | MORE THAN ONE HOUR | 46 | 78,109 |
| 6 | NOT APPLICABLE | 12,996 | 23,101,562 |
| 9 | NOT STATED | 196 | 437,113 |

Note: Respondents who have answered PHYS-Q1T=1

Variable: **PA_Q2U** Position: 396 Length: 3

In the past 3 months, how many times did you participate in other activity (#1)?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1U=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.87

Variable: **PA_Q3U** Position: 399 Length: 1

About how much time did you spend on each occasion (activity #1)?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 40 | 74,790 |
| 2 | 16 TO 30 MINUTES | 95 | 199,646 |
| 3 | 31 TO 60 MINUTES | 265 | 601,304 |
| 4 | MORE THAN ONE HOUR | 730 | 1,511,660 |
| 6 | NOT APPLICABLE | 12,074 | 21,121,236 |
| 9 | NOT STATED | 196 | 439,966 |

Note: Respondents who have answered PHYS-Q1U=1

Variable: **PA_Q2W** Position: 400 Length: 3

In the past 3 months, how many times did you participate in other activity (#2)?

Observed Min: 1 Observed Max: 999

Note: Respondents who have answered PHYS-Q1W=1

Variable: **PA_Q3W** Position: 403 Length: 1

About how much time did you spend on each occasion (activity #2)?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 4 | 5,626 |
| 2 | 16 TO 30 MINUTES | 16 | 36,489 |
| 3 | 31 TO 60 MINUTES | 59 | 157,394 |
| 4 | MORE THAN ONE HOUR | 142 | 340,571 |
| 6 | NOT APPLICABLE | 12,984 | 22,971,712 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents who have answered PHYS-Q1W=1

Variable: **PA_Q2X** Position: 404 Length: 2

In the past 3 months, how many times did you participate in other activity (#3)?

Observed Min: 1 Observed Max: 99

Note: Respondents who have answered PHYS-Q1X=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.88

Variable: **PA_Q3X** Position: 406 Length: 1

About how much time did you spend on each occasion (activity #3)?

| | | FREQ | WTD |
|---|--------------------|--------|------------|
| 1 | 1 TO 15 MINUTES | 4 | 18,385 |
| 2 | 16 TO 30 MINUTES | 7 | 17,312 |
| 3 | 31 TO 60 MINUTES | 15 | 43,810 |
| 4 | MORE THAN ONE HOUR | 34 | 94,333 |
| 6 | NOT APPLICABLE | 13,145 | 23,337,952 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Respondents who have answered PHYS-Q1X=1

Variable: **PA_Q4A** Position: 407 Length: 2

In a typical week in past 3 months, how many hours did you usually walk (not leisure)?

| | | FREQ | WTD |
|----|---------------------|-------|-----------|
| 01 | NONE | 5,467 | 9,493,913 |
| 02 | LESS THAN 1 HOUR | 2,164 | 3,967,613 |
| 03 | FROM 1 TO 5 HOURS | 3,181 | 5,879,232 |
| 04 | FROM 6 TO 10 HOURS | 913 | 1,717,345 |
| 05 | FROM 11 TO 20 HOURS | 472 | 816,052 |
| 06 | MORE THAN 20 HOURS | 998 | 1,622,059 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 205 | 452,389 |

Note: Respondents aged 12 years old or older

Variable: **PA_Q4B** Position: 409 Length: 2

In a typical week, how much time did you usually spend bicycling (not leisure)?

| | | FREQ | WTD |
|----|---------------------|--------|------------|
| 01 | NONE | 12,087 | 21,312,295 |
| 02 | LESS THAN 1 HOUR | 518 | 1,039,534 |
| 03 | FROM 1 TO 5 HOURS | 419 | 821,391 |
| 04 | FROM 6 TO 10 HOURS | 109 | 205,312 |
| 05 | FROM 11 TO 20 HOURS | 33 | 56,954 |
| 06 | MORE THAN 20 HOURS | 38 | 72,243 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 196 | 440,874 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.89

Variable: **PA_Q5** Position: 411 Length: 1

When riding a bicycle how often did you wear a helmet?

| | | FREQ | WTD |
|---|------------------|-------|------------|
| 1 | ALWAYS | 600 | 1,303,543 |
| 2 | MOST OF THE TIME | 105 | 247,695 |
| 3 | RARELY | 125 | 321,997 |
| 4 | NEVER | 2,567 | 4,981,885 |
| 6 | NOT APPLICABLE | 9,807 | 16,655,329 |
| 9 | NOT STATED | 196 | 438,154 |

Note: Respondents who have answered PHYS-Q1D=1 or PHYS-Q4b > 1

Variable: **PA_Q6** Position: 412 Length: 1

Over the past 3 months, which best describes your usual daily activities?

| | | FREQ | WTD |
|---|--|-------|------------|
| 1 | USUALLY SIT & DON'T WALK MUCH | 3,070 | 5,509,744 |
| 2 | STAND OR WALK QUITE A LOT DURING THE DAY | 6,600 | 11,669,343 |
| 3 | USUALLY LIFT OR CARRY LIGHT LOADS | 2,722 | 4,894,485 |
| 4 | DO HEAVY WORK OR CARRY VERY HEAVY LOADS | 810 | 1,430,489 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 198 | 444,542 |

Note: Respondents aged 12 years old or older

Variable: **DVPART94** Position: 413 Length: 1

Derived variable to indicate any participation in leisure physical activity

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 11,979 | 21,464,949 |
| 2 | NO | 1,226 | 2,046,843 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Based on PAQ1_A to PAQ1_X.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.90

Variable: **DVMOFQ94** Position: 414 Length: 3

Derived monthly frequency of physical activity lasting over 15 minutes

Observed Min: 0 Observed Max: 999

Note: Based on PA_Q2A to PA_Q2X

Variable: **DVPAFQ94** Position: 417 Length: 1

Derived frequency of physical activities categories - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | REGULAR | 7,279 | 13,172,207 |
| 2 | OCCASIONAL | 2,738 | 4,951,605 |
| 3 | INFREQUENT | 3,188 | 5,387,980 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Based on DVMOFQ94.

Variable: **DVDAFQ94** Position: 418 Length: 1

Participation in daily physical activities lasting over 15 minutes - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | DAILY | 3,789 | 6,858,720 |
| 2 | NOT DAILY | 9,416 | 16,653,071 |
| 9 | NOT STATED | 195 | 436,811 |

Note: Based on DVMOFQ94.

Variable: **DVEE94** Position: 419 Length: 4

Derived energy expenditure (1 decimal point) - See Appendix F - Derived variables

Observed Min: 0 Observed Max: 99

Note: Based on PAQ1_A to PAQ1_X, PA_Q2.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.91

Variable: **DVPAID94** Position: 423 Length: 1

Derived variable for physical activity index

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | ACTIVE | 2,455 | 4,669,475 |
| 2 | MODERATE | 2,918 | 5,280,307 |
| 3 | INACTIVE | 7,832 | 13,562,010 |
| 9 | NOT STATED | 195 | 436,811 |

Note: See Appendix F - Derived variables

Variable: **IN_Q1** Position: 424 Length: 1

In past 12 months, did you have injuries that limited normal activities?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 2,257 | 4,247,171 |
| 2 | NO | 11,143 | 19,701,431 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.92

Variable: **IN_Q2** Position: 425 Length: 2

How many times were you injured?

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 01 | 1 TIME | 1,757 | 3,274,778 |
| 02 | 2 TIMES | 321 | 600,292 |
| 03 | 3 TIMES | 83 | 166,251 |
| 04 | 4 TIMES | 39 | 80,397 |
| 05 | 5 TIMES | 19 | 45,827 |
| 06 | 6 TIMES | 13 | 33,338 |
| 07 | 7 TIMES | 2 | 4,442 |
| 08 | 8 TIMES | 4 | 8,012 |
| 09 | 9 TIMES | 1 | 40 |
| 10 | 10 TIMES | 6 | 10,989 |
| 11 | 11 TIMES | 1 | 395 |
| 12 | 12 TIMES | 2 | 1,888 |
| 13 | 13 TIMES | 1 | 3,886 |
| 15 | 15 TIMES | 2 | 7,434 |
| 20 | 20 TIMES | 3 | 5,826 |
| 23 | 23 TIMES | 0 | 0 |
| 24 | 24 TIMES | 1 | 96 |
| 30 | 30 TIMES | 2 | 3,281 |
| 96 | NOT APPLICABLE | 11,143 | 19,701,431 |

Note: Respondents who have answered INJ-Q1=1

Variable: **IN_Q3** Position: 427 Length: 2

Thinking about the most serious injury, what type of injury did you have?

| | | FREQ | WTD |
|----|---------------------------|--------|------------|
| 01 | MULTIPLE INJURIES | 28 | 46,345 |
| 02 | BROKEN OR FRACTURED BONES | 338 | 607,729 |
| 03 | BURN OR SCALD | 45 | 79,840 |
| 04 | DISLOCATION | 95 | 183,886 |
| 05 | SPRAIN OR STRAIN | 1,014 | 1,938,126 |
| 06 | CUT OR SCRAPE | 151 | 276,034 |
| 07 | BRUISE OR ABRASION | 95 | 171,445 |
| 08 | CONCUSSION | 23 | 37,669 |
| 09 | POISONING BY SUBSTANCE | 15 | 30,803 |
| 10 | INTERNAL INJURY | 50 | 102,421 |
| 11 | OTHER | 403 | 772,873 |
| 96 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 99 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.93

Variable: **IN_Q4** Position: 429 Length: 2

What part of your body was injured?

| | | FREQ | WTD |
|----|----------------------------------|--------|------------|
| 01 | MULTIPLE SITES | 43 | 77,163 |
| 02 | EYES | 31 | 48,195 |
| 03 | HEAD (EXCLUDING EYES) | 70 | 129,490 |
| 04 | NECK | 95 | 191,860 |
| 05 | SHOULDER | 134 | 259,896 |
| 06 | ARMS OR HANDS | 404 | 731,092 |
| 07 | HIP | 44 | 74,185 |
| 08 | LEGS OR FEET | 709 | 1,359,806 |
| 09 | BACK OR SPINE | 596 | 1,139,855 |
| 10 | TRUNK (EXCLUDING BACK AND SPINE) | 115 | 203,354 |
| 11 | OTHER | 15 | 30,803 |
| 96 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 99 | NOT STATED | 1 | 1,473 |

Note: Respondents who have answered INJ-Q1=1

Variable: **IN_Q5** Position: 431 Length: 2

Where did the injury happen?

| | | FREQ | WTD |
|----|---------------------------------|--------|------------|
| 01 | HOME AND SURROUNDING AREA | 762 | 1,306,515 |
| 02 | FARM | 59 | 86,868 |
| 03 | PLACE FOR RECREATION OR SPORT | 520 | 1,110,232 |
| 04 | STREET OR HIGHWAY | 240 | 451,569 |
| 05 | BUILDING USED BY GENERAL PUBLIC | 186 | 341,650 |
| 06 | RESIDENTIAL INSTITUTION | 42 | 62,531 |
| 07 | MINE | 2 | 1,116 |
| 08 | INDUSTRIAL PLACE | 231 | 463,382 |
| 09 | OTHER | 214 | 421,243 |
| 96 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 99 | NOT STATED | 1 | 2,067 |

Note: Respondents who have answered INJ-Q1=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.94

Variable: **IN_Q6G** Position: 433 Length: 2

What happened? (eg: a fall, a motor vehicle accident, physical assault etc) - grouped

| | | FREQ | WTD |
|----|---|--------|------------|
| 01 | MOTOR VEHICLE ACCIDENT | 154 | 276,330 |
| 02 | ACCIDENTAL FALL | 775 | 1,399,601 |
| 03 | FIRE, FLAMES OR RESULTING FUMES | 7 | 12,121 |
| 04 | ACCIDENTLY STRUCK BY AN OBJECT/PERSON | 221 | 438,460 |
| 05 | PHYSICAL ASSAULT | 30 | 48,963 |
| 06 | ACCIDENT-EXPLOSION | 6 | 9,717 |
| 07 | ACCIDENT-ENVIRONMENT | 161 | 276,717 |
| 08 | ACCIDENTAL SUFFOCATION | 0 | 0 |
| 09 | HOT LIQUIDS, FOODS OR SUBSTANCES | 18 | 31,557 |
| 10 | ACCIDENT-MACHINERY | 60 | 113,752 |
| 11 | ACCIDENT-CUTTING AND PIERCING | 53 | 88,450 |
| 12 | ACCIDENTAL POISONING | 9 | 16,627 |
| 13 | OTHER (INCL SUICIDE & ACCIDENTAL DROWN) | 758 | 1,526,532 |
| 96 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 99 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

Variable: **IN_Q7** Position: 435 Length: 1

Was this a work-related injury?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 590 | 1,108,740 |
| 2 | NO | 1,665 | 3,132,691 |
| 6 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 9 | NOT STATED | 2 | 5,740 |

Note: Respondents who have answered INJ-Q1=1

Variable: **DVINJ194** Position: 436 Length: 3

Derived type of injury by body site

Observed Min: 10 Observed Max: 999

Note: Collapsing of INJ-Q3 and INJ-Q4. See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.95

Variable: **DVINJ294** Position: 439 Length: 3

Cause of injury by place of occurrence

Observed Min: 10 Observed Max: 999

Note: Collapsing of INJ-Q5 and INJ-Q6. See Appendix F - Derived variables

Variable: **INQ8_A** Position: 442 Length: 1

To prevent re-injury, have you given up the activity?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 208 | 402,704 |
| 2 | NO | 2,049 | 3,844,467 |
| 6 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

Variable: **INQ8_B** Position: 443 Length: 1

To prevent re-injury, are you being more careful?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,484 | 2,721,079 |
| 2 | NO | 773 | 1,526,093 |
| 6 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

Variable: **INQ8_C** Position: 444 Length: 1

To prevent re-injury, have you taken safety training?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 44 | 74,798 |
| 2 | NO | 2,213 | 4,172,373 |
| 6 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.96

Variable: **INQ8_E** Position: 445 Length: 1

To prevent re-injury, are you using protective/safety equipment?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 152 | 296,591 |
| 2 | NO | 2,105 | 3,950,580 |
| 6 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

Variable: **INQ8_F** Position: 446 Length: 1

To prevent re-injury, have you changed your physical situation?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 64 | 125,361 |
| 2 | NO | 2,193 | 4,121,811 |
| 6 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

Variable: **INQ8_G** Position: 447 Length: 1

To prevent re-injury, have you taken any other precautions?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 224 | 449,397 |
| 2 | NO | 2,033 | 3,797,775 |
| 6 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.97

Variable: **INQ8_H** Position: 448 Length: 1

To prevent re-injury, are you taking no precautions?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 316 | 633,395 |
| 2 | NO | 1,941 | 3,613,776 |
| 6 | NOT APPLICABLE | 11,143 | 19,701,431 |
| 9 | NOT STATED | 0 | 0 |

Note: Respondents who have answered INJ-Q1=1

Variable: **DVCSI194** Position: 449 Length: 2

Derived general chronic stress index - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 00 | 0 | 2,835 | 4,504,809 |
| 01 | 1 | 2,859 | 4,876,551 |
| 02 | 2 | 2,349 | 4,188,168 |
| 03 | 3 | 1,638 | 2,876,865 |
| 04 | 4 | 1,198 | 2,234,512 |
| 05 | 5 | 632 | 1,083,599 |
| 06 | 6 | 409 | 771,256 |
| 07 | 7 | 193 | 286,356 |
| 08 | 8 | 81 | 138,536 |
| 09 | 9 | 31 | 40,266 |
| 10 | 10 | 7 | 8,265 |
| 11 | 11 | 0 | 0 |
| 12 | 12 | 0 | 0 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 986 | 2,557,835 |
| 99 | NOT STATED | 182 | 381,584 |

Note: Based on CSTRESS-Q1 to Q4 and CSTRESS-Q12 to Q18.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.98

Variable: **DVCSI294** Position: 451 Length: 2

Derived specific chronic stress index (marital status and children versus non-children) - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 00 | 0 | 2,253 | 3,590,886 |
| 01 | 1 | 2,349 | 3,926,281 |
| 02 | 2 | 2,135 | 3,787,234 |
| 03 | 3 | 1,735 | 3,037,705 |
| 04 | 4 | 1,313 | 2,322,183 |
| 05 | 5 | 869 | 1,608,687 |
| 06 | 6 | 639 | 1,195,038 |
| 07 | 7 | 383 | 626,520 |
| 08 | 8 | 254 | 435,492 |
| 09 | 9 | 141 | 224,863 |
| 10 | 10 | 78 | 126,104 |
| 11 | 11 | 52 | 76,209 |
| 12 | 12 | 15 | 26,796 |
| 13 | 13 | 11 | 16,860 |
| 14 | 14 | 5 | 8,327 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 986 | 2,557,835 |
| 99 | NOT STATED | 182 | 381,584 |

Note: Based on CSTRESS-Q1 to Q4 and CSTRESS-Q12 to Q18.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.99

Variable: **DVCSI394** Position: 453 Length: 2

Derived adjusted specific chronic stress index

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 00 | 0 | 2,253 | 3,590,886 |
| 01 | 1 | 2,349 | 3,926,281 |
| 02 | 2 | 1,629 | 2,963,919 |
| 03 | 3 | 1,812 | 3,160,306 |
| 04 | 4 | 1,063 | 1,983,891 |
| 05 | 5 | 1,093 | 1,959,949 |
| 06 | 6 | 554 | 1,002,324 |
| 07 | 7 | 595 | 994,665 |
| 08 | 8 | 380 | 642,323 |
| 09 | 9 | 251 | 402,762 |
| 10 | 10 | 94 | 162,116 |
| 11 | 11 | 88 | 120,094 |
| 12 | 12 | 23 | 41,148 |
| 13 | 13 | 36 | 44,297 |
| 14 | 14 | 9 | 12,750 |
| 15 | 15 | 3 | 1,474 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 986 | 2,557,835 |
| 99 | NOT STATED | 182 | 381,584 |

Note: See Appendix F - Derived variables

Variable: **DVCSI494** Position: 455 Length: 1

Derived personal stress index - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|-------|-----------|
| 0 | 0 | 5,263 | 8,518,722 |
| 1 | 1 | 3,130 | 5,546,424 |
| 2 | 2 | 2,044 | 3,624,167 |
| 3 | 3 | 1,196 | 2,227,752 |
| 4 | 4 | 488 | 890,906 |
| 5 | 5 | 111 | 201,213 |
| 6 | NOT APPLICABLE | 986 | 2,557,835 |
| 9 | NOT STATED | 182 | 381,584 |

Note: Based on CSTRESS_Q1, Q2, Q3, Q12 and Q18.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.100

Variable: **DVCSI594** Position: 456 Length: 1

Derived financial stress index- See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 0 | 0 | 7,561 | 13,017,679 |
| 1 | 1 | 4,671 | 7,991,504 |
| 2 | 2 | 0 | 0 |
| 3 | 3 | 0 | 0 |
| 4 | 4 | 0 | 0 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 986 | 2,557,835 |
| 9 | NOT STATED | 182 | 381,584 |

Note: Based on item CSTRESS-Q4.

Variable: **DVCSI694** Position: 457 Length: 1

Derived relationship stress index (with mate) - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 0 | 0 | 5,609 | 11,002,534 |
| 1 | 1 | 811 | 1,638,827 |
| 2 | 2 | 380 | 740,087 |
| 3 | 3 | 200 | 392,700 |
| 4 | 4 | 0 | 0 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 6,218 | 9,792,871 |
| 9 | NOT STATED | 182 | 381,584 |

Note: Based on CSTRESS-Q5, Q6, Q7 (and married).

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.101

Variable: **DVCSI794** Position: 458 Length: 1

Derived relationship stress index (no mate) - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 0 | 0 | 3,640 | 4,884,605 |
| 1 | 1 | 1,592 | 2,350,431 |
| 2 | 2 | 0 | 0 |
| 3 | 3 | 0 | 0 |
| 4 | 4 | 0 | 0 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 7,986 | 16,331,983 |
| 9 | NOT STATED | 182 | 381,584 |

Note: Based on CSTRESS-Q8 (and single).

Variable: **DVCSI894** Position: 459 Length: 1

Derived child stress index - See Appendix F - Derived variables.

| | | FREQ | WTD |
|---|----------------|-------|-----------|
| 0 | 0 | 5,480 | 9,686,580 |
| 1 | 1 | 1,940 | 3,277,323 |
| 2 | 2 | 1,027 | 1,708,245 |
| 3 | 3 | 0 | 0 |
| 4 | 4 | 0 | 0 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 4,771 | 8,894,871 |
| 9 | NOT STATED | 182 | 381,584 |

Note: Based on CSTRESS-Q10 and Q11 (with children).

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.102

Variable: **DVCSI994** Position: 460 Length: 1

Derived environmental stress index - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 0 | 0 | 9,011 | 15,317,294 |
| 1 | 1 | 2,506 | 4,403,155 |
| 2 | 2 | 662 | 1,213,423 |
| 3 | 3 | 53 | 75,312 |
| 4 | 4 | 0 | 0 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 986 | 2,557,835 |
| 9 | NOT STATED | 182 | 381,584 |

Note: Based on CSTRESS-Q13, Q14 and Q15.

Variable: **DVCSI094** Position: 461 Length: 1

Derived family health stress index - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 0 | 0 | 9,316 | 16,230,731 |
| 1 | 1 | 2,580 | 4,227,159 |
| 2 | 2 | 336 | 551,294 |
| 3 | 3 | 0 | 0 |
| 4 | 4 | 0 | 0 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 986 | 2,557,835 |
| 9 | NOT STATED | 182 | 381,584 |

Note: Based on CSTRESS-Q16 and Q17.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.103

Variable: **DVRLI194** Position: 462 Length: 2

Derived recent life events score - items answered by everybody - See Appendix F - Derived variables.

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 | 8,151 | 13,864,744 |
| 01 | 1 | 2,688 | 4,696,871 |
| 02 | 2 | 949 | 1,693,495 |
| 03 | 3 | 325 | 580,496 |
| 04 | 4 | 107 | 167,256 |
| 05 | 5 | 27 | 44,359 |
| 06 | 6 | 7 | 11,209 |
| 07 | 7 | 0 | 0 |
| 08 | 8 | 0 | 0 |
| 09 | 9 | 0 | 0 |
| 10 | 10 | 0 | 0 |
| 11 | 11 | 0 | 0 |
| 12 | 12 | 0 | 0 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 986 | 2,557,835 |
| 99 | NOT STATED | 160 | 332,338 |

Note: Based on RECENT-Q1 to Q7 and Q9.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.104

Variable: **DVRLI294** Position: 464 Length: 2

Derived recent life events score - sum of all valid items

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 | 7,700 | 13,047,438 |
| 01 | 1 | 2,824 | 4,918,094 |
| 02 | 2 | 1,107 | 2,005,463 |
| 03 | 3 | 392 | 683,700 |
| 04 | 4 | 158 | 284,337 |
| 05 | 5 | 58 | 92,768 |
| 06 | 6 | 12 | 18,548 |
| 07 | 7 | 3 | 8,082 |
| 08 | 8 | 0 | 0 |
| 09 | 9 | 0 | 0 |
| 10 | 10 | 0 | 0 |
| 11 | 11 | 0 | 0 |
| 12 | 12 | 0 | 0 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 986 | 2,557,835 |
| 99 | NOT STATED | 160 | 332,338 |

Note: See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.105

Variable: **DVRLI394** Position: 466 Length: 2

Derived adjusted recent life events

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 | 7,700 | 13,047,438 |
| 01 | 1 | 2,824 | 4,918,094 |
| 02 | 2 | 888 | 1,650,070 |
| 03 | 3 | 530 | 899,687 |
| 04 | 4 | 211 | 374,042 |
| 05 | 5 | 59 | 103,726 |
| 06 | 6 | 33 | 50,161 |
| 07 | 7 | 6 | 7,272 |
| 08 | 8 | 3 | 7,939 |
| 09 | 9 | 0 | 0 |
| 10 | 10 | 0 | 0 |
| 11 | 11 | 0 | 0 |
| 12 | 12 | 0 | 0 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 986 | 2,557,835 |
| 99 | NOT STATED | 160 | 332,338 |

Note: See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.106

Variable: **DVTRI94** Position: 468 Length: 2

Derived childhood and adult stress score

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 00 | 0 | 6,218 | 10,660,418 |
| 01 | 1 | 3,270 | 5,709,656 |
| 02 | 2 | 1,512 | 2,654,907 |
| 03 | 3 | 732 | 1,220,443 |
| 04 | 4 | 334 | 515,408 |
| 05 | 5 | 135 | 223,545 |
| 06 | 6 | 42 | 64,273 |
| 07 | 7 | 7 | 6,800 |
| 08 | 8 | 0 | 0 |
| 09 | 9 | 0 | 0 |
| 10 | 10 | 0 | 0 |
| 11 | 11 | 0 | 0 |
| 12 | 12 | 0 | 0 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 986 | 2,557,835 |
| 99 | NOT STATED | 164 | 335,317 |

Note: See Appendix F - Derived Variables

Variable: **WST_Q2** Position: 470 Length: 1

How satisfied are you with your job?

| | | FREQ | WTD |
|---|----------------------|-------|------------|
| 1 | VERY SATISFIED | 3,457 | 6,264,998 |
| 2 | SOMEWHAT SATISFIED | 2,760 | 5,183,910 |
| 3 | NOT TOO SATISFIED | 450 | 892,359 |
| 4 | NOT AT ALL SATISFIED | 187 | 361,632 |
| 6 | NOT APPLICABLE | 6,075 | 10,112,184 |
| 9 | NOT STATED | 471 | 1,133,521 |

Note: Respondents aged 15 years old or older who are currently employed.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.107

Variable: **DVWSI194** Position: 471 Length: 2

Derived work stress - sum of all items

Observed Min: 0 Observed Max: 99

Note: See Appendix F - Derived variables

Variable: **DVWSI294** Position: 473 Length: 2

Derived Work Stress Scale: Decision latitude - Skill discretion - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 00 | 0 | 88 | 206,195 |
| 01 | 1 | 342 | 719,430 |
| 02 | 2 | 396 | 815,939 |
| 03 | 3 | 964 | 1,810,208 |
| 04 | 4 | 1,047 | 1,890,330 |
| 05 | 5 | 1,557 | 2,706,307 |
| 06 | 6 | 685 | 1,249,990 |
| 07 | 7 | 764 | 1,383,216 |
| 08 | 8 | 333 | 635,167 |
| 09 | 9 | 389 | 699,104 |
| 10 | 10 | 167 | 269,383 |
| 11 | 11 | 51 | 105,699 |
| 12 | 12 | 37 | 81,253 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 6,024 | 9,994,990 |
| 99 | NOT STATED | 556 | 1,381,394 |

Note: Based on WSTRESS-Q1A, Q1B and Q1D.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.108

Variable: **DVWSI394** Position: 475 Length: 2

Derived Work Stress Scale: Decision latitude - Decision authority - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 00 | 0 | 907 | 1,842,410 |
| 01 | 1 | 976 | 1,955,830 |
| 02 | 2 | 1,927 | 3,383,775 |
| 03 | 3 | 833 | 1,453,484 |
| 04 | 4 | 1,082 | 1,932,168 |
| 05 | 5 | 385 | 697,557 |
| 06 | 6 | 526 | 980,096 |
| 07 | 7 | 130 | 229,857 |
| 08 | 8 | 54 | 97,043 |
| 09 | 9 | 0 | 0 |
| 10 | 10 | 0 | 0 |
| 11 | 11 | 0 | 0 |
| 12 | 12 | 0 | 0 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 6,024 | 9,994,990 |
| 99 | NOT STATED | 556 | 1,381,394 |

Note: Based on WSTRESS-Q1C and Q1I.

Variable: **DVWSI494** Position: 477 Length: 2

Derived Work Stress Scale: Decision latitude - Decision authority - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|---|-------|-----------|
| 00 | 0 | 44 | 95,075 |
| 01 | 1 | 167 | 358,115 |
| 02 | 2 | 858 | 1,524,076 |
| 03 | 3 | 582 | 1,071,304 |
| 04 | 4 | 1,852 | 3,452,540 |
| 05 | 5 | 887 | 1,620,578 |
| 06 | 6 | 1,245 | 2,234,531 |
| 07 | 7 | 806 | 1,539,767 |
| 08 | 8 | 379 | 676,235 |
| 09 | 9 | 0 | 0 |

Note: Based on WSTRESS-Q1E and Q1F.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.109

Variable: **DVWSI594** Position: 479 Length: 1

Derived Work Stress Scale: Job Insecurity - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|-------|-----------|
| 0 | 0 | 1,413 | 2,828,971 |
| 1 | 1 | 3,183 | 5,635,814 |
| 2 | 2 | 811 | 1,513,090 |
| 3 | 3 | 994 | 1,842,121 |
| 4 | 4 | 419 | 752,223 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 6,024 | 9,994,990 |
| 9 | NOT STATED | 556 | 1,381,394 |

Note: Based on WSTRESS-Q1G.

Variable: **DVWSI694** Position: 480 Length: 1

Derived Work Stress Scale: Physical Exertion - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|-------|-----------|
| 0 | 0 | 612 | 1,281,492 |
| 1 | 1 | 2,379 | 4,394,549 |
| 2 | 2 | 585 | 1,094,619 |
| 3 | 3 | 1,992 | 3,547,069 |
| 4 | 4 | 1,252 | 2,254,490 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 6,024 | 9,994,990 |
| 9 | NOT STATED | 556 | 1,381,394 |

Note: Based on WSTRESS-Q1H.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.110

Variable: **DVWSI794** Position: 481 Length: 2

Derived Work Stress Scale: Social Support - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 00 | 0 | 321 | 605,807 |
| 01 | 1 | 427 | 760,024 |
| 02 | 2 | 587 | 1,051,663 |
| 03 | 3 | 1,921 | 3,358,664 |
| 04 | 4 | 1,017 | 1,920,237 |
| 05 | 5 | 1,177 | 2,233,930 |
| 06 | 6 | 564 | 1,067,832 |
| 07 | 7 | 433 | 856,794 |
| 08 | 8 | 219 | 429,080 |
| 09 | 9 | 101 | 189,605 |
| 10 | 10 | 30 | 52,630 |
| 11 | 11 | 15 | 29,796 |
| 12 | 12 | 8 | 16,158 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 6,024 | 9,994,990 |
| 99 | NOT STATED | 556 | 1,381,394 |

Note: Based on WSTRESS-Q1J, Q1K and Q1L.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.111

Variable: **DVESTI94** Position: 483 Length: 2

Derived Self Esteem Scale - sum of all items

| | | FREQ | WTD |
|----|------------|-------|-----------|
| 00 | 0 | 0 | 0 |
| 01 | 1 | 1 | 833 |
| 02 | 2 | 0 | 0 |
| 03 | 3 | 0 | 0 |
| 04 | 4 | 0 | 0 |
| 05 | 5 | 5 | 7,553 |
| 06 | 6 | 7 | 8,981 |
| 07 | 7 | 10 | 19,721 |
| 08 | 8 | 15 | 29,377 |
| 09 | 9 | 14 | 15,805 |
| 10 | 10 | 34 | 55,096 |
| 11 | 11 | 43 | 51,520 |
| 12 | 12 | 74 | 113,432 |
| 13 | 13 | 106 | 168,198 |
| 14 | 14 | 188 | 327,764 |
| 15 | 15 | 200 | 320,935 |
| 16 | 16 | 481 | 837,926 |
| 17 | 17 | 604 | 1,099,088 |
| 18 | 18 | 3,363 | 5,337,004 |
| 19 | 19 | 1,586 | 2,810,955 |
| 20 | 20 | 906 | 1,648,260 |
| 21 | 21 | 871 | 1,610,924 |
| 22 | 22 | 978 | 1,722,479 |
| 23 | 23 | 1,324 | 2,508,222 |
| 24 | 24 | 2,360 | 4,734,067 |
| 99 | NOT STATED | 230 | 520,464 |

Note: See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.112

Variable: **DVMASI94** Position: 485 Length: 2

Derived Mastery Scale - sum of all items

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 02 | 2 | 6 | 11,791 |
| 03 | 3 | 7 | 6,454 |
| 04 | 4 | 3 | 3,159 |
| 05 | 5 | 13 | 21,446 |
| 06 | 6 | 24 | 36,255 |
| 07 | 7 | 31 | 66,673 |
| 08 | 8 | 53 | 108,564 |
| 09 | 9 | 95 | 167,028 |
| 10 | 10 | 104 | 177,226 |
| 11 | 11 | 253 | 410,978 |
| 12 | 12 | 223 | 366,314 |
| 13 | 13 | 422 | 731,495 |
| 14 | 14 | 367 | 624,283 |
| 15 | 15 | 642 | 1,061,395 |
| 16 | 16 | 565 | 946,252 |
| 17 | 17 | 1,000 | 1,628,801 |
| 18 | 18 | 833 | 1,451,390 |
| 19 | 19 | 1,461 | 2,555,393 |
| 20 | 20 | 1,101 | 1,897,494 |
| 21 | 21 | 2,175 | 3,708,895 |
| 22 | 22 | 910 | 1,693,562 |
| 23 | 23 | 765 | 1,467,800 |
| 24 | 24 | 545 | 1,021,673 |
| 25 | 25 | 378 | 716,749 |
| 26 | 26 | 317 | 620,142 |
| 27 | 27 | 297 | 601,710 |
| 28 | 28 | 407 | 807,540 |
| 96 | NOT APPLICABLE | 121 | 399,006 |
| 99 | NOT STATED | 282 | 639,132 |

Note: See Appendix F - Derived variables

Variable: **DVSCI94** Position: 487 Length: 2

Derived Sense of Coherence Scale

Observed Min: 4 Observed Max: 99

Note: See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.113

Variable: **DVVISFG** Position: 489 Length: 2

Derived Vision Attribute - grouped - Based on HSTAT-Q1 to HSTAT-Q5.

| | | FREQ | WTD |
|----|--|-------|------------|
| 01 | NO VISUAL PROBLEMS | 6,182 | 11,748,914 |
| 02 | PROBLEMS CORRECTED BY LENSES | 6,817 | 11,606,506 |
| 03 | PROBLEM SEEING DISTANCE/NOT CORRECTED | 178 | 284,902 |
| 04 | PROBLEM SEEING CLOSE/NOT CORRECTED | 103 | 157,251 |
| 05 | PROBLEM SEEING CLOSE & DISTANCE/NO SIGHT | 108 | 130,188 |
| 99 | NOT STATED | 12 | 20,842 |

Note: Health Status Classification System.

Variable: **DVHEAFG** Position: 491 Length: 2

Derived Hearing Attribute - grouped - Based on HSTAT-Q6 to HSTAT-Q9.

| | | FREQ | WTD |
|----|-------------------------------|--------|------------|
| 01 | NO HEARING PROBLEMS | 12,645 | 22,814,998 |
| 02 | PROBLEM HEARING/CORRECTED | 453 | 668,133 |
| 03 | PROBLEM HEARING/NOT CORRECTED | 293 | 450,199 |
| 99 | NOT STATED | 9 | 15,273 |

Note: Health Status Classification System.

Variable: **DVSPEFG** Position: 493 Length: 1

Derived Speech Attribute - grouped - Based on HSTAT-Q10 to HSTAT-Q13

| | | FREQ | WTD |
|---|--------------------------|--------|------------|
| 1 | NO SPEECH PROBLEMS | 13,257 | 23,733,025 |
| 2 | PARTIALLY/NOT UNDERSTOOD | 141 | 211,798 |
| 9 | NOT STATED | 2 | 3,780 |

Note: Health Status Classification System.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.114

Variable: **DVMOBFG** Position: 494 Length: 2

Derived Mobility Attribute - grouped - Based on HSTAT-Q14 to HSTAT-Q20.

| | | FREQ | WTD |
|----|-----------------------------|--------|------------|
| 01 | NO MOBILITY PROBLEMS | 12,844 | 23,230,913 |
| 02 | MOBILITY PROBLEMS/NO AID | 141 | 186,132 |
| 03 | PROBLEMS/MECHANICAL SUPPORT | 283 | 366,104 |
| 04 | PROBLEMS/CANNOT WALK | 131 | 164,355 |
| 99 | NOT STATED | 1 | 1,098 |

Note: Health Status Classification System.

Variable: **DVDEXFG** Position: 496 Length: 2

Derived Dexterity Attribute - grouped - Based on HSTAT-Q21 to HSTAT-Q24.

| | | FREQ | WTD |
|----|------------------------------|--------|------------|
| 01 | NO DEXTERITY PROBLEMS | 13,254 | 23,702,669 |
| 02 | DEXTERITY PROBLEMS/NO HELP | 99 | 163,027 |
| 03 | DEXTERITY PROBLEMS/NEED HELP | 45 | 79,525 |
| 99 | NOT STATED | 2 | 3,381 |

Note: Health Status Classification System.

Variable: **DVEMOF94** Position: 498 Length: 2

Derived Emotion Attribute - Based on HSTAT-Q25

| | | FREQ | WTD |
|----|--|-------|------------|
| 01 | HAPPY AND INTERESTED IN LIFE | 9,880 | 17,784,552 |
| 02 | SOMEWHAT HAPPY | 3,063 | 5,430,833 |
| 03 | SOMEWHAT UNHAPPY | 333 | 526,850 |
| 04 | UNHAPPY WITH A LITTLE INTEREST IN LIFE | 80 | 128,302 |
| 05 | SO UNHAPPY THAT LIFE IS NOT WORTHWHILE | 39 | 69,040 |
| 09 | NOT STATED | 5 | 9,026 |

Note: Derived Health Status Classification System.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.115

Variable: **DVCOGFG** Position: 500 Length: 2

Derived Cognition Code - Based on HSTAT-Q26 to HSTAT-Q27.

| | | FREQ | WTD |
|----|-----------------------------------|-------|------------|
| 01 | NO COGNITIVE PROBLEMS | 9,059 | 16,355,735 |
| 02 | NO MEMORY PROBLEMS | 778 | 1,452,608 |
| 03 | SOMEWHAT FORGETFUL | 2,265 | 3,923,560 |
| 04 | DIFFICULTY THINKING | 1,011 | 1,694,363 |
| 05 | VERY FORGETFUL/UNABLE TO REMEMBER | 285 | 518,955 |
| 99 | NOT STATED | 2 | 3,381 |

Note: Health Status Classification System.

Variable: **DVPAAF94** Position: 502 Length: 1

Derived Pain and Discomfort code - Based on HSTAT-Q28 and HSTAT-Q30.

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 1 | NO PAIN OR DISCOMFORT | 11,065 | 19,912,647 |
| 2 | PAIN DOES NOT PREVENT ACTIVITY | 655 | 1,307,224 |
| 3 | PAIN PREVENTS A FEW ACTIVITIES | 748 | 1,325,210 |
| 4 | PAIN PREVENTS SOME ACTIVITIES | 506 | 790,158 |
| 5 | PAIN PREVENTS MOST ACTIVITIES | 424 | 609,977 |
| 9 | NOT STATED | 2 | 3,386 |

Note: Derived Health Status Classification System.

Variable: **DVPASF94** Position: 503 Length: 1

Severity of Pain Code - Based on HSTAT-Q28 and HSTAT-Q29.

| | | FREQ | WTD |
|---|--------------------------|--------|------------|
| 1 | NO PAIN OR DISCOMFORT | 11,065 | 19,912,647 |
| 2 | MILD PAIN/DISCOMFORT | 675 | 1,252,167 |
| 3 | MODERATE PAIN/DISCOMFORT | 1,293 | 2,176,076 |
| 4 | SEVERE PAIN/DISCOMFORT | 365 | 604,327 |
| 9 | NOT STATED | 2 | 3,386 |

Note: Derived Health Status Classification System.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.116

Variable: **DVHST94** Position: 504 Length: 5

Derived Health Status Index (3 decimal places) - See Appendix F - Derived variables

Observed Min: 0 Observed Max: 9

Note: Based on questions HSTAT-Q1 TO HSTAT-Q30.

Variable: **DRGQ1_A** Position: 509 Length: 1

In the past month, did you take pain relievers?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 8,504 | 14,886,674 |
| 2 | NO | 4,884 | 9,042,034 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_B** Position: 510 Length: 1

In the past month, did you take tranquilizers such as valium?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 426 | 652,476 |
| 2 | NO | 12,962 | 23,276,232 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_C** Position: 511 Length: 1

In the past month, did you take diet pills?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 41 | 56,024 |
| 2 | NO | 13,347 | 23,872,684 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.117

Variable: **DRGQ1_D** Position: 512 Length: 1

In the past month, did you take anti-depressants?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 423 | 666,526 |
| 2 | NO | 12,965 | 23,262,182 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_E** Position: 513 Length: 1

In the past month, did you take Codeine, Demerol or Morphine?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 629 | 1,048,458 |
| 2 | NO | 12,759 | 22,880,250 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_F** Position: 514 Length: 1

In the past month, did you take allergy medicine such as "Sinutab"?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,350 | 2,429,723 |
| 2 | NO | 12,038 | 21,498,985 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.118

Variable: **DRGQ1_G** Position: 515 Length: 1

In the past month, did you take asthma medications?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 647 | 1,144,149 |
| 2 | NO | 12,741 | 22,784,559 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_H** Position: 516 Length: 1

In the past month, did you take cough or cold medications?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 2,041 | 3,975,357 |
| 2 | NO | 11,347 | 19,953,351 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_I** Position: 517 Length: 1

In the past month, did you take penicillin or other antibiotic?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,354 | 2,276,542 |
| 2 | NO | 12,034 | 21,652,166 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.119

Variable: **DRGQ1_J** Position: 518 Length: 1

In the past month, did you take medicine for the heart?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 715 | 1,061,203 |
| 2 | NO | 12,673 | 22,867,505 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_K** Position: 519 Length: 1

In the past month, did you take medicine for blood pressure?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,321 | 1,877,711 |
| 2 | NO | 12,067 | 22,050,998 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_L** Position: 520 Length: 1

In the past month, did you take diuretics or water pills?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 513 | 682,858 |
| 2 | NO | 12,875 | 23,245,850 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.120

Variable: **DRGQ1_M** Position: 521 Length: 1

In the past month, did you take steroids?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 160 | 263,071 |
| 2 | NO | 13,228 | 23,665,637 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_N** Position: 522 Length: 1

In the past month, did you take insulin?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 116 | 178,015 |
| 2 | NO | 13,272 | 23,750,693 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_O** Position: 523 Length: 1

In the past month, did you take pills to control diabetes?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 243 | 420,798 |
| 2 | NO | 13,145 | 23,507,911 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.121

Variable: **DRGQ1_P** Position: 524 Length: 1

In the past month, did you take sleeping pills?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 446 | 664,133 |
| 2 | NO | 12,942 | 23,264,575 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_Q** Position: 525 Length: 1

In the past month, did you take stomach remedies?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,217 | 2,001,781 |
| 2 | NO | 12,171 | 21,926,927 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRGQ1_R** Position: 526 Length: 1

In the past month, did you take laxatives?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 477 | 741,147 |
| 2 | NO | 12,911 | 23,187,561 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.122

Variable: **DRGQ1_S** Position: 527 Length: 1

In the past month, did you take hormones for menopause or aging symptoms?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 513 | 847,950 |
| 2 | NO | 5,009 | 7,751,313 |
| 6 | NOT APPLICABLE | 7,871 | 15,338,311 |
| 9 | NOT STATED | 7 | 11,029 |

Note: Females aged 30 years old or older

Variable: **DRGQ1_T** Position: 528 Length: 1

In the past month, did you take birth control pills?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 807 | 1,257,779 |
| 2 | NO | 3,891 | 6,979,779 |
| 6 | NOT APPLICABLE | 8,700 | 15,704,588 |
| 9 | NOT STATED | 2 | 6,457 |

Note: Females aged 12 to 49 years

Variable: **DRGQ1_U** Position: 529 Length: 1

In the past month, did you take any other medication?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,095 | 1,824,362 |
| 2 | NO | 12,292 | 22,101,427 |
| 6 | NOT APPLICABLE | 1 | 2,919 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.123

Variable: **DRGQ1_V** Position: 530 Length: 1

Didn't take any drugs in past month

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 2,764 | 5,303,618 |
| 2 | NO | 10,624 | 18,625,090 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

Variable: **DRG_Q2** Position: 531 Length: 3

In the last two days, how many different medications did you take?

| | | FREQ | WTD |
|-----|----------------|-------|-----------|
| 000 | 0 DRUGS | 4,306 | 8,251,825 |
| 001 | 1 DRUG | 3,180 | 5,563,968 |
| 002 | 2 DRUGS | 1,602 | 2,541,215 |
| 003 | 3 DRUGS | 705 | 1,063,978 |
| 004 | 4 DRUGS | 386 | 561,163 |
| 005 | 5 DRUGS | 179 | 249,538 |
| 006 | 6 DRUGS | 140 | 204,519 |
| 007 | 7 DRUGS | 45 | 68,136 |
| 008 | 8 DRUGS | 32 | 44,667 |
| 009 | 9 DRUGS | 17 | 24,534 |
| 010 | 10 DRUGS | 4 | 6,637 |
| 011 | 11 DRUGS | 6 | 11,712 |
| 012 | 12 DRUGS | 5 | 6,471 |
| 014 | 14 DRUGS | 1 | 476 |
| 015 | 15 DRUGS | 0 | 0 |
| 016 | 16 DRUGS | 4 | 4,999 |
| 017 | 17 DRUGS | 1 | 2,129 |
| 018 | 18 DRUGS | 3 | 4,590 |
| 020 | 20 DRUGS | 2 | 2,174 |
| 022 | 22 DRUGS | 0 | 0 |
| 030 | 30 DRUGS | 1 | 111 |
| 031 | 31 DRUGS | 1 | 926 |
| 996 | NOT APPLICABLE | 2,761 | 5,302,161 |
| 999 | NOT STATED | 19 | 32,672 |

Note: Respondents who have answered DRUG-Q1 > 0

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.124

Variable: **DRGC301G** Position: 534 Length: 1

Code for drug # 1 - grouped

| | | FREQ | WTD |
|---|--------------------------------|-------|------------|
| 6 | NOT APPLICABLE | 7,068 | 13,555,444 |
| 9 | NOT STATED | 209 | 347,422 |
| A | ALIMENTARY TRACT & METABOLISM | 496 | 836,212 |
| B | BLOOD & BLOOD FORMING ORGANS | 45 | 81,775 |
| C | CARDIOVASCULAR SYSTEM | 1,145 | 1,687,196 |
| D | DERMATOLOGICALS | 37 | 60,591 |
| G | GENITO-URINARY/SEX HORMONES | 651 | 1,061,356 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 320 | 485,896 |
| J | GENERAL ANTIINFECTIVES | 231 | 379,338 |
| L | ANTINEOPLASTICS | 32 | 49,686 |
| M | MUSCULO-SKELETAL SYSTEM | 359 | 568,263 |
| N | NERVOUS SYSTEM | 2,108 | 3,609,465 |
| P | ANTIPARASITIC PRODUCTS | 7 | 9,228 |
| Q | COLD AND COUGH COMMON DRUGS | 198 | 366,420 |
| R | RESPIRATORY SYSTEM | 309 | 543,412 |
| S | SENSORY ORGANS | 56 | 104,244 |
| V | VARIOUS | 77 | 116,810 |
| X | NATURAL MEDICINES | 11 | 15,115 |
| Z | MISSING | 41 | 70,731 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.125

Variable: **DRGC302G** Position: 535 Length: 1

Code for drug # 2 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 10,247 | 19,117,954 |
| 9 | NOT STATED | 149 | 241,113 |
| A | ALIMENTARY TRACT & METABOLISM | 352 | 530,293 |
| B | BLOOD & BLOOD FORMING ORGANS | 38 | 59,281 |
| C | CARDIOVASCULAR SYSTEM | 806 | 1,166,701 |
| D | DERMATOLOGICALS | 15 | 33,084 |
| G | GENITO-URINARY/SEX HORMONES | 256 | 391,578 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 135 | 167,670 |
| J | GENERAL ANTIINFECTIVES | 82 | 124,396 |
| L | ANTINEOPLASTICS | 13 | 27,334 |
| M | MUSCULO-SKELETAL SYSTEM | 165 | 266,162 |
| N | NERVOUS SYSTEM | 696 | 1,081,182 |
| P | ANTIPARASITIC PRODUCTS | 8 | 13,634 |
| Q | COLD AND COUGH COMMON DRUGS | 112 | 210,399 |
| R | RESPIRATORY SYSTEM | 184 | 319,976 |
| S | SENSORY ORGANS | 40 | 51,872 |
| V | VARIOUS | 67 | 87,474 |
| X | NATURAL MEDICINES | 6 | 7,571 |
| Z | MISSING | 29 | 50,928 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.126

Variable: **DRGC303G** Position: 536 Length: 1

Code for drug # 3 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 11,849 | 21,659,169 |
| 9 | NOT STATED | 91 | 134,751 |
| A | ALIMENTARY TRACT & METABOLISM | 204 | 325,589 |
| B | BLOOD & BLOOD FORMING ORGANS | 18 | 25,517 |
| C | CARDIOVASCULAR SYSTEM | 383 | 544,195 |
| D | DERMATOLOGICALS | 9 | 14,239 |
| G | GENITO-URINARY/SEX HORMONES | 68 | 89,388 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 70 | 89,165 |
| J | GENERAL ANTIINFECTIVES | 37 | 47,631 |
| L | ANTINEOPLASTICS | 8 | 8,920 |
| M | MUSCULO-SKELETAL SYSTEM | 84 | 123,075 |
| N | NERVOUS SYSTEM | 354 | 542,184 |
| P | ANTIPARASITIC PRODUCTS | 4 | 5,194 |
| Q | COLD AND COUGH COMMON DRUGS | 34 | 61,268 |
| R | RESPIRATORY SYSTEM | 96 | 153,765 |
| S | SENSORY ORGANS | 22 | 39,060 |
| V | VARIOUS | 45 | 48,803 |
| X | NATURAL MEDICINES | 7 | 16,503 |
| Z | MISSING | 17 | 20,189 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.127

Variable: **DRGC304G** Position: 537 Length: 1

Code for drug # 4 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 12,555 | 22,726,816 |
| 9 | NOT STATED | 63 | 117,608 |
| A | ALIMENTARY TRACT & METABOLISM | 124 | 199,174 |
| B | BLOOD & BLOOD FORMING ORGANS | 13 | 18,960 |
| C | CARDIOVASCULAR SYSTEM | 193 | 245,827 |
| D | DERMATOLOGICALS | 3 | 2,970 |
| G | GENITO-URINARY/SEX HORMONES | 37 | 56,476 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 34 | 49,042 |
| J | GENERAL ANTIINFECTIVES | 15 | 16,607 |
| L | ANTINEOPLASTICS | 7 | 21,836 |
| M | MUSCULO-SKELETAL SYSTEM | 43 | 60,166 |
| N | NERVOUS SYSTEM | 181 | 236,787 |
| P | ANTIPARASITIC PRODUCTS | 4 | 3,855 |
| Q | COLD AND COUGH COMMON DRUGS | 13 | 24,042 |
| R | RESPIRATORY SYSTEM | 52 | 77,726 |
| S | SENSORY ORGANS | 14 | 12,309 |
| V | VARIOUS | 31 | 57,726 |
| X | NATURAL MEDICINES | 4 | 3,339 |
| Z | MISSING | 14 | 17,336 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.128

Variable: **DRGC305G** Position: 538 Length: 1

Code for drug # 5 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 12,941 | 23,287,978 |
| 9 | NOT STATED | 45 | 71,529 |
| A | ALIMENTARY TRACT & METABOLISM | 65 | 109,332 |
| B | BLOOD & BLOOD FORMING ORGANS | 7 | 8,259 |
| C | CARDIOVASCULAR SYSTEM | 109 | 155,531 |
| D | DERMATOLOGICALS | 2 | 923 |
| G | GENITO-URINARY/SEX HORMONES | 20 | 31,080 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 18 | 25,555 |
| J | GENERAL ANTIINFECTIVES | 8 | 12,943 |
| L | ANTINEOPLASTICS | 3 | 2,180 |
| M | MUSCULO-SKELETAL SYSTEM | 28 | 43,814 |
| N | NERVOUS SYSTEM | 96 | 120,004 |
| P | ANTIPARASITIC PRODUCTS | 2 | 3,831 |
| Q | COLD AND COUGH COMMON DRUGS | 5 | 6,601 |
| R | RESPIRATORY SYSTEM | 26 | 39,178 |
| S | SENSORY ORGANS | 9 | 10,282 |
| V | VARIOUS | 14 | 16,648 |
| X | NATURAL MEDICINES | 1 | 1,554 |
| Z | MISSING | 1 | 1,380 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.129

Variable: **DRGC306G** Position: 539 Length: 1

Code for drug # 6 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,121 | 23,537,818 |
| 9 | NOT STATED | 47 | 66,953 |
| A | ALIMENTARY TRACT & METABOLISM | 35 | 41,945 |
| B | BLOOD & BLOOD FORMING ORGANS | 5 | 5,006 |
| C | CARDIOVASCULAR SYSTEM | 57 | 85,654 |
| D | DERMATOLOGICALS | 2 | 6,181 |
| G | GENITO-URINARY/SEX HORMONES | 6 | 8,743 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 12 | 18,761 |
| J | GENERAL ANTIINFECTIVES | 2 | 2,295 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 8 | 13,214 |
| N | NERVOUS SYSTEM | 66 | 111,042 |
| P | ANTIPARASITIC PRODUCTS | 4 | 10,209 |
| Q | COLD AND COUGH COMMON DRUGS | 5 | 6,491 |
| R | RESPIRATORY SYSTEM | 13 | 14,255 |
| S | SENSORY ORGANS | 7 | 9,380 |
| V | VARIOUS | 4 | 3,724 |
| X | NATURAL MEDICINES | 2 | 2,637 |
| Z | MISSING | 4 | 4,296 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.130

Variable: **DRGC307G** Position: 540 Length: 1

Code for drug # 7 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,262 | 23,741,453 |
| 9 | NOT STATED | 33 | 49,213 |
| A | ALIMENTARY TRACT & METABOLISM | 16 | 24,102 |
| B | BLOOD & BLOOD FORMING ORGANS | 2 | 2,764 |
| C | CARDIOVASCULAR SYSTEM | 23 | 32,262 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 5 | 10,803 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 7 | 11,360 |
| J | GENERAL ANTIINFECTIVES | 1 | 1,298 |
| L | ANTINEOPLASTICS | 3 | 4,950 |
| M | MUSCULO-SKELETAL SYSTEM | 5 | 7,332 |
| N | NERVOUS SYSTEM | 24 | 32,806 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 1 | 1,030 |
| R | RESPIRATORY SYSTEM | 6 | 8,829 |
| S | SENSORY ORGANS | 3 | 6,610 |
| V | VARIOUS | 8 | 12,236 |
| X | NATURAL MEDICINES | 1 | 1,554 |
| Z | MISSING | 0 | 0 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.131

Variable: **DRGC308G** Position: 541 Length: 1

Code for drug # 8 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,308 | 23,811,108 |
| 9 | NOT STATED | 26 | 41,290 |
| A | ALIMENTARY TRACT & METABOLISM | 13 | 19,392 |
| B | BLOOD & BLOOD FORMING ORGANS | 3 | 1,917 |
| C | CARDIOVASCULAR SYSTEM | 14 | 19,635 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 3 | 8,527 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 1 | 1,891 |
| J | GENERAL ANTIINFECTIVES | 2 | 2,429 |
| L | ANTINEOPLASTICS | 1 | 1,212 |
| M | MUSCULO-SKELETAL SYSTEM | 1 | 2,494 |
| N | NERVOUS SYSTEM | 17 | 22,555 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 7 | 9,361 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 4 | 6,793 |
| X | NATURAL MEDICINES | 0 | 0 |
| Z | MISSING | 0 | 0 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.132

Variable: **DRGC309G** Position: 542 Length: 1

Code for drug # 9 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,341 | 23,856,089 |
| 9 | NOT STATED | 27 | 42,895 |
| A | ALIMENTARY TRACT & METABOLISM | 8 | 12,784 |
| B | BLOOD & BLOOD FORMING ORGANS | 0 | 0 |
| C | CARDIOVASCULAR SYSTEM | 9 | 13,474 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 1 | 2,070 |
| N | NERVOUS SYSTEM | 6 | 11,114 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 5 | 6,133 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 1 | 2,085 |
| X | NATURAL MEDICINES | 0 | 0 |
| Z | MISSING | 2 | 1,958 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.133

Variable: **DRGC310G** Position: 543 Length: 1

Code for drug # 10 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,358 | 23,880,624 |
| 9 | NOT STATED | 28 | 45,106 |
| A | ALIMENTARY TRACT & METABOLISM | 1 | 2,070 |
| B | BLOOD & BLOOD FORMING ORGANS | 0 | 0 |
| C | CARDIOVASCULAR SYSTEM | 3 | 5,630 |
| D | DERMATOLOGICALS | 1 | 926 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 4 | 8,151 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 2 | 928 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 1 | 1,597 |
| X | NATURAL MEDICINES | 0 | 0 |
| Z | MISSING | 2 | 3,572 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.134

Variable: **DRGC311G** Position: 544 Length: 1

Code for drug # 11 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,363 | 23,887,737 |
| 9 | NOT STATED | 27 | 44,337 |
| A | ALIMENTARY TRACT & METABOLISM | 1 | 2,070 |
| B | BLOOD & BLOOD FORMING ORGANS | 2 | 4,320 |
| C | CARDIOVASCULAR SYSTEM | 2 | 3,558 |
| D | DERMATOLOGICALS | 1 | 926 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 2 | 1,846 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 2 | 3,809 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 0 | 0 |
| X | NATURAL MEDICINES | 0 | 0 |
| Z | MISSING | 0 | 0 |

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.135

Variable: **DRGC312G** Position: 545 Length: 1

Code for drug # 12 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,368 | 23,898,973 |
| 9 | NOT STATED | 28 | 45,193 |
| A | ALIMENTARY TRACT & METABOLISM | 0 | 0 |
| B | BLOOD & BLOOD FORMING ORGANS | 0 | 0 |
| C | CARDIOVASCULAR SYSTEM | 0 | 0 |
| D | DERMATOLOGICALS | 1 | 926 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 2 | 3,175 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 1 | 336 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 0 | 0 |
| X | NATURAL MEDICINES | 0 | 0 |
| Z | MISSING | 0 | 0 |

Variable: **DRG_Q4** Position: 546 Length: 1

Do you use other health products such as ointments, vitamins, herbs etc.?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 4,589 | 8,371,351 |
| 2 | NO | 8,799 | 15,557,357 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 12 | 19,895 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.136

Variable: **DRGC501G** Position: 547 Length: 1

Code for other health product # 1 - grouped

| | | FREQ | WTD |
|---|--------------------------------|-------|------------|
| 6 | NOT APPLICABLE | 8,799 | 15,557,357 |
| 9 | NOT STATED | 128 | 235,323 |
| A | ALIMENTARY TRACT & METABOLISM | 302 | 540,141 |
| B | BLOOD & BLOOD FORMING ORGANS | 49 | 61,741 |
| C | CARDIOVASCULAR SYSTEM | 10 | 14,978 |
| D | DERMATOLOGICALS | 248 | 418,594 |
| G | GENITO-URINARY/SEX HORMONES | 4 | 5,516 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 22 | 39,369 |
| J | GENERAL ANTIINFECTIVES | 4 | 3,208 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 72 | 112,004 |
| N | NERVOUS SYSTEM | 32 | 51,219 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 9 | 14,736 |
| R | RESPIRATORY SYSTEM | 6 | 14,711 |
| S | SENSORY ORGANS | 19 | 22,876 |
| V | VARIOUS | 2,694 | 4,964,509 |
| X | NATURAL MEDICINES | 887 | 1,696,477 |
| Z | MISSING | 115 | 195,844 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.137

Variable: **DRGC502G** Position: 548 Length: 1

Code for other health product # 2 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 11,806 | 21,079,221 |
| 9 | NOT STATED | 48 | 92,041 |
| A | ALIMENTARY TRACT & METABOLISM | 221 | 393,665 |
| B | BLOOD & BLOOD FORMING ORGANS | 24 | 41,617 |
| C | CARDIOVASCULAR SYSTEM | 5 | 9,611 |
| D | DERMATOLOGICALS | 65 | 111,458 |
| G | GENITO-URINARY/SEX HORMONES | 4 | 8,130 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 2 | 6,382 |
| J | GENERAL ANTIINFECTIVES | 3 | 4,348 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 16 | 31,278 |
| N | NERVOUS SYSTEM | 12 | 17,019 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 9 | 13,443 |
| R | RESPIRATORY SYSTEM | 4 | 3,697 |
| S | SENSORY ORGANS | 11 | 20,963 |
| V | VARIOUS | 730 | 1,326,298 |
| X | NATURAL MEDICINES | 377 | 676,150 |
| Z | MISSING | 63 | 113,281 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.138

Variable: **DRGC503G** Position: 549 Length: 1

Code for other health product # 3 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 12,706 | 22,694,318 |
| 9 | NOT STATED | 35 | 66,951 |
| A | ALIMENTARY TRACT & METABOLISM | 120 | 214,586 |
| B | BLOOD & BLOOD FORMING ORGANS | 9 | 24,063 |
| C | CARDIOVASCULAR SYSTEM | 4 | 8,853 |
| D | DERMATOLOGICALS | 33 | 54,215 |
| G | GENITO-URINARY/SEX HORMONES | 1 | 847 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 1 | 210 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 5 | 10,110 |
| N | NERVOUS SYSTEM | 10 | 18,849 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 1 | 999 |
| S | SENSORY ORGANS | 2 | 8,502 |
| V | VARIOUS | 294 | 519,458 |
| X | NATURAL MEDICINES | 152 | 275,731 |
| Z | MISSING | 27 | 50,911 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.139

Variable: **DRGC504G** Position: 550 Length: 1

Code for other health product # 4 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,077 | 23,376,889 |
| 9 | NOT STATED | 26 | 49,003 |
| A | ALIMENTARY TRACT & METABOLISM | 58 | 113,555 |
| B | BLOOD & BLOOD FORMING ORGANS | 3 | 7,150 |
| C | CARDIOVASCULAR SYSTEM | 1 | 1,028 |
| D | DERMATOLOGICALS | 10 | 18,786 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 1 | 703 |
| N | NERVOUS SYSTEM | 5 | 11,170 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 2 | 1,863 |
| S | SENSORY ORGANS | 2 | 3,935 |
| V | VARIOUS | 124 | 208,282 |
| X | NATURAL MEDICINES | 87 | 151,197 |
| Z | MISSING | 4 | 5,043 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.140

Variable: **DRGC505G** Position: 551 Length: 1

Code for other health product # 5 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,226 | 23,634,887 |
| 9 | NOT STATED | 27 | 56,554 |
| A | ALIMENTARY TRACT & METABOLISM | 38 | 69,977 |
| B | BLOOD & BLOOD FORMING ORGANS | 5 | 13,061 |
| C | CARDIOVASCULAR SYSTEM | 0 | 0 |
| D | DERMATOLOGICALS | 5 | 9,361 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 1 | 2,270 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 1 | 877 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 1 | 1,317 |
| S | SENSORY ORGANS | 1 | 3,221 |
| V | VARIOUS | 52 | 89,569 |
| X | NATURAL MEDICINES | 38 | 60,521 |
| Z | MISSING | 5 | 6,986 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.141

Variable: **DRGC506G** Position: 552 Length: 1

Code for other health product # 6 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,295 | 23,762,510 |
| 9 | NOT STATED | 15 | 25,100 |
| A | ALIMENTARY TRACT & METABOLISM | 18 | 40,150 |
| B | BLOOD & BLOOD FORMING ORGANS | 2 | 4,015 |
| C | CARDIOVASCULAR SYSTEM | 0 | 0 |
| D | DERMATOLOGICALS | 2 | 3,161 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 1 | 811 |
| N | NERVOUS SYSTEM | 0 | 0 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 0 | 0 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 35 | 62,172 |
| X | NATURAL MEDICINES | 29 | 43,256 |
| Z | MISSING | 3 | 7,428 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.142

Variable: **DRGC507G** Position: 553 Length: 1

Code for other health product # 7 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,334 | 23,827,376 |
| 9 | NOT STATED | 15 | 25,194 |
| A | ALIMENTARY TRACT & METABOLISM | 12 | 19,799 |
| B | BLOOD & BLOOD FORMING ORGANS | 1 | 2,889 |
| C | CARDIOVASCULAR SYSTEM | 1 | 1,839 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 1 | 1,111 |
| N | NERVOUS SYSTEM | 0 | 0 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 0 | 0 |
| S | SENSORY ORGANS | 1 | 702 |
| V | VARIOUS | 12 | 27,293 |
| X | NATURAL MEDICINES | 20 | 37,217 |
| Z | MISSING | 3 | 5,184 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.143

Variable: **DRGC508G** Position: 554 Length: 1

Code for other health product # 8 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,354 | 23,864,324 |
| 9 | NOT STATED | 12 | 19,895 |
| A | ALIMENTARY TRACT & METABOLISM | 10 | 14,941 |
| B | BLOOD & BLOOD FORMING ORGANS | 0 | 0 |
| C | CARDIOVASCULAR SYSTEM | 0 | 0 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 0 | 0 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 0 | 0 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 4 | 7,231 |
| X | NATURAL MEDICINES | 18 | 39,183 |
| Z | MISSING | 2 | 3,029 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.144

Variable: **DRGC509G** Position: 555 Length: 1

Code for other health product # 9 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,372 | 23,898,751 |
| 9 | NOT STATED | 13 | 22,468 |
| A | ALIMENTARY TRACT & METABOLISM | 2 | 2,235 |
| B | BLOOD & BLOOD FORMING ORGANS | 0 | 0 |
| C | CARDIOVASCULAR SYSTEM | 0 | 0 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 0 | 0 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 0 | 0 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 6 | 10,579 |
| X | NATURAL MEDICINES | 7 | 14,569 |
| Z | MISSING | 0 | 0 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.145

Variable: **DRGC510G** Position: 556 Length: 1

Code for other health product # 10 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,376 | 23,907,452 |
| 9 | NOT STATED | 12 | 19,895 |
| A | ALIMENTARY TRACT & METABOLISM | 1 | 3,237 |
| B | BLOOD & BLOOD FORMING ORGANS | 0 | 0 |
| C | CARDIOVASCULAR SYSTEM | 0 | 0 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 0 | 0 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 0 | 0 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 3 | 4,642 |
| X | NATURAL MEDICINES | 7 | 11,815 |
| Z | MISSING | 1 | 1,563 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.146

Variable: **DRGC511G** Position: 557 Length: 1

Code for other health product # 11 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,378 | 23,911,386 |
| 9 | NOT STATED | 14 | 23,731 |
| A | ALIMENTARY TRACT & METABOLISM | 1 | 1,153 |
| B | BLOOD & BLOOD FORMING ORGANS | 0 | 0 |
| C | CARDIOVASCULAR SYSTEM | 0 | 0 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 0 | 0 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 0 | 0 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 0 | 0 |
| X | NATURAL MEDICINES | 6 | 11,661 |
| Z | MISSING | 1 | 672 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.147

Variable: **DRGC512G** Position: 558 Length: 1

Code for other health product # 12 - grouped

| | | FREQ | WTD |
|---|--------------------------------|--------|------------|
| 6 | NOT APPLICABLE | 13,381 | 23,916,785 |
| 9 | NOT STATED | 13 | 23,132 |
| A | ALIMENTARY TRACT & METABOLISM | 2 | 1,825 |
| B | BLOOD & BLOOD FORMING ORGANS | 0 | 0 |
| C | CARDIOVASCULAR SYSTEM | 0 | 0 |
| D | DERMATOLOGICALS | 0 | 0 |
| G | GENITO-URINARY/SEX HORMONES | 0 | 0 |
| H | SYSTEMIC HORMONAL PREPARATIONS | 0 | 0 |
| J | GENERAL ANTIINFECTIVES | 0 | 0 |
| L | ANTINEOPLASTICS | 0 | 0 |
| M | MUSCULO-SKELETAL SYSTEM | 0 | 0 |
| N | NERVOUS SYSTEM | 0 | 0 |
| P | ANTIPARASITIC PRODUCTS | 0 | 0 |
| Q | COLD AND COUGH COMMON DRUGS | 0 | 0 |
| R | RESPIRATORY SYSTEM | 0 | 0 |
| S | SENSORY ORGANS | 0 | 0 |
| V | VARIOUS | 1 | 1,836 |
| X | NATURAL MEDICINES | 3 | 5,026 |
| Z | MISSING | 0 | 0 |

Note: Special drug classification system. See Appendix F - Derived Variables.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.148

Variable: **DVMHDS94** Position: 559 Length: 2

Derived Mental Health - Distress Scale

| | | FREQ | WTD |
|----|------------|-------|-----------|
| 00 | 0 | 2,742 | 4,468,989 |
| 01 | 1 | 1,872 | 3,267,125 |
| 02 | 2 | 1,972 | 3,644,369 |
| 03 | 3 | 1,593 | 2,976,070 |
| 04 | 4 | 1,276 | 2,377,886 |
| 05 | 5 | 919 | 1,670,081 |
| 06 | 6 | 788 | 1,459,815 |
| 07 | 7 | 502 | 913,298 |
| 08 | 8 | 377 | 704,407 |
| 09 | 9 | 283 | 486,295 |
| 10 | 10 | 234 | 410,897 |
| 11 | 11 | 151 | 303,518 |
| 12 | 12 | 120 | 210,505 |
| 13 | 13 | 94 | 160,683 |
| 14 | 14 | 59 | 97,181 |
| 15 | 15 | 54 | 82,332 |
| 16 | 16 | 40 | 62,656 |
| 17 | 17 | 31 | 44,041 |
| 18 | 18 | 25 | 45,715 |
| 19 | 19 | 7 | 13,729 |
| 20 | 20 | 16 | 23,264 |
| 21 | 21 | 7 | 10,965 |
| 22 | 22 | 2 | 2,094 |
| 23 | 23 | 4 | 11,162 |
| 24 | 24 | 6 | 6,866 |
| 99 | NOT STATED | 226 | 494,661 |

Note: See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.149

Variable: **DVMHCH94** Position: 561 Length: 2

Derived Mental Health - Chronicity of Distress and Impairment Scale

| | | FREQ | WTD |
|----|--------------------------|-------|------------|
| 01 | A LOT MORE THAN USUAL | 721 | 1,247,724 |
| 02 | SOMEWHAT MORE THAN USUAL | 545 | 993,624 |
| 03 | A LITTLE MORE THAN USUAL | 533 | 1,071,293 |
| 04 | ABOUT THE SAME AS USUAL | 7,226 | 13,026,438 |
| 05 | A LITTLE LESS THAN USUAL | 339 | 629,432 |
| 06 | SOMEWHAT LESS THAN USUAL | 341 | 659,199 |
| 07 | A LOT LESS THAN USUAL | 241 | 437,134 |
| 08 | NEVER HAVE HAD ANY | 478 | 904,101 |
| 96 | NOT APPLICABLE | 2,742 | 4,468,989 |
| 99 | NOT STATED | 234 | 510,670 |

Note: See Appendix F - Derived variables

Variable: **MH_Q1J** Position: 563 Length: 1

How much do these experiences interfere with your life or activities?

| | | FREQ | WTD |
|---|----------------|-------|-----------|
| 1 | A LOT | 512 | 899,050 |
| 2 | SOME | 1,120 | 1,929,909 |
| 3 | A LITTLE | 3,091 | 5,684,158 |
| 4 | NOT AT ALL | 5,217 | 9,528,907 |
| 6 | NOT APPLICABLE | 3,220 | 5,373,090 |
| 9 | NOT STATED | 240 | 533,489 |

Note: Respondents who have answered MHLTH-Q1G=3 or MHLTH-Q1H > 0

Variable: **MH_Q1K** Position: 564 Length: 1

In past 12 months, have you seen/talked to a health professional about mental health?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 1,047 | 1,887,069 |
| 2 | NO | 12,163 | 21,633,799 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 190 | 427,735 |

Note: Respondents aged 12 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.150

Variable: **MH_Q1L** Position: 565 Length: 3

How many times (in the past 12 months)?

| | | FREQ | WTD |
|-----|------------------|--------|------------|
| 000 | 0 CONSULTATIONS | 0 | 0 |
| 001 | 1 CONSULTATION | 238 | 413,927 |
| 002 | 2 CONSULTATIONS | 174 | 327,176 |
| 003 | 3 CONSULTATIONS | 113 | 205,759 |
| 004 | 4 CONSULTATIONS | 80 | 151,315 |
| 005 | 5 CONSULTATIONS | 59 | 99,121 |
| 006 | 6 CONSULTATIONS | 74 | 149,689 |
| 007 | 7 CONSULTATIONS | 14 | 16,988 |
| 008 | 8 CONSULTATIONS | 39 | 69,336 |
| 009 | 9 CONSULTATIONS | 5 | 6,736 |
| 010 | 10 CONSULTATIONS | 28 | 47,218 |
| 011 | 11 CONSULTATIONS | 6 | 10,526 |
| 012 | 12 CONSULTATIONS | 213 | 383,024 |
| 996 | NOT APPLICABLE | 12,163 | 21,633,799 |
| 999 | NOT STATED | 194 | 433,988 |

Note: Respondents who have answered MHLTH-Q1K=1

Variable: **DVSFS94** Position: 568 Length: 2

Derived Depression Scale - Short Form Score

| | | FREQ | WTD |
|----|------------|--------|------------|
| 00 | 0 | 11,999 | 21,532,932 |
| 01 | 1 | 20 | 33,542 |
| 02 | 2 | 62 | 96,935 |
| 03 | 3 | 117 | 198,786 |
| 04 | 4 | 190 | 314,565 |
| 05 | 5 | 238 | 418,404 |
| 06 | 6 | 264 | 397,043 |
| 07 | 7 | 217 | 364,287 |
| 08 | 8 | 83 | 121,324 |
| 99 | NOT STATED | 210 | 470,785 |

Note: See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.151

Variable: **DVPP94** Position: 570 Length: 4

Derived Depression - Predicted Probability (2 decimal points)

| | | FREQ | WTD |
|------|------------|--------|------------|
| 0.00 | 0.00 | 11,999 | 21,532,932 |
| 0.05 | 0.05 | 20 | 33,542 |
| 0.25 | 0.25 | 62 | 96,935 |
| 0.50 | 0.50 | 117 | 198,786 |
| 0.80 | 0.80 | 190 | 314,565 |
| 0.90 | 0.90 | 802 | 1,301,058 |
| 9.00 | NOT STATED | 210 | 470,785 |

Note: See Appendix F - Derived variables

Variable: **DVMHWK94** Position: 574 Length: 2

Derived number of weeks feeling depressed/sad/blue

Observed Min: 2 Observed Max: 99

Note: See Appendix F - Derived variables

Variable: **DVMHMT94** Position: 576 Length: 2

Derived specific months when felt depressed/sad/blue

| | | FREQ | WTD |
|----|----------------|--------|------------|
| 01 | JANUARY | 117 | 201,565 |
| 02 | FEBRUARY | 128 | 214,013 |
| 03 | MARCH | 101 | 154,696 |
| 04 | APRIL | 85 | 136,088 |
| 05 | MAY | 99 | 153,988 |
| 06 | JUNE | 75 | 117,606 |
| 07 | JULY | 99 | 165,046 |
| 08 | AUGUST | 69 | 114,005 |
| 09 | SEPTEMBER | 66 | 118,514 |
| 10 | OCTOBER | 99 | 157,460 |
| 11 | NOVEMBER | 67 | 102,436 |
| 12 | DECEMBER | 74 | 125,073 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 12,321 | 22,188,113 |

Note: Based on MHLTH-Q15 and MHLTH-Q28

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.152

Variable: **SUP_Q1** Position: 578 Length: 1

Are you a member of any voluntary organizations or associations?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | YES | 4,609 | 8,033,927 |
| 2 | NO | 8,601 | 15,490,242 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 190 | 424,434 |

Note: Respondents aged 12 years or older

Variable: **SUP_Q2** Position: 579 Length: 1

How often did you participate in meetings/activities sponsored by these groups?

| | | FREQ | WTD |
|---|------------------------------|-------|------------|
| 1 | AT LEAST ONCE A WEEK | 2,071 | 3,825,003 |
| 2 | AT LEAST ONCE A MONTH | 1,554 | 2,527,034 |
| 3 | AT LEAST 3 OR 4 TIMES A YEAR | 595 | 982,501 |
| 4 | AT LEAST ONCE A YEAR | 201 | 359,358 |
| 5 | NOT AT ALL | 188 | 340,031 |
| 6 | NOT APPLICABLE | 8,601 | 15,490,242 |
| 9 | NOT STATED | 190 | 424,434 |

Note: Respondents who have answered SOCSUP-Q1=1

Variable: **SUP_Q2A** Position: 580 Length: 1

How often did you attend religious services/meetings in past 12 months?

| | | FREQ | WTD |
|---|------------------------------|-------|-----------|
| 1 | AT LEAST ONCE A WEEK | 3,128 | 5,137,186 |
| 2 | AT LEAST ONCE A MONTH | 1,478 | 2,537,463 |
| 3 | AT LEAST 3 OR 4 TIMES A YEAR | 1,991 | 3,547,642 |
| 4 | AT LEAST ONCE A YEAR | 1,390 | 2,574,959 |
| 5 | NOT AT ALL | 5,209 | 9,690,380 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 204 | 460,974 |

Note: Respondents aged 12 years or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.153

Variable: **SUP_Q3** Position: 581 Length: 1

Do you have someone you can confide in/talk to about your private feelings?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 11,749 | 20,803,692 |
| 2 | NO | 1,455 | 2,710,904 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 196 | 434,007 |

Note: Respondents aged 12 years or older

Variable: **SUP_Q4** Position: 582 Length: 1

Do you have someone you can really count on in a crisis situation?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 12,557 | 22,308,618 |
| 2 | NO | 643 | 1,201,054 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 200 | 438,931 |

Note: Respondents aged 12 years or older

Variable: **SUP_Q5** Position: 583 Length: 1

Do you have someone you can really count on when you make personal decisions?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 12,145 | 21,729,482 |
| 2 | NO | 1,050 | 1,771,873 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 205 | 447,248 |

Note: Respondents aged 12 years or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.154

Variable: **SUP_Q6** Position: 584 Length: 1

Do you have someone who makes you feel loved and cared for?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 12,797 | 22,954,311 |
| 2 | NO | 399 | 547,624 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 204 | 446,668 |

Note: Respondents aged 12 years or older

Variable: **SUP_Q7A** Position: 585 Length: 2

How often did you have contact with your parents or parents-in-law?

| | | FREQ | WTD |
|----|----------------------|-------|-----------|
| 01 | DONT HAVE ANY | 3,867 | 6,215,267 |
| 02 | EVERY DAY | 2,814 | 5,024,429 |
| 03 | AT LEAST ONCE A WEEK | 3,475 | 6,091,692 |
| 04 | 2 OR 3 TIMES A MONTH | 1,171 | 2,201,381 |
| 05 | ONCE A MONTH | 769 | 1,640,916 |
| 06 | A FEW TIMES A YEAR | 597 | 1,236,865 |
| 07 | ONCE A YEAR | 125 | 243,200 |
| 08 | NEVER | 379 | 833,233 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 203 | 461,621 |

Note: Respondents aged 12 years or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.155

Variable: **SUP_Q7B** Position: 587 Length: 2

How often did you have contact with your grandparents?

| | | FREQ | WTD |
|----|----------------------|-------|------------|
| 01 | DONT HAVE ANY | 8,913 | 15,057,977 |
| 02 | EVERY DAY | 270 | 507,722 |
| 03 | AT LEAST ONCE A WEEK | 766 | 1,418,598 |
| 04 | 2 OR 3 TIMES A MONTH | 526 | 1,073,853 |
| 05 | ONCE A MONTH | 668 | 1,327,100 |
| 06 | A FEW TIMES A YEAR | 980 | 1,918,233 |
| 07 | ONCE A YEAR | 466 | 970,442 |
| 08 | NEVER | 615 | 1,236,657 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 196 | 438,021 |

Note: Respondents aged 12 years or older

Variable: **SUP_Q7C** Position: 589 Length: 2

How often did you have contact with your daughters or daughters-in-law?

| | | FREQ | WTD |
|----|----------------------|-------|------------|
| 01 | DONT HAVE ANY | 7,358 | 14,089,589 |
| 02 | EVERY DAY | 2,711 | 4,419,660 |
| 03 | AT LEAST ONCE A WEEK | 1,989 | 3,087,558 |
| 04 | 2 OR 3 TIMES A MONTH | 441 | 686,998 |
| 05 | ONCE A MONTH | 240 | 385,206 |
| 06 | A FEW TIMES A YEAR | 166 | 278,323 |
| 07 | ONCE A YEAR | 36 | 43,139 |
| 08 | NEVER | 257 | 503,213 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 202 | 454,917 |

Note: Respondents aged 12 years or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.156

Variable: **SUP_Q7D** Position: 591 Length: 2

How often did you have contact with your sons or sons-in-law?

| | | FREQ | WTD |
|----|----------------------|-------|------------|
| 01 | DONT HAVE ANY | 7,479 | 14,216,700 |
| 02 | EVERY DAY | 2,345 | 3,949,441 |
| 03 | AT LEAST ONCE A WEEK | 1,960 | 3,056,663 |
| 04 | 2 OR 3 TIMES A MONTH | 559 | 847,645 |
| 05 | ONCE A MONTH | 323 | 492,758 |
| 06 | A FEW TIMES A YEAR | 236 | 350,733 |
| 07 | ONCE A YEAR | 35 | 50,471 |
| 08 | NEVER | 259 | 524,843 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 204 | 459,350 |

Note: Respondents aged 12 years or older

Variable: **SUP_Q7E** Position: 593 Length: 2

How often did you have contact with your brothers or sisters?

| | | FREQ | WTD |
|----|----------------------|-------|-----------|
| 01 | DONT HAVE ANY | 1,522 | 3,174,588 |
| 02 | EVERY DAY | 1,951 | 3,164,734 |
| 03 | AT LEAST ONCE A WEEK | 3,704 | 6,138,993 |
| 04 | 2 OR 3 TIMES A MONTH | 1,831 | 3,268,513 |
| 05 | ONCE A MONTH | 1,715 | 3,157,149 |
| 06 | A FEW TIMES A YEAR | 1,734 | 3,182,660 |
| 07 | ONCE A YEAR | 432 | 752,893 |
| 08 | NEVER | 311 | 656,095 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 200 | 452,978 |

Note: Respondents aged 12 years or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.157

Variable: **SUP_Q7F** Position: 595 Length: 2

How often did you have contact with other relatives (including in-laws)?

| | | FREQ | WTD |
|----|----------------------|-------|-----------|
| 01 | DONT HAVE ANY | 940 | 1,535,603 |
| 02 | EVERY DAY | 816 | 1,188,954 |
| 03 | AT LEAST ONCE A WEEK | 2,663 | 4,489,114 |
| 04 | 2 OR 3 TIMES A MONTH | 1,738 | 3,051,800 |
| 05 | ONCE A MONTH | 1,973 | 3,847,863 |
| 06 | A FEW TIMES A YEAR | 2,971 | 5,442,479 |
| 07 | ONCE A YEAR | 1,108 | 2,156,132 |
| 08 | NEVER | 991 | 1,783,078 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 200 | 453,581 |

Note: Respondents aged 12 years or older

Variable: **SUP_Q7G** Position: 597 Length: 2

How often did you have contact with your close friends?

| | | FREQ | WTD |
|----|----------------------|-------|-----------|
| 01 | DONT HAVE ANY | 453 | 832,451 |
| 02 | EVERY DAY | 5,168 | 8,705,913 |
| 03 | AT LEAST ONCE A WEEK | 5,184 | 9,223,601 |
| 04 | 2 OR 3 TIMES A MONTH | 1,158 | 2,221,144 |
| 05 | ONCE A MONTH | 621 | 1,257,453 |
| 06 | A FEW TIMES A YEAR | 456 | 929,194 |
| 07 | ONCE A YEAR | 67 | 155,875 |
| 08 | NEVER | 97 | 179,361 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 196 | 443,610 |

Note: Respondents aged 12 years or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.158

Variable: **SUP_Q7H** Position: 599 Length: 2

How often did you have contact with your neighbours?

| | | FREQ | WTD |
|----|----------------------|-------|-----------|
| 01 | DONT HAVE ANY | 348 | 713,204 |
| 02 | EVERY DAY | 3,438 | 5,293,620 |
| 03 | AT LEAST ONCE A WEEK | 3,925 | 6,946,484 |
| 04 | 2 OR 3 TIMES A MONTH | 1,246 | 2,273,632 |
| 05 | ONCE A MONTH | 968 | 1,865,549 |
| 06 | A FEW TIMES A YEAR | 1,009 | 1,936,311 |
| 07 | ONCE A YEAR | 269 | 539,051 |
| 08 | NEVER | 2,000 | 3,940,668 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 197 | 440,084 |

Note: Respondents aged 12 years or older

Variable: **DVSSI194** Position: 601 Length: 1

Derived Social Support Index - See Appendix F - Derived variables

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 0 | 0 | 117 | 157,672 |
| 1 | 1 | 234 | 441,837 |
| 2 | 2 | 512 | 895,395 |
| 3 | 3 | 1,334 | 2,461,593 |
| 4 | 4 | 10,972 | 19,510,087 |
| 5 | 5 | 0 | 0 |
| 6 | NOT APPLICABLE | 0 | 0 |
| 9 | NOT STATED | 231 | 482,019 |

Note: Based on questions SOCSUP-Q3 to SOCSUP-Q6.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.159

Variable: **DVSSI294** Position: 602 Length: 2

Derived Social Involvement Score - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 00 | 0 | 4,093 | 7,627,115 |
| 01 | 1 | 1,128 | 2,043,025 |
| 02 | 2 | 1,604 | 2,809,817 |
| 03 | 3 | 1,391 | 2,469,174 |
| 04 | 4 | 2,050 | 3,594,929 |
| 05 | 5 | 485 | 899,056 |
| 06 | 6 | 651 | 1,067,204 |
| 07 | 7 | 749 | 1,162,550 |
| 08 | 8 | 1,045 | 1,814,759 |
| 09 | 9 | 0 | 0 |
| 10 | 10 | 0 | 0 |
| 11 | 11 | 0 | 0 |
| 12 | 12 | 0 | 0 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 204 | 460,974 |

Note: Based on questions SOCSUP-Q2 and SOCSUP-Q2A.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.160

Variable: **DVSSI394** *Position:* 604 *Length:* 2

Derived average frequency of contacts - See Appendix F - Derived variables

| | | FREQ | WTD |
|----|----------------|-------|-----------|
| 00 | 0 | 10 | 26,131 |
| 01 | 1 | 77 | 161,573 |
| 02 | 2 | 502 | 1,092,945 |
| 03 | 3 | 2,189 | 4,406,276 |
| 04 | 4 | 4,987 | 9,219,843 |
| 05 | 5 | 4,576 | 7,462,933 |
| 06 | 6 | 843 | 1,087,139 |
| 07 | 7 | 0 | 0 |
| 08 | 8 | 0 | 0 |
| 09 | 9 | 0 | 0 |
| 10 | 10 | 0 | 0 |
| 11 | 11 | 0 | 0 |
| 12 | 12 | 0 | 0 |
| 13 | 13 | 0 | 0 |
| 14 | 14 | 0 | 0 |
| 15 | 15 | 0 | 0 |
| 16 | 16 | 0 | 0 |
| 96 | NOT APPLICABLE | 0 | 0 |
| 99 | NOT STATED | 216 | 491,764 |

Note: Based on questions SOCSUP-Q7A to SOCSUP-Q7H.

Variable: **DVLVNG94** *Position:* 606 *Length:* 2

Derived variable of the family arrangements of the selected respondent

| | | FREQ | WTD |
|----|--|-------|-----------|
| 01 | UNATTACHED INDIVIDUAL LIVING ALONE | 2,965 | 2,854,120 |
| 02 | UNATTACHED INDIVIDUAL LIVING WITH OTHERS | 370 | 714,460 |
| 03 | SPOUSE/PARTNER LIVING WT SPOUSE/PARTNER | 3,109 | 5,370,497 |
| 04 | PARENT LIVING WT SPOUSE/PARTNER & CHILD | 3,644 | 7,701,607 |
| 05 | SINGLE PARENT LIVING WT CHILDREN ONLY | 787 | 1,013,638 |
| 06 | CHILD LIVING WT SINGLE PARENT(NO FOSTER) | 234 | 363,728 |
| 07 | CHILD LIVING WT SINGLE PARENT & SIBLINGS | 229 | 500,667 |
| 08 | CHILD LIVING WITH TWO PARENTS | 360 | 775,452 |
| 09 | CHILD LIVING WITH TWO PARENTS & SIBLINGS | 900 | 2,597,055 |
| 10 | OTHER | 762 | 1,967,773 |
| 99 | NOT STATED | 40 | 89,607 |

Note: Based on DVHHTP94. See Appendix F - Derived variables

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.161

Variable: **SPR6_Q1** Position: 608 Length: 1

Do you always try to do what is reasonable and logical?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 785 | 702,707 |
| 2 | NO | 28 | 29,635 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 15 | 17,069 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SPR6_Q2** Position: 609 Length: 1

Do you try to understand people & behaviour, to avoid responding emotionally?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 756 | 680,282 |
| 2 | NO | 52 | 49,459 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 20 | 19,670 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SPR6_Q3** Position: 610 Length: 1

When dealing with other people do you always try to act rationally?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 762 | 682,228 |
| 2 | NO | 45 | 47,005 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 21 | 20,177 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.162

Variable: **SPR6_Q4** Position: 611 Length: 1

Do you try to overcome conflicts by intelligence and reason, not show emotions?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 704 | 622,603 |
| 2 | NO | 96 | 97,147 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 28 | 29,660 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SPR6_Q5** Position: 612 Length: 1

If someone deeply hurts your feelings, do you try not to act purely emotionally?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 665 | 582,422 |
| 2 | NO | 132 | 135,271 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 31 | 31,718 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SPR6_Q6** Position: 613 Length: 1

Do you succeed in avoiding most conflicts by relying on reason and logic?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 729 | 656,673 |
| 2 | NO | 64 | 55,279 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 35 | 37,458 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.163

Variable: **SPR6_Q7** Position: 614 Length: 1

If someone acts against your needs and desires, do you try to understand them?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 703 | 624,531 |
| 2 | NO | 87 | 86,450 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 38 | 38,430 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SPR6_Q8** Position: 615 Length: 1

Do you behave so rationally that your behavior is rarely influenced by emotions?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 461 | 394,887 |
| 2 | NO | 321 | 313,021 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 46 | 41,503 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SPR6_Q9** Position: 616 Length: 1

Do your emotions frequently influence your behavior to be considered harmful?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 51 | 43,795 |
| 2 | NO | 731 | 664,113 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 46 | 41,503 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.164

Variable: **SPR6_Q10** Position: 617 Length: 1

Do you try to understand others even if you don't like them?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 711 | 636,187 |
| 2 | NO | 70 | 71,093 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 47 | 42,131 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SPR6_Q11** Position: 618 Length: 1

Does your rationality prevent you from verbally attacking or criticizing others?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 561 | 505,659 |
| 2 | NO | 218 | 199,265 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 49 | 44,487 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q12_A** Position: 619 Length: 1

To overcome fears of the dentist, would you ask dentist what he was doing?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 479 | 448,245 |
| 2 | NO | 272 | 224,334 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.165

Variable: **SP6Q12_B** Position: 620 Length: 1

To overcome fears of the dentist, would you take a tranquilizer/drink before?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 42 | 41,417 |
| 2 | NO | 709 | 631,162 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q12_C** Position: 621 Length: 1

To overcome fear of the dentist, would you try to think about other things?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 426 | 390,395 |
| 2 | NO | 325 | 282,185 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q12_D** Position: 622 Length: 1

To overcome fear of the dentist, would you have dentist warn you of pain?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 274 | 254,657 |
| 2 | NO | 477 | 417,922 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.166

Variable: **SP6Q12_E** Position: 623 Length: 1

To overcome fear of the dentist, would you try to sleep?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 113 | 117,305 |
| 2 | NO | 638 | 555,274 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q12_F** Position: 624 Length: 1

To overcome fear of the dentist, would you watch dentist's movements?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 270 | 252,590 |
| 2 | NO | 481 | 419,990 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q12_G** Position: 625 Length: 1

To overcome fear of the dentist, would you watch your mouth rinse for blood?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 90 | 85,122 |
| 2 | NO | 661 | 587,457 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.167

Variable: **SP6Q12_H** Position: 626 Length: 1

To overcome fear of the dentist, would you do mental puzzles in your mind?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 117 | 98,047 |
| 2 | NO | 634 | 574,532 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q12_I** Position: 627 Length: 1

To overcome fear of the dentist, would you do something else?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 59 | 50,864 |
| 2 | NO | 692 | 621,716 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 77 | 76,831 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q13_A** Position: 628 Length: 1

If layoffs are rumoured, would you find out your supervisor's evaluation of you?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 333 | 318,396 |
| 2 | NO | 408 | 349,057 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.168

Variable: **SP6Q13_B** Position: 629 Length: 1

If layoffs are rumoured, would you evaluate if you had fulfilled your job duties?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 464 | 450,894 |
| 2 | NO | 277 | 216,559 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q13_C** Position: 630 Length: 1

If layoffs are rumoured, would you watch TV,etc. to take mind off things?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 254 | 251,677 |
| 2 | NO | 487 | 415,776 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q13_D** Position: 631 Length: 1

If layoffs are rumoured, would you try to remember arguments with supervisor?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 337 | 306,651 |
| 2 | NO | 404 | 360,802 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.169

Variable: **SP6Q13_E** Position: 632 Length: 1

If layoffs are rumoured, would you push all thoughts of layoff from your mind?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 198 | 177,567 |
| 2 | NO | 543 | 489,886 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q13_F** Position: 633 Length: 1

If layoffs are rumoured, would you rather not discuss your chances of layoff?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 195 | 186,930 |
| 2 | NO | 546 | 480,524 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q13_G** Position: 634 Length: 1

If layoff are rumoured, would you try to think of poorer employees than you?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 268 | 257,592 |
| 2 | NO | 473 | 409,862 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.170

Variable: **SP6Q13_H** Position: 635 Length: 1

If layoff are rumoured, would you continue your work as if nothing was happening?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 425 | 370,579 |
| 2 | NO | 316 | 296,875 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SP6Q13_I** Position: 636 Length: 1

If layoff are rumoured, would you do something else?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 43 | 46,539 |
| 2 | NO | 698 | 620,914 |
| 6 | NOT APPLICABLE | 12,572 | 23,199,192 |
| 9 | NOT STATED | 87 | 81,957 |

Note: Respondents from Manitoba, aged 18 years old or older

Variable: **SPR8_Q1** Position: 637 Length: 1

How would you rate your ability to handle day-to-day demands in your life?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | EXCELLENT | 301 | 539,504 |
| 2 | VERY GOOD | 439 | 796,595 |
| 3 | GOOD | 197 | 337,512 |
| 4 | FAIR | 39 | 61,187 |
| 5 | POOR | 12 | 23,704 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 13 | 29,070 |

Note: Respondents from Alberta, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.171

Variable: **SPR8Q2_A** Position: 638 Length: 1

If daily demands were stressful, would you try not to think about the situation?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 195 | 335,695 |
| 2 | NO | 783 | 1,404,852 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q2_B** Position: 639 Length: 1

If daily demands were stressful, would you try to see situation differently?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 292 | 532,080 |
| 2 | NO | 686 | 1,208,468 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q2_C** Position: 640 Length: 1

If daily demands were stressful, would you think of ways to change situation?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 730 | 1,328,635 |
| 2 | NO | 248 | 411,912 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.172

Variable: **SPR8Q2_D** Position: 641 Length: 1

If daily demands were stressful, would you express your emotions?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 332 | 598,422 |
| 2 | NO | 646 | 1,142,125 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q2_E** Position: 642 Length: 1

If daily demands were stressful, would you admit situation is stressful?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 75 | 127,486 |
| 2 | NO | 903 | 1,613,061 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q2_F** Position: 643 Length: 1

If daily demands were stressful, would you talk about situation with others?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 453 | 784,186 |
| 2 | NO | 525 | 956,361 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.173

Variable: **SPR8Q2_G** Position: 644 Length: 1

If daily demands were stressful, would you do something you enjoy to relax?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 328 | 573,857 |
| 2 | NO | 650 | 1,166,690 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q2_H** Position: 645 Length: 1

If daily demands were stressful, would you pray or seek comfort from religion?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 180 | 335,262 |
| 2 | NO | 798 | 1,405,285 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q2_I** Position: 646 Length: 1

If daily demands were stressful, would you do something else?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 18 | 33,522 |
| 2 | NO | 960 | 1,707,026 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 23 | 47,025 |

Note: Respondents from Alberta, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.174

Variable: **SPR8_Q3** Position: 647 Length: 1

How would you rate your ability to handle unexpected/difficult problems?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | EXCELLENT | 183 | 312,620 |
| 2 | VERY GOOD | 390 | 706,258 |
| 3 | GOOD | 317 | 579,021 |
| 4 | FAIR | 76 | 119,224 |
| 5 | POOR | 17 | 32,812 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 18 | 37,638 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q4_A** Position: 648 Length: 1

If an unexpected problem caused stress, would you try not to think about it?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 170 | 284,254 |
| 2 | NO | 805 | 1,453,316 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q4_B** Position: 649 Length: 1

If unexpected problem caused stress, would you try to see it in different light?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 300 | 536,007 |
| 2 | NO | 675 | 1,201,564 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.175

Variable: **SPR8Q4_C** Position: 650 Length: 1

If unexpected problem caused stress,would you think of ways to change situation?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 730 | 1,317,428 |
| 2 | NO | 245 | 420,143 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q4_D** Position: 651 Length: 1

If unexpected problem caused stress, would you express your emotions?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 331 | 594,410 |
| 2 | NO | 644 | 1,143,160 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q4_E** Position: 652 Length: 1

If unexpected problem caused stress, would you admit situation is stressful?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 72 | 124,967 |
| 2 | NO | 903 | 1,612,603 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.176

Variable: **SPR8Q4_F** Position: 653 Length: 1

If unexpected problem caused stress, would you talk about situation with others?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 438 | 770,425 |
| 2 | NO | 537 | 967,145 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q4_G** Position: 654 Length: 1

If unexpected problem caused stress, would you do something to relax?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 273 | 477,948 |
| 2 | NO | 702 | 1,259,622 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older

Variable: **SPR8Q4_H** Position: 655 Length: 1

If unexpected problem caused stress, would you pray/seek comfort from religion?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 190 | 349,216 |
| 2 | NO | 785 | 1,388,354 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

September 1996

Page 1.177

Variable: **SPR8Q4_I** Position: 656 Length: 1

If unexpected problem caused stress, would you do something else?

| | | FREQ | WTD |
|---|----------------|--------|------------|
| 1 | YES | 7 | 11,737 |
| 2 | NO | 968 | 1,725,834 |
| 6 | NOT APPLICABLE | 12,399 | 22,161,030 |
| 9 | NOT STATED | 26 | 50,002 |

Note: Respondents from Alberta, aged 18 years old or older
