

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 1

Information Sources: **A_Q1A** Position: 657 Length:1

What are your most important sources of information about nutrition...DOCTORS OR NURSES?

		FREQ	WTD
1	YES	3,641	6,392,831
2	NO	8,911	16,184,014
3	NONE OF THE ABOVE	812	1,313,143
9	NOT STATED	36	58,615

Coverage: All respondents

Information Sources: **A_Q1B** Position: 658 Length:1

What are your most important sources of information about nutrition...NUTRITIONIST, DIETICIAN?

		FREQ	WTD
1	YES	1,399	2,180,828
2	NO	11,153	20,396,018
3	NONE OF THE ABOVE	812	1,313,143
9	NOT STATED	36	58,615

Coverage: All respondents

Information Sources: **A_Q1C** Position: 659 Length:1

What are your most important sources of information about nutrition...FAMILY?

		FREQ	WTD
1	YES	2,764	5,647,726
2	NO	9,788	16,929,120
3	NONE OF THE ABOVE	812	1,313,143
9	NOT STATED	36	58,615

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 2

Information Sources: **A_Q1D** *Position:* 660 *Length:*1

What are your most important sources of information about nutrition...FRIENDS?

		FREQ	WTD
1	YES	1,399	2,578,472
2	NO	11,153	19,998,373
3	NONE OF THE ABOVE	812	1,313,143
9	NOT STATED	36	58,615

Coverage: All respondents

Information Sources: **A_Q1E** *Position:* 661 *Length:*1

What are your most important sources of information about nutrition...PAMPHLETS/MAGAZINES/BOOKS?

		FREQ	WTD
1	YES	5,952	10,643,049
2	NO	6,600	11,933,797
3	NONE OF THE ABOVE	812	1,313,143
9	NOT STATED	36	58,615

Coverage: All respondents

Information Sources: **A_Q1F** *Position:* 662 *Length:*1

What are your most important sources of information about nutrition...TV, RADIO, NEWSPAPERS?

		FREQ	WTD
1	YES	3,897	7,051,940
2	NO	8,655	15,524,906
3	NONE OF THE ABOVE	812	1,313,143
9	NOT STATED	36	58,615

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 3

Information Sources: **A_Q1G** *Position:* 663 *Length:*1

What are your most important sources of information about nutrition...WEIGHT LOSS CLINIC?

		FREQ	WTD
1	YES	205	339,433
2	NO	12,347	22,237,413
3	NONE OF THE ABOVE	812	1,313,143
9	NOT STATED	36	58,615

Coverage: All respondents

Information Sources: **A_Q1H** *Position:* 664 *Length:*1

What are your most important sources of information about nutrition...OTHER (SPECIFY)

		FREQ	WTD
1	YES	813	1,485,673
2	NO	11,739	21,091,172
3	NONE OF THE ABOVE	812	1,313,143
9	NOT STATED	36	58,615

Coverage: All respondents

Information Sources: **A_Q2A** *Position:* 665 *Length:*1

What are your most important sources of information about health risks from smoking and tobacco use...DOCTORS OR NURSES?

		FREQ	WTD
1	YES	2,947	5,241,773
2	NO	9,196	16,684,210
3	NONE OF THE ABOVE	1,224	1,961,590
9	NOT STATED	33	61,031

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 4

Information Sources: **A_Q2B** *Position:* 666 *Length:*1

What are your most important sources of information about health risks from smoking and tobacco use...OTHER HEALTH PROFESSIONALS?

		FREQ	WTD
1	YES	497	880,350
2	NO	11,646	21,045,632
3	NONE OF THE ABOVE	1,224	1,961,590
9	NOT STATED	33	61,031

Coverage: All respondents

Information Sources: **A_Q2C** *Position:* 667 *Length:*1

What are your most important sources of information about health risks from smoking and tobacco use...FAMILY

		FREQ	WTD
1	YES	1,615	3,259,960
2	NO	10,528	18,666,022
3	NONE OF THE ABOVE	1,224	1,961,590
9	NOT STATED	33	61,031

Coverage: All respondents

Information Sources: **A_Q2D** *Position:* 668 *Length:*1

What are your most important sources of information about health risks from smoking and tobacco use...FRIENDS?

		FREQ	WTD
1	YES	965	1,886,979
2	NO	11,178	20,039,003
3	NONE OF THE ABOVE	1,224	1,961,590
9	NOT STATED	33	61,031

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 5

Information Sources: **A_Q2E** Position: 669 Length:1

What are your most important sources of information about health risks from smoking and tobacco use...PAMPHLETS/MAGAZINES/BOOKS?

		FREQ	WTD
1	YES	4,726	8,505,704
2	NO	7,417	13,420,278
3	NONE OF THE ABOVE	1,224	1,961,590
9	NOT STATED	33	61,031

Coverage: All respondents

Information Sources: **A_Q2F** Position: 670 Length:1

What are your most important sources of information about health risks from smoking and tobacco use...TV, RADIO, NEWSPAPERS?

		FREQ	WTD
1	YES	7,669	13,628,201
2	NO	4,474	8,297,781
3	NONE OF THE ABOVE	1,224	1,961,590
9	NOT STATED	33	61,031

Coverage: All respondents

Information Sources: **A_Q2G** Position: 671 Length:1

What are your most important sources of information about health risks from smoking and tobacco use...SCHOOL?

		FREQ	WTD
1	YES	921	2,223,497
2	NO	11,222	19,702,486
3	NONE OF THE ABOVE	1,224	1,961,590
9	NOT STATED	33	61,031

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 6

Information Sources: **A_Q2H** *Position:* 672 *Length:*1

What are your most important sources of information about health risks from smoking and tobacco use...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	738	1,305,213
2	NO	11,405	20,620,769
3	NONE OF THE ABOVE	1,224	1,961,590
9	NOT STATED	33	61,031

Coverage: All respondents

Information Sources: **A_Q3A** *Position:* 673 *Length:*1

What are your most important sources of information about breast-feeding and its importance to the health of children...DOCTORS OR NURSES?

		FREQ	WTD
1	YES	593	985,753
2	NO	337	595,371
3	NONE OF THE ABOVE	46	88,278
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	1	722

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q3B** *Position:* 674 *Length:*1

What are your most important sources of information about breast-feeding and its importance to the health of children...MIDWIVES, PRENATAL EDUCATORS?

		FREQ	WTD
1	YES	179	314,846
2	NO	751	1,266,278
3	NONE OF THE ABOVE	46	88,278
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	1	722

Coverage: Female respondents who are birth parents of children under 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 7

Information Sources: **A_Q3C** *Position:* 675 *Length:*1

What are your most important sources of information about breast-feeding and its importance to the health of children...FAMILY?

		FREQ	WTD
1	YES	147	284,252
2	NO	783	1,296,872
3	NONE OF THE ABOVE	46	88,278
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	1	722

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q3D** *Position:* 676 *Length:*1

What are your most important sources of information about breast-feeding and its importance to the health of children...FRIENDS?

		FREQ	WTD
1	YES	120	207,009
2	NO	810	1,374,115
3	NONE OF THE ABOVE	46	88,278
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	1	722

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q3E** *Position:* 677 *Length:*1

What are your most important sources of information about breast-feeding and its importance to the health of children...PAMPHLETS/MAGAZINES/BOOKS?

		FREQ	WTD
1	YES	402	705,793
2	NO	528	875,331
3	NONE OF THE ABOVE	46	88,278
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	1	722

Coverage: Female respondents who are birth parents of children under 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 8

Information Sources: **A_Q3F** *Position:* 678 *Length:*1

What are your most important sources of information about breast-feeding and its importance to the health of children...TV, RADIO, NEWSPAPERS?

		FREQ	WTD
1	YES	73	122,270
2	NO	857	1,458,854
3	NONE OF THE ABOVE	46	88,278
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	1	722

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q3G** *Position:* 679 *Length:*1

What are your most important sources of information about breast-feeding and its importance to the health of children...BREAST-FEEDING SUPPORT GROUP?

		FREQ	WTD
1	YES	80	156,396
2	NO	850	1,424,729
3	NONE OF THE ABOVE	46	88,278
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	1	722

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q3H** *Position:* 680 *Length:*1

What are your most important sources of information about breast-feeding and its importance to the health of children...OTHER (SPECIFY)

		FREQ	WTD
1	YES	43	64,918
2	NO	887	1,516,207
3	NONE OF THE ABOVE	46	88,278
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	1	722

Coverage: Female respondents who are birth parents of children under 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 9

Information Sources: **A_Q4A** *Position:* 681 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...DOCTORS OR NURSES?

		FREQ	WTD
1	YES	579	980,050
2	NO	344	592,197
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q4B** *Position:* 682 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...MIDWIVES OR PRENATAL EDUCATORS?

		FREQ	WTD
1	YES	137	216,113
2	NO	786	1,356,134
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q4C** *Position:* 683 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...FAMILY?

		FREQ	WTD
1	YES	104	186,950
2	NO	819	1,385,297
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 10

Information Sources: **A_Q4D** *Position:* 684 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...FRIENDS?

		FREQ	WTD
1	YES	74	126,540
2	NO	849	1,445,707
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q4E** *Position:* 685 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...PAMPHLETS/MAGAZINES/BOOKS?

		FREQ	WTD
1	YES	440	759,999
2	NO	483	812,248
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q4F** *Position:* 686 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...TV, RADIO, NEWSPAPERS?

		FREQ	WTD
1	YES	207	348,582
2	NO	716	1,223,665
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 11

Information Sources: **A_Q4G** *Position:* 687 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...ADDICTION AGENCIES?

		FREQ	WTD
1	YES	8	11,212
2	NO	915	1,561,035
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q4H** *Position:* 688 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...FAMILY AND CHILDREN'S SERVICE AGENCIES?

		FREQ	WTD
1	YES	15	25,527
2	NO	908	1,546,721
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

Information Sources: **A_Q4I** *Position:* 689 *Length:*1

What are your most important sources of information about alcohol use during pregnancy...OTHER (SPECIFY)

		FREQ	WTD
1	YES	31	49,891
2	NO	892	1,522,356
3	NONE OF THE ABOVE	52	96,015
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	1,862

Coverage: Female respondents who are birth parents of children under 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 12

Information Sources: **A_Q5A** *Position:* 690 *Length:*1

What are your most important sources of information for finding or choosing health care services? (For example, finding a new doctor, or choosing a health care clinic)...DOCTORS OR NURSES?

		FREQ	WTD
1	YES	4,637	8,219,490
2	NO	7,962	14,403,947
3	NONE OF THE ABOVE	748	1,208,477
9	NOT STATED	53	116,689

Coverage: All respondents

Information Sources: **A_Q5B** *Position:* 691 *Length:*1

What are your most important sources of information for finding or choosing health care services? (For example, finding a new doctor, or choosing a health care clinic)...OTHER HEALTH PROFESSIONALS

		FREQ	WTD
1	YES	1,325	2,400,952
2	NO	11,274	20,222,485
3	NONE OF THE ABOVE	748	1,208,477
9	NOT STATED	53	116,689

Coverage: All respondents

Information Sources: **A_Q5C** *Position:* 692 *Length:*1

What are your most important sources of information for finding or choosing health care services? (For example, finding a new doctor, or choosing a health care clinic)...FAMILY?

		FREQ	WTD
1	YES	4,773	8,742,887
2	NO	7,826	13,880,550
3	NONE OF THE ABOVE	748	1,208,477
9	NOT STATED	53	116,689

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 13

Information Sources: **A_Q5D** *Position:* 693 *Length:*1

What are your most important sources of information for finding or choosing health care services? (For example, finding a new doctor, or choosing a health care clinic)...FRIENDS

		FREQ	WTD
1	YES	4,850	8,589,418
2	NO	7,749	14,034,019
3	NONE OF THE ABOVE	748	1,208,477
9	NOT STATED	53	116,689

Coverage: All respondents

Information Sources: **A_Q5E** *Position:* 694 *Length:*1

What are your most important sources of information for finding or choosing health care services? (For example, finding a new doctor, or choosing a health care clinic)...PAMPHLETS/MAGAZINES/BOOKS

		FREQ	WTD
1	YES	375	762,737
2	NO	12,224	21,860,700
3	NONE OF THE ABOVE	748	1,208,477
9	NOT STATED	53	116,689

Coverage: All respondents

Information Sources: **A_Q5F** *Position:* 695 *Length:*1

What are your most important sources of information for finding or choosing health care services? (For example, finding a new doctor, or choosing a health care clinic)...TV, RADIO, NEWSPAPERS

		FREQ	WTD
1	YES	331	685,927
2	NO	12,268	21,937,510
3	NONE OF THE ABOVE	748	1,208,477
9	NOT STATED	53	116,689

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 14

Information Sources: **A_Q5G** *Position:* 696 *Length:*1

What are your most important sources of information for finding or choosing health care services? (For example, finding a new doctor, or choosing a health care clinic)...YELLOW PAGES (TELEPHONE BOOK)

		FREQ	WTD
1	YES	1,040	1,945,283
2	NO	11,559	20,678,154
3	NONE OF THE ABOVE	748	1,208,477
9	NOT STATED	53	116,689

Coverage: All respondents

Information Sources: **A_Q5H** *Position:* 697 *Length:*1

What are your most important sources of information for finding or choosing health care services? (For example, finding a new doctor, or choosing a health care clinic)...OTHER (SPECIFY)

		FREQ	WTD
1	YES	427	843,726
2	NO	12,172	21,779,711
3	NONE OF THE ABOVE	748	1,208,477
9	NOT STATED	53	116,689

Coverage: All respondents

Information Sources: **A_Q6** *Position:* 698 *Length:*1

I am going to read five health problems which can cause death in young children after their first birthday. Please tell me which one you think is the leading cause of death

		FREQ	WTD
1	CANCER	330	678,755
2	INJURIES	1,875	3,698,194
3	CYSTIC FIBROSIS	83	159,239
4	MENINGITIS	293	609,336
5	HEART DISEASE	191	370,802
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	34	78,726

Coverage: Respondents who are parent of children under 12 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 15

Information Sources: **A_Q7A1** *Position:* 699 *Length:*1

Have you ever looked for information about how to correctly use a car safety seat.

		FREQ	WTD
1	YES	1,203	2,471,523
2	NO	629	1,096,385
6	NOT APPLICABLE	11,567	20,379,973
9	NOT STATED	1	722

Coverage: Respondents who are parent of children under 6 years old

Information Sources: **A_Q7A2** *Position:* 700 *Length:*1

Were you able to find enough information to satisfy your needs?

		FREQ	WTD
1	YES	1,108	2,245,009
2	NO	95	226,515
6	NOT APPLICABLE	12,196	21,476,357
9	NOT STATED	1	722

Coverage: Respondents who are parent of children under 6 years old, and answered YES to A_Q7A1

Information Sources: **A_Q7B1** *Position:* 701 *Length:*1

Have you ever looked for information about teaching children about traffic safety?

		FREQ	WTD
1	YES	949	1,904,772
2	NO	1,855	3,688,919
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	2	1,361

Coverage: Respondents who are parent of children under 12 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 16

Information Sources: **A_Q7B2** *Position:* 702 *Length:*1

Were you able to find enough information to satisfy your needs?

		FREQ	WTD
1	YES	870	1,737,907
2	NO	79	166,865
6	NOT APPLICABLE	12,449	22,042,470
9	NOT STATED	2	1,361

Coverage: Respondents who are parent of children under 12 years old, and answered YES to A_Q7B1

Information Sources: **A_Q7C1** *Position:* 703 *Length:*1

Have you ever looked for information about safety in the home (such as preventing falls or preventing scalds, burns or poisonings)?

		FREQ	WTD
1	YES	1,565	3,068,400
2	NO	1,240	2,525,930
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	1	722

Coverage: Respondents who are parent of children under 12 years old

Information Sources: **A_Q7C2** *Position:* 704 *Length:*1

Were you able to find enough information to satisfy your needs?

		FREQ	WTD
1	YES	1,474	2,912,088
2	NO	91	156,312
6	NOT APPLICABLE	11,834	20,879,481
9	NOT STATED	1	722

Coverage: Respondents who are parent of children under 12 years old, and answered YES to A_Q7C1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 17

Information Sources: **A_Q7D1** *Position:* 705 *Length:*1

Have you ever looked for information about how to treat a child who is choking?

		FREQ	WTD
1	YES	1,822	3,578,144
2	NO	982	2,015,547
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	2	1,361

Coverage: Respondents who are parent of children under 12 years old

Information Sources: **A_Q7D2** *Position:* 706 *Length:*1

Were you able to find enough information to satisfy your needs?

		FREQ	WTD
1	YES	1,732	3,392,073
2	NO	88	184,716
6	NOT APPLICABLE	11,576	20,369,098
9	NOT STATED	4	2,716

Coverage: Respondents who are parent of children under 12 years old, and answered YES to A_Q7D1

Information Sources: **A_Q7E1** *Position:* 707 *Length:*1

Have you ever looked for information about swimming safety?

		FREQ	WTD
1	YES	1,185	2,431,409
2	NO	1,620	3,162,921
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	1	722

Coverage: Respondents who are parent of children under 12 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 18

Information Sources: **A_Q7E2** *Position:* 708 *Length:*1

Were you able to find enough information to satisfy your needs?

		FREQ	WTD
1	YES	1,150	2,371,212
2	NO	35	60,197
6	NOT APPLICABLE	12,214	21,516,472
9	NOT STATED	1	722

Coverage: Respondents who are parent of children under 12 years old, and answered YES to A_Q7E1

Information Sources: **A_Q7F1** *Position:* 709 *Length:*1

Have you ever looked for information about bicycle safety?

		FREQ	WTD
1	YES	1,102	2,178,020
2	NO	1,703	3,416,310
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	1	722

Coverage: Respondents who are parent of children under 12 years old

Information Sources: **A_Q7F2** *Position:* 710 *Length:*1

Were you able to find enough information to satisfy your needs?

		FREQ	WTD
1	YES	1,054	2,089,001
2	NO	48	89,019
6	NOT APPLICABLE	12,297	21,769,861
9	NOT STATED	1	722

Coverage: Respondents who are parent of children under 12 years old, and answered YES to A_Q7F1

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 19

Information Sources: **A_Q7G1** *Position:* 711 *Length:*1

Have you ever looked for information about how to prevent sports injuries?

		FREQ	WTD
1	YES	546	1,278,599
2	NO	2,258	4,315,510
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	2	943

Coverage: Respondents who are parent of children under 12 years old

Information Sources: **A_Q7G2** *Position:* 712 *Length:*1

Were you able to find enough information to satisfy your needs?

		FREQ	WTD
1	YES	511	1,203,601
2	NO	35	74,999
6	NOT APPLICABLE	12,852	22,669,061
9	NOT STATED	2	943

Coverage: Respondents who are parent of children under 12 years old, and answered YES to A_Q7G1

Information Sources: **A_Q8A** *Position:* 713 *Length:*1

If you wanted or needed information on preventing or treating childhood injuries, which of the following sources would you find helpful...EDUCATIONAL PAMPHLETS DISPLAYED IN CONVENIENT PLACES?

		FREQ	WTD
1	YES	1,746	3,445,937
2	NO	947	1,897,420
3	NONE OF THE ABOVE	104	211,527
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	9	40,168

Coverage: Respondents who are parent of children under 12 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 20

Information Sources: **A_Q8B** *Position:* 714 *Length:*1

If you wanted or needed information on preventing or treating childhood injuries, which of the following sources would you find helpful...**EDUCATIONAL PAMPHLETS DISTRIBUTED THROUGH SCHOOLS?**

		FREQ	WTD
1	YES	1,481	3,004,896
2	NO	1,212	2,338,461
3	NONE OF THE ABOVE	104	211,527
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	9	40,168

Coverage: Respondents who are parent of children under 12 years old

Information Sources: **A_Q8C** *Position:* 715 *Length:*1

If you wanted or needed information on preventing or treating childhood injuries, which of the following sources would you find helpful...**COUNSELLING WITH HEALTH PROFESSIONALS?**

		FREQ	WTD
1	YES	1,106	2,238,822
2	NO	1,587	3,104,535
3	NONE OF THE ABOVE	104	211,527
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	9	40,168

Coverage: Respondents who are parent of children under 12 years old

Information Sources: **A_Q8D** *Position:* 716 *Length:*1

If you wanted or needed information on preventing or treating childhood injuries, which of the following sources would you find helpful ...**CHILDHOOD SAFETY INFORMATION IN THE MEDIA?**

		FREQ	WTD
1	YES	1,310	2,600,694
2	NO	1,383	2,742,663
3	NONE OF THE ABOVE	104	211,527
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	9	40,168

Coverage: Respondents who are parent of children under 12 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 21

Information Sources: **A_Q8E** *Position:* 717 *Length:*1

If you wanted or needed information on preventing or treating childhood injuries, which of the following sources would you find helpful ...VIDEOTAPES ABOUT SAFETY AVAILABLE IN PUBLIC LIBRARIES?

		FREQ	WTD
1	YES	932	1,806,324
2	NO	1,761	3,537,033
3	NONE OF THE ABOVE	104	211,527
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	9	40,168

Coverage: Respondents who are parent of children under 12 years old

Information Sources: **A_Q8F** *Position:* 718 *Length:*1

If you wanted or needed information on preventing or treating childhood injuries, which of the following sources would you find helpful ...A TELEPHONE HOTLINE GIVING SAFETY INFORMATION?

		FREQ	WTD
1	YES	893	1,747,513
2	NO	1,800	3,595,844
3	NONE OF THE ABOVE	104	211,527
6	NOT APPLICABLE	10,594	18,353,551
9	NOT STATED	9	40,168

Coverage: Respondents who are parent of children under 12 years old

Nutrition: **B_Q01** *Position:* 719 *Length:* 1

In general would you say that your eating habits are excellent, very good, fair, or poor?

		FREQ	WTD
1	EXCELLENT	1,647	3,244,698
2	VERY GOOD	4,354	7,709,694
3	GOOD	5,062	9,106,138
4	FAIR	1,775	3,023,172
5	POOR	559	854,693
9	NOT STATED	3	10,209

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 22

Nutrition: **B_Q02A** *Position:* 720 *Length:* 1

Which of the following foods do you eat more now than you did 12 months ago...GRAIN PRODUCTS?

		FREQ	WTD
1	YES	3,679	6,616,286
2	NO	4,260	7,751,571
3	NONE OF THE ABOVE	5,451	9,557,266
9	NOT STATED	10	23,480

Coverage: All respondents

Nutrition: **B_Q02B** *Position:* 721 *Length:* 1

Which of the following foods do you eat more now than you did 12 months ago...VEGETABLES AND FRUIT (FRESH, FROZEN, CANNED)?

		FREQ	WTD
1	YES	5,291	9,635,955
2	NO	2,648	4,731,901
3	NONE OF THE ABOVE	5,451	9,557,266
9	NOT STATED	10	23,480

Coverage: All respondents

Nutrition: **B_Q02C** *Position:* 722 *Length:* 1

Which of the following foods do you eat more now than you did 12 months ago...MILK PRODUCTS (MILK, CHEESE, YOGURT)?

		FREQ	WTD
1	YES	2,364	4,277,860
2	NO	5,575	10,089,996
3	NONE OF THE ABOVE	5,451	9,557,266
9	NOT STATED	10	23,480

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 23

Nutrition: **B_Q02D** *Position:* 723 *Length:* 1

Which of the following foods do you eat more now than you did 12 months ago...MEAT, POULTRY, FISH?

		FREQ	WTD
1	YES	2,421	4,341,607
2	NO	5,518	10,026,250
3	NONE OF THE ABOVE	5,451	9,557,266
9	NOT STATED	10	23,480

Coverage: All respondents

Nutrition: **B_Q02E** *Position:* 724 *Length:* 1

Which of the following foods do you eat more now than you did 12 months ago...MEAT ALTERNATIVES (DRIED BEANS, LENTILS)?

		FREQ	WTD
1	YES	1,120	2,182,200
2	NO	6,819	12,185,656
3	NONE OF THE ABOVE	5,451	9,557,266
9	NOT STATED	10	23,480

Coverage: All respondents

Nutrition: **B_Q02F** *Position:* 725 *Length:* 1

Which of the following foods do you eat more now than you did 12 months ago...OTHER FOODS SUCH AS CANDY, CHIPS, BUTTER, TEA, COFFEE?

		FREQ	WTD
1	YES	1,229	2,263,898
2	NO	6,710	12,103,958
3	NONE OF THE ABOVE	5,451	9,557,266
9	NOT STATED	10	23,480

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 24

Nutrition: **B_Q03** *Position:* 726 *Length:* 1

Starch and fibre are important to the Canadian diet. Are you concerned about getting enough starch and fibre in the foods you eat?

		FREQ	WTD
1	YES	6,019	10,399,418
2	NO	7,365	13,512,313
9	NOT STATED	16	36,873

Coverage: All respondents

Nutrition: **B_Q04** *Position:* 727 *Length:* 1

Are you taking any steps to increase the amount of starch and fibre in the foods you eat?

		FREQ	WTD
1	YES	3,515	6,218,553
2	NO	2,501	4,176,136
6	NOT APPLICABLE	7,365	13,512,313
9	NOT STATED	19	41,602

Coverage: Respondents who are concerned about getting enough starch and fibre

Nutrition: **B_Q05A** *Position:* 728 *Length:* 1

Are you taking any of the following steps...EATING VEGETABLES OR FRUIT AT MOST MEALS AND SNACKS?

		FREQ	WTD
1	YES	2,984	5,309,397
2	NO	530	907,475
6	NOT APPLICABLE	9,866	17,688,449
9	NOT STATED	20	43,282

Coverage: Respondents who are taking steps to increase the amount of starch and fibre they eat

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 25

Nutrition: **B_Q05B** *Position:* 729 *Length:* 1

Are you taking any of the following steps...USING MEAT ALTERNATIVES?

		FREQ	WTD
1	YES	1,050	2,055,428
2	NO	2,464	4,161,445
6	NOT APPLICABLE	9,866	17,688,449
9	NOT STATED	20	43,282

Coverage: Respondents who are taking steps to increase the amount of starch and fibre they eat

Nutrition: **B_Q05C** *Position:* 730 *Length:* 1

Are you taking any of the following steps...EATING MEALS WHICH HAVE LESS MEAT (E.G. PASTA, RICE, VEGETABLE DISHES)?

		FREQ	WTD
1	YES	2,079	3,721,951
2	NO	1,435	2,494,922
6	NOT APPLICABLE	9,866	17,688,449
9	NOT STATED	20	43,282

Coverage: Respondents who are taking steps to increase the amount of starch and fibre they eat

Nutrition: **B_Q05D** *Position:* 731 *Length:* 1

Are you taking any of the following steps...EATING WHOLE GRAIN PRODUCTS (E.G. WHOLE WHEAT BREAD, BROWN RICE, OATMEAL MUFFINS)?

		FREQ	WTD
1	YES	2,767	4,920,645
2	NO	747	1,296,228
6	NOT APPLICABLE	9,866	17,688,449
9	NOT STATED	20	43,282

Coverage: Respondents who are taking steps to increase the amount of starch and fibre they eat

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 26

Nutrition: **B_Q05E** Position: 732 Length: 1

Are you taking any of the following steps...USING WHOLE WHEAT FLOUR AND BRAN IN BAKING?

		FREQ	WTD
1	YES	1,467	2,594,337
2	NO	2,047	3,622,536
6	NOT APPLICABLE	9,866	17,688,449
9	NOT STATED	20	43,282

Coverage: Respondents who are taking steps to increase the amount of starch and fibre they eat

Nutrition: **B_Q05F** Position: 733 Length: 1

Are you taking any of the following steps...CHOOSING FOODS THAT ARE HIGH IN FIBRE?

		FREQ	WTD
1	YES	1,915	3,358,084
2	NO	1,599	2,858,788
6	NOT APPLICABLE	9,866	17,688,449
9	NOT STATED	20	43,282

Coverage: Respondents who are taking steps to increase the amount of starch and fibre they eat

Nutrition: **B_Q05G** Position: 734 Length: 1

Are you taking any of the following steps...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	61	105,671
2	NO	3,453	6,111,201
6	NOT APPLICABLE	9,866	17,688,449
9	NOT STATED	20	43,282

Coverage: Respondents who are taking steps to increase the amount of starch and fibre they eat

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 27

Nutrition: **B_Q06** Position: 735 Length: 1

Do you find it easy to increase the amount of starch and fibre in the foods you eat?

		FREQ	WTD
1	YES	2,983	5,330,754
2	NO	524	873,299
6	NOT APPLICABLE	9,866	17,688,449
9	NOT STATED	27	56,101

Coverage: Respondents who are taking steps to increase the amount of starch and fibre they eat

Nutrition: **B_Q07A** Position: 736 Length: 1

I'm going to read you some statements about starch and fibre in foods. For each statement, please tell me if you think it is true or false... GRAIN PRODUCTS DO NOT TASTE GOOD

		FREQ	WTD
1	TRUE	1,835	2,826,263
2	FALSE	2,841	4,910,107
3	NONE OF THE ABOVE	8,666	16,091,947
9	NOT STATED	58	120,286

Coverage: All respondents

Nutrition: **B_Q07B** Position: 737 Length: 1

...GRAIN PRODUCTS ARE TOO EXPENSIVE

		FREQ	WTD
1	TRUE	2,366	3,980,792
2	FALSE	2,310	3,755,577
3	NONE OF THE ABOVE	8,666	16,091,947
9	NOT STATED	58	120,286

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 28

Nutrition: **B_Q07C** Position: 738 Length: 1

...GRAIN PRODUCTS ARE NOT READILY AVAILABLE

		FREQ	WTD
1	TRUE	625	926,253
2	FALSE	4,051	6,810,117
3	NONE OF THE ABOVE	8,666	16,091,947
9	NOT STATED	58	120,286

Coverage: All respondents

Nutrition: **B_Q07D** Position: 739 Length: 1

...GRAIN PRODUCTS ARE FATTENING

		FREQ	WTD
1	TRUE	1,015	1,668,080
2	FALSE	3,661	6,068,290
3	NONE OF THE ABOVE	8,666	16,091,947
9	NOT STATED	58	120,286

Coverage: All respondents

Nutrition: **B_Q07E** Position: 740 Length: 1

...YOU DO NOT KNOW WHAT GRAIN PRODUCTS ARE

		FREQ	WTD
1	TRUE	522	846,655
2	FALSE	4,154	6,889,715
3	NONE OF THE ABOVE	8,666	16,091,947
9	NOT STATED	58	120,286

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 29

Nutrition: **B_Q08** *Position:* 741 *Length:* 1

Are you concerned about the amount of fat in the foods you eat?

		FREQ	WTD
1	YES	9,196	16,260,582
2	NO	4,192	7,653,062
9	NOT STATED	12	34,958

Coverage: All respondents

Nutrition: **B_Q09** *Position:* 742 *Length:* 1

Are you taking any steps to reduce the amount of fat in the foods you eat?

		FREQ	WTD
1	YES	7,955	14,033,213
2	NO, DOING NOTHING	1,241	2,227,370
6	NOT APPLICABLE	4,192	7,653,062
9	NOT STATED	12	34,958

Coverage: Respondents who are concerned about the amount of fat they eat

Nutrition: **B_Q10A** *Position:* 743 *Length:* 1

Are you taking any of the following steps...USING LESS BUTTER,OIL, OR SALAD DRESSING?

		FREQ	WTD
1	YES	6,432	11,290,347
2	NO	1,519	2,735,109
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 30

Nutrition: **B_Q10B** *Position:* 744 *Length:* 1

...CUTTING DOWN ON HIGH FAT MILK PRODUCTS?

		FREQ	WTD
1	YES	5,675	9,941,385
2	NO	2,276	4,084,072
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

Nutrition: **B_Q10C** *Position:* 745 *Length:* 1

...EATING LESS FRIED OR DEEP FRIED FOODS?

		FREQ	WTD
1	YES	6,482	11,260,421
2	NO	1,469	2,765,036
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

Nutrition: **B_Q10D** *Position:* 746 *Length:* 1

...CUTTING DOWN ON NUTS AND SEEDS?

		FREQ	WTD
1	YES	2,719	4,737,173
2	NO	5,232	9,288,284
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 31

Nutrition: **B_Q10E** *Position:* 747 *Length:* 1

...EATING FEWER SNACKS SUCH AS CHIPS AND CHOCOLATE BARS?

		FREQ	WTD
1	YES	5,025	8,914,747
2	NO	2,926	5,110,710
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

Nutrition: **B_Q10F** *Position:* 748 *Length:* 1

...USING LOWER-FAT MILK PRODUCTS?

		FREQ	WTD
1	YES	5,398	9,413,665
2	NO	2,553	4,611,792
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

Nutrition: **B_Q10G** *Position:* 749 *Length:* 1

...EATING LEANER MEATS, POULTRY, FISH?

		FREQ	WTD
1	YES	6,304	11,108,392
2	NO	1,647	2,917,065
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 32

Nutrition: **B_Q10H** *Position:* 750 *Length:* 1

...EATING MEAT ALTERNATIVES?

		FREQ	WTD
1	YES	2,068	3,888,243
2	NO	5,883	10,137,214
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

Nutrition: **B_Q10I** *Position:* 751 *Length:* 1

...CHOOSING FOODS WITH LOWER FAT CONTENTS?

		FREQ	WTD
1	YES	4,865	8,598,815
2	NO	3,086	5,426,642
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

Nutrition: **B_Q10J** *Position:* 752 *Length:* 1

...BAKING, BROILING, OR MICROWAVING YOUR FOOD?

		FREQ	WTD
1	YES	4,795	8,352,207
2	NO	3,156	5,673,250
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 33

Nutrition: **B_Q10K** *Position:* 753 *Length:* 1

...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	174	365,365
2	NO	7,777	13,660,092
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	16	42,714

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

Nutrition: **B_Q11** *Position:* 754 *Length:* 1

Do you find it easy to reduce the amount of fat in the foods you eat?

		FREQ	WTD
1	YES	6,299	11,242,493
2	NO	1,643	2,764,845
6	NOT APPLICABLE	5,433	9,880,432
9	NOT STATED	25	60,833

Coverage: Respondents who are taking steps to reduce the amount of fat they eat

Nutrition: **B_Q12A** *Position:* 755 *Length:* 1

I'm going to read you some statements about fat in food. For each statement, please tell me if you think it is true or false...LOW FAT FOOD CHOICES ARE READILY AVAILABLE

		FREQ	WTD
1	TRUE	10,369	18,702,311
2	FALSE	1,914	3,205,141
3	NONE OF THE ABOVE	987	1,739,485
9	NOT STATED	130	301,666

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 34

Nutrition: **B_Q12B** Position: 756 Length: 1

...LOW FAT FOODS ARE EXPENSIVE

		FREQ	WTD
1	TRUE	5,006	8,412,372
2	FALSE	7,277	13,495,080
3	NONE OF THE ABOVE	987	1,739,485
9	NOT STATED	130	301,666

Coverage: All respondents

Nutrition: **B_Q12C** Position: 757 Length: 1

...LOW FAT FOODS TASTE GOOD

		FREQ	WTD
1	TRUE	7,544	13,533,142
2	FALSE	4,739	8,374,310
3	NONE OF THE ABOVE	987	1,739,485
9	NOT STATED	130	301,666

Coverage: All respondents

Nutrition: **B_Q12D** Position: 758 Length: 1

...LOW FAT FOODS ARE EASY TO PREPARE

		FREQ	WTD
1	TRUE	8,493	15,257,836
2	FALSE	3,790	6,649,616
3	NONE OF THE ABOVE	987	1,739,485
9	NOT STATED	130	301,666

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 35

Nutrition: **B_Q12E** Position: 759 Length: 1

...FOOD LABELS SHOW THE AMOUNT OF FAT CONTENT

		FREQ	WTD
1	TRUE	8,378	15,196,787
2	FALSE	3,905	6,710,665
3	NONE OF THE ABOVE	987	1,739,485
9	NOT STATED	130	301,666

Coverage: All respondents

Nutrition: **B_Q13** Position: 760 Length: 1

Are you presently trying to lose weight?

		FREQ	WTD
1	YES	4,517	7,792,332
2	NO	8,877	16,140,438
9	NOT STATED	6	15,833

Coverage: All respondents

Injury Prevention: **DESWTLB** Position: 761 Length:3

How much would you like to weigh ... POUNDS?

Observed Min: 50 Observed Max: 330

		FREQ	WTD
996	NOT APPLICABLE	8,877	16,140,438
999	NOT STATED	29	55,480

Coverage: Respondents who are presently trying to lose weight

Derivation rules:

If weight was reported in kilograms, multiply by 2.2 and round to nearest unit.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 36

Injury Prevention: **DESWTKG** *Position:* 764 *Length:*3

How much would you like to weigh ... KILOGRAMS?

Observed Min: 23 *Observed Max:* 150

		FREQ	WTD
996	NOT APPLICABLE	8,877	16,140,438
999	NOT STATED	29	55,480

Coverage: Respondents who are presently trying to lose weight

Derivation rules:

If weight was reported in pounds, divide by 2.2 and round to nearest unit.

Smoking: **C_Q01** *Position:* 767 *Length:* 1

The next questions are about your awareness of the information on cigarette packaging, attitudes toward smoking, and quitting smoking. Your answers will allow Health Canada to measure the effectiveness of their programs. Have you ever seen health warning messages on cigarette packages?

		FREQ	WTD
1	YES	11,329	20,374,240
2	NO	2,062	3,554,551
9	NOT STATED	9	19,812

Coverage: All respondents

Smoking: **C_Q02A** *Position:* 768 *Length:* 1

What health warning messages have you seen...SMOKING REDUCES LIFE EXPECTANCY?

		FREQ	WTD
1	YES	4,753	8,587,239
2	NO	6,458	11,552,458
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 37

Smoking: **C_Q02B** *Position:* 769 *Length:* 1

What health warning messages have you seen...SMOKING IS THE MAJOR CAUSE OF LUNG CANCER?

		FREQ	WTD
1	YES	7,200	12,867,062
2	NO	4,011	7,272,635
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q02C** *Position:* 770 *Length:* 1

What health warning messages have you seen...SMOKING IS A MAJOR CAUSE OF HEART DISEASE?

		FREQ	WTD
1	YES	4,497	7,918,386
2	NO	6,714	12,221,311
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q02D** *Position:* 771 *Length:* 1

What health warning messages have you seen...SMOKING DURING PREGNANCY CAN HARM THE BABY?

		FREQ	WTD
1	YES	6,980	12,624,476
2	NO	4,231	7,515,221
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 38

Smoking: **C_Q02E** *Position:* 772 *Length:* 1

What health warning messages have you seen...CIGARETTES ARE ADDICTIVE?

		FREQ	WTD
1	YES	1,729	3,295,242
2	NO	9,482	16,844,455
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q02F** *Position:* 773 *Length:* 1

What health warning messages have you seen...TOBACCO SMOKE CAN HARM YOUR CHILDREN?

		FREQ	WTD
1	YES	1,806	3,474,660
2	NO	9,405	16,665,037
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q02G** *Position:* 774 *Length:* 1

What health warning messages have you seen...CIGARETTES CAN CAUSE FATAL LUNG DISEASE?

		FREQ	WTD
1	YES	2,178	4,193,060
2	NO	9,033	15,946,637
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 39

Smoking: **C_Q02H** *Position:* 775 *Length:* 1

What health warning messages have you seen...CIGARETTES CAUSE CANCER?

		FREQ	WTD
1	YES	2,346	4,586,581
2	NO	8,865	15,553,116
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q02I** *Position:* 776 *Length:* 1

What health warning messages have you seen...CIGARETTES CAUSE STROKES AND HEART DISEASE?

		FREQ	WTD
1	YES	1,372	2,572,289
2	NO	9,839	17,567,408
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q02J** *Position:* 777 *Length:* 1

What health warning messages have you seen...SMOKING CAN KILL YOU?

		FREQ	WTD
1	YES	2,433	4,836,689
2	NO	8,778	15,303,008
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 40

Smoking: **C_Q02K** *Position:* 778 *Length:* 1

What health warning messages have you seen...TOBACCO SMOKE CAUSES FATAL LUNG DISEASE IN NON-SMOKERS?

		FREQ	WTD
1	YES	1,111	2,173,679
2	NO	10,100	17,966,018
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q02L** *Position:* 779 *Length:* 1

What health warning messages have you seen...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	528	930,452
2	NO	10,683	19,209,245
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	127	254,354

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q03** *Position:* 780 *Length:* 1

Do you agree or disagree with cigarette packages having health warning messages?

		FREQ	WTD
1	AGREE	9,803	17,625,925
2	DISAGREE	722	1,362,291
3	NO OPINION	799	1,376,694
6	NOT APPLICABLE	2,062	3,554,551
9	NOT STATED	14	29,142

Coverage: Respondents who have seen health warning messages on cigarette packages

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 41

Smoking: **C_Q04** Position: 781 Length: 2

How often do you read these health warning messages?

		FREQ	WTD
01	NEVER	4,027	7,275,450
02	LESS OFTEN THAN ONCE A WEEK	3,333	5,973,287
03	ABOUT ONCE A WEEK	1,001	1,836,978
04	ONCE EVERY TWO OR THREE DAYS	509	964,521
05	ABOUT ONCE A DAY	1,196	2,141,793
06	MORE THAN ONCE A DAY	1,253	2,159,152
96	NOT APPLICABLE	2,062	3,554,551
99	NOT STATED	19	42,870

Coverage: Respondents who have seen health warning messages on cigarette packages

Smoking: **C_Q07** Position: 783 Length: 2

You said earlier that you used to smoke cigarettes, but never smoked daily. At what age did you first begin to smoke (even if it wasn't every day)?

Observed Min: 4 Observed Max: 70

		FREQ	WTD
96	NOT APPLICABLE	12,350	21,893,925
99	NOT STATED	14	32,518

Coverage: Respondents who currently do not smoke, used to smoke, but never smoked daily

Smoking: **C_Q08A** Position: 785 Length: 1

Why did you first begin smoking cigarettes...EVERYONE AROUND ME SMOKED?

		FREQ	WTD
1	YES	2,326	3,882,999
2	NO	4,886	8,348,658
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 42

Smoking: **C_Q08B** *Position:* 786 *Length:* 1

Why did you first begin smoking cigarettes...ALL MY FRIENDS SMOKED?

		FREQ	WTD
1	YES	3,323	5,368,831
2	NO	3,889	6,862,827
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

Smoking: **C_Q08C** *Position:* 787 *Length:* 1

Why did you first begin smoking cigarettes...MY PARENT(S) SMOKED?

		FREQ	WTD
1	YES	594	981,825
2	NO	6,618	11,249,832
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

Smoking: **C_Q08D** *Position:* 788 *Length:* 1

Why did you first begin smoking cigarettes...CURIOSITY?

		FREQ	WTD
1	YES	1,187	2,135,565
2	NO	6,025	10,096,093
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 43

Smoking: **C_Q08E** *Position:* 789 *Length:* 1

Why did you first begin smoking cigarettes...TO BE "COOL"?

		FREQ	WTD
1	YES	1,649	2,740,794
2	NO	5,563	9,490,864
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

Smoking: **C_Q08F** *Position:* 790 *Length:* 1

Why did you first begin smoking cigarettes...TO CONTROL BODY WEIGHT?

		FREQ	WTD
1	YES	85	131,655
2	NO	7,127	12,100,003
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

Smoking: **C_Q08G** *Position:* 791 *Length:* 1

Why did you first begin smoking cigarettes...TO CONTROL STRESS, ANXIETY OR ANGER?

		FREQ	WTD
1	YES	365	582,536
2	NO	6,847	11,649,122
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 44

Smoking: **C_Q08H** *Position:* 792 *Length:* 1

Why did you first begin smoking cigarettes...TO COMBAT BOREDOM?

		FREQ	WTD
1	YES	225	399,532
2	NO	6,987	11,832,125
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

Smoking: **C_Q08I** *Position:* 793 *Length:* 1

Why did you first begin smoking cigarettes...PRICE?

		FREQ	WTD
1	YES	42	79,159
2	NO	7,170	12,152,499
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 45

Smoking: **C_Q08J** Position: 794 Length: 1

Why did you first begin smoking cigarettes...AVAILABILITY (LOOSE CIGARETTES, CONTRABAND)?

		FREQ	WTD
1	YES	156	257,478
2	NO	7,056	11,974,180
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

Smoking: **C_Q08K** Position: 795 Length: 1

Why did you first begin smoking cigarettes...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	446	828,170
2	NO	6,766	11,403,487
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	6,129	11,607,099
9	NOT STATED	59	109,846

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 46

Smoking: **C_Q09** Position: 796 Length: 2

What was the most important reason you began smoking?

		FREQ	WTD
01	EVERYONE AROUND ME SMOKED	1,702	2,949,581
02	ALL MY FRIENDS SMOKED	2,684	4,388,892
03	MY PARENT(S) SMOKED	154	258,210
04	CURIOSITY	765	1,421,560
05	TO BE "COOL"	1,022	1,725,455
06	TO CONTROL BODY WEIGHT	46	78,368
07	TO CONTROL STRESS, ANXIETY OR ANGER	249	379,909
08	TO COMBAT BOREDOM	128	210,418
09	PRICE	7	8,662
10	AVAILABILITY	45	69,682
11	OTHER(SPECIFY)	408	737,511
96	NOT APPLICABLE	6,129	11,607,099
99	NOT STATED	61	113,256

Coverage: Respondents who currently smoke, or used to smoke daily

Note: This question was also supposed to be asked of former occasional smokers, but due to a programming error the question was skipped.

Smoking: **C_Q10** Position: 798 Length: 2

At what age did you quit smoking?

Observed Min: 4 Observed Max: 75

		FREQ	WTD
96	NOT APPLICABLE	12,350	21,893,925
99	NOT STATED	21	42,965

Coverage: Respondents who currently do not smoke, used to smoke, but never smoked daily

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 47

Smoking: **C_Q11A** Position: 800 Length: 1

We would like to ask some questions of people who have stopped smoking. You said earlier that you used to smoke cigarettes daily. Why did you quit smoking...CONCERN ABOUT FUTURE HEALTH EFFECTS?

		FREQ	WTD
1	YES	1,987	3,470,775
2	NO	2,144	3,795,468
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	9,245	16,631,707
9	NOT STATED	24	50,653

Coverage: Respondents who currently do not smoke, but who used to smoke

Smoking: **C_Q11B** Position: 801 Length: 1

Why did you quit smoking...PHYSICIAN ADVICE?

		FREQ	WTD
1	YES	254	443,126
2	NO	3,877	6,823,117
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	9,245	16,631,707
9	NOT STATED	24	50,653

Coverage: Respondents who currently do not smoke, but who used to smoke

Smoking: **C_Q11C** Position: 802 Length: 1

Why did you quit smoking...AFFECTING PRESENT HEALTH?

		FREQ	WTD
1	YES	542	812,286
2	NO	3,589	6,453,956
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	9,245	16,631,707
9	NOT STATED	24	50,653

Coverage: Respondents who currently do not smoke, but who used to smoke

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 48

Smoking: **C_Q11D** *Position:* 803 *Length:* 1

Why did you quit smoking...PREGNANCY?

		FREQ	WTD
1	YES	185	323,857
2	NO	3,946	6,942,386
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	9,245	16,631,707
9	NOT STATED	24	50,653

Coverage: Respondents who currently do not smoke, but who used to smoke

Smoking: **C_Q11E** *Position:* 804 *Length:* 1

Why did you quit smoking...SOCIAL\FAMILY PRESSURES?

		FREQ	WTD
1	YES	393	711,261
2	NO	3,738	6,554,981
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	9,245	16,631,707
9	NOT STATED	24	50,653

Coverage: Respondents who currently do not smoke, but who used to smoke

Smoking: **C_Q11F** *Position:* 805 *Length:* 1

Why did you quit smoking...RESTRICTIONS?

		FREQ	WTD
1	YES	83	143,861
2	NO	4,048	7,122,382
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	9,245	16,631,707
9	NOT STATED	24	50,653

Coverage: Respondents who currently do not smoke, but who used to smoke

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 49

Smoking: **C_Q11G** *Position:* 806 *Length:* 1

Why did you quit smoking...COST?

		FREQ	WTD
1	YES	529	879,369
2	NO	3,602	6,386,874
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	9,245	16,631,707
9	NOT STATED	24	50,653

Coverage: Respondents who currently do not smoke, but who used to smoke

Smoking: **C_Q11H** *Position:* 807 *Length:* 1

Why did you quit smoking...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	1,060	1,987,694
2	NO	3,071	5,278,549
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	9,245	16,631,707
9	NOT STATED	24	50,653

Coverage: Respondents who currently do not smoke, but who used to smoke

Smoking: **C_Q12** *Position:* 808 *Length:* 2

What method did you use to quit smoking?

		FREQ	WTD
01	COLD TURKEY	3,670	6,422,168
02	SELF-HELP PROGRAM (VIDEO, CASSETTE, BOOK)	19	28,664
03	NICOTINE PATCH	47	80,110
04	ADDICTION COUNSELLING	3	3,723
05	ORGANIZED STOP-SMOKING PROGRAM	27	43,184
06	NICORETTE CHEWING GUM	41	67,611
07	ACUPUNCTURE	9	15,381
08	HYPNOSIS	31	35,779
09	OTHER(SPECIFY)	288	580,460
96	NOT APPLICABLE	9,245	16,631,707
99	NOT STATED	20	39,816

Coverage: Respondents who currently do not smoke, but who used to smoke

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 50

Variable: **YRSSMKD** *Position:* 810 *Length:* 2

Number of years respondent smoked cigarettes (daily or occasionally)

Observed Min: 1 *Observed Max:* 74

		FREQ	WTD
00	LESS THAN ONE YEAR	523	1,051,893
96	NOT APPLICABLE	8,903	15,975,561
99	NOT STATED	27	49,730

Coverage: Respondents who ever smoked but are currently non-smokers

Variable: **YRSQUIT** *Position:* 812 *Length:* 2

Number of years since respondent quit smoking

Observed Min: 1 *Observed Max:* 74

Allowed Min: 0 *Allowed Max:* 95

		FREQ	WTD
00	LESS THAN ONE YEAR	242	489,650
96	NOT APPLICABLE	8,903	15,975,561
99	NOT STATED	21	42,965

Coverage: Respondents who ever smoked but are currently non-smokers

Smoking: **C_Q14** *Position:* 814 *Length:* 1

Have you tried to quit smoking in the last 12 months?

		FREQ	WTD
1	YES	1,777	2,977,019
2	NO	2,380	4,072,509
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	9	29,758

Coverage: Respondents who currently smoke cigarettes

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 51

Smoking: **C_Q15** *Position:* 815 *Length:* 1

Are you smoking less now than you were 12 months ago?

		FREQ	WTD
1	YES	1,687	2,858,171
2	NO	2,470	4,200,955
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	9	20,161

Coverage: Respondents who currently smoke cigarettes

Smoking: **C_Q16A** *Position:* 816 *Length:* 1

Why are you smoking less...CONCERN ABOUT FUTURE HEALTH EFFECTS?

		FREQ	WTD
1	YES	739	1,318,729
2	NO	942	1,529,439
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

Smoking: **C_Q16B** *Position:* 817 *Length:* 1

Why are you smoking less...PHYSICIAN ADVICE?

		FREQ	WTD
1	YES	129	215,215
2	NO	1,552	2,632,953
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 52

Smoking: **C_Q16C** *Position:* 818 *Length:* 1

Why are you smoking less...AFFECTING PRESENT HEALTH?

		FREQ	WTD
1	YES	127	217,536
2	NO	1,554	2,630,632
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

Smoking: **C_Q16D** *Position:* 819 *Length:* 1

Why are you smoking less...PREGNANCY?

		FREQ	WTD
1	YES	39	62,196
2	NO	1,642	2,785,972
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

Smoking: **C_Q16E** *Position:* 820 *Length:* 1

Why are you smoking less...SOCIAL\FAMILY PRESSURES?

		FREQ	WTD
1	YES	182	339,801
2	NO	1,499	2,508,367
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 53

Smoking: **C_Q16F** *Position:* 821 *Length:* 1

Why are you smoking less...RESTRICTIONS?

		FREQ	WTD
1	YES	132	227,284
2	NO	1,549	2,620,884
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

Smoking: **C_Q16G** *Position:* 822 *Length:* 1

Why are you smoking less...COST?

		FREQ	WTD
1	YES	269	356,537
2	NO	1,412	2,491,631
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

Smoking: **C_Q16H** *Position:* 823 *Length:* 1

Why are you smoking less...TRYING TO QUIT?

		FREQ	WTD
1	YES	450	708,931
2	NO	1,231	2,139,237
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 54

Smoking: **C_Q16I** *Position:* 824 *Length:* 1

Why are you smoking less...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	235	375,569
2	NO	1,446	2,472,599
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	11,704	21,070,272
9	NOT STATED	15	30,163

Coverage: Respondents who currently smoke, but are smoking less now than 12 months ago

Smoking: **C_Q17A** *Position:* 825 *Length:* 1

Nowadays there are many restrictions on where people are allowed to smoke. In your day-to-day activities, where do you find you have restrictions on your smoking...AT HOME?

		FREQ	WTD
1	YES	562	1,261,072
2	NO	2,880	4,711,650
3	NONE OF THE ABOVE	716	1,086,921
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	19,642

Coverage: Respondents who currently smoke cigarettes

Smoking: **C_Q17B** *Position:* 826 *Length:* 1

Nowadays there are many restrictions on where people are allowed to smoke. In your day-to-day activities, where do you find you have restrictions on your smoking...AT THE HOME OF FRIENDS OR RELATIVES?

		FREQ	WTD
1	YES	902	1,549,793
2	NO	2,540	4,422,930
3	NONE OF THE ABOVE	716	1,086,921
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	19,642

Coverage: Respondents who currently smoke cigarettes

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 55

Smoking: **C_Q17C** Position: 827 Length: 1

Nowadays there are many restrictions on where people are allowed to smoke. In your day-to-day activities, where do you find you have restrictions on your smoking...IN PUBLIC PLACES (SHOPPING CENTRES, CHURCH, HOSPITAL)?

		FREQ	WTD
1	YES	2,497	4,284,159
2	NO	945	1,688,564
3	NONE OF THE ABOVE	716	1,086,921
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	19,642

Coverage: Respondents who currently smoke cigarettes

Smoking: **C_Q17D** Position: 828 Length: 1

Nowadays there are many restrictions on where people are allowed to smoke. In your day-to-day activities, where do you find you have restrictions on your smoking...AT WORK?

		FREQ	WTD
1	YES	1,426	2,535,757
2	NO	2,016	3,436,966
3	NONE OF THE ABOVE	716	1,086,921
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	19,642

Coverage: Respondents who currently smoke cigarettes

Smoking: **C_Q17E** Position: 829 Length: 1

Nowadays there are many restrictions on where people are allowed to smoke. In your day-to-day activities, where do you find you have restrictions on your smoking...AT SCHOOL?

		FREQ	WTD
1	YES	412	868,014
2	NO	3,030	5,104,709
3	NONE OF THE ABOVE	716	1,086,921
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	19,642

Coverage: Respondents who currently smoke cigarettes

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 56

Smoking: **C_Q17F** Position: 830 Length: 1

Nowadays there are many restrictions on where people are allowed to smoke. In your day-to-day activities, where do you find you have restrictions on your smoking...AT AN ENTERTAINMENT OR SPORTS ACTIVITY?

		FREQ	WTD
1	YES	737	1,326,911
2	NO	2,705	4,645,812
3	NONE OF THE ABOVE	716	1,086,921
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	19,642

Coverage: Respondents who currently smoke cigarettes

Smoking: **C_Q17G** Position: 831 Length: 1

Nowadays there are many restrictions on where people are allowed to smoke. In your day-to-day activities, where do you find you have restrictions on your smoking... ON TRANSPORTATION?

		FREQ	WTD
1	YES	839	1,595,427
2	NO	2,603	4,377,296
3	NONE OF THE ABOVE	716	1,086,921
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	19,642

Coverage: Respondents who currently smoke cigarettes

Smoking: **C_Q17H** Position: 832 Length: 1

Nowadays there are many restrictions on where people are allowed to smoke. In your day-to-day activities, where do you find you have restrictions on your smoking... ANY OTHER PLACES (SPECIFY)?

		FREQ	WTD
1	YES	167	272,743
2	NO	3,275	5,699,980
3	NONE OF THE ABOVE	716	1,086,921
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	19,642

Coverage: Respondents who currently smoke cigarettes

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 57

Smoking: **C_Q18A** Position: 833 Length: 1

You said earlier that you smoke occasionally. On what types of occasions do you smoke...WHEN YOU ARE DRINKING?

		FREQ	WTD
1	YES	237	426,964
2	NO	367	735,810
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,789	22,763,887
9	NOT STATED	7	21,942

Coverage: Respondents who currently smoke occasionally

Smoking: **C_Q18B** Position: 834 Length: 1

You said earlier that you smoke occasionally. On what types of occasions do you smoke... WHEN YOU ATTEND PARTIES/SOCIAL SITUATIONS?

		FREQ	WTD
1	YES	265	498,437
2	NO	339	664,337
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,789	22,763,887
9	NOT STATED	7	21,942

Coverage: Respondents who currently smoke occasionally

Smoking: **C_Q18C** Position: 835 Length: 1

You said earlier that you smoke occasionally. On what types of occasions do you smoke...WHEN YOU ARE ALONE?

		FREQ	WTD
1	YES	134	218,520
2	NO	470	944,255
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,789	22,763,887
9	NOT STATED	7	21,942

Coverage: Respondents who currently smoke occasionally

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 58

Smoking: **C_Q18D** Position: 836 Length: 1

You said earlier that you smoke occasionally. On what types of occasions do you smoke...WHEN YOU ARE WITH FRIENDS?

		FREQ	WTD
1	YES	264	550,171
2	NO	340	612,603
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,789	22,763,887
9	NOT STATED	7	21,942

Coverage: Respondents who currently smoke occasionally

Smoking: **C_Q18E** Position: 837 Length: 1

You said earlier that you smoke occasionally. On what types of occasions do you smoke... WHEN YOU FEEL STRESSED?

		FREQ	WTD
1	YES	180	338,901
2	NO	424	823,873
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,789	22,763,887
9	NOT STATED	7	21,942

Coverage: Respondents who currently smoke occasionally

Smoking: **C_Q18F** Position: 838 Length: 1

You said earlier that you smoke occasionally. On what types of occasions do you smoke...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	61	110,599
2	NO	543	1,052,176
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,789	22,763,887
9	NOT STATED	7	21,942

Coverage: Respondents who currently smoke occasionally

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 59

Smoking: **C_Q19** *Position:* 839 *Length:* 1

Do you usually smoke the same brand of cigarettes?

		FREQ	WTD
1	YES	3,712	6,243,776
2	NO	446	813,029
6	NOT APPLICABLE	9,234	16,869,317
9	NOT STATED	8	22,482

Coverage: Respondents who currently smoke cigarettes

Smoking: **C_Q20A** *Position:* 840 *Length:* 1

Why not...LOWER TAR?

		FREQ	WTD
1	YES	29	55,003
2	NO	414	752,109
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,113,092
9	NOT STATED	11	28,398

Coverage: Respondents who currently smoke cigarettes, but don't usually smoke the same brand

Smoking: **C_Q20B** *Position:* 841 *Length:* 1

Why not...TASTE PREFERENCE?

		FREQ	WTD
1	YES	51	94,080
2	NO	392	713,033
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,113,092
9	NOT STATED	11	28,398

Coverage: Respondents who currently smoke cigarettes, but don't usually smoke the same brand

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 60

Smoking: **C_Q20C** *Position:* 842 *Length:* 1

Why not...ADVERTISEMENT?

		FREQ	WTD
1	YES	3	8,799
2	NO	440	798,314
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,113,092
9	NOT STATED	11	28,398

Coverage: Respondents who currently smoke cigarettes, but don't usually smoke the same brand

Smoking: **C_Q20D** *Position:* 843 *Length:* 1

Why not...NO PARTICULAR PREFERENCE FOR ONE BRAND?

		FREQ	WTD
1	YES	359	646,354
2	NO	84	160,759
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,113,092
9	NOT STATED	11	28,398

Coverage: Respondents who currently smoke cigarettes, but don't usually smoke the same brand

Smoking: **C_Q20E** *Position:* 844 *Length:* 1

Why not...REDUCE NEGATIVE HEALTH EFFECTS?

		FREQ	WTD
1	YES	20	37,417
2	NO	423	769,695
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,113,092
9	NOT STATED	11	28,398

Coverage: Respondents who currently smoke cigarettes, but don't usually smoke the same brand

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 61

Smoking: **C_Q22** *Position:* 845 *Length:* 1

During the past 12 months, have you switched brands?

		FREQ	WTD
1	YES	437	710,932
2	NO	3,266	5,512,307
6	NOT APPLICABLE	9,680	17,682,345
9	NOT STATED	17	43,019

Coverage: Respondents who currently smoke cigarettes, and who usually smoke the same brand

Smoking: **C_Q23A** *Position:* 846 *Length:* 1

Why...CONCERN ABOUT FUTURE HEALTH EFFECTS?

		FREQ	WTD
1	YES	24	42,059
2	NO	411	666,835
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: **C_Q23B** *Position:* 847 *Length:* 1

Why...PHYSICIAN ADVICE?

		FREQ	WTD
1	YES	1	711
2	NO	434	708,183
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 62

Smoking: C_Q23C Position: 848 Length: 1

Why...PRESENT HEALTH?

		FREQ	WTD
1	YES	14	26,947
2	NO	421	681,946
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: C_Q23D Position: 849 Length: 1

Why...SOCIAL/FAMILY PRESSURES?

		FREQ	WTD
1	YES	4	7,339
2	NO	431	701,555
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: C_Q23E Position: 850 Length: 1

Why...RESTRICTIONS?

		FREQ	WTD
1	YES	8	12,500
2	NO	427	696,394
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 63

Smoking: C_Q23F Position: 851 Length: 1

Why...COST?

		FREQ	WTD
1	YES	85	124,998
2	NO	350	583,895
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: C_Q23G Position: 852 Length: 1

Why...TAR CONTENT?

		FREQ	WTD
1	YES	57	97,001
2	NO	378	611,893
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: C_Q23H Position: 853 Length: 1

Why...NICOTINE CONTENT?

		FREQ	WTD
1	YES	77	126,443
2	NO	358	582,451
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 64

Smoking: **C_Q23I** Position: 854 Length: 1

Why...SIZE OF PACKAGE?

		FREQ	WTD
1	YES	10	28,608
2	NO	425	680,286
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: **C_Q23J** Position: 855 Length: 1

Why...PREGNANCY?

		FREQ	WTD
1	YES	4	6,463
2	NO	431	702,431
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: **C_Q23K** Position: 856 Length: 1

Why...FILTER?

		FREQ	WTD
1	YES	4	5,629
2	NO	431	703,264
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 65

Smoking: C_Q23L Position: 857 Length: 1

Why...ADVERTISING/PACKAGING?

		FREQ	WTD
1	YES	14	17,589
2	NO	421	691,305
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: C_Q23M Position: 858 Length: 1

Why...TASTE?

		FREQ	WTD
1	YES	95	179,845
2	NO	340	529,049
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

Smoking: C_Q23N Position: 859 Length: 1

Why...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	127	193,521
2	NO	308	515,372
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,946	23,194,652
9	NOT STATED	19	45,057

Coverage: Respondents who currently smoke cigarettes, who usually smoke the same brand, and who have switched brands during the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 66

Smoking: **C_Q24** *Position:* 860 *Length:* 1

Often people are not sure how much tar, nicotine and carbon monoxide are in their cigarettes. Without looking at your cigarette package, how much tar would you say is in one of your cigarettes?

		FREQ	WTD
1	MORE THAN 15 MGS	480	793,006
2	11-15 MGS	1,159	1,950,814
3	6-10 MGS	755	1,284,231
4	LESS THAN 6 MGS	818	1,298,241
6	NOT APPLICABLE	9,680	17,682,345
9	NOT STATED	508	939,965

Coverage: Respondents who currently smoke cigarettes, and who usually smoke the same brand

Smoking: **C_Q25** *Position:* 861 *Length:* 1

How much nicotine would you say is in one of your cigarettes?

		FREQ	WTD
1	MORE THAN 15 MGS	408	625,709
2	11-15 MGS	816	1,425,029
3	6-10 MGS	828	1,393,870
4	LESS THAN THAN 6 MGS	1,147	1,894,723
6	NOT APPLICABLE	9,680	17,682,345
9	NOT STATED	521	926,927

Coverage: Respondents who currently smoke cigarettes, and who usually smoke the same brand

Smoking: **C_Q26** *Position:* 862 *Length:* 1

How much carbon monoxide would you say is in one of your cigarettes?

		FREQ	WTD
1	MORE THAN 15 MGS	439	672,486
2	11-15 MGS	673	1,083,013
3	6-10 MGS	764	1,299,295
4	LESS THAN 6 MGS	1,073	1,836,588
6	NOT APPLICABLE	9,680	17,682,345
9	NOT STATED	771	1,374,875

Coverage: Respondents who currently smoke cigarettes, and who usually smoke the same brand

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 67

Smoking: **C_Q27** *Position:* 863 *Length:* 1

Would you like this type of information on tar, nicotine and carbon monoxide displayed more prominently on your cigarette package?

		FREQ	WTD
1	YES	1,450	2,332,177
2	NO	2,229	3,855,556
6	NOT APPLICABLE	9,680	17,682,345
9	NOT STATED	41	78,525

Coverage: Respondents who currently smoke cigarettes, and who usually smoke the same brand

Injury Prevention: **D_Q1** *Position:* 864 *Length:* 2

The following questions are about safety and the prevention of injuries. You mentioned that you DO NOT always wear a helmet when you ride a bicycle. What is the main reason you DO NOT wear a helmet all the time.

		FREQ	WTD
01	DON'T HAVE ONE	1,408	2,628,136
02	AREN'T EFFECTIVE	17	44,259
03	AREN'T NECESSARY/DON'T NEED ONE	248	506,201
04	COSTS TOO MUCH	42	88,351
05	UNCOMFORTABLE/DON'T LIKE	353	782,527
06	WOULD BE LAUGHED AT/WOULD BE SILLY	134	248,306
07	ONLY RIDES IN SAFE AREAS	158	351,232
08	INTERFERES WITH RIDING	11	18,173
09	FRIENDS DON'T WEAR THEM	26	58,624
10	INCONVENIENT/HARD TO STORE (EG. AT SCHOOL)	55	122,655
11	OTHER (SPECIFY)	338	691,514
96	NOT APPLICABLE	10,407	17,958,872
99	NOT STATED	203	449,753

Coverage: Respondents who have ridden a bicycle in the past 3 months, but did not always wear a helmet

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 68

Injury Prevention: **D_Q2** *Position:* 866 *Length:*2

How often do you use a seat belt when riding in a car, truck or van?

		FREQ	WTD
01	ALWAYS	11,762	21,169,632
02	NEARLY ALWAYS	847	1,438,638
03	SOMETIMES	315	550,914
04	RARELY	209	316,326
05	NEVER	218	390,530
06	NOT APPLICABLE (DON'T RIDE IN CAR, TRUCK OR VAN)	44	69,408
99	NOT STATED	5	13,154

Coverage: All respondents

Injury Prevention: **D_Q3** *Position:* 868 *Length:*2

What is the main reason you DO NOT wear a seat belt all the time?

		FREQ	WTD
01	AREN'T EFFECTIVE	28	41,631
02	AREN'T NECESSARY/DON'T NEED ONE	85	162,980
03	NOT IN VEHICLE	13	27,244
04	SEATBELT DOESN'T WORK	35	46,668
05	WOULD BE LAUGHED AT/WOULD BE SILLY	2	3,566
06	ONLY RIDES IN SAFE AREAS	61	100,309
07	FRIENDS DON'T WEAR THEM	10	14,933
08	INCONVENIENT/UNCOMFORTABLE	635	1,109,271
09	TOO TIME CONSUMING	90	141,583
10	PREGNANT	4	3,565
11	INTERFERES WITH DRIVING	30	45,892
12	OTHER (SPECIFY)	575	971,817
96	NOT APPLICABLE	11,822	21,259,471
99	NOT STATED	10	19,671

Coverage: Respondent who do not always wear a seatbelt when riding in a car, truck or van

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 69

Variable: **NBIKE** *Position:* 870 *Length:* 1

Number of children age < 13 who ride a bicycle / tricycle

Allowed Min: 0 *Allowed Max:* 4

		FREQ	WTD
0	NONE	519	1,063,127
1	1 CHILD	1,096	2,165,835
2	2 CHILDREN	779	1,489,257
3	3 CHILDREN	203	380,892
4	4 CHILDREN	26	42,091
6	NOT APPLICABLE	10,449	18,065,436
9	NOT STATED	328	741,966

Coverage: Respondents with children age < 13

Variable: **NHELMET** *Position:* 871 *Length:* 1

Number of children age < 13 who ride a bicycle / tricycle and always wear a helmet

Allowed Min: 0 *Allowed Max:* 4

		FREQ	WTD
0	NONE	878	1,586,808
1	1 CHILD	740	1,463,580
2	2 CHILDREN	402	830,148
3	3 CHILDREN	73	174,155
4	4 CHILDREN	11	23,383
6	NOT APPLICABLE	10,968	19,128,563
9	NOT STATED	328	741,966

Coverage: Respondents with children age < 13 who ride a bicycle/tricycle

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 70

Variable: **NCAR** *Position:* 872 *Length:* 1

Number of children age < 13 who ride in a car, truck or van

Allowed Min: 0 *Allowed Max:* 4

		FREQ	WTD
0	NONE	17	32,318
1	1 CHILD	1,154	2,333,739
2	2 ENFANTS	1,046	2,054,091
3	3 CHILDREN	336	613,558
4	4 CHILDREN	71	110,073
6	NOT APPLICABLE	10,449	18,065,436
9	NOT STATED	327	739,388

Coverage: Respondents with children age < 13

Variable: **NBELT** *Position:* 873 *Length:* 1

Number of children age < 13 who ride in a car, truck or van and always wear a seat belt or use a child safety seat

Allowed Min: 0 *Allowed Max:* 4

		FREQ	WTD
0	NONE	93	161,822
1	1 CHILD	1,161	2,343,923
2	2 ENFANTS	985	1,946,954
3	3 CHILDREN	305	558,539
4	4 CHILDREN	63	100,223
6	NOT APPLICABLE	10,466	18,097,753
9	NOT STATED	327	739,388

Coverage: Respondents with children age < 13 who ride in a car, truck or van

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 71

Injury Prevention: **D_1_Q4** *Position:* 874 *Length:*1

I am now going to ask you about your child(ren)'s safety. Does %FNAME1% ride on a bicycle?
(INCLUDE TRICYCLES, PASSENGER SEATS AND TRAILERS.)

		FREQ	WTD
1	YES	1,803	3,618,796
2	NO	1,000	1,972,318
6	NOT APPLICABLE	10,449	18,065,436
9	NOT STATED	148	292,054

Coverage: Respondents who are the parent of children less than 13 years old

Injury Prevention: **D_1_Q5** *Position:* 875 *Length:*1

When riding on a bicycle how often does %FNAME1% wear a helmet?

		FREQ	WTD
1	ALWAYS	983	2,083,949
2	MOST OF THE TIME	214	428,956
3	RARELY	116	251,348
4	NEVER	490	854,543
6	NOT APPLICABLE	11,449	20,037,753
9	NOT STATED	148	292,054

Coverage: Respondents who are the parent of children less than 13 years old, and whose child rides a bicycle

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 72

Injury Prevention: **D_1_Q6** *Position:* 876 *Length:*2

What is the main reason %FNAME1% doesn't wear a helmet all the time?

		FREQ	WTD
01	DOESN'T HAVE ONE	287	461,507
02	AREN'T EFFECTIVE	3	9,052
03	AREN'T NECESSARY/DON'T NEED ONE	58	130,098
04	COST TOO MUCH	16	27,520
05	UNCOMFORTABLE/DOESN'T LIKE	107	230,229
06	WOULD BE LAUGHED AT/WOULD BE SILLY	41	82,907
07	ONLY RIDES IN SAFE AREAS	150	281,255
08	INTERFERES WITH RIDING	2	2,797
09	FRIENDS DON'T WEAR THEM	24	32,404
10	INCONVENIENT/HARD TO STORE (EG. AT SCHOOL)	21	41,645
11	OTHER (SPECIFY)	110	233,633
96	NOT APPLICABLE	12,432	22,121,703
99	NOT STATED	149	293,854

Coverage: Respondents who are the parent of children less than 13 years old, and whose child rides a bicycle, but doesn't always wear a helmet

Injury Prevention: **D_1_Q7** *Position:* 878 *Length:*2

How often does %FNAME1% use a child safety seat or seat belt when riding in a car, truck or van?

		FREQ	WTD
01	ALWAYS	2,645	5,283,031
02	NEARLY ALWAYS	85	157,348
03	SOMETIMES	29	53,794
04	RARELY	8	13,625
05	NEVER	12	28,856
06	DOESN'T RIDE IN CAR/TRUCK/VAN	25	57,037
96	NOT APPLICABLE	10,449	18,065,436
99	NOT STATED	147	289,476

Coverage: Respondents who are the parent of children less than 13 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 73

Injury Prevention: **D_1_Q8** *Position:* 880 *Length:*2

What is the main reason %FNAME1% doesn't wear a seat belt or use a child safety seat all the time?

		FREQ	WTD
01	AREN'T EFFECTIVE	0	0
02	AREN'T NECESSARY/DON'T NEED ONE	5	19,916
03	NOT IN VEHICLE	7	9,960
04	SEATBELT DOESN'T WORK	4	4,121
05	WOULD BE LAUGHED AT/WOULD BE SILLY	1	744
06	ONLY RIDES IN SAFE AREAS	5	2,873
07	FRIENDS DON'T WEAR THEM	2	4,788
08	INCONVENIENT/UNCOMFORTABLE	24	58,641
09	TOO TIME CONSUMING	5	6,417
10	TOO DIFFICULT TO INSTALL SEAT	4	10,935
11	TOO EXPENSIVE	1	1,533
12	CHILD UNCOOPERATIVE	32	49,651
13	DON'T HAVE A SAFETY SEAT	4	9,809
14	OTHER (SPECIFY)	39	72,433
96	NOT APPLICABLE	13,119	23,405,504
99	NOT STATED	148	291,277

Coverage: Respondents who are the parent of children less than 13 years old, and whose child doesn't always wear a seat belt or use a child safety seat when riding in a car, truck or van

Injury Prevention: **D_2_Q4** *Position:* 882 *Length:*1

Does %FNAME2% ride on a bicycle? (INCLUDE TRICYCLES, PASSENGER SEATS AND TRAILERS.)

		FREQ	WTD
1	YES	1,345	2,624,044
2	NO	187	344,829
6	NOT APPLICABLE	11,753	20,695,217
9	NOT STATED	115	284,513

Coverage: Respondents who are the parent of children less than 13 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 74

Injury Prevention: **D_2_Q5** *Position:* 883 *Length:*1

When riding on a bicycle how often does %FNAME2% wear a helmet?

		FREQ	WTD
1	ALWAYS	694	1,453,880
2	MOST OF THE TIME	175	325,788
3	RARELY	99	227,425
4	NEVER	377	616,951
6	NOT APPLICABLE	11,940	21,040,046
9	NOT STATED	115	284,513

Coverage: Respondents who are the parent of children less than 13 years old, and whose child rides a bicycle

Injury Prevention: **D_2_Q6** *Position:* 884 *Length:*2

What is the main reason %FNAME2% doesn't wear a helmet all the time?

		FREQ	WTD
01	DOESN'T HAVE ONE	221	351,886
02	AREN'T EFFECTIVE	0	0
03	AREN'T NECESSARY/DON'T NEED ONE	37	67,383
04	COSTS TOO MUCH	16	23,119
05	UNCOMFORTABLE/DOESN'T LIKE	81	153,681
06	WOULD BE LAUGHED AT/WOULD BE SILLY	40	69,948
07	ONLY RIDES IN SAFE AREAS	107	235,156
08	INTERFERES WITH RIDING	4	6,363
09	FRIENDS DON'T WEAR THEM	30	59,477
10	INCONVENIENT/HARD TO STORE (EG. AT SCHOOL)	15	15,190
11	OTHER (SPECIFY)	99	186,475
96	NOT APPLICABLE	12,634	22,493,926
99	NOT STATED	116	285,999

Coverage: Respondents who are the parent of children less than 13 years old, and whose child rides a bicycle, but doesn't always wear a helmet

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 75

Injury Prevention: **D_2_Q7** *Position:* 886 *Length:*2

How often does %FNAME2% use a child safety seat or seat belt when riding in a car, truck or van?

		FREQ	WTD
01	ALWAYS	1,424	2,759,458
02	NEARLY ALWAYS	62	98,608
03	SOMETIMES	21	51,634
04	RARELY	9	20,734
05	NEVER	8	19,832
06	DOESN'T RIDE IN CAR/TRUCK/VAN	8	18,607
96	NOT APPLICABLE	11,753	20,695,217
99	NOT STATED	115	284,513

Coverage: Respondents who are the parent of children less than 13 years old

Injury Prevention: **D_2_Q8** *Position:* 888 *Length:*2

What is the main reason %FNAME2% doesn't wear a seat belt or use a child safety seat all the time?

		FREQ	WTD
01	AREN'T EFFECTIVE	1	3,007
02	AREN'T NECESSARY/DON'T NEED ONE	3	6,409
03	NOT IN VEHICLE	4	6,247
04	SEATBELT DOESN'T WORK	3	2,040
05	WOULD BE LAUGHED AT/WOULD BE SILLY	0	0
06	ONLY RIDES IN SAFE AREAS	5	8,425
07	FRIENDS DON'T WEAR THEM	2	2,309
08	INCONVENIENT/UNCOMFORTABLE	26	55,625
09	TOO TIME CONSUMING	6	17,089
10	TOO DIFFICULT TO INSTALL SEAT	1	3,797
11	TOO EXPENSIVE	1	1,533
12	CHILD UNCOOPERATIVE	16	22,497
13	DON'T HAVE A SAFETY SEAT	3	8,059
14	OTHER (SPECIFY)	27	50,485
96	NOT APPLICABLE	13,185	23,473,282
99	NOT STATED	117	287,799

Coverage: Respondents who are the parent of children less than 13 years old, and whose child doesn't always wear a seat belt or use a child safety seat when riding in a car, truck or van

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 76

Injury Prevention: **D_3_Q4** *Position:* 890 *Length:*1

Does %FNAME3% ride on a bicycle? (INCLUDE TRICYCLES, PASSENGER SEATS AND TRAILERS.)

		FREQ	WTD
1	YES	387	694,780
2	NO	35	62,884
6	NOT APPLICABLE	12,915	23,031,934
9	NOT STATED	63	159,005

Coverage: Respondents who are the parent of children less than 13 years old

Injury Prevention: **D_3_Q5** *Position:* 891 *Length:*1

When riding on a bicycle how often does %FNAME3% wear a helmet?

		FREQ	WTD
1	ALWAYS	178	368,832
2	MOST OF THE TIME	38	60,105
3	RARELY	33	51,681
4	NEVER	138	214,161
6	NOT APPLICABLE	12,950	23,094,818
9	NOT STATED	63	159,005

Coverage: Respondents who are the parent of children less than 13 years old, and whose child rides a bicycle

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 77

Injury Prevention: **D_3_Q6** *Position:* 892 *Length:*2

What is the main reason %FNAME3% doesn't wear a helmet all the time?

		FREQ	WTD
01	DOESN'T HAVE ONE	100	152,914
02	AREN'T EFFECTIVE	0	0
03	AREN'T NECESSARY/DON'T NEED ONE	7	8,607
04	COSTS TOO MUCH	5	5,605
05	UNCOMFORTABLE/DOESN'T LIKE	22	37,068
06	WOULD BE LAUGHED AT/WOULD BE SILLY	8	11,696
07	ONLY RIDES IN SAFE AREAS	25	40,753
08	INTERFERES WITH RIDING	0	0
09	FRIENDS DON'T WEAR THEM	11	13,556
10	INCONVENIENT/HARD TO STORE (EG. AT SCHOOL)	5	7,939
11	OTHER (SPECIFY)	26	47,810
96	NOT APPLICABLE	13,128	23,463,651
99	NOT STATED	63	159,005

Coverage: Respondents who are the parent of children less than 13 years old, and whose child rides a bicycle, but doesn't always wear a helmet

Injury Prevention: **D_3_Q7** *Position:* 894 *Length:*2

How often does %FNAME3% use a child safety seat or seat belt when riding in a car, truck or van?

		FREQ	WTD
01	ALWAYS	389	700,659
02	NEARLY ALWAYS	22	34,740
03	SOMETIMES	4	6,623
04	RARELY	1	1,139
05	NEVER	3	7,742
06	DOESN'T RIDE IN CAR/TRUCK/VAN	3	6,760
96	NOT APPLICABLE	12,915	23,031,934
99	NOT STATED	63	159,005

Coverage: Respondents who are the parent of children less than 13 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 78

Injury Prevention: **D_3_Q8** *Position:* 896 *Length:*2

What is the main reason %FNAME3% doesn't wear a seat belt or use a child safety seat all the time?

		FREQ	WTD
01	AREN'T EFFECTIVE	0	0
02	AREN'T NECESSARY/DON'T NEED ONE	2	3,002
03	NOT IN VEHICLE	0	0
04	SEATBELT DOESN'T WORK	0	0
05	WOULD BE LAUGHED AT/WOULD BE SILLY	0	0
06	ONLY RIDES IN SAFE AREAS	2	2,407
07	FRIENDS DON'T WEAR THEM	0	0
08	INCONVENIENT/UNCOMFORTABLE	7	7,122
09	TOO TIME CONSUMING	3	7,134
10	TOO DIFFICULT TO INSTALL SEAT	0	0
11	TOO EXPENSIVE	0	0
12	CHILD UNCOOPERATIVE	4	8,576
13	DON'T HAVE A SAFETY SEAT	1	459
14	OTHER (SPECIFY)	11	21,543
96	NOT APPLICABLE	13,307	23,739,354
99	NOT STATED	63	159,005

Coverage: Respondents who are the parent of children less than 13 years old, and whose child doesn't always wear a seat belt or use a child safety seat when riding in a car, truck or van

Injury Prevention: **D_4_Q4** *Position:* 898 *Length:*1

Does %FNAME4% ride on a bicycle? (INCLUDE TRICYCLES, PASSENGER SEATS AND TRAILERS.)

		FREQ	WTD
1	YES	65	101,933
2	NO	8	12,177
6	NOT APPLICABLE	13,320	23,823,254
9	NOT STATED	7	11,239

Coverage: Respondents who are the parent of children less than 13 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 79

Injury Prevention: **D_4_Q5** *Position:* 899 *Length:*1

When riding on a bicycle how often does %FNAME4% wear a helmet?

		FREQ	WTD
1	ALWAYS	29	57,272
2	MOST OF THE TIME	6	5,936
3	RARELY	3	4,124
4	NEVER	27	34,602
6	NOT APPLICABLE	13,328	23,835,431
9	NOT STATED	7	11,239

Coverage: Respondents who are the parent of children less than 13 years old, and whose child rides a bicycle

Injury Prevention: **D_4_Q6** *Position:* 900 *Length:*2

What is the main reason %FNAME4% doesn't wear a helmet all the time?

		FREQ	WTD
01	DOESN'T HAVE ONE	24	28,405
02	AREN'T EFFECTIVE	0	0
03	AREN'T NECESSARY/DON'T NEED ONE	1	503
04	COSTS TOO MUCH	0	0
05	UNCOMFORTABLE/DOESN'T LIKE	3	4,486
06	WOULD BE LAUGHED AT/WOULD BE SILLY	1	1,937
07	ONLY RIDES IN SAFE AREAS	4	6,858
08	INTERFERES WITH RIDING	0	0
09	FRIENDS DON'T WEAR THEM	1	699
10	INCONVENIENT/HARD TO STORE (EG. AT SCHOOL)	0	0
11	OTHER (SPECIFY)	2	1,774
96	NOT APPLICABLE	13,357	23,892,703
99	NOT STATED	7	11,239

Coverage: Respondents who are the parent of children less than 13 years old, and whose child rides a bicycle, but doesn't always wear a helmet

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 80

Injury Prevention: **D_4_Q7** *Position:* 902 *Length:*2

How often does %FNAME4% use a child safety seat or seat belt when riding in a car, truck or van?

		FREQ	WTD
01	ALWAYS	66	101,364
02	NEARLY ALWAYS	4	6,195
03	SOMETIMES	0	0
04	RARELY	0	0
05	NEVER	1	2,514
06	DOESN'T RIDE IN CAR/TRUCK/VAN	2	4,038
96	NOT APPLICABLE	13,320	23,823,254
99	NOT STATED	7	11,239

Coverage: Respondents who are the parent of children less than 13 years old

Injury Prevention: **D_4_Q8** *Position:* 904 *Length:*2

What is the main reason %FNAME4% doesn't wear a seat belt or use a child safety seat all the time?

		FREQ	WTD
01	AREN'T EFFECTIVE	0	0
02	AREN'T NECESSARY/DON'T NEED ONE	1	476
03	NOT IN VEHICLE	0	0
04	SEATBELT DOESN'T WORK	1	459
05	WOULD BE LAUGHED AT/WOULD BE SILLY	0	0
06	ONLY RIDES IN SAFE AREAS	0	0
07	FRIENDS DON'T WEAR THEM	0	0
08	INCONVENIENT/UNCOMFORTABLE	1	2,514
09	TOO TIME CONSUMING	0	0
10	TOO DIFFICULT TO INSTALL SEAT	0	0
11	TOO EXPENSIVE	0	0
12	CHILD UNCOOPERATIVE	1	3,402
13	DON'T HAVE A SAFETY SEAT	0	0
14	OTHER (SPECIFY)	1	1,858
96	NOT APPLICABLE	13,388	23,928,655
99	NOT STATED	7	11,239

Coverage: Respondents who are the parent of children less than 13 years old, and whose child doesn't always wear a seat belt or use a child safety seat when riding in a car, truck or van

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 81

Variable: **NBRFED** *Position:* 906 *Length:* 1

Number of birth children age < 5 who were breast-fed, even if only for a short time

Allowed Min: 0 *Allowed Max:* 3

		FREQ	WTD
0	NONE	273	402,320
1	1 CHILD	545	992,469
2	2 ENFANTS	138	241,391
3	3 CHILDREN	19	30,645
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	3,300

Coverage: Respondents with birth children age < 5

Variable: **E_1_TRY** *Position:* 907 *Length:* 1

Did you breast-feed or try to breast-feed %fname1%, even if only for a short time?

		FREQ	WTD
1	YES	604	1,071,471
2	STILL BREAST-FEEDING	73	147,558
3	NO	298	447,796
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old

Derivation rules:

if E_1_Q1=1 or E_1_Q2=2 then E_1_TRY=2;
 else if E_1_Q2=1 then E_1_TRY=1;
 else if E_1_Q2=3 then E_1_TRY=3;
 else if E_1_Q1>6 or E_1_Q2>6 then E_1_TRY=9;
 else E_1_TRY=6.

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 82

Breast-Feeding: **E_1_Q3** *Position:* 908 *Length:*2

For how long did you breast-feed %fname1%?

		FREQ	WTD
01	LESS THAN 1 WEEK	48	61,369
02	1-4 WEEKS	94	166,436
03	5-8 WEEKS	69	98,058
04	9-12 WEEKS	42	84,564
05	3-6 MONTHS	186	330,456
06	7-9 MONTHS	77	174,150
07	10-12 MONTHS	53	92,117
08	MORE THAN ONE YEAR	35	64,320
96	NOT APPLICABLE	12,794	22,873,832
99	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4A** *Position:* 910 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...NOT ENOUGH MILK/HUNGRY BABY?

		FREQ	WTD
1	YES	144	257,821
2	NO	460	813,650
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 83

Breast-Feeding: **E_1_Q4B** *Position:* 911 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...INCONVENIENCED/FATIGUE?

		FREQ	WTD
1	YES	53	85,161
2	NO	551	986,310
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4C** *Position:* 912 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...DIFFICULTY WITH BREAST-FEEDING TECHNIQUES?

		FREQ	WTD
1	YES	42	68,250
2	NO	562	1,003,221
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4D** *Position:* 913 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...SORE NIPPLES/ENGORGED BREAST?

		FREQ	WTD
1	YES	45	75,866
2	NO	559	995,605
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 84

Breast-Feeding: **E_1_Q4E** *Position:* 914 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...MOTHER'S ILLNESS?

		FREQ	WTD
1	YES	18	30,667
2	NO	586	1,040,804
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4F** *Position:* 915 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...PLANNED THIS TIME?

		FREQ	WTD
1	YES	97	152,418
2	NO	507	919,053
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4G** *Position:* 916 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...CHILD WEANED HIM/HERSELF?

		FREQ	WTD
1	YES	80	157,331
2	NO	524	914,141
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 85

Breast-Feeding: **E_1_Q4H** *Position:* 917 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...PHYSICIAN TOLD ME TO STOP?

		FREQ	WTD
1	YES	15	24,770
2	NO	589	1,046,701
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4I** *Position:* 918 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...RETURN TO WORK/SCHOOL?

		FREQ	WTD
1	YES	108	209,342
2	NO	496	862,129
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4J** *Position:* 919 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...PARTNER/FATHER WANTED?

		FREQ	WTD
1	YES	1	75
2	NO	603	1,071,396
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 86

Breast-Feeding: **E_1_Q4K** *Position:* 920 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...FORMULA FEEDING PREFERABLE?

		FREQ	WTD
1	YES	24	30,728
2	NO	580	1,040,743
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4L** *Position:* 921 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...WANTED TO DRINK ALCOHOL?

		FREQ	WTD
1	YES	1	354
2	NO	603	1,071,117
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_1_Q4M** *Position:* 922 *Length:*1

What was the main reason you stopped breast-feeding %fname1%...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	74	126,191
2	NO	530	945,281
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,794	22,873,832
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 87

Breast-Feeding: **E_1_Q5A** *Position:* 923 *Length:*1

Why did you choose to breast-feed %fname1%...BETTER FOR MY BABY?

		FREQ	WTD
1	YES	619	1,125,247
2	NO	58	93,782
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q5B** *Position:* 924 *Length:*1

Why did you choose to breast-feed %fname1%...MORE CONVENIENT?

		FREQ	WTD
1	YES	159	300,915
2	NO	518	918,114
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q5C** *Position:* 925 *Length:*1

Why did you choose to breast-feed %fname1%...LESS COSTLY?

		FREQ	WTD
1	YES	180	311,781
2	NO	497	907,248
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 88

Breast-Feeding: **E_1_Q5D** *Position:* 926 *Length:*1

Why did you choose to breast-feed %fname1%... NATURAL?

		FREQ	WTD
1	YES	165	296,037
2	NO	512	922,992
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q5E** *Position:* 927 *Length:*1

Why did you choose to breast-feed %fname1%...BETTER FOR ME?

		FREQ	WTD
1	YES	108	193,632
2	NO	569	1,025,397
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q5F** *Position:* 928 *Length:*1

Why did you choose to breast-feed %fname1%... BREAST-FED OTHER PREVIOUS CHILDREN?

		FREQ	WTD
1	YES	100	182,819
2	NO	577	1,036,209
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 89

Breast-Feeding: **E_1_Q5G** *Position:* 929 *Length:*1

Why did you choose to breast-feed %fname1%...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	32	62,835
2	NO	645	1,156,194
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q6A** *Position:* 930 *Length:*1

Why did you choose not to breast-feed %fname1%... BOTTLE FEEDING EASIER?

		FREQ	WTD
1	YES	118	179,944
2	NO	179	267,799
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q6B** *Position:* 931 *Length:*1

Why did you choose not to breast-feed %fname1%... FORMULA AS GOOD AS BREAST MILK?

		FREQ	WTD
1	YES	28	45,619
2	NO	269	402,125
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 90

Breast-Feeding: **E_1_Q6C** *Position:* 932 *Length:*1

Why did you choose not to breast-feed %fname1%... BREAST-FEEDING IS UNAPPEALING/DISGUSTING?

		FREQ	WTD
1	YES	45	45,814
2	NO	252	401,929
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q6D** *Position:* 933 *Length:*1

Why did you choose not to breast-feed %fname1%... FATHER/PARTNERS DIDN'T WANT ME TO?

		FREQ	WTD
1	YES	5	8,739
2	NO	292	439,005
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q6E** *Position:* 934 *Length:*1

Why did you choose not to breast-feed %fname1%... RETURNED TO WORK/SCHOOL EARLY?

		FREQ	WTD
1	YES	17	12,230
2	NO	280	435,514
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 91

Breast-Feeding: **E_1_Q6F** *Position:* 935 *Length:*1

Why did you choose not to breast-feed %fname1%... C-SECTION?

		FREQ	WTD
1	YES	24	36,725
2	NO	273	411,019
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q6G** *Position:* 936 *Length:*1

Why did you choose not to breast-feed %fname1%... MEDICAL CONDITION-BABY?

		FREQ	WTD
1	YES	9	12,691
2	NO	288	435,052
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q6H** *Position:* 937 *Length:*1

Why did you choose not to breast-feed %fname1%... PREMATURE BIRTH?

		FREQ	WTD
1	YES	4	3,166
2	NO	293	444,578
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 92

Breast-Feeding: **E_1_Q6I** *Position:* 938 *Length:*1

Why did you choose not to breast-feed %fname1%... MEDICAL CONDITION-MOTHER?

		FREQ	WTD
1	YES	37	83,108
2	NO	260	364,636
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q6J** *Position:* 939 *Length:*1

Why did you choose not to breast-feed %fname1%... MULTIPLE BIRTHS (EG. TWINS ETC.)?

		FREQ	WTD
1	YES	4	2,107
2	NO	293	445,637
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q6K** *Position:* 940 *Length:*1

Why did you choose not to breast-feed %fname1%... WANTED TO DRINK ALCOHOL?

		FREQ	WTD
1	YES	1	865
2	NO	296	446,879
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 93

Breast-Feeding: **E_1_Q6L** *Position:* 941 *Length:*1

Why did you choose not to breast-feed %fname1%... OTHER (SPECIFY)?

		FREQ	WTD
1	YES	71	118,390
2	NO	226	329,354
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	3	3,351

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q7A** *Position:* 942 *Length:*1

Who helped you decide not to breast-feed %fname1%... HEALTH PROFESSIONAL?

		FREQ	WTD
1	YES	32	73,542
2	NO	266	374,254
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q7B** *Position:* 943 *Length:*1

Who helped you decide not to breast-feed %fname1%... MOTHER/SISTER/RELATIVE?

		FREQ	WTD
1	YES	4	7,572
2	NO	294	440,223
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 94

Breast-Feeding: **E_1_Q7C** *Position:* 944 *Length:*1

Who helped you decide not to breast-feed %fname1%... BABY'S FATHER/HUSBAND/PARTNER?

		FREQ	WTD
1	YES	15	16,056
2	NO	283	431,740
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q7D** *Position:* 945 *Length:*1

Who helped you decide not to breast-feed %fname1%... FRIEND?

		FREQ	WTD
1	YES	2	1,297
2	NO	296	446,499
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q7E** *Position:* 946 *Length:*1

Who helped you decide not to breast-feed %fname1%... BREAST-FEEDING SUPPORT GROUP?

		FREQ	WTD
1	YES	0	0
2	NO	298	447,796
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 95

Breast-Feeding: **E_1_Q7F** *Position:* 947 *Length:*1

Who helped you decide not to breast-feed %fname1%... EDUCATIONAL/PROMOTIONAL MATERIALS?

		FREQ	WTD
1	YES	0	0
2	NO	298	447,796
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q7G** *Position:* 948 *Length:*1

Who helped you decide not to breast-feed %fname1%... NO ONE?

		FREQ	WTD
1	YES	242	344,483
2	NO	56	103,313
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_1_Q7H** *Position:* 949 *Length:*1

Who helped you decide not to breast-feed %fname1%... OTHER (SPECIFY)?

		FREQ	WTD
1	YES	4	5,024
2	NO	294	442,771
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,100	23,497,508
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 96

Breast-Feeding: **E_1_Q8A** *Position:* 950 *Length:*1

Who helped you decide to breast-feed %fname1%... HEALTH PROFESSIONAL?

		FREQ	WTD
1	YES	150	288,032
2	NO	527	930,997
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q8B** *Position:* 951 *Length:*1

Who helped you decide to breast-feed %fname1%... MOTHER/SISTER/RELATIVE?

		FREQ	WTD
1	YES	92	163,573
2	NO	585	1,055,456
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q8C** *Position:* 952 *Length:*1

Who helped you decide to breast-feed %fname1%... BABY'S FATHER/HUSBAND/PARTNER?

		FREQ	WTD
1	YES	108	181,838
2	NO	569	1,037,190
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 97

Breast-Feeding: **E_1_Q8D** *Position:* 953 *Length:*1

Who helped you decide to breast-feed %fname1%... FRIEND?

		FREQ	WTD
1	YES	49	81,732
2	NO	628	1,137,297
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q8E** *Position:* 954 *Length:*1

Who helped you decide to breast-feed %fname1%... BREAST-FEEDING SUPPORT GROUP?

		FREQ	WTD
1	YES	22	59,458
2	NO	655	1,159,570
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q8F** *Position:* 955 *Length:*1

Who helped you decide to breast-feed %fname1%... EDUCATIONAL/PROMOTIONAL MATERIALS?

		FREQ	WTD
1	YES	60	113,793
2	NO	617	1,105,236
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 98

Breast-Feeding: **E_1_Q8G** *Position:* 956 *Length:*1

Who helped you decide to breast-feed %fname1%... NO ONE?

		FREQ	WTD
1	YES	363	631,373
2	NO	314	587,656
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_1_Q8H** *Position:* 957 *Length:*1

Who helped you decide to breast-feed %fname1%... OTHER (SPECIFY)?

		FREQ	WTD
1	YES	16	30,808
2	NO	661	1,188,221
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,721	22,726,274
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Variable: **E_2_TRY** *Position:* 958 *Length:* 1

Did you breast-feed or try to breast-feed %fname2%, even if only for a short time?

		FREQ	WTD
1	YES	178	313,338
2	STILL BREAST-FEEDING	1	2,000
3	NO	70	105,810
6	NOT APPLICABLE	13,151	23,527,456
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 99

Breast-Feeding: **E_2_Q3** *Position:* 959 *Length:*2

For how long did you breast-feed %fname2%?

		FREQ	WTD
01	LESS THAN 1 WEEK	12	29,979
02	1 - 4 WEEKS	17	25,245
03	5 - 8 WEEKS	20	36,232
04	9 - 12 WEEKS	8	12,651
05	3 - 6 MONTHS	67	113,088
06	7 - 9 MONTHS	20	41,791
07	10 - 12 MONTHS	23	41,243
08	MORE THAN ONE YEAR	11	13,109
96	NOT APPLICABLE	13,222	23,635,265
99	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4A** *Position:* 961 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...NOT ENOUGH MILK/HUNGRY BABY?

		FREQ	WTD
1	YES	38	67,151
2	NO	140	246,187
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 100

Breast-Feeding: **E_2_Q4B** *Position:* 962 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...INCONVENIENCED/FATIGUE?

		FREQ	WTD
1	YES	22	42,600
2	NO	156	270,738
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4C** *Position:* 963 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...DIFFICULTY WITH BREAST-FEEDING TECHNIQUES?

		FREQ	WTD
1	YES	7	8,832
2	NO	171	304,505
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4D** *Position:* 964 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...SORE NIPPLES/ENGORGED BREAST?

		FREQ	WTD
1	YES	11	21,155
2	NO	167	292,182
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 101

Breast-Feeding: **E_2_Q4E** *Position:* 965 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...MOTHER'S ILLNESS?

		FREQ	WTD
1	YES	4	9,607
2	NO	174	303,731
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4F** *Position:* 966 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...PLANNED THIS TIME?

		FREQ	WTD
1	YES	33	55,296
2	NO	145	258,042
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4G** *Position:* 967 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...CHILD WEANED HIM/HERSELF?

		FREQ	WTD
1	YES	28	49,110
2	NO	150	264,228
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 102

Breast-Feeding: **E_2_Q4H** *Position:* 968 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...PHYSICIAN TOLD ME TO STOP?

		FREQ	WTD
1	YES	1	311
2	NO	177	313,027
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4I** *Position:* 969 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...RETURN TO WORK/SCHOOL?

		FREQ	WTD
1	YES	31	53,468
2	NO	147	259,870
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4J** *Position:* 970 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...PARTNER/FATHER WANTED?

		FREQ	WTD
1	YES	0	0
2	NO	178	313,338
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 103

Breast-Feeding: **E_2_Q4K** *Position:* 971 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...FORMULA FEEDING PREFERABLE?

		FREQ	WTD
1	YES	4	4,715
2	NO	174	308,623
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4L** *Position:* 972 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...WANTED TO DRINK ALCOHOL?

		FREQ	WTD
1	YES	0	0
2	NO	178	313,338
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_2_Q4M** *Position:* 973 *Length:*1

What was the main reason you stopped breast-feeding %fname2%...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	21	32,423
2	NO	157	280,915
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,222	23,635,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 104

Breast-Feeding: **E_2_Q5A** *Position:* 974 *Length:*1

Why did you choose to breast-feed %fname2%...BETTER FOR MY BABY?

		FREQ	WTD
1	YES	159	281,001
2	NO	20	34,336
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q5B** *Position:* 975 *Length:*1

Why did you choose to breast-feed %fname2%...MORE CONVENIENT?

		FREQ	WTD
1	YES	43	68,168
2	NO	136	247,169
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q5C** *Position:* 976 *Length:*1

Why did you choose to breast-feed %fname2%...LESS COSTLY?

		FREQ	WTD
1	YES	55	87,272
2	NO	124	228,065
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 105

Breast-Feeding: **E_2_Q5D** *Position:* 977 *Length:*1

Why did you choose to breast-feed %fname2%... NATURAL?

		FREQ	WTD
1	YES	47	74,050
2	NO	132	241,288
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q5E** *Position:* 978 *Length:*1

Why did you choose to breast-feed %fname2%...BETTER FOR ME?

		FREQ	WTD
1	YES	29	45,639
2	NO	150	269,698
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q5F** *Position:* 979 *Length:*1

Why did you choose to breast-feed %fname2%... BREAST-FED OTHER PREVIOUS CHILDREN?

		FREQ	WTD
1	YES	13	21,503
2	NO	166	293,834
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 106

Breast-Feeding: **E_2_Q5G** *Position:* 980 *Length:*1

Why did you choose to breast-feed %fname2%...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	7	12,944
2	NO	172	302,393
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q6A** *Position:* 981 *Length:*1

Why did you choose not to breast-feed %fname2%... BOTTLE FEEDING EASIER?

		FREQ	WTD
1	YES	28	41,123
2	NO	42	64,686
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q6B** *Position:* 982 *Length:*1

Why did you choose not to breast-feed %fname2%... FORMULA AS GOOD AS BREAST MILK?

		FREQ	WTD
1	YES	6	9,086
2	NO	64	96,724
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 107

Breast-Feeding: **E_2_Q6C** *Position:* 983 *Length:*1

Why did you choose not to breast-feed %fname2%... BREAST-FEEDING IS UNAPPEALING/DISGUSTING?

		FREQ	WTD
1	YES	7	9,139
2	NO	63	96,671
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q6D** *Position:* 984 *Length:*1

Why did you choose not to breast-feed %fname2%... FATHER/PARTNERS DIDN'T WANT ME TO?

		FREQ	WTD
1	YES	1	2,240
2	NO	69	103,570
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q6E** *Position:* 985 *Length:*1

Why did you choose not to breast-feed %fname2%... RETURNED TO WORK/SCHOOL EARLY?

		FREQ	WTD
1	YES	1	2,399
2	NO	69	103,411
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 108

Breast-Feeding: **E_2_Q6F** *Position:* 986 *Length:*1

Why did you choose not to breast-feed %fname2%... C-SECTION?

		FREQ	WTD
1	YES	4	6,307
2	NO	66	99,502
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q6G** *Position:* 987 *Length:*1

Why did you choose not to breast-feed %fname2%... MEDICAL CONDITION-BABY?

		FREQ	WTD
1	YES	2	4,671
2	NO	68	101,139
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q6H** *Position:* 988 *Length:*1

Why did you choose not to breast-feed %fname2%... PREMATURE BIRTH?

		FREQ	WTD
1	YES	4	6,233
2	NO	66	99,577
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 109

Breast-Feeding: **E_2_Q6I** *Position:* 989 *Length:*1

Why did you choose not to breast-feed %fname2%... MEDICAL CONDITION-MOTHER?

		FREQ	WTD
1	YES	7	12,656
2	NO	63	93,154
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q6J** *Position:* 990 *Length:*1

Why did you choose not to breast-feed %fname2%... MULTIPLE BIRTHS (EG. TWINS etc.)?

		FREQ	WTD
1	YES	3	1,585
2	NO	67	104,225
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q6K** *Position:* 991 *Length:*1

Why did you choose not to breast-feed %fname2%... WANTED TO DRINK ALCOHOL?

		FREQ	WTD
1	YES	1	865
2	NO	69	104,944
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 110

Breast-Feeding: **E_2_Q6L** *Position:* 992 *Length:*1

Why did you choose not to breast-feed %fname2%... OTHER (SPECIFY)?

		FREQ	WTD
1	YES	18	28,076
2	NO	52	77,733
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q7A** *Position:* 993 *Length:*1

Who helped you decide not to breast-feed %fname2%... HEALTH PROFESSIONAL?

		FREQ	WTD
1	YES	9	16,089
2	NO	61	89,721
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q7B** *Position:* 994 *Length:*1

Who helped you decide not to breast-feed %fname2%... MOTHER/SISTER/RELATIVE?

		FREQ	WTD
1	YES	3	5,189
2	NO	67	100,620
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 111

Breast-Feeding: **E_2_Q7C** *Position:* 995 *Length:*1

Who helped you decide not to breast-feed %fname2%... BABY'S FATHER/HUSBAND/PARTNER?

		FREQ	WTD
1	YES	3	1,294
2	NO	67	104,516
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q7D** *Position:* 996 *Length:*1

Who helped you decide not to breast-feed %fname2%... FRIEND?

		FREQ	WTD
1	YES	1	619
2	NO	69	105,191
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q7E** *Position:* 997 *Length:*1

Who helped you decide not to breast-feed %fname2%... BREAST-FEEDING SUPPORT GROUP?

		FREQ	WTD
1	YES	0	0
2	NO	70	105,810
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 112

Breast-Feeding: **E_2_Q7F** *Position:* 998 *Length:*1

Who helped you decide not to breast-feed %fname2%... EDUCATIONAL/PROMOTIONAL MATERIALS?

		FREQ	WTD
1	YES	0	0
2	NO	70	105,810
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q7G** *Position:* 999 *Length:*1

Who helped you decide not to breast-feed %fname2%... NO ONE?

		FREQ	WTD
1	YES	53	80,959
2	NO	17	24,851
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_2_Q7H** *Position:* 1000 *Length:*1

Who helped you decide not to breast-feed %fname2%... OTHER (SPECIFY)?

		FREQ	WTD
1	YES	1	1,660
2	NO	69	104,149
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,330	23,842,793
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 113

Breast-Feeding: **E_2_Q8A** *Position:* 1001 *Length:*1

Who helped you decide to breast-feed %fname2%... HEALTH PROFESSIONAL?

		FREQ	WTD
1	YES	38	65,887
2	NO	141	249,451
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q8B** *Position:* 1002 *Length:*1

Who helped you decide to breast-feed %fname2%... MOTHER/SISTER/RELATIVE?

		FREQ	WTD
1	YES	26	45,673
2	NO	153	269,664
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q8C** *Position:* 1003 *Length:*1

Who helped you decide to breast-feed %fname2%... BABY'S FATHER/HUSBAND/PARTNER?

		FREQ	WTD
1	YES	30	51,844
2	NO	149	263,493
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 114

Breast-Feeding: **E_2_Q8D** *Position:* 1004 *Length:*1

Who helped you decide to breast-feed %fname2%... FRIEND?

		FREQ	WTD
1	YES	13	22,191
2	NO	166	293,147
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q8E** *Position:* 1005 *Length:*1

Who helped you decide to breast-feed %fname2%... BREAST-FEEDING SUPPORT GROUP?

		FREQ	WTD
1	YES	5	12,517
2	NO	174	302,821
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q8F** *Position:* 1006 *Length:*1

Who helped you decide to breast-feed %fname2%... EDUCATIONAL/PROMOTIONAL MATERIALS?

		FREQ	WTD
1	YES	13	24,442
2	NO	166	290,895
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 115

Breast-Feeding: **E_2_Q8G** *Position:* 1007 *Length:*1

Who helped you decide to breast-feed %fname2%... NO ONE?

		FREQ	WTD
1	YES	104	187,138
2	NO	75	128,199
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_2_Q8H** *Position:* 1008 *Length:*1

Who helped you decide to breast-feed %fname2%... OTHER (SPECIFY)?

		FREQ	WTD
1	YES	0	0
2	NO	179	315,337
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,221	23,633,265
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Variable: **E_3_TRY** *Position:* 1009 *Length:* 1

Did you breast-feed or try to breast-feed %fname3%, even if only for a short time?

		FREQ	WTD
1	YES	22	32,819
2	STILL BREAST-FEEDING	0	0
3	NO	13	16,331
6	NOT APPLICABLE	13,365	23,899,452
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 116

Breast-Feeding: **E_3_Q3** *Position:* 1010 *Length:*2

For how long did you breast-feed %fname3%?

		FREQ	WTD
01	LESS THAN 1 WEEK	1	1,299
02	1-4 WEEKS	2	2,000
03	5-8 WEEKS	2	2,862
04	9-12 WEEKS	0	0
05	3-6 MONTHS	8	10,430
06	7-9 MONTHS	7	12,765
07	10-12 MONTHS	2	3,463
08	MORE THAN ONE YEAR	0	0
96	NOT APPLICABLE	13,378	23,915,784
99	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4A** *Position:* 1012 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...NOT ENOUGH MILK/HUNGRY BABY?

		FREQ	WTD
1	YES	4	6,025
2	NO	18	26,795
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 117

Breast-Feeding: **E_3_Q4B** *Position:* 1013 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...INCONVENIENCED/FATIGUE?

		FREQ	WTD
1	YES	4	8,322
2	NO	18	24,497
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4C** *Position:* 1014 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...DIFFICULTY WITH BREAST-FEEDING TECHNIQUES?

		FREQ	WTD
1	YES	0	0
2	NO	22	32,819
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4D** *Position:* 1015 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...SORE NIPPLES/ENGORGED BREAST?

		FREQ	WTD
1	YES	0	0
2	NO	22	32,819
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 118

Breast-Feeding: **E_3_Q4E** *Position:* 1016 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...MOTHER'S ILLNESS?

		FREQ	WTD
1	YES	2	3,893
2	NO	20	28,926
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4F** *Position:* 1017 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...PLANNED THIS TIME?

		FREQ	WTD
1	YES	3	2,076
2	NO	19	30,743
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4G** *Position:* 1018 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...CHILD WEANED HIM/HERSELF?

		FREQ	WTD
1	YES	3	5,242
2	NO	19	27,577
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 119

Breast-Feeding: **E_3_Q4H** *Position:* 1019 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...PHYSICIAN TOLD ME TO STOP?

		FREQ	WTD
1	YES	0	0
2	NO	22	32,819
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4I** *Position:* 1020 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...RETURN TO WORK/SCHOOL?

		FREQ	WTD
1	YES	4	5,901
2	NO	18	26,918
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4J** *Position:* 1021 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...PARTNER/FATHER WANTED?

		FREQ	WTD
1	YES	0	0
2	NO	22	32,819
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 120

Breast-Feeding: **E_3_Q4K** *Position:* 1022 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...FORMULA FEEDING PREFERABLE?

		FREQ	WTD
1	YES	0	0
2	NO	22	32,819
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4L** *Position:* 1023 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...WANTED TO DRINK ALCOHOL?

		FREQ	WTD
1	YES	0	0
2	NO	22	32,819
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

Breast-Feeding: **E_3_Q4M** *Position:* 1024 *Length:*1

What was the main reason you stopped breast-feeding %fname3%...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	5	5,453
2	NO	17	27,367
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is not currently being breast-fed, but who did try breast feeding

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 121

Breast-Feeding: **E_3_Q5A** *Position:* 1025 *Length:*1

Why did you choose to breast-feed %fname3%...BETTER FOR MY BABY?

		FREQ	WTD
1	YES	18	27,144
2	NO	4	5,676
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q5B** *Position:* 1026 *Length:*1

Why did you choose to breast-feed %fname1%...MORE CONVENIENT?

		FREQ	WTD
1	YES	7	10,390
2	NO	15	22,429
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q5C** *Position:* 1027 *Length:*1

Why did you choose to breast-feed %fname3%...LESS COSTLY?

		FREQ	WTD
1	YES	10	14,845
2	NO	12	17,974
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 122

Breast-Feeding: **E_3_Q5D** *Position:* 1028 *Length:*1

Why did you choose to breast-feed %fname3%... NATURAL?

		FREQ	WTD
1	YES	7	10,472
2	NO	15	22,347
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q5E** *Position:* 1029 *Length:*1

Why did you choose to breast-feed %fname3%...BETTER FOR ME?

		FREQ	WTD
1	YES	7	9,950
2	NO	15	22,869
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q5F** *Position:* 1030 *Length:*1

Why did you choose to breast-feed %fname3%... BREAST-FED OTHER PREVIOUS CHILDREN?

		FREQ	WTD
1	YES	2	3,463
2	NO	20	29,356
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 123

Breast-Feeding: **E_3_Q5G** *Position:* 1031 *Length:*1

Why did you choose to breast-feed %fname3%...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	1	1,393
2	NO	21	31,426
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q6A** *Position:* 1032 *Length:*1

Why did you choose not to breast-feed %fname3%... BOTTLE FEEDING EASIER?

		FREQ	WTD
1	YES	6	5,543
2	NO	7	10,788
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q6B** *Position:* 1033 *Length:*1

Why did you choose not to breast-feed %fname3%... FORMULA AS GOOD AS BREAST MILK?

		FREQ	WTD
1	YES	1	1,118
2	NO	12	15,213
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 124

Breast-Feeding: **E_3_Q6C** *Position:* 1034 *Length:*1

Why did you choose not to breast-feed %fname3%... BREAST-FEEDING IS UNAPPEALING/DISGUSTING?

		FREQ	WTD
1	YES	1	1,276
2	NO	12	15,055
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q6D** *Position:* 1035 *Length:*1

Why did you choose not to breast-feed %fname3%... FATHER/PARTNERS DIDN'T WANT ME TO?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q6E** *Position:* 1036 *Length:*1

Why did you choose not to breast-feed %fname3%... RETURNED TO WORK/SCHOOL EARLY?

		FREQ	WTD
1	YES	1	2,399
2	NO	12	13,933
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 125

Breast-Feeding: **E_3_Q6F** *Position:* 1037 *Length:*1

Why did you choose not to breast-feed %fname3%... C-SECTION?

		FREQ	WTD
1	YES	1	2,293
2	NO	12	14,038
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q6G** *Position:* 1038 *Length:*1

Why did you choose not to breast-feed %fname3%... MEDICAL CONDITION-BABY?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q6H** *Position:* 1039 *Length:*1

Why did you choose not to breast-feed %fname3%... PREMATURE BIRTH?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 126

Breast-Feeding: **E_3_Q6I** *Position:* 1040 *Length:*1

Why did you choose not to breast-feed %fname3%... MEDICAL CONDITION-MOTHER?

		FREQ	WTD
1	YES	2	1,669
2	NO	11	14,662
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q6J** *Position:* 1041 *Length:*1

Why did you choose not to breast-feed %fname3%...MULTIPLE BIRTHS (EG. TWINS etc.)?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q6K** *Position:* 1042 *Length:*1

Why did you choose not to breast-feed %fname3%...WANTED TO DRINK ALCOHOL?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 127

Breast-Feeding: **E_3_Q6L** *Position:* 1043 *Length:*1

Why did you choose not to breast-feed %fname3%...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	2	4,432
2	NO	11	11,899
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q7A** *Position:* 1044 *Length:*1

Who helped you decide not to breast-feed %fname3%... HEALTH PROFESSIONAL?

		FREQ	WTD
1	YES	2	3,164
2	NO	11	13,167
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q7B** *Position:* 1045 *Length:*1

Who helped you decide not to breast-feed %fname3%...MOTHER/SISTER/RELATIVE?

		FREQ	WTD
1	YES	1	178
2	NO	12	16,153
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 128

Breast-Feeding: **E_3_Q7C** *Position:* 1046 *Length:*1

Who helped you decide not to breast-feed %fname3%...BABY'S FATHER/HUSBAND/PARTNER?

		FREQ	WTD
1	YES	1	78
2	NO	12	16,253
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q7D** *Position:* 1047 *Length:*1

Who helped you decide not to breast-feed %fname3%...FRIEND?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q7E** *Position:* 1048 *Length:*1

Who helped you decide not to breast-feed %fname3%...BREAST-FEEDING SUPPORT GROUP?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 129

Breast-Feeding: **E_3_Q7F** *Position:* 1049 *Length:*1

Who helped you decide not to breast-feed %fname3%...EDUCATIONAL/PROMOTIONAL MATERIALS?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q7G** *Position:* 1050 *Length:*1

Who helped you decide not to breast-feed %fname3%...NO ONE?

		FREQ	WTD
1	YES	9	12,911
2	NO	4	3,420
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

Breast-Feeding: **E_3_Q7H** *Position:* 1051 *Length:*1

Who helped you decide not to breast-feed %fname3%...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	0	0
2	NO	13	16,331
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,272
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child was never breast-fed

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 130

Breast-Feeding: **E_3_Q8A** *Position:* 1052 *Length:*1

Who helped you decide to breast-feed %fname3%... HEALTH PROFESSIONAL?

		FREQ	WTD
1	YES	1	892
2	NO	21	31,928
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q8B** *Position:* 1053 *Length:*1

Who helped you decide to breast-feed %fname3%... MOTHER/SISTER/RELATIVE?

		FREQ	WTD
1	YES	3	3,219
2	NO	19	29,600
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q8C** *Position:* 1054 *Length:*1

Who helped you decide to breast-feed %fname3%... BABY'S FATHER/HUSBAND/PARTNER?

		FREQ	WTD
1	YES	5	4,349
2	NO	17	28,470
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 131

Breast-Feeding: **E_3_Q8D** *Position:* 1055 *Length:*1

Who helped you decide to breast-feed %fname3%... FRIEND?

		FREQ	WTD
1	YES	1	1,393
2	NO	21	31,426
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q8E** *Position:* 1056 *Length:*1

Who helped you decide to breast-feed %fname3%... BREAST-FEEDING SUPPORT GROUP?

		FREQ	WTD
1	YES	0	0
2	NO	22	32,819
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q8F** *Position:* 1057 *Length:*1

Who helped you decide to breast-feed %fname3%... EDUCATIONAL/PROMOTIONAL MATERIALS?

		FREQ	WTD
1	YES	1	1,651
2	NO	21	31,169
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 132

Breast-Feeding: **E_3_Q8G** *Position:* 1058 *Length:*1

Who helped you decide to breast-feed %fname3%... NO ONE?

		FREQ	WTD
1	YES	15	25,191
2	NO	7	7,628
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

Breast-Feeding: **E_3_Q8H** *Position:* 1059 *Length:*1

Who helped you decide to breast-feed %fname3%... OTHER (SPECIFY)?

		FREQ	WTD
1	YES	0	0
2	NO	22	32,819
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,378	23,915,784
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, whose child is was breast-fed (currently or formerly)

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 133

Alcohol - Pregnancy: **F_1_Q01** *Position:* 1060 *Length:*2

The next questions are about mothers' attitudes toward the use of alcohol and drugs during pregnancy, and how these attitudes change over time. How often did you drink alcohol during your pregnancy with %fname1%? (e.g. beer, wine, hard liquor, liquers)

		FREQ	WTD
01	NEVER	748	1,250,165
02	LESS THAN ONCE A MONTH	193	349,570
03	1-3 TIMES A MONTH	22	42,869
04	ONCE A WEEK	8	16,447
05	2-3 TIMES A WEEK	2	3,019
06	4-6 TIMES A WEEK	1	3,225
07	EVERY DAY	1	1,529
96	NOT APPLICABLE	12,423	22,278,479
99	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_1_Q02** *Position:* 1062 *Length:*1

On the days that you drank, how many drinks did you usually have?

		FREQ	WTD
1	1 - 2	212	391,393
2	3 - 4	12	21,417
3	5 OR MORE	3	3,849
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 134

Alcohol - Pregnancy: **F_1_Q03A** *Position:* 1063 *Length:*1

At what stage in your pregnancy did you consume this quantity...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	61	84,599
2	NO	166	332,060
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_1_Q03B** *Position:* 1064 *Length:*1

At what stage in your pregnancy did you consume this quantity...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	27	45,191
2	NO	200	371,468
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_1_Q03C** *Position:* 1065 *Length:*1

At what stage in your pregnancy did you consume this quantity...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	47	94,400
2	NO	180	322,260
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 135

Alcohol - Pregnancy: **F_1_Q03D** *Position:* 1066 *Length:*1

At what stage in your pregnancy did you consume this quantity...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	48	88,059
2	NO	179	328,600
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_1_Q03E** *Position:* 1067 *Length:*1

At what stage in your pregnancy did you consume this quantity...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	74	156,653
2	NO	153	260,006
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_1_Q04A** *Position:* 1068 *Length:*1

For each of the following statements, please indicate if it is true or false. I continued to drink after I became pregnant with %fname1% because...I WAS PRESSURED TO HAVE A DRINK?

		FREQ	WTD
1	YES	3	1,463
2	NO	150	301,276
3	NONE OF THE ABOVE	74	113,920
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 136

Alcohol - Pregnancy: **F_1_Q04B** *Position:* 1069 *Length:*1

I continued to drink after I became pregnant with %fname1% because...NOBODY TOLD ME NOT TO HAVE A DRINK?

		FREQ	WTD
1	YES	11	19,656
2	NO	142	283,083
3	NONE OF THE ABOVE	74	113,920
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_1_Q04C** *Position:* 1070 *Length:*1

I continued to drink after I became pregnant with %fname1% because...MY DOCTOR SAID AN OCCASIONAL DRINK WOULD NOT HARM THE BABY?

		FREQ	WTD
1	YES	87	175,028
2	NO	66	127,711
3	NONE OF THE ABOVE	74	113,920
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_1_Q04D** *Position:* 1071 *Length:*1

I continued to drink after I became pregnant with %fname1% because...I DID NOT THINK IT WOULD HARM THE BABY?

		FREQ	WTD
1	YES	95	184,550
2	NO	58	118,189
3	NONE OF THE ABOVE	74	113,920
6	NOT APPLICABLE	13,171	23,528,644
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 137

Alcohol - Pregnancy: **F_1_Q05** *Position:* 1072 *Length:*1

During your pregnancy with %fname1%, did you take any medication or drugs prescribed by a doctor?

		FREQ	WTD
1	YES	258	436,338
2	NO	716	1,229,706
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	3	4,080

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_1_Q06A** *Position:* 1073 *Length:*1

At what stage in your pregnancy did you take these prescription medications...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	8	7,930
2	NO	249	426,273
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,139	23,508,185
9	NOT STATED	4	6,214

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_1_Q06B** *Position:* 1074 *Length:*1

At what stage in your pregnancy did you take these prescription medications...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	39	66,731
2	NO	218	367,473
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,139	23,508,185
9	NOT STATED	4	6,214

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 138

Alcohol - Pregnancy: **F_1_Q06C** *Position:* 1075 *Length:*1

At what stage in your pregnancy did you take these prescription medications...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	64	100,482
2	NO	193	333,722
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,139	23,508,185
9	NOT STATED	4	6,214

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_1_Q06D** *Position:* 1076 *Length:*1

At what stage in your pregnancy did you take these prescription medications...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	88	127,189
2	NO	169	307,015
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,139	23,508,185
9	NOT STATED	4	6,214

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_1_Q06E** *Position:* 1077 *Length:*1

At what stage in your pregnancy did you take these prescription medications...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	76	158,845
2	NO	181	275,359
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,139	23,508,185
9	NOT STATED	4	6,214

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 139

Alcohol - Pregnancy: **F_1_Q07** *Position:* 1078 *Length:*1

Did you take any medications which can be bought without a doctor's prescription (i.e. over-the-counter medications) during your pregnancy with %fname1%?

		FREQ	WTD
1	YES	222	377,026
2	NO	753	1,289,798
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_1_Q08A** *Position:* 1079 *Length:*1

At what stage in your pregnancy did you take these medications...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	12	16,053
2	NO	210	360,973
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,176	23,568,277
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_1_Q08B** *Position:* 1080 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	31	55,102
2	NO	191	321,924
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,176	23,568,277
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 140

Alcohol - Pregnancy: **F_1_Q08C** *Position:* 1081 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	49	65,970
2	NO	173	311,057
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,176	23,568,277
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_1_Q08D** *Position:* 1082 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	51	74,359
2	NO	171	302,667
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,176	23,568,277
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_1_Q08E** *Position:* 1083 *Length:*1

At what stage in your pregnancy did you take these prescription medications...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	99	202,115
2	NO	123	174,911
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,176	23,568,277
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 141

Alcohol - Pregnancy: **F_1_Q09** *Position:* 1084 *Length:*1

Did you take any other drugs such as marijuana, LSD or cocaine during your pregnancy with %fname1%?

		FREQ	WTD
1	YES	11	14,626
2	NO	964	1,652,198
6	NOT APPLICABLE	12,423	22,278,479
9	NOT STATED	2	3,300

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_1_Q10A** *Position:* 1085 *Length:*1

Which drugs did you take...MARIJUANA/HASHISH/CANNABIS?

		FREQ	WTD
1	YES	9	12,777
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Alcohol - Pregnancy: **F_1_Q10B** *Position:* 1086 *Length:*1

Which drugs did you take...LSD?

		FREQ	WTD
1	YES	0	0
2	NO	9	12,777
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 142

Alcohol - Pregnancy: **F_1_Q10C** *Position:* 1087 *Length:*1

Which drugs did you take...COCAINE?

		FREQ	WTD
1	YES	0	0
2	NO	9	12,777
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

Alcohol - Pregnancy: **F_1_Q10D** *Position:* 1088 *Length:*1

Which drugs did you take...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	0	0
2	NO	9	12,777
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

Alcohol - Pregnancy: **F_1_Q11A** *Position:* 1089 *Length:*1

At what stage in your pregnancy did you take these drugs...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	6	11,005
2	NO	3	1,771
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 143

Alcohol - Pregnancy: **F_1_Q11B** *Position:* 1090 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	9	12,777
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

Alcohol - Pregnancy: **F_1_Q11C** *Position:* 1091 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	1	514
2	NO	8	12,263
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

Alcohol - Pregnancy: **F_1_Q11D** *Position:* 1092 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	9	12,777
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 144

Alcohol - Pregnancy: **F_1_Q11E** *Position:* 1093 *Length:*1

At what stage in your pregnancy did you take these drugs...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	2	1,258
2	NO	7	11,519
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,930,677
9	NOT STATED	4	5,149

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

Alcohol - Pregnancy: **F_2_Q01** *Position:* 1094 *Length:*2

How often did you drink alcohol during your pregnancy with %fname2%? (e.g. beer, wine, hard liquor, liquers)

		FREQ	WTD
01	NEVER	187	289,447
02	LESS THAN ONCE A MONTH	51	102,980
03	1-3 TIMES A MONTH	7	19,392
04	ONCE A WEEK	3	6,988
05	2-3 TIMES A WEEK	1	2,342
06	4-6 TIMES A WEEK	0	0
07	EVERY DAY	0	0
96	NOT APPLICABLE	13,151	23,527,456
99	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 145

Alcohol - Pregnancy: **F_2_Q02** *Position:* 1096 *Length:*1

On the days that you drank, how many drinks did you usually have?

		FREQ	WTD
1	1 - 2	58	123,971
2	3 - 4	2	3,672
3	5 OR MORE	2	4,057
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_2_Q03A** *Position:* 1097 *Length:*1

At what stage in your pregnancy did you consume this quantity...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	20	33,739
2	NO	41	96,792
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	1	1,169

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_2_Q03B** *Position:* 1098 *Length:*1

At what stage in your pregnancy did you consume this quantity...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	3	4,703
2	NO	58	125,828
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	1	1,169

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 146

Alcohol - Pregnancy: **F_2_Q03C** *Position:* 1099 *Length:*1

At what stage in your pregnancy did you consume this quantity...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	9	22,279
2	NO	52	108,252
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	1	1,169

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_2_Q03D** *Position:* 1100 *Length:*1

At what stage in your pregnancy did you consume this quantity...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	17	36,453
2	NO	44	94,078
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	1	1,169

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_2_Q03E** *Position:* 1101 *Length:*1

At what stage in your pregnancy did you consume this quantity...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	24	56,938
2	NO	37	73,593
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	1	1,169

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 147

Alcohol - Pregnancy: **F_2_Q04A** *Position:* 1102 *Length:*1

For each of the following statements, please indicate if it is true or false. I continued to drink after I became pregnant with %fname2% because...I WAS PRESSURED TO HAVE A DRINK?

		FREQ	WTD
1	YES	0	0
2	NO	41	92,587
3	NONE OF THE ABOVE	21	39,113
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_2_Q04B** *Position:* 1103 *Length:*1

I continued to drink after I became pregnant with %fname2% because...NOBODY TOLD ME NOT TO HAVE A DRINK?

		FREQ	WTD
1	YES	4	6,943
2	NO	37	85,644
3	NONE OF THE ABOVE	21	39,113
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_2_Q04C** *Position:* 1104 *Length:*1

I continued to drink after I became pregnant with %fname2% because...MY DOCTOR SAID AN OCCASIONAL DRINK WOULD NOT HARM THE BABY?

		FREQ	WTD
1	YES	24	60,176
2	NO	17	32,412
3	NONE OF THE ABOVE	21	39,113
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 148

Alcohol - Pregnancy: **F_2_Q04D** *Position:* 1105 *Length:*1

I continued to drink after I became pregnant with %fname2% because...I DID NOT THINK IT WOULD HARM THE BABY?

		FREQ	WTD
1	YES	25	54,927
2	NO	16	37,660
3	NONE OF THE ABOVE	21	39,113
6	NOT APPLICABLE	13,338	23,816,902
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_2_Q05** *Position:* 1106 *Length:*1

During your pregnancy with %fname2%, did you take any medication or drugs prescribed by a doctor?

		FREQ	WTD
1	YES	50	81,192
2	NO	197	337,420
6	NOT APPLICABLE	13,151	23,527,456
9	NOT STATED	2	2,535

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_2_Q06A** *Position:* 1107 *Length:*1

At what stage in your pregnancy did you take these prescription medications...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	4	3,655
2	NO	46	77,537
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,348	23,864,876
9	NOT STATED	2	2,535

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 149

Alcohol - Pregnancy: **F_2_Q06B** *Position:* 1108 *Length:*1

At what stage in your pregnancy did you take these prescription medications...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	9	16,305
2	NO	41	64,887
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,348	23,864,876
9	NOT STATED	2	2,535

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_2_Q06C** *Position:* 1109 *Length:*1

At what stage in your pregnancy did you take these prescription medications...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	17	25,344
2	NO	33	55,848
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,348	23,864,876
9	NOT STATED	2	2,535

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_2_Q06D** *Position:* 1110 *Length:*1

At what stage in your pregnancy did you take these prescription medications...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	14	24,440
2	NO	36	56,752
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,348	23,864,876
9	NOT STATED	2	2,535

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 150

Alcohol - Pregnancy: **F_2_Q06E** *Position:* 1111 *Length:*1

At what stage in your pregnancy did you take these prescription medications...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	11	15,633
2	NO	39	65,559
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,348	23,864,876
9	NOT STATED	2	2,535

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_2_Q07** *Position:* 1112 *Length:*1

Did you take any medications which can be bought without a doctor's prescription (i.e. over-the-counter medications) during your pregnancy with %fname2%?

		FREQ	WTD
1	YES	49	89,389
2	NO	199	331,357
6	NOT APPLICABLE	13,151	23,527,456
9	NOT STATED	1	401

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_2_Q08A** *Position:* 1113 *Length:*1

At what stage in your pregnancy did you take these medications...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	4	3,677
2	NO	45	85,712
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,350	23,858,813
9	NOT STATED	1	401

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 151

Alcohol - Pregnancy: **F_2_Q08B** *Position:* 1114 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	11	16,524
2	NO	38	72,865
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,350	23,858,813
9	NOT STATED	1	401

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_2_Q08C** *Position:* 1115 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	11	17,029
2	NO	38	72,361
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,350	23,858,813
9	NOT STATED	1	401

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_2_Q08D** *Position:* 1116 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	6	12,763
2	NO	43	76,626
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,350	23,858,813
9	NOT STATED	1	401

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 152

Alcohol - Pregnancy: **F_2_Q08E** *Position:* 1117 *Length:*1

At what stage in your pregnancy did you take these prescription medications...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	26	52,199
2	NO	23	37,191
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,350	23,858,813
9	NOT STATED	1	401

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_2_Q09** *Position:* 1118 *Length:*1

Did you take any other drugs such as marijuana, LSD or cocaine during your pregnancy with %fname2%?

		FREQ	WTD
1	YES	2	4,108
2	NO	247	417,039
6	NOT APPLICABLE	13,151	23,527,456
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_2_Q10A** *Position:* 1119 *Length:*1

Which drugs did you take...MARIJUANA/HASHISH/CANNABIS?

		FREQ	WTD
1	YES	1	2,936
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 153

Alcohol - Pregnancy: **F_2_Q10B** *Position:* 1120 *Length:*1

Which drugs did you take...LSD?

		FREQ	WTD
1	YES	0	0
2	NO	1	2,936
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Alcohol - Pregnancy: **F_2_Q10C** *Position:* 1121 *Length:*1

Which drugs did you take...COCAINE?

		FREQ	WTD
1	YES	0	0
2	NO	1	2,936
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Alcohol - Pregnancy: **F_2_Q10D** *Position:* 1122 *Length:*1

Which drugs did you take...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	0	0
2	NO	1	2,936
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 154

Alcohol - Pregnancy: **F_2_Q11A** *Position:* 1123 *Length:*1

At what stage in your pregnancy did you take these drugs...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	1	2,936
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

Alcohol - Pregnancy: **F_2_Q11B** *Position:* 1124 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	1	2,936
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

Alcohol - Pregnancy: **F_2_Q11C** *Position:* 1125 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	1	2,936
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 155

Alcohol - Pregnancy: **F_2_Q11D** *Position:* 1126 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	1	2,936
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

Alcohol - Pregnancy: **F_2_Q11E** *Position:* 1127 *Length:*1

At what stage in your pregnancy did you take these drugs...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	0	0
2	NO	1	2,936
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,398	23,944,495
9	NOT STATED	1	1,172

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/hashish/cannabis) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 156

Alcohol - Pregnancy: **F_3_Q01** *Position:* 1128 *Length:*2

How often did you drink alcohol during your pregnancy with %fname3%? (e.g. beer, wine, hard liquor, liquers)

		FREQ	WTD
01	NEVER	22	32,884
02	LESS THAN ONCE A MONTH	4	4,873
03	1-3 TIMES A MONTH	0	0
04	ONCE A WEEK	0	0
05	2-3 TIMES A WEEK	0	0
06	4-6 TIMES A WEEK	0	0
07	EVERY DAY	0	0
96	NOT APPLICABLE	13,365	23,899,452
99	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_3_Q02** *Position:* 1130 *Length:*1

On the days that you drank, how many drinks did you usually have?

		FREQ	WTD
1	1 - 2	3	4,695
2	3 - 4	1	178
3	5 OR MORE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 157

Alcohol - Pregnancy: **F_3_Q03A** Position: 1131 Length:1

At what stage in your pregnancy did you consume this quantity...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	0	0
2	NO	4	4,873
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_3_Q03B** Position: 1132 Length:1

At what stage in your pregnancy did you consume this quantity...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	4	4,873
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_3_Q03C** Position: 1133 Length:1

At what stage in your pregnancy did you consume this quantity...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	4	4,873
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 158

Alcohol - Pregnancy: **F_3_Q03D** Position: 1134 Length:1

At what stage in your pregnancy did you consume this quantity...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	1	1,121
2	NO	3	3,752
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_3_Q03E** Position: 1135 Length:1

At what stage in your pregnancy did you consume this quantity...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	3	3,752
2	NO	1	1,121
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_3_Q04A** Position: 1136 Length:1

For each of the following statements, please indicate if it is true or false. I continued to drink after I became pregnant with %fname3% because...I WAS PRESSURED TO HAVE A DRINK?

		FREQ	WTD
1	YES	0	0
2	NO	4	4,873
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 159

Alcohol - Pregnancy: **F_3_Q04B** *Position:* 1137 *Length:*1

I continued to drink after I became pregnant with %fname3% because...NOBODY TOLD ME NOT TO HAVE A DRINK?

		FREQ	WTD
1	YES	0	0
2	NO	4	4,873
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_3_Q04C** *Position:* 1138 *Length:*1

I continued to drink after I became pregnant with %fname3% because...MY DOCTOR SAID AN OCCASIONAL DRINK WOULD NOT HARM THE BABY?

		FREQ	WTD
1	YES	1	2,039
2	NO	3	2,833
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

Alcohol - Pregnancy: **F_3_Q04D** *Position:* 1139 *Length:*1

I continued to drink after I became pregnant with %fname3% because...I DID NOT THINK IT WOULD HARM THE BABY?

		FREQ	WTD
1	YES	3	2,833
2	NO	1	2,039
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,387	23,932,336
9	NOT STATED	9	11,394

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who drank any alcohol during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 160

Alcohol - Pregnancy: **F_3_Q05** *Position:* 1140 *Length:*1

During your pregnancy with %fname3%, did you take any medication or drugs prescribed by a doctor?

		FREQ	WTD
1	YES	6	6,411
2	NO	29	42,740
6	NOT APPLICABLE	13,365	23,899,452
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_3_Q06A** *Position:* 1141 *Length:*1

At what stage in your pregnancy did you take these prescription medications...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	0	0
2	NO	6	6,411
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,394	23,942,192
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_3_Q06B** *Position:* 1142 *Length:*1

At what stage in your pregnancy did you take these prescription medications...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	3	4,254
2	NO	3	2,156
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,394	23,942,192
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 161

Alcohol - Pregnancy: **F_3_Q06C** Position: 1143 Length:1

At what stage in your pregnancy did you take these prescription medications...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	1	1,393
2	NO	5	5,017
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,394	23,942,192
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_3_Q06D** Position: 1144 Length:1

At what stage in your pregnancy did you take these prescription medications...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	2	763
2	NO	4	5,647
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,394	23,942,192
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

Alcohol - Pregnancy: **F_3_Q06E** Position: 1145 Length:1

At what stage in your pregnancy did you take these prescription medications...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	0	0
2	NO	6	6,411
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,394	23,942,192
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any medications or drugs prescribed by a doctor during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 162

Alcohol - Pregnancy: **F_3_Q07** *Position:* 1146 *Length:*1

Did you take any medications which can be bought without a doctor's prescription (i.e. over-the-counter medications) during your pregnancy with %fname3%?

		FREQ	WTD
1	YES	15	25,088
2	NO	20	24,062
6	NOT APPLICABLE	13,365	23,899,452
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_3_Q08A** *Position:* 1147 *Length:*1

At what stage in your pregnancy did you take these medications...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	6	8,529
2	NO	9	16,559
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,385	23,923,515
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_3_Q08B** *Position:* 1148 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	1	2,168
2	NO	14	22,920
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,385	23,923,515
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 163

Alcohol - Pregnancy: **F_3_Q08C** *Position:* 1149 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	2	3,059
2	NO	13	22,029
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,385	23,923,515
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_3_Q08D** *Position:* 1150 *Length:*1

At what stage in your pregnancy did you take these medications...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	2	1,576
2	NO	13	23,512
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,385	23,923,515
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

Alcohol - Pregnancy: **F_3_Q08E** *Position:* 1151 *Length:*1

At what stage in your pregnancy did you take these prescription medications...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	6	12,815
2	NO	9	12,273
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,385	23,923,515
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any over-the-counter medications during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 164

Alcohol - Pregnancy: **F_3_Q09** *Position:* 1152 *Length:*1

Did you take any other drugs such as marijuana, LSD or cocaine during your pregnancy with %fname3%?

		FREQ	WTD
1	YES	0	0
2	NO	35	49,150
6	NOT APPLICABLE	13,365	23,899,452
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old

Alcohol - Pregnancy: **F_3_Q10A** *Position:* 1153 *Length:*1

Which drugs did you take...MARIJUANA/HASHISH/CANNABIS?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Alcohol - Pregnancy: **F_3_Q10B** *Position:* 1154 *Length:*1

Which drugs did you take...LSD?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 165

Alcohol - Pregnancy: **F_3_Q10C** *Position:* 1155 *Length:*1

Which drugs did you take...COCAINE?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Alcohol - Pregnancy: **F_3_Q10D** *Position:* 1156 *Length:*1

Which drugs did you take...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Alcohol - Pregnancy: **F_3_Q11A** *Position:* 1157 *Length:*1

At what stage in your pregnancy did you take these drugs...BEFORE REALIZING YOU WERE PREGNANT?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 166

Alcohol - Pregnancy: **F_3_Q11B** *Position:* 1158 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE FIRST THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Alcohol - Pregnancy: **F_3_Q11C** *Position:* 1159 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE SECOND THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Alcohol - Pregnancy: **F_3_Q11D** *Position:* 1160 *Length:*1

At what stage in your pregnancy did you take these drugs...DURING THE THIRD THREE MONTHS?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 167

Alcohol - Pregnancy: **F_3_Q11E** *Position:* 1161 *Length:*1

At what stage in your pregnancy did you take these drugs...THROUGHOUT YOUR PREGNANCY?

		FREQ	WTD
1	YES	0	0
2	NO	0	0
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	13,400	23,948,603
9	NOT STATED	0	0

Coverage: Female respondents who are the birth parent of children less than 5 years old, and who took any other drugs (marijuana/LSD/cocaine) during pregnancy

Sexual Health: **G_Q01** *Position:* 1162 *Length:* 2

How many sexual partners have you had within the past twelve months?

Observed Min: 0 *Observed Max:* 80

		FREQ	WTD
96	NOT APPLICABLE	6,053	10,156,462
99	NOT STATED	125	268,575

Coverage: Respondents aged 15 to 45

Sexual Health: **G_Q02** *Position:* 1164 *Length:* 1

In the past year, when you have had sexual intercourse, did you and your partner use a condom?

		FREQ	WTD
1	EACH TIME	875	1,604,093
2	SOME, BUT NOT ALL OF THE TIMES	495	776,890
3	NEVER	619	867,518
6	NOT APPLICABLE	11,324	20,531,620
9	NOT STATED	87	168,481

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 168

Sexual Health: G_Q03A Position: 1165 Length: 1

When you do use condoms, is it ...WHEN YOU MEET A NEW PERSON?

		FREQ	WTD
1	YES	273	419,279
2	NO	216	350,717
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,818	23,003,231
9	NOT STATED	93	175,375

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who use condoms some (but not all) of the time

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

Sexual Health: G_Q03B Position: 1166 Length: 1

When you do use condoms, is it...WHEN YOU ARE WITH SOMEONE OTHER THAN YOUR REGULAR PARTNER?

		FREQ	WTD
1	YES	107	166,796
2	NO	382	603,200
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,818	23,003,231
9	NOT STATED	93	175,375

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who use condoms some (but not all) of the time

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 169

Sexual Health: G_Q03C *Position: 1167* *Length: 1*

When you do use condoms, is it...(MALES ONLY:) WHEN YOUR PARTNER ASKS YOU TO USE ONE?

		FREQ	WTD
1	YES	75	108,899
2	NO	414	661,097
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,818	23,003,231
9	NOT STATED	93	175,375

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who use condoms some (but not all) of the time

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

Sexual Health: G_Q03D *Position: 1168* *Length: 1*

When you do use condoms, is it...SOME OTHER REASON (SPECIFY)?

		FREQ	WTD
1	YES	133	212,162
2	NO	356	557,835
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,818	23,003,231
9	NOT STATED	93	175,375

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who use condoms some (but not all) of the time

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 170

Sexual Health: G_Q04A *Position: 1169* *Length: 1*

What is your main reason for not using condoms each time you have sexual intercourse...DO NOT ALWAYS HAVE ONE AVAILABLE?

		FREQ	WTD
1	YES	219	337,480
2	NO	879	1,280,435
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

Sexual Health: G_Q04B *Position: 1170* *Length: 1*

What is your main reason for not using condoms each time you have sexual intercourse...WANT TO HAVE A CHILD?

		FREQ	WTD
1	YES	23	29,952
2	NO	1,075	1,587,963
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 171

Sexual Health: **G_Q04C** Position: 1171 Length: 1

What is your main reason for not using condoms each time you have sexual intercourse...CONDOMS ARE NOT NATURAL?

		FREQ	WTD
1	YES	82	110,028
2	NO	1,016	1,507,886
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

Sexual Health: **G_Q04D** Position: 1172 Length: 1

What is your main reason for not using condoms each time you have sexual intercourse...CONDOMS DO NOT FEEL GOOD/DO NOT FIT?

		FREQ	WTD
1	YES	158	233,598
2	NO	940	1,384,317
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 172

Sexual Health: G_Q04E *Position: 1173* *Length: 1*

What is your main reason for not using condoms each time you have sexual intercourse...TOO EMBARRASSED TO BUY THEM?

		FREQ	WTD
1	YES	12	13,263
2	NO	1,086	1,604,651
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

Sexual Health: G_Q04F *Position: 1174* *Length: 1*

What is your main reason for not using condoms each time you have sexual intercourse...TOO EXPENSIVE?

		FREQ	WTD
1	YES	22	37,909
2	NO	1,076	1,580,006
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 173

Sexual Health: G_Q04G *Position: 1175* *Length: 1*

What is your main reason for not using condoms each time you have sexual intercourse...USE OTHER METHOD OF CONTRACEPTION?

		FREQ	WTD
1	YES	334	482,283
2	NO	764	1,135,632
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

Sexual Health: G_Q04H *Position: 1176* *Length: 1*

What is your main reason for not using condoms each time you have sexual intercourse ...INTERRUPTS LOVEMAKING/SPOILS THE MOOD?

		FREQ	WTD
1	YES	96	149,172
2	NO	1,002	1,468,743
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 174

Sexual Health: **G_Q04I** Position: 1177 Length: 1

What is your main reason for not using condoms each time you have sexual intercourse...AGAINST RELIGION TO USE CONTRACEPTION?

		FREQ	WTD
1	YES	5	13,804
2	NO	1,093	1,604,110
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

Sexual Health: **G_Q04J** Position: 1178 Length: 1

What is your main reason for not using condoms each time you have sexual intercourse ...(MALES ONLY:)PARTNER DOES NOT ASK ME TO USE ONE?

		FREQ	WTD
1	YES	63	90,890
2	NO	1,035	1,527,024
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 175

Sexual Health: G_Q04K Position: 1179 Length: 1

What is your main reason for not using condoms each time you have sexual intercourse ...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	350	543,564
2	NO	748	1,074,350
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,199	22,135,714
9	NOT STATED	103	194,975

Coverage: Respondents aged 15 to 45, who had more than one partner, or whose marital status is single and had one partner, and who never or only sometimes use condoms

Note: People reporting one partner in G_Q01 and whose marital status was 'living with a partner' or 'separated' were also supposed to be asked this question, but due to a programming error, the question was skipped

Sexual Health: G_Q05 Position: 1180 Length: 1

In the past two years have you been told by a doctor that you had a sexually transmitted disease?

		FREQ	WTD
1	YES	98	154,977
2	NO	7,121	13,366,172
6	NOT APPLICABLE	6,053	10,156,462
9	NOT STATED	128	270,991

Coverage: Respondents aged 15 to 45

Sexual Health: G_Q06A Position: 1181 Length: 1

In the past two years have you had, or do you currently have, any of the following sexually transmitted diseases...CHLAMYDIA?

		FREQ	WTD
1	YES	34	51,640
2	NO	31	52,074
3	NONE OF THE ABOVE	31	46,853
6	NOT APPLICABLE	13,174	23,522,634
9	NOT STATED	130	275,402

Coverage: Respondents aged 15 to 45, who in the past 2 years have been told by a doctor that they had a sexually transmitted disease

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 176

Sexual Health: G_Q06B *Position: 1182* *Length: 1*

In the past two years have you had, or do you currently have, any of the following sexually transmitted diseases...GONORRHEA?

		FREQ	WTD
1	YES	4	4,587
2	NO	61	99,127
3	NONE OF THE ABOVE	31	46,853
6	NOT APPLICABLE	13,174	23,522,634
9	NOT STATED	130	275,402

Coverage: Respondents aged 15 to 45, who in the past 2 years have been told by a doctor that they had a sexually transmitted disease

Sexual Health: G_Q06C *Position: 1183* *Length: 1*

In the past two years have you had, or do you currently have, any of the following sexually transmitted diseases...SYPHILIS?

		FREQ	WTD
1	YES	0	0
2	NO	65	103,714
3	NONE OF THE ABOVE	31	46,853
6	NOT APPLICABLE	13,174	23,522,634
9	NOT STATED	130	275,402

Coverage: Respondents aged 15 to 45, who in the past 2 years have been told by a doctor that they had a sexually transmitted disease

Sexual Health: G_Q06D *Position: 1184* *Length: 1*

In the past two years have you had, or do you currently have, any of the following sexually transmitted diseases...GENITAL WARTS?

		FREQ	WTD
1	YES	17	21,770
2	NO	48	81,943
3	NONE OF THE ABOVE	31	46,853
6	NOT APPLICABLE	13,174	23,522,634
9	NOT STATED	130	275,402

Coverage: Respondents aged 15 to 45, who in the past 2 years have been told by a doctor that they had a sexually transmitted disease

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 177

Sexual Health: G_Q06E *Position: 1185* *Length: 1*

In the past two years have you had, or do you currently have, any of the following sexually transmitted diseases...GENITAL HERPES?

		FREQ	WTD
1	YES	10	19,288
2	NO	55	84,426
3	NONE OF THE ABOVE	31	46,853
6	NOT APPLICABLE	13,174	23,522,634
9	NOT STATED	130	275,402

Coverage: Respondents aged 15 to 45, who in the past 2 years have been told by a doctor that they had a sexually transmitted disease

Sexual Health: G_Q06F *Position: 1186* *Length: 1*

In the past two years have you had, or do you currently have, any of the following sexually transmitted diseases...HEPATITIS B?

		FREQ	WTD
1	YES	3	4,879
2	NO	62	98,835
3	NONE OF THE ABOVE	31	46,853
6	NOT APPLICABLE	13,174	23,522,634
9	NOT STATED	130	275,402

Coverage: Respondents aged 15 to 45, who in the past 2 years have been told by a doctor that they had a sexually transmitted disease

Sexual Health: G_Q06G *Position: 1187* *Length: 1*

In the past two years have you had, or do you currently have, any of the following sexually transmitted diseases...HIV/AIDS?

		FREQ	WTD
1	YES	4	9,155
2	NO	61	94,559
3	NONE OF THE ABOVE	31	46,853
6	NOT APPLICABLE	13,174	23,522,634
9	NOT STATED	130	275,402

Coverage: Respondents aged 15 to 45, who in the past 2 years have been told by a doctor that they had a sexually transmitted disease

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 178

Sexual Health: G_Q07 *Position:* 1188 *Length:* 1

Has your blood ever been tested for HIV?

		FREQ	WTD
1	YES	1,716	3,145,208
2	NO	5,481	10,324,441
6	NOT APPLICABLE	6,053	10,156,462
9	NOT STATED	150	322,493

Coverage: Respondents aged 15 to 45

Sexual Health: G_Q08 *Position:* 1189 *Length:* 2

Where was the (most recent) HIV testing done? Was it...

		FREQ	WTD
01	AT A DOCTORS' OFFICE	643	1,203,256
02	AT A BLOOD BANK	277	437,547
03	AT A CLINIC FOR SEXUALLY TRANSMITTED DISEASES	100	203,518
04	AT A VOLUNTARY HIV TESTING SITE	43	105,045
05	AT A HOSPITAL	373	586,803
06	AT SOME OTHER LOCATION	284	618,193
96	NOT APPLICABLE	11,534	20,480,903
99	NOT STATED	146	313,338

Coverage: Respondents aged 15 to 45, who in the past 2 years have been told by a doctor that they had HIV/AIDS or who have ever had their blood tested for HIV/AIDS

Sexual Health: G_Q09 *Position:* 1191 *Length:* 1

INTERVIEWER: WAS THE RESPONDENT ALONE WHEN YOU ASKED THE QUESTIONS IN THIS SECTION?

		FREQ	WTD
1	YES	6,119	11,387,797
2	NO	1,098	2,130,419
6	NOT APPLICABLE	6,053	10,156,462
9	NOT STATED	130	273,925

Coverage: Respondents aged 15 to 45

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 179

Sexual Health: G_Q10 *Position:* 1192 *Length:* 1

DO YOU THINK THAT THE ANSWERS OF THE RESPONDENT WERE AFFECTED BY ANYONE ELSE BEING THERE?

		FREQ	WTD
1	YES	55	111,874
2	NO	1,043	2,018,545
6	NOT APPLICABLE	12,172	21,544,259
9	NOT STATED	130	273,925

Coverage: Respondents aged 15 to 45, who were not alone with the interviewer when the questions were being administered

Health Care Services: H_Q01A *Position:* 1193 *Length:*1

In this last set of questions, we are interested in hearing your opinions on health care services, the quality of health care you receive, and the Canadian health care system. Are you given enough information by doctors when you need...ADVICE ON HOW TO STAY HEALTHY?

		FREQ	WTD
1	YES	8,196	14,091,911
2	NO	2,239	3,702,430
3	NONE OF THE ABOVE	1,547	2,678,722
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	45	75,029

Coverage: Respondents aged 20 or more

Health Care Services: H_Q01B *Position:* 1194 *Length:*1

Are you given enough information by doctors when you need...TREATMENT FOR COMMON ILLNESSES?

		FREQ	WTD
1	YES	8,321	14,334,620
2	NO	2,114	3,459,721
3	NONE OF THE ABOVE	1,547	2,678,722
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	45	75,029

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 180

Health Care Services: **H_Q01C** *Position:* 1195 *Length:*1

Are you given enough information by doctors when you need...TREATMENT FOR SERIOUS ILLNESSES?

		FREQ	WTD
1	YES	6,595	11,317,832
2	NO	3,840	6,476,509
3	NONE OF THE ABOVE	1,547	2,678,722
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	45	75,029

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q01D** *Position:* 1196 *Length:*1

Are you given enough information by doctors when you need...A REFERRAL TO A SPECIALIST?

		FREQ	WTD
1	YES	7,549	13,074,318
2	NO	2,886	4,720,023
3	NONE OF THE ABOVE	1,547	2,678,722
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	45	75,029

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q01E** *Position:* 1197 *Length:*1

Are you given enough information by doctors when you need...TO VISIT AN OUT-PATIENT CLINIC OR HOSPITAL?

		FREQ	WTD
1	YES	5,503	9,358,817
2	NO	4,932	8,435,525
3	NONE OF THE ABOVE	1,547	2,678,722
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	45	75,029

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 181

Health Care Services: **H_Q01F** Position: 1198 Length:1

Are you given enough information by doctors when you need...TO STAY IN HOSPITAL?

		FREQ	WTD
1	YES	4,956	8,341,606
2	NO	5,479	9,452,736
3	NONE OF THE ABOVE	1,547	2,678,722
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	45	75,029

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q01G** Position: 1199 Length:1

Are you given enough information by doctors when you need ...SURGERY?

		FREQ	WTD
1	YES	4,649	7,886,899
2	NO	5,786	9,907,443
3	NONE OF THE ABOVE	1,547	2,678,722
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	45	75,029

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 182

Health Care Services: **H_Q02** *Position:* 1200 *Length:*1

Think about the most recent reason for consulting a doctor regarding your own health during the last 12 months. Which of the following statements best describes the relationship between yourself and your doctor at that time?

		FREQ	WTD
1	THE DOCTOR TOLD YOU WHAT TO DO AND YOU FOLLOWED HIS/HER ADVICE	5,395	8,994,973
2	THE DOCTOR OFFERED OPTIONS FOR CARE, AND YOU CHOSE ONE	938	1,639,727
3	YOU AND THE DOCTOR DISCUSSED THE OPTIONS AND AGREED ON THE BEST ONE	2,488	4,195,743
4	YOU AND THE DOCTOR DID NOT AGREE ON WHAT WAS BEST FOR YOU	260	444,245
5	NONE OF THE ABOVE	753	1,405,569
6	NOT APPLICABLE	3,525	7,176,557
9	NOT STATED	41	91,789

Coverage: Respondents aged 20 or more, who have consulted a doctor (general practitioner or another medical doctor) in the past 12 months

Health Care Services: **H_Q03** *Position:* 1201 *Length:*1

In the last 12 months when you saw a doctor or nurse, was there an occasion when you did not have a say in the treatment being offered?

		FREQ	WTD
1	YES	946	1,770,851
2	NO	8,129	13,498,671
6	NOT APPLICABLE	4,278	8,582,126
9	NOT STATED	47	96,955

Coverage: Respondents aged 20 or more, who have consulted a doctor (general practitioner or another medical doctor) in the past 12 months, excluding those who replied 'None of the above' in H_Q02

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 183

Health Care Services: **H_Q04A** *Position:* 1202 *Length:*1

Thinking about the most recent time when you did not have a say in the treatment, what did you do...SAW ANOTHER DOCTOR?

		FREQ	WTD
1	YES	127	223,253
2	NO	819	1,547,598
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,407	22,080,797
9	NOT STATED	47	96,955

Coverage: Respondents aged 20 or more, who have consulted a doctor (general practitioner or another medical doctor) in the past 12 months and did not have a say in the treatment being offered

Health Care Services: **H_Q04B** *Position:* 1203 *Length:*1

Thinking about the most recent time when you did not have a say in the treatment, what did you do...DID NOTHING?

		FREQ	WTD
1	YES	162	283,714
2	NO	784	1,487,137
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,407	22,080,797
9	NOT STATED	47	96,955

Coverage: Respondents aged 20 or more, who have consulted a doctor (general practitioner or another medical doctor) in the past 12 months and did not have a say in the treatment being offered

Health Care Services: **H_Q04C** *Position:* 1204 *Length:*1

Thinking about the most recent time when you did not have a say in the treatment, what did you do...DID WHAT YOU THOUGHT WORKED BEST FOR YOU?

		FREQ	WTD
1	YES	123	243,244
2	NO	823	1,527,607
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,407	22,080,797
9	NOT STATED	47	96,955

Coverage: Respondents aged 20 or more, who have consulted a doctor (general practitioner or another medical doctor) in the past 12 months and did not have a say in the treatment being offered

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 184

Health Care Services: **H_Q04D** *Position:* 1205 *Length:*1

Thinking about the most recent time when you did not have a say in the treatment, what did you do...FOLLOWED THE DOCTOR'S ADVICE?

		FREQ	WTD
1	YES	531	1,017,448
2	NO	415	753,403
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,407	22,080,797
9	NOT STATED	47	96,955

Coverage: Respondents aged 20 or more, who have consulted a doctor (general practitioner or another medical doctor) in the past 12 months and did not have a say in the treatment being offered

Health Care Services: **H_Q04E** *Position:* 1206 *Length:*1

Thinking about the most recent time when you did not have a say in the treatment, what did you do...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	38	65,684
2	NO	908	1,705,167
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	12,407	22,080,797
9	NOT STATED	47	96,955

Coverage: Respondents aged 20 or more, who have consulted a doctor (general practitioner or another medical doctor) in the past 12 months and did not have a say in the treatment being offered

Health Care Services: **H_Q05** *Position:* 1207 *Length:*1

When you have a health problem, how often do you go to the same family doctor?

		FREQ	WTD
1	ALWAYS	9,681	16,364,409
2	SOMETIMES	1,192	2,126,156
3	RARELY	552	979,887
4	NEVER	585	1,053,342
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	17	24,298

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 185

Health Care Services: **H_Q06** *Position:* 1208 *Length:*1

When you need a prescription filled, how often do you go to the same pharmacy?

		FREQ	WTD
1	ALWAYS	8,849	14,706,791
2	SOMETIMES	2,076	3,873,282
3	RARELY	521	964,208
4	NEVER	565	973,532
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	16	30,279

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q07** *Position:* 1209 *Length:*1

Has your doctor prescribed any medication for you in the past 12 months?

		FREQ	WTD
1	YES	7,296	12,106,594
2	NO	4,722	8,423,821
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	9	17,677

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q08A** *Position:* 1210 *Length:*1

When your doctor prescribed a medication for you in the past 12 months, did he or she usually tell you
...WHAT THE MEDICATION WAS FOR?

		FREQ	WTD
1	YES	6,746	11,238,873
2	NO	280	452,019
3	NONE OF THE ABOVE	266	408,197
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	13	25,183

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 186

Health Care Services: **H_Q08B** *Position:* 1211 *Length:*1

When your doctor prescribed a medication for you in the past 12 months, did he or she usually tell you...WHAT THE MEDICATION SHOULD DO?

		FREQ	WTD
1	YES	5,824	9,835,952
2	NO	1,202	1,854,939
3	NONE OF THE ABOVE	266	408,197
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	13	25,183

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q08C** *Position:* 1212 *Length:*1

When your doctor prescribed a medication for you in the past 12 months, did he or she usually tell you...WHAT THE POSSIBLE SIDE EFFECTS WERE?

		FREQ	WTD
1	YES	3,963	6,700,342
2	NO	3,063	4,990,549
3	NONE OF THE ABOVE	266	408,197
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	13	25,183

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q08D** *Position:* 1213 *Length:*1

When your doctor prescribed a medication for you in the past 12 months, did he or she usually tell you...HOW MUCH TO TAKE AND WHEN TO TAKE IT?

		FREQ	WTD
1	YES	5,866	9,937,863
2	NO	1,160	1,753,028
3	NONE OF THE ABOVE	266	408,197
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	13	25,183

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 187

Health Care Services: **H_Q08E** *Position:* 1214 *Length:*1

When your doctor prescribed a medication for you in the past 12 months, did he or she usually tell you...WHAT YOU SHOULD NOT EAT, DRINK OR TAKE WITH IT?

		FREQ	WTD
1	YES	3,854	6,610,481
2	NO	3,172	5,080,410
3	NONE OF THE ABOVE	266	408,197
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	13	25,183

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q08F** *Position:* 1215 *Length:*1

When your doctor prescribed a medication for you in the past 12 months, did he or she usually tell you...WHAT ACTIVITIES YOU SHOULD AVOID WHILE TAKING THE MEDICATION?

		FREQ	WTD
1	YES	2,889	4,933,046
2	NO	4,137	6,757,846
3	NONE OF THE ABOVE	266	408,197
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	13	25,183

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q09A** *Position:* 1216 *Length:*1

When you had a prescription filled in the past 12 months, did your pharmacist usually tell you...WHAT THE MEDICATION WAS FOR?

		FREQ	WTD
1	YES	4,499	7,626,958
2	NO	1,679	2,672,005
3	NONE OF THE ABOVE	1,103	1,780,050
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	24	45,259

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 188

Health Care Services: **H_Q09B** *Position:* 1217 *Length:*1

When you had a prescription filled in the past 12 months, did your pharmacist usually tell you...WHAT THE MEDICATION SHOULD DO?

		FREQ	WTD
1	YES	4,085	6,882,975
2	NO	2,093	3,415,989
3	NONE OF THE ABOVE	1,103	1,780,050
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	24	45,259

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q09C** *Position:* 1218 *Length:*1

When you had a prescription filled in the past 12 months, did your pharmacist usually tell you...WHAT THE POSSIBLE SIDE EFFECTS WERE?

		FREQ	WTD
1	YES	4,220	6,983,272
2	NO	1,958	3,315,692
3	NONE OF THE ABOVE	1,103	1,780,050
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	24	45,259

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q09D** *Position:* 1219 *Length:*1

When you had a prescription filled in the past 12 months, did your pharmacist usually tell you...HOW MUCH TO TAKE AND WHEN TO TAKE IT?

		FREQ	WTD
1	YES	5,166	8,713,086
2	NO	1,012	1,585,877
3	NONE OF THE ABOVE	1,103	1,780,050
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	24	45,259

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 189

Health Care Services: **H_Q09E** Position: 1220 Length:1

When you had a prescription filled in the past 12 months, did your pharmacist usually tell you...WHAT YOU SHOULD NOT EAT, DRINK OR TAKE WITH IT?

		FREQ	WTD
1	YES	4,426	7,408,555
2	NO	1,752	2,890,408
3	NONE OF THE ABOVE	1,103	1,780,050
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	24	45,259

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q09F** Position: 1221 Length:1

When you had a prescription filled in the past 12 months, did your pharmacist usually tell you...WHAT ACTIVITIES YOU SHOULD AVOID WHILE TAKING THE MEDICATION?

		FREQ	WTD
1	YES	3,246	5,325,888
2	NO	2,932	4,973,075
3	NONE OF THE ABOVE	1,103	1,780,050
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	24	45,259

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q09G** Position: 1222 Length:1

When you had a prescription filled in the past 12 months, did your pharmacist usually tell you...HOW TO STORE THE MEDICATION?

		FREQ	WTD
1	YES	2,902	4,709,944
2	NO	3,276	5,589,019
3	NONE OF THE ABOVE	1,103	1,780,050
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	24	45,259

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 190

Health Care Services: **H_Q09H** *Position:* 1223 *Length:*1

When you had a prescription filled in the past 12 months, did your pharmacist usually tell you...WHAT YOU SHOULD TAKE WITH THE MEDICATION (E.G. FOOD, WATER, MILK)?

		FREQ	WTD
1	YES	3,639	6,053,978
2	NO	2,539	4,244,985
3	NONE OF THE ABOVE	1,103	1,780,050
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	24	45,259

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q10** *Position:* 1224 *Length:*1

When you go to the family doctor, how often do you take your medications or a list (of them) with you?

		FREQ	WTD
1	ALWAYS	1,101	1,747,057
2	SOMETIMES	381	588,214
3	RARELY	443	718,166
4	NEVER	5,369	9,046,720
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	11	24,114

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

Health Care Services: **H_Q11** *Position:* 1225 *Length:*1

When you go to the pharmacy with a prescription to be filled, how often do you take your medications or a list (of them) with you?

		FREQ	WTD
1	ALWAYS	763	1,165,518
2	SOMETIMES	239	365,505
3	RARELY	315	524,228
4	NEVER	5,975	10,041,668
6	NOT APPLICABLE	6,095	11,824,332
9	NOT STATED	13	27,353

Coverage: Respondents aged 20 or more, whose doctor has prescribed medication for them in the past 12 months

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 191

Health Care Services: **H_Q12** *Position:* 1226 *Length:*1

Would you go to a health care clinic, rather than a hospital or private doctor's office, for a routine physical exam?

		FREQ	WTD
1	YES	4,927	8,501,906
2	NO	7,034	11,935,332
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	66	110,855

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q13** *Position:* 1227 *Length:*1

Would you allow a nurse to give you a routine physical exam?

		FREQ	WTD
1	YES	3,702	6,310,851
2	NO	1,203	2,162,471
6	NOT APPLICABLE	8,407	15,335,842
9	NOT STATED	88	139,438

Coverage: Respondents aged 20 or more, who would be willing to go to a health care clinic for a routine physical exam

Health Care Services: **H_Q14** *Position:* 1228 *Length:*1

Would you go to a health care clinic, rather than a hospital or private doctor's office to receive shots (immunizations)?

		FREQ	WTD
1	YES	7,737	13,023,126
2	NO	4,248	7,429,427
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	42	95,540

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 192

Health Care Services: **H_Q15** *Position:* 1229 *Length:*1

Would you allow a nurse, rather than a doctor, to give you immunization shots?

		FREQ	WTD
1	YES	7,495	12,575,555
2	NO	240	445,709
6	NOT APPLICABLE	5,621	10,829,937
9	NOT STATED	44	97,402

Coverage: Respondents aged 20 or more, who would be willing to go to a health care clinic to receive shots (immunization)

Health Care Services: **H_Q16** *Position:* 1230 *Length:*1

Would you go to a birthing centre, rather than go to a hospital to have a baby?

		FREQ	WTD
1	YES	1,239	1,993,254
2	NO	3,092	4,878,936
3	DOES NOT WANT BABY	2,362	3,537,925
6	NOT APPLICABLE	6,636	13,412,743
9	NOT STATED	71	125,745

Coverage: Female respondents aged 20 or more

Health Care Services: **H_Q17** *Position:* 1231 *Length:*1

Would you allow a nurse or midwife, rather than a doctor, to deliver your baby?

		FREQ	WTD
1	YES	912	1,447,972
2	NO	307	504,789
6	NOT APPLICABLE	12,090	21,829,604
9	NOT STATED	91	166,238

Coverage: Female respondents aged 20 or more, who would be willing to go to a birthing centre to have a baby

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 193

Health Care Services: **H_Q18** *Position:* 1232 *Length:*1

Would you go to a health care clinic or birthing centre, rather than a private doctor's office, to receive postpartum care?

		FREQ	WTD
1	YES	1,810	2,823,510
2	NO	2,530	4,067,233
3	DOES NOT WANT BABY	0	0
6	NOT APPLICABLE	8,998	16,950,668
9	NOT STATED	62	107,192

Coverage: Female respondents aged 20 or more, excluding those who said 'Not applicable - do not want to have children' in H_Q16

Health Care Services: **H_Q19** *Position:* 1233 *Length:*1

Would you allow a nurse or midwife, rather than a doctor, to give you postpartum care?

		FREQ	WTD
1	YES	1,502	2,366,111
2	NO	290	419,841
6	NOT APPLICABLE	9,166	17,479,976
9	NOT STATED	2,442	3,682,674

Coverage: Female respondents aged 20 or more, who would be willing to go to a health care clinic or a birthing centre to receive post-partum care

Health Care Services: **H_Q20** *Position:* 1234 *Length:*1

Would you go to a health care clinic or a sports and exercise centre to receive advice on health subjects such as eating, exercise, or smoking?

		FREQ	WTD
1	YES	7,654	12,920,799
2	NO	4,295	7,508,646
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	78	118,647

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 194

Health Care Services: **H_Q21** *Position:* 1235 *Length:*1

Would you allow a nurse, dietician, nutritionist or physical education teacher, rather than a doctor, to give you advice on health subjects such as eating, exercise or smoking?

		FREQ	WTD
1	YES	7,125	12,078,056
2	NO	520	835,166
6	NOT APPLICABLE	5,668	10,909,156
9	NOT STATED	87	126,224

Coverage: Respondents aged 20 or more, who would be willing to go to a health care clinic or sports centre to receive advice on health subjects such as eating, exercise or smoking

Health Care Services: **H_Q22** *Position:* 1236 *Length:*1

Are you aware of how much health care costs per year in your province?

		FREQ	WTD
1	YES	3,998	6,524,675
2	NO	8,014	14,001,242
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	15	22,175

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q23** *Position:* 1237 *Length:*1

Are you aware of how much it costs your provincial health care system for individual services such as doctor visits, x-rays, laboratory tests or hospital stays?

		FREQ	WTD
1	YES	3,672	6,112,617
2	NO	8,340	14,415,818
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	15	19,658

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 195

Health Care Services: **H_Q24** *Position:* 1238 *Length:*1

Would an awareness of the cost of these types of services cause you to change how you use them?

		FREQ	WTD
1	YES	1,942	3,482,268
2	NO	6,365	10,852,851
6	NOT APPLICABLE	5,045	9,513,127
9	NOT STATED	48	100,356

Coverage: Respondents aged 20 or more, who are not aware of the costs for individual services (such as doctor visits, x-rays, laboratory tests or hospital stays)

Health Care Services: **H_Q25** *Position:* 1239 *Length:*1

Has an awareness of the cost of these types of services caused you to change how you use them?

		FREQ	WTD
1	YES	1,334	2,367,890
2	NO	2,336	3,739,577
6	NOT APPLICABLE	9,713	17,816,329
9	NOT STATED	17	24,807

Coverage: Respondents aged 20 or more, who are aware of the costs for individual services (such as doctor visits, x-rays, laboratory tests or hospital stays)

Health Care Services: **H_Q26** *Position:* 1240 *Length:*1

Overall how would you rate health care in Canada?

		FREQ	WTD
1	EXCELLENT	4,512	8,458,964
2	GOOD	6,016	9,678,697
3	FAIR	1,173	1,900,107
4	POOR	261	380,993
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	65	129,331

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 196

Health Care Services: **H_Q27** *Position:* 1241 *Length:*1

How would you rate the health care system in your province?

		FREQ	WTD
1	EXCELLENT	4,150	7,952,773
2	GOOD	6,020	9,716,822
3	FAIR	1,458	2,302,816
4	POOR	364	517,351
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	35	58,331

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q28** *Position:* 1242 *Length:*1

How would you rate the quality of health care that you personally have received in the past 12 months?

		FREQ	WTD
1	EXCELLENT	4,640	8,566,341
2	GOOD	4,790	7,514,942
3	FAIR	658	1,052,525
4	POOR	150	258,457
5	DIDN'T RECEIVED ANY HEALTH CARE IN PAST 12 MONTHS	5,781	3,143,754
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	8	12,074

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q29A** *Position:* 1243 *Length:*1

What do you think are the main strengths of Canada's health care systems...NO COST?

		FREQ	WTD
1	YES	7,089	11,922,949
2	NO	4,610	8,122,160
3	NONE OF THE ABOVE	178	280,894
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	150	222,089

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 197

Health Care Services: **H_Q29B** *Position:* 1244 *Length:*1

What do you think are the main strengths of Canada's health care systems...ACCESS(URBAN\RURAL)?

		FREQ	WTD
1	YES	4,297	7,896,696
2	NO	7,402	12,148,414
3	NONE OF THE ABOVE	178	280,894
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	150	222,089

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q29C** *Position:* 1245 *Length:*1

What do you think are the main strengths of Canada's health care systems...QUALITY OF CARE?

		FREQ	WTD
1	YES	4,349	7,933,332
2	NO	7,350	12,111,778
3	NONE OF THE ABOVE	178	280,894
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	150	222,089

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q29D** *Position:* 1246 *Length:*1

What do you think are the main strengths of Canada's health care systems...UNIVERSALITY
(AVAILABLE TO RICH AND POOR)?

		FREQ	WTD
1	YES	6,712	11,549,375
2	NO	4,987	8,495,735
3	NONE OF THE ABOVE	178	280,894
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	150	222,089

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 198

Health Care Services: **H_Q29E** *Position:* 1247 *Length:*1

What do you think are the main strengths of Canada's health care systems...PORTABILITY (AVAILABLE WHEN VISITING ANOTHER PROVINCE)?

		FREQ	WTD
1	YES	2,570	4,343,341
2	NO	9,129	15,701,769
3	NONE OF THE ABOVE	178	280,894
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	150	222,089

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q29F** *Position:* 1248 *Length:*1

What do you think are the main strengths of Canada's health care systems...FREE TO CHOOSE THE DOCTOR AND LOCATION OF TREATMENT?

		FREQ	WTD
1	YES	4,575	8,154,543
2	NO	7,124	11,890,567
3	NONE OF THE ABOVE	178	280,894
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	150	222,089

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q29G** *Position:* 1249 *Length:*1

What do you think are the main strengths of Canada's health care systems...RANGE OF SERVICES AVAILABLE?

		FREQ	WTD
1	YES	3,111	5,801,734
2	NO	8,588	14,243,376
3	NONE OF THE ABOVE	178	280,894
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	150	222,089

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 199

Health Care Services: **H_Q29H** *Position:* 1250 *Length:*1

What do you think are the main strengths of Canada's health care systems...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	444	846,547
2	NO	11,255	19,198,563
3	NONE OF THE ABOVE	178	280,894
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	150	222,089

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q30A** *Position:* 1251 *Length:*1

What do you think are the main weaknesses of Canada's health care systems...TOO LONG BETWEEN THE CALL AND APPOINTMENT OR VISIT?

		FREQ	WTD
1	YES	3,256	6,095,192
2	NO	7,066	11,737,885
3	NONE OF THE ABOVE	1,551	2,434,341
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	154	280,674

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q30B** *Position:* 1252 *Length:*1

What do you think are the main weaknesses of Canada's health care systems...QUALITY OF CARE?

		FREQ	WTD
1	YES	924	1,598,211
2	NO	9,398	16,234,865
3	NONE OF THE ABOVE	1,551	2,434,341
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	154	280,674

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 200

Health Care Services: **H_Q30C** *Position:* 1253 *Length:*1

What do you think are the main weaknesses of Canada's health care systems...LACK OF AVAILABLE SERVICES?

		FREQ	WTD
1	YES	1,624	2,614,695
2	NO	8,698	15,218,382
3	NONE OF THE ABOVE	1,551	2,434,341
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	154	280,674

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q30D** *Position:* 1254 *Length:*1

What do you think are the main weaknesses of Canada's health care systems...COST OF SYSTEM?

		FREQ	WTD
1	YES	2,093	3,854,690
2	NO	8,229	13,978,387
3	NONE OF THE ABOVE	1,551	2,434,341
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	154	280,674

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q30E** *Position:* 1255 *Length:*1

What do you think are the main weaknesses of Canada's health care systems...LACK OF TECHNOLOGY/EQUIPMENT/TESTS?

		FREQ	WTD
1	YES	1,024	1,589,534
2	NO	9,298	16,243,543
3	NONE OF THE ABOVE	1,551	2,434,341
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	154	280,674

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 201

Health Care Services: **H_Q30F** *Position:* 1256 *Length:*1

What do you think are the main weaknesses of Canada's health care systems...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	1,798	3,164,227
2	NO	8,524	14,668,850
3	NONE OF THE ABOVE	1,551	2,434,341
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	154	280,674

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q30G** *Position:* 1257 *Length:*1

What do you think are the main weaknesses of Canada's health care systems...THE MISUSE/ABUSE?

		FREQ	WTD
1	YES	6,293	10,963,739
2	NO	4,029	6,869,338
3	NONE OF THE ABOVE	1,551	2,434,341
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	154	280,674

Coverage: Respondents aged 20 or more

Health Care Services: **H_Q31** *Position:* 1258 *Length:*1

Do you think there is misuse in Canada's health care systems?

		FREQ	WTD
1	YES	10,595	18,146,102
2	NO	1,277	2,108,799
6	NOT APPLICABLE	1,373	3,400,510
9	NOT STATED	155	293,191

Coverage: Respondents aged 20 or more

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 202

Health Care Services: **H_Q32A** *Position:* 1259 *Length:*1

In which areas do you think there is misuse...NUMBER OF DOCTOR'S VISITS FOR MINOR AILMENTS?

		FREQ	WTD
1	YES	8,666	14,652,215
2	NO	1,854	3,360,851
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	230	426,227

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

Health Care Services: **H_Q32B** *Position:* 1260 *Length:*1

In which areas do you think there is misuse... NUMBER OF DIAGNOSTIC TESTS?

		FREQ	WTD
1	YES	1,934	3,470,352
2	NO	8,586	14,542,714
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	230	426,227

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

Health Care Services: **H_Q32C** *Position:* 1261 *Length:*1

In which areas do you think there is misuse...NUMBER OF DRUGS PRESCRIBED?

		FREQ	WTD
1	YES	4,454	7,456,389
2	NO	6,066	10,556,677
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	230	426,227

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 203

Health Care Services: **H_Q32D** *Position:* 1262 *Length:*1

In which areas do you think there is misuse...HOSPITALIZATIONS INSTEAD OF OUT-PATIENT OR HOMECARE?

		FREQ	WTD
1	YES	1,549	2,714,789
2	NO	8,971	15,298,278
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	230	426,227

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

Health Care Services: **H_Q32E** *Position:* 1263 *Length:*1

In which areas do you think there is misuse... LENGTH OF STAY IN HOSPITAL?

		FREQ	WTD
1	YES	798	1,338,114
2	NO	9,722	16,674,952
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	230	426,227

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

Health Care Services: **H_Q32F** *Position:* 1264 *Length:*1

In which areas do you think there is misuse...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	1,815	3,651,927
2	NO	8,705	14,361,139
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	230	426,227

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 204

Health Care Services: **H_Q33A** *Position:* 1265 *Length:*1

Who do you think should be responsible for reducing or stopping the misuse...INDIVIDUAL CANADIANS USING THE SERVICE?

		FREQ	WTD
1	YES	6,376	10,720,341
2	NO	4,108	7,246,719
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	266	472,233

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

Health Care Services: **H_Q33B** *Position:* 1266 *Length:*1

Who do you think should be responsible for reducing or stopping the misuse...DOCTORS?

		FREQ	WTD
1	YES	4,636	7,755,912
2	NO	5,848	10,211,148
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	266	472,233

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

Health Care Services: **H_Q33C** *Position:* 1267 *Length:*1

Who do you think should be responsible for reducing or stopping the misuse...MEDICAL ASSOCIATIONS?

		FREQ	WTD
1	YES	1,977	3,565,261
2	NO	8,507	14,401,799
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	266	472,233

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 205

Health Care Services: **H_Q33D** *Position:* 1268 *Length:*1

Who do you think should be responsible for reducing or stopping the misuse...HOSPITALS?

		FREQ	WTD
1	YES	1,592	2,939,915
2	NO	8,892	15,027,145
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	266	472,233

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

Health Care Services: **H_Q33E** *Position:* 1269 *Length:*1

Who do you think should be responsible for reducing or stopping the misuse...GOVERNMENTS
(LOCAL/MUNICIPAL, PROVINCIAL, FEDERAL)?

		FREQ	WTD
1	YES	5,380	9,884,698
2	NO	5,104	8,082,362
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	266	472,233

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

Health Care Services: **H_Q33F** *Position:* 1270 *Length:*1

Who do you think should be responsible for reducing or stopping the misuse...OTHER (SPECIFY)?

		FREQ	WTD
1	YES	436	761,435
2	NO	10,048	17,205,625
3	NONE OF THE ABOVE	0	0
6	NOT APPLICABLE	2,650	5,509,309
9	NOT STATED	266	472,233

Coverage: Respondents aged 20 or more, who believe there is misuse in Canada's health care systems

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 206

Smoking: **CHLT12** Position: 1271 Length: 1

Any children less than 12 years of age (birth, step, adopted or foster children)

		FREQ	WTD
1	YES	2,806	5,595,052
2	NO	10,594	18,353,551

Coverage: All respondents

Smoking: **CHLT06** Position: 1272 Length: 1

Any children less than 6 years of age (birth, step adopted or foster children)

		FREQ	WTD
1	YES	1,833	3,568,630
2	NO	11,567	20,379,973

Coverage: All respondents

Nutrition: **BCHLT05** Position: 1273 Length: 1

Number of birth children less than 5 years of age
 Allowed Min: 0 Allowed Max: 3

		FREQ	WTD
0	NO BIRTH CHILDREN	11,827	20,898,131
1	1 BIRTH CHILD AGE < 5	1,143	2,233,690
2	2 BIRTH CHILDREN AGE < 5	379	731,523
3	3 OR MORE BIRTH CHILDREN AGE < 5	51	85,259

Coverage: All respondents

NATIONAL POPULATION HEALTH SURVEY SUPPLEMENTS

January 24, 1997

Page 207

Variable: **TCHLT13** *Position:* 1274 *Length:* 1

Number of children less than 13 years of age (birth, step, adopted or foster children)

Allowed Min: 0 *Allowed Max:* 4

		FREQ	WTD
0	NO CHILDREN AGE < 13	10,449	18,065,436
1	1 CHILD AGE < 13	1,304	2,629,781
2	2 CHILDREN AGE < 13	1,162	2,336,717
3	3 CHILDREN AGE < 13	405	791,320
4	4 OR MORE CHILDREN AGE < 13	80	125,349

Coverage: All respondents

Variable: **WT7** *Position:* 1275 *Length:* 8

Sampling weight for selected person - (2 embedded decimal places)

Coverage: All respondents
