

1996-97 NPHS: PUMF - Health Institutions - Cross-sectional
 Alphabetic Index

July, 2000

Variable Name	Description	Section	Page
ALI6_1	Drank alcohol in past 12 months	AL	55
ALI6_2	Frequency of drinking alcohol	AL	55
ALI6_3	Has ever had a drink	AL	56
ALI6_4	Regularly drank more than 12 drinks a week	AL	56
ALI6DTYP	Derived type of drinker	AL	57
AMI6_RNO	Record number on microdata file	AM	1
CCI6_1A	Has arthritis or rheumatism	CC	27
CCI6_1B	Has high blood pressure	CC	28
CCI6_1C	Has asthma	CC	28
CCI6_1D	Has chronic bronchitis or emphysema	CC	28
CCI6_1E	Has diabetes	CC	29
CCI6_1F	Has epilepsy	CC	29
CCI6_1G	Has heart disease	CC	29
CCI6_1H	Suffers from the effects of a stroke	CC	30
CCI6_1I	Suffers from partial or complete paralysis	CC	30
CCI6_1J	Has urinary incontinence	CC	31
CCI6_1K	Has difficulty controlling bowels	CC	31
CCI6_1L	Has Alzheimer's disease or other dementia	CC	31
CCI6_1M	Has osteoporosis or brittle bones	CC	32
CCI6_1N	Has cataracts	CC	32
CCI6_1O	Has glaucoma	CC	32
CCI6_1P	Has stomach or intestinal ulcers	CC	33
CCI6_1Q	Suffers from kidney failure or disease	CC	33
CCI6_1R	Has a bowel disorder such as Crohn's Disease or colitis	CC	33
CCI6_1S	Has a thyroid condition	CC	34
CCI6_1T	Has a developmental delay	CC	34
CCI6_1U	Has schizophrenia / depression / other	CC	35
CCI6_1V	Has other chronic condition	CC	35
CCI6GNUM	Derived number of chronic conditions - grouped	CC	36
DGI6G2	No. of different medications taken in past 2 days - grouped	DG	79
DGI6G3A	Drug code - drug 1 - grouped	DG	80
DGI6G3B	Drug code - drug 2 - grouped	DG	81
DGI6G3C	Drug code - drug 3 - grouped	DG	82
DGI6G3D	Drug code - drug 4 - grouped	DG	83
DGI6G3E	Drug code - drug 5 - grouped	DG	84
DGI6G3F	Drug code - drug 6 - grouped	DG	85

1996-97 NPHS: PUMF - Health Institutions - Cross-sectional
 Alphabetic Index

July, 2000

Variable Name	Description	Section	Page
DGI6G3G	Drug code - drug 7 - grouped	DG	86
DGI6G3H	Drug code - drug 8 - grouped	DG	87
DGI6G3I	Drug code - drug 9 - grouped	DG	88
DGI6G3J	Drug code - drug 10 - grouped	DG	89
DGI6G3K	Drug code - drug 11 - grouped	DG	90
DGI6G3L	Drug code - drug 12 - grouped	DG	91
DHI6_1	Information source	DH	1
DHI6_8	Room alone	DH	3
DHI6_9	Has telephone in room	DH	3
DHI6_SEX	Sex	DH	2
DHI6G11	Place of residency prior to admission - grouped	DH	5
DHI6GADM	Derived age at admission - grouped	DH	4
DHI6GAGE	Derived age at interview - grouped	DH	2
DHI6GMAR	Marital status - grouped	DH	3
DHI6GSTY	Derived length of stay in the facility - grouped	DH	4
EDI6_1	Highest level of education attained	ED	73
FLI6_1	Has fallen	FL	44
FLI6_2	Number of falls	FL	45
FLI6_3	Was injured in fall	FL	45
FLI6_5A	Cause of fall - dizziness / fainting	FL	46
FLI6_5B	Cause of fall - illness	FL	47
FLI6_5C	Cause of fall - weakness / frailty	FL	47
FLI6_5D	Cause of fall - problems with balance	FL	48
FLI6_5G	Cause of fall - poor eyesight	FL	48
FLI6_5H	Cause of fall - tripped over / bumped object	FL	49
FLI6_5I	Cause of fall - misjudged distance	FL	49
FLI6G4	Most serious injury resulting from fall - grouped	FL	46
FLI6G5OT	Cause of fall - other - grouped	FL	50
GHI6DHDl	Derived Health Description Index	GH	5
HCl6_1A	Number of consultations - general practitioner	HC	92
HCl6_1B	Number of consultations - eye specialist	HC	92
HCl6_1C	Number of consultations - other medical doctor	HC	93
HCl6_1D	Number of consultations - nurse	HC	93
HCl6_1E	Number of consultations - physiotherapist	HC	94
HCl6_1F	Number of consultations - speech / audiology therapist	HC	94
HCl6_1G	Number of consultations - occupational therapist	HC	95

1996-97 NPHS: PUMF - Health Institutions - Cross-sectional
 Alphabetic Index

July, 2000

Variable Name	Description	Section	Page
HCI6_1H	Number of consultations - respiratory therapist	HC	95
HCI6_1I	Number of consultations - dentist / denture therapist	HC	96
HCI6_1J	Number of consultations - psychologist	HC	96
HCI6_1K	Number of consultations - social worker or counselor	HC	97
HCI6_2	Temporary transfer to acute care facility	HC	97
HSI6_1	Sees well enough to read newsprint without glasses/ contacts	HS	6
HSI6_10	Hears in quiet room with hearing aid	HS	11
HSI6_11	Understood by strangers in own language	HS	12
HSI6_12	Understood partially by strangers in own language	HS	12
HSI6_13	Understood by non-strangers in own language	HS	13
HSI6_14	Understood partially by non-strangers in own language	HS	13
HSI6_15	Able to walk without difficulty without support	HS	14
HSI6_16	Able to walk	HS	15
HSI6_17	Requires support to walk	HS	15
HSI6_18	Requires help of person to walk	HS	16
HSI6_19	Requires a wheelchair	HS	16
HSI6_2	Sees well enough to read newsprint with glasses / contacts	HS	6
HSI6_20	Frequency of wheelchair use	HS	17
HSI6_21	Requires help to move in wheelchair	HS	17
HSI6_22	Has difficulty cutting own toenails	HS	18
HSI6_23	Able to grasp and handle small objects	HS	19
HSI6_24	Requires help due to limitations in hands	HS	19
HSI6_25	Requires help with tasks	HS	20
HSI6_26	Requires special equipment due to limitation in hands	HS	20
HSI6_27	Description of feelings	HS	21
HSI6_28	Ability to remember things	HS	22
HSI6_29	Memory problems	HS	23
HSI6_3	Able to see	HS	7
HSI6_30	Ability to think and solve problems	HS	23
HSI6_31	Free of pain or discomfort	HS	24
HSI6_32	Intensity of pain or discomfort	HS	25
HSI6_33	Number of activities prevented by pain / discomfort	HS	25
HSI6_4	Sees well enough to recognize friend without glasses	HS	7
HSI6_5	Sees well enough to recognize friend with glasses	HS	8
HSI6_6	Hears in group of people without hearing aid	HS	9
HSI6_7	Hears in group of people with hearing aid	HS	9

1996-97 NPHS: PUMF - Health Institutions - Cross-sectional
 Alphabetic Index

July, 2000

Variable Name	Description	Section	Page
HSI6_8	Able to hear	HS	10
HSI6_9	Hears in quiet room without hearing aid	HS	10
HSI6DCOG	Derived cognition - function code	HS	24
HSI6DDEX	Derived dexterity trouble - function code	HS	21
HSI6DEMO	Derived emotional problems - function code	HS	22
HSI6DHER	Derived hearing problems - function code	HS	11
HSI6DHSI	Derived Health Status Index (3 dec.)	HS	27
HSI6DMOB	Derived mobility trouble - function code	HS	18
HSI6DPAD	Derived activities prevented- pain / discomfort -funct. code	HS	26
HSI6DSEV	Derived severity of pain - function code	HS	26
HSI6DSPE	Derived speech trouble - function code	HS	14
HSI6DVIS	Derived vision trouble - function code	HS	8
HSI6FIMP	Imputation flag for Health Status Index	HS	27
INI6_1A	Source of income - Old Age Security	IN	73
INI6_1B	Source of income - benefits from C.P.P. / Q.P.P.	IN	74
INI6_1C	Source of income - Guaranteed Income Supplement	IN	74
INI6_1D	Source of income - retirement, superannuation, annuities	IN	75
INI6_1E	Source of income - dividends and interest	IN	75
INI6_1F	Source of income - social assistance	IN	76
INI6_1G	Source of income - wages / salaries / self-employ income	IN	76
INI6_1H	Source of income - other	IN	77
INI6_1I	Source of income - none	IN	77
INI6G2	Total personal income - grouped	IN	78
INSTNO	Institution number	AM	1
IPI6_1	Smoking policy	IP	98
IPI6_2	Alcohol consumption policy	IP	98
IPI6_3	Regular organized activities for residents	IP	98
IPI6_4A	Organized activities - group activities	IP	99
IPI6_4B	Organized activities - art or music classes	IP	99
IPI6_4C	Organized activities - social activities	IP	100
IPI6_4D	Organized activities - religious services	IP	100
IPI6_4E	Organized activities - individual activities	IP	101
IPI6_4F	Organized activities - other	IP	101
IPI6_5	Organized activities for the residents' families	IP	101
IPI6_6	Living wills completed before admission	IP	102
RAI6_1A	Limited in activities - within facility	RA	36

1996-97 NPHS: PUMF - Health Institutions - Cross-sectional
 Alphabetic Index

July, 2000

Variable Name	Description	Section	Page
RAI6_1B	Limited in activities - outside facility	RA	37
RAI6_2	Has a long-term health problem	RA	37
RAI6_5	Has a second long-term health problem	RA	39
RAI6_7A	Needs help - personal care	RA	41
RAI6_7B	Needs help - moving about inside	RA	41
RAI6_7C	Needs help - moving about outside	RA	42
RAI6_7D	Needs help - getting in or out of bed	RA	42
RAI6_7E	Needs help - getting in and out of a chair	RA	43
RAI6_8	Confined to bed or chair most of the day	RA	44
RAI6DNUM	Derived number of tasks needing help with	RA	43
RAI6F1	Restriction of activity flag	RA	38
RAI6G4	Cause of main health problem - 5 groups - grouped	RA	39
RAI6G6	Cause of second health problem - 5 groups - grouped	RA	40
RAI6GC7A	Derived main health problem - 7 groups - grouped	RA	38
RAI6GC7B	Derived second health problem -7 groups -grouped	RA	40
SDI6DLNG	Derived language respondent can conduct conversation in	SD	72
SDI6DMTG	Derived first language learned & still understood	SD	72
SDI6GAIM	Derived age at time of immigration - grouped	SD	71
SDI6GCB5	Country of birth - 5 groups - grouped	SD	70
SDI6GRES	Derived length of time in Canada since immigration - grouped	SD	71
SMI6_1	Type of smoker	SM	50
SMI6_4	Ever smoked cigarettes	SM	52
SMI6_5	Ever smoked daily	SM	52
SMI6DTYP	Derived type of smoker	SM	54
SMI6G2	Age started smoking daily - daily smoker - grouped	SM	51
SMI6G3	Number of cigarettes smoked each day - daily smoker -grouped	SM	51
SMI6G6	Age started smoking daily - former daily smoker - grouped	SM	53
SMI6G7	Age stopped smoking daily - former daily smoker - grouped	SM	53
SMI6GYRS	Derived number of years smoked - grouped	SM	54
SPI6GFTP	Derived type of health institution - grouped	SP	102
SSI6_1	Group participant inside facility	SS	57
SSI6_11	Frequency of outings - social / recreational activities	SS	63
SSI6_12A	Reason for outings - visited friends or relatives	SS	63
SSI6_12B	Reason for outings - shopping	SS	64
SSI6_12C	Reason for outings - social / religious events	SS	64
SSI6_12D	Reason for outings - library	SS	65

1996-97 NPHS: PUMF - Health Institutions - Cross-sectional
 Alphabetic Index

July, 2000

Variable Name	Description	Section	Page
SSI6_12E	Reason for outings - movies	SS	65
SSI6_12F	Reason for outings - beauty shop	SS	66
SSI6_12G	Reason for outings - music or craft classes	SS	66
SSI6_12H	Reason for outings - community club	SS	67
SSI6_12I	Reason for outings - walks	SS	67
SSI6_12J	Reason for outings - other	SS	68
SSI6_13	Frequency of telephone conversations - friend / relative	SS	68
SSI6_2	Frequency of participation - meetings or activities	SS	58
SSI6_3	Participation in one-to-one activities	SS	58
SSI6_5	Frequency of contacts - close relatives	SS	59
SSI6_8	Frequency of contacts - outside friends	SS	61
SSI6_9	Person seen most often	SS	62
SSI6DCON	Derived frequency of contact - friends / relatives outside	SS	69
SSI6DDIV	Diversity of contacts - friends/relatives/staff - derived	SS	70
SSI6DSIS	Derived frequency of social involvement	SS	69
SSI6G10	Number of staff members respondent feels close to - grouped	SS	62
SSI6G4	Number of close relatives - grouped	SS	59
SSI6G6	Number of close friends - inside facility - grouped	SS	60
SSI6G7	Number of close friends - outside facility - grouped	SS	60
STRATUM	Institution stratum number	AM	1
WTI6WGHT	Sampling weight - cross-sectional (2 dec.)	WT	102