

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 1

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
AD_2_1	Drunk - at work / school / taking care of child	AD	2625
AD_2_2	Number of times - drunk / hung-over	AD	2625
AD_2_3	Being drunk increased chances of getting hurt	AD	2626
AD_2_4	Emotional or psychological problems due to alcohol	AD	2626
AD_2_5	Strong desire or urge to drink	AD	2627
AD_2_6	Spent month or more getting drunk	AD	2627
AD_2_7	Drank much more than intended	AD	2628
AD_2_8	Number of times - drank much more than intended	AD	2628
AD_2_9	Had to drink more for the same effect	AD	2629
AD_2DPP	Alcohol dependence scale - Predicted Probability - (D)	AD	2630
AD_2DSF	Alcohol dependence scale - Short Form Score - (D)	AD	2629
AD_6_1	Drunk - at work / school / taking care of child	AD	1064
AD_6_2	Number of times - drunk / hung-over	AD	1065
AD_6_3	Being drunk increased chances of getting hurt	AD	1065
AD_6_4	Emotional or psychological problems due to alcohol	AD	1066
AD_6_5	Strong desire or urge to drink	AD	1066
AD_6_6	Spent month or more getting drunk	AD	1067
AD_6_7	Drank much more than intended	AD	1067
AD_6_8	Number of times - drank much more than intended	AD	1068
AD_6_9	Had to drink more for the same effect	AD	1068
AD_6DPP	Alcohol dependence scale - Predicted Probability - (D)	AD	1069
AD_6DSF	Alcohol dependence scale - Short Form Score - (D)	AD	1069
AL_2_1	Definition of moderate drinking	AL	2621
AL_2_2	Moderate drinking can be good for your health	AL	2622
AL_2_3	Alright to get drunk once in a while	AL	2622
AL_2_4	Rather pay for a taxi than see a friend drive after drinking	AL	2623
AL_2_5	Alright to get drunk once a week if no drinking rest of week	AL	2623
AL_2_6	Pregnant woman should not drink any amount of alcohol	AL	2624
AL_2_7	Alright for breastfeeding woman to drink occasionally	AL	2624
AL_6_1	Definition of moderate drinking	AL	1061
AL_6_2	Moderate drinking can be good for your health	AL	1061
AL_6_3	Alright to get drunk once in a while	AL	1062
AL_6_4	Rather pay for a taxi than see a friend drive after drinking	AL	1062
AL_6_5	Alright to get drunk once a week if no drinking rest of week	AL	1063
AL_6_6	Pregnant woman should not drink any amount of alcohol	AL	1063
AL_6_7	Alright for breastfeeding woman to drink occasionally	AL	1064

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 2

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ALC0_1	Drank alcohol in past 12 months	AL	2070
ALC0_1A	Drank alcohol since last interview	AL	2069
ALC0_2	Frequency of drinking alcohol	AL	2070
ALC0_3	Frequency of having 5 or more drinks	AL	2071
ALC0_5	Drank alcohol in past week	AL	2072
ALC0_5A1	Number of drinks - Sunday	AL	2072
ALC0_5A2	Number of drinks - Monday	AL	2073
ALC0_5A3	Number of drinks - Tuesday	AL	2073
ALC0_5A4	Number of drinks - Wednesday	AL	2074
ALC0_5A5	Number of drinks - Thursday	AL	2074
ALC0_5A6	Number of drinks - Friday	AL	2075
ALC0_5A7	Number of drinks - Saturday	AL	2075
ALC0_5B	Ever had a drink	AL	2076
ALC0_6	Regularly drank more than 12 drinks a week	AL	2076
ALC0_7A	Reason reduced drinking - dieting	AL	2077
ALC0_7B	Reason reduced drinking - athletic training	AL	2077
ALC0_7C	Reason reduced drinking - pregnancy	AL	2078
ALC0_7D	Reason reduced drinking - getting older	AL	2078
ALC0_7E	Reason reduced drinking - drinking too much	AL	2079
ALC0_7F	Reason reduced drinking - affected work / studies	AL	2079
ALC0_7G	Reason reduced drinking - interfered with family life	AL	2080
ALC0_7H	Reason reduced drinking - affected physical health	AL	2080
ALC0_7I	Reason reduced drinking - affected social relationships	AL	2081
ALC0_7J	Reason reduced drinking - affected financial position	AL	2081
ALC0_7K	Reason reduced drinking - affected happiness	AL	2082
ALC0_7L	Reason reduced drinking - influence of family / friends	AL	2082
ALC0_7M	Reason reduced drinking - other	AL	2083
ALC0_DAY	Interview date - day of the week	AL	2071
ALC0DDL	Average daily alcohol consumption - (D)	AL	2084
ALC0DTYP	Type of drinker - (D)	AL	2083
ALC0DWKY	Weekly total of alcohol consumed - (D)	AL	2084
ALC2_1	Drank alcohol in past 12 months	AL	2607
ALC2_1A	Drank alcohol since last interview	AL	2606
ALC2_2	Frequency of drinking alcohol	AL	2607
ALC2_3	Frequency of having 5 or more drinks	AL	2608
ALC2_5	Drank alcohol in past week	AL	2609

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 3

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ALC2_5A1	Number of drinks - Sunday	AL	2609
ALC2_5A2	Number of drinks - Monday	AL	2610
ALC2_5A3	Number of drinks - Tuesday	AL	2610
ALC2_5A4	Number of drinks - Wednesday	AL	2611
ALC2_5A5	Number of drinks - Thursday	AL	2611
ALC2_5A6	Number of drinks - Friday	AL	2612
ALC2_5A7	Number of drinks - Saturday	AL	2612
ALC2_5B	Ever had a drink	AL	2613
ALC2_6	Regularly drank more than 12 drinks a week	AL	2613
ALC2_7A	Reason reduced drinking - dieting	AL	2614
ALC2_7B	Reason reduced drinking - athletic training	AL	2614
ALC2_7C	Reason reduced drinking - pregnancy	AL	2614
ALC2_7D	Reason reduced drinking - getting older	AL	2615
ALC2_7E	Reason reduced drinking - drinking too much	AL	2615
ALC2_7F	Reason reduced drinking - affected work / studies	AL	2616
ALC2_7G	Reason reduced drinking - interfered with family life	AL	2616
ALC2_7H	Reason reduced drinking - affected physical health	AL	2617
ALC2_7I	Reason reduced drinking - affected social relationships	AL	2617
ALC2_7J	Reason reduced drinking - affected financial position	AL	2618
ALC2_7K	Reason reduced drinking - affected happiness	AL	2618
ALC2_7L	Reason reduced drinking - influence of family / friends	AL	2619
ALC2_7M	Reason reduced drinking - other	AL	2619
ALC2_DAY	Interview date - day of the week	AL	2608
ALC2DDL	Average daily alcohol consumption - (D)	AL	2621
ALC2DTYP	Type of drinker - (D)	AL	2620
ALC2DWKY	Weekly total of alcohol consumed - (D)	AL	2620
ALC4_1	Drank alcohol in past 12 months	AL	201
ALC4_2	Frequency of drinking alcohol	AL	201
ALC4_3	Frequency of having 5 or more drinks	AL	202
ALC4_4	Highest number of drinks on one occasion	AL	202
ALC4_5	Drank alcohol in past week	AL	203
ALC4_5A1	Number of drinks - Sunday	AL	204
ALC4_5A2	Number of drinks - Monday	AL	204
ALC4_5A3	Number of drinks - Tuesday	AL	205
ALC4_5A4	Number of drinks - Wednesday	AL	205
ALC4_5A5	Number of drinks - Thursday	AL	206

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 4

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ALC4_5A6	Number of drinks - Friday	AL	206
ALC4_5A7	Number of drinks - Saturday	AL	207
ALC4_5B	Ever had a drink	AL	207
ALC4_6	Regularly drank more than 12 drinks a week	AL	208
ALC4_7A	Reason reduced drinking - dieting	AL	208
ALC4_7B	Reason reduced drinking - athletic training	AL	209
ALC4_7C	Reason reduced drinking - pregnancy	AL	209
ALC4_7D	Reason reduced drinking - getting older	AL	210
ALC4_7E	Reason reduced drinking - drinking too much	AL	210
ALC4_7F	Reason reduced drinking - affected work / studies	AL	211
ALC4_7G	Reason reduced drinking - interfered with family life	AL	211
ALC4_7H	Reason reduced drinking - affected physical health	AL	212
ALC4_7I	Reason reduced drinking - affected social relationships	AL	212
ALC4_7J	Reason reduced drinking - affected financial position	AL	213
ALC4_7K	Reason reduced drinking - affected happiness	AL	213
ALC4_7L	Reason reduced drinking - influence of family / friends	AL	214
ALC4_7M	Reason reduced drinking - other	AL	214
ALC4_DAY	Interview date - day of the week	AL	203
ALC4DDL	Average daily alcohol consumption - (D)	AL	216
ALC4DTYP	Type of drinker - (D)	AL	215
ALC4DWKY	Weekly total of alcohol consumed - (D)	AL	215
ALC6_1	Drank alcohol in past 12 months	AL	1043
ALC6_2	Frequency of drinking alcohol	AL	1044
ALC6_3	Frequency of having 5 or more drinks	AL	1045
ALC6_5	Drank alcohol in past week	AL	1046
ALC6_5A1	Number of drinks - Sunday	AL	1046
ALC6_5A2	Number of drinks - Monday	AL	1047
ALC6_5A3	Number of drinks - Tuesday	AL	1047
ALC6_5A4	Number of drinks - Wednesday	AL	1048
ALC6_5A5	Number of drinks - Thursday	AL	1048
ALC6_5A6	Number of drinks - Friday	AL	1049
ALC6_5A7	Number of drinks - Saturday	AL	1049
ALC6_5B	Ever had a drink	AL	1050
ALC6_6	Regularly drank more than 12 drinks a week	AL	1050
ALC6_7A	Reason reduced drinking - dieting	AL	1051
ALC6_7B	Reason reduced drinking - athletic training	AL	1051

Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ALC6_7C	Reason reduced drinking - pregnancy	AL	1052
ALC6_7D	Reason reduced drinking - getting older	AL	1052
ALC6_7E	Reason reduced drinking - drinking too much	AL	1053
ALC6_7F	Reason reduced drinking - affected work / studies	AL	1053
ALC6_7G	Reason reduced drinking - interfered with family life	AL	1054
ALC6_7H	Reason reduced drinking - affected physical health	AL	1054
ALC6_7I	Reason reduced drinking - affected social relationships	AL	1055
ALC6_7J	Reason reduced drinking - affected financial position	AL	1055
ALC6_7K	Reason reduced drinking - affected happiness	AL	1056
ALC6_7L	Reason reduced drinking - influence of family / friends	AL	1056
ALC6_7M	Reason reduced drinking - other	AL	1057
ALC6_DAY	Interview date - day of the week	AL	1045
ALC6DDL	Average daily alcohol consumption - (D)	AL	1058
ALC6DTYP	Type of drinker - (D)	AL	1057
ALC6DWKY	Weekly total of alcohol consumed - (D)	AL	1058
ALC8_1	Drank alcohol in past 12 months	AL	1648
ALC8_2	Frequency of drinking alcohol	AL	1649
ALC8_3	Frequency of having 5 or more drinks	AL	1650
ALC8_5	Drank alcohol in past week	AL	1651
ALC8_5A1	Number of drinks - Sunday	AL	1651
ALC8_5A2	Number of drinks - Monday	AL	1652
ALC8_5A3	Number of drinks - Tuesday	AL	1652
ALC8_5A4	Number of drinks - Wednesday	AL	1653
ALC8_5A5	Number of drinks - Thursday	AL	1653
ALC8_5A6	Number of drinks - Friday	AL	1654
ALC8_5A7	Number of drinks - Saturday	AL	1654
ALC8_5B	Ever had a drink	AL	1655
ALC8_6	Regularly drank more than 12 drinks a week	AL	1655
ALC8_7A	Reason reduced drinking - dieting	AL	1656
ALC8_7B	Reason reduced drinking - athletic training	AL	1656
ALC8_7C	Reason reduced drinking - pregnancy	AL	1657
ALC8_7D	Reason reduced drinking - getting older	AL	1657
ALC8_7E	Reason reduced drinking - drinking too much	AL	1658
ALC8_7F	Reason reduced drinking - affected work / studies	AL	1658
ALC8_7G	Reason reduced drinking - interfered with family life	AL	1659
ALC8_7H	Reason reduced drinking - affected physical health	AL	1659

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 6

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ALC8_7I	Reason reduced drinking - affected social relationships	AL	1660
ALC8_7J	Reason reduced drinking - affected financial position	AL	1660
ALC8_7K	Reason reduced drinking - affected happiness	AL	1661
ALC8_7L	Reason reduced drinking - influence of family / friends	AL	1661
ALC8_7M	Reason reduced drinking - other	AL	1662
ALC8_DAY	Interview date - day of the week	AL	1650
ALC8DDL	Average daily alcohol consumption - (D)	AL	1663
ALC8DTYP	Type of drinker - (D)	AL	1662
ALC8DWKY	Weekly total of alcohol consumed - (D)	AL	1663
ALP6_1	Drank alcohol during last pregnancy	AL	1059
ALP6_2	Average number of drinks during pregnancy	AL	1059
ALP6_3	Consumed alcohol while breastfeeding	AL	1060
ALP6_4	Average number of drinks while breastfeeding	AL	1060
AM30_PL	Respondent's preferred language	AM	1715
AM30_TEL	Type of contact - H03	AM	1711
AM32_PL	Respondent's preferred language	AM	2224
AM32_TEL	Type of contact - H03	AM	2220
AM34_LNG	Interview language - H03	AM	22
AM34_SRC	Record number of person providing H03 information	AM	22
AM36_LNG	Interview language - H03	AM	480
AM36_SRC	Record number of person providing H03 information	AM	479
AM36_TEL	Type of contact - H03	AM	478
AM38_LNG	Interview language - H03	AM	1173
AM38_LP	Language preference of household	AM	1171
AM38_SRC	Record number of person providing H03 information	AM	1172
AM38_TEL	Type of contact - H03	AM	1170
AM54_BDD	Day of interview - H05 (start)	AM	30
AM54_BMM	Month of interview - H05 (start)	AM	30
AM54_BY	Year of interview - H05 (start)	AM	31
AM54_EDD	Day of interview - H05 (end)	AM	182
AM54_EMM	Month of interview - H05 (end)	AM	182
AM54_EY	Year of interview - H05 (end)	AM	183
AM54_LNG	Interview language - H05	AM	181
AM54_PXY	H05 completed by proxy	AM	31
AM54_SRC	Record number of person providing H05 information	AM	31
AM54_STA	Status of general form - H05	AM	29

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 7

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
AM54_TEL	H05 interview by telephone or in person	AM	181
AM56_BDD	Day of interview - H05 (start)	AM	488
AM56_BMM	Month of interview - H05 (start)	AM	488
AM56_BY Y	Year of interview - H05 (start)	AM	489
AM56_EDD	Day of interview - H05 (end)	AM	694
AM56_EMM	Month of interview - H05 (end)	AM	695
AM56_EYY	Year of interview - H05 (end)	AM	695
AM56_LNG	Interview language - H05	AM	694
AM56_PXY	H05 completed by proxy	AM	489
AM56_SRC	Record number of person providing H05 information	AM	489
AM56_STA	Status of general form - H05	AM	487
AM56_TEL	H05 interview by telephone or in person	AM	693
AM58_BDD	Day of interview - H05 (start)	AM	1182
AM58_BMM	Month of interview - H05 (start)	AM	1182
AM58_BY Y	Year of interview - H05 (start)	AM	1183
AM58_EDD	Day of interview - H05 (end)	AM	1394
AM58_EMM	Month of interview - H05 (end)	AM	1394
AM58_EYY	Year of interview - H05 (end)	AM	1395
AM58_LNG	Interview language - H05	AM	1393
AM58_PXY	H05 completed by proxy	AM	1183
AM58_SRC	Record number of person providing H05 information	AM	1183
AM58_STA	Status of general form - H05	AM	1181
AM58_TEL	H05 interview by telephone or in person	AM	1393
AM60_BDD	Day of interview - H06 (start)	AM	1724
AM60_BMM	Month of interview - H06 (start)	AM	1724
AM60_BY Y	Year of interview - H06 (start)	AM	1725
AM60_LNG	Interview language - H06	AM	2215
AM60_LNK	Permission to link data	AM	2214
AM60_PXY	H06 completed by proxy	AM	1725
AM60_SHA	Agree to share information	AM	2214
AM60_SRC	Record number of person providing H06 information	AM	1725
AM60_STA	Status of health form - H06	AM	1723
AM60_TEL	H06 interview by telephone or in person	AM	2215
AM60FR	Flag for reason for proxy - H06	AM	1726
AM60LDUR	Duration of time between H06 interviews	AM	2216
AM62_BDD	Day of interview - H06 (start)	AM	2232

Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
AM62_BMM	Month of interview - H06 (start)	AM	2232
AM62_BYY	Year of interview - H06 (start)	AM	2233
AM62_LNG	Interview language - H06	AM	2744
AM62_LNK	Permission to link data	AM	2743
AM62_PXY	H06 completed by proxy	AM	2233
AM62_SHA	Agree to share information	AM	2743
AM62_SRC	Record number of person providing H06 information	AM	2233
AM62_STA	Status of health form - H06	AM	2231
AM62_TEL	H06 interview by telephone or in person	AM	2744
AM62FR	Flag for reason for proxy - H06	AM	2234
AM62LDUR	Duration of time between H06 interviews	AM	2745
AM64_AFF	Answers affected by presence of another person	AM	466
AM64_ALO	Respondent alone for completion of H06 questionnaire	AM	466
AM64_BDD	Day of interview - H06 (start)	AM	183
AM64_BMM	Month of interview - H06 (start)	AM	184
AM64_BYY	Year of interview - H06 (start)	AM	184
AM64_EDD	Day of interview - H06 (end)	AM	467
AM64_EMM	Month of interview - H06 (end)	AM	468
AM64_EYY	Year of interview - H06 (end)	AM	468
AM64_LNG	Interview language - H06	AM	467
AM64_LNK	Permission to link data	AM	464
AM64_PXY	H06 completed by proxy	AM	185
AM64_SHA	Agree to share information	AM	465
AM64_SRC	Record number of person providing H06 information	AM	184
AM64_STA	Status of health form - H06	AM	183
AM64_TEL	H06 interview by telephone or in person	AM	465
AM64FR	Flag for reason for proxy - H06	AM	185
AM66_AFF	Answers affected by presence of another person	AM	1163
AM66_ALO	Respondent alone for completion of H06 questionnaire	AM	1162
AM66_BDD	Day of interview - H06 (start)	AM	696
AM66_BMM	Month of interview - H06 (start)	AM	697
AM66_BYY	Year of interview - H06 (start)	AM	697
AM66_EDD	Day of interview - H06 (end)	AM	1164
AM66_EMM	Month of interview - H06 (end)	AM	1164
AM66_EYY	Year of interview - H06 (end)	AM	1165
AM66_LNG	Interview language - H06	AM	1163

Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
AM66_LNK	Permission to link data	AM	1161
AM66_PXY	H06 completed by proxy	AM	698
AM66_SHA	Agree to share information	AM	1161
AM66_SRC	Record number of person providing H06 information	AM	698
AM66_STA	Status of health form - H06	AM	696
AM66_TEL	H06 interview by telephone or in person	AM	1162
AM66FR	Flag for reason for proxy - H06	AM	698
AM66LDUR	Duration of time between H06 interviews	AM	1165
AM68_AFF	Answers affected by presence of another person	AM	1704
AM68_ALO	Respondent alone for completion of H06 questionnaire	AM	1703
AM68_BDD	Day of interview - H06 (start)	AM	1395
AM68_BMM	Month of interview - H06 (start)	AM	1396
AM68_BYY	Year of interview - H06 (start)	AM	1396
AM68_EDD	Day of interview - H06 (end)	AM	1705
AM68_EMM	Month of interview - H06 (end)	AM	1705
AM68_EYY	Year of interview - H06 (end)	AM	1706
AM68_LNG	Interview language - H06	AM	1704
AM68_LNK	Permission to link data	AM	1702
AM68_PXY	H06 completed by proxy	AM	1397
AM68_SHA	Agree to share information	AM	1702
AM68_SRC	Record number of person providing H06 information	AM	1397
AM68_STA	Status of health form - H06	AM	1395
AM68_TEL	H06 interview by telephone or in person	AM	1703
AM68FR	Flag for reason for proxy - H06	AM	1397
AM68LDUR	Duration of time between H06 interviews	AM	1706
AOI	Age at time of immigration - (D)	SD	10
APP6_1	My parents are strict for my own good	AP	1115
APP6_10	My parents trust me	AP	1120
APP6_2	My parents do not understand me	AP	1116
APP6_3	I have a lot of arguments with my parents	AP	1116
APP6_4	What my parents think of me is important	AP	1117
APP6_5	There are times when I would like to run away from home	AP	1117
APP6_6	I have a happy home life	AP	1118
APP6_7	I would raise my children differently	AP	1118
APP6_8	My parents expect too much of me	AP	1119
APP6_9	I ask my parents for advice on serious matters	AP	1119

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 10

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CC_0_D2	Arthritis / rheum. - had surgery	CC	1794
CC_0_D2A	Arthritis / rheum. surgery - hip replacement	CC	1794
CC_0_D2B	Arthritis / rheum. surgery - knee replacement	CC	1795
CC_0_D2C	Arthritis / rheum. surgery - other joint replacement	CC	1795
CC_0_D2D	Arthritis / rheum. surgery - other joint surgery	CC	1796
CC_0_D3A	Arthritis / rheum. treatment - drug	CC	1797
CC_0_D3B	Arthritis / rheum. treatment - diet	CC	1797
CC_0_D3C	Arthritis / rheum. treatment - exercise	CC	1798
CC_0_D3D	Arthritis / rheum. treatment - physiotherapy	CC	1798
CC_0_D3E	Arthritis / rheum. treatment - heat or ice	CC	1799
CC_0_D3F	Arthritis / rheum. treatment - relaxation techniques	CC	1799
CC_0_D3G	Arthritis / rheum. treatment - splints, supports etc.	CC	1800
CC_0_D3H	Arthritis / rheum. treatment - other	CC	1800
CC_0_D4A	Arthritis / rheum. drug type - prescription medication	CC	1801
CC_0_D4B	Arthritis / rheum. drug type - over-the-counter pain killers	CC	1801
CC_0_D4C	Arthritis / rheum. drug type - herbal or natural remedies	CC	1802
CC_0_J3A	Diabetes - diagnosed when pregnant	CC	1817
CC_0_J3B	Diabetes - diagnosed other than during pregnancy	CC	1818
CC_0_J3C	Diabetes - when started using insulin	CC	1818
CC_0_J4	Diabetes - takes insulin daily	CC	1819
CC_0_J4A	Diabetes - number of times per day use insulin	CC	1820
CC_0_J4B	Diabetes - number of units of insulin per day	CC	1820
CC_0_J5A	Diabetes - has taken course in managing	CC	1823
CC_0_J5B	Diabetes - household member has taken course in managing	CC	1824
CC_0_J5C	Diabetes - health professional gave information on diet	CC	1824
CC_0_J6A	Diabetes - nurse gave info on diet	CC	1825
CC_0_J6B	Diabetes - registered dietitian gave info on diet	CC	1825
CC_0_J6C	Diabetes - family doctor / g.p. gave info on diet	CC	1826
CC_0_J6D	Diabetes - other med. dr. / specialist gave info on diet	CC	1826
CC_0_J6E	Diabetes - other professional gave info on diet	CC	1827
CC_0_J7A	Diabetes - has been taught how to verify blood sugar	CC	1827
CC_0_J7B	Diabetes - hhld member has been taught how to verify sugar	CC	1828
CC_0_J8A	Diabetes - frequency of checking blood sugar levels	CC	1828
CC_0_J8B	Diabetes - frequency of checking feet	CC	1829
CC_0_L1B	Heart disease - number of heart attacks	CC	1833
CC_0_L1C	Heart disease - age at first heart attack	CC	1834

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 11

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CC_0_L1D	Heart disease - age at most recent heart attack	CC	1834
CC_0_L1E	Heart disease - ever been admitted	CC	1835
CC_0_L4A	Heart disease treatment - bypass surgery	CC	1835
CC_0_L4B	Heart disease treatment - angioplasty	CC	1836
CC_0_L4C	Heart disease treatment - drugs	CC	1836
CC_0_L4D	Heart disease treatment - other	CC	1837
CC_0_L4E	Heart disease treatment - no treatment received	CC	1837
CC_0_L5A	Heart disease rehabilitation program - ever been referred	CC	1838
CC_0_L5B	Heart disease rehabilitation program - has attended	CC	1838
CC_0_L5C	Heart disease rehabilitation program - has completed	CC	1839
CCC0_1A	Has food allergies	CC	1786
CCC0_1B	Has allergies other than food allergies	CC	1787
CCC0_1C	Has asthma	CC	1787
CCC0_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	1792
CCC0_1E	Has back problems excluding fibromyalgia and arthritis	CC	1802
CCC0_1F	Has high blood pressure	CC	1803
CCC0_1G	Has migraine headaches	CC	1808
CCC0_1H	Has chronic bronchitis or emphysema	CC	1814
CCC0_1J	Has diabetes	CC	1815
CCC0_1K	Has epilepsy	CC	1829
CCC0_1L	Has heart disease	CC	1832
CCC0_1M	Has cancer	CC	1840
CCC0_1N	Has intestinal or stomach ulcers	CC	1841
CCC0_1O	Suffers from the effects of a stroke	CC	1844
CCC0_1P	Suffers from urinary incontinence	CC	1846
CCC0_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	1847
CCC0_1R	Has Alzheimer's Disease or other dementia	CC	1848
CCC0_1S	Has cataracts	CC	1849
CCC0_1T	Has glaucoma	CC	1850
CCC0_1U	Has a thyroid condition	CC	1851
CCC0_1V	Has other long-term condition	CC	1852
CCC0_1X	Has fibromyalgia	CC	1791
CCC0_A3	Food allergies - age first diagnosed	CC	1786
CCC0_C1	Asthma - condition disappeared	CC	1788
CCC0_C2M	Asthma - month condition disappeared	CC	1789
CCC0_C2Y	Asthma - year condition disappeared	CC	1790

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 12

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC0_C3	Asthma - age first diagnosed	CC	1788
CCC0_C5	Asthma - had symptoms or attacks	CC	1790
CCC0_C6	Asthma - took medication	CC	1791
CCC0_D11	Arthritis / rheum. - kind	CC	1793
CCC0_D3	Arthritis / rheum. - age first diagnosed	CC	1793
CCC0_D5	Arthritis / rheum. - received treatment or medication	CC	1796
CCC0_E3	Back problems - age first diagnosed	CC	1803
CCC0_F1	High blood pressure - condition disappeared	CC	1804
CCC0_F2M	High blood pressure - month condition disappeared	CC	1805
CCC0_F2Y	High blood pressure - year condition disappeared	CC	1805
CCC0_F3	High blood pressure - age first diagnosed	CC	1804
CCC0_F5	High blood pressure - received treatment or medication	CC	1806
CCC0_F6A	High blood pressure treatment - drug	CC	1806
CCC0_F6B	High blood pressure treatment - diet	CC	1807
CCC0_F6C	High blood pressure treatment - other	CC	1808
CCC0_F6D	High blood pressure treatment - exercise / physiotherapy	CC	1807
CCC0_G1	Migraines - condition disappeared	CC	1809
CCC0_G2M	Migraines - month condition disappeared	CC	1810
CCC0_G2Y	Migraines - year condition disappeared	CC	1811
CCC0_G3	Migraine - age first diagnosed	CC	1809
CCC0_G5	Migraines - received treatment or medication	CC	1811
CCC0_G6A	Migraines treatment - drug	CC	1812
CCC0_G6B	Migraines treatment - diet	CC	1812
CCC0_G6C	Migraines treatment - other	CC	1813
CCC0_G6D	Migraines treatment - exercise / physiotherapy	CC	1813
CCC0_H3	Chronic bronchitis or emphysema - age first diagnosed	CC	1814
CCC0_J1	Diabetes - condition disappeared	CC	1816
CCC0_J2M	Diabetes - month condition disappeared	CC	1816
CCC0_J2Y	Diabetes - year condition disappeared	CC	1817
CCC0_J3	Diabetes - age first diagnosed	CC	1815
CCC0_J5	Diabetes - currently takes insulin	CC	1819
CCC0_J6	Diabetes - takes treatment other than insulin	CC	1821
CCC0_J7A	Diabetes treatment - drug	CC	1821
CCC0_J7B	Diabetes treatment - diet	CC	1822
CCC0_J7C	Diabetes treatment - other	CC	1823
CCC0_J7D	Diabetes treatment - exercise / physiotherapy	CC	1822

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 13

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC0_K1	Epilepsy - condition disappeared	CC	1830
CCC0_K2M	Epilepsy - month condition disappeared	CC	1831
CCC0_K2Y	Epilepsy - year condition disappeared	CC	1831
CCC0_K3	Epilepsy - age first diagnosed	CC	1830
CCC0_L1A	Heart disease - ever had a heart attack	CC	1833
CCC0_L3	Heart disease - age first diagnosed	CC	1832
CCC0_L6	Heart disease - has angina	CC	1839
CCC0_L7	Heart disease - has congestive heart failure	CC	1840
CCC0_M3	Cancer - age first diagnosed	CC	1841
CCC0_N1	Ulcers - condition disappeared	CC	1842
CCC0_N2M	Ulcers - month condition disappeared	CC	1843
CCC0_N2Y	Ulcers - year condition disappeared	CC	1843
CCC0_N3	Ulcers - age first diagnosed	CC	1842
CCC0_O1	Effects of stroke - condition disappeared	CC	1845
CCC0_O2M	Effects of stroke - month condition disappeared	CC	1845
CCC0_O2Y	Effects of stroke - year condition disappeared	CC	1846
CCC0_O3	Effects of stroke - age first diagnosed	CC	1844
CCC0_P3	Urinary incontinence - age first diagnosed	CC	1847
CCC0_Q3	Bowel disorder - age first diagnosed	CC	1848
CCC0_R3	Alzheimer's disease / other dementia - age first diagnosed	CC	1849
CCC0_S3	Cataracts - age first diagnosed	CC	1850
CCC0_T3	Glaucoma - age first diagnosed	CC	1851
CCC0_U3	Thyroid condition - age first diagnosed	CC	1852
CCC0_X3	Fibromyalgia - age first diagnosed	CC	1792
CCC0DANY	Has a chronic condition - (D)	CC	1853
CCC0DNUM	Number of chronic conditions - (D)	CC	1853
CCC2_1A	Has food allergies	CC	2342
CCC2_1B	Has allergies other than food allergies	CC	2342
CCC2_1C	Has asthma	CC	2343
CCC2_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	2355
CCC2_1E	Has back problems excluding fibromyalgia and arthritis	CC	2363
CCC2_1F	Has high blood pressure	CC	2363
CCC2_1G	Has migraine headaches	CC	2370
CCC2_1H	Has chronic bronchitis or emphysema	CC	2378
CCC2_1J	Has diabetes	CC	2378
CCC2_1K	Has epilepsy	CC	2385

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 14

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC2_1L	Has heart disease	CC	2388
CCC2_1M	Has cancer	CC	2390
CCC2_1N	Has intestinal or stomach ulcers	CC	2391
CCC2_1O	Suffers from the effects of a stroke	CC	2396
CCC2_1P	Suffers from urinary incontinence	CC	2400
CCC2_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	2400
CCC2_1R	Has Alzheimer's Disease or other dementia	CC	2401
CCC2_1S	Has cataracts	CC	2401
CCC2_1T	Has glaucoma	CC	2402
CCC2_1U	Has a thyroid condition	CC	2402
CCC2_1V	Has other long-term condition	CC	2403
CCC2_1X	Has fibromyalgia	CC	2349
CCC2_C1	Asthma - condition disappeared	CC	2346
CCC2_C2M	Asthma - month condition disappeared	CC	2347
CCC2_C2Y	Asthma - year condition disappeared	CC	2348
CCC2_C3M	Asthma - month diagnosed	CC	2344
CCC2_C3Y	Asthma - year diagnosed	CC	2345
CCC2_C4	Asthma - had prior to last interview	CC	2345
CCC2_C5	Asthma - had symptoms or attacks	CC	2348
CCC2_C6	Asthma - took medication	CC	2349
CCC2_D1	Arthritis / rheum. - condition disappeared	CC	2358
CCC2_D11	Arthritis / rheum. - kind	CC	2360
CCC2_D2M	Arthritis / rheum. - month condition disappeared	CC	2359
CCC2_D2Y	Arthritis / rheum. - year condition disappeared	CC	2359
CCC2_D3M	Arthritis / rheum. - month diagnosed	CC	2356
CCC2_D3Y	Arthritis / rheum. - year diagnosed	CC	2357
CCC2_D4	Arthritis / rheum. - had prior to last interview	CC	2357
CCC2_D5	Arthritis / rheum. - received treatment or medication	CC	2360
CCC2_D6A	Arthritis / rheum. treatment - drug	CC	2361
CCC2_D6B	Arthritis / rheum. treatment - diet	CC	2361
CCC2_D6C	Arthritis / rheum. treatment - other	CC	2362
CCC2_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	2362
CCC2_F1	High blood pressure - condition disappeared	CC	2366
CCC2_F2M	High blood pressure - month condition disappeared	CC	2367
CCC2_F2Y	High blood pressure - year condition disappeared	CC	2367
CCC2_F3M	High blood pressure - month diagnosed	CC	2364

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 15

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC2_F3Y	High blood pressure - year diagnosed	CC	2365
CCC2_F4	High blood pressure - had prior to last interview	CC	2365
CCC2_F5	High blood pressure - received treatment or medication	CC	2368
CCC2_F6A	High blood pressure treatment - drug	CC	2368
CCC2_F6B	High blood pressure treatment - diet	CC	2369
CCC2_F6C	High blood pressure treatment - other	CC	2370
CCC2_F6D	High blood pressure treatment - exercise / physiotherapy	CC	2369
CCC2_G1	Migraines - condition disappeared	CC	2373
CCC2_G2M	Migraines - month condition disappeared	CC	2374
CCC2_G2Y	Migraines - year condition disappeared	CC	2375
CCC2_G3M	Migraines - month diagnosed	CC	2371
CCC2_G3Y	Migraines - year diagnosed	CC	2372
CCC2_G4	Migraines - had prior to last interview	CC	2372
CCC2_G5	Migraines - received treatment or medication	CC	2375
CCC2_G6A	Migraines treatment - drug	CC	2376
CCC2_G6B	Migraines treatment - diet	CC	2376
CCC2_G6C	Migraines treatment - other	CC	2377
CCC2_G6D	Migraines treatment - exercise / physiotherapy	CC	2377
CCC2_J1	Diabetes - condition disappeared	CC	2380
CCC2_J2M	Diabetes - month condition disappeared	CC	2381
CCC2_J2Y	Diabetes - year condition disappeared	CC	2381
CCC2_J3M	Diabetes - month diagnosed	CC	2379
CCC2_J3Y	Diabetes - year diagnosed	CC	2379
CCC2_J4	Diabetes - had prior to last interview	CC	2380
CCC2_J5	Diabetes - currently takes insulin	CC	2382
CCC2_J6	Diabetes - takes treatment other than insulin	CC	2382
CCC2_J7A	Diabetes treatment - drug	CC	2383
CCC2_J7B	Diabetes treatment - diet	CC	2383
CCC2_J7C	Diabetes treatment - other	CC	2384
CCC2_J7D	Diabetes treatment - exercise / physiotherapy	CC	2384
CCC2_K1	Epilepsy - condition disappeared	CC	2387
CCC2_K2M	Epilepsy - month condition disappeared	CC	2387
CCC2_K2Y	Epilepsy - year condition disappeared	CC	2388
CCC2_K3M	Epilepsy - month diagnosed	CC	2385
CCC2_K3Y	Epilepsy - year diagnosed	CC	2386
CCC2_K4	Epilepsy - had prior to last interview	CC	2386

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 16

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC2_L1A	Heart disease - ever had a heart attack	CC	2389
CCC2_L6	Heart disease - has angina	CC	2389
CCC2_L7	Heart disease - has congestive heart failure	CC	2390
CCC2_N1	Ulcers - condition disappeared	CC	2394
CCC2_N2M	Ulcers - month condition disappeared	CC	2395
CCC2_N2Y	Ulcers - year condition disappeared	CC	2395
CCC2_N3M	Ulcers - month diagnosed	CC	2392
CCC2_N3Y	Ulcers - year diagnosed	CC	2393
CCC2_N4	Ulcers - had prior to last interview	CC	2393
CCC2_O1	Effects of stroke - condition disappeared	CC	2398
CCC2_O2M	Effects of stroke - month condition disappeared	CC	2399
CCC2_O2Y	Effects of stroke - year condition disappeared	CC	2399
CCC2_O3M	Effects of stroke - month diagnosed	CC	2397
CCC2_O3Y	Effects of stroke - year diagnosed	CC	2397
CCC2_O4	Effects of stroke - had prior to last interview	CC	2398
CCC2_X1	Fibromyalgia - condition disappeared	CC	2351
CCC2_X2M	Fibromyalgia - month condition disappeared	CC	2352
CCC2_X2Y	Fibromyalgia - year condition disappeared	CC	2352
CCC2_X3M	Fibromyalgia - month diagnosed	CC	2350
CCC2_X3Y	Fibromyalgia - year diagnosed	CC	2350
CCC2_X4	Fibromyalgia - had prior to last interview	CC	2351
CCC2_X5	Fibromyalgia - received treatment or medication	CC	2353
CCC2_X6A	Fibromyalgia treatment - drug	CC	2353
CCC2_X6B	Fibromyalgia treatment - diet	CC	2354
CCC2_X6C	Fibromyalgia treatment - other	CC	2355
CCC2_X6D	Fibromyalgia treatment - exercise / physiotherapy	CC	2354
CCC2DANY	Has a chronic condition - (D)	CC	2403
CCC2DNUM	Number of chronic conditions - (D)	CC	2404
CCC4_1A	Has food allergies	CC	70
CCC4_1B	Has allergies other than food allergies	CC	71
CCC4_1C	Has asthma	CC	72
CCC4_1D	Has arthritis or rheumatism	CC	73
CCC4_1E	Has back problems excluding arthritis	CC	74
CCC4_1F	Has high blood pressure	CC	74
CCC4_1G	Has migraine headaches	CC	75
CCC4_1H	Has chronic bronchitis or emphysema	CC	75

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 17

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC4_1I	Has sinusitis	CC	76
CCC4_1J	Has diabetes	CC	76
CCC4_1K	Has epilepsy	CC	77
CCC4_1L	Has heart disease	CC	77
CCC4_1M	Has cancer	CC	78
CCC4_1N	Has stomach or intestinal ulcers	CC	79
CCC4_1O	Suffers from the effects of a stroke	CC	79
CCC4_1P	Suffers from urinary incontinence	CC	80
CCC4_1R	Has Alzheimer's disease / other dementia	CC	81
CCC4_1S	Has cataracts	CC	81
CCC4_1T	Has glaucoma	CC	82
CCC4_1V	Has other long-term condition	CC	82
CCC4_1W	Has acne	CC	80
CCC4_C7	Asthma - had attack	CC	72
CCC4_C8	Asthma - had wheezing or whistling in chest	CC	73
CCC4_NON	Has no chronic conditions	CC	83
CCC4DANY	Has a chronic condition - (D)	CC	83
CCC4DNUM	Number of chronic conditions - (D)	CC	83
CCC4FM1	Flag for type of cancer	CC	78
CCC6_1A	Has food allergies	CC	543
CCC6_1B	Has allergies other than food allergies	CC	544
CCC6_1C	Has asthma	CC	544
CCC6_1D	Has arthritis or rheumatism	CC	549
CCC6_1E	Has back problems excluding arthritis	CC	554
CCC6_1F	Has high blood pressure	CC	555
CCC6_1G	Has migraine headaches	CC	561
CCC6_1H	Has chronic bronchitis or emphysema	CC	567
CCC6_1I	Has sinusitis	CC	567
CCC6_1J	Has diabetes	CC	568
CCC6_1K	Has epilepsy	CC	574
CCC6_1L	Has heart disease	CC	577
CCC6_1M	Has cancer	CC	578
CCC6_1N	Has intestinal or stomach ulcers	CC	578
CCC6_1O	Suffers from the effects of a stroke	CC	582
CCC6_1P	Suffers from urinary incontinence	CC	586
CCC6_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	586

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 18

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC6_1R	Has Alzheimer's Disease or other dementia	CC	587
CCC6_1S	Has cataracts	CC	587
CCC6_1T	Has glaucoma	CC	588
CCC6_1U	Has a thyroid condition	CC	588
CCC6_1V	Has other long-term condition	CC	589
CCC6_C1	Asthma - condition disappeared	CC	545
CCC6_C2M	Asthma - month condition disappeared	CC	545
CCC6_C2Y	Asthma - year condition disappeared	CC	546
CCC6_C3M	Asthma - month diagnosed	CC	546
CCC6_C3Y	Asthma - year diagnosed	CC	547
CCC6_C4	Asthma - had prior to last interview	CC	547
CCC6_C5	Asthma - had symptoms or attacks	CC	548
CCC6_C6	Asthma - took medication	CC	548
CCC6_D1	Arthritis / rheum. - condition disappeared	CC	549
CCC6_D2M	Arthritis / rheum. - month condition disappeared	CC	550
CCC6_D2Y	Arthritis / rheum. - year condition disappeared	CC	550
CCC6_D3M	Arthritis / rheum. - month diagnosed	CC	551
CCC6_D3Y	Arthritis / rheum. - year diagnosed	CC	551
CCC6_D4	Arthritis / rheum. - had prior to last interview	CC	552
CCC6_D5	Arthritis / rheum. - received treatment or medication	CC	552
CCC6_D6A	Arthritis / rheum. treatment - drug	CC	553
CCC6_D6B	Arthritis / rheum. treatment - diet	CC	553
CCC6_D6C	Arthritis / rheum. treatment - other	CC	554
CCC6_F1	High blood pressure - condition disappeared	CC	555
CCC6_F2M	High blood pressure - month condition disappeared	CC	556
CCC6_F2Y	High blood pressure - year condition disappeared	CC	556
CCC6_F3M	High blood pressure - month diagnosed	CC	557
CCC6_F3Y	High blood pressure - year diagnosed	CC	558
CCC6_F4	High blood pressure - had prior to last interview	CC	558
CCC6_F5	High blood pressure - received treatment or medication	CC	559
CCC6_F6A	High blood pressure treatment - drug	CC	559
CCC6_F6B	High blood pressure treatment - diet	CC	560
CCC6_F6C	High blood pressure treatment - other	CC	560
CCC6_G1	Migraines - condition disappeared	CC	561
CCC6_G2M	Migraines - month condition disappeared	CC	562
CCC6_G2Y	Migraines - year condition disappeared	CC	562

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 19

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC6_G3M	Migraines - month diagnosed	CC	563
CCC6_G3Y	Migraines - year diagnosed	CC	564
CCC6_G4	Migraines - had prior to last interview	CC	564
CCC6_G5	Migraines - received treatment or medication	CC	565
CCC6_G6A	Migraines treatment - drug	CC	565
CCC6_G6B	Migraines treatment - diet	CC	566
CCC6_G6C	Migraines treatment - other	CC	566
CCC6_J1	Diabetes - condition disappeared	CC	568
CCC6_J2M	Diabetes - month condition disappeared	CC	569
CCC6_J2Y	Diabetes - year condition disappeared	CC	569
CCC6_J3M	Diabetes - month diagnosed	CC	570
CCC6_J3Y	Diabetes - year diagnosed	CC	570
CCC6_J4	Diabetes - had prior to last interview	CC	571
CCC6_J5	Diabetes - takes insulin	CC	571
CCC6_J6	Diabetes - takes treatment other than insulin	CC	572
CCC6_J7A	Diabetes treatment - drug	CC	572
CCC6_J7B	Diabetes treatment - diet	CC	573
CCC6_J7C	Diabetes treatment - other	CC	573
CCC6_K1	Epilepsy - condition disappeared	CC	574
CCC6_K2M	Epilepsy - month condition disappeared	CC	575
CCC6_K2Y	Epilepsy - year condition disappeared	CC	575
CCC6_K3M	Epilepsy - month diagnosed	CC	576
CCC6_K3Y	Epilepsy - year diagnosed	CC	576
CCC6_K4	Epilepsy - had prior to last interview	CC	577
CCC6_N1	Ulcers - condition disappeared	CC	579
CCC6_N2M	Ulcers - month condition disappeared	CC	580
CCC6_N2Y	Ulcers - year condition disappeared	CC	580
CCC6_N3M	Ulcers - month diagnosed	CC	581
CCC6_N3Y	Ulcers - year diagnosed	CC	581
CCC6_N4	Ulcers - had prior to last interview	CC	582
CCC6_O1	Effects of stroke - condition disappeared	CC	583
CCC6_O2M	Effects of stroke - month condition disappeared	CC	583
CCC6_O2Y	Effects of stroke - year condition disappeared	CC	584
CCC6_O3M	Effects of stroke - month diagnosed	CC	584
CCC6_O3Y	Effects of stroke - year diagnosed	CC	585
CCC6_O4	Effects of stroke - had prior to last interview	CC	585

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 20

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC6DANY	Has a chronic condition - (D)	CC	589
CCC6DNUM	Number of chronic conditions - (D)	CC	590
CCC8_1A	Has food allergies	CC	1234
CCC8_1B	Has allergies other than food allergies	CC	1235
CCC8_1C	Has asthma	CC	1235
CCC8_1D	Has arthritis or rheumatism	CC	1240
CCC8_1E	Has back problems excluding arthritis	CC	1248
CCC8_1F	Has high blood pressure	CC	1248
CCC8_1G	Has migraine headaches	CC	1255
CCC8_1H	Has chronic bronchitis or emphysema	CC	1261
CCC8_1I	Has sinusitis	CC	1261
CCC8_1J	Has diabetes	CC	1262
CCC8_1K	Has epilepsy	CC	1268
CCC8_1L	Has heart disease	CC	1271
CCC8_1M	Has cancer	CC	1272
CCC8_1N	Has intestinal or stomach ulcers	CC	1272
CCC8_1O	Suffers from the effects of a stroke	CC	1276
CCC8_1P	Suffers from urinary incontinence	CC	1279
CCC8_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	1280
CCC8_1R	Has Alzheimer's Disease or other dementia	CC	1280
CCC8_1S	Has cataracts	CC	1281
CCC8_1T	Has glaucoma	CC	1281
CCC8_1U	Has a thyroid condition	CC	1282
CCC8_1V	Has other long-term condition	CC	1282
CCC8_C1	Asthma - condition disappeared	CC	1236
CCC8_C2M	Asthma - month condition disappeared	CC	1237
CCC8_C2Y	Asthma - year condition disappeared	CC	1237
CCC8_C3M	Asthma - month diagnosed	CC	1238
CCC8_C3Y	Asthma - year diagnosed	CC	1238
CCC8_C4	Asthma - had prior to last interview	CC	1239
CCC8_C5	Asthma - had symptoms or attacks	CC	1239
CCC8_C6	Asthma - took medication	CC	1240
CCC8_D1	Arthritis / rheum. - condition disappeared	CC	1241
CCC8_D2M	Arthritis / rheum. - month condition disappeared	CC	1242
CCC8_D2Y	Arthritis / rheum. - year condition disappeared	CC	1243
CCC8_D3M	Arthritis / rheum. - month diagnosed	CC	1244

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 21

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC8_D3Y	Arthritis / rheum. - year diagnosed	CC	1244
CCC8_D4	Arthritis / rheum. - had prior to last interview	CC	1245
CCC8_D5	Arthritis / rheum. - received treatment or medication	CC	1245
CCC8_D6A	Arthritis / rheum. treatment - drug	CC	1246
CCC8_D6B	Arthritis / rheum. treatment - diet	CC	1246
CCC8_D6C	Arthritis / rheum. treatment - other	CC	1247
CCC8_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	1247
CCC8_F1	High blood pressure - condition disappeared	CC	1249
CCC8_F2M	High blood pressure - month condition disappeared	CC	1250
CCC8_F2Y	High blood pressure - year condition disappeared	CC	1250
CCC8_F3M	High blood pressure - month diagnosed	CC	1251
CCC8_F3Y	High blood pressure - year diagnosed	CC	1251
CCC8_F4	High blood pressure - had prior to last interview	CC	1252
CCC8_F5	High blood pressure - received treatment or medication	CC	1252
CCC8_F6A	High blood pressure treatment - drug	CC	1253
CCC8_F6B	High blood pressure treatment - diet	CC	1253
CCC8_F6C	High blood pressure treatment - other	CC	1254
CCC8_F6D	High blood pressure treatment - exercise / physiotherapy	CC	1254
CCC8_G1	Migraines - condition disappeared	CC	1255
CCC8_G2M	Migraines - month condition disappeared	CC	1256
CCC8_G2Y	Migraines - year condition disappeared	CC	1256
CCC8_G3M	Migraines - month diagnosed	CC	1257
CCC8_G3Y	Migraines - year diagnosed	CC	1257
CCC8_G4	Migraines - had prior to last interview	CC	1258
CCC8_G5	Migraines - received treatment or medication	CC	1258
CCC8_G6A	Migraines treatment - drug	CC	1259
CCC8_G6B	Migraines treatment - diet	CC	1259
CCC8_G6C	Migraines treatment - other	CC	1260
CCC8_G6D	Migraines treatment - exercise / physiotherapy	CC	1260
CCC8_J1	Diabetes - condition disappeared	CC	1262
CCC8_J2M	Diabetes - month condition disappeared	CC	1263
CCC8_J2Y	Diabetes - year condition disappeared	CC	1263
CCC8_J3M	Diabetes - month diagnosed	CC	1264
CCC8_J3Y	Diabetes - year diagnosed	CC	1264
CCC8_J4	Diabetes - had prior to last interview	CC	1265
CCC8_J5	Diabetes - takes insulin	CC	1265

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 22

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
CCC8_J6	Diabetes - takes treatment other than insulin	CC	1266
CCC8_J7A	Diabetes treatment - drug	CC	1266
CCC8_J7B	Diabetes treatment - diet	CC	1267
CCC8_J7C	Diabetes treatment - other	CC	1268
CCC8_J7D	Diabetes treatment - exercise / physiotherapy	CC	1267
CCC8_K1	Epilepsy - condition disappeared	CC	1269
CCC8_K2M	Epilepsy - month condition disappeared	CC	1269
CCC8_K2Y	Epilepsy - year condition disappeared	CC	1270
CCC8_K3M	Epilepsy - month diagnosed	CC	1270
CCC8_K3Y	Epilepsy - year diagnosed	CC	1271
CCC8_K4	Epilepsy - had prior to last interview	CC	1271
CCC8_N1	Ulcers - condition disappeared	CC	1273
CCC8_N2M	Ulcers - month condition disappeared	CC	1273
CCC8_N2Y	Ulcers - year condition disappeared	CC	1274
CCC8_N3M	Ulcers - month diagnosed	CC	1274
CCC8_N3Y	Ulcers - year diagnosed	CC	1275
CCC8_N4	Ulcers - had prior to last interview	CC	1275
CCC8_O1	Effects of stroke - condition disappeared	CC	1276
CCC8_O2M	Effects of stroke - month condition disappeared	CC	1277
CCC8_O2Y	Effects of stroke - year condition disappeared	CC	1277
CCC8_O3M	Effects of stroke - month diagnosed	CC	1278
CCC8_O3Y	Effects of stroke - year diagnosed	CC	1278
CCC8_O4	Effects of stroke - had prior to last interview	CC	1279
CCC8DANY	Has a chronic condition - (D)	CC	1283
CCC8DNUM	Number of chronic conditions - (D)	CC	1283
CCK4_1	Frequency of infections - nose or throat	CC	69
CCK4_1AB	Has allergies	CC	71
CCK4_2	Has had otitis	CC	69
CCK4_3	Number of times had otitis since birth	CC	70
CCK6_1	Frequency of infections - nose or throat	CC	542
CCK6_2	Has had otitis	CC	542
CCK6_3	Number of times had otitis since birth	CC	543
CCK8_1	Frequency of infections - nose or throat	CC	1233
CCK8_2	Has had otitis	CC	1233
CCK8_3	Number of times had otitis since birth	CC	1234
COB	Country of birth	SD	8

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 23

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
COBC	Code for country of birth	SD	8
COBGC	Code for country of birth - (G)	SD	9
COD	Cause of death code	DH	13
COP4_1	Ability to handle day-to-day demands	CO	454
COP4_2A	Daily stress - try not to think about situation	CO	455
COP4_2B	Daily stress - try to see situation differently	CO	455
COP4_2C	Daily stress - try to change situation	CO	456
COP4_2D	Daily stress - express emotions	CO	456
COP4_2E	Daily stress - admit situation is stressful	CO	457
COP4_2F	Daily stress - talk to someone about situation	CO	457
COP4_2G	Daily stress - do something to relax	CO	458
COP4_2H	Daily stress - pray	CO	458
COP4_2I	Daily stress - other ways to deal with stress	CO	459
COP4_3	Ability to handle unexpected / difficult problems	CO	459
COP4_4A	Unexpected stress - try not to think about situation	CO	460
COP4_4B	Unexpected stress - try to see situation differently	CO	460
COP4_4C	Unexpected stress - try to change situation	CO	461
COP4_4D	Unexpected stress - express emotions	CO	461
COP4_4E	Unexpected stress - admit situation is stressful	CO	462
COP4_4F	Unexpected stress - talk to someone about situation	CO	462
COP4_4G	Unexpected stress - do something to relax	CO	463
COP4_4H	Unexpected stress - pray	CO	463
COP4_4I	Unexpected stress - other ways to deal with stress	CO	464
COP6_1	Ability to handle day-to-day demands	CO	1160
COP6_2	Ability to handle unexpected / difficult problems	CO	1160
CYCLE	Cycle in which household joined the survey	SP	2
DESIGPRV	Design province	AM	1
DGC0_1A	Medication - pain relievers	DG	1982
DGC0_1B	Medication - tranquilizers	DG	1982
DGC0_1C	Medication - diet pills	DG	1983
DGC0_1D	Medication - anti-depressants	DG	1983
DGC0_1E	Medication - codeine, Demerol or morphine	DG	1984
DGC0_1F	Medication - allergy	DG	1984
DGC0_1G	Medication - asthma	DG	1985
DGC0_1H	Medication - cough or cold remedies	DG	1985
DGC0_1I	Medication - penicillin or other antibiotics	DG	1986

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 24

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC0_1J	Medication - heart	DG	1986
DGC0_1K	Medication - blood pressure	DG	1987
DGC0_1L	Medication - diuretics	DG	1987
DGC0_1M	Medication - steroids	DG	1988
DGC0_1N	Medication - insulin	DG	1988
DGC0_1O	Medication - pills to control diabetes	DG	1989
DGC0_1P	Medication - sleeping pills	DG	1989
DGC0_1Q	Medication - stomach remedies	DG	1990
DGC0_1R	Medication - laxatives	DG	1990
DGC0_1S	Medication - birth control pills	DG	1991
DGC0_1T	Medication - hormones for menopause	DG	1991
DGC0_1T1	Hormone therapy - type	DG	1992
DGC0_1T2	Hormone therapy - year started	DG	1992
DGC0_1U	Medication - thyroid	DG	1993
DGC0_1V	Medication - other	DG	1993
DGC0_2	Number of different medications in past 2 days	DG	1994
DGC0_3AA	Prescription from doctor / dentist - drug 1	DG	1997
DGC0_3BA	Prescription from doctor / dentist - drug 2	DG	2000
DGC0_3CA	Prescription from doctor / dentist - drug 3	DG	2003
DGC0_3DA	Prescription from doctor / dentist - drug 4	DG	2006
DGC0_3EA	Prescription from doctor / dentist - drug 5	DG	2009
DGC0_3FA	Prescription from doctor / dentist - drug 6	DG	2012
DGC0_3GA	Prescription from doctor / dentist - drug 7	DG	2015
DGC0_3HA	Prescription from doctor / dentist - drug 8	DG	2018
DGC0_3IA	Prescription from doctor / dentist - drug 9	DG	2021
DGC0_3JA	Prescription from doctor / dentist - drug 10	DG	2023
DGC0_3KA	Prescription from doctor / dentist - drug 11	DG	2025
DGC0_3LA	Prescription from doctor / dentist - drug 12	DG	2027
DGC0_4	Medication - use other health product	DG	2028
DGC0_4A	Medication - use other product in past 2 days	DG	2028
DGC0_5AA	Used a 2nd health product	DG	2031
DGC0_5BA	Used a 3rd health product	DG	2034
DGC0_5CA	Used a 4th health product	DG	2037
DGC0_5DA	Used a 5th health product	DG	2039
DGC0_5EA	Used a 6th health product	DG	2041
DGC0_5FA	Used a 7th health product	DG	2043

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 25

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC0_5GA	Used a 8th health product	DG	2045
DGC0_5HA	Used a 9th health product	DG	2047
DGC0_5IA	Used a 10th health product	DG	2049
DGC0_5JA	Used a 11th health product	DG	2051
DGC0_5KA	Used a 12th health product	DG	2053
DGC0C3A	Drug code - drug 1	DG	1995
DGC0C3B	Drug code - drug 2	DG	1998
DGC0C3C	Drug code - drug 3	DG	2001
DGC0C3D	Drug code - drug 4	DG	2004
DGC0C3E	Drug code - drug 5	DG	2007
DGC0C3F	Drug code - drug 6	DG	2010
DGC0C3G	Drug code - drug 7	DG	2013
DGC0C3H	Drug code - drug 8	DG	2016
DGC0C3I	Drug code - drug 9	DG	2019
DGC0C3J	Drug code - drug 10	DG	2022
DGC0C3K	Drug code - drug 11	DG	2024
DGC0C3L	Drug code - drug 12	DG	2026
DGC0C5A	Drug code - health product 1	DG	2029
DGC0C5B	Drug code - health product 2	DG	2032
DGC0C5C	Drug code - health product 3	DG	2035
DGC0C5D	Drug code - health product 4	DG	2038
DGC0C5E	Drug code - health product 5	DG	2040
DGC0C5F	Drug code - health product 6	DG	2042
DGC0C5G	Drug code - health product 7	DG	2044
DGC0C5H	Drug code - health product 8	DG	2046
DGC0C5I	Drug code - health product 9	DG	2048
DGC0C5J	Drug code - health product 10	DG	2050
DGC0C5K	Drug code - health product 11	DG	2052
DGC0C5L	Drug code - health product 12	DG	2054
DGC0F1	Flag for medications taken	DG	1994
DGC0F3A	Flag for drug 1	DG	1995
DGC0F3B	Flag for drug 2	DG	1997
DGC0F3C	Flag for drug 3	DG	2000
DGC0F3D	Flag for drug 4	DG	2003
DGC0F3E	Flag for drug 5	DG	2006
DGC0F3F	Flag for drug 6	DG	2009

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 26

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC0F3G	Flag for drug 7	DG	2012
DGC0F3H	Flag for drug 8	DG	2015
DGC0F3I	Flag for drug 9	DG	2018
DGC0F3J	Flag for drug 10	DG	2021
DGC0F3K	Flag for drug 11	DG	2024
DGC0F3L	Flag for drug 12	DG	2026
DGC0F5A	Flag for health product 1	DG	2029
DGC0F5B	Flag for health product 2	DG	2031
DGC0F5C	Flag for health product 3	DG	2034
DGC0F5D	Flag for health product 4	DG	2037
DGC0F5E	Flag for health product 5	DG	2040
DGC0F5F	Flag for health product 6	DG	2042
DGC0F5G	Flag for health product 7	DG	2044
DGC0F5H	Flag for health product 8	DG	2046
DGC0F5I	Flag for health product 9	DG	2048
DGC0F5J	Flag for health product 10	DG	2050
DGC0F5K	Flag for health product 11	DG	2052
DGC0F5L	Flag for health product 12	DG	2054
DGC0G3A	Drug code - drug 1 - (G)	DG	1996
DGC0G3B	Drug code - drug 2 - (G)	DG	1999
DGC0G3C	Drug code - drug 3 - (G)	DG	2002
DGC0G3D	Drug code - drug 4 - (G)	DG	2005
DGC0G3E	Drug code - drug 5 - (G)	DG	2008
DGC0G3F	Drug code - drug 6 - (G)	DG	2011
DGC0G3G	Drug code - drug 7 - (G)	DG	2014
DGC0G3H	Drug code - drug 8 - (G)	DG	2017
DGC0G3I	Drug code - drug 9 - (G)	DG	2020
DGC0G3J	Drug code - drug 10 - (G)	DG	2023
DGC0G3K	Drug code - drug 11 - (G)	DG	2025
DGC0G3L	Drug code - drug 12 - (G)	DG	2027
DGC0G5A	Drug code - health product 1 - (G)	DG	2030
DGC0G5B	Drug code - health product 2 - (G)	DG	2033
DGC0G5C	Drug code - health product 3 - (G)	DG	2036
DGC0G5D	Drug code - health product 4 - (G)	DG	2039
DGC0G5E	Drug code - health product 5 - (G)	DG	2041
DGC0G5F	Drug code - health product 6 - (G)	DG	2043

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 27

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC0G5G	Drug code - health product 7 - (G)	DG	2045
DGC0G5H	Drug code - health product 8 - (G)	DG	2047
DGC0G5I	Drug code - health product 9 - (G)	DG	2049
DGC0G5J	Drug code - health product 10 - (G)	DG	2051
DGC0G5K	Drug code - health product 11 - (G)	DG	2053
DGC0G5L	Drug code - health product 12 - (G)	DG	2055
DGC2_1A	Medication - pain relievers	DG	2519
DGC2_1B	Medication - tranquilizers	DG	2520
DGC2_1C	Medication - diet pills	DG	2520
DGC2_1D	Medication - anti-depressants	DG	2521
DGC2_1E	Medication - codeine, Demerol or morphine	DG	2521
DGC2_1F	Medication - allergy	DG	2522
DGC2_1G	Medication - asthma	DG	2522
DGC2_1H	Medication - cough or cold remedies	DG	2523
DGC2_1I	Medication - penicillin or other antibiotics	DG	2523
DGC2_1J	Medication - heart	DG	2524
DGC2_1K	Medication - blood pressure	DG	2524
DGC2_1L	Medication - diuretics	DG	2525
DGC2_1M	Medication - steroids	DG	2525
DGC2_1N	Medication - insulin	DG	2526
DGC2_1O	Medication - pills to control diabetes	DG	2526
DGC2_1P	Medication - sleeping pills	DG	2527
DGC2_1Q	Medication - stomach remedies	DG	2527
DGC2_1R	Medication - laxatives	DG	2528
DGC2_1S	Medication - birth control pills	DG	2528
DGC2_1T	Medication - hormones for menopause	DG	2529
DGC2_1T1	Hormone therapy - type	DG	2529
DGC2_1T2	Hormone therapy - year started	DG	2530
DGC2_1U	Medication - thyroid	DG	2530
DGC2_1V	Medication - other	DG	2531
DGC2_2	Number of different medications in past 2 days	DG	2532
DGC2_3AA	Prescription from doctor / dentist - drug 1	DG	2535
DGC2_3BA	Prescription from doctor / dentist - drug 2	DG	2538
DGC2_3CA	Prescription from doctor / dentist - drug 3	DG	2541
DGC2_3DA	Prescription from doctor / dentist - drug 4	DG	2544
DGC2_3EA	Prescription from doctor / dentist - drug 5	DG	2547

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 28

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC2_3FA	Prescription from doctor / dentist - drug 6	DG	2550
DGC2_3GA	Prescription from doctor / dentist - drug 7	DG	2553
DGC2_3HA	Prescription from doctor / dentist - drug 8	DG	2556
DGC2_3IA	Prescription from doctor / dentist - drug 9	DG	2558
DGC2_3JA	Prescription from doctor / dentist - drug 10	DG	2560
DGC2_3KA	Prescription from doctor / dentist - drug 11	DG	2562
DGC2_3LA	Prescription from doctor / dentist - drug 12	DG	2564
DGC2_4	Medication - use other health product	DG	2565
DGC2_4A	Medication - use other product in past 2 days	DG	2565
DGC2_5AA	Used a 2nd health product	DG	2568
DGC2_5BA	Used a 3rd health product	DG	2571
DGC2_5CA	Used a 4th health product	DG	2573
DGC2_5DA	Used a 5th health product	DG	2575
DGC2_5EA	Used a 6th health product	DG	2577
DGC2_5FA	Used a 7th health product	DG	2579
DGC2_5GA	Used a 8th health product	DG	2581
DGC2_5HA	Used a 9th health product	DG	2583
DGC2_5IA	Used a 10th health product	DG	2585
DGC2_5JA	Used a 11th health product	DG	2587
DGC2_5KA	Used a 12th health product	DG	2589
DGC2C3A	Drug code - drug 1	DG	2533
DGC2C3B	Drug code - drug 2	DG	2536
DGC2C3C	Drug code - drug 3	DG	2539
DGC2C3D	Drug code - drug 4	DG	2542
DGC2C3E	Drug code - drug 5	DG	2545
DGC2C3F	Drug code - drug 6	DG	2548
DGC2C3G	Drug code - drug 7	DG	2551
DGC2C3H	Drug code - drug 8	DG	2554
DGC2C3I	Drug code - drug 9	DG	2557
DGC2C3J	Drug code - drug 10	DG	2559
DGC2C3K	Drug code - drug 11	DG	2561
DGC2C3L	Drug code - drug 12	DG	2563
DGC2C5A	Drug code - health product 1	DG	2566
DGC2C5B	Drug code - health product 2	DG	2569
DGC2C5C	Drug code - health product 3	DG	2572
DGC2C5D	Drug code - health product 4	DG	2574

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 29

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC2C5E	Drug code - health product 5	DG	2576
DGC2C5F	Drug code - health product 6	DG	2578
DGC2C5G	Drug code - health product 7	DG	2580
DGC2C5H	Drug code - health product 8	DG	2582
DGC2C5I	Drug code - health product 9	DG	2584
DGC2C5J	Drug code - health product 10	DG	2586
DGC2C5K	Drug code - health product 11	DG	2588
DGC2C5L	Drug code - health product 12	DG	2590
DGC2F1	Flag for medications taken	DG	2531
DGC2F3A	Flag for drug 1	DG	2532
DGC2F3B	Flag for drug 2	DG	2535
DGC2F3C	Flag for drug 3	DG	2538
DGC2F3D	Flag for drug 4	DG	2541
DGC2F3E	Flag for drug 5	DG	2544
DGC2F3F	Flag for drug 6	DG	2547
DGC2F3G	Flag for drug 7	DG	2550
DGC2F3H	Flag for drug 8	DG	2553
DGC2F3I	Flag for drug 9	DG	2556
DGC2F3J	Flag for drug 10	DG	2559
DGC2F3K	Flag for drug 11	DG	2561
DGC2F3L	Flag for drug 12	DG	2563
DGC2F5A	Flag for health product 1	DG	2566
DGC2F5B	Flag for health product 2	DG	2568
DGC2F5C	Flag for health product 3	DG	2571
DGC2F5D	Flag for health product 4	DG	2574
DGC2F5E	Flag for health product 5	DG	2576
DGC2F5F	Flag for health product 6	DG	2578
DGC2F5G	Flag for health product 7	DG	2580
DGC2F5H	Flag for health product 8	DG	2582
DGC2F5I	Flag for health product 9	DG	2584
DGC2F5J	Flag for health product 10	DG	2586
DGC2F5K	Flag for health product 11	DG	2588
DGC2F5L	Flag for health product 12	DG	2590
DGC2G3A	Drug code - drug 1 - (G)	DG	2534
DGC2G3B	Drug code - drug 2 - (G)	DG	2537
DGC2G3C	Drug code - drug 3 - (G)	DG	2540

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 30

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC2G3D	Drug code - drug 4 - (G)	DG	2543
DGC2G3E	Drug code - drug 5 - (G)	DG	2546
DGC2G3F	Drug code - drug 6 - (G)	DG	2549
DGC2G3G	Drug code - drug 7 - (G)	DG	2552
DGC2G3H	Drug code - drug 8 - (G)	DG	2555
DGC2G3I	Drug code - drug 9 - (G)	DG	2558
DGC2G3J	Drug code - drug 10 - (G)	DG	2560
DGC2G3K	Drug code - drug 11 - (G)	DG	2562
DGC2G3L	Drug code - drug 12 - (G)	DG	2564
DGC2G5A	Drug code - health product 1 - (G)	DG	2567
DGC2G5B	Drug code - health product 2 - (G)	DG	2570
DGC2G5C	Drug code - health product 3 - (G)	DG	2573
DGC2G5D	Drug code - health product 4 - (G)	DG	2575
DGC2G5E	Drug code - health product 5 - (G)	DG	2577
DGC2G5F	Drug code - health product 6 - (G)	DG	2579
DGC2G5G	Drug code - health product 7 - (G)	DG	2581
DGC2G5H	Drug code - health product 8 - (G)	DG	2583
DGC2G5I	Drug code - health product 9 - (G)	DG	2585
DGC2G5J	Drug code - health product 10 - (G)	DG	2587
DGC2G5K	Drug code - health product 11 - (G)	DG	2589
DGC2G5L	Drug code - health product 12 - (G)	DG	2591
DGC4_1A	Medication - pain relievers	DG	343
DGC4_1B	Medication - tranquilizers	DG	343
DGC4_1C	Medication - diet pills	DG	344
DGC4_1D	Medication - anti-depressants	DG	344
DGC4_1E	Medication - codeine, Demerol or morphine	DG	345
DGC4_1F	Medication - allergy	DG	345
DGC4_1G	Medication - asthma	DG	346
DGC4_1H	Medication - cough or cold remedies	DG	346
DGC4_1I	Medication - penicillin or other antibiotics	DG	347
DGC4_1J	Medication - heart	DG	347
DGC4_1K	Medication - blood pressure	DG	348
DGC4_1L	Medication - diuretics	DG	348
DGC4_1M	Medication - steroids	DG	349
DGC4_1N	Medication - insulin	DG	349
DGC4_1O	Medication - pills to control diabetes	DG	350

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 31

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC4_1P	Medication - sleeping pills	DG	350
DGC4_1Q	Medication - stomach remedies	DG	351
DGC4_1R	Medication - laxatives	DG	351
DGC4_1S	Medication - birth control pills	DG	352
DGC4_1T	Medication - hormones for menopause	DG	352
DGC4_1V	Medication - other	DG	353
DGC4_2	Number of different medications in past 2 days	DG	354
DGC4_4	Medication - use other health product	DG	376
DGC4_5AA	Uses a 2nd health product	DG	377
DGC4_5BA	Uses a 3rd health product	DG	378
DGC4_5CA	Uses a 4th health product	DG	379
DGC4_5DA	Uses a 5th health product	DG	380
DGC4_5EA	Uses a 6th health product	DG	381
DGC4_5FA	Uses a 7th health product	DG	382
DGC4_5GA	Uses a 8th health product	DG	383
DGC4_5HA	Uses a 9th health product	DG	384
DGC4_5IA	Uses a 10th health product	DG	385
DGC4_5JA	Uses a 11th health product	DG	386
DGC4_5KA	Uses a 12th health product	DG	387
DGC4_NON	Did not take any drugs in past month	DG	353
DGC4C3A	Drug code - drug 1	DG	355
DGC4C3B	Drug code - drug 2	DG	357
DGC4C3C	Drug code - drug 3	DG	359
DGC4C3D	Drug code - drug 4	DG	361
DGC4C3E	Drug code - drug 5	DG	363
DGC4C3F	Drug code - drug 6	DG	365
DGC4C3G	Drug code - drug 7	DG	367
DGC4C3H	Drug code - drug 8	DG	369
DGC4C3I	Drug code - drug 9	DG	371
DGC4C3J	Drug code - drug 10	DG	372
DGC4C3K	Drug code - drug 11	DG	374
DGC4C3L	Drug code - drug 12	DG	375
DGC4C5A	Drug code - health product 1	DG	388
DGC4C5B	Drug code - health product 2	DG	390
DGC4C5C	Drug code - health product 3	DG	392
DGC4C5D	Drug code - health product 4	DG	394

---

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 32

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

---

<b>Variable Name</b>	<b>Description</b>	<b>Section</b>	<b>Page</b>
DGC4C5E	Drug code - health product 5	DG	396
DGC4C5F	Drug code - health product 6	DG	397
DGC4C5G	Drug code - health product 7	DG	398
DGC4C5H	Drug code - health product 8	DG	399
DGC4C5I	Drug code - health product 9	DG	400
DGC4C5J	Drug code - health product 10	DG	401
DGC4C5K	Drug code - health product 11	DG	402
DGC4C5L	Drug code - health product 12	DG	403
DGC4F1	Flag for medications taken	DG	354
DGC4F3A	Flag for drug 1	DG	355
DGC4F3B	Flag for drug 2	DG	357
DGC4F3C	Flag for drug 3	DG	359
DGC4F3D	Flag for drug 4	DG	361
DGC4F3E	Flag for drug 5	DG	363
DGC4F3F	Flag for drug 6	DG	365
DGC4F3G	Flag for drug 7	DG	367
DGC4F3H	Flag for drug 8	DG	369
DGC4F3I	Flag for drug 9	DG	370
DGC4F3J	Flag for drug 10	DG	372
DGC4F3K	Flag for drug 11	DG	373
DGC4F3L	Flag for drug 12	DG	375
DGC4F5A	Flag for health product 1	DG	377
DGC4F5B	Flag for health product 2	DG	378
DGC4F5C	Flag for health product 3	DG	379
DGC4F5D	Flag for health product 4	DG	380
DGC4F5E	Flag for health product 5	DG	381
DGC4F5F	Flag for health product 6	DG	381
DGC4F5G	Flag for health product 7	DG	382
DGC4F5H	Flag for health product 8	DG	383
DGC4F5I	Flag for health product 9	DG	384
DGC4F5J	Flag for health product 10	DG	385
DGC4F5K	Flag for health product 11	DG	386
DGC4F5L	Flag for health product 12	DG	387
DGC4G3A	Drug code - drug 1 - (G)	DG	356
DGC4G3B	Drug code - drug 2 - (G)	DG	358
DGC4G3C	Drug code - drug 3 - (G)	DG	360

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 33

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC4G3D	Drug code - drug 4 - (G)	DG	362
DGC4G3E	Drug code - drug 5 - (G)	DG	364
DGC4G3F	Drug code - drug 6 - (G)	DG	366
DGC4G3G	Drug code - drug 7 - (G)	DG	368
DGC4G3H	Drug code - drug 8 - (G)	DG	370
DGC4G3I	Drug code - drug 9 - (G)	DG	371
DGC4G3J	Drug code - drug 10 - (G)	DG	373
DGC4G3K	Drug code - drug 11 - (G)	DG	374
DGC4G3L	Drug code - drug 12 - (G)	DG	376
DGC4G5A	Drug code - health product 1 - (G)	DG	389
DGC4G5B	Drug code - health product 2 - (G)	DG	391
DGC4G5C	Drug code - health product 3 - (G)	DG	393
DGC4G5D	Drug code - health product 4 - (G)	DG	395
DGC4G5E	Drug code - health product 5 - (G)	DG	396
DGC4G5F	Drug code - health product 6 - (G)	DG	397
DGC4G5G	Drug code - health product 7 - (G)	DG	398
DGC4G5H	Drug code - health product 8 - (G)	DG	399
DGC4G5I	Drug code - health product 9 - (G)	DG	400
DGC4G5J	Drug code - health product 10 - (G)	DG	401
DGC4G5K	Drug code - health product 11 - (G)	DG	402
DGC4G5L	Drug code - health product 12 - (G)	DG	403
DGC6_1A	Medication - pain relievers	DG	958
DGC6_1B	Medication - tranquilizers	DG	958
DGC6_1C	Medication - diet pills	DG	959
DGC6_1D	Medication - anti-depressants	DG	959
DGC6_1E	Medication - codeine, Demerol or morphine	DG	960
DGC6_1F	Medication - allergy	DG	960
DGC6_1G	Medication - asthma	DG	961
DGC6_1H	Medication - cough or cold remedies	DG	961
DGC6_1I	Medication - penicillin or other antibiotics	DG	962
DGC6_1J	Medication - heart	DG	962
DGC6_1K	Medication - blood pressure	DG	963
DGC6_1L	Medication - diuretics	DG	963
DGC6_1M	Medication - steroids	DG	964
DGC6_1N	Medication - insulin	DG	964
DGC6_1O	Medication - pills to control diabetes	DG	965

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 34

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC6_1P	Medication - sleeping pills	DG	965
DGC6_1Q	Medication - stomach remedies	DG	966
DGC6_1R	Medication - laxatives	DG	966
DGC6_1S	Medication - birth control pills	DG	967
DGC6_1T	Medication - hormones for menopause	DG	967
DGC6_1T1	Hormone therapy - type	DG	968
DGC6_1T2	Hormone therapy - year started	DG	968
DGC6_1U	Medication - thyroid	DG	969
DGC6_1V	Medication - other	DG	969
DGC6_2	Number of different medications in past 2 days	DG	970
DGC6_4	Medication - use other health product	DG	993
DGC6_5AA	Uses a 2nd health product	DG	996
DGC6_5BA	Uses a 3rd health product	DG	999
DGC6_5CA	Uses a 4th health product	DG	1002
DGC6_5DA	Uses a 5th health product	DG	1004
DGC6_5EA	Uses a 6th health product	DG	1006
DGC6_5FA	Uses a 7th health product	DG	1008
DGC6_5GA	Uses a 8th health product	DG	1010
DGC6_5HA	Uses a 9th health product	DG	1012
DGC6_5IA	Uses a 10th health product	DG	1014
DGC6_5JA	Uses a 11th health product	DG	1016
DGC6_5KA	Uses a 12th health product	DG	1018
DGC6C3A	Drug code - drug 1	DG	971
DGC6C3B	Drug code - drug 2	DG	973
DGC6C3C	Drug code - drug 3	DG	975
DGC6C3D	Drug code - drug 4	DG	977
DGC6C3E	Drug code - drug 5	DG	979
DGC6C3F	Drug code - drug 6	DG	981
DGC6C3G	Drug code - drug 7	DG	983
DGC6C3H	Drug code - drug 8	DG	985
DGC6C3I	Drug code - drug 9	DG	987
DGC6C3J	Drug code - drug 10	DG	989
DGC6C3K	Drug code - drug 11	DG	990
DGC6C3L	Drug code - drug 12	DG	992
DGC6C5A	Drug code - health product 1	DG	994
DGC6C5B	Drug code - health product 2	DG	997

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 35

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC6C5C	Drug code - health product 3	DG	1000
DGC6C5D	Drug code - health product 4	DG	1003
DGC6C5E	Drug code - health product 5	DG	1005
DGC6C5F	Drug code - health product 6	DG	1007
DGC6C5G	Drug code - health product 7	DG	1009
DGC6C5H	Drug code - health product 8	DG	1011
DGC6C5I	Drug code - health product 9	DG	1013
DGC6C5J	Drug code - health product 10	DG	1015
DGC6C5K	Drug code - health product 11	DG	1017
DGC6C5L	Drug code - health product 12	DG	1019
DGC6F1	Flag for medications taken	DG	970
DGC6F3A	Flag for drug 1	DG	971
DGC6F3B	Flag for drug 2	DG	973
DGC6F3C	Flag for drug 3	DG	975
DGC6F3D	Flag for drug 4	DG	977
DGC6F3E	Flag for drug 5	DG	979
DGC6F3F	Flag for drug 6	DG	981
DGC6F3G	Flag for drug 7	DG	983
DGC6F3H	Flag for drug 8	DG	985
DGC6F3I	Flag for drug 9	DG	986
DGC6F3J	Flag for drug 10	DG	988
DGC6F3K	Flag for drug 11	DG	990
DGC6F3L	Flag for drug 12	DG	991
DGC6F5A	Flag for health product 1	DG	993
DGC6F5B	Flag for health product 2	DG	996
DGC6F5C	Flag for health product 3	DG	999
DGC6F5D	Flag for health product 4	DG	1002
DGC6F5E	Flag for health product 5	DG	1004
DGC6F5F	Flag for health product 6	DG	1006
DGC6F5G	Flag for health product 7	DG	1008
DGC6F5H	Flag for health product 8	DG	1010
DGC6F5I	Flag for health product 9	DG	1012
DGC6F5J	Flag for health product 10	DG	1014
DGC6F5K	Flag for health product 11	DG	1016
DGC6F5L	Flag for health product 12	DG	1018
DGC6G3A	Drug code - drug 1 - (G)	DG	972

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 36

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC6G3B	Drug code - drug 2 - (G)	DG	974
DGC6G3C	Drug code - drug 3 - (G)	DG	976
DGC6G3D	Drug code - drug 4 - (G)	DG	978
DGC6G3E	Drug code - drug 5 - (G)	DG	980
DGC6G3F	Drug code - drug 6 - (G)	DG	982
DGC6G3G	Drug code - drug 7 - (G)	DG	984
DGC6G3H	Drug code - drug 8 - (G)	DG	986
DGC6G3I	Drug code - drug 9 - (G)	DG	988
DGC6G3J	Drug code - drug 10 - (G)	DG	989
DGC6G3K	Drug code - drug 11 - (G)	DG	991
DGC6G3L	Drug code - drug 12 - (G)	DG	992
DGC6G5A	Drug code - health product 1 - (G)	DG	995
DGC6G5B	Drug code - health product 2 - (G)	DG	998
DGC6G5C	Drug code - health product 3 - (G)	DG	1001
DGC6G5D	Drug code - health product 4 - (G)	DG	1003
DGC6G5E	Drug code - health product 5 - (G)	DG	1005
DGC6G5F	Drug code - health product 6 - (G)	DG	1007
DGC6G5G	Drug code - health product 7 - (G)	DG	1009
DGC6G5H	Drug code - health product 8 - (G)	DG	1011
DGC6G5I	Drug code - health product 9 - (G)	DG	1013
DGC6G5J	Drug code - health product 10 - (G)	DG	1015
DGC6G5K	Drug code - health product 11 - (G)	DG	1017
DGC6G5L	Drug code - health product 12 - (G)	DG	1019
DGC8_1A	Medication - pain relievers	DG	1561
DGC8_1B	Medication - tranquilizers	DG	1561
DGC8_1C	Medication - diet pills	DG	1562
DGC8_1D	Medication - anti-depressants	DG	1562
DGC8_1E	Medication - codeine, Demerol or morphine	DG	1563
DGC8_1F	Medication - allergy	DG	1563
DGC8_1G	Medication - asthma	DG	1564
DGC8_1H	Medication - cough or cold remedies	DG	1564
DGC8_1I	Medication - penicillin or other antibiotics	DG	1565
DGC8_1J	Medication - heart	DG	1565
DGC8_1K	Medication - blood pressure	DG	1566
DGC8_1L	Medication - diuretics	DG	1566
DGC8_1M	Medication - steroids	DG	1567

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 37

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC8_1N	Medication - insulin	DG	1567
DGC8_1O	Medication - pills to control diabetes	DG	1568
DGC8_1P	Medication - sleeping pills	DG	1568
DGC8_1Q	Medication - stomach remedies	DG	1569
DGC8_1R	Medication - laxatives	DG	1569
DGC8_1S	Medication - birth control pills	DG	1570
DGC8_1T	Medication - hormones for menopause	DG	1570
DGC8_1T1	Hormone therapy - type	DG	1571
DGC8_1T2	Hormone therapy - year started	DG	1571
DGC8_1U	Medication - thyroid	DG	1572
DGC8_1V	Medication - other	DG	1572
DGC8_2	Number of different medications in past 2 days	DG	1573
DGC8_3AA	Prescription from doctor / dentist - drug 1	DG	1576
DGC8_3BA	Prescription from doctor / dentist - drug 2	DG	1579
DGC8_3CA	Prescription from doctor / dentist - drug 3	DG	1582
DGC8_3DA	Prescription from doctor / dentist - drug 4	DG	1585
DGC8_3EA	Prescription from doctor / dentist - drug 5	DG	1588
DGC8_3FA	Prescription from doctor / dentist - drug 6	DG	1591
DGC8_3GA	Prescription from doctor / dentist - drug 7	DG	1594
DGC8_3HA	Prescription from doctor / dentist - drug 8	DG	1597
DGC8_3IA	Prescription from doctor / dentist - drug 9	DG	1599
DGC8_3JA	Prescription from doctor / dentist - drug 10	DG	1601
DGC8_3KA	Prescription from doctor / dentist - drug 11	DG	1603
DGC8_3LA	Prescription from doctor / dentist - drug 12	DG	1605
DGC8_4	Medication - use other health product	DG	1605
DGC8_5AA	Uses a 2nd health product	DG	1608
DGC8_5BA	Uses a 3rd health product	DG	1611
DGC8_5CA	Uses a 4th health product	DG	1614
DGC8_5DA	Uses a 5th health product	DG	1616
DGC8_5EA	Uses a 6th health product	DG	1618
DGC8_5FA	Uses a 7th health product	DG	1620
DGC8_5GA	Uses a 8th health product	DG	1622
DGC8_5HA	Uses a 9th health product	DG	1624
DGC8_5IA	Uses a 10th health product	DG	1626
DGC8_5JA	Uses a 11th health product	DG	1628
DGC8_5KA	Uses a 12th health product	DG	1630

---

**NPHS Cycle 5 (2002-2003): Alphabetic Index**

Page 38

**Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)**

March 2005

Printed: Wednesday March 9, 2005

---

<b>Variable Name</b>	<b>Description</b>	<b>Section</b>	<b>Page</b>
DGC8C3A	Drug code - drug 1	DG	1574
DGC8C3B	Drug code - drug 2	DG	1577
DGC8C3C	Drug code - drug 3	DG	1580
DGC8C3D	Drug code - drug 4	DG	1583
DGC8C3E	Drug code - drug 5	DG	1586
DGC8C3F	Drug code - drug 6	DG	1589
DGC8C3G	Drug code - drug 7	DG	1592
DGC8C3H	Drug code - drug 8	DG	1595
DGC8C3I	Drug code - drug 9	DG	1598
DGC8C3J	Drug code - drug 10	DG	1600
DGC8C3K	Drug code - drug 11	DG	1602
DGC8C3L	Drug code - drug 12	DG	1604
DGC8C5A	Drug code - health product 1	DG	1606
DGC8C5B	Drug code - health product 2	DG	1609
DGC8C5C	Drug code - health product 3	DG	1612
DGC8C5D	Drug code - health product 4	DG	1615
DGC8C5E	Drug code - health product 5	DG	1617
DGC8C5F	Drug code - health product 6	DG	1619
DGC8C5G	Drug code - health product 7	DG	1621
DGC8C5H	Drug code - health product 8	DG	1623
DGC8C5I	Drug code - health product 9	DG	1625
DGC8C5J	Drug code - health product 10	DG	1627
DGC8C5K	Drug code - health product 11	DG	1629
DGC8C5L	Drug code - health product 12	DG	1631
DGC8F1	Flag for medications taken	DG	1573
DGC8F3A	Flag for drug 1	DG	1574
DGC8F3B	Flag for drug 2	DG	1576
DGC8F3C	Flag for drug 3	DG	1579
DGC8F3D	Flag for drug 4	DG	1582
DGC8F3E	Flag for drug 5	DG	1585
DGC8F3F	Flag for drug 6	DG	1588
DGC8F3G	Flag for drug 7	DG	1591
DGC8F3H	Flag for drug 8	DG	1594
DGC8F3I	Flag for drug 9	DG	1597
DGC8F3J	Flag for drug 10	DG	1599
DGC8F3K	Flag for drug 11	DG	1601

---

**NPHS Cycle 5 (2002-2003): Alphabetic Index**

Page 39

**Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)**

March 2005

Printed: Wednesday March 9, 2005

---

<b>Variable Name</b>	<b>Description</b>	<b>Section</b>	<b>Page</b>
DGC8F3L	Flag for drug 12	DG	1603
DGC8F5A	Flag for health product 1	DG	1606
DGC8F5B	Flag for health product 2	DG	1608
DGC8F5C	Flag for health product 3	DG	1611
DGC8F5D	Flag for health product 4	DG	1614
DGC8F5E	Flag for health product 5	DG	1617
DGC8F5F	Flag for health product 6	DG	1619
DGC8F5G	Flag for health product 7	DG	1621
DGC8F5H	Flag for health product 8	DG	1623
DGC8F5I	Flag for health product 9	DG	1625
DGC8F5J	Flag for health product 10	DG	1627
DGC8F5K	Flag for health product 11	DG	1629
DGC8F5L	Flag for health product 12	DG	1631
DGC8G3A	Drug code - drug 1 - (G)	DG	1575
DGC8G3B	Drug code - drug 2 - (G)	DG	1578
DGC8G3C	Drug code - drug 3 - (G)	DG	1581
DGC8G3D	Drug code - drug 4 - (G)	DG	1584
DGC8G3E	Drug code - drug 5 - (G)	DG	1587
DGC8G3F	Drug code - drug 6 - (G)	DG	1590
DGC8G3G	Drug code - drug 7 - (G)	DG	1593
DGC8G3H	Drug code - drug 8 - (G)	DG	1596
DGC8G3I	Drug code - drug 9 - (G)	DG	1598
DGC8G3J	Drug code - drug 10 - (G)	DG	1600
DGC8G3K	Drug code - drug 11 - (G)	DG	1602
DGC8G3L	Drug code - drug 12 - (G)	DG	1604
DGC8G5A	Drug code - health product 1 - (G)	DG	1607
DGC8G5B	Drug code - health product 2 - (G)	DG	1610
DGC8G5C	Drug code - health product 3 - (G)	DG	1613
DGC8G5D	Drug code - health product 4 - (G)	DG	1616
DGC8G5E	Drug code - health product 5 - (G)	DG	1618
DGC8G5F	Drug code - health product 6 - (G)	DG	1620
DGC8G5G	Drug code - health product 7 - (G)	DG	1622
DGC8G5H	Drug code - health product 8 - (G)	DG	1624
DGC8G5I	Drug code - health product 9 - (G)	DG	1626
DGC8G5J	Drug code - health product 10 - (G)	DG	1628
DGC8G5K	Drug code - health product 11 - (G)	DG	1630

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 40

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DGC8G5L	Drug code - health product 12 - (G)	DG	1632
DH_4_P1	Pet - has one	DH	21
DH_4_P3	Pet - live indoors	DH	22
DH_4DP2	Pet - kind (D)	DH	21
DHC0_AGE	Age	DH	1721
DHC0_BED	Number of bedrooms	DH	1714
DHC0_DWE	Type of dwelling	DH	1712
DHC0_FID	Family ID code	DH	1723
DHC0_MAR	Marital status	DH	1723
DHC0_MGE	Mortgage on dwelling	DH	1713
DHC0_OWEN	Dwelling owned by a household member	DH	1713
DHC0D611	Number of persons 6 to 11 years old in household - (D)	DH	1719
DHC0DE12	Number of persons 12 years old in household - (D)	DH	1718
DHC0DECF	Type of household - (D)	DH	1717
DHC0DHSZ	Household size - (D)	DH	1717
DHC0DL12	Number of persons less than 12 years old in household - (D)	DH	1718
DHC0DLE5	Number of persons 5 years old or less in household - (D)	DH	1718
DHC0DLVG	Living arrangement of the selected respondent - (D)	DH	1716
DHC0GAGE	Age - (G)	DH	1722
DHC2_AGE	Age	DH	2229
DHC2_BED	Number of bedrooms	DH	2223
DHC2_DWE	Type of dwelling	DH	2221
DHC2_FID	Family ID code	DH	2231
DHC2_MAR	Marital status	DH	2231
DHC2_MGE	Mortgage on dwelling	DH	2222
DHC2_OWEN	Dwelling owned by a household member	DH	2222
DHC2D611	Number of persons 6 to 11 years old in household - (D)	DH	2228
DHC2DE12	Number of persons 12 years old in household - (D)	DH	2227
DHC2DECF	Type of household - (D)	DH	2226
DHC2DHSZ	Household size - (D)	DH	2227
DHC2DL12	Number of persons less than 12 years old in household - (D)	DH	2227
DHC2DLE5	Number of persons 5 years old or less in household - (D)	DH	2228
DHC2DLVG	Living arrangement of the selected respondent - (D)	DH	2225
DHC2GAGE	Age - (G)	DH	2230
DHC4_AGE	Age	DH	27
DHC4_BED	Number of bedrooms	DH	20

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 41

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DHC4_DWE	Type of dwelling	DH	19
DHC4_FID	Family ID code	DH	29
DHC4_MAR	Marital status	DH	29
DHC4_OWEN	Dwelling owned by a household member	DH	20
DHC4D611	Number of persons 6 to 11 years old in household - (D)	DH	26
DHC4DE12	Number of persons 12 years old in household - (D)	DH	25
DHC4DECF	Type of household - (D)	DH	23
DHC4DHSZ	Household size - (D)	DH	24
DHC4DL12	Number of persons less than 12 years old in household - (D)	DH	25
DHC4DL25	Number of persons less than 25 years old in household - (D)	DH	25
DHC4DLE5	Number of persons 5 years old or less in household - (D)	DH	26
DHC4DLVG	Living arrangement of the selected respondent - (D)	DH	24
DHC4GAGE	Age - (G)	DH	28
DHC6_AGE	Age	DH	485
DHC6_BED	Number of bedrooms	DH	479
DHC6_DWE	Type of dwelling	DH	478
DHC6_FID	Family ID code	DH	487
DHC6_MAR	Marital status	DH	487
DHC6_OWEN	Dwelling owned by a household member	DH	479
DHC6D611	Number of persons 6 to 11 years old in household - (D)	DH	484
DHC6DE12	Number of persons 12 years old in household - (D)	DH	483
DHC6DECF	Type of household - (D)	DH	481
DHC6DHSZ	Household size - (D)	DH	482
DHC6DL12	Number of persons less than 12 years old in household - (D)	DH	483
DHC6DLE5	Number of persons 5 years old or less in household - (D)	DH	483
DHC6DLVG	Living arrangement of the selected respondent - (D)	DH	482
DHC6GAGE	Age - (G)	DH	486
DHC8_AGE	Age	DH	1179
DHC8_BED	Number of bedrooms	DH	1172
DHC8_DWE	Type of dwelling	DH	1171
DHC8_FID	Family ID code	DH	1181
DHC8_MAR	Marital status	DH	1181
DHC8_OWEN	Dwelling owned by a household member	DH	1172
DHC8D611	Number of persons 6 to 11 years old in household - (D)	DH	1177
DHC8DE12	Number of persons 12 years old in household - (D)	DH	1176
DHC8DECF	Type of household - (D)	DH	1175

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 42

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DHC8DHSZ	Household size - (D)	DH	1176
DHC8DL12	Number of persons less than 12 years old in household - (D)	DH	1176
DHC8DLE5	Number of persons 5 years old or less in household - (D)	DH	1177
DHC8DLVG	Living arrangement of the selected respondent - (D)	DH	1174
DHC8GAGE	Age - (G)	DH	1180
DOB	Day of birth	DH	3
DOD	Day of death	DH	11
DV_6_60	Visited dentist	DV	823
DV_6_61	Last time visited dentist	DV	823
DV_6_62A	Dental visit - make sure everything is OK	DV	824
DV_6_62B	Dental visit - check-up covered by insurance	DV	824
DV_6_62C	Dental visit - catch problems early	DV	825
DV_6_62D	Dental visit - for good dental health	DV	825
DV_6_62E	Dental visit - care of teeth, gums, dentures	DV	826
DV_6_62F	Dental visit - cleaning, fluoride, maintenance	DV	826
DV_6_62G	Dental visit - to get a filling, extraction	DV	827
DV_6_62H	Dental visit - to check braces	DV	827
DV_6_62I	Dental visit - other reason	DV	828
DV_6_63	Had problems obtaining dental services	DV	828
DV_6_64A	Dental services - not avail. when required	DV	829
DV_6_64B	Dental services - not available in area	DV	829
DV_6_64C	Dental services - waiting time too long	DV	830
DV_6_64D	Dental services - transportation problems	DV	830
DV_6_64E	Dental services - language problem	DV	831
DV_6_64F	Dental services - cost	DV	831
DV_6_64G	Dental services - didn't know where to go	DV	832
DV_6_64H	Dental services - other problem	DV	832
DV_6_65A	No dental visit - have not gotten around to it	DV	833
DV_6_65B	No dental visit - resp. didn't think necessary	DV	833
DV_6_65C	No dental visit - dentist didn't think necessary	DV	834
DV_6_65D	No dental visit - personal / family responsibilities	DV	834
DV_6_65E	No dental visit - not available when required	DV	835
DV_6_65F	No dental visit - not available in area	DV	835
DV_6_65G	No dental visit - waiting time too long	DV	836
DV_6_65H	No dental visit - transportation problems	DV	836
DV_6_65I	No dental visit - language problem	DV	837

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 43

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
DV_6_65J	No dental visit - cost	DV	837
DV_6_65K	No dental visit - did not know where to go	DV	838
DV_6_65L	No dental visit - fear	DV	838
DV_6_65M	No dental visit - wears dentures	DV	839
DV_6_65N	No dental visit - other reason	DV	839
EDC0_1	Currently attending a school, college or university	ED	2161
EDC0_2	Full-time or part-time student	ED	2161
EDC0_4	Number of years of elementary and high school completed	ED	2162
EDC0_5	Graduated from high school	ED	2162
EDC0_6	Attended post-secondary institution	ED	2163
EDC0_7	Highest level of post-secondary education attained	ED	2163
EDC0D1	Highest level of education - 14 levels - (D)	ED	2164
EDC0D2	Highest level of education - 12 levels - (D)	ED	2165
EDC0D3	Highest level of education - 4 levels - (D)	ED	2166
EDC2_1	Currently attending a school, college or university	ED	2690
EDC2_2	Full-time or part-time student	ED	2690
EDC2_4	Number of years of elementary and high school completed	ED	2691
EDC2_5	Graduated from high school	ED	2691
EDC2_6	Attended post-secondary institution	ED	2692
EDC2_7	Highest level of post-secondary education attained	ED	2692
EDC2D1	Highest level of education - 14 levels - (D)	ED	2693
EDC2D2	Highest level of education - 12 levels - (D)	ED	2694
EDC2D3	Highest level of education - 4 levels - (D)	ED	2695
EDC4_1	Currently attending a school, college or university	ED	113
EDC4_2	Full-time or part-time student	ED	114
EDC4_4	Number of years of elementary and high school completed	ED	114
EDC4_5	Graduated from high school	ED	115
EDC4_6	Attended post-secondary institution	ED	115
EDC4_7	Highest level of post-secondary education attained	ED	116
EDC4D1	Highest level of education - 14 levels - (D)	ED	117
EDC4D2	Highest level of education - 12 levels - (D)	ED	118
EDC4D3	Highest level of education - 4 levels - (D)	ED	119
EDC4D4	Highest level of education - Household, 4 levels - (D)	ED	119
EDC4DLF	Labour force activity of students - (D)	ED	120
EDC6_1	Currently attending a school, college or university	ED	623
EDC6_2	Full-time or part-time student	ED	624

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 44

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
EDC6_4	Number of years of elementary and high school completed	ED	624
EDC6_5	Graduated from high school	ED	625
EDC6_6	Attended post-secondary institution	ED	625
EDC6_7	Highest level of post-secondary education attained	ED	626
EDC6D1	Highest level of education - 14 levels - (D)	ED	627
EDC6D2	Highest level of education - 12 levels - (D)	ED	628
EDC6D3	Highest level of education - 4 levels - (D)	ED	629
EDC6D4	Highest level of education - Household, 4 levels - (D)	ED	629
EDC6DLF	Labour force activity of students - (D)	ED	630
EDC8_1	Currently attending a school, college or university	ED	1320
EDC8_2	Full-time or part-time student	ED	1321
EDC8_4	Number of years of elementary and high school completed	ED	1321
EDC8_5	Graduated from high school	ED	1322
EDC8_6	Attended post-secondary institution	ED	1322
EDC8_7	Highest level of post-secondary education attained	ED	1323
EDC8D1	Highest level of education - 14 levels - (D)	ED	1324
EDC8D2	Highest level of education - 12 levels - (D)	ED	1325
EDC8D3	Highest level of education - 4 levels - (D)	ED	1326
EDC8D4	Highest level of education - Household, 4 levels - (D)	ED	1326
EDC8DLF	Labour force activity of students - (D)	ED	1327
ES_6_80	Overall quality of emergency services	ES	858
ES_6_81	Used emergency services	ES	859
EX_6_70	Visited optometrist or ophthalmologist	EX	840
EX_6_71	Last eye examination	EX	841
EX_6_72	Frequency of eye examinations	EX	841
EX_6_73A	Had eye exam - make sure everything is OK	EX	842
EX_6_73B	Had eye exam - glaucoma test	EX	842
EX_6_73C	Had eye exam - job requirement	EX	843
EX_6_73D	Had eye exam - check prescription	EX	843
EX_6_73E	Had eye exam - cataracts are developing	EX	844
EX_6_73F	Had eye exam - to get driver's license	EX	844
EX_6_73G	Had eye exam - eye problem / infection	EX	845
EX_6_73H	Had eye exam - diabetes	EX	845
EX_6_73I	Had eye exam - sight deterioration	EX	846
EX_6_73J	Had eye exam - other reason	EX	846
EX_6_74	Had problems obtaining an eye examination	EX	847

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 45

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
EX_6_75A	Eye exam - not available when required	EX	847
EX_6_75B	Eye exam - not available in area	EX	848
EX_6_75C	Eye exam - waiting time too long	EX	848
EX_6_75D	Eye exam - transportation problems	EX	849
EX_6_75E	Eye exam - language problem	EX	849
EX_6_75F	Eye exam - cost	EX	850
EX_6_75G	Eye exam - did not know where to go	EX	850
EX_6_75H	Eye exam - other problem	EX	851
EX_6_76A	No eye exam - have not gotten around to it	EX	851
EX_6_76B	No eye exam - respondent didn't think necessary	EX	852
EX_6_76C	No eye exam - doctor didn't think necessary	EX	852
EX_6_76D	No eye exam - personal or family responsibilities	EX	853
EX_6_76E	No eye exam - not available when required	EX	853
EX_6_76F	No eye exam - not available at all in area	EX	854
EX_6_76G	No eye exam - waiting time too long	EX	854
EX_6_76H	No eye exam - transportation problems	EX	855
EX_6_76I	No eye exam - language problem	EX	855
EX_6_76J	No eye exam - cost	EX	856
EX_6_76K	No eye exam - did not know where to go	EX	856
EX_6_76L	No eye exam - fear	EX	857
EX_6_76M	No eye exam - other reason	EX	857
FH_8_10	Has some knowledge of birth family's health history	FH	1421
FH_8_11	Birth mother ever had heart disease	FH	1421
FH_8_12	Birth mother ever had high blood pressure	FH	1422
FH_8_13	Birth mother ever had stroke	FH	1422
FH_8_14	Birth mother ever had diabetes	FH	1423
FH_8_15	Birth mother ever had cancer	FH	1423
FH_8_161	Mother's age - breast cancer	FH	1430
FH_8_162	Mother's age - ovarian cancer	FH	1430
FH_8_163	Mother's age - cervical cancer	FH	1431
FH_8_164	Mother's age - colorectal cancer	FH	1431
FH_8_165	Mother's age - melanoma cancer	FH	1432
FH_8_166	Mother's age - stomach cancer	FH	1432
FH_8_16A	Mother's type of cancer - breast	FH	1424
FH_8_16B	Mother's type of cancer - ovarian	FH	1424
FH_8_16C	Mother's type of cancer - cervical	FH	1425

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 46

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
FH_8_16D	Mother's type of cancer - colorectal	FH	1425
FH_8_16E	Mother's type of cancer - skin (melanoma)	FH	1426
FH_8_16F	Mother's type of cancer - stomach	FH	1426
FH_8_16G	Mother's type of cancer - uterus	FH	1427
FH_8_16H	Mother's type of cancer - kidney	FH	1427
FH_8_16I	Mother's type of cancer - leukemia / lymphoma	FH	1428
FH_8_16J	Mother's type of cancer - lung	FH	1428
FH_8_16K	Mother's type of cancer - bladder	FH	1429
FH_8_16L	Mother's type of cancer - other	FH	1429
FH_8_17	Birth mother - now living	FH	1433
FH_8_18	Birth mother - age of death	FH	1433
FH_8_19	Birth mother - cause of death	FH	1434
FH_8_21	Birth father ever had heart disease	FH	1435
FH_8_22	Birth father ever had high blood pressure	FH	1435
FH_8_23	Birth father ever had stroke	FH	1436
FH_8_24	Birth father ever had diabetes	FH	1436
FH_8_25	Birth father ever had cancer	FH	1437
FH_8_261	Father's age - prostate cancer	FH	1441
FH_8_262	Father's age - colorectal cancer	FH	1442
FH_8_263	Father's age - stomach cancer	FH	1442
FH_8_26A	Father's type of cancer - prostate	FH	1437
FH_8_26B	Father's type of cancer - colorectal	FH	1438
FH_8_26C	Father's type of cancer - stomach	FH	1438
FH_8_26D	Father's type of cancer - kidney	FH	1439
FH_8_26E	Father's type of cancer - leukemia / lymphoma	FH	1439
FH_8_26F	Father's type of cancer - lung	FH	1440
FH_8_26G	Father's type of cancer - bladder	FH	1440
FH_8_26H	Father's type of cancer - other	FH	1441
FH_8_27	Birth father - now living	FH	1443
FH_8_28	Birth father - age of death	FH	1443
FH_8_29	Birth father - cause of death	FH	1444
FH_8_30	Has / had biological brothers or sisters	FH	1445
FH_8_31	Siblings ever had heart disease	FH	1445
FH_8_32	Siblings ever had high blood pressure	FH	1446
FH_8_33	Siblings ever had stroke	FH	1446
FH_8_34	Siblings ever had diabetes	FH	1447

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 47

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
FH_8_35	Any biological sister ever had cancer	FH	1447
FH_8_36A	Sister's type of cancer - breast	FH	1448
FH_8_36B	Sister's type of cancer - ovarian	FH	1448
FH_8_36C	Sister's type of cancer - cervical	FH	1449
FH_8_36D	Sister's type of cancer - colorectal	FH	1449
FH_8_36E	Sister's type of cancer - skin (melanoma)	FH	1450
FH_8_36F	Sister's type of cancer - stomach	FH	1450
FH_8_36G	Sister's type of cancer - uterus	FH	1451
FH_8_36H	Sister's type of cancer - kidney	FH	1451
FH_8_36I	Sister's type of cancer - leukemia / lymphoma	FH	1452
FH_8_36J	Sister's type of cancer - lung	FH	1452
FH_8_36K	Sister's type of cancer - bladder	FH	1453
FH_8_36L	Sister's type of cancer - other	FH	1453
FH_8_37	Any biological brother ever had cancer	FH	1454
FH_8_38A	Brother's type of cancer - prostate	FH	1454
FH_8_38B	Brother's type of cancer - colorectal	FH	1455
FH_8_38C	Brother's type of cancer - stomach	FH	1455
FH_8_38D	Brother's type of cancer - kidney	FH	1456
FH_8_38E	Brother's type of cancer - leukemia / lymphoma	FH	1456
FH_8_38F	Brother's type of cancer - lung	FH	1457
FH_8_38G	Brother's type of cancer - bladder	FH	1457
FH_8_38H	Brother's type of cancer - other	FH	1458
FIC8_1	Worried about a lack of money to eat	FI	1391
FIC8_2	Not enough to eat because of a lack of money	FI	1391
FIC8_3	Did not eat to satisfaction because of a lack of money	FI	1392
FIC8F1	Flag for food insecurity	FI	1392
FS_6_50	Ever had a flu shot	FS	807
FS_6_52	Last time had flu shot	FS	808
FS_6_53A	Had flu shot - peer pressure	FS	808
FS_6_53B	Had flu shot - job requirement	FS	809
FS_6_53C	Had flu shot - helps prevent the flu	FS	809
FS_6_53D	Had flu shot - to protect others	FS	810
FS_6_53E	Had flu shot - age	FS	810
FS_6_53F	Had flu shot - health problem	FS	811
FS_6_53G	Had flu shot - other reason	FS	811
FS_6_54	Had problems obtaining a flu shot	FS	812

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 48

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
FS_6_55A	Flu shot - not available when required	FS	812
FS_6_55B	Flu shot - not available in area	FS	813
FS_6_55C	Flu shot - waiting time too long	FS	813
FS_6_55D	Flu shot - transportation problems	FS	814
FS_6_55E	Flu shot - language problem	FS	814
FS_6_55F	Flu shot - cost	FS	814
FS_6_55G	Flu shot - did not know where to go	FS	815
FS_6_55H	Flu shot - other problem	FS	815
FS_6_56A	No flu shot - have not gotten around to it	FS	816
FS_6_56B	No flu shot - respondent didn't think necessary	FS	816
FS_6_56C	No flu shot - doctor didn't think necessary	FS	817
FS_6_56D	No flu shot - personal or family responsibilities	FS	817
FS_6_56E	No flu shot - not available when required	FS	818
FS_6_56F	No flu shot - not available in area	FS	818
FS_6_56G	No flu shot - waiting time too long	FS	819
FS_6_56H	No flu shot - transportation problems	FS	819
FS_6_56I	No flu shot - language problem	FS	820
FS_6_56J	No flu shot - cost	FS	820
FS_6_56K	No flu shot - did not know where to go	FS	821
FS_6_56L	No flu shot - fear	FS	821
FS_6_56M	No flu shot - bad reaction to previous shot	FS	822
FS_6_56N	No flu shot - other reason	FS	822
FV_2_1A	Drink fruit juices - frequency	FV	2256
FV_2_2A	Eat fruit - frequency	FV	2256
FV_2_3A	Eat green salad - frequency	FV	2257
FV_2_4A	Eat potatoes - frequency	FV	2257
FV_2_5A	Eat carrots - frequency	FV	2258
FV_2_6A	Eat other vegetables - frequency	FV	2258
FV_2DTOT	Total daily consumption of fruits and vegetables - (D)	FV	2259
GE30DCD	Census Division - (D)	GE	1708
GE30DCMA	Census Metropolitan Area - (D)	GE	1709
GE30DCSD	Census Sub-division - (D)	GE	1708
GE30DFED	Federal Electoral Districts - (D)	GE	1710
GE30DURB	Rural or urban area - (D)	GE	1707
GE32DCD	Census Division - (D)	GE	2217
GE32DCMA	Census Metropolitan Area - (D)	GE	2218

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 49

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
GE32DCSD	Census Sub-division - (D)	GE	2217
GE32DFED	Federal Electoral Districts - (D)	GE	2219
GE32DURB	Rural or urban area - (D)	GE	2217
GE34DCD	Census Division - (D)	GE	15
GE34DCMA	Census Metropolitan Area - (D)	GE	17
GE34DCSD	Census Sub-division - (D)	GE	16
GE34DFED	Federal Electoral Districts - (D)	GE	18
GE34DHLR	Health region - (D)	GE	18
GE34DURB	Rural or urban area - (D)	GE	15
GE36DCD	Census Division - (D)	GE	470
GE36DCMA	Census Metropolitan Area - (D)	GE	471
GE36DCSD	Census Sub-division - (D)	GE	470
GE36DFED	Federal Electoral Districts - (D)	GE	472
GE36DHLR	Health regions - (D)	GE	473
GE36DHRO	Health regions (original sample) - (D)	GE	475
GE36DURB	Rural or urban area - (D)	GE	469
GE38DCD	Census Division - (D)	GE	1167
GE38DCMA	Census Metropolitan Area - (D)	GE	1168
GE38DCSD	Census Sub-division - (D)	GE	1167
GE38DFED	Federal Electoral Districts - (D)	GE	1169
GE38DURB	Rural or urban area - (D)	GE	1166
GHC0_1	Respondent's self perceived general health	GH	1726
GHC0_2	Respondent's self perceived stress level	GH	1727
GHC0DHDI	Health description index - (D)	GH	1727
GHC2_1	Respondent's self perceived general health	GH	2234
GHC2_2	Respondent's self perceived stress level	GH	2235
GHC2_4	Self-perceived eating habits	GH	2235
GHC2DHDI	Health description index - (D)	GH	2236
GHC4_1	Respondent's self perceived general health	GH	186
GHC4_3	Planned to use services of doctor or midwife	GH	187
GHC4DHDI	Health description index - (D)	GH	187
GHC6_1	Respondent's self perceived general health	GH	699
GHC6DHDI	Health description index - (D)	GH	699
GHC8_1	Respondent's self perceived general health	GH	1398
GHC8DHDI	Health description index - (D)	GH	1398
GHK6_2	Level of physical activity - children	GH	700

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 50

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
GHP6_21A	Gave birth in the past 5 years	GH	785
GHP6_25	Still breast-feeding	GH	787
GHP6_26	Duration of breast-feeding last child	GH	788
GHP6_27	Received help / advice about breast-feeding	GH	788
GHP6_28	From whom received breast-feeding advice	GH	789
GHP6_29	Main reason for stopping breast-feeding	GH	790
GHS6_11	Did something to improve health	GH	700
GHS6_12	Most important change to improve health	GH	701
GHS6_13	Thinks something should be done to improve health	GH	701
GHS6_14	Most important thing to be done to improve health	GH	702
GHS6_15	Barrier to improving health	GH	702
GHS6_16A	Reason for no improvement - lack of will power	GH	703
GHS6_16B	Reason for no improvement - lack of time	GH	703
GHS6_16C	Reason for no improvement - too tired	GH	704
GHS6_16D	Reason for no improvement - too difficult	GH	704
GHS6_16E	Reason for no improvement - too costly	GH	705
GHS6_16F	Reason for no improvement - too stressed	GH	705
GHS6_16G	Reason for no improvement - disability / health problem	GH	706
GHS6_16H	Reason for no improvement - other	GH	706
GHS6_17	Intending to improve health over next year	GH	707
GHS6_18A	Health improvement over next year - more exercise	GH	707
GHS6_18B	Health improvement over next year - lose weight	GH	708
GHS6_18C	Health improvement over next year - improve eating habits	GH	708
GHS6_18D	Health improvement over next year - quit smoking	GH	709
GHS6_18E	Health improvement over next year - reduce amount smoked	GH	709
GHS6_18F	Health improvement over next year - manage stress	GH	710
GHS6_18G	Health improvement over next year - reduce stress level	GH	710
GHS6_18H	Health improvement over next year - take vitamins	GH	711
GHS6_18I	Health improvement over next year - other	GH	711
GHS6_22	Gave birth to last baby in hospital	GH	786
GHS6_24	Breast fed child or tried to breast feed	GH	787
GHS6_31	Smoked during last pregnancy	GH	1030
GHS6_32	Average number of cigarettes daily while pregnant	GH	1030
GHS6_33	Smoked while breast-feeding last baby	GH	1031
GHS6_34	Average number of cigarettes daily while breast-feeding	GH	1031
GHS6_35	Regularly exposed second-hand smoke during / after pregnancy	GH	1032

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 51

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC0_1	Overnight patient	HC	1744
HCC0_10A	Home care received - nursing care	HC	1770
HCC0_10B	Home care received - other health care	HC	1770
HCC0_10C	Home care received - personal care	HC	1771
HCC0_10D	Home care received - housework	HC	1771
HCC0_10E	Home care received - meal preparation or delivery	HC	1772
HCC0_10F	Home care received - shopping	HC	1772
HCC0_10G	Home care received - respite care	HC	1773
HCC0_10H	Home care received - other	HC	1773
HCC0_1A	Number of nights as patient	HC	1745
HCC0_2A	Number of consultations - family doctor / g.p.	HC	1745
HCC0_2B	Number of consultations - eye specialist	HC	1746
HCC0_2C	Number of consultations - other medical doctor	HC	1746
HCC0_2D	Number of consultations - nurse	HC	1747
HCC0_2E	Number of consultations - dentist or orthodontist	HC	1747
HCC0_2F	Number of consultations - chiropractor	HC	1748
HCC0_2G	Number of consultations - physiotherapist	HC	1748
HCC0_2H	Number of consultations - social worker or counsellor	HC	1749
HCC0_2I	Number of consultations - psychologist	HC	1749
HCC0_2J	Number of consultations - speech / audiology / occ. ther.	HC	1750
HCC0_3	Has regular medical doctor	HC	1752
HCC0_4	Consulted alternative health care provider	HC	1753
HCC0_4A	Attended self-help group	HC	1752
HCC0_5A	Alternative health care - massage therapist	HC	1753
HCC0_5B	Alternative health care - acupuncturist	HC	1754
HCC0_5C	Alternative health care - homeopath or naturopath	HC	1754
HCC0_5D	Alternative health care - Feldenkrais or Alexander	HC	1755
HCC0_5E	Alternative health care - relaxation therapist	HC	1755
HCC0_5F	Alternative health care - biofeedback	HC	1756
HCC0_5G	Alternative health care - rolfers	HC	1756
HCC0_5H	Alternative health care - herbalist	HC	1757
HCC0_5I	Alternative health care - reflexologist	HC	1757
HCC0_5J	Alternative health care - spiritual healer	HC	1758
HCC0_5K	Alternative health care - religious healer	HC	1758
HCC0_5L	Alternative health care - other	HC	1759
HCC0_6	Self perceived unmet health care need	HC	1759

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 52

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC0_7A	Care not received - not available in area	HC	1760
HCC0_7B	Care not received - not available when required	HC	1760
HCC0_7C	Care not received - waiting time too long	HC	1761
HCC0_7D	Care not received - felt would be inadequate	HC	1761
HCC0_7E	Care not received - cost	HC	1762
HCC0_7F	Care not received - too busy	HC	1762
HCC0_7G	Care not received - didn't get around to it	HC	1763
HCC0_7H	Care not received - didn't know where to go	HC	1763
HCC0_7I	Care not received - transportation problems	HC	1764
HCC0_7J	Care not received - language problem	HC	1764
HCC0_7K	Care not received - personal or family responsibilities	HC	1765
HCC0_7L	Care not received - dislikes doctors / afraid	HC	1765
HCC0_7M	Care not received - decided not to seek care	HC	1766
HCC0_7N	Care not received - other reason	HC	1766
HCC0_8A	Type of care not received - physical health problem	HC	1767
HCC0_8B	Type of care not received - emot. or mental health problem	HC	1767
HCC0_8C	Type of care not received - regular check-up	HC	1768
HCC0_8D	Type of care not received - injury	HC	1768
HCC0_8E	Type of care not received - other	HC	1769
HCC0_9	Received home care services	HC	1769
HCC0DHPC	Consultations with health professionals - (D)	HC	1751
HCC0DMDC	Number of consultations with medical doctors - (D)	HC	1751
HCC0F1	Flag for any health care service utilization	HC	1750
HCC2_1	Overnight patient	HC	2272
HCC2_10A	Home care received - nursing care	HC	2298
HCC2_10B	Home care received - other health care	HC	2298
HCC2_10C	Home care received - personal care	HC	2299
HCC2_10D	Home care received - housework	HC	2299
HCC2_10E	Home care received - meal preparation or delivery	HC	2300
HCC2_10F	Home care received - shopping	HC	2300
HCC2_10G	Home care received - respite care	HC	2301
HCC2_10H	Home care received - other	HC	2301
HCC2_11A	Received other home care services not covered by government	HC	2302
HCC2_12A	Home care services - nurse from private agency	HC	2302
HCC2_12B	Home care services - homemaker from private agency	HC	2303
HCC2_12C	Home care services - neighbour or friend	HC	2303

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 53

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC2_12D	Home care services - family member	HC	2304
HCC2_12E	Home care services - volunteer	HC	2304
HCC2_12F	Home care services - other	HC	2305
HCC2_1A	Number of nights as patient	HC	2273
HCC2_2A	Number of consultations - family doctor / g.p.	HC	2273
HCC2_2B	Number of consultations - eye specialist	HC	2274
HCC2_2C	Number of consultations - other medical doctor	HC	2274
HCC2_2D	Number of consultations - nurse	HC	2275
HCC2_2E	Number of consultations - dentist or orthodontist	HC	2275
HCC2_2F	Number of consultations - chiropractor	HC	2276
HCC2_2G	Number of consultations - physiotherapist	HC	2276
HCC2_2H	Number of consultations - social worker or counsellor	HC	2277
HCC2_2I	Number of consultations - psychologist	HC	2277
HCC2_2J	Number of consultations - speech / audiology / occ. ther.	HC	2278
HCC2_3	Has regular medical doctor	HC	2280
HCC2_3AA	Service type / nurse - nursing care	HC	2305
HCC2_3AB	Service type / nurse - other health care services	HC	2306
HCC2_3AC	Service type / nurse - personal care	HC	2306
HCC2_3AD	Service type / nurse - housework	HC	2307
HCC2_3AE	Service type / nurse - meal prep. or delivery	HC	2307
HCC2_3AF	Service type / nurse - shopping	HC	2308
HCC2_3AG	Service type / nurse - respite care	HC	2308
HCC2_3AH	Service type / nurse - other service	HC	2309
HCC2_3BA	Service type / homemaker - nursing care	HC	2309
HCC2_3BB	Service type / homemaker - other health care services	HC	2310
HCC2_3BC	Service type / homemaker - personal care	HC	2310
HCC2_3BD	Service type / homemaker - housework	HC	2311
HCC2_3BE	Service type / homemaker - meal prep. or delivery	HC	2311
HCC2_3BF	Service type / homemaker - shopping	HC	2312
HCC2_3BG	Service type / homemaker - respite care	HC	2312
HCC2_3BH	Service type / homemaker - other service	HC	2313
HCC2_3CA	Service type / neighbour or friend - nursing care	HC	2313
HCC2_3CB	Service type / neighbour or friend - other health care serv.	HC	2314
HCC2_3CC	Service type / neighbour or friend - personal care	HC	2314
HCC2_3CD	Service type / neighbour or friend - housework	HC	2315
HCC2_3CE	Service type / neighbour or friend - meal prep. or delivery	HC	2315

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 54

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC2_3CF	Service type / neighbour or friend - shopping	HC	2316
HCC2_3CG	Service type / neighbour or friend - respite care	HC	2316
HCC2_3CH	Service type / neighbour or friend - other service	HC	2317
HCC2_3DA	Service type / family member - nursing care	HC	2317
HCC2_3DB	Service type / family member - other health care services	HC	2318
HCC2_3DC	Service type / family member - personal care	HC	2318
HCC2_3DD	Service type / family member - housework	HC	2319
HCC2_3DE	Service type / family member - meal prep. or delivery	HC	2319
HCC2_3DF	Service type / family member - shopping	HC	2320
HCC2_3DG	Service type / family member - respite care	HC	2320
HCC2_3DH	Service type / family member - other service	HC	2321
HCC2_3EA	Service type / volunteer - nursing care	HC	2321
HCC2_3EB	Service type / volunteer - other health care services	HC	2322
HCC2_3EC	Service type / volunteer - personal care	HC	2322
HCC2_3ED	Service type / volunteer - housework	HC	2323
HCC2_3EE	Service type / volunteer - meal prep. or delivery	HC	2323
HCC2_3EF	Service type / volunteer - shopping	HC	2324
HCC2_3EG	Service type / volunteer - respite care	HC	2324
HCC2_3EH	Service type / volunteer - other service	HC	2325
HCC2_3FA	Service type / other - nursing care	HC	2325
HCC2_3FB	Service type / other - other health care services	HC	2326
HCC2_3FC	Service type / other - personal care	HC	2326
HCC2_3FD	Service type / other - housework	HC	2327
HCC2_3FE	Service type / other - meal prep. or delivery	HC	2327
HCC2_3FF	Service type / other - shopping	HC	2328
HCC2_3FG	Service type / other - respite care	HC	2328
HCC2_3FH	Service type / other - other service	HC	2329
HCC2_4	Consulted alternative health care provider	HC	2281
HCC2_4A	Attended self-help group	HC	2280
HCC2_5A	Alternative health care - massage therapist	HC	2281
HCC2_5B	Alternative health care - acupuncturist	HC	2282
HCC2_5C	Alternative health care - homeopath or naturopath	HC	2282
HCC2_5D	Alternative health care - Feldenkrais or Alexander	HC	2283
HCC2_5E	Alternative health care - relaxation therapist	HC	2283
HCC2_5F	Alternative health care - biofeedback	HC	2284
HCC2_5G	Alternative health care - rolfer	HC	2284

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 55

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC2_5H	Alternative health care - herbalist	HC	2285
HCC2_5I	Alternative health care - reflexologist	HC	2285
HCC2_5J	Alternative health care - spiritual healer	HC	2286
HCC2_5K	Alternative health care - religious healer	HC	2286
HCC2_5L	Alternative health care - other	HC	2287
HCC2_6	Self perceived unmet health care need	HC	2287
HCC2_7A	Care not received - not available in area	HC	2288
HCC2_7B	Care not received - not available when required	HC	2288
HCC2_7C	Care not received - waiting time too long	HC	2289
HCC2_7D	Care not received - felt would be inadequate	HC	2289
HCC2_7E	Care not received - cost	HC	2290
HCC2_7F	Care not received - too busy	HC	2290
HCC2_7G	Care not received - didn't get around to it	HC	2291
HCC2_7H	Care not received - didn't know where to go	HC	2291
HCC2_7I	Care not received - transportation problems	HC	2292
HCC2_7J	Care not received - language problem	HC	2292
HCC2_7K	Care not received - personal or family responsibilities	HC	2293
HCC2_7L	Care not received - dislikes doctors / afraid	HC	2293
HCC2_7M	Care not received - decided not to seek care	HC	2294
HCC2_7N	Care not received - other reason	HC	2294
HCC2_8A	Type of care not received - physical health problem	HC	2295
HCC2_8B	Type of care not received - emot. or mental health problem	HC	2295
HCC2_8C	Type of care not received - regular check-up	HC	2296
HCC2_8D	Type of care not received - injury	HC	2296
HCC2_8E	Type of care not received - other	HC	2297
HCC2_9	Received home care services	HC	2297
HCC2DHPC	Consultations with health professionals - (D)	HC	2279
HCC2DMDC	Number of consultations with medical doctors - (D)	HC	2279
HCC2F1	Flag for any health care service utilization	HC	2278
HCC4_1	Overnight patient	HC	35
HCC4_10A	Home care received - nursing care	HC	55
HCC4_10C	Home care received - personal care	HC	56
HCC4_10D	Home care received - housework	HC	56
HCC4_10E	Home care received - meal preparation or delivery	HC	57
HCC4_10F	Home care received - shopping	HC	57
HCC4_10H	Home care received - other	HC	58

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 56

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC4_1A	Number of nights as patient	HC	36
HCC4_2A	Number of consultations - family doctor / g.p.	HC	36
HCC4_2B	Number of consultations - eye specialist	HC	37
HCC4_2C	Number of consultations - other medical doctor	HC	38
HCC4_2D	Number of consultations - nurse	HC	39
HCC4_2E	Number of consultations - dentist or orthodontist	HC	40
HCC4_2F	Number of consultations - chiropractor	HC	40
HCC4_2G	Number of consultations - physiotherapist	HC	41
HCC4_2H	Number of consultations - social worker or counsellor	HC	41
HCC4_2I	Number of consultations - psychologist	HC	41
HCC4_2J	Number of consultations - speech / audiology / occ. ther.	HC	42
HCC4_3	Has regular medical doctor	HC	34
HCC4_3A	Place of most recent contact - family doctor	HC	37
HCC4_3C	Place of most recent contact - other medical doctor	HC	38
HCC4_3D	Place of most recent contact - nurse	HC	39
HCC4_4	Consulted alternative health care provider	HC	43
HCC4_4A	Attended self-help group	HC	49
HCC4_5A	Alternative health care - massage therapist	HC	44
HCC4_5B	Alternative health care - acupuncturist	HC	44
HCC4_5C	Alternative health care - homeopath or naturopath	HC	45
HCC4_5D	Alternative health care - Feldenkrais or Alexander	HC	45
HCC4_5E	Alternative health care - relaxation therapist	HC	46
HCC4_5F	Alternative health care - biofeedback	HC	46
HCC4_5G	Alternative health care - rolfer	HC	47
HCC4_5H	Alternative health care - herbalist	HC	47
HCC4_5I	Alternative health care - reflexologist	HC	48
HCC4_5J	Alternative health care - spiritual healer	HC	48
HCC4_5K	Alternative health care - religious healer	HC	49
HCC4_5L	Alternative health care - other	HC	50
HCC4_6	Self perceived unmet health care need	HC	50
HCC4_8A	Type of care not received - physical health problem	HC	52
HCC4_8B	Type of care not received - emot. or mental health problem	HC	52
HCC4_8C	Type of care not received - regular check-up	HC	53
HCC4_8D	Type of care not received - injury	HC	53
HCC4_8E	Type of care not received - other	HC	54
HCC4_9	Received home care services	HC	54

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 57

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC4DHPC	Consultations with health professionals - (D)	HC	43
HCC4DMDC	Number of consultations with medical doctors - (D)	HC	42
HCC4F7W	Flag for reason for not getting care	HC	51
HCC4FS	Flag for type of home care service	HC	55
HCC4G7	Reason for not getting care - (G)	HC	51
HCC6_1	Overnight patient	HC	496
HCC6_10A	Home care received - nursing care	HC	525
HCC6_10B	Home care received - other health care	HC	526
HCC6_10C	Home care received - personal care	HC	526
HCC6_10D	Home care received - housework	HC	527
HCC6_10E	Home care received - meal preparation or delivery	HC	527
HCC6_10F	Home care received - shopping	HC	528
HCC6_10G	Home care received - respite care	HC	528
HCC6_10H	Home care received - other	HC	529
HCC6_11	Received health care services in the U.S.	HC	529
HCC6_12	Went to U.S. primarily to receive health care	HC	530
HCC6_1A	Number of nights as patient	HC	496
HCC6_2A	Number of consultations - family doctor / g.p.	HC	499
HCC6_2B	Number of consultations - eye specialist	HC	500
HCC6_2C	Number of consultations - other medical doctor	HC	501
HCC6_2D	Number of consultations - nurse	HC	502
HCC6_2E	Number of consultations - dentist or orthodontist	HC	503
HCC6_2F	Number of consultations - chiropractor	HC	504
HCC6_2G	Number of consultations - physiotherapist	HC	504
HCC6_2H	Number of consultations - social worker or counsellor	HC	505
HCC6_2I	Number of consultations - psychologist	HC	505
HCC6_2J	Number of consultations - speech / audiology / occ. ther.	HC	506
HCC6_3	Has regular medical doctor	HC	494
HCC6_3A	Place of most recent contact - family doctor	HC	500
HCC6_3C	Place of most recent contact - other medical doctor	HC	502
HCC6_3D	Place of most recent contact - nurse	HC	503
HCC6_4	Consulted alternative health care provider	HC	508
HCC6_4A	Attended self-help group	HC	508
HCC6_5A	Alternative health care - massage therapist	HC	509
HCC6_5B	Alternative health care - acupuncturist	HC	509
HCC6_5C	Alternative health care - homeopath or naturopath	HC	510

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 58

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC6_5D	Alternative health care - Feldenkrais or Alexander	HC	510
HCC6_5E	Alternative health care - relaxation therapist	HC	511
HCC6_5F	Alternative health care - biofeedback	HC	511
HCC6_5G	Alternative health care - rolfer	HC	512
HCC6_5H	Alternative health care - herbalist	HC	512
HCC6_5I	Alternative health care - reflexologist	HC	513
HCC6_5J	Alternative health care - spiritual healer	HC	513
HCC6_5K	Alternative health care - religious healer	HC	514
HCC6_5L	Alternative health care - other	HC	514
HCC6_6	Self perceived unmet health care need	HC	515
HCC6_7A	Care not received - not available in area	HC	515
HCC6_7B	Care not received - not available when required	HC	516
HCC6_7C	Care not received - waiting time too long	HC	516
HCC6_7D	Care not received - felt would be inadequate	HC	517
HCC6_7E	Care not received - cost	HC	517
HCC6_7F	Care not received - too busy	HC	518
HCC6_7G	Care not received - didn't get around to it	HC	518
HCC6_7H	Care not received - didn't know where to go	HC	519
HCC6_7I	Care not received - transportation problems	HC	519
HCC6_7J	Care not received - language problem	HC	520
HCC6_7K	Care not received - personal or family responsibilities	HC	520
HCC6_7L	Care not received - dislikes doctors / afraid	HC	521
HCC6_7M	Care not received - decided not to seek care	HC	521
HCC6_7N	Care not received - other reason	HC	522
HCC6_8A	Type of care not received - physical health problem	HC	522
HCC6_8B	Type of care not received - emot. or mental health problem	HC	523
HCC6_8C	Type of care not received - regular check-up	HC	523
HCC6_8D	Type of care not received - injury	HC	524
HCC6_8E	Type of care not received - other	HC	524
HCC6_9	Received home care services	HC	525
HCC6DHPC	Consultations with health professionals - (D)	HC	507
HCC6DMDC	Number of consultations with medical doctors - (D)	HC	507
HCC6F1	Flag for any health care service utilization	HC	506
HCC8_1	Overnight patient	HC	1190
HCC8_10A	Home care received - nursing care	HC	1216
HCC8_10B	Home care received - other health care	HC	1217

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 59

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC8_10C	Home care received - personal care	HC	1217
HCC8_10D	Home care received - housework	HC	1218
HCC8_10E	Home care received - meal preparation or delivery	HC	1218
HCC8_10F	Home care received - shopping	HC	1219
HCC8_10G	Home care received - respite care	HC	1219
HCC8_10H	Home care received - other	HC	1220
HCC8_11	Received health care services in the U.S.	HC	1220
HCC8_12	Went to U.S. primarily to receive health care	HC	1221
HCC8_1A	Number of nights as patient	HC	1190
HCC8_2A	Number of consultations - family doctor / g.p.	HC	1191
HCC8_2B	Number of consultations - eye specialist	HC	1192
HCC8_2C	Number of consultations - other medical doctor	HC	1192
HCC8_2D	Number of consultations - nurse	HC	1193
HCC8_2E	Number of consultations - dentist or orthodontist	HC	1194
HCC8_2F	Number of consultations - chiropractor	HC	1195
HCC8_2G	Number of consultations - physiotherapist	HC	1195
HCC8_2H	Number of consultations - social worker or counsellor	HC	1196
HCC8_2I	Number of consultations - psychologist	HC	1196
HCC8_2J	Number of consultations - speech / audiology / occ. ther.	HC	1197
HCC8_3	Has regular medical doctor	HC	1188
HCC8_3A	Place of most recent contact - family doctor	HC	1191
HCC8_3C	Place of most recent contact - other medical doctor	HC	1193
HCC8_3D	Place of most recent contact - nurse	HC	1194
HCC8_4	Consulted alternative health care provider	HC	1199
HCC8_4A	Attended self-help group	HC	1199
HCC8_5A	Alternative health care - massage therapist	HC	1200
HCC8_5B	Alternative health care - acupuncturist	HC	1200
HCC8_5C	Alternative health care - homeopath or naturopath	HC	1201
HCC8_5D	Alternative health care - Feldenkrais or Alexander	HC	1201
HCC8_5E	Alternative health care - relaxation therapist	HC	1202
HCC8_5F	Alternative health care - biofeedback	HC	1202
HCC8_5G	Alternative health care - rolfar	HC	1203
HCC8_5H	Alternative health care - herbalist	HC	1203
HCC8_5I	Alternative health care - reflexologist	HC	1204
HCC8_5J	Alternative health care - spiritual healer	HC	1204
HCC8_5K	Alternative health care - religious healer	HC	1205

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 60

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HCC8_5L	Alternative health care - other	HC	1205
HCC8_6	Self perceived unmet health care need	HC	1206
HCC8_7A	Care not received - not available in area	HC	1206
HCC8_7B	Care not received - not available when required	HC	1207
HCC8_7C	Care not received - waiting time too long	HC	1207
HCC8_7D	Care not received - felt would be inadequate	HC	1208
HCC8_7E	Care not received - cost	HC	1208
HCC8_7F	Care not received - too busy	HC	1209
HCC8_7G	Care not received - didn't get around to it	HC	1209
HCC8_7H	Care not received - didn't know where to go	HC	1210
HCC8_7I	Care not received - transportation problems	HC	1210
HCC8_7J	Care not received - language problem	HC	1211
HCC8_7K	Care not received - personal or family responsibilities	HC	1211
HCC8_7L	Care not received - dislikes doctors / afraid	HC	1212
HCC8_7M	Care not received - decided not to seek care	HC	1212
HCC8_7N	Care not received - other reason	HC	1213
HCC8_8A	Type of care not received - physical health problem	HC	1213
HCC8_8B	Type of care not received - emot. or mental health problem	HC	1214
HCC8_8C	Type of care not received - regular check-up	HC	1214
HCC8_8D	Type of care not received - injury	HC	1215
HCC8_8E	Type of care not received - other	HC	1215
HCC8_9	Received home care services	HC	1216
HCC8DHPC	Consultations with health professionals - (D)	HC	1198
HCC8DMDC	Number of consultations with medical doctors - (D)	HC	1198
HCC8F1	Flag for any health care service utilization	HC	1197
HCC8F13	Flag for reason sought care in the U.S.	HC	1221
HCK4_2OT	Number of consultations - other trained person	HC	42
HCK6_2A	Overnight patient - respiratory problem	HC	497
HCK6_2B	Overnight patient - gastrointestinal problem	HC	497
HCK6_2C	Overnight patient - injuries	HC	498
HCK6_2D	Overnight patient - at birth	HC	498
HCK6_2E	Overnight patient - other reason	HC	499
HIP6_1	Sports injuries - first source of information	HI	865
HIP6_1A	Sports injuries - would look for other source	HI	865
HIP6_1B	Sports injuries - second source of information	HI	866
HIP6_2	AIDS / STD - first source of information	HI	867

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 61

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HIP6_2A	AIDS / STD - would look for other source	HI	867
HIP6_2B	AIDS / STD - second source of information	HI	868
HIP6_3	Depression - first source of information	HI	869
HIP6_3A	Depression - would look for other source	HI	869
HIP6_3B	Depression - second source of information	HI	870
HIP6_4	Pregnancy - first source of information	HI	871
HIP6_4A	Pregnancy - would look for other source	HI	871
HIP6_4B	Pregnancy - second source of information	HI	872
HIP6_5	Attended school in past 12 months	HI	872
HIP6_6	Rating of information on improving health	HI	873
HIP6_7	Attended sex education classes at school	HI	873
HIP6_8	Rating of sex education classes	HI	874
HSC0_1	Vision - read newsprint without glasses / contact lenses	HS	1856
HSC0_10	Speech - completely understood by strangers	HS	1862
HSC0_11	Speech - partially understood by strangers	HS	1863
HSC0_12	Speech - completely understood by non-strangers	HS	1863
HSC0_13	Speech - partially understood by non-strangers	HS	1864
HSC0_14	Mobility - walk without difficulty and without support	HS	1865
HSC0_15	Mobility - able to walk	HS	1865
HSC0_16	Mobility - requires support to walk	HS	1866
HSC0_17	Mobility - requires help of person to walk	HS	1866
HSC0_18	Mobility - requires a wheelchair	HS	1867
HSC0_19	Mobility - frequency of wheelchair use	HS	1867
HSC0_2	Vision - read newsprint with glasses / contacts	HS	1857
HSC0_20	Mobility - requires help to move in wheelchair	HS	1868
HSC0_21	Dexterity - able to grasp and handle small objects	HS	1869
HSC0_22	Dexterity - requires help due to limitation in hands	HS	1869
HSC0_23	Dexterity - requires help with tasks	HS	1870
HSC0_24	Dexterity - requires special equipment	HS	1870
HSC0_25	Feelings - self perceived happiness	HS	1871
HSC0_26	Cognition - ability to remember things	HS	1872
HSC0_27	Cognition - ability to think and solve problems	HS	1873
HSC0_28	Pain - usually free of pain	HS	1874
HSC0_29	Pain - usual intensity	HS	1874
HSC0_3	Vision - able to see	HS	1857
HSC0_30	Pain - number of activities prevented	HS	1875

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 62

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HSC0_4	Vision - recognize a friend without glasses / contact lenses	HS	1858
HSC0_5	Vision - recognize a friend with glasses / contact lenses	HS	1858
HSC0_6	Hearing - in group without hearing aid	HS	1859
HSC0_7	Hearing - in group with hearing aid	HS	1860
HSC0_7A	Hearing - able to hear	HS	1860
HSC0_8	Hearing - in quiet room without hearing aid	HS	1861
HSC0_9	Hearing - in quiet room with hearing aid	HS	1861
HSC0DCOG	Cognition problem - function code - (D)	HS	1873
HSC0DDEX	Dexterity problem - function code - (D)	HS	1871
HSC0DEMO	Emotional problem - function code - (D)	HS	1872
HSC0DHER	Hearing problem - function code - (D)	HS	1862
HSC0DHSI	Health Utility Index (HUI3) - (D)	HS	1876
HSC0DMOB	Mobility problem - function code - (D)	HS	1868
HSC0DPAD	Activities prevented by pain - function code - (D)	HS	1875
HSC0DSPE	Speech problem - function code - (D)	HS	1864
HSC0DVIS	Vision problem - function code - (D)	HS	1859
HSC2_1	Vision - read newsprint without glasses / contact lenses	HS	2407
HSC2_10	Speech - completely understood by strangers	HS	2413
HSC2_11	Speech - partially understood by strangers	HS	2413
HSC2_12	Speech - completely understood by non-strangers	HS	2414
HSC2_13	Speech - partially understood by non-strangers	HS	2414
HSC2_14	Mobility - walk without difficulty and without support	HS	2415
HSC2_15	Mobility - able to walk	HS	2416
HSC2_16	Mobility - requires support to walk	HS	2416
HSC2_17	Mobility - requires help of person to walk	HS	2417
HSC2_18	Mobility - requires a wheelchair	HS	2417
HSC2_19	Mobility - frequency of wheelchair use	HS	2418
HSC2_2	Vision - read newsprint with glasses / contacts	HS	2407
HSC2_20	Mobility - requires help to move in wheelchair	HS	2418
HSC2_21	Dexterity - able to grasp and handle small objects	HS	2419
HSC2_22	Dexterity - requires help due to limitation in hands	HS	2420
HSC2_23	Dexterity - requires help with tasks	HS	2420
HSC2_24	Dexterity - requires special equipment	HS	2421
HSC2_25	Feelings - self perceived happiness	HS	2422
HSC2_26	Cognition - ability to remember things	HS	2423
HSC2_27	Cognition - ability to think and solve problems	HS	2423

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 63

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HSC2_28	Pain - usually free of pain	HS	2424
HSC2_29	Pain - usual intensity	HS	2425
HSC2_3	Vision - able to see	HS	2408
HSC2_30	Pain - number of activities prevented	HS	2425
HSC2_4	Vision - recognize a friend without glasses / contact lenses	HS	2408
HSC2_5	Vision - recognize a friend with glasses / contact lenses	HS	2409
HSC2_6	Hearing - in group without hearing aid	HS	2410
HSC2_7	Hearing - in group with hearing aid	HS	2410
HSC2_7A	Hearing - able to hear	HS	2411
HSC2_8	Hearing - in quiet room without hearing aid	HS	2411
HSC2_9	Hearing - in quiet room with hearing aid	HS	2412
HSC2DCOG	Cognition problem - function code - (D)	HS	2424
HSC2DDEX	Dexterity problem - function code - (D)	HS	2421
HSC2DEMO	Emotional problem - function code - (D)	HS	2422
HSC2DHER	Hearing problem - function code - (D)	HS	2412
HSC2DHSI	Health Utility Index (HUI3) - (D)	HS	2426
HSC2DMOB	Mobility problem - function code - (D)	HS	2419
HSC2DPAD	Activities prevented by pain - function code - (D)	HS	2426
HSC2DSPE	Speech problem - function code - (D)	HS	2415
HSC2DVIS	Vision problem - function code - (D)	HS	2409
HSC4_1	Vision - read newsprint without glasses / contact lenses	HS	323
HSC4_10	Speech - completely understood by strangers	HS	329
HSC4_11	Speech - partially understood by strangers	HS	329
HSC4_12	Speech - completely understood by non-strangers	HS	330
HSC4_13	Speech - partially understood by non-strangers	HS	330
HSC4_14	Mobility - walk without difficulty and without support	HS	331
HSC4_15	Mobility - able to walk	HS	332
HSC4_16	Mobility - requires support to walk	HS	332
HSC4_17	Mobility - requires help of person to walk	HS	333
HSC4_18	Mobility - requires a wheelchair	HS	333
HSC4_19	Mobility - frequency of wheelchair use	HS	334
HSC4_2	Vision - read newsprint with glasses / contacts	HS	323
HSC4_20	Mobility - requires help to move in wheelchair	HS	334
HSC4_21	Dexterity - able to grasp and handle small objects	HS	335
HSC4_22	Dexterity - requires help due to limitation in hands	HS	336
HSC4_23	Dexterity - requires help with tasks	HS	336

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 64

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HSC4_24	Dexterity - requires special equipment	HS	337
HSC4_25	Feelings - self perceived happiness	HS	338
HSC4_26	Cognition - ability to remember things	HS	339
HSC4_27	Cognition - ability to think and solve problems	HS	339
HSC4_28	Pain - usually free of pain	HS	340
HSC4_29	Pain - usual intensity	HS	341
HSC4_3	Vision - able to see	HS	324
HSC4_30	Pain - number of activities prevented	HS	341
HSC4_4	Vision - recognize a friend without glasses / contact lenses	HS	324
HSC4_5	Vision - recognize a friend with glasses / contacts	HS	325
HSC4_6	Hearing - in group without hearing aid	HS	326
HSC4_7	Hearing - in group with hearing aid	HS	326
HSC4_7A	Hearing - able to hear	HS	327
HSC4_8	Hearing - in quiet room without hearing aid	HS	327
HSC4_9	Hearing - in quiet room with hearing aid	HS	328
HSC4DCOG	Cognition problem - function code - (D)	HS	340
HSC4DDEX	Dexterity problem - function code - (D)	HS	337
HSC4DEMO	Emotional problem - function code - (D)	HS	338
HSC4DHER	Hearing problem - function code - (D)	HS	328
HSC4DHSI	Health Utility Index (HUI3) - (D)	HS	342
HSC4DMOB	Mobility problem - function code - (D)	HS	335
HSC4DPAD	Activities prevented by pain - function code - (D)	HS	342
HSC4DSPE	Speech problem - function code - (D)	HS	331
HSC4DVIS	Vision problem - function code - (D)	HS	325
HSC6_1	Vision - read newsprint without glasses / contact lenses	HS	874
HSC6_10	Speech - completely understood by strangers	HS	880
HSC6_11	Speech - partially understood by strangers	HS	881
HSC6_12	Speech - completely understood by non-strangers	HS	881
HSC6_13	Speech - partially understood by non-strangers	HS	882
HSC6_14	Mobility - walk without difficulty and without support	HS	883
HSC6_15	Mobility - able to walk	HS	883
HSC6_16	Mobility - requires support to walk	HS	884
HSC6_17	Mobility - requires help of person to walk	HS	884
HSC6_18	Mobility - requires a wheelchair	HS	885
HSC6_19	Mobility - frequency of wheelchair use	HS	885
HSC6_2	Vision - read newsprint with glasses / contacts	HS	875

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 65

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HSC6_20	Mobility - requires help to move in wheelchair	HS	886
HSC6_21	Dexterity - able to grasp and handle small objects	HS	887
HSC6_22	Dexterity - requires help due to limitation in hands	HS	887
HSC6_23	Dexterity - requires help with tasks	HS	888
HSC6_24	Dexterity - requires special equipment	HS	888
HSC6_25	Feelings - self perceived happiness	HS	889
HSC6_26	Cognition - ability to remember things	HS	890
HSC6_27	Cognition - ability to think and solve problems	HS	891
HSC6_28	Pain - usually free of pain	HS	892
HSC6_29	Pain - usual intensity	HS	892
HSC6_3	Vision - able to see	HS	875
HSC6_30	Pain - number of activities prevented	HS	893
HSC6_4	Vision - recognize a friend without glasses / contact lenses	HS	876
HSC6_5	Vision - recognize a friend with glasses / contact lenses	HS	876
HSC6_6	Hearing - in group without hearing aid	HS	877
HSC6_7	Hearing - in group with hearing aid	HS	878
HSC6_7A	Hearing - able to hear	HS	878
HSC6_8	Hearing - in quiet room without hearing aid	HS	879
HSC6_9	Hearing - in quiet room with hearing aid	HS	879
HSC6DCOG	Cognition problem - function code - (D)	HS	891
HSC6DDEX	Dexterity problem - function code - (D)	HS	889
HSC6DEMO	Emotional problem - function code - (D)	HS	890
HSC6DHER	Hearing problem - function code - (D)	HS	880
HSC6DHSI	Health Utility Index (HUI3) - (D)	HS	894
HSC6DMOB	Mobility problem - function code - (D)	HS	886
HSC6DPAD	Activities prevented by pain - function code - (D)	HS	893
HSC6DSPE	Speech problem - function code - (D)	HS	882
HSC6DVIS	Vision problem - function code - (D)	HS	877
HSC8_1	Vision - read newsprint without glasses / contact lenses	HS	1473
HSC8_10	Speech - completely understood by strangers	HS	1479
HSC8_11	Speech - partially understood by strangers	HS	1480
HSC8_12	Speech - completely understood by non-strangers	HS	1480
HSC8_13	Speech - partially understood by non-strangers	HS	1481
HSC8_14	Mobility - walk without difficulty and without support	HS	1482
HSC8_15	Mobility - able to walk	HS	1482
HSC8_16	Mobility - requires support to walk	HS	1483

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 66

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HSC8_17	Mobility - requires help of person to walk	HS	1483
HSC8_18	Mobility - requires a wheelchair	HS	1484
HSC8_19	Mobility - frequency of wheelchair use	HS	1484
HSC8_2	Vision - read newsprint with glasses / contacts	HS	1474
HSC8_20	Mobility - requires help to move in wheelchair	HS	1485
HSC8_21	Dexterity - able to grasp and handle small objects	HS	1486
HSC8_22	Dexterity - requires help due to limitation in hands	HS	1486
HSC8_23	Dexterity - requires help with tasks	HS	1487
HSC8_24	Dexterity - requires special equipment	HS	1487
HSC8_25	Feelings - self perceived happiness	HS	1488
HSC8_26	Cognition - ability to remember things	HS	1489
HSC8_27	Cognition - ability to think and solve problems	HS	1490
HSC8_28	Pain - usually free of pain	HS	1491
HSC8_29	Pain - usual intensity	HS	1491
HSC8_3	Vision - able to see	HS	1474
HSC8_30	Pain - number of activities prevented	HS	1492
HSC8_4	Vision - recognize a friend without glasses / contact lenses	HS	1475
HSC8_5	Vision - recognize a friend with glasses / contact lenses	HS	1475
HSC8_6	Hearing - in group without hearing aid	HS	1476
HSC8_7	Hearing - in group with hearing aid	HS	1477
HSC8_7A	Hearing - able to hear	HS	1477
HSC8_8	Hearing - in quiet room without hearing aid	HS	1478
HSC8_9	Hearing - in quiet room with hearing aid	HS	1478
HSC8DCOG	Cognition problem - function code - (D)	HS	1490
HSC8DDEX	Dexterity problem - function code - (D)	HS	1488
HSC8DEMO	Emotional problem - function code - (D)	HS	1489
HSC8DHER	Hearing problem - function code - (D)	HS	1479
HSC8DHSI	Health Utility Index (HUI3) - (D)	HS	1493
HSC8DMOB	Mobility problem - function code - (D)	HS	1485
HSC8DPAD	Activities prevented by pain - function code - (D)	HS	1492
HSC8DSPPE	Speech problem - function code - (D)	HS	1481
HSC8DVIS	Vision problem - function code - (D)	HS	1476
HSK6_25A	Event causing great amount of worry or unhappiness	HS	894
HSK6_31A	Worry or unhappiness - death in family	HS	895
HSK6_31B	Worry or unhappiness - divorce or separation	HS	895
HSK6_31C	Worry or unhappiness - move	HS	896

# NPBS Cycle 5 (2002-2003): Alphabetic Index

Page 67

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HSK6_31D	Worry or unhappiness - illness or injury in family	HS	896
HSK6_31E	Worry or unhappiness - conflict between parents	HS	897
HSK6_31F	Worry or unhappiness - other event	HS	897
HVS6_1	Tissue sample given for life insurance	HV	860
HVS6_2	Donated blood at the Red Cross	HV	861
HVS6_3	Year of last blood donation	HV	861
HVS6_4	Test for HIV / AIDS other than for insurance or blood donat.	HV	862
HVS6_5	HIV / AIDS - year of last test	HV	862
HVS6_6	HIV / AIDS - reason for test	HV	863
HVS6_7	Received "clotting factor" between 1978 and 1985	HV	863
HVS6_8	Received a blood transfusion between 1978 and 1985	HV	864
HVS6_9	Has injected non-prescription drugs	HV	864
HW_2_5	Respondent's opinion of own weight	HW	2243
HW_2_6	Presently trying to lose weight	HW	2244
HW_2_7	Presently trying to gain weight	HW	2244
HW_2_8KG	Desired weight - kilograms	HW	2245
HW_2_8LB	Desired weight - pounds	HW	2245
HW_6_5	Respondent's opinion of own weight	HW	717
HW_6_8KG	Desired weight - kilograms	HW	718
HW_6_8LB	Desired weight - pounds	HW	717
HWB	Birth weight	GH	6
HWBG1	Birth weight - (G)	HW	7
HWC0_3KG	Weight - kilograms	HW	1730
HWC0_3LB	Weight - pounds	HW	1729
HWC0_HT	Height	HW	1728
HWC0DBMI	Body Mass Index - (D)	HW	1730
HWC0DISW	Standard weight (International standard) - (D)	HW	1731
HWC2_3KG	Weight - kilograms	HW	2242
HWC2_3LB	Weight - pounds	HW	2241
HWC2_HT	Height	HW	2240
HWC2DBMI	Body Mass Index - (D)	HW	2242
HWC2DISW	Standard weight (International standard) - (D)	HW	2243
HWC4_3KG	Weight - kilograms	HW	188
HWC4_3LB	Weight - pounds	HW	188
HWC4_HT	Height	HW	189
HWC4DBMI	Body Mass Index - (D)	HW	191

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 68

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
HWC4DISW	Standard weight (International standard) - (D)	HW	192
HWC6_3KG	Weight - kilograms	HW	715
HWC6_3LB	Weight - pounds	HW	715
HWC6_HT	Height	HW	713
HWC6DBMI	Body Mass Index - (D)	HW	716
HWC6DISW	Standard weight (International standard) - (D)	HW	716
HWC8_3KG	Weight - kilograms	HW	1401
HWC8_3LB	Weight - pounds	HW	1400
HWC8_HT	Height	HW	1399
HWC8DBMI	Body Mass Index - (D)	HW	1401
HWC8DISW	Standard weight (International standard) - (D)	HW	1402
HWS6_4	Most important thing done to follow a healthy diet	HW	718
HWS6_5	Skipping breakfast can control / reduce weight	HW	719
IJC0_1	Injured in the past 12 months	IJ	1923
IJC0_10	Most serious injury - result of a fall	IJ	1927
IJC0_10A	Most serious injury - how fell	IJ	1928
IJC0_10B	Most serious injury - cause	IJ	1929
IJC0_11	Most serious injury - received treatment within 48 hours	IJ	1929
IJC0_12	Most serious injury - where received treatment	IJ	1930
IJC0_13	Most serious injury - admitted to hospital	IJ	1930
IJC0_14	Other injuries - treated but did not limit normal activities	IJ	1931
IJC0_15	Other injuries - number of treated injuries	IJ	1931
IJC0_2	Number of injuries in the past 12 months	IJ	1923
IJC0_3	Most serious injury - type	IJ	1924
IJC0_4	Most serious injury - body part affected	IJ	1925
IJC0_4A	Most serious injury - body part affected (internal injuries)	IJ	1926
IJC0_5	Most serious injury - place of occurrence	IJ	1926
IJC0_9	Most serious injury - activity type when injured	IJ	1927
IJC0DCAU	Cause of injury - (D)	IJ	1932
IJC0DCBP	Cause of injury by place of occurrence - (D)	IJ	1933
IJC0DTBS	Type of injury by body site - (D)	IJ	1932
IJC2_1	Injured in the past 12 months	IJ	2474
IJC2_10	Most serious injury - result of a fall	IJ	2478
IJC2_10A	Most serious injury - how fell	IJ	2479
IJC2_10B	Most serious injury - cause	IJ	2480
IJC2_11	Most serious injury - received treatment within 48 hours	IJ	2480

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 69

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
IJC2_12	Most serious injury - where received treatment	IJ	2481
IJC2_13	Most serious injury - admitted to hospital	IJ	2481
IJC2_14	Other injuries - treated but did not limit normal activities	IJ	2482
IJC2_15	Other injuries - number of treated injuries	IJ	2482
IJC2_2	Number of injuries in the past 12 months	IJ	2474
IJC2_3	Most serious injury - type	IJ	2475
IJC2_4	Most serious injury - body part affected	IJ	2476
IJC2_4A	Most serious injury - body part affected (internal injuries)	IJ	2477
IJC2_5	Most serious injury - place of occurrence	IJ	2477
IJC2_9	Most serious injury - activity type when injured	IJ	2478
IJC2DCAU	Cause of injury - (D)	IJ	2483
IJC2DCBP	Cause of injury by place of occurrence - (D)	IJ	2484
IJC2DTBS	Type of injury by body site - (D)	IJ	2483
IJC4_1	Injured in the past 12 months	IJ	258
IJC4_2	Number of injuries in the past 12 months	IJ	258
IJC4_3	Most serious injury - type	IJ	259
IJC4_4	Most serious injury - body part affected	IJ	260
IJC4_5	Most serious injury - place of occurrence	IJ	261
IJC4_6	Most serious injury - reason	IJ	262
IJC4_7	Most serious injury - work-related	IJ	263
IJC4_8A	Precaution taken - gave up the activity	IJ	263
IJC4_8B	Precaution taken - being more careful	IJ	264
IJC4_8C	Precaution taken - safety training	IJ	264
IJC4_8D	Precaution taken - protective gear	IJ	265
IJC4_8E	Precaution taken - changing physical situation	IJ	265
IJC4_8F	Precaution taken - other	IJ	266
IJC4_8G	Precaution taken - none	IJ	266
IJC4_8H	Precaution taken - increase child supervision	IJ	266
IJC4D1	Type of injury by body site - (D)	IJ	260
IJC4D2	Cause of injury by place of occurrence - (D)	IJ	262
IJC6_1	Injured in the past 12 months	IJ	948
IJC6_2	Number of injuries in the past 12 months	IJ	948
IJC6_3	Most serious injury - type	IJ	949
IJC6_4	Most serious injury - body part affected	IJ	950
IJC6_5	Most serious injury - place of occurrence	IJ	951
IJC6_6	Most serious injury - reason	IJ	952

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 70

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
IJC6_7	Most serious injury - work-related	IJ	953
IJC6_8A	Precaution taken - gave up the activity	IJ	953
IJC6_8B	Precaution taken - being more careful	IJ	954
IJC6_8C	Precaution taken - safety training	IJ	954
IJC6_8D	Precaution taken - protective gear	IJ	955
IJC6_8E	Precaution taken - changing physical situation	IJ	955
IJC6_8F	Precaution taken - other	IJ	956
IJC6_8G	Precaution taken - none	IJ	956
IJC6D1	Type of injury by body site - (D)	IJ	957
IJC6D2	Cause of injury by place of occurrence - (D)	IJ	957
IJC8_1	Injured in the past 12 months	IJ	1551
IJC8_2	Number of injuries in the past 12 months	IJ	1551
IJC8_3	Most serious injury - type	IJ	1552
IJC8_4	Most serious injury - body part affected	IJ	1553
IJC8_5	Most serious injury - place of occurrence	IJ	1554
IJC8_6	Most serious injury - reason	IJ	1555
IJC8_7	Most serious injury - work-related	IJ	1556
IJC8_8A	Precaution taken - gave up the activity	IJ	1556
IJC8_8B	Precaution taken - being more careful	IJ	1557
IJC8_8C	Precaution taken - safety training	IJ	1557
IJC8_8D	Precaution taken - protective gear	IJ	1558
IJC8_8E	Precaution taken - changing physical situation	IJ	1558
IJC8_8F	Precaution taken - other	IJ	1559
IJC8_8G	Precaution taken - none	IJ	1559
IJC8D1	Type of injury by body site - (D)	IJ	1560
IJC8D2	Cause of injury by place of occurrence - (D)	IJ	1560
IMM	Immigrant status	SD	9
INC0_1A	Source of income - wages and salaries	IN	2194
INC0_1B	Source of income - self-employment	IN	2195
INC0_1C	Source of income - dividends and interest	IN	2195
INC0_1D	Source of income - employment insurance	IN	2196
INC0_1E	Source of income - worker's compensation	IN	2196
INC0_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	2197
INC0_1G	Source of income - pensions, superannuation and annuities	IN	2197
INC0_1H	Source of income - Old Age Security / G.I.S.	IN	2198
INC0_1I	Source of income - child tax benefit	IN	2198

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 71

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
INC0_1J	Source of income - social assistance / welfare	IN	2199
INC0_1K	Source of income - child support	IN	2199
INC0_1L	Source of income - alimony	IN	2200
INC0_1M	Source of income - other	IN	2200
INC0_1N	Source of income - none	IN	2201
INC0_2	Total household income - main source	IN	2202
INC0_3	Total household income - best estimate	IN	2203
INC0_3A	Total household income - < \$20,000 or >= \$20,000	IN	2203
INC0_3B	Total household income - < \$10,000 or >= \$10,000	IN	2204
INC0_3C	Total household income - < \$5,000 or >= \$5,000	IN	2204
INC0_3D	Total household income - < \$15,000 or >= \$15,000	IN	2205
INC0_3E	Total household income - < \$40,000 or >= \$40,000	IN	2205
INC0_3F	Total household income - < \$30,000 or >= \$30,000	IN	2206
INC0_3G	Total household income - >= \$40,000	IN	2206
INC0_4	Total personal income - best estimate	IN	2209
INC0_4A	Total personal income - < \$20,000 or >= \$20,000	IN	2209
INC0_4B	Total personal income - < \$10,000 or >= \$10,000	IN	2210
INC0_4C	Total personal income - < \$5,000 or >= \$5,000	IN	2210
INC0_4D	Total personal income - < \$15,000 or >= \$15,000	IN	2211
INC0_4E	Total personal income - < \$40,000 or >= \$40,000	IN	2211
INC0_4F	Total personal income - < \$30,000 or >= \$30,000	IN	2212
INC0_4G	Total personal income - >= \$40,000	IN	2212
INC0CCPI	Consumer Price Index	IN	2213
INC0DHH	Total household income - All sources - (D)	IN	2207
INC0DIA2	Income adequacy - 2 groups - (D)	IN	2207
INC0DIA4	Income adequacy - 4 groups - (D)	IN	2208
INC0DIA5	Income adequacy - 5 groups - (D)	IN	2208
INC0DPER	Total personal income - All sources - (D)	IN	2213
INC2_1A	Source of income - wages and salaries	IN	2723
INC2_1B	Source of income - self-employment	IN	2724
INC2_1C	Source of income - dividends and interest	IN	2724
INC2_1D	Source of income - employment insurance	IN	2725
INC2_1E	Source of income - worker's compensation	IN	2725
INC2_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	2726
INC2_1G	Source of income - pensions, superannuation and annuities	IN	2726
INC2_1H	Source of income - Old Age Security / G.I.S.	IN	2727

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 72

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
INC2_1I	Source of income - child tax benefit	IN	2727
INC2_1J	Source of income - social assistance / welfare	IN	2728
INC2_1K	Source of income - child support	IN	2728
INC2_1L	Source of income - alimony	IN	2729
INC2_1M	Source of income - other	IN	2729
INC2_1N	Source of income - none	IN	2730
INC2_2	Total household income - main source	IN	2731
INC2_3	Total household income - best estimate	IN	2732
INC2_3A	Total household income - < \$20,000 or >= \$20,000	IN	2732
INC2_3B	Total household income - < \$10,000 or >= \$10,000	IN	2733
INC2_3C	Total household income - < \$5,000 or >= \$5,000	IN	2733
INC2_3D	Total household income - < \$15,000 or >= \$15,000	IN	2734
INC2_3E	Total household income - < \$40,000 or >= \$40,000	IN	2734
INC2_3F	Total household income - < \$30,000 or >= \$30,000	IN	2735
INC2_3G	Total household income - >= \$40,000	IN	2735
INC2_4	Total personal income - best estimate	IN	2738
INC2_4A	Total personal income - < \$20,000 or >= \$20,000	IN	2738
INC2_4B	Total personal income - < \$10,000 or >= \$10,000	IN	2739
INC2_4C	Total personal income - < \$5,000 or >= \$5,000	IN	2739
INC2_4D	Total personal income - < \$15,000 or >= \$15,000	IN	2740
INC2_4E	Total personal income - < \$40,000 or >= \$40,000	IN	2740
INC2_4F	Total personal income - < \$30,000 or >= \$30,000	IN	2741
INC2_4G	Total personal income - >= \$40,000	IN	2741
INC2CCPI	Consumer Price Index	IN	2742
INC2DHH	Total household income - All sources - (D)	IN	2736
INC2DIA2	Income adequacy - 2 groups - (D)	IN	2736
INC2DIA4	Income adequacy - 4 groups - (D)	IN	2737
INC2DIA5	Income adequacy - 5 groups - (D)	IN	2737
INC2DPER	Total personal income - All sources - (D)	IN	2742
INC4_1A	Source of income - wages and salaries	IN	166
INC4_1B	Source of income - self-employment	IN	167
INC4_1C	Source of income - dividends and interest	IN	167
INC4_1D	Source of income - unemployment insurance	IN	168
INC4_1E	Source of income - worker's compensation	IN	168
INC4_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	169
INC4_1G	Source of income - pensions, superannuation and annuities	IN	169

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 73

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
INC4_1H	Source of income - Old Age Security / G.I.S.	IN	170
INC4_1I	Source of income - child tax benefit	IN	170
INC4_1J	Source of income - social assistance / welfare	IN	171
INC4_1K	Source of income - child support	IN	171
INC4_1L	Source of income - alimony	IN	172
INC4_1M	Source of income - other	IN	172
INC4_1N	Source of income - none	IN	173
INC4_2	Total household income - main source	IN	174
INC4_3A	Total household income - < \$20,000 or >= \$20,000	IN	175
INC4_3B	Total household income - < \$10,000 or >= \$10,000	IN	175
INC4_3C	Total household income - < \$5,000 or >= \$5,000	IN	176
INC4_3D	Total household income - < \$15,000 or >= \$15,000	IN	176
INC4_3E	Total household income - < \$40,000 or >= \$40,000	IN	177
INC4_3F	Total household income - < \$30,000 or >= \$30,000	IN	177
INC4_3G	Total household income - >= \$40,000	IN	178
INC4CCPI	Consumer Price Index	IN	180
INC4DHH	Total household income - All sources - (D)	IN	180
INC4DIA2	Income adequacy - 2 groups - (D)	IN	178
INC4DIA4	Income adequacy - 4 groups - (D)	IN	179
INC4DIA5	Income adequacy - 5 groups - (D)	IN	179
INC4F1	Income questions asked of this H05 respondent	IN	166
INC6_1A	Source of income - wages and salaries	IN	678
INC6_1B	Source of income - self-employment	IN	678
INC6_1C	Source of income - dividends and interest	IN	679
INC6_1D	Source of income - unemployment insurance	IN	679
INC6_1E	Source of income - worker's compensation	IN	680
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	680
INC6_1G	Source of income - pensions, superannuation and annuities	IN	681
INC6_1H	Source of income - Old Age Security / G.I.S.	IN	681
INC6_1I	Source of income - child tax benefit	IN	682
INC6_1J	Source of income - social assistance / welfare	IN	682
INC6_1K	Source of income - child support	IN	683
INC6_1L	Source of income - alimony	IN	683
INC6_1M	Source of income - other	IN	684
INC6_1N	Source of income - none	IN	684
INC6_2	Total household income - main source	IN	685

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 74

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
INC6_3A	Total household income - < \$20,000 or >= \$20,000	IN	686
INC6_3B	Total household income - < \$10,000 or >= \$10,000	IN	686
INC6_3C	Total household income - < \$5,000 or >= \$5,000	IN	687
INC6_3D	Total household income - < \$15,000 or >= \$15,000	IN	687
INC6_3E	Total household income - < \$40,000 or >= \$40,000	IN	688
INC6_3F	Total household income - < \$30,000 or >= \$30,000	IN	688
INC6_3G	Total household income - >= \$40,000	IN	689
INC6CCPI	Consumer Price Index	IN	691
INC6DHH	Total household income - All sources - (D)	IN	691
INC6DIA2	Income adequacy - 2 groups - (D)	IN	689
INC6DIA4	Income adequacy - 4 groups - (D)	IN	690
INC6DIA5	Income adequacy - 5 groups - (D)	IN	690
INC6F1	Income questions asked of this H05 respondent	IN	677
INC8_1A	Source of income - wages and salaries	IN	1372
INC8_1B	Source of income - self-employment	IN	1372
INC8_1C	Source of income - dividends and interest	IN	1373
INC8_1D	Source of income - employment insurance	IN	1373
INC8_1E	Source of income - worker's compensation	IN	1374
INC8_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	1374
INC8_1G	Source of income - pensions, superannuation and annuities	IN	1375
INC8_1H	Source of income - Old Age Security / G.I.S.	IN	1375
INC8_1I	Source of income - child tax benefit	IN	1376
INC8_1J	Source of income - social assistance / welfare	IN	1376
INC8_1K	Source of income - child support	IN	1377
INC8_1L	Source of income - alimony	IN	1377
INC8_1M	Source of income - other	IN	1378
INC8_1N	Source of income - none	IN	1378
INC8_2	Total household income - main source	IN	1379
INC8_3	Total household income - best estimate	IN	1380
INC8_3A	Total household income - < \$20,000 or >= \$20,000	IN	1380
INC8_3B	Total household income - < \$10,000 or >= \$10,000	IN	1381
INC8_3C	Total household income - < \$5,000 or >= \$5,000	IN	1381
INC8_3D	Total household income - < \$15,000 or >= \$15,000	IN	1382
INC8_3E	Total household income - < \$40,000 or >= \$40,000	IN	1382
INC8_3F	Total household income - < \$30,000 or >= \$30,000	IN	1383
INC8_3G	Total household income - >= \$40,000	IN	1383

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 75

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
INC8_4	Total personal income - best estimate	IN	1386
INC8_4A	Total personal income - < \$20,000 or >= \$20,000	IN	1386
INC8_4B	Total personal income - < \$10,000 or >= \$10,000	IN	1387
INC8_4C	Total personal income - < \$5,000 or >= \$5,000	IN	1387
INC8_4D	Total personal income - < \$15,000 or >= \$15,000	IN	1388
INC8_4E	Total personal income - < \$40,000 or >= \$40,000	IN	1388
INC8_4F	Total personal income - < \$30,000 or >= \$30,000	IN	1389
INC8_4G	Total personal income - >= \$40,000	IN	1389
INC8CCPI	Consumer Price Index	IN	1390
INC8DHH	Total household income - All sources - (D)	IN	1384
INC8DIA2	Income adequacy - 2 groups - (D)	IN	1384
INC8DIA4	Income adequacy - 4 groups - (D)	IN	1385
INC8DIA5	Income adequacy - 5 groups - (D)	IN	1385
INC8DPER	Total personal income - All sources - (D)	IN	1390
INC8F1	Income questions asked of this H05 respondent	IN	1371
INS6_4	Household ran out of money to buy food	IN	692
INS6_5	Received food from a charity	IN	692
INS6_6	Description of food situation	IN	693
ISC0_1	Insurance - prescription medications	IS	1854
ISC0_2	Insurance - dental expenses	IS	1854
ISC0_3	Insurance - eye glasses / contact lenses	IS	1855
ISC0_4	Insurance - hospital charges	IS	1855
ISC0D1	Number of types of medical insurance - (D)	IS	1856
ISC2_1	Insurance - prescription medications	IS	2404
ISC2_2	Insurance - dental expenses	IS	2405
ISC2_3	Insurance - eye glasses / contact lenses	IS	2405
ISC2_4	Insurance - hospital charges	IS	2406
ISC2D1	Number of types of medical insurance - (D)	IS	2406
ISC6_1	Insurance - prescription medications	IS	1020
ISC6_2	Insurance - dental expenses	IS	840
ISC6_3	Insurance - eye glasses / contact lenses	IS	858
ISC6_4	Insurance - hospital charges	IS	859
ISC6D1	Number of types of medical insurance - (D)	IS	860
ISC8_1	Insurance - prescription medications	IS	1418
ISC8_2	Insurance - dental expenses	IS	1419
ISC8_3	Insurance - eye glasses / contact lenses	IS	1419

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 76

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ISC8_4	Insurance - hospital charges	IS	1420
ISC8D1	Number of types of medical insurance - (D)	IS	1420
LFC0CI97	Standard Industry Code (NAICS) for main job	LF	2174
LFC0CO91	Standard Occupation Code (SOC - 91) for main job	LF	2176
LFC0GI16	Standard Industry Code for main job - 16 groups - (G)	LF	2175
LFC0GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	2177
LFC0GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	2178
LFC2CI97	Standard Industry Code (NAICS) for main job	LF	2703
LFC2CO91	Standard Occupation Code (SOC - 91) for main job	LF	2705
LFC2GI16	Standard Industry Code for main job - 16 groups - (G)	LF	2704
LFC2GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	2706
LFC2GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	2707
LFC4_1	Current main activity	LF	120
LFC4_101	Usually works weekends - job 1	LF	128
LFC4_102	Usually works weekends - job 2	LF	135
LFC4_103	Usually works weekends - job 3	LF	141
LFC4_111	Worked other than job 1	LF	129
LFC4_112	Worked other than job 1 and job 2	LF	135
LFC4_16	Worked for others or in own business - main job	LF	144
LFC4_17A	Reason for not working - most recent period	LF	145
LFC4_2	Worked for pay or profit	LF	121
LFC4_41	Had job one year ago without break - job 1	LF	122
LFC4_42	Had job one year ago without break - job 2	LF	130
LFC4_43	Had job one year ago without break - job 3	LF	136
LFC4_51D	Day started - job 1	LF	124
LFC4_51M	Month started - job 1	LF	123
LFC4_51Y	Year started - job 1	LF	124
LFC4_52D	Day started - job 2	LF	131
LFC4_52M	Month started - job 2	LF	130
LFC4_52Y	Year started - job 2	LF	131
LFC4_53D	Day started - job 3	LF	137
LFC4_53M	Month started - job 3	LF	137
LFC4_53Y	Year started - job 3	LF	138
LFC4_61	Has job now - job 1	LF	125
LFC4_62	Has job now - job 2	LF	132
LFC4_63	Has job now - job 3	LF	138

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 77

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
LFC4_71D	Day stopped - job 1	LF	126
LFC4_71M	Month stopped - job 1	LF	126
LFC4_71Y	Year stopped - job 1	LF	127
LFC4_72D	Day stopped - job 2	LF	133
LFC4_72M	Month stopped - job 2	LF	132
LFC4_72Y	Year stopped - job 2	LF	133
LFC4_73D	Day stopped - job 3	LF	139
LFC4_73M	Month stopped - job 3	LF	139
LFC4_73Y	Year stopped - job 3	LF	140
LFC4_81	Hours usually worked per week - job 1	LF	127
LFC4_82	Hours usually worked per week - job 2	LF	134
LFC4_83	Hours usually worked per week - job 3	LF	140
LFC4_91	Type of working hours - job 1	LF	128
LFC4_92	Type of working hours - job 2	LF	134
LFC4_93	Type of working hours - job 3	LF	141
LFC4CI97	Standard Industry Code (NAICS) for main job	LF	146
LFC4CO91	Standard Occupation Code (SOC - 91) for main job	LF	148
LFC4DCMN	Main job is the current job - (D)	LF	156
LFC4DCWS	Working status in last 12 months - (D)	LF	152
LFC4DD1	Work duration - job 1 - (D)	LF	159
LFC4DD2	Work duration - job 2 - (D)	LF	160
LFC4DD3	Work duration - job 3 - (D)	LF	161
LFC4DDA	Duration of work without break greater than 30 days - (D)	LF	153
LFC4DDMN	Work duration - main job - (D)	LF	157
LFC4DGA	Number of gaps of 30 days or more - (D)	LF	155
LFC4DH1	Hours of work - job 1 - (D)	LF	162
LFC4DH2	Hours of work - job 2 - (D)	LF	162
LFC4DH3	Hours of work - job 3 - (D)	LF	163
LFC4DHA	Pattern of working hours of all jobs - (D)	LF	154
LFC4DHMN	Hours of work - main job - (D)	LF	158
LFC4DJA	Number of jobs - (D)	LF	154
LFC4DJGA	Pattern of number of jobs - (D)	LF	155
LFC4DOMN	Job number of old main job - (D)	LF	165
LFC4DT1	Type of working hours - job 1 - (D)	LF	163
LFC4DT2	Type of working hours - job 2 - (D)	LF	164
LFC4DT3	Type of working hours - job 3 - (D)	LF	165

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 78

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
LFC4DTMN	Type of working hours - main job - (D)	LF	158
LFC4F13	Flag for main job industry	LF	142
LFC4F14	Flag for main job occupation	LF	143
LFC4F15	Flag for main job duties	LF	143
LFC4FE1	Flag for employer - job 1	LF	121
LFC4FE2	Flag for employer - job 2	LF	129
LFC4FE3	Flag for employer - job 3	LF	136
LFC4FGAP	Flag for jobless gap greater than 30 days	LF	152
LFC4FMN	Job number of main job	LF	142
LFC4FWK	Work flag (used for processing only)	LF	151
LFC4G17B	Reasons not working - currently (G)	LF	146
LFC4GI16	Standard Industry Code for main job - 16 groups - (G)	LF	147
LFC4GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	149
LFC4GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	150
LFC6_101	Usually works weekends - job 1	LF	639
LFC6_102	Usually works weekends - job 2	LF	646
LFC6_103	Usually works weekends - job 3	LF	652
LFC6_111	Worked other than job 1	LF	639
LFC6_112	Worked other than job 1 and job 2	LF	646
LFC6_16	Worked for others or in own business - main job	LF	655
LFC6_17A	Reason for not working - most recent period	LF	656
LFC6_17B	Reason for not working - currently	LF	657
LFC6_2	Worked for pay or profit	LF	630
LFC6_2B	Worked for same employer as in last interview	LF	631
LFC6_41	Had job one year ago without break - job 1	LF	632
LFC6_42	Had job one year ago without break - job 2	LF	640
LFC6_43	Had job one year ago without break - job 3	LF	647
LFC6_51D	Day started - job 1	LF	634
LFC6_51M	Month started - job 1	LF	633
LFC6_51Y	Year started - job 1	LF	634
LFC6_52D	Day started - job 2	LF	642
LFC6_52M	Month started - job 2	LF	641
LFC6_52Y	Year started - job 2	LF	642
LFC6_53D	Day started - job 3	LF	648
LFC6_53M	Month started - job 3	LF	648
LFC6_53Y	Year started - job 3	LF	649

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 79

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
LFC6_61	Has job now - job 1	LF	635
LFC6_62	Has job now - job 2	LF	643
LFC6_63	Has job now - job 3	LF	649
LFC6_71D	Day stopped - job 1	LF	637
LFC6_71M	Month stopped - job 1	LF	636
LFC6_71Y	Year stopped - job 1	LF	637
LFC6_72D	Day stopped - job 2	LF	644
LFC6_72M	Month stopped - job 2	LF	643
LFC6_72Y	Year stopped - job 2	LF	644
LFC6_73D	Day stopped - job 3	LF	650
LFC6_73M	Month stopped - job 3	LF	650
LFC6_73Y	Year stopped - job 3	LF	651
LFC6_81	Hours usually worked per week - job 1	LF	638
LFC6_82	Hours usually worked per week - job 2	LF	645
LFC6_83	Hours usually worked per week - job 3	LF	651
LFC6_91	Type of working hours - job 1	LF	638
LFC6_92	Type of working hours - job 2	LF	645
LFC6_93	Type of working hours - job 3	LF	652
LFC6CI97	Standard Industry Code (NAICS) for main job	LF	658
LFC6CO91	Standard Occupation Code (SOC - 91) for main job	LF	660
LFC6DCMN	Main job is the current job - (D)	LF	668
LFC6DCWS	Working status in last 12 months - (D)	LF	664
LFC6DD1	Work duration - job 1 - (D)	LF	671
LFC6DD2	Work duration - job 2 - (D)	LF	672
LFC6DD3	Work duration - job 3 - (D)	LF	673
LFC6DDA	Duration of work without break greater than 30 days - (D)	LF	665
LFC6DDMN	Work duration - main job - (D)	LF	669
LFC6DGA	Number of gaps of 30 days or more - (D)	LF	667
LFC6DH1	Hours of work - job 1 - (D)	LF	674
LFC6DH2	Hours of work - job 2 - (D)	LF	674
LFC6DH3	Hours of work - job 3 - (D)	LF	675
LFC6DHA	Pattern of working hours of all jobs - (D)	LF	666
LFC6DHMN	Hours of work - main job - (D)	LF	670
LFC6DJA	Number of jobs - (D)	LF	666
LFC6DJGA	Pattern of number of jobs - (D)	LF	667
LFC6DT1	Type of working hours - job 1 - (D)	LF	675

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 80

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
LFC6DT2	Type of working hours - job 2 - (D)	LF	676
LFC6DT3	Type of working hours - job 3 - (D)	LF	677
LFC6DTMN	Type of working hours - main job - (D)	LF	670
LFC6F13	Flag for main job industry	LF	653
LFC6F14	Flag for main job occupation	LF	654
LFC6F15	Flag for main job duties	LF	654
LFC6FE1	Flag for employer - job 1	LF	631
LFC6FE2	Flag for employer - job 2	LF	640
LFC6FE3	Flag for employer - job 3	LF	647
LFC6FGAP	Flag for jobless gap greater than 30 days	LF	664
LFC6FMN	Job number of main job	LF	653
LFC6FWK	Work flag (used for processing only)	LF	663
LFC6GI16	Standard Industry Code for main job - 16 groups - (G)	LF	659
LFC6GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	661
LFC6GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	662
LFC8_101	Usually works weekends - job 1	LF	1334
LFC8_102	Usually works weekends - job 2	LF	1340
LFC8_103	Usually works weekends - job 3	LF	1346
LFC8_111	Worked other than job 1	LF	1335
LFC8_112	Worked other than job 1 and job 2	LF	1341
LFC8_16	Worked for others or in own business - main job	LF	1349
LFC8_17A	Reason for not working - most recent period	LF	1350
LFC8_17B	Reason for not working - currently	LF	1351
LFC8_2	Worked for pay or profit	LF	1327
LFC8_2B	Worked for same employer as in last interview	LF	1328
LFC8_41	Had job one year ago without break - job 1	LF	1329
LFC8_42	Had job one year ago without break - job 2	LF	1336
LFC8_43	Had job one year ago without break - job 3	LF	1342
LFC8_51D	Day started - job 1	LF	1330
LFC8_51M	Month started - job 1	LF	1330
LFC8_51Y	Year started - job 1	LF	1331
LFC8_52D	Day started - job 2	LF	1337
LFC8_52M	Month started - job 2	LF	1336
LFC8_52Y	Year started - job 2	LF	1337
LFC8_53D	Day started - job 3	LF	1343
LFC8_53M	Month started - job 3	LF	1342

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 81

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
LFC8_53Y	Year started - job 3	LF	1343
LFC8_61	Has job now - job 1	LF	1331
LFC8_62	Has job now - job 2	LF	1338
LFC8_63	Has job now - job 3	LF	1343
LFC8_71D	Day stopped - job 1	LF	1332
LFC8_71M	Month stopped - job 1	LF	1332
LFC8_71Y	Year stopped - job 1	LF	1333
LFC8_72D	Day stopped - job 2	LF	1339
LFC8_72M	Month stopped - job 2	LF	1338
LFC8_72Y	Year stopped - job 2	LF	1339
LFC8_73D	Day stopped - job 3	LF	1344
LFC8_73M	Month stopped - job 3	LF	1344
LFC8_73Y	Year stopped - job 3	LF	1345
LFC8_81	Hours usually worked per week - job 1	LF	1333
LFC8_82	Hours usually worked per week - job 2	LF	1339
LFC8_83	Hours usually worked per week - job 3	LF	1345
LFC8_91	Type of working hours - job 1	LF	1334
LFC8_92	Type of working hours - job 2	LF	1340
LFC8_93	Type of working hours - job 3	LF	1346
LFC8CI97	Standard Industry Code (NAICS) for main job	LF	1352
LFC8CO91	Standard Occupation Code (SOC - 91) for main job	LF	1354
LFC8DCMN	Main job is the current job - (D)	LF	1362
LFC8DCWS	Working status in last 12 months - (D)	LF	1358
LFC8DD1	Work duration - job 1 - (D)	LF	1365
LFC8DD2	Work duration - job 2 - (D)	LF	1366
LFC8DD3	Work duration - job 3 - (D)	LF	1367
LFC8DDA	Duration of work without break greater than 30 days - (D)	LF	1359
LFC8DDMN	Work duration - main job - (D)	LF	1363
LFC8DGA	Number of gaps of 30 days or more - (D)	LF	1361
LFC8DH1	Hours of work - job 1 - (D)	LF	1368
LFC8DH2	Hours of work - job 2 - (D)	LF	1368
LFC8DH3	Hours of work - job 3 - (D)	LF	1369
LFC8DHA	Pattern of working hours of all jobs - (D)	LF	1360
LFC8DHMN	Hours of work - main job - (D)	LF	1364
LFC8DJA	Number of jobs - (D)	LF	1360
LFC8DJGA	Pattern of number of jobs - (D)	LF	1361

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 82

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
LFC8DT1	Type of working hours - job 1 - (D)	LF	1369
LFC8DT2	Type of working hours - job 2 - (D)	LF	1370
LFC8DT3	Type of working hours - job 3 - (D)	LF	1371
LFC8DTMN	Type of working hours - main job - (D)	LF	1364
LFC8F13	Flag for main job industry	LF	1347
LFC8F14	Flag for main job occupation	LF	1348
LFC8F15	Flag for main job duties	LF	1348
LFC8FE1	Flag for employer - job 1	LF	1328
LFC8FE2	Flag for employer - job 2	LF	1335
LFC8FE3	Flag for employer - job 3	LF	1341
LFC8FGAP	Flag for jobless gap greater than 30 days	LF	1358
LFC8FMN	Job number of main job	LF	1347
LFC8FWK	Work flag (used for processing only)	LF	1357
LFC8GI16	Standard Industry Code for main job - 16 groups - (G)	LF	1353
LFC8GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	1355
LFC8GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	1356
LONGPAT	Longitudinal response pattern	AM	2
LSC0_1	Worked at a job or business last week	LS	2166
LSC0_11	Looked for work in the past 4 weeks	LS	2168
LSC0_12	Had a job to start in future last week	LS	2168
LSC0_13	Not currently working - reason	LS	2169
LSC0_2	Absent from job or business last week	LS	2167
LSC0_21	Worked at a job or a business in past 12 months	LS	2169
LSC0_22	Looked for work in past 12 months	LS	2170
LSC0_23	Had more than one job or business - past 12 months	LS	2170
LSC0_3	Had more than one job or business last week	LS	2167
LSC0_31	Status in employment - main job or business	LS	2171
LSC0_41	Absent from job or business last week - reason	LS	2180
LSC0_42	Usual number of hours worked - main job or business	LS	2181
LSC0_43	Preferred number of hours - main job or business	LS	2181
LSC0_44	Usual work schedule - main job or business	LS	2182
LSC0_45	Usual work schedule - reason	LS	2183
LSC0_46	Work on weekends - main job or business	LS	2183
LSC0_51	Worked at more than one job or business - number of weeks	LS	2184
LSC0_52	Worked at more than one job or business - reason	LS	2184
LSC0_53	Usual number of hours worked - other job or business	LS	2185

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 83

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
LSC0_54	Work on weekends - other job or business	LS	2185
LSC0_61	Number of weeks worked in past 12 months	LS	2186
LSC0_71	Number of weeks looked for work in past 12 months	LS	2186
LSC0_72	Not working nor looking - number of weeks (confirm)	LS	2187
LSC0_73	Not looking for work - reason	LS	2188
LSC0_74	Looked for work - number of continuous periods	LS	2189
LSC0DCWS	Current working status - (D)	LS	2189
LSC0DHPW	Total usual hours worked per week - (D)	LS	2193
LSC0DJST	Job status over past year - (D)	LS	2194
LSC0DMJS	Multiple job status - (D)	LS	2191
LSC0DPFT	Work status - full time or part time - (D)	LS	2193
LSC0DRNW	Main reason for not working last week - (D)	LS	2192
LSC0DSWS	Student working status - (D)	LS	2190
LSC0DYWS	Working status in the last 12 months - (D)	LS	2190
LSC0F32	Flag for name of own business	LS	2171
LSC0F33	Flag for name of employer	LS	2172
LSC0F34	Flag for kind of business	LS	2172
LSC0F35	Flag for kind of work	LS	2173
LSC0F36	Flag for main activity or duties	LS	2173
LSC2_1	Worked at a job or business last week	LS	2695
LSC2_11	Looked for work in the past 4 weeks	LS	2697
LSC2_12	Had a job to start in future last week	LS	2697
LSC2_13	Not currently working - reason	LS	2698
LSC2_2	Absent from job or business last week	LS	2696
LSC2_21	Worked at a job or a business in past 12 months	LS	2699
LSC2_22	Looked for work in past 12 months	LS	2699
LSC2_23	Had more than one job or business - past 12 months	LS	2700
LSC2_3	Had more than one job or business last week	LS	2696
LSC2_31	Status in employment - main job or business	LS	2700
LSC2_41	Absent from job or business last week - reason	LS	2709
LSC2_42	Usual number of hours worked - main job or business	LS	2710
LSC2_43	Preferred number of hours - main job or business	LS	2710
LSC2_44	Usual work schedule - main job or business	LS	2711
LSC2_45	Usual work schedule - reason	LS	2712
LSC2_46	Work on weekends - main job or business	LS	2712
LSC2_51	Worked at more than one job or business - number of weeks	LS	2713

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 84

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
LSC2_52	Worked at more than one job or business - reason	LS	2713
LSC2_53	Usual number of hours worked - other job or business	LS	2714
LSC2_54	Work on weekends - other job or business	LS	2714
LSC2_61	Number of weeks worked in past 12 months	LS	2715
LSC2_71	Number of weeks looked for work in past 12 months	LS	2715
LSC2_72	Not working nor looking - number of weeks (confirm)	LS	2716
LSC2_73	Not looking for work - reason	LS	2717
LSC2_74	Looked for work - number of continuous periods	LS	2718
LSC2DCWS	Current working status - (D)	LS	2718
LSC2DHPW	Total usual hours worked per week - (D)	LS	2722
LSC2DJST	Job status over past year - (D)	LS	2723
LSC2DMJS	Multiple job status - (D)	LS	2720
LSC2DPFT	Work status - full time or part time - (D)	LS	2722
LSC2DRNW	Main reason for not working last week - (D)	LS	2721
LSC2DSWS	Student working status - (D)	LS	2719
LSC2DYWS	Working status in the last 12 months - (D)	LS	2719
LSC2F32	Flag for name of own business	LS	2701
LSC2F33	Flag for name of employer	LS	2701
LSC2F34	Flag for kind of business	LS	2702
LSC2F35	Flag for kind of work	LS	2702
LSC2F36	Flag for main activity or duties	LS	2703
MHC0_10	Depressed - frequency of trouble falling asleep	MH	2098
MHC0_11	Depressed - trouble concentrating	MH	2098
MHC0_12	Depressed - felt down on self	MH	2099
MHC0_13	Depressed - thought a lot about death	MH	2099
MHC0_14	Depressed - number of weeks in past 12 months	MH	2100
MHC0_15	Depressed - month of occurrence	MH	2101
MHC0_16	Lost interest in most things that usually give pleasure	MH	2102
MHC0_17	Loss of interest - duration	MH	2102
MHC0_18	Loss of interest - frequency	MH	2103
MHC0_19	Loss of interest - felt tired all the time	MH	2103
MHC0_1A	Frequency of feeling sad	MH	2085
MHC0_1B	Frequency of feeling nervous	MH	2085
MHC0_1C	Frequency of feeling restless / fidgety	MH	2086
MHC0_1D	Frequency of feeling hopeless	MH	2086
MHC0_1E	Frequency of feeling worthless	MH	2087

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 85

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
MHC0_1F	Frequency of feeling everything was an effort	MH	2087
MHC0_1G	Frequency of feelings occurrence	MH	2088
MHC0_1H	Frequency of feelings occurrence (more)	MH	2088
MHC0_1I	Frequency of feelings occurrence (less)	MH	2089
MHC0_1J	Frequency - experiences interfere with life	MH	2089
MHC0_1K	Mental health - has consulted with a health professional	MH	2090
MHC0_1L	Mental health - no. of times consulted a health professional	MH	2090
MHC0_1MA	Mental health - consulted family doctor	MH	2091
MHC0_1MB	Mental health - consulted psychiatrist	MH	2091
MHC0_1MC	Mental health - consulted psychologist	MH	2092
MHC0_1MD	Mental health - consulted nurse	MH	2092
MHC0_1ME	Mental health - consulted social worker or counselor	MH	2093
MHC0_1MF	Mental health - consulted other professional	MH	2093
MHC0_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	2094
MHC0_20	Loss of interest - weight change or not	MH	2104
MHC0_21K	Loss of interest - weight change (kg.)	MH	2104
MHC0_21L	Loss of interest - weight change (lb.)	MH	2105
MHC0_22	Loss of interest - trouble falling asleep	MH	2105
MHC0_23	Loss of interest - frequency of trouble falling asleep	MH	2106
MHC0_24	Loss of interest - trouble concentrating	MH	2106
MHC0_25	Loss of interest - felt down on self	MH	2107
MHC0_26	Loss of interest - thought a lot about death	MH	2107
MHC0_27	Loss of interest - number of weeks in past 12 months	MH	2108
MHC0_28	Loss of interest - month of occurrence	MH	2108
MHC0_3	Depressed - usual duration of feelings	MH	2094
MHC0_4	Depressed - frequency of feelings	MH	2095
MHC0_5	Depressed - lost interest in most things	MH	2095
MHC0_6	Depressed - felt tired all of the time	MH	2096
MHC0_7	Depressed - weight change or not	MH	2096
MHC0_8KG	Depressed - weight change (kg.)	MH	2097
MHC0_8LB	Depressed - weight change (lb.)	MH	2097
MHC0_9	Depressed - trouble falling asleep	MH	2097
MHC0DCH	Chronicity of Distress Scale - (D)	MH	2109
MHC0DDS	Distress Scale - (D)	MH	2109
MHC0DMT	Specific month last felt depressed - (D)	MH	2111
MHC0DPP	Depression Scale - Predicted Probability - (D)	MH	2110

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 86

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
MHC0DSF	Depression Scale - Short Form Score - (D)	MH	2110
MHC0DWK	Number of weeks felt depressed - (D)	MH	2111
MHC2_10	Depressed - frequency of trouble falling asleep	MH	2644
MHC2_11	Depressed - trouble concentrating	MH	2644
MHC2_12	Depressed - felt down on self	MH	2645
MHC2_13	Depressed - thought a lot about death	MH	2645
MHC2_14	Depressed - number of weeks in past 12 months	MH	2646
MHC2_15	Depressed - month of occurrence	MH	2647
MHC2_16	Lost interest in most things that usually give pleasure	MH	2648
MHC2_17	Loss of interest - duration	MH	2648
MHC2_18	Loss of interest - frequency	MH	2649
MHC2_19	Loss of interest - felt tired all the time	MH	2649
MHC2_1A	Frequency of feeling sad	MH	2630
MHC2_1B	Frequency of feeling nervous	MH	2631
MHC2_1C	Frequency of feeling restless / fidgety	MH	2631
MHC2_1D	Frequency of feeling hopeless	MH	2632
MHC2_1E	Frequency of feeling worthless	MH	2632
MHC2_1F	Frequency of feeling everything was an effort	MH	2633
MHC2_1G	Frequency of feelings occurrence	MH	2633
MHC2_1H	Frequency of feelings occurrence (more)	MH	2634
MHC2_1I	Frequency of feelings occurrence (less)	MH	2634
MHC2_1J	Frequency - experiences interfere with life	MH	2635
MHC2_1K	Mental health - has consulted with a health professional	MH	2635
MHC2_1L	Mental health - no. of times consulted a health professional	MH	2636
MHC2_1MA	Mental health - consulted family doctor	MH	2636
MHC2_1MB	Mental health - consulted psychiatrist	MH	2637
MHC2_1MC	Mental health - consulted psychologist	MH	2637
MHC2_1MD	Mental health - consulted nurse	MH	2638
MHC2_1ME	Mental health - consulted social worker or counselor	MH	2638
MHC2_1MF	Mental health - consulted other professional	MH	2639
MHC2_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	2639
MHC2_20	Loss of interest - weight change or not	MH	2650
MHC2_21K	Loss of interest - weight change (kg.)	MH	2650
MHC2_21L	Loss of interest - weight change (lb.)	MH	2651
MHC2_22	Loss of interest - trouble falling asleep	MH	2651
MHC2_23	Loss of interest - frequency of trouble falling asleep	MH	2652

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 87

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
MHC2_24	Loss of interest - trouble concentrating	MH	2652
MHC2_25	Loss of interest - felt down on self	MH	2653
MHC2_26	Loss of interest - thought a lot about death	MH	2653
MHC2_27	Loss of interest - number of weeks in past 12 months	MH	2654
MHC2_28	Loss of interest - month of occurrence	MH	2654
MHC2_3	Depressed - usual duration of feelings	MH	2640
MHC2_4	Depressed - frequency of feelings	MH	2640
MHC2_5	Depressed - lost interest in most things	MH	2641
MHC2_6	Depressed - felt tired all of the time	MH	2641
MHC2_7	Depressed - weight change or not	MH	2642
MHC2_8KG	Depressed - weight change (kg.)	MH	2642
MHC2_8LB	Depressed - weight change (lb.)	MH	2643
MHC2_9	Depressed - trouble falling asleep	MH	2643
MHC2DCH	Chronicity of Distress Scale - (D)	MH	2655
MHC2DDS	Distress Scale - (D)	MH	2655
MHC2DMT	Specific month last felt depressed - (D)	MH	2657
MHC2DPP	Depression Scale - Predicted Probability - (D)	MH	2656
MHC2DSF	Depression Scale - Short Form Score - (D)	MH	2656
MHC2DWK	Number of weeks felt depressed - (D)	MH	2657
MHC4_10	Depressed - frequency of trouble falling asleep	MH	414
MHC4_11	Depressed - trouble concentrating	MH	415
MHC4_12	Depressed - felt down on self	MH	415
MHC4_13	Depressed - thought a lot about death	MH	416
MHC4_14	Depressed - number of weeks in past 12 months	MH	416
MHC4_15	Depressed - month of occurrence	MH	417
MHC4_16	Lost interest in most things that usually give pleasure	MH	418
MHC4_17	Loss of interest - duration	MH	418
MHC4_18	Loss of interest - frequency	MH	419
MHC4_19	Loss of interest - felt tired all the time	MH	419
MHC4_1A	Frequency of feeling sad	MH	404
MHC4_1B	Frequency of feeling nervous	MH	404
MHC4_1C	Frequency of feeling restless / fidgety	MH	405
MHC4_1D	Frequency of feeling hopeless	MH	405
MHC4_1E	Frequency of feeling worthless	MH	406
MHC4_1F	Frequency of feeling everything was an effort	MH	406
MHC4_1G	Frequency of feelings occurrence	MH	407

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 88

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
MHC4_1H	Frequency of feelings occurrence (more)	MH	407
MHC4_1I	Frequency of feelings occurrence (less)	MH	408
MHC4_1J	Frequency - experiences interfere with life	MH	408
MHC4_1K	Mental health - has consulted with a health professional	MH	409
MHC4_1L	Mental health - no. of times consulted a health professional	MH	409
MHC4_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	410
MHC4_20	Loss of interest - weight change or not	MH	420
MHC4_21K	Loss of interest - weight change (kg.)	MH	421
MHC4_21L	Loss of interest - weight change (lb.)	MH	420
MHC4_22	Loss of interest - trouble falling asleep	MH	421
MHC4_23	Loss of interest - frequency of trouble falling asleep	MH	422
MHC4_24	Loss of interest - trouble concentrating	MH	422
MHC4_25	Loss of interest - felt down on self	MH	423
MHC4_26	Loss of interest - thought a lot about death	MH	423
MHC4_27	Loss of interest - number of weeks in past 12 months	MH	424
MHC4_28	Loss of interest - month of occurrence	MH	424
MHC4_3	Depressed - usual duration of feelings	MH	410
MHC4_4	Depressed - frequency of feelings	MH	411
MHC4_5	Depressed - lost interest in most things	MH	411
MHC4_6	Depressed - felt tired all of the time	MH	412
MHC4_7	Depressed - weight change or not	MH	412
MHC4_8KG	Depressed - weight change (kg.)	MH	413
MHC4_8LB	Depressed - weight change (lb.)	MH	413
MHC4_9	Depressed - trouble falling asleep	MH	414
MHC4DCH	Chronicity of Distress Scale - (D)	MH	425
MHC4DDS	Distress Scale - (D)	MH	425
MHC4DMT	Specific month last felt depressed - (D)	MH	427
MHC4DPP	Depression Scale - Predicted Probability - (D)	MH	426
MHC4DSF	Depression Scale - Short Form Score - (D)	MH	426
MHC4DWK	Number of weeks felt depressed - (D)	MH	427
MHC6_10	Depressed - frequency of trouble falling asleep	MH	1083
MHC6_11	Depressed - trouble concentrating	MH	1084
MHC6_12	Depressed - felt down on self	MH	1084
MHC6_13	Depressed - thought a lot about death	MH	1085
MHC6_14	Depressed - number of weeks in past 12 months	MH	1085
MHC6_15	Depressed - month of occurrence	MH	1086

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 89

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
MHC6_16	Lost interest in most things that usually give pleasure	MH	1087
MHC6_17	Loss of interest - duration	MH	1087
MHC6_18	Loss of interest - frequency	MH	1088
MHC6_19	Loss of interest - felt tired all the time	MH	1088
MHC6_1A	Frequency of feeling sad	MH	1070
MHC6_1B	Frequency of feeling nervous	MH	1070
MHC6_1C	Frequency of feeling restless / fidgety	MH	1071
MHC6_1D	Frequency of feeling hopeless	MH	1071
MHC6_1E	Frequency of feeling worthless	MH	1072
MHC6_1F	Frequency of feeling everything was an effort	MH	1072
MHC6_1G	Frequency of feelings occurrence	MH	1073
MHC6_1H	Frequency of feelings occurrence (more)	MH	1073
MHC6_1I	Frequency of feelings occurrence (less)	MH	1074
MHC6_1J	Frequency - experiences interfere with life	MH	1074
MHC6_1K	Mental health - has consulted with a health professional	MH	1075
MHC6_1L	Mental health - no. of times consulted a health professional	MH	1075
MHC6_1MA	Mental health - consulted family doctor	MH	1076
MHC6_1MB	Mental health - consulted psychiatrist	MH	1076
MHC6_1MC	Mental health - consulted psychologist	MH	1077
MHC6_1MD	Mental health - consulted nurse	MH	1077
MHC6_1ME	Mental health - consulted social worker or counselor	MH	1078
MHC6_1MF	Mental health - consulted other professional	MH	1078
MHC6_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	1079
MHC6_20	Loss of interest - weight change or not	MH	1089
MHC6_21K	Loss of interest - weight change (kg.)	MH	1089
MHC6_21L	Loss of interest - weight change (lb.)	MH	1090
MHC6_22	Loss of interest - trouble falling asleep	MH	1090
MHC6_23	Loss of interest - frequency of trouble falling asleep	MH	1091
MHC6_24	Loss of interest - trouble concentrating	MH	1091
MHC6_25	Loss of interest - felt down on self	MH	1092
MHC6_26	Loss of interest - thought a lot about death	MH	1092
MHC6_27	Loss of interest - number of weeks in past 12 months	MH	1093
MHC6_28	Loss of interest - month of occurrence	MH	1093
MHC6_3	Depressed - usual duration of feelings	MH	1079
MHC6_4	Depressed - frequency of feelings	MH	1080
MHC6_5	Depressed - lost interest in most things	MH	1080

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 90

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
MHC6_6	Depressed - felt tired all of the time	MH	1081
MHC6_7	Depressed - weight change or not	MH	1081
MHC6_8KG	Depressed - weight change (kg.)	MH	1082
MHC6_8LB	Depressed - weight change (lb.)	MH	1082
MHC6_9	Depressed - trouble falling asleep	MH	1083
MHC6DCH	Chronicity of Distress Scale - (D)	MH	1094
MHC6DDS	Distress Scale - (D)	MH	1094
MHC6DMT	Specific month last felt depressed - (D)	MH	1096
MHC6DPP	Depression Scale - Predicted Probability - (D)	MH	1095
MHC6DSF	Depression Scale - Short Form Score - (D)	MH	1095
MHC6DWK	Number of weeks felt depressed - (D)	MH	1096
MHC8_10	Depressed - frequency of trouble falling asleep	MH	1677
MHC8_11	Depressed - trouble concentrating	MH	1677
MHC8_12	Depressed - felt down on self	MH	1678
MHC8_13	Depressed - thought a lot about death	MH	1678
MHC8_14	Depressed - number of weeks in past 12 months	MH	1679
MHC8_15	Depressed - month of occurrence	MH	1679
MHC8_16	Lost interest in most things that usually give pleasure	MH	1680
MHC8_17	Loss of interest - duration	MH	1680
MHC8_18	Loss of interest - frequency	MH	1681
MHC8_19	Loss of interest - felt tired all the time	MH	1681
MHC8_1A	Frequency of feeling sad	MH	1664
MHC8_1B	Frequency of feeling nervous	MH	1664
MHC8_1C	Frequency of feeling restless / fidgety	MH	1665
MHC8_1D	Frequency of feeling hopeless	MH	1665
MHC8_1E	Frequency of feeling worthless	MH	1666
MHC8_1F	Frequency of feeling everything was an effort	MH	1666
MHC8_1G	Frequency of feelings occurrence	MH	1667
MHC8_1H	Frequency of feelings occurrence (more)	MH	1667
MHC8_1I	Frequency of feelings occurrence (less)	MH	1668
MHC8_1J	Frequency - experiences interfere with life	MH	1668
MHC8_1K	Mental health - has consulted with a health professional	MH	1669
MHC8_1L	Mental health - no. of times consulted a health professional	MH	1669
MHC8_1MA	Mental health - consulted family doctor	MH	1670
MHC8_1MB	Mental health - consulted psychiatrist	MH	1670
MHC8_1MC	Mental health - consulted psychologist	MH	1671

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 91

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
MHC8_1MD	Mental health - consulted nurse	MH	1671
MHC8_1ME	Mental health - consulted social worker or counselor	MH	1672
MHC8_1MF	Mental health - consulted other professional	MH	1672
MHC8_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	1673
MHC8_20	Loss of interest - weight change or not	MH	1682
MHC8_21K	Loss of interest - weight change (kg.)	MH	1682
MHC8_21L	Loss of interest - weight change (lb.)	MH	1683
MHC8_22	Loss of interest - trouble falling asleep	MH	1683
MHC8_23	Loss of interest - frequency of trouble falling asleep	MH	1684
MHC8_24	Loss of interest - trouble concentrating	MH	1684
MHC8_25	Loss of interest - felt down on self	MH	1685
MHC8_26	Loss of interest - thought a lot about death	MH	1685
MHC8_27	Loss of interest - number of weeks in past 12 months	MH	1686
MHC8_28	Loss of interest - month of occurrence	MH	1686
MHC8_3	Depressed - usual duration of feelings	MH	1673
MHC8_4	Depressed - frequency of feelings	MH	1674
MHC8_5	Depressed - lost interest in most things	MH	1674
MHC8_6	Depressed - felt tired all of the time	MH	1675
MHC8_7	Depressed - weight change or not	MH	1675
MHC8_8KG	Depressed - weight change (kg.)	MH	1676
MHC8_8LB	Depressed - weight change (lb.)	MH	1676
MHC8_9	Depressed - trouble falling asleep	MH	1676
MHC8DCH	Chronicity of Distress Scale - (D)	MH	1687
MHC8DDS	Distress Scale - (D)	MH	1687
MHC8DMT	Specific month last felt depressed - (D)	MH	1689
MHC8DPP	Depression Scale - Predicted Probability - (D)	MH	1688
MHC8DSF	Depression Scale - Short Form Score - (D)	MH	1688
MHC8DWK	Number of weeks felt depressed - (D)	MH	1689
MOB	Month of birth	DH	4
MOD	Month of death	DH	12
NU_2_1A	Choose or avoid foods - concerned about body weight	NU	2246
NU_2_1C	Choose or avoid foods - concerned about heart disease	NU	2246
NU_2_1D	Choose or avoid foods - concerned about cancer	NU	2247
NU_2_1E	Choose or avoid foods - concerned about osteoporosis	NU	2247
NU_2_2A	Reason to choose foods - lower fat content	NU	2248
NU_2_2B	Reason to choose foods - fibre content	NU	2248

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 92

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
NU_2_2C	Reason to choose foods - calcium content	NU	2249
NU_2_3A	Reason to avoid foods - fat content	NU	2249
NU_2_3B	Reason to avoid foods - type of fat	NU	2250
NU_2_3C	Reason to avoid foods - salt content	NU	2250
NU_2_3D	Reason to avoid foods - cholesterol content	NU	2251
NU_2_3G	Reason to avoid foods - calorie content	NU	2251
NU_2_4A	Took supplements - past 4 weeks	NU	2252
NU_2_4B	Took supplements - at least once a week	NU	2252
NU_2_4C	Took supplements - number of days in last week	NU	2253
NU_2_4D	Took supplements - number of days in past 4 weeks	NU	2253
NU_2D4	Number of reasons - choosing / avoiding foods (S. V.) - (D)	NU	2254
NU_2D5	Number of reasons for choosing foods (S. V.) - (D)	NU	2254
NU_2D6	Number of reasons for avoiding foods (S. V.) - (D)	NU	2255
NU_2DCON	Freq. of consumption of vitamin / mineral supplements - (D)	NU	2255
NU_8_1A	Choose or avoid foods - concerned about body weight	NU	1458
NU_8_1B	Choose or avoid foods - maintain or improve health	NU	1459
NU_8_1C	Choose or avoid foods - concerned about heart disease	NU	1459
NU_8_1D	Choose or avoid foods - concerned about cancer	NU	1460
NU_8_1E	Choose or avoid foods - concerned about osteoporosis	NU	1460
NU_8_1F	Choose or avoid foods - concerned about high blood pressure	NU	1461
NU_8_1G	Choose or avoid foods - concerned about diabetes	NU	1461
NU_8_2A	Reason to choose foods - lower fat content	NU	1462
NU_8_2B	Reason to choose foods - fibre content	NU	1463
NU_8_2C	Reason to choose foods - calcium content	NU	1463
NU_8_2D	Reason to choose foods - iron content	NU	1464
NU_8_2E	Reason to choose foods - other vitamins or minerals	NU	1464
NU_8_3A	Reason to avoid foods - fat content	NU	1465
NU_8_3B	Reason to avoid foods - type of fat	NU	1466
NU_8_3C	Reason to avoid foods - salt content	NU	1466
NU_8_3D	Reason to avoid foods - cholesterol content	NU	1467
NU_8_3E	Reason to avoid foods - sugar content	NU	1467
NU_8_3F	Reason to avoid foods - iron content	NU	1468
NU_8_3G	Reason to avoid foods - calorie content	NU	1468
NU_8_4A	Took supplements - past 4 weeks	NU	1469
NU_8_4B	Took supplements - at least once a week	NU	1470
NU_8_4C	Took supplements - number of days in last week	NU	1470

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 93

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
NU_8_4D	Took supplements - number of days in past 4 weeks	NU	1471
NU_8D1	Number of medical reasons - choosing / avoiding foods - (D)	NU	1462
NU_8D2	Number of content reasons for choosing foods - (D)	NU	1465
NU_8D3	Number of content reasons for avoiding foods - (D)	NU	1469
NU_8D4	Number of reasons - choosing / avoiding foods (S. V.) - (D)	NU	1471
NU_8D5	Number of reasons for choosing foods (S. V.) - (D)	NU	1472
NU_8D6	Number of reasons for avoiding foods (S. V.) - (D)	NU	1472
NU_8DCON	Freq. of consumption of vitamin / mineral supplements - (D)	NU	1473
PAC0_1A	Activity in last 3 months - walking for exercise	PA	1876
PAC0_1B	Activity in last 3 months - gardening or yard work	PA	1877
PAC0_1C	Activity in last 3 months - swimming	PA	1877
PAC0_1D	Activity in last 3 months - bicycling	PA	1878
PAC0_1E	Activity in last 3 months - popular or social dance	PA	1878
PAC0_1F	Activity in last 3 months - home exercises	PA	1879
PAC0_1G	Activity in last 3 months - ice hockey	PA	1879
PAC0_1H	Activity in last 3 months - ice skating	PA	1880
PAC0_1I	Activity in last 3 months - downhill skiing	PA	1882
PAC0_1J	Activity in last 3 months - jogging or running	PA	1881
PAC0_1K	Activity in last 3 months - golfing	PA	1881
PAC0_1L	Activity in last 3 months - exercise class or aerobics	PA	1882
PAC0_1N	Activity in last 3 months - bowling	PA	1883
PAC0_1O	Activity in last 3 months - baseball or softball	PA	1883
PAC0_1P	Activity in last 3 months - tennis	PA	1884
PAC0_1Q	Activity in last 3 months - weight-training	PA	1884
PAC0_1R	Activity in last 3 months - fishing	PA	1885
PAC0_1S	Activity in last 3 months - volleyball	PA	1885
PAC0_1T	Activity in last 3 months - basketball	PA	1886
PAC0_1U	Activity in last 3 months - other (#1)	PA	1886
PAC0_1V	Activity in last 3 months - no physical activity	PA	1887
PAC0_1W	Activity in last 3 months - other other activity (#2)	PA	1888
PAC0_1X	Activity in last 3 months - other activity (#3)	PA	1889
PAC0_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	1880
PAC0_2A	No. of times participated - walking for exercise	PA	1890
PAC0_2B	No. of times participated - gardening or yard work	PA	1891
PAC0_2C	No. of times participated - swimming	PA	1892
PAC0_2D	No. of times participated - bicycling	PA	1893

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 94

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC0_2E	No. of times participated - popular or social dance	PA	1894
PAC0_2F	No. of times participated - home exercises	PA	1895
PAC0_2G	No. of times participated - ice hockey	PA	1896
PAC0_2H	No. of times participated - ice skating	PA	1897
PAC0_2I	No. of times participated - downhill skiing	PA	1902
PAC0_2J	No. of times participated - jogging or running	PA	1899
PAC0_2K	No. of times participated - golfing	PA	1900
PAC0_2L	No. of times participated - exercise class or aerobics	PA	1901
PAC0_2N	No. of times participated - bowling	PA	1903
PAC0_2O	No. of times participated - baseball or softball	PA	1904
PAC0_2P	No. of times participated - tennis	PA	1905
PAC0_2Q	No. of times participated - weight-training	PA	1906
PAC0_2R	No. of times participated - fishing	PA	1907
PAC0_2S	No. of times participated - volleyball	PA	1908
PAC0_2T	No. of times participated - basketball	PA	1909
PAC0_2U	No. of times participated - other activity (#1)	PA	1910
PAC0_2W	No. of times participated - other activity (#2)	PA	1911
PAC0_2X	No. of times participated - other activity (#3)	PA	1912
PAC0_2Y	No. of times participated - in-line skating or rollerblading	PA	1898
PAC0_3A	Time spent - walking for exercise	PA	1890
PAC0_3B	Time spent - gardening or yard work	PA	1891
PAC0_3C	Time spent - swimming	PA	1892
PAC0_3D	Time spent - bicycling	PA	1893
PAC0_3E	Time spent - popular or social dance	PA	1894
PAC0_3F	Time spent - home exercises	PA	1895
PAC0_3G	Time spent - ice hockey	PA	1896
PAC0_3H	Time spent - ice skating	PA	1897
PAC0_3I	Time spent - downhill skiing	PA	1902
PAC0_3J	Time spent - jogging or running	PA	1899
PAC0_3K	Time spent - golfing	PA	1900
PAC0_3L	Time spent - exercise class or aerobics	PA	1901
PAC0_3N	Time spent - bowling	PA	1903
PAC0_3O	Time spent - baseball or softball	PA	1904
PAC0_3P	Time spent - tennis	PA	1905
PAC0_3Q	Time spent - weight-training	PA	1906
PAC0_3R	Time spent - fishing	PA	1907

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 95

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC0_3S	Time spent - volleyball	PA	1908
PAC0_3T	Time spent - basketball	PA	1909
PAC0_3U	Time spent - other activity (#1)	PA	1910
PAC0_3W	Time spent - other activity (#2)	PA	1911
PAC0_3X	Time spent - other activity (#3)	PA	1912
PAC0_3Y	Time spent - in-line skating or rollerblading	PA	1898
PAC0_4A	Number of hours walking - to work or to school	PA	1913
PAC0_4B	Number of hours biking - to work or to school	PA	1913
PAC0_5	Frequency of bike helmet use	PA	1914
PAC0_6	Level of physical activity for usual day	PA	1914
PAC0DEE	Energy expenditure - (D)	PA	1917
PAC0DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	1916
PAC0DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	1915
PAC0DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	1916
PAC0DLEI	Participant in leisure physical activity - (D)	PA	1915
PAC0DPAI	Physical activity index - (D)	PA	1917
PAC0FC1	Flag for other physical activity (#1)	PA	1887
PAC0FC2	Flag for other physical activity (#2)	PA	1888
PAC0FC3	Flag for other physical activity (#3)	PA	1889
PAC2_1A	Activity in last 3 months - walking for exercise	PA	2427
PAC2_1B	Activity in last 3 months - gardening or yard work	PA	2427
PAC2_1C	Activity in last 3 months - swimming	PA	2428
PAC2_1D	Activity in last 3 months - bicycling	PA	2428
PAC2_1E	Activity in last 3 months - popular or social dance	PA	2429
PAC2_1F	Activity in last 3 months - home exercises	PA	2429
PAC2_1G	Activity in last 3 months - ice hockey	PA	2430
PAC2_1H	Activity in last 3 months - ice skating	PA	2430
PAC2_1I	Activity in last 3 months - downhill skiing or snowboarding	PA	2433
PAC2_1J	Activity in last 3 months - jogging or running	PA	2431
PAC2_1K	Activity in last 3 months - golfing	PA	2432
PAC2_1L	Activity in last 3 months - exercise class or aerobics	PA	2432
PAC2_1N	Activity in last 3 months - bowling	PA	2433
PAC2_1O	Activity in last 3 months - baseball or softball	PA	2434
PAC2_1P	Activity in last 3 months - tennis	PA	2434
PAC2_1Q	Activity in last 3 months - weight-training	PA	2435
PAC2_1R	Activity in last 3 months - fishing	PA	2435

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 96

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC2_1S	Activity in last 3 months - volleyball	PA	2436
PAC2_1T	Activity in last 3 months - basketball	PA	2436
PAC2_1U	Activity in last 3 months - other (#1)	PA	2437
PAC2_1V	Activity in last 3 months - no physical activity	PA	2437
PAC2_1W	Activity in last 3 months - other other activity (#2)	PA	2438
PAC2_1X	Activity in last 3 months - other activity (#3)	PA	2439
PAC2_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	2431
PAC2_2A	No. of times participated - walking for exercise	PA	2440
PAC2_2B	No. of times participated - gardening or yard work	PA	2441
PAC2_2C	No. of times participated - swimming	PA	2442
PAC2_2D	No. of times participated - bicycling	PA	2443
PAC2_2E	No. of times participated - popular or social dance	PA	2444
PAC2_2F	No. of times participated - home exercises	PA	2445
PAC2_2G	No. of times participated - ice hockey	PA	2446
PAC2_2H	No. of times participated - ice skating	PA	2447
PAC2_2I	No. of times participated - downhill skiing or snowboarding	PA	2452
PAC2_2J	No. of times participated - jogging or running	PA	2449
PAC2_2K	No. of times participated - golfing	PA	2450
PAC2_2L	No. of times participated - exercise class or aerobics	PA	2451
PAC2_2N	No. of times participated - bowling	PA	2453
PAC2_2O	No. of times participated - baseball or softball	PA	2454
PAC2_2P	No. of times participated - tennis	PA	2455
PAC2_2Q	No. of times participated - weight-training	PA	2456
PAC2_2R	No. of times participated - fishing	PA	2457
PAC2_2S	No. of times participated - volleyball	PA	2458
PAC2_2T	No. of times participated - basketball	PA	2459
PAC2_2U	No. of times participated - other activity (#1)	PA	2460
PAC2_2W	No. of times participated - other activity (#2)	PA	2461
PAC2_2X	No. of times participated - other activity (#3)	PA	2462
PAC2_2Y	No. of times participated - in-line skating or rollerblading	PA	2448
PAC2_3A	Time spent - walking for exercise	PA	2441
PAC2_3B	Time spent - gardening or yard work	PA	2442
PAC2_3C	Time spent - swimming	PA	2443
PAC2_3D	Time spent - bicycling	PA	2444
PAC2_3E	Time spent - popular or social dance	PA	2445
PAC2_3F	Time spent - home exercises	PA	2446

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 97

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC2_3G	Time spent - ice hockey	PA	2447
PAC2_3H	Time spent - ice skating	PA	2448
PAC2_3I	Time spent - downhill skiing or snowboarding	PA	2453
PAC2_3J	Time spent - jogging or running	PA	2450
PAC2_3K	Time spent - golfing	PA	2451
PAC2_3L	Time spent - exercise class or aerobics	PA	2452
PAC2_3N	Time spent - bowling	PA	2454
PAC2_3O	Time spent - baseball or softball	PA	2455
PAC2_3P	Time spent - tennis	PA	2456
PAC2_3Q	Time spent - weight-training	PA	2457
PAC2_3R	Time spent - fishing	PA	2458
PAC2_3S	Time spent - volleyball	PA	2459
PAC2_3T	Time spent - basketball	PA	2460
PAC2_3U	Time spent - other activity (#1)	PA	2461
PAC2_3W	Time spent - other activity (#2)	PA	2462
PAC2_3X	Time spent - other activity (#3)	PA	2463
PAC2_3Y	Time spent - in-line skating or rollerblading	PA	2449
PAC2_4A	Number of hours walking - to work or to school	PA	2463
PAC2_4B	Number of hours biking - to work or to school	PA	2464
PAC2_5	Frequency of bike helmet use	PA	2464
PAC2_6	Level of physical activity for usual day	PA	2465
PAC2DEE	Energy expenditure - (D)	PA	2467
PAC2DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	2467
PAC2DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	2466
PAC2DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	2466
PAC2DLEI	Participant in leisure physical activity - (D)	PA	2465
PAC2DPAI	Physical activity index - (D)	PA	2468
PAC2FC1	Flag for other physical activity (#1)	PA	2438
PAC2FC2	Flag for other physical activity (#2)	PA	2439
PAC2FC3	Flag for other physical activity (#3)	PA	2440
PAC4_1A	Activity in last 3 months - walking for exercise	PA	216
PAC4_1B	Activity in last 3 months - gardening or yard work	PA	217
PAC4_1C	Activity in last 3 months - swimming	PA	217
PAC4_1D	Activity in last 3 months - bicycling	PA	218
PAC4_1E	Activity in last 3 months - popular or social dance	PA	218
PAC4_1F	Activity in last 3 months - home exercises	PA	219

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 98

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC4_1G	Activity in last 3 months - ice hockey	PA	219
PAC4_1H	Activity in last 3 months - skating	PA	220
PAC4_1I	Activity in last 3 months - downhill skiing	PA	220
PAC4_1J	Activity in last 3 months - jogging or running	PA	221
PAC4_1K	Activity in last 3 months - golfing	PA	221
PAC4_1L	Activity in last 3 months - exercise class or aerobics	PA	222
PAC4_1M	Activity in last 3 months - cross-country skiing	PA	222
PAC4_1N	Activity in last 3 months - bowling	PA	223
PAC4_1O	Activity in last 3 months - baseball or softball	PA	223
PAC4_1P	Activity in last 3 months - tennis	PA	224
PAC4_1Q	Activity in last 3 months - weight-training	PA	224
PAC4_1R	Activity in last 3 months - fishing	PA	225
PAC4_1S	Activity in last 3 months - volleyball	PA	225
PAC4_1U	Activity in last 3 months - other activity (#1)	PA	226
PAC4_1V	Activity in last 3 months - no physical activity	PA	227
PAC4_1W	Activity in last 3 months - other activity (#2)	PA	228
PAC4_1X	Activity in last 3 months - other activity (#3)	PA	229
PAC4_1Z	Activity in last 3 months - yoga or tai-chi	PA	226
PAC4_2A	No. of times participated - walking for exercise	PA	230
PAC4_2B	No. of times participated - gardening or yard work	PA	231
PAC4_2C	No. of times participated - swimming	PA	232
PAC4_2D	No. of times participated - bicycling	PA	233
PAC4_2E	No. of times participated - popular or social dance	PA	234
PAC4_2F	No. of times participated - home exercises	PA	235
PAC4_2G	No. of times participated - ice hockey	PA	236
PAC4_2H	No. of times participated - skating	PA	237
PAC4_2I	No. of times participated - downhill skiing	PA	238
PAC4_2J	No. of times participated - jogging or running	PA	239
PAC4_2K	No. of times participated - golfing	PA	240
PAC4_2L	No. of times participated - exercise class or aerobics	PA	241
PAC4_2M	No. of times participated - cross-country skiing	PA	242
PAC4_2N	No. of times participated - bowling	PA	243
PAC4_2O	No. of times participated - baseball or softball	PA	244
PAC4_2P	No. of times participated - tennis	PA	245
PAC4_2Q	No. of times participated - weight-training	PA	246
PAC4_2R	No. of times participated - fishing	PA	247

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 99

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC4_2S	No. of times participated - volleyball	PA	248
PAC4_2U	No. of times participated - other activity (#1)	PA	250
PAC4_2W	No. of times participated - other activity (#2)	PA	251
PAC4_2X	No. of times participated - other activity (#3)	PA	252
PAC4_2Z	No. of times participated - yoga or tai-chi	PA	249
PAC4_3A	Time spent - walking for exercise	PA	230
PAC4_3B	Time spent - gardening or yard work	PA	231
PAC4_3C	Time spent - swimming	PA	232
PAC4_3D	Time spent - bicycling	PA	233
PAC4_3E	Time spent - popular or social dance	PA	234
PAC4_3F	Time spent - home exercises	PA	235
PAC4_3G	Time spent - ice hockey	PA	236
PAC4_3H	Time spent - skating	PA	237
PAC4_3I	Time spent - downhill skiing	PA	238
PAC4_3J	Time spent - jogging or running	PA	239
PAC4_3K	Time spent - golfing	PA	240
PAC4_3L	Time spent - exercise class or aerobics	PA	241
PAC4_3M	Time spent - cross-country skiing	PA	242
PAC4_3N	Time spent - bowling	PA	243
PAC4_3O	Time spent - baseball or softball	PA	244
PAC4_3P	Time spent - tennis	PA	245
PAC4_3Q	Time spent - weight-training	PA	246
PAC4_3R	Time spent - fishing	PA	247
PAC4_3S	Time spent - volleyball	PA	248
PAC4_3U	Time spent - other activity (#1)	PA	250
PAC4_3W	Time spent - other activity (#2)	PA	251
PAC4_3X	Time spent - other activity (#3)	PA	252
PAC4_3Z	Time spent - yoga or tai-chi	PA	249
PAC4_4A	Number of hours walking - to work or to school	PA	253
PAC4_4B	Number of hours biking - to work or to school	PA	254
PAC4_5	Frequency of bike helmet use	PA	254
PAC4_6	Level of physical activity for usual day	PA	255
PAC4DEE	Energy expenditure - (D)	PA	255
PAC4DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	257
PAC4DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	256
PAC4DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	257

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 100

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC4DLEI	Participant in leisure physical activity - (D)	PA	256
PAC4DPAI	Physical activity index - (D)	PA	258
PAC4FC1	Flag for other physical activity (#1)	PA	227
PAC4FC2	Flag for other physical activity (#2)	PA	228
PAC4FC3	Flag for other physical activity (#3)	PA	229
PAC6_1A	Activity in last 3 months - walking for exercise	PA	898
PAC6_1B	Activity in last 3 months - gardening or yard work	PA	898
PAC6_1C	Activity in last 3 months - swimming	PA	899
PAC6_1D	Activity in last 3 months - bicycling	PA	899
PAC6_1E	Activity in last 3 months - popular or social dance	PA	900
PAC6_1F	Activity in last 3 months - home exercises	PA	900
PAC6_1G	Activity in last 3 months - ice hockey	PA	901
PAC6_1H	Activity in last 3 months - ice skating	PA	901
PAC6_1I	Activity in last 3 months - downhill skiing	PA	902
PAC6_1J	Activity in last 3 months - jogging or running	PA	902
PAC6_1K	Activity in last 3 months - golfing	PA	903
PAC6_1L	Activity in last 3 months - exercise class or aerobics	PA	903
PAC6_1M	Activity in last 3 months - cross-country skiing	PA	904
PAC6_1N	Activity in last 3 months - bowling	PA	904
PAC6_1O	Activity in last 3 months - baseball or softball	PA	905
PAC6_1P	Activity in last 3 months - tennis	PA	905
PAC6_1Q	Activity in last 3 months - weight-training	PA	906
PAC6_1R	Activity in last 3 months - fishing	PA	906
PAC6_1S	Activity in last 3 months - volleyball	PA	907
PAC6_1T	Activity in last 3 months - basketball	PA	907
PAC6_1U	Activity in last 3 months - other activity (#1)	PA	908
PAC6_1V	Activity in last 3 months - no physical activity	PA	908
PAC6_1W	Activity in last 3 months - other activity (#2)	PA	909
PAC6_1X	Activity in last 3 months - other activity (#3)	PA	910
PAC6_2A	No. of times participated - walking for exercise	PA	911
PAC6_2B	No. of times participated - gardening or yard work	PA	912
PAC6_2C	No. of times participated - swimming	PA	913
PAC6_2D	No. of times participated - bicycling	PA	914
PAC6_2E	No. of times participated - popular or social dance	PA	915
PAC6_2F	No. of times participated - home exercises	PA	916
PAC6_2G	No. of times participated - ice hockey	PA	917

# NPBS Cycle 5 (2002-2003): Alphabetic Index

Page 101

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC6_2H	No. of times participated - ice skating	PA	918
PAC6_2I	No. of times participated - downhill skiing	PA	919
PAC6_2J	No. of times participated - jogging or running	PA	920
PAC6_2K	No. of times participated - golfing	PA	921
PAC6_2L	No. of times participated - exercise class or aerobics	PA	922
PAC6_2M	No. of times participated - cross-country skiing	PA	923
PAC6_2N	No. of times participated - bowling	PA	924
PAC6_2O	No. of times participated - baseball or softball	PA	925
PAC6_2P	No. of times participated - tennis	PA	926
PAC6_2Q	No. of times participated - weight-training	PA	927
PAC6_2R	No. of times participated - fishing	PA	928
PAC6_2S	No. of times participated - volleyball	PA	929
PAC6_2T	No. of times participated - basketball	PA	930
PAC6_2U	No. of times participated - other activity (#1)	PA	931
PAC6_2W	No. of times participated - other activity (#2)	PA	932
PAC6_2X	No. of times participated - other activity (#3)	PA	933
PAC6_3A	Time spent - walking for exercise	PA	911
PAC6_3B	Time spent - gardening or yard work	PA	912
PAC6_3C	Time spent - swimming	PA	913
PAC6_3D	Time spent - bicycling	PA	914
PAC6_3E	Time spent - popular or social dance	PA	915
PAC6_3F	Time spent - home exercises	PA	916
PAC6_3G	Time spent - ice hockey	PA	917
PAC6_3H	Time spent - ice skating	PA	918
PAC6_3I	Time spent - downhill skiing	PA	919
PAC6_3J	Time spent - jogging or running	PA	920
PAC6_3K	Time spent - golfing	PA	921
PAC6_3L	Time spent - exercise class or aerobics	PA	922
PAC6_3M	Time spent - cross-country skiing	PA	923
PAC6_3N	Time spent - bowling	PA	924
PAC6_3O	Time spent - baseball or softball	PA	925
PAC6_3P	Time spent - tennis	PA	926
PAC6_3Q	Time spent - weight-training	PA	927
PAC6_3R	Time spent - fishing	PA	928
PAC6_3S	Time spent - volleyball	PA	929
PAC6_3T	Time spent - basketball	PA	930

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 102

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC6_3U	Time spent - other activity (#1)	PA	931
PAC6_3W	Time spent - other activity (#2)	PA	932
PAC6_3X	Time spent - other activity (#3)	PA	933
PAC6_4A	Number of hours walking - to work or to school	PA	934
PAC6_4B	Number of hours biking - to work or to school	PA	935
PAC6_5	Frequency of bike helmet use	PA	935
PAC6_6	Level of physical activity for usual day	PA	936
PAC6DEE	Energy expenditure - (D)	PA	936
PAC6DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	938
PAC6DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	937
PAC6DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	938
PAC6DLEI	Participant in leisure physical activity - (D)	PA	937
PAC6DPAI	Physical activity index - (D)	PA	939
PAC6FC1	Flag for other physical activity (#1)	PA	909
PAC6FC2	Flag for other physical activity (#2)	PA	909
PAC6FC3	Flag for other physical activity (#3)	PA	910
PAC8_1A	Activity in last 3 months - walking for exercise	PA	1506
PAC8_1B	Activity in last 3 months - gardening or yard work	PA	1506
PAC8_1C	Activity in last 3 months - swimming	PA	1507
PAC8_1D	Activity in last 3 months - bicycling	PA	1507
PAC8_1E	Activity in last 3 months - popular or social dance	PA	1508
PAC8_1F	Activity in last 3 months - home exercises	PA	1508
PAC8_1G	Activity in last 3 months - ice hockey	PA	1509
PAC8_1H	Activity in last 3 months - ice skating	PA	1509
PAC8_1I	Activity in last 3 months - downhill skiing	PA	1512
PAC8_1J	Activity in last 3 months - jogging or running	PA	1510
PAC8_1K	Activity in last 3 months - golfing	PA	1511
PAC8_1L	Activity in last 3 months - exercise class or aerobics	PA	1511
PAC8_1N	Activity in last 3 months - bowling	PA	1512
PAC8_1O	Activity in last 3 months - baseball or softball	PA	1513
PAC8_1P	Activity in last 3 months - tennis	PA	1513
PAC8_1Q	Activity in last 3 months - weight-training	PA	1514
PAC8_1R	Activity in last 3 months - fishing	PA	1514
PAC8_1S	Activity in last 3 months - volleyball	PA	1515
PAC8_1T	Activity in last 3 months - basketball	PA	1515
PAC8_1U	Activity in last 3 months - other activity (#1)	PA	1516

# NPBS Cycle 5 (2002-2003): Alphabetic Index

Page 103

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC8_1V	Activity in last 3 months - no physical activity	PA	1516
PAC8_1W	Activity in last 3 months - other activity (#2)	PA	1517
PAC8_1X	Activity in last 3 months - other activity (#3)	PA	1518
PAC8_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	1510
PAC8_2A	No. of times participated - walking for exercise	PA	1519
PAC8_2B	No. of times participated - gardening or yard work	PA	1520
PAC8_2C	No. of times participated - swimming	PA	1521
PAC8_2D	No. of times participated - bicycling	PA	1522
PAC8_2E	No. of times participated - popular or social dance	PA	1523
PAC8_2F	No. of times participated - home exercises	PA	1524
PAC8_2G	No. of times participated - ice hockey	PA	1525
PAC8_2H	No. of times participated - ice skating	PA	1526
PAC8_2I	No. of times participated - downhill skiing	PA	1531
PAC8_2J	No. of times participated - jogging or running	PA	1528
PAC8_2K	No. of times participated - golfing	PA	1529
PAC8_2L	No. of times participated - exercise class or aerobics	PA	1530
PAC8_2N	No. of times participated - bowling	PA	1532
PAC8_2O	No. of times participated - baseball or softball	PA	1533
PAC8_2P	No. of times participated - tennis	PA	1534
PAC8_2Q	No. of times participated - weight-training	PA	1535
PAC8_2R	No. of times participated - fishing	PA	1536
PAC8_2S	No. of times participated - volleyball	PA	1537
PAC8_2T	No. of times participated - basketball	PA	1538
PAC8_2U	No. of times participated - other activity (#1)	PA	1539
PAC8_2W	No. of times participated - other activity (#2)	PA	1540
PAC8_2X	No. of times participated - other activity (#3)	PA	1541
PAC8_2Y	No. of times participated - in-line skating or rollerblading	PA	1527
PAC8_3A	Time spent - walking for exercise	PA	1519
PAC8_3B	Time spent - gardening or yard work	PA	1520
PAC8_3C	Time spent - swimming	PA	1521
PAC8_3D	Time spent - bicycling	PA	1522
PAC8_3E	Time spent - popular or social dance	PA	1523
PAC8_3F	Time spent - home exercises	PA	1524
PAC8_3G	Time spent - ice hockey	PA	1525
PAC8_3H	Time spent - ice skating	PA	1526
PAC8_3I	Time spent - downhill skiing	PA	1531

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 104

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PAC8_3J	Time spent - jogging or running	PA	1528
PAC8_3K	Time spent - golfing	PA	1529
PAC8_3L	Time spent - exercise class or aerobics	PA	1530
PAC8_3N	Time spent - bowling	PA	1532
PAC8_3O	Time spent - baseball or softball	PA	1533
PAC8_3P	Time spent - tennis	PA	1534
PAC8_3Q	Time spent - weight-training	PA	1535
PAC8_3R	Time spent - fishing	PA	1536
PAC8_3S	Time spent - volleyball	PA	1537
PAC8_3T	Time spent - basketball	PA	1538
PAC8_3U	Time spent - other activity (#1)	PA	1539
PAC8_3W	Time spent - other activity (#2)	PA	1540
PAC8_3X	Time spent - other activity (#3)	PA	1541
PAC8_3Y	Time spent - in-line skating or rollerblading	PA	1527
PAC8_4A	Number of hours walking - to work or to school	PA	1542
PAC8_4B	Number of hours biking - to work or to school	PA	1543
PAC8_5	Frequency of bike helmet use	PA	1543
PAC8_6	Level of physical activity for usual day	PA	1544
PAC8DEE	Energy expenditure - (D)	PA	1546
PAC8DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	1546
PAC8DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	1545
PAC8DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	1545
PAC8DLEI	Participant in leisure physical activity - (D)	PA	1544
PAC8DPAI	Physical activity index - (D)	PA	1547
PAC8FC1	Flag for other physical activity (#1)	PA	1517
PAC8FC2	Flag for other physical activity (#2)	PA	1517
PAC8FC3	Flag for other physical activity (#3)	PA	1518
PC_6_40	Physical check-up - without a health problem	PC	790
PC_6_41	Physical check-up - during visit for health problem	PC	791
PC_6_42	Physical check up - last time	PC	791
PC_6_42A	Frequency of physical check-ups	PC	792
PC_6_43A	Gets physical check-up - family history	PC	792
PC_6_43B	Gets physical check-up - testing	PC	793
PC_6_43C	Gets physical check-up - required for job, etc.	PC	793
PC_6_43D	Gets physical check-up - make sure everything OK	PC	794
PC_6_43E	Gets physical check-up - catch problems early	PC	794

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 105

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PC_6_43F	Gets physical check-up - for prevention	PC	795
PC_6_43G	Gets physical check-up - for health reasons	PC	795
PC_6_43H	Gets physical check-up - other reason	PC	796
PC_6_44	Had problems obtaining physical check-up	PC	796
PC_6_45A	Phys. check-up - not available when required	PC	797
PC_6_45B	Phys. check-up - not available in area	PC	797
PC_6_45C	Phys. check-up - waiting time too long	PC	798
PC_6_45D	Phys. check-up - transportation problems	PC	798
PC_6_45E	Phys. check-up - language problem	PC	799
PC_6_45F	Phys. check-up - cost	PC	799
PC_6_45G	Phys. check-up - did not know where to go	PC	800
PC_6_45H	Phys. check-up - other problem	PC	800
PC_6_46A	No phys. check-up - have not gotten around to it	PC	801
PC_6_46B	No phys. check-up - respondent didn't think necessary	PC	801
PC_6_46C	No phys. check-up - doctor didn't think necessary	PC	802
PC_6_46D	No phys. check-up - personal or family responsibilities	PC	802
PC_6_46E	No phys. check-up - not available when required	PC	803
PC_6_46F	No phys. check-up - not available in area	PC	803
PC_6_46G	No phys. check-up - waiting time too long	PC	804
PC_6_46H	No phys. check-up - transportation problems	PC	804
PC_6_46I	No phys. check-up - language problem	PC	805
PC_6_46J	No phys. check-up - cost	PC	805
PC_6_46K	No phys. check-up - did not know where to go	PC	806
PC_6_46L	No phys. check-up - fear	PC	806
PC_6_46M	No phys. check-up - other reason	PC	807
PERSONID	Number identifying the person in the household	AM	1
PHC0_1	Ever had blood pressure taken	PH	1731
PHC0_1B	Last time blood pressure was taken	PH	1732
PHC0_2	Ever had PAP smear test	PH	1732
PHC0_2B	Last time had PAP smear test	PH	1733
PHC0_3	Ever had mammogram	PH	1733
PHC0_3B	Last time mammogram was done	PH	1734
PHC0_3CA	Had mammogram - family history	PH	1734
PHC0_3CB	Had mammogram - regular check-up	PH	1735
PHC0_3CC	Had mammogram - age	PH	1735
PHC0_3CD	Had mammogram - previously detected lump	PH	1736

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 106

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PHC0_3CE	Had mammogram - follow-up treatment	PH	1736
PHC0_3CF	Had mammogram - on hormone replacement therapy	PH	1737
PHC0_3CG	Had mammogram - breast problem	PH	1737
PHC0_3CH	Had mammogram - other reason	PH	1738
PHC0_4	Gave birth since last interview	PH	1738
PHC0_4A	Used services of a doctor or midwife	PH	1739
PHC0_4B	Currently pregnant	PH	1739
PHC0_5	Had a hysterectomy	PH	1740
PHC0_5B	Age had a hysterectomy	PH	1740
PHC0_5CA	Reason had a hysterectomy - cancer treatment	PH	1741
PHC0_5CB	Reason had a hysterectomy - cancer prevention	PH	1741
PHC0_5CC	Reason had a hysterectomy - endometriosis	PH	1742
PHC0_5CD	Reason had a hysterectomy - tubal pregnancy	PH	1742
PHC0_5CE	Reason had a hysterectomy - benign tumors	PH	1743
PHC0_5CF	Reason had a hysterectomy - menstrual problems	PH	1743
PHC0_5CG	Reason had a hysterectomy - other reason	PH	1744
PHC2_1	Ever had blood pressure taken	PH	2259
PHC2_1B	Last time blood pressure was taken	PH	2260
PHC2_2	Ever had PAP smear test	PH	2260
PHC2_2B	Last time had PAP smear test	PH	2261
PHC2_3	Ever had mammogram	PH	2261
PHC2_3B	Last time mammogram was done	PH	2262
PHC2_3CA	Had mammogram - family history	PH	2262
PHC2_3CB	Had mammogram - regular check-up	PH	2263
PHC2_3CC	Had mammogram - age	PH	2263
PHC2_3CD	Had mammogram - previously detected lump	PH	2264
PHC2_3CE	Had mammogram - follow-up treatment	PH	2264
PHC2_3CF	Had mammogram - on hormone replacement therapy	PH	2265
PHC2_3CG	Had mammogram - breast problem	PH	2266
PHC2_3CH	Had mammogram - other reason	PH	2265
PHC2_4	Gave birth since last interview	PH	2266
PHC2_4A	Used services of a doctor or midwife	PH	2267
PHC2_4B	Currently pregnant	PH	2267
PHC2_5	Had a hysterectomy	PH	2268
PHC2_5B	Age had a hysterectomy	PH	2268
PHC2_5CA	Reason had a hysterectomy - cancer treatment	PH	2269

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 107

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PHC2_5CB	Reason had a hysterectomy - cancer prevention	PH	2269
PHC2_5CC	Reason had a hysterectomy - endometriosis	PH	2270
PHC2_5CD	Reason had a hysterectomy - tubal pregnancy	PH	2270
PHC2_5CE	Reason had a hysterectomy - benign tumors	PH	2271
PHC2_5CF	Reason had a hysterectomy - menstrual problems	PH	2271
PHC2_5CG	Reason had a hysterectomy - other reason	PH	2272
PHC4_1B	Last time blood pressure was checked	PH	192
PHC4_2	Ever had PAP smear test	PH	194
PHC4_2B	Last time had PAP smear test	PH	195
PHC4_3	Ever had mammogram	PH	193
PHC4_33	Reason for last mammogram	PH	194
PHC4_3B	Last time mammogram was done	PH	193
PHC4_4B	Currently pregnant	PH	186
PHC6_1	Ever had blood pressure taken	PH	719
PHC6_1B	Last time blood pressure was taken	PH	720
PHC6_1CA	Blood pressure taken - regular check-up	PH	720
PHC6_1CB	Blood pressure taken - high b.p. / heart disease	PH	721
PHC6_1CC	Blood pressure taken - doctor always does it	PH	721
PHC6_1CD	Blood pressure taken - health problem	PH	722
PHC6_1CE	Blood pressure taken - age	PH	722
PHC6_1CF	Blood pressure taken - job requirement	PH	723
PHC6_1CG	Blood pressure taken - pregnant	PH	723
PHC6_1CH	Blood pressure taken - in hospital for other reason	PH	724
PHC6_1CI	Blood pressure taken - when donating blood	PH	724
PHC6_1CJ	Blood pressure taken - just for the "fun" of it	PH	725
PHC6_1CK	Blood pressure taken - other reason	PH	725
PHC6_1D	Had problems getting blood pressure test	PH	726
PHC6_1EA	Blood pressure test - not available when required	PH	726
PHC6_1EB	Blood pressure test - not available in area	PH	727
PHC6_1EC	Blood pressure test - waiting time too long	PH	727
PHC6_1ED	Blood pressure test - transportation problems	PH	728
PHC6_1EE	Blood pressure test - language problem	PH	728
PHC6_1EF	Blood pressure test - cost	PH	728
PHC6_1EG	Blood pressure test - did not know where to go	PH	729
PHC6_1EH	Blood pressure test - other problem	PH	729
PHC6_1FA	Blood pressure not taken - have not gotten around to it	PH	730

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 108

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PHC6_1FB	Blood pressure not taken - respondent didn't think necessary	PH	730
PHC6_1FC	Blood pressure not taken - doctor didn't think necessary	PH	731
PHC6_1FD	Blood pressure not taken - personal / fam. responsibilities	PH	731
PHC6_1FE	Blood pressure not taken - not available when required	PH	732
PHC6_1FF	Blood pressure not taken - not available in area	PH	732
PHC6_1FG	Blood pressure not taken - waiting time too long	PH	733
PHC6_1FH	Blood pressure not taken - transportation problems	PH	733
PHC6_1FI	Blood pressure not taken - language problem	PH	734
PHC6_1FJ	Blood pressure not taken - cost	PH	734
PHC6_1FK	Blood pressure not taken - did not know where to go	PH	735
PHC6_1FL	Blood pressure not taken - fear	PH	735
PHC6_1FM	Blood pressure not taken - other reason	PH	736
PHC6_2	Ever had PAP smear test	PH	736
PHC6_2B	Last time had PAP smear test	PH	737
PHC6_2CA	Had PAP smear - part of check-up	PH	737
PHC6_2CB	Had PAP smear - high risk group	PH	738
PHC6_2CC	Had PAP smear - follow-up of previous problem	PH	738
PHC6_2CD	Had PAP smear - abnormal bleeding / other symptoms	PH	739
PHC6_2CE	Had PAP smear - sexually active	PH	739
PHC6_2CF	Had PAP smear - on birth control pill	PH	740
PHC6_2CG	Had PAP smear - pregnant / after delivery	PH	740
PHC6_2CH	Had PAP smear - on hormone replacement therapy	PH	741
PHC6_2CI	Had PAP smear - other reason	PH	741
PHC6_2D	Had problems getting a PAP smear test	PH	742
PHC6_2EA	PAP smear - not available when required	PH	742
PHC6_2EB	PAP smear - not available in area	PH	743
PHC6_2EC	PAP smear - waiting time too long	PH	743
PHC6_2ED	PAP smear - transportation problems	PH	743
PHC6_2EE	PAP smear - language problem	PH	744
PHC6_2EF	PAP smear - cost	PH	744
PHC6_2EG	PAP smear - did not know where to go	PH	744
PHC6_2EH	PAP smear - other problem	PH	745
PHC6_2FA	No PAP smear - have not gotten around to it	PH	745
PHC6_2FB	No PAP smear - respondent didn't think necessary	PH	746
PHC6_2FC	No PAP smear - doctor didn't think necessary	PH	746
PHC6_2FD	No PAP smear - personal / family responsibilities	PH	747

# NPBS Cycle 5 (2002-2003): Alphabetic Index

Page 109

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PHC6_2FE	No PAP smear - not available when required	PH	747
PHC6_2FF	No PAP smear - not available in area	PH	748
PHC6_2FG	No PAP smear - waiting time too long	PH	748
PHC6_2FH	No PAP smear - transportation problems	PH	749
PHC6_2FI	No PAP smear - language problem	PH	749
PHC6_2FJ	No PAP smear - cost	PH	750
PHC6_2FK	No PAP smear - did not know where to go	PH	750
PHC6_2FL	No PAP smear - fear	PH	751
PHC6_2FM	No PAP smear - hysterectomy	PH	751
PHC6_2FN	No PAP smear - hate / dislike having one done	PH	752
PHC6_2FO	No PAP smear - other reason	PH	752
PHC6_3	Ever had mammogram	PH	753
PHC6_3B	Last time mammogram was done	PH	753
PHC6_3CA	Had mammogram - family history	PH	754
PHC6_3CB	Had mammogram - regular check-up	PH	754
PHC6_3CC	Had mammogram - age	PH	755
PHC6_3CD	Had mammogram - previously detected lump	PH	755
PHC6_3CE	Had mammogram - follow-up treatment	PH	756
PHC6_3CF	Had mammogram - on hormone replacement therapy	PH	756
PHC6_3CH	Had mammogram - other reason	PH	757
PHC6_3D	Had problems getting a mammogram	PH	757
PHC6_3EA	Mammogram - not available when required	PH	758
PHC6_3EB	Mammogram - not available in area	PH	758
PHC6_3EC	Mammogram - waiting time too long	PH	759
PHC6_3ED	Mammogram - transportation problems	PH	759
PHC6_3EE	Mammogram - language problem	PH	759
PHC6_3EF	Mammogram - cost	PH	760
PHC6_3EG	Mammogram - did not know where to go	PH	760
PHC6_3EH	Mammogram - other problem	PH	761
PHC6_3FA	No mammogram - have not gotten around to it	PH	761
PHC6_3FB	No mammogram - resp. didn't think necessary	PH	762
PHC6_3FC	No mammogram - doctor didn't think necessary	PH	762
PHC6_3FD	No mammogram - pers. / family responsibilities	PH	763
PHC6_3FE	No mammogram - not available when required	PH	763
PHC6_3FF	No mammogram - not available in the area	PH	764
PHC6_3FG	No mammogram - waiting time was too long	PH	764

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 110

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PHC6_3FH	No mammogram - transportation problems	PH	765
PHC6_3FI	No mammogram - language problem	PH	765
PHC6_3FJ	No mammogram - cost	PH	766
PHC6_3FK	No mammogram - did not know where to go	PH	766
PHC6_3FL	No mammogram - fear	PH	767
PHC6_3FM	No mammogram - other reason	PH	767
PHC6_4	Gave birth since last interview	PH	785
PHC6_4A	Used services of a doctor or midwife	PH	786
PHC6_4B	Currently pregnant	PH	712
PHC6_9	Had breasts examined by health professional	PH	768
PHC6_9B	Last time breasts examined for lumps	PH	769
PHC6_9CA	Had breast exam - family history	PH	769
PHC6_9CB	Had breast exam - regular check-up	PH	770
PHC6_9CC	Had breast exam - age	PH	770
PHC6_9CD	Had breast exam - previously detected lump	PH	771
PHC6_9CE	Had breast exam - follow-up treatment	PH	771
PHC6_9CF	Had breast exam - on hormone replacement therapy	PH	772
PHC6_9CG	Had breast exam - other reason	PH	772
PHC6_9D	Had problems getting a breast exam	PH	773
PHC6_9EA	Breast exam - not available when required	PH	773
PHC6_9EB	Breast exam - not available in area	PH	774
PHC6_9EC	Breast exam - waiting time too long	PH	774
PHC6_9ED	Breast exam - transportation problems	PH	775
PHC6_9EE	Breast exam - language problem	PH	775
PHC6_9EF	Breast exam - cost	PH	775
PHC6_9EG	Breast exam - did not know where to go	PH	776
PHC6_9EH	Breast exam - other problem	PH	776
PHC6_9FA	No breast exam - have not gotten around to it	PH	777
PHC6_9FB	No breast exam - respondent didn't think necessary	PH	777
PHC6_9FC	No breast exam - doctor didn't think necessary	PH	778
PHC6_9FD	No breast exam - personal / family responsibilities	PH	778
PHC6_9FE	No breast exam - not available when required	PH	779
PHC6_9FF	No breast exam - not available in area	PH	779
PHC6_9FG	No breast exam - waiting time too long	PH	780
PHC6_9FH	No breast exam - transportation problems	PH	780
PHC6_9FI	No breast exam - language problem	PH	781

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 111

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PHC6_9FJ	No breast exam - cost	PH	781
PHC6_9FK	No breast exam - did not know where to go	PH	782
PHC6_9FL	No breast exam - fear	PH	782
PHC6_9FM	No breast exam - other reason	PH	783
PHC8_1	Ever had blood pressure taken	PH	1402
PHC8_1A	Ever had blood pressure taken (probe)	PH	1403
PHC8_1B	Last time blood pressure was taken	PH	1403
PHC8_2	Ever had PAP smear test	PH	1404
PHC8_2A	Ever had PAP smear test (probe)	PH	1404
PHC8_2B	Last time had PAP smear test	PH	1405
PHC8_3	Ever had mammogram	PH	1405
PHC8_3A	Ever had mammogram (probe)	PH	1406
PHC8_3B	Last time mammogram was done	PH	1406
PHC8_4	Gave birth since last interview	PH	1407
PHC8_4A	Used services of a doctor or midwife	PH	1407
PHC8_4B	Currently pregnant	PH	1408
PHC8_5	Had a hysterectomy	PH	1408
PHC8_5B	Age had a hysterectomy	PH	1409
PHC8_5C	Reason had a hysterectomy	PH	1409
PHS6_3G	Intend to have a mammogram in the next 2 years	PH	768
PHS6_9X	Self-examined breasts for lumps	PH	783
PHS6_9Y	Frequency of breast self-examination	PH	784
PHS6_9Z	How breast self-exam was learned	PH	784
PRC0_CUR	Province of residence	GE	1707
PRC2_CUR	Province of residence	GE	2216
PRC4_CUR	Province of residence	GE	15
PRC6_CUR	Province of residence	GE	469
PRC8_CUR	Province of residence	GE	1166
PY_0_E1A	Stress (self-esteem) - feel have good qualities	ST	1974
PY_0_E1B	Stress (self-esteem) - worthy person	ST	1975
PY_0_E1C	Stress (self-esteem) - able to do things	ST	1975
PY_0_E1D	Stress (self-esteem) - positive attitude toward self	ST	1976
PY_0_E1E	Stress (self-esteem) - satisfied with self	ST	1976
PY_0_E1F	Stress (self-esteem) - feel is a failure	ST	1977
PY_0_M1A	Stress (mastery) - lack of control over things	ST	1978
PY_0_M1B	Stress (mastery) - cannot solve problems	ST	1978

# NPBS Cycle 5 (2002-2003): Alphabetic Index

Page 112

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PY_0_M1C	Stress (mastery) - cannot change things	ST	1979
PY_0_M1D	Stress (mastery) - helpless in dealing with life problems	ST	1979
PY_0_M1E	Stress (mastery) - pushed around in life	ST	1980
PY_0_M1F	Stress (mastery) - fate depends upon self	ST	1980
PY_0_M1G	Stress (mastery) - can do anything	ST	1981
PY_0DE1	Self-esteem scale - (D)	ST	1977
PY_0DM1	Mastery scale - (D)	ST	1981
PY_2_M1A	Stress (mastery) - lack of control over things	ST	2515
PY_2_M1B	Stress (mastery) - cannot solve problems	ST	2516
PY_2_M1C	Stress (mastery) - cannot change things	ST	2516
PY_2_M1D	Stress (mastery) - helpless in dealing with life problems	ST	2517
PY_2_M1E	Stress (mastery) - pushed around in life	ST	2517
PY_2_M1F	Stress (mastery) - fate depends upon self	ST	2518
PY_2_M1G	Stress (mastery) - can do anything	ST	2518
PY_2DM1	Mastery scale - (D)	ST	2519
PY_4_E1A	Stress (self-esteem) - feel have good qualities	ST	303
PY_4_E1B	Stress (self-esteem) - worthy person	ST	303
PY_4_E1C	Stress (self-esteem) - able to do things	ST	304
PY_4_E1D	Stress (self-esteem) - positive attitude toward self	ST	304
PY_4_E1E	Stress (self-esteem) - satisfied with self	ST	305
PY_4_E1F	Stress (self-esteem) - feel is a failure	ST	305
PY_4_H1	Stress (coherence) - don't care about surroundings	ST	310
PY_4_H10	Stress (coherence) - can't keep feelings under control	ST	319
PY_4_H11	Stress (coherence) - clear goals and purpose	ST	320
PY_4_H12	Stress (coherence) - keep things in proportion	ST	321
PY_4_H13	Stress (coherence) - bored / satisfied with everyday act.	ST	322
PY_4_H2	Stress (coherence) - surprised by other's behaviour	ST	311
PY_4_H3	Stress (coherence) - disappointed with people counted on	ST	312
PY_4_H4	Stress (coherence) - treated unfairly	ST	313
PY_4_H5	Stress (coherence) - in unfamiliar situations	ST	314
PY_4_H6	Stress (coherence) - mixed-up feelings	ST	315
PY_4_H7	Stress (coherence) - uncomfortable feelings	ST	316
PY_4_H8	Stress (coherence) - losers	ST	317
PY_4_H9	Stress (coherence) - little meaning in life	ST	318
PY_4_M1A	Stress (mastery) - lack of control over things	ST	306
PY_4_M1B	Stress (mastery) - cannot solve problems	ST	307

# NPBS Cycle 5 (2002-2003): Alphabetic Index

Page 113

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
PY_4_M1C	Stress (mastery) - cannot change things	ST	307
PY_4_M1D	Stress (mastery) - helpless in dealing with life problems	ST	308
PY_4_M1E	Stress (mastery) - pushed around in life	ST	308
PY_4_M1F	Stress (mastery) - fate depends upon self	ST	309
PY_4_M1G	Stress (mastery) - can do anything	ST	309
PY_4DE1	Self-esteem scale - (D)	ST	306
PY_4DH1	Sense of coherence scale - (D)	ST	322
PY_4DM1	Mastery scale - (D)	ST	310
PY_8_H1	Stress (coherence) - don't care about surroundings	ST	1493
PY_8_H10	Stress (coherence) - can't keep feelings under control	ST	1502
PY_8_H11	Stress (coherence) - clear goals and purpose	ST	1503
PY_8_H12	Stress (coherence) - keep things in proportion	ST	1504
PY_8_H13	Stress (coherence) - bored or satisfied with everyday act.	ST	1505
PY_8_H2	Stress (coherence) - surprised by other's behaviour	ST	1494
PY_8_H3	Stress (coherence) - disappointed with people counted on	ST	1495
PY_8_H4	Stress (coherence) - treated unfairly	ST	1496
PY_8_H5	Stress (coherence) - in unfamiliar situations	ST	1497
PY_8_H6	Stress (coherence) - mixed-up feelings	ST	1498
PY_8_H7	Stress (coherence) - uncomfortable feelings	ST	1499
PY_8_H8	Stress (coherence) - losers	ST	1500
PY_8_H9	Stress (coherence) - little meaning in life	ST	1501
PY_8DH1	Sense of coherence scale - (D)	ST	1505
RAC0_1A	Limited in kind / amount of activities - at home	RA	1774
RAC0_1B	Limited in kind / amount of activities - at school	RA	1774
RAC0_1C	Limited in kind / amount of activities - at work	RA	1775
RAC0_1D	Limited in kind / amount of activities - other	RA	1775
RAC0_2	Has long-term disabilities or handicaps	RA	1776
RAC0_2A	New activity restriction or worsening of old one	RA	1781
RAC0_2B	Disappearance or improvement of activity restriction	RA	1781
RAC0_5	Cause of health problem	RA	1782
RAC0_6A	Needs help for - preparing meals	RA	1782
RAC0_6B	Needs help for - shopping for necessities	RA	1783
RAC0_6C	Needs help for - housework	RA	1783
RAC0_6D	Needs help for - heavy household chores	RA	1784
RAC0_6E	Needs help for - personal care	RA	1784
RAC0_6F	Needs help for - moving about inside the house	RA	1785

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 114

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
RAC0CIC	ICD-9 code - main health problem causing limitations	RA	1778
RAC0F1	Flag for restriction of activity	RA	1776
RAC0F2	Restriction of activity flag (excl. long-term disability)	RA	1777
RAC0F3	Flag for problem causing limitation or handicap	RA	1777
RAC0F6	Flag for need for help in series of tasks (indoors)	RA	1785
RAC0GC12	Main health problem - 12 groups - (D,G)	RA	1779
RAC0GC25	Main health problem - 25 groups - (D,G)	RA	1780
RAC2_1A	Limited in kind / amount of activities - at home	RA	2329
RAC2_1B	Limited in kind / amount of activities - at school	RA	2330
RAC2_1C	Limited in kind / amount of activities - at work	RA	2330
RAC2_1D	Limited in kind / amount of activities - other	RA	2331
RAC2_2	Has long-term disabilities or handicaps	RA	2331
RAC2_2A	New activity restriction or worsening of old one	RA	2336
RAC2_2B	Disappearance or improvement of activity restriction	RA	2336
RAC2_5	Cause of health problem	RA	2337
RAC2_6A	Needs help for - preparing meals	RA	2337
RAC2_6B	Needs help for - shopping for necessities	RA	2338
RAC2_6C	Needs help for - housework	RA	2338
RAC2_6D	Needs help for - heavy household chores	RA	2339
RAC2_6E	Needs help for - personal care	RA	2339
RAC2_6F	Needs help for - moving about inside the house	RA	2340
RAC2_6G	Needs help for - going outdoors	RA	2340
RAC2CIC	ICD-9 code - main health problem causing limitations	RA	2333
RAC2F1	Flag for restriction of activity	RA	2332
RAC2F2	Restriction of activity flag (excl. long-term disability)	RA	2332
RAC2F3	Flag for problem causing limitation or handicap	RA	2333
RAC2F6	Flag for need for help in series of tasks (indoors)	RA	2341
RAC2F6X	Flag - need for help in series of tasks indoors and outdoors	RA	2341
RAC2GC12	Main health problem - 12 groups - (D,G)	RA	2334
RAC2GC25	Main health problem - 25 groups - (D,G)	RA	2335
RAC4_1A	Limited in kind / amount of activities - at home	RA	58
RAC4_1B	Limited in kind / amount of activities - at school	RA	59
RAC4_1C	Limited in kind / amount of activities - at work	RA	59
RAC4_1D	Limited in kind / amount of activities - other	RA	60
RAC4_2	Has long-term disabilities or handicaps	RA	60
RAC4_5	Cause of health problem	RA	65

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 115

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
RAC4_6A	Needs help for - preparing meals	RA	65
RAC4_6B	Needs help for - shopping for necessities	RA	66
RAC4_6C	Needs help for - housework	RA	66
RAC4_6D	Needs help for - heavy household chores	RA	67
RAC4_6E	Needs help for - personal care	RA	67
RAC4_6F	Needs help for - moving about inside the house	RA	68
RAC4_6H	Needs help for - no tasks	RA	68
RAC4CIC	ICD-9 code - main health problem causing limitations	RA	62
RAC4F1	Flag for restriction of activity	RA	61
RAC4F2	Restriction of activity flag (excl. long-term disability)	RA	61
RAC4F3	Flag for problem causing limitation or handicap	RA	62
RAC4GC12	Main health problem - 12 groups - (D,G)	RA	63
RAC4GC25	Main health problem - 25 groups - (D,G)	RA	64
RAC6_1A	Limited in kind / amount of activities - at home	RA	530
RAC6_1B	Limited in kind / amount of activities - at school	RA	531
RAC6_1C	Limited in kind / amount of activities - at work	RA	531
RAC6_1D	Limited in kind / amount of activities - other	RA	532
RAC6_2	Has long-term disabilities or handicaps	RA	532
RAC6_2A	New activity restriction or worsening of old one	RA	537
RAC6_2B	Disappearance or improvement of activity restriction	RA	537
RAC6_5	Cause of health problem	RA	538
RAC6_6A	Needs help for - preparing meals	RA	538
RAC6_6B	Needs help for - shopping for necessities	RA	539
RAC6_6C	Needs help for - housework	RA	539
RAC6_6D	Needs help for - heavy household chores	RA	540
RAC6_6E	Needs help for - personal care	RA	540
RAC6_6F	Needs help for - moving about inside the house	RA	541
RAC6CIC	ICD-9 code - main health problem causing limitations	RA	534
RAC6F1	Flag for restriction of activity	RA	533
RAC6F2	Restriction of activity flag (excl. long-term disability)	RA	533
RAC6F3	Flag for problem causing limitation or handicap	RA	534
RAC6F6	Flag for need for help in series of tasks (indoors)	RA	541
RAC6GC12	Main health problem - 12 groups - (D,G)	RA	535
RAC6GC25	Main health problem - 25 groups - (D,G)	RA	536
RAC8_1A	Limited in kind / amount of activities - at home	RA	1222
RAC8_1B	Limited in kind / amount of activities - at school	RA	1222

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 116

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
RAC8_1C	Limited in kind / amount of activities - at work	RA	1223
RAC8_1D	Limited in kind / amount of activities - other	RA	1223
RAC8_2	Has long-term disabilities or handicaps	RA	1224
RAC8_2A	New activity restriction or worsening of old one	RA	1228
RAC8_2B	Disappearance or improvement of activity restriction	RA	1228
RAC8_5	Cause of health problem	RA	1229
RAC8_6A	Needs help for - preparing meals	RA	1229
RAC8_6B	Needs help for - shopping for necessities	RA	1230
RAC8_6C	Needs help for - housework	RA	1230
RAC8_6D	Needs help for - heavy household chores	RA	1231
RAC8_6E	Needs help for - personal care	RA	1231
RAC8_6F	Needs help for - moving about inside the house	RA	1232
RAC8CIC	ICD-9 code - main health problem causing limitations	RA	1226
RAC8F1	Flag for restriction of activity	RA	1224
RAC8F2	Restriction of activity flag (excl. long-term disability)	RA	1225
RAC8F3	Flag for problem causing limitation or handicap	RA	1225
RAC8F6	Flag for need for help in series of tasks (indoors)	RA	1232
RAC8GC12	Main health problem - 12 groups - (D,G)	RA	1226
RAC8GC25	Main health problem - 25 groups - (D,G)	RA	1227
REALUKEY	Record identifier for the household	AM	1
REPLICAT	Sample indicator	SP	14
RPC0_1	Had repetitive strain injuries	RP	1918
RPC0_3	Body part affected by repetitive strain	RP	1919
RPC0_5A	Repetitive strain activity - sports or physical exercise	RP	1920
RPC0_5B	Repetitive strain activity - leisure or hobby	RP	1920
RPC0_5C	Repetitive strain activity - working at a job or business	RP	1921
RPC0_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	1921
RPC0_5E	Repetitive strain activity - sleeping, eating, personal care	RP	1922
RPC0_5F	Repetitive strain activity - other	RP	1922
RPC2_1	Had repetitive strain injuries	RP	2469
RPC2_3	Body part affected by repetitive strain	RP	2470
RPC2_5A	Repetitive strain activity - sports or physical exercise	RP	2471
RPC2_5B	Repetitive strain activity - leisure or hobby	RP	2471
RPC2_5C	Repetitive strain activity - working at a job or business	RP	2472
RPC2_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	2472
RPC2_5E	Repetitive strain activity - sleeping, eating, personal care	RP	2473

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 117

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
RPC2_5F	Repetitive strain activity - other	RP	2473
RPC6_1	Had repetitive strain injuries	RP	944
RPC6_2	Number of repetitive strain injuries	RP	945
RPC6_3	Body part affected by repetitive strain	RP	945
RPC6_4A	Cause of repetitive strain - activity at home	RP	946
RPC6_4B	Cause of repetitive strain - activity at work or school	RP	946
RPC6_4C	Cause of repetitive strain - leisure activities	RP	947
RPC6_4D	Cause of repetitive strain - other activity	RP	947
RPC8_1	Had repetitive strain injuries	RP	1547
RPC8_2	Number of repetitive strain injuries	RP	1548
RPC8_3	Body part affected by repetitive strain	RP	1548
RPC8_4A	Cause of repetitive strain - activity at home	RP	1549
RPC8_4B	Cause of repetitive strain - activity at work or school	RP	1549
RPC8_4C	Cause of repetitive strain - leisure activities	RP	1550
RPC8_4D	Cause of repetitive strain - other activity	RP	1550
RSS6_1	Been passenger / driver who had too much to drink	RS	1147
RSS6_10	Frequency of having a designated driver	RS	1155
RSS6_2	Driver intoxicated - tried to prevent from driving	RS	1148
RSS6_3A	Driver intoxicated - drove person home yourself	RS	1148
RSS6_3B	Driver intoxicated - asked someone else to drive	RS	1149
RSS6_3C	Driver intoxicated - asked person to take a taxi	RS	1149
RSS6_3D	Driver intoxicated - hid car keys	RS	1150
RSS6_3E	Driver intoxicated - served coffee to person	RS	1150
RSS6_3F	Driver intoxicated - kept the person at home	RS	1151
RSS6_3G	Driver intoxicated - other	RS	1151
RSS6_4	Has valid driver's license for a motor vehicle	RS	1152
RSS6_5	Frequency of insist that passengers wear seatbelt	RS	1152
RSS6_6	Frequency of obeying speed limits	RS	1153
RSS6_7	Frequency of drinking and driving	RS	1153
RSS6_8	Go out with friends / family to consume alcohol	RS	1154
RSS6_9	Has a designated driver	RS	1154
RTP4_1	Rationality - try to be reasonable and logical	RT	440
RTP4_10	Rationality - when you don't like person	RT	444
RTP4_11	Rationality - prevents verb. attacking or criticize others	RT	445
RTP4_12A	Overcome fear of dentist - quiz dentist	RT	445
RTP4_12B	Overcome fear of dentist - take a tranquilizer or drink	RT	446

# NPBS Cycle 5 (2002-2003): Alphabetic Index

Page 118

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
RTP4_12C	Overcome fear of dentist - try to think about other things	RT	446
RTP4_12D	Overcome fear of dentist - be told when will feel pain	RT	447
RTP4_12E	Overcome fear of dentist - try to sleep	RT	447
RTP4_12F	Overcome fear of dentist - watch dentist's movements	RT	448
RTP4_12G	Overcome fear of dentist - watch for blood	RT	448
RTP4_12H	Overcome fear of dentist - do mental puzzles	RT	449
RTP4_12I	Overcome fear of dentist - do other activity	RT	449
RTP4_13A	Layoffs rumoured - find out evaluation by supervisor	RT	450
RTP4_13B	Layoffs rumoured - review accomplishments	RT	450
RTP4_13C	Layoffs rumoured - watch TV	RT	451
RTP4_13D	Layoffs rumoured - remember disagreements with supervisor	RT	451
RTP4_13E	Layoffs rumoured - try not to think about it	RT	452
RTP4_13F	Layoffs rumoured - try not to discuss it	RT	452
RTP4_13G	Layoffs rumoured - try to rank other employees	RT	453
RTP4_13H	Layoffs rumoured - continue working	RT	453
RTP4_13I	Layoffs rumoured - do other activity	RT	454
RTP4_2	Rationality - try to understand people	RT	440
RTP4_3	Rationality - try to act rationally	RT	441
RTP4_4	Rationality - try to resolve conflicts without emotion	RT	441
RTP4_5	Rationality - try to treat people rationally despite hurt	RT	442
RTP4_6	Rationality - rely on logic	RT	442
RTP4_7	Rationality - when someone acts against your wishes	RT	443
RTP4_8	Rationality - rarely influenced by emotions	RT	443
RTP4_9	Rationality - very influenced by emotions	RT	444
SC_8_1	Had sore throat, cold or a flu	SC	1410
SC_8_10	Cold - used home remedies	SC	1414
SC_8_11	Cold - cut down on activities and got more rest	SC	1415
SC_8_12	Prefer doctors that let me decide what to do	SC	1415
SC_8_13	Patients should never challenge the authority of the doctor	SC	1416
SC_8_14	Prefer that the doctor assume all of the responsibility	SC	1416
SC_8_15	Better to take care of own health than go to a doctor	SC	1417
SC_8_16	Better to go to a doctor than to try to treat yourself	SC	1417
SC_8_2	Sore throat, cold or a flu - solution (#1)	SC	1410
SC_8_3	Sore throat, cold or a flu - other (#1)	SC	1411
SC_8_4	Sore throat, cold or a flu - solution (#2)	SC	1411
SC_8_5	Sore throat, cold or a flu - other (#2)	SC	1412

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 119

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SC_8_6	Sore throat, cold or a flu - solution (#3)	SC	1412
SC_8_7	Cold - took over-the-counter medication	SC	1413
SC_8_8	Cold - used herbal / vitamin supplements	SC	1413
SC_8_9	Cold - old prescription / someone else's	SC	1414
SC_8DFCT	Attitude toward self-care	SC	1418
SDC0_4A	Ethnic origin - Canadian	SD	2124
SDC0_4B	Ethnic origin - French	SD	2125
SDC0_4C	Ethnic origin - English	SD	2125
SDC0_4D	Ethnic origin - German	SD	2126
SDC0_4E	Ethnic origin - Scottish	SD	2126
SDC0_4F	Ethnic origin - Irish	SD	2127
SDC0_4G	Ethnic origin - Italian	SD	2127
SDC0_4H	Ethnic origin - Ukrainian	SD	2128
SDC0_4I	Ethnic origin - Dutch (Netherlands)	SD	2128
SDC0_4J	Ethnic origin - Chinese	SD	2129
SDC0_4K	Ethnic origin - Jewish	SD	2129
SDC0_4L	Ethnic origin - Polish	SD	2130
SDC0_4M	Ethnic origin - Portuguese	SD	2130
SDC0_4N	Ethnic origin - South Asian	SD	2131
SDC0_4O	Ethnic origin - Black	SD	2131
SDC0_4P	Ethnic origin - North American Indian	SD	2132
SDC0_4Q	Ethnic origin - Métis	SD	2132
SDC0_4R	Ethnic origin - Inuit / Eskimo	SD	2133
SDC0_4S	Ethnic origin - other	SD	2133
SDC0_5A	Can converse - English	SD	2134
SDC0_5B	Can converse - French	SD	2134
SDC0_5C	Can converse - Arabic	SD	2135
SDC0_5D	Can converse - Chinese	SD	2135
SDC0_5E	Can converse - Cree	SD	2136
SDC0_5F	Can converse - German	SD	2136
SDC0_5G	Can converse - Greek	SD	2137
SDC0_5H	Can converse - Hungarian	SD	2137
SDC0_5I	Can converse - Italian	SD	2138
SDC0_5J	Can converse - Korean	SD	2138
SDC0_5K	Can converse - Persian	SD	2139
SDC0_5L	Can converse - Polish	SD	2139

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 120

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC0_5M	Can converse - Portuguese	SD	2140
SDC0_5N	Can converse - Punjabi	SD	2140
SDC0_5O	Can converse - Spanish	SD	2141
SDC0_5P	Can converse - Tagalog	SD	2141
SDC0_5Q	Can converse - Ukrainian	SD	2142
SDC0_5R	Can converse - Vietnamese	SD	2142
SDC0_5S	Can converse - other language	SD	2143
SDC0_6A	First language learned and still understood - English	SD	2144
SDC0_6B	First language learned and still understood - French	SD	2144
SDC0_6C	First language learned and still understood - Arabic	SD	2145
SDC0_6D	First language learned and still understood - Chinese	SD	2145
SDC0_6E	First language learned and still understood - Cree	SD	2146
SDC0_6F	First language learned and still understood - German	SD	2146
SDC0_6G	First language learned and still understood - Greek	SD	2147
SDC0_6H	First language learned and still understood - Hungarian	SD	2147
SDC0_6I	First language learned and still understood - Italian	SD	2148
SDC0_6J	First language learned and still understood - Korean	SD	2148
SDC0_6K	First language learned and still understood - Persian	SD	2149
SDC0_6L	First language learned and still understood - Polish	SD	2149
SDC0_6M	First language learned and still understood - Portuguese	SD	2150
SDC0_6N	First language learned and still understood - Punjabi	SD	2150
SDC0_6O	First language learned and still understood - Spanish	SD	2151
SDC0_6P	First language learned and still understood - Tagalog	SD	2151
SDC0_6Q	First language learned and still understood - Ukrainian	SD	2152
SDC0_6R	First language learned and still understood - Vietnamese	SD	2152
SDC0_6S	First language learned and still understood - other	SD	2153
SDC0_7A	Race or colour - White	SD	2153
SDC0_7B	Race or colour - Chinese	SD	2154
SDC0_7C	Race or colour - South Asian	SD	2154
SDC0_7D	Race or colour - Black	SD	2155
SDC0_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	2155
SDC0_7F	Race or colour - Arab / West Asian	SD	2156
SDC0_7G	Race or colour - Filipino	SD	2156
SDC0_7H	Race or colour - South East Asian	SD	2157
SDC0_7I	Race or colour - Latin American	SD	2157
SDC0_7J	Race or colour - Japanese	SD	2158

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 121

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC0_7K	Race or colour - Korean	SD	2158
SDC0_7L	Race or colour - other	SD	2159
SDC0DLNG	Language(s) in which respondent can converse - (D)	SD	2143
SDC0DRAC	Race or colour - (D)	SD	2160
SDC0DRES	Length of time in Canada since immigration - (D)	SD	2124
SDC2_5A	Can converse - English	SD	2670
SDC2_5B	Can converse - French	SD	2671
SDC2_5C	Can converse - Arabic	SD	2671
SDC2_5D	Can converse - Chinese	SD	2672
SDC2_5E	Can converse - Cree	SD	2672
SDC2_5F	Can converse - German	SD	2673
SDC2_5G	Can converse - Greek	SD	2673
SDC2_5H	Can converse - Hungarian	SD	2674
SDC2_5I	Can converse - Italian	SD	2674
SDC2_5J	Can converse - Korean	SD	2675
SDC2_5K	Can converse - Persian	SD	2675
SDC2_5L	Can converse - Polish	SD	2676
SDC2_5M	Can converse - Portuguese	SD	2676
SDC2_5N	Can converse - Punjabi	SD	2677
SDC2_5O	Can converse - Spanish	SD	2677
SDC2_5P	Can converse - Tagalog	SD	2678
SDC2_5Q	Can converse - Ukrainian	SD	2678
SDC2_5R	Can converse - Vietnamese	SD	2679
SDC2_5S	Can converse - other language	SD	2679
SDC2_6A	First language learned and still understood - English	SD	2680
SDC2_6B	First language learned and still understood - French	SD	2681
SDC2_6C	First language learned and still understood - Arabic	SD	2681
SDC2_6D	First language learned and still understood - Chinese	SD	2682
SDC2_6E	First language learned and still understood - Cree	SD	2682
SDC2_6F	First language learned and still understood - German	SD	2683
SDC2_6G	First language learned and still understood - Greek	SD	2683
SDC2_6H	First language learned and still understood - Hungarian	SD	2684
SDC2_6I	First language learned and still understood - Italian	SD	2684
SDC2_6J	First language learned and still understood - Korean	SD	2685
SDC2_6K	First language learned and still understood - Persian	SD	2685
SDC2_6L	First language learned and still understood - Polish	SD	2686

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 122

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC2_6M	First language learned and still understood - Portuguese	SD	2686
SDC2_6N	First language learned and still understood - Punjabi	SD	2687
SDC2_6O	First language learned and still understood - Spanish	SD	2687
SDC2_6P	First language learned and still understood - Tagalog	SD	2688
SDC2_6Q	First language learned and still understood - Ukrainian	SD	2688
SDC2_6R	First language learned and still understood - Vietnamese	SD	2689
SDC2_6S	First language learned and still understood - other	SD	2689
SDC2DLNG	Language(s) in which respondent can converse - (D)	SD	2680
SDC2DRES	Length of time in Canada since immigration - (D)	SD	2670
SDC4_4A	Ethnic origin - Canadian	SD	84
SDC4_4B	Ethnic origin - French	SD	85
SDC4_4C	Ethnic origin - English	SD	85
SDC4_4D	Ethnic origin - German	SD	86
SDC4_4E	Ethnic origin - Scottish	SD	86
SDC4_4F	Ethnic origin - Irish	SD	87
SDC4_4G	Ethnic origin - Italian	SD	87
SDC4_4H	Ethnic origin - Ukrainian	SD	88
SDC4_4I	Ethnic origin - Dutch (Netherlands)	SD	88
SDC4_4J	Ethnic origin - Chinese	SD	89
SDC4_4K	Ethnic origin - Jewish	SD	89
SDC4_4L	Ethnic origin - Polish	SD	90
SDC4_4M	Ethnic origin - Portuguese	SD	90
SDC4_4N	Ethnic origin - South Asian	SD	91
SDC4_4O	Ethnic origin - Black	SD	91
SDC4_4P	Ethnic origin - North American Indian	SD	92
SDC4_4Q	Ethnic origin - Métis	SD	92
SDC4_4R	Ethnic origin - Inuit / Eskimo	SD	93
SDC4_4S	Ethnic origin - other	SD	93
SDC4_5A	Can converse - English	SD	94
SDC4_5B	Can converse - French	SD	94
SDC4_5C	Can converse - Arabic	SD	94
SDC4_5D	Can converse - Chinese	SD	95
SDC4_5E	Can converse - Cree	SD	95
SDC4_5F	Can converse - German	SD	95
SDC4_5G	Can converse - Greek	SD	96
SDC4_5H	Can converse - Hungarian	SD	96

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 123

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC4_5I	Can converse - Italian	SD	96
SDC4_5J	Can converse - Korean	SD	97
SDC4_5K	Can converse - Persian	SD	97
SDC4_5L	Can converse - Polish	SD	97
SDC4_5M	Can converse - Portuguese	SD	98
SDC4_5N	Can converse - Punjabi	SD	98
SDC4_5O	Can converse - Spanish	SD	98
SDC4_5P	Can converse - Tagalog	SD	99
SDC4_5Q	Can converse - Ukrainian	SD	99
SDC4_5R	Can converse - Vietnamese	SD	99
SDC4_5S	Can converse - other language	SD	100
SDC4_6A	First language learned and still understood - English	SD	101
SDC4_6B	First language learned and still understood - French	SD	101
SDC4_6C	First language learned and still understood - Arabic	SD	101
SDC4_6D	First language learned and still understood - Chinese	SD	102
SDC4_6E	First language learned and still understood - Cree	SD	102
SDC4_6F	First language learned and still understood - German	SD	102
SDC4_6G	First language learned and still understood - Greek	SD	103
SDC4_6H	First language learned and still understood - Hungarian	SD	103
SDC4_6I	First language learned and still understood - Italian	SD	103
SDC4_6J	First language learned and still understood - Korean	SD	104
SDC4_6K	First language learned and still understood - Persian	SD	104
SDC4_6L	First language learned and still understood - Polish	SD	104
SDC4_6M	First language learned and still understood - Portuguese	SD	105
SDC4_6N	First language learned and still understood - Punjabi	SD	105
SDC4_6O	First language learned and still understood - Spanish	SD	105
SDC4_6P	First language learned and still understood - Tagalog	SD	106
SDC4_6Q	First language learned and still understood - Ukrainian	SD	106
SDC4_6R	First language learned and still understood - Vietnamese	SD	106
SDC4_6S	First language learned and still understood - other	SD	107
SDC4_7A	Race or colour - White	SD	107
SDC4_7B	Race or colour - Chinese	SD	108
SDC4_7C	Race or colour - South Asian	SD	108
SDC4_7D	Race or colour - Black	SD	109
SDC4_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	109
SDC4_7F	Race or colour - Arab / West Asian	SD	110

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 124

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC4_7G	Race or colour - Filipino	SD	110
SDC4_7H	Race or colour - South East Asian	SD	111
SDC4_7J	Race or colour - Japanese	SD	111
SDC4_7K	Race or colour - Korean	SD	112
SDC4_7L	Race or colour - other	SD	112
SDC4DLNG	Language(s) in which respondent can converse - (D)	SD	100
SDC4DRAC	Race or colour - (D)	SD	113
SDC4DRES	Length of time in Canada since immigration - (D)	SD	84
SDC6_4A	Ethnic origin - Canadian	SD	591
SDC6_4B	Ethnic origin - French	SD	591
SDC6_4C	Ethnic origin - English	SD	592
SDC6_4D	Ethnic origin - German	SD	592
SDC6_4E	Ethnic origin - Scottish	SD	593
SDC6_4F	Ethnic origin - Irish	SD	593
SDC6_4G	Ethnic origin - Italian	SD	594
SDC6_4H	Ethnic origin - Ukrainian	SD	594
SDC6_4I	Ethnic origin - Dutch (Netherlands)	SD	595
SDC6_4J	Ethnic origin - Chinese	SD	595
SDC6_4K	Ethnic origin - Jewish	SD	596
SDC6_4L	Ethnic origin - Polish	SD	596
SDC6_4M	Ethnic origin - Portuguese	SD	597
SDC6_4N	Ethnic origin - South Asian	SD	597
SDC6_4O	Ethnic origin - Black	SD	598
SDC6_4P	Ethnic origin - North American Indian	SD	598
SDC6_4Q	Ethnic origin - Métis	SD	599
SDC6_4R	Ethnic origin - Inuit / Eskimo	SD	599
SDC6_4S	Ethnic origin - other	SD	600
SDC6_5A	Can converse - English	SD	600
SDC6_5B	Can converse - French	SD	601
SDC6_5C	Can converse - Arabic	SD	601
SDC6_5D	Can converse - Chinese	SD	602
SDC6_5E	Can converse - Cree	SD	602
SDC6_5F	Can converse - German	SD	603
SDC6_5G	Can converse - Greek	SD	603
SDC6_5H	Can converse - Hungarian	SD	604
SDC6_5I	Can converse - Italian	SD	604

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 125

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC6_5J	Can converse - Korean	SD	605
SDC6_5K	Can converse - Persian	SD	605
SDC6_5L	Can converse - Polish	SD	606
SDC6_5M	Can converse - Portuguese	SD	606
SDC6_5N	Can converse - Punjabi	SD	607
SDC6_5O	Can converse - Spanish	SD	607
SDC6_5P	Can converse - Tagalog	SD	608
SDC6_5Q	Can converse - Ukrainian	SD	608
SDC6_5R	Can converse - Vietnamese	SD	609
SDC6_5S	Can converse - other language	SD	609
SDC6_6A	First language learned and still understood - English	SD	610
SDC6_6B	First language learned and still understood - French	SD	611
SDC6_6C	First language learned and still understood - Arabic	SD	611
SDC6_6D	First language learned and still understood - Chinese	SD	611
SDC6_6E	First language learned and still understood - Cree	SD	612
SDC6_6F	First language learned and still understood - German	SD	612
SDC6_6G	First language learned and still understood - Greek	SD	612
SDC6_6H	First language learned and still understood - Hungarian	SD	613
SDC6_6I	First language learned and still understood - Italian	SD	613
SDC6_6J	First language learned and still understood - Korean	SD	613
SDC6_6K	First language learned and still understood - Persian	SD	614
SDC6_6L	First language learned and still understood - Polish	SD	614
SDC6_6M	First language learned and still understood - Portuguese	SD	614
SDC6_6N	First language learned and still understood - Punjabi	SD	615
SDC6_6O	First language learned and still understood - Spanish	SD	615
SDC6_6P	First language learned and still understood - Tagalog	SD	615
SDC6_6Q	First language learned and still understood - Ukrainian	SD	616
SDC6_6R	First language learned and still understood - Vietnamese	SD	616
SDC6_6S	First language learned and still understood - other	SD	616
SDC6_7A	Race or colour - White	SD	617
SDC6_7B	Race or colour - Chinese	SD	617
SDC6_7C	Race or colour - South Asian	SD	618
SDC6_7D	Race or colour - Black	SD	618
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	619
SDC6_7F	Race or colour - Arab / West Asian	SD	619
SDC6_7G	Race or colour - Filipino	SD	620

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 126

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC6_7H	Race or colour - South East Asian	SD	620
SDC6_7I	Race or colour - Latin American	SD	621
SDC6_7J	Race or colour - Japanese	SD	621
SDC6_7K	Race or colour - Korean	SD	622
SDC6_7L	Race or colour - other	SD	622
SDC6DLNG	Language(s) in which respondent can converse - (D)	SD	610
SDC6DRAC	Race or colour - (D)	SD	623
SDC6DRES	Length of time in Canada since immigration - (D)	SD	590
SDC8_4A	Ethnic origin - Canadian	SD	1284
SDC8_4B	Ethnic origin - French	SD	1285
SDC8_4C	Ethnic origin - English	SD	1285
SDC8_4D	Ethnic origin - German	SD	1286
SDC8_4E	Ethnic origin - Scottish	SD	1286
SDC8_4F	Ethnic origin - Irish	SD	1287
SDC8_4G	Ethnic origin - Italian	SD	1287
SDC8_4H	Ethnic origin - Ukrainian	SD	1288
SDC8_4I	Ethnic origin - Dutch (Netherlands)	SD	1288
SDC8_4J	Ethnic origin - Chinese	SD	1289
SDC8_4K	Ethnic origin - Jewish	SD	1289
SDC8_4L	Ethnic origin - Polish	SD	1290
SDC8_4M	Ethnic origin - Portuguese	SD	1290
SDC8_4N	Ethnic origin - South Asian	SD	1291
SDC8_4O	Ethnic origin - Black	SD	1291
SDC8_4P	Ethnic origin - North American Indian	SD	1292
SDC8_4Q	Ethnic origin - Métis	SD	1292
SDC8_4R	Ethnic origin - Inuit / Eskimo	SD	1293
SDC8_4S	Ethnic origin - other	SD	1293
SDC8_5A	Can converse - English	SD	1294
SDC8_5B	Can converse - French	SD	1294
SDC8_5C	Can converse - Arabic	SD	1295
SDC8_5D	Can converse - Chinese	SD	1295
SDC8_5E	Can converse - Cree	SD	1296
SDC8_5F	Can converse - German	SD	1296
SDC8_5G	Can converse - Greek	SD	1297
SDC8_5H	Can converse - Hungarian	SD	1297
SDC8_5I	Can converse - Italian	SD	1298

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 127

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC8_5J	Can converse - Korean	SD	1298
SDC8_5K	Can converse - Persian	SD	1299
SDC8_5L	Can converse - Polish	SD	1299
SDC8_5M	Can converse - Portuguese	SD	1300
SDC8_5N	Can converse - Punjabi	SD	1300
SDC8_5O	Can converse - Spanish	SD	1301
SDC8_5P	Can converse - Tagalog	SD	1301
SDC8_5Q	Can converse - Ukrainian	SD	1302
SDC8_5R	Can converse - Vietnamese	SD	1302
SDC8_5S	Can converse - other language	SD	1303
SDC8_6A	First language learned and still understood - English	SD	1304
SDC8_6B	First language learned and still understood - French	SD	1304
SDC8_6C	First language learned and still understood - Arabic	SD	1305
SDC8_6D	First language learned and still understood - Chinese	SD	1305
SDC8_6E	First language learned and still understood - Cree	SD	1306
SDC8_6F	First language learned and still understood - German	SD	1306
SDC8_6G	First language learned and still understood - Greek	SD	1307
SDC8_6H	First language learned and still understood - Hungarian	SD	1307
SDC8_6I	First language learned and still understood - Italian	SD	1308
SDC8_6J	First language learned and still understood - Korean	SD	1308
SDC8_6K	First language learned and still understood - Persian	SD	1309
SDC8_6L	First language learned and still understood - Polish	SD	1309
SDC8_6M	First language learned and still understood - Portuguese	SD	1310
SDC8_6N	First language learned and still understood - Punjabi	SD	1310
SDC8_6O	First language learned and still understood - Spanish	SD	1311
SDC8_6P	First language learned and still understood - Tagalog	SD	1311
SDC8_6Q	First language learned and still understood - Ukrainian	SD	1312
SDC8_6R	First language learned and still understood - Vietnamese	SD	1312
SDC8_6S	First language learned and still understood - other	SD	1313
SDC8_7A	Race or colour - White	SD	1313
SDC8_7B	Race or colour - Chinese	SD	1314
SDC8_7C	Race or colour - South Asian	SD	1314
SDC8_7D	Race or colour - Black	SD	1315
SDC8_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	1315
SDC8_7F	Race or colour - Arab / West Asian	SD	1316
SDC8_7G	Race or colour - Filipino	SD	1316

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 128

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SDC8_7H	Race or colour - South East Asian	SD	1317
SDC8_7I	Race or colour - Latin American	SD	1317
SDC8_7J	Race or colour - Japanese	SD	1318
SDC8_7K	Race or colour - Korean	SD	1318
SDC8_7L	Race or colour - other	SD	1319
SDC8DLNG	Language(s) in which respondent can converse - (D)	SD	1303
SDC8DRAC	Race or colour - (D)	SD	1320
SDC8DRES	Length of time in Canada since immigration - (D)	SD	1284
SEX	Sex	DH	5
SHARE	Agree to share information	AM	3
SHP6_1	Effective in preventing STD - using condom	SH	1133
SHP6_10	Chance of getting an STD	SH	1142
SHP6_11	To prevent STD - changed sexual behaviour	SH	1143
SHP6_12	To prevent STD - sex with only 1 partner	SH	1143
SHP6_13	To prevent STD - using condoms	SH	1144
SHP6_14	To prevent STD - using jellies / foams	SH	1144
SHP6_15	To prevent STD - more careful selecting partner	SH	1145
SHP6_16	To prevent STD - started being tested	SH	1145
SHP6_17	To prevent STD - insisting that partner be tested	SH	1146
SHP6_18	To prevent STD - abstaining	SH	1146
SHP6_19	To prevent STD - other measures	SH	1147
SHP6_2	Effective in preventing STD - birth control pill	SH	1133
SHP6_3	Effective in preventing STD - diaphragm / sponge	SH	1134
SHP6_4	Effective in preventing STD - jelly / foam	SH	1134
SHP6_5	Effective in preventing STD - ask if partner has STD	SH	1135
SHP6_6	Effective in preventing STD - regular partner	SH	1135
SHP6_7	Effective in preventing STD - ask partner to be tested	SH	1136
SHP6_8	STD prevention - has sources of information	SH	1136
SHP6_9A	STD main source of info. - parents	SH	1137
SHP6_9B	STD main source of info. - medical professionals	SH	1137
SHP6_9C	STD main source of info. - friends	SH	1138
SHP6_9D	STD main source of info. - school	SH	1138
SHP6_9E	STD main source of info. - church	SH	1139
SHP6_9F	STD main source of info. - youth club	SH	1139
SHP6_9G	STD main source of info. - TV / radio	SH	1140
SHP6_9H	STD main source of info. - magazines / papers	SH	1140

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 129

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SHP6_9I	STD main source of info. - pamphlets	SH	1141
SHP6_9J	STD main source of info. - books	SH	1141
SHP6_9K	STD main source of info. - other	SH	1142
SHS6_1	Ever had sexual intercourse	SH	1124
SHS6_10	Had / has - syphilis	SH	1129
SHS6_11	Had / has - genital warts	SH	1129
SHS6_12	Had / has - genital herpes	SH	1130
SHS6_13	Had / has - hepatitis B	SH	1130
SHS6_14	Has HIV / AIDS	SH	1131
SHS6_15	Had / has - pelvic inflammatory disease	SH	1131
SHS6_16	Had / has - other STD	SH	1132
SHS6_2	Age at first sexual intercourse	SH	1124
SHS6_3	Had sexual intercourse in past 12 months	SH	1125
SHS6_4	Number of partners (sexual intercourse)	SH	1125
SHS6_5	Relationship lasted 12 months or longer	SH	1126
SHS6_6	Relationships lasted less than 12 months	SH	1126
SHS6_7	Frequency of condom use in relationship(s)	SH	1127
SHS6_7A	Used a condom the last time	SH	1127
SHS6_8	Had / has - chlamydia	SH	1128
SHS6_9	Had / has - gonorrhea	SH	1128
SHS6D1	Had at least 1 STD - (D)	SH	1132
SL_2_1	Number of hours spent sleeping per night	SL	2237
SL_2_2	Frequency - trouble sleeping	SL	2238
SL_2_3	Frequency - find sleep refreshing	SL	2238
SL_2_4	Frequency - find it difficult to stay awake	SL	2239
SMC0_1	Household member smokes inside house	SM	2055
SMC0_10	Reason for starting smoking	SM	2064
SMC0_11	Reason for smoking less	SM	2065
SMC0_12	Reason for smoking more	SM	2066
SMC0_2	Current smoking status	SM	2056
SMC0_201	When first cigarette smoked after waking up	SM	2066
SMC0_202	Tried quitting smoking	SM	2067
SMC0_203	Number of times tried to quit smoking	SM	2067
SMC0_204	Considering quitting smoking in the next 30 days	SM	2068
SMC0_205	Considering quitting smoking in the next 6 months	SM	2068
SMC0_206	Smoking restrictions in work place	SM	2069

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 130

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SMC0_3	Age started smoking daily - daily smoker	SM	2056
SMC0_4	Number of cigarettes smoked each day - daily smoker	SM	2057
SMC0_4A	Ever smoked cigarettes	SM	2057
SMC0_4B	Ever smoked cigarettes (probe)	SM	2058
SMC0_5	Ever smoked daily	SM	2060
SMC0_5A	Smoked 100 or more cigarettes - former smoker	SM	2058
SMC0_5B	No. of cigarettes smoked - occasional smoker	SM	2059
SMC0_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	2059
SMC0_6	Age started smoking daily - former daily smoker	SM	2060
SMC0_7	No. of cigarettes smoked daily - former daily smoker	SM	2061
SMC0_8	Age stopped smoking daily - former daily smoker	SM	2061
SMC0_9	Reason for quitting smoking	SM	2063
SMC0DTYP	Type of smoker - (D)	SM	2062
SMC0DYRS	Number of years that respondent smoked - (D)	SM	2062
SMC2_1	Household member smokes inside house	SM	2591
SMC2_10	Reason for starting smoking	SM	2601
SMC2_11	Reason for smoking less	SM	2602
SMC2_12	Reason for smoking more	SM	2603
SMC2_2	Current smoking status	SM	2592
SMC2_201	When first cigarette smoked after waking up	SM	2603
SMC2_202	Tried quitting smoking	SM	2604
SMC2_203	Number of times tried to quit smoking	SM	2604
SMC2_204	Considering quitting smoking in the next 30 days	SM	2605
SMC2_205	Considering quitting smoking in the next 6 months	SM	2605
SMC2_206	Smoking restrictions in work place	SM	2606
SMC2_3	Age started smoking daily - daily smoker	SM	2592
SMC2_4	Number of cigarettes smoked each day - daily smoker	SM	2593
SMC2_4A	Ever smoked cigarettes	SM	2593
SMC2_4B	Ever smoked cigarettes (probe)	SM	2594
SMC2_5	Ever smoked daily	SM	2596
SMC2_5A	Smoked 100 or more cigarettes - former smoker	SM	2594
SMC2_5B	No. of cigarettes smoked - occasional smoker	SM	2595
SMC2_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	2595
SMC2_6	Age started smoking daily - former daily smoker	SM	2596
SMC2_7	No. of cigarettes smoked daily - former daily smoker	SM	2597
SMC2_8	Age stopped smoking daily - former daily smoker	SM	2597

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 131

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SMC2_9	Reason for quitting smoking	SM	2600
SMC2DSTR	Strength of cigarette (descriptor)	SM	2599
SMC2DTAR	Tar content of cigarette	SM	2599
SMC2DTYP	Type of smoker - (D)	SM	2598
SMC2DYRS	Number of years that respondent smoked - (D)	SM	2598
SMC4_1	Household member smokes inside house	SM	195
SMC4_2	Current smoking status	SM	196
SMC4_3	Age started smoking daily - daily smoker	SM	196
SMC4_4	Number of cigarettes smoked each day - daily smoker	SM	197
SMC4_4A	Ever smoked cigarettes	SM	197
SMC4_5	Ever smoked daily	SM	198
SMC4_6	Age started smoking daily - former daily smoker	SM	198
SMC4_7	No. of cigarettes smoked daily - former daily smoker	SM	199
SMC4_8	Age stopped smoking daily - former daily smoker	SM	199
SMC4DTYP	Type of smoker - (D)	SM	200
SMC4DYRS	Number of years that respondent smoked - (D)	SM	200
SMC6_1	Household member smokes inside house	SM	1020
SMC6_10	Reason for starting smoking	SM	1026
SMC6_11	Reason for smoking less	SM	1027
SMC6_12	Reason for smoking more	SM	1028
SMC6_2	Current smoking status	SM	1021
SMC6_201	When first cigarette smoked after waking up	SM	1032
SMC6_205	Considering quitting smoking in the next 6 months	SM	1033
SMC6_206	Smoking restrictions in work place	SM	1033
SMC6_3	Age started smoking daily - daily smoker	SM	1021
SMC6_4	Number of cigarettes smoked each day - daily smoker	SM	1022
SMC6_4A	Ever smoked cigarettes	SM	1022
SMC6_5	Ever smoked daily	SM	1023
SMC6_6	Age started smoking daily - former daily smoker	SM	1023
SMC6_7	No. of cigarettes smoked daily - former daily smoker	SM	1024
SMC6_8	Age stopped smoking daily - former daily smoker	SM	1024
SMC6_9	Reason for quitting smoking	SM	1025
SMC6DTYP	Type of smoker - (D)	SM	1029
SMC6DYRS	Number of years that respondent smoked - (D)	SM	1029
SMC8_1	Household member smokes inside house	SM	1632
SMC8_10	Reason for starting smoking	SM	1641

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 132

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SMC8_11	Reason for smoking less	SM	1642
SMC8_12	Reason for smoking more	SM	1643
SMC8_2	Current smoking status	SM	1633
SMC8_201	When first cigarette smoked after waking up	SM	1643
SMC8_202	Tried quitting smoking	SM	1644
SMC8_203	Number of times tried to quit smoking	SM	1644
SMC8_204	Considering quitting smoking in the next 30 days	SM	1645
SMC8_205	Considering quitting smoking in the next 6 months	SM	1645
SMC8_206	Smoking restrictions in work place	SM	1646
SMC8_3	Age started smoking daily - daily smoker	SM	1633
SMC8_4	Number of cigarettes smoked each day - daily smoker	SM	1634
SMC8_4A	Ever smoked cigarettes	SM	1634
SMC8_4B	Ever smoked cigarettes (probe)	SM	1635
SMC8_5	Ever smoked daily	SM	1637
SMC8_5A	Smoked 100 or more cigarettes - former smoker	SM	1635
SMC8_5B	No. of cigarettes smoked - occasional smoker	SM	1636
SMC8_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	1636
SMC8_6	Age started smoking daily - former daily smoker	SM	1637
SMC8_7	No. of cigarettes smoked daily - former daily smoker	SM	1638
SMC8_8	Age stopped smoking daily - former daily smoker	SM	1638
SMC8_9	Reason for quitting smoking	SM	1640
SMC8DTYP	Type of smoker - (D)	SM	1639
SMC8DYRS	Number of years that respondent smoked - (D)	SM	1639
SMS6_13A	Children more likely to start smoking if their parents smoke	SM	1034
SMS6_13B	People too concerned about second-hand smoke	SM	1034
SMS6_13C	Non-smokers mind when people smoke in their presence	SM	1035
SMS6_13D	Children more likely have ill health from second-hand smoke	SM	1035
SMS6_13E	Should not smoke while pregnant nor others living with	SM	1036
SMS6_13F	Provide non-smokers with a smoke-free environment at work	SM	1036
SMS6_13G	Ask permission to smoke in the presence of others	SM	1037
SMS6_13H	Lower cigarette prices lead to increased smoking	SM	1037
SMS6_14	Feels unpleasant effects from second-hand smoke	SM	1038
SMS6_15	Second-hand smoke can cause health problems in non-smoker	SM	1038
SMS6_16A	Second-hand smoke can cause lung cancer in non-smoker	SM	1039
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	SM	1039
SMS6_16C	Second-hand smoke can cause a stroke in non-smoker	SM	1040

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 133

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	SM	1040
SMS6_17	Smoking cigarettes can cause health problems in a smoker	SM	1041
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	SM	1041
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	SM	1042
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	SM	1042
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	SM	1043
SP30_CPA	Actual collection period	SP	1711
SP30_STA	Status code after processing	SP	1720
SP30DPC	Postal code - (D)	SP	1710
SP30FOUT	Flag for record sent for field collection	SP	1710
SP32_CPA	Actual collection period	SP	2220
SP32_STA	Status code after processing	SP	2228
SP32DPC	Postal code - (D)	SP	2219
SP32FOUT	Flag for record sent for field collection	SP	2219
SP34_CPA	Actual collection period	SP	19
SP34_CPS	Sampled collection period	SP	14
SP34_MET	Selection method	SP	14
SP34_STA	Status code after processing	SP	26
SP34DPC	Postal code - (D)	SP	18
SP36_CPA	Actual collection period	SP	477
SP36_STA	Status code after processing	SP	484
SP36DPC	Postal code - (D)	SP	476
SP36FOUT	Flag for record sent for field collection	SP	477
SP38_CPA	Actual collection period	SP	1170
SP38_STA	Status code after processing	SP	1178
SP38DPC	Postal code - (D)	SP	1169
SP38FOUT	Flag for record sent for field collection	SP	1169
SSC0_101	Number of close friends and relatives	SS	2112
SSC0_102	Has someone to give help if confined to bed	SS	2112
SSC0_103	Has someone to count on to listen	SS	2113
SSC0_104	Has someone to give advice about a crisis	SS	2113
SSC0_105	Has someone to go to the doctor with	SS	2114
SSC0_106	Has someone who shows love and affection	SS	2114
SSC0_107	Has someone to have a good time with	SS	2115
SSC0_108	Has someone who gives information to understand a situation	SS	2115
SSC0_109	Has someone to confide in	SS	2116

Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SSC0_110	Has someone who gives hugs	SS	2116
SSC0_111	Has someone to get together with for relaxation	SS	2117
SSC0_112	Has someone to prepare meals	SS	2117
SSC0_113	Has someone to give advice	SS	2118
SSC0_114	Has someone to do things to get mind off things	SS	2118
SSC0_115	Has someone to help with daily chores if sick	SS	2119
SSC0_116	Has someone to share most private worries and fears with	SS	2119
SSC0_117	Has someone to turn to for suggestions for personal problems	SS	2120
SSC0_118	Has someone to do something enjoyable with	SS	2120
SSC0_119	Has someone who understands problems	SS	2121
SSC0_120	Has someone who loves and makes feel wanted	SS	2121
SSC0DAFF	Affection - MOS subscale - (D)	SS	2122
SSC0DEMO	Emotional or informational support - MOS subscale - (D)	SS	2123
SSC0DSOC	Positive social interaction - MOS subscale - (D)	SS	2123
SSC0DTNG	Tangible social support - MOS subscale - (D)	SS	2122
SSC2_101	Number of close friends and relatives	SS	2658
SSC2_102	Has someone to give help if confined to bed	SS	2658
SSC2_103	Has someone to count on to listen	SS	2659
SSC2_104	Has someone to give advice about a crisis	SS	2659
SSC2_105	Has someone to go to the doctor with	SS	2660
SSC2_106	Has someone who shows love and affection	SS	2660
SSC2_107	Has someone to have a good time with	SS	2661
SSC2_108	Has someone who gives information to understand a situation	SS	2661
SSC2_109	Has someone to confide in	SS	2662
SSC2_110	Has someone who gives hugs	SS	2662
SSC2_111	Has someone to get together with for relaxation	SS	2663
SSC2_112	Has someone to prepare meals	SS	2663
SSC2_113	Has someone to give advice	SS	2664
SSC2_114	Has someone to do things to get mind off things	SS	2664
SSC2_115	Has someone to help with daily chores if sick	SS	2665
SSC2_116	Has someone to share most private worries and fears with	SS	2665
SSC2_117	Has someone to turn to for suggestions for personal problems	SS	2666
SSC2_118	Has someone to do something enjoyable with	SS	2666
SSC2_119	Has someone who understands problems	SS	2667
SSC2_120	Has someone who loves and makes feel wanted	SS	2667
SSC2DAFF	Affection - MOS subscale - (D)	SS	2668

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 135

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SSC2DEMO	Emotional or informational support - MOS subscale - (D)	SS	2669
SSC2DSOC	Positive social interaction - MOS subscale - (D)	SS	2669
SSC2DTNG	Tangible social support - MOS subscale - (D)	SS	2668
SSC4_1	Member of organization or association	SS	428
SSC4_2	Frequency of participation in organizations	SS	428
SSC4_2A	Frequency of attending religious services	SS	429
SSC4_3	Has someone to confide in	SS	429
SSC4_4	Has someone to count on in crisis situation	SS	430
SSC4_5	Has someone can count on for advice	SS	430
SSC4_6	Has someone to make feel loved and cared for	SS	431
SSC4_7A	Frequency of contact - parents / in-laws	SS	431
SSC4_7B	Frequency of contact - grandparents	SS	432
SSC4_7C	Frequency of contact - daughters / daughters-in-law	SS	433
SSC4_7D	Frequency of contact - sons / sons-in-law	SS	434
SSC4_7E	Frequency of contact - brothers / sisters	SS	435
SSC4_7F	Frequency of contact - other relatives	SS	436
SSC4_7G	Frequency of contact - close friends	SS	437
SSC4_7H	Frequency of contact - neighbours	SS	438
SSC4D1	Perceived social support index - (D)	SS	438
SSC4D2	Social involvement score - (D)	SS	439
SSC4D3	Average frequency of contacts - (D)	SS	439
SSC6_1	Member of organization or association	SS	1097
SSC6_2	Frequency of participation in organizations	SS	1097
SSC6_2A	Frequency of attending religious services	SS	1098
SSC6_3	Has someone to confide in	SS	1099
SSC6_4	Has someone to count on in crisis situation	SS	1100
SSC6_5	Has someone can count on for advice	SS	1100
SSC6_6	Has someone to make feel loved and cared for	SS	1101
SSC6_7A	Frequency of contact - parents / in-laws	SS	1101
SSC6_7B	Frequency of contact - grandparents	SS	1102
SSC6_7C	Frequency of contact - daughters / daughters-in-law	SS	1103
SSC6_7D	Frequency of contact - sons / sons-in-law	SS	1104
SSC6_7E	Frequency of contact - brothers / sisters	SS	1105
SSC6_7F	Frequency of contact - other relatives	SS	1106
SSC6_7G	Frequency of contact - close friends	SS	1107
SSC6_7H	Frequency of contact - neighbours	SS	1108

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 136

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SSC6D1	Perceived social support index - (D)	SS	1108
SSC6D2	Social involvement score - (D)	SS	1109
SSC6D3	Average frequency of contacts - (D)	SS	1109
SSC8_101	Number of close friends and relatives	SS	1690
SSC8_102	Has someone to give help if confined to bed	SS	1690
SSC8_103	Has someone to count on to listen	SS	1691
SSC8_104	Has someone to give advice about a crisis	SS	1691
SSC8_105	Has someone to go to the doctor with	SS	1692
SSC8_106	Has someone who shows love and affection	SS	1692
SSC8_107	Has someone to have a good time with	SS	1693
SSC8_108	Has someone who gives information to understand a situation	SS	1693
SSC8_109	Has someone to confide in	SS	1694
SSC8_110	Has someone who gives hugs	SS	1694
SSC8_111	Has someone to get together with for relaxation	SS	1695
SSC8_112	Has someone to prepare meals	SS	1695
SSC8_113	Has someone to give advice	SS	1696
SSC8_114	Has someone to do things to get mind off things	SS	1696
SSC8_115	Has someone to help with daily chores if sick	SS	1697
SSC8_116	Has someone to share most private worries and fears with	SS	1697
SSC8_117	Has someone to turn to for suggestions for personal problems	SS	1698
SSC8_118	Has someone to do something enjoyable with	SS	1698
SSC8_119	Has someone who understands problems	SS	1699
SSC8_120	Has someone who loves and makes feel wanted	SS	1699
SSC8DAFF	Affection - MOS subscale - (D)	SS	1700
SSC8DEMO	Emotional or informational support - MOS subscale - (D)	SS	1701
SSC8DSOC	Positive social interaction - MOS subscale - (D)	SS	1701
SSC8DTNG	Tangible social support - MOS subscale - (D)	SS	1700
SSP6_1	Received care from friend / relative past 12 months	SS	1113
SSP6_2	Received care from friend / relative last month	SS	1114
SSP6_3	Level of support from family / friends	SS	1114
SSP6_4	Helped relative / friend with health problem	SS	1115
SSS6_1	Spiritual values or faith have important role in life	SS	1098
SSS6_2	Self-perception of religiousness / spirituality	SS	1099
SSS6_3	Number of people seen socially who smoke	SS	1110
SSS6_4	Number of people seen socially who drink too much	SS	1110
SSS6_5A	Partner smokes cigarettes	SS	1111

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 137

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
SSS6_5B	Partner exercises regularly	SS	1111
SSS6_5C	Partner drinks too much	SS	1112
SSS6_5D	Partner overeats	SS	1112
SSS6_5E	Partner uses tranquilizers	SS	1113
ST_0_C1	Stress (ongoing) - trying to take on too many things	ST	1933
ST_0_C10	Stress (ongoing) - child seems unhappy	ST	1938
ST_0_C11	Stress (ongoing) - child's behaviour is a concern	ST	1938
ST_0_C12	Stress (ongoing) - work around home not appreciated	ST	1939
ST_0_C13	Stress (ongoing) - friends are a bad influence	ST	1939
ST_0_C14	Stress (ongoing) - would like to move	ST	1940
ST_0_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	1940
ST_0_C16	Stress (ongoing) - family member in very bad health	ST	1941
ST_0_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	1941
ST_0_C18	Stress (ongoing) - people are too critical	ST	1942
ST_0_C2	Stress (ongoing) - pressure to conform	ST	1934
ST_0_C3	Stress (ongoing) - others expect too much from you	ST	1934
ST_0_C4	Stress (ongoing) - lack of money	ST	1935
ST_0_C5	Stress (ongoing) - partner doesn't understand you	ST	1935
ST_0_C6	Stress (ongoing) - partner is not affectionate enough	ST	1936
ST_0_C7	Stress (ongoing) - partner is not committed to relationship	ST	1936
ST_0_C8	Stress (ongoing) - difficult to find someone compatible	ST	1937
ST_0_C9	Stress (ongoing) - has children	ST	1937
ST_0_R1	Stress (recent) - physically attacked	ST	1947
ST_0_R10	Stress (recent) - child moved back	ST	1952
ST_0_R2	Stress (recent) - unwanted pregnancy	ST	1948
ST_0_R3	Stress (recent) - abortion or miscarriage	ST	1948
ST_0_R4	Stress (recent) - major financial crisis	ST	1949
ST_0_R5	Stress (recent) - failed school	ST	1949
ST_0_R6	Stress (recent) - a change of job for a worse one	ST	1950
ST_0_R7	Stress (recent) - demotion or cut in pay	ST	1950
ST_0_R8	Stress (recent) - argues with partner	ST	1951
ST_0_R9	Stress (recent) - went on welfare	ST	1951
ST_0_T1	Stress (trauma) - 2 weeks or more in hospital	ST	1954
ST_0_T2	Stress (trauma) - parents divorced	ST	1954
ST_0_T3	Stress (trauma) - parents unemployed for a long time	ST	1955
ST_0_T4	Stress (trauma) - traumatised for years	ST	1955

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 138

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ST_0_T5	Stress (trauma) - sent away from home	ST	1956
ST_0_T6	Stress (trauma) - parents abused alcohol or drugs	ST	1956
ST_0_T7	Stress (trauma) - was ever physically abused	ST	1957
ST_0_W1	Stress (work) - currently work at a job	ST	1958
ST_0_W1A	Stress (work) - must learn new things	ST	1958
ST_0_W1B	Stress (work) - high level of skill	ST	1959
ST_0_W1C	Stress (work) - freedom to decide	ST	1960
ST_0_W1D	Stress (work) - repetitive tasks	ST	1961
ST_0_W1E	Stress (work) - hectic job	ST	1962
ST_0_W1F	Stress (work) - free from conflicting demands	ST	1963
ST_0_W1G	Stress (work) - good job security	ST	1964
ST_0_W1H	Stress (work) - requires a lot of physical effort	ST	1965
ST_0_W1I	Stress (work) - has own job input	ST	1966
ST_0_W1J	Stress (work) - hostility or conflict with others	ST	1967
ST_0_W1K	Stress (work) - supervisor helpful	ST	1968
ST_0_W1L	Stress (work) - co-workers helpful	ST	1969
ST_0_W2	Stress (work) - job satisfaction	ST	1970
ST_0DC1	General chronic stress index - (D)	ST	1942
ST_0DC10	Family health stress index - (D)	ST	1947
ST_0DC2	Specific chronic stress index - (D)	ST	1943
ST_0DC3	Adjusted specific chronic stress index - (D)	ST	1943
ST_0DC4	Personal stress index - (D)	ST	1944
ST_0DC5	Financial problems stress index - (D)	ST	1944
ST_0DC6	Relationship problems (with partner) stress index - (D)	ST	1945
ST_0DC7	Relationship problems (no partner) stress index - (D)	ST	1945
ST_0DC8	Child problems stress index - (D)	ST	1946
ST_0DC9	Environmental problems stress index - (D)	ST	1946
ST_0DR1	Recent life events score - All items - (D)	ST	1952
ST_0DR2	Recent life events score - All valid items - (D)	ST	1953
ST_0DR3	Adjusted recent life events index - (D)	ST	1953
ST_0DT1	Childhood and adult stress index - (D)	ST	1957
ST_0DW1	Work stress index - All Items - (D)	ST	1970
ST_0DW2	Decision latitude - Skill discretion - (D)	ST	1971
ST_0DW3	Decision latitude - Decision authority - (D)	ST	1971
ST_0DW4	Psychological demands - (D)	ST	1972
ST_0DW5	Job insecurity - (D)	ST	1972

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 139

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ST_0DW6	Physical exertion - (D)	ST	1973
ST_0DW7	Social support - (D)	ST	1973
ST_0DW8	Job strain	ST	1974
ST_2_C1	Stress (ongoing) - trying to take on too many things	ST	2484
ST_2_C10	Stress (ongoing) - child seems unhappy	ST	2489
ST_2_C11	Stress (ongoing) - child's behaviour is a concern	ST	2489
ST_2_C12	Stress (ongoing) - work around home not appreciated	ST	2490
ST_2_C13	Stress (ongoing) - friends are a bad influence	ST	2490
ST_2_C14	Stress (ongoing) - would like to move	ST	2491
ST_2_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	2491
ST_2_C16	Stress (ongoing) - family member in very bad health	ST	2492
ST_2_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	2492
ST_2_C18	Stress (ongoing) - people are too critical	ST	2493
ST_2_C2	Stress (ongoing) - pressure to conform	ST	2485
ST_2_C3	Stress (ongoing) - others expect too much from you	ST	2485
ST_2_C4	Stress (ongoing) - lack of money	ST	2486
ST_2_C5	Stress (ongoing) - partner doesn't understand you	ST	2486
ST_2_C6	Stress (ongoing) - partner is not affectionate enough	ST	2487
ST_2_C7	Stress (ongoing) - partner is not committed to relationship	ST	2487
ST_2_C8	Stress (ongoing) - difficult to find someone compatible	ST	2488
ST_2_C9	Stress (ongoing) - has children	ST	2488
ST_2_W1	Stress (work) - currently work at a job	ST	2498
ST_2_W1A	Stress (work) - must learn new things	ST	2499
ST_2_W1B	Stress (work) - high level of skill	ST	2500
ST_2_W1C	Stress (work) - freedom to decide	ST	2501
ST_2_W1D	Stress (work) - repetitive tasks	ST	2502
ST_2_W1E	Stress (work) - hectic job	ST	2503
ST_2_W1F	Stress (work) - free from conflicting demands	ST	2504
ST_2_W1G	Stress (work) - good job security	ST	2505
ST_2_W1H	Stress (work) - requires a lot of physical effort	ST	2506
ST_2_W1I	Stress (work) - has own job input	ST	2507
ST_2_W1J	Stress (work) - hostility or conflict with others	ST	2508
ST_2_W1K	Stress (work) - supervisor helpful	ST	2509
ST_2_W1L	Stress (work) - co-workers helpful	ST	2510
ST_2_W2	Stress (work) - job satisfaction	ST	2511
ST_2DC1	General chronic stress index - (D)	ST	2493

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 140

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ST_2DC10	Family health stress index - (D)	ST	2498
ST_2DC2	Specific chronic stress index - (D)	ST	2494
ST_2DC3	Adjusted specific chronic stress index - (D)	ST	2494
ST_2DC4	Personal stress index - (D)	ST	2495
ST_2DC5	Financial problems stress index - (D)	ST	2495
ST_2DC6	Relationship problems (with partner) stress index - (D)	ST	2496
ST_2DC7	Relationship problems (no partner) stress index - (D)	ST	2496
ST_2DC8	Child problems stress index - (D)	ST	2497
ST_2DC9	Environmental problems stress index - (D)	ST	2497
ST_2DW1	Work stress index - All Items - (D)	ST	2511
ST_2DW2	Decision latitude - Skill discretion - (D)	ST	2512
ST_2DW3	Decision latitude - Decision authority - (D)	ST	2512
ST_2DW4	Psychological demands - (D)	ST	2513
ST_2DW5	Job insecurity - (D)	ST	2513
ST_2DW6	Physical exertion - (D)	ST	2514
ST_2DW7	Social support - (D)	ST	2514
ST_2DW8	Job strain	ST	2515
ST_4_C1	Stress (ongoing) - trying to take on too many things	ST	267
ST_4_C10	Stress (ongoing) - child seems unhappy	ST	271
ST_4_C11	Stress (ongoing) - child's behaviour is a concern	ST	272
ST_4_C12	Stress (ongoing) - work around home not appreciated	ST	272
ST_4_C13	Stress (ongoing) - friends are a bad influence	ST	273
ST_4_C14	Stress (ongoing) - would like to move	ST	273
ST_4_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	274
ST_4_C16	Stress (ongoing) - family member in very bad health	ST	274
ST_4_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	275
ST_4_C18	Stress (ongoing) - people are too critical	ST	275
ST_4_C2	Stress (ongoing) - pressure to conform	ST	267
ST_4_C3	Stress (ongoing) - others expect too much from you	ST	268
ST_4_C4	Stress (ongoing) - lack of money	ST	268
ST_4_C5	Stress (ongoing) - partner doesn't understand you	ST	269
ST_4_C6	Stress (ongoing) - partner is not affectionate enough	ST	269
ST_4_C7	Stress (ongoing) - partner is not committed to relationship	ST	270
ST_4_C8	Stress (ongoing) - difficult to find someone compatible	ST	270
ST_4_C9	Stress (ongoing) - has children	ST	271
ST_4_R1	Stress (recent) - physically attacked	ST	281

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 141

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ST_4_R10	Stress (recent) - child moved back	ST	285
ST_4_R2	Stress (recent) - unwanted pregnancy	ST	281
ST_4_R3	Stress (recent) - abortion or miscarriage	ST	282
ST_4_R4	Stress (recent) - major financial crisis	ST	282
ST_4_R5	Stress (recent) - failed school	ST	283
ST_4_R6	Stress (recent) - a change of job for a worse one	ST	283
ST_4_R7	Stress (recent) - demotion or cut in pay	ST	284
ST_4_R8	Stress (recent) - argues with partner	ST	284
ST_4_R9	Stress (recent) - went on welfare	ST	285
ST_4_T1	Stress (trauma) - 2 weeks or more in hospital	ST	287
ST_4_T2	Stress (trauma) - parents divorced	ST	288
ST_4_T3	Stress (trauma) - parents unemployed for a long time	ST	288
ST_4_T4	Stress (trauma) - traumatised for years	ST	289
ST_4_T5	Stress (trauma) - sent away from home	ST	289
ST_4_T6	Stress (trauma) - parents abused alcohol or drugs	ST	290
ST_4_T7	Stress (trauma) - was ever physically abused	ST	290
ST_4_W1A	Stress (work) - must learn new things	ST	291
ST_4_W1B	Stress (work) - high level of skill	ST	292
ST_4_W1C	Stress (work) - freedom to decide	ST	292
ST_4_W1D	Stress (work) - repetitive tasks	ST	293
ST_4_W1E	Stress (work) - hectic job	ST	293
ST_4_W1F	Stress (work) - free from conflicting demands	ST	294
ST_4_W1G	Stress (work) - good job security	ST	294
ST_4_W1H	Stress (work) - requires a lot of physical effort	ST	295
ST_4_W1I	Stress (work) - has own job input	ST	295
ST_4_W1J	Stress (work) - hostility or conflict with others	ST	296
ST_4_W1K	Stress (work) - supervisor helpful	ST	297
ST_4_W1L	Stress (work) - co-workers helpful	ST	298
ST_4_W2	Stress (work) - job satisfaction	ST	298
ST_4DC1	General chronic stress index - (D)	ST	276
ST_4DC10	Family health stress index - (D)	ST	280
ST_4DC2	Specific chronic stress index - (D)	ST	276
ST_4DC3	Adjusted specific chronic stress index - (D)	ST	277
ST_4DC4	Personal stress index - (D)	ST	277
ST_4DC5	Financial problems stress index - (D)	ST	278
ST_4DC6	Relationship problems (with partner) stress index - (D)	ST	278

# NPHS Cycle 5 (2002-2003): Alphabetic Index

Page 142

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
ST_4DC7	Relationship problems (no partner) stress index - (D)	ST	279
ST_4DC8	Child problems stress index - (D)	ST	279
ST_4DC9	Environmental problems stress index - (D)	ST	280
ST_4DR1	Recent life events score - All items - (D)	ST	286
ST_4DR2	Recent life events score - All valid items - (D)	ST	286
ST_4DR3	Adjusted recent life events index - (D)	ST	287
ST_4DT1	Childhood and adult stress index - (D)	ST	291
ST_4DW1	Work stress index - All Items - (D)	ST	299
ST_4DW2	Decision latitude - Skill discretion - (D)	ST	299
ST_4DW3	Decision latitude - Decision authority - (D)	ST	300
ST_4DW4	Psychological demands - (D)	ST	300
ST_4DW5	Job insecurity - (D)	ST	301
ST_4DW6	Physical exertion - (D)	ST	301
ST_4DW7	Social support - (D)	ST	302
ST_4DW8	Job strain	ST	302
STRATUM	Sample indicator - stratum	SP	14
SUBCYCLE	Sample indicator	SP	2
SVP6_1	Overall rating of health care system	SV	1120
SVP6_2	Availability of community health care	SV	1121
SVP6_3	Quality of community health care	SV	1121
SVP6_4	Overall availability of health care in community	SV	1122
SVP6_5	Overall quality of health care in community	SV	1122
SVP6_6	Difficulty getting health care services needed	SV	1123
SVP6_7	Quality of health care received in past 12 months	SV	1123
TAS8_1	Smoked cigars	SM	1646
TAS8_2	Smoked a pipe	SM	1647
TAS8_3	Used snuff	SM	1647
TAS8_4	Used chewing tobacco	SM	1648
TUC0_3	UV - has been sunburnt	TU	1918
TUC2_3	UV - has been sunburnt	TU	2468
TUC6_3	UV - got sunburnt	TU	940
TUP6_1	UV - tried to get a suntan (sun or artificial)	TU	939
TUP6_10	UV - frequency of wearing protective clothing in sun	TU	944
TUP6_2	UV - deepness of suntan	TU	940
TUP6_4	UV - number of times sunburned	TU	941
TUP6_5	UV - description of worst sunburn	TU	941

# NPBS Cycle 5 (2002-2003): Alphabetic Index

Page 143

## Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

Variable Name	Description	Section	Page
TUP6_6	UV - frequency of using sunscreen in summer	TU	942
TUP6_7	UV - frequency of avoiding sun from 11am to 4pm	TU	942
TUP6_8	UV - frequency of avoiding long periods in the sun	TU	943
TUP6_9	UV - frequency of wearing sunglasses with UV protection	TU	943
TWC4_1	Stayed in bed / hospital due to illness / injury	TW	32
TWC4_2	Number of days spent in bed	TW	32
TWC4_3	Cut down on things done due to illness / injury	TW	33
TWC4_4	Number of days cut down on things	TW	34
TWC4DDDY	Total number of disability days - (D)	TW	35
TWC6_1	Stayed in bed / hospital due to illness / injury	TW	490
TWC6_2	Number of days spent in bed	TW	491
TWC6_3	Cut down on things done due to illness / injury	TW	492
TWC6_4	Number of days cut down on things	TW	493
TWC6DDDY	Total number of disability days - (D)	TW	495
TWC8_1	Stayed in bed / hospital due to illness / injury	TW	1184
TWC8_2	Number of days spent in bed	TW	1185
TWC8_3	Cut down on things done due to illness / injury	TW	1186
TWC8_4	Number of days cut down on things	TW	1187
TWC8DDDY	Total number of disability days - (D)	TW	1189
VSP6_1	Frequency of feeling safe in community	VS	1155
VSP6_10	Number of times attacked outside of school	VS	1159
VSP6_2	Frequency of feeling safe at home	VS	1156
VSP6_4	Frequency of feeling safe at school	VS	1156
VSP6_5	No. of times - verbal abuse at school / school bus	VS	1157
VSP6_6	No. of times - verbal threats at school / school bus	VS	1157
VSP6_7	No. of times - attacks at school / school bus	VS	1158
VSP6_8	No. of times - verbal abuse outside of school	VS	1158
VSP6_9	No. of times - verbal threats outside of school	VS	1159
WF62LF	Flag: Master - Longitudinal Full Response Subset	WT	2745
WF62LFE	Flag: Master - Longitudinal Full Response C1 and C5 Subset	WT	2746
WF62SLF	Flag: Share - Longitudinal Full Response Subset	WT	2746
WF62SLS	Flag: Share - Longitudinal Square	WT	2747
WT62LF	Weight: Master - Longitudinal Full Response Subset	WT	2745
WT62LFE	Weight: Master - Longitudinal Full Response C1 and C5 Subset	WT	2746
WT62SLF	Weight: Share - Longitudinal Full Response Subset	WT	2746
WT62SLS	Weight: Share - Longitudinal Square	WT	2747

**Master File: Longitudinal Full Response C1 and C5 Subset (Rounded)**

March 2005

Printed: Wednesday March 9, 2005

---

<b>Variable Name</b>	<b>Description</b>	<b>Section</b>	<b>Page</b>
WT64LS	Weight: Master - Longitudinal Square	WT	2745
YOB	Year of birth	DH	4
YOD	Year of death	DH	13
YOI	Year of immigration to Canada	SD	10