

**National Population Health Survey
Household Component, 2002-2003
Dummy File for Remote Access to the Master File**

March 2005

Notice

The Dummy File should not be used for purposes other than to develop and test the computer programs that are to be submitted by remote access. The Dummy File contains modified data, and must never be used for analytical purposes.

1. Background and Overview

The National Population Health Survey (NPHS), which is conducted by the Health Statistics Division at Statistics Canada, collects information on the health and socio-economic characteristics of the Canadian population. To date, five data collection cycles have been completed: NPHS Cycle 1 (1994-1995), NPHS Cycle 2 (1996-1997), NPHS Cycle 3 (1998-1999), NPHS Cycle 4 (2000-2001) and NPHS Cycle 5 (2002-2003). All five cycles contain a household component and a health institutions component. Cycles 1, 2 and 3 also have a North component.

Earlier cycles produced public use microdata files (PUMFs) for the household component (Cycles 1, 2 and 3), as well as the health institutions component (Cycles 1 and 2) in order to allow broad access to the cross-sectional data. In Cycles 4 and 5, only one file was created for the household component, and that file is the longitudinal square file containing all 17,276 panel members. The creation of a PUMF involves the application of rigorous procedures to ensure data confidentiality. Consequently, survey variables may have to be grouped, capped, or simply suppressed. As confidentiality considerations limit the creation of longitudinal PUMFs, and since the NPHS is now purely longitudinal beginning with Cycle 4, a PUMF was not created for the Cycle 5 data.

In order to provide researchers with a means to access the Master File, a remote access facility has been implemented. Remote access provides researchers with the possibility to submit computer programs via e-mail to a dedicated address (nphs-ensp@statcan.ca), and to receive the results by return e-mail. To obtain remote access privileges, researchers must necessarily obtain advance approval from the Health Statistics Division. Requests must be submitted to the aforementioned e-mail address and must provide the following, clearly itemised information:

- the researcher's affiliation,
- the name of all researchers involved in the project,
- the title of the research project,
- an abstract of the project,
- the goals of the research,
- the data to which access is required (survey, cycle),
- why the project requires the access to the master data rather than the PUMF (for cycles where a PUMF exists),
- why the Remote Access service is chosen rather the on-site access in a Research Data Centre (RDC),
- the expected results, and
- the project's expected completion date.

Further information is available by contacting the NPHS team at the above e-mail address or by phone at (613) 951-1653. Once the request for remote access has been approved, the researcher can submit his/her computer programs to the NPHS team for processing on the Master File(s). The computer output is reviewed by the team for confidentiality concerns and returned to the researcher. However, the correctness and accuracy of each program submission remains at all times the sole responsibility of the researcher.

With the Dummy File supplied on this CD-ROM, the researcher can develop and test his/her computer programs before submitting them to the NPHS team. The Cycle 5 Dummy File applies to the Cycle 5 longitudinal data file containing all 17,276 members of the longitudinal panel. While certain administrative variables, which are of no analytical interest, have been recoded to “blank” or “9s”, the Dummy File simulates the Master File perfectly. It contains the same variables and has the same record layout. The data values, however, have been modified in order to protect the confidentiality of respondents.

This CD-ROM also includes SAS and SPSS macro programs for calculating the variance of estimates. Three dummy bootstrap weight files corresponding to the Dummy File are also included to help develop and test the variance calculation programs. These dummy bootstrap weight files simulate the original file, have the same record layout and contain the same variables, but the weight values have been modified. The CD-ROM also contains peripheral SAS and SPSS layout statement files, as well as the technical and methodological documentation usually accompanying the Master Files. Please refer to Section 3 of the present document for the complete list of files on this CD-ROM.

The following sections of this document describe in more detail the steps leading to the creation of the Dummy File.

2. Creation of the Dummy Files

2.1 Subsampling

In an effort to preserve confidentiality, subsampling of the Master file was performed. This involved removing a portion of the 17,276 records, and duplicating some of the remaining records in order to keep the total number of records equal to 17,276. The number of respondents in the Full subset and the Full C1 and C5 subset were also respected with regards to this subsampling.

2.2 Classes of Records

The records in the file are then divided into classes based on age, sex and the longitudinal response pattern. One of the objectives is to create classes of records with similar pathways through the questionnaire, so that when random data swapping is applied within classes, the resulting artificial records are internally coherent.

The classes for the Cycle 5 dummy longitudinal file are based on the age at the time of the interview in 1994-95, as well as in 1996-97, 1998-99, 2000-01 and 2002-03. In order to maintain a minimum number of records in each class, the geographic characteristics are not taken into account when creating the classes.

The supplementary content for Alberta and Manitoba in 1994-95 and Alberta in 1996-97 is added back to the Dummy File records in a later step, where fewer problems result from small class sizes because the number of age-based classes for the special content is relatively small. When a problem arises nonetheless, sufficiently large class sizes are applied and the data are adjusted for internal consistency.

2.3 Blocks of Variables

The next step involves the creation of blocks of variables. The artificial records for the dummy file are created by randomly swapping blocks of variables among the records within a class. The variables are first grouped into basic blocks corresponding to the various sections of the questionnaire. Where the flow to one basic block depends on the answers to questions in a previous block, the respective basic blocks are integrated into the same block to maintain internal coherence.

The guiding principle is that blocks should be analytically meaningful while also being small enough to conform to data confidentiality requirements. Variables, which when combined could lead to identification of individual respondents, are thus put in different blocks. All modalities of each variable are not necessarily represented on the Dummy File. Users looking for information on all the possible modalities of a variable should consult the Master File documentation. Further details of the block formation are not given as it would provide too much information on the methods used to create the dummy data and compromise confidentiality. While efforts have been made to ensure the coherence of the data between the blocks, this coherence may not always be present.

2.4 Variables Recoded to “Blank” or “9”

For confidentiality purposes, the variables listed below were recoded to “blank” or “9s” during the creation of the dummy file.

DOD, SP34_CPS, SP34_MET, STRATUM, REPLICAT, CYCLE, SUBCYCLE, AM68_SHA, AM34_SRC, AM34_LNG, SP34_CPA, AM54_BMM, AM54_BDD, AM54_BYE, AM54_SRC, AM54_LNG, AM54_EMM, AM54_EDD, AM54_EYY, AM64_STA, AM64_BMM, AM64_BDD, AM64_BYE, AM64_SRC, AM64FR, AM64_LNG, AM64_EMM, AM64_EDD, AM64_EYY, SP36FOUT, SP36_CPA, AM36_SRC, AM36_LNG, SP36_STA, AM56_STA, AM56_BMM, AM56_BDD, AM56_BYE, AM56_SRC, AM56_LNG, AM56_EMM, AM56_EDD, AM56_EYY, AM66LDUR, AM66_STA, AM66_BMM, AM66_BDD, AM66_BYE, AM66_SRC, AM66FR, AM66_LNG, AM66_EMM, AM66_EDD, AM66_EYY, AM68LDUR, SP38FOUT, SP38_CPA, AM38_LP, AM38_SRC, AM38_LNG, SP38_STA, AM58_STA, AM68_STA, AM58_BDD, AM58_BMM, AM58_BYE, AM58_LNG, AM58_EMM, AM58_EDD, AM58_EYY, AM68_BMM, AM68_BDD, AM68_BYE, AM68_SRC, AM68FR, AM68_LNK, AM68_LNG, AM68_EMM, AM68_EDD, AM68_EYY, AM60LDUR, SP30FOUT, SP30_CPA, AM30_PL, SP30_STA, AM30_TEL, AM60_STA, AM60_BMM, AM60_BDD, AM60_BYE, AM60_SRC, AM60FR, AM60_LNK, AM60_SHA, AM60_TEL, AM60_LNG, AM62LDUR, SP32FOUT, SP32_CPA, AM32_PL, SP32_STA, AM32_TEL, AM62_STA, AM62_BMM, AM62_BDD, AM62_BYE, AM62_SRC, AM62FR, AM62_LNK, AM62_SHA, AM62_TEL, AM62_LNG

The sampling weights and the bootstrap weights were then adjusted to reflect the 1994 population totals by province, age group and sex. However, it should be noted that these weights remain artificial.

3 Content of CD_ROM

LisezMoi.pdf French documentation on remote access, creation of the Dummy Files, CD-ROM content.
ReadMe.pdf English documentation on remote access, creation of the Dummy Files, CD-ROM content.

Dummy File:

DATA\
 long.txt Cycle 5 Dummy File, 17,276 records

Record Layouts, Statements:

LAYOUT\
 LONG_fmt.sas Cycle 5 SAS FORMAT
 LONG_i.sas Cycle 5 SAS INFILE and INPUT
 LONG_lbe.sas Cycle 5 SAS LABEL in English
 LONG_lbf.sas Cycle 5 SAS LABEL in French
 LONG_pfe.sas Cycle 5 SAS PROC FORMAT in English
 LONG_pff.sas Cycle 5 SAS PROC FORMAT in French
 LONG_i.sps Cycle 5 SPSS DATA LIST
 LONGmiss.sps Cycle 5 SPSS MISSING VALUES
 LONGvale.sps Cycle 5 SPSS VALUE LABELS in English
 LONGvalf.sps Cycle 5 SPSS VALUE LABELS in French
 LONGvare.sps Cycle 5 SPSS VARIABLE LABELS in English
 LONGvarf.sps Cycle 5 SPSS VARIABLE LABELS in French
 readfile.sas Program to read, label and format the ASCII format data file into SAS format.
 readfile.sps Program to read, label and format the ASCII format data file into SPSS format.

Documentation:

DOC\PDF_E\
 Dv_doc_e.pdf English derived variables documentation
 Quest_e.pdf English Cycle 5 Questionnaire
 User_guide_e.pdf English Cycle 5 household component documentation

DOC\PDF_E\LNGF
 Dd_lngf_e.pdf English data dictionary, Cycle 5 Longitudinal Master Full File
 Index_a_lngf_e.pdf English alpha index, Cycle 5 Longitudinal Master Full File
 Index_t_lngf_e.pdf English topical index, Cycle 5 Longitudinal Master Full File
 Layout_lngf_e.pdf English record layout, Cycle 5 Longitudinal Master Full File

DOC\PDF_E\LNGFE
 Dd_lngfe_e.pdf English data dictionary, Cycle 5 Longitudinal Master C1 & C5 Full File
 Index_a_lngfe_e.pdf English alpha index, Cycle 5 Longitudinal Master C1 & C5 Full File
 Index_t_lngfe_e.pdf English topical index, Cycle 5 Longitudinal Master C1 & C5 Full File
 Layout_lngfe_e.pdf English record layout, Cycle 5 Longitudinal Master C1 & C5 Full File

DOC\PDF_E\LONG
 Dd_long_e.pdf English data dictionary, Cycle 5 Longitudinal Master File
 Index_a_long_e.pdf English alpha index, Cycle 5 Longitudinal Master File
 Index_t_long_e.pdf English topical index, Cycle 5 Longitudinal Master File

Layout_long_e.pdf	English record layout, Cycle 5 Longitudinal Master File
DOC\PDF_F\ Dv_doc_f.pdf French derived variables documentation Quest_f.pdf French Cycle 5 Questionnaire User_guide_f.pdf French Cycle 5 household component documentation	
DOC\PDF_F\LNGF Dd_lngf_f.pdf French data dictionary, Cycle 5 Longitudinal Master Full File Index_a_lngf_f.pdf French alpha index, Cycle 5 Longitudinal Master File Index_t_lngf_f.pdf French topical index, Cycle 5 Longitudinal Master File Layout_lngf_f.pdf French record layout, Cycle 5 Longitudinal Master File	
DOC\PDF_F\LNGFE Dd_lngfe_f.pdf French data dictionary, Cycle 5 Longitudinal Master C1 & C5 Full File Index_a_lngfe_f.pdf French alpha index, Cycle 5 Longitudinal Master C1 & C5 Full File Index_t_lngfe_f.pdf French topical index, Cycle 5 Longitudinal Master C1 & C5 Full File Layout_lngfe_f.pdf French record layout, Cycle 5 Longitudinal Master C1 & C5 Full File	
DOC\PDF_F\LONG Dd_long_f.pdf French data dictionary, Cycle 5 Longitudinal Master File Index_a_f.pdf French alpha index, Cycle 5 Longitudinal Master File Index_t_f.pdf French topical index, Cycle 5 Longitudinal Master File Layout_f.pdf French record layout, Cycle 5 Longitudinal Master File	

Files relating to the use of bootstrap weights for variance calculation:

BOOTSTRP\DATA\ Bd5long.txt Bootstrap weights file in ASCII format for dummy square file. Bd5lngf.txt Bootstrap weights file in ASCII format for the dummy "Full C5" subset. Bd5lngfe.txt Bootstrap weights file in ASCII format for the dummy "Full C1 & C5" subset.	
BOOTSTRP\LAYOUT\ B5LONG_i.SAS SAS Record Layout for the bootstrap weights file BD5LONG.TXT B5LNGF_i.SAS SAS Record Layout for the bootstrap weights file BD5LNGF.TXT B5LNGFE_i.SAS SAS Record Layout for the bootstrap weights file BD5LNGFE.TXT B5LONG_i.SPS SPSS Record Layout for the bootstrap weights file BD5LONG.TXT B5LNGF_i.SPS SPSS Record Layout for the bootstrap weights file BD5LNGF.TXT B5LNGFE_i.SPS SPSS Record Layout for the bootstrap weights file BD5LNGFE.TXT	
BOOTSTRP\SAS\DOC\ SASBootdoc_e.pdf English documentation of the Bootvare_v30.sas program SASBootdoc_f.pdf French documentation of the Bootvarf_v30.sas program AppendixC_Health.pdf Appendix for the SASBootdoc_e.pdf documentation AnnexeC_Sante.pdf Appendix for the SASBootdoc_f.pdf documentation	

BOOTSTRP\SAS\PGM\ Bootvare_v30.sas SAS bootstrap variance program with English comments Bootvarf_v30.sas SAS bootstrap variance program with French comments Etape1.sas Example, with French comments, of the SAS program creating the data analysis file Macroe_v30.sas Macro program with English comments Macrof_v30.sas Macro program with French comments Step1.sas Example, with English comments, of the SAS program creating the data analysis file	
---	--

BOOTSTRP\SPSS\DOC\ SPSSBootdoc_e.pdf English documentation of the Bootvare_v30.sps program SPSSBootdoc_f.pdf French documentation of the Bootvarf_v30.sps program AppendixC_Health.pdf Appendix for the SPSSBootdoc_e.pdf documentation AnnexeC_Sante.pdf Appendix for the SPSSBootdoc_f.pdf documentation	
--	--

BOOTSTRP\SPSS\PGM\ Bootvare_v30.sps SPSS Bootstrap variance calculation program with English comments Bootvarf_v30.sps SPSS Bootstrap variance calculation program with French comments Etape1.sps Example, with French comments, of the SPSS program creating the data analysis file Macroe_v30.sps SPSS Macro program with English comments Macrof_v30.sps SPSS Macro program with French comments Step1.sps Example, with English comments, of the SPSS program creating the data analysis file	
--	--