

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name REALUKEY **Length** 15 **Position** 1 - 15

Question Name

Concept Record identifier for the household

Question

Universe All respondents

Note

Variable Name PERSONID **Length** 2 **Position** 16 - 17

Question Name

Concept Number identifying the person in the household

Question

Universe All respondents

Note Based on SEQ_NO.

Variable Name DESIGPRV **Length** 2 **Position** 18 - 19

Question Name

Concept Design province

Question

Universe All respondents

Note For the NPHS Longitudinal sample, this reflects province of residence in 1994. This variable is conceptually the same as PRC6_DES in Cycle 2 (1996) and PRC8_DES in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEWFOUNDLAND AND LABRADOR	10	822	565,500
PRINCE EDWARD ISLAND	11	803	132,000
NOVA SCOTIA	12	775	898,500
NEW BRUNSWICK	13	824	733,000
QUEBEC	24	2,189	7,036,000
ONTARIO	35	2,990	10,677,000
MANITOBA	46	921	1,063,000
SASKATCHEWAN	47	922	960,000
ALBERTA	48	1,111	2,641,500
BRITISH COLUMBIA	59	1,189	3,612,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CYCLE	Length	2	Position	20 - 21
Question Name					
Concept	Cycle in which household joined the survey				
Question					
Universe	All respondents				
Note	CYCLE on UNITINFO				
Content			Code	Sample	Population
CYCLE 1 - 1994-1995			1	12,546	28,318,500
		Total		12,546	28,318,308

Variable Name	SUBCYCLE	Length	2	Position	22 - 23
Question Name					
Concept	Sample indicator				
Question					
Universe	All respondents				
Note					
Content			Code	Sample	Population
CORE SAMPLE - HOUSEHOLD			1	12,546	28,318,500
		Total		12,546	28,318,308

Variable Name	LONGPAT	Length	5	Position	24 - 28
Question Name					
Concept	Longitudinal response pattern				
Question					
Universe	All respondents				
Note	Based on APPSTAT2 and SP32_STA. This variable concatenates all response patterns over the years (the 1st digit being Cycle 1 (1994), the 2nd, Cycle 2 (1996), etc.). The values for any one cycle are: 1=Complete; 2=Deceased; 3=Institutionalized; 4=Partial response; 5=Non-response. See Derived Variables Documentation.				
Content			Code	Sample	Population
LONGITUDINAL RESPONSE PATTERN			11111 - 13333	12,546	28,318,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHARE	Length	1	Position	29
Question Name					
Concept	Agree to share information				
Question					
Universe	All respondents				
Note	Based on AM64_SHA, AM66_SHA, AM68_SHA, AM60_SHA, AM62_SHA. The respondent agrees to share collected information for all cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		12,226	27,640,000
NO		2		320	678,500
		Total		12,546	28,318,308

Variable Name	DOB	Length	2	Position	30 - 31
Question Name					
Concept	Day of birth				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH		1 - 31		12,544	28,312,000
DON'T KNOW		97		1	2,000
REFUSAL		98		1	4,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MOB	Length	2	Position	32 - 33
Question Name					
Concept	Month of birth				
Question					
Universe	All respondents				
Note					
Content			Code	Sample	Population
JANUARY			1	1,006	2,303,000
FEBRUARY			2	983	2,290,500
MARCH			3	1,115	2,494,000
APRIL			4	1,046	2,507,500
MAY			5	1,089	2,422,500
JUNE			6	1,046	2,318,500
JULY			7	1,109	2,513,500
AUGUST			8	1,055	2,389,000
SEPTEMBER			9	1,074	2,505,500
OCTOBER			10	1,059	2,302,000
NOVEMBER			11	974	2,091,000
DECEMBER			12	988	2,174,500
DON'T KNOW			97	1	2,000
REFUSAL			98	1	4,500
		Total		12,546	28,318,308

Variable Name	YOB	Length	4	Position	34 - 37
Question Name					
Concept	Year of birth				
Question					
Universe	All respondents				
Note					
Content			Code	Sample	Population
YEAR			1892 - 1995	12,546	28,318,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 7

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWBG1 **Length** 1 **Position** 41

Question Name

Concept Birth weight - (G)

Question

Universe Respondents aged 0 to 9 in cycle 1

Note Based on GHK6_6 in Cycle 2 (1996) and GHK8_6 in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NORMAL BIRTH WEIGHT	1	1,336	3,785,500
MODERATELY LOW BIRTH WEIGHT	2	29	78,500
VERY LOW BIRTH WEIGHT	3	13	41,000
NOT APPLICABLE	6	11,150	24,375,500
NOT STATED	9	18	37,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	COB	Length	2	Position	42 - 43
Question Name	SOCIO-Q1				
Concept	Country of birth				
Question	In what country were you born?				
Universe	All respondents				
Note	Based on SDC4_1 in Cycle 1 (1994), SDC6_1 in Cycle 2 (1996) and SDC8_1 in Cycle 3 (1998).				
Content		Code		Sample	Population
CANADA		1		11,088	23,467,000
CHINA		2		33	104,000
FRANCE		3		23	69,500
GERMANY		4		77	200,500
GREECE		5		13	57,500
GUYANA		6		15	70,500
HONG KONG		7		38	199,500
HUNGARY		8		27	66,500
INDIA		9		58	335,000
ITALY		10		72	286,500
JAMAICA		11		22	92,500
NETHERLANDS / HOLLAND		12		64	134,500
PHILIPPINES		13		33	156,000
POLAND		14		72	231,500
PORTUGAL		15		30	133,500
UNITED KINGDOM		16		336	780,000
UNITED STATES		17		151	285,500
VIET NAM		18		20	127,000
OTHER		19		374	1,522,500
		Total		12,546	28,318,308

Variable Name	COBC	Length	4	Position	44 - 47
Question Name					
Concept	Code for country of birth				
Question					
Universe	All respondents				
Note	Based on SDC4_1 in Cycle 1 (1994), SDC6_1 in Cycle 2 (1996) and SDC8_1 in Cycle 3 (1998). This variable is conceptually the same as SDC6CB in Cycle 2 (1996) and SDC8CB in Cycle 3 (1998). See Derived Variables Documentation.				

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name YOI **Length** 4 **Position** 51 - 54
Question Name SOCIO-Q3
Concept Year of immigration to Canada
Question In what year did you first come to Canada to live?
Universe All immigrants
Note Based on SDC4_3 in Cycle 1 (1994), SDC6_3 in Cycle 2 (1996) and SDC8_3 in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1902 - 1994	1,401	4,690,000
CANADIAN CITIZEN BY BIRTH	9995	51	134,000
NOT APPLICABLE	9996	11,088	23,467,000
DON'T KNOW	9997	5	26,000
NOT STATED	9999	1	1,500
	Total	12,546	28,318,308

Variable Name AOI **Length** 3 **Position** 55 - 57
Question Name
Concept Age at time of immigration - (D)
Question
Universe All immigrants
Note Based on DHC4_AGE, YOI (year of immigration to Canada) and YOB (year of birth). This variable is conceptually the same as SDC4DAIM in Cycle 1 (1994), SDC6DAIM in Cycle 2 (1996) and SDC8DAIM in Cycle 3 (1998). Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 85	1,401	4,690,000
NOT APPLICABLE	996	11,139	23,601,000
NOT STATED	999	6	27,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MOD **Length** 2 **Position** 60 - 61

Question Name

Concept Month of death

Question

Universe Respondents who are deceased

Note Based on collected data, confirmed by a match to the Canadian Mortality Database, if there is a cause of death for the respondent. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	106	148,500
FEBRUARY	2	84	127,500
MARCH	3	111	153,500
APRIL	4	100	145,500
MAY	5	80	105,000
JUNE	6	84	118,500
JULY	7	93	134,000
AUGUST	8	77	141,500
SEPTEMBER	9	63	90,000
OCTOBER	10	76	100,000
NOVEMBER	11	96	129,500
DECEMBER	12	90	130,500
NOT APPLICABLE	96	11,415	26,664,500
DON'T KNOW	97	2	2,000
NOT STATED	99	69	128,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name YOD **Length** 4 **Position** 62 - 65

Question Name

Concept Year of death

Question

Universe Respondents who are deceased

Note Based on collected data, confirmed by a match to the Canadian Mortality Database, if there is a cause of death for the respondent. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 2003	1,062	1,526,000
NOT APPLICABLE	9996	11,415	26,664,500
DON'T KNOW	9997	1	1,500
NOT STATED	9999	68	127,000
Total		12,546	28,318,308

Variable Name COD **Length** 5 **Position** 66 - 70

Question Name

Concept Cause of death code

Question

Universe Respondents who are deceased

Note Based on the International Classification of Diseases, 9th revision. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ICD-9 CODE	84 - 9830	861	1,194,500
NOT APPLICABLE	99996	11,415	26,664,500
NOT STATED	99999	270	459,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SP34_CPS	Length	1	Position	71
Question Name					
Concept	Sampled collection period				
Question					
Universe	All respondents				
Note	Formerly COLLECTS. Collection period in which the household was sampled.				
Content			Code	Sample	Population
QUARTER # 1 - JUNE 1994			1	2,829	5,529,500
QUARTER # 2 - AUGUST 1994			2	3,012	5,925,500
QUARTER # 3 - NOVEMBER 1994			3	3,468	8,461,500
QUARTER # 4 - MARCH 1995			4	3,237	8,402,000
		Total		12,546	28,318,308

Variable Name	SP34_MET	Length	1	Position	72
Question Name					
Concept	Selection method				
Question					
Universe	All respondents				
Note	Formerly RESPMETH.				

Variable Name	STRATUM	Length	5	Position	73 - 77
Question Name					
Concept	Sample indicator - stratum				
Question					
Universe	All respondents				
Note					

Variable Name	REPLICAT	Length	7	Position	78 - 84
Question Name					
Concept	Sample indicator				
Question					
Universe	All respondents				
Note					

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PRC4_CUR **Length** 2 **Position** 85 - 86

Question Name

Concept Province of residence

Question

Universe All respondents

Note Province of residence at the time of data collection in Cycle 1 (1994).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEWFOUNDLAND AND LABRADOR	10	822	565,500
PRINCE EDWARD ISLAND	11	803	132,000
NOVA SCOTIA	12	775	898,500
NEW BRUNSWICK	13	824	733,000
QUEBEC	24	2,189	7,036,000
ONTARIO	35	2,990	10,677,000
MANITOBA	46	921	1,063,000
SASKATCHEWAN	47	922	960,000
ALBERTA	48	1,111	2,641,500
BRITISH COLUMBIA	59	1,189	3,612,000
Total		12,546	28,318,308

Variable Name GE34DURB **Length** 1 **Position** 87

Question Name

Concept Rural or urban area - (D)

Question

Universe All respondents

Note Formerly DVURBA. Based on 1991 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
RURAL	1	3,319	4,890,500
URBAN	2	9,227	23,427,500
Total		12,546	28,318,308

Variable Name GE34DCD **Length** 3 **Position** 88 - 90

Question Name

Concept Census Division - (D)

Question

Universe All respondents

Note Formerly DVCDA. Based on 1991 Census geography. See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 16

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GE34DCSD	Length	3	Position	91 - 93
Question Name					
Concept	Census Sub-division - (D)				
Question					
Universe	All respondents				
Note	Formerly DVCSDA. Based on 1991 Census geography. See Derived Variables Documentation.				

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE34DCMA **Length** 3 **Position** 94 - 96

Question Name

Concept Census Metropolitan Area - (D)

Question

Universe All respondents

Note Formerly DVCMAA. Based on 1991 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO CMA ASSIGNED	000	6,660	11,088,500
ST. JOHN'S	001	238	171,000
HALIFAX	205	271	339,000
SAINT JOHN	310	143	118,000
CHICOUTIMI	408	72	203,500
QUEBEC	421	227	783,500
SHERBROOKE	433	49	137,500
TROIS-RIVIÈRES	442	51	155,000
MONTREAL	462	757	3,042,000
OTTAWA / HULL	505	356	993,000
OSHAWA	532	97	293,500
TORONTO	535	852	3,940,500
HAMILTON	537	201	635,500
ST. CATHARINES	539	105	386,500
KITCHENER	541	113	360,000
LONDON	555	134	357,500
WINDSOR	559	86	257,500
SUDBURY	580	46	173,000
THUNDER BAY	595	49	131,500
WINNIPEG	602	308	611,500
REGINA	705	195	220,000
SASKATOON	725	194	186,000
CALGARY	825	357	845,500
EDMONTON	835	367	861,000
VANCOUVER	933	501	1,718,000
VICTORIA	935	117	310,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE34DFED **Length** 3 **Position** 97 - 99

Question Name

Concept Federal Electoral Districts - (D)

Question

Universe All respondents

Note Formerly DVFEDA. Based on 1991 Census geography. See Derived Variables Documentation.

Variable Name GE34DHLR **Length** 2 **Position** 100 - 101

Question Name

Concept Health region - (D)

Question

Universe All respondents

Note Formerly DVHLRGA. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
B.C. - NORTHERN INTERIOR	18	47	125,500
ONTARIO - EAST	51	492	1,451,000
ONTARIO - CENTRAL EAST	52	1,096	4,778,000
ONTARIO - CENTRAL WEST	53	646	2,092,500
ONTARIO - SOUTHWEST	54	499	1,461,000
ONTARIO - NORTHEASTERN/NORTHWESTERN	55	257	894,500
MANITOBA - CENTRAL	61	121	99,000
MANITOBA - EASTMAN	62	118	94,000
MANITOBA - INTERLAKE	63	114	85,000
MANITOBA - NORMAN/THOMPSON	64	60	50,000
MANITOBA - PARKLANDS	65	65	34,000
MANITOBA - WESTMAN	67	166	120,500
MANITOBA - WINNIPEG	68	277	580,000
NOT APPLICABLE	96	8,588	16,453,000
	Total	12,546	28,318,308

Variable Name SP34DPC **Length** 6 **Position** 102 - 107

Question Name

Concept Postal code - (D)

Question

Universe All respondents

Note Formerly DVPCA.

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SP34_CPA	Length	1	Position	108
Question Name					
Concept	Actual collection period				
Question					
Universe	All respondents				
Note	Formerly COLLECTA. Collection period in which the data were collected.				
Content		Code		Sample	Population
QUARTER # 1 - JUNE 1994		1		2,829	5,529,500
QUARTER # 2 - AUGUST 1994		2		3,012	5,925,500
QUARTER # 3 - NOVEMBER 1994		3		3,414	8,304,500
QUARTER # 4 - MARCH 1995		4		3,011	7,856,500
QUARTER # 5 - JUNE 1995		5		280	702,500
		Total		12,546	28,318,308

Variable Name	DHC4_DWE	Length	2	Position	109 - 110
Question Name	HHL-D-Q6				
Concept	Type of dwelling				
Question	Interviewer: Record type of dwelling. In what type of dwelling are you living?				
Universe	All respondents				
Note	Formerly DWELLTYP.				
Content		Code		Sample	Population
SINGLE DETACHED HOUSE		1		8,398	18,704,500
SEMI-DETACHED OR DOUBLE		2		568	1,595,500
GARDEN HOUSE, TOWNHOUSE OR ROW HOUSE		3		609	1,593,500
DUPLEX		4		382	844,500
LOW-RISE APARTMENT		5		1,540	3,348,000
HIGH-RISE APARTMENT		6		642	1,638,000
INSTITUTION		7		1	2,500
COLLECTIVE DWELLING		8		12	28,000
MOBILE HOME		9		368	507,500
OTHER		10		25	52,500
NOT STATED		99		1	4,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC4_OWN	Length	1	Position	111
Question Name	HHL-D-Q1				
Concept	Dwelling owned by a household member				
Question	Is this dwelling owned by a member of this household (even if being paid for)?				
Universe	All respondents				
Note	Formerly DWELLOWN.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		9,077	20,741,000
NO		2		3,465	7,570,500
DON'T KNOW		7		3	6,000
REFUSAL		8		1	1,000
		Total		12,546	28,318,308

Variable Name	DHC4_BED	Length	2	Position	112 - 113
Question Name	HHL-D-Q3				
Concept	Number of bedrooms				
Question	How many bedrooms are there in this dwelling?				
Universe	All respondents				
Note	Formerly NUMBEDRM.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF BEDROOMS		0 - 9		12,541	28,302,500
DON'T KNOW		97		1	1,000
REFUSAL		98		3	9,500
NOT STATED		99		1	5,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DH_4_P1	Length	1	Position	114
Question Name	HHLQ-Q4				
Concept	Pet - has one				
Question	Is there a pet in this household?				
Universe	All respondents				
Note	Formerly PETS.				
Content		Code		Sample	Population
YES		1		5,787	13,448,500
NO		2		6,758	14,868,500
DON'T KNOW		7		1	1,000
		Total		12,546	28,318,308

Variable Name	DH_4DP2	Length	2	Position	115 - 116
Question Name					
Concept	Pet - kind (D)				
Question					
Universe	Respondents who answered DH_4_P1 =1				
Note	Formerly KINDPET. See Derived Variables Documentation.				
Content		Code		Sample	Population
CAT(S) ONLY		1		1,706	3,847,000
CAT(S) AND DOG(S)		2		835	1,732,000
CAT(S) AND DOG(S) AND OTHER		3		260	695,500
CAT(S) AND OTHER		4		209	542,500
DOG(S) ONLY		5		1,987	4,407,500
DOG(S) AND OTHER		6		244	661,000
OTHER ONLY		7		546	1,563,000
NOT APPLICABLE		96		6,758	14,868,500
NOT STATED		99		1	1,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DH_4_P3	Length	1	Position	117
Question Name	HHL-D-Q5A				
Concept	Pet - live indoors				
Question	Does this pet or do any of these pets live mainly indoors?				
Universe	Respondents with DH_4DP2 =1 to 6				
Note	Formerly PETINDR.				
Content		Code		Sample	Population
YES		1		4,277	9,799,000
NO		2		964	2,086,500
NOT APPLICABLE		6		7,304	16,432,000
NOT STATED		9		1	1,000
		Total		12,546	28,318,308

Variable Name	AM34_SRC	Length	2	Position	118 - 119
Question Name	HHL-D-Q7				
Concept	Record number of person providing H03 information				
Question	Interviewer: Information Source Indicator i.e. who is providing the information.				
Universe	All respondents				
Note	Formerly H03_SRCE.				

Variable Name	AM34_LNG	Length	2	Position	120 - 121
Question Name	HHL-D-Q8				
Concept	Interview language - H03				
Question	Interviewer: Record language of interview.				
Universe	All respondents				
Note	Formerly H03_LANG.				
Content		Code		Sample	Population
ENGLISH		1		10,182	21,393,500
FRENCH		2		2,346	6,842,500
CHINESE		4		11	62,000
GERMAN		6		2	1,500
POLISH		12		1	2,500
PORTUGUESE		13		2	12,000
NOT STATED		99		2	4,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC4DECF **Length** 2 **Position** 122 - 123

Question Name

Concept Type of household - (D)

Question

Universe All respondents

Note Formerly DVECFM94. Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL	1	2,338	2,681,500
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	280	664,000
COUPLE ALONE	3	2,616	5,136,500
COUPLE, NO DEP. CHILDREN, OTH.	4	72	176,500
COUPLE, CHILDREN < 25	5	5,126	14,118,500
COUPLE, CHILDREN < 25, OTH.	6	421	1,647,500
COUPLE, ALL CHILDREN >= 25	7	242	733,500
COUPLE, ALL CHILDREN >= 25, OTH.	8	69	258,000
FEM. LONE PAR., CHILDREN < 25	9	800	1,609,500
FEM. LONE PAR., CHILDREN < 25, OTH.	10	87	195,000
FEM. LONE PAR., ALL CHILDREN >= 25	11	149	302,000
FEM. LONE PAR., ALL CHILDREN >= 25, OTH.	12	12	23,000
MALE LONE PAR., CHILDREN < 25	13	134	296,000
MALE LONE PAR., CHILDREN < 25, OTH.	14	4	18,500
MALE LONE PAR., ALL CHILDREN >= 25	15	29	55,500
OTHER HOUSEHOLD TYPES	17	92	193,500
NOT STATED	99	75	209,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC4DLVG **Length** 2 **Position** 124 - 125

Question Name

Concept Living arrangement of the selected respondent - (D)

Question

Universe All respondents

Note Formerly DVLVNG94. Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL LIVING ALONE	1	2,338	2,681,500
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	251	642,500
LIVING WITH SPOUSE/PARTNER	3	2,616	5,136,500
PAR. LIVING WITH SPOUSE/PARTNER,CHILDREN	4	3,090	7,884,000
SINGLE PAR. LIVING WITH CHILDREN	5	588	944,000
CHILD LIVING WITH SINGLE PAR.	6	253	500,500
CHILD LIVING WITH SINGLE PAR., SIBLINGS	7	282	826,000
CHILD LIVING WITH TWO PAR.	8	601	1,257,500
CHILD LIVING WITH TWO PAR., SIBLINGS	9	1,728	5,894,500
OTHER	10	753	2,425,500
NOT STATED	99	46	126,000
Total		12,546	28,318,308

Variable Name DHC4DHSZ **Length** 2 **Position** 126 - 127

Question Name

Concept Household size - (D)

Question

Universe All respondents

Note Formerly HHSIZE. Based on DHC4_MEM. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	1 - 12	12,546	28,318,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC4DL25	Length	2	Position	128 - 129
Question Name					
Concept	Number of persons less than 25 years old in household - (D)				
Question					
Universe	All respondents				
Note	Formerly NUMLT25. Based on DHC4_AGE. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS		0 - 9		12,546	28,318,500
	Total			12,546	28,318,308

Variable Name	DHC4DL12	Length	2	Position	130 - 131
Question Name					
Concept	Number of persons less than 12 years old in household - (D)				
Question					
Universe	All respondents				
Note	Formerly NUMLT12. Based on DHC4_AGE. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS		0 - 6		12,546	28,318,500
	Total			12,546	28,318,308

Variable Name	DHC4DE12	Length	2	Position	132 - 133
Question Name					
Concept	Number of persons 12 years old in household - (D)				
Question					
Universe	All respondents				
Note	Formerly NUMEQ12. Based on DHC4_AGE. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS		0 - 2		12,546	28,318,500
	Total			12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC4DLE5 **Length** 2 **Position** 134 - 135

Question Name

Concept Number of persons 5 years old or less in household - (D)

Question

Universe All respondents

Note Formerly NUMLE5. Based on DHC4_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 5	12,546	28,318,500
Total		12,546	28,318,308

Variable Name DHC4D611 **Length** 2 **Position** 136 - 137

Question Name

Concept Number of persons 6 to 11 years old in household - (D)

Question

Universe All respondents

Note Formerly NUM6TO11. Based on DHC4_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 4	12,546	28,318,500
Total		12,546	28,318,308

Variable Name SP34_STA **Length** 3 **Position** 138 - 140

Question Name

Concept Status code after processing

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
COMPLETED INTERVIEW	000	12,546	28,318,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC4_AGE **Length** 3 **Position** 141 - 143

Question Name DEMO-Q4

Concept Age

Question

Universe All respondents

Note Formerly AGE.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 102	12,546	28,318,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC4GAGE **Length** 2 **Position** 144 - 145

Question Name

Concept Age - (G)

Question

Universe All respondents

Note Formerly AGEGRP. Based on DHC4_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 TO 3 YEARS	1	558	1,555,500
4 TO 5 YEARS	2	256	804,000
6 TO 9 YEARS	3	582	1,583,500
10 TO 11 YEARS	4	280	720,500
12 TO 14 YEARS	5	400	1,439,500
15 TO 19 YEARS	6	653	1,996,500
20 TO 24 YEARS	7	743	1,635,000
25 TO 29 YEARS	8	884	2,011,000
30 TO 34 YEARS	9	1,112	2,489,500
35 TO 39 YEARS	10	1,088	2,698,000
40 TO 44 YEARS	11	918	2,254,500
45 TO 49 YEARS	12	869	1,862,500
50 TO 54 YEARS	13	695	1,508,500
55 TO 59 YEARS	14	659	1,316,000
60 TO 64 YEARS	15	649	1,238,500
65 TO 69 YEARS	16	617	1,002,000
70 TO 74 YEARS	17	619	946,000
75 TO 79 YEARS	18	468	650,500
80 YEARS OR OLDER	19	496	606,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC4_MAR	Length	2	Position	146 - 147
Question Name	DEMO-Q6				
Concept	Marital status				
Question	What is your current marital status?				
Universe	All respondents				
Note	Formerly MARSTAT.				
Content		Code		Sample	Population
NOW MARRIED		1		5,398	12,575,500
COMMON-LAW		2		615	1,503,000
LIVING WITH A PARTNER		3		29	73,000
SINGLE (NEVER MARRIED)		4		4,370	11,283,000
WIDOWED		5		1,130	1,309,000
SEPARATED		6		345	557,000
DIVORCED		7		659	1,017,500
		Total		12,546	28,318,308

Variable Name	DHC4_FID	Length	1	Position	148
Question Name	DEMO-Q7				
Concept	Family ID code				
Question					
Universe	All respondents				
Note	Formerly FAMILYID. Assigned during generic relationship module.				

Variable Name	AM54_STA	Length	1	Position	149
Question Name					
Concept	Status of general form - H05				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
FULLY COMPLETE		1		12,546	28,318,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM54_BDD	Length	2	Position	150 - 151
Question Name					
Concept	Day of interview - H05 (start)				
Question					
Universe	All respondents				
Note	Formerly DD5BEG.				
Content		Code		Sample	Population
DAY OF THE MONTH		1 - 31		12,546	28,318,500
		Total		12,546	28,318,308

Variable Name	AM54_BMM	Length	2	Position	152 - 153
Question Name					
Concept	Month of interview - H05 (start)				
Question					
Universe	All respondents				
Note	Formerly MM5BEG.				
Content		Code		Sample	Population
FEBRUARY		2		38	142,000
MARCH		3		3,254	8,429,500
MAY		5		2	6,000
JUNE		6		2,906	5,798,000
JULY		7		7	14,000
AUGUST		8		2,954	5,854,000
OCTOBER		10		345	782,000
NOVEMBER		11		3,040	7,293,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM54_BYY	Length	4	Position	154 - 157
Question Name					
Concept	Year of interview - H05 (start)				
Question					
Universe	All respondents				
Note	Formerly YY5BEG.				
Content		Code		Sample	Population
1994		1994		8,973	19,048,000
1995		1995		3,573	9,270,000
		Total		12,546	28,318,308

Variable Name	AM54_SRC	Length	2	Position	158 - 159
Question Name	H05-P1				
Concept	Record number of person providing H05 information				
Question					
Universe	All respondents				
Note	Formerly H05_SRCE.				

Variable Name	AM54_PXY	Length	1	Position	160
Question Name					
Concept	H05 completed by proxy				
Question					
Universe	All respondents				
Note	Formerly PROXY5.				
Content		Code		Sample	Population
PROXY		1		4,743	13,037,000
NON-PROXY		2		7,803	15,281,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	TWC4_1	Length	1	Position	161
Question Name	TWOWK-Q1				
Concept	Stayed in bed / hospital due to illness / injury				
Question	During the past 14 days, did you stay in bed at all because of illness or injury, including any nights spent as a patient in a hospital?				
Universe	All respondents				
Note	Formerly TW_Q1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		910	2,256,000
NO		2		11,636	26,062,000
		Total		12,546	28,318,308

Variable Name	TWC4_2	Length	2	Position	162 - 163
Question Name	TWOWK-Q2				
Concept	Number of days spent in bed				
Question	During the past 14 days, how many days did you stay in bed for all or most of the day?				
Universe	Respondents who answered TWC4_1=1				
Note	Formerly TW_Q2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
0 DAYS		0		75	176,000
1 DAY		1		312	836,500
2 DAYS		2		217	531,000
3 DAYS		3		105	287,000
4 DAYS		4		57	126,500
5 DAYS		5		25	70,000
6 DAYS		6		22	43,000
7 DAYS		7		31	82,000
8 DAYS		8		7	11,500
9 DAYS		9		5	8,000
10 DAYS		10		9	14,000
11 DAYS		11		1	1,000
12 DAYS		12		2	2,500
13 DAYS		13		2	1,000
14 DAYS		14		40	66,500
NOT APPLICABLE		96		11,636	26,062,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC4_3 **Length** 1 **Position** 164
Question Name TWOWK-Q3
Concept Cut down on things done due to illness / injury
Question (Not counting days spent in bed) During those 14 days, were there any days that you cut down on things you normally do because of illness or injury?
Universe Respondents who answered TWC4_1=2 or TWC4_2<14
Note Formerly TW_Q3.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,716	3,764,000
NO	2	10,790	24,487,500
NOT APPLICABLE	6	40	66,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	TWC4_4	Length	2	Position	165 - 166
Question Name	TWOWK-Q4				
Concept	Number of days cut down on things				
Question	During the past 14 days, how many days did you cut down on things for all or most of the day?				
Universe	Respondents who answered TWC4_3=1				
Note	Formerly TW_Q4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
0 DAYS		0		55	116,000
1 DAY		1		283	711,000
2 DAYS		2		328	736,500
3 DAYS		3		211	497,500
4 DAYS		4		134	319,000
5 DAYS		5		101	215,000
6 DAYS		6		44	80,000
7 DAYS		7		144	304,000
8 DAYS		8		18	36,500
9 DAYS		9		12	18,500
10 DAYS		10		56	119,500
11 DAYS		11		14	21,000
12 DAYS		12		32	63,000
13 DAYS		13		21	42,000
14 DAYS		14		263	484,000
NOT APPLICABLE		96		10,830	24,554,500
		Total		12,546	28,318,308

Variable Name	HCC4_3	Length	1	Position	167
Question Name	TWOWK-Q5				
Concept	Has regular medical doctor				
Question	Do you have a regular medical doctor?				
Universe	All respondents				
Note	Formerly TWC4_5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11,143	25,107,000
NO		2		1,402	3,206,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC4DDDY **Length** 2 **Position** 168 - 169

Question Name

Concept Total number of disability days - (D)

Question

Universe All respondents

Note Formerly DVDSY94. Based on TWC4_2 and TWC4_4. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 DAYS	0	10,556	23,821,500
1 DAY	1	365	965,000
2 DAYS	2	361	801,500
3 DAYS	3	219	505,000
4 DAYS	4	152	385,500
5 DAYS	5	99	247,000
6 DAYS	6	79	175,500
7 DAYS	7	132	263,500
8 DAYS	8	36	83,500
9 DAYS	9	25	81,500
10 DAYS	10	55	124,500
11 DAYS	11	10	22,500
12 DAYS	12	21	40,500
13 DAYS	13	9	20,500
14 DAYS	14	427	780,500
	Total	12,546	28,318,308

Variable Name HCC4_1 **Length** 1 **Position** 170

Question Name UTIL-Q1

Concept Overnight patient

Question In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?

Universe All respondents

Note Formerly UT_Q1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,287	2,502,500
NO	2	11,258	25,814,000
DON'T KNOW	7	1	2,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_1A **Length** 3 **Position** 171 - 173

Question Name UTIL-Q1A

Concept Number of nights as patient

Question For how many nights in the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?

Universe Respondents aged 12 and over who answered HCC4_1=1

Note Formerly UT_Q1A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF NIGHTS	1 - 365	1,182	2,264,000
NOT APPLICABLE	996	11,362	26,052,000
DON'T KNOW	997	1	1,000
NOT STATED	999	1	2,000
Total		12,546	28,318,308

Variable Name HCC4_2A **Length** 3 **Position** 174 - 176

Question Name UTIL-Q2

Concept Number of consultations - family doctor / g.p.

Question (Not counting when you were an overnight patient,) In the past 12 months, how many times have you seen or talked on the telephone with a family doctor or general practitioner about your physical, emotional or mental health?

Universe All respondents

Note Formerly UT_Q2A. For respondents aged 0 to 11, family doctor includes "pediatrician".

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 100	12,517	28,251,500
DON'T KNOW	997	26	61,000
REFUSAL	998	1	3,000
NOT STATED	999	2	3,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_3A **Length** 2 **Position** 177 - 178

Question Name UTIL-Q3

Concept Place of most recent contact - family doctor

Question Where did the most recent contact with a family doctor or general practitioner take place?

Universe Respondents aged 12 and over who answered HCC4_2A > 0

Note Formerly UT_Q3A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WALK-IN CLINIC	1	866	2,048,500
HOSPITAL OUTPATIENT CLINIC	2	351	611,000
HOSPITAL EMERGENCY ROOM	3	186	432,500
HEALTH PROFESSIONAL'S OFFICE	4	6,920	14,666,000
COMMUNITY HEALTH CENTRE / CLSC	5	107	231,500
AT HOME	6	63	101,000
TELEPHONE CONSULTATION ONLY	7	115	200,500
OTHER	8	21	46,500
NOT APPLICABLE	96	3,890	9,917,500
NOT STATED	99	27	64,000
Total		12,546	28,318,308

Variable Name HCC4_2B **Length** 3 **Position** 179 - 181

Question Name UTIL-Q2

Concept Number of consultations - eye specialist

Question (Not counting ...,) In the past 12 months, how many times have you seen or talked on the telephone with an eye specialist (such as an ophthalmologist or optometrist) about your physical, emotional or mental health?

Universe Respondents aged 12 and over

Note Formerly UT_Q2B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 30	10,862	23,629,500
NOT APPLICABLE	996	1,676	4,664,000
DON'T KNOW	997	8	25,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_2C **Length** 3 **Position** 182 - 184

Question Name UTIL-Q2

Concept Number of consultations - other medical doctor

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with other medical doctor (such as surgeon, allergist, gynaecologist, psychiatrist) about your physical, emotional or mental health?

Universe All respondents

Note Formerly UT_Q2C. For respondents aged 0 to 11, other medical doctor includes "eye specialist".

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 144	12,531	28,283,500
DON'T KNOW	997	15	34,500
Total		12,546	28,318,308

Variable Name HCC4_3C **Length** 2 **Position** 185 - 186

Question Name UTIL-Q3

Concept Place of most recent contact - other medical doctor

Question Where did the most recent contact with another medical doctor take place?

Universe Respondents aged 12 and over who answered HCC4_2C > 0

Note Formerly UT_Q3C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WALK-IN CLINIC	1	119	258,500
HOSPITAL OUTPATIENT CLINIC	2	580	1,169,000
HOSPITAL EMERGENCY ROOM	3	112	261,000
HEALTH PROFESSIONAL'S OFFICE	4	1,983	4,414,000
COMMUNITY HEALTH CENTRE / CLSC	5	27	41,000
AT HOME	6	4	4,500
TELEPHONE CONSULTATION ONLY	7	22	40,500
OTHER	8	39	93,000
NOT APPLICABLE	96	9,645	22,002,000
NOT STATED	99	15	34,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_2D **Length** 3 **Position** 187 - 189

Question Name UTIL-Q2

Concept Number of consultations - nurse

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a nurse for care or advice about your physical, emotional or mental health?

Universe All respondents

Note Formerly UT_Q2D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 366	12,536	28,296,000
DON'T KNOW	997	8	18,000
REFUSAL	998	2	4,000
Total		12,546	28,318,308

Variable Name HCC4_3D **Length** 2 **Position** 190 - 191

Question Name UTIL-Q3

Concept Place of most recent contact - nurse

Question Where did the most recent contact with a nurse for care or advice take place?

Universe Respondents aged 12 and over who answered HCC4_2D > 0

Note Formerly UT_Q3D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WALK-IN CLINIC	1	56	131,000
HOSPITAL OUTPATIENT CLINIC	2	85	185,500
HOSPITAL EMERGENCY ROOM	3	41	96,500
HEALTH PROFESSIONAL'S OFFICE	4	178	343,000
COMMUNITY HEALTH CENTRE / CLSC	5	62	148,000
AT HOME	6	225	324,500
TELEPHONE CONSULTATION ONLY	7	143	250,500
OTHER	8	93	212,000
NOT APPLICABLE	96	11,655	26,608,500
NOT STATED	99	8	18,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_2E **Length** 3 **Position** 192 - 194

Question Name UTIL-Q2

Concept Number of consultations - dentist or orthodontist

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a dentist or orthodontist about your physical, emotional or mental health?

Universe All respondents

Note Formerly UT_Q2E.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 30	12,542	28,308,000
DON'T KNOW	997	3	7,000
REFUSAL	998	1	3,000
Total		12,546	28,318,308

Variable Name HCC4_2F **Length** 3 **Position** 195 - 197

Question Name UTIL-Q2

Concept Number of consultations - chiropractor

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a chiropractor about your physical, emotional or mental health?

Universe Respondents aged 12 and over

Note Formerly UT_Q2F.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 144	10,864	23,638,500
NOT APPLICABLE	996	1,676	4,664,000
DON'T KNOW	997	5	13,000
REFUSAL	998	1	3,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_2G **Length** 3 **Position** 198 - 200

Question Name UTIL-Q2

Concept Number of consultations - physiotherapist

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a physiotherapist about your physical, emotional or mental health?

Universe Respondents aged 12 and over

Note Formerly UT_Q2G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 99	10,866	23,642,000
NOT APPLICABLE	996	1,676	4,664,000
DON'T KNOW	997	4	13,000
Total		12,546	28,318,308

Variable Name HCC4_2H **Length** 3 **Position** 201 - 203

Question Name UTIL-Q2

Concept Number of consultations - social worker or counsellor

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a social worker or counsellor about your physical, emotional or mental health?

Universe All respondents

Note Formerly UT_Q2H. For respondents aged 0 to 11, this variable refers to child welfare worker or children's aid worker.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 99	12,539	28,302,500
DON'T KNOW	997	7	16,000
Total		12,546	28,318,308

Variable Name HCC4_2I **Length** 3 **Position** 204 - 206

Question Name UTIL-Q2

Concept Number of consultations - psychologist

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a psychologist about your physical, emotional or mental health?

Universe All respondents

Note Formerly UT_Q2I.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 60	12,539	28,306,500
DON'T KNOW	997	7	12,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_2J **Length** 3 **Position** 207 - 209

Question Name UTIL-Q2

Concept Number of consultations - speech / audiology / occ. ther.

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a speech, audiology or occupational therapist about your physical, emotional or mental health?

Universe Respondents aged 12 and over

Note Formerly UT_Q2J.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 128	10,865	23,646,000
NOT APPLICABLE	996	1,676	4,664,000
DON'T KNOW	997	5	8,500
Total		12,546	28,318,308

Variable Name HCK4_2OT **Length** 3 **Position** 210 - 212

Question Name KUT-Q3

Concept Number of consultations - other trained person

Question In the past year, how many times have you seen or talked on the telephone with any other person trained to provide treatment or counsel, for example a speech therapist, a social worker about the child's physical or mental health?

Universe Respondents aged 0 to 11

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 99	1,676	4,664,000
NOT APPLICABLE	996	10,870	23,654,500
Total		12,546	28,318,308

Variable Name HCC4DMDC **Length** 3 **Position** 213 - 215

Question Name

Concept Number of consultations with medical doctors - (D)

Question

Universe All respondents

Note Formerly DVMDCN94. Based on HCC4_2A and HCC4_2C. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 219	12,512	28,244,500
NOT STATED	999	34	74,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4DHPC	Length	1	Position	216
Question Name					
Concept	Consultations with health professionals - (D)				
Question					
Universe	All respondents				
Note	Formerly DVHPCN94. Based on HCC4_2A to HCC4_2J. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11,671	26,416,000
NO		2		865	1,877,000
NOT STATED		9		10	25,500
		Total		12,546	28,318,308

Variable Name	HCC4_4	Length	1	Position	217
Question Name	UTIL-Q4				
Concept	Consulted alternative health care provider				
Question	In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?				
Universe	Respondents aged 12 and over				
Note	Formerly UT_Q4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		553	1,198,500
NO		2		10,314	22,449,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		2	5,000
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_5A	Length	1	Position	218
Question Name	UTIL-Q5				
Concept	Alternative health care - massage therapist				
Question	Who did you see or talk to? - Massage therapist				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		273	584,000
NO		2		280	614,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

Variable Name	HCC4_5B	Length	1	Position	219
Question Name	UTIL-Q5				
Concept	Alternative health care - acupuncturist				
Question	Who did you see or talk to? - Acupuncturist				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		88	189,500
NO		2		465	1,009,000
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_5C	Length	1	Position	220
Question Name	UTIL-Q5				
Concept	Alternative health care - homeopath or naturopath				
Question	Who did you see or talk to? - Homeopath or naturopath				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		147	344,000
NO		2		406	854,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

Variable Name	HCC4_5D	Length	1	Position	221
Question Name	UTIL-Q5				
Concept	Alternative health care - Feldenkrais or Alexander				
Question	Who did you see or talk to? - Feldenkrais or Alexander teacher				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	8,000
NO		2		549	1,190,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_5E	Length	1	Position	222
Question Name	UTIL-Q5				
Concept	Alternative health care - relaxation therapist				
Question	Who did you see or talk to? - Relaxation therapist				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8	21,000
NO		2		545	1,177,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

Variable Name	HCC4_5F	Length	1	Position	223
Question Name	UTIL-Q5				
Concept	Alternative health care - biofeedback				
Question	Who did you see or talk to? - Biofeedback teacher				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,500
NO		2		552	1,197,000
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_5G	Length	1	Position	224
Question Name	UTIL-Q5				
Concept	Alternative health care - rolfer				
Question	Who did you see or talk to? - Rolfer				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	3,500
NO		2		551	1,195,000
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

Variable Name	HCC4_5H	Length	1	Position	225
Question Name	UTIL-Q5				
Concept	Alternative health care - herbalist				
Question	Who did you see or talk to? - Herbalist				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		33	52,000
NO		2		520	1,146,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_5I	Length	1	Position	226
Question Name	UTIL-Q5				
Concept	Alternative health care - reflexologist				
Question	Who did you see or talk to? - Reflexologist				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		38	74,000
NO		2		515	1,124,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

Variable Name	HCC4_5J	Length	1	Position	227
Question Name	UTIL-Q5				
Concept	Alternative health care - spiritual healer				
Question	Who did you see or talk to? - Spiritual healer				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		9	15,000
NO		2		544	1,183,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_5K	Length	1	Position	228
Question Name	UTIL-Q5				
Concept	Alternative health care - religious healer				
Question	Who did you see or talk to? - Religious healer				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_K.				
Content		Code		Sample	Population
YES		1		1	1,000
NO		2		552	1,197,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

Variable Name	HCC4_4A	Length	1	Position	229
Question Name	UTIL-Q5				
Concept	Attended self-help group				
Question	What alternative health care provider did you see or talk to about your physical, emotional or mental health? - Self-help group (such as AA, cancer therapy, etc.)				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_L.				
Content		Code		Sample	Population
YES		1		4	7,500
NO		2		549	1,191,000
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_5L	Length	1	Position	230
Question Name	UTIL-Q5				
Concept	Alternative health care - other				
Question	Who did you see or talk to? - Other				
Universe	Respondents who answered HCC4_4=1				
Note	Formerly UTQ5_M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		49	121,000
NO		2		504	1,077,500
NOT APPLICABLE		6		11,990	27,113,000
NOT STATED		9		3	7,000
		Total		12,546	28,318,308

Variable Name	HCC4_6	Length	1	Position	231
Question Name	UTIL-Q6				
Concept	Self perceived unmet health care need				
Question	During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?				
Universe	Respondents aged 12 and over				
Note	Formerly UT_Q6.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		459	922,500
NO		2		10,407	22,723,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		4	9,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4F7W	Length	1	Position	232
Question Name	UTIL-Q7				
Concept	Flag for reason for not getting care				
Question	Thinking of the most recent time, why didn't you get health care?				
Universe	Respondents who answered HCC4_6=1				
Note	Formerly UT_Q7C. Indicates that a long answer was collected. In Cycle 1 only, long answers are collected and manually coded. For Cycle 2 and beyond, this question was designed as a "Mark All That Apply" question with more categories. See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	450	909,000
NOT APPLICABLE	6	12,083	27,387,000
NOT STATED	9	13	22,000
	Total	12,546	28,318,308

Variable Name	HCC4G7	Length	1	Position	233
Question Name	UTIL-Q7				
Concept	Reason for not getting care - (G)				
Question					
Universe	Respondents who answered HCC4_6=1				
Note	Formerly UT_Q7U. Indicates that a long answer was collected. In Cycle 1 only, long answers are collected and manually coded. For Cycle 2 and beyond, this question was designed as a "Mark All That Apply" question with more categories. See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DIFFICULTY GETTING ACCESS TO HLTH PROF.	1	111	237,000
FINANCIAL CONSTRAINTS	2	44	92,000
FELT HEALTH CARE PROVIDED INADEQUATE	3	44	82,000
CHOSE NOT TO SEE HEALTH PROFESSIONAL	4	104	177,500
OTHER	5	147	320,500
NOT APPLICABLE	6	12,083	27,387,000
NOT STATED	9	13	22,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_8A **Length** 1 **Position** 234
Question Name UTIL-Q8
Concept Type of care not received - physical health problem
Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem
Universe Respondents who answered HCC4_6=1
Note Formerly UTQ8_A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	298	586,000
NO	2	161	336,000
NOT APPLICABLE	6	12,083	27,387,000
NOT STATED	9	4	9,000
Total		12,546	28,318,308

Variable Name HCC4_8B **Length** 1 **Position** 235
Question Name UTIL-Q8
Concept Type of care not received - emot. or mental health problem
Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem
Universe Respondents who answered HCC4_6=1
Note Formerly UTQ8_B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	52	110,000
NO	2	407	812,000
NOT APPLICABLE	6	12,083	27,387,000
NOT STATED	9	4	9,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4_8C **Length** 1 **Position** 236

Question Name UTIL-Q8

Concept Type of care not received - regular check-up

Question Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)

Universe Respondents who answered HCC4_6=1

Note Formerly UTQ8_C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	23	41,500
NO	2	436	881,000
NOT APPLICABLE	6	12,083	27,387,000
NOT STATED	9	4	9,000
Total		12,546	28,318,308

Variable Name HCC4_8D **Length** 1 **Position** 237

Question Name UTIL-Q8

Concept Type of care not received - injury

Question Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury

Universe Respondents who answered HCC4_6=1

Note Formerly UTQ8_D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	61	129,000
NO	2	398	793,000
NOT APPLICABLE	6	12,083	27,387,000
NOT STATED	9	4	9,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_8E	Length	1	Position	238
Question Name	UTIL-Q8				
Concept	Type of care not received - other				
Question	Again, thinking of the most recent time, what was the type of care that was needed? - Other				
Universe	Respondents who answered HCC4_6=1				
Note	Formerly UTQ8_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		39	86,500
NO		2		420	836,000
NOT APPLICABLE		6		12,083	27,387,000
NOT STATED		9		4	9,000
		Total		12,546	28,318,308

Variable Name	HCC4_9	Length	1	Position	239
Question Name	UTIL-Q9				
Concept	Received home care services				
Question	Have you received any home care services in the past 12 months?				
Universe	Respondents aged 18 and over				
Note	Formerly UT_Q9A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		401	545,000
NO		2		9,686	20,443,000
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC4FS **Length** 1 **Position** 240
Question Name UTIL-Q10
Concept Flag for type of home care service
Question What type of home care services have you received in the past 12 months?
Universe Respondents who answered HCC4_9=1
Note Indicates that a long answer was collected. In Cycle 1 only, long answers are collected and manually coded. For Cycle 2 and beyond, this question was designed as a "Mark All That Apply" question with more categories. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	390	531,500
NOT APPLICABLE	6	12,144	27,771,500
NOT STATED	9	12	15,500
Total		12,546	28,318,308

Variable Name HCC4_10A **Length** 1 **Position** 241
Question Name UTIL-Q10
Concept Home care received - nursing care
Question What type of services have you received? - Nursing care (e.g., dressing changes, VON)
Universe Respondents who answered HCC4_9=1
Note Formerly UTQ10_A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	135	212,500
NO	2	255	319,000
NOT APPLICABLE	6	12,144	27,771,500
NOT STATED	9	12	15,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_10C	Length	1	Position	242
Question Name	UTIL-Q10				
Concept	Home care received - personal care				
Question	What type of services have you received? - Personal care (e.g., bathing, foot care)				
Universe	Respondents who answered HCC4_9=1				
Note	Formerly UTQ10_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		49	60,500
NO		2		341	471,500
NOT APPLICABLE		6		12,144	27,771,500
NOT STATED		9		12	15,500
		Total		12,546	28,318,308

Variable Name	HCC4_10D	Length	1	Position	243
Question Name	UTIL-Q10				
Concept	Home care received - housework				
Question	What type of services have you received? - Housework (e.g., cleaning, laundry)				
Universe	Respondents who answered HCC4_9=1				
Note	Formerly UTQ10_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		216	268,000
NO		2		174	263,500
NOT APPLICABLE		6		12,144	27,771,500
NOT STATED		9		12	15,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_10E	Length	1	Position	244
Question Name	UTIL-Q10				
Concept	Home care received - meal preparation or delivery				
Question	What type of services have you received? - Meal preparation or delivery				
Universe	Respondents who answered HCC4_9=1				
Note	Formerly UTQ10_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		42	29,000
NO		2		348	502,500
NOT APPLICABLE		6		12,144	27,771,500
NOT STATED		9		12	15,500
		Total		12,546	28,318,308

Variable Name	HCC4_10F	Length	1	Position	245
Question Name	UTIL-Q10				
Concept	Home care received - shopping				
Question	What type of services have you received? - Shopping				
Universe	Respondents who answered HCC4_9=1				
Note	Formerly UTQ10_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	3,500
NO		2		387	528,000
NOT APPLICABLE		6		12,144	27,771,500
NOT STATED		9		12	15,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC4_10H	Length	1	Position	246
Question Name	UTIL-Q10				
Concept	Home care received - other				
Question	What type of services have you received? - Other				
Universe	Respondents who answered HCC4_9=1				
Note	Formerly UTQ10_F.				
Content		Code		Sample	Population
YES		1		36	61,500
NO		2		354	470,000
NOT APPLICABLE		6		12,144	27,771,500
NOT STATED		9		12	15,500
		Total		12,546	28,318,308

Variable Name	RAC4_1A	Length	1	Position	247
Question Name	RESTR-Q1				
Concept	Limited in kind / amount of activities - at home				
Question	Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at home?				
Universe	Respondents aged 12 and over				
Note	Formerly RES_Q1A.				
Content		Code		Sample	Population
YES		1		1,729	2,966,000
NO		2		9,139	20,685,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		2	3,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC4_1B **Length** 1 **Position** 248

Question Name RESTR-Q1

Concept Limited in kind / amount of activities - at school

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at school?

Universe Respondents aged 12 and over

Note Formerly RES_Q1B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	105	280,500
NO	2	2,054	5,877,500
N/A ACCORDING TO RESPONDENT	3	8,710	17,494,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	1	2,000
Total		12,546	28,318,308

Variable Name RAC4_1C **Length** 1 **Position** 249

Question Name RESTR-Q1

Concept Limited in kind / amount of activities - at work

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at work?

Universe Respondents aged 12 and over

Note Formerly RES_Q1C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	559	1,174,500
NO	2	6,204	14,555,000
N/A ACCORDING TO RESPONDENT	3	4,106	7,923,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	1	2,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC4_1D **Length** 1 **Position** 250

Question Name RESTR-Q1

Concept Limited in kind / amount of activities - other

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do in other activities such as transportation to or from work or leisure time activities?

Universe Respondents aged 12 and over

Note Formerly RES_Q1D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,548	2,866,000
NO	2	9,320	20,785,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	2	3,500
Total		12,546	28,318,308

Variable Name RAC4_2 **Length** 1 **Position** 251

Question Name RESTR-Q2

Concept Has long-term disabilities or handicaps

Question Do you have any long-term disabilities or handicaps?

Universe Respondents aged 12 and over

Note Formerly RES_Q2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,905	3,514,500
NO	2	8,962	20,134,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	3	6,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC4F1	Length	1	Position	252
Question Name					
Concept	Flag for restriction of activity				
Question					
Universe	All respondents				
Note	Formerly RES_FLG. For respondents aged 12 years old and older, any "yes" to RAC4_1A to RAC4_1D or RAC4_2. For respondents aged less than 12 years old, based on actual question (KGH-Q3). In the calculation of Cycle 1 (1994) Restriction of Activity Flag, the category "No" included "Don't Know" and "Refusal" but in Cycle 2 (1996) and beyond, the category "No" was only responses of "No". See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,662	4,993,500
NO	2	9,882	23,321,500
NOT STATED	9	2	3,500
	Total	12,546	28,318,308

Variable Name	RAC4F2	Length	1	Position	253
Question Name					
Concept	Restriction of activity flag (excl. long-term disability)				
Question					
Universe	All respondents				
Note	Based on RAC4_1A to RAC4_1D. See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,158	3,880,000
NO	2	8,710	19,771,500
NOT STATED	9	1,678	4,667,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC4F3 **Length** 1 **Position** 254

Question Name RESTR-Q3/Q4

Concept Flag for problem causing limitation or handicap

Question What is the main condition or health problem causing you (to be limited in your activities / to have a long-term disability or handicap)?

Universe Respondents aged 12 and over with RAC4F1=1

Note Formerly RES_Q3C. Indicates that a long answer was collected. During processing, values for RESTR-Q3 and RESTR-Q4 were put into RESTR-Q3.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,529	4,650,000
NOT APPLICABLE	6	9,940	23,507,500
DON'T KNOW	7	2	5,000
REFUSAL	8	2	3,500
NOT STATED	9	73	152,500
	Total	12,546	28,318,308

Variable Name RAC4CIC **Length** 5 **Position** 255 - 259

Question Name RESTR-Q3/Q4

Concept ICD-9 code - main health problem causing limitations

Question

Universe Respondents aged 12 and over with RAC4F1=1

Note Formerly ICD994. Based on the International Classification of Diseases, 9th revision (ICD-9).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ICD-9 CODE	0V103 - 9966	2,529	4,650,000
NOT APPLICABLE	99996	9,940	23,507,500
DON'T KNOW	99997	2	5,000
REFUSAL	99998	2	3,500
NOT STATED	99999	73	152,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC4GC12 **Length** 2 **Position** 260 - 261

Question Name

Concept Main health problem - 12 groups - (D,G)

Question

Universe Respondents aged 12 and over with RAC4F1=1

Note Formerly DVRSTC94. Based on RAC4CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DISEASES OF NERVOUS SYSTEM AND SENSES	1	389	816,500
ISCHEMIC HEART DISEASE	2	57	99,000
OTHER HEART CONDITIONS	3	205	279,000
OTHER CIRCULATORY DISEASES	4	71	128,500
DISEASES OF RESPIRATORY/DIGESTIVE SYSTEM	5	254	498,500
ARTHRITIS - LIMBS	6	49	68,000
ARTHRITIS - BACK AND SPINE	7	12	24,000
ARTHRITIS - OTHER AND UNSPECIFIED	8	285	430,500
DISEASES OF THE MSCT - LIMBS	9	294	604,500
DISEASES OF THE MSCT - BACK AND SPINE	10	354	668,000
DISEASES OF THE MSCT - OTHER	11	79	140,000
OTHER	12	480	893,000
NOT APPLICABLE	96	9,940	23,507,500
NOT STATED	99	77	161,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC4GC25 **Length** 2 **Position** 262 - 263

Question Name

Concept Main health problem - 25 groups - (D,G)

Question

Universe Respondents aged 12 and over with RAC4F1=1

Note Formerly DVRST94. Based on RAC4CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MENTAL RETARDATION	1	11	19,000
MENTAL DISORDERS	2	70	175,000
SIGHT DISORDER	3	107	202,000
HEARING DISORDER	4	61	120,500
OTHER DISORDERS OF NERVOUS SYSTEM	5	140	300,000
HYPERTENSIVE DISEASE	6	45	62,500
ISCHEMIC HEART DISEASE	7	57	99,000
OTHER HEART CONDITIONS	8	160	216,500
OTHER CIRCULATORY DISORDERS	9	71	128,500
BRONCHITIS AND EMPHYSEMA	10	39	75,500
ASTHMA	11	122	253,000
OTHER RESPIRATORY DISORDERS	12	46	75,500
DISORDERS OF DIGESTIVE SYSTEM	13	47	95,000
INFECTIOUS AND PARASITIC DISEASES	14	21	38,000
ARTHRITIS - LOWER LIMBS	15	40	56,000
ARTHRITIS - UPPER LIMBS	16	9	11,500
ARTHRITIS - BACK AND SPINE	17	12	24,000
ARTHRITIS - OTHER AND UNSPECIFIED	18	285	430,500
MUSC. SKELETAL - LOWER LIMBS	19	213	441,500
MUSC. SKELETAL - UPPER LIMBS	20	81	162,500
MUSC. SKELETAL - BACK AND SPINE	21	354	668,000
MUSC. SKELETAL - OTHER	22	79	140,000
NEOPLASMS	23	47	70,000
ENDOCRINE, NUTRITIONAL, ETC.	24	83	160,500
OTHER	25	329	625,000
NOT APPLICABLE	96	9,940	23,507,500
NOT STATED	99	77	161,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC4_6B	Length	1	Position	267
Question Name	RESTR-Q6				
Concept	Needs help for - shopping for necessities				
Question	Because of any condition or health problem, do you need the help of another person in shopping for groceries or other necessities?				
Universe	Respondents aged 12 and over				
Note	Formerly RESQ6_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		494	772,000
NO		2		10,375	22,880,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		1	2,000
		Total		12,546	28,318,308

Variable Name	RAC4_6C	Length	1	Position	268
Question Name	RESTR-Q6				
Concept	Needs help for - housework				
Question	Because of any condition or health problem, do you need the help of another person in doing normal everyday housework?				
Universe	Respondents aged 12 and over				
Note	Formerly RESQ6_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		562	921,500
NO		2		10,307	22,731,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC4_6D	Length	1	Position	269
Question Name	RESTR-Q6				
Concept	Needs help for - heavy household chores				
Question	Because of any condition or health problem, do you need the help of another person in doing heavy household chores such as washing walls or yard work?				
Universe	Respondents aged 12 and over				
Note	Formerly RESQ6_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,167	1,806,500
NO		2		9,702	21,846,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		1	2,000
		Total		12,546	28,318,308

Variable Name	RAC4_6E	Length	1	Position	270
Question Name	RESTR-Q6				
Concept	Needs help for - personal care				
Question	Because of any condition or health problem, do you need the help of another person in personal care such as washing, dressing or eating?				
Universe	Respondents aged 12 and over				
Note	Formerly RESQ6_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		176	318,500
NO		2		10,693	23,334,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC4_6F **Length** 1 **Position** 271

Question Name RESTR-Q6

Concept Needs help for - moving about inside the house

Question Because of any condition or health problem, do you need the help of another person in moving about inside the house?

Universe Respondents aged 12 and over

Note Formerly RESQ6_F.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	106	191,000
NO	2	10,763	23,461,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	1	2,000
Total		12,546	28,318,308

Variable Name RAC4_6H **Length** 1 **Position** 272

Question Name RESTR-Q6

Concept Needs help for - no tasks

Question Because of any condition or health problem, do you need the help of another person in none of the above?

Universe Respondents aged 12 and over

Note Formerly RESQ6_G, RAC4_6G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	9,592	21,660,000
NO	2	1,277	1,992,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	1	2,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCK4_1 **Length** 1 **Position** 273
Question Name KCHR-Q1
Concept Frequency of infections - nose or throat
Question Thinking now about illnesses, how often does he / she have nose or throat infections?
Universe Respondents aged 0 to 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALMOST ALL THE TIME	1	4	11,000
OFTEN	2	23	42,500
FROM TIME TO TIME	3	87	258,000
RARELY	4	203	588,000
NEVER	5	240	654,500
NOT APPLICABLE	6	11,988	26,762,500
NOT STATED	9	1	1,500
Total		12,546	28,318,308

Variable Name CCK4_2 **Length** 1 **Position** 274
Question Name KCHR-Q2
Concept Has had otitis
Question Has he / she ever had an ear infection (otitis)?
Universe Respondents aged 0 to 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	322	894,500
NO	2	235	660,000
NOT APPLICABLE	6	11,988	26,762,500
NOT STATED	9	1	1,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCK4_3	Length	1	Position	275
Question Name	KCHR-Q3				
Concept	Number of times had otitis since birth				
Question	How many times since birth has he / she had an ear infection (otitis)?				
Universe	Respondents who answered CCK4_2=1				
Note					
Content		Code		Sample	Population
ONCE		1		99	286,500
2 TIMES		2		75	221,000
3 TIMES		3		52	127,500
4 OR MORE TIMES		4		96	259,500
NOT APPLICABLE		6		12,223	27,423,000
NOT STATED		9		1	1,500
		Total		12,546	28,318,308

Variable Name	CCC4_1A	Length	1	Position	276
Question Name	CHRON-Q1				
Concept	Has food allergies				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Food allergies				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_A.				
Content		Code		Sample	Population
YES		1		652	1,371,500
NO		2		10,207	22,257,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1B	Length	1	Position	277
Question Name	CHRON-Q1				
Concept	Has allergies other than food allergies				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Other allergies				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,923	4,321,500
NO		2		8,936	19,307,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCK4_1AB	Length	1	Position	278
Question Name	KCHR1-Q1				
Concept	Has allergies				
Question	Does he / she have allergies diagnosed by a health professional?				
Universe	Respondents aged 0 to 11				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		240	706,500
NO		2		1,436	3,957,500
NOT APPLICABLE		6		10,870	23,654,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1C	Length	1	Position	279
Question Name	CHRON-Q1				
Concept	Has asthma				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Asthma				
Universe	All respondents				
Note	Formerly CHRQ1_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		870	2,067,500
NO		2		11,665	26,224,500
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_C7	Length	1	Position	280
Question Name	CHRON-Q1CC1				
Concept	Asthma - had attack				
Question	Have you had an attack of asthma in the past 12 months?				
Universe	Respondents who answered CCC4_1C=1				
Note	Formerly CHRQ1CC1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		443	1,019,500
NO		2		426	1,046,000
NOT APPLICABLE		6		11,665	26,224,500
DON'T KNOW		7		1	2,000
NOT STATED		9		11	26,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_C8	Length	1	Position	281
Question Name	CHRON-Q1CC2				
Concept	Asthma - had wheezing or whistling in chest				
Question	Have you had wheezing or whistling in the chest at any time in the past 12 months?				
Universe	Respondents who answered CCC4_1C=1				
Note	Formerly CHRQ1CC2.				
Content		Code		Sample	Population
YES		1		655	1,520,000
NO		2		215	547,500
NOT APPLICABLE		6		11,665	26,224,500
NOT STATED		9		11	26,500
		Total		12,546	28,318,308

Variable Name	CCC4_1D	Length	1	Position	282
Question Name	CHRON-Q1				
Concept	Has arthritis or rheumatism				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Arthritis or rheumatism				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_D. The list of chronic conditions changed in Cycle 4 (2000).				
Content		Code		Sample	Population
YES		1		1,906	3,023,000
NO		2		8,953	20,605,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1E	Length	1	Position	283
Question Name	CHRON-Q1				
Concept	Has back problems excluding arthritis				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Back problems, excluding arthritis				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_E. The list of chronic conditions changed in Cycle 4 (2000).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,655	3,272,500
NO		2		9,204	20,355,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_1F	Length	1	Position	284
Question Name	CHRON-Q1				
Concept	Has high blood pressure				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - High blood pressure				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,279	2,134,000
NO		2		9,580	21,494,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1G	Length	1	Position	285
Question Name	CHRON-Q1				
Concept	Has migraine headaches				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Migraine headaches				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		821	1,735,500
NO		2		10,038	21,893,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_1H	Length	1	Position	286
Question Name	CHRON-Q1				
Concept	Has chronic bronchitis or emphysema				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Chronic bronchitis or emphysema				
Universe	All respondents				
Note	Formerly CHRQ1_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		443	862,000
NO		2		12,092	27,430,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1I	Length	1	Position	287
Question Name	CHRON-QI				
Concept	Has sinusitis				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Sinusitis				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		609	1,021,500
NO		2		10,250	22,606,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_1J	Length	1	Position	288
Question Name	CHRON-Q1				
Concept	Has diabetes				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Diabetes				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		414	720,500
NO		2		10,445	22,908,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1K	Length	1	Position	289
Question Name	CHRON-Q1				
Concept	Has epilepsy				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Epilepsy				
Universe	All respondents				
Note	Formerly CHRQ1_K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		76	151,500
NO		2		12,459	28,140,500
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_1L	Length	1	Position	290
Question Name	CHRON-Q1				
Concept	Has heart disease				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Heart disease				
Universe	All respondents				
Note	Formerly CHRQ1_L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		616	963,500
NO		2		11,919	27,328,500
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1M	Length	1	Position	291
Question Name	CHRON-Q1				
Concept	Has cancer				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Cancer				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		217	365,500
NO		2		10,642	23,263,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4FM1	Length	1	Position	292
Question Name	CHRON-Q1MM				
Concept	Flag for type of cancer				
Question	What type(s) of cancer is this? For example, skin, lung or colon cancer.				
Universe	Respondents who answered CCC4_1M=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		216	363,000
NOT APPLICABLE		6		12,318	27,926,500
DON'T KNOW		7		1	2,000
NOT STATED		9		11	26,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1N	Length	1	Position	293
Question Name	CHRON-Q1				
Concept	Has stomach or intestinal ulcers				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Stomach or intestinal ulcers				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_N.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		416	726,500
NO		2		10,443	22,901,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_1O	Length	1	Position	294
Question Name	CHRON-Q1				
Concept	Suffers from the effects of a stroke				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Effects of a stroke				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_O.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		121	192,500
NO		2		10,738	23,435,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1P	Length	1	Position	295
Question Name	CHRON-Q1				
Concept	Suffers from urinary incontinence				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Urinary incontinence				
Universe	Respondents aged 12 and over				
Note	Formerly CHRQ1_P.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		156	236,500
NO		2		10,703	23,392,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_1W	Length	1	Position	296
Question Name	CHRON-Q1				
Concept	Has acne				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Acne requiring prescription medication				
Universe	Respondents aged 12 to 29				
Note	Formerly CHRQ1_Q.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		72	203,500
NO		2		2,605	6,869,500
NOT APPLICABLE		6		9,866	21,236,500
DON'T KNOW		7		1	5,000
NOT STATED		9		2	3,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1R	Length	1	Position	297
Question Name	CHRON-Q1				
Concept	Has Alzheimer's disease / other dementia				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Alzheimer's disease or any other dementia				
Universe	Respondents aged 18 and over				
Note	Formerly CHRQ1_R.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	17,000
NO		2		10,062	20,946,500
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_1S	Length	1	Position	298
Question Name	CHRON-Q1				
Concept	Has cataracts				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Cataracts				
Universe	Respondents aged 18 and over				
Note	Formerly CHRQ1_S.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		394	553,500
NO		2		9,683	20,410,000
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_1T	Length	1	Position	299
Question Name	CHRON-Q1				
Concept	Has glaucoma				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Glaucoma				
Universe	Respondents aged 18 and over				
Note	Formerly CHRQ1_T.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		142	219,500
NO		2		9,935	20,744,500
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4_1V	Length	1	Position	300
Question Name	CHRON-Q1				
Concept	Has other long-term condition				
Question	Do you have any of the following long-term conditions that have been diagnosed by a health professional? - Any other long-term condition				
Universe	All respondents				
Note	Formerly CHRQ1_U. The list of chronic conditions changed in Cycle 4 (2000). This variable now includes sinusitis, ear, nose and throat infections for children less than 3 years old.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		887	1,882,000
NO		2		11,648	26,410,000
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC4_NON	Length	1	Position	301
Question Name	CHRON-Q1				
Concept	Has no chronic conditions				
Question	No long-term conditions diagnosed by a health professional?				
Universe	All respondents				
Note	Formerly CHRQ1_V.				
Content		Code		Sample	Population
YES		1		5,656	14,092,500
NO		2		6,879	14,199,500
DON'T KNOW		7		10	19,500
REFUSAL		8		1	6,500
		Total		12,546	28,318,308

Variable Name	CCC4DANY	Length	1	Position	302
Question Name					
Concept	Has a chronic condition - (D)				
Question					
Universe	All respondents				
Note	Based on CCC4_1A to CCC4_1V. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.				
Content		Code		Sample	Population
YES		1		6,879	14,199,500
NO		2		5,656	14,092,500
NOT STATED		9		11	26,500
		Total		12,546	28,318,308

Variable Name	CCC4DNUM	Length	2	Position	303 - 304
Question Name					
Concept	Number of chronic conditions - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on CCC4_1A to CCC4_1V. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.				
Content		Code		Sample	Population
NUMBER OF CHRONIC CONDITIONS		0 - 11		12,533	28,288,500
NOT STATED		99		13	30,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4DRES	Length	3	Position	305 - 307
Question Name					
Concept	Length of time in Canada since immigration - (D)				
Question					
Universe	All immigrants				
Note	Based on DHC4_AGE, AM64_BYE and YOI (year of immigration to Canada). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		0 - 92		1,401	4,690,000
NOT APPLICABLE		996		11,139	23,601,000
NOT STATED		999		6	27,000
		Total		12,546	28,318,308

Variable Name	SDC4_4A	Length	1	Position	308
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Canadian				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Canadian				
Universe	All respondents				
Note	Formerly SOCQ4_A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,703	11,409,500
NO		2		7,819	16,865,500
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4B	Length	1	Position	309
Question Name	SOCIO-Q4				
Concept	Ethnic origin - French				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - French				
Universe	All respondents				
Note	Formerly SOCQ4_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,968	7,078,000
NO		2		9,554	21,197,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_4C	Length	1	Position	310
Question Name	SOCIO-Q4				
Concept	Ethnic origin - English				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - English				
Universe	All respondents				
Note	Formerly SOCQ4_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,628	6,897,500
NO		2		8,894	21,378,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4D	Length	1	Position	311
Question Name	SOCIO-Q4				
Concept	Ethnic origin - German				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - German				
Universe	All respondents				
Note	Formerly SOCQ4_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,298	2,730,500
NO		2		11,224	25,545,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_4E	Length	1	Position	312
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Scottish				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Scottish				
Universe	All respondents				
Note	Formerly SOCQ4_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,094	3,892,500
NO		2		10,428	24,382,500
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4F	Length	1	Position	313
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Irish				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Irish				
Universe	All respondents				
Note	Formerly SOCQ4_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,868	3,706,000
NO		2		10,654	24,569,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_4G	Length	1	Position	314
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Italian				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Italian				
Universe	All respondents				
Note	Formerly SOCQ4_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		350	1,222,000
NO		2		12,172	27,053,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4H	Length	1	Position	315
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Ukrainian				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Ukrainian				
Universe	All respondents				
Note	Formerly SOCQ4_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		553	1,042,500
NO		2		11,969	27,233,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_4I	Length	1	Position	316
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Dutch (Netherlands)				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Dutch (Netherlands)				
Universe	All respondents				
Note	Formerly SOCQ4_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		399	938,000
NO		2		12,123	27,337,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4J	Length	1	Position	317
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Chinese				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Chinese				
Universe	All respondents				
Note	Formerly SOCQ4_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		156	750,500
NO		2		12,366	27,524,500
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_4K	Length	1	Position	318
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Jewish				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Jewish				
Universe	All respondents				
Note	Formerly SOCQ4_K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		83	295,000
NO		2		12,439	27,980,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4L	Length	1	Position	319
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Polish				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Polish				
Universe	All respondents				
Note	Formerly SOCQ4_L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		331	871,000
NO		2		12,191	27,404,500
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_4M	Length	1	Position	320
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Portuguese				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Portuguese				
Universe	All respondents				
Note	Formerly SOCQ4_M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		87	356,500
NO		2		12,435	27,918,500
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4N	Length	1	Position	321
Question Name	SOCIO-Q4				
Concept	Ethnic origin - South Asian				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - South Asian				
Universe	All respondents				
Note	Formerly SOCQ4_N.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		89	493,500
NO		2		12,433	27,781,500
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_4O	Length	1	Position	322
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Black				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Black				
Universe	All respondents				
Note	Formerly SOCQ4_O.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		83	316,000
NO		2		12,439	27,959,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4P	Length	1	Position	323
Question Name	SOCIO-Q4				
Concept	Ethnic origin - North American Indian				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - North American Indian				
Universe	All respondents				
Note	Formerly SOCQ4_P.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		226	546,500
NO		2		12,296	27,729,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_4Q	Length	1	Position	324
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Métis				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Métis				
Universe	All respondents				
Note	Formerly SOCQ4_Q.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		97	163,000
NO		2		12,425	28,112,000
DON'T KNOW		7		23	41,500
REFUSAL		8		1	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_4R	Length	1	Position	325
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Inuit / Eskimo				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Inuit / Eskimo				
Universe	All respondents				
Note	Formerly SOCQ4_R.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10	8,000
NO	2	12,512	28,267,000
DON'T KNOW	7	23	41,500
REFUSAL	8	1	2,000
	Total	12,546	28,318,308

Variable Name	SDC4_4S	Length	1	Position	326
Question Name	SOCIO-Q4				
Concept	Ethnic origin - other				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, British, Chinese) - Other				
Universe	All respondents				
Note	Formerly SOCQ4_S.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,450	4,184,000
NO	2	11,072	24,091,000
DON'T KNOW	7	23	41,500
REFUSAL	8	1	2,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_5A	Length	1	Position	327
Question Name	SOCIO-Q5				
Concept	Can converse - English				
Question	In which languages can you conduct a conversation? - English				
Universe	All respondents				
Note	Formerly SOCQ5_A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10,974	23,731,000
NO		2		1,571	4,585,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5B	Length	1	Position	328
Question Name	SOCIO-Q5				
Concept	Can converse - French				
Question	In which languages can you conduct a conversation? - French				
Universe	All respondents				
Note	Formerly SOCQ5_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,457	9,537,000
NO		2		9,088	18,779,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5C	Length	1	Position	329
Question Name	SOCIO-Q5				
Concept	Can converse - Arabic				
Question	In which languages can you conduct a conversation? - Arabic				
Universe	All respondents				
Note	Formerly SOCQ5_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		34	174,000
NO		2		12,511	28,142,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_5D	Length	1	Position	330
Question Name	SOCIO-Q5				
Concept	Can converse - Chinese				
Question	In which languages can you conduct a conversation? - Chinese				
Universe	All respondents				
Note	Formerly SOCQ5_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		133	652,000
NO		2		12,412	27,664,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5E	Length	1	Position	331
Question Name	SOCIO-Q5				
Concept	Can converse - Cree				
Question	In which languages can you conduct a conversation? - Cree				
Universe	All respondents				
Note	Formerly SOCQ5_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		24	22,500
NO		2		12,521	28,293,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5F	Length	1	Position	332
Question Name	SOCIO-Q5				
Concept	Can converse - German				
Question	In which languages can you conduct a conversation? - German				
Universe	All respondents				
Note	Formerly SOCQ5_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		354	686,000
NO		2		12,191	27,630,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_5G	Length	1	Position	333
Question Name	SOCIO-Q5				
Concept	Can converse - Greek				
Question	In which languages can you conduct a conversation? - Greek				
Universe	All respondents				
Note	Formerly SOCQ5_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		31	129,500
NO		2		12,514	28,186,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5H	Length	1	Position	334
Question Name	SOCIO-Q5				
Concept	Can converse - Hungarian				
Question	In which languages can you conduct a conversation? - Hungarian				
Universe	All respondents				
Note	Formerly SOCQ5_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		48	91,500
NO		2		12,497	28,224,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5I	Length	1	Position	335
Question Name	SOCIO-Q5				
Concept	Can converse - Italian				
Question	In which languages can you conduct a conversation? - Italian				
Universe	All respondents				
Note	Formerly SOCQ5_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		185	741,500
NO		2		12,360	27,574,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_5J	Length	1	Position	336
Question Name	SOCIO-Q5				
Concept	Can converse - Korean				
Question	In which languages can you conduct a conversation? - Korean				
Universe	All respondents				
Note	Formerly SOCQ5_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	6,000
NO		2		12,544	28,310,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5K	Length	1	Position	337
Question Name	SOCIO-Q5				
Concept	Can converse - Persian				
Question	In which languages can you conduct a conversation? - Persian (Farsi)				
Universe	All respondents				
Note	Formerly SOCQ5_K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	12,000
NO		2		12,542	28,304,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5L	Length	1	Position	338
Question Name	SOCIO-Q5				
Concept	Can converse - Polish				
Question	In which languages can you conduct a conversation? - Polish				
Universe	All respondents				
Note	Formerly SOCQ5_L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		102	303,000
NO		2		12,443	28,013,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_5M	Length	1	Position	339
Question Name	SOCIO-Q5				
Concept	Can converse - Portuguese				
Question	In which languages can you conduct a conversation? - Portuguese				
Universe	All respondents				
Note	Formerly SOCQ5_M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		60	246,500
NO		2		12,485	28,069,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5N	Length	1	Position	340
Question Name	SOCIO-Q5				
Concept	Can converse - Punjabi				
Question	In which languages can you conduct a conversation? - Punjabi				
Universe	All respondents				
Note	Formerly SOCQ5_N.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		42	248,000
NO		2		12,503	28,068,000
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5O	Length	1	Position	341
Question Name	SOCIO-Q5				
Concept	Can converse - Spanish				
Question	In which languages can you conduct a conversation? - Spanish				
Universe	All respondents				
Note	Formerly SOCQ5_O.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		135	436,500
NO		2		12,410	27,879,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_5P	Length	1	Position	342
Question Name	SOCIO-Q5				
Concept	Can converse - Tagalog				
Question	In which languages can you conduct a conversation? - Tagalog (Filipino)				
Universe	All respondents				
Note	Formerly SOCQ5_P.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		26	122,500
NO		2		12,519	28,193,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5Q	Length	1	Position	343
Question Name	SOCIO-Q5				
Concept	Can converse - Ukrainian				
Question	In which languages can you conduct a conversation? - Ukrainian				
Universe	All respondents				
Note	Formerly SOCQ5_Q.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		183	268,500
NO		2		12,362	28,047,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4_5R	Length	1	Position	344
Question Name	SOCIO-Q5				
Concept	Can converse - Vietnamese				
Question	In which languages can you conduct a conversation? - Vietnamese				
Universe	All respondents				
Note	Formerly SOCQ5_R.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		17	92,500
NO		2		12,528	28,223,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_5S	Length	1	Position	345
Question Name	SOCIO-Q5				
Concept	Can converse - other language				
Question	In which languages can you conduct a conversation? - Other				
Universe	All respondents				
Note	Formerly SOCQ5_S.				
Content		Code		Sample	Population
YES		1		483	1,727,500
NO		2		12,062	26,588,500
DON'T KNOW		7		1	2,500
		Total		12,546	28,318,308

Variable Name	SDC4DLNG	Length	2	Position	346 - 347
Question Name					
Concept	Language(s) in which respondent can converse - (D)				
Question					
Universe	All respondents				
Note	Formerly DVLANG94. Based on SDC4_5A to SDC4_5S. See Derived Variables Documentation.				
Content		Code		Sample	Population
ENGLISH ONLY		1		7,788	14,835,500
FRENCH ONLY		2		1,398	3,950,500
ENGLISH AND FRENCH ONLY		3		1,731	4,305,500
ENGLISH AND FRENCH AND OTHER		4		294	1,135,000
ENGLISH AND OTHER (NOT FRENCH)		5		1,161	3,454,500
FRENCH AND OTHER (NOT ENGLISH)		6		34	146,000
NEITHER ENGLISH NOR FRENCH (OTHER)		7		139	489,000
NOT STATED		99		1	2,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_6A	Length	1	Position	348
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - English				
Question	What is the language that you first learned at home in childhood and can still understand? - English				
Universe	All respondents				
Note	Formerly SOCQ6_A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8,761	17,480,500
NO		2		3,784	10,833,000
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6B	Length	1	Position	349
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - French				
Question	What is the language that you first learned at home in childhood and can still understand? - French				
Universe	All respondents				
Note	Formerly SOCQ6_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,628	7,085,500
NO		2		9,917	21,228,000
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6C	Length	1	Position	350
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Arabic				
Question	What is the language that you first learned at home in childhood and can still understand? - Arabic				
Universe	All respondents				
Note	Formerly SOCQ6_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		21	99,500
NO		2		12,524	28,213,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_6D	Length	1	Position	351
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Chinese				
Question	What is the language that you first learned at home in childhood and can still understand? - Chinese				
Universe	All respondents				
Note	Formerly SOCQ6_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		122	607,000
NO		2		12,423	27,706,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6E	Length	1	Position	352
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Cree				
Question	What is the language that you first learned at home in childhood and can still understand? - Cree				
Universe	All respondents				
Note	Formerly SOCQ6_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		20	20,500
NO		2		12,525	28,293,000
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6F	Length	1	Position	353
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - German				
Question	What is the language that you first learned at home in childhood and can still understand? - German				
Universe	All respondents				
Note	Formerly SOCQ6_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		246	441,500
NO		2		12,299	27,872,000
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_6G	Length	1	Position	354
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Greek				
Question	What is the language that you first learned at home in childhood and can still understand? - Greek				
Universe	All respondents				
Note	Formerly SOCQ6_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		27	110,500
NO		2		12,518	28,203,000
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6H	Length	1	Position	355
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Hungarian				
Question	What is the language that you first learned at home in childhood and can still understand? - Hungarian				
Universe	All respondents				
Note	Formerly SOCQ6_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		41	80,000
NO		2		12,504	28,233,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6I	Length	1	Position	356
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Italian				
Question	What is the language that you first learned at home in childhood and can still understand? - Italian				
Universe	All respondents				
Note	Formerly SOCQ6_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		140	570,000
NO		2		12,405	27,743,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_6J	Length	1	Position	357
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Korean				
Question	What is the language that you first learned at home in childhood and can still understand? - Korean				
Universe	All respondents				
Note	Formerly SOCQ6_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	11,000
NO		2		12,543	28,302,000
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6K	Length	1	Position	358
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Persian				
Question	What is the language that you first learned at home in childhood and can still understand? - Persian (Farsi)				
Universe	All respondents				
Note	Formerly SOCQ6_K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	24,000
NO		2		12,541	28,289,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6L	Length	1	Position	359
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Polish				
Question	What is the language that you first learned at home in childhood and can still understand? - Polish				
Universe	All respondents				
Note	Formerly SOCQ6_L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		92	285,000
NO		2		12,453	28,028,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_6M	Length	1	Position	360
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Portuguese				
Question	What is the language that you first learned at home in childhood and can still understand? - Portuguese				
Universe	All respondents				
Note	Formerly SOCQ6_M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		48	203,000
NO		2		12,497	28,110,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6N	Length	1	Position	361
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Punjabi				
Question	What is the language that you first learned at home in childhood and can still understand? - Punjabi				
Universe	All respondents				
Note	Formerly SOCQ6_N.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		37	226,500
NO		2		12,508	28,087,000
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_6O	Length	1	Position	362
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Spanish				
Question	What is the language that you first learned at home in childhood and can still understand? - Spanish				
Universe	All respondents				
Note	Formerly SOCQ6_O.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		45	164,500
NO		2		12,500	28,149,000
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC4_6P **Length** 1 **Position** 363
Question Name SOCIO-Q6
Concept First language learned and still understood - Tagalog
Question What is the language that you first learned at home in childhood and can still understand? - Tagalog (Filipino)
Universe All respondents
Note Formerly SOCQ6_P.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	25	118,500
NO	2	12,520	28,194,500
DON'T KNOW	7	1	5,000
Total		12,546	28,318,308

Variable Name SDC4_6Q **Length** 1 **Position** 364
Question Name SOCIO-Q6
Concept First language learned and still understood - Ukrainian
Question What is the language that you first learned at home in childhood and can still understand? - Ukrainian
Universe All respondents
Note Formerly SOCQ6_Q.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	157	196,500
NO	2	12,388	28,117,000
DON'T KNOW	7	1	5,000
Total		12,546	28,318,308

Variable Name SDC4_6R **Length** 1 **Position** 365
Question Name SOCIO-Q6
Concept First language learned and still understood - Vietnamese
Question What is the language that you first learned at home in childhood and can still understand? - Vietnamese
Universe All respondents
Note Formerly SOCQ6_R.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	71,000
NO	2	12,532	28,242,500
DON'T KNOW	7	1	5,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_6S	Length	1	Position	366
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - other				
Question	What is the language that you first learned at home in childhood and can still understand? - Other				
Universe	All respondents				
Note	Formerly SOCQ6_S.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		429	1,500,500
NO		2		12,116	26,812,500
DON'T KNOW		7		1	5,000
		Total		12,546	28,318,308

Variable Name	SDC4_7A	Length	1	Position	367
Question Name	SOCIO-Q7				
Concept	Race or colour - White				
Question	How would you best describe your race or colour? - White				
Universe	All respondents				
Note	Formerly SOCQ_7A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11,925	25,570,500
NO		2		619	2,746,000
DON'T KNOW		7		2	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_7B	Length	1	Position	368
Question Name	SOCIO-Q7				
Concept	Race or colour - Chinese				
Question	How would you best describe your race or colour? - Chinese				
Universe	All respondents				
Note	Formerly SOCQ_7F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		148	721,000
NO		2		12,396	27,595,500
DON'T KNOW		7		2	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_7C	Length	1	Position	369
Question Name	SOCIO-Q7				
Concept	Race or colour - South Asian				
Question	How would you best describe your race or colour? - South Asian (e.g., Indian from India or Uganda, Pakistani, Punjabi, Tamil)				
Universe	All respondents				
Note	Formerly SOCQ_7H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		145	798,500
NO		2		12,399	27,518,000
DON'T KNOW		7		2	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_7D	Length	1	Position	370
Question Name	SOCIO-Q7				
Concept	Race or colour - Black				
Question	How would you best describe your race or colour? - Black				
Universe	All respondents				
Note	Formerly SOCQ_7B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		125	517,500
NO		2		12,419	27,799,000
DON'T KNOW		7		2	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_7E	Length	1	Position	371
Question Name	SOCIO-Q7				
Concept	Race or colour - Native / Aboriginal peoples of N. America				
Question	How would you best describe your race or colour? - Native / Aboriginal peoples of North America (North American Indian, Métis, Inuit / Eskimo)				
Universe	All respondents				
Note	Formerly SOCQ_7G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		134	248,500
NO		2		12,410	28,068,000
DON'T KNOW		7		2	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC4_7F **Length** 1 **Position** 372
Question Name SOCIO-Q7
Concept Race or colour - Arab / West Asian
Question How would you best describe your race or colour? - West East Asian or North African (e.g., Armenian, Syrian, Moroccan)
Universe All respondents
Note Formerly SOCQ_7J.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	123,000
NO	2	12,523	28,193,500
DON'T KNOW	7	2	2,000
Total		12,546	28,318,308

Variable Name SDC4_7G **Length** 1 **Position** 373
Question Name SOCIO-Q7
Concept Race or colour - Filipino
Question How would you best describe your race or colour? - Filipino
Universe All respondents
Note Formerly SOCQ_7D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	42	205,000
NO	2	12,502	28,111,500
DON'T KNOW	7	2	2,000
Total		12,546	28,318,308

Variable Name SDC4_7H **Length** 1 **Position** 374
Question Name SOCIO-Q7
Concept Race or colour - South East Asian
Question How would you best describe your race or colour? - South East Asian (e.g., Vietnamese, Thai, Loatian)
Universe All respondents
Note Formerly SOCQ_7I.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	28	128,500
NO	2	12,516	28,188,000
DON'T KNOW	7	2	2,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC4_7J	Length	1	Position	375
Question Name	SOCIO-Q7				
Concept	Race or colour - Japanese				
Question	How would you best describe your race or colour? - Japanese				
Universe	All respondents				
Note	Formerly SOCQ_7E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	44,000
NO		2		12,529	28,272,500
DON'T KNOW		7		2	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_7K	Length	1	Position	376
Question Name	SOCIO-Q7				
Concept	Race or colour - Korean				
Question	How would you best describe your race or colour? - Korean				
Universe	All respondents				
Note	Formerly SOCQ_7C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	20,000
NO		2		12,540	28,296,500
DON'T KNOW		7		2	2,000
		Total		12,546	28,318,308

Variable Name	SDC4_7L	Length	1	Position	377
Question Name	SOCIO-Q7				
Concept	Race or colour - other				
Question	How would you best describe your race or colour? - Other				
Universe	All respondents				
Note	Formerly SOCQ_7K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		36	154,000
NO		2		12,508	28,162,500
DON'T KNOW		7		2	2,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC4DRAC **Length** 2 **Position** 378 - 379

Question Name

Concept Race or colour - (D)

Question

Universe All respondents

Note Formerly DVRACE94. Based on SDC4_7A to SDC4_7L. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WHITE	1	11,858	25,400,500
BLACK	2	105	452,000
KOREAN	3	4	20,000
FILIPINO	4	35	173,500
JAPANESE	5	13	39,500
CHINESE	6	141	691,500
ABORIGINAL PEOPLES OF NORTH AMERICA	7	100	189,500
SOUTH ASIAN	8	137	767,500
SOUTH EAST ASIAN	9	22	110,500
WEST EAST ASIAN AND NORTH AFRICAN	10	20	121,000
MULTIPLE RACE CATEGORY	11	76	203,500
NOT STATED	99	35	149,000
	Total	12,546	28,318,308

Variable Name EDC4_1 **Length** 1 **Position** 380

Question Name EDUC-Q5

Concept Currently attending a school, college or university

Question Are you currently attending a school, college or university?

Universe Respondents aged 15 to 64

Note Formerly ED_Q5.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,057	3,118,500
NO	2	7,184	15,813,000
NOT APPLICABLE	6	4,276	9,308,000
NOT STATED	9	29	79,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC4_2	Length	1	Position	381
Question Name	EDUC-Q6				
Concept	Full-time or part-time student				
Question	Are you enrolled as a full-time student or a part-time student?				
Universe	Respondents who answered EDC4_1=1				
Note	Formerly ED_Q6.				
Content		Code		Sample	Population
FULL-TIME		1		759	2,315,000
PART-TIME		2		281	759,000
NOT APPLICABLE		6		11,460	25,121,000
NOT STATED		9		46	123,500
		Total		12,546	28,318,308

Variable Name	EDC4_4	Length	2	Position	382 - 383
Question Name	EDUC-Q1				
Concept	Number of years of elementary and high school completed				
Question	Excluding kindergarten, how many years of elementary and high school have you successfully completed?				
Universe	Respondents aged 12 and over				
Note	Formerly ED_Q1.				
Content		Code		Sample	Population
NO SCHOOLING		1		29	87,000
1 TO 5 YEARS		2		348	616,500
6 YEARS		3		320	772,500
7 YEARS		4		459	1,050,000
8 YEARS		5		835	1,544,500
9 YEARS		6		721	1,541,000
10 YEARS		7		1,127	2,254,500
11 YEARS		8		1,455	2,973,500
12 YEARS		9		4,478	9,352,000
13 YEARS		10		1,080	3,406,500
NOT APPLICABLE		96		1,676	4,664,000
DON'T KNOW		97		13	34,000
REFUSAL		98		5	23,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC4_5	Length	1	Position	384
Question Name	EDUC-Q2				
Concept	Graduated from high school				
Question	Have you graduated from high school?				
Universe	Respondents aged 15 and over with some schooling				
Note	Formerly ED_Q2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,277	14,289,500
NO		2		4,146	7,781,500
NOT APPLICABLE		6		2,105	6,190,500
NOT STATED		9		18	57,000
		Total		12,546	28,318,308

Variable Name	EDC4_6	Length	1	Position	385
Question Name	EDUC-Q3				
Concept	Attended post-secondary institution				
Question	Have you ever attended any other kind of school such as university, community college, business school, trade or vocational school, CEGEP or other post-secondary institution?				
Universe	Respondents aged 15 and over with some schooling				
Note	Formerly ED_Q3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,665	12,478,500
NO		2		4,757	9,591,000
NOT APPLICABLE		6		2,105	6,190,500
DON'T KNOW		7		1	2,000
NOT STATED		9		18	57,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC4_7 **Length** 2 **Position** 386 - 387

Question Name EDUC-Q4

Concept Highest level of post-secondary education attained

Question What is the highest level of education that you have attained?

Universe Respondents who answered EDC4_6=1

Note Formerly ED_Q4.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SOME TRADE, TECHNICAL, BUSINESS COLLEGE	1	1,037	2,068,500
SOME COMM. COLLEGE, CEGEP, NURSING	2	853	1,987,000
SOME UNIVERSITY	3	553	1,221,000
DIPL./CERT.- TRADE, TECHNICAL, BUSINESS	4	1,027	2,060,500
DIPL./CERT.- COMM. COL., CEGEP, NURSING	5	712	1,718,000
BACHELOR DEGREE OR TEACHER'S COLL.	6	1,129	2,564,500
MASTER'S DEGREE	7	205	470,500
MEDICINE DEGREE/DDS/DMD/DVM/OD	8	36	77,500
EARNED DOCTORATE	9	55	171,500
OTHER	10	57	137,000
NOT APPLICABLE	96	6,862	15,781,000
DON'T KNOW	97	1	2,000
NOT STATED	99	19	59,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC4D1 **Length** 2 **Position** 388 - 389

Question Name

Concept Highest level of education - 14 levels - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVEDC194. Based on EDC4_4, EDC4_5, EDC4_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	29	87,000
ELEMENTARY SCHOOL	2	1,071	2,332,500
SOME SECONDARY SCHOOL	3	2,568	5,263,000
SECONDARY SCHOOL GRADUATION	4	1,520	3,438,500
OTHER POST-SECONDARY	5	57	137,000
SOME TRADE SCHOOL	6	1,037	2,068,500
SOME COMMUNITY COLLEGE	7	853	1,987,000
SOME UNIVERSITY	8	553	1,221,000
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,027	2,060,500
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	712	1,718,000
BACHELOR DEGREE	11	1,129	2,564,500
MASTER'S DEGREE	12	205	470,500
DEGREE IN MEDICINE	13	36	77,500
EARNED DOCTORATE	14	55	171,500
NOT APPLICABLE	96	1,676	4,664,000
NOT STATED	99	18	57,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC4D2 **Length** 2 **Position** 390 - 391

Question Name

Concept Highest level of education - 12 levels - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVEDC294. Based on EDC4_4, EDC4_5, EDC4_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	29	87,000
ELEMENTARY SCHOOL	2	1,071	2,332,500
SOME SECONDARY SCHOOL	3	2,568	5,263,000
SECONDARY SCHOOL GRADUATION	4	1,520	3,438,500
OTHER POST-SECONDARY	5	57	137,000
SOME TRADE SCHOOL	6	1,037	2,068,500
SOME COMMUNITY COLLEGE	7	853	1,987,000
SOME UNIVERSITY	8	553	1,221,000
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,027	2,060,500
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	712	1,718,000
BACHELOR DEGREE	11	1,129	2,564,500
MASTER'S/DEGREE IN MEDICINE/DOCTORATE	12	296	720,000
NOT APPLICABLE	96	1,676	4,664,000
NOT STATED	99	18	57,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC4D3	Length	1	Position	392
Question Name					
Concept	Highest level of education - 4 levels - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly DVEDC394. Based on EDC4_4, EDC4_5 and EDC4_7. See Derived Variables Documentation.				
Content		Code		Sample	Population
LESS THAN SECONDARY SCHOOL GRADUATION		1		3,668	7,683,000
SECONDARY SCHOOL GRADUATION		2		1,520	3,438,500
SOME POST-SECONDARY		3		2,500	5,413,500
POST-SECONDARY GRADUATION		4		3,164	7,062,500
NOT APPLICABLE		6		1,676	4,664,000
NOT STATED		9		18	57,000
		Total		12,546	28,318,308

Variable Name	EDC4D4	Length	1	Position	393
Question Name					
Concept	Highest level of education - Household, 4 levels - (D)				
Question					
Universe	All respondents				
Note	Based on EDC4_4, EDC4_5 and EDC4_7. See Derived Variables Documentation.				
Content		Code		Sample	Population
LESS THAN SECONDARY SCHOOL GRADUATION		1		1,727	2,404,500
SECONDARY SCHOOL GRADUATION		2		836	1,646,500
SOME POST-SECONDARY		3		2,132	4,356,500
POST-SECONDARY GRADUATION		4		3,421	7,826,500
NOT APPLICABLE		6		4,290	11,686,000
NOT STATED		9		140	398,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC4DLF	Length	1	Position	394
Question Name					
Concept	Labour force activity of students - (D)				
Question					
Universe	Respondents aged 15 and over with EDC4_1=1				
Note	Formerly DVEDLF94. Based on EDC4_1, EDC4_2, DHC4_AGE, LFC4_2, LFC4_61 to LFC4_63, LFC4_51M and LFC4_71M. See Derived Variables Documentation.				
Content		Code		Sample	Population
WORKED LAST 12 MTHS / SCHOOL FULL-TIME		1		483	1,426,500
WORKED LAST 12 MTHS / SCHOOL PART-TIME		2		252	675,000
DID NOT WORK / SCHOOL FULL-TIME		3		260	832,000
DID NOT WORK / SCHOOL PART-TIME		4		26	74,000
NOT APPLICABLE		6		11,460	25,121,000
NOT STATED		9		65	190,000
		Total		12,546	28,318,308

Variable Name	LFC4_1	Length	2	Position	395 - 396
Question Name	LFS-Q1				
Concept	Current main activity				
Question	What do you consider to be your current main activity? (For example, working for pay, caring for family.)				
Universe	Respondents aged 15 and over				
Note	Formerly LFS_Q1.				
Content		Code		Sample	Population
CARING FOR FAMILY		1		1,410	2,916,500
WORKING FOR PAY OR PROFIT		2		3,693	8,521,000
CARING FOR FAMILY / WORK FOR PAY / PROF.		3		1,533	3,442,500
GOING TO SCHOOL		4		789	2,438,500
RECOVERING FROM ILLNESS / ON DISABILITY		5		301	535,500
LOOKING FOR WORK		6		321	659,000
RETIRED		7		2,279	3,412,500
OTHER		8		143	286,500
NOT APPLICABLE		96		2,076	6,103,000
REFUSAL		98		1	3,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC4_2	Length	1	Position	397
Question Name	LFS-Q2				
Concept	Worked for pay or profit				
Question	Have you worked for pay or profit at any time in the past 12 months?				
Universe	Respondents who answered LFC4_1=1,4,5,6,7 or 8				
Note	Formerly LFS_Q2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,411	3,344,000
NO		2		3,828	6,874,500
NOT APPLICABLE		6		7,302	18,066,500
DON'T KNOW		7		1	2,000
REFUSAL		8		4	31,000
		Total		12,546	28,318,308

Variable Name	LFC4FE1	Length	1	Position	398
Question Name	LFS-Q3.1				
Concept	Flag for employer - job 1				
Question	For whom have you worked for pay or profit in the past 12 months? - Job 1				
Universe	Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)				
Note	Formerly LFS_EM1C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,490	14,932,000
NOT APPLICABLE		6		5,904	12,977,500
DON'T KNOW		7		3	19,000
REFUSAL		8		11	40,500
NOT STATED		9		138	349,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_41 **Length** 1 **Position** 399
Question Name LFS-Q4.1
Concept Had job one year ago without break - job 1
Question Did you have that job one year ago without a break in employment since then? - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)
Note Formerly LFS_Q4_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,997	11,668,500
NO	2	1,639	3,633,000
NOT APPLICABLE	6	5,904	12,977,500
REFUSAL	8	1	6,500
NOT STATED	9	5	33,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_51M **Length** 2 **Position** 400 - 401
Question Name LFS-Q5.1
Concept Month started - job 1
Question When, in the past year, did you start working at this job or business? - Month - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	128	323,000
FEBRUARY	2	93	262,500
MARCH	3	1,217	3,294,500
APRIL	4	135	281,500
MAY	5	198	420,500
JUNE	6	1,554	3,303,000
JULY	7	184	369,500
AUGUST	8	1,553	3,319,500
SEPTEMBER	9	173	362,000
OCTOBER	10	355	850,500
NOVEMBER	11	991	2,382,000
DECEMBER	12	53	129,500
NOT APPLICABLE	96	5,904	12,977,500
DON'T KNOW	97	2	4,000
NOT STATED	99	6	39,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_51D **Length** 2 **Position** 402 - 403
Question Name LFS-Q5.1
Concept Day started - job 1
Question When, in the past year, did you start working at this job or business? - Day - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	6,601	15,226,000
NOT APPLICABLE	96	5,904	12,977,500
DON'T KNOW	97	34	74,500
REFUSAL	98	1	1,000
NOT STATED	99	6	39,500
Total		12,546	28,318,308

Variable Name LFC4_51Y **Length** 4 **Position** 404 - 407
Question Name LFS-Q5.1
Concept Year started - job 1
Question When, in the past year, did you start working at this job or business? - Year - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1993 - 1995	6,634	15,296,000
NOT APPLICABLE	9996	5,904	12,977,500
DON'T KNOW	9997	1	2,000
REFUSAL	9998	1	3,000
NOT STATED	9999	6	39,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC4_61	Length	1	Position	408
Question Name	LFS-Q6.1				
Concept	Has job now - job 1				
Question	Do you have that job now? - Job 1				
Universe	Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)				
Note	Formerly LFS_Q6_1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,778	13,439,500
NO		2		820	1,780,500
NOT APPLICABLE		6		5,904	12,977,500
REFUSAL		8		1	1,000
NOT STATED		9		43	120,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_71M **Length** 2 **Position** 409 - 410
Question Name LFS-Q7.1
Concept Month stopped - job 1
Question When did you stop working at this job or business? - Month - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	43	125,000
FEBRUARY	2	59	199,500
MARCH	3	1,321	3,558,500
APRIL	4	37	63,500
MAY	5	58	121,000
JUNE	6	1,569	3,338,500
JULY	7	86	149,500
AUGUST	8	1,770	3,780,500
SEPTEMBER	9	93	179,500
OCTOBER	10	211	454,500
NOVEMBER	11	1,285	3,110,000
DECEMBER	12	65	138,000
NOT APPLICABLE	96	5,904	12,977,500
DON'T KNOW	97	1	1,500
NOT STATED	99	44	121,000
Total		12,546	28,318,308

Variable Name LFC4_71D **Length** 2 **Position** 411 - 412
Question Name LFS-Q7.1
Concept Day stopped - job 1
Question When did you stop working at this job or business? - Day - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	6,588	15,199,000
NOT APPLICABLE	96	5,904	12,977,500
DON'T KNOW	97	10	21,000
NOT STATED	99	44	121,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_71Y **Length** 4 **Position** 413 - 416
Question Name LFS-Q7.1
Concept Year stopped - job 1
Question When did you stop working at this job or business? - Year - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1993 - 1995	6,598	15,220,000
NOT APPLICABLE	9996	5,904	12,977,500
NOT STATED	9999	44	121,000
Total		12,546	28,318,308

Variable Name LFC4_81 **Length** 3 **Position** 417 - 419
Question Name LFS-Q8.1
Concept Hours usually worked per week - job 1
Question About how many hours per week do you usually work at this job? - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note

Formerly LFS_Q8_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 99	6,572	15,162,500
NOT APPLICABLE	996	5,904	12,977,500
DON'T KNOW	997	11	27,000
NOT STATED	999	59	151,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_91 **Length** 2 **Position** 420 - 421
Question Name LFS-Q9.1
Concept Type of working hours - job 1
Question Which of the following best describes the hours you usually work at this job? - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)
Note Formerly LFS_Q9_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR - DAYTIME SCHEDULE OR SHIFT	1	4,669	10,648,500
REGULAR - EVENING SHIFT	2	296	814,000
REGULAR - NIGHT SHIFT	3	109	329,500
ROTATING SHIFT	4	644	1,379,500
SPLIT SHIFT	5	63	169,000
ON CALL	6	137	271,000
IRREGULAR SCHEDULE	7	626	1,463,000
OTHER	8	43	123,500
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	55	143,500
Total		12,546	28,318,308

Variable Name LFC4_101 **Length** 1 **Position** 422
Question Name LFS-Q10.1
Concept Usually works weekends - job 1
Question Do you usually work on weekends at this job? - Job 1
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)
Note Formerly LFSQ10_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,652	6,014,500
NO	2	3,932	9,173,000
NOT APPLICABLE	6	5,904	12,977,500
DON'T KNOW	7	2	5,500
REFUSAL	8	1	4,000
NOT STATED	9	55	143,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC4_111	Length	1	Position	423
Question Name	LFS-Q11.1				
Concept	Worked other than job 1				
Question	Did you do any other work for pay or profit in the past 12 months?				
Universe	Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)				
Note	Formerly LFSQ11_1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,281	2,878,000
NO		2		5,305	12,315,000
NOT APPLICABLE		6		5,904	12,977,500
DON'T KNOW		7		1	4,000
NOT STATED		9		55	143,500
		Total		12,546	28,318,308

Variable Name	LFC4FE2	Length	1	Position	424
Question Name	LFS-Q3.2				
Concept	Flag for employer - job 2				
Question	For whom have you worked for pay or profit in the past 12 months? - Job 1				
Universe	Respondents who answered LFC4_111=1				
Note	Formerly LFS_EM2C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,271	2,845,500
NOT APPLICABLE		6		11,209	25,292,500
DON'T KNOW		7		2	6,000
REFUSAL		8		2	10,000
NOT STATED		9		62	164,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC4_42	Length	1	Position	425
Question Name	LFS-Q4.2				
Concept	Had job one year ago without break - job 2				
Question	Did you have that job one year ago without a break in employment since then? - Job 2				
Universe	Respondents who answered LFC4_111=1				
Note	Formerly LFS_Q4_2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		684	1,605,500
NO		2		597	1,272,500
NOT APPLICABLE		6		11,209	25,292,500
NOT STATED		9		56	147,500
		Total		12,546	28,318,308

Variable Name	LFC4_52M	Length	2	Position	426 - 427
Question Name	LFS-Q5.2				
Concept	Month started - job 2				
Question	When, in the past year, did you start working at this job or business? - Month - Job 2				
Universe	Respondents who answered LFC4_111=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
JANUARY		1		39	75,000
FEBRUARY		2		26	60,000
MARCH		3		190	458,500
APRIL		4		31	52,500
MAY		5		65	128,000
JUNE		6		251	594,000
JULY		7		45	86,500
AUGUST		8		286	656,500
SEPTEMBER		9		63	118,500
OCTOBER		10		96	216,500
NOVEMBER		11		171	392,500
DECEMBER		12		18	39,500
NOT APPLICABLE		96		11,209	25,292,500
NOT STATED		99		56	147,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_52D **Length** 2 **Position** 428 - 429
Question Name LFS-Q5.2
Concept Day started - job 2
Question When, in the past year, did you start working at this job or business? - Day - Job 2
Universe Respondents who answered LFC4_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	1,276	2,870,500
NOT APPLICABLE	96	11,209	25,292,500
DON'T KNOW	97	5	7,500
NOT STATED	99	56	147,500
	Total	12,546	28,318,308

Variable Name LFC4_52Y **Length** 4 **Position** 430 - 433
Question Name LFS-Q5.2
Concept Year started - job 2
Question When, in the past year, did you start working at this job or business? - Year - Job 2
Universe Respondents who answered LFC4_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1993 - 1995	1,281	2,878,000
NOT APPLICABLE	9996	11,209	25,292,500
NOT STATED	9999	56	147,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC4_62	Length	1	Position	434
Question Name	LFS-Q6.2				
Concept	Has job now - job 2				
Question	Do you have that job now? - Job 2				
Universe	Respondents who answered LFC4_111=1				
Note	Formerly LFS_Q6_2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		498	1,152,500
NO		2		778	1,718,000
NOT APPLICABLE		6		11,209	25,292,500
NOT STATED		9		61	155,000
		Total		12,546	28,318,308

Variable Name	LFC4_72M	Length	2	Position	435 - 436
Question Name	LFS-Q7.2				
Concept	Month stopped - job 2				
Question	When did you stop working at this job or business? - Month - Job 2				
Universe	Respondents who answered LFC4_111=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
JANUARY		1		54	137,000
FEBRUARY		2		40	96,500
MARCH		3		171	416,000
APRIL		4		51	90,000
MAY		5		74	146,500
JUNE		6		212	462,500
JULY		7		61	128,500
AUGUST		8		243	527,000
SEPTEMBER		9		94	226,500
OCTOBER		10		69	169,000
NOVEMBER		11		138	330,000
DECEMBER		12		69	141,500
NOT APPLICABLE		96		11,209	25,292,500
NOT STATED		99		61	155,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_72D **Length** 2 **Position** 437 - 438
Question Name LFS-Q7.2
Concept Day stopped - job 2
Question When did you stop working at this job or business? - Day - Job 2
Universe Respondents who answered LFC4_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	1,268	2,861,500
NOT APPLICABLE	96	11,209	25,292,500
DON'T KNOW	97	8	9,000
NOT STATED	99	61	155,000
	Total	12,546	28,318,308

Variable Name LFC4_72Y **Length** 4 **Position** 439 - 442
Question Name LFS-Q7.2
Concept Year stopped - job 2
Question When did you stop working at this job or business? - Year - Job 2
Universe Respondents who answered LFC4_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1993 - 1995	1,276	2,870,500
NOT APPLICABLE	9996	11,209	25,292,500
NOT STATED	9999	61	155,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_82 **Length** 3 **Position** 443 - 445

Question Name LFS-Q8.2

Concept Hours usually worked per week - job 2

Question About how many hours per week do you usually work at this job? - Job 2

Universe Respondents who answered LFC4_111=1

Note Formerly LFS_Q8_2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 99	1,265	2,850,000
NOT APPLICABLE	996	11,209	25,292,500
DON'T KNOW	997	2	8,000
NOT STATED	999	70	167,500
	Total	12,546	28,318,308

Variable Name LFC4_92 **Length** 2 **Position** 446 - 447

Question Name LFS-Q9.2

Concept Type of working hours - job 2

Question Which of the following best describes the hours you usually work at this job? - Job 2

Universe Respondents who answered LFC4_111=1

Note Formerly LFS_Q9_2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR - DAYTIME SCHEDULE OR SHIFT	1	644	1,456,000
REGULAR - EVENING SHIFT	2	178	394,000
REGULAR - NIGHT SHIFT	3	34	67,000
ROTATING SHIFT	4	71	155,500
SPLIT SHIFT	5	15	32,500
ON CALL	6	76	182,000
IRREGULAR SCHEDULE	7	230	531,000
OTHER	8	20	44,000
NOT APPLICABLE	96	11,209	25,292,500
NOT STATED	99	69	164,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC4_102	Length	1	Position	448
Question Name	LFS-Q10.2				
Concept	Usually works weekends - job 2				
Question	Do you usually work on weekends at this job? - Job 2				
Universe	Respondents who answered LFC4_111=1				
Note	Formerly LFSQ10_2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		696	1,560,500
NO		2		572	1,301,000
NOT APPLICABLE		6		11,209	25,292,500
NOT STATED		9		69	164,000
		Total		12,546	28,318,308

Variable Name	LFC4_112	Length	1	Position	449
Question Name	LFS-Q11.2				
Concept	Worked other than job 1 and job 2				
Question	Did you do any other work for pay or profit in the past 12 months?				
Universe	Respondents who answered LFC4_111=1				
Note	Formerly LFSQ11_2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		261	570,500
NO		2		1,007	2,291,000
NOT APPLICABLE		6		11,209	25,292,500
NOT STATED		9		69	164,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC4FE3	Length	1	Position	450
Question Name	LFS-Q3.3				
Concept	Flag for employer - job 3				
Question	For whom else have you worked for pay or profit in the past 12 months? - Job 3				
Universe	Respondents who answered LFC4_112=1				
Note	Formerly LFS_EM3C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		261	570,500
NOT APPLICABLE		6		12,216	27,584,000
NOT STATED		9		69	164,000
		Total		12,546	28,318,308

Variable Name	LFC4_43	Length	1	Position	451
Question Name	LFS-Q4.3				
Concept	Had job one year ago without break - job 3				
Question	Did you have that job one year ago without a break in employment since then? - Job 3				
Universe	Respondents who answered LFC4_112=1				
Note	Formerly LFS_Q4_3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		109	249,000
NO		2		152	321,000
NOT APPLICABLE		6		12,216	27,584,000
NOT STATED		9		69	164,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_53M **Length** 2 **Position** 452 - 453
Question Name LFS-Q5.3
Concept Month started - job 3
Question When, in the past year, did you start working at this job or business? - Month - Job 3
Universe Respondents who answered LFC4_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	9	21,500
FEBRUARY	2	5	7,500
MARCH	3	44	95,000
APRIL	4	7	20,500
MAY	5	14	31,500
JUNE	6	45	106,500
JULY	7	17	32,500
AUGUST	8	44	83,000
SEPTEMBER	9	8	24,500
OCTOBER	10	15	35,000
NOVEMBER	11	46	97,500
DECEMBER	12	7	15,500
NOT APPLICABLE	96	12,216	27,584,000
NOT STATED	99	69	164,000
Total		12,546	28,318,308

Variable Name LFC4_53D **Length** 2 **Position** 454 - 455
Question Name LFS-Q5.3
Concept Day started - job 3
Question When, in the past year, did you start working at this job or business? - Day - Job 3
Universe Respondents who answered LFC4_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	260	569,000
NOT APPLICABLE	96	12,216	27,584,000
DON'T KNOW	97	1	1,500
NOT STATED	99	69	164,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_53Y **Length** 4 **Position** 456 - 459
Question Name LFS-Q5.3
Concept Year started - job 3
Question When, in the past year, did you start working at this job or business? -Year - Job 3
Universe Respondents who answered LFC4_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1993 - 1994	261	570,500
NOT APPLICABLE	9996	12,216	27,584,000
NOT STATED	9999	69	164,000
	Total	12,546	28,318,308

Variable Name LFC4_63 **Length** 1 **Position** 460
Question Name LFS-Q6.3
Concept Has job now - job 3
Question Do you have that job now? - Job 3
Universe Respondents who answered LFC4_112=1

Note

Formerly LFS_Q6_3.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	35	67,000
NO	2	225	502,000
NOT APPLICABLE	6	12,216	27,584,000
NOT STATED	9	70	165,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_73M **Length** 2 **Position** 461 - 462
Question Name LFS-Q7.3
Concept Month stopped - job 3
Question When did you stop working at this job or business? - Month - Job 3
Universe Respondents who answered LFC4_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	16	36,000
FEBRUARY	2	11	34,500
MARCH	3	15	26,000
APRIL	4	17	23,000
MAY	5	15	30,500
JUNE	6	33	74,500
JULY	7	21	53,500
AUGUST	8	43	102,500
SEPTEMBER	9	29	58,500
OCTOBER	10	15	49,000
NOVEMBER	11	22	28,500
DECEMBER	12	23	53,500
NOT APPLICABLE	96	12,216	27,584,000
NOT STATED	99	70	165,500
Total		12,546	28,318,308

Variable Name LFC4_73D **Length** 2 **Position** 463 - 464
Question Name LFS-Q7.3
Concept Day stopped - job 3
Question When did you stop working at this job or business? - Day - Job 3
Universe Respondents who answered LFC4_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	260	569,000
NOT APPLICABLE	96	12,216	27,584,000
NOT STATED	99	70	165,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_73Y **Length** 4 **Position** 465 - 468
Question Name LFS-Q7.3
Concept Year stopped - job 3
Question When did you stop working at this job or business? - Year - Job 3
Universe Respondents who answered LFC4_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1993 - 1995	260	569,000
NOT APPLICABLE	9996	12,216	27,584,000
NOT STATED	9999	70	165,500
	Total	12,546	28,318,308

Variable Name LFC4_83 **Length** 3 **Position** 469 - 471
Question Name LFS-Q8.3
Concept Hours usually worked per week - job 3
Question About how many hours per week do you usually work at this job? - Job 3
Universe Respondents who answered LFC4_112=1

Note

Formerly LFS_Q8_3.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 99	257	563,000
NOT APPLICABLE	996	12,216	27,584,000
DON'T KNOW	997	1	3,500
NOT STATED	999	72	168,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4FMN **Length** 1 **Position** 475

Question Name LFS-Q12

Concept Job number of main job

Question Which was the main job?

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly LFS_MAIN. If more than one job, the jobs are reordered in such a way that Job 1 is the most current job. If two jobs have the same stopdate, the startdate will determine the sort. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FIRST JOB	1	6,573	15,179,500
NOT APPLICABLE	6	5,904	12,977,500
NOT STATED	9	69	161,500
Total		12,546	28,318,308

Variable Name LFC4F13 **Length** 1 **Position** 476

Question Name LFS-Q13

Concept Flag for main job industry

Question Thinking about this job, what kind of business, service or industry is this? (For example, wheat farm, road maintenance, retail shoe store, secondary school, trapping.)

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly LFS_Q13C. Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,290	14,565,000
NOT APPLICABLE	6	5,904	12,977,500
DON'T KNOW	7	2	10,000
REFUSAL	8	2	6,500
NOT STATED	9	348	759,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4F14 **Length** 1 **Position** 477
Question Name LFS-Q14
Concept Flag for main job occupation
Question Again, thinking about this job, what kind of work were you doing? (For example, medical lab technician, accounting clerk, secondary school teacher, supervisor of data entry unit, food processing labourer.)
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)
Note Formerly LFS_Q14C. Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,292	14,573,000
NOT APPLICABLE	6	5,904	12,977,500
DON'T KNOW	7	1	5,000
REFUSAL	8	1	4,000
NOT STATED	9	348	759,000
Total		12,546	28,318,308

Variable Name LFC4F15 **Length** 1 **Position** 478
Question Name LFS-Q15
Concept Flag for main job duties
Question In this work, what were your most important duties or activities? (For example, analysis of blood samples, verifying invoices, teaching mathematics, organizing work schedules, cleaning vegetables)
Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)
Note Formerly LFS_Q15C. Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,289	14,558,500
NOT APPLICABLE	6	5,904	12,977,500
DON'T KNOW	7	3	13,000
REFUSAL	8	2	10,500
NOT STATED	9	348	759,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_16 **Length** 1 **Position** 479

Question Name LFS-Q16

Concept Worked for others or in own business - main job

Question Did you work mainly for others for wages, salary, or commission or in your own business, farm or professional practice?

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly LFS_Q16.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FOR OTHERS FOR WAGES, SALARY / COMMIS.	1	5,612	12,931,000
IN OWN BUSINESS FARM OR PROFES. PRACTICE	2	944	2,205,000
UNPAID FAMILY WORKER	3	16	39,000
NOT APPLICABLE	6	5,904	12,977,500
REFUSAL	8	1	4,000
NOT STATED	9	69	161,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4_17A **Length** 2 **Position** 480 - 481

Question Name LFS-Q17A

Concept Reason for not working - most recent period

Question What was the main reason that you were not working for pay or profit during the most recent period away from work in the past 12 months?

Universe Respondents who did not work the full year or (did not work during the year and are not retired)

Note Formerly LFS_Q17.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	432	797,500
PREGNANCY	2	55	137,000
CARING FOR OWN CHILDREN	3	422	980,000
CARING FOR ELDER RELATIVE(S)	4	17	27,000
OTHER PERSONAL / FAMILY RESPONSIBILITIES	5	316	637,000
SCHOOL OR EDUCATIONAL LEAVE	6	622	1,826,500
LABOUR DISPUTE	7	7	18,000
TEMPORARY LAYOFF DUE TO SEASONAL COND.	8	261	425,500
TEMPORARY LAYOFF - NON-SEASONAL	9	152	266,500
PERMANENT LAYOFF	10	286	696,000
UNPAID OR PARTIALLY PAID LEAVE	11	7	14,500
OTHER	12	527	1,130,500
NO PERIOD NOT WORKING FOR PAY / PROFIT	13	24	59,000
NOT APPLICABLE	96	9,240	20,963,500
NOT STATED	99	178	339,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4G17B **Length** 2 **Position** 482 - 483

Question Name

Concept Reasons not working - currently (G)

Question

Universe Respondents who are not currently employed

Note The gap away from work had to be at least 7 days for the question to be applicable. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	391	714,500
FAMILY RESPONSIBILITIES	2	715	1,541,500
STUDENT / EDUCATIONAL LEAVE	3	446	1,339,500
LABOUR DISPUTES / LAYOFF	4	433	840,000
RETIRED THE ENTIRE YEAR	5	2,170	3,223,500
OTHER REASONS FOR NOT CURRENTLY WORKING	6	467	944,500
NOT APPLICABLE	96	7,808	19,459,500
NOT STATED	99	116	255,000
Total		12,546	28,318,308

Variable Name LFC4CI97 **Length** 4 **Position** 484 - 487

Question Name

Concept Standard Industry Code (NAICS) for main job

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Based on the North American Industry Classification System (NAICS) - 1997. This variable is conceptually the same as LFC4CSIC in Cycle 1 (1994).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	1100 - 9191	6,158	14,243,000
NOT APPLICABLE	9996	5,904	12,977,500
NOT STATED	9999	484	1,097,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4G116 **Length** 2 **Position** 488 - 489

Question Name

Concept Standard Industry Code for main job - 16 groups - (G)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Based on LFC4CI97 (North American Industry Classification System (NAICS) - 1997). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGRICULTURE	1	262	473,500
FORESTRY, FISHING, MINING, OIL AND GAS	2	176	307,000
UTILITIES	3	62	175,000
CONSTRUCTION	4	318	734,000
MANUFACTURING	5	668	1,840,000
TRADE	6	875	2,068,500
TRANSPORTATION AND WAREHOUSING	7	302	710,000
FINANCE, INSUR., REAL ESTATE AND LEASING	8	329	782,000
PROFESSIONAL, SCIENTIFIC AND TECH. SERV.	9	277	764,000
MANAGEMENT, ADMIN. AND OTHER SUPPORT	10	172	467,000
EDUCATIONAL SERVICES	11	514	1,085,000
HEALTH CARE AND SOCIAL ASSISTANCE	12	682	1,416,000
INFORMATION, CULTURE AND RECREATION	13	262	669,000
ACCOMMODATION AND FOOD SERVICES	14	390	951,000
OTHER SERVICES (EXCEPT PUBLIC ADMIN.)	15	358	793,000
PUBLIC ADMINISTRATION	16	511	1,009,000
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	484	1,097,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 146

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4CO91 **Length** 4 **Position** 490 - 493

Question Name

Concept Standard Occupation Code (SOC - 91) for main job

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Based on the Standard Occupational Classification (SOC) - 1991. This variable is conceptually the same as LFC4CSOC in Cycle 1 (1994).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	A011 - J319	6,159	14,250,000
NOT APPLICABLE	9996	5,904	12,977,500
NOT STATED	9999	483	1,091,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 147

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4GO25 **Length** 2 **Position** 494 - 495

Question Name

Concept Standard Occupation Code for main job - 25 groups - (G)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Based on LFC4CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	25	81,000
OTHER MANAGEMENT OCCUPATIONS	2	420	996,000
PROF. OCC. IN BUSINESS AND FINANCE	3	138	359,000
FINANCIAL/SECRETARIAL/ADMIN. OCC.	4	377	794,500
CLERICAL OCC. INCL. SUPERVISORS	5	699	1,647,000
NATURAL AND APPLIED SCIENCES	6	281	718,000
PROF. OCC. IN HEALTH/NURSE SUPERV.	7	172	383,000
TECHN. / ASSISTING IN HEALTH	8	177	319,000
OCC. IN SOCIAL SC./GOV. SERV./RELIGION	9	194	411,500
TEACHERS AND PROFESSORS	10	347	742,500
OCC. IN ART/CULTURE/RECREATION/SPORT	11	150	364,000
WHOLESALE/TECH/INSUR./REAL ESTATE/SALES	12	173	437,000
RETAIL SALES/CASHIERS	13	342	791,000
CHEFS/COOKS/OCCUPATIONS IN FOOD AND BEV.	14	214	437,000
OCCUPATIONS IN PROTECTIVE SERVICES	15	89	198,000
CHILDCARE AND HOME SUPPORT WORKERS	16	237	517,500
SALES/SERVICES OCCUPATIONS N.E.C.	17	524	1,318,500
CONTRACTORS/SUPER IN TRADES AND TRANSP.	18	65	215,000
CONSTRUCTION TRADES	19	121	289,000
OTHER TRADES OCCUPATIONS	20	294	765,500
TRANSPORTATION AND EQUIPMENT OPERATORS	21	234	539,000
TRADES HELPERS/CONST./TRANSP./RELATED	22	127	272,000
OCCUPATIONS UNIQUE TO PRIMARY INDUSTRY	23	385	668,000
MACHINE OPERATORS/ASSEMBLERS/SUPERVISORS	24	305	842,000
LABOURERS IN PROCESSING/MANUF. AND UTIL.	25	69	144,000
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	483	1,091,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4GO47 **Length** 2 **Position** 496 - 497

Question Name

Concept Standard Occupation Code for main job - 47 groups - (G)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Based on LFC4CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	25	81,000
SPECIALIST MANAGERS	2	95	229,000
MANAGERS-RETAIL TRADE/FOOD/ACCOMM. SERV.	3	145	336,000
OTHER MANAGERS N.E.C.	4	180	431,500
PROF. OCC. IN BUSINESS AND FINANCE	5	138	359,000
FINANCE AND INSURANCE ADMIN. OCCUPATIONS	6	111	235,000
SECRETARIES	7	172	349,500
ADMIN. AND REGULATORY OCCUPATIONS	8	94	209,500
CLERICAL SUPERVISORS	9	49	98,500
CLERICAL OCCUPATIONS	10	650	1,548,500
PROF. OCC. IN NATURAL / APPLIED SCIENCES	11	155	416,500
TECH. OCC. IN NATURAL / APPLIED SCIENCES	12	126	301,500
PROFESSIONAL OCCUPATIONS IN HEALTH	13	61	161,500
NURSE SUPERVISORS AND REGISTERED NURSES	14	111	221,500
TECH. AND RELATED OCCUPATIONS IN HEALTH	15	59	119,000
ASSIST. OCC. IN SUPPORT OF HEALTH SERV.	16	118	200,000
PROF. IN SOCIAL SCI./GOV. SERV./RELIGION	17	123	276,500
TEACHERS AND PROFESSORS	18	347	742,500
TECH. IN SOCIAL SCI./GOV. SERV./RELIGION	19	71	135,000
PROFESSIONAL OCC. IN ART AND CULTURE	20	68	149,500
TECH. OCC. IN ART/CULTURE/RECR./SPORT	21	82	214,500
SALES AND SERVICE SUPERVISORS	22	70	137,500
WHOLESALE/TECH/INSUR./REAL ESTATE	23	173	437,000
RETAIL SALES AND SALES CLERKS	24	193	449,500
CASHIERS	25	111	251,000
CHEFS AND COOKS	26	97	219,000
OCCUPATIONS IN FOOD AND BEVERAGE SERVICE	27	99	193,500
OCCUPATIONS IN PROTECTIVE SERVICES	28	89	198,000
OCCUPATIONS IN TRAVEL AND ACCOMMODATION	29	40	76,500

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

CHILDCARE AND HOME SUPPORT WORKERS	30	237	517,500
SALES AND SERVICE OCCUPATIONS N.E.C.	31	470	1,219,500
CONTRACT./SUPERV. IN TRADES AND TRANSP.	32	65	215,000
CONSTRUCTION TRADES	33	121	289,000
STAT. ENG./POWER STAT./ELECTR./TELEC.	34	69	174,000
MACHINISTS/METAL FORM./SHAP./ERECT. OCC.	35	23	55,500
MECHANICS	36	160	388,000
OTHER TRADES N.E.C.	37	42	148,500
HEAVY EQUIPMENT OPER. INCL. DRILLERS	38	44	90,000
TRANSP. EQ. OPER./WORKERS EXCL. LABOUR	39	190	449,000
TRAD. HELP./CONSTR./TRANSP. LABOUR./REL.	40	127	272,000
OCC. UNIQUE TO AGRICULTURE/EXCL. LABOUR	41	232	422,500
OCC. UNIQUE TO EXTRACTION/EXCL. LABOUR	42	98	130,000
PRIMARY PRODUCTION LABOURERS	43	55	115,500
SUPERVISORS IN MANUFACTURING	44	51	125,000
MACHINE OPERATORS IN MANUFACTURING	45	197	540,500
ASSEMBLERS IN MANUFACTURING	46	57	176,500
LABOURERS IN PROCESSING/MANUFACT./UTIL.	47	69	144,000
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	483	1,091,000
Total		12,546	28,318,308

Variable Name	LFC4FWK	Length	1	Position	498
Question Name					
Concept	Work flag (used for processing only)				
Question					
Universe	Respondents aged 15 and over				
Note	Formerly LFS_WORK. This flag is used for processing only to determine if currently working. However, if there is any non-response in the LFS section the value is set to "Not stated". See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WORK DURING THE PAST YEAR	1	5,902	13,738,500
DID NOT WORK DURING THE PAST YEAR	2	4,568	8,477,000
NOT APPLICABLE	6	2,076	6,103,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4FGAP **Length** 1 **Position** 499

Question Name

Concept Flag for jobless gap greater than 30 days

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly LFS_GAPS. Flag indicating a jobless gap greater than 6 days. LFC4DGA measures a gap between jobs 1, 2 and / or 3. LFC4FGAP measures any jobless spell within the past 12 months, not only those between job 1, 2 and 3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,527	3,447,500
NO	2	4,995	11,638,000
NOT APPLICABLE	6	5,904	12,977,500
NOT STATED	9	120	255,000
	Total	12,546	28,318,308

Variable Name LFC4DCWS **Length** 1 **Position** 500

Question Name

Concept Working status in last 12 months - (D)

Question

Universe Respondents aged 15 and over

Note Formerly DVWK94. Based on LFC4_2, LFC4_61, LFC4_62, LFC4_63, LFC4_51M and LFC4_71M. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CURRENTLY WORKING	1	5,732	13,356,500
NOT CURR. WORK./WORKED AT JOB/PAST 12 M.	2	804	1,746,500
DID NOT WORK DURING LAST 12 MONTHS	3	3,828	6,874,500
NOT APPLICABLE	6	2,076	6,103,000
NOT STATED	9	106	237,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DDA **Length** 2 **Position** 501 - 502

Question Name

Concept Duration of work without break greater than 30 days - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVCOWD94. Based on calculation of LFC4_7 (end date) minus LFC4_5 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	113	251,500
1 MONTH	1	170	416,500
2 MONTHS	2	197	465,000
3 MONTHS	3	145	304,000
4 MONTHS	4	143	340,000
5 MONTHS	5	98	228,500
6 MONTHS	6	105	204,500
7 MONTHS	7	99	234,000
8 MONTHS	8	92	211,000
9 MONTHS	9	81	159,000
10 MONTHS	10	108	240,000
11 MONTHS	11	88	187,500
12 MONTHS	12	5,081	11,835,500
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	122	263,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DHA **Length** 1 **Position** 503

Question Name

Concept Pattern of working hours of all jobs - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVWH94. Based on LFC4_2, LFC4_111, LFC4_112 (number of jobs), LFC4_81, LFC4_82 and LFC4_83 (working hours at job 1, 2 and 3). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 JOB FULL-TIME	1	4,367	9,964,000
1 JOB PART-TIME	2	932	2,339,500
ONLY FULL-TIME AT ALL JOBS	3	413	943,500
ONLY PART-TIME AT ALL JOBS	4	238	586,500
SOME FULL-TIME, SOME PART-TIME	5	557	1,206,000
NOT APPLICABLE	6	5,904	12,977,500
NOT STATED	9	135	301,000
Total		12,546	28,318,308

Variable Name LFC4DJA **Length** 2 **Position** 504 - 505

Question Name

Concept Number of jobs - (D)

Question

Universe Respondents aged 15 and over

Note Formerly DVNOJB94. Based on LFC4_2, LFC4_111 and LFC4_112. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO JOBS	0	3,828	6,874,500
1 JOB	1	5,305	12,315,000
2 JOBS	2	1,007	2,291,000
3 JOBS	3	259	565,500
NOT APPLICABLE	96	2,076	6,103,000
NOT STATED	99	71	169,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DJGA **Length** 2 **Position** 506 - 507

Question Name

Concept Pattern of number of jobs - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVJOB94. Based on LFC4DJA (number of jobs), LFC4DCWS (current work status), LFC4DGA (job gaps) and overlaps. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 JOB - CURRENTLY WORKING	1	4,641	10,852,500
1 JOB - NOT CURRENTLY WORKING	2	664	1,462,500
2+ JOBS - NO GAPS, NO OVERLAP	3	220	551,500
2+ JOBS - NO GAPS, SOME OVERLAP	4	752	1,671,500
2+ JOBS - AT LEAST 1 GAP, NO OVERLAP	5	232	523,500
2+ JOBS - AT LEAST 1 GAP, SOME OVERLAP	6	11	16,500
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	122	263,000
Total		12,546	28,318,308

Variable Name LFC4DGA **Length** 1 **Position** 508

Question Name

Concept Number of gaps of 30 days or more - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVNOGP94. Based on all start and stop dates of jobs in the past 12 months. LFC4DGA measures a gap between jobs 1, 2 and/or 3. LFC4FGAP measures any jobless spell within the past 12 months, not only those between job 1, 2 and 3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO GAPS	0	6,277	14,537,500
1 GAP	1	208	467,500
2 GAPS	2	35	72,500
NOT APPLICABLE	6	5,904	12,977,500
NOT STATED	9	122	263,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DCMN **Length** 1 **Position** 509

Question Name

Concept Main job is the current job - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVMNWK94. Based on LFC4FMN (job number of main job), LFC4_61, LFC4_62 and LFC4_63. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,767	13,424,000
NO	2	806	1,755,000
NOT APPLICABLE	6	5,904	12,977,500
NOT STATED	9	69	161,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DDMN **Length** 2 **Position** 510 - 511

Question Name

Concept Work duration - main job - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVMNWD94. Based on LFC4_71 (end date) minus LFC4_51 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	132	298,000
1 MONTH	1	234	555,000
2 MONTHS	2	269	606,500
3 MONTHS	3	190	411,500
4 MONTHS	4	171	409,000
5 MONTHS	5	132	306,500
6 MONTHS	6	136	269,000
7 MONTHS	7	122	274,000
8 MONTHS	8	120	288,000
9 MONTHS	9	104	203,500
10 MONTHS	10	118	263,000
11 MONTHS	11	91	198,500
12 MONTHS	12	4,754	11,096,500
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	69	161,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DHMN **Length** 1 **Position** 512

Question Name

Concept Hours of work - main job - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVMNWH94. Based on LFC4FMN (job number of main job) and LFC4_81 (number of hours worked). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)	1	5,278	12,003,000
PART TIME (LESS THAN 30 HOURS)	2	1,280	3,141,500
NOT APPLICABLE	6	5,904	12,977,500
NOT STATED	9	84	195,500
Total		12,546	28,318,308

Variable Name LFC4DTMN **Length** 2 **Position** 513 - 514

Question Name

Concept Type of working hours - main job - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVMNTH94. Based on LFC4FMN (job number of main job), LFC4_91 (type of hours worked) and LFC4_101 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	3,556	8,245,500
REGULAR SHIFT - WITH WEEKEND	2	1,508	3,531,500
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	141	370,000
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	563	1,173,500
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	215	502,000
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	545	1,228,000
OTHER - NO WEEKEND	7	13	45,500
OTHER - WITH WEEKEND	8	29	73,500
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	72	171,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DD1 **Length** 2 **Position** 515 - 516

Question Name

Concept Work duration - job 1 - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVWD194. Based on LFC4_71 (end date) minus LFC4_51 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	133	299,000
1 MONTH	1	235	556,000
2 MONTHS	2	270	607,500
3 MONTHS	3	190	411,500
4 MONTHS	4	173	413,000
5 MONTHS	5	132	306,500
6 MONTHS	6	137	272,000
7 MONTHS	7	122	274,000
8 MONTHS	8	120	288,000
9 MONTHS	9	104	203,500
10 MONTHS	10	118	263,000
11 MONTHS	11	93	200,500
12 MONTHS	12	4,760	11,103,000
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	55	143,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DD2 **Length** 2 **Position** 517 - 518

Question Name

Concept Work duration - job 2 - (D)

Question

Universe Respondents who answered LFC4_111=1

Note Formerly DVWD294. Based on LFC4_72 (end date) minus LFC4_52 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	97	251,500
1 MONTH	1	137	265,000
2 MONTHS	2	119	219,500
3 MONTHS	3	101	233,000
4 MONTHS	4	71	164,500
5 MONTHS	5	64	149,500
6 MONTHS	6	52	129,000
7 MONTHS	7	55	139,000
8 MONTHS	8	42	103,000
9 MONTHS	9	37	63,500
10 MONTHS	10	41	108,500
11 MONTHS	11	18	58,000
12 MONTHS	12	434	977,500
NOT APPLICABLE	96	11,209	25,292,500
NOT STATED	99	69	164,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DD3 **Length** 2 **Position** 519 - 520

Question Name

Concept Work duration - job 3 - (D)

Question

Universe Respondents who answered LFC4_112=1

Note Formerly DVWD394. Based on LFC4_73 (end date) minus LFC4_53 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	25	54,500
1 MONTH	1	48	103,000
2 MONTHS	2	33	73,500
3 MONTHS	3	28	47,500
4 MONTHS	4	19	52,500
5 MONTHS	5	10	32,000
6 MONTHS	6	15	27,000
7 MONTHS	7	12	30,000
8 MONTHS	8	4	4,000
9 MONTHS	9	3	4,000
10 MONTHS	10	6	19,000
11 MONTHS	11	7	19,000
12 MONTHS	12	50	102,500
NOT APPLICABLE	96	12,216	27,584,000
NOT STATED	99	70	165,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DH1 **Length** 1 **Position** 521

Question Name

Concept Hours of work - job 1 - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVWH194. Based on LFC4_81 (number of hours worked). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)	1	5,289	12,019,000
PART TIME (LESS THAN 30 HOURS)	2	1,283	3,143,500
NOT APPLICABLE	6	5,904	12,977,500
NOT STATED	9	70	178,000
Total		12,546	28,318,308

Variable Name LFC4DH2 **Length** 1 **Position** 522

Question Name

Concept Hours of work - job 2 - (D)

Question

Universe Respondents who answered LFC4_111=1

Note Formerly DVWH294. Based on LFC4_82 (number of hours worked). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)	1	558	1,234,500
PART TIME (LESS THAN 30 HOURS)	2	707	1,615,500
NOT APPLICABLE	6	11,209	25,292,500
NOT STATED	9	72	175,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DH3 **Length** 1 **Position** 523

Question Name

Concept Hours of work - job 3 - (D)

Question

Universe Respondents who answered LFC4_112=1

Note Formerly DVWH394. Based on LFC4_83 (number of hours worked). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)	1	125	264,000
PART TIME (LESS THAN 30 HOURS)	2	132	299,000
NOT APPLICABLE	6	12,216	27,584,000
NOT STATED	9	73	171,500
Total		12,546	28,318,308

Variable Name LFC4DT1 **Length** 2 **Position** 524 - 525

Question Name

Concept Type of working hours - job 1 - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note Formerly DVTH194. Based on LFC4_91 (type of hours worked) and LFC4_101 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	3,563	8,255,500
REGULAR SHIFT - WITH WEEKEND	2	1,511	3,536,000
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	141	370,000
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	565	1,175,000
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	215	502,000
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	547	1,229,500
OTHER - NO WEEKEND	7	13	45,500
OTHER - WITH WEEKEND	8	29	73,500
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	58	153,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DT2 **Length** 2 **Position** 526 - 527

Question Name

Concept Type of working hours - job 2 - (D)

Question

Universe Respondents who answered LFC4_111=1

Note Formerly DVTH294. Based on LFC4_92 (type of hours worked) and LFC4_102 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	471	1,083,500
REGULAR SHIFT - WITH WEEKEND	2	385	833,500
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	17	41,500
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	69	146,500
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	80	169,000
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	226	544,000
OTHER - NO WEEKEND	7	4	7,000
OTHER - WITH WEEKEND	8	16	37,000
NOT APPLICABLE	96	11,209	25,292,500
NOT STATED	99	69	164,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC4DT3 **Length** 2 **Position** 528 - 529

Question Name

Concept Type of working hours - job 3 - (D)

Question

Universe Respondents who answered LFC4_112=1

Note Formerly DVTH394. Based on LFC4_93 (type of hours worked) and LFC4_103 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	97	188,000
REGULAR SHIFT - WITH WEEKEND	2	76	172,000
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	5	14,000
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	23	51,000
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	13	34,000
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	42	98,000
OTHER - WITH WEEKEND	8	3	8,500
NOT APPLICABLE	96	12,216	27,584,000
NOT STATED	99	71	169,000
Total		12,546	28,318,308

Variable Name LFC4DOMN **Length** 2 **Position** 530 - 531

Question Name

Concept Job number of old main job - (D)

Question

Universe Respondents who answered LFC4_2=1 or (LFC4_1=2 or 3)

Note For the longitudinal file, Cycle 1 (1994) main job was re-defined using the Cycle 2 (1996) definition. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FIRST JOB	1	6,452	14,928,000
SECOND JOB	2	91	194,000
THIRD JOB	3	25	49,000
FOURTH JOB	4	4	6,500
SIXTH JOB	6	1	2,000
NOT APPLICABLE	96	5,904	12,977,500
NOT STATED	99	69	161,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC4F1	Length	1	Position	532
Question Name					
Concept	Income questions asked of this H05 respondent				
Question					
Universe	All respondents				
Note	Formerly INC_FLAG. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,080	11,382,000
NO		2		6,466	16,936,500
		Total		12,546	28,318,308

Variable Name	INC4_1A	Length	1	Position	533
Question Name	INCOM-Q1				
Concept	Source of income - wages and salaries				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Wages and salaries				
Universe	All respondents				
Note	Formerly INCQ1_A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8,581	21,319,500
NO		2		3,876	6,756,000
DON'T KNOW		7		27	86,500
REFUSAL		8		55	146,500
NOT STATED		9		7	10,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC4_1B **Length** 1 **Position** 534
Question Name INCOM-Q1
Concept Source of income - self-employment
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Income from self-employment
Universe All respondents
Note Formerly INCQ1_B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,331	5,894,000
NO	2	10,126	22,181,500
DON'T KNOW	7	27	86,500
REFUSAL	8	55	146,500
NOT STATED	9	7	10,000
Total		12,546	28,318,308

Variable Name INC4_1C **Length** 1 **Position** 535
Question Name INCOM-Q1
Concept Source of income - dividends and interest
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Dividends and interest (e.g., on bonds, savings)
Universe All respondents
Note Formerly INCQ1_C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,744	5,781,500
NO	2	9,713	22,293,500
DON'T KNOW	7	27	86,500
REFUSAL	8	55	146,500
NOT STATED	9	7	10,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC4_1D	Length	1	Position	536
Question Name	INCOM-Q1				
Concept	Source of income - unemployment insurance				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Unemployment insurance				
Universe	All respondents				
Note	Formerly INCQ1_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,993	4,105,500
NO		2		10,464	23,970,000
DON'T KNOW		7		27	86,500
REFUSAL		8		55	146,500
NOT STATED		9		7	10,000
		Total		12,546	28,318,308

Variable Name	INC4_1E	Length	1	Position	537
Question Name	INCOM-Q1				
Concept	Source of income - worker's compensation				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Worker's compensation				
Universe	All respondents				
Note	Formerly INCQ1_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		394	981,000
NO		2		12,063	27,094,000
DON'T KNOW		7		27	86,500
REFUSAL		8		55	146,500
NOT STATED		9		7	10,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC4_1F	Length	1	Position	538
Question Name	INCOM-Q1				
Concept	Source of income - benefits from Can. / Que. Pension Plan				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Benefits from Canada or Quebec Pension Plan				
Universe	All respondents				
Note	Formerly INCQ1_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,669	4,315,000
NO		2		9,788	23,760,500
DON'T KNOW		7		27	86,500
REFUSAL		8		55	146,500
NOT STATED		9		7	10,000
		Total		12,546	28,318,308

Variable Name	INC4_1G	Length	1	Position	539
Question Name	INCOM-Q1				
Concept	Source of income - pensions, superannuation and annuities				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Retirement pensions, superannuation and annuities				
Universe	All respondents				
Note	Formerly INCQ1_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,815	3,206,500
NO		2		10,642	24,868,500
DON'T KNOW		7		27	86,500
REFUSAL		8		55	146,500
NOT STATED		9		7	10,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC4_1H **Length** 1 **Position** 540
Question Name INCOM-Q1
Concept Source of income - Old Age Security / G.I.S.
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Old Age Security and Guaranteed Income Supplement
Universe All respondents
Note Formerly INCQ1_H.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,362	3,600,000
NO	2	10,095	24,475,000
DON'T KNOW	7	27	86,500
REFUSAL	8	55	146,500
NOT STATED	9	7	10,000
Total		12,546	28,318,308

Variable Name INC4_1I **Length** 1 **Position** 541
Question Name INCOM-Q1
Concept Source of income - child tax benefit
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Tax Benefit
Universe All respondents
Note Formerly INCQ1_I.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,939	7,387,000
NO	2	9,518	20,688,500
DON'T KNOW	7	27	86,500
REFUSAL	8	55	146,500
NOT STATED	9	7	10,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC4_1J	Length	1	Position	542
Question Name	INCOM-Q1				
Concept	Source of income - social assistance / welfare				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Provincial or municipal social assistance or welfare				
Universe	All respondents				
Note	Formerly INCQ1_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,038	2,487,500
NO		2		11,419	25,588,000
DON'T KNOW		7		27	86,500
REFUSAL		8		55	146,500
NOT STATED		9		7	10,000
		Total		12,546	28,318,308

Variable Name	INC4_1K	Length	1	Position	543
Question Name	INCOM-Q1				
Concept	Source of income - child support				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Support				
Universe	All respondents				
Note	Formerly INCQ1_K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		370	935,000
NO		2		12,087	27,140,500
DON'T KNOW		7		27	86,500
REFUSAL		8		55	146,500
NOT STATED		9		7	10,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC4_1L **Length** 1 **Position** 544

Question Name INCOM-Q1

Concept Source of income - alimony

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Alimony

Universe All respondents

Note Formerly INCQ1_L.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	50	92,500
NO	2	12,407	27,983,000
DON'T KNOW	7	27	86,500
REFUSAL	8	55	146,500
NOT STATED	9	7	10,000
Total		12,546	28,318,308

Variable Name INC4_1M **Length** 1 **Position** 545

Question Name INCOM-Q1

Concept Source of income - other

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Other (e.g., rental income, scholarships)

Universe All respondents

Note Formerly INCQ1_M.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	970	2,180,500
NO	2	11,487	25,895,000
DON'T KNOW	7	27	86,500
REFUSAL	8	55	146,500
NOT STATED	9	7	10,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 171

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC4_1N **Length** 1 **Position** 546
Question Name INCOM-Q1
Concept Source of income - none
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - None
Universe All respondents
Note Formerly INCQ1_N.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	34	62,000
NO	2	12,423	28,013,500
DON'T KNOW	7	27	86,500
REFUSAL	8	55	146,500
NOT STATED	9	7	10,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC4_2 **Length** 2 **Position** 547 - 548
Question Name INCOM-Q2
Concept Total household income - main source
Question What was the main source of income?
Universe All respondents
Note Formerly INC_Q2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WAGES AND SALARIES	1	7,365	18,450,000
INCOME FROM SELF-EMPLOYMENT	2	1,219	3,104,000
DIVIDENDS AND INTEREST	3	173	372,500
UNEMPLOYMENT INSURANCE	4	206	357,000
WORKER'S COMPENSATION	5	61	126,500
BENEFITS FROM CANADA OR QUEBEC PENSION	6	557	857,000
RETIREMENT PENSIONS ETC.	7	933	1,667,000
OLD AGE SECURITY AND G.I.S.	8	1,039	1,259,500
CHILD TAX BENEFIT	9	27	66,000
PROV. / MUNIC. SOCIAL ASSIS. / WELFARE	10	592	1,287,500
CHILD SUPPORT	11	14	30,000
ALIMONY	12	13	17,000
OTHER (E.G., RENTAL INC., SCHOLARSHIPS)	13	216	404,500
NONE	14	34	62,000
DON'T KNOW	97	3	7,000
REFUSAL	98	5	9,000
NOT STATED	99	89	243,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC4_3A	Length	1	Position	549
Question Name	INCOM-Q3				
Concept	Total household income - < \$20,000 or >= \$20,000				
Question	What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$20,000, \$20,000 or more or no income?				
Universe	Respondents who answered any one of INC4_1A to INC4_1M =1				
Note	Formerly INC_Q3A.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$20,000	1	2,990	4,888,000
\$20,000 OR MORE	2	9,151	22,437,500
NO INCOME	3	63	169,500
NOT APPLICABLE	6	34	62,000
DON'T KNOW	7	109	267,500
REFUSAL	8	110	250,500
NOT STATED	9	89	243,000
	Total	12,546	28,318,308

Variable Name	INC4_3B	Length	1	Position	550
Question Name	INCOM-Q3				
Concept	Total household income - < \$10,000 or >= \$10,000				
Question	What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$10,000 or \$10,000 or more?				
Universe	Respondents who answered INC4_3A=1				
Note	Formerly INC_Q3B.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$10,000	1	683	1,026,000
\$10,000 OR MORE	2	2,295	3,842,500
NOT APPLICABLE	6	9,248	22,669,000
DON'T KNOW	7	11	19,500
REFUSAL	8	1	1,000
NOT STATED	9	308	761,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC4_3C **Length** 1 **Position** 551

Question Name INCOM-Q3

Concept Total household income - < \$5,000 or >= \$5,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$5,000 or \$5,000 or more?

Universe Respondents who answered INC4_3B=1

Note Formerly INC_Q3C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$5,000	1	130	272,000
\$5,000 OR MORE	2	551	752,000
NOT APPLICABLE	6	11,543	26,511,500
DON'T KNOW	7	1	1,500
REFUSAL	8	1	1,000
NOT STATED	9	320	781,000
	Total	12,546	28,318,308

Variable Name INC4_3D **Length** 1 **Position** 552

Question Name INCOM-Q3

Concept Total household income - < \$15,000 or >= \$15,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$15,000 or \$15,000 or more?

Universe Respondents who answered INC4_3B=2

Note Formerly INC_Q3D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$15,000	1	1,227	1,942,000
\$15,000 OR MORE	2	1,060	1,886,500
NOT APPLICABLE	6	9,931	23,694,500
DON'T KNOW	7	6	8,000
REFUSAL	8	2	6,000
NOT STATED	9	320	781,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC4_3E **Length** 1 **Position** 553

Question Name INCOM-Q3

Concept Total household income - < \$40,000 or >= \$40,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$40,000 or \$40,000 or more?

Universe Respondents who answered INC4_3A=2

Note Formerly INC_Q3E.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$40,000	1	3,569	7,411,500
\$40,000 OR MORE	2	5,521	14,857,500
NOT APPLICABLE	6	3,087	5,119,500
DON'T KNOW	7	39	120,000
REFUSAL	8	22	48,500
NOT STATED	9	308	761,000
	Total	12,546	28,318,308

Variable Name INC4_3F **Length** 1 **Position** 554

Question Name INCOM-Q3

Concept Total household income - < \$30,000 or >= \$30,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$30,000 or \$30,000 or more?

Universe Respondents who answered INC4_3E=1

Note Formerly INC_Q3F.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$30,000	1	1,758	3,438,000
\$30,000 OR MORE	2	1,789	3,914,500
NOT APPLICABLE	6	8,608	19,977,000
DON'T KNOW	7	21	57,000
REFUSAL	8	1	2,000
NOT STATED	9	369	930,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC4DIA4	Length	1	Position	557
Question Name					
Concept	Income adequacy - 4 groups - (D)				
Question					
Universe	All respondents				
Note	Formerly DVINC494. Based on INC4_3A to INC4_3G and DHC4_MEM. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LOWEST INCOME		1		2,545	4,716,000
LOWER MIDDLE INCOME		2		3,712	8,027,500
UPPER MIDDLE INCOME		3		4,271	9,868,000
HIGHEST INCOME		4		1,556	4,501,500
NOT STATED		9		462	1,205,500
		Total		12,546	28,318,308

Variable Name	INC4DIA5	Length	1	Position	558
Question Name					
Concept	Income adequacy - 5 groups - (D)				
Question					
Universe	All respondents				
Note	Formerly DVINC594. Based on INC4_3A to INC4_3G and DHC4_MEM. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LOWEST INCOME		1		825	1,414,500
LOWER MIDDLE INCOME		2		1,720	3,301,500
MIDDLE INCOME		3		3,712	8,027,500
UPPER MIDDLE INCOME		4		4,271	9,868,000
HIGHEST INCOME		5		1,556	4,501,500
NOT STATED		9		462	1,205,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC4DHH	Length	2	Position	559 - 560
Question Name					
Concept	Total household income - All sources - (D)				
Question					
Universe	All respondents				
Note	Formerly DVHHIN94. Based on INC4_3A to INC4_3G. See Derived Variables Documentation.				
Content		Code		Sample	Population
NO INCOME		1		97	231,500
LESS THAN \$5,000		2		130	272,000
\$5,000 TO \$9,999		3		551	752,000
\$10,000 TO \$14,999		4		1,227	1,942,000
\$15,000 TO \$19,999		5		1,060	1,886,500
\$20,000 TO \$29,999		6		1,758	3,438,000
\$30,000 TO \$39,999		7		1,789	3,914,500
\$40,000 TO \$49,999		8		1,599	3,835,000
\$50,000 TO \$59,999		9		1,258	3,226,500
\$60,000 TO \$79,999		10		1,403	3,822,000
\$80,000 OR MORE		11		1,212	3,793,000
NOT STATED		99		462	1,205,500
		Total		12,546	28,318,308

Variable Name	INC4CCPI	Length	5.1	Position	561 - 565
Question Name					
Concept	Consumer Price Index				
Question					
Universe	All respondents				
Note	Consumer Price Index - All items, not seasonally adjusted (1992 = 100). 2000 annual average = 102.2. See Derived Variables Documentation.				

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM54_TEL	Length	1	Position	566
Question Name	H05-P1				
Concept	H05 interview by telephone or in person				
Question	Interviewer: Was this interview conducted on the telephone or in person?				
Universe	All respondents				
Note	Formerly H05_TEL.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ON TELEPHONE		1		2,010	5,141,500
IN PERSON		2		10,526	23,165,500
BOTH		3		9	10,000
NOT STATED		9		1	1,500
		Total		12,546	28,318,308

Variable Name	AM54_LNG	Length	2	Position	567 - 568
Question Name	H05-P2				
Concept	Interview language - H05				
Question	Interviewer: Record language of interview.				
Universe	All respondents				
Note	Formerly H05_LANG.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ENGLISH		1		10,186	21,401,500
FRENCH		2		2,339	6,830,500
CHINESE		4		11	62,000
GERMAN		6		2	1,500
ITALIAN		9		1	3,500
POLISH		12		3	9,500
PORTUGUESE		13		2	6,000
OTHER		19		1	2,500
NOT STATED		99		1	1,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM54_EDD	Length	2	Position	569 - 570
Question Name					
Concept	Day of interview - H05 (end)				
Question					
Universe	All respondents				
Note	Formerly DD5END.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH		1 - 31		12,545	28,316,500
NOT STATED		99		1	1,500
		Total		12,546	28,318,308

Variable Name	AM54_EMM	Length	2	Position	571 - 572
Question Name					
Concept	Month of interview - H05 (end)				
Question					
Universe	All respondents				
Note	Formerly MM5END.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FEBRUARY		2		38	142,000
MARCH		3		3,253	8,427,500
MAY		5		2	6,000
JUNE		6		2,906	5,798,000
JULY		7		7	14,000
AUGUST		8		2,954	5,854,000
OCTOBER		10		345	782,000
NOVEMBER		11		3,040	7,293,000
NOT STATED		99		1	1,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM54_EYY	Length	4	Position	573 - 576
Question Name					
Concept	Year of interview - H05 (end)				
Question					
Universe	All respondents				
Note	Formerly YY5END.				
Content		Code		Sample	Population
1994		1994		8,973	19,048,000
1995		1995		3,572	9,268,500
NOT STATED		9999		1	1,500
		Total		12,546	28,318,308

Variable Name	AM64_STA	Length	1	Position	577
Question Name					
Concept	Status of health form - H06				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
FULLY COMPLETE		1		12,546	28,318,500
		Total		12,546	28,318,308

Variable Name	AM64_BDD	Length	2	Position	578 - 579
Question Name					
Concept	Day of interview - H06 (start)				
Question					
Universe	All respondents				
Note	Formerly DD6BEG.				
Content		Code		Sample	Population
DAY OF THE MONTH		1 - 31		12,546	28,318,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM64_BMM	Length	2	Position	580 - 581
Question Name					
Concept	Month of interview - H06 (start)				
Question					
Universe	All respondents				
Note	Formerly MM6BEG.				
Content		Code		Sample	Population
FEBRUARY		2		38	142,000
MARCH		3		3,337	8,639,000
MAY		5		2	6,000
JUNE		6		2,883	5,750,000
JULY		7		5	12,500
AUGUST		8		2,922	5,776,000
OCTOBER		10		308	684,000
NOVEMBER		11		3,051	7,308,500
		Total		12,546	28,318,308

Variable Name	AM64_BYY	Length	4	Position	582 - 585
Question Name					
Concept	Year of interview - H06 (start)				
Question					
Universe	All respondents				
Note	Formerly YY6BEG.				
Content		Code		Sample	Population
1994		1994		8,890	18,838,500
1995		1995		3,656	9,480,000
		Total		12,546	28,318,308

Variable Name	AM64_SRC	Length	2	Position	586 - 587
Question Name					
Concept	Record number of person providing H06 information				
Question					
Universe	All respondents				
Note	Formerly H06_SRCE.				

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM64_PXY	Length	1	Position	588
Question Name					
Concept	H06 completed by proxy				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly PROXY6.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
PROXY		1		432	1,267,500
NON-PROXY		2		10,438	22,387,000
NOT APPLICABLE		6		1,676	4,664,000
		Total		12,546	28,318,308

Variable Name	AM64FR	Length	1	Position	589
Question Name					
Concept	Flag for reason for proxy - H06				
Question					
Universe	Proxy respondents aged 12 and over				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		430	1,266,000
NOT APPLICABLE		6		12,114	27,051,000
DON'T KNOW		7		2	1,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHC4_1	Length	1	Position	590
Question Name	GENHLT-Q1				
Concept	Respondent's self perceived general health				
Question	In general, would you say your health is:				
Universe	All respondents				
Note	Formerly GH_Q1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EXCELLENT		1		3,534	8,899,500
VERY GOOD		2		4,604	10,428,000
GOOD		3		2,968	6,546,500
FAIR		4		1,128	1,940,000
POOR		5		312	504,000
		Total		12,546	28,318,308

Variable Name	PHC4_4B	Length	1	Position	591
Question Name	GENHLT-Q2				
Concept	Currently pregnant				
Question	It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?				
Universe	Females aged 15 to 49				
Note	Formerly GH_Q2, HWC4_1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		123	254,500
NO		2		3,305	7,130,500
NOT APPLICABLE		6		9,105	20,906,000
DON'T KNOW		7		5	10,000
NOT STATED		9		8	17,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHC4_3	Length	1	Position	592
Question Name	GENHLT-Q3				
Concept	Planned to use services of doctor or midwife				
Question	Are you planning to use the services of a physician, midwife or both?				
Universe	Respondents who answered PHC4_4B=1				
Note	Formerly GH_Q3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DOCTOR ONLY		1		121	251,000
BOTH DOCTOR AND MIDWIFE		3		1	2,500
NEITHER		4		1	1,000
NOT APPLICABLE		6		12,410	28,036,500
NOT STATED		9		13	27,500
		Total		12,546	28,318,308

Variable Name	GHC4DHD1	Length	1	Position	593
Question Name					
Concept	Health description index - (D)				
Question					
Universe	All respondents				
Note	Formerly DVGHI94. Based on GHC4_1. This variable lists the health description response categories in the reverse order of GHC4_1, starting at "0". Higher values indicate positive self-reported health status. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
POOR		0		312	504,000
FAIR		1		1,128	1,940,000
GOOD		2		2,968	6,546,500
VERY GOOD		3		4,604	10,428,000
EXCELLENT		4		3,534	8,899,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HWC4_3LB	Length	4	Position	594 - 597
Question Name	KGH-C5				
Concept	Weight - pounds				
Question	How much do you weigh? - Pounds				
Universe	All respondents				
Note	Formerly WEIGHTLB.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
POUNDS		6 - 551		12,383	27,892,000
DON'T KNOW		9997		66	149,500
REFUSAL		9998		36	104,500
NOT STATED		9999		61	172,500
		Total		12,546	28,318,308

Variable Name	HWC4_3KG	Length	4	Position	598 - 601
Question Name	KGH-C5				
Concept	Weight - kilograms				
Question	How much do you weigh? - Kilograms				
Universe	All respondents				
Note	Formerly WEIGHTKG.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
KILOGRAMS		3 - 250		12,383	27,892,000
DON'T KNOW		9997		66	149,500
REFUSAL		9998		36	104,500
NOT STATED		9999		61	172,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HWC4_HT	Length	2	Position	602 - 603
Question Name	HTWT-Q1				
Concept	Height				
Question	How tall are you without shoes on?				
Universe	All respondents				
Note	Based on HWC4_2HT and GHK4_4HT.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1'1" (13 INCHES) (31.8 TO 34.2 CM)	3	2	5,000
1'2" (14 INCHES) (34.3 TO 36.7 CM)	4	1	1,000
1'4" (16 INCHES) (39.4 TO 41.8 CM)	6	1	2,500
1'6" (18 INCHES) (44.5 TO 46.9 CM)	8	4	17,500
1'7" (19 INCHES) (47.0 TO 49.4 CM)	9	5	8,000
1'8" (20 INCHES) (49.5 TO 52.0 CM)	10	6	20,000
1'9" (21 INCHES) (52.1 TO 54.5 CM)	11	4	6,500
1'10" (22 INCHES) (54.6 TO 57.1 CM)	12	9	16,500
1'11" (23 INCHES) (57.2 TO 59.6 CM)	13	2	12,000
2'0" (24 INCHES) (59.7 TO 62.1 CM)	14	47	154,000
2'1" (25 INCHES) (62.2 TO 64.7 CM)	15	13	40,500
2'2" (26 INCHES) (64.8 TO 67.2 CM)	16	16	43,000
2'3" (27 INCHES) (67.3 TO 69.8 CM)	17	18	49,500
2'4" (28 INCHES) (69.9 TO 72.3 CM)	18	14	27,500
2'5" (29 INCHES) (72.4 TO 74.8 CM)	19	10	26,000
2'6" (30 INCHES) (74.9 TO 77.4 CM)	20	56	128,500
2'7" (31 INCHES) (77.5 TO 79.9 CM)	21	12	27,500
2'8" (32 INCHES) (80.0 TO 82.5 CM)	22	19	50,000
2'9" (33 INCHES) (82.6 TO 85.0 CM)	23	22	82,500
2'10" (34 INCHES) (85.1 TO 87.5 CM)	24	26	44,000
2'11" (35 INCHES) (87.6 TO 90.1 CM)	25	18	62,000
3'0" (36 INCHES) (90.2 TO 92.6 CM)	26	100	294,500
3'1" (37 INCHES) (92.7 TO 95.2 CM)	27	33	124,000
3'2" (38 INCHES) (95.3 TO 97.7 CM)	28	38	105,000
3'3" (39 INCHES) (97.8 TO 100.2 CM)	29	60	177,500
3'4" (40 INCHES) (100.3 TO 102.8 CM)	30	44	135,000
3'5" (41 INCHES) (102.9 TO 105.3 CM)	31	23	58,500
3'6" (42 INCHES) (105.4 TO 107.9 CM)	32	89	251,000
3'7" (43 INCHES) (108.0 TO 110.4 CM)	33	26	81,000
3'8" (44 INCHES) (110.5 TO 112.9 CM)	34	42	124,500

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

3'9" (45 INCHES) (113.0 TO 115.5 CM)	35	25	105,500
3'10" (46 INCHES) (115.6 TO 118.0 CM)	36	36	127,500
3'11" (47 INCHES) (118.1 TO 120.6 CM)	37	22	68,500
4'0" (48 INCHES) (120.7 TO 123.1 CM)	38	162	386,000
4'1" (49 INCHES) (123.2 TO 125.6 CM)	39	39	155,000
4'2" (50 INCHES) (125.7 TO 128.2 CM)	40	62	163,000
4'3" (51 INCHES) (128.3 TO 130.7 CM)	41	63	152,000
4'4" (52 INCHES) (130.8 TO 133.3 CM)	42	47	91,500
4'5" (53 INCHES) (133.4 TO 135.8 CM)	43	42	129,500
4'6" (54 INCHES) (135.9 TO 138.3 CM)	44	61	149,500
4'7" (55 INCHES) (138.4 TO 140.9 CM)	45	39	93,500
4'8" (56 INCHES) (141.0 TO 143.4 CM)	46	60	163,500
4'9" (57 INCHES) (143.5 TO 146.0 CM)	47	50	119,000
4'10" (58 INCHES) (146.1 TO 148.5 CM)	48	111	295,500
4'11" (59 INCHES) (148.6 TO 151.0 CM)	49	181	472,500
5'0" (60 INCHES) (151.1 TO 153.6 CM)	50	505	1,053,500
5'1" (61 INCHES) (153.7 TO 156.1 CM)	51	502	1,074,500
5'2" (62 INCHES) (156.2 TO 158.7 CM)	52	953	1,916,000
5'3" (63 INCHES) (158.8 TO 161.2 CM)	53	855	1,773,500
5'4" (64 INCHES) (161.3 TO 163.7 CM)	54	1,065	2,097,500
5'5" (65 INCHES) (163.8 TO 166.3 CM)	55	908	1,843,500
5'6" (66 INCHES) (166.4 TO 168.8 CM)	56	974	2,062,000
5'7" (67 INCHES) (168.9 TO 171.4 CM)	57	915	1,984,000
5'8" (68 INCHES) (171.5 TO 173.9 CM)	58	931	2,108,000
5'9" (69 INCHES) (174.0 TO 176.4 CM)	59	642	1,523,500
5'10" (70 INCHES) (176.5 TO 179.0 CM)	60	770	1,859,500
5'11" (71 INCHES) (179.1 TO 181.5 CM)	61	631	1,356,500
6'0" (72 INCHES) (181.6 TO 184.1 CM)	62	436	1,013,000
6'1" (73 INCHES) (184.2 TO 186.6 CM)	63	237	605,000
6'2" (74 INCHES) (186.7 TO 189.1 CM)	64	183	456,500
6'3" (75 INCHES) (189.2 TO 191.7 CM)	65	75	177,500
6'4" (76 INCHES) (191.8 TO 194.2 CM)	66	45	102,000
6'5" (77 INCHES) (194.3 TO 196.8 CM)	67	6	16,000
6'6" (78 INCHES) (196.9 TO 199.3 CM)	68	9	17,000
6'7" (79 INCHES) (199.4 TO 201.8 CM)	69	2	2,000
6'8" (80 INCHES) (201.9 TO 204.4 CM)	70	1	1,000
6'10" (82 INCHES) (207.0 TO 209.5 CM)	72	2	3,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

6'11" (83 INCHES) (209.6 TO 212.0 CM)	73	4	14,000
7'0" (84 INCHES / 212.1 CM) AND OVER	74	1	7,000
NOT STATED	99	134	404,000
Total		12,546	28,318,308

Variable Name HWC4DBMI **Length** 4.1 **Position** 604 - 607

Question Name

Concept Body Mass Index - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women

Note Formerly DVBMI94. Based on HWC4_HT, HWC4_3KG and PHC4_4B (formerly HWC4_1). Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE - BODY MASS	13.2 - 54.8	7,676	17,311,000
NOT APPLICABLE	99.6	4,781	10,787,500
NOT STATED	99.9	89	219,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC4DISW **Length** 2 **Position** 608 - 609

Question Name

Concept Standard weight (International standard) - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women

Note Based on HWC4_HT, HWC4_3KG and PHC4_4B (formerly HWC4_1). This variable is conceptually the same as HWC4DSW in Cycle 1 (1994). Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNDERWEIGHT	1	152	367,000
NORMAL WEIGHT	2	3,633	8,523,000
OVERWEIGHT	3	2,767	6,128,500
OBESE - CLASS 1	4	826	1,730,000
OBESE - CLASS 11	5	212	380,500
OBESE - CLASS 111	6	86	182,000
NOT APPLICABLE	96	4,781	10,787,500
NOT STATED	99	89	219,500
	Total	12,546	28,318,308

Variable Name PHC4_1B **Length** 2 **Position** 610 - 611

Question Name PHP-Q1

Concept Last time blood pressure was checked

Question When did you last have your blood pressure checked by a health professional?

Universe Respondents aged 12 and over

Note Formerly PHP_Q1, BPC4_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO	1	5,385	10,698,000
6 MONTHS TO LESS THAN 1 YEAR AGO	2	2,002	4,368,000
1 YEAR TO LESS THAN 2 YEARS AGO	3	1,391	3,273,000
2 YEARS TO LESS THAN 5 YEARS AGO	4	870	2,060,000
5 OR MORE YEARS AGO	5	412	949,000
NEVER	6	316	880,500
NOT APPLICABLE	96	1,676	4,664,000
DON'T KNOW	97	25	88,000
NOT STATED	99	469	1,337,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC4_3	Length	1	Position	612
Question Name	PHP-Q2				
Concept	Ever had mammogram				
Question	Have you ever had a mammogram, that is, a breast x-ray?				
Universe	Females aged 35 and over				
Note	Formerly PHP_Q2, WHC4_30.				
Content		Code		Sample	Population
YES		1		2,236	4,195,000
NO		2		1,649	2,867,500
NOT APPLICABLE		6		8,573	21,050,500
DON'T KNOW		7		1	1,000
NOT STATED		9		87	203,500
		Total		12,546	28,318,308

Variable Name	PHC4_3B	Length	1	Position	613
Question Name	PHP-Q2A				
Concept	Last time mammogram was done				
Question	When was the last time you had a mammogram?				
Universe	Respondents who answered PHC4_3=1				
Note	Formerly PHP_Q2A, WHC4_32.				
Content		Code		Sample	Population
LESS THAN 6 MONTHS AGO		1		484	929,500
6 MONTHS TO LESS THAN 1 YEAR AGO		2		531	977,000
1 YEAR TO LESS THAN 2 YEARS AGO		3		498	975,500
2 OR MORE YEARS AGO		4		723	1,313,000
NOT APPLICABLE		6		10,222	23,918,500
NOT STATED		9		88	205,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC4_33	Length	1	Position	614
Question Name	PHP-Q2B				
Concept	Reason for last mammogram				
Question	Why did you have your last mammogram?				
Universe	Respondents who answered PHC4_3=1				
Note	Formerly PHP_Q2B, WHC4_33.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
BREAST PROBLEM		1		445	817,000
CHECK-UP, NO PARTICULAR PROBLEM		2		1,750	3,282,000
OTHER		3		41	96,000
NOT APPLICABLE		6		10,222	23,918,500
NOT STATED		9		88	205,000
		Total		12,546	28,318,308

Variable Name	PHC4_2	Length	1	Position	615
Question Name	PHP-Q3				
Concept	Ever had PAP smear test				
Question	Have you ever had a PAP smear test?				
Universe	Females aged 18 and over				
Note	Formerly PHP_Q3, WHC4_20.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,820	8,859,500
NO		2		709	1,498,000
NOT APPLICABLE		6		6,884	17,617,000
DON'T KNOW		7		4	5,500
NOT STATED		9		129	338,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC4_2B	Length	1	Position	616
Question Name	PHP-Q3A				
Concept	Last time had PAP smear test				
Question	When was the last time that you had a PAP smear test?				
Universe	Respondents who answered PHC4_2=1				
Note	Formerly PHP_Q3A, WHC4_22.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO		1		1,242	2,397,000
6 MONTHS TO LESS THAN 1 YEAR AGO		2		1,319	2,538,000
1 YEAR TO LESS THAN 3 YEARS AGO		3		1,208	2,272,500
3 YEARS TO LESS THAN 5 YEARS AGO		4		326	526,000
5 OR MORE YEARS AGO		5		720	1,121,000
NOT APPLICABLE		6		7,593	19,115,000
DON'T KNOW		7		5	5,000
NOT STATED		9		133	343,500
		Total		12,546	28,318,308

Variable Name	SMC4_1	Length	1	Position	617
Question Name	SMOK-Q1				
Concept	Household member smokes inside house				
Question	Does anyone in this household smoke regularly inside the house?				
Universe	Respondents aged 12 and over				
Note	Formerly SMOK_Q1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,859	8,360,500
NO		2		7,006	15,268,500
NOT APPLICABLE		6		1,676	4,664,000
REFUSAL		8		5	25,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC4_2	Length	1	Position	618
Question Name	SMOK-Q2				
Concept	Current smoking status				
Question	At the present time do you smoke cigarettes daily, occasionally or not at all?				
Universe	Respondents aged 12 and over				
Note	Formerly SMOK_Q2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DAILY		1		2,626	5,409,500
OCCASIONALLY		2		490	1,210,500
NOT AT ALL		3		7,749	17,009,500
NOT APPLICABLE		6		1,676	4,664,000
REFUSAL		8		5	25,500
		Total		12,546	28,318,308

Variable Name	SMC4_3	Length	3	Position	619 - 621
Question Name	SMOK-Q3				
Concept	Age started smoking daily - daily smoker				
Question	At what age did you begin to smoke cigarettes daily?				
Universe	Respondents who answered SMC4_2=1				
Note	Formerly SMOK_Q3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		5 - 81		2,612	5,386,500
NOT APPLICABLE		996		9,915	22,883,500
DON'T KNOW		997		13	22,000
REFUSAL		998		1	1,000
NOT STATED		999		5	25,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC4_4	Length	3	Position	622 - 624
Question Name	SMOK-Q4				
Concept	Number of cigarettes smoked each day - daily smoker				
Question	How many cigarettes do you smoke each day now?				
Universe	Respondents who answered SMC4_2=1				
Note	Formerly SMOK_Q4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES		1 - 75		2,621	5,404,000
NOT APPLICABLE		996		9,915	22,883,500
DON'T KNOW		997		5	5,500
NOT STATED		999		5	25,500
		Total		12,546	28,318,308

Variable Name	SMC4_4A	Length	1	Position	625
Question Name	SMOK-Q4A				
Concept	Ever smoked cigarettes				
Question	Have you ever smoked cigarettes at all?				
Universe	Respondents who answered SMC4_2=3				
Note	Formerly SMOK_Q4A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,492	7,185,500
NO		2		4,257	9,824,000
NOT APPLICABLE		6		4,792	11,283,500
NOT STATED		9		5	25,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC4_5	Length	1	Position	626
Question Name	SMOK-Q5				
Concept	Ever smoked daily				
Question	Have you ever smoked cigarettes daily?				
Universe	Respondents who answered SMC4_2=2 or SMC4_4A=1				
Note	Formerly SMOK_Q5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,943	5,910,000
NO		2		1,039	2,485,500
NOT APPLICABLE		6		8,559	19,897,000
NOT STATED		9		5	25,500
		Total		12,546	28,318,308

Variable Name	SMC4_6	Length	2	Position	627 - 628
Question Name	SMOK-Q6				
Concept	Age started smoking daily - former daily smoker				
Question	At what age did you begin to smoke (cigarettes) daily?				
Universe	Respondents who answered SMC4_5=1				
Note	Formerly SMOK_Q6.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		5 - 64		2,933	5,887,500
NOT APPLICABLE		96		9,598	22,383,000
DON'T KNOW		97		10	23,000
NOT STATED		99		5	25,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC4_7	Length	3	Position	629 - 631
Question Name	SMOK-Q7				
Concept	No. of cigarettes smoked daily - former daily smoker				
Question	How many cigarettes did you usually smoke each day?				
Universe	Respondents who answered SMC4_5=1				
Note	Formerly SMOK_Q7.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES		1 - 99		2,914	5,837,000
NOT APPLICABLE		996		9,598	22,383,000
DON'T KNOW		997		29	73,000
NOT STATED		999		5	25,500
		Total		12,546	28,318,308

Variable Name	SMC4_8	Length	3	Position	632 - 634
Question Name	SMOK-Q8				
Concept	Age stopped smoking daily - former daily smoker				
Question	At what age did you stop smoking (cigarettes) daily?				
Universe	Respondents who answered SMC4_5=1				
Note	Formerly SMOK_Q8.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		10 - 90		2,931	5,883,000
NOT APPLICABLE		996		9,598	22,383,000
DON'T KNOW		997		12	27,500
NOT STATED		999		5	25,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC4DTYP **Length** 2 **Position** 635 - 636

Question Name

Concept Type of smoker - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVSMKT94. Based on SMC4_2, SMC4_4A and SMC4_5. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY SMOKER	1	2,626	5,409,500
OCCASIONAL SMOKER (FORMER DAILY SMOKER)	2	296	735,500
ALWAYS AN OCCASIONAL SMOKER	3	194	475,000
FORMER DAILY SMOKER	4	2,647	5,174,500
FORMER OCCASIONAL SMOKER	5	845	2,011,000
NEVER SMOKED	6	4,257	9,824,000
NOT APPLICABLE	96	1,676	4,664,000
NOT STATED	99	5	25,500
Total		12,546	28,318,308

Variable Name SMC4DYRS **Length** 3 **Position** 637 - 639

Question Name

Concept Number of years that respondent smoked - (D)

Question

Universe Respondents who answered SMC4_2=1 or SMC4_5=1

Note Formerly DVSMKY94. Based on SMC4_3, SMC4_6, SMC4_8, Type of smoker (SMC4_2, SMC4_4A, SMC4_5) and DHC4_AGE. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF YEARS	0 - 80	5,537	11,257,000
NOT APPLICABLE	996	6,972	16,973,500
NOT STATED	999	37	88,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_1	Length	1	Position	640
Question Name	ALCO-Q1				
Concept	Drank alcohol in past 12 months				
Question	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?				
Universe	Respondents aged 12 and over				
Note	Formerly ALC_Q1.				
Content		Code		Sample	Population
YES		1		8,113	17,911,500
NO		2		2,750	5,716,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		2	11,000
REFUSAL		8		5	15,500
		Total		12,546	28,318,308

Variable Name	ALC4_2	Length	2	Position	641 - 642
Question Name	ALCO-Q2				
Concept	Frequency of drinking alcohol				
Question	During the past 12 months, how often did you drink alcoholic beverages?				
Universe	Respondents who answered ALC4_1=1				
Note	Formerly ALC_Q2. Cycle 1 (1994) and Cycle 2 (1996) response categories are reversed.				
Content		Code		Sample	Population
EVERY DAY		1		463	1,065,500
4 TO 6 TIMES A WEEK		2		382	887,000
2 TO 3 TIMES A WEEK		3		1,266	2,885,500
ONCE A WEEK		4		1,396	3,105,500
2 TO 3 TIMES A MONTH		5		1,263	2,917,000
ONCE A MONTH		6		985	2,111,500
LESS THAN ONCE A MONTH		7		2,356	4,935,000
NOT APPLICABLE		96		4,426	10,380,000
DON'T KNOW		97		2	5,500
NOT STATED		99		7	26,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_3	Length	3	Position	643 - 645
Question Name	ALCO-Q3				
Concept	Frequency of having 5 or more drinks				
Question	How often in the past 12 months have you had 5 or more drinks on one occasion?				
Universe	Respondents who answered ALC4_1=1				
Note	Formerly ALC_Q3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		0 - 366		7,995	17,634,500
NOT APPLICABLE		996		4,426	10,380,000
DON'T KNOW		997		50	123,000
REFUSAL		998		3	13,500
NOT STATED		999		72	167,500
		Total		12,546	28,318,308

Variable Name	ALC4_4	Length	3	Position	646 - 648
Question Name	ALCO-Q4				
Concept	Highest number of drinks on one occasion				
Question	In past 12 months, what is the highest number of drinks you had on one occasion?				
Universe	Respondents who answered ALC4_1=1				
Note	Formerly ALC_Q4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS		1 - 99		7,744	16,942,500
NOT APPLICABLE		996		4,426	10,380,000
DON'T KNOW		997		65	127,500
REFUSAL		998		7	20,000
NOT STATED		999		304	848,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_DAY	Length	2	Position	649 - 650
Question Name					
Concept	Interview date - day of the week				
Question					
Universe	Respondents who answered ALC4_1=1				
Note	Formerly TODAY.				
Content		Code		Sample	Population
SUNDAY		1		138	372,000
MONDAY		2		1,645	3,583,000
TUESDAY		3		1,806	3,799,500
WEDNESDAY		4		1,672	3,626,500
THURSDAY		5		1,377	2,995,000
FRIDAY		6		909	2,190,000
SATURDAY		7		566	1,345,500
NOT APPLICABLE		96		4,426	10,380,000
NOT STATED		99		7	26,500
		Total		12,546	28,318,308

Variable Name	ALC4_5	Length	1	Position	651
Question Name	ALCO-Q5				
Concept	Drank alcohol in past week				
Question	Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?				
Universe	Respondents who answered ALC4_1=1				
Note	Formerly ALC_Q5.				
Content		Code		Sample	Population
YES		1		4,557	10,159,500
NO		2		3,554	7,745,500
NOT APPLICABLE		6		4,426	10,380,000
DON'T KNOW		7		2	7,000
NOT STATED		9		7	26,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC4_5A1 **Length** 3 **Position** 652 - 654

Question Name ALCO-Q5A

Concept Number of drinks - Sunday

Question Starting with yesterday, that is Sunday, how many drinks did you have?

Universe Respondents who answered ALC4_5=1

Note Formerly ALC_Q5_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 32	4,549	10,142,500
NOT APPLICABLE	996	7,980	18,125,500
DON'T KNOW	997	8	17,000
NOT STATED	999	9	33,500
Total		12,546	28,318,308

Variable Name ALC4_5A2 **Length** 3 **Position** 655 - 657

Question Name ALCO-Q5A

Concept Number of drinks - Monday

Question Starting with yesterday, that is Monday, how many drinks did you have?

Universe Respondents who answered ALC4_5=1

Note Formerly ALC_Q5_2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 18	4,545	10,126,500
NOT APPLICABLE	996	7,980	18,125,500
DON'T KNOW	997	12	33,000
NOT STATED	999	9	33,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_5A3	Length	3	Position	658 - 660
Question Name	ALCO-Q5A				
Concept	Number of drinks - Tuesday				
Question	Starting with yesterday, that is Tuesday, how many drinks did you have?				
Universe	Respondents who answered ALC4_5=1				
Note	Formerly ALC_Q5_3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS		0 - 24		4,540	10,115,500
NOT APPLICABLE		996		7,980	18,125,500
DON'T KNOW		997		17	44,000
NOT STATED		999		9	33,500
		Total		12,546	28,318,308

Variable Name	ALC4_5A4	Length	3	Position	661 - 663
Question Name	ALCO-Q5A				
Concept	Number of drinks - Wednesday				
Question	Starting with yesterday, that is Wednesday, how many drinks did you have?				
Universe	Respondents who answered ALC4_5=1				
Note	Formerly ALC_Q5_4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS		0 - 24		4,544	10,126,500
NOT APPLICABLE		996		7,980	18,125,500
DON'T KNOW		997		13	33,000
NOT STATED		999		9	33,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC4_5A5 **Length** 3 **Position** 664 - 666

Question Name ALCO-Q5A

Concept Number of drinks - Thursday

Question Starting with yesterday, that is Thursday, how many drinks did you have?

Universe Respondents who answered ALC4_5=1

Note Formerly ALC_Q5_5.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 25	4,547	10,134,000
NOT APPLICABLE	996	7,980	18,125,500
DON'T KNOW	997	9	23,500
REFUSAL	998	1	2,500
NOT STATED	999	9	33,500
Total		12,546	28,318,308

Variable Name ALC4_5A6 **Length** 3 **Position** 667 - 669

Question Name ALCO-Q5A

Concept Number of drinks - Friday

Question Starting with yesterday, that is Friday, how many drinks did you have?

Universe Respondents who answered ALC4_5=1

Note Formerly ALC_Q5_6.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 42	4,547	10,138,500
NOT APPLICABLE	996	7,980	18,125,500
DON'T KNOW	997	10	21,000
NOT STATED	999	9	33,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_5A7	Length	3	Position	670 - 672
Question Name	ALCO-Q5A				
Concept	Number of drinks - Saturday				
Question	Starting with yesterday, that is Saturday, how many drinks did you have?				
Universe	Respondents who answered ALC4_5=1				
Note	Formerly ALC_Q5_7.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS		0 - 30		4,549	10,138,500
NOT APPLICABLE		996		7,980	18,125,500
DON'T KNOW		997		7	20,500
REFUSAL		998		1	1,000
NOT STATED		999		9	33,500
		Total		12,546	28,318,308

Variable Name	ALC4_5B	Length	1	Position	673
Question Name	ALCO-Q5B				
Concept	Ever had a drink				
Question	Did you ever have a drink?				
Universe	Respondents who answered ALC4_1=2				
Note	Formerly ALC_Q5B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,575	2,917,000
NO		2		1,174	2,793,500
NOT APPLICABLE		6		9,789	22,575,500
DON'T KNOW		7		1	6,000
NOT STATED		9		7	26,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_6	Length	1	Position	674
Question Name	ALCO-Q6				
Concept	Regularly drank more than 12 drinks a week				
Question	Did you ever regularly drink more than 12 drinks a week?				
Universe	Respondents who answered ALC4_5B=1				
Note	Formerly ALC_Q6.				
Content		Code		Sample	Population
YES		1		280	398,500
NO		2		1,295	2,518,500
NOT APPLICABLE		6		10,963	25,369,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

Variable Name	ALC4_7A	Length	1	Position	675
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - dieting				
Question	Why did you reduce or quit drinking altogether? - Dieting				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_A.				
Content		Code		Sample	Population
YES		1		2	5,000
NO		2		277	392,500
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_7B	Length	1	Position	676
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - athletic training				
Question	Why did you reduce or quit drinking altogether? - Athletic training				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,500
NO		2		278	396,000
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

Variable Name	ALC4_7C	Length	1	Position	677
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - pregnancy				
Question	Why did you reduce or quit drinking altogether? - Pregnancy				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		278	397,000
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_7D	Length	1	Position	678
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - getting older				
Question	Why did you reduce or quit drinking altogether? - Getting older				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		20	22,000
NO		2		259	375,500
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

Variable Name	ALC4_7E	Length	1	Position	679
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - drinking too much				
Question	Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		123	179,500
NO		2		156	218,500
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_7F	Length	1	Position	680
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - affected work / studies				
Question	Why did you reduce or quit drinking altogether? - Affected - work, studies, employment opportunities				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		41	61,000
NO		2		238	337,000
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

Variable Name	ALC4_7G	Length	1	Position	681
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - interfered with family life				
Question	Why did you reduce or quit drinking altogether? - Interfered with family or home life				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		62	90,000
NO		2		217	308,000
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_7H	Length	1	Position	682
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - affected physical health				
Question	Why did you reduce or quit drinking altogether? - Affected - physical health				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		91	115,500
NO		2		188	282,500
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

Variable Name	ALC4_7I	Length	1	Position	683
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - affected social relationships				
Question	Why did you reduce or quit drinking altogether? - Affected - friendships or social relationships				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		36	39,000
NO		2		243	359,000
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_7J	Length	1	Position	684
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - affected financial position				
Question	Why did you reduce or quit drinking altogether? - Affected - financial position				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		47	52,000
NO		2		232	345,500
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

Variable Name	ALC4_7K	Length	1	Position	685
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - affected happiness				
Question	Why did you reduce or quit drinking altogether? - Affected - outlook on life, happiness				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		32	37,500
NO		2		247	360,500
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC4_7L	Length	1	Position	686
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - influence of family / friends				
Question	Why did you reduce or quit drinking altogether? - Influence of family or friends				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		22	35,000
NO		2		257	363,000
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

Variable Name	ALC4_7M	Length	1	Position	687
Question Name	ALCO-Q7				
Concept	Reason reduced drinking - other				
Question	Why did you reduce or quit drinking altogether? - Other				
Universe	Respondents who answered ALC4_6=1				
Note	Formerly ALCQ7_M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		39	55,500
NO		2		240	342,000
NOT APPLICABLE		6		12,258	27,887,000
REFUSAL		8		1	1,000
NOT STATED		9		8	32,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC4DTYP **Length** 1 **Position** 688

Question Name

Concept Type of drinker - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVALT94. Based on ALC4_2 and ALC4_5B. Cycle 1 (1994) and Cycle 2 (1996) response categories are reversed. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR DRINKER	1	5,755	12,971,500
OCCASIONAL DRINKER	2	2,356	4,935,000
NON-DRINKER NOW	3	1,575	2,917,000
NEVER DRANK	4	1,174	2,793,500
NOT APPLICABLE	6	1,676	4,664,000
NOT STATED	9	10	38,000
	Total	12,546	28,318,308

Variable Name ALC4DWKY **Length** 3 **Position** 689 - 691

Question Name

Concept Weekly total of alcohol consumed - (D)

Question

Universe Respondents who answered ALC4_1=1

Note Formerly DVALWV94. Based on ALC4_5A1 to ALC4_5A7. Sum of number of drinks consumed, on all days, in the week prior to the interview. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 82	8,079	17,833,500
NOT APPLICABLE	996	4,426	10,380,000
NOT STATED	999	41	105,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC4DDL **Length** 2 **Position** 692 - 693

Question Name

Concept Average daily alcohol consumption - (D)

Question

Universe Respondents who answered ALC4_1=1

Note Formerly DVALAV94. Based on ALC4_5, ALC4_5A1 to ALC4_5A7. Weekly total of alcohol consumed divided by 7. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AVERAGE DAILY VOLUME	0 - 12	8,079	17,833,500
NOT APPLICABLE	96	4,426	10,380,000
NOT STATED	99	41	105,000
	Total	12,546	28,318,308

Variable Name PAC4_1A **Length** 1 **Position** 694

Question Name PHYS-Q1

Concept Activity in last 3 months - walking for exercise

Question Have you done any of the following in the past 3 months? - Walking for exercise

Universe Respondents aged 12 and over

Note Formerly PAQ1_A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,851	14,312,000
NO	2	3,546	7,994,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	3	7,500
REFUSAL	8	1	3,000
NOT STATED	9	469	1,337,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1B	Length	1	Position	695
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - gardening or yard work				
Question	Have you done any of the following in the past 3 months? - Gardening or yard work				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,767	9,737,500
NO		2		5,630	12,569,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1C	Length	1	Position	696
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - swimming				
Question	Have you done any of the following in the past 3 months? - Swimming				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,289	5,560,500
NO		2		8,108	16,745,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1D	Length	1	Position	697
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - bicycling				
Question	Have you done any of the following in the past 3 months? - Bicycling				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,419	6,112,000
NO		2		7,978	16,194,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1E	Length	1	Position	698
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - popular or social dance				
Question	Have you done any of the following in the past 3 months? - Popular or social dance				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,467	5,312,000
NO		2		7,930	16,994,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1F	Length	1	Position	699
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - home exercises				
Question	Have you done any of the following in the past 3 months? - Home exercises				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,762	6,211,000
NO		2		7,635	16,095,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1G	Length	1	Position	700
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - ice hockey				
Question	Have you done any of the following in the past 3 months? - Ice hockey				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		418	1,120,500
NO		2		9,979	21,186,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1H	Length	1	Position	701
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - skating				
Question	Have you done any of the following in the past 3 months? - Skating				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		783	2,084,500
NO		2		9,614	20,222,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1I	Length	1	Position	702
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - downhill skiing				
Question	Have you done any of the following in the past 3 months? - Downhill skiing				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_I. This question changed in Cycle 5 (2002). Now includes snowboarding.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		386	1,021,500
NO		2		10,011	21,285,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1J	Length	1	Position	703
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - jogging or running				
Question	Have you done any of the following in the past 3 months? - Jogging or running				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,144	3,269,500
NO		2		9,253	19,037,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1K	Length	1	Position	704
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - golfing				
Question	Have you done any of the following in the past 3 months? - Golfing				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,040	2,431,000
NO		2		9,357	19,875,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1L	Length	1	Position	705
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - exercise class or aerobics				
Question	Have you done any of the following in the past 3 months? - Exercise class or aerobics				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		762	1,863,000
NO		2		9,635	20,443,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1M	Length	1	Position	706
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - cross-country skiing				
Question	Have you done any of the following in the past 3 months? - Cross-country skiing				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		313	712,000
NO		2		10,084	21,594,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1N	Length	1	Position	707
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - bowling				
Question	Have you done any of the following in the past 3 months? - Bowling				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_N.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,083	2,508,500
NO		2		9,314	19,797,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1O	Length	1	Position	708
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - baseball or softball				
Question	Have you done any of the following in the past 3 months? - Baseball or softball				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_O.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,008	2,476,000
NO		2		9,389	19,830,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1P	Length	1	Position	709
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - tennis				
Question	Have you done any of the following in the past 3 months? - Tennis				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_P.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		459	1,328,000
NO		2		9,938	20,978,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1Q	Length	1	Position	710
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - weight-training				
Question	Have you done any of the following in the past 3 months? - Weight-training				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_Q.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,013	2,650,500
NO		2		9,384	19,656,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1R	Length	1	Position	711
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - fishing				
Question	Have you done any of the following in the past 3 months? - Fishing				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_R.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,155	2,468,000
NO		2		9,242	19,838,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1S	Length	1	Position	712
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - volleyball				
Question	Have you done any of the following in the past 3 months? - Volleyball				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_S.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		634	1,848,500
NO		2		9,763	20,458,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1Z	Length	1	Position	713
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - yoga or tai-chi				
Question	Have you done any of the following in the past 3 months? - Yoga or tai-chi				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_T.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		166	443,500
NO		2		10,231	21,862,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4_1U	Length	1	Position	714
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - other activity (#1)				
Question	Have you done any of the following in the past 3 months? - Other activity (#1)				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_U.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		881	2,392,500
NO		2		9,516	19,914,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1V	Length	1	Position	715
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - no physical activity				
Question	Have you done any of the following in the past 3 months? - No physical activity				
Universe	Respondents aged 12 and over				
Note	Formerly PAQ1_V.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		991	1,977,500
NO		2		9,406	20,328,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	7,500
REFUSAL		8		1	3,000
NOT STATED		9		469	1,337,500
		Total		12,546	28,318,308

Variable Name	PAC4FC1	Length	1	Position	716
Question Name	PHYS-Q1				
Concept	Flag for other physical activity (#1)				
Question	What was this activity? - Activity (#1)				
Universe	Respondents who answered PAC4_1U=1				
Note	Formerly PA_OTH1C. Based on PAC4_1U. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		881	2,392,500
NOT APPLICABLE		6		11,192	24,577,500
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1W	Length	1	Position	717
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - other activity (#2)				
Question	In the past 3 months, did you do any other activity for leisure? - Other activity (#2)				
Universe	Respondents who answered PAC4_1U=1				
Note	Formerly PA_Q1W.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		161	513,000
NO		2		720	1,879,500
NOT APPLICABLE		6		11,192	24,577,500
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4FC2	Length	1	Position	718
Question Name	PHYS-Q1				
Concept	Flag for other physical activity (#2)				
Question	What was this activity? - Activity (#2)				
Universe	Respondents who answered PAC4_1W=1				
Note	Formerly PA_OTH2C. Based on PAC4_1W. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		161	513,000
NOT APPLICABLE		6		11,912	26,457,000
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_1X	Length	1	Position	719
Question Name	PHYS-Q1				
Concept	Activity in last 3 months - other activity (#3)				
Question	In the past 3 months, did you do any other activity for leisure? - Other activity (#3)				
Universe	Respondents who answered PAC4_1W=1				
Note	Formerly PA_Q1X.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		45	163,000
NO		2		116	350,000
NOT APPLICABLE		6		11,912	26,457,000
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4FC3	Length	1	Position	720
Question Name	PHYS-Q1				
Concept	Flag for other physical activity (#3)				
Question	What was this activity? - Activity (#3)				
Universe	Respondents who answered PAC4_1X=1				
Note	Formerly PA_OTH3C. Based on PAC4_1X. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		45	163,000
NOT APPLICABLE		6		12,028	26,807,000
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2A	Length	3	Position	721 - 723
Question Name	PHYS-Q2				
Concept	No. of times participated - walking for exercise				
Question	In the past 3 months, how many times did you participate in walking for exercise?				
Universe	Respondents who answered PAC4_1A=1				
Note	Formerly PA_Q2A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 600		6,834	14,266,000
NOT APPLICABLE		996		5,222	12,658,500
DON'T KNOW		997		16	45,500
REFUSAL		998		1	1,000
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3A	Length	1	Position	724
Question Name	PHYS-Q3				
Concept	Time spent - walking for exercise				
Question	About how much time did you spend on each occasion? - Walking for exercise				
Universe	Respondents who answered PAC4_1A=1				
Note	Formerly PA_Q3A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		853	1,768,000
16 TO 30 MINUTES		2		2,766	5,827,500
31 TO 60 MINUTES		3		2,324	4,732,500
MORE THAN ONE HOUR		4		891	1,938,500
NOT APPLICABLE		6		5,222	12,658,500
NOT STATED		9		490	1,394,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2B **Length** 3 **Position** 725 - 727

Question Name PHYS-Q2

Concept No. of times participated - gardening or yard work

Question In the past 3 months, how many times did you participate in gardening or yard work?

Universe Respondents who answered PAC4_1B=1

Note Formerly PA_Q2B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	4,759	9,719,000
NOT APPLICABLE	996	7,306	17,232,500
DON'T KNOW	997	8	18,500
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3B **Length** 1 **Position** 728

Question Name PHYS-Q3

Concept Time spent - gardening or yard work

Question About how much time did you spend on each occasion? - Gardening or yard work

Universe Respondents who answered PAC4_1B=1

Note Formerly PA_Q3B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	281	542,000
16 TO 30 MINUTES	2	1,036	2,058,000
31 TO 60 MINUTES	3	1,317	2,753,500
MORE THAN ONE HOUR	4	2,125	4,365,500
NOT APPLICABLE	6	7,306	17,232,500
NOT STATED	9	481	1,366,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2C **Length** 3 **Position** 729 - 731

Question Name PHYS-Q2

Concept No. of times participated - swimming

Question In the past 3 months, how many times did you participate in swimming?

Universe Respondents who answered PAC4_1C=1

Note Formerly PA_Q2C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	2,286	5,554,000
NOT APPLICABLE	996	9,784	21,409,500
DON'T KNOW	997	3	7,000
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3C **Length** 1 **Position** 732

Question Name PHYS-Q3

Concept Time spent - swimming

Question About how much time did you spend on each occasion? - Swimming

Universe Respondents who answered PAC4_1C=1

Note Formerly PA_Q3C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	208	481,000
16 TO 30 MINUTES	2	624	1,487,000
31 TO 60 MINUTES	3	798	1,932,500
MORE THAN ONE HOUR	4	656	1,653,500
NOT APPLICABLE	6	9,784	21,409,500
NOT STATED	9	476	1,355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2D **Length** 3 **Position** 733 - 735

Question Name PHYS-Q2

Concept No. of times participated - bicycling

Question In the past 3 months, how many times did you participate bicycling?

Universe Respondents who answered PAC4_1D=1

Note Formerly PA_Q2D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	2,415	6,101,500
NOT APPLICABLE	996	9,654	20,858,500
DON'T KNOW	997	4	10,500
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3D **Length** 1 **Position** 736

Question Name PHYS-Q3

Concept Time spent - bicycling

Question About how much time did you spend on each occasion? - Bicycling

Universe Respondents who answered PAC4_1D=1

Note Formerly PA_Q3D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	363	889,000
16 TO 30 MINUTES	2	817	2,068,000
31 TO 60 MINUTES	3	690	1,725,000
MORE THAN ONE HOUR	4	545	1,419,500
NOT APPLICABLE	6	9,654	20,858,500
NOT STATED	9	477	1,358,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2E **Length** 3 **Position** 737 - 739

Question Name PHYS-Q2

Concept No. of times participated - popular or social dance

Question In the past 3 months, how many times did you participate in popular or social dancing?

Universe Respondents who answered PAC4_1E=1

Note Formerly PA_Q2E.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	2,465	5,311,000
NOT APPLICABLE	996	9,606	21,658,000
DON'T KNOW	997	2	1,000
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3E **Length** 1 **Position** 740

Question Name PHYS-Q3

Concept Time spent - popular or social dance

Question About how much time did you spend on each occasion? - Popular or social dance

Universe Respondents who answered PAC4_1E=1

Note Formerly PA_Q3E.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	115	224,000
16 TO 30 MINUTES	2	198	380,000
31 TO 60 MINUTES	3	308	694,000
MORE THAN ONE HOUR	4	1,842	4,009,000
NOT APPLICABLE	6	9,606	21,658,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	2,000
NOT STATED	9	475	1,349,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2F	Length	3	Position	741 - 743
Question Name	PHYS-Q2				
Concept	No. of times participated - home exercises				
Question	In the past 3 months, how many times did you participate in home exercises?				
Universe	Respondents who answered PAC4_1F=1				
Note	Formerly PA_Q2F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 99		2,752	6,181,500
NOT APPLICABLE		996		9,311	20,759,000
DON'T KNOW		997		9	29,500
REFUSAL		998		1	1,000
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3F	Length	1	Position	744
Question Name	PHYS-Q3				
Concept	Time spent - home exercises				
Question	About how much time did you spend on each occasion? - Home exercises				
Universe	Respondents who answered PAC4_1F=1				
Note	Formerly PA_Q3F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		946	1,924,000
16 TO 30 MINUTES		2		1,164	2,712,000
31 TO 60 MINUTES		3		502	1,192,500
MORE THAN ONE HOUR		4		140	353,000
NOT APPLICABLE		6		9,311	20,759,000
NOT STATED		9		483	1,377,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2G **Length** 3 **Position** 745 - 747

Question Name PHYS-Q2

Concept No. of times participated - ice hockey

Question In the past 3 months, how many times did you participate in ice hockey?

Universe Respondents who answered PAC4_1G=1

Note Formerly PA_Q2G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	417	1,112,000
NOT APPLICABLE	996	11,655	25,849,500
DON'T KNOW	997	1	8,500
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3G **Length** 1 **Position** 748

Question Name PHYS-Q3

Concept Time spent - ice hockey

Question About how much time did you spend on each occasion? - Ice hockey

Universe Respondents who answered PAC4_1G=1

Note Formerly PA_Q3G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	3	9,000
16 TO 30 MINUTES	2	16	38,500
31 TO 60 MINUTES	3	100	219,500
MORE THAN ONE HOUR	4	298	845,000
NOT APPLICABLE	6	11,655	25,849,500
NOT STATED	9	474	1,356,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2H	Length	3	Position	749 - 751
Question Name	PHYS-Q2				
Concept	No. of times participated - skating				
Question	In the past 3 months, how many times did you participate in skating?				
Universe	Respondents who answered PAC4_1H=1				
Note	Formerly PA_Q2H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 90		781	2,078,500
NOT APPLICABLE		996		11,290	24,886,000
DON'T KNOW		997		1	1,000
REFUSAL		998		1	5,500
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3H	Length	1	Position	752
Question Name	PHYS-Q3				
Concept	Time spent - skating				
Question	About how much time did you spend on each occasion? - Skating				
Universe	Respondents who answered PAC4_1H=1				
Note	Formerly PA_Q3H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		25	76,500
16 TO 30 MINUTES		2		99	234,000
31 TO 60 MINUTES		3		324	855,000
MORE THAN ONE HOUR		4		333	913,000
NOT APPLICABLE		6		11,290	24,886,000
NOT STATED		9		475	1,354,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2I **Length** 3 **Position** 753 - 755

Question Name PHYS-Q2

Concept No. of times participated - downhill skiing

Question In the past 3 months, how many times did you participate in downhill skiing?

Universe Respondents who answered PAC4_1I=1

Note Formerly PA_Q2I.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 36	385	1,020,000
NOT APPLICABLE	996	11,687	25,948,500
DON'T KNOW	997	1	1,500
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3I **Length** 1 **Position** 756

Question Name PHYS-Q3

Concept Time spent - downhill skiing

Question About how much time did you spend on each occasion? - Downhill skiing

Universe Respondents who answered PAC4_1I=1

Note Formerly PA_Q3I.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	3	8,500
16 TO 30 MINUTES	2	4	13,500
31 TO 60 MINUTES	3	7	18,500
MORE THAN ONE HOUR	4	371	979,500
NOT APPLICABLE	6	11,687	25,948,500
NOT STATED	9	474	1,349,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2J	Length	3	Position	757 - 759
Question Name	PHYS-Q2				
Concept	No. of times participated - jogging or running				
Question	In the past 3 months, how many times did you participate in jogging or running?				
Universe	Respondents who answered PAC4_1J=1				
Note	Formerly PA_Q2J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 99		1,142	3,265,000
NOT APPLICABLE		996		10,929	23,700,500
DON'T KNOW		997		1	1,500
REFUSAL		998		1	3,000
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3J	Length	1	Position	760
Question Name	PHYS-Q3				
Concept	Time spent - jogging or running				
Question	About how much time did you spend on each occasion? - Jogging or running				
Universe	Respondents who answered PAC4_1J=1				
Note	Formerly PA_Q3J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		260	737,500
16 TO 30 MINUTES		2		511	1,505,000
31 TO 60 MINUTES		3		287	795,500
MORE THAN ONE HOUR		4		84	227,000
NOT APPLICABLE		6		10,929	23,700,500
NOT STATED		9		475	1,352,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2K **Length** 3 **Position** 761 - 763

Question Name PHYS-Q2

Concept No. of times participated - golfing

Question In the past 3 months, how many times did you participate in golfing?

Universe Respondents who answered PAC4_1K=1

Note Formerly PA_Q2K.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,038	2,428,000
NOT APPLICABLE	996	11,033	24,539,500
DON'T KNOW	997	2	3,000
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3K **Length** 1 **Position** 764

Question Name PHYS-Q3

Concept Time spent - golfing

Question About how much time did you spend on each occasion? - Golfing

Universe Respondents who answered PAC4_1K=1

Note Formerly PA_Q3K.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	3	14,000
16 TO 30 MINUTES	2	12	24,000
31 TO 60 MINUTES	3	35	94,500
MORE THAN ONE HOUR	4	988	2,295,500
NOT APPLICABLE	6	11,033	24,539,500
NOT STATED	9	475	1,351,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2L **Length** 3 **Position** 765 - 767

Question Name PHYS-Q2

Concept No. of times participated - exercise class or aerobics

Question In the past 3 months, how many times did you participate in exercise class or aerobics?

Universe Respondents who answered PAC4_1L=1

Note Formerly PA_Q2L.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	760	1,859,500
NOT APPLICABLE	996	11,311	25,107,000
DON'T KNOW	997	1	1,500
NOT STATED	999	474	1,350,000
	Total	12,546	28,318,308

Variable Name PAC4_3L **Length** 1 **Position** 768

Question Name PHYS-Q3

Concept Time spent - exercise class or aerobics

Question About how much time did you spend on each occasion? - Exercise class or aerobics

Universe Respondents who answered PAC4_1L=1

Note Formerly PA_Q3L.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	48	123,000
16 TO 30 MINUTES	2	124	300,500
31 TO 60 MINUTES	3	406	943,000
MORE THAN ONE HOUR	4	182	493,000
NOT APPLICABLE	6	11,311	25,107,000
NOT STATED	9	475	1,351,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2M	Length	3	Position	769 - 771
Question Name	PHYS-Q2				
Concept	No. of times participated - cross-country skiing				
Question	In the past 3 months, how many times did you go cross-country skiing?				
Universe	Respondents who answered PAC4_1M=1				
Note	Formerly PA_Q2M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 72		311	710,500
NOT APPLICABLE		996		11,760	26,258,000
DON'T KNOW		997		2	1,500
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3M	Length	1	Position	772
Question Name	PHYS-Q3				
Concept	Time spent - cross-country skiing				
Question	About how much time did you spend on each occasion? - Cross-country skiing				
Universe	Respondents who answered PAC4_1M=1				
Note	Formerly PA_Q3M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		9	23,500
16 TO 30 MINUTES		2		25	47,000
31 TO 60 MINUTES		3		71	156,000
MORE THAN ONE HOUR		4		206	484,500
NOT APPLICABLE		6		11,760	26,258,000
NOT STATED		9		475	1,350,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2N	Length	3	Position	773 - 775
Question Name	PHYS-Q2				
Concept	No. of times participated - bowling				
Question	In the past 3 months, how many times did you participate in bowling?				
Universe	Respondents who answered PAC4_1N=1				
Note	Formerly PA_Q2N.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 99		1,083	2,508,500
NOT APPLICABLE		996		10,990	24,461,500
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3N	Length	1	Position	776
Question Name	PHYS-Q3				
Concept	Time spent - bowling				
Question	About how much time did you spend on each occasion? - Bowling				
Universe	Respondents who answered PAC4_1N=1				
Note	Formerly PA_Q3N.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		7	13,500
16 TO 30 MINUTES		2		29	54,000
31 TO 60 MINUTES		3		187	416,500
MORE THAN ONE HOUR		4		860	2,025,000
NOT APPLICABLE		6		10,990	24,461,500
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2O **Length** 3 **Position** 777 - 779

Question Name PHYS-Q2

Concept No. of times participated - baseball or softball

Question In the past 3 months, how many times did you participate in baseball or softball?

Universe Respondents who answered PAC4_1O=1

Note Formerly PA_Q2O.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,008	2,476,000
NOT APPLICABLE	996	11,065	24,494,500
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3O **Length** 1 **Position** 780

Question Name PHYS-Q3

Concept Time spent - baseball or softball

Question About how much time did you spend on each occasion? - Baseball or softball

Universe Respondents who answered PAC4_1O=1

Note Formerly PA_Q3O.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	20	53,000
16 TO 30 MINUTES	2	66	166,500
31 TO 60 MINUTES	3	176	422,000
MORE THAN ONE HOUR	4	746	1,834,500
NOT APPLICABLE	6	11,065	24,494,500
NOT STATED	9	473	1,348,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2P **Length** 3 **Position** 781 - 783

Question Name PHYS-Q2

Concept No. of times participated - tennis

Question In the past 3 months, how many times did you participate in tennis?

Universe Respondents who answered PAC4_1P=1

Note Formerly PA_Q2P.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	458	1,326,500
NOT APPLICABLE	996	11,614	25,642,000
DON'T KNOW	997	1	1,500
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3P **Length** 1 **Position** 784

Question Name PHYS-Q3

Concept Time spent - tennis

Question About how much time did you spend on each occasion? - Tennis

Universe Respondents who answered PAC4_1P=1

Note Formerly PA_Q3P.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	12	47,000
16 TO 30 MINUTES	2	41	98,500
31 TO 60 MINUTES	3	157	470,500
MORE THAN ONE HOUR	4	248	711,000
NOT APPLICABLE	6	11,614	25,642,000
NOT STATED	9	474	1,349,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2Q	Length	3	Position	785 - 787
Question Name	PHYS-Q2				
Concept	No. of times participated - weight-training				
Question	In the past 3 months, how many times did you participate in weight-training?				
Universe	Respondents who answered PAC4_1Q=1				
Note	Formerly PA_Q2Q.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 99		1,010	2,643,000
NOT APPLICABLE		996		11,060	24,320,000
DON'T KNOW		997		3	7,000
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3Q	Length	1	Position	788
Question Name	PHYS-Q3				
Concept	Time spent - weight-training				
Question	About how much time did you spend on each occasion? - Weight-training				
Universe	Respondents who answered PAC4_1Q=1				
Note	Formerly PA_Q3Q.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		132	315,500
16 TO 30 MINUTES		2		294	757,500
31 TO 60 MINUTES		3		308	835,500
MORE THAN ONE HOUR		4		276	734,500
NOT APPLICABLE		6		11,060	24,320,000
NOT STATED		9		476	1,355,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2R **Length** 3 **Position** 789 - 791

Question Name PHYS-Q2

Concept No. of times participated - fishing

Question In the past 3 months, how many times did you participate in fishing?

Universe Respondents who answered PAC4_1R=1

Note Formerly PA_Q2R.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,153	2,467,000
NOT APPLICABLE	996	10,918	24,502,500
DON'T KNOW	997	2	1,000
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3R **Length** 1 **Position** 792

Question Name PHYS-Q3

Concept Time spent - fishing

Question About how much time did you spend on each occasion? - Fishing

Universe Respondents who answered PAC4_1R=1

Note Formerly PA_Q3R.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	19	46,000
16 TO 30 MINUTES	2	33	64,000
31 TO 60 MINUTES	3	78	175,500
MORE THAN ONE HOUR	4	1,023	2,182,000
NOT APPLICABLE	6	10,918	24,502,500
NOT STATED	9	475	1,349,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_2S **Length** 3 **Position** 793 - 795

Question Name PHYS-Q2

Concept No. of times participated - volleyball

Question In the past 3 months, how many times did you participate in volleyball?

Universe Respondents who answered PAC4_1S=1

Note Formerly PA_Q2S.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	633	1,845,500
NOT APPLICABLE	996	11,439	25,121,500
DON'T KNOW	997	1	3,000
NOT STATED	999	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4_3S **Length** 1 **Position** 796

Question Name PHYS-Q3

Concept Time spent - volleyball

Question About how much time did you spend on each occasion? - Volleyball

Universe Respondents who answered PAC4_1S=1

Note Formerly PA_Q3S.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	13	43,500
16 TO 30 MINUTES	2	101	281,000
31 TO 60 MINUTES	3	193	655,500
MORE THAN ONE HOUR	4	326	865,500
NOT APPLICABLE	6	11,439	25,121,500
NOT STATED	9	474	1,351,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2Z	Length	3	Position	797 - 799
Question Name	PHYS-Q2				
Concept	No. of times participated - yoga or tai-chi				
Question	In the past 3 months, how many times did you participate in yoga or tai-chi?				
Universe	Respondents who answered PAC4_1Z=1				
Note	Formerly PA_Q2T.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 99		166	443,500
NOT APPLICABLE		996		11,907	26,526,500
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3Z	Length	1	Position	800
Question Name	PHYS-Q3				
Concept	Time spent - yoga or tai-chi				
Question	About how much time did you spend on each occasion? - Yoga or tai-chi				
Universe	Respondents who answered PAC4_1Z=1				
Note	Formerly PA_Q3T.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		39	89,000
16 TO 30 MINUTES		2		45	124,000
31 TO 60 MINUTES		3		46	149,000
MORE THAN ONE HOUR		4		36	82,000
NOT APPLICABLE		6		11,907	26,526,500
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2U	Length	3	Position	801 - 803
Question Name	PHYS-Q2				
Concept	No. of times participated - other activity (#1)				
Question	In the past 3 months, how many times did you participate in this other leisure time activity (#1)?				
Universe	Respondents who answered PAC4_1U=1				
Note	Formerly PA_Q2U.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 200		881	2,392,500
NOT APPLICABLE		996		11,192	24,577,500
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3U	Length	1	Position	804
Question Name	PHYS-Q3				
Concept	Time spent - other activity (#1)				
Question	About how much time did you spend on each occasion? - Other leisure time activity (#1)				
Universe	Respondents who answered PAC4_1U=1				
Note	Formerly PA_Q3U.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		28	59,500
16 TO 30 MINUTES		2		77	205,000
31 TO 60 MINUTES		3		205	575,000
MORE THAN ONE HOUR		4		571	1,553,000
NOT APPLICABLE		6		11,192	24,577,500
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2W	Length	3	Position	805 - 807
Question Name	PHYS-Q2				
Concept	No. of times participated - other activity (#2)				
Question	In the past 3 months, how many times did you participate in this other leisure time activity (#2)?				
Universe	Respondents who answered PAC4_1W=1				
Note	Formerly PA_Q2W.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 90		160	511,500
NOT APPLICABLE		996		11,912	26,457,000
NOT STATED		999		474	1,350,000
		Total		12,546	28,318,308

Variable Name	PAC4_3W	Length	1	Position	808
Question Name	PHYS-Q3				
Concept	Time spent - other activity (#2)				
Question	About how much time did you spend on each occasion? - Other leisure time activity (#2)				
Universe	Respondents who answered PAC4_1W=1				
Note	Formerly PA_Q3W.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		3	3,500
16 TO 30 MINUTES		2		12	39,500
31 TO 60 MINUTES		3		41	142,000
MORE THAN ONE HOUR		4		104	326,000
NOT APPLICABLE		6		11,912	26,457,000
NOT STATED		9		474	1,350,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4_2X	Length	2	Position	809 - 810
Question Name	PHYS-Q2				
Concept	No. of times participated - other activity (#3)				
Question	In the past 3 months, how many times did you participate in this other leisure time activity (#3)?				
Universe	Respondents who answered PAC4_1X=1				
Note	Formerly PA_Q2X				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 90		45	163,000
NOT APPLICABLE		96		12,028	26,807,000
NOT STATED		99		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4_3X	Length	1	Position	811
Question Name	PHYS-Q3				
Concept	Time spent - other activity (#3)				
Question	About how much time did you spend on each occasion? - Other leisure time activity (#3)				
Universe	Respondents who answered PAC4_1X=1				
Note	Formerly PA_Q3X				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		2	8,500
16 TO 30 MINUTES		2		5	13,500
31 TO 60 MINUTES		3		11	44,500
MORE THAN ONE HOUR		4		27	96,500
NOT APPLICABLE		6		12,028	26,807,000
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 251

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_4A **Length** 2 **Position** 812 - 813
Question Name PHYS-Q4A
Concept Number of hours walking - to work or to school
Question In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?
Universe Respondents aged 12 and over
Note Formerly PA_Q4A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	4,380	9,063,500
LESS THAN 1 HOUR	2	1,699	3,753,000
FROM 1 TO 5 HOURS	3	2,471	5,618,000
FROM 6 TO 10 HOURS	4	706	1,536,500
FROM 11 TO 20 HOURS	5	366	759,000
MORE THAN 20 HOURS	6	768	1,553,000
NOT APPLICABLE	96	1,676	4,664,000
DON'T KNOW	97	5	10,000
REFUSAL	98	2	13,000
NOT STATED	99	473	1,348,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_4B **Length** 2 **Position** 814 - 815

Question Name PHYS-Q4B

Concept Number of hours biking - to work or to school

Question In a typical week, how much time did you usually spend bicycling to work or to school or while doing errands?

Universe Respondents aged 12 and over

Note Formerly PA_Q4B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	9,594	20,310,000
LESS THAN 1 HOUR	2	376	942,500
FROM 1 TO 5 HOURS	3	301	747,000
FROM 6 TO 10 HOURS	4	76	187,500
FROM 11 TO 20 HOURS	5	22	38,500
MORE THAN 20 HOURS	6	26	68,000
NOT APPLICABLE	96	1,676	4,664,000
DON'T KNOW	97	1	6,500
REFUSAL	98	1	6,500
NOT STATED	99	473	1,348,000
Total		12,546	28,318,308

Variable Name PAC4_5 **Length** 1 **Position** 816

Question Name PHYS-Q5

Concept Frequency of bike helmet use

Question When riding a bicycle how often did you wear a helmet?

Universe Respondents who answered PAC4_1D=1 or PAC4_4B > 1

Note Formerly PA_Q5.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	493	1,306,000
MOST OF THE TIME	2	82	245,000
RARELY	3	86	284,500
NEVER	4	1,939	4,691,000
NOT APPLICABLE	6	9,472	20,443,000
DON'T KNOW	7	1	1,500
NOT STATED	9	473	1,348,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC4_6 **Length** 1 **Position** 817
Question Name PHYS-Q6
Concept Level of physical activity for usual day
Question Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits?
Universe Respondents aged 12 and over
Note Formerly PA_Q6.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
USUALLY SIT AND DON'T WALK VERY MUCH	1	2,467	5,244,500
STAND OR WALK QUITE A LOT	2	5,181	10,994,000
USUALLY LIFT OR CARRY LIGHT LOADS	3	2,132	4,681,500
DO HEAVY WORK OR CARRY VERY HEAVY LOADS	4	613	1,368,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	3	11,500
REFUSAL	8	1	6,500
NOT STATED	9	473	1,348,000
	Total	12,546	28,318,308

Variable Name PAC4DEE **Length** 4.1 **Position** 818 - 821
Question Name
Concept Energy expenditure - (D)
Question
Universe Respondents aged 12 and over
Note Formerly DVEE94. Based on PAC4_1A to PAC4_1X, PAC4_2A to PAC4_2X and PAC4_3A to PAC4_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNITS OF ENERGY	0.1 - 35.2	9,136	19,756,500
NO PHYSICAL ACTIVITY	0	1,261	2,550,000
NOT APPLICABLE	99.6	1,676	4,664,000
NOT STATED	99.9	473	1,348,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4DLEI	Length	1	Position	822
Question Name					
Concept	Participant in leisure physical activity - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly DVPART94. Based on PAC4_1V. Source: Ontario Health Survey. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
PARTICIPANT		1		9,406	20,328,500
NON-PARTICIPANT		2		991	1,977,500
NOT APPLICABLE		6		1,676	4,664,000
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4DFM	Length	3	Position	823 - 825
Question Name					
Concept	Monthly freq. of physical activity lasting >15 min. - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly DVMOFQ94. Based on PAC4_1V, PAC4_2A to PAC4_2X and PAC4_3A to PAC4_3X. Activity list is unique to each cycle. Source: Ontario Health Survey. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MONTHLY FREQUENCY		1 - 251		8,894	19,351,500
NO PHYSICAL ACTIVITY		0		1,503	2,955,000
NOT APPLICABLE		996		1,676	4,664,000
NOT STATED		999		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4DFR	Length	1	Position	826
Question Name					
Concept	Freq. of all physical activity lasting >15 min. - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly DVPAFQ94. Based on PAC4_1V, PAC4_2A to PAC4_2X and PAC4_3A to PAC4_3X. Activity list is unique to each cycle. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
REGULAR		1		5,625	12,326,500
OCCASIONAL		2		2,209	4,795,500
INFREQUENT		3		2,563	5,184,000
NOT APPLICABLE		6		1,676	4,664,000
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

Variable Name	PAC4DFD	Length	1	Position	827
Question Name					
Concept	Participation in daily phys. activ. lasting >15 min. - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly DVDAFQ94. Based on PAC4_1V, PAC4_2A to PAC4_2X and PAC4_3A to PAC4_3X. Activity list is unique to each cycle. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DAILY		1		2,892	6,347,500
NOT DAILY		2		7,505	15,959,000
NOT APPLICABLE		6		1,676	4,664,000
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC4DPAI	Length	1	Position	828
Question Name					
Concept	Physical activity index - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly DVPAID94. Based on PAC4_1A to PAC4_1X, PAC4_2A to PAC4_2X and PAC4_3A to PAC4_3X. Activity list is unique to each cycle. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ACTIVE		1		1,835	4,273,500
MODERATE		2		2,295	5,014,000
INACTIVE		3		6,267	13,019,000
NOT APPLICABLE		6		1,676	4,664,000
NOT STATED		9		473	1,348,000
		Total		12,546	28,318,308

Variable Name	IJC4_1	Length	1	Position	829
Question Name	INJ-Q1				
Concept	Injured in the past 12 months				
Question	In the past 12 months, did you have any injuries that were serious enough to limit your normal activities?				
Universe	All respondents				
Note	Formerly IN_Q1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,975	4,679,500
NO		2		10,571	23,639,000
		Total		12,546	28,318,308

Variable Name	IJC4_2	Length	2	Position	830 - 831
Question Name	INJ-Q2				
Concept	Number of injuries in the past 12 months				
Question	How many times were you injured?				
Universe	Respondents who answered IJC4_1=1				
Note	Formerly IN_Q2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 30		1,975	4,679,500
NOT APPLICABLE		96		10,571	23,639,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC4_3 **Length** 2 **Position** 832 - 833

Question Name INJ-Q3

Concept Most serious injury - type

Question (Thinking about the most serious injury,) What type of injury did you have? For example, a broken bone or burn.

Universe Respondents who answered IJC4_1=1

Note Formerly IN_Q3. This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE INJURIES	1	25	47,500
BROKEN OR FRACTURED BONES	2	306	644,500
BURN OR SCALD	3	44	115,000
DISLOCATION	4	77	199,500
SPRAIN OR STRAIN	5	822	1,985,000
CUT OR SCRAPE	6	181	425,000
BRUISE OR ABRASION	7	89	222,500
CONCUSSION	8	24	50,500
POISONING BY SUBSTANCE OR LIQUID	9	12	36,000
INTERNAL INJURY	10	40	113,500
OTHER	11	355	840,500
NOT APPLICABLE	96	10,571	23,639,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC4_4 **Length** 2 **Position** 834 - 835
Question Name INJ-Q4
Concept Most serious injury - body part affected
Question What part of your body was injured?
Universe Respondents who answered IJC4_1=1
Note Formerly IN_Q4. This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE SITES	1	37	74,000
EYES	2	30	63,500
HEAD (EXCLUDING EYES)	3	113	297,000
NECK	4	69	177,500
SHOULDER	5	117	291,500
ARMS OR HANDS	6	371	840,500
HIP	7	40	77,500
LEGS OR FEET	8	605	1,474,000
BACK OR SPINE	9	465	1,063,500
TRUNK (EXCLUDING BACK AND SPINE)	10	94	226,500
SYSTEMIC	11	12	36,000
NOT APPLICABLE	96	10,571	23,639,000
DON'T KNOW	97	1	2,000
NOT STATED	99	21	56,500
Total		12,546	28,318,308

Variable Name IJC4D1 **Length** 3 **Position** 836 - 838
Question Name
Concept Type of injury by body site - (D)
Question
Universe Respondents who answered IJC4_1=1
Note Formerly DVINJ194. Based on IJC4_3 and IJC4_4. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INJURY BY BODY SITE	10 - 119	1,953	4,621,000
NOT APPLICABLE	996	10,571	23,639,000
NOT STATED	999	22	58,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC4_5 **Length** 2 **Position** 839 - 840
Question Name INJ-Q5
Concept Most serious injury - place of occurrence
Question Where did the injury happen ?
Universe Respondents who answered IJC4_1=1
Note Formerly IN_Q5. This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
IN A HOME OR ITS SURROUNDING AREA	1	718	1,566,500
FARM	2	48	85,000
PLACE FOR RECREATION OR SPORT	3	424	1,180,000
STREET OR HIGHWAY	4	197	447,500
BUILDING USED BY GENERAL PUBLIC	5	184	407,500
RESIDENTIAL INSTITUTION	6	36	69,500
MINE	7	2	1,500
INDUSTRIAL PLACE	8	172	432,000
OTHER	9	191	482,000
NOT APPLICABLE	96	10,571	23,639,000
DON'T KNOW	97	3	7,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	IJC4_6	Length	2	Position	841 - 842
Question Name	INJ-Q6				
Concept	Most serious injury - reason				
Question	What happened? For example, was the injury the result of a fall, a motor vehicle accident, a physical assault, etc.?				
Universe	Respondents who answered IJC4_1=1				
Note	Formerly IN_Q6.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MOTOR VEHICLE ACCIDENT	1	111	242,000
ACCIDENTAL FALL	2	737	1,707,000
FIRE, FLAMES OR RESULTING FUMES	3	7	15,000
ACCIDENTLY STRUCK BY AN OBJECT / PERSON	4	167	449,000
PHYSICAL ASSAULT	5	20	53,500
ACCIDENTAL INJURY - EXPLOSION	7	3	5,500
ACCIDENTAL INJURY - ENVIRON. FACTORS	8	146	316,500
ACCIDENTAL NEAR DROWNING OR SUBMERSION	9	1	7,500
HOT LIQUIDS, FOODS OR SUBSTANCES	11	18	44,500
ACCIDENT - MACHINERY	12	46	114,500
ACCIDENT - CUTTING OR PIERCING OBJECT	13	40	82,500
ACCIDENTAL POISONING	14	6	14,500
OTHER	15	667	1,615,000
NOT APPLICABLE	96	10,571	23,639,000
DON'T KNOW	97	6	11,500
Total		12,546	28,318,308

Variable Name	IJC4D2	Length	3	Position	843 - 845
Question Name					
Concept	Cause of injury by place of occurrence - (D)				
Question					
Universe	Respondents who answered IJC4_1=1				
Note	Formerly DVINJ294. Based on IJC4_5 and IJC4_6. See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CAUSE BY PLACE OF OCCURRENCE	10 - 978	1,972	4,672,500
NOT APPLICABLE	996	10,571	23,639,000
NOT STATED	999	3	7,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	IJC4_7	Length	1	Position	846
Question Name	INJ-Q7				
Concept	Most serious injury - work-related				
Question	Was this a work-related injury?				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly IN_Q7.				
Content		Code		Sample	Population
YES		1		466	1,077,500
NO		2		1,337	3,139,500
NOT APPLICABLE		6		10,741	24,094,000
DON'T KNOW		7		2	7,500
		Total		12,546	28,318,308

Variable Name	IJC4_8A	Length	1	Position	847
Question Name	INJ-Q8				
Concept	Precaution taken - gave up the activity				
Question	We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Gave up the activity				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly INQ8_A.				
Content		Code		Sample	Population
YES		1		161	373,500
NO		2		1,644	3,851,000
NOT APPLICABLE		6		10,741	24,094,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	IJC4_8B	Length	1	Position	848
Question Name	INJ-Q8				
Concept	Precaution taken - being more careful				
Question	We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Being more careful				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly INQ8_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,164	2,628,000
NO		2		641	1,596,500
NOT APPLICABLE		6		10,741	24,094,000
		Total		12,546	28,318,308

Variable Name	IJC4_8C	Length	1	Position	849
Question Name	INJ-Q8				
Concept	Precaution taken - safety training				
Question	We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Took safety training				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly INQ8_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		29	60,000
NO		2		1,776	4,164,500
NOT APPLICABLE		6		10,741	24,094,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	IJC4_8D	Length	1	Position	850
Question Name	INJ-Q8				
Concept	Precaution taken - protective gear				
Question	We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Using protective gear / safety equipment				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly INQ8_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		124	326,000
NO		2		1,681	3,898,500
NOT APPLICABLE		6		10,741	24,094,000
		Total		12,546	28,318,308

Variable Name	IJC4_8E	Length	1	Position	851
Question Name	INJ-Q8				
Concept	Precaution taken - changing physical situation				
Question	We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Changing physical situation				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly INQ8_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		54	125,500
NO		2		1,751	4,099,000
NOT APPLICABLE		6		10,741	24,094,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	IJC4_8F	Length	1	Position	852
Question Name	INJ-Q8				
Concept	Precaution taken - other				
Question	We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Other				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly INQ8_G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		198	507,000
NO		2		1,607	3,717,500
NOT APPLICABLE		6		10,741	24,094,000
		Total		12,546	28,318,308

Variable Name	IJC4_8G	Length	1	Position	853
Question Name	INJ-Q8				
Concept	Precaution taken - none				
Question	We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - No precautions				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly INQ8_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		260	656,000
NO		2		1,545	3,568,500
NOT APPLICABLE		6		10,741	24,094,000
		Total		12,546	28,318,308

Variable Name	IJC4_8H	Length	1	Position	854
Question Name	INJ-Q8				
Concept	Precaution taken - increase child supervision				
Question	We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Increase supervision of child				
Universe	Respondents aged 12 and over who answered IJC4_1=1				
Note	Formerly INQ8_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		1,805	4,224,500
NOT APPLICABLE		6		10,741	24,094,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_C1 **Length** 1 **Position** 855

Question Name CSTRESS-Q1

Concept Stress (ongoing) - trying to take on too many things

Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You are trying to take on too many things at once.

Universe Respondents aged 18 and over living in a household

Note Formerly CST_Q1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	3,901	8,789,000
FALSE	2	5,782	11,126,500
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	3	5,000
REFUSAL	8	10	31,500
NOT STATED	9	392	1,038,000
Total		12,546	28,318,308

Variable Name ST_4_C2 **Length** 1 **Position** 856

Question Name CSTRESS-Q2

Concept Stress (ongoing) - pressure to conform

Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - There is too much pressure on you to be like other people.

Universe Respondents aged 18 and over living in a household

Note Formerly CST_Q2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,343	3,022,000
FALSE	2	8,333	16,882,500
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	10	16,000
NOT STATED	9	402	1,070,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_C3 **Length** 1 **Position** 857
Question Name CSTRESS-Q3
Concept Stress (ongoing) - others expect too much from you
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Too much is expected of you by others.
Universe Respondents aged 18 and over living in a household
Note Formerly CST_Q3.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	2,792	6,192,000
FALSE	2	6,878	13,664,500
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	14	48,500
REFUSAL	8	1	7,000
NOT STATED	9	403	1,078,500
	Total	12,546	28,318,308

Variable Name ST_4_C4 **Length** 1 **Position** 858
Question Name CSTRESS-Q4
Concept Stress (ongoing) - lack of money
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You don't have enough money to buy the things you need.
Universe Respondents aged 18 and over living in a household
Note Formerly CST_Q4.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	3,478	7,442,500
FALSE	2	6,199	12,429,500
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	8	39,500
NOT STATED	9	403	1,078,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_C5 **Length** 1 **Position** 859
Question Name CSTRESS-Q5
Concept Stress (ongoing) - partner doesn't understand you
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner doesn't understand you.
Universe Respondents aged 18 and over with DHC4_MAR=1, 2 or 3
Note Formerly CST_Q5.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	778	1,895,000
FALSE	2	4,939	11,439,500
NOT APPLICABLE	6	6,509	14,182,500
DON'T KNOW	7	9	23,500
REFUSAL	8	3	9,500
NOT STATED	9	308	769,000
Total		12,546	28,318,308

Variable Name ST_4_C6 **Length** 1 **Position** 860
Question Name CSTRESS-Q6
Concept Stress (ongoing) - partner is not affectionate enough
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner doesn't show enough affection.
Universe Respondents aged 18 and over with DHC4_MAR=1, 2 or 3
Note Formerly CST_Q6.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	695	1,696,500
FALSE	2	5,018	11,628,500
NOT APPLICABLE	6	6,509	14,182,500
DON'T KNOW	7	11	24,500
REFUSAL	8	5	17,500
NOT STATED	9	308	769,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_C7 **Length** 1 **Position** 861
Question Name CSTRESS-Q7
Concept Stress (ongoing) - partner is not committed to relationship
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner is not committed enough to your relationship.
Universe Respondents aged 18 and over with DHC4_MAR=1, 2 or 3
Note Formerly CST_Q7.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	317	802,000
FALSE	2	5,396	12,519,000
NOT APPLICABLE	6	6,509	14,182,500
DON'T KNOW	7	9	23,500
REFUSAL	8	7	22,500
NOT STATED	9	308	769,000
Total		12,546	28,318,308

Variable Name ST_4_C8 **Length** 1 **Position** 862
Question Name CSTRESS-Q8
Concept Stress (ongoing) - difficult to find someone compatible
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You find it is very difficult to find someone compatible with you.
Universe Respondents aged 18 and over with DHC4_MAR=4, 5, 6 or 7
Note Formerly CST_Q8.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,141	2,075,500
FALSE	2	2,807	4,445,500
NOT APPLICABLE	6	8,495	21,464,000
DON'T KNOW	7	8	23,500
NOT STATED	9	95	309,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_C9	Length	1	Position	863
Question Name	CSTRESS-Q9				
Concept	Stress (ongoing) - has children				
Question	Do you have any children?				
Universe	Respondents aged 18 and over				
Note	Formerly CST_Q9.				
Content		Code		Sample	Population
YES		1		6,935	14,100,000
NO		2		2,746	5,803,500
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		2	6,000
REFUSAL		8		2	2,000
NOT STATED		9		403	1,078,500
		Total		12,546	28,318,308

Variable Name	ST_4_C10	Length	1	Position	864
Question Name	CSTRESS-Q10				
Concept	Stress (ongoing) - child seems unhappy				
Question	Remember I want to know if you feel any of these statements are true for you at this time. - One of your children seems very unhappy.				
Universe	Respondents who answered ST_4_C9=1				
Note	Formerly CST_Q10.				
Content		Code		Sample	Population
TRUE		1		1,197	2,281,000
FALSE		2		5,716	11,786,500
NOT APPLICABLE		6		5,204	13,131,500
DON'T KNOW		7		21	26,000
REFUSAL		8		1	7,000
NOT STATED		9		407	1,086,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_C11 **Length** 1 **Position** 865

Question Name CSTRESS-Q11

Concept Stress (ongoing) - child's behaviour is a concern

Question Remember I want to know if you feel any of these statements are true for you at this time. - A child's behaviour is a source of serious concern to you.

Universe Respondents who answered ST_4_C9=1

Note Formerly CST_Q11.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	2,085	4,217,500
FALSE	2	4,844	9,866,000
NOT APPLICABLE	6	5,204	13,131,500
DON'T KNOW	7	6	17,000
NOT STATED	9	407	1,086,500
Total		12,546	28,318,308

Variable Name ST_4_C12 **Length** 1 **Position** 866

Question Name CSTRESS-Q12

Concept Stress (ongoing) - work around home not appreciated

Question Remember I want to know if you feel any of these statements are true for you at this time. - Your work around the home is not appreciated.

Universe Respondents aged 18 and over living in a household

Note Formerly CST_Q12.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,065	2,579,500
FALSE	2	8,603	17,285,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	16	47,000
REFUSAL	8	1	1,000
NOT STATED	9	403	1,078,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_C13 **Length** 1 **Position** 867
Question Name CSTRESS-Q13
Concept Stress (ongoing) - friends are a bad influence
Question Remember I want to know if you feel any of these statements are true for you at this time. - Your friends are a bad influence.
Universe Respondents aged 18 and over living in a household
Note Formerly CST_Q13.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	307	657,000
FALSE	2	9,367	19,226,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	10	27,500
REFUSAL	8	1	1,500
NOT STATED	9	403	1,078,500
	Total	12,546	28,318,308

Variable Name ST_4_C14 **Length** 1 **Position** 868
Question Name CSTRESS-Q14
Concept Stress (ongoing) - would like to move
Question Remember I want to know if you feel any of these statements are true for you at this time. - You would like to move but you cannot.
Universe Respondents aged 18 and over living in a household
Note Formerly CST_Q14.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,763	3,983,500
FALSE	2	7,916	15,913,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	4	6,500
REFUSAL	8	2	8,500
NOT STATED	9	403	1,078,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_C15	Length	1	Position	869
Question Name	CSTRESS-Q15				
Concept	Stress (ongoing) - neighbourhood too noisy or polluted				
Question	Remember I want to know if you feel any of these statements are true for you at this time. - Your neighbourhood or community is too noisy or too polluted.				
Universe	Respondents aged 18 and over living in a household				
Note	Formerly CST_Q15.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
TRUE		1		784	1,812,500
FALSE		2		8,897	18,090,500
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		3	7,000
NOT STATED		9		404	1,080,000
		Total		12,546	28,318,308

Variable Name	ST_4_C16	Length	1	Position	870
Question Name	CSTRESS-Q16				
Concept	Stress (ongoing) - family member in very bad health				
Question	Remember I want to know if you feel any of these statements are true for you at this time. - You have a parent, a child or partner who is in very bad health and may die.				
Universe	Respondents aged 18 and over living in a household				
Note	Formerly CST_Q16.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
TRUE		1		1,085	2,348,500
FALSE		2		8,595	17,551,000
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		4	10,500
NOT STATED		9		404	1,080,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_C17 **Length** 1 **Position** 871
Question Name CSTRESS-Q17
Concept Stress (ongoing) - family member has alcohol or drug problem
Question Remember I want to know if you feel any of these statements are true for you at this time. - Someone in your family has an alcohol or drug problem.
Universe Respondents aged 18 and over living in a household
Note Formerly CST_Q17.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,459	2,776,500
FALSE	2	8,217	17,116,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	7	15,000
REFUSAL	8	1	2,500
NOT STATED	9	404	1,080,000
	Total	12,546	28,318,308

Variable Name ST_4_C18 **Length** 1 **Position** 872
Question Name CSTRESS-Q18
Concept Stress (ongoing) - people are too critical
Question Remember I want to know if you feel any of these statements are true for you at this time. - People are too critical of you or what you do.
Universe Respondents aged 18 and over living in a household
Note Formerly CST_Q18.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,059	2,221,500
FALSE	2	8,612	17,666,500
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	11	17,000
REFUSAL	8	2	5,000
NOT STATED	9	404	1,080,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4DC1 **Length** 4.1 **Position** 873 - 876

Question Name

Concept General chronic stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Formerly DVCSI194. Based on ST_4_C1 to ST_4_C4 and ST_4_C12 to ST_4_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 11.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 10.0	9,679	19,901,000
NOT APPLICABLE	99.6	2,458	7,328,000
NOT STATED	99.9	409	1,089,000
Total		12,546	28,318,308

Variable Name ST_4DC2 **Length** 4.1 **Position** 877 - 880

Question Name

Concept Specific chronic stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Formerly DVCSI294. Based on ST_4_C1 to ST_4_C8 and ST_4_C10 to ST_4_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 16.0 (higher values indicate more stress). Maximum score equals total number of questions to answer. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 14.0	9,678	19,887,500
NOT APPLICABLE	99.6	2,458	7,328,000
NOT STATED	99.9	410	1,102,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4DC3 **Length** 4.1 **Position** 881 - 884

Question Name

Concept Adjusted specific chronic stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Formerly DVCSI394. ST_4_C1 to ST_4_C8 and ST_4_C10 to ST_4_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 16.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 14.9	9,678	19,887,500
NOT APPLICABLE	99.6	2,458	7,328,000
NOT STATED	99.9	410	1,102,500
Total		12,546	28,318,308

Variable Name ST_4DC4 **Length** 3.1 **Position** 885 - 887

Question Name

Concept Personal stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Formerly DVCSI494. Based on ST_4_C1 to ST_4_C3, ST_4_C12 and ST_4_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 5.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 5.0	9,679	19,901,500
NOT APPLICABLE	9.6	2,458	7,328,000
NOT STATED	9.9	409	1,089,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4DC5	Length	1	Position	888
Question Name					
Concept	Financial problems stress index - (D)				
Question					
Universe	Respondents aged 18 and over living in a household				
Note	Formerly DVCSI594. Based on ST_4_C4. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 1 (higher values indicate more stress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 1		9,677	19,872,000
NOT APPLICABLE		6		2,458	7,328,000
NOT STATED		9		411	1,118,000
		Total		12,546	28,318,308

Variable Name	ST_4DC6	Length	1	Position	889
Question Name					
Concept	Relationship problems (with partner) stress index - (D)				
Question					
Universe	Respondents aged 18 and over with DHC4_MAR=1, 2 or 3				
Note	Formerly DVCSI694. Based on ST_4_C5 to ST_4_C7 and DHC4_MAR (only if married or living common law). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 3 (higher values indicate more stress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 3		5,703	13,301,500
NOT APPLICABLE		6		6,509	14,182,500
NOT STATED		9		334	834,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4DC7	Length	1	Position	890
Question Name					
Concept	Relationship problems (no partner) stress index - (D)				
Question					
Universe	Respondents aged 18 and over with DHC4_MAR=4,5,6 or 7				
Note	Formerly DVCSI794. Based on ST_4_C8 and DHC4_MAR (only if no partner). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 1 (higher values indicate more stress). See Derived Variables Documentation.				
Content		Code		Sample	Population
INDEX VALUE		0 - 1		3,948	6,521,000
NOT APPLICABLE		6		8,495	21,464,000
NOT STATED		9		103	333,500
		Total		12,546	28,318,308

Variable Name	ST_4DC8	Length	1	Position	891
Question Name					
Concept	Child problems stress index - (D)				
Question					
Universe	Respondents aged 18 and over with ST_4_C9=1				
Note	Formerly DVCSI894. Based on ST_4_C9 to ST_4_C11 (only if respondent has children). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 2 (higher values indicate more stress). See Derived Variables Documentation.				
Content		Code		Sample	Population
INDEX VALUE		0 - 2		6,911	14,058,500
NOT APPLICABLE		6		5,204	13,131,500
NOT STATED		9		431	1,128,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4DC9	Length	1	Position	892
Question Name					
Concept	Environmental problems stress index - (D)				
Question					
Universe	Respondents aged 18 and over living in a household				
Note	Formerly DVCSI994. Based on ST_4_C13 to ST_4_C15. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 3 (higher values indicate more stress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 3		9,671	19,870,500
NOT APPLICABLE		6		2,458	7,328,000
NOT STATED		9		417	1,119,500
		Total		12,546	28,318,308

Variable Name	ST_4DC10	Length	1	Position	893
Question Name					
Concept	Family health stress index - (D)				
Question					
Universe	Respondents aged 18 and over living in a household				
Note	Formerly DVCSI1094. Based on ST_4_C16 and ST_4_C17. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 2 (higher values indicate more stress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 2		9,675	19,887,000
NOT APPLICABLE		6		2,458	7,328,000
NOT STATED		9		413	1,103,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_R1 **Length** 1 **Position** 894
Question Name RECENT-Q1
Concept Stress (recent) - physically attacked
Question I'd like to ask you about yourself or anyone close to you. In the past 12 months, was any one of you beaten up or physically attacked?
Universe Respondents aged 18 and over
Note Formerly REC_Q1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	455	971,000
NO	2	9,227	18,936,500
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	3	7,500
REFUSAL	8	7	23,000
NOT STATED	9	396	1,052,500
Total		12,546	28,318,308

Variable Name ST_4_R2 **Length** 1 **Position** 895
Question Name RECENT-Q2
Concept Stress (recent) - unwanted pregnancy
Question In the past 12 months, did (you or) someone in your family have an unwanted pregnancy?
Universe Respondents aged 18 and over
Note Formerly REC_Q2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	199	413,000
NO	2	9,480	19,489,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	6	13,000
NOT STATED	9	403	1,075,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_R3	Length	1	Position	896
Question Name	RECENT-Q3				
Concept	Stress (recent) - abortion or miscarriage				
Question	In the past 12 months, did (you or) someone in your family have an abortion or miscarriage?				
Universe	Respondents aged 18 and over				
Note	Formerly REC_Q3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		253	570,500
NO		2		9,424	19,326,500
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		5	9,000
REFUSAL		8		3	9,000
NOT STATED		9		403	1,075,500
		Total		12,546	28,318,308

Variable Name	ST_4_R4	Length	1	Position	897
Question Name	RECENT-Q4				
Concept	Stress (recent) - major financial crisis				
Question	In the past 12 months, did you or someone in your family have a major financial crisis?				
Universe	Respondents aged 18 and over				
Note	Formerly REC_Q4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,205	2,642,500
NO		2		8,476	17,265,500
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		3	3,500
REFUSAL		8		1	3,500
NOT STATED		9		403	1,075,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_R5	Length	1	Position	898
Question Name	RECENT-Q5				
Concept	Stress (recent) - failed school				
Question	In the past 12 months, did you or someone in your family fail school or a training program?				
Universe	Respondents aged 18 and over				
Note	Formerly REC_Q5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		382	840,000
NO		2		9,294	19,061,000
NOT APPLICABLE		6		2,458	7,328,000
DON'T KNOW		7		8	10,500
REFUSAL		8		1	3,500
NOT STATED		9		403	1,075,500
		Total		12,546	28,318,308

Variable Name	ST_4_R6	Length	1	Position	899
Question Name	RECENT-Q6				
Concept	Stress (recent) - a change of job for a worse one				
Question	In the past 12 months, did you (or your partner) experience a change of job for a worse one?				
Universe	Respondents aged 18 and over				
Note	Formerly REC_Q6.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		442	1,103,500
NO		2		9,242	18,810,500
NOT APPLICABLE		6		2,458	7,328,000
NOT STATED		9		404	1,076,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_R7 **Length** 1 **Position** 900
Question Name RECENT-Q7
Concept Stress (recent) - demotion or cut in pay
Question In the past 12 months, were you (or your partner) demoted at work or did you (either of you) take a cut in pay?
Universe Respondents aged 18 and over
Note Formerly REC_Q7.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,133	2,577,500
NO	2	8,547	17,325,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	4	12,000
NOT STATED	9	404	1,076,000
	Total	12,546	28,318,308

Variable Name ST_4_R8 **Length** 1 **Position** 901
Question Name RECENT-Q8
Concept Stress (recent) - argues with partner
Question In the past 12 months, did you have increased arguments with your partner?
Universe Respondents aged 18 and over with DHC4_MAR=1, 2 or 3
Note Formerly REC_Q8.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	494	1,216,000
NO	2	5,233	12,149,000
NOT APPLICABLE	6	6,509	14,182,500
REFUSAL	8	1	3,500
NOT STATED	9	309	768,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_R9	Length	1	Position	902
Question Name	RECENT-Q9				
Concept	Stress (recent) - went on welfare				
Question	Now, just you personally, in the past 12 months, did you go on Welfare?				
Universe	Respondents aged 18 and over				
Note	Formerly REC_Q9.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		491	989,500
NO		2		9,192	18,922,500
NOT APPLICABLE		6		2,458	7,328,000
REFUSAL		8		1	2,000
NOT STATED		9		404	1,076,000
		Total		12,546	28,318,308

Variable Name	ST_4_R10	Length	1	Position	903
Question Name	RECENT-Q10				
Concept	Stress (recent) - child moved back				
Question	In the past 12 months, did you have a child move back into the house?				
Universe	Respondents who answered ST_4_C9=1				
Note	Formerly REC_Q10.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		361	740,000
NO		2		6,571	13,354,500
NOT APPLICABLE		6		5,204	13,131,500
NOT STATED		9		410	1,092,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4DR1 **Length** 4.1 **Position** 904 - 907

Question Name

Concept Recent life events score - All items - (D)

Question

Universe Respondents aged 18 and over

Note Formerly DVRLI194. Based on ST_4_R1 to ST_4_R7 and ST_4_R9. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 8.0 (higher values indicate numerous events). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 6.0	9,681	19,907,500
NOT APPLICABLE	99.6	2,458	7,328,000
NOT STATED	99.9	407	1,082,500
Total		12,546	28,318,308

Variable Name ST_4DR2 **Length** 4.1 **Position** 908 - 911

Question Name

Concept Recent life events score - All valid items - (D)

Question

Universe Respondents aged 18 and over

Note Formerly DVRLI294. Based on ST_4_R1 to ST_4_R10. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 10.0 (higher values indicate numerous events). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 7.0	9,681	19,907,500
NOT APPLICABLE	99.6	2,458	7,328,000
NOT STATED	99.9	407	1,082,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4DR3 **Length** 4.1 **Position** 912 - 915

Question Name

Concept Adjusted recent life events index - (D)

Question

Universe Respondents aged 18 and over

Note Formerly DVRLI394. Based on ST_0_R1 to ST_0_R10. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 10.0 (higher values indicate numerous events). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 7.8	9,681	19,907,500
NOT APPLICABLE	99.6	2,458	7,328,000
NOT STATED	99.9	407	1,082,500
	Total	12,546	28,318,308

Variable Name ST_4_T1 **Length** 1 **Position** 916

Question Name TRAUM-Q1

Concept Stress (trauma) - 2 weeks or more in hospital

Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did you spend 2 weeks or more in the hospital?

Universe Respondents aged 18 and over

Note Formerly TRM_Q1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,585	3,281,000
NO	2	8,089	16,618,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	10	17,000
REFUSAL	8	7	21,000
NOT STATED	9	397	1,053,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_T2 **Length** 1 **Position** 917
Question Name TRAUM-Q2
Concept Stress (trauma) - parents divorced
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did your parents get a divorce?
Universe Respondents aged 18 and over
Note Formerly TRM_Q2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	886	2,056,500
NO	2	8,794	17,849,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	2	4,500
REFUSAL	8	2	6,500
NOT STATED	9	404	1,074,000
Total		12,546	28,318,308

Variable Name ST_4_T3 **Length** 1 **Position** 918
Question Name TRAUM-Q3
Concept Stress (trauma) - parents unemployed for a long time
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did your father or mother not have a job for a long time when they wanted to be working?
Universe Respondents aged 18 and over
Note Formerly TRM_Q3.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,241	2,742,500
NO	2	8,422	17,122,500
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	18	43,000
REFUSAL	8	3	8,500
NOT STATED	9	404	1,074,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_T4	Length	1	Position	919
Question Name	TRAUM-Q4				
Concept	Stress (trauma) - traumatised for years				
Question	The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did something happen that scared you so much you thought about it for years after?				
Universe	Respondents aged 18 and over				
Note	Formerly TRM_Q4.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,038	4,456,000
NO	2	7,638	15,432,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	5	20,000
REFUSAL	8	3	8,500
NOT STATED	9	404	1,074,000
	Total	12,546	28,318,308

Variable Name	ST_4_T5	Length	1	Position	920
Question Name	TRAUM-Q5				
Concept	Stress (trauma) - sent away from home				
Question	The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Were you sent away from home because you did something wrong?				
Universe	Respondents aged 18 and over				
Note	Formerly TRM_Q5.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	189	444,000
NO	2	9,491	19,464,500
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	2	1,000
REFUSAL	8	2	6,500
NOT STATED	9	404	1,074,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_T6 **Length** 1 **Position** 921
Question Name TRAUM-Q6
Concept Stress (trauma) - parents abused alcohol or drugs
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did either of your parents drink or use drugs so often that it caused problems for the family?
Universe Respondents aged 18 and over
Note Formerly TRM_Q6.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,456	2,873,500
NO	2	8,219	17,025,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	7	11,000
REFUSAL	8	2	6,500
NOT STATED	9	404	1,074,000
	Total	12,546	28,318,308

Variable Name ST_4_T7 **Length** 1 **Position** 922
Question Name TRAUM-Q7
Concept Stress (trauma) - was ever physically abused
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Were you ever physically abused by someone close to you?
Universe Respondents aged 18 and over
Note Formerly TRM_Q7.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	737	1,486,000
NO	2	8,939	18,416,000
NOT APPLICABLE	6	2,458	7,328,000
DON'T KNOW	7	4	2,500
REFUSAL	8	3	7,000
NOT STATED	9	405	1,078,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4DT1 **Length** 4.1 **Position** 923 - 926

Question Name

Concept Childhood and adult stress index - (D)

Question

Universe Respondents aged 18 and over

Note Formerly DVTRI194. Based on ST_4_T1 to ST_4_T7. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 7.0 (higher values indicate more stressors). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 7.0	9,677	19,900,500
NOT APPLICABLE	99.6	2,458	7,328,000
NOT STATED	99.9	411	1,090,000
Total		12,546	28,318,308

Variable Name ST_4_W1A **Length** 1 **Position** 927

Question Name WSTRESS-Q1

Concept Stress (work) - must learn new things

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires that you learn new things.

Universe Respondents aged 15 and over who are currently employed

Note Formerly WST_Q1A. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,644	3,863,000
AGREE	2	2,632	5,820,500
NEITHER AGREE NOR DISAGREE	3	278	632,500
DISAGREE	4	721	1,616,000
STRONGLY DISAGREE	5	121	310,000
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	1	6,000
REFUSAL	8	3	10,500
NOT STATED	9	502	1,479,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_W1B **Length** 1 **Position** 928
Question Name WSTRESS-Q1
Concept Stress (work) - high level of skill
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires a high level of skill.
Universe Respondents aged 15 and over who are currently employed
Note Formerly WST_Q1B. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,641	3,879,500
AGREE	2	2,289	4,945,000
NEITHER AGREE NOR DISAGREE	3	497	1,164,500
DISAGREE	4	892	2,074,500
STRONGLY DISAGREE	5	77	183,000
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	1	1,500
NOT STATED	9	505	1,490,500
Total		12,546	28,318,308

Variable Name ST_4_W1C **Length** 1 **Position** 929
Question Name WSTRESS-Q1
Concept Stress (work) - freedom to decide
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job allows you freedom to decide how you do your job.
Universe Respondents aged 15 and over who are currently employed
Note Formerly WST_Q1C. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,412	3,463,000
AGREE	2	2,655	5,711,000
NEITHER AGREE NOR DISAGREE	3	529	1,168,000
DISAGREE	4	692	1,635,500
STRONGLY DISAGREE	5	107	254,500
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	2	15,500
NOT STATED	9	505	1,490,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_W1D	Length	1	Position	930
Question Name	WSTRESS-Q1				
Concept	Stress (work) - repetitive tasks				
Question	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires that you do things over and over.				
Universe	Respondents aged 15 and over who are currently employed				
Note	Formerly WST_Q1D. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,292	2,918,000
AGREE	2	2,491	5,326,500
NEITHER AGREE NOR DISAGREE	3	513	1,308,000
DISAGREE	4	958	2,289,500
STRONGLY DISAGREE	5	143	406,500
NOT APPLICABLE	6	6,644	14,580,000
NOT STATED	9	505	1,490,500
	Total	12,546	28,318,308

Variable Name	ST_4_W1E	Length	1	Position	931
Question Name	WSTRESS-Q1				
Concept	Stress (work) - hectic job				
Question	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job is very hectic.				
Universe	Respondents aged 15 and over who are currently employed				
Note	Formerly WST_Q1E. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,442	3,265,000
AGREE	2	1,986	4,487,500
NEITHER AGREE NOR DISAGREE	3	684	1,566,000
DISAGREE	4	1,164	2,589,500
STRONGLY DISAGREE	5	120	336,000
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	1	3,500
NOT STATED	9	505	1,490,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_W1F **Length** 1 **Position** 932

Question Name WSTRESS-Q1

Concept Stress (work) - free from conflicting demands

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - You are free from conflicting demands that others make

Universe Respondents aged 15 and over who are currently employed

Note Formerly WST_Q1F. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	445	1,121,000
AGREE	2	1,902	4,032,000
NEITHER AGREE NOR DISAGREE	3	643	1,591,000
DISAGREE	4	1,911	4,375,000
STRONGLY DISAGREE	5	484	1,070,000
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	12	59,000
NOT STATED	9	505	1,490,500
	Total	12,546	28,318,308

Variable Name ST_4_W1G **Length** 1 **Position** 933

Question Name WSTRESS-Q1

Concept Stress (work) - good job security

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job security is good.

Universe Respondents aged 15 and over who are currently employed

Note Formerly WST_Q1G. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,131	2,716,500
AGREE	2	2,503	5,392,500
NEITHER AGREE NOR DISAGREE	3	653	1,521,000
DISAGREE	4	778	1,876,500
STRONGLY DISAGREE	5	328	727,500
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	4	14,500
NOT STATED	9	505	1,490,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_W1H	Length	1	Position	934
Question Name	WSTRESS-Q1				
Concept	Stress (work) - requires a lot of physical effort				
Question	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires a lot of physical effort.				
Universe	Respondents aged 15 and over who are currently employed				
Note	Formerly WST_Q1H. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	953	2,152,500
AGREE	2	1,554	3,389,500
NEITHER AGREE NOR DISAGREE	3	453	1,021,000
DISAGREE	4	1,932	4,430,000
STRONGLY DISAGREE	5	505	1,254,500
NOT APPLICABLE	6	6,644	14,580,000
NOT STATED	9	505	1,490,500
	Total	12,546	28,318,308

Variable Name	ST_4_W1I	Length	1	Position	935
Question Name	WSTRESS-Q1				
Concept	Stress (work) - has own job input				
Question	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - You have a lot to say about what happens in your job.				
Universe	Respondents aged 15 and over who are currently employed				
Note	Formerly WST_Q1I. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,128	2,786,000
AGREE	2	2,218	4,891,000
NEITHER AGREE NOR DISAGREE	3	662	1,443,500
DISAGREE	4	1,191	2,666,500
STRONGLY DISAGREE	5	197	457,000
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	1	3,500
NOT STATED	9	505	1,490,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_W1J **Length** 1 **Position** 936

Question Name WSTRESS-Q1

Concept Stress (work) - hostility or conflict with others

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - You are exposed to hostility or conflict from the people you work with.

Universe Respondents aged 15 and over who are currently employed

Note Formerly WST_Q1J. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	340	909,000
AGREE	2	1,141	2,671,500
NEITHER AGREE NOR DISAGREE	3	548	1,250,000
DISAGREE	4	2,557	5,536,500
STRONGLY DISAGREE	5	810	1,873,500
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	1	8,000
NOT STATED	9	505	1,490,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 295

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4_W1K	Length	1	Position	937
Question Name	WSTRESS-Q1				
Concept	Stress (work) - supervisor helpful				
Question	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your supervisor is helpful in getting the job done.				
Universe	Respondents aged 15 and over who are currently employed				
Note	Formerly WST_Q1K. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	956	2,169,500
AGREE	2	2,515	5,518,000
NEITHER AGREE NOR DISAGREE	3	1,070	2,484,000
DISAGREE	4	608	1,501,500
STRONGLY DISAGREE	5	239	530,000
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	7	40,000
REFUSAL	8	2	4,500
NOT STATED	9	505	1,490,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4_W1L **Length** 1 **Position** 938
Question Name WSTRESS-Q1
Concept Stress (work) - co-workers helpful
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - The people you work with are helpful in getting the job done.
Universe Respondents aged 15 and over who are currently employed
Note Formerly WST_Q1L. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,202	2,787,500
AGREE	2	3,274	7,169,500
NEITHER AGREE NOR DISAGREE	3	587	1,431,000
DISAGREE	4	251	643,500
STRONGLY DISAGREE	5	79	191,000
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	3	22,000
REFUSAL	8	1	4,000
NOT STATED	9	505	1,490,500
Total		12,546	28,318,308

Variable Name ST_4_W2 **Length** 1 **Position** 939
Question Name WSTRESS-Q2
Concept Stress (work) - job satisfaction
Question How satisfied are you with your job?
Universe Respondents aged 15 and over who are currently employed
Note Formerly WST_Q2. In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
VERY SATISFIED	1	2,794	6,092,500
SOMEWHAT SATISFIED	2	2,155	5,022,500
NOT TOO SATISFIED	3	316	797,500
NOT AT ALL SATISFIED	4	129	326,000
NOT APPLICABLE	6	6,644	14,580,000
DON'T KNOW	7	3	9,500
NOT STATED	9	505	1,490,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4DW1 **Length** 4.1 **Position** 940 - 943

Question Name

Concept Work stress index - All Items - (D)

Question

Universe Respondents aged 15 and over who are currently employed

Note Formerly DVWSI194. Based on ST_4_W1A to ST_4_W1L. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for questions ST_4_W1D, W1E, W1H and W1J. MIN = 0.0, MAX = 48.0 (higher values indicate greater work stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 40.0	5,397	12,248,000
NOT APPLICABLE	99.6	6,644	14,580,000
NOT STATED	99.9	505	1,490,500
Total		12,546	28,318,308

Variable Name ST_4DW2 **Length** 2 **Position** 944 - 945

Question Name

Concept Decision latitude - Skill discretion - (D)

Question

Universe Respondents aged 15 and over who are currently employed

Note Formerly DVWSI294. Based on ST_4_W1A, ST_4_W1B and ST_4_W1D. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_4_W1D. MIN = 0, MAX = 12 (lower values means that higher skills are required for the job). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	5,395	12,240,500
NOT APPLICABLE	96	6,644	14,580,000
NOT STATED	99	507	1,498,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4DW3 **Length** 2 **Position** 946 - 947

Question Name

Concept Decision latitude - Decision authority - (D)

Question

Universe Respondents aged 15 and over who are currently employed

Note Formerly DVWSI394. Based on ST_4_W1C and ST_4_W1I. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 8 (higher values indicate lower decision authority). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 8	5,394	12,229,000
NOT APPLICABLE	96	6,644	14,580,000
NOT STATED	99	508	1,509,500
Total		12,546	28,318,308

Variable Name ST_4DW4 **Length** 2 **Position** 948 - 949

Question Name

Concept Psychological demands - (D)

Question

Universe Respondents aged 15 and over who are currently employed

Note Formerly DVWSI494. Based on ST_4_W1E and ST_4_W1F. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_4_W1E. MIN = 0, MAX = 8 (higher values indicate greater psychological demands). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 8	5,384	12,185,000
NOT APPLICABLE	96	6,644	14,580,000
NOT STATED	99	518	1,553,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_4DW5	Length	1	Position	950
Question Name					
Concept Job insecurity - (D)					
Question					
Universe Respondents aged 15 and over who are currently employed					
Note Formerly DVWSI594. Based on ST_4_W1G. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 4 (higher values indicate greater job security). See Derived Variables Documentation.					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 4		5,393	12,233,500
NOT APPLICABLE		6		6,644	14,580,000
NOT STATED		9		509	1,504,500
		Total		12,546	28,318,308

Variable Name	ST_4DW6	Length	1	Position	951
Question Name					
Concept Physical exertion - (D)					
Question					
Universe Respondents aged 15 and over who are currently employed					
Note Formerly DVWSI694. Based on ST_4_W1H. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_4_W1H. MIN = 0, MAX = 4 (higher values indicate greater physical exertion). See Derived Variables Documentation.					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 4		5,397	12,248,000
NOT APPLICABLE		6		6,644	14,580,000
NOT STATED		9		505	1,490,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_4DW7 **Length** 2 **Position** 952 - 953

Question Name

Concept Social support - (D)

Question

Universe Respondents aged 15 and over who are currently employed

Note Formerly DVWSI794. Based on ST_4_W1J, ST_4_W1K and ST_4_W1L. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_4_W1J. MIN = 0, MAX = 12 (higher values indicate greater social support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	5,384	12,173,500
NOT APPLICABLE	96	6,644	14,580,000
NOT STATED	99	518	1,565,000
	Total	12,546	28,318,308

Variable Name ST_4DW8 **Length** 4.2 **Position** 954 - 957

Question Name

Concept Job strain

Question

Universe Respondents aged 15 and over who are currently employed

Note Based on ST_4_W1A to ST_4_W1F and ST_4_W1I. Scores were reversed for questions ST_4_W1A, ST_4_W1B, ST_4_W1C, ST_4_W1E and ST_4_W1I. MIN = 0.20, MAX = 5.00 (higher values indicate greater job strain). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.20 - 3.57	5,380	12,160,000
NOT APPLICABLE	9.96	6,644	14,580,000
NOT STATED	9.99	522	1,578,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_E1A **Length** 1 **Position** 958
Question Name ESTEEM-Q1
Concept Stress (self-esteem) - feel have good qualities
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You feel that you have a number of good qualities.
Universe Respondents aged 12 and over
Note Formerly EST_Q1A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	4,064	9,440,500
AGREE	2	6,076	12,293,000
NEITHER AGREE NOR DISAGREE	3	181	361,500
DISAGREE	4	52	130,000
STRONGLY DISAGREE	5	2	8,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	5	14,500
REFUSAL	8	9	35,500
NOT STATED	9	481	1,371,500
	Total	12,546	28,318,308

Variable Name PY_4_E1B **Length** 1 **Position** 959
Question Name ESTEEM-Q1
Concept Stress (self-esteem) - worthy person
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You feel that you're a person of worth at least equal to others.
Universe Respondents aged 12 and over
Note Formerly EST_Q1B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	4,533	10,584,000
AGREE	2	5,617	11,142,500
NEITHER AGREE NOR DISAGREE	3	133	285,500
DISAGREE	4	84	210,500
STRONGLY DISAGREE	5	2	7,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	8	13,000
REFUSAL	8	3	5,500
NOT STATED	9	490	1,407,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_E1C **Length** 1 **Position** 960
Question Name ESTEEM-Q1
Concept Stress (self-esteem) - able to do things
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You are able to do things as well as most other people.
Universe Respondents aged 12 and over
Note Formerly EST_Q1C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	4,127	9,856,000
AGREE	2	5,645	11,258,500
NEITHER AGREE NOR DISAGREE	3	306	569,000
DISAGREE	4	262	498,000
STRONGLY DISAGREE	5	31	45,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	6	15,500
REFUSAL	8	3	5,500
NOT STATED	9	490	1,407,000
	Total	12,546	28,318,308

Variable Name PY_4_E1D **Length** 1 **Position** 961
Question Name ESTEEM-Q1
Concept Stress (self-esteem) - positive attitude toward self
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You take a positive attitude toward yourself.
Universe Respondents aged 12 and over
Note Formerly EST_Q1D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	3,990	9,135,000
AGREE	2	5,418	11,018,500
NEITHER AGREE NOR DISAGREE	3	558	1,219,000
DISAGREE	4	374	778,500
STRONGLY DISAGREE	5	32	78,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	6	14,500
REFUSAL	8	2	3,000
NOT STATED	9	490	1,407,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PY_4_E1E	Length	1	Position	962
Question Name	ESTEEM-Q1				
Concept	Stress (self-esteem) - satisfied with self				
Question	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - On the whole you are satisfied with yourself.				
Universe	Respondents aged 12 and over				
Note	Formerly EST_Q1E.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	3,760	8,592,500
AGREE	2	5,768	11,783,000
NEITHER AGREE NOR DISAGREE	3	415	950,000
DISAGREE	4	404	838,500
STRONGLY DISAGREE	5	22	61,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	7	14,500
REFUSAL	8	4	7,500
NOT STATED	9	490	1,407,000
	Total	12,546	28,318,308

Variable Name	PY_4_E1F	Length	1	Position	963
Question Name	ESTEEM-Q1				
Concept	Stress (self-esteem) - feel is a failure				
Question	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - All in all, you're inclined to feel you're a failure.				
Universe	Respondents aged 12 and over				
Note	Formerly EST_Q1F.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	37	75,500
AGREE	2	221	475,500
NEITHER AGREE NOR DISAGREE	3	324	704,500
DISAGREE	4	4,940	9,842,000
STRONGLY DISAGREE	5	4,843	11,112,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	10	30,000
REFUSAL	8	5	7,500
NOT STATED	9	490	1,407,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4DE1 **Length** 2 **Position** 964 - 965

Question Name

Concept Self-esteem scale - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVESTI94. Based on PY_4_E1A to PY_4_E1F. Scores were reversed for questions PY_4_E1A to PY_4_E1E. MIN = 0, MAX = 24 (higher values indicate greater self-esteem). Source: Rosenberg, Morris, Conceiving the self, Appendix A, 1979, 291-295. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	5 - 24	10,358	22,186,000
NOT APPLICABLE	96	1,676	4,664,000
NOT STATED	99	512	1,468,500
	Total	12,546	28,318,308

Variable Name PY_4_M1A **Length** 1 **Position** 966

Question Name MAST-Q1

Concept Stress (mastery) - lack of control over things

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You have little control over the things that happen to you.

Universe Respondents aged 12 and over

Note Formerly MAS_Q1A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	266	584,500
AGREE	2	1,472	2,955,500
NEITHER AGREE NOR DISAGREE	3	1,184	2,604,500
DISAGREE	4	5,547	11,455,000
STRONGLY DISAGREE	5	1,788	4,198,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	16	34,500
REFUSAL	8	12	37,500
NOT STATED	9	585	1,785,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_M1B **Length** 1 **Position** 967
Question Name MAST-Q1
Concept Stress (mastery) - cannot solve problems
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - There is really no way you can solve some of the problems you have.
Universe Respondents aged 12 and over
Note Formerly MAS_Q1B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	255	561,500
AGREE	2	1,873	3,800,500
NEITHER AGREE NOR DISAGREE	3	1,078	2,174,500
DISAGREE	4	5,585	11,732,500
STRONGLY DISAGREE	5	1,464	3,522,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	17	39,500
REFUSAL	8	1	1,500
NOT STATED	9	597	1,822,500
	Total	12,546	28,318,308

Variable Name PY_4_M1C **Length** 1 **Position** 968
Question Name MAST-Q1
Concept Stress (mastery) - cannot change things
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - There is little you can do to change many of the important things in your life.
Universe Respondents aged 12 and over
Note Formerly MAS_Q1C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	244	563,500
AGREE	2	1,766	3,436,500
NEITHER AGREE NOR DISAGREE	3	1,137	2,295,500
DISAGREE	4	5,609	11,841,000
STRONGLY DISAGREE	5	1,487	3,626,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	29	67,000
REFUSAL	8	1	3,000
NOT STATED	9	597	1,822,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_M1D **Length** 1 **Position** 969
Question Name MAST-Q1
Concept Stress (mastery) - helpless in dealing with life problems
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You often feel helpless in dealing with problems of life.
Universe Respondents aged 12 and over
Note Formerly MAS_Q1D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	222	501,500
AGREE	2	1,617	3,385,500
NEITHER AGREE NOR DISAGREE	3	953	2,054,500
DISAGREE	4	5,822	12,116,500
STRONGLY DISAGREE	5	1,642	3,742,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	16	29,000
REFUSAL	8	1	3,000
NOT STATED	9	597	1,822,500
Total		12,546	28,318,308

Variable Name PY_4_M1E **Length** 1 **Position** 970
Question Name MAST-Q1
Concept Stress (mastery) - pushed around in life
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - Sometimes you feel that you are being pushed around in life.
Universe Respondents aged 12 and over
Note Formerly MAS_Q1E.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	208	431,000
AGREE	2	1,768	3,909,000
NEITHER AGREE NOR DISAGREE	3	797	1,954,500
DISAGREE	4	5,798	11,736,500
STRONGLY DISAGREE	5	1,691	3,775,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	10	23,000
REFUSAL	8	1	3,000
NOT STATED	9	597	1,822,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_M1F **Length** 1 **Position** 971
Question Name MAST-Q1
Concept Stress (mastery) - fate depends upon self
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - What happens to you in the future mostly depends on you.
Universe Respondents aged 12 and over
Note Formerly MAS_Q1F.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	2,967	6,747,000
AGREE	2	6,037	12,417,000
NEITHER AGREE NOR DISAGREE	3	708	1,482,000
DISAGREE	4	477	1,003,500
STRONGLY DISAGREE	5	60	121,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	23	58,000
REFUSAL	8	1	3,000
NOT STATED	9	597	1,822,500
Total		12,546	28,318,308

Variable Name PY_4_M1G **Length** 1 **Position** 972
Question Name MAST-Q1
Concept Stress (mastery) - can do anything
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You can do just about anything you really set your mind to.
Universe Respondents aged 12 and over
Note Formerly MAS_Q1G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	2,952	6,609,500
AGREE	2	5,910	12,203,000
NEITHER AGREE NOR DISAGREE	3	776	1,669,000
DISAGREE	4	580	1,203,000
STRONGLY DISAGREE	5	39	94,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	14	50,000
REFUSAL	8	2	3,000
NOT STATED	9	597	1,822,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4DM1 **Length** 2 **Position** 973 - 974

Question Name

Concept Mastery scale - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVMASI94. Based on PY_4_M1A to PY_4_M1G. Scores were reversed for questions PY_4_M1F and PY_4_M1G. MIN = 0, MAX = 28 (higher values indicate superior mastery). Source: Pearlin, L.I. and Schooler, C, Journal of health and Social Behavior, The Structure of Coping, 1981, vol 19, p. 2-21. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	2 - 28	10,211	21,656,000
NOT APPLICABLE	96	1,676	4,664,000
NOT STATED	99	659	1,998,500
	Total	12,546	28,318,308

Variable Name PY_4_H1 **Length** 2 **Position** 975 - 976

Question Name SCOH-Q1

Concept Stress (coherence) - don't care about surroundings

Question In this ..., 1 means very seldom or never and 7 means very often. How often do you have the feeling that you don't really care about what goes on around you?

Universe Respondents aged 18 and over

Note Formerly SCOH_Q1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY SELDOM OR NEVER	1	5,305	10,434,000
2	2	1,564	3,316,500
3	3	934	1,986,000
4	4	860	1,976,000
5	5	500	1,129,000
6	6	205	442,500
7 VERY OFTEN	7	275	536,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	14	37,000
REFUSAL	98	26	56,000
NOT STATED	99	405	1,078,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H2 **Length** 2 **Position** 977 - 978

Question Name SCOH-Q2

Concept Stress (coherence) - surprised by other's behaviour

Question In this ..., 1 means that it has never happened and 7 means it has always happened. How often in the past were you surprised by the behaviour of people whom you thought you knew well?

Universe Respondents aged 18 and over

Note Formerly SCOH_Q2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 NEVER HAPPENED	1	1,784	3,436,000
2	2	2,224	4,508,500
3	3	2,023	4,354,000
4	4	1,869	3,925,500
5	5	1,015	2,134,000
6	6	386	806,500
7 ALWAYS HAPPENED	7	323	623,500
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	15	26,000
REFUSAL	98	4	5,500
NOT STATED	99	445	1,171,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H3 **Length** 2 **Position** 979 - 980

Question Name SCOH-Q3

Concept Stress (coherence) - disappointed with people counted on

Question In this ..., 1 means that it has never happened and 7 means it has always happened. How often have people you counted on disappointed you?

Universe Respondents aged 18 and over

Note Formerly SCOH_Q3.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 NEVER HAPPENED	1	1,750	3,291,500
2	2	2,808	5,802,500
3	3	2,070	4,291,000
4	4	1,560	3,466,500
5	5	865	1,770,000
6	6	385	806,000
7 ALWAYS HAPPENED	7	187	348,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	14	41,000
REFUSAL	98	4	3,000
NOT STATED	99	445	1,171,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H4 **Length** 2 **Position** 981 - 982

Question Name SCOH-Q4

Concept Stress (coherence) - treated unfairly

Question In this ..., 1 means very often and 7 means very seldom or never. How often do you have the feeling you're being treated unfairly?

Universe Respondents aged 18 and over

Note Formerly SCOH_Q4.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	299	598,000
2	2	508	1,106,500
3	3	668	1,528,500
4	4	901	1,990,000
5	5	1,013	2,266,000
6	6	2,324	4,797,500
7 VERY SELDOM OR NEVER	7	3,918	7,505,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	9	24,500
REFUSAL	98	3	3,000
NOT STATED	99	445	1,171,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H5 **Length** 2 **Position** 983 - 984
Question Name SCOH-Q5
Concept Stress (coherence) - in unfamiliar situations
Question In this ..., 1 means very often and 7 means very seldom or never. How often do you have the feeling you are in an unfamiliar situation and don't know what to do?
Universe Respondents aged 18 and over
Note Formerly SCOH_Q5.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	217	415,000
2	2	327	671,000
3	3	491	1,139,500
4	4	763	1,655,000
5	5	1,004	2,168,000
6	6	2,397	5,060,000
7 VERY SELDOM OR NEVER	7	4,429	8,679,500
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	12	29,000
REFUSAL	98	3	3,000
NOT STATED	99	445	1,171,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H6 **Length** 2 **Position** 985 - 986

Question Name SCOH-Q6

Concept Stress (coherence) - mixed-up feelings

Question In this ..., 1 means very often and 7 means very seldom or never. How often do you have very mixed-up feelings and ideas?

Universe Respondents aged 18 and over

Note Formerly SCOH_Q6.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	349	709,500
2	2	329	696,000
3	3	557	1,283,000
4	4	994	2,040,000
5	5	1,102	2,281,000
6	6	2,275	4,698,500
7 VERY SELDOM OR NEVER	7	4,021	8,080,500
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	11	21,500
REFUSAL	98	5	9,500
NOT STATED	99	445	1,171,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H7 **Length** 2 **Position** 987 - 988
Question Name SCOH-Q7
Concept Stress (coherence) - uncomfortable feelings
Question In this ..., 1 means very often and 7 means very seldom or never. How often do you have feelings inside that you would rather not feel?
Universe Respondents aged 18 and over
Note Formerly SCOH_Q7.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	495	973,500
2	2	439	937,500
3	3	648	1,396,500
4	4	1,029	2,159,000
5	5	1,247	2,620,500
6	6	2,201	4,489,000
7 VERY SELDOM OR NEVER	7	3,561	7,193,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	18	40,000
REFUSAL	98	5	10,000
NOT STATED	99	445	1,171,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H8 **Length** 2 **Position** 989 - 990
Question Name SCOH-Q8
Concept Stress (coherence) - losers
Question In this ..., 1 means very seldom or never and 7 means very often. Many people--even those with a strong character--sometimes feel like sad sacks (losers) in certain situations. How often have you felt this way in the past?
Universe Respondents aged 18 and over
Note Formerly SCOH_Q8.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY SELDOM OR NEVER	1	4,130	8,124,500
2	2	2,150	4,567,000
3	3	1,117	2,351,500
4	4	991	2,176,500
5	5	652	1,353,000
6	6	340	726,000
7 VERY OFTEN	7	242	486,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	16	23,500
REFUSAL	98	5	11,500
NOT STATED	99	445	1,171,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H9 **Length** 2 **Position** 991 - 992

Question Name SCOH-Q9

Concept Stress (coherence) - little meaning in life

Question In this ..., 1 means very often and 7 means very seldom or never. How often do you have the feeling that there's little meaning in the things you do in your daily life?

Universe Respondents aged 18 and over

Note Formerly SCOH_Q9.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	317	626,500
2	2	329	743,500
3	3	491	1,036,500
4	4	730	1,597,500
5	5	949	2,066,000
6	6	2,179	4,487,500
7 VERY SELDOM OR NEVER	7	4,631	9,219,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	11	31,000
REFUSAL	98	6	12,500
NOT STATED	99	445	1,171,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H10 **Length** 2 **Position** 993 - 994
Question Name SCOH-Q10
Concept Stress (coherence) - can't keep feelings under control
Question In this ..., 1 means very often and 7 means very seldom or never. How often do you have feelings that you're not sure you can keep under control?
Universe Respondents aged 18 and over
Note Formerly SCOH_Q10.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	233	475,500
2	2	253	603,000
3	3	390	881,500
4	4	722	1,513,000
5	5	933	2,050,000
6	6	2,242	4,659,000
7 VERY SELDOM OR NEVER	7	4,843	9,585,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	19	36,000
REFUSAL	98	7	15,500
NOT STATED	99	446	1,172,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H11 **Length** 2 **Position** 995 - 996
Question Name SCOH-Q11
Concept Stress (coherence) - clear goals and purpose
Question In this ..., 1 means no clear goals or purpose and 7 means very clear goals and purpose. Until now your life has had no clear goals or purpose or has it had very clear goals and purpose?
Universe Respondents aged 18 and over
Note Formerly SCOH_Q11.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 NO CLEAR GOALS OR NO PURPOSE AT ALL	1	314	644,000
2	2	203	428,500
3	3	323	696,500
4	4	1,001	2,090,500
5	5	1,436	2,863,000
6	6	1,951	4,028,500
7 VERY CLEAR GOALS AND PURPOSE	7	4,385	9,004,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	20	42,500
REFUSAL	98	9	20,500
NOT STATED	99	446	1,172,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H12 **Length** 2 **Position** 997 - 998

Question Name SCOH-Q12

Concept Stress (coherence) - keep things in proportion

Question In this ..., 1 means you overestimate/underestimate importance & 7 means you see things in the right proportion. When something happens, you generally find that you overestimate or underestimate its importance or you see things in the right proportion?

Universe Respondents aged 18 and over

Note Formerly SCOH_Q12.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 OVER. / UNDERESTIMATE ITS IMPORTANCE	1	490	1,023,000
2	2	331	618,500
3	3	578	1,199,000
4	4	1,318	2,643,500
5	5	1,319	2,803,500
6	6	1,934	3,981,500
7 SEE THINGS IN THE RIGHT PROPORTION	7	3,617	7,437,000
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	43	88,500
REFUSAL	98	11	22,000
NOT STATED	99	447	1,174,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_4_H13 **Length** 2 **Position** 999 - 1000
Question Name SCOH-Q13
Concept Stress (coherence) - bored / satisfied with everyday act.
Question In this ..., 1 means a source of great pleasure and satisfaction and 7 means a source of pain and boredom. Is doing the things you do every day a source of great pleasure and satisfaction or a source of pain and boredom?
Universe Respondents aged 18 and over
Note Formerly SCOH_Q13.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 A GREAT DEAL OF PLEASURE & SATISFACT.	1	3,849	7,566,000
2	2	2,238	4,767,500
3	3	1,425	3,008,000
4	4	1,270	2,695,500
5	5	424	977,000
6	6	204	370,000
7 A SOURCE OF PAIN AND BOREDOM	7	215	392,500
NOT APPLICABLE	96	2,458	7,328,000
DON'T KNOW	97	10	28,500
REFUSAL	98	6	10,500
NOT STATED	99	447	1,174,500
Total		12,546	28,318,308

Variable Name PY_4DH1 **Length** 2 **Position** 1001 - 1002

Question Name
Concept Sense of coherence scale - (D)
Question
Universe Respondents aged 18 and over
Note Formerly DVSCI94. Based on PY_4_H1 to PY_4_H13. Scores were reversed for questions PY_4_H1 to PY_4_H3, PY_4_H8 and PY_4_H13. MIN = 0, MAX = 78 (higher values indicate a stronger sense of coherence). Source:Antonovsky, Morris, Unraveling the Mystery of Health : How people Manage Stress and Stay Well, 1987, Appendix, p. 189 - 194. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	6 - 78	9,525	19,584,500
NOT APPLICABLE	96	2,458	7,328,000
NOT STATED	99	563	1,405,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_1	Length	1	Position	1003
Question Name	HSTAT-Q1				
Concept	Vision - read newsprint without glasses / contact lenses				
Question	Are you usually able to see well enough to read ordinary newsprint without glasses or contact lenses?				
Universe	Respondents aged 4 and over				
Note	Formerly HS_Q1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,728	16,660,500
NO		2		5,229	10,013,000
NOT APPLICABLE		6		558	1,555,500
DON'T KNOW		7		2	8,500
REFUSAL		8		7	22,000
NOT STATED		9		22	59,000
		Total		12,546	28,318,308

Variable Name	HSC4_2	Length	1	Position	1004
Question Name	HSTAT-Q2				
Concept	Vision - read newsprint with glasses / contacts				
Question	Are you usually able to see well enough to read ordinary newsprint with glasses or contact lenses?				
Universe	Respondents who answered HSC4_1=2				
Note	Formerly HS_Q2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,970	9,590,500
NO		2		257	419,000
DOESN'T WEAR GLASSES OR CONTACT LENSES		3		1	2,500
NOT APPLICABLE		6		7,286	18,216,000
DON'T KNOW		7		1	1,000
NOT STATED		9		31	89,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_3	Length	1	Position	1005
Question Name	HSTAT-Q3				
Concept	Vision - able to see				
Question	Are you able to see at all?				
Universe	Respondents who answered HSC4_2=2 or 3				
Note	Formerly HS_Q3.				
Content		Code		Sample	Population
YES		1		235	381,000
NO		2		24	41,500
NOT APPLICABLE		6		12,256	27,806,500
NOT STATED		9		31	89,500
		Total		12,546	28,318,308

Variable Name	HSC4_4	Length	1	Position	1006
Question Name	HSTAT-Q4				
Concept	Vision - recognize a friend without glasses / contact lenses				
Question	Are you able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?				
Universe	Respondents who answered HSC4_1=1 or HSC4_2=1 or HSC4_3=1				
Note	Formerly HS_Q4.				
Content		Code		Sample	Population
YES		1		8,810	20,107,000
NO		2		3,115	6,509,500
NOT APPLICABLE		6		582	1,597,000
DON'T KNOW		7		8	15,500
NOT STATED		9		31	89,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC4_5 **Length** 1 **Position** 1007
Question Name HSTAT-Q5
Concept Vision - recognize a friend with glasses / contacts
Question Are you usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?
Universe Respondents who answered HSC4_4=2
Note Formerly HS_Q5.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,948	6,247,500
NO	2	168	264,500
NOT APPLICABLE	6	9,392	21,704,500
NOT STATED	9	38	102,000
Total		12,546	28,318,308

Variable Name HSC4DVIS **Length** 2 **Position** 1008 - 1009
Question Name
Concept Vision problem - function code - (D)
Question
Universe Respondents aged 4 and over
Note Formerly DVVISF94. Based on HSC4_1 to HSC4_5. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO VISUAL PROBLEM	1	5,792	14,385,000
PROBLEM CORRECTED BY LENSES	2	5,805	11,682,000
PROBLEM SEEING DISTANCE - NOT CORRECTED	3	93	169,000
PROBLEM SEEING CLOSE - NOT CORRECTED	4	159	284,000
PROBLEM CLOSE & DISTANCE - NOT CORRECTED	5	75	95,500
NO SIGHT AT ALL	6	23	39,000
NOT APPLICABLE	96	558	1,555,500
NOT STATED	99	41	108,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC4_6 **Length** 1 **Position** 1010
Question Name HSTAT-Q6
Concept Hearing - in group without hearing aid
Question Are you usually able to hear what is said in a group conversation with at least 3 other people without a hearing aid?
Universe Respondents aged 4 and over
Note Formerly HS_Q6.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,264	25,499,000
NO	2	694	1,177,000
NOT APPLICABLE	6	558	1,555,500
DON'T KNOW	7	1	3,500
REFUSAL	8	7	24,500
NOT STATED	9	22	59,000
Total		12,546	28,318,308

Variable Name HSC4_7 **Length** 1 **Position** 1011
Question Name HSTAT-Q7
Concept Hearing - in group with hearing aid
Question Are you usually able to hear what is said in a group conversation with at least 3 other people with a hearing aid?
Universe Respondents who answered HSC4_6=2
Note Formerly HS_Q7.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	368	608,500
NO	2	286	492,500
DOESN'T WEAR A HEARING AID	3	13	32,000
NOT APPLICABLE	6	11,822	27,054,500
DON'T KNOW	7	27	44,000
NOT STATED	9	30	87,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_7A	Length	1	Position	1012
Question Name	HSTAT-Q7A				
Concept	Hearing - able to hear				
Question	Are you able to hear at all?				
Universe	Respondents who answered HSC4_7=2 or 3				
Note	Formerly HS_Q7A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		309	525,500
NO		2		17	43,000
NOT APPLICABLE		6		12,190	27,663,000
NOT STATED		9		30	87,000
		Total		12,546	28,318,308

Variable Name	HSC4_8	Length	1	Position	1013
Question Name	HSTAT-Q8				
Concept	Hearing - in quiet room without hearing aid				
Question	Are you usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid?				
Universe	Respondents who answered HSC4_7=1 or HSC4_7A=1				
Note	Formerly HS_Q8.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		539	924,500
NO		2		138	210,000
NOT APPLICABLE		6		11,839	27,097,000
NOT STATED		9		30	87,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC4_10 **Length** 1 **Position** 1017
Question Name HSTAT-Q10
Concept Speech - completely understood by strangers
Question Are you usually able to be understood completely when speaking with strangers in your own language?
Universe Respondents aged 4 and over
Note Formerly HS_Q10.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,799	26,355,000
NO	2	160	328,000
NOT APPLICABLE	6	558	1,555,500
DON'T KNOW	7	2	4,000
REFUSAL	8	5	16,500
NOT STATED	9	22	59,000
	Total	12,546	28,318,308

Variable Name HSC4_11 **Length** 1 **Position** 1018
Question Name HSTAT-Q11
Concept Speech - partially understood by strangers
Question Are you able to be understood partially when speaking with strangers?
Universe Respondents who answered HSC4_10=2
Note Formerly HS_Q11.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	142	284,000
NO	2	19	45,000
NOT APPLICABLE	6	12,357	27,911,000
DON'T KNOW	7	1	3,500
NOT STATED	9	27	75,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_12	Length	1	Position	1019
Question Name	HSTAT-Q12				
Concept	Speech - completely understood by non-strangers				
Question	Are you able to be understood completely when speaking with those who know you well?				
Universe	Respondents who answered HSC4_10=2				
Note	Formerly HS_Q12.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		122	251,500
NO		2		39	77,000
NOT APPLICABLE		6		12,357	27,911,000
DON'T KNOW		7		1	3,500
NOT STATED		9		27	75,500
		Total		12,546	28,318,308

Variable Name	HSC4_13	Length	1	Position	1020
Question Name	HSTAT-Q13				
Concept	Speech - partially understood by non-strangers				
Question	Are you able to be understood partially when speaking with those who know you well?				
Universe	Respondents who answered HSC4_12=2				
Note	Formerly HS_Q13.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		34	67,500
NO		2		5	9,500
NOT APPLICABLE		6		12,479	28,162,500
DON'T KNOW		7		1	3,500
NOT STATED		9		27	75,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC4DSPE **Length** 1 **Position** 1021
Question Name
Concept Speech problem - function code - (D)
Question
Universe Respondents aged 4 and over
Note Formerly DVSPEF94. Based on HSC4_10 to HSC4_13. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SPEECH PROBLEM	1	11,799	26,355,000
PARTIALLY UNDERSTOOD BY STRANGERS	2	112	225,000
PARTIALLY UNDERSTOOD BY FRIENDS	3	29	58,500
NOT UNDERSTOOD BY STRANGERS	4	14	35,500
NOT UNDERSTOOD BY FRIENDS	5	5	9,500
NOT APPLICABLE	6	558	1,555,500
NOT STATED	9	29	79,500
Total		12,546	28,318,308

Variable Name HSC4_14 **Length** 1 **Position** 1022
Question Name HSTAT-Q14
Concept Mobility - walk without difficulty and without support
Question Are you usually able to walk around the neighbourhood without difficulty and without mechanical support such as braces, a cane or crutches?
Universe Respondents aged 4 and over
Note Formerly HS_Q14.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,422	25,838,000
NO	2	538	848,500
NOT APPLICABLE	6	558	1,555,500
DON'T KNOW	7	1	1,000
REFUSAL	8	5	16,500
NOT STATED	9	22	59,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_15	Length	1	Position	1023
Question Name	HSTAT-Q15				
Concept	Mobility - able to walk				
Question	Are you able to walk at all?				
Universe	Respondents who answered HSC4_14=2				
Note	Formerly HS_Q15.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		488	764,500
NO		2		50	84,000
NOT APPLICABLE		6		11,980	27,393,500
NOT STATED		9		28	76,500
		Total		12,546	28,318,308

Variable Name	HSC4_16	Length	1	Position	1024
Question Name	HSTAT-Q16				
Concept	Mobility - requires support to walk				
Question	Do you require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood?				
Universe	Respondents who answered HSC4_15=1				
Note	Formerly HS_Q16.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		340	525,000
NO		2		148	239,000
NOT APPLICABLE		6		12,030	27,477,500
NOT STATED		9		28	76,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_17	Length	1	Position	1025
Question Name	HSTAT-Q17				
Concept	Mobility - requires help of person to walk				
Question	Do you require the help of another person to be able to walk?				
Universe	Respondents who answered HSC4_15=1				
Note	Formerly HS_Q17.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		100	163,000
NO		2		388	601,500
NOT APPLICABLE		6		12,030	27,477,500
NOT STATED		9		28	76,500
		Total		12,546	28,318,308

Variable Name	HSC4_18	Length	1	Position	1026
Question Name	HSTAT-Q18				
Concept	Mobility - requires a wheelchair				
Question	Do you require a wheelchair to get around?				
Universe	Respondents who answered HSC4_14=2				
Note	Formerly HS_Q18.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		82	137,500
NO		2		456	711,000
NOT APPLICABLE		6		11,980	27,393,500
NOT STATED		9		28	76,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_19	Length	1	Position	1027
Question Name	HSTAT-Q19				
Concept	Mobility - frequency of wheelchair use				
Question	How often do you use a wheelchair?				
Universe	Respondents who answered HSC4_18=1				
Note	Formerly HS_Q19.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ALWAYS		1		43	77,500
OFTEN		2		16	20,500
SOMETIMES		3		17	31,000
NEVER		4		6	8,500
NOT APPLICABLE		6		12,436	28,104,500
NOT STATED		9		28	76,500
		Total		12,546	28,318,308

Variable Name	HSC4_20	Length	1	Position	1028
Question Name	HSTAT-Q20				
Concept	Mobility - requires help to move in wheelchair				
Question	Do you need the help of another person to get around in the wheelchair?				
Universe	Respondents who answered HSC4_18=1				
Note	Formerly HS_Q20.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		39	77,000
NO		2		43	60,500
NOT APPLICABLE		6		12,436	28,104,500
NOT STATED		9		28	76,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC4DMOB **Length** 2 **Position** 1029 - 1030

Question Name

Concept Mobility problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Formerly DVMOBF94. Based on HSC4_14 to HSC4_18. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO MOBILITY PROBLEM	1	11,422	25,838,000
PROBLEM - NO AID REQUIRED	2	131	219,000
PROBLEM - REQUIRES MECHANICAL SUPPORT	3	239	365,000
PROBLEM - REQUIRES WHEELCHAIR	4	18	17,500
PROBLEM - REQUIRES HELP FROM PEOPLE	5	100	163,000
CANNOT WALK	6	50	84,000
NOT APPLICABLE	96	558	1,555,500
NOT STATED	99	28	76,500
Total		12,546	28,318,308

Variable Name HSC4_21 **Length** 1 **Position** 1031

Question Name HSTAT-Q21

Concept Dexterity - able to grasp and handle small objects

Question Are you usually able to grasp and handle small objects such as a pencil or scissors?

Universe Respondents aged 4 and over

Note Formerly HS_Q21.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,817	26,379,000
NO	2	142	304,000
NOT APPLICABLE	6	558	1,555,500
DON'T KNOW	7	1	1,000
REFUSAL	8	6	19,500
NOT STATED	9	22	59,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_22	Length	1	Position	1032
Question Name	HSTAT-Q22				
Concept	Dexterity - requires help due to limitation in hands				
Question	Do you require the help of another person because of limitations in the use of hands or fingers?				
Universe	Respondents who answered HSC4_21=2				
Note	Formerly HS_Q22.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		49	92,000
NO		2		93	212,500
NOT APPLICABLE		6		12,375	27,934,500
NOT STATED		9		29	79,500
		Total		12,546	28,318,308

Variable Name	HSC4_23	Length	1	Position	1033
Question Name	HSTAT-Q23				
Concept	Dexterity - requires help with tasks				
Question	Do you require the help of another person with:				
Universe	Respondents who answered HSC4_22=1				
Note	Formerly HS_Q23.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
SOME TASKS		1		22	32,500
MOST TASKS		2		10	31,500
ALMOST ALL TASKS		3		7	12,000
ALL TASKS		4		10	16,000
NOT APPLICABLE		6		12,468	28,147,000
NOT STATED		9		29	79,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC4_24 **Length** 1 **Position** 1034
Question Name HSTAT-Q24
Concept Dexterity - requires special equipment
Question Do you require special equipment, for example, devices to assist in dressing, because of limitations in the use of hands or fingers?
Universe Respondents who answered HSC4_21=2
Note Formerly HS_Q24.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	16	25,500
NO	2	126	278,500
NOT APPLICABLE	6	12,375	27,934,500
NOT STATED	9	29	79,500
Total		12,546	28,318,308

Variable Name HSC4DDEX **Length** 2 **Position** 1035 - 1036
Question Name
Concept Dexterity problem - function code - (D)
Question
Universe Respondents aged 4 and over
Note Formerly DVDEXF94. Based on HSC4_21 to HSC4_24. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO DEXTERITY PROBLEM	1	11,817	26,379,000
PROBLEM - NO HELP REQUIRED	2	93	212,500
PROBLEM - REQUIRES HELP WITH SOME TASKS	4	22	32,500
PROBLEM - REQUIRES HELP WITH MOST TASKS	5	17	43,500
PROBLEM - REQUIRES HELP WITH ALL TASKS	6	10	16,000
NOT APPLICABLE	96	558	1,555,500
NOT STATED	99	29	79,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_25	Length	1	Position	1037
Question Name	HSTAT-Q25				
Concept	Feelings - self perceived happiness				
Question	Would you describe yourself as being usually:				
Universe	Respondents aged 4 and over				
Note	Formerly HS_Q25.				
Content		Code		Sample	Population
HAPPY AND INTERESTED IN LIFE		1		9,123	20,384,500
SOMEWHAT HAPPY		2		2,480	5,558,000
SOMEWHAT UNHAPPY		3		256	541,500
UNHAPPY WITH LITTLE INTEREST IN LIFE		4		63	136,000
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE		5		34	59,500
NOT APPLICABLE		6		558	1,555,500
DON'T KNOW		7		5	13,500
REFUSAL		8		5	11,000
NOT STATED		9		22	59,000
		Total		12,546	28,318,308

Variable Name	HSC4DEMO	Length	1	Position	1038
Question Name					
Concept	Emotional problem - function code - (D)				
Question					
Universe	Respondents aged 4 and over				
Note	Formerly DVEMOF94. Based on HSC4_25. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.				
Content		Code		Sample	Population
HAPPY AND INTERESTED IN LIFE		1		9,123	20,384,500
SOMEWHAT HAPPY		2		2,480	5,558,000
SOMEWHAT UNHAPPY		3		256	541,500
VERY UNHAPPY		4		63	136,000
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE		5		34	59,500
NOT APPLICABLE		6		558	1,555,500
NOT STATED		9		32	83,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_26	Length	1	Position	1039
Question Name	HSTAT-Q26				
Concept	Cognition - ability to remember things				
Question	How would you describe your usual ability to remember things?				
Universe	Respondents aged 4 and over				
Note	Formerly HS_Q26.				
Content		Code		Sample	Population
ABLE TO REMEMBER MOST THINGS		1		8,935	20,353,000
SOMEWHAT FORGETFUL		2		2,804	5,841,000
VERY FORGETFUL		3		215	477,500
UNABLE TO REMEMBER ANYTHING AT ALL		4		7	15,500
NOT APPLICABLE		6		558	1,555,500
DON'T KNOW		7		1	1,000
REFUSAL		8		4	16,000
NOT STATED		9		22	59,000
		Total		12,546	28,318,308

Variable Name	HSC4_27	Length	1	Position	1040
Question Name	HSTAT-Q27				
Concept	Cognition - ability to think and solve problems				
Question	How would you describe your usual ability to think and solve day-to-day problems?				
Universe	Respondents aged 4 and over				
Note	Formerly HS_Q27.				
Content		Code		Sample	Population
ABLE TO THINK CLEARLY AND SOLVE PROBLEMS		1		10,245	22,870,500
HAVING A LITTLE DIFFICULTY		2		1,374	3,079,500
HAVING SOME DIFFICULTY		3		278	600,000
HAVING A GREAT DEAL OF DIFFICULTY		4		47	103,000
UNABLE TO THINK OR SOLVE PROBLEMS		5		15	30,500
NOT APPLICABLE		6		558	1,555,500
REFUSAL		8		7	20,500
NOT STATED		9		22	59,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC4DCOG **Length** 2 **Position** 1041 - 1042

Question Name

Concept Cognition problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Formerly DVCOGF94. Based on HSC4_26 and HSC4_27. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO COGNITION PROBLEM	1	8,232	18,678,000
A LITTLE DIFFICULTY THINKING	2	693	1,660,500
SOMEWHAT FORGETFUL	3	1,924	3,984,000
SOMEWHAT FORGETFUL/A LITTLE DIFF. THINK.	4	861	1,819,000
VERY FORGETFUL/GREAT DEAL DIFF. THINK.	5	232	509,500
UNABLE TO REMEMBER OR TO THINK	6	16	31,500
NOT APPLICABLE	96	558	1,555,500
NOT STATED	99	30	80,500
Total		12,546	28,318,308

Variable Name HSC4_28 **Length** 1 **Position** 1043

Question Name HSTAT-Q28

Concept Pain - usually free of pain

Question Are you usually free of pain or discomfort?

Universe Respondents aged 4 and over

Note Formerly HS_Q28.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,005	22,590,500
NO	2	1,957	4,101,000
NOT APPLICABLE	6	558	1,555,500
REFUSAL	8	4	12,000
NOT STATED	9	22	59,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC4_29	Length	1	Position	1044
Question Name	HSTAT-Q29				
Concept	Pain - usual intensity				
Question	How would you describe the usual intensity of your pain or discomfort?				
Universe	Respondents who answered HSC4_28=2				
Note	Formerly HS_Q29.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MILD		1		584	1,329,000
MODERATE		2		1,070	2,219,500
SEVERE		3		303	552,500
NOT APPLICABLE		6		10,563	24,146,000
NOT STATED		9		26	71,000
		Total		12,546	28,318,308

Variable Name	HSC4_30	Length	1	Position	1045
Question Name	HSTAT-Q30				
Concept	Pain - number of activities prevented				
Question	How many activities does your pain or discomfort prevent?				
Universe	Respondents who answered HSC4_28=2				
Note	Formerly HS_Q30.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NONE		1		568	1,365,000
A FEW		2		616	1,341,500
SOME		3		415	782,000
MOST		4		357	612,000
NOT APPLICABLE		6		10,563	24,146,000
DON'T KNOW		7		1	1,000
NOT STATED		9		26	71,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC4DPAD **Length** 1 **Position** 1046

Question Name

Concept Activities prevented by pain - function code - (D)

Question

Universe Respondents aged 4 and over

Note Formerly DVPAAF94. Based on HSC4_28 and HSC4_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. Labels for this variable have been changed in Cycle 5 (2002) to better reflect the questions used to derive this variable. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO PAIN OR DISCOMFORT	1	10,005	22,590,500
PAIN DOES NOT PREVENT ACTIVITY	2	568	1,365,000
PAIN PREVENTS A FEW ACTIVITIES	3	616	1,341,500
PAIN PREVENTS SOME ACTIVITIES	4	415	782,000
PAIN PREVENTS MOST ACTIVITIES	5	357	612,000
NOT APPLICABLE	6	558	1,555,500
NOT STATED	9	27	72,000
	Total	12,546	28,318,308

Variable Name HSC4DHSI **Length** 5.3 **Position** 1047 - 1051

Question Name

Concept Health Utility Index (HUI3) - (D)

Question

Universe Respondents aged 4 and over

Note Formerly DVHST94. Based on HSC4_1 to HSC4_28 and HSC4_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	-.324 - 1.000	11,897	26,553,000
NOT APPLICABLE	9.996	558	1,555,500
NOT STATED	9.999	91	210,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4_1A **Length** 1 **Position** 1052
Question Name DRUG-Q1
Concept Medication - pain relievers
Question In the past month, did you take pain relievers such as Aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
Universe Respondents aged 12 and over
Note Formerly DRGQ1_A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,928	14,759,000
NO	2	3,902	8,790,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	10	23,500
REFUSAL	8	8	22,000
NOT STATED	9	22	59,000
Total		12,546	28,318,308

Variable Name DGC4_1B **Length** 1 **Position** 1053
Question Name DRUG-Q1
Concept Medication - tranquilizers
Question In the past month, did you take tranquilizers such as Valium?
Universe Respondents aged 12 and over
Note Formerly DRGQ1_B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	340	653,000
NO	2	10,489	22,896,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	11	24,000
REFUSAL	8	8	22,000
NOT STATED	9	22	59,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1C	Length	1	Position	1054
Question Name	DRUG-Q1				
Concept	Medication - diet pills				
Question	In the past month, did you take diet pills?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_C.				
Content		Code		Sample	Population
YES		1		29	50,000
NO		2		10,800	23,499,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_1D	Length	1	Position	1055
Question Name	DRUG-Q1				
Concept	Medication - anti-depressants				
Question	In the past month, did you take anti-depressants?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_D.				
Content		Code		Sample	Population
YES		1		350	652,000
NO		2		10,479	22,897,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1E	Length	1	Position	1056
Question Name	DRUG-Q1				
Concept	Medication - codeine, Demerol or morphine				
Question	In the past month, did you take codeine, Demerol or morphine?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		485	1,011,000
NO		2		10,344	22,538,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_1F	Length	1	Position	1057
Question Name	DRUG-Q1				
Concept	Medication - allergy				
Question	In the past month, did you take allergy medicine such as "Sinutab"?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,079	2,420,500
NO		2		9,750	21,129,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1G	Length	1	Position	1058
Question Name	DRUG-Q1				
Concept	Medication - asthma				
Question	In the past month, did you take asthma medications?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_G.				
Content		Code		Sample	Population
YES		1		495	1,090,000
NO		2		10,334	22,459,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_1H	Length	1	Position	1059
Question Name	DRUG-Q1				
Concept	Medication - cough or cold remedies				
Question	In the past month, did you take cough or cold remedies?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_H.				
Content		Code		Sample	Population
YES		1		1,640	4,059,500
NO		2		9,189	19,490,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1I	Length	1	Position	1060
Question Name	DRUG-Q1				
Concept	Medication - penicillin or other antibiotics				
Question	In the past month, did you take penicillin or other antibiotics?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,104	2,325,000
NO		2		9,725	21,224,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_1J	Length	1	Position	1061
Question Name	DRUG-Q1				
Concept	Medication - heart				
Question	In the past month, did you take medicine for the heart?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		646	1,062,500
NO		2		10,183	22,487,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1K	Length	1	Position	1062
Question Name	DRUG-Q1				
Concept	Medication - blood pressure				
Question	In the past month, did you take medicine for blood pressure?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,146	1,813,500
NO		2		9,683	21,736,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_1L	Length	1	Position	1063
Question Name	DRUG-Q1				
Concept	Medication - diuretics				
Question	In the past month, did you take diuretics or water pills?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		467	728,500
NO		2		10,362	22,820,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1M	Length	1	Position	1064
Question Name	DRUG-Q1				
Concept	Medication - steroids				
Question	In the past month, did you take steroids?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_M.				
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	135	271,000
NO			2	10,694	23,278,500
NOT APPLICABLE			6	1,676	4,664,000
DON'T KNOW			7	10	23,500
REFUSAL			8	8	22,000
NOT STATED			9	23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_1N	Length	1	Position	1065
Question Name	DRUG-Q1				
Concept	Medication - insulin				
Question	In the past month, did you take insulin?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_N.				
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	108	175,000
NO			2	10,721	23,374,500
NOT APPLICABLE			6	1,676	4,664,000
DON'T KNOW			7	10	23,500
REFUSAL			8	8	22,000
NOT STATED			9	23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1O	Length	1	Position	1066
Question Name	DRUG-Q1				
Concept	Medication - pills to control diabetes				
Question	In the past month, did you take pills to control diabetes?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_O.				
Content		Code		Sample	Population
YES		1		218	409,500
NO		2		10,611	23,140,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_1P	Length	1	Position	1067
Question Name	DRUG-Q1				
Concept	Medication - sleeping pills				
Question	In the past month, did you take sleeping pills?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_P.				
Content		Code		Sample	Population
YES		1		367	648,500
NO		2		10,462	22,901,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1Q	Length	1	Position	1068
Question Name	DRUG-Q1				
Concept	Medication - stomach remedies				
Question	In the past month, did you take stomach remedies?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_Q.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,013	2,032,500
NO		2		9,816	21,517,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_1R	Length	1	Position	1069
Question Name	DRUG-Q1				
Concept	Medication - laxatives				
Question	In the past month, did you take laxatives?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_R.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		408	742,500
NO		2		10,421	22,807,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1T	Length	1	Position	1070
Question Name	DRUG-Q1				
Concept	Medication - hormones for menopause				
Question	In the past month, did you take hormones for menopause or aging symptoms?				
Universe	Females aged 30 and over				
Note	Formerly DRGQ1_S.				
Content		Code		Sample	Population
YES		1		430	830,000
NO		2		4,154	7,676,000
NOT APPLICABLE		6		7,939	19,763,000
DON'T KNOW		7		5	11,000
REFUSAL		8		3	7,500
NOT STATED		9		15	31,000
		Total		12,546	28,318,308

Variable Name	DGC4_1S	Length	1	Position	1071
Question Name	DRUG-Q1				
Concept	Medication - birth control pills				
Question	In the past month, did you take birth control pills?				
Universe	Females aged 12 to 49				
Note	Formerly DRGQ1_T.				
Content		Code		Sample	Population
YES		1		623	1,294,000
NO		2		3,008	6,767,500
NOT APPLICABLE		6		8,906	20,227,000
DON'T KNOW		7		2	12,500
REFUSAL		8		2	6,500
NOT STATED		9		5	11,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_1V	Length	1	Position	1072
Question Name	DRUG-Q1				
Concept	Medication - other				
Question	In the past month, did you take any other medication?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_U.				
Content		Code		Sample	Population
YES		1		918	1,775,000
NO		2		9,911	21,774,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

Variable Name	DGC4_NON	Length	1	Position	1073
Question Name	DRUG-Q1				
Concept	Did not take any drugs in past month				
Question	In the past month, did you take none of the above medications?				
Universe	Respondents aged 12 and over				
Note	Formerly DRGQ1_V.				
Content		Code		Sample	Population
YES		1		2,183	5,249,000
NO		2		8,646	18,300,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		10	23,500
REFUSAL		8		8	22,000
NOT STATED		9		23	59,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F1	Length	1	Position	1074
Question Name					
Concept	Flag for medications taken				
Question					
Universe	Respondents aged 12 and over				
Note	Based on DGC4_1A to DGC4_1V, DHC4_SEX and DHC4_AGE. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
HAS TAKEN AT LEAST ONE DRUG		1		8,646	18,300,500
HAS NOT TAKEN ANY DRUGS		2		2,183	5,249,000
NOT APPLICABLE		6		1,676	4,664,000
NOT STATED		9		41	105,000
		Total		12,546	28,318,308

Variable Name	DGC4_2	Length	3	Position	1075 - 1077
Question Name	DRUG-Q2				
Concept	Number of different medications in past 2 days				
Question	Now, I am referring to the last 2 days, that is, yesterday and the day before yesterday. During those 2 days, how many different medications did you take?				
Universe	Respondents who answered any one of DGC4_1A to DGC4_1V=1				
Note	Formerly DRG_Q2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRUGS		0 - 31		8,634	18,278,500
NOT APPLICABLE		996		3,859	9,912,500
DON'T KNOW		997		9	15,000
REFUSAL		998		3	7,000
NOT STATED		999		41	105,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3A	Length	1	Position	1078
Question Name					
Concept	Flag for drug 1				
Question					
Universe	Respondents who answered at least 1 in DGC4_2				
Note	Formerly DRGQ31C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		5,054	9,821,500
NOT APPLICABLE		6		7,241	17,942,000
DON'T KNOW		7		31	56,000
REFUSAL		8		4	5,500
NOT STATED		9		216	493,500
		Total		12,546	28,318,308

Variable Name	DGC4C3A	Length	7	Position	1079 - 1085
Question Name	DRUG-Q3				
Concept	Drug code - drug 1				
Question	What is the exact name of the medication that you took? - Drug 1				
Universe	Respondents who answered at least 1 in DGC4_2				
Note	Formerly DRGC301. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A01AA01 - Z99AA00		5,054	9,821,500
NOT APPLICABLE		9999996		7,241	17,942,000
DON'T KNOW		9999997		31	56,000
REFUSAL		9999998		4	5,500
NOT STATED		9999999		216	493,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3A **Length** 2 **Position** 1086 - 1087

Question Name

Concept Drug code - drug 1 - (G)

Question

Universe Respondents who answered at least 1 in DGC4_2

Note Based on DGC4C3A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	448	873,000
BLOOD & BLOOD FORMING ORGANS	2	53	90,500
CARDIOVASCULAR SYSTEM	3	979	1,619,000
DERMATOLOGICALS	4	29	74,500
GENITO-URINARY / SEX HORMONES	7	519	1,064,000
SYSTEMIC HORMONAL PREPARATIONS	8	254	457,000
GENERAL ANTI-INFECTIVES	10	186	386,000
ANTINEOPLASTICS	12	26	41,500
MUSCULO-SKELETAL SYSTEM	13	309	526,500
NERVOUS SYSTEM	14	1,866	3,900,500
ANTIPARASITIC PRODUCTS	16	7	14,500
RESPIRATORY SYSTEM	18	288	598,000
SENSORY ORGANS	19	25	44,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	3	7,500
NATURAL MEDICINES	24	10	17,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	52	107,000
NOT APPLICABLE	96	7,241	17,942,000
NOT STATED	99	251	555,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3B	Length	1	Position	1088
Question Name					
Concept	Flag for drug 2				
Question					
Universe	Respondents who answered at least 2 in DGC4_2				
Note	Formerly DRGQ32C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		2,549	4,423,000
NOT APPLICABLE		6		9,827	23,535,500
DON'T KNOW		7		4	20,000
REFUSAL		8		1	6,000
NOT STATED		9		165	334,000
		Total		12,546	28,318,308

Variable Name	DGC4C3B	Length	7	Position	1089 - 1095
Question Name	DRUG-Q3				
Concept	Drug code - drug 2				
Question	What is the exact name of the medication that you took? - Drug 2				
Universe	Respondents who answered at least 2 in DGC4_2				
Note	Formerly DRGC302. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02AC01 - Z99AA00		2,549	4,423,000
NOT APPLICABLE		9999996		9,827	23,535,500
DON'T KNOW		9999997		4	20,000
REFUSAL		9999998		1	6,000
NOT STATED		9999999		165	334,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3B **Length** 2 **Position** 1096 - 1097

Question Name

Concept Drug code - drug 2 - (G)

Question

Universe Respondents who answered at least 2 in DGC4_2

Note Based on DGC4C3B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	332	573,500
BLOOD & BLOOD FORMING ORGANS	2	40	62,500
CARDIOVASCULAR SYSTEM	3	699	1,106,500
DERMATOLOGICALS	4	11	29,500
GENITO-URINARY / SEX HORMONES	7	214	385,000
SYSTEMIC HORMONAL PREPARATIONS	8	125	175,500
GENERAL ANTI-INFECTIVES	10	71	132,000
ANTINEOPLASTICS	12	12	26,500
MUSCULO-SKELETAL SYSTEM	13	144	248,000
NERVOUS SYSTEM	14	645	1,219,000
ANTIPARASITIC PRODUCTS	16	7	12,000
RESPIRATORY SYSTEM	18	193	360,000
SENSORY ORGANS	19	20	27,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	2	4,000
NATURAL MEDICINES	24	5	10,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	29	53,000
NOT APPLICABLE	96	9,827	23,535,500
NOT STATED	99	170	359,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3C	Length	1	Position	1098
Question Name					
Concept	Flag for drug 3				
Question					
Universe	Respondents who answered at least 3 in DGC4_2				
Note	Formerly DRGQ33C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		1,284	2,152,500
NOT APPLICABLE		6		11,140	25,922,500
DON'T KNOW		7		5	13,500
REFUSAL		8		1	4,000
NOT STATED		9		116	225,500
		Total		12,546	28,318,308

Variable Name	DGC4C3C	Length	7	Position	1099 - 1105
Question Name	DRUG-Q3				
Concept	Drug code - drug 3				
Question	What is the exact name of the medication that you took? - Drug 3				
Universe	Respondents who answered at least 3 in DGC4_2				
Note	Formerly DRGC303. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02 - Z99AA00		1,284	2,152,500
NOT APPLICABLE		9999996		11,140	25,922,500
DON'T KNOW		9999997		5	13,500
REFUSAL		9999998		1	4,000
NOT STATED		9999999		116	225,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3C **Length** 2 **Position** 1106 - 1107

Question Name

Concept Drug code - drug 3 - (G)

Question

Universe Respondents who answered at least 3 in DGC4_2

Note Based on DGC4C3C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	204	350,500
BLOOD & BLOOD FORMING ORGANS	2	21	35,000
CARDIOVASCULAR SYSTEM	3	347	556,500
DERMATOLOGICALS	4	5	7,000
GENITO-URINARY / SEX HORMONES	7	65	99,500
SYSTEMIC HORMONAL PREPARATIONS	8	60	83,500
GENERAL ANTI-INFECTIVES	10	32	54,500
ANTINEOPLASTICS	12	4	7,000
MUSCULO-SKELETAL SYSTEM	13	74	108,000
NERVOUS SYSTEM	14	332	601,000
ANTIPARASITIC PRODUCTS	16	4	5,500
RESPIRATORY SYSTEM	18	102	200,000
SENSORY ORGANS	19	13	13,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	2,000
NATURAL MEDICINES	24	6	12,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	14	18,000
NOT APPLICABLE	96	11,140	25,922,500
NOT STATED	99	122	243,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3D	Length	1	Position	1108
Question Name					
Concept	Flag for drug 4				
Question					
Universe	Respondents who answered at least 4 in DGC4_2				
Note	Formerly DRGQ34C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		699	1,153,000
NOT APPLICABLE		6		11,744	26,943,000
DON'T KNOW		7		3	5,000
NOT STATED		9		100	217,500
		Total		12,546	28,318,308

Variable Name	DGC4C3D	Length	7	Position	1109 - 1115
Question Name	DRUG-Q3				
Concept	Drug code - drug 4				
Question	What is the exact name of the medication that you took? - Drug 4				
Universe	Respondents who answered at least 4 in DGC4_2				
Note	Formerly DRGC304. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02AA04 - Z99AA00		699	1,153,000
NOT APPLICABLE		9999996		11,744	26,943,000
DON'T KNOW		9999997		3	5,000
NOT STATED		9999999		100	217,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3D **Length** 2 **Position** 1116 - 1117

Question Name

Concept Drug code - drug 4 - (G)

Question

Universe Respondents who answered at least 4 in DGC4_2

Note Based on DGC4C3D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	124	243,500
BLOOD & BLOOD FORMING ORGANS	2	20	25,500
CARDIOVASCULAR SYSTEM	3	174	258,000
DERMATOLOGICALS	4	3	4,500
GENITO-URINARY / SEX HORMONES	7	36	61,000
SYSTEMIC HORMONAL PREPARATIONS	8	30	49,500
GENERAL ANTI-INFECTIVES	10	9	12,000
ANTINEOPLASTICS	12	4	11,500
MUSCULO-SKELETAL SYSTEM	13	46	70,000
NERVOUS SYSTEM	14	173	287,000
ANTIPARASITIC PRODUCTS	16	2	1,500
RESPIRATORY SYSTEM	18	56	94,500
SENSORY ORGANS	19	7	4,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	4	6,000
NATURAL MEDICINES	24	5	5,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	6	18,000
NOT APPLICABLE	96	11,744	26,943,000
NOT STATED	99	103	222,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3E	Length	1	Position	1118
Question Name					
Concept	Flag for drug 5				
Question					
Universe	Respondents who answered at least 5 in DGC4_2				
Note	Formerly DRGQ35C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		371	628,500
NOT APPLICABLE		6		12,093	27,505,500
DON'T KNOW		7		2	3,000
NOT STATED		9		80	180,500
		Total		12,546	28,318,308

Variable Name	DGC4C3E	Length	7	Position	1119 - 1125
Question Name	DRUG-Q3				
Concept	Drug code - drug 5				
Question	What is the exact name of the medication that you took? - Drug 5				
Universe	Respondents who answered at least 5 in DGC4_2				
Note	Formerly DRGC305. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02AA04 - Z99AA00		371	628,500
NOT APPLICABLE		9999996		12,093	27,505,500
DON'T KNOW		9999997		2	3,000
NOT STATED		9999999		80	180,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3E **Length** 2 **Position** 1126 - 1127

Question Name

Concept Drug code - drug 5 - (G)

Question

Universe Respondents who answered at least 5 in DGC4_2

Note Based on DGC4C3E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	61	120,500
BLOOD & BLOOD FORMING ORGANS	2	11	11,500
CARDIOVASCULAR SYSTEM	3	99	157,500
DERMATOLOGICALS	4	1	1,000
GENITO-URINARY / SEX HORMONES	7	19	34,500
SYSTEMIC HORMONAL PREPARATIONS	8	15	19,000
GENERAL ANTI-INFECTIVES	10	7	14,500
ANTINEOPLASTICS	12	3	2,500
MUSCULO-SKELETAL SYSTEM	13	32	69,500
NERVOUS SYSTEM	14	85	129,500
ANTIPARASITIC PRODUCTS	16	2	4,500
RESPIRATORY SYSTEM	18	23	46,000
SENSORY ORGANS	19	8	7,500
NATURAL MEDICINES	24	1	2,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	4	8,500
NOT APPLICABLE	96	12,093	27,505,500
NOT STATED	99	82	184,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3F	Length	1	Position	1128
Question Name					
Concept	Flag for drug 6				
Question					
Universe	Respondents who answered at least 6 in DGC4_2				
Note	Formerly DRGQ36C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		210	349,000
NOT APPLICABLE		6		12,256	27,795,500
DON'T KNOW		7		1	1,000
NOT STATED		9		79	173,000
		Total		12,546	28,318,308

Variable Name	DGC4C3F	Length	7	Position	1129 - 1135
Question Name	DRUG-Q3				
Concept	Drug code - drug 6				
Question	What is the exact name of the medication that you took? - Drug 6				
Universe	Respondents who answered at least 6 in DGC4_2				
Note	Formerly DRGC306. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02BA01 - Z99AA00		210	349,000
NOT APPLICABLE		9999996		12,256	27,795,500
DON'T KNOW		9999997		1	1,000
NOT STATED		9999999		79	173,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3F **Length** 2 **Position** 1136 - 1137

Question Name

Concept Drug code - drug 6 - (G)

Question

Universe Respondents who answered at least 6 in DGC4_2

Note Based on DGC4C3F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	32	36,500
BLOOD & BLOOD FORMING ORGANS	2	7	6,000
CARDIOVASCULAR SYSTEM	3	55	77,000
DERMATOLOGICALS	4	3	5,500
GENITO-URINARY / SEX HORMONES	7	8	12,000
SYSTEMIC HORMONAL PREPARATIONS	8	10	16,000
GENERAL ANTI-INFECTIVES	10	2	3,000
MUSCULO-SKELETAL SYSTEM	13	6	14,000
NERVOUS SYSTEM	14	59	131,500
ANTIPARASITIC PRODUCTS	16	5	15,500
RESPIRATORY SYSTEM	18	14	17,500
SENSORY ORGANS	19	5	7,500
NATURAL MEDICINES	24	1	2,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	3	4,500
NOT APPLICABLE	96	12,256	27,795,500
NOT STATED	99	80	173,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3G	Length	1	Position	1138
Question Name					
Concept	Flag for drug 7				
Question					
Universe	Respondents who answered at least 7 in DGC4_2				
Note	Formerly DRGQ37C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		98	160,500
NOT APPLICABLE		6		12,376	27,999,000
DON'T KNOW		7		1	2,000
NOT STATED		9		71	157,000
		Total		12,546	28,318,308

Variable Name	DGC4C3G	Length	7	Position	1139 - 1145
Question Name	DRUG-Q3				
Concept	Drug code - drug 7				
Question	What is the exact name of the medication that you took? - Drug 7				
Universe	Respondents who answered at least 7 in DGC4_2				
Note	Formerly DRGC307. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02AF02 - Z99AA00		98	160,500
NOT APPLICABLE		9999996		12,376	27,999,000
DON'T KNOW		9999997		1	2,000
NOT STATED		9999999		71	157,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3G **Length** 2 **Position** 1146 - 1147

Question Name

Concept Drug code - drug 7 - (G)

Question

Universe Respondents who answered at least 7 in DGC4_2

Note Based on DGC4C3G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	14	26,000
BLOOD & BLOOD FORMING ORGANS	2	4	5,000
CARDIOVASCULAR SYSTEM	3	26	37,000
GENITO-URINARY / SEX HORMONES	7	5	12,500
SYSTEMIC HORMONAL PREPARATIONS	8	7	13,000
GENERAL ANTI-INFECTIVES	10	1	2,000
ANTINEOPLASTICS	12	2	3,000
MUSCULO-SKELETAL SYSTEM	13	5	9,500
NERVOUS SYSTEM	14	21	30,500
RESPIRATORY SYSTEM	18	9	13,500
SENSORY ORGANS	19	2	6,500
NATURAL MEDICINES	24	1	2,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,000
NOT APPLICABLE	96	12,376	27,999,000
NOT STATED	99	72	158,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3H	Length	1	Position	1148
Question Name					
Concept	Flag for drug 8				
Question					
Universe	Respondents who answered at least 8 in DGC4_2				
Note	Formerly DRGQ38C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		62	104,000
NOT APPLICABLE		6		12,418	28,063,000
DON'T KNOW		7		1	1,000
NOT STATED		9		65	151,000
		Total		12,546	28,318,308

Variable Name	DGC4C3H	Length	7	Position	1149 - 1155
Question Name	DRUG-Q3				
Concept	Drug code - drug 8				
Question	What is the exact name of the medication that you took? - Drug 8				
Universe	Respondents who answered at least 8 in DGC4_2				
Note	Formerly DRGC308. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02AD01 - Z99AA00		62	104,000
NOT APPLICABLE		9999996		12,418	28,063,000
DON'T KNOW		9999997		1	1,000
NOT STATED		9999999		65	151,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3H **Length** 2 **Position** 1156 - 1157

Question Name

Concept Drug code - drug 8 - (G)

Question

Universe Respondents who answered at least 8 in DGC4_2

Note Based on DGC4C3H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	14	23,500
BLOOD & BLOOD FORMING ORGANS	2	3	2,000
CARDIOVASCULAR SYSTEM	3	13	21,000
GENITO-URINARY / SEX HORMONES	7	3	10,000
SYSTEMIC HORMONAL PREPARATIONS	8	1	2,000
GENERAL ANTI-INFECTIVES	10	3	4,000
MUSCULO-SKELETAL SYSTEM	13	1	1,000
NERVOUS SYSTEM	14	16	23,000
RESPIRATORY SYSTEM	18	7	10,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	8,000
NOT APPLICABLE	96	12,418	28,063,000
NOT STATED	99	66	151,000
Total		12,546	28,318,308

Variable Name DGC4F3I **Length** 1 **Position** 1158

Question Name

Concept Flag for drug 9

Question

Universe Respondents who answered at least 9 in DGC4_2

Note Formerly DRGQ39C. Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	31	59,000
NOT APPLICABLE	6	12,449	28,110,500
NOT STATED	9	66	149,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C3I **Length** 7 **Position** 1159 - 1165
Question Name DRUG-Q3
Concept Drug code - drug 9
Question What is the exact name of the medication that you took? - Drug 9
Universe Respondents who answered at least 9 in DGC4_2
Note Formerly DRGC309. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	31	59,000
NOT APPLICABLE	9999996	12,449	28,110,500
NOT STATED	9999999	66	149,000
	Total	12,546	28,318,308

Variable Name DGC4G3I **Length** 2 **Position** 1166 - 1167
Question Name
Concept Drug code - drug 9 - (G)
Question
Universe Respondents who answered at least 9 in DGC4_2
Note Based on DGC4C3I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	8	14,500
CARDIOVASCULAR SYSTEM	3	7	11,000
NERVOUS SYSTEM	14	9	22,500
RESPIRATORY SYSTEM	18	5	7,000
NATURAL MEDICINES	24	1	1,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	2,500
NOT APPLICABLE	96	12,449	28,110,500
NOT STATED	99	66	149,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3J	Length	1	Position	1168
Question Name					
Concept	Flag for drug 10				
Question					
Universe	Respondents who answered at least 10 in DGC4_2				
Note	Formerly DRGQ310C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		14	25,000
NOT APPLICABLE		6		12,464	28,134,000
NOT STATED		9		68	159,500
		Total		12,546	28,318,308

Variable Name	DGC4C3J	Length	7	Position	1169 - 1175
Question Name	DRUG-Q3				
Concept	Drug code - drug 10				
Question	What is the exact name of the medication that you took? - Drug 10				
Universe	Respondents who answered at least 10 in DGC4_2				
Note	Formerly DRGC310. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A12AA04 - Z99AA00		14	25,000
NOT APPLICABLE		9999996		12,464	28,134,000
NOT STATED		9999999		68	159,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3J **Length** 2 **Position** 1176 - 1177

Question Name

Concept Drug code - drug 10 - (G)

Question

Universe Respondents who answered at least 10 in DGC4_2

Note Based on DGC4C3J. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	1	2,500
BLOOD & BLOOD FORMING ORGANS	2	1	2,000
CARDIOVASCULAR SYSTEM	3	2	4,000
DERMATOLOGICALS	4	1	2,000
MUSCULO-SKELETAL SYSTEM	13	1	1,500
NERVOUS SYSTEM	14	4	8,500
RESPIRATORY SYSTEM	18	2	1,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	4,000
NOT APPLICABLE	96	12,464	28,134,000
NOT STATED	99	68	159,500
Total		12,546	28,318,308

Variable Name DGC4F3K **Length** 1 **Position** 1178

Question Name

Concept Flag for drug 11

Question

Universe Respondents who answered at least 11 in DGC4_2

Note Formerly DRGQ311C. Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10	19,000
NOT APPLICABLE	6	12,469	28,148,500
NOT STATED	9	67	150,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C3K **Length** 7 **Position** 1179 - 1185
Question Name DRUG-Q3
Concept Drug code - drug 11
Question What is the exact name of the medication that you took? - Drug 11
Universe Respondents who answered at least 11 in DGC4_2
Note Formerly DRGC311. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	B01AA03 - Z99AA00	10	19,000
NOT APPLICABLE	9999996	12,469	28,148,500
NOT STATED	9999999	67	150,500
	Total	12,546	28,318,308

Variable Name DGC4G3K **Length** 2 **Position** 1186 - 1187
Question Name
Concept Drug code - drug 11 - (G)
Question
Universe Respondents who answered at least 11 in DGC4_2
Note Based on DGC4C3K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
BLOOD & BLOOD FORMING ORGANS	2	2	5,500
CARDIOVASCULAR SYSTEM	3	1	2,000
GENERAL ANTI-INFECTIVES	10	1	2,000
NERVOUS SYSTEM	14	3	4,000
RESPIRATORY SYSTEM	18	2	4,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,500
NOT APPLICABLE	96	12,469	28,148,500
NOT STATED	99	67	150,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F3L	Length	1	Position	1188
Question Name					
Concept	Flag for drug 12				
Question					
Universe	Respondents who answered at least 12 in DGC4_2				
Note	Formerly DRGQ312C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		5	8,500
NOT APPLICABLE		6		12,474	28,158,500
REFUSAL		8		1	1,000
NOT STATED		9		66	151,000
		Total		12,546	28,318,308

Variable Name	DGC4C3L	Length	7	Position	1189 - 1195
Question Name	DRUG-Q3				
Concept	Drug code - drug 12				
Question	What is the exact name of the medication that you took? - Drug 12				
Universe	Respondents who answered at least 12 in DGC4_2				
Note	Formerly DRGC312. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		C05AA01 - R06AX13		5	8,500
NOT APPLICABLE		9999996		12,474	28,158,500
REFUSAL		9999998		1	1,000
NOT STATED		9999999		66	151,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G3L **Length** 2 **Position** 1196 - 1197

Question Name

Concept Drug code - drug 12 - (G)

Question

Universe Respondents who answered at least 12 in DGC4_2

Note Based on DGC4C3L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CARDIOVASCULAR SYSTEM	3	1	2,000
NERVOUS SYSTEM	14	3	6,500
RESPIRATORY SYSTEM	18	1	1,000
NOT APPLICABLE	96	12,474	28,158,500
NOT STATED	99	67	151,500
Total		12,546	28,318,308

Variable Name DGC4_4 **Length** 1 **Position** 1198

Question Name DRUG-Q4

Concept Medication - use other health product

Question There are many other health products such as ointments, vitamins, herbs, minerals, teas or protein drinks which people use to prevent illness or to improve or maintain their health. Do you use any of these or other health products?

Universe Respondents aged 12 and over

Note Formerly DRG_Q4.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,690	8,096,000
NO	2	7,138	15,453,000
NOT APPLICABLE	6	1,676	4,664,000
NOT STATED	9	42	105,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F5A	Length	1	Position	1199
Question Name					
Concept	Flag for health product 1				
Question					
Universe	Respondents who answered DGC4_4=1				
Note	Formerly DRGQ51C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,573	7,829,000
NOT APPLICABLE		6		8,814	20,117,000
DON'T KNOW		7		12	18,500
NOT STATED		9		147	354,000
		Total		12,546	28,318,308

Variable Name	DGC4_5AA	Length	1	Position	1200
Question Name	DRUG-Q5				
Concept	Uses a 2nd health product				
Question	Do you use any other health products? - 2nd product				
Universe	Respondents who answered DGC4_4=1				
Note	Formerly DRGQ5_1A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,327	2,878,500
NO		2		2,363	5,217,500
NOT APPLICABLE		6		8,814	20,117,000
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F5B	Length	1	Position	1201
Question Name					
Concept	Flag for health product 2				
Question					
Universe	Respondents who answered DGC4_5AA=1				
Note	Formerly DRGQ52C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,282	2,785,000
NOT APPLICABLE		6		11,177	25,334,500
DON'T KNOW		7		1	3,500
NOT STATED		9		86	195,500
		Total		12,546	28,318,308

Variable Name	DGC4_5BA	Length	1	Position	1202
Question Name	DRUG-Q5				
Concept	Uses a 3rd health product				
Question	Do you use any other health products? - 3rd product				
Universe	Respondents who answered DGC4_5AA=1				
Note	Formerly DRGQ5_2A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		567	1,212,000
NO		2		760	1,666,500
NOT APPLICABLE		6		11,177	25,334,500
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F5C	Length	1	Position	1203
Question Name					
Concept	Flag for health product 3				
Question					
Universe	Respondents who answered DGC4_5BA=1				
Note	Formerly DRGQ53C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		544	1,169,000
NOT APPLICABLE		6		11,937	27,001,000
DON'T KNOW		7		1	1,000
NOT STATED		9		64	147,500
		Total		12,546	28,318,308

Variable Name	DGC4_5CA	Length	1	Position	1204
Question Name	DRUG-Q5				
Concept	Uses a 4th health product				
Question	Do you use any other health products? - 4th product				
Universe	Respondents who answered DGC4_5BA=1				
Note	Formerly DRGQ5_3A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		263	549,500
NO		2		304	662,500
NOT APPLICABLE		6		11,937	27,001,000
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F5D	Length	1	Position	1205
Question Name					
Concept	Flag for health product 4				
Question					
Universe	Respondents who answered DGC4_5CA=1				
Note	Formerly DRGQ54C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		248	515,000
NOT APPLICABLE		6		12,241	27,663,000
DON'T KNOW		7		1	1,500
NOT STATED		9		56	139,000
		Total		12,546	28,318,308

Variable Name	DGC4_5DA	Length	1	Position	1206
Question Name	DRUG-Q5				
Concept	Uses a 5th health product				
Question	Do you use any other health products? - 5th product				
Universe	Respondents who answered DGC4_5CA=1				
Note	Formerly DRGQ5_4A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		135	301,500
NO		2		128	248,000
NOT APPLICABLE		6		12,241	27,663,000
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4F5E	Length	1	Position	1207
Question Name					
Concept	Flag for health product 5				
Question					
Universe	Respondents who answered DGC4_5DA=1				
Note	Formerly DRGQ55C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		120	262,500
NOT APPLICABLE		6		12,369	27,911,500
NOT STATED		9		57	144,500
		Total		12,546	28,318,308

Variable Name	DGC4_5EA	Length	1	Position	1208
Question Name	DRUG-Q5				
Concept	Uses a 6th health product				
Question	Do you use any other health products? - 6th product				
Universe	Respondents who answered DGC4_5DA=1				
Note	Formerly DRGQ5_5A.				
Content		Code		Sample	Population
YES		1		78	169,500
NO		2		57	132,000
NOT APPLICABLE		6		12,369	27,911,500
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

Variable Name	DGC4F5F	Length	1	Position	1209
Question Name					
Concept	Flag for health product 6				
Question					
Universe	Respondents who answered DGC4_5EA=1				
Note	Formerly DRGQ56C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		72	159,500
NOT APPLICABLE		6		12,426	28,043,000
NOT STATED		9		48	115,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_5FA	Length	1	Position	1210
Question Name	DRUG-Q5				
Concept	Uses a 7th health product				
Question	Do you use any other health products? - 7th product				
Universe	Respondents who answered DGC4_5EA=1				
Note	Formerly DRGQ5_6A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		43	98,000
NO		2		35	72,000
NOT APPLICABLE		6		12,426	28,043,000
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

Variable Name	DGC4F5G	Length	1	Position	1211
Question Name					
Concept	Flag for health product 7				
Question					
Universe	Respondents who answered DGC4_5FA=1				
Note	Formerly DRGQ57C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		39	89,500
NOT APPLICABLE		6		12,461	28,115,000
NOT STATED		9		46	114,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_5GA	Length	1	Position	1212
Question Name	DRUG-Q5				
Concept	Uses a 8th health product				
Question	Do you use any other health products? - 8th product				
Universe	Respondents who answered DGC4_5FA=1				
Note	Formerly DRGQ5_7A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		26	60,500
NO		2		17	37,000
NOT APPLICABLE		6		12,461	28,115,000
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

Variable Name	DGC4F5H	Length	1	Position	1213
Question Name					
Concept	Flag for health product 8				
Question					
Universe	Respondents who answered DGC4_5GA=1				
Note	Formerly DRGQ58C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		25	59,500
NOT APPLICABLE		6		12,478	28,152,000
NOT STATED		9		43	106,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_5HA	Length	1	Position	1214
Question Name	DRUG-Q5				
Concept	Uses a 9th health product				
Question	Do you use any other health products? - 9th product				
Universe	Respondents who answered DGC4_5GA=1				
Note	Formerly DRGQ5_8A.				
Content		Code		Sample	Population
YES		1		14	33,000
NO		2		12	28,000
NOT APPLICABLE		6		12,478	28,152,000
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

Variable Name	DGC4F5I	Length	1	Position	1215
Question Name					
Concept	Flag for health product 9				
Question					
Universe	Respondents who answered DGC4_5HA=1				
Note	Formerly DRGQ59C. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		12	29,000
NOT APPLICABLE		6		12,490	28,180,000
NOT STATED		9		44	109,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_5IA	Length	1	Position	1216
Question Name	DRUG-Q5				
Concept	Uses a 10th health product				
Question	Do you use any other health products? - 10th product				
Universe	Respondents who answered DGC4_5HA=1				
Note	Formerly DRGQ5_9A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10	19,500
NO		2		4	13,000
NOT APPLICABLE		6		12,490	28,180,000
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

Variable Name	DGC4F5J	Length	1	Position	1217
Question Name					
Concept	Flag for health product 10				
Question					
Universe	Respondents who answered DGC4_5IA=1				
Note	Formerly DRGQ510C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		9	19,000
NOT APPLICABLE		6		12,494	28,193,000
NOT STATED		9		43	106,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_5JA	Length	1	Position	1218
Question Name	DRUG-Q5				
Concept	Uses a 11th health product				
Question	Do you use any other health products? - 11th product				
Universe	Respondents who answered DGC4_5JA=1				
Note	Formerly DRGQ5_10A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7	14,500
NO		2		3	5,500
NOT APPLICABLE		6		12,494	28,193,000
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

Variable Name	DGC4F5K	Length	1	Position	1219
Question Name					
Concept	Flag for health product 11				
Question					
Universe	Respondents who answered DGC4_5JA=1				
Note	Formerly DRGQ511C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	10,000
NOT APPLICABLE		6		12,497	28,198,500
NOT STATED		9		44	109,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4_5KA	Length	1	Position	1220
Question Name	DRUG-Q5				
Concept	Uses a 12th health product				
Question	Do you use any other health products? - 12th product				
Universe	Respondents who answered DGC4_5JA=1				
Note	Formerly DRGQ5_11A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	9,000
NO		2		3	5,500
NOT APPLICABLE		6		12,497	28,198,500
NOT STATED		9		42	105,500
		Total		12,546	28,318,308

Variable Name	DGC4F5L	Length	1	Position	1221
Question Name					
Concept	Flag for health product 12				
Question					
Universe	Respondents who answered DGC4_5KA=1				
Note	Formerly DRGQ512C. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	6,000
NOT APPLICABLE		6		12,500	28,204,000
NOT STATED		9		43	108,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5A **Length** 7 **Position** 1222 - 1228

Question Name DRUG-Q5

Concept Drug code - health product 1

Question What is the exact name of the health product that you use? - Product 1

Universe Respondents who answered DGC4_4=1

Note Formerly DRGC501. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A01AD11 - Z99AA00	3,573	7,829,000
NOT APPLICABLE	9999996	8,814	20,117,000
DON'T KNOW	9999997	12	18,500
NOT STATED	9999999	147	354,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G5A **Length** 2 **Position** 1229 - 1230

Question Name

Concept Drug code - health product 1 - (G)

Question

Universe Respondents who answered DGC4_4=1

Note Based on DGC4C5A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2,333	5,123,500
BLOOD & BLOOD FORMING ORGANS	2	105	191,500
CARDIOVASCULAR SYSTEM	3	9	14,000
DERMATOLOGICALS	4	183	366,500
GENITO-URINARY / SEX HORMONES	7	6	9,000
SYSTEMIC HORMONAL PREPARATIONS	8	9	15,000
GENERAL ANTI-INFECTIVES	10	2	1,000
MUSCULO-SKELETAL SYSTEM	13	88	153,500
NERVOUS SYSTEM	14	31	55,000
RESPIRATORY SYSTEM	18	8	18,500
SENSORY ORGANS	19	8	11,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	13	18,500
NATURAL MEDICINES	24	670	1,616,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	108	235,000
NOT APPLICABLE	96	8,814	20,117,000
NOT STATED	99	159	372,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 388

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5B **Length** 7 **Position** 1231 - 1237

Question Name DRUG-Q5

Concept Drug code - health product 2

Question What is the exact name of the health product that you use? - Product 2

Universe Respondents who answered DGC4_5AA=1

Note Formerly DRGC502. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	1,282	2,785,000
NOT APPLICABLE	9999996	11,177	25,334,500
DON'T KNOW	9999997	1	3,500
NOT STATED	9999999	86	195,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G5B **Length** 2 **Position** 1238 - 1239

Question Name

Concept Drug code - health product 2 - (G)

Question

Universe Respondents who answered DGC4_5AA=1

Note Based on DGC4C5B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	765	1,607,500
BLOOD & BLOOD FORMING ORGANS	2	29	65,000
CARDIOVASCULAR SYSTEM	3	7	13,000
DERMATOLOGICALS	4	54	129,500
GENITO-URINARY / SEX HORMONES	7	5	12,500
SYSTEMIC HORMONAL PREPARATIONS	8	1	6,000
GENERAL ANTI-INFECTIVES	10	2	2,000
MUSCULO-SKELETAL SYSTEM	13	22	38,000
NERVOUS SYSTEM	14	16	30,500
RESPIRATORY SYSTEM	18	16	31,000
SENSORY ORGANS	19	2	4,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	13	37,500
NATURAL MEDICINES	24	293	667,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	57	140,500
NOT APPLICABLE	96	11,177	25,334,500
NOT STATED	99	87	199,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 390

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5C **Length** 7 **Position** 1240 - 1246

Question Name DRUG-Q5

Concept Drug code - health product 3

Question What is the exact name of the health product that you use? - Product 3

Universe Respondents who answered DGC4_5BA=1

Note Formerly DRGC503. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AD01 - Z97AA00	544	1,169,000
NOT APPLICABLE	9999996	11,937	27,001,000
DON'T KNOW	9999997	1	1,000
NOT STATED	9999999	64	147,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G5C **Length** 2 **Position** 1247 - 1248

Question Name

Concept Drug code - health product 3 - (G)

Question

Universe Respondents who answered DGC4_5BA=1

Note Based on DGC4C5C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	338	720,500
BLOOD & BLOOD FORMING ORGANS	2	13	32,000
CARDIOVASCULAR SYSTEM	3	4	8,000
DERMATOLOGICALS	4	23	49,000
GENITO-URINARY / SEX HORMONES	7	1	1,500
SYSTEMIC HORMONAL PREPARATIONS	8	1	1,500
MUSCULO-SKELETAL SYSTEM	13	4	3,000
NERVOUS SYSTEM	14	10	22,000
RESPIRATORY SYSTEM	18	1	1,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	6	20,500
NATURAL MEDICINES	24	117	263,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	26	45,500
NOT APPLICABLE	96	11,937	27,001,000
NOT STATED	99	65	148,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 392

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC4C5D	Length	7	Position	1249 - 1255
Question Name	DRUG-Q5				
Concept	Drug code - health product 4				
Question	What is the exact name of the health product that you use? - Product 4				
Universe	Respondents who answered DGC4_5CA=1				
Note	Formerly DRGC504. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z97AA00	248	515,000
NOT APPLICABLE	9999996	12,241	27,663,000
DON'T KNOW	9999997	1	1,500
NOT STATED	9999999	56	139,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4G5D **Length** 2 **Position** 1256 - 1257

Question Name

Concept Drug code - health product 4 - (G)

Question

Universe Respondents who answered DGC4_5CA=1

Note Based on DGC4C5D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	150	318,500
BLOOD & BLOOD FORMING ORGANS	2	3	13,000
CARDIOVASCULAR SYSTEM	3	1	6,500
DERMATOLOGICALS	4	8	21,000
SYSTEMIC HORMONAL PREPARATIONS	8	1	1,000
GENERAL ANTI-INFECTIVES	10	1	3,500
MUSCULO-SKELETAL SYSTEM	13	2	3,500
NERVOUS SYSTEM	14	4	7,500
RESPIRATORY SYSTEM	18	1	1,500
SENSORY ORGANS	19	1	1,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	5	8,500
NATURAL MEDICINES	24	65	119,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	6	10,500
NOT APPLICABLE	96	12,241	27,663,000
NOT STATED	99	57	140,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5E **Length** 7 **Position** 1258 - 1264
Question Name DRUG-Q5
Concept Drug code - health product 5
Question What is the exact name of the health product that you use? - Product 5
Universe Respondents who answered DGC4_5DA=1
Note Formerly DRGC505. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A11AA03 - Z97AA00	120	262,500
NOT APPLICABLE	9999996	12,369	27,911,500
NOT STATED	9999999	57	144,500
	Total	12,546	28,318,308

Variable Name DGC4G5E **Length** 2 **Position** 1265 - 1266
Question Name
Concept Drug code - health product 5 - (G)
Question
Universe Respondents who answered DGC4_5DA=1
Note Based on DGC4C5E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	62	136,000
BLOOD & BLOOD FORMING ORGANS	2	7	20,000
DERMATOLOGICALS	4	3	9,000
GENITO-URINARY / SEX HORMONES	7	1	2,000
NERVOUS SYSTEM	14	2	5,000
RESPIRATORY SYSTEM	18	2	2,500
SENSORY ORGANS	19	1	4,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,500
NATURAL MEDICINES	24	34	71,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	7	11,000
NOT APPLICABLE	96	12,369	27,911,500
NOT STATED	99	57	144,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5F **Length** 7 **Position** 1267 - 1273

Question Name DRUG-Q5

Concept Drug code - health product 6

Question What is the exact name of the health product that you use? - Product 6

Universe Respondents who answered DGC4_5EA=1

Note Formerly DRGC506. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AF02 - Z97AA00	72	159,500
NOT APPLICABLE	9999996	12,426	28,043,000
NOT STATED	9999999	48	115,500
	Total	12,546	28,318,308

Variable Name DGC4G5F **Length** 2 **Position** 1274 - 1275

Question Name

Concept Drug code - health product 6 - (G)

Question

Universe Respondents who answered DGC4_5EA=1

Note Based on DGC4C5F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	40	97,500
BLOOD & BLOOD FORMING ORGANS	2	2	9,000
DERMATOLOGICALS	4	3	4,500
NERVOUS SYSTEM	14	1	1,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	23	42,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	3,500
NOT APPLICABLE	96	12,426	28,043,000
NOT STATED	99	48	115,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5G **Length** 7 **Position** 1276 - 1282
Question Name DRUG-Q5
Concept Drug code - health product 7
Question What is the exact name of the health product that you use? - Product 7
Universe Respondents who answered DGC4_5FA=1
Note Formerly DRGC507. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02XY99 - Z97AA00	39	89,500
NOT APPLICABLE	9999996	12,461	28,115,000
NOT STATED	9999999	46	114,000
	Total	12,546	28,318,308

Variable Name DGC4G5G **Length** 2 **Position** 1283 - 1284
Question Name
Concept Drug code - health product 7 - (G)
Question
Universe Respondents who answered DGC4_5FA=1
Note Based on DGC4C5G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	20	46,500
BLOOD & BLOOD FORMING ORGANS	2	1	3,500
CARDIOVASCULAR SYSTEM	3	1	4,500
MUSCULO-SKELETAL SYSTEM	13	1	1,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	2	5,500
NATURAL MEDICINES	24	11	22,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	3	5,500
NOT APPLICABLE	96	12,461	28,115,000
NOT STATED	99	46	114,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5H **Length** 7 **Position** 1285 - 1291
Question Name DRUG-Q5
Concept Drug code - health product 8
Question What is the exact name of the health product that you use? - Product 8
Universe Respondents who answered DGC4_5GA=1
Note Formerly DRGC508. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A11CC05 - Z97AA00	25	59,500
NOT APPLICABLE	9999996	12,478	28,152,000
NOT STATED	9999999	43	106,500
	Total	12,546	28,318,308

Variable Name DGC4G5H **Length** 2 **Position** 1292 - 1293
Question Name
Concept Drug code - health product 8 - (G)
Question
Universe Respondents who answered DGC4_5GA=1
Note Based on DGC4C5H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	9	21,000
CARDIOVASCULAR SYSTEM	3	1	1,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	2,500
NATURAL MEDICINES	24	12	33,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	1,500
NOT APPLICABLE	96	12,478	28,152,000
NOT STATED	99	43	106,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5J **Length** 7 **Position** 1303 - 1309

Question Name DRUG-Q5

Concept Drug code - health product 10

Question What is the exact name of the health product that you use? - Product 10

Universe Respondents who answered DGC4_5IA=1

Note Formerly DRGC510. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A11EA - Z97AA00	9	19,000
NOT APPLICABLE	9999996	12,494	28,193,000
NOT STATED	9999999	43	106,500
	Total	12,546	28,318,308

Variable Name DGC4G5J **Length** 2 **Position** 1310 - 1311

Question Name

Concept Drug code - health product 10 - (G)

Question

Universe Respondents who answered DGC4_5IA=1

Note Based on DGC4C5J. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	3	7,000
CARDIOVASCULAR SYSTEM	3	1	1,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	3,000
NATURAL MEDICINES	24	3	5,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	2,500
NOT APPLICABLE	96	12,494	28,193,000
NOT STATED	99	43	106,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5K **Length** 7 **Position** 1312 - 1318
Question Name DRUG-Q5
Concept Drug code - health product 11
Question What is the exact name of the health product that you use? - Product 11
Universe Respondents who answered DGC4_5JA=1
Note Formerly DRGC511. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A12CB02 - X97EG01	5	10,000
NOT APPLICABLE	9999996	12,497	28,198,500
NOT STATED	9999999	44	109,500
	Total	12,546	28,318,308

Variable Name DGC4G5K **Length** 2 **Position** 1319 - 1320
Question Name
Concept Drug code - health product 11 - (G)
Question
Universe Respondents who answered DGC4_5JA=1
Note Based on DGC4C5K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	1	1,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	3,000
NATURAL MEDICINES	24	3	6,000
NOT APPLICABLE	96	12,497	28,198,500
NOT STATED	99	44	109,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC4C5L **Length** 7 **Position** 1321 - 1327

Question Name DRUG-Q5

Concept Drug code - health product 12

Question What is the exact name of the health product that you use? - Product 12

Universe Respondents who answered DGC4_5KA=1

Note Formerly DRGC512. Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longi See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A12CE - X97CA99	3	6,000
NOT APPLICABLE	9999996	12,500	28,204,000
NOT STATED	9999999	43	108,500
	Total	12,546	28,318,308

Variable Name DGC4G5L **Length** 2 **Position** 1328 - 1329

Question Name

Concept Drug code - health product 12 - (G)

Question

Universe Respondents who answered DGC4_5KA=1

Note Based on DGC4C5L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	1	1,000
NATURAL MEDICINES	24	2	4,500
NOT APPLICABLE	96	12,500	28,204,000
NOT STATED	99	43	108,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_1A	Length	1	Position	1330
Question Name	MHLTH-Q1A				
Concept	Frequency of feeling sad				
Question	During the past month, about how often did you feel so sad that nothing could cheer you up?				
Universe	Respondents aged 12 and over				
Note	Formerly MH_Q1A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ALL OF THE TIME		1		54	95,500
MOST OF THE TIME		2		198	479,000
SOME OF THE TIME		3		1,042	2,226,500
A LITTLE OF THE TIME		4		2,505	5,546,000
NONE OF THE TIME		5		6,562	13,859,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		5	14,000
REFUSAL		8		12	39,000
NOT STATED		9		492	1,395,500
		Total		12,546	28,318,308

Variable Name	MHC4_1B	Length	1	Position	1331
Question Name	MHLTH-Q1B				
Concept	Frequency of feeling nervous				
Question	During the past month, about how often did you feel nervous?				
Universe	Respondents aged 12 and over				
Note	Formerly MH_Q1B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ALL OF THE TIME		1		130	326,000
MOST OF THE TIME		2		369	911,500
SOME OF THE TIME		3		1,805	4,214,000
A LITTLE OF THE TIME		4		3,502	8,132,500
NONE OF THE TIME		5		4,554	8,619,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		1	2,500
NOT STATED		9		509	1,448,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_1C	Length	1	Position	1332
Question Name	MHLTH-Q1C				
Concept	Frequency of feeling restless / fidgety				
Question	During the past month, about how often did you feel restless or fidgety?				
Universe	Respondents aged 12 and over				
Note	Formerly MH_Q1C.				
Content		Code		Sample	Population
ALL OF THE TIME		1		196	428,500
MOST OF THE TIME		2		376	850,000
SOME OF THE TIME		3		1,728	3,874,000
A LITTLE OF THE TIME		4		2,794	6,153,000
NONE OF THE TIME		5		5,265	10,897,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		1	1,000
NOT STATED		9		510	1,451,000
		Total		12,546	28,318,308

Variable Name	MHC4_1D	Length	1	Position	1333
Question Name	MHLTH-Q1D				
Concept	Frequency of feeling hopeless				
Question	During the past month, about how often did you feel hopeless?				
Universe	Respondents aged 12 and over				
Note	Formerly MH_Q1D.				
Content		Code		Sample	Population
ALL OF THE TIME		1		41	87,000
MOST OF THE TIME		2		96	196,000
SOME OF THE TIME		3		500	1,101,500
A LITTLE OF THE TIME		4		1,050	2,372,500
NONE OF THE TIME		5		8,670	18,443,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		2	3,000
NOT STATED		9		511	1,451,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_1E	Length	1	Position	1334
Question Name	MHLTH-Q1E				
Concept	Frequency of feeling worthless				
Question	During the past month, about how often did you feel worthless?				
Universe	Respondents aged 12 and over				
Note	Formerly MH_Q1E.				
Content		Code		Sample	Population
ALL OF THE TIME		1		40	73,000
MOST OF THE TIME		2		54	98,000
SOME OF THE TIME		3		293	625,000
A LITTLE OF THE TIME		4		617	1,392,500
NONE OF THE TIME		5		9,352	20,011,000
NOT APPLICABLE		6		1,676	4,664,000
REFUSAL		8		1	1,000
NOT STATED		9		513	1,454,500
		Total		12,546	28,318,308

Variable Name	MHC4_1F	Length	1	Position	1335
Question Name	MHLTH-Q1F				
Concept	Frequency of feeling everything was an effort				
Question	During the past month, about how often did you feel that everything was an effort?				
Universe	Respondents aged 12 and over				
Note	Formerly MH_Q1F.				
Content		Code		Sample	Population
ALL OF THE TIME		1		197	395,000
MOST OF THE TIME		2		474	1,268,000
SOME OF THE TIME		3		1,493	3,135,000
A LITTLE OF THE TIME		4		2,789	6,119,500
NONE OF THE TIME		5		5,400	11,269,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		3	12,500
NOT STATED		9		514	1,455,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC4_1G **Length** 1 **Position** 1336
Question Name MHLTH-Q1G
Concept Frequency of feelings occurrence
Question Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
Universe Respondents who answered positively to at least one of MHC4_1A to MHC4_1F
Note Formerly MH_Q1G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MORE OFTEN	1	1,398	3,325,000
LESS OFTEN	2	681	1,615,000
ABOUT THE SAME	3	5,722	12,260,000
NEVER HAVE HAD ANY	4	380	895,500
NOT APPLICABLE	6	3,846	8,747,500
DON'T KNOW	7	2	7,500
NOT STATED	9	517	1,468,000
Total		12,546	28,318,308

Variable Name MHC4_1H **Length** 1 **Position** 1337
Question Name MHLTH-Q1H
Concept Frequency of feelings occurrence (more)
Question Is that a lot more, somewhat more or only a little more often than usual?
Universe Respondents who answered MHC4_1G=1
Note Formerly MH_Q1H.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
A LOT	1	554	1,223,500
SOMEWHAT	2	421	1,032,500
A LITTLE	3	422	1,066,500
NOT APPLICABLE	6	10,629	23,518,000
DON'T KNOW	7	1	2,500
NOT STATED	9	519	1,475,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_1I	Length	1	Position	1338
Question Name	MHLTH-Q1I				
Concept	Frequency of feelings occurrence (less)				
Question	Is that a lot less, somewhat less or only a little less often than usual?				
Universe	Respondents who answered MHC4_1G=2				
Note	Formerly MH_Q1I.				
Content		Code		Sample	Population
A LOT		1		187	417,000
SOMEWHAT		2		250	615,500
A LITTLE		3		244	582,500
NOT APPLICABLE		6		11,346	25,228,000
NOT STATED		9		519	1,475,500
		Total		12,546	28,318,308

Variable Name	MHC4_1J	Length	1	Position	1339
Question Name	MHLTH-Q1J				
Concept	Frequency - experiences interfere with life				
Question	How much do these experiences usually interfere with your life or activities?				
Universe	Respondents who answered MHC4_1G=1, 2 or 3				
Note	Formerly MH_Q1J.				
Content		Code		Sample	Population
A LOT		1		387	866,000
SOME		2		832	1,857,000
A LITTLE		3		2,450	5,443,500
NOT AT ALL		4		4,129	9,028,000
NOT APPLICABLE		6		4,226	9,642,500
DON'T KNOW		7		2	3,000
NOT STATED		9		520	1,478,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_1K	Length	1	Position	1340
Question Name	MHLTH-Q1K				
Concept	Mental health - has consulted with a health professional				
Question	In the past 12 months, have you seen or talked on the telephone to a health professional about your emotional or mental health?				
Universe	Respondents aged 12 and over				
Note	Formerly MH_Q1K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		786	1,737,000
NO		2		9,584	20,495,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		1	1,000
REFUSAL		8		7	26,000
NOT STATED		9		492	1,395,500
		Total		12,546	28,318,308

Variable Name	MHC4_1L	Length	3	Position	1341 - 1343
Question Name	MHLTH-Q1L				
Concept	Mental health - no. of times consulted a health professional				
Question	How many times (in the past 12 months)?				
Universe	Respondents who answered MHC4_1K=1				
Note	Formerly MH_Q1L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 300		785	1,735,500
NOT APPLICABLE		996		11,260	25,159,000
REFUSAL		998		1	1,500
NOT STATED		999		500	1,422,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_2	Length	1	Position	1344
Question Name	MHLTH-Q2				
Concept	Felt sad, blue, or depressed 2 weeks or more in past year				
Question	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?				
Universe	Respondents aged 12 and over				
Note	Formerly MH_Q2.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,125	2,330,000
NO	2	9,246	19,905,500
NOT APPLICABLE	6	1,676	4,664,000
REFUSAL	8	7	24,000
NOT STATED	9	492	1,395,500
	Total	12,546	28,318,308

Variable Name	MHC4_3	Length	1	Position	1345
Question Name	MHLTH-Q3				
Concept	Depressed - usual duration of feelings				
Question	Please think of the 2-week period during the past 12 months when these feelings were worst. During that time how long did these feelings usually last?				
Universe	Respondents who answered MHC4_2=1				
Note	Formerly MH_Q3.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	343	718,500
MOST OF THE DAY	2	380	805,000
ABOUT HALF OF THE DAY	3	213	429,000
LESS THAN HALF OF A DAY	4	186	373,500
NOT APPLICABLE	6	10,922	24,569,000
DON'T KNOW	7	1	1,000
REFUSAL	8	1	1,500
NOT STATED	9	500	1,421,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_4	Length	1	Position	1346
Question Name	MHLTH-Q4				
Concept	Depressed - frequency of feelings				
Question	How often did you feel this way during those 2 weeks?				
Universe	Respondents who answered MHC4_3=1 or 2				
Note	Formerly MH_Q4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EVERY DAY		1		414	836,000
ALMOST EVERY DAY		2		262	591,500
LESS OFTEN		3		47	96,000
NOT APPLICABLE		6		11,321	25,371,500
NOT STATED		9		502	1,423,500
		Total		12,546	28,318,308

Variable Name	MHC4_5	Length	1	Position	1347
Question Name	MHLTH-Q5				
Concept	Depressed - lost interest in most things				
Question	During those 2 weeks, did you lose interest in most things?				
Universe	Respondents who answered MHC4_4=1 or 2				
Note	Formerly MH_Q5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		488	1,037,500
NO		2		188	390,500
NOT APPLICABLE		6		11,368	25,467,500
NOT STATED		9		502	1,423,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_6	Length	1	Position	1348
Question Name	MHLTH-Q6				
Concept	Depressed - felt tired all of the time				
Question	Did you feel tired out or low on energy all of the time?				
Universe	Respondents who answered MHC4_4=1 or 2				
Note	Formerly MH_Q6.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		541	1,131,000
NO		2		135	296,500
NOT APPLICABLE		6		11,368	25,467,500
NOT STATED		9		502	1,423,500
		Total		12,546	28,318,308

Variable Name	MHC4_7	Length	1	Position	1349
Question Name	MHLTH-Q7				
Concept	Depressed - weight change or not				
Question	Did you gain weight, lose weight or stay about the same?				
Universe	Respondents who answered MHC4_4=1 or 2				
Note	Formerly MH_Q7.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
GAINED WEIGHT		1		114	238,500
LOST WEIGHT		2		239	495,500
STAYED ABOUT THE SAME		3		322	691,000
NOT APPLICABLE		6		11,368	25,467,500
DON'T KNOW		7		1	3,000
NOT STATED		9		502	1,423,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_8LB	Length	3	Position	1350 - 1352
Question Name	MHLTH-Q8				
Concept	Depressed - weight change (lb.)				
Question	About how much weight did you (gain / lose)? - Pounds				
Universe	Respondents who answered MHC4_7=1 or 2				
Note	Formerly MH_Q8LB.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
POUNDS		1 - 70		345	719,500
NOT APPLICABLE		996		11,690	26,158,000
NOT STATED		999		511	1,440,500
		Total		12,546	28,318,308

Variable Name	MHC4_8KG	Length	3	Position	1353 - 1355
Question Name	MHLTH-Q8				
Concept	Depressed - weight change (kg.)				
Question	About how much weight did you (gain / lose)? - Kilograms				
Universe	Respondents who answered MHC4_7=1 or 2				
Note	Formerly MH_Q8KG.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
KILOGRAMS		0 - 32		345	719,500
NOT APPLICABLE		996		11,690	26,158,000
NOT STATED		999		511	1,440,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_9	Length	1	Position	1356
Question Name	MHLTH-Q9				
Concept	Depressed - trouble falling asleep				
Question	Did you have more trouble falling asleep than you usually do?				
Universe	Respondents who answered MHC4_4=1 or 2				
Note	Formerly MH_Q9.				
Content		Code		Sample	Population
YES		1		485	994,500
NO		2		189	427,000
NOT APPLICABLE		6		11,368	25,467,500
DON'T KNOW		7		1	3,000
NOT STATED		9		503	1,426,500
		Total		12,546	28,318,308

Variable Name	MHC4_10	Length	1	Position	1357
Question Name	MHLTH-Q10				
Concept	Depressed - frequency of trouble falling asleep				
Question	How often did that happen?				
Universe	Respondents who answered MHC4_9=1				
Note	Formerly MH_Q10.				
Content		Code		Sample	Population
EVERY NIGHT		1		218	428,500
NEARLY EVERY NIGHT		2		222	476,500
LESS OFTEN		3		45	89,000
NOT APPLICABLE		6		11,557	25,894,500
NOT STATED		9		504	1,429,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_11	Length	1	Position	1358
Question Name	MHLTH-Q11				
Concept	Depressed - trouble concentrating				
Question	Did you have a lot more trouble concentrating than usual?				
Universe	Respondents who answered MHC4_4=1 or 2				
Note	Formerly MH_Q11.				
Content		Code		Sample	Population
YES		1		526	1,138,500
NO		2		147	279,000
NOT APPLICABLE		6		11,368	25,467,500
DON'T KNOW		7		1	4,000
NOT STATED		9		504	1,429,500
		Total		12,546	28,318,308

Variable Name	MHC4_12	Length	1	Position	1359
Question Name	MHLTH-Q12				
Concept	Depressed - felt down on self				
Question	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?				
Universe	Respondents who answered MHC4_4=1 or 2				
Note	Formerly MH_Q12.				
Content		Code		Sample	Population
YES		1		371	839,500
NO		2		300	575,500
NOT APPLICABLE		6		11,368	25,467,500
DON'T KNOW		7		1	1,500
REFUSAL		8		1	1,000
NOT STATED		9		505	1,433,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_13	Length	1	Position	1360
Question Name	MHLTH-Q13				
Concept	Depressed - thought a lot about death				
Question	Did you think a lot about death - either your own, someone else's, or death in general?				
Universe	Respondents who answered MHC4_4=1 or 2				
Note	Formerly MH_Q13.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		392	856,000
NO		2		279	559,000
NOT APPLICABLE		6		11,368	25,467,500
NOT STATED		9		507	1,436,000
		Total		12,546	28,318,308

Variable Name	MHC4_14	Length	2	Position	1361 - 1362
Question Name	MHLTH-Q14				
Concept	Depressed - number of weeks in past 12 months				
Question	About how many weeks altogether did you feel this way during the past 12 months?				
Universe	Respondents who answered any one of MHC4_5, _6, _9, _11, _12, _13 =1 or MHC4_7=1 or 2				
Note	Formerly MH_Q14.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS		2 - 53		654	1,377,000
NOT APPLICABLE		96		11,375	25,482,500
DON'T KNOW		97		8	16,500
REFUSAL		98		2	6,500
NOT STATED		99		507	1,436,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC4_15 **Length** 2 **Position** 1363 - 1364
Question Name MHLTH-Q15
Concept Depressed - month of occurrence
Question Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
Universe Respondents who answered MHC4_14 < 52
Note Formerly MH_Q15.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	62	147,500
FEBRUARY	2	74	169,000
MARCH	3	59	121,500
APRIL	4	47	80,000
MAY	5	60	140,500
JUNE	6	41	57,500
JULY	7	60	126,500
AUGUST	8	41	103,000
SEPTEMBER	9	42	96,500
OCTOBER	10	59	116,000
NOVEMBER	11	44	74,500
DECEMBER	12	40	94,500
NOT APPLICABLE	96	11,399	25,530,000
DON'T KNOW	97	1	2,500
NOT STATED	99	517	1,459,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC4_16 **Length** 1 **Position** 1365
Question Name MHLTH-Q16
Concept Lost interest in most things that usually give pleasure
Question During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work, or activities that usually give you pleasure?
Universe Respondents who answered MHC4_2=2 or MHC4_3=3 or 4 or MHC4_4=3
Note Formerly MH_Q16.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	595	1,283,000
NO	2	9,095	19,515,000
NOT APPLICABLE	6	2,352	6,091,500
DON'T KNOW	7	2	5,500
NOT STATED	9	502	1,423,500
Total		12,546	28,318,308

Variable Name MHC4_17 **Length** 1 **Position** 1366
Question Name MHLTH-Q17
Concept Loss of interest - duration
Question Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?
Universe Respondents who answered MHC4_16=1
Note Formerly MH_Q17.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	117	243,000
MOST OF THE DAY	2	158	315,500
ABOUT HALF OF THE DAY	3	169	379,000
LESS THAN HALF OF A DAY	4	150	338,500
NOT APPLICABLE	6	11,447	25,606,000
DON'T KNOW	7	1	7,500
NOT STATED	9	504	1,429,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_18	Length	1	Position	1367
Question Name	MHLTH-Q18				
Concept	Loss of interest - frequency				
Question	How often did you feel this way during those 2 weeks?				
Universe	Respondents who answered MHC4_17=1 or 2				
Note	Formerly MH_Q18.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EVERY DAY		1		87	164,000
ALMOST EVERY DAY		2		130	254,000
LESS OFTEN		3		58	140,500
NOT APPLICABLE		6		11,766	26,323,500
NOT STATED		9		505	1,436,500
		Total		12,546	28,318,308

Variable Name	MHC4_19	Length	1	Position	1368
Question Name	MHLTH-Q19				
Concept	Loss of interest - felt tired all the time				
Question	During those 2 weeks did you feel tired out or low on energy all the time?				
Universe	Respondents who answered MHC4_18=1 or 2				
Note	Formerly MH_Q19.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		186	364,500
NO		2		31	53,000
NOT APPLICABLE		6		11,824	26,464,000
NOT STATED		9		505	1,436,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_20	Length	1	Position	1369
Question Name	MHLTH-Q20				
Concept	Loss of interest - weight change or not				
Question	Did you gain weight, lose weight, or stay about the same?				
Universe	Respondents who answered MHC4_18=1 or 2				
Note	Formerly MH_Q20.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
GAINED WEIGHT		1		30	43,000
LOST WEIGHT		2		66	123,000
STAYED ABOUT THE SAME		3		120	251,000
WAS ON A DIET		4		1	1,000
NOT APPLICABLE		6		11,824	26,464,000
NOT STATED		9		505	1,436,500
		Total		12,546	28,318,308

Variable Name	MHC4_21L	Length	3	Position	1370 - 1372
Question Name	MHLTH-Q21				
Concept	Loss of interest - weight change (lb.)				
Question	About how much did you (gain/lose)? - Pounds				
Universe	Respondents who answered MHC4_20=1 or 2				
Note	Formerly MH_Q21L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
POUNDS		2 - 50		95	165,500
NOT APPLICABLE		996		11,945	26,716,000
NOT STATED		999		506	1,437,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC4_21K **Length** 3 **Position** 1373 - 1375

Question Name MHLTH-Q21

Concept Loss of interest - weight change (kg.)

Question About how much did you (gain / lose)? - Kilograms

Universe Respondents who answered MHC4_20=1 or 2

Note Formerly MH_Q21K.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	1 - 23	95	165,500
NOT APPLICABLE	996	11,945	26,716,000
NOT STATED	999	506	1,437,000
Total		12,546	28,318,308

Variable Name MHC4_22 **Length** 1 **Position** 1376

Question Name MHLTH-Q22

Concept Loss of interest - trouble falling asleep

Question Did you have more trouble falling asleep than you usually do?

Universe Respondents who answered MHC4_18=1 or 2

Note Formerly MH_Q22.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	135	267,000
NO	2	82	151,000
NOT APPLICABLE	6	11,824	26,464,000
NOT STATED	9	505	1,436,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_23	Length	1	Position	1377
Question Name	MHLTH-Q23				
Concept	Loss of interest - frequency of trouble falling asleep				
Question	How often did that happen?				
Universe	Respondents who answered MHC4_22=1				
Note	Formerly MH_Q23.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EVERY NIGHT		1		53	101,500
NEARLY EVERY NIGHT		2		61	124,500
LESS OFTEN		3		21	41,000
NOT APPLICABLE		6		11,906	26,615,000
NOT STATED		9		505	1,436,500
		Total		12,546	28,318,308

Variable Name	MHC4_24	Length	1	Position	1378
Question Name	MHLTH-Q24				
Concept	Loss of interest - trouble concentrating				
Question	Did you have a lot more trouble concentrating than usual?				
Universe	Respondents who answered MHC4_18=1 or 2				
Note	Formerly MH_Q24.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		168	317,000
NO		2		49	100,500
NOT APPLICABLE		6		11,824	26,464,000
NOT STATED		9		505	1,436,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_25	Length	1	Position	1379
Question Name	MHLTH-Q25				
Concept	Loss of interest - felt down on self				
Question	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?				
Universe	Respondents who answered MHC4_18=1 or 2				
Note	Formerly MH_Q25.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		116	233,000
NO		2		101	185,000
NOT APPLICABLE		6		11,824	26,464,000
NOT STATED		9		505	1,436,500
		Total		12,546	28,318,308

Variable Name	MHC4_26	Length	1	Position	1380
Question Name	MHLTH-Q26				
Concept	Loss of interest - thought a lot about death				
Question	Did you think a lot about death - either your own, someone else's, or death in general?				
Universe	Respondents who answered MHC4_18=1 or 2				
Note	Formerly MH_Q26.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		91	162,000
NO		2		126	256,000
NOT APPLICABLE		6		11,824	26,464,000
NOT STATED		9		505	1,436,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4_27	Length	2	Position	1381 - 1382
Question Name	MHLTH-Q27				
Concept	Loss of interest - number of weeks in past 12 months				
Question	About how many weeks did you feel this way during the past 12 months?				
Universe	Respondents who answered any one of MHC4_19, _22, _24, _25, _26 =1 or MHC4_20=1 or 2				
Note	Formerly MH_Q27.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS		2 - 53		211	410,500
NOT APPLICABLE		96		11,827	26,468,000
DON'T KNOW		97		3	3,000
NOT STATED		99		505	1,436,500
		Total		12,546	28,318,308

Variable Name	MHC4_28	Length	2	Position	1383 - 1384
Question Name	MHLTH-Q28				
Concept	Loss of interest - month of occurrence				
Question	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?				
Universe	Respondents who answered MHC4_27 < 52				
Note	Formerly MH_Q28.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
JANUARY		1		22	52,500
FEBRUARY		2		24	51,500
MARCH		3		18	21,500
APRIL		4		13	31,500
MAY		5		21	31,500
JUNE		6		14	39,000
JULY		7		20	31,000
AUGUST		8		11	18,000
SEPTEMBER		9		7	13,500
OCTOBER		10		12	21,000
NOVEMBER		11		9	14,000
DECEMBER		12		12	30,500
NOT APPLICABLE		96		11,841	26,487,000
DON'T KNOW		97		1	2,000
NOT STATED		99		521	1,473,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC4DDS	Length	2	Position	1385 - 1386
Question Name					
Concept	Distress Scale - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly DVMHDS94. Based on MHC4_1A to MHC4_1F. Scores were reversed for those questions. MIN=0, MAX=24 (higher values indicate more distress). See Derived Variables Documentation.				
Content		Code		Sample	Population
INDEX VALUE		0 - 24		10,353	22,186,500
NOT APPLICABLE		96		1,676	4,664,000
NOT STATED		99		517	1,468,000
		Total		12,546	28,318,308

Variable Name	MHC4DCH	Length	2	Position	1387 - 1388
Question Name					
Concept	Chronicity of Distress Scale - (D)				
Question					
Universe	Respondents who answered positively to at least one of MHC4_1A to MHC4_1F				
Note	Formerly DVMHCH94. Based on MHC4_1G to MHC4_1I. See Derived Variables Documentation.				
Content		Code		Sample	Population
A LOT MORE OFTEN THAN USUAL		1		554	1,223,500
SOMEWHAT MORE OFTEN THAN USUAL		2		421	1,032,500
A LITTLE MORE OFTEN THAN USUAL		3		422	1,066,500
ABOUT THE SAME AS USUAL		4		5,722	12,260,000
A LITTLE LESS OFTEN THAN USUAL		5		244	582,500
SOMEWHAT LESS OFTEN THAN USUAL		6		250	615,500
A LOT LESS OFTEN THAN USUAL		7		187	417,000
NEVER HAVE HAD ANY		8		380	895,500
NOT APPLICABLE		96		3,846	8,747,500
NOT STATED		99		520	1,478,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC4DSF **Length** 2 **Position** 1389 - 1390

Question Name

Concept Depression Scale - Short Form Score - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVSFS94. Based on MHC4_2 to MHC4_6, MHC4_8A, MHC4_8B, MHC4_10 to MHC4_13, MHC4_16 to MHC4_19, MHC4_21A, MHC4_21B and MHC4_23 to MHC4_26. Higher values indicate higher level of depression. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - SF	0 - 8	10,360	22,205,500
NOT APPLICABLE	96	1,676	4,664,000
NOT STATED	99	510	1,449,000
Total		12,546	28,318,308

Variable Name MHC4DPP **Length** 4.2 **Position** 1391 - 1394

Question Name

Concept Depression Scale - Predicted Probability - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVPP94. Based on MHC4_2 to MHC4_28. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - PP	0.00 - 0.90	10,360	22,205,500
NOT APPLICABLE	9.96	1,676	4,664,000
NOT STATED	9.99	510	1,449,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC4DWK **Length** 2 **Position** 1395 - 1396

Question Name

Concept Number of weeks felt depressed - (D)

Question

Universe Respondents who answered MHC4_14=2 to 53 or MHC4_27=2 to 53

Note Formerly DVMHWK94. Based on MHC4_14 or MHC4_27. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 52	865	1,787,500
NOT APPLICABLE	96	11,158	25,055,500
NOT STATED	99	523	1,475,000
Total		12,546	28,318,308

Variable Name MHC4DMT **Length** 2 **Position** 1397 - 1398

Question Name

Concept Specific month last felt depressed - (D)

Question

Universe Respondents who answered MHC4_14=2 to 53 or MHC4_27=2 to 53

Note Formerly DVMHMT94. Based on MHC4_15 or MHC4_28. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	84	200,000
FEBRUARY	2	98	220,500
MARCH	3	77	143,000
APRIL	4	60	112,000
MAY	5	81	172,500
JUNE	6	55	96,500
JULY	7	80	157,500
AUGUST	8	52	121,000
SEPTEMBER	9	49	110,500
OCTOBER	10	71	137,000
NOVEMBER	11	53	88,500
DECEMBER	12	52	125,000
NOT APPLICABLE	96	11,158	25,055,500
NOT STATED	99	576	1,579,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4_1 **Length** 1 **Position** 1399
Question Name SOCSUP-Q1
Concept Member of organization or association
Question Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?
Universe Respondents aged 12 and over
Note Formerly SUP_Q1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,856	7,902,000
NO	2	6,514	14,333,500
NOT APPLICABLE	6	1,676	4,664,000
REFUSAL	8	6	19,500
NOT STATED	9	494	1,399,000
Total		12,546	28,318,308

Variable Name SSC4_2 **Length** 1 **Position** 1400
Question Name SOCSUP-Q2
Concept Frequency of participation in organizations
Question How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active.
Universe Respondents who answered SSC4_1=1
Note Formerly SUP_Q2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AT LEAST ONCE A WEEK	1	1,749	3,788,000
AT LEAST ONCE A MONTH	2	1,279	2,423,000
AT LEAST 3 OR 4 TIMES A YEAR	3	509	1,020,000
AT LEAST ONCE A YEAR	4	169	358,000
NOT AT ALL	5	150	313,000
NOT APPLICABLE	6	8,190	18,997,500
NOT STATED	9	500	1,418,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4_2A **Length** 1 **Position** 1401
Question Name SOCSUP-Q2A
Concept Frequency of attending religious services
Question Other than on special occasions (such as weddings, funerals or baptisms), how often did you attend religious services or religious meetings in the past 12 months?
Universe Respondents aged 12 and over
Note Formerly SUP_Q2A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AT LEAST ONCE A WEEK	1	2,631	4,922,000
AT LEAST ONCE A MONTH	2	1,208	2,491,500
AT LEAST 3 OR 4 TIMES A YEAR	3	1,578	3,490,500
AT LEAST ONCE A YEAR	4	1,051	2,345,000
NOT AT ALL	5	3,892	8,949,500
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	2	15,500
REFUSAL	8	14	41,500
NOT STATED	9	494	1,399,000
	Total	12,546	28,318,308

Variable Name SSC4_3 **Length** 1 **Position** 1402
Question Name SOCSUP-Q3
Concept Has someone to confide in
Question Do you have someone you can confide in or talk to about your private feelings or concerns?
Universe Respondents aged 12 and over
Note Formerly SUP_Q3.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	9,235	19,672,500
NO	2	1,131	2,554,000
NOT APPLICABLE	6	1,676	4,664,000
DON'T KNOW	7	3	6,500
REFUSAL	8	7	22,000
NOT STATED	9	494	1,399,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSC4_4	Length	1	Position	1403
Question Name	SOCSUP-Q4				
Concept	Has someone to count on in crisis situation				
Question	Do you have someone you can really count on to help you out in a crisis situation?				
Universe	Respondents aged 12 and over				
Note	Formerly SUP_Q4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		9,899	21,145,000
NO		2		464	1,082,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		8	11,000
REFUSAL		8		5	17,000
NOT STATED		9		494	1,399,000
		Total		12,546	28,318,308

Variable Name	SSC4_5	Length	1	Position	1404
Question Name	SOCSUP-Q5				
Concept	Has someone can count on for advice				
Question	Do you have someone you can really count on to give you advice when you are making important personal decisions?				
Universe	Respondents aged 12 and over				
Note	Formerly SUP_Q5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		9,582	20,605,500
NO		2		781	1,623,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		9	16,000
REFUSAL		8		4	10,500
NOT STATED		9		494	1,399,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSC4_6	Length	1	Position	1405
Question Name	SOCSUP-Q6				
Concept	Has someone to make feel loved and cared for				
Question	Do you have someone who makes you feel loved and cared for?				
Universe	Respondents aged 12 and over				
Note	Formerly SUP_Q6.				
Content		Code		Sample	Population
YES		1		10,062	21,679,000
NO		2		299	545,000
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		8	20,000
REFUSAL		8		7	11,500
NOT STATED		9		494	1,399,000
		Total		12,546	28,318,308

Variable Name	SSC4_7A	Length	2	Position	1406 - 1407
Question Name	SOCSUP-Q7				
Concept	Frequency of contact - parents / in-laws				
Question	In the past 12 months, how often did you have contact with your parents or parents-in-law?				
Universe	Respondents aged 12 and over				
Note	Formerly SUP_Q7A.				
Content		Code		Sample	Population
DON'T HAVE ANY		1		3,225	5,858,500
EVERY DAY		2		2,157	4,815,500
AT LEAST ONCE A WEEK		3		2,753	5,956,000
2 OR 3 TIMES A MONTH		4		899	2,065,000
ONCE A MONTH		5		565	1,504,500
A FEW TIMES A YEAR		6		411	1,061,000
ONCE A YEAR		7		91	235,000
NEVER		8		260	700,000
NOT APPLICABLE		96		1,676	4,664,000
DON'T KNOW		97		4	32,000
REFUSAL		98		10	27,500
NOT STATED		99		495	1,399,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4_7B **Length** 2 **Position** 1408 - 1409

Question Name SOCSUP-Q7

Concept Frequency of contact - grandparents

Question In the past 12 months, how often did you have contact with your grandparents?

Universe Respondents aged 12 and over

Note Formerly SUP_Q7B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY	1	7,228	14,416,000
EVERY DAY	2	189	475,000
AT LEAST ONCE A WEEK	3	580	1,424,500
2 OR 3 TIMES A MONTH	4	394	1,024,500
ONCE A MONTH	5	474	1,163,000
A FEW TIMES A YEAR	6	738	1,809,500
ONCE A YEAR	7	329	828,000
NEVER	8	433	1,087,000
NOT APPLICABLE	96	1,676	4,664,000
REFUSAL	98	10	27,500
NOT STATED	99	495	1,399,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 431

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4_7C **Length** 2 **Position** 1410 - 1411

Question Name SOCSUP-Q7

Concept Frequency of contact - daughters / daughters-in-law

Question In the past 12 months, how often did you have contact with your daughters or daughters-in-law?

Universe Respondents aged 12 and over

Note Formerly SUP_Q7C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY	1	5,537	13,406,000
EVERY DAY	2	2,232	4,201,000
AT LEAST ONCE A WEEK	3	1,676	2,915,500
2 OR 3 TIMES A MONTH	4	372	649,000
ONCE A MONTH	5	198	334,000
A FEW TIMES A YEAR	6	130	223,000
ONCE A YEAR	7	26	35,000
NEVER	8	192	460,500
NOT APPLICABLE	96	1,676	4,664,000
REFUSAL	98	12	31,000
NOT STATED	99	495	1,399,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4_7D **Length** 2 **Position** 1412 - 1413

Question Name SOCSUP-Q7

Concept Frequency of contact - sons / sons-in-law

Question In the past 12 months, how often did you have contact with your sons or sons-in-law?

Universe Respondents aged 12 and over

Note Formerly SUP_Q7D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY	1	5,640	13,477,000
EVERY DAY	2	1,932	3,860,000
AT LEAST ONCE A WEEK	3	1,655	2,838,000
2 OR 3 TIMES A MONTH	4	460	789,500
ONCE A MONTH	5	272	451,000
A FEW TIMES A YEAR	6	185	291,500
ONCE A YEAR	7	27	42,000
NEVER	8	190	467,000
NOT APPLICABLE	96	1,676	4,664,000
DON'T KNOW	97	2	6,000
REFUSAL	98	12	33,500
NOT STATED	99	495	1,399,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4_7E **Length** 2 **Position** 1414 - 1415

Question Name SOCSUP-Q7

Concept Frequency of contact - brothers / sisters

Question In the past 12 months, how often did you have contact with your brothers or sisters?

Universe Respondents aged 12 and over

Note Formerly SUP_Q7E.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY	1	1,185	3,033,500
EVERY DAY	2	1,517	3,084,500
AT LEAST ONCE A WEEK	3	2,933	5,875,000
2 OR 3 TIMES A MONTH	4	1,438	3,038,000
ONCE A MONTH	5	1,383	3,077,000
A FEW TIMES A YEAR	6	1,367	2,942,500
ONCE A YEAR	7	326	647,000
NEVER	8	214	520,500
NOT APPLICABLE	96	1,676	4,664,000
DON'T KNOW	97	1	7,500
REFUSAL	98	11	30,000
NOT STATED	99	495	1,399,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4_7F **Length** 2 **Position** 1416 - 1417

Question Name SOCSUP-Q7

Concept Frequency of contact - other relatives

Question In the past 12 months, how often did you have contact with other relatives (including in-laws)?

Universe Respondents aged 12 and over

Note Formerly SUP_Q7F.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY	1	735	1,380,000
EVERY DAY	2	638	1,075,500
AT LEAST ONCE A WEEK	3	2,163	4,391,000
2 OR 3 TIMES A MONTH	4	1,382	2,961,000
ONCE A MONTH	5	1,534	3,603,000
A FEW TIMES A YEAR	6	2,373	5,281,500
ONCE A YEAR	7	821	1,955,500
NEVER	8	716	1,566,500
NOT APPLICABLE	96	1,676	4,664,000
DON'T KNOW	97	1	7,500
REFUSAL	98	12	33,000
NOT STATED	99	495	1,399,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4_7G **Length** 2 **Position** 1418 - 1419

Question Name SOCSUP-Q7

Concept Frequency of contact - close friends

Question In the past 12 months, how often did you have contact with your close friends?

Universe Respondents aged 12 and over

Note Formerly SUP_Q7G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY	1	352	806,500
EVERY DAY	2	3,978	8,250,000
AT LEAST ONCE A WEEK	3	4,129	8,648,500
2 OR 3 TIMES A MONTH	4	921	2,102,500
ONCE A MONTH	5	490	1,220,000
A FEW TIMES A YEAR	6	379	927,500
ONCE A YEAR	7	46	134,000
NEVER	8	71	142,500
NOT APPLICABLE	96	1,676	4,664,000
REFUSAL	98	9	24,500
NOT STATED	99	495	1,399,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSC4_7H	Length	2	Position	1420 - 1421
Question Name	SOCSUP-Q7				
Concept	Frequency of contact - neighbours				
Question	In the past 12 months, how often did you have contact with your neighbours?				
Universe	Respondents aged 12 and over				
Note	Formerly SUP_Q7H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY		1		272	719,000
EVERY DAY		2		2,716	4,836,500
AT LEAST ONCE A WEEK		3		3,215	6,788,000
2 OR 3 TIMES A MONTH		4		997	2,210,000
ONCE A MONTH		5		762	1,765,000
A FEW TIMES A YEAR		6		797	1,871,000
ONCE A YEAR		7		212	557,500
NEVER		8		1,395	3,484,000
NOT APPLICABLE		96		1,676	4,664,000
REFUSAL		98		9	24,500
NOT STATED		99		495	1,399,500
		Total		12,546	28,318,308

Variable Name	SSC4D1	Length	1	Position	1422
Question Name					
Concept	Perceived social support index - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly DVSSI194. Based on SSC4_3 to SSC4_6. MIN = 0, MAX = 4 (higher values indicate greater perceived social support). Source: Health Statistics Division, Statistics Canada. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 4		10,339	22,179,000
NOT APPLICABLE		6		1,676	4,664,000
NOT STATED		9		531	1,475,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC4D2 **Length** 2 **Position** 1423 - 1424

Question Name

Concept Social involvement score - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVSSI294. Based on SSC4_2 and SSC4_2A. MIN = 0, MAX = 4 (higher values indicate more social involvement). Source: Health Statistics Division, Statistics Canada. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 8	10,360	22,198,500
NOT APPLICABLE	96	1,676	4,664,000
NOT STATED	99	510	1,456,000
Total		12,546	28,318,308

Variable Name SSC4D3 **Length** 2 **Position** 1425 - 1426

Question Name

Concept Average frequency of contacts - (D)

Question

Universe Respondents aged 12 and over

Note Formerly DVSSI394. Based on SSC4_7A to SSC4_7H. MIN = 0, MAX = 4 (higher values indicate more contacts). Source: Health Statistics Division, Statistics Canada. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FREQUENCY OF CONTACTS	0 - 6	10,353	22,171,000
NOT APPLICABLE	96	1,676	4,664,000
NOT STATED	99	517	1,483,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_1	Length	1	Position	1427
Question Name	SPR6-Q1				
Concept	Rationality - try to be reasonable and logical				
Question	Do you always try to do what is reasonable and logical?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		643	673,500
NO		2		21	27,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,000
NOT STATED		9		82	95,000
		Total		12,546	28,318,308

Variable Name	RTP4_2	Length	1	Position	1428
Question Name	SPR6-Q2				
Concept	Rationality - try to understand people				
Question	Do you always try to understand people and their behaviour, to avoid responding emotionally?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		616	643,500
NO		2		43	53,500
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		3	2,000
REFUSAL		8		2	1,000
NOT STATED		9		84	96,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_3	Length	1	Position	1429
Question Name	SPR6-Q3				
Concept	Rationality - try to act rationally				
Question	When dealing with other people do you always try to act rationally?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		620	649,500
NO		2		38	47,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		1	1,000
NOT STATED		9		89	99,500
		Total		12,546	28,318,308

Variable Name	RTP4_4	Length	1	Position	1430
Question Name	SPR6-Q4				
Concept	Rationality - try to resolve conflicts without emotion				
Question	Do you try to overcome all conflicts with other people by intelligence and reason, trying hard not to show your emotions?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		575	593,500
NO		2		78	96,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		5	7,000
NOT STATED		9		90	100,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_5	Length	1	Position	1431
Question Name	SPR6-Q5				
Concept	Rationality - try to treat people rationally despite hurt				
Question	If someone deeply hurts your feelings, do you nevertheless try to treat him or her rationally and to understand his or her way of behaving?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		539	541,000
NO		2		110	146,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		4	3,000
NOT STATED		9		95	106,500
		Total		12,546	28,318,308

Variable Name	RTP4_6	Length	1	Position	1432
Question Name	SPR6-Q6				
Concept	Rationality - rely on logic				
Question	Do you succeed in avoiding most conflicts with other people by relying on your reason and logic, even if this is not how you feel at the time?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q6.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		597	628,000
NO		2		48	52,500
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		4	6,500
NOT STATED		9		99	109,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_7	Length	1	Position	1433
Question Name	SPR6-Q7				
Concept	Rationality - when someone acts against your wishes				
Question	If someone acts against your needs and desires, do you nevertheless try to understand that person?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q7.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		574	594,500
NO		2		68	85,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		3	1,000
NOT STATED		9		103	116,000
		Total		12,546	28,318,308

Variable Name	RTP4_8	Length	1	Position	1434
Question Name	SPR6-Q8				
Concept	Rationality - rarely influenced by emotions				
Question	Do you behave so rationally in most life situations that your behavior is rarely influenced by only your emotions?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q8.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		380	376,000
NO		2		255	301,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		7	3,000
NOT STATED		9		106	117,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_9	Length	1	Position	1435
Question Name	SPR6-Q9				
Concept	Rationality - very influenced by emotions				
Question	Do your emotions frequently influence your behavior to such a degree that your behaviour might be considered harmful to yourself and others?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q9.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		44	47,000
NO		2		591	629,500
NOT APPLICABLE		6		11,798	27,521,500
NOT STATED		9		113	120,000
		Total		12,546	28,318,308

Variable Name	RTP4_10	Length	1	Position	1436
Question Name	SPR6-Q10				
Concept	Rationality - when you don't like person				
Question	Do you try to understand others even if you don't like them?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SPR6_Q10.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		579	610,000
NO		2		56	67,000
NOT APPLICABLE		6		11,798	27,521,500
NOT STATED		9		113	120,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RTP4_11 **Length** 1 **Position** 1437
Question Name SPR6-Q11
Concept Rationality - prevents verb. attacking or criticize others
Question Does your rationality prevent you from verbally attacking or criticizing others, even if there are sufficient reasons for doing so?
Universe Respondents aged 18 and over in Manitoba
Note Formerly SPR6_Q11.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	460	476,000
NO	2	173	197,500
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	2	3,000
NOT STATED	9	113	120,000
	Total	12,546	28,318,308

Variable Name RTP4_12A **Length** 1 **Position** 1438
Question Name SPR6-Q12
Concept Overcome fear of dentist - quiz dentist
Question To overcome fear of the dentist, would you ask the dentist exactly what he is doing?
Universe Respondents aged 18 and over in Manitoba
Note Formerly SP6Q12_A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	383	424,500
NO	2	225	215,500
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	24	31,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_12B	Length	1	Position	1439
Question Name	SPR6-Q12				
Concept	Overcome fear of dentist - take a tranquilizer or drink				
Question	To overcome fear of the dentist, would you take a tranquilizer or have a drink before going?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q12_B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		28	33,000
NO		2		580	607,500
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		24	31,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

Variable Name	RTP4_12C	Length	1	Position	1440
Question Name	SPR6-Q12				
Concept	Overcome fear of dentist - try to think about other things				
Question	To overcome fear of the dentist, would you try to think about other things, like pleasant memories?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q12_C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		336	370,000
NO		2		272	270,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		24	31,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_12D	Length	1	Position	1441
Question Name	SPR6-Q12				
Concept	Overcome fear of dentist - be told when will feel pain				
Question	To overcome fear of the dentist, would you have dentist tell you when you would feel pain?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q12_D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		219	248,500
NO		2		389	392,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		24	31,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

Variable Name	RTP4_12E	Length	1	Position	1442
Question Name	SPR6-Q12				
Concept	Overcome fear of dentist - try to sleep				
Question	To overcome fear of the dentist, would you try to sleep?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q12_E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		87	114,500
NO		2		521	526,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		24	31,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RTP4_12F **Length** 1 **Position** 1443

Question Name SPR6-Q12

Concept Overcome fear of dentist - watch dentist's movements

Question To overcome fear of the dentist, would you watch all the dentist's movements and listen for the sound of the drill?

Universe Respondents aged 18 and over in Manitoba

Note Formerly SP6Q12_F.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	216	246,500
NO	2	392	393,500
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	24	31,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
	Total	12,546	28,318,308

Variable Name RTP4_12G **Length** 1 **Position** 1444

Question Name SPR6-Q12

Concept Overcome fear of dentist - watch for blood

Question To overcome fear of the dentist, would you watch the flow of water from your mouth to see if it contained blood?

Universe Respondents aged 18 and over in Manitoba

Note Formerly SP6Q12_G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	72	81,000
NO	2	536	559,500
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	24	31,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_12H	Length	1	Position	1445
Question Name	SPR6-Q12				
Concept	Overcome fear of dentist - do mental puzzles				
Question	To overcome fear of the dentist, would you do mental puzzles in your mind?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q12_H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		88	87,500
NO		2		520	553,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		24	31,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

Variable Name	RTP4_12I	Length	1	Position	1446
Question Name	SPR6-Q12				
Concept	Overcome fear of dentist - do other activity				
Question	To overcome fear of the dentist, would you do something else?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q12_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		53	55,000
NO		2		555	585,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		24	31,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RTP4_13A **Length** 1 **Position** 1447

Question Name SPR6-Q13

Concept Layoffs rumoured - find out evaluation by supervisor

Question If layoffs are rumoured, would you talk to your fellow workers to see if they know anything about the supervisor's evaluation of you?

Universe Respondents aged 18 and over in Manitoba

Note Formerly SP6Q13_A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	254	292,000
NO	2	345	341,000
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	33	38,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
	Total	12,546	28,318,308

Variable Name RTP4_13B **Length** 1 **Position** 1448

Question Name SPR6-Q13

Concept Layoffs rumoured - review accomplishments

Question If layoffs are rumoured, would you review the list of duties for your present job and try to figure out if you had accomplished all of them?

Universe Respondents aged 18 and over in Manitoba

Note Formerly SP6Q13_B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	371	430,000
NO	2	228	203,000
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	33	38,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RTP4_13C **Length** 1 **Position** 1449
Question Name SPR6-Q13
Concept Layoffs rumoured - watch TV
Question If layoffs are rumoured, would you watch TV, go to the movies or do something like that, to take your mind off things?
Universe Respondents aged 18 and over in Manitoba
Note Formerly SP6Q13_C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	204	249,000
NO	2	395	384,000
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	33	38,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
Total		12,546	28,318,308

Variable Name RTP4_13D **Length** 1 **Position** 1450
Question Name SPR6-Q13
Concept Layoffs rumoured - remember disagreements with supervisor
Question If layoffs are rumoured, would you try to remember any arguments or disagreements you might have had with your supervisor that might have lowered his or her opinion of you?
Universe Respondents aged 18 and over in Manitoba
Note Formerly SP6Q13_D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	269	302,000
NO	2	330	331,000
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	33	38,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_13E	Length	1	Position	1451
Question Name	SPR6-Q13				
Concept	Layoffs rumoured - try not to think about it				
Question	If layoffs are rumoured, would you push all thoughts of being laid off out of your mind?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q13_E.				
Content		Code		Sample	Population
YES		1		155	168,000
NO		2		444	465,000
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		33	38,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

Variable Name	RTP4_13F	Length	1	Position	1452
Question Name	SPR6-Q13				
Concept	Layoffs rumoured - try not to discuss it				
Question	If layoffs are rumoured, would you say that you would rather not discuss your chances of being laid off if it came up during a conversation?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q13_F.				
Content		Code		Sample	Population
YES		1		155	180,500
NO		2		444	452,500
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		33	38,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RTP4_13G **Length** 1 **Position** 1453
Question Name SPR6-Q13
Concept Layoffs rumoured - try to rank other employees
Question If layoffs are rumoured, would you try to think which employees in your department the supervisor might evaluate more poorly than you?
Universe Respondents aged 18 and over in Manitoba
Note Formerly SP6Q13_G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	217	258,000
NO	2	382	375,000
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	33	38,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
Total		12,546	28,318,308

Variable Name RTP4_13H **Length** 1 **Position** 1454
Question Name SPR6-Q13
Concept Layoffs rumoured - continue working
Question If layoffs are rumoured, would you continue doing your work as if nothing special was happening?
Universe Respondents aged 18 and over in Manitoba
Note Formerly SP6Q13_H.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	353	365,500
NO	2	246	267,500
NOT APPLICABLE	6	11,798	27,521,500
DON'T KNOW	7	33	38,500
REFUSAL	8	1	2,000
NOT STATED	9	115	123,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RTP4_13I	Length	1	Position	1455
Question Name	SPR6-Q13				
Concept	Layoffs rumoured - do other activity				
Question	If layoffs are rumoured, would you do something else?				
Universe	Respondents aged 18 and over in Manitoba				
Note	Formerly SP6Q13_1.				
Content		Code		Sample	Population
YES		1		37	40,500
NO		2		562	592,500
NOT APPLICABLE		6		11,798	27,521,500
DON'T KNOW		7		33	38,500
REFUSAL		8		1	2,000
NOT STATED		9		115	123,000
		Total		12,546	28,318,308

Variable Name	COP4_1	Length	1	Position	1456
Question Name	SPR8-Q1				
Concept	Ability to handle day-to-day demands				
Question	How would you rate your ability to handle the day-to-day demands in your life, for example, work, family and volunteer responsibilities?				
Universe	Respondents aged 18 and over in Alberta				
Note	Formerly SPR8_Q1.				
Content		Code		Sample	Population
EXCELLENT		1		234	480,500
VERY GOOD		2		343	743,500
GOOD		3		151	321,500
FAIR		4		30	65,500
POOR		5		12	24,500
NOT APPLICABLE		6		11,665	26,438,500
REFUSAL		8		1	3,000
NOT STATED		9		110	241,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name COP4_2A **Length** 1 **Position** 1457

Question Name SPR8-Q2

Concept Daily stress - try not to think about situation

Question If the day-to-day demands in your life were causing you to feel under stress, would you try not to think about the situation and keep yourself busy to prevent thinking about it?

Universe Respondents aged 18 and over in Alberta

Note Formerly SPR8Q2_A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	152	313,500
NO	2	611	1,308,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	5	11,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

Variable Name COP4_2B **Length** 1 **Position** 1458

Question Name SPR8-Q2

Concept Daily stress - try to see situation differently

Question If the day-to-day demands in your life were causing you to feel under stress, would you try to see the situation in a different light that makes it seem more bearable?

Universe Respondents aged 18 and over in Alberta

Note Formerly SPR8Q2_B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	224	485,500
NO	2	539	1,136,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	5	11,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	COP4_2C	Length	1	Position	1459
Question Name	SPR8-Q2				
Concept	Daily stress - try to change situation				
Question	If the day-to-day demands in your life were causing you to feel under stress, would you think about ways to change the situation or do something to solve the problem causing the stress?				
Universe	Respondents aged 18 and over in Alberta				
Note	Formerly SPR8Q2_C.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	568	1,241,000
NO	2	195	380,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	5	11,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
	Total	12,546	28,318,308

Variable Name	COP4_2D	Length	1	Position	1460
Question Name	SPR8-Q2				
Concept	Daily stress - express emotions				
Question	If the day-to-day demands in your life were causing you to feel under stress, would you express your emotions to reduce your tension, anxiety or frustration?				
Universe	Respondents aged 18 and over in Alberta				
Note	Formerly SPR8Q2_D.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	252	521,500
NO	2	511	1,100,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	5	11,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	COP4_2E	Length	1	Position	1461
Question Name	SPR8-Q2				
Concept	Daily stress - admit situation is stressful				
Question	If the day-to-day demands in your life were causing you to feel under stress, would you admit to yourself that the situation is stressful, but otherwise do nothing?				
Universe	Respondents aged 18 and over in Alberta				
Note	Formerly SPR8Q2_E.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	58	118,000
NO	2	705	1,503,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	5	11,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
	Total	12,546	28,318,308

Variable Name	COP4_2F	Length	1	Position	1462
Question Name	SPR8-Q2				
Concept	Daily stress - talk to someone about situation				
Question	If the day-to-day demands in your life were causing you to feel under stress, would you talk about the situation with others?				
Universe	Respondents aged 18 and over in Alberta				
Note	Formerly SPR8Q2_F.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	343	687,000
NO	2	420	934,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	5	11,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name COP4_2G **Length** 1 **Position** 1463
Question Name SPR8-Q2
Concept Daily stress - do something to relax
Question If the day-to-day demands in your life were causing you to feel under stress, would you do something you enjoy in order to relax?
Universe Respondents aged 18 and over in Alberta
Note Formerly SPR8Q2_G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	250	523,000
NO	2	513	1,098,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	5	11,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

Variable Name COP4_2H **Length** 1 **Position** 1464
Question Name SPR8-Q2
Concept Daily stress - pray
Question If the day-to-day demands in your life were causing you to feel under stress, would you pray or otherwise seek comfort or strength through religious faith?
Universe Respondents aged 18 and over in Alberta
Note Formerly SPR8Q2_H.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	142	311,000
NO	2	621	1,310,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	5	11,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	COP4_2I	Length	1	Position	1465
Question Name	SPR8-Q2				
Concept	Daily stress - other ways to deal with stress				
Question	If the day-to-day demands in your life were causing you to feel under stress, would you do something else?				
Universe	Respondents aged 18 and over in Alberta				
Note	Formerly SPR8Q2_I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	37,500
NO		2		748	1,584,500
NOT APPLICABLE		6		11,665	26,438,500
DON'T KNOW		7		5	11,500
REFUSAL		8		2	2,500
NOT STATED		9		111	244,500
		Total		12,546	28,318,308

Variable Name	COP4_3	Length	1	Position	1466
Question Name	SPR8-Q3				
Concept	Ability to handle unexpected / difficult problems				
Question	How would you rate your ability to handle unexpected and difficult problems, for example, family or personal crisis?				
Universe	Respondents aged 18 and over in Alberta				
Note	Formerly SPR8_Q3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EXCELLENT		1		143	290,500
VERY GOOD		2		307	653,500
GOOD		3		246	532,000
FAIR		4		56	115,500
POOR		5		13	35,000
NOT APPLICABLE		6		11,665	26,438,500
DON'T KNOW		7		4	7,500
REFUSAL		8		1	1,500
NOT STATED		9		111	244,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name COP4_4C **Length** 1 **Position** 1469
Question Name SPR8-Q4
Concept Unexpected stress - try to change situation
Question If an unexpected problem or situation was causing you to feel under stress, would you think about ways to change the situation or do something to solve the problem causing the stress?
Universe Respondents aged 18 and over in Alberta
Note Formerly SPR8Q4_C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	562	1,222,500
NO	2	198	396,000
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	8	14,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

Variable Name COP4_4D **Length** 1 **Position** 1470
Question Name SPR8-Q4
Concept Unexpected stress - express emotions
Question If an unexpected problem or situation was causing you to feel under stress, would you express your emotions to reduce your tension, anxiety or frustration?
Universe Respondents aged 18 and over in Alberta
Note Formerly SPR8Q4_D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	257	540,500
NO	2	503	1,078,000
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	8	14,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name COP4_4E **Length** 1 **Position** 1471
Question Name SPR8-Q4
Concept Unexpected stress - admit situation is stressful
Question If an unexpected problem or situation was causing you to feel under stress, would you admit to yourself that the situation is stressful, but otherwise do nothing?
Universe Respondents aged 18 and over in Alberta
Note Formerly SPR8Q4_E.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	57	119,000
NO	2	703	1,499,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	8	14,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

Variable Name COP4_4F **Length** 1 **Position** 1472
Question Name SPR8-Q4
Concept Unexpected stress - talk to someone about situation
Question If an unexpected problem or situation was causing you to feel under stress, would you talk about the situation with others?
Universe Respondents aged 18 and over in Alberta
Note Formerly SPR8Q4_F.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	334	688,000
NO	2	426	930,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	8	14,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name COP4_4G **Length** 1 **Position** 1473

Question Name SPR8-Q4

Concept Unexpected stress - do something to relax

Question If an unexpected problem or situation was causing you to feel under stress, would you do something you enjoy in order to relax?

Universe Respondents aged 18 and over in Alberta

Note Formerly SPR8Q4_G.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	212	439,500
NO	2	548	1,179,000
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	8	14,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

Variable Name COP4_4H **Length** 1 **Position** 1474

Question Name SPR8-Q4

Concept Unexpected stress - pray

Question If an unexpected problem or situation was causing you to feel under stress, would you pray or otherwise seek comfort or strength through religious faith?

Universe Respondents aged 18 and over in Alberta

Note Formerly SPR8Q4_H.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	150	326,000
NO	2	610	1,292,500
NOT APPLICABLE	6	11,665	26,438,500
DON'T KNOW	7	8	14,500
REFUSAL	8	2	2,500
NOT STATED	9	111	244,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM64_SHA	Length	1	Position	1477
Question Name					
Concept	Agree to share information				
Question	To avoid duplication, Statistics Canada intends to share the information from this survey with ... Do you agree to share the information you have provided?				
Universe	All respondents				
Note	Formerly H06SHARE.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		12,137	27,311,500
NO		2		256	575,500
DON'T KNOW		7		3	5,000
REFUSAL		8		3	5,000
NOT STATED		9		147	421,000
		Total		12,546	28,318,308

Variable Name	AM64_TEL	Length	1	Position	1478
Question Name	H06-TEL				
Concept	H06 interview by telephone or in person				
Question	Interviewer: Was this interview conducted on the telephone or in person?				
Universe	Respondents aged 12 and over				
Note	Formerly H06_TEL.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ON TELEPHONE		1		2,491	6,268,500
IN PERSON		2		8,332	17,270,000
BOTH		3		20	52,500
NOT APPLICABLE		6		1,676	4,664,000
NOT STATED		9		27	63,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM64_ALO	Length	1	Position	1479
Question Name	H06-CTEXT				
Concept	Respondent alone for completion of H06 questionnaire				
Question	Interviewer: Was the respondent alone when you asked this health questionnaire?				
Universe	Respondents aged 12 and over				
Note	Formerly CONTEXT.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8,468	17,994,500
NO		2		2,371	5,584,500
NOT APPLICABLE		6		1,676	4,664,000
DON'T KNOW		7		4	12,000
NOT STATED		9		27	63,500
		Total		12,546	28,318,308

Variable Name	AM64_AFF	Length	1	Position	1480
Question Name	H06-CTEXT1				
Concept	Answers affected by presence of another person				
Question	Interviewer: Do you think that the answers of the respondent were affected by someone else being there?				
Universe	Respondents who answered AM64_ALO=2				
Note	Formerly CONTEXT1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		191	493,000
NO		2		2,178	5,088,000
NOT APPLICABLE		6		10,148	22,670,000
DON'T KNOW		7		2	3,500
NOT STATED		9		27	63,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM64_LNG	Length	2	Position	1481 - 1482
Question Name	H06-P2				
Concept	Interview language - H06				
Question	Interviewer: Record language of interview.				
Universe	All respondents				
Note	Formerly H06_LANG.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ENGLISH		1		10,172	21,386,500
FRENCH		2		2,321	6,761,500
CHINESE		4		11	62,500
GERMAN		6		3	3,500
ITALIAN		9		1	3,500
POLISH		12		2	5,500
PORTUGUESE		13		2	6,000
PUNJABI		14		1	6,500
NOT STATED		99		33	82,500
		Total		12,546	28,318,308

Variable Name	AM64_EDD	Length	2	Position	1483 - 1484
Question Name					
Concept	Day of interview - H06 (end)				
Question					
Universe	All respondents				
Note	Formerly DD6END.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH		1 - 31		12,512	28,235,500
NOT STATED		99		34	82,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM64_EMM	Length	2	Position	1485 - 1486
Question Name					
Concept	Month of interview - H06 (end)				
Question					
Universe	All respondents				
Note	Formerly MM6END.				
Content		Code		Sample	Population
FEBRUARY		2		37	138,000
MARCH		3		3,330	8,616,000
MAY		5		2	6,000
JUNE		6		2,875	5,736,500
JULY		7		5	12,500
AUGUST		8		2,917	5,770,500
OCTOBER		10		307	681,000
NOVEMBER		11		3,039	7,275,500
NOT STATED		99		34	82,500
		Total		12,546	28,318,308

Variable Name	AM64_EYY	Length	4	Position	1487 - 1490
Question Name					
Concept	Year of interview - H06 (end)				
Question					
Universe	All respondents				
Note	Formerly YY6END.				
Content		Code		Sample	Population
1994		1994		8,866	18,787,000
1995		1995		3,646	9,448,500
NOT STATED		9999		34	82,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PRC6_CUR **Length** 2 **Position** 1491 - 1492

Question Name

Concept Province of residence

Question

Universe All respondents

Note Province of residence at the time of data collection in Cycle 2 (1996).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEWFOUNDLAND AND LABRADOR	10	790	545,500
PRINCE EDWARD ISLAND	11	781	131,500
NOVA SCOTIA	12	776	886,000
NEW BRUNSWICK	13	818	740,500
QUEBEC	24	2,193	7,021,500
ONTARIO	35	3,010	10,658,000
MANITOBA	46	920	1,069,000
SASKATCHEWAN	47	907	962,500
ALBERTA	48	1,136	2,652,000
BRITISH COLUMBIA	59	1,212	3,645,500
YUKON	60	1	2,000
NORTHWEST TERRITORIES	61	2	5,000
Total		12,546	28,318,308

Variable Name GE36DURB **Length** 1 **Position** 1493

Question Name

Concept Rural or urban area - (D)

Question

Universe All respondents

Note Based on 1991 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
RURAL	1	3,046	4,946,000
URBAN	2	9,500	23,372,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 468

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GE36DCD	Length	3	Position	1494 - 1496
----------------------	---------	---------------	---	-----------------	-------------

Question Name

Concept Census Division - (D)

Question

Universe All respondents

Note Based on 1991 Census geography. See Derived Variables Documentation.

Variable Name	GE36DCSD	Length	3	Position	1497 - 1499
----------------------	----------	---------------	---	-----------------	-------------

Question Name

Concept Census Sub-division - (D)

Question

Universe All respondents

Note Based on 1991 Census geography. See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE36DCMA **Length** 3 **Position** 1500 - 1502

Question Name

Concept Census Metropolitan Area - (D)

Question

Universe All respondents

Note Based on 1991 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO CMA ASSIGNED	000	6,653	11,194,500
ST. JOHN'S	001	239	172,000
HALIFAX	205	266	327,500
SAINT JOHN	310	143	123,000
CHICOUTIMI	408	71	201,500
QUEBEC	421	226	773,000
SHERBROOKE	433	48	141,000
TROIS-RIVIÈRES	442	52	161,500
MONTREAL	462	760	3,039,000
OTTAWA / HULL	505	346	969,500
OSHAWA	532	102	306,500
TORONTO	535	856	3,887,000
HAMILTON	537	203	634,500
ST. CATHARINES	539	105	383,000
KITCHENER	541	111	345,500
LONDON	555	130	370,000
WINDSOR	559	89	264,000
SUDBURY	580	47	173,500
THUNDER BAY	595	49	131,000
WINNIPEG	602	328	627,000
REGINA	705	196	223,500
SASKATOON	725	185	183,500
CALGARY	825	356	821,500
EDMONTON	835	365	850,500
VANCOUVER	933	502	1,705,500
VICTORIA	935	118	309,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 470

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GE36DFED	Length	3	Position	1503 - 1505
----------------------	----------	---------------	---	-----------------	-------------

Question Name

Concept Federal Electoral Districts - (D)

Question

Universe All respondents

Note Based on 1991 Census geography. See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE36DHLR **Length** 4 **Position** 1506 - 1509

Question Name

Concept Health regions - (D)

Question

Universe Respondents in Ontario, Manitoba and Alberta

Note See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OTTAWA CARLETON	3511	262	708,500
PRES., RUSS., STORM., DUNDAS,GLEN.,RENF.	3512	100	312,000
L&L,GREN.,HAST.,P.E.,FRON.,LEN.,ADD.	3513	134	427,500
N'UMBERLAND, VICTORIA, HALIB., PETERB.	3521	59	260,000
DURHAM	3522	144	467,500
PEEL	3523	212	942,500
METRO TORONTO	3524	421	1,960,000
YORK	3525	133	573,000
SIMCOE	3526	126	452,500
HALTON	3527	90	344,500
NIAGARA	3531	109	391,500
HAMILTON-WENTWORTH	3532	154	493,000
BRANT, HALDIMAN, NORFOLK	3533	81	242,000
WELLINGTON, DUFFERIN	3534	110	301,500
WATERLOO	3536	114	359,000
ESSEX	3541	103	321,000
LAMBTON, KENT	3542	81	247,500
ELGIN, MIDDLESEX, OXFORD	3543	196	592,500
BRUCE, GREY, PERTH, HURON	3544	122	326,000
ALGOMA, COCHRANE	3551	70	250,000
MANITOULIN, SUDBURY	3552	57	203,500
TIMISKAM., MUSKOKA, PARRY SND., NIPISSIN	3553	55	261,000
THUNDER BAY, KENORA, RAINY RIVER	3561	77	221,500
SOUTH WESTMAN	4601	33	27,000
CENTRAL	4602	110	92,000
SOUTH EASTMAN	4603	72	58,000
BRANDON	4604	63	54,000
WINNIPEG	4605	300	598,500
NORTH EASTMAN	4606	43	37,000
MARQUETTE	4607	74	41,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

PARKLANDS	4608	65	35,500
INTERLAKE	4609	104	79,500
NORMAN	4610	32	25,000
BURNTWOOD	4611	24	20,500
FORT MCLEOD	4801	56	162,000
MEDICINE HAT	4802	47	112,500
CANMORE	4803	27	61,000
CALGARY	4804	356	821,500
DRUMHELLER	4805	30	79,000
RED DEER	4806	47	110,000
VERMILLION	4807	51	117,000
HINTON	4808	39	78,500
BRETON	4809	23	61,000
EDMONTON	4810	293	681,000
ATHABASCA	4811	32	70,000
COLD LAKE	4812	56	125,500
GRANDE PRAIRIE	4813	32	64,500
PEACE RIVER	4814	19	51,000
SLAVE LAKE	4815	3	11,000
FORT MCMURRAY	4816	21	36,000
FORT VERMILLION	4817	3	6,000
NOT APPLICABLE	9996	7,481	13,943,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE36DHRO **Length** 4 **Position** 1510 - 1513

Question Name

Concept Health regions (original sample) - (D)

Question

Universe Respondents in Ontario, Manitoba and Alberta

Note See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OTTAWA CARLETON	3511	262	708,500
LAN.,LE.,GREN.,PRES-RUS.,STOR.,DUN.,GLEN	3512	91	339,000
HAST., P. E., FRONT., LENX., ADD., RENF.	3513	143	400,500
N'UMBERLAND, VICT., HALIB., PETERB.	3521	59	260,000
DURHAM	3522	144	467,500
PEEL	3523	212	942,500
METRO TORONTO	3524	421	1,960,000
YORK	3525	133	573,000
SIMCOE	3526	126	452,500
NIAGARA	3531	109	391,500
HAMILTON-WENTWORTH	3532	154	493,000
BRANT, HALDIMAN, NORFOLK	3533	81	242,000
WELLINGTON, DUFFERIN	3534	110	301,500
HALTON	3535	90	344,500
WATERLOO	3536	114	359,000
ESSEX	3541	103	321,000
LAMBTON, KENT	3542	81	247,500
ELGIN, MIDDLESEX, OXFORD	3543	196	592,500
BRUCE, GREY, PERTH, HURON	3544	122	326,000
ALGOMA, COCHRANE	3551	70	250,000
MANITOULIN, SUDBURY	3552	57	203,500
TIMISKAM., MUSKOKA, PARRY SND., NIPISS.	3553	55	261,000
THUNDER BAY, KENORA, RAINY RIVER	3561	77	221,500
SOUTH WESTMAN	4601	33	27,000
CENTRAL	4602	110	92,000
SOUTH EASTMAN	4603	72	58,000
BRANDON	4604	63	54,000
WINNIPEG	4605	300	598,500
NORTH EASTMAN	4606	43	37,000
MARQUETTE	4607	74	41,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

PARKLANDS	4608	65	35,500
INTERLAKE	4609	104	79,500
NORMAN	4610	32	25,000
BURNTWOOD	4611	24	20,500
FORT MCLEOD	4801	56	162,000
MEDICINE HAT	4802	47	112,500
CANMORE	4803	27	61,000
CALGARY	4804	356	821,500
DRUMHELLER	4805	30	79,000
RED DEER	4806	47	110,000
VERMILLION	4807	51	117,000
HINTON	4808	39	78,500
BRETON	4809	23	61,000
EDMONTON	4810	293	681,000
ATHABASCA	4811	32	70,000
COLD LAKE	4812	56	125,500
GRANDE PRAIRIE	4813	32	64,500
PEACE RIVER	4814	19	51,000
SLAVE LAKE	4815	3	11,000
FORT MCMURRAY	4816	21	36,000
FORT VERMILLION	4817	3	6,000
NOT APPLICABLE	9996	7,481	13,943,000
	Total	12,546	28,318,308

Variable Name SP36DPC **Length** 6 **Position** 1514 - 1519

Question Name

Concept Postal code - (D)

Question

Universe All respondents

Note

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SP36FOUT **Length** 1 **Position** 1520

Question Name

Concept Flag for record sent for field collection

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NOT SENT OUT	0	8	9,500
SENT OUT	1	12,538	28,309,000
Total		12,546	28,318,308

Variable Name SP36_CPA **Length** 2 **Position** 1521 - 1522

Question Name

Concept Actual collection period

Question

Universe All respondents

Note Collection period in which the data were collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
QUARTER #1 - JUNE 1996	1	2,758	5,385,500
QUARTER #2 - AUGUST 1996	2	2,946	5,808,000
QUARTER #3 - NOVEMBER 1996	3	3,424	8,288,000
QUARTER #4 - MARCH 1997	4	3,210	8,338,500
QUARTER #5 - JUNE 1997	5	143	429,000
INST. SURVEY - NOV. 1996 TO JULY 1997	15	57	60,000
NOT APPLICABLE	96	8	9,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM36_TEL **Length** 1 **Position** 1523

Question Name

Concept Type of contact - H03

Question Interviewer: Is this a telephone or a personal contact?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TELEPHONE	1	11,989	27,274,500
PERSONAL	2	442	860,000
NOT APPLICABLE	6	57	60,000
NOT STATED	9	58	124,000
Total		12,546	28,318,308

Variable Name DHC6_DWE **Length** 2 **Position** 1524 - 1525

Question Name

Concept Type of dwelling

Question Interviewer: Record type of dwelling. In what type of dwelling are you living?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SINGLE DETACHED HOUSE	1	8,320	18,517,000
SEMI-DETACHED OR DOUBLE	2	485	1,405,000
GARDEN HOUSE, TOWNHOUSE OR ROW HOUSE	3	535	1,471,000
DUPLEX	4	396	867,500
LOW-RISE APARTMENT	5	1,364	3,108,000
HIGH-RISE APARTMENT	6	550	1,477,000
INSTITUTION	7	57	60,000
COLLECTIVE DWELLING	8	15	37,000
MOBILE HOME	9	312	458,500
OTHER	10	43	78,000
NOT STATED	99	469	839,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC6_OWN	Length	1	Position	1526
Question Name					
Concept	Dwelling owned by a household member				
Question	Is this dwelling owned by a member of this household (even if being paid for)?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		9,007	20,645,000
NO		2		3,200	7,227,000
NOT APPLICABLE		6		57	60,000
REFUSAL		8		4	14,500
NOT STATED		9		278	371,500
		Total		12,546	28,318,308

Variable Name	DHC6_BED	Length	2	Position	1527 - 1528
Question Name					
Concept	Number of bedrooms				
Question	How many bedrooms are there in this dwelling?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
NUMBER OF BEDROOMS		0 - 30		12,185	27,841,000
NOT APPLICABLE		96		57	60,000
DON'T KNOW		97		10	12,500
REFUSAL		98		16	33,000
NOT STATED		99		278	371,500
		Total		12,546	28,318,308

Variable Name	AM36_SRC	Length	2	Position	1529 - 1530
Question Name					
Concept	Record number of person providing H03 information				
Question					
Universe	All respondents				
Note					

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 478

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM36_LNG **Length** 2 **Position** 1531 - 1532

Question Name HHLD-Q8

Concept Interview language - H03

Question Interviewer: Record language of interview.

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,956	21,031,500
FRENCH	2	2,292	6,801,000
CHINESE	4	12	73,500
CREE	5	1	3,000
POLISH	12	2	6,500
PORTUGUESE	13	3	22,000
PUNJABI	14	1	6,500
VIETNAMESE	18	1	2,500
NOT STATED	99	278	371,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC6DECF **Length** 2 **Position** 1533 - 1534

Question Name

Concept Type of household - (D)

Question

Universe All respondents

Note Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL	1	2,325	3,185,000
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	244	558,000
COUPLE ALONE	3	2,612	5,147,000
COUPLE, NO DEP. CHILDREN, OTH.	4	66	146,000
COUPLE, CHILDREN < 25	5	4,889	13,379,000
COUPLE, CHILDREN < 25, OTH.	6	496	1,657,500
COUPLE, ALL CHILDREN >= 25	7	287	838,000
COUPLE, ALL CHILDREN >= 25, OTH.	8	71	181,500
FEM. LONE PAR., CHILDREN < 25	9	779	1,731,500
FEM. LONE PAR., CHILDREN < 25, OTH.	10	101	226,500
FEM. LONE PAR., ALL CHILDREN >= 25	11	154	317,000
FEM. LONE PAR., ALL CHILDREN >= 25, OTH.	12	10	19,000
MALE LONE PAR., CHILDREN < 25	13	130	349,000
MALE LONE PAR., CHILDREN < 25, OTH.	14	6	12,500
MALE LONE PAR., ALL CHILDREN >= 25	15	25	42,000
MALE LONE PAR., ALL CHILDREN >= 25, OTH.	16	1	5,000
OTHER HOUSEHOLD TYPES	17	79	169,000
NOT STATED	99	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC6DLVG **Length** 2 **Position** 1535 - 1536

Question Name

Concept Living arrangement of the selected respondent - (D)

Question

Universe All respondents

Note Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL LIVING ALONE	1	2,325	3,185,000
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	210	486,000
LIVING WITH SPOUSE/PARTNER	3	2,611	5,144,500
PAR. LIVING WITH SPOUSE/PARTNER,CHILDREN	4	3,104	7,824,000
SINGLE PAR. LIVING WITH CHILDREN	5	541	985,000
CHILD LIVING WITH SINGLE PAR.	6	276	601,500
CHILD LIVING WITH SINGLE PAR., SIBLINGS	7	280	893,500
CHILD LIVING WITH TWO PAR.	8	466	1,048,000
CHILD LIVING WITH TWO PAR., SIBLINGS	9	1,662	5,471,500
OTHER	10	800	2,325,000
NOT STATED	99	271	355,000
Total		12,546	28,318,308

Variable Name DHC6DHSZ **Length** 2 **Position** 1537 - 1538

Question Name

Concept Household size - (D)

Question

Universe All respondents

Note Based on DHC6_MEM. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	1 - 11	12,275	27,963,500
NOT STATED	99	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC6DL12 **Length** 2 **Position** 1539 - 1540

Question Name

Concept Number of persons less than 12 years old in household - (D)

Question

Universe All respondents

Note Based on DHC6_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 6	12,275	27,963,500
NOT STATED	99	271	355,000
Total		12,546	28,318,308

Variable Name DHC6DE12 **Length** 2 **Position** 1541 - 1542

Question Name

Concept Number of persons 12 years old in household - (D)

Question

Universe All respondents

Note Based on DHC6_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	1 - 2	592	1,797,500
NOT STATED	99	11,954	26,521,000
Total		12,546	28,318,308

Variable Name DHC6DLE5 **Length** 2 **Position** 1543 - 1544

Question Name

Concept Number of persons 5 years old or less in household - (D)

Question

Universe All respondents

Note Based on DHC6_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 4	12,275	27,963,500
NOT STATED	99	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC6D611 **Length** 2 **Position** 1545 - 1546

Question Name

Concept Number of persons 6 to 11 years old in household - (D)

Question

Universe All respondents

Note Based on DHC6_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 5	12,275	27,963,500
NOT STATED	99	271	355,000
Total		12,546	28,318,308

Variable Name SP36_STA **Length** 3 **Position** 1547 - 1549

Question Name

Concept Status code after processing

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
COMPLETED INTERVIEW	000	12,070	27,445,500
PARTIAL INTERVIEW	001	205	518,000
DEATH OF LONGITUDINAL RESPONDENT	028	271	355,000
Total		12,546	28,318,308

Variable Name DHC6_AGE **Length** 3 **Position** 1550 - 1552

Question Name

Concept Age

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	1 - 103	12,275	27,963,500
NOT STATED	999	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC6GAGE **Length** 2 **Position** 1553 - 1554

Question Name

Concept Age - (G)

Question

Universe All respondents

Note Based on DHC6_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 TO 3 YEARS	1	261	712,500
4 TO 5 YEARS	2	303	857,500
6 TO 9 YEARS	3	562	1,678,500
10 TO 11 YEARS	4	271	701,000
12 TO 14 YEARS	5	403	1,226,500
15 TO 19 YEARS	6	657	2,155,000
20 TO 24 YEARS	7	688	1,744,500
25 TO 29 YEARS	8	790	1,712,500
30 TO 34 YEARS	9	1,052	2,320,000
35 TO 39 YEARS	10	1,147	2,885,000
40 TO 44 YEARS	11	973	2,341,000
45 TO 49 YEARS	12	905	2,007,000
50 TO 54 YEARS	13	738	1,622,000
55 TO 59 YEARS	14	671	1,384,000
60 TO 64 YEARS	15	602	1,159,500
65 TO 69 YEARS	16	620	1,099,500
70 TO 74 YEARS	17	586	921,500
75 TO 79 YEARS	18	496	731,500
80 YEARS OR OLDER	19	550	704,500
NOT STATED	99	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC6_MAR	Length	2	Position	1555 - 1556
Question Name					
Concept	Marital status				
Question					
Universe	All respondents				
Note	This is the same question as in Cycle 1 (1994), but the response categories changed in Cycle 2 (1996).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MARRIED		1		5,339	12,358,500
COMMON-LAW		2		608	1,430,500
LIVING WITH A PARTNER		3		33	72,500
SINGLE (NEVER MARRIED)		4		4,181	11,031,000
WIDOWED		5		1,111	1,364,000
SEPARATED		6		327	633,500
DIVORCED		7		676	1,073,000
NOT STATED		99		271	355,000
		Total		12,546	28,318,308

Variable Name	DHC6_FID	Length	1	Position	1557
Question Name					
Concept	Family ID code				
Question					
Universe	All respondents				
Note	Assigned during generic relationship module.				

Variable Name	AM56_STA	Length	1	Position	1558
Question Name					
Concept	Status of general form - H05				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FULLY COMPLETE		1		12,275	27,963,500
NOT COMPLETE		2		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM56_BDD **Length** 2 **Position** 1559 - 1560

Question Name

Concept Day of interview - H05 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	12,275	27,963,500
NOT STATED	99	271	355,000
Total		12,546	28,318,308

Variable Name AM56_BMM **Length** 2 **Position** 1561 - 1562

Question Name

Concept Month of interview - H05 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	10	17,000
FEBRUARY	2	2,591	6,641,000
MARCH	3	556	1,579,000
APRIL	4	15	34,500
MAY	5	113	260,000
JUNE	6	2,697	5,405,000
JULY	7	60	109,500
AUGUST	8	2,670	5,308,000
SEPTEMBER	9	213	422,500
OCTOBER	10	94	278,500
NOVEMBER	11	3,018	7,282,000
DECEMBER	12	238	625,500
NOT STATED	99	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM56_BYY **Length** 4 **Position** 1563 - 1566

Question Name

Concept Year of interview - H05 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1996	1996	8,933	19,234,500
1997	1997	3,342	8,729,000
NOT STATED	9999	271	355,000
Total		12,546	28,318,308

Variable Name AM56_SRC **Length** 2 **Position** 1567 - 1568

Question Name

Concept Record number of person providing H05 information

Question

Universe All respondents

Note

Variable Name AM56_PXY **Length** 1 **Position** 1569

Question Name

Concept H05 completed by proxy

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PROXY	1	3,296	8,804,000
NON-PROXY	2	8,979	19,159,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 487

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC6_1 **Length** 1 **Position** 1570
Question Name TWOWK-Q1
Concept Stayed in bed / hospital due to illness / injury
Question During the past 14 days, did you stay in bed at all because of illness or injury, including any nights spent as a patient in a hospital?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	748	1,746,500
NO	2	11,470	26,157,000
NOT APPLICABLE	6	57	60,000
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC6_2 **Length** 2 **Position** 1571 - 1572
Question Name TWOWK-Q2
Concept Number of days spent in bed
Question During the past 14 days, how many days did you stay in bed for all or most of the day?
Universe Respondents who answered TWC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 DAYS	0	35	72,500
1 DAY	1	249	617,500
2 DAYS	2	193	476,500
3 DAYS	3	77	171,000
4 DAYS	4	39	99,500
5 DAYS	5	31	91,000
6 DAYS	6	14	17,500
7 DAYS	7	32	69,500
8 DAYS	8	6	8,500
9 DAYS	9	2	2,000
10 DAYS	10	14	26,000
11 DAYS	11	4	11,000
12 DAYS	12	4	2,500
14 DAYS	14	48	81,000
NOT APPLICABLE	96	11,527	26,217,000
NOT STATED	99	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 489

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC6_3 **Length** 1 **Position** 1573
Question Name TWOWK-Q3
Concept Cut down on things done due to illness / injury
Question (Not counting days spent in bed) During those 14 days, were there any days that you cut down on things you normally do because of illness or injury?
Universe Respondents who answered TWC6_1=2 or TWC6_2<14

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,436	3,258,500
NO	2	10,734	24,564,000
NOT APPLICABLE	6	105	141,000
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC6_4 **Length** 2 **Position** 1574 - 1575

Question Name TWOWK-Q4

Concept Number of days cut down on things

Question During the past 14 days, how many days did you cut down on things for all or most of the day?

Universe Respondents who answered TWC6_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 DAYS	0	29	82,000
1 DAY	1	228	542,500
2 DAYS	2	275	742,500
3 DAYS	3	162	418,500
4 DAYS	4	115	240,000
5 DAYS	5	77	160,000
6 DAYS	6	27	72,500
7 DAYS	7	141	282,500
8 DAYS	8	25	42,500
9 DAYS	9	16	34,500
10 DAYS	10	37	76,000
11 DAYS	11	19	29,500
12 DAYS	12	33	51,000
13 DAYS	13	14	26,000
14 DAYS	14	234	453,000
NOT APPLICABLE	96	10,839	24,705,000
DON'T KNOW	97	4	6,000
NOT STATED	99	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 491

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_3	Length	1	Position	1576
Question Name	TWOWK-Q5				
Concept	Has regular medical doctor				
Question	Do you have a regular medical doctor?				
Universe	All respondents living in a household				
Note	Formerly TWC6_5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10,878	24,799,500
NO		2		1,340	3,104,000
NOT APPLICABLE		6		57	60,000
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC6DDDY **Length** 2 **Position** 1577 - 1578

Question Name

Concept Total number of disability days - (D)

Question

Universe All respondents living in a household

Note Based on TWC6_2 and TWC6_4. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 DAYS	0	10,526	24,108,000
1 DAY	1	305	683,500
2 DAYS	2	314	785,000
3 DAYS	3	159	411,000
4 DAYS	4	127	344,500
5 DAYS	5	85	181,000
6 DAYS	6	54	131,500
7 DAYS	7	102	203,000
8 DAYS	8	25	48,000
9 DAYS	9	24	65,500
10 DAYS	10	36	80,500
11 DAYS	11	15	23,000
12 DAYS	12	13	23,500
13 DAYS	13	9	15,000
14 DAYS	14	420	794,500
NOT APPLICABLE	96	57	60,000
NOT STATED	99	275	361,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_1 **Length** 1 **Position** 1579
Question Name UTIL-Q1
Concept Overnight patient
Question In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,114	2,156,000
NO	2	11,104	25,747,500
NOT APPLICABLE	6	57	60,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name HCC6_1A **Length** 3 **Position** 1580 - 1582
Question Name UTIL-Q1A
Concept Number of nights as patient
Question For how many nights in the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
Universe Respondents aged 12 and over who answered HCC6_1=1 or respondents living in an institution

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF NIGHTS	1 - 305	1,060	2,012,000
NOT APPLICABLE	996	11,209	25,940,000
DON'T KNOW	997	5	10,000
REFUSAL	998	1	1,500
NOT STATED	999	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCK6_2A **Length** 1 **Position** 1583
Question Name KUT-Q2
Concept Overnight patient - respiratory problem
Question For what reason was he / she an overnight patient in the hospital? - Respiratory illness or disease
Universe Respondents aged 0 to 11 who answered HCC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	15	64,500
NO	2	33	68,000
NOT APPLICABLE	6	12,227	27,831,000
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

Variable Name HCK6_2B **Length** 1 **Position** 1584
Question Name KUT-Q2
Concept Overnight patient - gastrointestinal problem
Question For what reason was he / she an overnight patient in the hospital? - Gastrointestinal illness or disease
Universe Respondents aged 0 to 11 who answered HCC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	13,500
NO	2	42	119,500
NOT APPLICABLE	6	12,227	27,831,000
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCK6_2C	Length	1	Position	1585
Question Name	KUT-Q2				
Concept	Overnight patient - injuries				
Question	For what reason was he / she an overnight patient in the hospital? - Injuries				
Universe	Respondents aged 0 to 11 who answered HCC6_1=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8	19,000
NO		2		40	113,500
NOT APPLICABLE		6		12,227	27,831,000
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	HCK6_2D	Length	1	Position	1586
Question Name	KUT-Q2				
Concept	Overnight patient - at birth				
Question	For what reason was he / she an overnight patient in the hospital? - At birth				
Universe	Respondents aged 0 to 11 who answered HCC6_1=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		48	132,500
NOT APPLICABLE		6		12,227	27,831,000
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCK6_2E	Length	1	Position	1587
Question Name	KUT-Q2				
Concept	Overnight patient - other reason				
Question	For what reason was he / she an overnight patient in the hospital? - Other				
Universe	Respondents aged 0 to 11 who answered HCC6_1=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		19	35,500
NO		2		29	97,000
NOT APPLICABLE		6		12,227	27,831,000
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	HCC6_2A	Length	3	Position	1588 - 1590
Question Name	UTIL-Q2				
Concept	Number of consultations - family doctor / g.p.				
Question	(Not counting when you were an overnight patient,) In the past 12 months, how many times have you seen or talked on the telephone with a family doctor or general practitioner about your physical, emotional or mental health?				
Universe	All respondents living in a household				
Note	For respondents aged 0 to 11, family doctor includes "pediatrician".				
Content		Code		Sample	Population
NUMBER OF CONSULTATIONS		0 - 300		12,191	27,838,000
NOT APPLICABLE		996		57	60,000
DON'T KNOW		997		27	65,500
NOT STATED		999		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_3A **Length** 2 **Position** 1591 - 1592

Question Name UTIL-Q3

Concept Place of most recent contact - family doctor

Question Where did the most recent contact with a family doctor or general practitioner take place?

Universe Respondents aged 12 and over who answered HCC6_2A > 0

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR'S OFFICE	1	7,419	15,930,000
HOSPITAL EMERGENCY ROOM	2	202	430,000
HOSPITAL OUTPATIENT CLINIC	3	180	344,500
WALK-IN CLINIC	4	324	943,500
APPOINTMENT CLINIC	5	235	556,000
COMMUNITY HEALTH CENTRE / CLSC	6	63	145,000
AT WORK	7	8	33,000
AT SCHOOL	8	3	4,500
AT HOME	9	80	139,000
TELEPHONE CONSULTATION ONLY	10	78	147,500
OTHER	11	13	22,000
NOT APPLICABLE	96	3,643	9,202,500
NOT STATED	99	298	420,500
Total		12,546	28,318,308

Variable Name HCC6_2B **Length** 2 **Position** 1593 - 1594

Question Name UTIL-Q2

Concept Number of consultations - eye specialist

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with an eye specialist (such as an ophthalmologist or optometrist) about your physical, emotional or mental health?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 30	12,210	27,884,500
NOT APPLICABLE	96	57	60,000
DON'T KNOW	97	8	19,000
NOT STATED	99	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 498

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_2C **Length** 3 **Position** 1595 - 1597
Question Name UTIL-Q2
Concept Number of consultations - other medical doctor
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with other medical doctor (such as a surgeon, allergist, gynaecologist or psychiatrist) about your physical, emotional or mental health?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 300	12,212	27,892,000
NOT APPLICABLE	996	57	60,000
DON'T KNOW	997	5	9,500
REFUSAL	998	1	2,000
NOT STATED	999	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_3C **Length** 2 **Position** 1598 - 1599

Question Name UTIL-Q3

Concept Place of most recent contact - other medical doctor

Question Where did the most recent contact with another medical doctor take place?

Universe Respondents aged 12 and over who answered HCC6_2C > 0

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR'S OFFICE	1	1,958	4,474,000
HOSPITAL EMERGENCY ROOM	2	107	216,000
HOSPITAL OUTPATIENT CLINIC	3	456	978,500
WALK-IN CLINIC	4	33	85,500
APPOINTMENT CLINIC	5	118	268,500
COMMUNITY HEALTH CENTRE / CLSC	6	16	41,000
AT WORK	7	2	5,000
AT SCHOOL	8	2	2,000
AT HOME	9	5	9,000
TELEPHONE CONSULTATION ONLY	10	21	39,500
OTHER	11	18	63,500
NOT APPLICABLE	96	9,532	21,768,500
DON'T KNOW	97	1	1,000
NOT STATED	99	277	366,500
Total		12,546	28,318,308

Variable Name HCC6_2D **Length** 3 **Position** 1600 - 1602

Question Name UTIL-Q2

Concept Number of consultations - nurse

Question (Not counting ...,) In the past 12 months, how many times have you seen or talked on the telephone with a nurse for care or advice about your physical, emotional or mental health?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 365	12,213	27,894,500
NOT APPLICABLE	996	57	60,000
DON'T KNOW	997	5	9,000
NOT STATED	999	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_3D **Length** 2 **Position** 1603 - 1604

Question Name UTIL-Q3

Concept Place of most recent contact - nurse

Question Where did the most recent contact with a nurse for care or advice take place?

Universe Respondents aged 12 and over who answered HCC6_2D > 0

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR'S OFFICE	1	127	246,500
HOSPITAL EMERGENCY ROOM	2	35	81,500
HOSPITAL OUTPATIENT CLINIC	3	77	168,000
WALK-IN CLINIC	4	46	117,000
APPOINTMENT CLINIC	5	25	51,000
COMMUNITY HEALTH CENTRE / CLSC	6	95	222,500
AT WORK	7	39	126,500
AT SCHOOL	8	45	166,000
AT HOME	9	206	333,000
TELEPHONE CONSULTATION ONLY	10	95	204,000
OTHER	11	22	52,000
NOT APPLICABLE	96	11,458	26,187,500
NOT STATED	99	276	364,000
Total		12,546	28,318,308

Variable Name HCC6_2E **Length** 3 **Position** 1605 - 1607

Question Name UTIL-Q2

Concept Number of consultations - dentist or orthodontist

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a dentist or orthodontist about your physical, emotional or mental health?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 61	12,213	27,893,000
NOT APPLICABLE	996	57	60,000
DON'T KNOW	997	5	10,500
NOT STATED	999	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_2F **Length** 3 **Position** 1608 - 1610
Question Name UTIL-Q2
Concept Number of consultations - chiropractor
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a chiropractor about your physical, emotional or mental health?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 150	12,212	27,889,000
NOT APPLICABLE	996	57	60,000
DON'T KNOW	997	6	14,500
NOT STATED	999	271	355,000
Total		12,546	28,318,308

Variable Name HCC6_2G **Length** 3 **Position** 1611 - 1613
Question Name UTIL-Q2
Concept Number of consultations - physiotherapist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a physiotherapist about your physical, emotional or mental health?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 175	12,213	27,895,500
NOT APPLICABLE	996	57	60,000
DON'T KNOW	997	5	8,000
NOT STATED	999	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_2H **Length** 3 **Position** 1614 - 1616
Question Name UTIL-Q2
Concept Number of consultations - social worker or counsellor
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a social worker or counsellor about your physical, emotional or mental health?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 366	12,212	27,895,000
NOT APPLICABLE	996	57	60,000
DON'T KNOW	997	6	8,500
NOT STATED	999	271	355,000
Total		12,546	28,318,308

Variable Name HCC6_2I **Length** 3 **Position** 1617 - 1619
Question Name UTIL-Q2
Concept Number of consultations - psychologist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a psychologist about your physical, emotional or mental health?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 62	12,213	27,896,000
NOT APPLICABLE	996	57	60,000
DON'T KNOW	997	4	6,000
REFUSAL	998	1	2,000
NOT STATED	999	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6DMDC **Length** 3 **Position** 1624 - 1626

Question Name

Concept Number of consultations with medical doctors - (D)

Question

Universe All respondents living in a household

Note Based on HCC6_2A and HCC6_2C. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 300	12,187	27,830,500
NOT APPLICABLE	996	57	60,000
NOT STATED	999	302	428,000
Total		12,546	28,318,308

Variable Name HCC6DHPC **Length** 1 **Position** 1627

Question Name

Concept Consultations with health professionals - (D)

Question

Universe All respondents living in a household

Note Based on HCC6_2A to HCC6_2J. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,421	26,229,500
NO	2	788	1,652,500
NOT APPLICABLE	6	57	60,000
NOT STATED	9	280	376,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_4A **Length** 1 **Position** 1628
Question Name UTIL-Q4A
Concept Attended self-help group
Question In the past 12 months, have you attended a meeting of a self-help group such as AA or a cancer support group?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	337	658,500
NO	2	10,484	23,295,500
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name HCC6_4 **Length** 1 **Position** 1629
Question Name UTIL-Q4
Concept Consulted alternative health care provider
Question In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	668	1,582,500
NO	2	10,152	22,366,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	1	5,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_5A	Length	1	Position	1630
Question Name	UTIL-Q5				
Concept	Alternative health care - massage therapist				
Question	Who did you see or talk to? - Massage therapist				
Universe	Respondents who answered HCC6_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		325	749,000
NO		2		343	833,500
NOT APPLICABLE		6		11,606	26,376,000
NOT STATED		9		272	359,500
		Total		12,546	28,318,308

Variable Name	HCC6_5B	Length	1	Position	1631
Question Name	UTIL-Q5				
Concept	Alternative health care - acupuncturist				
Question	Who did you see or talk to? - Acupuncturist				
Universe	Respondents who answered HCC6_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		127	275,500
NO		2		541	1,307,000
NOT APPLICABLE		6		11,606	26,376,000
NOT STATED		9		272	359,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_5C	Length	1	Position	1632
Question Name	UTIL-Q5				
Concept	Alternative health care - homeopath or naturopath				
Question	Who did you see or talk to? - Homeopath or naturopath				
Universe	Respondents who answered HCC6_4=1				
Note					
Content		Code		Sample	Population
YES		1		152	384,000
NO		2		516	1,198,500
NOT APPLICABLE		6		11,606	26,376,000
NOT STATED		9		272	359,500
		Total		12,546	28,318,308

Variable Name	HCC6_5D	Length	1	Position	1633
Question Name	UTIL-Q5				
Concept	Alternative health care - Feldenkrais or Alexander				
Question	Who did you see or talk to? - Feldenkrais or Alexander teacher				
Universe	Respondents who answered HCC6_4=1				
Note					
Content		Code		Sample	Population
YES		1		3	6,000
NO		2		665	1,576,500
NOT APPLICABLE		6		11,606	26,376,000
NOT STATED		9		272	359,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_5E	Length	1	Position	1634
Question Name	UTIL-Q5				
Concept	Alternative health care - relaxation therapist				
Question	Who did you see or talk to? - Relaxation therapist				
Universe	Respondents who answered HCC6_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6	13,500
NO		2		662	1,569,000
NOT APPLICABLE		6		11,606	26,376,000
NOT STATED		9		272	359,500
		Total		12,546	28,318,308

Variable Name	HCC6_5F	Length	1	Position	1635
Question Name	UTIL-Q5				
Concept	Alternative health care - biofeedback				
Question	Who did you see or talk to? - Biofeedback teacher				
Universe	Respondents who answered HCC6_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		668	1,582,500
NOT APPLICABLE		6		11,606	26,376,000
NOT STATED		9		272	359,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_5G **Length** 1 **Position** 1636

Question Name UTIL-Q5

Concept Alternative health care - rolfer

Question Who did you see or talk to? - Rolfer

Universe Respondents who answered HCC6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	2,000
NO	2	666	1,580,500
NOT APPLICABLE	6	11,606	26,376,000
NOT STATED	9	272	359,500
	Total	12,546	28,318,308

Variable Name HCC6_5H **Length** 1 **Position** 1637

Question Name UTIL-Q5

Concept Alternative health care - herbalist

Question Who did you see or talk to? - Herbalist

Universe Respondents who answered HCC6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	42	101,500
NO	2	626	1,481,000
NOT APPLICABLE	6	11,606	26,376,000
NOT STATED	9	272	359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_5I	Length	1	Position	1638
Question Name	UTIL-Q5				
Concept	Alternative health care - reflexologist				
Question	Who did you see or talk to? - Reflexologist				
Universe	Respondents who answered HCC6_4=1				
Note					
Content		Code		Sample	Population
YES		1		36	68,500
NO		2		632	1,514,000
NOT APPLICABLE		6		11,606	26,376,000
NOT STATED		9		272	359,500
		Total		12,546	28,318,308

Variable Name	HCC6_5J	Length	1	Position	1639
Question Name	UTIL-Q5				
Concept	Alternative health care - spiritual healer				
Question	Who did you see or talk to? - Spiritual healer				
Universe	Respondents who answered HCC6_4=1				
Note					
Content		Code		Sample	Population
YES		1		6	5,500
NO		2		662	1,577,000
NOT APPLICABLE		6		11,606	26,376,000
NOT STATED		9		272	359,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_5K **Length** 1 **Position** 1640

Question Name UTIL-Q5

Concept Alternative health care - religious healer

Question Who did you see or talk to? - Religious healer

Universe Respondents who answered HCC6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	668	1,582,500
NOT APPLICABLE	6	11,606	26,376,000
NOT STATED	9	272	359,500
Total		12,546	28,318,308

Variable Name HCC6_5L **Length** 1 **Position** 1641

Question Name UTIL-Q5

Concept Alternative health care - other

Question Who did you see or talk to? - Other

Universe Respondents who answered HCC6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	59	168,000
NO	2	609	1,414,500
NOT APPLICABLE	6	11,606	26,376,000
NOT STATED	9	272	359,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_6 **Length** 1 **Position** 1642
Question Name UTIL-Q6
Concept Self perceived unmet health care need
Question During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	557	1,139,000
NO	2	10,261	22,811,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	2	2,500
REFUSAL	8	1	1,500
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

Variable Name HCC6_7A **Length** 1 **Position** 1643
Question Name UTIL-Q7
Concept Care not received - not available in area
Question Thinking of the most recent time, why didn't you get care? - Not available - in the area
Universe Respondents who answered HCC6_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	50	78,000
NO	2	505	1,059,000
NOT APPLICABLE	6	11,715	26,820,000
DON'T KNOW	7	2	2,500
NOT STATED	9	274	359,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_7B **Length** 1 **Position** 1644
Question Name UTIL-Q7
Concept Care not received - not available when required
Question Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g., doctor on holidays, inconvenient hours)
Universe Respondents who answered HCC6_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	85	145,000
NO	2	470	992,000
NOT APPLICABLE	6	11,715	26,820,000
DON'T KNOW	7	2	2,500
NOT STATED	9	274	359,000
Total		12,546	28,318,308

Variable Name HCC6_7C **Length** 1 **Position** 1645
Question Name UTIL-Q7
Concept Care not received - waiting time too long
Question Thinking of the most recent time, why didn't you get care? - Waiting time too long
Universe Respondents who answered HCC6_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	186,500
NO	2	455	950,500
NOT APPLICABLE	6	11,715	26,820,000
DON'T KNOW	7	2	2,500
NOT STATED	9	274	359,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_7D **Length** 1 **Position** 1646
Question Name UTIL-Q7
Concept Care not received - felt would be inadequate
Question Thinking of the most recent time, why didn't you get care? - Felt would be inadequate
Universe Respondents who answered HCC6_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	88	182,500
NO	2	467	954,500
NOT APPLICABLE	6	11,715	26,820,000
DON'T KNOW	7	2	2,500
NOT STATED	9	274	359,000
	Total	12,546	28,318,308

Variable Name HCC6_7E **Length** 1 **Position** 1647
Question Name UTIL-Q7
Concept Care not received - cost
Question Thinking of the most recent time, why didn't you get care? - Cost
Universe Respondents who answered HCC6_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	81	168,500
NO	2	474	968,500
NOT APPLICABLE	6	11,715	26,820,000
DON'T KNOW	7	2	2,500
NOT STATED	9	274	359,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_7F	Length	1	Position	1648
Question Name	UTIL-Q7				
Concept	Care not received - too busy				
Question	Thinking of the most recent time, why didn't you get care? - Too busy				
Universe	Respondents who answered HCC6_6=1				
Note					
Content		Code		Sample	Population
YES		1		59	172,000
NO		2		496	965,000
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

Variable Name	HCC6_7G	Length	1	Position	1649
Question Name	UTIL-Q7				
Concept	Care not received - didn't get around to it				
Question	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother				
Universe	Respondents who answered HCC6_6=1				
Note					
Content		Code		Sample	Population
YES		1		92	229,000
NO		2		463	908,000
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_7H	Length	1	Position	1650
Question Name	UTIL-Q7				
Concept	Care not received - didn't know where to go				
Question	Thinking of the most recent time, why didn't you get care? - Didn't know where to go				
Universe	Respondents who answered HCC6_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		17	24,500
NO		2		538	1,112,500
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

Variable Name	HCC6_7I	Length	1	Position	1651
Question Name	UTIL-Q7				
Concept	Care not received - transportation problems				
Question	Thinking of the most recent time, why didn't you get care? - Transportation problems				
Universe	Respondents who answered HCC6_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		16	20,000
NO		2		539	1,117,000
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_7J	Length	1	Position	1652
Question Name	UTIL-Q7				
Concept	Care not received - language problem				
Question	Thinking of the most recent time, why didn't you get care? - Language problems				
Universe	Respondents who answered HCC6_6=1				
Note					
Content		Code		Sample	Population
YES		1		1	1,000
NO		2		554	1,136,500
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

Variable Name	HCC6_7K	Length	1	Position	1653
Question Name	UTIL-Q7				
Concept	Care not received - personal or family responsibilities				
Question	Thinking of the most recent time, why didn't you get care? - Personal or family responsibilities				
Universe	Respondents who answered HCC6_6=1				
Note					
Content		Code		Sample	Population
YES		1		6	7,500
NO		2		549	1,129,000
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_7L	Length	1	Position	1654
Question Name	UTIL-Q7				
Concept	Care not received - dislikes doctors / afraid				
Question	Thinking of the most recent time, why didn't you get care? - Dislikes doctors / afraid				
Universe	Respondents who answered HCC6_6=1				
Note					
Content		Code		Sample	Population
YES		1		12	17,500
NO		2		543	1,119,500
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

Variable Name	HCC6_7M	Length	1	Position	1655
Question Name	UTIL-Q7				
Concept	Care not received - decided not to seek care				
Question	Thinking of the most recent time, why didn't you get care? - Decided not to seek care				
Universe	Respondents who answered HCC6_6=1				
Note					
Content		Code		Sample	Population
YES		1		31	59,500
NO		2		524	1,077,500
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_7N	Length	1	Position	1656
Question Name	UTIL-Q7				
Concept	Care not received - other reason				
Question	Thinking of the most recent time, why didn't you get care? - Other				
Universe	Respondents who answered HCC6_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		19	41,000
NO		2		536	1,096,000
NOT APPLICABLE		6		11,715	26,820,000
DON'T KNOW		7		2	2,500
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

Variable Name	HCC6_8A	Length	1	Position	1657
Question Name	UTIL-Q8				
Concept	Type of care not received - physical health problem				
Question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem				
Universe	Respondents who answered HCC6_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		423	846,000
NO		2		134	293,000
NOT APPLICABLE		6		11,715	26,820,000
NOT STATED		9		274	359,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_8D **Length** 1 **Position** 1660
Question Name UTIL-Q8
Concept Type of care not received - injury
Question Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
Universe Respondents who answered HCC6_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	61	116,000
NO	2	496	1,023,000
NOT APPLICABLE	6	11,715	26,820,000
NOT STATED	9	274	359,000
Total		12,546	28,318,308

Variable Name HCC6_8E **Length** 1 **Position** 1661
Question Name UTIL-Q8
Concept Type of care not received - other
Question Again, thinking of the most recent time, what was the type of care that was needed? - Other
Universe Respondents who answered HCC6_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	28,000
NO	2	544	1,111,500
NOT APPLICABLE	6	11,715	26,820,000
NOT STATED	9	274	359,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC6_9	Length	1	Position	1662
Question Name	UTIL-Q9				
Concept	Received home care services				
Question	Have you received any home care services in the past 12 months?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		376	606,000
NO		2		9,637	20,732,500
NOT APPLICABLE		6		2,262	6,625,000
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	HCC6_10A	Length	1	Position	1663
Question Name	UTIL-Q10				
Concept	Home care received - nursing care				
Question	What type of services have you received? - Nursing care (e.g., dressing changes, VON)				
Universe	Respondents who answered HCC6_9=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		161	312,500
NO		2		215	293,500
NOT APPLICABLE		6		11,899	27,357,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_10B **Length** 1 **Position** 1664
Question Name UTIL-Q10
Concept Home care received - other health care
Question What type of services have you received? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC6_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	31	63,500
NO	2	345	543,000
NOT APPLICABLE	6	11,899	27,357,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name HCC6_10C **Length** 1 **Position** 1665
Question Name UTIL-Q10
Concept Home care received - personal care
Question What type of services have you received? - Personal care (e.g., bathing, foot care)
Universe Respondents who answered HCC6_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	109	145,500
NO	2	267	460,500
NOT APPLICABLE	6	11,899	27,357,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_10D **Length** 1 **Position** 1666
Question Name UTIL-Q10
Concept Home care received - housework
Question What type of services have you received? - Housework (e.g., cleaning, laundry)
Universe Respondents who answered HCC6_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	216	287,000
NO	2	160	319,000
NOT APPLICABLE	6	11,899	27,357,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name HCC6_10E **Length** 1 **Position** 1667
Question Name UTIL-Q10
Concept Home care received - meal preparation or delivery
Question What type of services have you received? - Meal preparation or delivery
Universe Respondents who answered HCC6_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	78	90,500
NO	2	298	515,500
NOT APPLICABLE	6	11,899	27,357,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_10F **Length** 1 **Position** 1668
Question Name UTIL-Q10
Concept Home care received - shopping
Question What type of services have you received? - Shopping
Universe Respondents who answered HCC6_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	19	24,500
NO	2	357	582,000
NOT APPLICABLE	6	11,899	27,357,500
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

Variable Name HCC6_10G **Length** 1 **Position** 1669
Question Name UTIL-Q10
Concept Home care received - respite care
Question What type of services have you received? - Respite care (i.e. caregiver relief program)
Universe Respondents who answered HCC6_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	26,500
NO	2	363	579,500
NOT APPLICABLE	6	11,899	27,357,500
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_10H **Length** 1 **Position** 1670
Question Name UTIL-Q10
Concept Home care received - other
Question What type of services have you received? - Other
Universe Respondents who answered HCC6_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	5,500
NO	2	373	600,500
NOT APPLICABLE	6	11,899	27,357,500
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

Variable Name HCC6_11 **Length** 1 **Position** 1671
Question Name UTIL-Q11
Concept Received health care services in the U.S.
Question In the past 12 months, did you receive any health care services in the United States?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	59	143,500
NO	2	10,762	23,810,500
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC6_12 **Length** 1 **Position** 1672
Question Name UTIL-Q12
Concept Went to U.S. primarily to receive health care
Question Did you go to the United States primarily to get these health care services?
Universe Respondents who answered HCC6_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	14	43,500
NO	2	45	100,000
NOT APPLICABLE	6	12,216	27,820,000
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

Variable Name RAC6_1A **Length** 1 **Position** 1673
Question Name RESTR-Q1
Concept Limited in kind / amount of activities - at home
Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at home?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,558	2,773,000
NO	2	9,288	21,194,000
NOT APPLICABLE	6	1,397	3,949,500
DON'T KNOW	7	1	1,000
NOT STATED	9	302	401,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC6_1B **Length** 1 **Position** 1674

Question Name RESTR-Q1

Concept Limited in kind / amount of activities - at school

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at school?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	84	308,000
NO	2	2,224	6,200,500
N/A ACCORDING TO RESPONDENT	3	8,540	17,460,500
NOT APPLICABLE	6	1,397	3,949,500
NOT STATED	9	301	400,000
Total		12,546	28,318,308

Variable Name RAC6_1C **Length** 1 **Position** 1675

Question Name RESTR-Q1

Concept Limited in kind / amount of activities - at work

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at work?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	496	1,065,000
NO	2	6,433	15,382,500
N/A ACCORDING TO RESPONDENT	3	3,918	7,520,500
NOT APPLICABLE	6	1,397	3,949,500
DON'T KNOW	7	1	1,000
NOT STATED	9	301	400,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC6_1D **Length** 1 **Position** 1676
Question Name RESTR-Q1
Concept Limited in kind / amount of activities - other
Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do in other activities such as transportation to or from work or leisure time activities?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,373	2,627,000
NO	2	9,472	21,338,000
NOT APPLICABLE	6	1,397	3,949,500
DON'T KNOW	7	1	1,500
NOT STATED	9	303	402,500
Total		12,546	28,318,308

Variable Name RAC6_2 **Length** 1 **Position** 1677
Question Name RESTR-Q2
Concept Has long-term disabilities or handicaps
Question Do you have any long-term disabilities or handicaps?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,785	3,399,500
NO	2	9,057	20,549,000
NOT APPLICABLE	6	1,397	3,949,500
DON'T KNOW	7	5	19,000
NOT STATED	9	302	401,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC6F1	Length	1	Position	1678
Question Name					
Concept	Flag for restriction of activity				
Question					
Universe	All respondents				
Note	For respondents aged 12 years old and older, any "yes" to RAC6_1A to RAC6_1D or RAC6_2. For respondents aged less than 12 years old, based on actual question (KGH-Q3). In the calculation of Cycle 1 (1994) Restriction of Activity Flag, the category "No" included "Don't Know" and "Refusal" but in Cycle 2 (1996) and beyond, the category "No" was only responses of "No. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,587	5,039,500
NO		2		9,683	22,906,000
NOT STATED		9		276	373,000
		Total		12,546	28,318,308

Variable Name	RAC6F2	Length	1	Position	1679
Question Name					
Concept	Restriction of activity flag (excl. long-term disability)				
Question					
Universe	All respondents				
Note	Based on RAC6_1A to RAC6_1D. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,924	3,654,500
NO		2		8,922	20,312,000
NOT STATED		9		1,700	4,351,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC6GC12 **Length** 2 **Position** 1686 - 1687

Question Name

Concept Main health problem - 12 groups - (D,G)

Question

Universe Respondents aged 12 and over with RAC6F1=1

Note Based on RAC6CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DISEASES OF NERVOUS SYSTEM AND SENSES	1	378	747,500
ISCHEMIC HEART DISEASE	2	51	85,000
OTHER HEART CONDITIONS	3	193	310,500
OTHER CIRCULATORY DISEASES	4	81	134,000
DISEASES OF RESPIRATORY/DIGESTIVE SYSTEM	5	217	416,500
ARTHRITIS - LIMBS	6	57	99,500
ARTHRITIS - BACK AND SPINE	7	18	28,500
ARTHRITIS - OTHER AND UNSPECIFIED	8	265	443,500
DISEASES OF THE MSCT - LIMBS	9	286	680,000
DISEASES OF THE MSCT - BACK AND SPINE	10	365	769,000
DISEASES OF THE MSCT - OTHER	11	58	103,500
OTHER	12	482	878,500
NOT APPLICABLE	96	9,782	23,199,500
NOT STATED	99	313	422,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC6GC25 **Length** 2 **Position** 1688 - 1689

Question Name

Concept Main health problem - 25 groups - (D,G)

Question

Universe Respondents aged 12 and over with RAC6F1=1

Note Based on RAC6CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MENTAL RETARDATION	1	15	38,000
MENTAL DISORDERS	2	92	204,500
SIGHT DISORDER	3	84	118,500
HEARING DISORDER	4	45	105,500
OTHER DISORDERS OF NERVOUS SYSTEM	5	142	280,500
HYPERTENSIVE DISEASE	6	35	49,500
ISCHEMIC HEART DISEASE	7	51	85,000
OTHER HEART CONDITIONS	8	158	261,000
OTHER CIRCULATORY DISORDERS	9	81	134,000
BRONCHITIS AND EMPHYSEMA	10	27	46,000
ASTHMA	11	108	218,500
OTHER RESPIRATORY DISORDERS	12	36	67,500
DISORDERS OF DIGESTIVE SYSTEM	13	46	84,000
INFECTIOUS AND PARASITIC DISEASES	14	21	31,500
ARTHRITIS - LOWER LIMBS	15	45	74,500
ARTHRITIS - UPPER LIMBS	16	12	25,000
ARTHRITIS - BACK AND SPINE	17	18	28,500
ARTHRITIS - OTHER AND UNSPECIFIED	18	265	443,500
MUSC. SKELETAL - LOWER LIMBS	19	208	485,500
MUSC. SKELETAL - UPPER LIMBS	20	78	194,500
MUSC. SKELETAL - BACK AND SPINE	21	365	769,000
MUSC. SKELETAL - OTHER	22	58	103,500
NEOPLASMS	23	39	77,500
ENDOCRINE, NUTRITIONAL, ETC.	24	63	105,000
OTHER	25	359	664,500
NOT APPLICABLE	96	9,782	23,199,500
NOT STATED	99	313	422,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC6_2A **Length** 1 **Position** 1690
Question Name RESTR-Q2A
Concept New activity restriction or worsening of old one
Question During our last interview there were no activity restrictions or disabilities reported for you, BUT this time there were. Is this due to a new activity restriction or disability or to the worsening of an old one?
Universe Respondents aged 12 and over with RAC4_F1=2 and RAC6_F1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEW SINCE LAST INTERVIEW	1	359	778,000
WORSENING SINCE LAST INTERVIEW	2	251	522,500
SAME ACTIVITY RESTRICTION OR DISABILITY	4	77	185,000
OTHER	5	18	30,000
NOT APPLICABLE	6	11,556	26,398,500
NOT STATED	9	285	404,500
Total		12,546	28,318,308

Variable Name RAC6_2B **Length** 2 **Position** 1691 - 1692
Question Name RESTR-Q2B
Concept Disappearance or improvement of activity restriction
Question During our last interview ... reported for you, BUT this time there were not. Is this due to the disappearance or improvement of an old activity restriction or disability, to the use of special equipment (e.g., artificial limb), or to something else?
Universe Respondents aged 12 and over with RAC4_F1=1 and RAC6_F1=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DISAPPEARED OR IMPROVED	1	513	1,059,500
CURRENTLY USES SPECIAL EQUIPMENT	2	4	3,500
NONE AT LAST INTERVIEW	3	95	225,000
NEVER HAD	4	24	53,000
OTHER	6	43	81,000
NOT APPLICABLE	96	11,586	26,510,000
DON'T KNOW	97	1	1,500
NOT STATED	99	280	384,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC6_6B	Length	1	Position	1696
Question Name	RESTR-Q6B				
Concept	Needs help for - shopping for necessities				
Question	Because of any condition or health problem, do you need the help of another person in shopping for groceries or other necessities?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		528	949,000
NO		2		10,293	23,005,000
NOT APPLICABLE		6		1,454	4,009,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	RAC6_6C	Length	1	Position	1697
Question Name	RESTR-Q6C				
Concept	Needs help for - housework				
Question	Because of any condition or health problem, do you need the help of another person in doing normal everyday housework?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		596	1,083,500
NO		2		10,225	22,870,500
NOT APPLICABLE		6		1,454	4,009,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC6_6D **Length** 1 **Position** 1698
Question Name RESTR-Q6D
Concept Needs help for - heavy household chores
Question Because of any condition or health problem, do you need the help of another person in doing heavy household chores such as washing walls or yard work?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,457	2,474,500
NO	2	9,364	21,479,500
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name RAC6_6E **Length** 1 **Position** 1699
Question Name RESTR-Q6E
Concept Needs help for - personal care
Question Because of any condition or health problem, do you need the help of another person in personal care such as washing, dressing or eating?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	247	360,000
NO	2	10,630	23,652,500
NOT APPLICABLE	6	1,397	3,949,500
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC6_6F	Length	1	Position	1700
Question Name	RESTR-Q6F				
Concept	Needs help for - moving about inside the house				
Question	Because of any condition or health problem, do you need the help of another person in moving about inside the house?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		184	297,500
NO		2		10,692	23,714,000
NOT APPLICABLE		6		1,397	3,949,500
DON'T KNOW		7		1	1,000
NOT STATED		9		272	356,000
		Total		12,546	28,318,308

Variable Name	RAC6F6	Length	1	Position	1701
Question Name					
Concept	Flag for need for help in series of tasks (indoors)				
Question					
Universe	Respondents aged 12 and over				
Note	Formerly RAC6D6G. Any "yes" in RAC6_6A to RAC6_6F. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,609	2,737,000
NO		2		9,268	21,275,500
NOT APPLICABLE		6		1,397	3,949,500
NOT STATED		9		272	356,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCK6_1 **Length** 1 **Position** 1702
Question Name KCHR-Q1
Concept Frequency of infections - nose or throat
Question Thinking now about illnesses, how often does he / she have nose or throat infections?
Universe Respondents aged 0 to 3 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALMOST ALL THE TIME	1	1	3,000
OFTEN	2	18	57,000
FROM TIME TO TIME	3	72	230,500
RARELY	4	113	280,500
NEVER	5	57	142,000
NOT APPLICABLE	6	12,014	27,250,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name CCK6_2 **Length** 1 **Position** 1703
Question Name KCHR-Q2
Concept Has had otitis
Question Has he / she ever had otitis (an inner ear infection)?
Universe Respondents aged 0 to 3 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	149	392,000
NO	2	111	319,500
NOT APPLICABLE	6	12,014	27,250,500
DON'T KNOW	7	1	1,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCK6_3	Length	1	Position	1704
Question Name	KCHR-Q3				
Concept	Number of times had otitis since birth				
Question	How many times since birth has he / she had otitis (an inner ear infection)?				
Universe	Respondents who answered CCK6_2=1				
Note					
Content		Code		Sample	Population
ONCE		1		44	118,500
2 TIMES		2		30	66,000
3 TIMES		3		13	31,000
4 OR MORE TIMES		4		62	176,500
NOT APPLICABLE		6		12,125	27,570,500
NOT STATED		9		272	356,000
		Total		12,546	28,318,308

Variable Name	CCC6_1A	Length	1	Position	1705
Question Name	CHR-Q1				
Concept	Has food allergies				
Question	Do you have food allergies?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		859	1,946,000
NO		2		11,355	25,951,500
NOT APPLICABLE		6		57	60,000
DON'T KNOW		7		3	5,500
REFUSAL		8		1	1,000
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1B	Length	1	Position	1706
Question Name	CHR-Q1				
Concept	Has allergies other than food allergies				
Question	Do you have any other allergies?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		2,715	6,440,500
NO		2		9,500	21,460,000
NOT APPLICABLE		6		57	60,000
DON'T KNOW		7		2	3,000
NOT STATED		9		272	355,500
		Total		12,546	28,318,308

Variable Name	CCC6_1C	Length	1	Position	1707
Question Name	CHR-Q1				
Concept	Has asthma				
Question	Do you have asthma?				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		937	2,254,000
NO		2		11,332	25,703,000
DON'T KNOW		7		4	4,500
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_C1 **Length** 1 **Position** 1708

Question Name CHR-Q1C1

Concept Asthma - condition disappeared

Question During our last interview, it was reported that you had asthma, but this time it was not. Has the condition disappeared since then?

Universe Non-proxy respondents aged 12 and over who answered CCC4_1C=1 and CCC6_1C=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	47	129,000
NEVER HAD ASTHMA	3	20	29,500
NOT APPLICABLE	6	12,152	27,650,500
NOT STATED	9	327	509,500
	Total	12,546	28,318,308

Variable Name CCC6_C2M **Length** 2 **Position** 1709 - 1710

Question Name CHR-Q1C2

Concept Asthma - month condition disappeared

Question When did it "asthma" disappear? - Month

Universe Respondents who answered CCC6_C1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	5	11,500
FEBRUARY	2	2	13,500
MARCH	3	3	10,000
APRIL	4	5	18,500
MAY	5	4	15,000
JUNE	6	8	21,500
JULY	7	3	14,500
AUGUST	8	4	6,500
SEPTEMBER	9	3	2,500
OCTOBER	10	2	5,500
NOVEMBER	11	5	6,000
DECEMBER	12	3	4,500
NOT APPLICABLE	96	12,172	27,680,000
NOT STATED	99	327	509,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_C2Y **Length** 4 **Position** 1711 - 1714

Question Name CHR-Q1C2

Concept Asthma - year condition disappeared

Question When did it "asthma" disappear? - Year

Universe Respondents who answered CCC6_C1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 1996	47	129,000
NOT APPLICABLE	9996	12,172	27,680,000
NOT STATED	9999	327	509,500
	Total	12,546	28,318,308

Variable Name CCC6_C3M **Length** 2 **Position** 1715 - 1716

Question Name CHR-Q1C3

Concept Asthma - month diagnosed

Question When were you diagnosed with this "asthma"? - Month

Universe Respondents aged 12 and over who answered CCC4_1C=2 and CCC6_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	35	91,500
FEBRUARY	2	6	13,500
MARCH	3	6	16,500
APRIL	4	20	44,000
MAY	5	15	32,000
JUNE	6	29	84,000
JULY	7	8	16,500
AUGUST	8	14	38,500
SEPTEMBER	9	22	59,500
OCTOBER	10	8	12,000
NOVEMBER	11	5	8,500
DECEMBER	12	18	43,000
NOT APPLICABLE	96	12,063	27,444,000
DON'T KNOW	97	17	40,500
REFUSAL	98	1	1,000
NOT STATED	99	279	374,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_C3Y **Length** 4 **Position** 1717 - 1720
Question Name CHR-Q1C3
Concept Asthma - year diagnosed
Question When were you diagnosed with this "asthma"? - Year
Universe Respondents aged 12 and over who answered CCC4_1C=2 and CCC6_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1912 - 1997	202	499,000
NOT APPLICABLE	9996	12,063	27,444,000
DON'T KNOW	9997	1	1,000
REFUSAL	9998	1	1,000
NOT STATED	9999	279	374,000
	Total	12,546	28,318,308

Variable Name CCC6_C4 **Length** 1 **Position** 1721
Question Name CHR-Q1C4
Concept Asthma - had prior to last interview
Question So you had asthma prior to our last interview?
Universe Respondents aged 12 and over with the condition prior to last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	253,000
NO	2	2	1,500
NOT APPLICABLE	6	12,146	27,647,000
DON'T KNOW	7	1	1,500
NOT STATED	9	297	415,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_C5	Length	1	Position	1722
Question Name	CHR-Q1C5				
Concept	Asthma - had symptoms or attacks				
Question	Have you had any asthma symptoms or asthma attacks in the past 12 months?				
Universe	Respondents who answered CCC6_1C=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		557	1,338,500
NO		2		374	908,500
NOT APPLICABLE		6		11,340	25,710,500
DON'T KNOW		7		1	2,500
NOT STATED		9		274	358,500
		Total		12,546	28,318,308

Variable Name	CCC6_C6	Length	1	Position	1723
Question Name	CHR-Q1C6				
Concept	Asthma - took medication				
Question	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?				
Universe	Respondents who answered CCC6_1C=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		731	1,732,500
NO		2		200	514,500
NOT APPLICABLE		6		11,340	25,710,500
DON'T KNOW		7		1	2,500
NOT STATED		9		274	358,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1D	Length	1	Position	1724
Question Name	CHR-Q1				
Concept	Has arthritis or rheumatism				
Question	Do you have arthritis or rheumatism?				
Universe	Respondents aged 12 and over				
Note	The list of chronic conditions changed in Cycle 4 (2000).				
Content		Code		Sample	Population
YES		1		2,162	3,642,500
NO		2		8,709	20,355,000
NOT APPLICABLE		6		1,397	3,949,500
DON'T KNOW		7		4	14,000
NOT STATED		9		274	357,500
		Total		12,546	28,318,308

Variable Name	CCC6_D1	Length	1	Position	1725
Question Name	CHR-Q1D1				
Concept	Arthritis / rheum. - condition disappeared				
Question	During our last interview, it was reported that you had arthritis or rheumatism, but this time it was not. Has the condition disappeared since then?				
Universe	Non-proxy respondents aged 12 and over who answered CCC4_1D=1 and CCC6_1D=2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		76	124,500
NEVER HAD ARTHRITIS / RHEUMATISM		3		91	162,500
NOT APPLICABLE		6		11,738	26,811,000
DON'T KNOW		7		1	1,000
NOT STATED		9		640	1,219,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_D2M **Length** 2 **Position** 1726 - 1727
Question Name CHR-Q1D2
Concept Arthritis / rheum. - month condition disappeared
Question When did it "arthritis or rheumatism" disappear? - Month
Universe Respondents who answered CCC6_D1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	10	18,000
FEBRUARY	2	4	3,500
MARCH	3	2	5,000
APRIL	4	3	6,500
MAY	5	1	1,000
JUNE	6	16	25,000
JULY	7	4	6,500
AUGUST	8	2	2,000
SEPTEMBER	9	8	17,500
OCTOBER	10	1	1,000
NOVEMBER	11	11	18,000
DECEMBER	12	7	12,000
NOT APPLICABLE	96	11,829	26,973,500
DON'T KNOW	97	7	10,500
NOT STATED	99	641	1,220,000
Total		12,546	28,318,308

Variable Name CCC6_D2Y **Length** 4 **Position** 1728 - 1731
Question Name CHR-Q1D2
Concept Arthritis / rheum. - year condition disappeared
Question When did it "arthritis or rheumatism" disappear? - Year
Universe Respondents who answered CCC6_D1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 1996	72	120,500
NOT APPLICABLE	9996	11,829	26,973,500
DON'T KNOW	9997	4	4,500
NOT STATED	9999	641	1,220,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_D3M **Length** 2 **Position** 1732 - 1733
Question Name CHR-Q1D3
Concept Arthritis / rheum. - month diagnosed
Question When were you diagnosed with this "arthritis or rheumatism"? - Month
Universe Respondents aged 12 and over who answered CCC4_1D=2 and CCC6_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	81	146,000
FEBRUARY	2	25	55,500
MARCH	3	29	60,500
APRIL	4	36	60,500
MAY	5	37	72,500
JUNE	6	94	164,000
JULY	7	40	95,000
AUGUST	8	33	70,500
SEPTEMBER	9	44	76,000
OCTOBER	10	51	99,500
NOVEMBER	11	40	69,500
DECEMBER	12	19	44,000
NOT APPLICABLE	96	11,653	26,767,000
DON'T KNOW	97	89	165,000
NOT STATED	99	275	373,000
Total		12,546	28,318,308

Variable Name CCC6_D3Y **Length** 4 **Position** 1734 - 1737
Question Name CHR-Q1D3
Concept Arthritis / rheum. - year diagnosed
Question When were you diagnosed with this "arthritis or rheumatism"? - Year
Universe Respondents aged 12 and over who answered CCC4_1D=2 and CCC6_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1920 - 1997	611	1,163,000
NOT APPLICABLE	9996	11,653	26,767,000
DON'T KNOW	9997	7	15,500
NOT STATED	9999	275	373,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_D4	Length	1	Position	1738
Question Name	CHR-Q1D4				
Concept	Arthritis / rheum. - had prior to last interview				
Question	So you had arthritis or rheumatism prior to our last interview?				
Universe	Respondents aged 12 and over with the condition prior to last interview living in a household				
Note					
Content		Code		Sample	Population
YES		1		262	521,500
NO		2		4	10,500
NOT APPLICABLE		6		11,914	27,249,000
DON'T KNOW		7		3	5,500
NOT STATED		9		363	532,000
		Total		12,546	28,318,308

Variable Name	CCC6_D5	Length	1	Position	1739
Question Name	CHR-Q1D5				
Concept	Arthritis / rheum. - received treatment or medication				
Question	Do you receive any treatment or medication for your arthritis or rheumatism?				
Universe	Respondents who answered CCC6_1D=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		975	1,604,500
NO		2		1,143	1,985,500
NOT APPLICABLE		6		10,136	24,328,500
DON'T KNOW		7		3	3,000
NOT STATED		9		289	396,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_D6A	Length	1	Position	1740
Question Name	CHR-Q1D6				
Concept	Arthritis / rheum. treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC6_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		871	1,422,500
NO		2		103	180,500
NOT APPLICABLE		6		11,279	26,314,000
DON'T KNOW		7		1	1,500
NOT STATED		9		292	399,500
		Total		12,546	28,318,308

Variable Name	CCC6_D6B	Length	1	Position	1741
Question Name	CHR-Q1D6				
Concept	Arthritis / rheum. treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC6_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		47	83,500
NO		2		927	1,520,000
NOT APPLICABLE		6		11,279	26,314,000
DON'T KNOW		7		1	1,500
NOT STATED		9		292	399,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_D6C	Length	1	Position	1742
Question Name	CHR-Q1D6				
Concept	Arthritis / rheum. treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC6_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		134	247,000
NO		2		840	1,356,000
NOT APPLICABLE		6		11,279	26,314,000
DON'T KNOW		7		1	1,500
NOT STATED		9		292	399,500
		Total		12,546	28,318,308

Variable Name	CCC6_1E	Length	1	Position	1743
Question Name	CHR-Q1				
Concept	Has back problems excluding arthritis				
Question	Do you have back problems, excluding arthritis?				
Universe	Respondents aged 12 and over living in a household				
Note	The list of chronic conditions changed in Cycle 4 (2000).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,642	3,464,000
NO		2		9,174	20,481,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		4	8,500
NOT STATED		9		272	355,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1F	Length	1	Position	1744
Question Name	CHR-Q1				
Concept	Has high blood pressure				
Question	Do you have high blood pressure?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		1,438	2,483,000
NO		2		9,431	21,520,500
NOT APPLICABLE		6		1,397	3,949,500
DON'T KNOW		7		7	8,500
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

Variable Name	CCC6_F1	Length	1	Position	1745
Question Name	CHR-Q1F1				
Concept	High blood pressure - condition disappeared				
Question	During our last interview, it was reported that you had high blood pressure, but this time it was not. Has the condition disappeared since then?				
Universe	Non-proxy respondents aged 12 and over who answered CCC4_1F=1 and CCC6_1F=2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		110	217,500
NEVER HAD HIGH BLOOD PRESSURE		3		21	37,500
NOT APPLICABLE		6		11,831	26,898,000
NOT STATED		9		584	1,165,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_F2M **Length** 2 **Position** 1746 - 1747
Question Name CHR-Q1F2
Concept High blood pressure - month condition disappeared
Question When did it "high blood pressure" disappear? - Month
Universe Respondents who answered CCC6_F1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	13	32,000
FEBRUARY	2	6	11,000
MARCH	3	6	10,500
APRIL	4	6	11,500
MAY	5	6	8,500
JUNE	6	19	49,500
JULY	7	10	20,500
AUGUST	8	4	4,500
SEPTEMBER	9	7	9,000
OCTOBER	10	7	15,500
NOVEMBER	11	9	16,000
DECEMBER	12	8	12,000
NOT APPLICABLE	96	11,852	26,935,500
DON'T KNOW	97	9	17,000
NOT STATED	99	584	1,165,500
Total		12,546	28,318,308

Variable Name CCC6_F2Y **Length** 4 **Position** 1748 - 1751
Question Name CHR-Q1F2
Concept High blood pressure - year condition disappeared
Question When did it "high blood pressure" disappear? - Year
Universe Respondents who answered CCC6_F1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 1996	107	214,500
NOT APPLICABLE	9996	11,852	26,935,500
DON'T KNOW	9997	3	3,000
NOT STATED	9999	584	1,165,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_F3M **Length** 2 **Position** 1752 - 1753
Question Name CHR-Q1F3
Concept High blood pressure - month diagnosed
Question When were you diagnosed with this "high blood pressure" ? - Month
Universe Respondents aged 12 and over who answered CCC4_1F=2 and CCC6_1F=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	47	79,000
FEBRUARY	2	24	43,500
MARCH	3	23	41,000
APRIL	4	24	34,500
MAY	5	28	63,000
JUNE	6	58	108,500
JULY	7	22	44,500
AUGUST	8	19	32,500
SEPTEMBER	9	29	72,000
OCTOBER	10	27	48,000
NOVEMBER	11	24	55,000
DECEMBER	12	21	69,000
NOT APPLICABLE	96	11,886	27,195,500
DON'T KNOW	97	36	69,000
REFUSAL	98	1	1,000
NOT STATED	99	277	363,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_F3Y **Length** 4 **Position** 1754 - 1757
Question Name CHR-Q1F3
Concept High blood pressure - year diagnosed
Question When were you diagnosed with this "high blood pressure" ? - Year
Universe Respondents aged 12 and over who answered CCC4_1F=2 and CCC6_1F=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1946 - 1997	379	747,000
NOT APPLICABLE	9996	11,886	27,195,500
DON'T KNOW	9997	4	12,500
NOT STATED	9999	277	363,000
	Total	12,546	28,318,308

Variable Name CCC6_F4 **Length** 1 **Position** 1758
Question Name CHR-Q1F4
Concept High blood pressure - had prior to last interview
Question So you had high blood pressure prior to our last interview?
Universe Respondents aged 12 and over with the condition prior to last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	118	238,000
NO	2	2	3,500
NOT APPLICABLE	6	12,113	27,644,500
NOT STATED	9	313	432,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_F5	Length	1	Position	1759
Question Name	CHR-Q1F5				
Concept	High blood pressure - received treatment or medication				
Question	Do you receive any treatment or medication for your high blood pressure?				
Universe	Respondents who answered CCC6_1F=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,226	2,061,500
NO		2		190	399,500
NOT APPLICABLE		6		10,850	25,491,500
NOT STATED		9		280	365,500
		Total		12,546	28,318,308

Variable Name	CCC6_F6A	Length	1	Position	1760
Question Name	CHR-Q1F6				
Concept	High blood pressure treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC6_F5=1				
Note					
Content		Code		Sample	Population
YES		1		1,202	2,030,500
NO		2		23	29,000
NOT APPLICABLE		6		11,040	25,891,500
DON'T KNOW		7		1	2,000
NOT STATED		9		280	365,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_F6B	Length	1	Position	1761
Question Name	CHR-Q1F6				
Concept	High blood pressure treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC6_F5=1				
Note					
Content		Code		Sample	Population
YES		1		178	289,500
NO		2		1,047	1,770,000
NOT APPLICABLE		6		11,040	25,891,500
DON'T KNOW		7		1	2,000
NOT STATED		9		280	365,500
		Total		12,546	28,318,308

Variable Name	CCC6_F6C	Length	1	Position	1762
Question Name	CHR-Q1F6				
Concept	High blood pressure treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC6_F5=1				
Note					
Content		Code		Sample	Population
YES		1		12	16,500
NO		2		1,213	2,043,500
NOT APPLICABLE		6		11,040	25,891,500
DON'T KNOW		7		1	2,000
NOT STATED		9		280	365,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1G	Length	1	Position	1763
Question Name	CHR-Q1				
Concept	Has migraine headaches				
Question	Do you have migraine headaches?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		834	1,841,500
NO		2		9,984	22,106,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	6,000
NOT STATED		9		272	355,500
		Total		12,546	28,318,308

Variable Name	CCC6_G1	Length	1	Position	1764
Question Name	CHR-Q1G1				
Concept	Migraines - condition disappeared				
Question	During our last interview, it was reported that you had migraine headaches, but this time it was not. Has the condition disappeared since then?				
Universe	Non-proxy respondents aged 12 and over who answered CCC4_1G=1 and CCC6_1G=2				
Note					
Content		Code		Sample	Population
YES		1		158	299,000
NEVER HAD MIGRAINE HEADACHES		3		35	69,000
NOT APPLICABLE		6		11,756	26,742,000
NOT STATED		9		597	1,208,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_G2M **Length** 2 **Position** 1765 - 1766
Question Name CHR-Q1G2
Concept Migraines - month condition disappeared
Question When did it "migraine headaches" disappear? - Month
Universe Respondents who answered CCC6_G1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	17	54,000
FEBRUARY	2	7	13,000
MARCH	3	3	3,000
APRIL	4	6	6,000
MAY	5	3	6,000
JUNE	6	26	47,500
JULY	7	13	22,000
AUGUST	8	18	36,000
SEPTEMBER	9	18	30,500
OCTOBER	10	11	20,500
NOVEMBER	11	13	25,000
DECEMBER	12	15	27,000
NOT APPLICABLE	96	11,791	26,811,500
DON'T KNOW	97	8	8,500
NOT STATED	99	597	1,208,000
Total		12,546	28,318,308

Variable Name CCC6_G2Y **Length** 4 **Position** 1767 - 1770
Question Name CHR-Q1G2
Concept Migraines - year condition disappeared
Question When did it "migraine headaches" disappear? - Year
Universe Respondents who answered CCC6_G1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 1996	153	292,000
NOT APPLICABLE	9996	11,791	26,811,500
DON'T KNOW	9997	5	7,000
NOT STATED	9999	597	1,208,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_G3M **Length** 2 **Position** 1771 - 1772

Question Name CHR-Q1G3

Concept Migraines - month diagnosed

Question When were you diagnosed with this "migraine headaches"? - Month

Universe Respondents aged 12 and over who answered CCC4_1G=2 and CCC6_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	36	93,000
FEBRUARY	2	14	42,500
MARCH	3	7	21,000
APRIL	4	19	42,000
MAY	5	13	30,000
JUNE	6	43	109,000
JULY	7	11	17,000
AUGUST	8	16	33,500
SEPTEMBER	9	28	65,500
OCTOBER	10	15	34,500
NOVEMBER	11	8	19,000
DECEMBER	12	5	8,500
NOT APPLICABLE	96	12,008	27,329,000
DON'T KNOW	97	39	87,500
REFUSAL	98	1	2,000
NOT STATED	99	283	384,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_G3Y **Length** 4 **Position** 1773 - 1776

Question Name CHR-Q1G3

Concept Migraines - year diagnosed

Question When were you diagnosed with this "migraine headaches"? - Year

Universe Respondents aged 12 and over who answered CCC4_1G=2 and CCC6_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1940 - 1997	251	595,000
NOT APPLICABLE	9996	12,008	27,329,000
DON'T KNOW	9997	4	10,000
NOT STATED	9999	283	384,500
	Total	12,546	28,318,308

Variable Name CCC6_G4 **Length** 1 **Position** 1777

Question Name CHR-Q1G4

Concept Migraines - had prior to last interview

Question So you had migraine headaches prior to our last interview?

Universe Respondents aged 12 and over with the condition prior to last interview

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	111	263,500
NOT APPLICABLE	6	12,121	27,602,500
NOT STATED	9	314	452,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_G5	Length	1	Position	1778
Question Name	CHR-Q1G5				
Concept	Migraines - received treatment or medication				
Question	Do you receive any treatment or medication for your migraine headaches?				
Universe	Respondents who answered CCC6_1G=1				
Note					
Content		Code		Sample	Population
YES		1		412	910,500
NO		2		414	912,500
NOT APPLICABLE		6		11,438	26,116,000
DON'T KNOW		7		1	1,000
NOT STATED		9		281	379,000
		Total		12,546	28,318,308

Variable Name	CCC6_G6A	Length	1	Position	1779
Question Name	CHR-Q1G6				
Concept	Migraines treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC6_G5=1				
Note					
Content		Code		Sample	Population
YES		1		381	843,000
NO		2		31	67,500
NOT APPLICABLE		6		11,852	27,028,000
NOT STATED		9		282	379,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_G6B	Length	1	Position	1780
Question Name	CHR-Q1G6				
Concept	Migraines treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC6_G5=1				
Note					
Content		Code		Sample	Population
YES		1		29	61,500
NO		2		383	849,000
NOT APPLICABLE		6		11,852	27,028,000
NOT STATED		9		282	379,500
		Total		12,546	28,318,308

Variable Name	CCC6_G6C	Length	1	Position	1781
Question Name	CHR-Q1G6				
Concept	Migraines treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC6_G5=1				
Note					
Content		Code		Sample	Population
YES		1		36	73,500
NO		2		376	837,500
NOT APPLICABLE		6		11,852	27,028,000
NOT STATED		9		282	379,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1H	Length	1	Position	1782
Question Name	CHR-Q1				
Concept	Has chronic bronchitis or emphysema				
Question	Do you have chronic bronchitis or emphysema?				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		395	830,500
NO		2		11,874	27,126,000
DON'T KNOW		7		4	5,000
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

Variable Name	CCC6_1I	Length	1	Position	1783
Question Name	CHR-Q1				
Concept	Has sinusitis				
Question	Do you have sinusitis diagnosed by a health professional?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		627	1,188,000
NO		2		10,193	22,766,000
NOT APPLICABLE		6		1,454	4,009,500
NOT STATED		9		272	355,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_1J **Length** 1 **Position** 1784
Question Name CHR-Q1
Concept Has diabetes
Question Do you have diabetes?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	451	824,500
NO	2	10,420	23,182,500
NOT APPLICABLE	6	1,397	3,949,500
DON'T KNOW	7	4	5,000
REFUSAL	8	1	1,000
NOT STATED	9	273	356,500
Total		12,546	28,318,308

Variable Name CCC6_J1 **Length** 1 **Position** 1785
Question Name CHR-Q1J1
Concept Diabetes - condition disappeared
Question During our last interview, it was reported that you had diabetes, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC4_1J=1 and CCC6_1J=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	14	20,000
NEVER HAD DIABETES	3	8	12,500
NOT APPLICABLE	6	11,958	27,177,000
NOT STATED	9	566	1,109,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_J2M **Length** 2 **Position** 1786 - 1787
Question Name CHR-Q1J2
Concept Diabetes - month condition disappeared
Question When did it "diabetes" disappear? - Month
Universe Respondents who answered CCC6_J1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	2	1,500
APRIL	4	1	1,000
MAY	5	4	5,000
JUNE	6	5	9,000
NOVEMBER	11	1	1,000
DECEMBER	12	1	2,000
NOT APPLICABLE	96	11,966	27,189,500
NOT STATED	99	566	1,109,000
Total		12,546	28,318,308

Variable Name CCC6_J2Y **Length** 4 **Position** 1788 - 1791
Question Name CHR-Q1J2
Concept Diabetes - year condition disappeared
Question When did it "diabetes" disappear? - Year
Universe Respondents who answered CCC6_J1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 1996	14	20,000
NOT APPLICABLE	9996	11,966	27,189,500
NOT STATED	9999	566	1,109,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_J3M **Length** 2 **Position** 1792 - 1793
Question Name CHR-Q1J3
Concept Diabetes - month diagnosed
Question When were you diagnosed with this "diabetes"? - Month
Universe Respondents aged 12 and over who answered CCC4_1J=2 and CCC6_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	15	27,000
FEBRUARY	2	10	18,500
MARCH	3	4	10,000
APRIL	4	8	11,500
MAY	5	4	20,500
JUNE	6	13	12,500
JULY	7	6	18,000
AUGUST	8	8	17,000
SEPTEMBER	9	7	16,500
OCTOBER	10	8	18,000
NOVEMBER	11	3	6,000
DECEMBER	12	6	11,500
NOT APPLICABLE	96	12,169	27,760,000
DON'T KNOW	97	10	11,500
NOT STATED	99	275	360,000
Total		12,546	28,318,308

Variable Name CCC6_J3Y **Length** 4 **Position** 1794 - 1797
Question Name CHR-Q1J3
Concept Diabetes - year diagnosed
Question When were you diagnosed with this "diabetes"? - Year
Universe Respondents aged 12 and over who answered CCC4_1J=2 and CCC6_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1975 - 1997	101	198,000
NOT APPLICABLE	9996	12,169	27,760,000
DON'T KNOW	9997	1	1,000
NOT STATED	9999	275	360,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_J4 **Length** 1 **Position** 1798

Question Name CHR-Q1J4

Concept Diabetes - had prior to last interview

Question So you had diabetes prior to our last interview?

Universe Respondents who answered CCC6_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	27	64,000
NOT APPLICABLE	6	12,234	27,883,000
NOT STATED	9	285	371,500
Total		12,546	28,318,308

Variable Name CCC6_J5 **Length** 1 **Position** 1799

Question Name CHR-Q1J5

Concept Diabetes - takes insulin

Question Do you take insulin for your diabetes?

Universe Respondents who answered CCC6_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	117	221,500
NO	2	319	591,500
NOT APPLICABLE	6	11,833	27,144,000
NOT STATED	9	277	361,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_J6	Length	1	Position	1800
Question Name	CHR-Q1J6				
Concept	Diabetes - takes treatment other than insulin				
Question	Do you take any other treatment or medication for your diabetes?				
Universe	Respondents who answered CCC6_1J=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		256	470,000
NO		2		180	342,500
NOT APPLICABLE		6		11,833	27,144,000
NOT STATED		9		277	361,500
		Total		12,546	28,318,308

Variable Name	CCC6_J7A	Length	1	Position	1801
Question Name	CHR-Q1J7				
Concept	Diabetes treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC6_J6=1				
Note					
Content		Code		Sample	Population
YES		1		224	407,000
NO		2		32	62,500
NOT APPLICABLE		6		12,013	27,486,500
NOT STATED		9		277	361,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_J7B	Length	1	Position	1802
Question Name	CHR-Q1J7				
Concept	Diabetes treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC6_J6=1				
Note					
Content		Code		Sample	Population
YES		1		88	183,500
NO		2		168	286,500
NOT APPLICABLE		6		12,013	27,486,500
NOT STATED		9		277	361,500
		Total		12,546	28,318,308

Variable Name	CCC6_J7C	Length	1	Position	1803
Question Name	CHR-Q1J7				
Concept	Diabetes treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC6_J6=1				
Note					
Content		Code		Sample	Population
YES		1		3	2,500
NO		2		253	467,500
NOT APPLICABLE		6		12,013	27,486,500
NOT STATED		9		277	361,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1K	Length	1	Position	1804
Question Name	CHR-Q1				
Concept	Has epilepsy				
Question	Do you have epilepsy?				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		81	180,500
NO		2		12,190	27,778,500
DON'T KNOW		7		2	2,500
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

Variable Name	CCC6_K1	Length	1	Position	1805
Question Name	CHR-Q1K1				
Concept	Epilepsy - condition disappeared				
Question	During our last interview, it was reported that you had epilepsy, but this time it was not. Has the condition disappeared since then?				
Universe	Non-proxy respondents aged 12 and over who answered CCC4_1K=1 and CCC6_1K=2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		7	17,500
NEVER HAD EPILEPSY		3		2	4,500
NOT APPLICABLE		6		12,252	27,902,000
NOT STATED		9		285	394,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_K2M **Length** 2 **Position** 1806 - 1807

Question Name CHR-Q1K2

Concept Epilepsy - month condition disappeared

Question When did it "epilepsy" disappear? - Month

Universe Respondents who answered CCC6_K1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AUGUST	8	1	1,500
SEPTEMBER	9	1	6,000
NOVEMBER	11	2	4,000
DECEMBER	12	2	4,500
NOT APPLICABLE	96	12,254	27,907,000
DON'T KNOW	97	1	2,000
NOT STATED	99	285	394,000
Total		12,546	28,318,308

Variable Name CCC6_K2Y **Length** 4 **Position** 1808 - 1811

Question Name CHR-Q1K2

Concept Epilepsy - year condition disappeared

Question When did it "epilepsy" disappear? - Year

Universe Respondents who answered CCC6_K1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 1995	7	17,500
NOT APPLICABLE	9996	12,254	27,907,000
NOT STATED	9999	285	394,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_K3M **Length** 2 **Position** 1812 - 1813
Question Name CHR-Q1K3
Concept Epilepsy - month diagnosed
Question When were you diagnosed with this "epilepsy"? - Month
Universe Respondents aged 12 and over who answered CCC4_1K=2 and CCC6_1K=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	4	20,000
MARCH	3	1	3,500
APRIL	4	1	5,500
JUNE	6	2	4,000
JULY	7	2	7,500
OCTOBER	10	1	1,000
DECEMBER	12	1	1,000
NOT APPLICABLE	96	12,259	27,912,500
DON'T KNOW	97	1	4,000
NOT STATED	99	274	360,000
	Total	12,546	28,318,308

Variable Name CCC6_K3Y **Length** 4 **Position** 1814 - 1817
Question Name CHR-Q1K3
Concept Epilepsy - year diagnosed
Question When were you diagnosed with this "epilepsy"? - Year
Universe Respondents aged 12 and over who answered CCC4_1K=2 and CCC6_1K=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1938 - 1996	13	46,000
NOT APPLICABLE	9996	12,259	27,912,500
NOT STATED	9999	274	360,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_K4 **Length** 1 **Position** 1818

Question Name CHR-Q1K4

Concept Epilepsy - had prior to last interview

Question So you had epilepsy prior to our last interview?

Universe Respondents aged 12 and over with the condition prior to last interview

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	25,500
NOT APPLICABLE	6	12,263	27,929,000
NOT STATED	9	275	364,000
	Total	12,546	28,318,308

Variable Name CCC6_1L **Length** 1 **Position** 1819

Question Name CHR-Q1

Concept Has heart disease

Question Do you have heart disease?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	631	1,102,000
NO	2	11,638	26,848,000
DON'T KNOW	7	4	12,000
NOT STATED	9	273	356,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1M	Length	1	Position	1820
Question Name	CHR-Q1				
Concept	Has cancer				
Question	Do you have cancer?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		204	359,500
NO		2		10,614	23,590,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	4,500
NOT STATED		9		272	355,500
		Total		12,546	28,318,308

Variable Name	CCC6_1N	Length	1	Position	1821
Question Name	CHR-Q1				
Concept	Has intestinal or stomach ulcers				
Question	Do you have stomach or intestinal ulcers?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		376	687,500
NO		2		10,493	23,314,500
NOT APPLICABLE		6		1,397	3,949,500
DON'T KNOW		7		7	10,000
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 576

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_N1 **Length** 1 **Position** 1822
Question Name CHR-Q1N1
Concept Ulcers - condition disappeared
Question During our last interview, it was reported that you had stomach or intestinal ulcers, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC4_1N=1 and CCC6_1N=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	106	207,500
NEVER HAD ULCERS	3	44	72,000
NOT APPLICABLE	6	11,797	26,859,000
NOT STATED	9	599	1,180,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_N2M **Length** 2 **Position** 1823 - 1824
Question Name CHR-Q1N2
Concept Ulcers - month condition disappeared
Question When did it "stomach or intestinal ulcers" disappear? - Month
Universe Respondents who answered CCC6_N1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	14	29,000
FEBRUARY	2	2	2,500
MARCH	3	8	17,500
APRIL	4	4	6,000
MAY	5	9	14,000
JUNE	6	17	29,000
JULY	7	4	8,000
AUGUST	8	9	13,500
SEPTEMBER	9	9	18,500
OCTOBER	10	5	9,000
NOVEMBER	11	12	25,500
DECEMBER	12	7	24,500
NOT APPLICABLE	96	11,841	26,930,500
DON'T KNOW	97	6	10,500
NOT STATED	99	599	1,180,000
Total		12,546	28,318,308

Variable Name CCC6_N2Y **Length** 4 **Position** 1825 - 1828
Question Name CHR-Q1N2
Concept Ulcers - year condition disappeared
Question When did it "stomach or intestinal ulcers" disappear? - Year
Universe Respondents who answered CCC6_N1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 1997	102	204,000
NOT APPLICABLE	9996	11,841	26,930,500
DON'T KNOW	9997	4	3,500
NOT STATED	9999	599	1,180,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_N3M **Length** 2 **Position** 1829 - 1830
Question Name CHR-Q1N3
Concept Ulcers - month diagnosed
Question When were you diagnosed with this "stomach or intestinal ulcers"? - Month
Universe Respondents aged 12 and over who answered CCC4_1N=2 and CCC6_1N=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	21	45,000
FEBRUARY	2	7	18,500
MARCH	3	10	16,500
APRIL	4	7	15,000
MAY	5	18	55,000
JUNE	6	29	63,500
JULY	7	8	16,000
AUGUST	8	7	11,500
SEPTEMBER	9	13	28,000
OCTOBER	10	6	9,500
NOVEMBER	11	6	16,000
DECEMBER	12	7	9,500
NOT APPLICABLE	96	12,110	27,619,500
DON'T KNOW	97	19	27,000
REFUSAL	98	1	3,500
NOT STATED	99	277	364,000
Total		12,546	28,318,308

Variable Name CCC6_N3Y **Length** 4 **Position** 1831 - 1834
Question Name CHR-Q1N3
Concept Ulcers - year diagnosed
Question When were you diagnosed with this "stomach or intestinal ulcers"? - Year
Universe Respondents aged 12 and over who answered CCC4_1N=2 and CCC6_1N=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1957 - 1997	159	335,000
NOT APPLICABLE	9996	12,110	27,619,500
NOT STATED	9999	277	364,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_N4	Length	1	Position	1835
Question Name	CHR-Q1N4				
Concept	Ulcers - had prior to last interview				
Question	So you had stomach or intestinal ulcers prior to our last interview?				
Universe	Respondents aged 12 and over with the condition prior to last interview living in a household				
Note					
Content		Code		Sample	Population
YES		1		48	118,500
NO		2		2	4,000
NOT APPLICABLE		6		12,199	27,801,500
NOT STATED		9		297	394,500
		Total		12,546	28,318,308

Variable Name	CCC6_10	Length	1	Position	1836
Question Name	CHR-Q1				
Concept	Suffers from the effects of a stroke				
Question	Do you suffer from the effects of a stroke?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		152	254,000
NO		2		10,720	23,755,000
NOT APPLICABLE		6		1,397	3,949,500
DON'T KNOW		7		4	3,000
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_O1 **Length** 1 **Position** 1837

Question Name CHR-Q1O1

Concept Effects of stroke - condition disappeared

Question During our last interview, it was reported that you suffered from the effects of a stroke, but this time it was not. Has the condition disappeared since then?

Universe Non-proxy respondents aged 12 and over who answered CCC4_1O=1 and CCC6_1O=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12	14,000
NEVER HAD A STROKE	3	12	19,500
NOT APPLICABLE	6	11,958	27,187,000
NOT STATED	9	564	1,098,000
	Total	12,546	28,318,308

Variable Name CCC6_O2M **Length** 2 **Position** 1838 - 1839

Question Name CHR-Q1O2

Concept Effects of stroke - month condition disappeared

Question When did it "effects of your stroke" disappear? - Month

Universe Respondents who answered CCC6_O1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	2	1,500
FEBRUARY	2	1	1,000
APRIL	4	1	1,000
MAY	5	2	4,500
JUNE	6	1	1,500
AUGUST	8	1	1,000
SEPTEMBER	9	1	1,000
DECEMBER	12	2	2,000
NOT APPLICABLE	96	11,970	27,206,500
DON'T KNOW	97	1	1,500
NOT STATED	99	564	1,098,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_O2Y **Length** 4 **Position** 1840 - 1843

Question Name CHR-Q1O2

Concept Effects of stroke - year condition disappeared

Question When did it "effects of your stroke" disappear? - Year

Universe Respondents who answered CCC6_O1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1994 - 1996	12	14,000
NOT APPLICABLE	9996	11,970	27,206,500
NOT STATED	9999	564	1,098,000
	Total	12,546	28,318,308

Variable Name CCC6_O3M **Length** 2 **Position** 1844 - 1845

Question Name CHR-Q1O3

Concept Effects of stroke - month diagnosed

Question When were you diagnosed with this "effects of a stroke"? - Month

Universe Respondents aged 12 and over who answered CCC4_1O=2 and CCC6_1O=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	6	11,000
FEBRUARY	2	8	24,000
MARCH	3	4	7,500
APRIL	4	6	7,500
MAY	5	9	15,000
JUNE	6	7	10,500
JULY	7	8	10,500
AUGUST	8	2	2,000
SEPTEMBER	9	2	2,500
OCTOBER	10	7	11,000
NOVEMBER	11	5	10,500
DECEMBER	12	2	7,000
NOT APPLICABLE	96	12,204	27,836,500
DON'T KNOW	97	2	4,000
NOT STATED	99	274	359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_O3Y **Length** 4 **Position** 1846 - 1849
Question Name CHR-Q1O3
Concept Effects of stroke - year diagnosed
Question When were you diagnosed with this "effects of a stroke"? - Year
Universe Respondents aged 12 and over who answered CCC4_1O=2 and CCC6_1O=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1970 - 1996	68	122,000
NOT APPLICABLE	9996	12,204	27,836,500
NOT STATED	9999	274	359,500
	Total	12,546	28,318,308

Variable Name CCC6_O4 **Length** 1 **Position** 1850
Question Name CHR-Q1O4
Concept Effects of stroke - had prior to last interview
Question So you suffered from the effects of a stroke prior to our last interview?
Universe Respondents aged 12 and over with the condition prior to last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	40,500
NOT APPLICABLE	6	12,249	27,917,500
NOT STATED	9	275	360,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1P	Length	1	Position	1851
Question Name	CHR-Q1				
Concept	Suffers from urinary incontinence				
Question	Do you suffer from urinary incontinence?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		260	434,000
NO		2		10,612	23,573,500
NOT APPLICABLE		6		1,397	3,949,500
DON'T KNOW		7		3	3,000
REFUSAL		8		1	1,500
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

Variable Name	CCC6_1Q	Length	1	Position	1852
Question Name	CHR-Q1				
Concept	Has a bowel disorder (Crohn's Disease or colitis)				
Question	Do you have a bowel disorder such as Crohn's Disease or colitis?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		211	361,000
NO		2		10,660	23,643,000
NOT APPLICABLE		6		1,397	3,949,500
DON'T KNOW		7		4	7,000
REFUSAL		8		1	1,500
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1R	Length	1	Position	1853
Question Name	CHR-Q1				
Concept	Has Alzheimer's Disease or other dementia				
Question	Do you have Alzheimer's Disease or any other dementia?				
Universe	Respondents aged 18 and over				
Note					
Content		Code		Sample	Population
YES		1		72	115,000
NO		2		9,994	21,274,500
NOT APPLICABLE		6		2,205	6,565,000
DON'T KNOW		7		3	9,000
NOT STATED		9		272	355,500
		Total		12,546	28,318,308

Variable Name	CCC6_1S	Length	1	Position	1854
Question Name	CHR-Q1				
Concept	Has cataracts				
Question	Do you have cataracts?				
Universe	Respondents aged 18 and over				
Note					
Content		Code		Sample	Population
YES		1		470	704,500
NO		2		9,596	20,691,000
NOT APPLICABLE		6		2,205	6,565,000
DON'T KNOW		7		2	1,500
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC6_1T	Length	1	Position	1855
Question Name	CHR-Q1				
Concept	Has glaucoma				
Question	Do you have glaucoma?				
Universe	Respondents aged 18 and over				
Note					
Content		Code		Sample	Population
YES		1		159	272,000
NO		2		9,904	21,120,000
NOT APPLICABLE		6		2,205	6,565,000
DON'T KNOW		7		5	5,000
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

Variable Name	CCC6_1U	Length	1	Position	1856
Question Name	CHR-Q1				
Concept	Has a thyroid condition				
Question	Do you have a thyroid condition?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		508	897,000
NO		2		10,356	23,095,500
NOT APPLICABLE		6		1,397	3,949,500
DON'T KNOW		7		12	19,500
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6_1V **Length** 1 **Position** 1857
Question Name CHR-Q1
Concept Has other long-term condition
Question Do you have any other long-term condition that has been diagnosed by a health professional?
Universe All respondents
Note The list of chronic conditions changed in Cycle 4 (2000). This variable now includes sinusitis, ear, nose and throat infections for children less than 3 years old.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	880	1,910,500
NO	2	11,390	26,050,000
DON'T KNOW	7	3	1,500
NOT STATED	9	273	356,500
Total		12,546	28,318,308

Variable Name CCC6DANY **Length** 1 **Position** 1858
Question Name
Concept Has a chronic condition - (D)
Question
Universe Respondents aged 12 and over living in a household
Note Based on CCC6_1A to CCC6_1V. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,860	14,459,500
NO	2	3,954	9,472,000
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	278	377,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC6DNUM **Length** 2 **Position** 1859 - 1860

Question Name

Concept Number of chronic conditions - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on CCC6_1A to CCC6_1V. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CHRONIC CONDITIONS	0 - 13	10,783	23,875,000
NOT APPLICABLE	96	1,454	4,009,500
NOT STATED	99	309	434,000
Total		12,546	28,318,308

Variable Name SDC6DRES **Length** 3 **Position** 1861 - 1863

Question Name

Concept Length of time in Canada since immigration - (D)

Question

Universe All immigrants

Note Based on DHC6_AGE, AM66_BYI and YOI (year of immigration to Canada). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	2 - 95	1,354	4,606,000
NOT APPLICABLE	996	11,139	23,601,000
NOT STATED	999	53	111,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4A **Length** 1 **Position** 1864
Question Name SOCIO-Q4
Concept Ethnic origin - Canadian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Canadian
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,621	11,282,500
NO	2	7,628	16,635,000
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
	Total	12,546	28,318,308

Variable Name SDC6_4B **Length** 1 **Position** 1865
Question Name SOCIO-Q4
Concept Ethnic origin - French
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - French
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,906	6,984,000
NO	2	9,343	20,933,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4C **Length** 1 **Position** 1866
Question Name SOCIO-Q4
Concept Ethnic origin - English
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - English
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,533	6,789,500
NO	2	8,716	21,128,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_4D **Length** 1 **Position** 1867
Question Name SOCIO-Q4
Concept Ethnic origin - German
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - German
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,276	2,706,500
NO	2	10,973	25,211,000
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_4E	Length	1	Position	1868
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Scottish				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Scottish				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,035	3,831,500
NO		2		10,214	24,086,500
DON'T KNOW		7		24	42,500
REFUSAL		8		1	2,000
NOT STATED		9		272	356,000
		Total		12,546	28,318,308

Variable Name	SDC6_4F	Length	1	Position	1869
Question Name	SOCIO-Q4				
Concept	Ethnic origin - Irish				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Irish				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,821	3,655,000
NO		2		10,428	24,263,000
DON'T KNOW		7		24	42,500
REFUSAL		8		1	2,000
NOT STATED		9		272	356,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4G **Length** 1 **Position** 1870
Question Name SOCIO-Q4
Concept Ethnic origin - Italian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Italian
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	346	1,212,000
NO	2	11,903	26,705,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_4H **Length** 1 **Position** 1871
Question Name SOCIO-Q4
Concept Ethnic origin - Ukrainian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Ukrainian
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	540	1,032,000
NO	2	11,709	26,885,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4I **Length** 1 **Position** 1872
Question Name SOCIO-Q4
Concept Ethnic origin - Dutch (Netherlands)
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Dutch (Netherlands)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	395	934,000
NO	2	11,854	26,984,000
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_4J **Length** 1 **Position** 1873
Question Name SOCIO-Q4
Concept Ethnic origin - Chinese
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Chinese
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	156	750,500
NO	2	12,093	27,167,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4K **Length** 1 **Position** 1874
Question Name SOCIO-Q4
Concept Ethnic origin - Jewish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Jewish
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	287,000
NO	2	12,167	27,631,000
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_4L **Length** 1 **Position** 1875
Question Name SOCIO-Q4
Concept Ethnic origin - Polish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Polish
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	323	858,500
NO	2	11,926	27,059,000
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4M **Length** 1 **Position** 1876
Question Name SOCIO-Q4
Concept Ethnic origin - Portuguese
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Portuguese
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	84	350,000
NO	2	12,165	27,567,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_4N **Length** 1 **Position** 1877
Question Name SOCIO-Q4
Concept Ethnic origin - South Asian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - South Asian (e.g., East Indian, Pakistani, Punjabi, Sri Lankan)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	88	485,000
NO	2	12,161	27,432,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4O **Length** 1 **Position** 1878
Question Name SOCIO-Q4
Concept Ethnic origin - Black
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Black
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	315,000
NO	2	12,167	27,603,000
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_4P **Length** 1 **Position** 1879
Question Name SOCIO-Q4
Concept Ethnic origin - North American Indian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - North American Indian
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	220	533,500
NO	2	12,029	27,384,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4Q **Length** 1 **Position** 1880
Question Name SOCIO-Q4
Concept Ethnic origin - Métis
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Métis
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	97	163,000
NO	2	12,152	27,755,000
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_4R **Length** 1 **Position** 1881
Question Name SOCIO-Q4
Concept Ethnic origin - Inuit / Eskimo
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Inuit / Eskimo
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10	8,000
NO	2	12,239	27,910,000
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_4S **Length** 1 **Position** 1882
Question Name SOCIO-Q4
Concept Ethnic origin - other
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Other
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,427	4,155,000
NO	2	10,822	23,762,500
DON'T KNOW	7	24	42,500
REFUSAL	8	1	2,000
NOT STATED	9	272	356,000
	Total	12,546	28,318,308

Variable Name SDC6_5A **Length** 1 **Position** 1883
Question Name SOCIO-Q5
Concept Can converse - English
Question In which languages can you conduct a conversation? - English
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,762	23,524,500
NO	2	1,511	4,434,000
DON'T KNOW	7	1	3,500
NOT STATED	9	272	356,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_5B	Length	1	Position	1884
Question Name	SOCIO-Q5				
Concept	Can converse - French				
Question	In which languages can you conduct a conversation? - French				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,324	9,289,000
NO		2		8,949	18,669,500
DON'T KNOW		7		1	3,500
NOT STATED		9		272	356,000
		Total		12,546	28,318,308

Variable Name	SDC6_5C	Length	1	Position	1885
Question Name	SOCIO-Q5				
Concept	Can converse - Arabic				
Question	In which languages can you conduct a conversation? - Arabic				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		29	152,500
NO		2		12,188	27,747,500
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_5D	Length	1	Position	1886
Question Name	SOCIO-Q5				
Concept	Can converse - Chinese				
Question	In which languages can you conduct a conversation? - Chinese				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		119	619,000
NO		2		12,098	27,281,000
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

Variable Name	SDC6_5E	Length	1	Position	1887
Question Name	SOCIO-Q5				
Concept	Can converse - Cree				
Question	In which languages can you conduct a conversation? - Cree				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		20	24,500
NO		2		12,197	27,875,500
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_5F	Length	1	Position	1888
Question Name	SOCIO-Q5				
Concept	Can converse - German				
Question	In which languages can you conduct a conversation? - German				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		292	586,500
NO		2		11,925	27,313,500
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

Variable Name	SDC6_5G	Length	1	Position	1889
Question Name	SOCIO-Q5				
Concept	Can converse - Greek				
Question	In which languages can you conduct a conversation? - Greek				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		31	132,500
NO		2		12,186	27,768,000
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_5H	Length	1	Position	1890
Question Name	SOCIO-Q5				
Concept	Can converse - Hungarian				
Question	In which languages can you conduct a conversation? - Hungarian				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		35	72,000
NO		2		12,182	27,828,000
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

Variable Name	SDC6_5I	Length	1	Position	1891
Question Name	SOCIO-Q5				
Concept	Can converse - Italian				
Question	In which languages can you conduct a conversation? - Italian				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		176	710,500
NO		2		12,041	27,189,500
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_5J	Length	1	Position	1892
Question Name	SOCIO-Q5				
Concept	Can converse - Korean				
Question	In which languages can you conduct a conversation? - Korean				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	11,000
NO		2		12,215	27,889,000
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

Variable Name	SDC6_5K	Length	1	Position	1893
Question Name	SOCIO-Q5				
Concept	Can converse - Persian				
Question	In which languages can you conduct a conversation? - Persian (Farsi)				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6	36,000
NO		2		12,211	27,864,000
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_5L	Length	1	Position	1894
Question Name	SOCIO-Q5				
Concept	Can converse - Polish				
Question	In which languages can you conduct a conversation? - Polish				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		95	277,000
NO		2		12,122	27,623,000
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

Variable Name	SDC6_5M	Length	1	Position	1895
Question Name	SOCIO-Q5				
Concept	Can converse - Portuguese				
Question	In which languages can you conduct a conversation? - Portuguese				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		59	252,500
NO		2		12,158	27,647,500
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_5N **Length** 1 **Position** 1896

Question Name SOCIO-Q5

Concept Can converse - Punjabi

Question In which languages can you conduct a conversation? - Punjabi

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	40	230,500
NO	2	12,177	27,669,500
DON'T KNOW	7	1	3,500
NOT STATED	9	328	415,000
Total		12,546	28,318,308

Variable Name SDC6_5O **Length** 1 **Position** 1897

Question Name SOCIO-Q5

Concept Can converse - Spanish

Question In which languages can you conduct a conversation? - Spanish

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	145	486,500
NO	2	12,072	27,413,500
DON'T KNOW	7	1	3,500
NOT STATED	9	328	415,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_5P	Length	1	Position	1898
Question Name	SOCIO-Q5				
Concept	Can converse - Tagalog				
Question	In which languages can you conduct a conversation? - Tagalog (Filipino)				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		23	110,000
NO		2		12,194	27,790,500
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

Variable Name	SDC6_5Q	Length	1	Position	1899
Question Name	SOCIO-Q5				
Concept	Can converse - Ukrainian				
Question	In which languages can you conduct a conversation? - Ukrainian				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		149	228,000
NO		2		12,068	27,672,000
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_5R	Length	1	Position	1900
Question Name	SOCIO-Q5				
Concept	Can converse - Vietnamese				
Question	In which languages can you conduct a conversation? - Vietnamese				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		18	99,000
NO		2		12,199	27,801,000
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

Variable Name	SDC6_5S	Length	1	Position	1901
Question Name	SOCIO-Q5				
Concept	Can converse - other language				
Question	In which languages can you conduct a conversation? - Other				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		354	1,314,500
NO		2		11,863	26,585,500
DON'T KNOW		7		1	3,500
NOT STATED		9		328	415,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6DLNG **Length** 2 **Position** 1902 - 1903

Question Name

Concept Language(s) in which respondent can converse - (D)

Question

Universe All respondents

Note Based on SDC6_5A to SDC6_5S. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH ONLY	1	7,822	15,049,000
FRENCH ONLY	2	1,439	4,126,000
ENGLISH AND FRENCH ONLY	3	1,590	3,992,500
ENGLISH AND FRENCH AND OTHER	4	263	1,029,500
ENGLISH AND OTHER (NOT FRENCH)	5	1,087	3,454,000
FRENCH AND OTHER (NOT ENGLISH)	6	32	141,500
NEITHER ENGLISH NOR FRENCH (OTHER)	7	38	164,500
NOT STATED	99	275	362,000
	Total	12,546	28,318,308

Variable Name SDC6_6A **Length** 1 **Position** 1904

Question Name SOCIO-Q6

Concept First language learned and still understood - English

Question What is the language that you first learned at home in childhood and can still understand? - English

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,646	17,425,000
NO	2	3,628	10,537,000
NOT STATED	9	272	356,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_6B **Length** 1 **Position** 1905
Question Name SOCIO-Q6
Concept First language learned and still understood - French
Question What is the language that you first learned at home in childhood and can still understand? - French
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,560	6,950,500
NO	2	9,714	21,011,500
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6C **Length** 1 **Position** 1906
Question Name SOCIO-Q6
Concept First language learned and still understood - Arabic
Question What is the language that you first learned at home in childhood and can still understand? - Arabic
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	18	89,000
NO	2	12,257	27,874,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name SDC6_6D **Length** 1 **Position** 1907
Question Name SOCIO-Q6
Concept First language learned and still understood - Chinese
Question What is the language that you first learned at home in childhood and can still understand? - Chinese
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	106	532,000
NO	2	12,168	27,430,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_6E **Length** 1 **Position** 1908
Question Name SOCIO-Q6
Concept First language learned and still understood - Cree
Question What is the language that you first learned at home in childhood and can still understand? - Cree
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	19	23,000
NO	2	12,255	27,939,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6F **Length** 1 **Position** 1909
Question Name SOCIO-Q6
Concept First language learned and still understood - German
Question What is the language that you first learned at home in childhood and can still understand? - German
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	231	411,000
NO	2	12,043	27,551,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6G **Length** 1 **Position** 1910
Question Name SOCIO-Q6
Concept First language learned and still understood - Greek
Question What is the language that you first learned at home in childhood and can still understand? - Greek
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	28	120,000
NO	2	12,246	27,842,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_6H **Length** 1 **Position** 1911
Question Name SOCIO-Q6
Concept First language learned and still understood - Hungarian
Question What is the language that you first learned at home in childhood and can still understand? - Hungarian
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	39	81,500
NO	2	12,235	27,880,500
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6I **Length** 1 **Position** 1912
Question Name SOCIO-Q6
Concept First language learned and still understood - Italian
Question What is the language that you first learned at home in childhood and can still understand? - Italian
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	139	553,000
NO	2	12,135	27,409,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6J **Length** 1 **Position** 1913
Question Name SOCIO-Q6
Concept First language learned and still understood - Korean
Question What is the language that you first learned at home in childhood and can still understand? - Korean
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	11,000
NO	2	12,273	27,952,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_6K **Length** 1 **Position** 1914
Question Name SOCIO-Q6
Concept First language learned and still understood - Persian
Question What is the language that you first learned at home in childhood and can still understand? - Persian (Farsi)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	39,500
NO	2	12,267	27,923,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name SDC6_6L **Length** 1 **Position** 1915
Question Name SOCIO-Q6
Concept First language learned and still understood - Polish
Question What is the language that you first learned at home in childhood and can still understand? - Polish
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	79	237,000
NO	2	12,195	27,725,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6M **Length** 1 **Position** 1916
Question Name SOCIO-Q6
Concept First language learned and still understood - Portuguese
Question What is the language that you first learned at home in childhood and can still understand? - Portuguese
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	45	201,500
NO	2	12,229	27,760,500
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_6N **Length** 1 **Position** 1917
Question Name SOCIO-Q6
Concept First language learned and still understood - Punjabi
Question What is the language that you first learned at home in childhood and can still understand? - Punjabi
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	40	228,500
NO	2	12,234	27,733,500
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6O **Length** 1 **Position** 1918
Question Name SOCIO-Q6
Concept First language learned and still understood - Spanish
Question What is the language that you first learned at home in childhood and can still understand? - Spanish
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	46	168,500
NO	2	12,228	27,793,500
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6P **Length** 1 **Position** 1919
Question Name SOCIO-Q6
Concept First language learned and still understood - Tagalog
Question What is the language that you first learned at home in childhood and can still understand? - Tagalog (Filipino)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	28	136,000
NO	2	12,247	27,827,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_6Q **Length** 1 **Position** 1920
Question Name SOCIO-Q6
Concept First language learned and still understood - Ukrainian
Question What is the language that you first learned at home in childhood and can still understand? - Ukrainian
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	141	193,500
NO	2	12,133	27,768,500
NOT STATED	9	272	356,000
Total		12,546	28,318,308

Variable Name SDC6_6R **Length** 1 **Position** 1921
Question Name SOCIO-Q6
Concept First language learned and still understood - Vietnamese
Question What is the language that you first learned at home in childhood and can still understand? - Vietnamese
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	61,000
NO	2	12,262	27,902,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name SDC6_6S **Length** 1 **Position** 1922
Question Name SOCIO-Q6
Concept First language learned and still understood - other
Question What is the language that you first learned at home in childhood and can still understand? - Other
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	370	1,364,000
NO	2	11,904	26,598,000
NOT STATED	9	272	356,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_7A	Length	1	Position	1923
Question Name	SOCIO-Q7				
Concept	Race or colour - White				
Question	How would you best describe your race or colour? - White				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		11,642	25,202,500
NO		2		631	2,759,500
REFUSAL		8		2	1,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	SDC6_7B	Length	1	Position	1924
Question Name	SOCIO-Q7				
Concept	Race or colour - Chinese				
Question	How would you best describe your race or colour? - Chinese				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		151	717,000
NO		2		12,122	27,245,000
REFUSAL		8		2	1,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_7C **Length** 1 **Position** 1925
Question Name SOCIO-Q7
Concept Race or colour - South Asian
Question How would you best describe your race or colour? - South Asian (e.g., East Indian, Pakistani, Punjabi, Sri Lankan)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	145	802,500
NO	2	12,128	27,159,500
REFUSAL	8	2	1,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name SDC6_7D **Length** 1 **Position** 1926
Question Name SOCIO-Q7
Concept Race or colour - Black
Question How would you best describe your race or colour? - Black
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	130	520,000
NO	2	12,143	27,441,500
REFUSAL	8	2	1,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6_7E **Length** 1 **Position** 1927
Question Name SOCIO-Q7
Concept Race or colour - Native / Aboriginal peoples of N. America
Question How would you best describe your race or colour? - Native / Aboriginal peoples of North America (North American Indian, Métis, Inuit / Eskimo)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	132	255,500
NO	2	12,141	27,706,000
REFUSAL	8	2	1,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name SDC6_7F **Length** 1 **Position** 1928
Question Name SOCIO-Q7
Concept Race or colour - Arab / West Asian
Question How would you best describe your race or colour? - Arab / West Asian (e. g. Armenian, Egyptian, Iranian, Lebanese, Moroccan)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	36	185,000
NO	2	12,237	27,776,500
REFUSAL	8	2	1,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_7G	Length	1	Position	1929
Question Name	SOCIO-Q7				
Concept	Race or colour - Filipino				
Question	How would you best describe your race or colour? - Filipino				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		43	201,500
NO		2		12,230	27,760,500
REFUSAL		8		2	1,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	SDC6_7H	Length	1	Position	1930
Question Name	SOCIO-Q7				
Concept	Race or colour - South East Asian				
Question	How would you best describe your race or colour? - South East Asian (e.g., Cambodian, Indonesian, Laotian, Vietnamese)				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		26	142,000
NO		2		12,247	27,819,500
REFUSAL		8		2	1,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_7I	Length	1	Position	1931
Question Name	SOCIO-Q7				
Concept	Race or colour - Latin American				
Question	How would you best describe your race or colour? - Latin American				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		28	116,500
NO		2		12,245	27,845,000
REFUSAL		8		2	1,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	SDC6_7J	Length	1	Position	1932
Question Name	SOCIO-Q7				
Concept	Race or colour - Japanese				
Question	How would you best describe your race or colour? - Japanese				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		13	38,500
NO		2		12,260	27,923,500
REFUSAL		8		2	1,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC6_7K	Length	1	Position	1933
Question Name	SOCIO-Q7				
Concept	Race or colour - Korean				
Question	How would you best describe your race or colour? - Korean				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		2	11,000
NO		2		12,271	27,950,500
REFUSAL		8		2	1,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	SDC6_7L	Length	1	Position	1934
Question Name	SOCIO-Q7				
Concept	Race or colour - other				
Question	How would you best describe your race or colour? - Other				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		8	18,000
NO		2		12,265	27,943,500
REFUSAL		8		2	1,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC6DRAC **Length** 2 **Position** 1935 - 1936

Question Name

Concept Race or colour - (D)

Question

Universe All respondents

Note Based on SDC6_7A to SDC6_7L. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WHITE	1	11,570	25,001,500
BLACK	2	113	470,500
KOREAN	3	2	11,000
FILIPINO	4	35	165,000
JAPANESE	5	10	29,500
CHINESE	6	141	678,500
ABORIGINAL PEOPLES OF NORTH AMERICA	7	101	185,000
SOUTH ASIAN	8	137	772,000
SOUTH EAST ASIAN	9	24	134,000
ARAB / WEST ASIAN	10	30	155,500
LATIN AMERICAN	11	23	99,000
MULTIPLE RACE CATEGORY	12	80	241,500
NOT STATED	99	280	374,500
Total		12,546	28,318,308

Variable Name EDC6_1 **Length** 1 **Position** 1937

Question Name EDUC-Q1

Concept Currently attending a school, college or university

Question Are you currently attending a school, college or university?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,403	4,304,000
NO	2	9,418	19,650,000
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC6_2 **Length** 1 **Position** 1938

Question Name EDUC-Q2

Concept Full-time or part-time student

Question Are you enrolled as a full-time student or a part-time student?

Universe Respondents who answered EDC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL-TIME	1	1,164	3,652,500
PART-TIME	2	239	651,000
NOT APPLICABLE	6	10,872	23,659,500
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

Variable Name EDC6_4 **Length** 2 **Position** 1939 - 1940

Question Name EDUC-Q4

Concept Number of years of elementary and high school completed

Question Excluding kindergarten, how many years of elementary and high school have you successfully completed?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	27	78,000
1 TO 5 YEARS	2	308	568,500
6 YEARS	3	302	623,000
7 YEARS	4	454	961,000
8 YEARS	5	773	1,517,500
9 YEARS	6	689	1,471,500
10 YEARS	7	1,127	2,321,500
11 YEARS	8	1,471	3,115,000
12 YEARS	9	4,582	9,731,500
13 YEARS	10	1,086	3,562,000
NOT APPLICABLE	96	1,397	3,949,500
DON'T KNOW	97	1	3,500
NOT STATED	99	329	415,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC6_5	Length	1	Position	1941
Question Name	EDUC-Q5				
Concept	Graduated from high school				
Question	Have you graduated from high school?				
Universe	Respondents aged 15 and over with some schooling				
Note					
Content		Code		Sample	Population
YES		1		6,393	14,918,000
NO		2		3,996	7,727,000
NOT APPLICABLE		6		1,827	5,254,000
NOT STATED		9		330	419,000
		Total		12,546	28,318,308

Variable Name	EDC6_6	Length	1	Position	1942
Question Name	EDUC-Q6				
Concept	Attended post-secondary institution				
Question	Have you ever attended any other kind of school such as a university, community college, business school, trade or vocational school, CEGEP or other post-secondary institution?				
Universe	Respondents aged 15 and over with some schooling				
Note					
Content		Code		Sample	Population
YES		1		5,832	13,168,500
NO		2		4,557	9,477,000
NOT APPLICABLE		6		1,827	5,254,000
NOT STATED		9		330	419,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC6_7 **Length** 2 **Position** 1943 - 1944
Question Name EDUC-Q7
Concept Highest level of post-secondary education attained
Question What is the highest level of education that you have attained?
Universe Respondents who answered EDC6_6=1 or respondents living in an institution

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SOME TRADE, TECHNICAL, BUSINESS COLLEGE	1	1,080	2,204,500
SOME COMM. COLLEGE, CEGEP, NURSING	2	869	2,181,500
SOME UNIVERSITY	3	595	1,346,500
DIPL./CERT.- TRADE, TECHNICAL, BUSINESS	4	1,028	2,080,000
DIPL./CERT.- COMM. COL., CEGEP, NURSING	5	747	1,787,000
BACHELOR DEGREE OR TEACHER'S COLL.	6	1,135	2,632,000
MASTER'S DEGREE	7	205	468,000
MEDICINE DEGREE/DDS/DMD/DVM/OD	8	33	75,000
EARNED DOCTORATE	9	61	189,000
OTHER	10	79	205,000
NOT APPLICABLE	96	6,384	14,731,000
NOT STATED	99	330	419,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC6D1 **Length** 2 **Position** 1945 - 1946

Question Name

Concept Highest level of education - 14 levels - (D)

Question

Universe Respondents aged 12 and over

Note Based on EDC6_4, EDC6_5, EDC6_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	27	78,000
ELEMENTARY SCHOOL	2	1,003	2,084,000
SOME SECONDARY SCHOOL	3	2,473	5,163,500
SECONDARY SCHOOL GRADUATION	4	1,484	3,456,500
OTHER POST-SECONDARY	5	79	205,000
SOME TRADE SCHOOL	6	1,080	2,204,500
SOME COMMUNITY COLLEGE	7	869	2,181,500
SOME UNIVERSITY	8	595	1,346,500
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,028	2,080,000
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	747	1,787,000
BACHELOR DEGREE	11	1,135	2,632,000
MASTER'S DEGREE	12	205	468,000
DEGREE IN MEDICINE	13	33	75,000
EARNED DOCTORATE	14	61	189,000
NOT APPLICABLE	96	1,397	3,949,500
NOT STATED	99	330	419,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC6D2 **Length** 2 **Position** 1947 - 1948

Question Name

Concept Highest level of education - 12 levels - (D)

Question

Universe Respondents aged 12 and over

Note Based on EDC6_4, EDC6_5, EDC6_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	27	78,000
ELEMENTARY SCHOOL	2	1,003	2,084,000
SOME SECONDARY SCHOOL	3	2,473	5,163,500
SECONDARY SCHOOL GRADUATION	4	1,484	3,456,500
OTHER POST-SECONDARY	5	79	205,000
SOME TRADE SCHOOL	6	1,080	2,204,500
SOME COMMUNITY COLLEGE	7	869	2,181,500
SOME UNIVERSITY	8	595	1,346,500
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,028	2,080,000
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	747	1,787,000
BACHELOR DEGREE	11	1,135	2,632,000
MASTER'S/DEGREE IN MEDICINE/DOCTORATE	12	299	732,000
NOT APPLICABLE	96	1,397	3,949,500
NOT STATED	99	330	419,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC6D3	Length	1	Position	1949
Question Name					
Concept	Highest level of education - 4 levels - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Based on EDC6_4, EDC6_5 and EDC6_7. See Derived Variables Documentation.				
Content		Code		Sample	Population
LESS THAN SECONDARY SCHOOL GRADUATION		1		3,532	7,350,000
SECONDARY SCHOOL GRADUATION		2		1,494	3,471,000
SOME POST-SECONDARY		3		2,628	5,943,000
POST-SECONDARY GRADUATION		4		3,218	7,242,500
NOT APPLICABLE		6		1,397	3,949,500
NOT STATED		9		277	362,500
		Total		12,546	28,318,308

Variable Name	EDC6D4	Length	1	Position	1950
Question Name					
Concept	Highest level of education - Household, 4 levels - (D)				
Question					
Universe	All respondents				
Note	Based on EDC6_4, EDC6_5 and EDC6_7. See Derived Variables Documentation.				
Content		Code		Sample	Population
LESS THAN SECONDARY SCHOOL GRADUATION		1		1,592	2,364,000
SECONDARY SCHOOL GRADUATION		2		804	1,589,000
SOME POST-SECONDARY		3		2,090	4,540,000
POST-SECONDARY GRADUATION		4		3,509	8,137,500
NOT APPLICABLE		6		3,990	10,672,500
NOT STATED		9		561	1,015,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC6DLF **Length** 1 **Position** 1951

Question Name

Concept Labour force activity of students - (D)

Question

Universe Respondents aged 15 to 75 with EDC6_1=1

Note Based on EDC6_1, EDC6_2, DHC6_AGE, LFC6_2, LFC6_61 to LFC6_63, LFC6_51M and LFC6_71M. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WORKED LAST 12 MTHS / SCHOOL FULL-TIME	1	508	1,648,000
WORKED LAST 12 MTHS / SCHOOL PART-TIME	2	213	583,500
DID NOT WORK / SCHOOL FULL-TIME	3	251	759,500
DID NOT WORK / SCHOOL PART-TIME	4	26	67,500
NOT APPLICABLE	6	11,273	24,877,000
NOT STATED	9	275	382,000
Total		12,546	28,318,308

Variable Name LFC6_2 **Length** 1 **Position** 1952

Question Name LFS-Q2

Concept Worked for pay or profit

Question Have you worked for pay or profit at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work.

Universe Respondents aged 15 to 75 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,630	15,802,000
NO	2	2,901	5,715,000
NOT APPLICABLE	6	2,744	6,446,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 629

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_41 **Length** 1 **Position** 1955
Question Name LFS-Q4.1
Concept Had job one year ago without break - job 1
Question Did you have that job one year ago without a break in employment since then? - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,174	12,431,500
NO	2	1,455	3,370,000
NOT APPLICABLE	6	5,645	12,161,000
NOT STATED	9	272	356,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_51M **Length** 2 **Position** 1956 - 1957
Question Name LFS-Q5.1
Concept Month started - job 1
Question When, in the past year, did you start working at this job or business? - Month - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	98	263,000
FEBRUARY	2	1,001	2,796,500
MARCH	3	314	898,000
APRIL	4	129	248,000
MAY	5	205	455,500
JUNE	6	1,554	3,276,500
JULY	7	156	404,000
AUGUST	8	1,463	3,150,000
SEPTEMBER	9	246	524,000
OCTOBER	10	107	332,000
NOVEMBER	11	1,203	3,046,500
DECEMBER	12	134	346,000
NOT APPLICABLE	96	5,645	12,161,000
DON'T KNOW	97	18	59,500
REFUSAL	98	1	1,500
NOT STATED	99	272	356,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_51D **Length** 2 **Position** 1958 - 1959
Question Name LFS-Q5.1
Concept Day started - job 1
Question When, in the past year, did you start working at this job or business? - Day - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	6,610	15,740,000
NOT APPLICABLE	96	5,645	12,161,000
DON'T KNOW	97	18	59,500
REFUSAL	98	1	1,500
NOT STATED	99	272	356,000
	Total	12,546	28,318,308

Variable Name LFC6_51Y **Length** 4 **Position** 1960 - 1963
Question Name LFS-Q5.1
Concept Year started - job 1
Question When, in the past year, did you start working at this job or business? - Year - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1995 - 1997	6,610	15,740,000
NOT APPLICABLE	9996	5,645	12,161,000
DON'T KNOW	9997	18	59,500
REFUSAL	9998	1	1,500
NOT STATED	9999	272	356,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 632

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_61 **Length** 1 **Position** 1964
Question Name LFS-Q6.1
Concept Has job now - job 1
Question Do you have that job now? - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,438	13,152,500
NO	2	1,171	2,587,000
NOT APPLICABLE	6	5,645	12,161,000
DON'T KNOW	7	1	1,000
NOT STATED	9	291	417,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_71M **Length** 2 **Position** 1965 - 1966
Question Name LFS-Q7.1
Concept Month stopped - job 1
Question When did you stop working at this job or business? - Month - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	83	178,000
FEBRUARY	2	991	2,796,500
MARCH	3	313	925,000
APRIL	4	87	216,500
MAY	5	125	291,500
JUNE	6	1,477	3,130,000
JULY	7	133	326,500
AUGUST	8	1,602	3,494,000
SEPTEMBER	9	249	518,000
OCTOBER	10	104	262,000
NOVEMBER	11	1,262	3,156,500
DECEMBER	12	174	424,000
NOT APPLICABLE	96	5,645	12,161,000
DON'T KNOW	97	8	19,000
REFUSAL	98	1	1,500
NOT STATED	99	292	417,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_71D **Length** 2 **Position** 1967 - 1968
Question Name LFS-Q7.1
Concept Day stopped - job 1
Question When did you stop working at this job or business? - Day - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	6,600	15,719,000
NOT APPLICABLE	96	5,645	12,161,000
DON'T KNOW	97	8	19,000
REFUSAL	98	1	1,500
NOT STATED	99	292	417,500
	Total	12,546	28,318,308

Variable Name LFC6_71Y **Length** 4 **Position** 1969 - 1972
Question Name LFS-Q7.1
Concept Year stopped - job 1
Question When did you stop working at this job or business? - Year - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1995 - 1997	6,600	15,719,000
NOT APPLICABLE	9996	5,645	12,161,000
DON'T KNOW	9997	8	19,000
REFUSAL	9998	1	1,500
NOT STATED	9999	292	417,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_81 **Length** 3 **Position** 1973 - 1975
Question Name LFS-Q8.1
Concept Hours usually worked per week - job 1
Question About how many hours per week do you usually work at this job? - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 99	6,574	15,666,000
NOT APPLICABLE	996	5,645	12,161,000
DON'T KNOW	997	19	43,000
NOT STATED	999	308	448,000
	Total	12,546	28,318,308

Variable Name LFC6_91 **Length** 2 **Position** 1976 - 1977
Question Name LFS-Q9.1
Concept Type of working hours - job 1
Question Which of the following best describes the hours you usually work at this job? - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR - DAYTIME SCHEDULE OR SHIFT	1	4,702	10,934,000
REGULAR - EVENING SHIFT	2	329	1,026,500
REGULAR - NIGHT SHIFT	3	115	292,500
ROTATING SHIFT	4	650	1,396,500
SPLIT SHIFT	5	44	128,000
ON CALL	6	126	335,000
IRREGULAR SCHEDULE	7	624	1,566,000
OTHER	8	9	39,500
NOT APPLICABLE	96	5,645	12,161,000
DON'T KNOW	97	1	1,000
NOT STATED	99	301	438,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_101 **Length** 1 **Position** 1978
Question Name LFS-Q10.1
Concept Usually works weekends - job 1
Question Do you usually work on weekends at this job? - Job 1
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,710	6,274,500
NO	2	3,890	9,444,500
NOT APPLICABLE	6	5,645	12,161,000
NOT STATED	9	301	438,000
Total		12,546	28,318,308

Variable Name LFC6_111 **Length** 1 **Position** 1979
Question Name LFS-Q11.1
Concept Worked other than job 1
Question Did you do any other work for pay or profit in the past 12 months?
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,195	2,800,500
NO	2	5,405	12,918,000
NOT APPLICABLE	6	5,645	12,161,000
NOT STATED	9	301	438,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC6FE2	Length	1	Position	1980
Question Name	LFS-Q3.2				
Concept	Flag for employer - job 2				
Question	For whom have you worked for pay or profit in the past 12 months? - Job 1				
Universe	Respondents who answered LFC6_111=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,193	2,795,500
NOT APPLICABLE		6		11,050	25,079,500
DON'T KNOW		7		2	5,500
NOT STATED		9		301	438,000
		Total		12,546	28,318,308

Variable Name	LFC6_42	Length	1	Position	1981
Question Name	LFS-Q4.2				
Concept	Had job one year ago without break - job 2				
Question	Did you have that job one year ago without a break in employment since then? - Job 2				
Universe	Respondents who answered LFC6_111=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		398	1,039,000
NO		2		797	1,761,500
NOT APPLICABLE		6		11,050	25,079,500
NOT STATED		9		301	438,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_52M **Length** 2 **Position** 1982 - 1983
Question Name LFS-Q5.2
Concept Month started - job 2
Question When, in the past year, did you start working at this job or business? - Month - Job 2
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	63	154,000
FEBRUARY	2	123	327,500
MARCH	3	56	137,000
APRIL	4	66	186,500
MAY	5	86	201,500
JUNE	6	204	483,500
JULY	7	85	196,500
AUGUST	8	175	401,000
SEPTEMBER	9	85	150,500
OCTOBER	10	65	146,500
NOVEMBER	11	149	326,500
DECEMBER	12	31	80,000
NOT APPLICABLE	96	11,050	25,079,500
DON'T KNOW	97	4	6,000
REFUSAL	98	3	4,500
NOT STATED	99	301	438,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_52D **Length** 2 **Position** 1984 - 1985
Question Name LFS-Q5.2
Concept Day started - job 2
Question When, in the past year, did you start working at this job or business? - Day - Job 2
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	1,188	2,790,500
NOT APPLICABLE	96	11,050	25,079,500
DON'T KNOW	97	4	6,000
REFUSAL	98	3	4,500
NOT STATED	99	301	438,000
	Total	12,546	28,318,308

Variable Name LFC6_52Y **Length** 4 **Position** 1986 - 1989
Question Name LFS-Q5.2
Concept Year started - job 2
Question When, in the past year, did you start working at this job or business? - Year - Job 2
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1995 - 1997	1,188	2,790,500
NOT APPLICABLE	9996	11,050	25,079,500
DON'T KNOW	9997	4	6,000
REFUSAL	9998	3	4,500
NOT STATED	9999	301	438,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_62 **Length** 1 **Position** 1990
Question Name LFS-Q6.2
Concept Has job now - job 2
Question Do you have that job now? - Job 2
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	720	1,699,500
NO	2	468	1,091,000
NOT APPLICABLE	6	11,050	25,079,500
NOT STATED	9	308	448,500
	Total	12,546	28,318,308

Variable Name LFC6_72M **Length** 2 **Position** 1991 - 1992
Question Name LFS-Q7.2
Concept Month stopped - job 2
Question When did you stop working at this job or business? - Month - Job 2
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	32	93,000
FEBRUARY	2	132	350,000
MARCH	3	71	166,000
APRIL	4	36	76,000
MAY	5	45	109,500
JUNE	6	229	519,500
JULY	7	41	70,000
AUGUST	8	248	578,500
SEPTEMBER	9	50	99,500
OCTOBER	10	51	161,000
NOVEMBER	11	193	423,500
DECEMBER	12	60	143,500
NOT APPLICABLE	96	11,050	25,079,500
NOT STATED	99	308	448,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_72D **Length** 2 **Position** 1993 - 1994

Question Name LFS-Q7.2

Concept Day stopped - job 2

Question When did you stop working at this job or business? - Day - Job 2

Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	1,188	2,790,500
NOT APPLICABLE	96	11,050	25,079,500
NOT STATED	99	308	448,500
	Total	12,546	28,318,308

Variable Name LFC6_72Y **Length** 4 **Position** 1995 - 1998

Question Name LFS-Q7.2

Concept Year stopped - job 2

Question When did you stop working at this job or business? - Year - Job 2

Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1995 - 1997	1,188	2,790,500
NOT APPLICABLE	9996	11,050	25,079,500
NOT STATED	9999	308	448,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_82 **Length** 3 **Position** 1999 - 2001
Question Name LFS-Q8.2
Concept Hours usually worked per week - job 2
Question About how many hours per week do you usually work at this job? - Job 2
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 99	1,172	2,768,500
NOT APPLICABLE	996	11,050	25,079,500
DON'T KNOW	997	6	7,000
REFUSAL	998	2	6,500
NOT STATED	999	316	456,500
	Total	12,546	28,318,308

Variable Name LFC6_92 **Length** 2 **Position** 2002 - 2003
Question Name LFS-Q9.2
Concept Type of working hours - job 2
Question Which of the following best describes the hours you usually work at this job? - Job 2
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR - DAYTIME SCHEDULE OR SHIFT	1	651	1,536,000
REGULAR - EVENING SHIFT	2	133	342,000
REGULAR - NIGHT SHIFT	3	39	81,000
ROTATING SHIFT	4	83	191,000
SPLIT SHIFT	5	6	7,500
ON CALL	6	57	155,000
IRREGULAR SCHEDULE	7	216	471,000
OTHER	8	3	7,000
NOT APPLICABLE	96	11,050	25,079,500
NOT STATED	99	308	448,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_102 **Length** 1 **Position** 2004
Question Name LFS-Q10.2
Concept Usually works weekends - job 2
Question Do you usually work on weekends at this job? - Job 2
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	633	1,455,000
NO	2	555	1,335,500
NOT APPLICABLE	6	11,050	25,079,500
NOT STATED	9	308	448,500
Total		12,546	28,318,308

Variable Name LFC6_112 **Length** 1 **Position** 2005
Question Name LFS-Q11.2
Concept Worked other than job 1 and job 2
Question Did you do any other work for pay or profit in the past 12 months?
Universe Respondents who answered LFC6_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	207	493,500
NO	2	981	2,297,000
NOT APPLICABLE	6	11,050	25,079,500
NOT STATED	9	308	448,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC6FE3	Length	1	Position	2006
Question Name	LFS-Q3.3				
Concept	Flag for employer - job 3				
Question	For whom else have you worked for pay or profit in the past 12 months? - Job 3				
Universe	Respondents who answered LFC6_112=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		206	492,000
NOT APPLICABLE		6		12,031	27,376,000
REFUSAL		8		1	2,000
NOT STATED		9		308	448,500
		Total		12,546	28,318,308

Variable Name	LFC6_43	Length	1	Position	2007
Question Name	LFS-Q4.3				
Concept	Had job one year ago without break - job 3				
Question	Did you have that job one year ago without a break in employment since then? - Job 3				
Universe	Respondents who answered LFC6_112=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		48	120,000
NO		2		159	373,500
NOT APPLICABLE		6		12,031	27,376,000
NOT STATED		9		308	448,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_53M **Length** 2 **Position** 2008 - 2009
Question Name LFS-Q5.3
Concept Month started - job 3
Question When, in the past year, did you start working at this job or business? - Month - Job 3
Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	9	22,000
FEBRUARY	2	14	43,500
MARCH	3	11	34,000
APRIL	4	11	27,500
MAY	5	21	52,500
JUNE	6	23	51,500
JULY	7	15	37,000
AUGUST	8	31	69,000
SEPTEMBER	9	18	38,000
OCTOBER	10	11	27,000
NOVEMBER	11	29	60,000
DECEMBER	12	13	31,500
NOT APPLICABLE	96	12,031	27,376,000
REFUSAL	98	1	1,000
NOT STATED	99	308	448,500
Total		12,546	28,318,308

Variable Name LFC6_53D **Length** 2 **Position** 2010 - 2011
Question Name LFS-Q5.3
Concept Day started - job 3
Question When, in the past year, did you start working at this job or business? - Day - Job 3
Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 30	206	493,000
NOT APPLICABLE	96	12,031	27,376,000
REFUSAL	98	1	1,000
NOT STATED	99	308	448,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_53Y **Length** 4 **Position** 2012 - 2015
Question Name LFS-Q5.3
Concept Year started - job 3
Question When, in the past year, did you start working at this job or business? -Year - Job 3
Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1995 - 1997	206	493,000
NOT APPLICABLE	9996	12,031	27,376,000
REFUSAL	9998	1	1,000
NOT STATED	9999	308	448,500
	Total	12,546	28,318,308

Variable Name LFC6_63 **Length** 1 **Position** 2016
Question Name LFS-Q6.3
Concept Has job now - job 3
Question Do you have that job now? - Job 3
Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	113	294,500
NO	2	93	199,000
NOT APPLICABLE	6	12,031	27,376,000
NOT STATED	9	309	449,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_73M **Length** 2 **Position** 2017 - 2018
Question Name LFS-Q7.3
Concept Month stopped - job 3
Question When did you stop working at this job or business? - Month - Job 3
Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	10	21,000
FEBRUARY	2	22	71,000
MARCH	3	14	31,000
APRIL	4	3	5,500
MAY	5	7	18,500
JUNE	6	44	104,500
JULY	7	9	24,500
AUGUST	8	35	82,500
SEPTEMBER	9	13	23,500
OCTOBER	10	7	13,000
NOVEMBER	11	31	80,000
DECEMBER	12	11	17,500
NOT APPLICABLE	96	12,031	27,376,000
NOT STATED	99	309	449,000
Total		12,546	28,318,308

Variable Name LFC6_73D **Length** 2 **Position** 2019 - 2020
Question Name LFS-Q7.3
Concept Day stopped - job 3
Question When did you stop working at this job or business? - Day - Job 3
Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	206	493,000
NOT APPLICABLE	96	12,031	27,376,000
NOT STATED	99	309	449,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_73Y **Length** 4 **Position** 2021 - 2024

Question Name LFS-Q7.3

Concept Year stopped - job 3

Question When did you stop working at this job or business? - Year - Job 3

Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1995 - 1997	206	493,000
NOT APPLICABLE	9996	12,031	27,376,000
NOT STATED	9999	309	449,000
	Total	12,546	28,318,308

Variable Name LFC6_83 **Length** 3 **Position** 2025 - 2027

Question Name LFS-Q8.3

Concept Hours usually worked per week - job 3

Question About how many hours per week do you usually work at this job? - Job 3

Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 85	202	480,500
NOT APPLICABLE	996	12,031	27,376,000
DON'T KNOW	997	1	7,000
NOT STATED	999	312	454,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_93 **Length** 2 **Position** 2028 - 2029
Question Name LFS-Q9.3
Concept Type of working hours - job 3
Question Which of the following best describes the hours you usually work at this job? - Job 3
Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR - DAYTIME SCHEDULE OR SHIFT	1	114	279,500
REGULAR - EVENING SHIFT	2	27	56,000
REGULAR - NIGHT SHIFT	3	4	8,500
ROTATING SHIFT	4	16	30,000
SPLIT SHIFT	5	1	2,500
ON CALL	6	8	37,000
IRREGULAR SCHEDULE	7	33	65,000
OTHER	8	3	14,500
NOT APPLICABLE	96	12,031	27,376,000
NOT STATED	99	309	449,000
	Total	12,546	28,318,308

Variable Name LFC6_103 **Length** 1 **Position** 2030
Question Name LFS-Q10.3
Concept Usually works weekends - job 3
Question Do you usually work on weekends at this job? - Job 3
Universe Respondents who answered LFC6_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	113	271,500
NO	2	93	221,500
NOT APPLICABLE	6	12,031	27,376,000
NOT STATED	9	309	449,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC6FMN	Length	1	Position	2031
Question Name					
Concept	Job number of main job				
Question					
Universe	Respondents who answered LFC6_2=1				
Note	If more than one job, the jobs are reordered in such a way that Job 1 is the most current job. If two jobs have the same stopdate, the startdate will determine the sort. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FIRST JOB		1		6,019	14,374,500
SECOND JOB		2		478	1,118,000
THIRD JOB		3		91	200,000
NOT APPLICABLE		6		5,645	12,161,000
NOT STATED		9		313	464,500
		Total		12,546	28,318,308

Variable Name	LFC6F13	Length	1	Position	2032
Question Name	LFS-Q13				
Concept	Flag for main job industry				
Question	Thinking about this job, what kind of business, service or industry is this? (For example, wheat farm, road maintenance, retail shoe store, secondary school, trapping.)				
Universe	Respondents who answered LFC6_2=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,574	15,662,500
NOT APPLICABLE		6		5,645	12,161,000
REFUSAL		8		1	5,500
NOT STATED		9		326	489,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6F14 **Length** 1 **Position** 2033

Question Name LFS-Q14

Concept Flag for main job occupation

Question Again, thinking about this job, what kind of work were you doing? (For example, medical lab technician, accounting clerk, secondary school teacher, supervisor of data entry unit, food processing labourer.)

Universe Respondents who answered LFC6_2=1

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,574	15,662,500
NOT APPLICABLE	6	5,645	12,161,000
DON'T KNOW	7	1	5,500
NOT STATED	9	326	489,000
Total		12,546	28,318,308

Variable Name LFC6F15 **Length** 1 **Position** 2034

Question Name LFS-Q15

Concept Flag for main job duties

Question In this work, what were your most important duties or activities? (For example, analysis of blood samples, verifying invoices, teaching mathematics, organizing work schedules, cleaning vegetables)

Universe Respondents who answered LFC6_2=1

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,573	15,659,000
NOT APPLICABLE	6	5,645	12,161,000
DON'T KNOW	7	1	4,000
REFUSAL	8	1	5,500
NOT STATED	9	326	489,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 652

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_16 **Length** 1 **Position** 2035
Question Name LFS-Q16
Concept Worked for others or in own business - main job
Question Did you work mainly for others for wages, salary, or commission or in your own business, farm or professional practice?
Universe Respondents who answered LFC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FOR OTHERS FOR WAGES, SALARY / COMMIS.	1	5,622	13,326,000
IN OWN BUSINESS FARM OR PROFES. PRACTICE	2	938	2,305,500
UNPAID FAMILY WORKER	3	13	30,000
NOT APPLICABLE	6	5,645	12,161,000
DON'T KNOW	7	1	1,000
REFUSAL	8	1	5,500
NOT STATED	9	326	489,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC6_17A	Length	2	Position	2036 - 2037
Question Name	LFS-Q17A				
Concept	Reason for not working - most recent period				
Question	What was the main reason that you were not working for pay or profit during the most recent period away from work in the past 12 months?				
Universe	Respondents who are currently employed but didn't work the full year				
Note	The gap away from work had to be at least 28 days for the question to be applicable.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	36	97,000
PREGNANCY	2	30	53,500
CARING FOR - OWN CHILDREN	3	36	57,000
CARING FOR - ELDER RELATIVES	4	1	1,000
OTHER PERSONAL OR FAMILY RESP.	5	21	54,500
SCHOOL OR EDUCATIONAL LEAVE	6	185	534,000
LABOUR DISPUTE	7	3	2,500
TEMPORARY LAYOFF - DUE TO SEASONAL COND.	8	75	99,000
TEMPORARY LAYOFF - NON-SEASONAL	9	47	101,000
PERMANENT LAYOFF	10	56	150,500
RETIRED	11	7	13,500
UNPAID OR PARTIALLY PAID LEAVE	12	2	4,000
LOOKING FOR WORK	13	106	259,000
DISABLED / RECOVERING FROM ILLNESS	14	7	23,000
RESIGNED	15	2	8,000
OTHER	16	8	27,500
NO PERIOD NOT WORKING FOR PAY OR PROFIT	17	14	34,000
NOT APPLICABLE	96	11,476	25,987,500
DON'T KNOW	97	1	3,500
NOT STATED	99	433	809,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6_17B **Length** 2 **Position** 2038 - 2039

Question Name LFS-Q17B

Concept Reason for not working - currently

Question What is the main reason that you are currently not working for pay or profit?

Universe Respondents who are not currently employed

Note The gap away from work had to be at least 28 days for the question to be applicable.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	433	834,500
PREGNANCY	2	24	47,500
CARING FOR - OWN CHILDREN	3	298	676,000
CARING FOR - ELDER RELATIVES	4	23	46,500
OTHER PERSONAL OR FAMILY RESP.	5	188	434,000
SCHOOL OR EDUCATIONAL LEAVE	6	420	1,175,500
LABOUR DISPUTE	7	2	1,000
TEMPORARY LAYOFF - DUE TO SEASONAL COND.	8	115	168,000
TEMPORARY LAYOFF - NON-SEASONAL	9	60	105,500
PERMANENT LAYOFF	10	121	293,000
RETIRED	11	1,612	2,776,000
UNPAID OR PARTIALLY PAID LEAVE	12	3	8,500
LOOKING FOR WORK	13	193	408,000
DISABLED / RECOVERING FROM ILLNESS	14	28	61,500
RESIGNED	15	16	33,000
OTHER	16	41	97,000
NO PERIOD NOT WORKING FOR PAY OR PROFIT	17	5	8,500
NOT APPLICABLE	96	8,622	20,617,500
DON'T KNOW	97	2	3,500
NOT STATED	99	340	523,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 655

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6CI97 **Length** 4 **Position** 2040 - 2043

Question Name

Concept Standard Industry Code (NAICS) for main job

Question

Universe Respondents who answered LFC6_2=1

Note Based on the North American Industry Classification System (NAICS) - 1997. This variable is conceptually the same as LFC6CSIC in Cycle 2 (1996).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	1100 - 9191	6,611	15,746,000
NOT APPLICABLE	9996	5,645	12,161,000
NOT STATED	9999	290	411,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6G116 **Length** 2 **Position** 2044 - 2045

Question Name

Concept Standard Industry Code for main job - 16 groups - (G)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6CI97 (North American Industry Classification System (NAICS) - 1997). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGRICULTURE	1	269	474,000
FORESTRY, FISHING, MINING, OIL AND GAS	2	188	302,000
UTILITIES	3	59	167,000
CONSTRUCTION	4	358	837,000
MANUFACTURING	5	753	2,159,500
TRADE	6	953	2,324,500
TRANSPORTATION AND WAREHOUSING	7	336	763,500
FINANCE, INSUR., REAL ESTATE AND LEASING	8	346	844,500
PROFESSIONAL, SCIENTIFIC AND TECH. SERV.	9	323	908,500
MANAGEMENT, ADMIN. AND OTHER SUPPORT	10	194	511,000
EDUCATIONAL SERVICES	11	543	1,152,500
HEALTH CARE AND SOCIAL ASSISTANCE	12	708	1,533,000
INFORMATION, CULTURE AND RECREATION	13	278	771,000
ACCOMMODATION AND FOOD SERVICES	14	436	1,150,500
OTHER SERVICES (EXCEPT PUBLIC ADMIN.)	15	368	889,000
PUBLIC ADMINISTRATION	16	499	958,000
NOT APPLICABLE	96	5,645	12,161,000
NOT STATED	99	290	411,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 657

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6CO91 **Length** 4 **Position** 2046 - 2049

Question Name

Concept Standard Occupation Code (SOC - 91) for main job

Question

Universe Respondents who answered LFC6_2=1

Note Based on the Standard Occupational Classification (SOC) - 1991. This variable is conceptually the same as LFC6CSOC in Cycle 2 (1996).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	A011 - J319	6,609	15,732,500
NOT APPLICABLE	9996	5,645	12,161,000
NOT STATED	9999	292	424,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6GO25 **Length** 2 **Position** 2050 - 2051

Question Name

Concept Standard Occupation Code for main job - 25 groups - (G)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	24	61,000
OTHER MANAGEMENT OCCUPATIONS	2	433	1,025,000
PROF. OCC. IN BUSINESS AND FINANCE	3	150	398,500
FINANCIAL/SECRETARIAL/ADMIN. OCC.	4	349	724,000
CLERICAL OCC. INCL. SUPERVISORS	5	783	1,868,500
NATURAL AND APPLIED SCIENCES	6	307	805,500
PROF. OCC. IN HEALTH/NURSE SUPERV.	7	176	412,500
TECHN. / ASSISTING IN HEALTH	8	178	337,000
OCC. IN SOCIAL SC./GOV. SERV./RELIGION	9	215	496,000
TEACHERS AND PROFESSORS	10	351	744,000
OCC. IN ART/CULTURE/RECREATION/SPORT	11	153	404,000
WHOLESALE/TECH/INSUR./REAL ESTATE/SALES	12	187	487,500
RETAIL SALES/CASHIERS	13	388	909,000
CHEFS/COOKS/OCCUPATIONS IN FOOD AND BEV.	14	233	570,500
OCCUPATIONS IN PROTECTIVE SERVICES	15	104	223,500
CHILDCARE AND HOME SUPPORT WORKERS	16	259	599,000
SALES/SERVICES OCCUPATIONS N.E.C.	17	572	1,574,000
CONTRACTORS/SUPER IN TRADES AND TRANSP.	18	68	207,000
CONSTRUCTION TRADES	19	128	279,500
OTHER TRADES OCCUPATIONS	20	315	805,500
TRANSPORTATION AND EQUIPMENT OPERATORS	21	258	580,500
TRADES HELPERS/CONST./TRANSP./RELATED	22	131	307,000
OCCUPATIONS UNIQUE TO PRIMARY INDUSTRY	23	414	705,500
MACHINE OPERATORS/ASSEMBLERS/SUPERVISORS	24	352	997,500
LABOURERS IN PROCESSING/MANUF. AND UTIL.	25	81	210,000
NOT APPLICABLE	96	5,645	12,161,000
NOT STATED	99	292	424,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6GO47 **Length** 2 **Position** 2052 - 2053

Question Name

Concept Standard Occupation Code for main job - 47 groups - (G)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	24	61,000
SPECIALIST MANAGERS	2	108	279,000
MANAGERS-RETAIL TRADE/FOOD/ACCOMM. SERV.	3	138	301,000
OTHER MANAGERS N.E.C.	4	187	444,500
PROF. OCC. IN BUSINESS AND FINANCE	5	150	398,500
FINANCE AND INSURANCE ADMIN. OCCUPATIONS	6	115	254,000
SECRETARIES	7	143	270,000
ADMIN. AND REGULATORY OCCUPATIONS	8	91	200,000
CLERICAL SUPERVISORS	9	56	126,000
CLERICAL OCCUPATIONS	10	727	1,742,500
PROF. OCC. IN NATURAL / APPLIED SCIENCES	11	170	462,000
TECH. OCC. IN NATURAL / APPLIED SCIENCES	12	137	343,500
PROFESSIONAL OCCUPATIONS IN HEALTH	13	65	182,000
NURSE SUPERVISORS AND REGISTERED NURSES	14	111	230,500
TECH. AND RELATED OCCUPATIONS IN HEALTH	15	62	127,500
ASSIST. OCC. IN SUPPORT OF HEALTH SERV.	16	116	209,500
PROF. IN SOCIAL SCI./GOV. SERV./RELIGION	17	124	277,000
TEACHERS AND PROFESSORS	18	351	744,000
TECH. IN SOCIAL SCI./GOV. SERV./RELIGION	19	91	219,000
PROFESSIONAL OCC. IN ART AND CULTURE	20	71	151,000
TECH. OCC. IN ART/CULTURE/RECR./SPORT	21	82	253,000
SALES AND SERVICE SUPERVISORS	22	75	168,500
WHOLESALE/TECH/INSUR./REAL ESTATE	23	187	487,500
RETAIL SALES AND SALES CLERKS	24	232	553,000
CASHIERS	25	115	268,000
CHEFS AND COOKS	26	92	239,000
OCCUPATIONS IN FOOD AND BEVERAGE SERVICE	27	125	293,000
OCCUPATIONS IN PROTECTIVE SERVICES	28	104	223,500
OCCUPATIONS IN TRAVEL AND ACCOMMODATION	29	55	142,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

CHILDCARE AND HOME SUPPORT WORKERS	30	259	599,000
SALES AND SERVICE OCCUPATIONS N.E.C.	31	499	1,390,500
CONTRACT./SUPERV. IN TRADES AND TRANSP.	32	68	207,000
CONSTRUCTION TRADES	33	128	279,500
STAT. ENG./POWER STAT./ELECTR./TELEC.	34	72	164,000
MACHINISTS/METAL FORM./SHAP./ERECT. OCC.	35	24	56,500
MECHANICS	36	174	430,000
OTHER TRADES N.E.C.	37	45	154,500
HEAVY EQUIPMENT OPER. INCL. DRILLERS	38	46	93,000
TRANSP. EQ. OPER./WORKERS EXCL. LABOUR	39	212	487,500
TRAD. HELP./CONSTR./TRANSP. LABOUR./REL.	40	131	307,000
OCC. UNIQUE TO AGRICULTURE/EXCL. LABOUR	41	238	435,500
OCC. UNIQUE TO EXTRACTION/EXCL. LABOUR	42	103	125,000
PRIMARY PRODUCTION LABOURERS	43	73	145,000
SUPERVISORS IN MANUFACTURING	44	59	159,500
MACHINE OPERATORS IN MANUFACTURING	45	220	613,500
ASSEMBLERS IN MANUFACTURING	46	73	224,500
LABOURERS IN PROCESSING/MANUFACT./UTIL.	47	81	210,000
NOT APPLICABLE	96	5,645	12,161,000
NOT STATED	99	292	424,500
Total		12,546	28,318,308

Variable Name	LFC6FWK	Length	1	Position	2054
----------------------	---------	---------------	---	-----------------	------

Question Name

Concept Work flag (used for processing only)

Question

Universe Respondents aged 15 to 75 living in a household

Note This flag is used to determine if currently working. However, if there is any non-response in the LFS section the value is set to 9. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAS CURRENT JOB	1	5,815	14,035,000
HAS NO CURRENT JOB	2	3,678	7,388,000
NOT APPLICABLE	6	2,744	6,446,500
NOT STATED	9	309	449,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6FGAP **Length** 1 **Position** 2055

Question Name

Concept Flag for jobless gap greater than 30 days

Question

Universe Respondents who answered LFC6_2=1

Note Flag indicating a jobless gap greater than 30 days. LFC6DGA measures a gap between jobs 1, 2 and / or 3. LFC6FGAP measures any jobless spell within the past 12 months, not only those between job 1, 2 and 3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,491	3,440,500
NO	2	5,101	12,267,500
NOT APPLICABLE	6	5,645	12,161,000
NOT STATED	9	309	449,000
Total		12,546	28,318,308

Variable Name LFC6DCWS **Length** 1 **Position** 2056

Question Name

Concept Working status in last 12 months - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LFC6_2, LFC6_61, LFC6_62, LFC6_63, LFC6_51M and LFC6_71M. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CURRENTLY WORKING	1	5,820	14,043,000
NOT CURR. WORK./WORKED AT JOB/PAST 12 M.	2	780	1,676,000
DID NOT WORK DURING LAST 12 MONTHS	3	2,901	5,715,000
WORKED LAST 12 MOS - UNKNOWN IF CURRENT	4	30	83,500
NOT APPLICABLE	6	2,744	6,446,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DDA **Length** 2 **Position** 2057 - 2058

Question Name

Concept Duration of work without break greater than 30 days - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on calculation of LFC6_7 (end date) minus LFC6_5 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	92	211,500
1 MONTH	1	195	480,000
2 MONTHS	2	213	464,500
3 MONTHS	3	156	352,000
4 MONTHS	4	144	359,500
5 MONTHS	5	137	272,500
6 MONTHS	6	101	216,000
7 MONTHS	7	108	230,500
8 MONTHS	8	93	217,500
9 MONTHS	9	89	183,000
10 MONTHS	10	102	272,000
11 MONTHS	11	88	230,000
12 MONTHS	12	5,074	12,219,000
NOT APPLICABLE	96	5,645	12,161,000
NOT STATED	99	309	449,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DHA **Length** 1 **Position** 2059

Question Name

Concept Pattern of working hours of all jobs - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6_2, LFC6_111, LFC6_112 (number of jobs), LFC6_81, LFC6_82, LFC6_83 (working hours at job 1, 2 and 3). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 JOB FULL-TIME	1	4,431	10,250,500
1 JOB PART-TIME	2	959	2,630,000
ONLY FULL-TIME AT ALL JOBS	3	419	959,500
ONLY PART-TIME AT ALL JOBS	4	226	598,000
SOME FULL-TIME, SOME PART-TIME	5	522	1,194,500
NOT APPLICABLE	6	5,645	12,161,000
NOT STATED	9	344	525,000
Total		12,546	28,318,308

Variable Name LFC6DJA **Length** 1 **Position** 2060

Question Name

Concept Number of jobs - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LFC6_2, LFC6_111 and LFC6_112. This variable was 2 bytes long in Cycle 1 (1994). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO JOBS	0	2,901	5,715,000
1 JOB	1	5,405	12,918,000
2 JOBS	2	981	2,297,000
3 JOBS	3	206	493,000
NOT APPLICABLE	6	2,744	6,446,500
NOT STATED	9	309	449,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DGA **Length** 1 **Position** 2061

Question Name

Concept Number of gaps of 30 days or more - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on all start and stop dates of jobs in the past 12 months. LFC6DGA measures a gap between jobs 1, 2 and/or 3. LFC6FGAP measures any jobless spell within the past 12 months, not only those between job 1, 2 and 3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO GAPS	0	6,309	15,054,500
1 GAP	1	246	548,500
2 GAPS	2	37	104,500
NOT APPLICABLE	6	5,645	12,161,000
NOT STATED	9	309	449,000
Total		12,546	28,318,308

Variable Name LFC6DJGA **Length** 2 **Position** 2062 - 2063

Question Name

Concept Pattern of number of jobs - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6DJA (number of jobs), LFC6DCWS (current work status), LFC6DGA (job gaps) and overlaps. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 JOB - CURRENTLY WORKING	1	4,782	11,570,000
1 JOB - NOT CURRENTLY WORKING	2	623	1,348,000
2+ JOBS - NO GAPS, NO OVERLAP	3	230	563,000
2+ JOBS - NO GAPS, SOME OVERLAP	4	674	1,573,500
2+ JOBS - AT LEAST 1 GAP, NO OVERLAP	5	270	613,000
2+ JOBS - AT LEAST 1 GAP, SOME OVERLAP	6	13	40,000
NOT APPLICABLE	96	5,645	12,161,000
NOT STATED	99	309	449,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DCMN **Length** 1 **Position** 2064

Question Name

Concept Main job is the current job - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6FMN (job number of main job), LFC6_61, LFC6_62 and LFC6_63. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,810	14,017,500
NO	2	778	1,675,000
NOT APPLICABLE	6	5,645	12,161,000
NOT STATED	9	313	464,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DDMN **Length** 2 **Position** 2065 - 2066

Question Name

Concept Work duration - main job - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6_71 (end date) minus LFC6_51 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	143	363,500
1 MONTH	1	240	540,500
2 MONTHS	2	264	631,500
3 MONTHS	3	206	433,500
4 MONTHS	4	173	429,000
5 MONTHS	5	155	320,500
6 MONTHS	6	134	289,500
7 MONTHS	7	132	310,500
8 MONTHS	8	104	255,500
9 MONTHS	9	90	196,500
10 MONTHS	10	108	270,500
11 MONTHS	11	91	217,500
12 MONTHS	12	4,748	11,434,500
NOT APPLICABLE	96	5,645	12,161,000
NOT STATED	99	313	464,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DHMN **Length** 1 **Position** 2067

Question Name

Concept Hours of work - main job - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6FMN (job number of main job) and LFC6_81 (number of hours worked). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)	1	5,273	12,187,500
PART TIME (LESS THAN 30 HOURS)	2	1,296	3,461,500
NOT APPLICABLE	6	5,645	12,161,000
NOT STATED	9	332	508,000
Total		12,546	28,318,308

Variable Name LFC6DTMN **Length** 2 **Position** 2068 - 2069

Question Name

Concept Type of working hours - main job - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6FMN (job number of main job), LFC6_91 to LFC6_93 (type of hours worked) and LFC6_101 to LFC6_103 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	3,517	8,461,500
REGULAR SHIFT - WITH WEEKEND	2	1,629	3,800,000
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	148	397,500
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	533	1,113,000
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	194	521,500
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	555	1,354,500
OTHER - NO WEEKEND	7	1	4,000
OTHER - WITH WEEKEND	8	10	40,500
NOT APPLICABLE	96	5,645	12,161,000
NOT STATED	99	314	465,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DD1 **Length** 2 **Position** 2070 - 2071

Question Name

Concept Work duration - job 1 - (D)

Question

Universe Respondents who answered LFC6_2=1

Note Based on LFC6_71 (end date) minus LFC6_51 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	131	325,000
1 MONTH	1	265	605,000
2 MONTHS	2	268	599,000
3 MONTHS	3	201	438,500
4 MONTHS	4	171	406,000
5 MONTHS	5	162	358,500
6 MONTHS	6	128	271,000
7 MONTHS	7	121	291,000
8 MONTHS	8	111	292,000
9 MONTHS	9	89	181,500
10 MONTHS	10	111	291,000
11 MONTHS	11	95	235,000
12 MONTHS	12	4,747	11,425,000
NOT APPLICABLE	96	5,645	12,161,000
NOT STATED	99	301	438,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DD2 **Length** 2 **Position** 2072 - 2073

Question Name

Concept Work duration - job 2 - (D)

Question

Universe Respondents who answered LFC6_111=1

Note Based on LFC6_72 (end date) minus LFC6_52 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	81	198,000
1 MONTH	1	102	210,500
2 MONTHS	2	111	281,000
3 MONTHS	3	103	209,500
4 MONTHS	4	83	232,000
5 MONTHS	5	60	145,000
6 MONTHS	6	62	140,500
7 MONTHS	7	59	109,500
8 MONTHS	8	39	88,500
9 MONTHS	9	36	89,500
10 MONTHS	10	34	90,000
11 MONTHS	11	19	29,000
12 MONTHS	12	399	966,500
NOT APPLICABLE	96	11,050	25,079,500
NOT STATED	99	308	448,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DD3 **Length** 2 **Position** 2074 - 2075

Question Name

Concept Work duration - job 3 - (D)

Question

Universe Respondents who answered LFC6_112=1

Note Based on LFC6_73 (end date) minus LFC6_53 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	24	60,500
1 MONTH	1	43	95,000
2 MONTHS	2	37	81,500
3 MONTHS	3	21	53,500
4 MONTHS	4	11	24,500
5 MONTHS	5	7	11,000
6 MONTHS	6	9	25,500
7 MONTHS	7	6	13,000
8 MONTHS	8	4	13,500
9 MONTHS	9	6	12,500
10 MONTHS	10	3	2,500
11 MONTHS	11	4	8,500
12 MONTHS	12	31	91,500
NOT APPLICABLE	96	12,031	27,376,000
NOT STATED	99	309	449,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC6DH1	Length	1	Position	2076
Question Name					
Concept	Hours of work - job 1 - (D)				
Question					
Universe	Respondents who answered LFC6_2=1				
Note	Based on LFC6_81 (number of hours worked). See Derived Variables Documentation.				
Content		Code		Sample	Population
FULL TIME (30 HOURS OR MORE)		1		5,236	12,098,500
PART TIME (LESS THAN 30 HOURS)		2		1,338	3,567,000
NOT APPLICABLE		6		5,645	12,161,000
NOT STATED		9		327	491,500
		Total		12,546	28,318,308

Variable Name	LFC6DH2	Length	1	Position	2077
Question Name					
Concept	Hours of work - job 2 - (D)				
Question					
Universe	Respondents who answered LFC6_111=1				
Note	Based on LFC6_82 (number of hours worked). See Derived Variables Documentation.				
Content		Code		Sample	Population
FULL TIME (30 HOURS OR MORE)		1		593	1,344,000
PART TIME (LESS THAN 30 HOURS)		2		579	1,424,500
NOT APPLICABLE		6		11,050	25,079,500
NOT STATED		9		324	470,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC6DH3	Length	1	Position	2078
Question Name					
Concept	Hours of work - job 3 - (D)				
Question					
Universe	Respondents who answered LFC6_112=1				
Note	Based on LFC6_83 (number of hours worked). See Derived Variables Documentation.				
Content		Code		Sample	Population
FULL TIME (30 HOURS OR MORE)		1		104	223,500
PART TIME (LESS THAN 30 HOURS)		2		98	257,000
NOT APPLICABLE		6		12,031	27,376,000
NOT STATED		9		313	461,500
		Total		12,546	28,318,308

Variable Name	LFC6DT1	Length	2	Position	2079 - 2080
Question Name					
Concept	Type of working hours - job 1 - (D)				
Question					
Universe	Respondents who answered LFC6_2=1				
Note	Based on LFC6_91 (type of hours worked) and LFC6_101 (whether usually worked weekends). See Derived Variables Documentation.				
Content		Code		Sample	Population
REGULAR SHIFT - NO WEEKEND		1		3,533	8,484,500
REGULAR SHIFT - WITH WEEKEND		2		1,613	3,768,500
ROTATING OR SPLIT SHIFT - NO WEEKEND		3		159	419,500
ROTATING OR SPLIT SHIFT - WITH WEEKEND		4		535	1,104,500
IRREG. / ON CALL SCHEDULE - NO WEEKEND		5		196	535,500
IRREG. / ON CALL SCHEDULE - WITH WEEKEND		6		554	1,365,500
OTHER - NO WEEKEND		7		1	4,000
OTHER - WITH WEEKEND		8		8	35,500
NOT APPLICABLE		96		5,645	12,161,000
NOT STATED		99		302	439,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 673

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DT2 **Length** 2 **Position** 2081 - 2082

Question Name

Concept Type of working hours - job 2 - (D)

Question

Universe Respondents who answered LFC6_111=1

Note Based on LFC6_92 (type of hours worked) and LFC6_102 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	469	1,142,500
REGULAR SHIFT - WITH WEEKEND	2	354	816,500
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	10	19,000
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	79	179,500
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	76	174,000
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	197	452,000
OTHER - WITH WEEKEND	8	3	7,000
NOT APPLICABLE	96	11,050	25,079,500
NOT STATED	99	308	448,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC6DT3 **Length** 2 **Position** 2083 - 2084

Question Name

Concept Type of working hours - job 3 - (D)

Question

Universe Respondents who answered LFC6_112=1

Note Based on LFC6_93 (type of hours worked) and LFC6_103 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	80	193,500
REGULAR SHIFT - WITH WEEKEND	2	65	150,500
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	3	2,500
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	14	30,000
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	8	14,500
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	33	87,500
OTHER - NO WEEKEND	7	2	11,500
OTHER - WITH WEEKEND	8	1	3,000
NOT APPLICABLE	96	12,031	27,376,000
NOT STATED	99	309	449,000
Total		12,546	28,318,308

Variable Name INC6F1 **Length** 1 **Position** 2085

Question Name

Concept Income questions asked of this H05 respondent

Question

Universe All respondents

Note See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,815	16,808,500
NO	2	4,460	11,154,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC6_1A	Length	1	Position	2086
Question Name	INCOM-Q1				
Concept	Source of income - wages and salaries				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Wages and salaries				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8,526	21,259,000
NO		2		3,638	6,430,500
DON'T KNOW		7		56	133,500
REFUSAL		8		53	139,000
NOT STATED		9		273	356,500
		Total		12,546	28,318,308

Variable Name	INC6_1B	Length	1	Position	2087
Question Name	INCOM-Q1				
Concept	Source of income - self-employment				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Income from self-employment				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,181	5,384,500
NO		2		9,931	22,250,000
NOT APPLICABLE		6		57	60,000
DON'T KNOW		7		53	130,500
REFUSAL		8		53	139,000
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6_1C **Length** 1 **Position** 2088

Question Name INCOM-Q1

Concept Source of income - dividends and interest

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Dividends and interest (e.g., on bonds, savings)

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,462	5,404,000
NO	2	9,702	22,285,500
DON'T KNOW	7	56	133,500
REFUSAL	8	53	139,000
NOT STATED	9	273	356,500
	Total	12,546	28,318,308

Variable Name INC6_1D **Length** 1 **Position** 2089

Question Name INCOM-Q1

Concept Source of income - unemployment insurance

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Unemployment insurance

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,611	2,968,000
NO	2	10,501	24,666,000
NOT APPLICABLE	6	57	60,000
DON'T KNOW	7	53	130,500
REFUSAL	8	53	139,000
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6_1E **Length** 1 **Position** 2090
Question Name INCOM-Q1
Concept Source of income - worker's compensation
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Worker's compensation
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	327	823,500
NO	2	11,785	26,810,500
NOT APPLICABLE	6	57	60,000
DON'T KNOW	7	53	130,500
REFUSAL	8	53	139,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name INC6_1F **Length** 1 **Position** 2091
Question Name INCOM-Q1
Concept Source of income - benefits from Can. / Que. Pension Plan
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Benefits from Canada or Quebec Pension Plan
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,645	4,367,500
NO	2	9,519	23,321,500
DON'T KNOW	7	56	133,500
REFUSAL	8	53	139,000
NOT STATED	9	273	356,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6_1I **Length** 1 **Position** 2094
Question Name INCOM-Q1
Concept Source of income - child tax benefit
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Tax Benefit
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,777	6,805,500
NO	2	9,335	20,828,500
NOT APPLICABLE	6	57	60,000
DON'T KNOW	7	53	130,500
REFUSAL	8	53	139,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name INC6_1J **Length** 1 **Position** 2095
Question Name INCOM-Q1
Concept Source of income - social assistance / welfare
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Provincial or municipal social assistance or welfare
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	895	2,075,500
NO	2	11,269	25,614,000
DON'T KNOW	7	56	133,500
REFUSAL	8	53	139,000
NOT STATED	9	273	356,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6_1K **Length** 1 **Position** 2096

Question Name INCOM-Q1

Concept Source of income - child support

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Support

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	387	957,500
NO	2	11,725	26,676,500
NOT APPLICABLE	6	57	60,000
DON'T KNOW	7	53	130,500
REFUSAL	8	53	139,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name INC6_1L **Length** 1 **Position** 2097

Question Name INCOM-Q1

Concept Source of income - alimony

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Alimony

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	44	95,500
NO	2	12,068	27,538,500
NOT APPLICABLE	6	57	60,000
DON'T KNOW	7	53	130,500
REFUSAL	8	53	139,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6_1M **Length** 1 **Position** 2098
Question Name INCOM-Q1
Concept Source of income - other
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Other (e.g., rental income, scholarships)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	674	1,475,500
NO	2	11,490	26,213,500
DON'T KNOW	7	56	133,500
REFUSAL	8	53	139,000
NOT STATED	9	273	356,500
Total		12,546	28,318,308

Variable Name INC6_1N **Length** 1 **Position** 2099
Question Name INCOM-Q1
Concept Source of income - none
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - None
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	29	59,500
NO	2	12,140	27,634,500
DON'T KNOW	7	53	130,500
REFUSAL	8	53	139,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6_3A **Length** 1 **Position** 2102

Question Name INCOM-Q3

Concept Total household income - < \$20,000 or >= \$20,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$20,000, \$20,000 or more or no income?

Universe Respondents who answered any one of INC6_1A to INC6_1M =1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$20,000	1	2,756	4,764,000
\$20,000 OR MORE	2	8,957	21,906,500
NO INCOME	3	11	31,500
NOT APPLICABLE	6	29	59,500
DON'T KNOW	7	270	619,500
REFUSAL	8	129	289,500
NOT STATED	9	394	647,500
Total		12,546	28,318,308

Variable Name INC6_3B **Length** 1 **Position** 2103

Question Name INCOM-Q3

Concept Total household income - < \$10,000 or >= \$10,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$10,000 or \$10,000 or more?

Universe Respondents who answered INC6_3A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$10,000	1	509	817,500
\$10,000 OR MORE	2	2,213	3,887,500
NOT APPLICABLE	6	8,997	21,997,500
DON'T KNOW	7	30	50,000
REFUSAL	8	4	8,500
NOT STATED	9	793	1,557,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6_3C **Length** 1 **Position** 2104

Question Name INCOM-Q3

Concept Total household income - < \$5,000 or >= \$5,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$5,000 or \$5,000 or more?

Universe Respondents who answered INC6_3B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$5,000	1	54	87,500
\$5,000 OR MORE	2	453	729,000
NOT APPLICABLE	6	11,210	25,885,500
DON'T KNOW	7	2	1,500
NOT STATED	9	827	1,615,000
	Total	12,546	28,318,308

Variable Name INC6_3D **Length** 1 **Position** 2105

Question Name INCOM-Q3

Concept Total household income - < \$15,000 or >= \$15,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$15,000 or \$15,000 or more?

Universe Respondents who answered INC6_3B=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$15,000	1	1,128	1,847,500
\$15,000 OR MORE	2	1,055	1,994,000
NOT APPLICABLE	6	9,506	22,815,500
DON'T KNOW	7	30	46,000
NOT STATED	9	827	1,615,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6_3E **Length** 1 **Position** 2106

Question Name INCOM-Q3

Concept Total household income - < \$40,000 or >= \$40,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$40,000 or \$40,000 or more?

Universe Respondents who answered INC6_3A=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$40,000	1	3,572	7,364,500
\$40,000 OR MORE	2	5,291	14,262,500
NOT APPLICABLE	6	2,796	4,855,000
DON'T KNOW	7	77	231,000
REFUSAL	8	17	48,500
NOT STATED	9	793	1,557,000
	Total	12,546	28,318,308

Variable Name INC6_3F **Length** 1 **Position** 2107

Question Name INCOM-Q3

Concept Total household income - < \$30,000 or >= \$30,000

Question What is your best estimate of the total income, before taxes and deductions, of all household members from all sources in the past 12 months? Was the total household income: - less than \$30,000 or \$30,000 or more?

Universe Respondents who answered INC6_3E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$30,000	1	1,659	3,188,500
\$30,000 OR MORE	2	1,881	4,117,000
NOT APPLICABLE	6	8,087	19,117,500
DON'T KNOW	7	31	58,000
REFUSAL	8	1	1,000
NOT STATED	9	887	1,836,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC6DIA4	Length	1	Position	2110
Question Name					
Concept	Income adequacy - 4 groups - (D)				
Question					
Universe	All respondents				
Note	Based on INC6_3A to INC6_3G and DHC6_MEM. See Derived Variables Documentation.				
Content		Code		Sample	Population
LOWEST INCOME		1		2,157	4,071,000
LOWER MIDDLE INCOME		2		3,724	8,074,000
UPPER MIDDLE INCOME		3		4,205	10,052,500
HIGHEST INCOME		4		1,414	3,889,000
NOT STATED		9		1,046	2,232,500
		Total		12,546	28,318,308

Variable Name	INC6DIA5	Length	1	Position	2111
Question Name					
Concept	Income adequacy - 5 groups - (D)				
Question					
Universe	All respondents				
Note	Based on INC6_3A to INC6_3G and DHC6_MEM. See Derived Variables Documentation.				
Content		Code		Sample	Population
LOWEST INCOME		1		593	1,062,500
LOWER MIDDLE INCOME		2		1,564	3,008,000
MIDDLE INCOME		3		3,724	8,074,000
UPPER MIDDLE INCOME		4		4,205	10,052,500
HIGHEST INCOME		5		1,414	3,889,000
NOT STATED		9		1,046	2,232,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC6DHH **Length** 2 **Position** 2112 - 2113

Question Name

Concept Total household income - All sources - (D)

Question

Universe All respondents

Note Based on INC6_3A to INC6_3G. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO INCOME	1	40	91,000
LESS THAN \$5,000	2	54	87,500
\$5,000 TO \$9,999	3	453	729,000
\$10,000 TO \$14,999	4	1,128	1,847,500
\$15,000 TO \$19,999	5	1,055	1,994,000
\$20,000 TO \$29,999	6	1,659	3,188,500
\$30,000 TO \$39,999	7	1,881	4,117,000
\$40,000 TO \$49,999	8	1,491	3,746,000
\$50,000 TO \$59,999	9	1,363	3,570,000
\$60,000 TO \$79,999	10	1,285	3,473,500
\$80,000 OR MORE	11	1,091	3,242,500
NOT STATED	99	1,046	2,232,500
	Total	12,546	28,318,308

Variable Name INC6CCPI **Length** 5.1 **Position** 2114 - 2118

Question Name

Concept Consumer Price Index

Question

Universe All respondents

Note Consumer Price Index - All items, not seasonally adjusted (1992 = 100). 2000 annual average = 105.9. See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INS6_4	Length	1	Position	2119
Question Name	SINCOM-Q4				
Concept	Household ran out of money to buy food				
Question	Thinking about the past 12 months, did your household ever run out of money to buy food?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		751	1,766,500
NO		2		11,464	26,119,500
NOT APPLICABLE		6		57	60,000
DON'T KNOW		7		1	9,500
REFUSAL		8		2	7,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	INS6_5	Length	1	Position	2120
Question Name	SINCOM-Q4A				
Concept	Received food from a charity				
Question	In the past 12 months, has anyone in your household received food from a food bank, soup kitchen or other charitable agency?				
Universe	Respondents who answered INS6_4=1				
Note					
Content		Code		Sample	Population
YES		1		212	423,000
NO		2		540	1,353,500
NOT APPLICABLE		6		11,521	26,179,500
REFUSAL		8		2	7,500
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INS6_6 **Length** 1 **Position** 2121
Question Name ABINC-Q1
Concept Description of food situation
Question Which of the following best describes the food situation in your household?
Universe Respondents who answered INS6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS ENOUGH FOOD TO EAT	1	251	669,000
SOMETIMES NOT ENOUGH FOOD TO EAT	2	422	905,500
OFTEN NOT ENOUGH FOOD TO EAT	3	79	201,500
NOT APPLICABLE	6	11,521	26,179,500
REFUSAL	8	2	7,500
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

Variable Name AM56_TEL **Length** 1 **Position** 2122
Question Name H05WR-TEL
Concept H05 interview by telephone or in person
Question Interviewer: Was this interview conducted on the telephone or in person?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ON TELEPHONE	1	11,640	26,773,000
IN PERSON	2	577	1,128,000
BOTH	3	1	3,000
NOT STATED	9	328	415,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM56_LNG **Length** 2 **Position** 2123 - 2124
Question Name H05WR-P2
Concept Interview language - H05
Question Interviewer: Record language of interview.
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,953	21,013,000
FRENCH	2	2,299	6,797,000
CHINESE	4	15	97,000
ITALIAN	9	1	6,500
POLISH	12	1	2,500
PORTUGUESE	13	4	26,000
VIETNAMESE	18	1	2,500
OTHER	19	1	19,000
NOT STATED	99	271	355,000
Total		12,546	28,318,308

Variable Name AM56_EDD **Length** 2 **Position** 2125 - 2126
Question Name
Concept Day of interview - H05 (end)
Question
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	12,262	27,926,500
NOT STATED	99	284	392,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM56_EMM	Length	2	Position	2127 - 2128
Question Name					
Concept	Month of interview - H05 (end)				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
JANUARY		1		9	15,000
FEBRUARY		2		2,591	6,641,000
MARCH		3		556	1,579,000
APRIL		4		15	34,500
MAY		5		102	226,500
JUNE		6		2,697	5,405,000
JULY		7		60	109,500
AUGUST		8		2,670	5,308,000
SEPTEMBER		9		213	422,500
OCTOBER		10		93	277,000
NOVEMBER		11		3,018	7,282,000
DECEMBER		12		238	625,500
NOT STATED		99		284	392,000
		Total		12,546	28,318,308

Variable Name	AM56_EYY	Length	4	Position	2129 - 2132
Question Name					
Concept	Year of interview - H05 (end)				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
1996		1996		8,933	19,234,500
1997		1997		3,342	8,729,000
NOT STATED		9999		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM66_STA	Length	1	Position	2133
Question Name					
Concept	Status of health form - H06				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
FULLY COMPLETE		1		12,275	27,963,500
NOT COMPLETE		2		271	355,000
		Total		12,546	28,318,308

Variable Name	AM66_BDD	Length	2	Position	2134 - 2135
Question Name					
Concept	Day of interview - H06 (start)				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
DAY OF THE MONTH		1 - 31		12,275	27,963,500
NOT STATED		99		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM66_BMM	Length	2	Position	2136 - 2137
Question Name					
Concept	Month of interview - H06 (start)				
Question					
Universe	All respondents				
Note					
Content	Code	Sample	Population		
JANUARY	1	10	17,000		
FEBRUARY	2	2,556	6,541,000		
MARCH	3	589	1,672,000		
APRIL	4	17	41,500		
MAY	5	103	220,500		
JUNE	6	2,696	5,426,500		
JULY	7	71	128,000		
AUGUST	8	2,644	5,252,000		
SEPTEMBER	9	239	479,000		
OCTOBER	10	80	229,000		
NOVEMBER	11	3,008	7,265,500		
DECEMBER	12	262	692,000		
NOT STATED	99	271	355,000		
Total		12,546	28,318,308		

Variable Name	AM66_BYY	Length	4	Position	2138 - 2141
Question Name					
Concept	Year of interview - H06 (start)				
Question					
Universe	All respondents				
Note					
Content	Code	Sample	Population		
1996	1996	8,933	19,234,500		
1997	1997	3,342	8,729,000		
NOT STATED	9999	271	355,000		
Total		12,546	28,318,308		

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM66_SRC **Length** 2 **Position** 2142 - 2143

Question Name

Concept Record number of person providing H06 information

Question

Universe All respondents

Note

Variable Name AM66_PXY **Length** 1 **Position** 2144

Question Name

Concept H06 completed by proxy

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PROXY	1	1,610	4,424,000
NON-PROXY	2	10,665	23,539,500
NOT STATED	9	271	355,000
Total		12,546	28,318,308

Variable Name AM66FR **Length** 1 **Position** 2145

Question Name

Concept Flag for reason for proxy - H06

Question

Universe Proxy respondents aged 12 and over living in a household

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	177	430,500
NOT APPLICABLE	6	12,097	27,532,500
DON'T KNOW	7	1	1,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHC6_1 **Length** 1 **Position** 2146

Question Name GH-Q1

Concept Respondent's self perceived general health

Question In general, would you say your health is:

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	3,203	8,035,000
VERY GOOD	2	4,747	10,748,000
GOOD	3	3,115	6,962,000
FAIR	4	937	1,728,500
POOR	5	273	490,500
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

Variable Name GHC6DHD1 **Length** 1 **Position** 2147

Question Name

Concept Health description index - (D)

Question

Universe All respondents

Note Based on GHC6_1. This variable lists the health description response categories in the reverse order of GHC6_1, starting at "0". Higher values indicate positive self-reported health status. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POOR	0	273	490,500
FAIR	1	937	1,728,500
GOOD	2	3,115	6,962,000
VERY GOOD	3	4,747	10,748,000
EXCELLENT	4	3,203	8,035,000
NOT STATED	9	271	355,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHK6_2	Length	1	Position	2148
Question Name	KGH-Q2				
Concept	Level of physical activity - children				
Question	In your opinion, how physically active is ... compared to other children of the same age and sex?				
Universe	Respondents aged 0 to 11 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MUCH MORE ACTIVE		1		164	461,500
MODERATELY MORE ACTIVE		2		323	972,000
EQUALLY ACTIVE		3		834	2,320,000
MODERATELY LESS ACTIVE		4		63	156,500
MUCH LESS ACTIVE		5		10	31,000
NOT APPLICABLE		6		10,881	24,022,000
NOT STATED		9		271	355,000
		Total		12,546	28,318,308

Variable Name	GHS6_11	Length	1	Position	2149
Question Name	SGH1-Q1				
Concept	Did something to improve health				
Question	In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise.)				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,825	10,986,000
NO		2		5,814	12,524,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		3	12,500
REFUSAL		8		1	1,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_12 **Length** 2 **Position** 2150 - 2151
Question Name SGH1-Q2
Concept Most important change to improve health
Question What is the single most important change you have made to improve your health?
Universe Respondents who answered GHS6_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INCREASED EXERCISE ETC.	1	2,903	6,825,000
LOST WEIGHT	2	740	1,537,500
CHANGED DIET OR EATING HABITS	3	582	1,339,500
QUIT SMOKING / REDUCED AMOUNT SMOKED	4	283	590,500
DRANK LESS ALCOHOL	5	28	42,500
RECEIVED MEDICAL TREATMENT	6	117	268,500
TOOK VITAMINS	7	88	196,000
OTHER	8	83	186,000
NOT APPLICABLE	96	7,268	16,533,500
DON'T KNOW	97	1	1,000
NOT STATED	99	453	799,000
Total		12,546	28,318,308

Variable Name GHS6_13 **Length** 1 **Position** 2152
Question Name SGH1-Q3
Concept Thinks something should be done to improve health
Question Do you think there is anything (else) you should do to improve your physical health?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,038	13,923,000
NO	2	4,582	9,561,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	19	25,500
NOT STATED	9	453	799,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_14 **Length** 2 **Position** 2153 - 2154

Question Name SGH1-Q4

Concept Most important thing to be done to improve health

Question What is the most important thing you think you should do to improve your physical health?

Universe Respondents who answered GHS6_13=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INCREASE EXERCISE	1	2,684	6,442,000
LOSE WEIGHT	2	963	1,949,000
IMPROVE EATING HABITS	3	934	2,258,500
QUIT SMOKING	4	1,187	2,533,500
TAKE VITAMINS	5	25	69,000
OTHER	6	243	669,000
NOT APPLICABLE	96	6,036	13,571,000
DON'T KNOW	97	1	2,000
REFUSAL	98	1	1,000
NOT STATED	99	472	824,500
	Total	12,546	28,318,308

Variable Name GHS6_15 **Length** 1 **Position** 2155

Question Name SGH1-Q5

Concept Barrier to improving health

Question Is there anything stopping you from making this improvement to your physical health?

Universe Respondents who answered GHS6_13=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,405	5,679,000
NO	2	3,629	8,239,500
NOT APPLICABLE	6	6,036	13,571,000
DON'T KNOW	7	4	5,000
NOT STATED	9	472	824,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_16A **Length** 1 **Position** 2156
Question Name SGH1-Q6
Concept Reason for no improvement - lack of will power
Question What is stopping you from making this change to improve your physical health? - Lack of will power / self-discipline
Universe Respondents who answered GHS6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,089	2,438,000
NO	2	1,316	3,241,000
NOT APPLICABLE	6	9,665	21,810,500
NOT STATED	9	476	829,000
Total		12,546	28,318,308

Variable Name GHS6_16B **Length** 1 **Position** 2157
Question Name SGH1-Q6
Concept Reason for no improvement - lack of time
Question What is stopping you from making this change to improve your physical health? - Lack of time
Universe Respondents who answered GHS6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	793	2,058,000
NO	2	1,612	3,621,000
NOT APPLICABLE	6	9,665	21,810,500
NOT STATED	9	476	829,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHS6_16C	Length	1	Position	2158
Question Name	SGH1-Q6				
Concept	Reason for no improvement - too tired				
Question	What is stopping you from making this change to improve your physical health? - Too tired				
Universe	Respondents who answered GHS6_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		108	292,000
NO		2		2,297	5,386,500
NOT APPLICABLE		6		9,665	21,810,500
NOT STATED		9		476	829,000
		Total		12,546	28,318,308

Variable Name	GHS6_16D	Length	1	Position	2159
Question Name	SGH1-Q6				
Concept	Reason for no improvement - too difficult				
Question	What is stopping you from making this change to improve your physical health? - Too difficult				
Universe	Respondents who answered GHS6_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		71	148,000
NO		2		2,334	5,531,000
NOT APPLICABLE		6		9,665	21,810,500
NOT STATED		9		476	829,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_16E **Length** 1 **Position** 2160

Question Name SGH1-Q6

Concept Reason for no improvement - too costly

Question What is stopping you from making this change to improve your physical health? - Too costly

Universe Respondents who answered GHS6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	108	257,000
NO	2	2,297	5,421,500
NOT APPLICABLE	6	9,665	21,810,500
NOT STATED	9	476	829,000
	Total	12,546	28,318,308

Variable Name GHS6_16F **Length** 1 **Position** 2161

Question Name SGH1-Q6

Concept Reason for no improvement - too stressed

Question What is stopping you from making this change to improve your physical health? - Too stressed

Universe Respondents who answered GHS6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	122	283,500
NO	2	2,283	5,395,500
NOT APPLICABLE	6	9,665	21,810,500
NOT STATED	9	476	829,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHS6_16G	Length	1	Position	2162
Question Name	SGH1-Q6				
Concept	Reason for no improvement - disability / health problem				
Question	What is stopping you from making this change to improve your physical health? - Disability / Health problem				
Universe	Respondents who answered GHS6_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		188	393,000
NO		2		2,217	5,285,500
NOT APPLICABLE		6		9,665	21,810,500
NOT STATED		9		476	829,000
		Total		12,546	28,318,308

Variable Name	GHS6_16H	Length	1	Position	2163
Question Name	SGH1-Q6				
Concept	Reason for no improvement - other				
Question	What is stopping you from making this change to improve your physical health? - Other reason				
Universe	Respondents who answered GHS6_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		175	395,000
NO		2		2,230	5,284,000
NOT APPLICABLE		6		9,665	21,810,500
NOT STATED		9		476	829,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_17 **Length** 1 **Position** 2164
Question Name SGH1-Q7
Concept Intending to improve health over next year
Question Is there anything you intend to do to improve your physical health in the next year?
Universe Respondents who answered GHS6_13=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,141	9,945,000
NO	2	1,852	3,877,500
NOT APPLICABLE	6	6,036	13,571,000
DON'T KNOW	7	43	95,000
REFUSAL	8	2	5,500
NOT STATED	9	472	824,500
	Total	12,546	28,318,308

Variable Name GHS6_18A **Length** 1 **Position** 2165
Question Name SGH1-Q8
Concept Health improvement over next year - more exercise
Question What do you intend to do to improve your physical health in the next year? - Start / Increase exercise
Universe Respondents who answered GHS6_17=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,684	6,544,000
NO	2	1,456	3,400,000
NOT APPLICABLE	6	7,888	17,448,500
DON'T KNOW	7	1	1,000
NOT STATED	9	517	924,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHS6_18B	Length	1	Position	2166
Question Name	SGH1-Q8				
Concept	Health improvement over next year - lose weight				
Question	What do you intend to do to improve your physical health in the next year? - Lose weight				
Universe	Respondents who answered GHS6_17=1				
Note					
Content		Code		Sample	Population
YES		1		796	1,703,500
NO		2		3,344	8,240,500
NOT APPLICABLE		6		7,888	17,448,500
DON'T KNOW		7		1	1,000
NOT STATED		9		517	924,500
		Total		12,546	28,318,308

Variable Name	GHS6_18C	Length	1	Position	2167
Question Name	SGH1-Q8				
Concept	Health improvement over next year - improve eating habits				
Question	What do you intend to do to improve your physical health in the next year? - Improve eating habits				
Universe	Respondents who answered GHS6_17=1				
Note					
Content		Code		Sample	Population
YES		1		799	1,859,000
NO		2		3,341	8,085,000
NOT APPLICABLE		6		7,888	17,448,500
DON'T KNOW		7		1	1,000
NOT STATED		9		517	924,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHS6_18D	Length	1	Position	2168
Question Name	SGH1-Q8				
Concept	Health improvement over next year - quit smoking				
Question	What do you intend to do to improve your physical health in the next year? - Quit smoking				
Universe	Respondents who answered GHS6_17=1				
Note					
Content		Code		Sample	Population
YES		1		563	1,285,500
NO		2		3,577	8,658,500
NOT APPLICABLE		6		7,888	17,448,500
DON'T KNOW		7		1	1,000
NOT STATED		9		517	924,500
		Total		12,546	28,318,308

Variable Name	GHS6_18E	Length	1	Position	2169
Question Name	SGH1-Q8				
Concept	Health improvement over next year - reduce amount smoked				
Question	What do you intend to do to improve your physical health in the next year? - Reduce amount smoked				
Universe	Respondents who answered GHS6_17=1				
Note					
Content		Code		Sample	Population
YES		1		47	89,000
NO		2		4,093	9,855,000
NOT APPLICABLE		6		7,888	17,448,500
DON'T KNOW		7		1	1,000
NOT STATED		9		517	924,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_18F **Length** 1 **Position** 2170
Question Name SGH1-Q8
Concept Health improvement over next year - manage stress
Question What do you intend to do to improve your physical health in the next year? - Learn to manage stress
Universe Respondents who answered GHS6_17=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	73	193,000
NO	2	4,067	9,751,000
NOT APPLICABLE	6	7,888	17,448,500
DON'T KNOW	7	1	1,000
NOT STATED	9	517	924,500
Total		12,546	28,318,308

Variable Name GHS6_18G **Length** 1 **Position** 2171
Question Name SGH1-Q8
Concept Health improvement over next year - reduce stress level
Question What do you intend to do to improve your physical health in the next year? - Reduce stress level
Universe Respondents who answered GHS6_17=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	72	161,500
NO	2	4,068	9,782,500
NOT APPLICABLE	6	7,888	17,448,500
DON'T KNOW	7	1	1,000
NOT STATED	9	517	924,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHS6_18H	Length	1	Position	2172
Question Name	SGH1-Q8				
Concept	Health improvement over next year - take vitamins				
Question	What do you intend to do to improve your physical health in the next year? - Take vitamins				
Universe	Respondents who answered GHS6_17=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		30	73,000
NO		2		4,110	9,871,000
NOT APPLICABLE		6		7,888	17,448,500
DON'T KNOW		7		1	1,000
NOT STATED		9		517	924,500
		Total		12,546	28,318,308

Variable Name	GHS6_18I	Length	1	Position	2173
Question Name	SGH1-Q8				
Concept	Health improvement over next year - other				
Question	What do you intend to do to improve your physical health in the next year? - Other				
Universe	Respondents who answered GHS6_17=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		150	436,000
NO		2		3,990	9,508,000
NOT APPLICABLE		6		7,888	17,448,500
DON'T KNOW		7		1	1,000
NOT STATED		9		517	924,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 709

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC6_4B **Length** 1 **Position** 2174
Question Name HTWT-Q1
Concept Currently pregnant
Question It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?
Universe Females aged 15 to 49 living in a household
Note Formerly HWC6_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	123	258,500
NO	2	3,268	7,239,500
NOT APPLICABLE	6	8,881	20,461,000
DON'T KNOW	7	1	1,000
NOT STATED	9	273	358,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC6_HT **Length** 2 **Position** 2175 - 2176
Question Name HTWT-Q2
Concept Height
Question How tall are you without shoes on?
Universe All respondents
Note Based on HWC6_2HT and GHK6_4HT.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1'11" (23 INCHES) (57.2 TO 59.6 CM)	13	1	1,000
2'0" (24 INCHES) (59.7 TO 62.1 CM)	14	4	16,500
2'1" (25 INCHES) (62.2 TO 64.7 CM)	15	2	5,500
2'2" (26 INCHES) (64.8 TO 67.2 CM)	16	3	8,500
2'3" (27 INCHES) (67.3 TO 69.8 CM)	17	1	5,000
2'4" (28 INCHES) (69.9 TO 72.3 CM)	18	3	9,000
2'5" (29 INCHES) (72.4 TO 74.8 CM)	19	4	12,500
2'6" (30 INCHES) (74.9 TO 77.4 CM)	20	20	64,000
2'7" (31 INCHES) (77.5 TO 79.9 CM)	21	4	16,000
2'8" (32 INCHES) (80.0 TO 82.5 CM)	22	10	14,500
2'9" (33 INCHES) (82.6 TO 85.0 CM)	23	13	24,500
2'10" (34 INCHES) (85.1 TO 87.5 CM)	24	5	8,500
2'11" (35 INCHES) (87.6 TO 90.1 CM)	25	14	39,500
3'0" (36 INCHES) (90.2 TO 92.6 CM)	26	83	228,500
3'1" (37 INCHES) (92.7 TO 95.2 CM)	27	32	77,000
3'2" (38 INCHES) (95.3 TO 97.7 CM)	28	41	115,000
3'3" (39 INCHES) (97.8 TO 100.2 CM)	29	31	83,500
3'4" (40 INCHES) (100.3 TO 102.8 CM)	30	40	131,500
3'5" (41 INCHES) (102.9 TO 105.3 CM)	31	43	100,000
3'6" (42 INCHES) (105.4 TO 107.9 CM)	32	82	238,500
3'7" (43 INCHES) (108.0 TO 110.4 CM)	33	29	100,500
3'8" (44 INCHES) (110.5 TO 112.9 CM)	34	35	108,500
3'9" (45 INCHES) (113.0 TO 115.5 CM)	35	36	86,000
3'10" (46 INCHES) (115.6 TO 118.0 CM)	36	18	58,000
3'11" (47 INCHES) (118.1 TO 120.6 CM)	37	31	96,000
4'0" (48 INCHES) (120.7 TO 123.1 CM)	38	207	574,000
4'1" (49 INCHES) (123.2 TO 125.6 CM)	39	37	126,000
4'2" (50 INCHES) (125.7 TO 128.2 CM)	40	55	159,000
4'3" (51 INCHES) (128.3 TO 130.7 CM)	41	38	120,000
4'4" (52 INCHES) (130.8 TO 133.3 CM)	42	50	154,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

4'5" (53 INCHES) (133.4 TO 135.8 CM)	43	43	115,000
4'6" (54 INCHES) (135.9 TO 138.3 CM)	44	67	208,000
4'7" (55 INCHES) (138.4 TO 140.9 CM)	45	32	78,000
4'8" (56 INCHES) (141.0 TO 143.4 CM)	46	61	156,500
4'9" (57 INCHES) (143.5 TO 146.0 CM)	47	45	103,500
4'10" (58 INCHES) (146.1 TO 148.5 CM)	48	93	200,500
4'11" (59 INCHES) (148.6 TO 151.0 CM)	49	175	417,000
5'0" (60 INCHES) (151.1 TO 153.6 CM)	50	519	1,089,500
5'1" (61 INCHES) (153.7 TO 156.1 CM)	51	467	975,500
5'2" (62 INCHES) (156.2 TO 158.7 CM)	52	927	1,923,500
5'3" (63 INCHES) (158.8 TO 161.2 CM)	53	854	1,775,500
5'4" (64 INCHES) (161.3 TO 163.7 CM)	54	1,049	2,102,500
5'5" (65 INCHES) (163.8 TO 166.3 CM)	55	903	1,886,500
5'6" (66 INCHES) (166.4 TO 168.8 CM)	56	1,018	2,272,000
5'7" (67 INCHES) (168.9 TO 171.4 CM)	57	868	1,884,500
5'8" (68 INCHES) (171.5 TO 173.9 CM)	58	937	2,108,500
5'9" (69 INCHES) (174.0 TO 176.4 CM)	59	622	1,549,500
5'10" (70 INCHES) (176.5 TO 179.0 CM)	60	794	1,933,500
5'11" (71 INCHES) (179.1 TO 181.5 CM)	61	613	1,392,000
6'0" (72 INCHES) (181.6 TO 184.1 CM)	62	478	1,227,500
6'1" (73 INCHES) (184.2 TO 186.6 CM)	63	240	532,500
6'2" (74 INCHES) (186.7 TO 189.1 CM)	64	196	490,500
6'3" (75 INCHES) (189.2 TO 191.7 CM)	65	75	190,500
6'4" (76 INCHES) (191.8 TO 194.2 CM)	66	48	152,000
6'5" (77 INCHES) (194.3 TO 196.8 CM)	67	8	22,000
6'6" (78 INCHES) (196.9 TO 199.3 CM)	68	8	15,000
6'7" (79 INCHES) (199.4 TO 201.8 CM)	69	2	3,500
6'9" (81 INCHES) (204.5 TO 206.9 CM)	71	1	1,000
NOT STATED	99	431	732,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC6_3LB **Length** 4 **Position** 2177 - 2180

Question Name HTWT-Q4

Concept Weight - pounds

Question How much do you weigh? - Pounds

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	20 - 390	12,056	27,509,000
DON'T KNOW	9997	95	145,500
REFUSAL	9998	48	122,500
NOT STATED	9999	347	541,500
	Total	12,546	28,318,308

Variable Name HWC6_3KG **Length** 4 **Position** 2181 - 2184

Question Name HTWT-Q4

Concept Weight - kilograms

Question How much do you weigh? - Kilograms

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	9 - 177	12,056	27,509,000
DON'T KNOW	9997	95	145,500
REFUSAL	9998	48	122,500
NOT STATED	9999	347	541,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC6DBMI **Length** 4.1 **Position** 2185 - 2188

Question Name

Concept Body Mass Index - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women

Note Based on HWC6_HT, HWC6_3KG and PHC6_4B (formerly HWC6_1). Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE - BODY MASS	14.1 - 94.0	7,599	17,484,500
NOT APPLICABLE	99.6	4,575	10,272,000
NOT STATED	99.9	372	561,500
Total		12,546	28,318,308

Variable Name HWC6DISW **Length** 2 **Position** 2189 - 2190

Question Name

Concept Standard weight (International standard) - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women

Note Based on HWC6_HT, HWC6_3KG and PHC6_4B (formerly HWC6_1). This variable is conceptually the same as HWC6DSW in Cycle 2 (1996). Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNDERWEIGHT	1	127	329,000
NORMAL WEIGHT	2	3,560	8,504,000
OVERWEIGHT	3	2,782	6,355,500
OBESE - CLASS 1	4	821	1,728,500
OBESE - CLASS 11	5	218	406,500
OBESE - CLASS 111	6	91	161,500
NOT APPLICABLE	96	4,575	10,272,000
NOT STATED	99	372	561,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HW_6_5	Length	1	Position	2191
Question Name	SHTWT-Q1				
Concept	Respondent's opinion of own weight				
Question	Do you consider yourself:				
Universe	Respondents aged 12 and over living in a household				
Note	Formerly HWS6_1.				
Content			Code	Sample	Population
OVERWEIGHT			1	4,348	9,040,000
UNDERWEIGHT			2	458	1,172,000
JUST ABOUT RIGHT			3	5,693	13,034,000
NOT APPLICABLE			6	1,454	4,009,500
DON'T KNOW			7	4	7,500
REFUSAL			8	1	7,000
NOT STATED			9	588	1,049,000
			Total	12,546	28,318,308

Variable Name	HW_6_8LB	Length	4	Position	2192 - 2195
Question Name	SHTWT-Q3				
Concept	Desired weight - pounds				
Question	How much would you like to weigh? - Pounds				
Universe	Respondents who answered HW_6_5=1 or 2				
Note	Formerly HWS6_2LB.				
Content			Code	Sample	Population
POUNDS			18 - 300	4,731	10,071,000
NOT APPLICABLE			9996	7,147	17,043,500
DON'T KNOW			9997	3	2,000
REFUSAL			9998	1	1,000
NOT STATED			9999	664	1,201,000
			Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HW_6_8KG	Length	4	Position	2196 - 2199
Question Name	SHTWT-Q3				
Concept	Desired weight - kilograms				
Question	How much would you like to weigh? - Kilograms				
Universe	Respondents who answered HW_6_5=1 or 2				
Note	Formerly HWS6_2KG.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
KILOGRAMS		8 - 136		4,731	10,071,000
NOT APPLICABLE		9996		7,147	17,043,500
DON'T KNOW		9997		3	2,000
REFUSAL		9998		1	1,000
NOT STATED		9999		664	1,201,000
		Total		12,546	28,318,308

Variable Name	HWS6_4	Length	2	Position	2200 - 2201
Question Name	SHTWT-Q4				
Concept	Most important thing done to follow a healthy diet				
Question	What is the most important thing you are doing to follow a healthy diet?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EATING - BALANCED MEALS / VARIETY FOODS		1		4,754	10,405,500
EATING - AT REGULAR INTERVALS		2		619	1,266,000
TAKING - VITAMIN SUPPLEMENTS		3		152	342,500
EATING - LESS RED MEAT		4		235	567,500
EATING - BREAKFAST		5		108	203,000
EATING - LOWER FAT FOODS		6		1,532	3,320,500
EATING MORE - VEGETABLES AND FRUITS		7		1,054	2,562,500
EATING MORE - GRAIN PRODUCTS		8		85	155,000
CUTTING BACK ON SWEET FOODS		9		466	1,006,500
NOTHING		10		1,324	2,982,500
OTHER		11		159	404,000
NOT APPLICABLE		96		1,454	4,009,500
DON'T KNOW		97		11	30,000
NOT STATED		99		593	1,063,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWS6_5 **Length** 1 **Position** 2202

Question Name SHTWT-Q5

Concept Skipping breakfast can control / reduce weight

Question Do you think that skipping breakfast is an effective way to control or reduce weight?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	312	783,000
NO	2	10,090	22,282,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	96	180,000
REFUSAL	8	1	1,000
NOT STATED	9	593	1,063,000
	Total	12,546	28,318,308

Variable Name PHC6_1 **Length** 1 **Position** 2203

Question Name ACC-Q10

Concept Ever had blood pressure taken

Question Have you ever had your blood pressure taken?

Universe Respondents aged 12 and over living in a household

Note Formerly BPC6_10.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,075	21,893,500
NO	2	559	1,602,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	7	23,500
REFUSAL	8	2	3,500
NOT STATED	9	449	786,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1B	Length	1	Position	2204
Question Name	ACC-Q12				
Concept	Last time blood pressure was taken				
Question	When was the last time you had your blood pressure taken?				
Universe	Respondents who answered PHC6_1=1				
Note	Formerly BPC6_12.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO		1		5,514	11,166,500
6 MONTHS TO LESS THAN 1 YEAR AGO		2		2,168	5,030,000
1 YEAR TO LESS THAN 2 YEARS AGO		3		1,324	3,161,500
2 YEARS TO LESS THAN 5 YEARS AGO		4		729	1,724,000
5 OR MORE YEARS AGO		5		309	729,000
NOT APPLICABLE		6		2,013	5,612,000
DON'T KNOW		7		31	82,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1CA	Length	1	Position	2205
Question Name	ACC-Q13				
Concept	Blood pressure taken - regular check-up				
Question	Why did you have your blood pressure taken? - Part of regular check-up				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,603	12,150,000
NO		2		3,425	7,266,000
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1CB	Length	1	Position	2206
Question Name	ACC-Q13				
Concept	Blood pressure taken - high b.p. / heart disease				
Question	Why did you have your blood pressure taken? - Have high blood pressure / heart disease				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		878	1,484,000
NO		2		8,150	17,932,500
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1CC	Length	1	Position	2207
Question Name	ACC-Q13				
Concept	Blood pressure taken - doctor always does it				
Question	Why did you have your blood pressure taken? - Doctor always does it to see if OK				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		618	1,127,500
NO		2		8,410	18,289,000
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1CD	Length	1	Position	2208
Question Name	ACC-Q13				
Concept	Blood pressure taken - health problem				
Question	Why did you have your blood pressure taken? - Health problem				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		943	2,143,000
NO		2		8,085	17,273,000
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1CE	Length	1	Position	2209
Question Name	ACC-Q13				
Concept	Blood pressure taken - age				
Question	Why did you have your blood pressure taken? - Age				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		64	111,000
NO		2		8,964	19,305,500
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1CF	Length	1	Position	2210
Question Name	ACC-Q13				
Concept	Blood pressure taken - job requirement				
Question	Why did you have your blood pressure taken? - Job requirement				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		175	429,500
NO		2		8,853	18,986,500
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1CG	Length	1	Position	2211
Question Name	ACC-Q13				
Concept	Blood pressure taken - pregnant				
Question	Why did you have your blood pressure taken? - Pregnant				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		183	388,500
NO		2		8,845	19,028,000
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1CH	Length	1	Position	2212
Question Name	ACC-Q13				
Concept	Blood pressure taken - in hospital for other reason				
Question	Why did you have your blood pressure taken? - Was in hospital / clinic for other reason				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		655	1,411,000
NO		2		8,373	18,005,500
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1CI	Length	1	Position	2213
Question Name	ACC-Q13				
Concept	Blood pressure taken - when donating blood				
Question	Why did you have your blood pressure taken? - When donating blood				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		51	100,000
NO		2		8,977	19,316,500
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1CJ	Length	1	Position	2214
Question Name	ACC-Q13				
Concept	Blood pressure taken - just for the "fun" of it				
Question	Why did you have your blood pressure taken? - Just for the "fun" of it				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		538	1,192,000
NO		2		8,490	18,224,500
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1CK	Length	1	Position	2215
Question Name	ACC-Q13				
Concept	Blood pressure taken - other reason				
Question	Why did you have your blood pressure taken? - Other				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_13K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		127	320,000
NO		2		8,901	19,096,000
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		9	24,000
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1D	Length	1	Position	2216
Question Name	ACC-Q14				
Concept	Had problems getting blood pressure test				
Question	Have you ever had any problems obtaining a blood pressure test?				
Universe	Respondents who answered PHC6_1B=1, 2 or 3				
Note	Formerly BPC6_14.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		14	21,000
NO		2		9,021	19,417,500
NOT APPLICABLE		6		3,051	8,065,000
DON'T KNOW		7		2	1,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1EA	Length	1	Position	2217
Question Name	ACC-Q15				
Concept	Blood pressure test - not available when required				
Question	What were the problems you had obtaining a blood pressure test? - Not available at time required				
Universe	Respondents who answered PHC6_1D=1				
Note	Formerly BPC6_15A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	10,000
NO		2		9	11,000
NOT APPLICABLE		6		12,072	27,482,500
NOT STATED		9		460	814,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1EB	Length	1	Position	2218
Question Name	ACC-Q15				
Concept	Blood pressure test - not available in area				
Question	What were the problems you had obtaining a blood pressure test? - Not available at all in the area				
Universe	Respondents who answered PHC6_1D=1				
Note	Formerly BPC6_15B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		13	20,500
NOT APPLICABLE		6		12,072	27,482,500
NOT STATED		9		460	814,500
		Total		12,546	28,318,308

Variable Name	PHC6_1EC	Length	1	Position	2219
Question Name	ACC-Q15				
Concept	Blood pressure test - waiting time too long				
Question	What were the problems you had obtaining a blood pressure test? - Waiting time was too long				
Universe	Respondents who answered PHC6_1D=1				
Note	Formerly BPC6_15C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	2,500
NO		2		11	18,500
NOT APPLICABLE		6		12,072	27,482,500
NOT STATED		9		460	814,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1ED	Length	1	Position	2220
Question Name	ACC-Q15				
Concept	Blood pressure test - transportation problems				
Question	What were the problems you had obtaining a blood pressure test? - Transportation problems				
Universe	Respondents who answered PHC6_1D=1				
Note	Formerly BPC6_15D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		14	21,000
NOT APPLICABLE		6		12,072	27,482,500
NOT STATED		9		460	814,500
		Total		12,546	28,318,308

Variable Name	PHC6_1EE	Length	1	Position	2221
Question Name	ACC-Q15				
Concept	Blood pressure test - language problem				
Question	What were the problems you had obtaining a blood pressure test? - Language problem				
Universe	Respondents who answered PHC6_1D=1				
Note	Formerly BPC6_15E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		14	21,000
NOT APPLICABLE		6		12,072	27,482,500
NOT STATED		9		460	814,500
		Total		12,546	28,318,308

Variable Name	PHC6_1EF	Length	1	Position	2222
Question Name	ACC-Q15				
Concept	Blood pressure test - cost				
Question	What were the problems you had obtaining a blood pressure test? - Cost				
Universe	Respondents who answered PHC6_1D=1				
Note	Formerly BPC6_15F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		14	21,000
NOT APPLICABLE		6		12,072	27,482,500
NOT STATED		9		460	814,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1EG	Length	1	Position	2223
Question Name	ACC-Q15				
Concept	Blood pressure test - did not know where to go				
Question	What were the problems you had obtaining a blood pressure test? - Did not know where to go / uninformed				
Universe	Respondents who answered PHC6_1D=1				
Note	Formerly BPC6_15G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		13	20,000
NOT APPLICABLE		6		12,072	27,482,500
NOT STATED		9		460	814,500
		Total		12,546	28,318,308

Variable Name	PHC6_1EH	Length	1	Position	2224
Question Name	ACC-Q15				
Concept	Blood pressure test - other problem				
Question	What were the problems you had obtaining a blood pressure test? - Other problem				
Universe	Respondents who answered PHC6_1D=1				
Note	Formerly BPC6_15H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	7,000
NO		2		10	14,500
NOT APPLICABLE		6		12,072	27,482,500
NOT STATED		9		460	814,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1FA	Length	1	Position	2225
Question Name	ACC-Q16				
Concept	Blood pressure not taken - have not gotten around to it				
Question	Why have you not had your blood pressure taken in the past 2 years? - Have not gotten around to it				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		514	1,265,000
NO		2		1,076	2,766,000
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1FB	Length	1	Position	2226
Question Name	ACC-Q16				
Concept	Blood pressure not taken - respondent didn't think necessary				
Question	Why have you not had your blood pressure taken in the past 2 years? - Respondent did not think it was necessary				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,019	2,566,500
NO		2		571	1,464,500
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC6_1FC **Length** 1 **Position** 2227
Question Name ACC-Q16
Concept Blood pressure not taken - doctor didn't think necessary
Question Why have you not had your blood pressure taken in the past 2 years? - Doctor did not think it was necessary
Universe Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5
Note Formerly BPC6_16C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	90	280,500
NO	2	1,500	3,751,000
NOT APPLICABLE	6	10,491	23,449,500
DON'T KNOW	7	7	24,500
NOT STATED	9	458	813,000
Total		12,546	28,318,308

Variable Name PHC6_1FD **Length** 1 **Position** 2228
Question Name ACC-Q16
Concept Blood pressure not taken - personal / fam. responsibilities
Question Why have you not had your blood pressure taken in the past 2 years? - Personal or family responsibilities
Universe Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5
Note Formerly BPC6_16D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	11,500
NO	2	1,585	4,020,000
NOT APPLICABLE	6	10,491	23,449,500
DON'T KNOW	7	7	24,500
NOT STATED	9	458	813,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1FE	Length	1	Position	2229
Question Name	ACC-Q16				
Concept	Blood pressure not taken - not available when required				
Question	Why have you not had your blood pressure taken in the past 2 years? - Not available at time required				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	4,000
NO		2		1,588	4,027,000
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1FF	Length	1	Position	2230
Question Name	ACC-Q16				
Concept	Blood pressure not taken - not available in area				
Question	Why have you not had your blood pressure taken in the past 2 years? - Not available at all in the area				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		1,590	4,031,000
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1FG	Length	1	Position	2231
Question Name	ACC-Q16				
Concept	Blood pressure not taken - waiting time too long				
Question	Why have you not had your blood pressure taken in the past 2 years? - Waiting time was too long				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	7,500
NO		2		1,587	4,023,500
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1FH	Length	1	Position	2232
Question Name	ACC-Q16				
Concept	Blood pressure not taken - transportation problems				
Question	Why have you not had your blood pressure taken in the past 2 years? - Transportation problems				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		1,590	4,031,000
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1FI	Length	1	Position	2233
Question Name	ACC-Q16				
Concept	Blood pressure not taken - language problem				
Question	Why have you not had your blood pressure taken in the past 2 years? - Language problem				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		1,589	4,030,000
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_1FJ	Length	1	Position	2234
Question Name	ACC-Q16				
Concept	Blood pressure not taken - cost				
Question	Why have you not had your blood pressure taken in the past 2 years? - Cost				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		1,590	4,031,000
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC6_1FK **Length** 1 **Position** 2235

Question Name ACC-Q16

Concept Blood pressure not taken - did not know where to go

Question Why have you not had your blood pressure taken in the past 2 years? - Did not know where to go / uninformed

Universe Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5

Note Formerly BPC6_16K.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	17,500
NO	2	1,584	4,013,500
NOT APPLICABLE	6	10,491	23,449,500
DON'T KNOW	7	7	24,500
NOT STATED	9	458	813,000
Total		12,546	28,318,308

Variable Name PHC6_1FL **Length** 1 **Position** 2236

Question Name ACC-Q16

Concept Blood pressure not taken - fear

Question Why have you not had your blood pressure taken in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)

Universe Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5

Note Formerly BPC6_16L.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	17,000
NO	2	1,582	4,014,000
NOT APPLICABLE	6	10,491	23,449,500
DON'T KNOW	7	7	24,500
NOT STATED	9	458	813,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_1FM	Length	1	Position	2237
Question Name	ACC-Q16				
Concept	Blood pressure not taken - other reason				
Question	Why have you not had your blood pressure taken in the past 2 years? - Other				
Universe	Respondents who answered PHC6_1=2 or PHC6_1B=4 or 5				
Note	Formerly BPC6_16M.				
Content		Code		Sample	Population
YES		1		41	123,000
NO		2		1,549	3,908,000
NOT APPLICABLE		6		10,491	23,449,500
DON'T KNOW		7		7	24,500
NOT STATED		9		458	813,000
		Total		12,546	28,318,308

Variable Name	PHC6_2	Length	1	Position	2238
Question Name	ACC-Q20				
Concept	Ever had PAP smear test				
Question	Have you ever had a PAP smear test?				
Universe	Females aged 18 and over living in a household				
Note	Formerly WHC6_20.				
Content		Code		Sample	Population
YES		1		4,947	9,395,000
NO		2		629	1,368,000
NOT APPLICABLE		6		6,631	17,048,500
DON'T KNOW		7		17	37,500
REFUSAL		8		2	1,000
NOT STATED		9		320	468,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2B	Length	1	Position	2239
Question Name	ACC-Q22				
Concept	Last time had PAP smear test				
Question	When was the last time you had a PAP smear test?				
Universe	Respondents who answered PHC6_2=1				
Note	Formerly WHC6_22.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO		1		1,199	2,384,500
6 MONTHS TO LESS THAN 1 YEAR AGO		2		1,434	2,915,500
1 YEAR TO LESS THAN 3 YEARS AGO		3		1,254	2,408,500
3 YEARS TO LESS THAN 5 YEARS AGO		4		307	501,500
5 OR MORE YEARS AGO		5		742	1,160,000
NOT APPLICABLE		6		7,260	18,416,500
DON'T KNOW		7		11	25,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2CA	Length	1	Position	2240
Question Name	ACC-Q23				
Concept	Had PAP smear - part of check-up				
Question	Why did you have a PAP smear test? - Part of regular check-up / routine screening				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,516	6,981,000
NO		2		378	746,500
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2CB	Length	1	Position	2241
Question Name	ACC-Q23				
Concept	Had PAP smear - high risk group				
Question	Why did you have a PAP smear test? - High risk group				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		41	92,500
NO		2		3,853	7,635,000
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2CC	Length	1	Position	2242
Question Name	ACC-Q23				
Concept	Had PAP smear - follow-up of previous problem				
Question	Why did you have a PAP smear test? - Follow-up of previous problem				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		158	279,500
NO		2		3,736	7,448,000
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2CD	Length	1	Position	2243
Question Name	ACC-Q23				
Concept	Had PAP smear - abnormal bleeding / other symptoms				
Question	Why did you have a PAP smear test? - Abnormal bleeding / other symptoms				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		57	112,500
NO		2		3,837	7,615,000
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2CE	Length	1	Position	2244
Question Name	ACC-Q23				
Concept	Had PAP smear - sexually active				
Question	Why did you have a PAP smear test? - Sexually active				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8	16,500
NO		2		3,886	7,711,000
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2CF	Length	1	Position	2245
Question Name	ACC-Q23				
Concept	Had PAP smear - on birth control pill				
Question	Why did you have a PAP smear test? - On birth control pill				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		41	120,500
NO		2		3,853	7,607,000
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2CG	Length	1	Position	2246
Question Name	ACC-Q23				
Concept	Had PAP smear - pregnant / after delivery				
Question	Why did you have a PAP smear test? - Pregnant / after delivery				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		138	243,000
NO		2		3,756	7,484,500
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2CH	Length	1	Position	2247
Question Name	ACC-Q23				
Concept	Had PAP smear - on hormone replacement therapy				
Question	Why did you have a PAP smear test? - On hormone replacement therapy				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23H.				
Content		Code		Sample	Population
YES		1		11	23,000
NO		2		3,883	7,704,500
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2CI	Length	1	Position	2248
Question Name	ACC-Q23				
Concept	Had PAP smear - other reason				
Question	Why did you have a PAP smear test? - Other				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_23I.				
Content		Code		Sample	Population
YES		1		25	62,000
NO		2		3,869	7,665,500
NOT APPLICABLE		6		8,309	20,078,000
DON'T KNOW		7		4	6,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2D	Length	1	Position	2249
Question Name	ACC-Q24				
Concept	Had problems getting a PAP smear test				
Question	Have you ever had any problems obtaining a PAP smear test?				
Universe	Respondents who answered PHC6_2B=1, 2 or 3				
Note	Formerly WHC6_24.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		21	29,000
NO		2		3,877	7,704,500
NOT APPLICABLE		6		8,309	20,078,000
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2EA	Length	1	Position	2250
Question Name	ACC-Q25				
Concept	PAP smear - not available when required				
Question	What were the problems obtaining a PAP smear test? - Not available at time required				
Universe	Respondents who answered PHC6_2D=1				
Note	Formerly WHC6_25A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	2,000
NO		2		19	27,000
NOT APPLICABLE		6		12,186	27,782,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2EB	Length	1	Position	2251
Question Name	ACC-Q25				
Concept	PAP smear - not available in area				
Question	What were the problems obtaining a PAP smear test? - Not available at all in the area				
Universe	Respondents who answered PHC6_2D=1				
Note	Formerly WHC6_25B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		21	29,000
NOT APPLICABLE		6		12,186	27,782,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2EC	Length	1	Position	2252
Question Name	ACC-Q25				
Concept	PAP smear - waiting time too long				
Question	What were the problems obtaining a PAP smear test? - Waiting time was too long				
Universe	Respondents who answered PHC6_2D=1				
Note	Formerly WHC6_25C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10	15,000
NO		2		11	14,000
NOT APPLICABLE		6		12,186	27,782,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2ED	Length	1	Position	2253
Question Name	ACC-Q25				
Concept	PAP smear - transportation problems				
Question	What were the problems obtaining a PAP smear test? - Transportation problems				
Universe	Respondents who answered PHC6_2D=1				
Note	Formerly WHC6_25D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		21	29,000
NOT APPLICABLE		6		12,186	27,782,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2EE	Length	1	Position	2254
Question Name	ACC-Q25				
Concept	PAP smear - language problem				
Question	What were the problems obtaining a PAP smear test? - Language problem				
Universe	Respondents who answered PHC6_2D=1				
Note	Formerly WHC6_25E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		21	29,000
NOT APPLICABLE		6		12,187	27,783,500
NOT STATED		9		338	505,500
		Total		12,546	28,318,308

Variable Name	PHC6_2EF	Length	1	Position	2255
Question Name	ACC-Q25				
Concept	PAP smear - cost				
Question	What were the problems obtaining a PAP smear test? - Cost				
Universe	Respondents who answered PHC6_2D=1				
Note	Formerly WHC6_25F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		21	29,000
NOT APPLICABLE		6		12,186	27,782,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2EG	Length	1	Position	2256
Question Name	ACC-Q25				
Concept	PAP smear - did not know where to go				
Question	What were the problems obtaining a PAP smear test? - Did not know where to go / uninformed				
Universe	Respondents who answered PHC6_2D=1				
Note	Formerly WHC6_25G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	2,500
NO		2		20	26,500
NOT APPLICABLE		6		12,186	27,782,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2EH	Length	1	Position	2257
Question Name	ACC-Q25				
Concept	PAP smear - other problem				
Question	What were the problems obtaining a PAP smear test? - Other				
Universe	Respondents who answered PHC6_2D=1				
Note	Formerly WHC6_25H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8	9,500
NO		2		13	19,500
NOT APPLICABLE		6		12,186	27,782,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2FA	Length	1	Position	2258
Question Name	ACC-Q26				
Concept	No PAP smear - have not gotten around to it				
Question	Why have you not had a PAP smear test in the past 3 years? - Have not gotten around to it				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		395	636,000
NO		2		1,272	2,362,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC6_2FB **Length** 1 **Position** 2259
Question Name ACC-Q26
Concept No PAP smear - respondent didn't think necessary
Question Why have you not had a PAP smear test in the past 3 years? - Respondent did not think it was necessary
Universe Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5
Note Formerly WHC6_26B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	820	1,539,000
NO	2	847	1,459,500
NOT APPLICABLE	6	10,529	24,782,000
DON'T KNOW	7	8	19,500
REFUSAL	8	3	11,500
NOT STATED	9	339	506,500
	Total	12,546	28,318,308

Variable Name PHC6_2FC **Length** 1 **Position** 2260
Question Name ACC-Q26
Concept No PAP smear - doctor didn't think necessary
Question Why have you not had a PAP smear test in the past 3 years? - Doctor did not think it was necessary
Universe Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5
Note Formerly WHC6_26C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	297	493,000
NO	2	1,370	2,505,500
NOT APPLICABLE	6	10,529	24,782,000
DON'T KNOW	7	8	19,500
REFUSAL	8	3	11,500
NOT STATED	9	339	506,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2FD	Length	1	Position	2261
Question Name	ACC-Q26				
Concept	No PAP smear - personal / family responsibilities				
Question	Why have you not had a PAP smear test in the past 3 years? - Personal or family responsibilities				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7	21,000
NO		2		1,660	2,977,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2FE	Length	1	Position	2262
Question Name	ACC-Q26				
Concept	No PAP smear - not available when required				
Question	Why have you not had a PAP smear test in the past 3 years? - Not available at time required				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	4,500
NO		2		1,665	2,994,000
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2FF	Length	1	Position	2263
Question Name	ACC-Q26				
Concept	No PAP smear - not available in area				
Question	Why have you not had a PAP smear test in the past 3 years? - Not available at all in the area				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26F.				
Content		Code		Sample	Population
NO		2		1,667	2,998,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2FG	Length	1	Position	2264
Question Name	ACC-Q26				
Concept	No PAP smear - waiting time too long				
Question	Why have you not had a PAP smear test in the past 3 years? - Waiting time was too long				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26G.				
Content		Code		Sample	Population
YES		1		3	2,000
NO		2		1,664	2,996,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2FH	Length	1	Position	2265
Question Name	ACC-Q26				
Concept	No PAP smear - transportation problems				
Question	Why have you not had a PAP smear test in the past 3 years? - Transportation problems				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		1,666	2,998,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2FI	Length	1	Position	2266
Question Name	ACC-Q26				
Concept	No PAP smear - language problem				
Question	Why have you not had a PAP smear test in the past 3 years? - Language problem				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	6,000
NO		2		1,665	2,992,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2FJ	Length	1	Position	2267
Question Name	ACC-Q26				
Concept	No PAP smear - cost				
Question	Why have you not had a PAP smear test in the past 3 years? - Cost				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26J.				
Content		Code		Sample	Population
NO		2		1,667	2,998,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2FK	Length	1	Position	2268
Question Name	ACC-Q26				
Concept	No PAP smear - did not know where to go				
Question	Why have you not had a PAP smear test in the past 3 years? - Did not know where to go / uninformed				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26K.				
Content		Code		Sample	Population
YES		1		10	38,000
NO		2		1,657	2,960,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC6_2FL **Length** 1 **Position** 2269
Question Name ACC-Q26
Concept No PAP smear - fear
Question Why have you not had a PAP smear test in the past 3 years? - Fear (e. g. painful, embarrassing, find something wrong, etc.)
Universe Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5
Note Formerly WHC6_26L.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	51	89,500
NO	2	1,616	2,909,000
NOT APPLICABLE	6	10,529	24,782,000
DON'T KNOW	7	8	19,500
REFUSAL	8	3	11,500
NOT STATED	9	339	506,500
Total		12,546	28,318,308

Variable Name PHC6_2FM **Length** 1 **Position** 2270
Question Name ACC-Q26
Concept No PAP smear - hysterectomy
Question Why have you not had a PAP smear test in the past 3 years? - Have had hysterectomy
Universe Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5
Note Formerly WHC6_26M.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	123	209,500
NO	2	1,544	2,789,000
NOT APPLICABLE	6	10,529	24,782,000
DON'T KNOW	7	8	19,500
REFUSAL	8	3	11,500
NOT STATED	9	339	506,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_2FN	Length	1	Position	2271
Question Name	ACC-Q26				
Concept	No PAP smear - hate / dislike having one done				
Question	Why have you not had a PAP smear test in the past 3 years? - Hate / dislike having one done				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26N.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		28	41,000
NO		2		1,639	2,957,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

Variable Name	PHC6_2FO	Length	1	Position	2272
Question Name	ACC-Q26				
Concept	No PAP smear - other reason				
Question	Why have you not had a PAP smear test in the past 3 years? - Other				
Universe	Respondents who answered PHC6_2=2 or PHC6_2B=4 or 5				
Note	Formerly WHC6_26O.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		43	83,000
NO		2		1,624	2,915,500
NOT APPLICABLE		6		10,529	24,782,000
DON'T KNOW		7		8	19,500
REFUSAL		8		3	11,500
NOT STATED		9		339	506,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3	Length	1	Position	2273
Question Name	ACC-Q30				
Concept	Ever had mammogram				
Question	Have you ever had a mammogram, that is, a breast x-ray?				
Universe	Females aged 35 and over living in a household				
Note	Formerly WHC6_30.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,372	4,534,500
NO		2		1,657	2,962,500
NOT APPLICABLE		6		8,205	20,376,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	1,000
NOT STATED		9		306	439,000
		Total		12,546	28,318,308

Variable Name	PHC6_3B	Length	1	Position	2274
Question Name	ACC-Q32				
Concept	Last time mammogram was done				
Question	When was the last time you had a mammogram?				
Universe	Respondents who answered PHC6_3=1				
Note	Formerly WHC6_32.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO		1		449	850,500
6 MONTHS TO LESS THAN 1 YEAR AGO		2		593	1,212,500
1 YEAR TO LESS THAN 2 YEARS AGO		3		582	1,085,000
2 YEARS TO LESS THAN 5 YEARS AGO		4		448	812,500
5 OR MORE YEARS AGO		5		298	572,500
NOT APPLICABLE		6		9,862	23,338,500
DON'T KNOW		7		2	1,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3CA	Length	1	Position	2275
Question Name	ACC-Q33				
Concept	Had mammogram - family history				
Question	Why did you have a mammogram? - Family history of breast cancer				
Universe	Respondents who answered PHC6_3B=1, 2 or 3				
Note	Formerly WHC6_33A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		162	285,500
NO		2		1,463	2,863,500
NOT APPLICABLE		6		10,608	24,723,000
DON'T KNOW		7		1	1,000
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3CB	Length	1	Position	2276
Question Name	ACC-Q33				
Concept	Had mammogram - regular check-up				
Question	Why did you have a mammogram? - Part of regular check-up / routine screening				
Universe	Respondents who answered PHC6_3B=1, 2 or 3				
Note	Formerly WHC6_33B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,174	2,320,000
NO		2		451	829,500
NOT APPLICABLE		6		10,608	24,723,000
DON'T KNOW		7		1	1,000
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3CC	Length	1	Position	2277
Question Name	ACC-Q33				
Concept	Had mammogram - age				
Question	Why did you have a mammogram? - Age				
Universe	Respondents who answered PHC6_3B=1, 2 or 3				
Note	Formerly WHC6_33C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		111	214,000
NO		2		1,514	2,935,500
NOT APPLICABLE		6		10,608	24,723,000
DON'T KNOW		7		1	1,000
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3CD	Length	1	Position	2278
Question Name	ACC-Q33				
Concept	Had mammogram - previously detected lump				
Question	Why did you have a mammogram? - Previously detected lump				
Universe	Respondents who answered PHC6_3B=1, 2 or 3				
Note	Formerly WHC6_33D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		173	316,000
NO		2		1,452	2,833,000
NOT APPLICABLE		6		10,608	24,723,000
DON'T KNOW		7		1	1,000
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3CE	Length	1	Position	2279
Question Name	ACC-Q33				
Concept	Had mammogram - follow-up treatment				
Question	Why did you have a mammogram? - Follow-up of breast cancer treatment				
Universe	Respondents who answered PHC6_3B=1, 2 or 3				
Note	Formerly WHC6_33E.				
Content		Code		Sample	Population
YES		1		63	121,500
NO		2		1,562	3,027,500
NOT APPLICABLE		6		10,608	24,723,000
DON'T KNOW		7		1	1,000
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3CF	Length	1	Position	2280
Question Name	ACC-Q33				
Concept	Had mammogram - on hormone replacement therapy				
Question	Why did you have a mammogram? - On hormone replacement therapy				
Universe	Respondents who answered PHC6_3B=1, 2 or 3				
Note	Formerly WHC6_33F.				
Content		Code		Sample	Population
YES		1		19	42,000
NO		2		1,606	3,107,000
NOT APPLICABLE		6		10,608	24,723,000
DON'T KNOW		7		1	1,000
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3CH	Length	1	Position	2281
Question Name	ACC-Q33				
Concept	Had mammogram - other reason				
Question	Why did you have a mammogram? - Other				
Universe	Respondents who answered PHC6_3B=1, 2 or 3				
Note	Formerly WHC6_33G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		73	121,000
NO		2		1,552	3,028,500
NOT APPLICABLE		6		10,608	24,723,000
DON'T KNOW		7		1	1,000
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3D	Length	1	Position	2282
Question Name	ACC-Q34				
Concept	Had problems getting a mammogram				
Question	Have you ever had any problems obtaining a mammogram?				
Universe	Respondents who answered PHC6_3B=1, 2 or 3				
Note	Formerly WHC6_34.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		25	28,500
NO		2		1,601	3,121,500
NOT APPLICABLE		6		10,608	24,723,000
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3EA	Length	1	Position	2283
Question Name	ACC-Q35				
Concept	Mammogram - not available when required				
Question	What were the problems you had obtaining a mammogram? - Not available at time required				
Universe	Respondents who answered PHC6_3D=1				
Note	Formerly WHC6_35A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6	4,500
NO		2		19	23,500
NOT APPLICABLE		6		12,209	27,844,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3EB	Length	1	Position	2284
Question Name	ACC-Q35				
Concept	Mammogram - not available in area				
Question	What were the problems you had obtaining a mammogram? - Not available at all in the area				
Universe	Respondents who answered PHC6_3D=1				
Note	Formerly WHC6_35B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	8,000
NO		2		20	20,500
NOT APPLICABLE		6		12,209	27,844,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3EC	Length	1	Position	2285
Question Name	ACC-Q35				
Concept	Mammogram - waiting time too long				
Question	What were the problems you had obtaining a mammogram? - Waiting time was too long				
Universe	Respondents who answered PHC6_3D=1				
Note	Formerly WHC6_35C.				
Content		Code		Sample	Population
YES		1		14	13,500
NO		2		11	14,500
NOT APPLICABLE		6		12,209	27,844,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3ED	Length	1	Position	2286
Question Name	ACC-Q35				
Concept	Mammogram - transportation problems				
Question	What were the problems you had obtaining a mammogram? - Transportation problems				
Universe	Respondents who answered PHC6_3D=1				
Note	Formerly WHC6_35D.				
Content		Code		Sample	Population
NO		2		25	28,500
NOT APPLICABLE		6		12,209	27,844,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3EE	Length	1	Position	2287
Question Name	ACC-Q35				
Concept	Mammogram - language problem				
Question	What were the problems you had obtaining a mammogram? - Language problem				
Universe	Respondents who answered PHC6_3D=1				
Note	Formerly WHC6_35E.				
Content		Code		Sample	Population
NO		2		25	28,500
NOT APPLICABLE		6		12,209	27,844,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3EF	Length	1	Position	2288
Question Name	ACC-Q35				
Concept	Mammogram - cost				
Question	What were the problems you had obtaining a mammogram? - Cost				
Universe	Respondents who answered PHC6_3D=1				
Note	Formerly WHC6_35F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		25	28,500
NOT APPLICABLE		6		12,209	27,844,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3EG	Length	1	Position	2289
Question Name	ACC-Q35				
Concept	Mammogram - did not know where to go				
Question	What were the problems you had obtaining a mammogram? - Did not know where to go / uninformed				
Universe	Respondents who answered PHC6_3D=1				
Note	Formerly WHC6_35G				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	3,000
NO		2		24	25,000
NOT APPLICABLE		6		12,209	27,844,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3EH	Length	1	Position	2290
Question Name	ACC-Q35				
Concept	Mammogram - other problem				
Question	What were the problems you had obtaining a mammogram? - Other				
Universe	Respondents who answered PHC6_3D=1				
Note	Formerly WHC6_35H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	4,000
NO		2		22	24,500
NOT APPLICABLE		6		12,209	27,844,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_3FA	Length	1	Position	2291
Question Name	ACC-Q36				
Concept	No mammogram - have not gotten around to it				
Question	Why have you not had a mammogram in the past 2 years? - Have not gotten around to it				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		179	313,000
NO		2		388	692,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3FB	Length	1	Position	2292
Question Name	ACC-Q36				
Concept	No mammogram - resp. didn't think necessary				
Question	Why have you not had a mammogram in the past 2 years? - Respondent did not think it was necessary				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		280	505,000
NO		2		287	500,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

Variable Name	PHC6_3FC	Length	1	Position	2293
Question Name	ACC-Q36				
Concept	No mammogram - doctor didn't think necessary				
Question	Why have you not had a mammogram in the past 2 years? - Doctor did not think it was necessary				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		76	140,000
NO		2		491	865,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3FD	Length	1	Position	2294
Question Name	ACC-Q36				
Concept	No mammogram - pers. / family responsibilities				
Question	Why have you not had a mammogram in the past 2 years? - Personal or family responsibilities				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	3,000
NO		2		565	1,002,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

Variable Name	PHC6_3FE	Length	1	Position	2295
Question Name	ACC-Q36				
Concept	No mammogram - not available when required				
Question	Why have you not had a mammogram in the past 2 years? - Not available at time required				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	5,000
NO		2		564	1,000,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3FF	Length	1	Position	2296
Question Name	ACC-Q36				
Concept	No mammogram - not available in the area				
Question	Why have you not had a mammogram in the past 2 years? - Not available at all in the area				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	5,500
NO		2		564	999,500
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

Variable Name	PHC6_3FG	Length	1	Position	2297
Question Name	ACC-Q36				
Concept	No mammogram - waiting time was too long				
Question	Why have you not had a mammogram in the past 2 years? - Waiting time was too long				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	7,000
NO		2		562	998,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3FH	Length	1	Position	2298
Question Name	ACC-Q36				
Concept	No mammogram - transportation problems				
Question	Why have you not had a mammogram in the past 2 years? - Transportation problems				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	4,000
NO		2		563	1,001,500
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

Variable Name	PHC6_3FI	Length	1	Position	2299
Question Name	ACC-Q36				
Concept	No mammogram - language problem				
Question	Why have you not had a mammogram in the past 2 years? - Language problem				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		567	1,005,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3FJ	Length	1	Position	2300
Question Name	ACC-Q36				
Concept	No mammogram - cost				
Question	Why have you not had a mammogram in the past 2 years? - Cost				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	5,000
NO		2		565	1,000,500
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

Variable Name	PHC6_3FK	Length	1	Position	2301
Question Name	ACC-Q36				
Concept	No mammogram - did not know where to go				
Question	Why have you not had a mammogram in the past 2 years? - Did not know where to go / uninformed				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	9,500
NO		2		563	995,500
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_3FL	Length	1	Position	2302
Question Name	ACC-Q36				
Concept	No mammogram - fear				
Question	Why have you not had a mammogram in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		20	32,000
NO		2		547	973,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

Variable Name	PHC6_3FM	Length	1	Position	2303
Question Name	ACC-Q36				
Concept	No mammogram - other reason				
Question	Why have you not had a mammogram in the past 2 years? - Other				
Universe	Respondents aged 50 to 69 who answered PHC6_3=2 or PHC6_3B=4 or 5				
Note	Formerly WHC6_36M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		28	39,000
NO		2		539	966,000
NOT APPLICABLE		6		11,701	26,940,000
NOT STATED		9		278	373,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHS6_3G	Length	1	Position	2304
Question Name	SACC-Q37				
Concept	Intend to have a mammogram in the next 2 years				
Question	Do you intend to have a mammogram in the next 2 years?				
Universe	Females aged 35 and over living in a household				
Note	Formerly WHS6_37.				
Content		Code		Sample	Population
YES		1		2,113	4,230,500
NO		2		1,782	3,037,000
NOT APPLICABLE		6		8,205	20,376,000
DON'T KNOW		7		134	229,500
NOT STATED		9		312	445,500
		Total		12,546	28,318,308

Variable Name	PHC6_9	Length	1	Position	2305
Question Name	ACC-Q90				
Concept	Had breasts examined by health professional				
Question	Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?				
Universe	Females aged 18 and over living in a household				
Note	Formerly WHC6_90.				
Content		Code		Sample	Population
YES		1		4,285	8,158,500
NO		2		1,296	2,617,500
NOT APPLICABLE		6		6,631	17,048,500
DON'T KNOW		7		10	15,000
REFUSAL		8		4	10,000
NOT STATED		9		320	468,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC6_9B **Length** 1 **Position** 2306
Question Name ACC-Q92
Concept Last time breasts examined for lumps
Question When was the last time you had your breasts examined for lumps by a doctor or other health professional?
Universe Respondents who answered PHC6_9=1
Note Formerly WHC6_92.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO	1	1,316	2,546,000
6 MONTHS TO LESS THAN 1 YEAR AGO	2	1,387	2,719,500
1 YEAR TO LESS THAN 2 YEARS AGO	3	851	1,649,000
2 YEARS TO LESS THAN 5 YEARS AGO	4	437	751,500
5 OR MORE YEARS AGO	5	290	489,000
NOT APPLICABLE	6	7,927	19,666,000
DON'T KNOW	7	4	4,000
NOT STATED	9	334	494,000
	Total	12,546	28,318,308

Variable Name PHC6_9CA **Length** 1 **Position** 2307
Question Name ACC-Q93
Concept Had breast exam - family history
Question Why did you have your breasts examined for lumps by a doctor or other health professional? - Family history of breast cancer
Universe Respondents who answered PHC6_9B=1, 2 or 3
Note Formerly WHC6_93A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	191	350,500
NO	2	3,365	6,567,000
NOT APPLICABLE	6	8,654	20,906,000
DON'T KNOW	7	2	1,000
NOT STATED	9	334	494,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC6_9CB **Length** 1 **Position** 2308
Question Name ACC-Q93
Concept Had breast exam - regular check-up
Question Why did you have your breasts examined for lumps by a doctor or other health professional? - Part of regular check-up / Routine screening
Universe Respondents who answered PHC6_9B=1, 2 or 3
Note Formerly WHC6_93B.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,159	6,076,500
NO	2	397	841,000
NOT APPLICABLE	6	8,654	20,906,000
DON'T KNOW	7	2	1,000
NOT STATED	9	334	494,000
Total		12,546	28,318,308

Variable Name PHC6_9CC **Length** 1 **Position** 2309
Question Name ACC-Q93
Concept Had breast exam - age
Question Why did you have your breasts examined for lumps by a doctor or other health professional? - Age
Universe Respondents who answered PHC6_9B=1, 2 or 3
Note Formerly WHC6_93C.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	59	128,500
NO	2	3,497	6,789,000
NOT APPLICABLE	6	8,654	20,906,000
DON'T KNOW	7	2	1,000
NOT STATED	9	334	494,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC6_9CD **Length** 1 **Position** 2310
Question Name ACC-Q93
Concept Had breast exam - previously detected lump
Question Why did you have your breasts examined for lumps by a doctor or other health professional? - Previously detected lump
Universe Respondents who answered PHC6_9B=1, 2 or 3
Note Formerly WHC6_93D.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	200	408,500
NO	2	3,356	6,509,000
NOT APPLICABLE	6	8,654	20,906,000
DON'T KNOW	7	2	1,000
NOT STATED	9	334	494,000
Total		12,546	28,318,308

Variable Name PHC6_9CE **Length** 1 **Position** 2311
Question Name ACC-Q93
Concept Had breast exam - follow-up treatment
Question Why did you have your breasts examined for lumps by a doctor or other health professional? - Follow-up of breast cancer treatment
Universe Respondents who answered PHC6_9B=1, 2 or 3
Note Formerly WHC6_93E.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	66	150,000
NO	2	3,490	6,767,500
NOT APPLICABLE	6	8,654	20,906,000
DON'T KNOW	7	2	1,000
NOT STATED	9	334	494,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9CF	Length	1	Position	2312
Question Name	ACC-Q93				
Concept	Had breast exam - on hormone replacement therapy				
Question	Why did you have your breasts examined for lumps by a doctor or other health professional? - On hormone replacement therapy				
Universe	Respondents who answered PHC6_9B=1, 2 or 3				
Note	Formerly WHC6_93F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		13	24,000
NO		2		3,543	6,893,500
NOT APPLICABLE		6		8,654	20,906,000
DON'T KNOW		7		2	1,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHC6_9CG	Length	1	Position	2313
Question Name	ACC-Q93				
Concept	Had breast exam - other reason				
Question	Why did you have your breasts examined for lumps by a doctor or other health professional? - Other				
Universe	Respondents who answered PHC6_9B=1, 2 or 3				
Note	Formerly WHC6_93G				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		43	116,500
NO		2		3,513	6,801,000
NOT APPLICABLE		6		8,654	20,906,000
DON'T KNOW		7		2	1,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9D	Length	1	Position	2314
Question Name	ACC-Q94				
Concept	Had problems getting a breast exam				
Question	Have you ever had any problems obtaining a breast exam?				
Universe	Respondents who answered PHC6_9B=1, 2 or 3				
Note	Formerly WHC6_94.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		9	14,000
NO		2		3,548	6,899,500
NOT APPLICABLE		6		8,654	20,906,000
REFUSAL		8		1	5,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHC6_9EA	Length	1	Position	2315
Question Name	ACC-Q95				
Concept	Breast exam - not available when required				
Question	What were the problems you had obtaining a breast exam? - Not available at time required				
Universe	Respondents who answered PHC6_9D=1				
Note	Formerly WHC6_95A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		8	13,500
NOT APPLICABLE		6		12,202	27,805,500
NOT STATED		9		335	499,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9EB	Length	1	Position	2316
Question Name	ACC-Q95				
Concept	Breast exam - not available in area				
Question	What were the problems you had obtaining a breast exam? - Not available at all in the area				
Universe	Respondents who answered PHC6_9D=1				
Note	Formerly WHC6_95B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		8	13,500
NOT APPLICABLE		6		12,202	27,805,500
NOT STATED		9		335	499,000
		Total		12,546	28,318,308

Variable Name	PHC6_9EC	Length	1	Position	2317
Question Name	ACC-Q95				
Concept	Breast exam - waiting time too long				
Question	What were the problems you had obtaining a breast exam? - Waiting time was too long				
Universe	Respondents who answered PHC6_9D=1				
Note	Formerly WHC6_95C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	7,000
NO		2		5	7,000
NOT APPLICABLE		6		12,202	27,805,500
NOT STATED		9		335	499,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9ED	Length	1	Position	2318
Question Name	ACC-Q95				
Concept	Breast exam - transportation problems				
Question	What were the problems you had obtaining a breast exam? - Transportation problems				
Universe	Respondents who answered PHC6_9D=1				
Note	Formerly WHC6_95D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		9	14,000
NOT APPLICABLE		6		12,202	27,805,500
NOT STATED		9		335	499,000
		Total		12,546	28,318,308

Variable Name	PHC6_9EE	Length	1	Position	2319
Question Name	ACC-Q95				
Concept	Breast exam - language problem				
Question	What were the problems you had obtaining a breast exam? - Language problem				
Universe	Respondents who answered PHC6_9D=1				
Note	Formerly WHC6_95E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		9	14,000
NOT APPLICABLE		6		12,203	27,806,500
NOT STATED		9		334	498,000
		Total		12,546	28,318,308

Variable Name	PHC6_9EF	Length	1	Position	2320
Question Name	ACC-Q95				
Concept	Breast exam - cost				
Question	What were the problems you had obtaining a breast exam? - Cost				
Universe	Respondents who answered PHC6_9D=1				
Note	Formerly WHC6_95F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		9	14,000
NOT APPLICABLE		6		12,202	27,805,500
NOT STATED		9		335	499,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9EG	Length	1	Position	2321
Question Name	ACC-Q95				
Concept	Breast exam - did not know where to go				
Question	What were the problems you had obtaining a breast exam? - Did not know where to go / uninformed				
Universe	Respondents who answered PHC6_9D=1				
Note	Formerly WHC6_95G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		9	14,000
NOT APPLICABLE		6		12,202	27,805,500
NOT STATED		9		335	499,000
		Total		12,546	28,318,308

Variable Name	PHC6_9EH	Length	1	Position	2322
Question Name	ACC-Q95				
Concept	Breast exam - other problem				
Question	What were the problems you had obtaining a breast exam? - Other				
Universe	Respondents who answered PHC6_9D=1				
Note	Formerly WHC6_95H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	5,500
NO		2		6	8,500
NOT APPLICABLE		6		12,202	27,805,500
NOT STATED		9		335	499,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9FA	Length	1	Position	2323
Question Name	ACC-Q96				
Concept	No breast exam - have not gotten around to it				
Question	Why have you not had a breast exam in the past 2 years? - Have not gotten around to it				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		587	1,094,500
NO		2		1,430	2,753,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHC6_9FB	Length	1	Position	2324
Question Name	ACC-Q96				
Concept	No breast exam - respondent didn't think necessary				
Question	Why have you not had a breast exam in the past 2 years? - Respondent did not think it was necessary				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,167	2,221,000
NO		2		850	1,627,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9FC	Length	1	Position	2325
Question Name	ACC-Q96				
Concept	No breast exam - doctor didn't think necessary				
Question	Why have you not had a breast exam in the past 2 years? - Doctor did not think it was necessary				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		272	534,000
NO		2		1,745	3,314,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHC6_9FD	Length	1	Position	2326
Question Name	ACC-Q96				
Concept	No breast exam - personal / family responsibilities				
Question	Why have you not had a breast exam in the past 2 years? - Personal or family responsibilities				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7	15,500
NO		2		2,010	3,832,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9FE	Length	1	Position	2327
Question Name	ACC-Q96				
Concept	No breast exam - not available when required				
Question	Why have you not had a breast exam in the past 2 years? - Not available at time required				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6	5,000
NO		2		2,011	3,842,500
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHC6_9FF	Length	1	Position	2328
Question Name	ACC-Q96				
Concept	No breast exam - not available in area				
Question	Why have you not had a breast exam in the past 2 years? - Not available at all in the area				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6	7,000
NO		2		2,011	3,841,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9FG	Length	1	Position	2329
Question Name	ACC-Q96				
Concept	No breast exam - waiting time too long				
Question	Why have you not had a breast exam in the past 2 years? - Waiting time was too long				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	5,000
NO		2		2,013	3,843,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHC6_9FH	Length	1	Position	2330
Question Name	ACC-Q96				
Concept	No breast exam - transportation problems				
Question	Why have you not had a breast exam in the past 2 years? - Transportation problems				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96H				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	9,000
NO		2		2,012	3,839,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9FI	Length	1	Position	2331
Question Name	ACC-Q96				
Concept	No breast exam - language problem				
Question	Why have you not had a breast exam in the past 2 years? - Language problem				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96I.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	3,500
NO		2		2,016	3,844,500
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHC6_9FJ	Length	1	Position	2332
Question Name	ACC-Q96				
Concept	No breast exam - cost				
Question	Why have you not had a breast exam in the past 2 years? - Cost				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96J.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		2,016	3,847,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9FK	Length	1	Position	2333
Question Name	ACC-Q96				
Concept	No breast exam - did not know where to go				
Question	Why have you not had a breast exam in the past 2 years? - Did not know where to go / uninformed				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96K.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11	37,500
NO		2		2,006	3,810,500
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHC6_9FL	Length	1	Position	2334
Question Name	ACC-Q96				
Concept	No breast exam - fear				
Question	Why have you not had a breast exam in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96L.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		38	69,500
NO		2		1,979	3,778,500
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_9FM	Length	1	Position	2335
Question Name	ACC-Q96				
Concept	No breast exam - other reason				
Question	Why have you not had a breast exam in the past 2 years? - Other				
Universe	Respondents who answered PHC6_9=2 or PHC6_9B=4 or 5				
Note	Formerly WHC6_96M.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		9	12,500
NO		2		2,008	3,835,000
NOT APPLICABLE		6		10,189	23,967,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	4,000
NOT STATED		9		334	494,000
		Total		12,546	28,318,308

Variable Name	PHS6_9X	Length	1	Position	2336
Question Name	SACC-Q90				
Concept	Self-examined breasts for lumps				
Question	Have you ever examined your breasts for lumps (tumours, cysts)?				
Universe	Females aged 18 and over living in a household				
Note	Formerly WHS6_90.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,339	8,226,500
NO		2		1,244	2,552,000
NOT APPLICABLE		6		6,631	17,048,500
DON'T KNOW		7		8	9,500
REFUSAL		8		4	13,500
NOT STATED		9		320	468,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHS6_9Y	Length	1	Position	2337
Question Name	SACC-Q91				
Concept	Frequency of breast self-examination				
Question	How often have you examined your breasts for lumps (tumours, cysts)?				
Universe	Respondents who answered PHS6_9X=1				
Note	Formerly WHS6_91.				
Content		Code		Sample	Population
AT LEAST ONCE A MONTH		1		2,044	3,827,500
ONCE EVERY 2 TO 3 MONTHS		2		1,184	2,247,000
LESS OFTEN THAN EVERY 2 TO 3 MONTHS		3		1,105	2,145,500
NOT APPLICABLE		6		7,875	19,600,500
DON'T KNOW		7		6	6,500
NOT STATED		9		332	491,500
		Total		12,546	28,318,308

Variable Name	PHS6_9Z	Length	2	Position	2338 - 2339
Question Name	SACC-Q92				
Concept	How breast self-exam was learned				
Question	How did you learn to do a breast self-examination?				
Universe	Respondents who answered PHS6_9X=1				
Note	Formerly WHS6_92.				
Content		Code		Sample	Population
DOCTOR		1		2,291	4,433,000
NURSE		2		358	596,500
BOOK / MAGAZINE / PAMPHLET		3		1,110	2,160,500
TV / VIDEO / FILM		4		293	517,000
MOTHER		5		34	73,500
SISTER		6		12	13,500
OTHER		7		227	394,500
NOT APPLICABLE		96		7,875	19,600,500
DON'T KNOW		97		14	37,000
NOT STATED		99		332	491,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC6_4	Length	1	Position	2340
Question Name	SGH2-Q1				
Concept	Gave birth since last interview				
Question	Since our last interview, have you given birth?				
Universe	Females aged 15 to 49 living in a household				
Note	Formerly GHC6_21.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		320	628,000
NO		2		3,053	6,815,500
NOT APPLICABLE		6		8,882	20,462,500
NOT STATED		9		291	412,500
		Total		12,546	28,318,308

Variable Name	GHP6_21A	Length	1	Position	2341
Question Name	AGH2-Q1A				
Concept	Gave birth in the past 5 years				
Question	Have you given birth in the past 5 years?				
Universe	Females aged 15 to 49 in Alberta living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		74	142,500
NO		2		272	584,000
NOT APPLICABLE		6		11,924	27,219,500
NOT STATED		9		276	372,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHS6_22	Length	1	Position	2342
Question Name	SGH2-Q2				
Concept	Gave birth to last baby in hospital				
Question	For your last baby, did you give birth in a hospital?				
Universe	Respondents who answered PHC6_4=1 or GHP6_21A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		358	702,500
NO		2		3	8,000
NOT APPLICABLE		6		11,894	27,195,000
NOT STATED		9		291	412,500
		Total		12,546	28,318,308

Variable Name	PHC6_4A	Length	1	Position	2343
Question Name	SGH2-Q3				
Concept	Used services of a doctor or midwife				
Question	(For your last baby,) Did you use the services of a doctor, a midwife or both?				
Universe	Respondents who answered PHC6_4=1 or GHP6_21A=1				
Note	Formerly GHS6_23.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DOCTOR ONLY		1		353	692,500
MIDWIFE ONLY		2		2	3,500
BOTH DOCTOR AND MIDWIFE		3		6	15,000
NOT APPLICABLE		6		11,894	27,195,000
NOT STATED		9		291	412,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_24 **Length** 1 **Position** 2344
Question Name SGH2-Q4
Concept Breast fed child or tried to breast feed
Question (For your last baby,) Did you breast-feed or try to breast-feed your child even if only for a short time?
Universe Respondents who answered PHC6_4=1 or GHP6_21A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	277	567,500
NO	2	84	143,500
NOT APPLICABLE	6	11,894	27,195,000
NOT STATED	9	291	412,500
	Total	12,546	28,318,308

Variable Name GHP6_25 **Length** 1 **Position** 2345
Question Name AGH2-Q5
Concept Still breast-feeding
Question Are you still breast-feeding (your last child)?
Universe Respondents in Alberta who answered GHS6_24=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	11,500
NO	2	57	110,500
NOT APPLICABLE	6	12,208	27,824,500
NOT STATED	9	276	372,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHP6_26 **Length** 2 **Position** 2346 - 2347
Question Name AGH2-Q6
Concept Duration of breast-feeding last child
Question How long did you breast-feed (your last child)?
Universe Respondents who answered GHP6_25=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 1 WEEK	1	2	2,000
3 TO 4 WEEKS	3	5	10,000
5 TO 8 WEEKS	4	4	7,500
9 TO LESS THAN 12 WEEKS	5	4	8,000
3 TO 6 MONTHS	6	24	41,500
7 TO 9 MONTHS	7	8	16,000
10 TO 12 MONTHS	8	1	1,500
MORE THAN 1 YEAR	9	9	23,500
NOT APPLICABLE	96	12,213	27,835,500
NOT STATED	99	276	372,500
	Total	12,546	28,318,308

Variable Name GHP6_27 **Length** 1 **Position** 2348
Question Name AGH2-Q7
Concept Received help / advice about breast-feeding
Question Did you receive any help or advice about breast-feeding?
Universe Respondents in Alberta who answered GHS6_24=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	50	97,000
NO	2	12	24,500
NOT APPLICABLE	6	12,208	27,824,500
NOT STATED	9	276	372,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 786

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHP6_28 **Length** 2 **Position** 2349 - 2350

Question Name AGH2-Q8

Concept From whom received breast-feeding advice

Question From whom did you receive help or advice about breast-feeding?

Universe Respondents who answered GHP6_27=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NURSE	1	39	72,500
DOCTOR	2	4	9,000
MIDWIFE	3	1	1,000
LA LÊCHE LEAGUE	4	3	7,500
OTHER RELATIVE	8	1	3,500
OTHER	10	2	3,500
NOT APPLICABLE	96	12,220	27,849,000
NOT STATED	99	276	372,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHP6_29 **Length** 2 **Position** 2351 - 2352
Question Name AGH2-Q9
Concept Main reason for stopping breast-feeding
Question What is the main reason that you stopped breast-feeding?
Universe Respondents who answered GHP6_25=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NOT ENOUGH MILK	1	6	10,500
INCONVENIENCED / FATIGUE	2	7	11,000
DIFFICULTY WITH BF TECHNIQUES	3	3	5,000
SORE NIPPLES / MASTITIS ETC.	4	1	2,000
PLANNED TO STOP AT THIS TIME	6	6	16,500
CHILD WEANED HIM/HERSELF	7	12	24,000
ADVICE OF DOCTOR	8	1	1,500
RETURNED TO WORK / SCHOOL	9	11	21,000
ADVICE OF PARTNER	10	1	2,000
OTHER	13	9	17,000
NOT APPLICABLE	96	12,213	27,835,500
NOT STATED	99	276	372,500
Total		12,546	28,318,308

Variable Name PC_6_40 **Length** 1 **Position** 2353
Question Name ACC-Q40
Concept Physical check-up - without a health problem
Question Have you ever had a physical check-up without having a specific health problem?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,819	15,176,500
NO	2	3,810	8,327,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	14	19,500
NOT STATED	9	449	786,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_41 **Length** 1 **Position** 2354
Question Name ACC-Q41
Concept Physical check-up - during visit for health problem
Question Have you ever had a physical check-up during a visit for a specific health problem?
Universe Respondents who answered PC_6_40=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,979	4,050,500
NO	2	1,826	4,259,500
NOT APPLICABLE	6	8,273	19,186,000
DON'T KNOW	7	5	17,000
NOT STATED	9	463	805,500
	Total	12,546	28,318,308

Variable Name PC_6_42 **Length** 2 **Position** 2355 - 2356
Question Name ACC-Q42
Concept Physical check up - last time
Question When was the last time you had a physical check-up?
Universe Respondents who answered PC_6_40=1 or PC_6_41=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 1 YEAR AGO	1	4,262	9,101,000
1 YEAR TO LESS THAN 2 YEARS AGO	2	2,508	5,534,000
2 YEARS TO LESS THAN 3 YEARS AGO	3	781	1,755,000
3 YEARS TO LESS THAN 4 YEARS AGO	4	334	755,500
4 YEARS TO LESS THAN 5 YEARS AGO	5	184	443,500
5 OR MORE YEARS AGO	6	714	1,622,000
NOT APPLICABLE	96	3,280	8,269,000
DON'T KNOW	97	20	33,000
NOT STATED	99	463	805,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_42A **Length** 2 **Position** 2357 - 2358
Question Name ACC-Q42A
Concept Frequency of physical check-ups
Question How often do you have a physical check-up?
Universe Respondents who answered PC_6_42=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MORE THAN 2 TIMES A YEAR	1	613	1,131,000
2 TIMES A YEAR	2	436	958,000
ONCE A YEAR	3	4,024	8,676,500
EVERY 2 YEARS	4	1,409	3,190,000
EVERY 3 YEARS	5	329	771,500
LESS OFTEN THAN EVERY 3 YEARS	6	721	1,613,000
NOT APPLICABLE	96	4,512	11,089,500
DON'T KNOW	97	39	83,500
NOT STATED	99	463	805,500
Total		12,546	28,318,308

Variable Name PC_6_43A **Length** 1 **Position** 2359
Question Name ACC-Q43
Concept Gets physical check-up - family history
Question Why do you get a physical check-up? - Family history of health problems
Universe Respondents who answered PC_6_42=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	484	888,500
NO	2	7,078	15,525,000
NOT APPLICABLE	6	4,512	11,089,500
DON'T KNOW	7	9	10,000
NOT STATED	9	463	805,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_43B **Length** 1 **Position** 2360
Question Name ACC-Q43
Concept Gets physical check-up - testing
Question Why do you get a physical check-up? - For testing (e.g., blood pressure, PAP smear)
Universe Respondents who answered PC_6_42=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	727	1,328,000
NO	2	6,835	15,085,000
NOT APPLICABLE	6	4,512	11,089,500
DON'T KNOW	7	9	10,000
NOT STATED	9	463	805,500
Total		12,546	28,318,308

Variable Name PC_6_43C **Length** 1 **Position** 2361
Question Name ACC-Q43
Concept Gets physical check-up - required for job, etc.
Question Why do you get a physical check-up? - Required for job, athletics, camps, etc.
Universe Respondents who answered PC_6_42=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	471	992,000
NO	2	7,091	15,421,500
NOT APPLICABLE	6	4,512	11,089,500
DON'T KNOW	7	9	10,000
NOT STATED	9	463	805,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PC_6_43D	Length	1	Position	2362
Question Name	ACC-Q43				
Concept	Gets physical check-up - make sure everything OK				
Question	Why do you get a physical check-up? - Like to make sure everything is OK				
Universe	Respondents who answered PC_6_42=1, 2 or 3				
Note					
Content		Code		Sample	Population
YES		1		4,597	10,257,000
NO		2		2,965	6,156,000
NOT APPLICABLE		6		4,512	11,089,500
DON'T KNOW		7		9	10,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

Variable Name	PC_6_43E	Length	1	Position	2363
Question Name	ACC-Q43				
Concept	Gets physical check-up - catch problems early				
Question	Why do you get a physical check-up? - Catch problems early				
Universe	Respondents who answered PC_6_42=1, 2 or 3				
Note					
Content		Code		Sample	Population
YES		1		833	1,765,500
NO		2		6,729	14,647,500
NOT APPLICABLE		6		4,512	11,089,500
DON'T KNOW		7		9	10,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PC_6_43F	Length	1	Position	2364
Question Name	ACC-Q43				
Concept	Gets physical check-up - for prevention				
Question	Why do you get a physical check-up? - For prevention				
Universe	Respondents who answered PC_6_42=1, 2 or 3				
Note					
Content		Code		Sample	Population
YES		1		1,231	2,675,500
NO		2		6,331	13,737,500
NOT APPLICABLE		6		4,512	11,089,500
DON'T KNOW		7		9	10,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

Variable Name	PC_6_43G	Length	1	Position	2365
Question Name	ACC-Q43				
Concept	Gets physical check-up - for health reasons				
Question	Why do you get a physical check-up? - For health reasons				
Universe	Respondents who answered PC_6_42=1, 2 or 3				
Note					
Content		Code		Sample	Population
YES		1		962	1,921,500
NO		2		6,600	14,492,000
NOT APPLICABLE		6		4,512	11,089,500
DON'T KNOW		7		9	10,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_43H **Length** 1 **Position** 2366
Question Name ACC-Q43
Concept Gets physical check-up - other reason
Question Why do you get a physical check-up? - Other
Universe Respondents who answered PC_6_42=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	101	217,500
NO	2	7,461	16,195,500
NOT APPLICABLE	6	4,512	11,089,500
DON'T KNOW	7	9	10,000
NOT STATED	9	463	805,500
	Total	12,546	28,318,308

Variable Name PC_6_44 **Length** 1 **Position** 2367
Question Name ACC-Q44
Concept Had problems obtaining physical check-up
Question Have you ever had any problems obtaining a check-up?
Universe Respondents who answered PC_6_42=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	69	133,500
NO	2	7,499	16,285,000
NOT APPLICABLE	6	4,512	11,089,500
DON'T KNOW	7	3	5,000
NOT STATED	9	463	805,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PC_6_45A	Length	1	Position	2368
Question Name	ACC-Q45				
Concept	Phys. check-up - not available when required				
Question	What were the problems you had obtaining a physical check-up? - Not available at time required				
Universe	Respondents who answered PC_6_44=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		19	50,000
NO		2		50	83,500
NOT APPLICABLE		6		12,011	27,374,500
NOT STATED		9		466	810,000
		Total		12,546	28,318,308

Variable Name	PC_6_45B	Length	1	Position	2369
Question Name	ACC-Q45				
Concept	Phys. check-up - not available in area				
Question	What were the problems you had obtaining a physical check-up? - Not available at all in the area				
Universe	Respondents who answered PC_6_44=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	6,000
NO		2		65	128,000
NOT APPLICABLE		6		12,011	27,374,500
NOT STATED		9		466	810,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_45C **Length** 1 **Position** 2370

Question Name ACC-Q45

Concept Phys. check-up - waiting time too long

Question What were the problems you had obtaining a physical check-up? - Waiting time was too long

Universe Respondents who answered PC_6_44=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	55,000
NO	2	37	78,500
NOT APPLICABLE	6	12,011	27,374,500
NOT STATED	9	466	810,000
	Total	12,546	28,318,308

Variable Name PC_6_45D **Length** 1 **Position** 2371

Question Name ACC-Q45

Concept Phys. check-up - transportation problems

Question What were the problems you had obtaining a physical check-up? - Transportation problems

Universe Respondents who answered PC_6_44=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	1,000
NO	2	67	133,000
NOT APPLICABLE	6	12,011	27,374,500
NOT STATED	9	466	810,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_45E **Length** 1 **Position** 2372
Question Name ACC-Q45
Concept Phys. check-up - language problem
Question What were the problems you had obtaining a physical check-up? - Language problem
Universe Respondents who answered PC_6_44=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1	1,000
NO	2	68	133,500
NOT APPLICABLE	6	12,011	27,374,500
NOT STATED	9	466	810,000
Total		12,546	28,318,308

Variable Name PC_6_45F **Length** 1 **Position** 2373
Question Name ACC-Q45
Concept Phys. check-up - cost
Question What were the problems you had obtaining a physical check-up? - Cost
Universe Respondents who answered PC_6_44=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1	1,500
NO	2	68	132,000
NOT APPLICABLE	6	12,011	27,374,500
NOT STATED	9	466	810,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_45G **Length** 1 **Position** 2374
Question Name ACC-Q45
Concept Phys. check-up - did not know where to go
Question What were the problems you had obtaining a physical check-up? - Did not know where to go / uninformed
Universe Respondents who answered PC_6_44=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	69	133,500
NOT APPLICABLE	6	12,011	27,374,500
NOT STATED	9	466	810,000
Total		12,546	28,318,308

Variable Name PC_6_45H **Length** 1 **Position** 2375
Question Name ACC-Q45
Concept Phys. check-up - other problem
Question What were the problems you had obtaining a physical check-up? - Other
Universe Respondents who answered PC_6_44=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	20	41,000
NO	2	49	92,500
NOT APPLICABLE	6	12,011	27,374,500
NOT STATED	9	466	810,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PC_6_46A	Length	1	Position	2376
Question Name	ACC-Q46				
Concept	No phys. check-up - have not gotten around to it				
Question	Why have you not had a physical check-up in the past 3 years? - Have not gotten around to it				
Universe	Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6				
Note					
Content		Code		Sample	Population
YES		1		786	1,702,500
NO		2		2,254	5,339,000
NOT APPLICABLE		6		9,025	20,433,000
DON'T KNOW		7		14	27,500
REFUSAL		8		4	11,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

Variable Name	PC_6_46B	Length	1	Position	2377
Question Name	ACC-Q46				
Concept	No phys. check-up - respondent didn't think necessary				
Question	Why have you not had a physical check-up in the past 3 years? - Respondent did not think it was necessary				
Universe	Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6				
Note					
Content		Code		Sample	Population
YES		1		2,089	4,995,500
NO		2		951	2,046,000
NOT APPLICABLE		6		9,025	20,433,000
DON'T KNOW		7		14	27,500
REFUSAL		8		4	11,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_46C **Length** 1 **Position** 2378
Question Name ACC-Q46
Concept No phys. check-up - doctor didn't think necessary
Question Why have you not had a physical check-up in the past 3 years? - Doctor did not think it was necessary
Universe Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	177	365,500
NO	2	2,863	6,676,500
NOT APPLICABLE	6	9,025	20,433,000
DON'T KNOW	7	14	27,500
REFUSAL	8	4	11,000
NOT STATED	9	463	805,500
Total		12,546	28,318,308

Variable Name PC_6_46D **Length** 1 **Position** 2379
Question Name ACC-Q46
Concept No phys. check-up - personal or family responsibilities
Question Why have you not had a physical check-up in the past 3 years? - Personal or family responsibilities
Universe Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	16	22,000
NO	2	3,024	7,019,500
NOT APPLICABLE	6	9,025	20,433,000
DON'T KNOW	7	14	27,500
REFUSAL	8	4	11,000
NOT STATED	9	463	805,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_46E **Length** 1 **Position** 2380
Question Name ACC-Q46
Concept No phys. check-up - not available when required
Question Why have you not had a physical check-up in the past 3 years? - Not available at time required
Universe Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	20	26,000
NO	2	3,020	7,015,500
NOT APPLICABLE	6	9,025	20,433,000
DON'T KNOW	7	14	27,500
REFUSAL	8	4	11,000
NOT STATED	9	463	805,500
Total		12,546	28,318,308

Variable Name PC_6_46F **Length** 1 **Position** 2381
Question Name ACC-Q46
Concept No phys. check-up - not available in area
Question Why have you not had a physical check-up in the past 3 years? - Not available at all in the area
Universe Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	8,500
NO	2	3,032	7,033,000
NOT APPLICABLE	6	9,025	20,433,000
DON'T KNOW	7	14	27,500
REFUSAL	8	4	11,000
NOT STATED	9	463	805,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PC_6_46G	Length	1	Position	2382
Question Name	ACC-Q46				
Concept	No phys. check-up - waiting time too long				
Question	Why have you not had a physical check-up in the past 3 years? - Waiting time was too long				
Universe	Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6				
Note					
Content		Code		Sample	Population
YES		1		14	38,000
NO		2		3,026	7,003,500
NOT APPLICABLE		6		9,025	20,433,000
DON'T KNOW		7		14	27,500
REFUSAL		8		4	11,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

Variable Name	PC_6_46H	Length	1	Position	2383
Question Name	ACC-Q46				
Concept	No phys. check-up - transportation problems				
Question	Why have you not had a physical check-up in the past 3 years? - Transportation problems				
Universe	Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6				
Note					
Content		Code		Sample	Population
YES		1		3	6,000
NO		2		3,037	7,035,500
NOT APPLICABLE		6		9,025	20,433,000
DON'T KNOW		7		14	27,500
REFUSAL		8		4	11,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_46I **Length** 1 **Position** 2384

Question Name ACC-Q46

Concept No phys. check-up - language problem

Question Why have you not had a physical check-up in the past 3 years? - Language problem

Universe Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	9,500
NO	2	3,038	7,032,500
NOT APPLICABLE	6	9,025	20,433,000
DON'T KNOW	7	14	27,500
REFUSAL	8	4	11,000
NOT STATED	9	463	805,500
	Total	12,546	28,318,308

Variable Name PC_6_46J **Length** 1 **Position** 2385

Question Name ACC-Q46

Concept No phys. check-up - cost

Question Why have you not had a physical check-up in the past 3 years? - Cost

Universe Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	22,000
NO	2	3,027	7,020,000
NOT APPLICABLE	6	9,025	20,433,000
DON'T KNOW	7	14	27,500
REFUSAL	8	4	11,000
NOT STATED	9	463	805,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PC_6_46K **Length** 1 **Position** 2386
Question Name ACC-Q46
Concept No phys. check-up - did not know where to go
Question Why have you not had a physical check-up in the past 3 years? - Did not know where to go / uninformed
Universe Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	32,500
NO	2	3,029	7,009,000
NOT APPLICABLE	6	9,025	20,433,000
DON'T KNOW	7	14	27,500
REFUSAL	8	4	11,000
NOT STATED	9	463	805,500
	Total	12,546	28,318,308

Variable Name PC_6_46L **Length** 1 **Position** 2387
Question Name ACC-Q46
Concept No phys. check-up - fear
Question Why have you not had a physical check-up in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong)
Universe Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	74,500
NO	2	3,008	6,967,000
NOT APPLICABLE	6	9,025	20,433,000
DON'T KNOW	7	14	27,500
REFUSAL	8	4	11,000
NOT STATED	9	463	805,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PC_6_46M	Length	1	Position	2388
Question Name	ACC-Q46				
Concept	No phys. check-up - other reason				
Question	Why have you not had a physical check-up in the past 3 years? - Other				
Universe	Respondents who answered PC_6_41=2 or PC_6_42=4, 5 or 6				
Note					
Content		Code		Sample	Population
YES		1		46	105,500
NO		2		2,994	6,936,000
NOT APPLICABLE		6		9,025	20,433,000
DON'T KNOW		7		14	27,500
REFUSAL		8		4	11,000
NOT STATED		9		463	805,500
		Total		12,546	28,318,308

Variable Name	FS_6_50	Length	1	Position	2389
Question Name	ACC-Q50				
Concept	Ever had a flu shot				
Question	Have you ever had a flu shot?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		3,050	5,962,000
NO		2		7,563	17,469,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		30	92,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_52 **Length** 1 **Position** 2390
Question Name ACC-Q52
Concept Last time had flu shot
Question When did you have your last flu shot?
Universe Respondents who answered FS_6_50=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 1 YEAR AGO	1	1,919	3,542,500
1 YEAR TO LESS THAN 2 YEARS AGO	2	305	651,000
2 YEARS AGO OR MORE	3	820	1,747,500
NOT APPLICABLE	6	9,017	21,478,500
DON'T KNOW	7	6	21,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

Variable Name FS_6_53A **Length** 1 **Position** 2391
Question Name ACC-Q53
Concept Had flu shot - peer pressure
Question Why did you have a flu shot? - Peer pressure (on advice of family / friends)
Universe Respondents who answered FS_6_52=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	75	153,500
NO	2	1,847	3,397,500
NOT APPLICABLE	6	10,142	23,877,000
DON'T KNOW	7	3	12,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_53B **Length** 1 **Position** 2392
Question Name ACC-Q53
Concept Had flu shot - job requirement
Question Why did you have a flu shot? - Job requirement
Universe Respondents who answered FS_6_52=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	101	233,500
NO	2	1,821	3,317,500
NOT APPLICABLE	6	10,142	23,877,000
DON'T KNOW	7	3	12,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

Variable Name FS_6_53C **Length** 1 **Position** 2393
Question Name ACC-Q53
Concept Had flu shot - helps prevent the flu
Question Why did you have a flu shot? - Helps prevent the flu
Universe Respondents who answered FS_6_52=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,137	2,116,500
NO	2	785	1,435,000
NOT APPLICABLE	6	10,142	23,877,000
DON'T KNOW	7	3	12,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FS_6_53D	Length	1	Position	2394
Question Name	ACC-Q53				
Concept	Had flu shot - to protect others				
Question	Why did you have a flu shot? - To protect others				
Universe	Respondents who answered FS_6_52=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		69	156,500
NO		2		1,853	3,394,500
NOT APPLICABLE		6		10,142	23,877,000
DON'T KNOW		7		3	12,000
NOT STATED		9		479	878,000
		Total		12,546	28,318,308

Variable Name	FS_6_53E	Length	1	Position	2395
Question Name	ACC-Q53				
Concept	Had flu shot - age				
Question	Why did you have a flu shot? - Recommended because of age				
Universe	Respondents who answered FS_6_52=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		517	782,000
NO		2		1,405	2,769,000
NOT APPLICABLE		6		10,142	23,877,000
DON'T KNOW		7		3	12,000
NOT STATED		9		479	878,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_53F **Length** 1 **Position** 2396
Question Name ACC-Q53
Concept Had flu shot - health problem
Question Why did you have a flu shot? - Recommended because of health problem
Universe Respondents who answered FS_6_52=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	411	697,500
NO	2	1,511	2,853,500
NOT APPLICABLE	6	10,142	23,877,000
DON'T KNOW	7	3	12,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

Variable Name FS_6_53G **Length** 1 **Position** 2397
Question Name ACC-Q53
Concept Had flu shot - other reason
Question Why did you have a flu shot? - Other
Universe Respondents who answered FS_6_52=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	23	65,500
NO	2	1,899	3,485,500
NOT APPLICABLE	6	10,142	23,877,000
DON'T KNOW	7	3	12,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FS_6_54	Length	1	Position	2398
Question Name	ACC-Q54				
Concept	Had problems obtaining a flu shot				
Question	Have you ever had any problems obtaining a flu shot?				
Universe	Respondents who answered FS_6_52=1				
Note					
Content		Code		Sample	Population
YES		1		11	18,500
NO		2		1,913	3,543,500
NOT APPLICABLE		6		10,142	23,877,000
DON'T KNOW		7		1	1,000
NOT STATED		9		479	878,000
		Total		12,546	28,318,308

Variable Name	FS_6_55A	Length	1	Position	2399
Question Name	ACC-Q55				
Concept	Flu shot - not available when required				
Question	What were the problems you had obtaining a flu shot? - Not available at time required				
Universe	Respondents who answered FS_6_54=1				
Note					
Content		Code		Sample	Population
YES		1		4	6,000
NO		2		7	12,500
NOT APPLICABLE		6		12,055	27,420,500
NOT STATED		9		480	879,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_55B **Length** 1 **Position** 2400
Question Name ACC-Q55
Concept Flu shot - not available in area
Question What were the problems you had obtaining a flu shot? - Not available at all in the area
Universe Respondents who answered FS_6_54=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1	3,500
NO	2	10	15,000
NOT APPLICABLE	6	12,055	27,420,500
NOT STATED	9	480	879,000
	Total	12,546	28,318,308

Variable Name FS_6_55C **Length** 1 **Position** 2401
Question Name ACC-Q55
Concept Flu shot - waiting time too long
Question What were the problems you had obtaining a flu shot? - Waiting time was too long
Universe Respondents who answered FS_6_54=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	2,000
NO	2	9	16,500
NOT APPLICABLE	6	12,055	27,420,500
NOT STATED	9	480	879,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_55D **Length** 1 **Position** 2402

Question Name ACC-Q55

Concept Flu shot - transportation problems

Question What were the problems you had obtaining a flu shot? - Transportation problems

Universe Respondents who answered FS_6_54=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	11	18,500
NOT APPLICABLE	6	12,055	27,420,500
NOT STATED	9	480	879,000
Total		12,546	28,318,308

Variable Name FS_6_55E **Length** 1 **Position** 2403

Question Name ACC-Q55

Concept Flu shot - language problem

Question What were the problems you had obtaining a flu shot? - Language problem

Universe Respondents who answered FS_6_54=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	11	18,500
NOT APPLICABLE	6	12,055	27,420,500
NOT STATED	9	480	879,000
Total		12,546	28,318,308

Variable Name FS_6_55F **Length** 1 **Position** 2404

Question Name ACC-Q55

Concept Flu shot - cost

Question What were the problems you had obtaining a flu shot? - Cost

Universe Respondents who answered FS_6_54=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	11	18,500
NOT APPLICABLE	6	12,055	27,420,500
NOT STATED	9	480	879,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_55G **Length** 1 **Position** 2405
Question Name ACC-Q55
Concept Flu shot - did not know where to go
Question What were the problems you had obtaining a flu shot? - Did not know where to go / uninformed
Universe Respondents who answered FS_6_54=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	11	18,500
NOT APPLICABLE	6	12,055	27,420,500
NOT STATED	9	480	879,000
Total		12,546	28,318,308

Variable Name FS_6_55H **Length** 1 **Position** 2406
Question Name ACC-Q55
Concept Flu shot - other problem
Question What were the problems you had obtaining a flu shot? - Other
Universe Respondents who answered FS_6_54=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	7,000
NO	2	7	11,500
NOT APPLICABLE	6	12,055	27,420,500
NOT STATED	9	480	879,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_56A **Length** 1 **Position** 2407

Question Name ACC-Q56

Concept No flu shot - have not gotten around to it

Question Why have you not had a flu shot in the past year? - Have not gotten around to it

Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	359	741,500
NO	2	1,493	2,815,000
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

Variable Name FS_6_56B **Length** 1 **Position** 2408

Question Name ACC-Q56

Concept No flu shot - respondent didn't think necessary

Question Why have you not had a flu shot in the past year? - Respondent did not think it was necessary

Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,132	2,180,000
NO	2	720	1,377,000
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_56C **Length** 1 **Position** 2409
Question Name ACC-Q56
Concept No flu shot - doctor didn't think necessary
Question Why have you not had a flu shot in the past year? - Doctor did not think it was necessary
Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	114	203,000
NO	2	1,738	3,354,000
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
Total		12,546	28,318,308

Variable Name FS_6_56D **Length** 1 **Position** 2410
Question Name ACC-Q56
Concept No flu shot - personal or family responsibilities
Question Why have you not had a flu shot in the past year? - Personal or family responsibilities
Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	18,500
NO	2	1,841	3,538,000
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FS_6_56E	Length	1	Position	2411
Question Name	ACC-Q56				
Concept	No flu shot - not available when required				
Question	Why have you not had a flu shot in the past year? - Not available at time required				
Universe	Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		30	71,000
NO		2		1,822	3,486,000
NOT APPLICABLE		6		10,211	23,877,500
DON'T KNOW		7		4	6,000
NOT STATED		9		479	878,000
		Total		12,546	28,318,308

Variable Name	FS_6_56F	Length	1	Position	2412
Question Name	ACC-Q56				
Concept	No flu shot - not available in area				
Question	Why have you not had a flu shot in the past year? - Not available at all in the area				
Universe	Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	6,000
NO		2		1,847	3,551,000
NOT APPLICABLE		6		10,211	23,877,500
DON'T KNOW		7		4	6,000
NOT STATED		9		479	878,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_56G **Length** 1 **Position** 2413

Question Name ACC-Q56

Concept No flu shot - waiting time too long

Question Why have you not had a flu shot in the past year? - Waiting time was too long

Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	7,500
NO	2	1,848	3,549,000
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

Variable Name FS_6_56H **Length** 1 **Position** 2414

Question Name ACC-Q56

Concept No flu shot - transportation problems

Question Why have you not had a flu shot in the past year? - Transportation problems

Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	15,000
NO	2	1,846	3,541,500
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_56I **Length** 1 **Position** 2415

Question Name ACC-Q56

Concept No flu shot - language problem

Question Why have you not had a flu shot in the past year? - Language problem

Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	1,852	3,557,000
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

Variable Name FS_6_56J **Length** 1 **Position** 2416

Question Name ACC-Q56

Concept No flu shot - cost

Question Why have you not had a flu shot in the past year? - Cost

Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7	24,500
NO	2	1,845	3,532,500
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FS_6_56K	Length	1	Position	2417
Question Name	ACC-Q56				
Concept	No flu shot - did not know where to go				
Question	Why have you not had a flu shot in the past year? - Did not know where to go / uninformed				
Universe	Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)				
Note					
Content		Code		Sample	Population
YES		1		7	14,500
NO		2		1,845	3,542,500
NOT APPLICABLE		6		10,211	23,877,500
DON'T KNOW		7		4	6,000
NOT STATED		9		479	878,000
		Total		12,546	28,318,308

Variable Name	FS_6_56L	Length	1	Position	2418
Question Name	ACC-Q56				
Concept	No flu shot - fear				
Question	Why have you not had a flu shot in the past year? - Fear (e.g., painful, embarrassing, find something wrong, etc.)				
Universe	Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)				
Note					
Content		Code		Sample	Population
YES		1		40	67,500
NO		2		1,812	3,489,500
NOT APPLICABLE		6		10,211	23,877,500
DON'T KNOW		7		4	6,000
NOT STATED		9		479	878,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FS_6_56M **Length** 1 **Position** 2419

Question Name ACC-Q56

Concept No flu shot - bad reaction to previous shot

Question Why have you not had a flu shot in the past year? - Bad reaction to previous shot

Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	176	260,500
NO	2	1,676	3,296,500
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

Variable Name FS_6_56N **Length** 1 **Position** 2420

Question Name ACC-Q56

Concept No flu shot - other reason

Question Why have you not had a flu shot in the past year? - Other

Universe Respondents who answered (FS_6_52=2 or 3) or (FS_6_50=2 and aged 65 and over)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	27	54,500
NO	2	1,825	3,502,500
NOT APPLICABLE	6	10,211	23,877,500
DON'T KNOW	7	4	6,000
NOT STATED	9	479	878,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_60 **Length** 1 **Position** 2421
Question Name ACC-Q60
Concept Visited dentist
Question It was reported earlier that you had seen or talked to a dentist in the past 12 months. Did you actually visit one?
Universe Respondents aged 12 and over who answered HCC6_2E>0

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,743	13,842,000
NO	2	90	203,500
NOT APPLICABLE	6	6,263	13,487,000
DON'T KNOW	7	1	1,000
NOT STATED	9	449	786,000
Total		12,546	28,318,308

Variable Name DV_6_61 **Length** 2 **Position** 2422 - 2423
Question Name ACC-Q61
Concept Last time visited dentist
Question When was the last time that you went to a dentist?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 1 YEAR AGO	1	6,058	14,597,500
1 YEAR TO LESS THAN 2 YEARS AGO	2	1,219	2,648,500
2 YEARS TO LESS THAN 3 YEARS AGO	3	818	1,716,500
3 YEARS TO LESS THAN 4 YEARS AGO	4	391	807,000
4 YEARS TO LESS THAN 5 YEARS AGO	5	211	437,500
5 OR MORE YEARS AGO	6	1,817	3,024,000
NEVER	7	109	258,000
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	16	27,500
REFUSAL	98	3	7,500
NOT STATED	99	450	786,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_62A **Length** 1 **Position** 2424
Question Name ACC-Q62
Concept Dental visit - make sure everything is OK
Question Why do you go to the dentist? - Make sure everything is OK
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,320	7,935,500
NO	2	4,774	11,025,500
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_62B **Length** 1 **Position** 2425
Question Name ACC-Q62
Concept Dental visit - check-up covered by insurance
Question Why do you go to the dentist? - Check-up covered by insurance
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	627	1,513,500
NO	2	7,467	17,448,000
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_62C **Length** 1 **Position** 2426
Question Name ACC-Q62
Concept Dental visit - catch problems early
Question Why do you go to the dentist? - Catch problems early
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	486	1,090,500
NO	2	7,608	17,871,000
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_62D **Length** 1 **Position** 2427
Question Name ACC-Q62
Concept Dental visit - for good dental health
Question Why do you go to the dentist? - For good dental health
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	974	2,355,000
NO	2	7,120	16,606,500
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_62E **Length** 1 **Position** 2428
Question Name ACC-Q62
Concept Dental visit - care of teeth, gums, dentures
Question Why do you go to the dentist? - To take care of teeth / gums / dentures
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,567	3,375,000
NO	2	6,527	15,586,500
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_62F **Length** 1 **Position** 2429
Question Name ACC-Q62
Concept Dental visit - cleaning, fluoride, maintenance
Question Why do you go to the dentist? - For cleaning / fluoride / maintenance
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,423	5,968,500
NO	2	5,671	12,992,500
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_62G **Length** 1 **Position** 2430
Question Name ACC-Q62
Concept Dental visit - to get a filling, extraction
Question Why do you go to the dentist? - To get a filling / extraction
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,470	3,181,500
NO	2	6,624	15,780,000
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_62H **Length** 1 **Position** 2431
Question Name ACC-Q62
Concept Dental visit - to check braces
Question Why do you go to the dentist? - To check braces
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	135	324,000
NO	2	7,959	18,637,500
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_62I **Length** 1 **Position** 2432
Question Name ACC-Q62
Concept Dental visit - other reason
Question Why do you go to the dentist? - Other
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	46	83,500
NO	2	8,048	18,878,000
NOT APPLICABLE	6	3,982	8,535,500
DON'T KNOW	7	1	1,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_63 **Length** 1 **Position** 2433
Question Name ACC-Q63
Concept Had problems obtaining dental services
Question Have you ever had any problems obtaining dental services?
Universe Respondents who answered DV_6_61=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	117	244,500
NO	2	7,978	18,717,500
NOT APPLICABLE	6	3,982	8,535,500
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_64A **Length** 1 **Position** 2434

Question Name ACC-Q64

Concept Dental services - not avail. when required

Question What were the problems you had obtaining dental services? - Not available at time required

Universe Respondents who answered DV_6_63=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	22,500
NO	2	104	222,000
NOT APPLICABLE	6	11,960	27,253,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

Variable Name DV_6_64B **Length** 1 **Position** 2435

Question Name ACC-Q64

Concept Dental services - not available in area

Question What were the problems you had obtaining dental services? - Not available at all in the area

Universe Respondents who answered DV_6_63=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	5,500
NO	2	111	239,000
NOT APPLICABLE	6	11,960	27,253,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_64C **Length** 1 **Position** 2436
Question Name ACC-Q64
Concept Dental services - waiting time too long
Question What were the problems you had obtaining dental services? - Waiting time was too long
Universe Respondents who answered DV_6_63=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	42,000
NO	2	95	202,500
NOT APPLICABLE	6	11,960	27,253,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

Variable Name DV_6_64D **Length** 1 **Position** 2437
Question Name ACC-Q64
Concept Dental services - transportation problems
Question What were the problems you had obtaining dental services? - Transportation problems
Universe Respondents who answered DV_6_63=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	3,000
NO	2	115	241,500
NOT APPLICABLE	6	11,960	27,253,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_64E **Length** 1 **Position** 2438

Question Name ACC-Q64

Concept Dental services - language problem

Question What were the problems you had obtaining dental services? - Language problem

Universe Respondents who answered DV_6_63=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	117	244,500
NOT APPLICABLE	6	11,960	27,253,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_64F **Length** 1 **Position** 2439

Question Name ACC-Q64

Concept Dental services - cost

Question What were the problems you had obtaining dental services? - Cost

Universe Respondents who answered DV_6_63=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	71	150,000
NO	2	46	94,500
NOT APPLICABLE	6	11,960	27,253,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_64G **Length** 1 **Position** 2440
Question Name ACC-Q64
Concept Dental services - didn't know where to go
Question What were the problems you had obtaining dental services? - Did not know where to go / uninformed
Universe Respondents who answered DV_6_63=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	3,000
NO	2	115	241,500
NOT APPLICABLE	6	11,960	27,253,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

Variable Name DV_6_64H **Length** 1 **Position** 2441
Question Name ACC-Q64
Concept Dental services - other problem
Question What were the problems you had obtaining dental services? - Other
Universe Respondents who answered DV_6_63=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	31,000
NO	2	104	213,500
NOT APPLICABLE	6	11,960	27,253,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_65A **Length** 1 **Position** 2442
Question Name ACC-Q65
Concept No dental visit - have not gotten around to it
Question Why haven't you been to a dentist in the past 3 years? - Have not gotten around to it
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	257	482,500
NO	2	2,271	4,043,500
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

Variable Name DV_6_65B **Length** 1 **Position** 2443
Question Name ACC-Q65
Concept No dental visit - resp. didn't think necessary
Question Why haven't you been to a dentist in the past 3 years? - Respondent did not think it was necessary
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,072	1,947,000
NO	2	1,456	2,579,000
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_65C **Length** 1 **Position** 2444
Question Name ACC-Q65
Concept No dental visit - dentist didn't think necessary
Question Why haven't you been to a dentist in the past 3 years? - Dentist did not think it was necessary
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	43	55,500
NO	2	2,485	4,470,500
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_65D **Length** 1 **Position** 2445
Question Name ACC-Q65
Concept No dental visit - personal / family responsibilities
Question Why haven't you been to a dentist in the past 3 years? - Personal or family responsibilities
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	9,500
NO	2	2,525	4,516,500
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_65E **Length** 1 **Position** 2446
Question Name ACC-Q65
Concept No dental visit - not available when required
Question Why haven't you been to a dentist in the past 3 years? - Not available at time required
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	3,500
NO	2	2,525	4,523,000
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_65F **Length** 1 **Position** 2447
Question Name ACC-Q65
Concept No dental visit - not available in area
Question Why haven't you been to a dentist in the past 3 years? - Not available at all in the area
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	3,000
NO	2	2,524	4,523,000
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_65G **Length** 1 **Position** 2448
Question Name ACC-Q65
Concept No dental visit - waiting time too long
Question Why haven't you been to a dentist in the past 3 years? - Waiting time was too long
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	4,500
NO	2	2,526	4,522,000
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_65H **Length** 1 **Position** 2449
Question Name ACC-Q65
Concept No dental visit - transportation problems
Question Why haven't you been to a dentist in the past 3 years? - Transportation problems
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	3,500
NO	2	2,524	4,522,500
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_65I **Length** 1 **Position** 2450
Question Name ACC-Q65
Concept No dental visit - language problem
Question Why haven't you been to a dentist in the past 3 years? - Language problem
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1	3,500
NO	2	2,527	4,522,500
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_65J **Length** 1 **Position** 2451
Question Name ACC-Q65
Concept No dental visit - cost
Question Why haven't you been to a dentist in the past 3 years? - Cost
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	232	493,000
NO	2	2,296	4,033,000
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_65K **Length** 1 **Position** 2452
Question Name ACC-Q65
Concept No dental visit - did not know where to go
Question Why haven't you been to a dentist in the past 3 years? - Did not know where to go / uninformed
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	5,000
NO	2	2,525	4,521,000
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

Variable Name DV_6_65L **Length** 1 **Position** 2453
Question Name ACC-Q65
Concept No dental visit - fear
Question Why haven't you been to a dentist in the past 3 years? - Fear (e.g., painful, embarrassing, find something wrong, etc.)
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	87	189,500
NO	2	2,441	4,336,500
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DV_6_65M **Length** 1 **Position** 2454
Question Name ACC-Q65
Concept No dental visit - wears dentures
Question Why haven't you been to a dentist in the past 3 years? - Wears dentures
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	900	1,445,500
NO	2	1,628	3,080,500
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

Variable Name DV_6_65N **Length** 1 **Position** 2455
Question Name ACC-Q65
Concept No dental visit - other reason
Question Why haven't you been to a dentist in the past 3 years? - Other
Universe Respondents who answered DV_6_61=4, 5, 6 or 7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	49	114,000
NO	2	2,479	4,412,000
NOT APPLICABLE	6	9,549	22,971,000
NOT STATED	9	469	821,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ISC6_2	Length	1	Position	2456
Question Name	ACC-Q66				
Concept	Insurance - dental expenses				
Question	Do you have insurance that covers all or part of your dental expenses?				
Universe	Respondents aged 12 and over living in a household				
Note	Formerly DV_6_66.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,414	13,176,000
NO		2		5,140	10,078,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		87	266,000
REFUSAL		8		1	2,500
NOT STATED		9		450	786,000
		Total		12,546	28,318,308

Variable Name	EX_6_70	Length	1	Position	2457
Question Name	ACC-Q70				
Concept	Visited optometrist or ophthalmologist				
Question	It was reported earlier that you had seen or talked to an optometrist or ophthalmologist in the past 12 months. Did you actually visit one?				
Universe	Respondents aged 12 and over who answered HCC6_2B>0				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,787	8,411,500
NO		2		102	218,000
NOT APPLICABLE		6		8,208	18,903,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_71 **Length** 1 **Position** 2458
Question Name ACC-Q71
Concept Last eye examination
Question When did you last have an eye examination?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 1 YEAR AGO	1	4,304	9,626,500
1 YEAR TO LESS THAN 2 YEARS AGO	2	2,053	4,336,500
2 YEARS TO LESS THAN 3 YEARS AGO	3	1,419	3,129,500
3 OR MORE YEARS AGO	4	2,359	5,073,000
NEVER	5	484	1,303,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	23	53,000
REFUSAL	8	1	1,500
NOT STATED	9	449	786,000
	Total	12,546	28,318,308

Variable Name EX_6_72 **Length** 1 **Position** 2459
Question Name ACC-Q72
Concept Frequency of eye examinations
Question How often do you have an eye examination?
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MORE THAN ONCE A YEAR	1	602	1,256,000
ONCE A YEAR	2	1,869	4,689,500
EVERY 2 YEARS	3	2,762	5,605,500
EVERY 3 YEARS	4	440	925,500
LESS OFTEN THAN EVERY 3 YEARS	5	671	1,463,500
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	13	22,500
NOT STATED	9	473	840,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_73A **Length** 1 **Position** 2460
Question Name ACC-Q73
Concept Had eye exam - make sure everything is OK
Question Why do you have an eye examination? - Make sure everything is OK
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,350	7,494,500
NO	2	3,005	6,462,000
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

Variable Name EX_6_73B **Length** 1 **Position** 2461
Question Name ACC-Q73
Concept Had eye exam - glaucoma test
Question Why do you have an eye examination? - Glaucoma test
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	304	573,500
NO	2	6,051	13,382,500
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_73C **Length** 1 **Position** 2462
Question Name ACC-Q73
Concept Had eye exam - job requirement
Question Why do you have an eye examination? - Job requirement
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	144	327,500
NO	2	6,211	13,629,000
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

Variable Name EX_6_73D **Length** 1 **Position** 2463
Question Name ACC-Q73
Concept Had eye exam - check prescription
Question Why do you have an eye examination? - To see if need a change in prescription
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,493	5,381,500
NO	2	3,862	8,575,000
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_73E **Length** 1 **Position** 2464
Question Name ACC-Q73
Concept Had eye exam - cataracts are developing
Question Why do you have an eye examination? - Cataracts are developing
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	295	437,500
NO	2	6,060	13,519,000
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

Variable Name EX_6_73F **Length** 1 **Position** 2465
Question Name ACC-Q73
Concept Had eye exam - to get driver's license
Question Why do you have an eye examination? - To get driver's license
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	104	210,000
NO	2	6,251	13,746,500
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_73G **Length** 1 **Position** 2466
Question Name ACC-Q73
Concept Had eye exam - eye problem / infection
Question Why do you have an eye examination? - Eye problem / infection
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	388	842,000
NO	2	5,967	13,114,500
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

Variable Name EX_6_73H **Length** 1 **Position** 2467
Question Name ACC-Q73
Concept Had eye exam - diabetes
Question Why do you have an eye examination? - Diabetes
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	101	182,500
NO	2	6,254	13,774,000
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_73I **Length** 1 **Position** 2468
Question Name ACC-Q73
Concept Had eye exam - sight deterioration
Question Why do you have an eye examination? - Sight deterioration
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	425	958,500
NO	2	5,930	12,997,500
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

Variable Name EX_6_73J **Length** 1 **Position** 2469
Question Name ACC-Q73
Concept Had eye exam - other reason
Question Why do you have an eye examination? - Other
Universe Respondents who answered EX_6_70=1 or EX_6_71=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	101	198,000
NO	2	6,254	13,758,500
NOT APPLICABLE	6	5,716	13,515,000
DON'T KNOW	7	2	6,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EX_6_74	Length	1	Position	2470
Question Name	ACC-Q74				
Concept	Had problems obtaining an eye examination				
Question	Have you ever had any problems obtaining an eye examination?				
Universe	Respondents who answered EX_6_70=1 or EX_6_71=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		53	100,000
NO		2		6,303	13,861,500
NOT APPLICABLE		6		5,716	13,515,000
DON'T KNOW		7		1	1,500
NOT STATED		9		473	840,500
		Total		12,546	28,318,308

Variable Name	EX_6_75A	Length	1	Position	2471
Question Name	ACC-Q75				
Concept	Eye exam - not available when required				
Question	What were the problems you had obtaining an eye examination? - Not available at time required				
Universe	Respondents who answered EX_6_74=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10	18,000
NO		2		43	82,000
NOT APPLICABLE		6		12,019	27,376,500
NOT STATED		9		474	842,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_75B **Length** 1 **Position** 2472
Question Name ACC-Q75
Concept Eye exam - not available in area
Question What were the problems you had obtaining an eye examination? - Not available at all in the area
Universe Respondents who answered EX_6_74=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1	4,500
NO	2	52	95,500
NOT APPLICABLE	6	12,019	27,376,500
NOT STATED	9	474	842,000
	Total	12,546	28,318,308

Variable Name EX_6_75C **Length** 1 **Position** 2473
Question Name ACC-Q75
Concept Eye exam - waiting time too long
Question What were the problems you had obtaining an eye examination? - Waiting time was too long
Universe Respondents who answered EX_6_74=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	33	73,000
NO	2	20	27,000
NOT APPLICABLE	6	12,019	27,376,500
NOT STATED	9	474	842,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_75D **Length** 1 **Position** 2474

Question Name ACC-Q75

Concept Eye exam - transportation problems

Question What were the problems you had obtaining an eye examination? - Transportation problems

Universe Respondents who answered EX_6_74=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1	1,000
NO	2	52	99,500
NOT APPLICABLE	6	12,019	27,376,500
NOT STATED	9	474	842,000
	Total	12,546	28,318,308

Variable Name EX_6_75E **Length** 1 **Position** 2475

Question Name ACC-Q75

Concept Eye exam - language problem

Question What were the problems you had obtaining an eye examination? - Language problem

Universe Respondents who answered EX_6_74=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	53	100,000
NOT APPLICABLE	6	12,019	27,376,500
NOT STATED	9	474	842,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_75F **Length** 1 **Position** 2476
Question Name ACC-Q75
Concept Eye exam - cost
Question What were the problems you had obtaining an eye examination? - Cost
Universe Respondents who answered EX_6_74=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	7,000
NO	2	45	93,000
NOT APPLICABLE	6	12,019	27,376,500
NOT STATED	9	474	842,000
	Total	12,546	28,318,308

Variable Name EX_6_75G **Length** 1 **Position** 2477
Question Name ACC-Q75
Concept Eye exam - did not know where to go
Question What were the problems you had obtaining an eye examination? - Did not know where to go / uninformed
Universe Respondents who answered EX_6_74=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	1,500
NO	2	51	98,500
NOT APPLICABLE	6	12,019	27,376,500
NOT STATED	9	474	842,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_75H **Length** 1 **Position** 2478
Question Name ACC-Q75
Concept Eye exam - other problem
Question What were the problems you had obtaining an eye examination? - Other
Universe Respondents who answered EX_6_74=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	12,000
NO	2	47	87,500
NOT APPLICABLE	6	12,019	27,376,500
NOT STATED	9	474	842,000
	Total	12,546	28,318,308

Variable Name EX_6_76A **Length** 1 **Position** 2479
Question Name ACC-Q76
Concept No eye exam - have not gotten around to it
Question Why have you not had an eye examination in the past 2 years? - Have not gotten around to it
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	887	1,849,500
NO	2	3,370	7,634,500
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EX_6_76B	Length	1	Position	2480
Question Name	ACC-Q76				
Concept	No eye exam - respondent didn't think necessary				
Question	Why have you not had an eye examination in the past 2 years? - Respondent did not think it was necessary				
Universe	Respondents who answered EX_6_71=3, 4 or 5				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,144	7,252,500
NO		2		1,113	2,231,500
NOT APPLICABLE		6		7,811	17,972,000
DON'T KNOW		7		5	21,500
NOT STATED		9		473	840,500
		Total		12,546	28,318,308

Variable Name	EX_6_76C	Length	1	Position	2481
Question Name	ACC-Q76				
Concept	No eye exam - doctor didn't think necessary				
Question	Why have you not had an eye examination in the past 2 years? - Doctor did not think it was necessary				
Universe	Respondents who answered EX_6_71=3, 4 or 5				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		107	165,500
NO		2		4,150	9,318,500
NOT APPLICABLE		6		7,811	17,972,000
DON'T KNOW		7		5	21,500
NOT STATED		9		473	840,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_76D **Length** 1 **Position** 2482
Question Name ACC-Q76
Concept No eye exam - personal or family responsibilities
Question Why have you not had an eye examination in the past 2 years? - Personal or family responsibilities
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	15,500
NO	2	4,246	9,468,000
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
	Total	12,546	28,318,308

Variable Name EX_6_76E **Length** 1 **Position** 2483
Question Name ACC-Q76
Concept No eye exam - not available when required
Question Why have you not had an eye examination in the past 2 years? - Not available at time required
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	16	46,500
NO	2	4,241	9,437,500
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_76F **Length** 1 **Position** 2484
Question Name ACC-Q76
Concept No eye exam - not available at all in area
Question Why have you not had an eye examination in the past 2 years? - Not available at all in the area
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10	14,000
NO	2	4,247	9,470,000
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
	Total	12,546	28,318,308

Variable Name EX_6_76G **Length** 1 **Position** 2485
Question Name ACC-Q76
Concept No eye exam - waiting time too long
Question Why have you not had an eye examination in the past 2 years? - Waiting time was too long
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	22,500
NO	2	4,246	9,461,500
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EX_6_76H	Length	1	Position	2486
Question Name	ACC-Q76				
Concept	No eye exam - transportation problems				
Question	Why have you not had an eye examination in the past 2 years? - Transportation problems				
Universe	Respondents who answered EX_6_71=3, 4 or 5				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	16,500
NO		2		4,242	9,467,500
NOT APPLICABLE		6		7,811	17,972,000
DON'T KNOW		7		5	21,500
NOT STATED		9		473	840,500
		Total		12,546	28,318,308

Variable Name	EX_6_76I	Length	1	Position	2487
Question Name	ACC-Q76				
Concept	No eye exam - language problem				
Question	Why have you not had an eye examination in the past 2 years? - Language problem				
Universe	Respondents who answered EX_6_71=3, 4 or 5				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	4,500
NO		2		4,255	9,479,500
NOT APPLICABLE		6		7,811	17,972,000
DON'T KNOW		7		5	21,500
NOT STATED		9		473	840,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_76J **Length** 1 **Position** 2488
Question Name ACC-Q76
Concept No eye exam - cost
Question Why have you not had an eye examination in the past 2 years? - Cost
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	222	381,000
NO	2	4,035	9,103,000
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
	Total	12,546	28,318,308

Variable Name EX_6_76K **Length** 1 **Position** 2489
Question Name ACC-Q76
Concept No eye exam - did not know where to go
Question Why have you not had an eye examination in the past 2 years? - Did not know where to go / uninformed
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	7,500
NO	2	4,252	9,476,500
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EX_6_76L **Length** 1 **Position** 2490
Question Name ACC-Q76
Concept No eye exam - fear
Question Why have you not had an eye examination in the past 2 years? - Fear (e.g., painful, embarrassing, find something wrong)
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	10,000
NO	2	4,252	9,474,000
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

Variable Name EX_6_76M **Length** 1 **Position** 2491
Question Name ACC-Q76
Concept No eye exam - other reason
Question Why have you not had an eye examination in the past 2 years? - Other
Universe Respondents who answered EX_6_71=3, 4 or 5

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	25	53,500
NO	2	4,232	9,430,500
NOT APPLICABLE	6	7,811	17,972,000
DON'T KNOW	7	5	21,500
NOT STATED	9	473	840,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ISC6_3	Length	1	Position	2492
Question Name	ACC-Q77				
Concept	Insurance - eye glasses / contact lenses				
Question	Do you have insurance that covers all or part of the costs of eye glasses or contact lenses?				
Universe	Respondents aged 12 and over living in a household				
Note	Formerly EX_6_77.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,790	11,249,000
NO		2		5,646	11,687,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		205	585,000
REFUSAL		8		2	2,500
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	ES_6_80	Length	1	Position	2493
Question Name	ACC-Q80				
Concept	Overall quality of emergency services				
Question	Overall, how would you rate the emergency services available to you?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EXCELLENT		1		1,673	3,973,500
VERY GOOD		2		3,279	7,261,500
GOOD		3		3,295	7,077,500
FAIR		4		1,078	2,362,000
POOR		5		556	1,225,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		756	1,614,000
REFUSAL		8		6	9,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ES_6_81	Length	1	Position	2494
Question Name	ACC-Q81				
Concept	Used emergency services				
Question	Did you use any emergency services in the past 12 months?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,176	5,055,000
NO		2		7,703	16,839,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	5,500
NOT STATED		9		1,211	2,409,000
		Total		12,546	28,318,308

Variable Name	ISC6_4	Length	1	Position	2495
Question Name	ACC-Q82				
Concept	Insurance - hospital charges				
Question	Do you have insurance that covers all or part of hospital charges for a private or semi-private room?				
Universe	Respondents aged 12 and over living in a household				
Note	Formerly ES_6_82.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,426	12,748,500
NO		2		4,195	8,425,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		259	724,000
REFUSAL		8		1	2,500
NOT STATED		9		1,211	2,409,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ISC6D1	Length	1	Position	2496
Question Name					
Concept	Number of types of medical insurance - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Formerly IS_6D1. Based on ISC6_1 to ISC6_4 (formerly DGC6_6, DV_6_66, EX_6_77, ES_6_82). See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO INSURANCE	0	2,758	5,563,000
ONE TYPE OF INSURANCE	1	1,119	2,170,000
TWO TYPES OF INSURANCE	2	948	1,916,000
THREE TYPES OF INSURANCE	3	1,430	3,244,500
FOUR TYPES OF INSURANCE	4	3,239	7,959,000
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	1,598	3,456,000
	Total	12,546	28,318,308

Variable Name	HVS6_1	Length	1	Position	2497
Question Name	HIV-Q1				
Concept	Tissue sample given for life insurance				
Question	In the past 12 months, have you applied for life insurance where you had to give a blood, urine or saliva sample?				
Universe	Respondents aged 18 and over living in a household				
Note					

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	350	918,000
NO	2	9,531	20,127,000
NOT APPLICABLE	6	2,262	6,625,000
DON'T KNOW	7	3	1,500
REFUSAL	8	4	4,000
NOT STATED	9	396	642,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HVS6_2 **Length** 1 **Position** 2498

Question Name HIV-Q2

Concept Donated blood at the Red Cross

Question Have you ever donated blood at the Red Cross?

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,012	6,255,500
NO	2	6,863	14,780,500
NOT APPLICABLE	6	2,262	6,625,000
DON'T KNOW	7	6	9,500
NOT STATED	9	403	648,000
	Total	12,546	28,318,308

Variable Name HVS6_3 **Length** 4 **Position** 2499 - 2502

Question Name HIV-Q3

Concept Year of last blood donation

Question When was the last time you donated blood at the Red Cross?

Universe Respondents who answered HVS6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1931 - 1997	2,927	6,141,000
NOT APPLICABLE	9996	9,125	21,405,500
DON'T KNOW	9997	82	112,000
REFUSAL	9998	3	2,500
NOT STATED	9999	409	657,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HVS6_4 **Length** 1 **Position** 2503
Question Name HIV-Q4
Concept Test for HIV / AIDS other than for insurance or blood donat.
Question People may also be tested for HIV or AIDS through a family doctor or clinic. Other than when donating blood at the Red Cross or when applying for life insurance, have you ever been tested for HIV or AIDS?
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,187	2,954,000
NO	2	8,660	18,011,500
NOT APPLICABLE	6	2,262	6,625,000
DON'T KNOW	7	24	59,000
REFUSAL	8	4	11,500
NOT STATED	9	409	657,500
	Total	12,546	28,318,308

Variable Name HVS6_5 **Length** 4 **Position** 2504 - 2507
Question Name HIV-Q5
Concept HIV / AIDS - year of last test
Question When was the last time you were tested for HIV or AIDS?
Universe Respondents who answered HVS6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1978 - 1997	1,183	2,943,000
NOT APPLICABLE	9996	10,922	24,636,500
DON'T KNOW	9997	4	11,000
NOT STATED	9999	437	727,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HVS6_6 **Length** 2 **Position** 2508 - 2509
Question Name HIV-Q6
Concept HIV / AIDS - reason for test
Question What was the main reason for getting tested for HIV or AIDS?
Universe Respondents who answered HVS6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PREGNANCY	1	134	283,000
PEACE OF MIND	2	436	1,141,500
HAD SEXUAL INTERCOURSE	3	57	131,500
DRUG USE	4	3	2,500
OCCUPATIONAL EXPOSURE	5	45	94,000
HAD A BLOOD TRANSFUSION	6	82	166,000
RECEIVED BLOOD PRODUCTS	7	15	43,000
CONFIRM RESULTS FROM PREVIOUS TEST	8	14	33,500
OTHER	9	399	1,055,000
NOT APPLICABLE	96	10,922	24,636,500
REFUSAL	98	2	4,000
NOT STATED	99	437	727,500
Total		12,546	28,318,308

Variable Name HVS6_7 **Length** 1 **Position** 2510
Question Name HIV-Q7
Concept Received "clotting factor" between 1978 and 1985
Question Between 1978 and 1985, did you receive a "clotting factor" to treat a bleeding condition such as hemophilia?
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	51	97,500
NO	2	9,779	20,833,500
NOT APPLICABLE	6	2,262	6,625,000
DON'T KNOW	7	17	35,000
NOT STATED	9	437	727,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HVS6_8	Length	1	Position	2511
Question Name	HIV-Q8				
Concept	Received a blood transfusion between 1978 and 1985				
Question	Between 1978 and 1985, did you receive a blood transfusion?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		401	770,000
NO		2		9,388	20,063,000
NOT APPLICABLE		6		2,262	6,625,000
DON'T KNOW		7		58	132,500
NOT STATED		9		437	727,500
		Total		12,546	28,318,308

Variable Name	HVS6_9	Length	1	Position	2512
Question Name	HIV-Q9				
Concept	Has injected non-prescription drugs				
Question	Have you ever injected non-prescription drugs such as steroids, heroin or cocaine?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		35	70,500
NO		2		9,808	20,888,000
NOT APPLICABLE		6		2,262	6,625,000
DON'T KNOW		7		1	1,000
REFUSAL		8		3	7,000
NOT STATED		9		437	727,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HIP6_8 **Length** 1 **Position** 2536

Question Name AINF-Q8

Concept Rating of sex education classes

Question Overall, how would you rate the classes in terms of providing useful information about how to protect or improve your health?

Universe Respondents who answered HIP6_7=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	15	52,000
GOOD	2	22	77,500
FAIR	3	3	12,000
NOT APPLICABLE	6	12,231	27,806,500
NOT STATED	9	275	371,000
Total		12,546	28,318,308

Variable Name HSC6_1 **Length** 1 **Position** 2537

Question Name HS-Q1

Concept Vision - read newsprint without glasses / contact lenses

Question Are you usually able to see well enough to read ordinary newsprint without glasses or contact lenses?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,044	17,489,500
NO	2	4,967	9,757,000
NOT APPLICABLE	6	261	712,500
DON'T KNOW	7	3	4,000
NOT STATED	9	271	355,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC6_2	Length	1	Position	2538
Question Name	HS-Q2				
Concept	Vision - read newsprint with glasses / contacts				
Question	Are you usually able to see well enough to read ordinary newsprint with glasses or contact lenses?				
Universe	Respondents who answered HSC6_1=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,772	9,446,000
NO		2		189	303,000
NOT APPLICABLE		6		7,305	18,202,000
DON'T KNOW		7		5	9,000
NOT STATED		9		275	358,500
		Total		12,546	28,318,308

Variable Name	HSC6_3	Length	1	Position	2539
Question Name	HS-Q3				
Concept	Vision - able to see				
Question	Are you able to see at all?				
Universe	Respondents who answered HSC6_2=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		175	288,500
NO		2		18	23,000
NOT APPLICABLE		6		12,077	27,648,000
DON'T KNOW		7		1	1,000
NOT STATED		9		275	358,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6_4 **Length** 1 **Position** 2540
Question Name HS-Q4
Concept Vision - recognize a friend without glasses / contact lenses
Question Are you able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?
Universe Respondents who answered HSC6_1=1 or HSC6_2=1 or HSC6_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,907	20,695,500
NO	2	3,056	6,491,500
NOT APPLICABLE	6	279	736,000
DON'T KNOW	7	28	36,500
NOT STATED	9	276	358,500
	Total	12,546	28,318,308

Variable Name HSC6_5 **Length** 1 **Position** 2541
Question Name HS-Q5
Concept Vision - recognize a friend with glasses / contact lenses
Question Are you usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?
Universe Respondents who answered HSC6_4=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,921	6,285,000
NO	2	135	205,000
NOT APPLICABLE	6	9,186	21,431,500
DON'T KNOW	7	2	5,500
NOT STATED	9	302	391,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6DVIS **Length** 2 **Position** 2542 - 2543

Question Name

Concept Vision problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC6_1 to HSC6_5. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO VISUAL PROBLEM	1	5,993	14,957,000
PROBLEM CORRECTED BY LENSES	2	5,727	11,827,500
PROBLEM SEEING DISTANCE - NOT CORRECTED	3	72	117,000
PROBLEM SEEING CLOSE - NOT CORRECTED	4	101	183,500
PROBLEM CLOSE & DISTANCE - NOT CORRECTED	5	63	87,500
NO SIGHT AT ALL	6	18	23,000
NOT APPLICABLE	96	261	712,500
NOT STATED	99	311	410,000
Total		12,546	28,318,308

Variable Name HSC6_6 **Length** 1 **Position** 2544

Question Name HS-Q6

Concept Hearing - in group without hearing aid

Question Are you usually able to hear what is said in a group conversation with at least 3 other people without a hearing aid?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,431	26,266,000
NO	2	581	981,500
NOT APPLICABLE	6	261	712,500
NOT STATED	9	273	358,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC6_7	Length	1	Position	2545
Question Name	HS-Q7				
Concept	Hearing - in group with hearing aid				
Question	Are you usually able to hear what is said in a group conversation with at least 3 other people with a hearing aid?				
Universe	Respondents who answered HSC6_6=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		348	627,000
NO		2		192	297,000
NOT APPLICABLE		6		11,692	26,979,000
DON'T KNOW		7		40	57,000
REFUSAL		8		1	1,000
NOT STATED		9		273	358,000
		Total		12,546	28,318,308

Variable Name	HSC6_7A	Length	1	Position	2546
Question Name	HS-Q7A				
Concept	Hearing - able to hear				
Question	Are you able to hear at all?				
Universe	Respondents who answered HSC6_7=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		220	326,000
NO		2		12	26,500
NOT APPLICABLE		6		12,040	27,605,500
DON'T KNOW		7		1	2,000
NOT STATED		9		273	358,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6_8 **Length** 1 **Position** 2547
Question Name HS-Q8
Concept Hearing - in quiet room without hearing aid
Question Are you usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid?
Universe Respondents who answered HSC6_7=1 or HSC6_7A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	434	732,500
NO	2	131	214,000
NOT APPLICABLE	6	11,704	27,005,500
DON'T KNOW	7	3	6,500
NOT STATED	9	274	360,000
Total		12,546	28,318,308

Variable Name HSC6_9 **Length** 1 **Position** 2548
Question Name HS-Q9
Concept Hearing - in quiet room with hearing aid
Question Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?
Universe Respondents who answered HSC6_8=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	117	186,500
NO	2	15	28,500
NOT APPLICABLE	6	12,138	27,738,000
DON'T KNOW	7	1	1,000
NOT STATED	9	275	364,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6DHER **Length** 2 **Position** 2549 - 2550

Question Name

Concept Hearing problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC6_6 to HSC6_9. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO HEARING PROBLEM	1	11,431	26,266,000
PROBLEM IN GROUP - CORRECTED	2	252	480,500
PROBLEM IN GROUP & IND. - CORRECTED	3	95	145,500
PROBLEM IN GROUP - NOT CORRECTED	4	144	198,000
PROBLEM IN GROUP & IND.- IND. CORRECTED	5	20	39,500
CANNOT HEAR	6	26	54,500
NOT APPLICABLE	96	261	712,500
NOT STATED	99	317	421,500
Total		12,546	28,318,308

Variable Name HSC6_10 **Length** 1 **Position** 2551

Question Name HS-Q10

Concept Speech - completely understood by strangers

Question Are you usually able to be understood completely when speaking with strangers in your own language?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,904	27,033,500
NO	2	106	210,500
NOT APPLICABLE	6	261	712,500
DON'T KNOW	7	2	4,000
NOT STATED	9	273	358,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC6_11	Length	1	Position	2552
Question Name	HS-Q11				
Concept	Speech - partially understood by strangers				
Question	Are you able to be understood partially when speaking with strangers?				
Universe	Respondents who answered HSC6_10=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		84	172,500
NO		2		22	38,000
NOT APPLICABLE		6		12,165	27,746,000
NOT STATED		9		275	361,500
		Total		12,546	28,318,308

Variable Name	HSC6_12	Length	1	Position	2553
Question Name	HS-Q12				
Concept	Speech - completely understood by non-strangers				
Question	Are you able to be understood completely when speaking with those who know you well?				
Universe	Respondents who answered HSC6_10=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		66	145,000
NO		2		40	65,500
NOT APPLICABLE		6		12,165	27,746,000
NOT STATED		9		275	361,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC6_13	Length	1	Position	2554
Question Name	HS-Q13				
Concept	Speech - partially understood by non-strangers				
Question	Are you able to be understood partially when speaking with those who know you well?				
Universe	Respondents who answered HSC6_12=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		30	53,000
NO		2		10	12,500
NOT APPLICABLE		6		12,231	27,891,000
NOT STATED		9		275	361,500
		Total		12,546	28,318,308

Variable Name	HSC6DSPE	Length	1	Position	2555
Question Name					
Concept	Speech problem - function code - (D)				
Question					
Universe	Respondents aged 4 and over				
Note	Based on HSC6_10 to HSC6_13. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO SPEECH PROBLEM		1		11,904	27,033,500
PARTIALLY UNDERSTOOD BY STRANGERS		2		60	134,000
PARTIALLY UNDERSTOOD BY FRIENDS		3		22	37,000
NOT UNDERSTOOD BY STRANGERS		4		14	27,000
NOT UNDERSTOOD BY FRIENDS		5		10	12,500
NOT APPLICABLE		6		261	712,500
NOT STATED		9		275	361,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6_14 **Length** 1 **Position** 2556
Question Name HS-Q14
Concept Mobility - walk without difficulty and without support
Question Are you usually able to walk around the neighbourhood without difficulty and without mechanical support such as braces, a cane or crutches?
Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,456	26,318,000
NO	2	554	928,500
NOT APPLICABLE	6	261	712,500
DON'T KNOW	7	2	1,000
NOT STATED	9	273	358,000
Total		12,546	28,318,308

Variable Name HSC6_15 **Length** 1 **Position** 2557
Question Name HS-Q15
Concept Mobility - able to walk
Question Are you able to walk at all?
Universe Respondents who answered HSC6_14=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	476	824,500
NO	2	76	101,500
NOT APPLICABLE	6	11,717	27,030,500
DON'T KNOW	7	2	3,000
NOT STATED	9	275	359,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6_16 **Length** 1 **Position** 2558
Question Name HS-Q16
Concept Mobility - requires support to walk
Question Do you require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood?
Universe Respondents who answered HSC6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	336	525,000
NO	2	139	297,000
NOT APPLICABLE	6	11,793	27,132,000
DON'T KNOW	7	1	2,000
NOT STATED	9	277	361,500
Total		12,546	28,318,308

Variable Name HSC6_17 **Length** 1 **Position** 2559
Question Name HS-Q17
Concept Mobility - requires help of person to walk
Question Do you require the help of another person to be able to walk?
Universe Respondents who answered HSC6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	98	152,500
NO	2	376	669,500
NOT APPLICABLE	6	11,793	27,132,000
DON'T KNOW	7	2	2,500
NOT STATED	9	277	361,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC6_18	Length	1	Position	2560
Question Name	HS-Q18				
Concept	Mobility - requires a wheelchair				
Question	Do you require a wheelchair to get around?				
Universe	Respondents who answered HSC6_14=2				
Note					
Content		Code		Sample	Population
YES		1		114	168,500
NO		2		440	760,000
NOT APPLICABLE		6		11,717	27,030,500
NOT STATED		9		275	359,000
		Total		12,546	28,318,308

Variable Name	HSC6_19	Length	1	Position	2561
Question Name	HS-Q19				
Concept	Mobility - frequency of wheelchair use				
Question	How often do you use a wheelchair?				
Universe	Respondents who answered HSC6_18=1				
Note					
Content		Code		Sample	Population
ALWAYS		1		64	98,500
OFTEN		2		20	31,000
SOMETIMES		3		28	38,000
NEVER		4		2	1,500
NOT APPLICABLE		6		12,157	27,790,500
NOT STATED		9		275	359,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6_20 **Length** 1 **Position** 2562
Question Name HS-Q20
Concept Mobility - requires help to move in wheelchair
Question Do you need the help of another person to get around in the wheelchair?
Universe Respondents who answered HSC6_18=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	68	102,500
NO	2	45	65,000
NOT APPLICABLE	6	12,157	27,790,500
DON'T KNOW	7	1	1,500
NOT STATED	9	275	359,000
	Total	12,546	28,318,308

Variable Name HSC6DMOB **Length** 2 **Position** 2563 - 2564
Question Name
Concept Mobility problem - function code - (D)
Question
Universe Respondents aged 4 and over

Note Based on HSC6_14 to HSC6_18. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO MOBILITY PROBLEM	1	11,456	26,318,000
PROBLEM - NO AID REQUIRED	2	110	248,500
PROBLEM - REQUIRES MECHANICAL SUPPORT	3	236	376,500
PROBLEM - REQUIRES WHEELCHAIR	4	30	44,000
PROBLEM - REQUIRES HELP FROM PEOPLE	5	98	152,500
CANNOT WALK	6	76	101,500
NOT APPLICABLE	96	261	712,500
NOT STATED	99	279	364,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6_21 **Length** 1 **Position** 2565

Question Name HS-Q21

Concept Dexterity - able to grasp and handle small objects

Question Are you usually able to grasp and handle small objects such as a pencil or scissors?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,842	26,901,000
NO	2	170	347,000
NOT APPLICABLE	6	261	712,500
NOT STATED	9	273	358,000
Total		12,546	28,318,308

Variable Name HSC6_22 **Length** 1 **Position** 2566

Question Name HS-Q22

Concept Dexterity - requires help due to limitation in hands

Question Do you require the help of another person because of limitations in the use of hands or fingers?

Universe Respondents who answered HSC6_21=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	57	95,000
NO	2	113	252,000
NOT APPLICABLE	6	12,103	27,613,500
NOT STATED	9	273	358,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6_23 **Length** 1 **Position** 2567
Question Name HS-Q23
Concept Dexterity - requires help with tasks
Question Do you require the help of another person with:
Universe Respondents who answered HSC6_22=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SOME TASKS	1	23	28,000
MOST TASKS	2	11	24,500
ALMOST ALL TASKS	3	11	21,000
ALL TASKS	4	12	21,500
NOT APPLICABLE	6	12,216	27,865,500
NOT STATED	9	273	358,000
	Total	12,546	28,318,308

Variable Name HSC6_24 **Length** 1 **Position** 2568
Question Name HS-Q24
Concept Dexterity - requires special equipment
Question Do you require special equipment, for example, devices to assist in dressing, because of limitations in the use of hands or fingers?
Universe Respondents who answered HSC6_21=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	20	42,500
NO	2	150	304,500
NOT APPLICABLE	6	12,103	27,613,500
NOT STATED	9	273	358,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6DDEX **Length** 2 **Position** 2569 - 2570

Question Name

Concept Dexterity problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC6_21 to HSC6_24. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO DEXTERITY PROBLEM	1	11,842	26,901,000
PROBLEM - NO HELP REQUIRED	2	108	236,500
PROBLEM - REQUIRES SPECIAL EQUIPMENT	3	5	15,000
PROBLEM - REQUIRES HELP WITH SOME TASKS	4	23	28,000
PROBLEM - REQUIRES HELP WITH MOST TASKS	5	22	45,500
PROBLEM - REQUIRES HELP WITH ALL TASKS	6	12	21,500
NOT APPLICABLE	96	261	712,500
NOT STATED	99	273	358,000
Total		12,546	28,318,308

Variable Name HSC6_25 **Length** 1 **Position** 2571

Question Name HS-Q25

Concept Feelings - self perceived happiness

Question Would you describe yourself as being usually:

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAPPY AND INTERESTED IN LIFE	1	9,759	22,201,500
SOMEWHAT HAPPY	2	1,897	4,306,500
SOMEWHAT UNHAPPY	3	260	522,500
UNHAPPY WITH LITTLE INTEREST IN LIFE	4	61	137,000
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE	5	24	68,500
NOT APPLICABLE	6	261	712,500
DON'T KNOW	7	11	12,000
NOT STATED	9	273	358,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6DEMO **Length** 1 **Position** 2572

Question Name

Concept Emotional problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC6_25. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAPPY AND INTERESTED IN LIFE	1	9,759	22,201,500
SOMEWHAT HAPPY	2	1,897	4,306,500
SOMEWHAT UNHAPPY	3	260	522,500
VERY UNHAPPY	4	61	137,000
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE	5	24	68,500
NOT APPLICABLE	6	261	712,500
NOT STATED	9	284	369,500
Total		12,546	28,318,308

Variable Name HSC6_26 **Length** 1 **Position** 2573

Question Name HS-Q26

Concept Cognition - ability to remember things

Question How would you describe your usual ability to remember things?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ABLE TO REMEMBER MOST THINGS	1	9,795	22,660,000
SOMEWHAT FORGETFUL	2	2,031	4,217,500
VERY FORGETFUL	3	168	340,500
UNABLE TO REMEMBER ANYTHING AT ALL	4	13	20,000
NOT APPLICABLE	6	261	712,500
DON'T KNOW	7	5	10,500
NOT STATED	9	273	358,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC6_28	Length	1	Position	2577
Question Name	HS-Q28				
Concept	Pain - usually free of pain				
Question	Are you usually free of pain or discomfort?				
Universe	Respondents aged 4 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10,397	23,980,500
NO		2		1,609	3,244,500
NOT APPLICABLE		6		261	712,500
DON'T KNOW		7		6	22,500
NOT STATED		9		273	358,000
		Total		12,546	28,318,308

Variable Name	HSC6_29	Length	1	Position	2578
Question Name	HS-Q29				
Concept	Pain - usual intensity				
Question	How would you describe the usual intensity of your pain or discomfort?				
Universe	Respondents who answered HSC6_28=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MILD		1		486	1,047,500
MODERATE		2		897	1,747,500
SEVERE		3		218	433,500
NOT APPLICABLE		6		10,658	24,693,500
DON'T KNOW		7		7	15,500
NOT STATED		9		280	381,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC6DHSI **Length** 5.3 **Position** 2581 - 2585

Question Name

Concept Health Utility Index (HUI3) - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC6_1 to HSC6_28 and HSC6_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	-344 - 1.000	11,908	27,087,500
NOT APPLICABLE	9.996	261	712,500
NOT STATED	9.999	377	518,000
Total		12,546	28,318,308

Variable Name HSK6_25A **Length** 1 **Position** 2586

Question Name KHS-Q25A

Concept Event causing great amount of worry or unhappiness

Question Has he / she ever experienced any event or situation that has caused him/her a great amount of worry or unhappiness?

Universe Respondents aged 4 to 11 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	359	1,037,000
NO	2	774	2,193,500
NOT APPLICABLE	6	11,139	24,726,500
DON'T KNOW	7	1	3,000
NOT STATED	9	273	358,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSK6_31A **Length** 1 **Position** 2587
Question Name KHS-Q25B
Concept Worry or unhappiness - death in family
Question What was this event or situation that has caused him/her a great amount of worry or unhappiness? - Death in family
Universe Respondents who answered HSK6_25A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	114	307,000
NO	2	245	730,500
NOT APPLICABLE	6	11,913	26,920,500
NOT STATED	9	274	361,000
Total		12,546	28,318,308

Variable Name HSK6_31B **Length** 1 **Position** 2588
Question Name KHS-Q25B
Concept Worry or unhappiness - divorce or separation
Question What was this event or situation that has caused him/her a great amount of worry or unhappiness? - Divorce / separation of parents
Universe Respondents who answered HSK6_25A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	95	300,500
NO	2	264	737,000
NOT APPLICABLE	6	11,913	26,920,500
NOT STATED	9	274	361,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSK6_31C **Length** 1 **Position** 2589
Question Name KHS-Q25B
Concept Worry or unhappiness - move
Question What was this event or situation that has caused him/her a great amount of worry or unhappiness? - Move
Universe Respondents who answered HSK6_25A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	18	56,000
NO	2	341	981,000
NOT APPLICABLE	6	11,913	26,920,500
NOT STATED	9	274	361,000
	Total	12,546	28,318,308

Variable Name HSK6_31D **Length** 1 **Position** 2590
Question Name KHS-Q25B
Concept Worry or unhappiness - illness or injury in family
Question What was this event or situation that has caused him/her a great amount of worry or unhappiness? -
 Illness / injury of a family member
Universe Respondents who answered HSK6_25A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	41	109,000
NO	2	318	928,000
NOT APPLICABLE	6	11,913	26,920,500
NOT STATED	9	274	361,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSK6_31E **Length** 1 **Position** 2591
Question Name KHS-Q25B
Concept Worry or unhappiness - conflict between parents
Question What was this event or situation that has caused him/her a great amount of worry or unhappiness? - Conflict between parents
Universe Respondents who answered HSK6_25A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	15	36,000
NO	2	344	1,001,000
NOT APPLICABLE	6	11,913	26,920,500
NOT STATED	9	274	361,000
Total		12,546	28,318,308

Variable Name HSK6_31F **Length** 1 **Position** 2592
Question Name KHS-Q25B
Concept Worry or unhappiness - other event
Question What was this event or situation that has caused him/her a great amount of worry or unhappiness? - Other
Universe Respondents who answered HSK6_25A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	103	316,000
NO	2	256	721,500
NOT APPLICABLE	6	11,913	26,920,500
NOT STATED	9	274	361,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1A	Length	1	Position	2593
Question Name	PA-Q1				
Concept	Activity in last 3 months - walking for exercise				
Question	Have you done any of the following in the past 3 months? - Walking for exercise				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7,354	15,910,500
NO		2		3,272	7,568,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1B	Length	1	Position	2594
Question Name	PA-Q1				
Concept	Activity in last 3 months - gardening or yard work				
Question	Have you done any of the following in the past 3 months? - Gardening or yard work				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,915	10,515,500
NO		2		5,711	12,964,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1C	Length	1	Position	2595
Question Name	PA-Q1				
Concept	Activity in last 3 months - swimming				
Question	Have you done any of the following in the past 3 months? - Swimming				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,391	5,852,000
NO		2		8,235	17,627,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1D	Length	1	Position	2596
Question Name	PA-Q1				
Concept	Activity in last 3 months - bicycling				
Question	Have you done any of the following in the past 3 months? - Bicycling				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,525	6,299,000
NO		2		8,101	17,180,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1E	Length	1	Position	2597
Question Name	PA-Q1				
Concept	Activity in last 3 months - popular or social dance				
Question	Have you done any of the following in the past 3 months? - Popular or social dance				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,472	5,591,000
NO		2		8,154	17,888,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1F	Length	1	Position	2598
Question Name	PA-Q1				
Concept	Activity in last 3 months - home exercises				
Question	Have you done any of the following in the past 3 months? - Home exercises				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,068	7,087,500
NO		2		7,558	16,391,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1G	Length	1	Position	2599
Question Name	PA-Q1				
Concept	Activity in last 3 months - ice hockey				
Question	Have you done any of the following in the past 3 months? - Ice hockey				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		467	1,299,000
NO		2		10,159	22,180,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1H	Length	1	Position	2600
Question Name	PA-Q1				
Concept	Activity in last 3 months - ice skating				
Question	Have you done any of the following in the past 3 months? - Ice skating				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		746	1,926,500
NO		2		9,880	21,552,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1I	Length	1	Position	2601
Question Name	PA-Q1				
Concept	Activity in last 3 months - downhill skiing				
Question	Have you done any of the following in the past 3 months? - Downhill skiing				
Universe	Respondents aged 12 and over living in a household				
Note	This question changed in Cycle 5 (2002). Now includes snowboarding.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		329	937,000
NO		2		10,297	22,542,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1J	Length	1	Position	2602
Question Name	PA-Q1				
Concept	Activity in last 3 months - jogging or running				
Question	Have you done any of the following in the past 3 months? - Jogging or running				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,219	3,400,000
NO		2		9,407	20,079,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1K	Length	1	Position	2603
Question Name	PA-Q1				
Concept	Activity in last 3 months - golfing				
Question	Have you done any of the following in the past 3 months? - Golfing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,075	2,653,000
NO		2		9,551	20,826,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1L	Length	1	Position	2604
Question Name	PA-Q1				
Concept	Activity in last 3 months - exercise class or aerobics				
Question	Have you done any of the following in the past 3 months? - Exercise class or aerobics				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		712	1,714,500
NO		2		9,914	21,764,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1M	Length	1	Position	2605
Question Name	PA-Q1				
Concept	Activity in last 3 months - cross-country skiing				
Question	Have you done any of the following in the past 3 months? - Cross-country skiing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		258	659,500
NO		2		10,368	22,819,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1N	Length	1	Position	2606
Question Name	PA-Q1				
Concept	Activity in last 3 months - bowling				
Question	Have you done any of the following in the past 3 months? - Bowling				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,035	2,581,000
NO		2		9,591	20,898,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1O	Length	1	Position	2607
Question Name	PA-Q1				
Concept	Activity in last 3 months - baseball or softball				
Question	Have you done any of the following in the past 3 months? - Baseball or softball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		859	2,147,500
NO		2		9,767	21,331,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1P	Length	1	Position	2608
Question Name	PA-Q1				
Concept	Activity in last 3 months - tennis				
Question	Have you done any of the following in the past 3 months? - Tennis				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		439	1,332,000
NO		2		10,187	22,147,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1Q	Length	1	Position	2609
Question Name	PA-Q1				
Concept	Activity in last 3 months - weight-training				
Question	Have you done any of the following in the past 3 months? - Weight-training				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,013	2,612,500
NO		2		9,613	20,867,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1R	Length	1	Position	2610
Question Name	PA-Q1				
Concept	Activity in last 3 months - fishing				
Question	Have you done any of the following in the past 3 months? - Fishing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,076	2,359,500
NO		2		9,550	21,120,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1S	Length	1	Position	2611
Question Name	PA-Q1				
Concept	Activity in last 3 months - volleyball				
Question	Have you done any of the following in the past 3 months? - Volleyball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		595	1,691,500
NO		2		10,031	21,787,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1T	Length	1	Position	2612
Question Name	PA-Q1				
Concept	Activity in last 3 months - basketball				
Question	Have you done any of the following in the past 3 months? - Basketball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		679	2,162,000
NO		2		9,947	21,317,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1U	Length	1	Position	2613
Question Name	PA-Q1				
Concept	Activity in last 3 months - other activity (#1)				
Question	Have you done any of the following in the past 3 months? - Other activity (#1)				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		753	1,951,000
NO		2		9,873	21,528,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

Variable Name	PAC6_1V	Length	1	Position	2614
Question Name	PA-Q1				
Concept	Activity in last 3 months - no physical activity				
Question	Have you done any of the following in the past 3 months? - No physical activity				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,114	2,301,500
NO		2		9,512	21,177,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	22,000
REFUSAL		8		11	22,000
NOT STATED		9		449	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6FC1	Length	1	Position	2615
Question Name	PA-Q1Ui				
Concept	Flag for other physical activity (#1)				
Question	What was this activity? - Activity (#1)				
Universe	Respondents who answered PAC6_1U=1				
Note	Based on PAC6_1U. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		752	1,949,500
NOT APPLICABLE		6		11,327	25,537,500
NOT STATED		9		467	831,000
		Total		12,546	28,318,308

Variable Name	PAC6_1W	Length	1	Position	2616
Question Name	PA-Q1W				
Concept	Activity in last 3 months - other activity (#2)				
Question	In the past 3 months, did you do any other activity for leisure? - Other activity (#2)				
Universe	Respondents who answered PAC6_1U=1				
Note					
Content		Code		Sample	Population
YES		1		118	354,500
NO		2		635	1,596,500
NOT APPLICABLE		6		11,327	25,537,500
NOT STATED		9		466	830,000
		Total		12,546	28,318,308

Variable Name	PAC6FC2	Length	1	Position	2617
Question Name	PA-Q1Wi				
Concept	Flag for other physical activity (#2)				
Question	What was this activity? - Activity (#2)				
Universe	Respondents who answered PAC6_1W=1				
Note	Based on PAC6_1W. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		118	354,500
NOT APPLICABLE		6		11,962	27,134,000
NOT STATED		9		466	830,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_1X	Length	1	Position	2618
Question Name	PA-Q1X				
Concept	Activity in last 3 months - other activity (#3)				
Question	In the past 3 months, did you do any other activity for leisure? - Other activity (#3)				
Universe	Respondents who answered PAC6_1W=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		30	89,000
NO		2		88	265,500
NOT APPLICABLE		6		11,962	27,134,000
NOT STATED		9		466	830,000
		Total		12,546	28,318,308

Variable Name	PAC6FC3	Length	1	Position	2619
Question Name	PA-Q1Xi				
Concept	Flag for other physical activity (#3)				
Question	What was this activity? - Activity (#3)				
Universe	Respondents who answered PAC6_1X=1				
Note	Based on PAC6_1X. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		30	89,000
NOT APPLICABLE		6		12,050	27,399,500
NOT STATED		9		466	830,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2A **Length** 3 **Position** 2620 - 2622

Question Name PA-Q2

Concept No. of times participated - walking for exercise

Question In the past 3 months, how many times did you participate in walking for exercise?

Universe Respondents who answered PAC6_1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 270	7,334	15,883,500
NOT APPLICABLE	996	4,726	11,578,000
DON'T KNOW	997	19	26,000
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3A **Length** 1 **Position** 2623

Question Name PA-Q3

Concept Time spent - walking for exercise

Question About how much time did you spend on each occasion? - Walking for exercise

Universe Respondents who answered PAC6_1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	793	1,680,000
16 TO 30 MINUTES	2	2,930	6,374,500
31 TO 60 MINUTES	3	2,674	5,721,000
MORE THAN ONE HOUR	4	935	2,106,500
NOT APPLICABLE	6	4,726	11,578,000
DON'T KNOW	7	2	1,000
NOT STATED	9	486	857,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2B **Length** 3 **Position** 2624 - 2626

Question Name PA-Q2

Concept No. of times participated - gardening or yard work

Question In the past 3 months, how many times did you participate in gardening or yard work?

Universe Respondents who answered PAC6_1B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	4,899	10,484,000
NOT APPLICABLE	996	7,165	16,973,000
DON'T KNOW	997	15	30,000
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3B **Length** 1 **Position** 2627

Question Name PA-Q3

Concept Time spent - gardening or yard work

Question About how much time did you spend on each occasion? - Gardening or yard work

Universe Respondents who answered PAC6_1B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	273	570,000
16 TO 30 MINUTES	2	1,035	2,243,500
31 TO 60 MINUTES	3	1,468	3,029,000
MORE THAN ONE HOUR	4	2,122	4,641,000
NOT APPLICABLE	6	7,165	16,973,000
DON'T KNOW	7	1	1,000
NOT STATED	9	482	861,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2C **Length** 3 **Position** 2628 - 2630
Question Name PA-Q2
Concept No. of times participated - swimming
Question In the past 3 months, how many times did you participate in swimming?
Universe Respondents who answered PAC6_1C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	2,384	5,836,000
NOT APPLICABLE	996	9,689	21,636,500
DON'T KNOW	997	6	15,000
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3C **Length** 1 **Position** 2631
Question Name PA-Q3
Concept Time spent - swimming
Question About how much time did you spend on each occasion? - Swimming
Universe Respondents who answered PAC6_1C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	156	363,500
16 TO 30 MINUTES	2	605	1,402,500
31 TO 60 MINUTES	3	867	2,064,500
MORE THAN ONE HOUR	4	756	2,005,000
NOT APPLICABLE	6	9,689	21,636,500
NOT STATED	9	473	846,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2D **Length** 3 **Position** 2632 - 2634
Question Name PA-Q2
Concept No. of times participated - bicycling
Question In the past 3 months, how many times did you participate bicycling?
Universe Respondents who answered PAC6_1D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	2,521	6,291,000
NOT APPLICABLE	996	9,555	21,189,500
DON'T KNOW	997	3	7,000
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3D **Length** 1 **Position** 2635
Question Name PA-Q3
Concept Time spent - bicycling
Question About how much time did you spend on each occasion? - Bicycling
Universe Respondents who answered PAC6_1D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	256	612,500
16 TO 30 MINUTES	2	773	1,869,500
31 TO 60 MINUTES	3	836	2,072,500
MORE THAN ONE HOUR	4	656	1,737,000
NOT APPLICABLE	6	9,555	21,189,500
NOT STATED	9	470	838,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2E **Length** 3 **Position** 2636 - 2638

Question Name PA-Q2

Concept No. of times participated - popular or social dance

Question In the past 3 months, how many times did you participate in popular or social dancing?

Universe Respondents who answered PAC6_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 93	2,471	5,589,500
NOT APPLICABLE	996	9,608	21,897,500
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3E **Length** 1 **Position** 2639

Question Name PA-Q3

Concept Time spent - popular or social dance

Question About how much time did you spend on each occasion? - Popular or social dance

Universe Respondents who answered PAC6_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	82	191,000
16 TO 30 MINUTES	2	132	296,000
31 TO 60 MINUTES	3	290	638,500
MORE THAN ONE HOUR	4	1,965	4,460,500
NOT APPLICABLE	6	9,608	21,897,500
DON'T KNOW	7	2	4,000
NOT STATED	9	467	831,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2F **Length** 3 **Position** 2640 - 2642
Question Name PA-Q2
Concept No. of times participated - home exercises
Question In the past 3 months, how many times did you participate in home exercises?
Universe Respondents who answered PAC6_1F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	3,058	7,073,500
NOT APPLICABLE	996	9,012	20,401,000
DON'T KNOW	997	9	13,500
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3F **Length** 1 **Position** 2643
Question Name PA-Q3
Concept Time spent - home exercises
Question About how much time did you spend on each occasion? - Home exercises
Universe Respondents who answered PAC6_1F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	891	2,029,000
16 TO 30 MINUTES	2	1,376	3,142,000
31 TO 60 MINUTES	3	629	1,477,500
MORE THAN ONE HOUR	4	162	425,500
NOT APPLICABLE	6	9,012	20,401,000
NOT STATED	9	476	843,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2G **Length** 3 **Position** 2644 - 2646

Question Name PA-Q2

Concept No. of times participated - ice hockey

Question In the past 3 months, how many times did you participate in ice hockey?

Universe Respondents who answered PAC6_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	467	1,299,000
NOT APPLICABLE	996	11,613	26,189,500
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3G **Length** 1 **Position** 2647

Question Name PA-Q3

Concept Time spent - ice hockey

Question About how much time did you spend on each occasion? - Ice hockey

Universe Respondents who answered PAC6_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	6	9,500
16 TO 30 MINUTES	2	9	16,000
31 TO 60 MINUTES	3	107	300,000
MORE THAN ONE HOUR	4	345	974,000
NOT APPLICABLE	6	11,613	26,189,500
NOT STATED	9	466	830,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2H **Length** 3 **Position** 2648 - 2650

Question Name PA-Q2

Concept No. of times participated - ice skating

Question In the past 3 months, how many times did you participate in ice skating?

Universe Respondents who answered PAC6_1H=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	746	1,926,500
NOT APPLICABLE	996	11,334	25,562,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3H **Length** 1 **Position** 2651

Question Name PA-Q3

Concept Time spent - ice skating

Question About how much time did you spend on each occasion? - Ice skating

Universe Respondents who answered PAC6_1H=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	17	33,500
16 TO 30 MINUTES	2	81	169,500
31 TO 60 MINUTES	3	313	800,000
MORE THAN ONE HOUR	4	335	924,000
NOT APPLICABLE	6	11,334	25,562,000
NOT STATED	9	466	830,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2I **Length** 3 **Position** 2652 - 2654
Question Name PA-Q2
Concept No. of times participated - downhill skiing
Question In the past 3 months, how many times did you participate in downhill skiing?
Universe Respondents who answered PAC6_1I=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 62	327	933,500
NOT APPLICABLE	996	11,751	26,551,500
DON'T KNOW	997	2	4,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3I **Length** 1 **Position** 2655
Question Name PA-Q3
Concept Time spent - downhill skiing
Question About how much time did you spend on each occasion? - Downhill skiing
Universe Respondents who answered PAC6_1I=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	5	15,000
16 TO 30 MINUTES	2	3	3,000
31 TO 60 MINUTES	3	5	14,500
MORE THAN ONE HOUR	4	314	901,000
NOT APPLICABLE	6	11,751	26,551,500
NOT STATED	9	468	833,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2J **Length** 3 **Position** 2656 - 2658

Question Name PA-Q2

Concept No. of times participated - jogging or running

Question In the past 3 months, how many times did you participate in jogging or running?

Universe Respondents who answered PAC6_1J=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,216	3,394,000
NOT APPLICABLE	996	10,861	24,088,500
DON'T KNOW	997	3	6,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3J **Length** 1 **Position** 2659

Question Name PA-Q3

Concept Time spent - jogging or running

Question About how much time did you spend on each occasion? - Jogging or running

Universe Respondents who answered PAC6_1J=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	252	727,000
16 TO 30 MINUTES	2	524	1,440,500
31 TO 60 MINUTES	3	349	944,500
MORE THAN ONE HOUR	4	91	282,000
NOT APPLICABLE	6	10,861	24,088,500
NOT STATED	9	469	835,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2K **Length** 3 **Position** 2660 - 2662
Question Name PA-Q2
Concept No. of times participated - golfing
Question In the past 3 months, how many times did you participate in golfing?
Universe Respondents who answered PAC6_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	1,072	2,649,000
NOT APPLICABLE	996	11,005	24,835,500
DON'T KNOW	997	2	3,000
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3K **Length** 1 **Position** 2663
Question Name PA-Q3
Concept Time spent - golfing
Question About how much time did you spend on each occasion? - Golfing
Universe Respondents who answered PAC6_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	6	25,000
16 TO 30 MINUTES	2	9	27,000
31 TO 60 MINUTES	3	34	79,000
MORE THAN ONE HOUR	4	1,023	2,518,000
NOT APPLICABLE	6	11,005	24,835,500
NOT STATED	9	469	834,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2L **Length** 3 **Position** 2664 - 2666

Question Name PA-Q2

Concept No. of times participated - exercise class or aerobics

Question In the past 3 months, how many times did you participate in exercise class or aerobics?

Universe Respondents who answered PAC6_1L=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 91	711	1,713,500
NOT APPLICABLE	996	11,368	25,774,000
DON'T KNOW	997	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3L **Length** 1 **Position** 2667

Question Name PA-Q3

Concept Time spent - exercise class or aerobics

Question About how much time did you spend on each occasion? - Exercise class or aerobics

Universe Respondents who answered PAC6_1L=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	27	83,500
16 TO 30 MINUTES	2	86	220,500
31 TO 60 MINUTES	3	388	862,500
MORE THAN ONE HOUR	4	210	546,500
NOT APPLICABLE	6	11,368	25,774,000
NOT STATED	9	467	831,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2M **Length** 3 **Position** 2668 - 2670

Question Name PA-Q2

Concept No. of times participated - cross-country skiing

Question In the past 3 months, how many times did you go cross-country skiing?

Universe Respondents who answered PAC6_1M=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	258	659,500
NOT APPLICABLE	996	11,822	26,829,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3M **Length** 1 **Position** 2671

Question Name PA-Q3

Concept Time spent - cross-country skiing

Question About how much time did you spend on each occasion? - Cross-country skiing

Universe Respondents who answered PAC6_1M=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	4	11,000
16 TO 30 MINUTES	2	8	18,000
31 TO 60 MINUTES	3	55	107,000
MORE THAN ONE HOUR	4	191	524,000
NOT APPLICABLE	6	11,822	26,829,000
NOT STATED	9	466	830,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2N **Length** 3 **Position** 2672 - 2674

Question Name PA-Q2

Concept No. of times participated - bowling

Question In the past 3 months, how many times did you participate in bowling?

Universe Respondents who answered PAC6_1N=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,035	2,581,000
NOT APPLICABLE	996	11,045	24,907,500
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3N **Length** 1 **Position** 2675

Question Name PA-Q3

Concept Time spent - bowling

Question About how much time did you spend on each occasion? - Bowling

Universe Respondents who answered PAC6_1N=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	5	20,000
16 TO 30 MINUTES	2	19	54,500
31 TO 60 MINUTES	3	161	371,500
MORE THAN ONE HOUR	4	850	2,135,000
NOT APPLICABLE	6	11,045	24,907,500
NOT STATED	9	466	830,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2O **Length** 3 **Position** 2676 - 2678

Question Name PA-Q2

Concept No. of times participated - baseball or softball

Question In the past 3 months, how many times did you participate in baseball or softball?

Universe Respondents who answered PAC6_1O=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	857	2,143,000
NOT APPLICABLE	996	11,221	25,341,000
DON'T KNOW	997	1	3,500
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3O **Length** 1 **Position** 2679

Question Name PA-Q3

Concept Time spent - baseball or softball

Question About how much time did you spend on each occasion? - Baseball or softball

Universe Respondents who answered PAC6_1O=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	16	31,000
16 TO 30 MINUTES	2	39	105,500
31 TO 60 MINUTES	3	106	242,500
MORE THAN ONE HOUR	4	696	1,763,500
NOT APPLICABLE	6	11,221	25,341,000
NOT STATED	9	468	834,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2P **Length** 3 **Position** 2680 - 2682

Question Name PA-Q2

Concept No. of times participated - tennis

Question In the past 3 months, how many times did you participate in tennis?

Universe Respondents who answered PAC6_1P=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	438	1,330,500
NOT APPLICABLE	996	11,641	26,157,000
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3P **Length** 1 **Position** 2683

Question Name PA-Q3

Concept Time spent - tennis

Question About how much time did you spend on each occasion? - Tennis

Universe Respondents who answered PAC6_1P=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	7	27,500
16 TO 30 MINUTES	2	32	95,500
31 TO 60 MINUTES	3	127	375,500
MORE THAN ONE HOUR	4	272	831,500
NOT APPLICABLE	6	11,641	26,157,000
NOT STATED	9	467	831,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2Q **Length** 3 **Position** 2684 - 2686

Question Name PA-Q2

Concept No. of times participated - weight-training

Question In the past 3 months, how many times did you participate in weight-training?

Universe Respondents who answered PAC6_1Q=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,011	2,605,500
NOT APPLICABLE	996	11,067	24,876,000
DON'T KNOW	997	2	6,500
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3Q **Length** 1 **Position** 2687

Question Name PA-Q3

Concept Time spent - weight-training

Question About how much time did you spend on each occasion? - Weight-training

Universe Respondents who answered PAC6_1Q=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	114	270,000
16 TO 30 MINUTES	2	299	741,000
31 TO 60 MINUTES	3	344	859,000
MORE THAN ONE HOUR	4	254	735,500
NOT APPLICABLE	6	11,067	24,876,000
NOT STATED	9	468	836,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2R **Length** 3 **Position** 2688 - 2690
Question Name PA-Q2
Concept No. of times participated - fishing
Question In the past 3 months, how many times did you participate in fishing?
Universe Respondents who answered PAC6_1R=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,075	2,359,000
NOT APPLICABLE	996	11,004	25,129,000
DON'T KNOW	997	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3R **Length** 1 **Position** 2691
Question Name PA-Q3
Concept Time spent - fishing
Question About how much time did you spend on each occasion? - Fishing
Universe Respondents who answered PAC6_1R=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	6	11,500
16 TO 30 MINUTES	2	17	29,000
31 TO 60 MINUTES	3	58	135,500
MORE THAN ONE HOUR	4	993	2,181,000
NOT APPLICABLE	6	11,004	25,129,000
DON'T KNOW	7	1	2,000
NOT STATED	9	467	830,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2S **Length** 3 **Position** 2692 - 2694

Question Name PA-Q2

Concept No. of times participated - volleyball

Question In the past 3 months, how many times did you participate in volleyball?

Universe Respondents who answered PAC6_1S=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	593	1,684,000
NOT APPLICABLE	996	11,485	25,797,000
DON'T KNOW	997	1	6,500
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3S **Length** 1 **Position** 2695

Question Name PA-Q3

Concept Time spent - volleyball

Question About how much time did you spend on each occasion? - Volleyball

Universe Respondents who answered PAC6_1S=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	14	33,500
16 TO 30 MINUTES	2	56	167,500
31 TO 60 MINUTES	3	182	496,000
MORE THAN ONE HOUR	4	341	986,500
NOT APPLICABLE	6	11,485	25,797,000
NOT STATED	9	468	837,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2T **Length** 3 **Position** 2696 - 2698
Question Name PA-Q2
Concept No. of times participated - basketball
Question In the past 3 months, how many times did you participate in basketball?
Universe Respondents who answered PAC6_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	677	2,160,000
NOT APPLICABLE	996	11,401	25,326,500
DON'T KNOW	997	1	1,000
REFUSAL	998	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3T **Length** 1 **Position** 2699
Question Name PA-Q3
Concept Time spent - basketball
Question About how much time did you spend on each occasion? - Basketball
Universe Respondents who answered PAC6_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	30	89,500
16 TO 30 MINUTES	2	99	357,000
31 TO 60 MINUTES	3	226	658,500
MORE THAN ONE HOUR	4	322	1,055,000
NOT APPLICABLE	6	11,401	25,326,500
NOT STATED	9	468	832,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2U **Length** 3 **Position** 2700 - 2702

Question Name PA-Q2

Concept No. of times participated - other activity (#1)

Question In the past 3 months, how many times did you participate in this other leisure time activity (#1)?

Universe Respondents who answered PAC6_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	753	1,951,000
NOT APPLICABLE	996	11,327	25,537,500
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3U **Length** 1 **Position** 2703

Question Name PA-Q3

Concept Time spent - other activity (#1)

Question About how much time did you spend on each occasion? - Other leisure time activity (#1)

Universe Respondents who answered PAC6_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	25	62,000
16 TO 30 MINUTES	2	63	169,500
31 TO 60 MINUTES	3	174	452,500
MORE THAN ONE HOUR	4	491	1,267,000
NOT APPLICABLE	6	11,327	25,537,500
NOT STATED	9	466	830,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC6_2W	Length	3	Position	2704 - 2706
Question Name	PA-Q2				
Concept	No. of times participated - other activity (#2)				
Question	In the past 3 months, how many times did you participate in this other leisure time activity (#2)?				
Universe	Respondents who answered PAC6_1W=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 200		117	354,000
NOT APPLICABLE		996		11,962	27,134,000
DON'T KNOW		997		1	1,000
NOT STATED		999		466	830,000
		Total		12,546	28,318,308

Variable Name	PAC6_3W	Length	1	Position	2707
Question Name	PA-Q3				
Concept	Time spent - other activity (#2)				
Question	About how much time did you spend on each occasion? - Other leisure time activity (#2)				
Universe	Respondents who answered PAC6_1W=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES		1		2	7,500
16 TO 30 MINUTES		2		17	50,500
31 TO 60 MINUTES		3		22	57,500
MORE THAN ONE HOUR		4		76	238,500
NOT APPLICABLE		6		11,962	27,134,000
NOT STATED		9		467	830,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_2X **Length** 3 **Position** 2708 - 2710
Question Name PA-Q2
Concept No. of times participated - other activity (#3)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#3)?
Universe Respondents who answered PAC6_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	29	88,500
NOT APPLICABLE	996	12,050	27,399,500
DON'T KNOW	997	1	1,000
NOT STATED	999	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_3X **Length** 1 **Position** 2711
Question Name PA-Q3
Concept Time spent - other activity (#3)
Question About how much time did you spend on each occasion? - Other leisure time activity (#3)
Universe Respondents who answered PAC6_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	2	5,500
16 TO 30 MINUTES	2	3	4,000
31 TO 60 MINUTES	3	7	18,500
MORE THAN ONE HOUR	4	17	60,000
NOT APPLICABLE	6	12,050	27,399,500
NOT STATED	9	467	830,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_4A **Length** 2 **Position** 2712 - 2713
Question Name PA-Q4A
Concept Number of hours walking - to work or to school
Question In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	4,497	9,354,500
LESS THAN 1 HOUR	2	1,793	4,069,500
FROM 1 TO 5 HOURS	3	2,611	6,204,000
FROM 6 TO 10 HOURS	4	766	1,793,000
FROM 11 TO 20 HOURS	5	349	796,500
MORE THAN 20 HOURS	6	592	1,231,500
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	18	29,500
NOT STATED	99	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_4B **Length** 2 **Position** 2714 - 2715
Question Name PA-Q4B
Concept Number of hours biking - to work or to school
Question In a typical week, how much time did you usually spend bicycling to work or to school or while doing errands?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	9,825	21,341,000
LESS THAN 1 HOUR	2	372	978,000
FROM 1 TO 5 HOURS	3	322	888,000
FROM 6 TO 10 HOURS	4	65	177,000
FROM 11 TO 20 HOURS	5	18	39,000
MORE THAN 20 HOURS	6	23	53,500
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	1	2,500
NOT STATED	99	466	830,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6_5 **Length** 1 **Position** 2716

Question Name PA-Q5

Concept Frequency of bike helmet use

Question When riding a bicycle how often did you wear a helmet?

Universe Respondents who answered PAC6_1D=1 or PAC6_4B > 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	738	1,922,500
MOST OF THE TIME	2	141	400,500
RARELY	3	156	477,500
NEVER	4	1,647	3,875,500
NOT APPLICABLE	6	9,398	20,812,500
NOT STATED	9	466	830,000
	Total	12,546	28,318,308

Variable Name PAC6_6 **Length** 1 **Position** 2717

Question Name PA-Q6

Concept Level of physical activity for usual day

Question Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
USUALLY SIT AND DON'T WALK VERY MUCH	1	2,654	5,883,000
STAND OR WALK QUITE A LOT	2	5,331	11,876,000
USUALLY LIFT OR CARRY LIGHT LOADS	3	2,071	4,440,000
DO HEAVY WORK OR CARRY VERY HEAVY LOADS	4	561	1,259,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	7	19,500
REFUSAL	8	2	1,500
NOT STATED	9	466	830,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6DEE **Length** 4.1 **Position** 2718 - 2721

Question Name

Concept Energy expenditure - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC6_1A to PAC6_1X, PAC6_2A to PAC6_2X and PAC6_3A to PAC6_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNITS OF ENERGY	0.1 - 21.4	9,316	20,827,000
NO PHYSICAL ACTIVITY	0	1,310	2,652,000
NOT APPLICABLE	99.6	1,454	4,009,500
NOT STATED	99.9	466	830,000
Total		12,546	28,318,308

Variable Name PAC6DLEI **Length** 1 **Position** 2722

Question Name

Concept Participant in leisure physical activity - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC6_1V. Source: Ontario Health Survey. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PARTICIPANT	1	9,512	21,177,500
NON-PARTICIPANT	2	1,114	2,301,500
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	466	830,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6DFM **Length** 3 **Position** 2723 - 2725

Question Name

Concept Monthly freq. of physical activity lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC6_1V, PAC6_2A to PAC6_2X and PAC6_3A to PAC6_3X. Activity list is unique to each cycle. Source: Ontario Health Survey. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MONTHLY FREQUENCY	1 - 208	9,064	20,380,500
NO PHYSICAL ACTIVITY	0	1,562	3,099,000
NOT APPLICABLE	996	1,454	4,009,500
NOT STATED	999	466	830,000
Total		12,546	28,318,308

Variable Name PAC6DFR **Length** 1 **Position** 2726

Question Name

Concept Freq. of all physical activity lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC6_1V, PAC6_2A to PAC6_2X and PAC6_3A to PAC6_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR	1	6,091	13,843,000
OCCASIONAL	2	2,063	4,603,500
INFREQUENT	3	2,472	5,032,500
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	466	830,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC6DFD **Length** 1 **Position** 2727

Question Name

Concept Participation in daily phys. activ. lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC6_1V, PAC6_2A to PAC6_2X and PAC6_3A to PAC6_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY	1	3,122	7,049,000
NOT DAILY	2	7,504	16,430,000
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	466	830,000
Total		12,546	28,318,308

Variable Name PAC6DPAI **Length** 1 **Position** 2728

Question Name

Concept Physical activity index - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC6_1A to PAC6_1X, PAC6_2A to PAC6_2X and PAC6_3A to PAC6_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ACTIVE	1	1,999	4,807,500
MODERATE	2	2,421	5,437,500
INACTIVE	3	6,206	13,234,000
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	466	830,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	TUP6_1	Length	1	Position	2729
Question Name	ATAN-Q1				
Concept	UV - tried to get a suntan (sun or artificial)				
Question	During the past 12 months, did you ever try to get a suntan, either from the sun or by using artificial methods of tanning?				
Universe	Respondents aged 12 and over in Alberta living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		269	616,000
NO		2		692	1,535,500
NOT APPLICABLE		6		11,295	25,751,000
REFUSAL		8		1	1,000
NOT STATED		9		289	415,500
		Total		12,546	28,318,308

Variable Name	TUP6_2	Length	1	Position	2730
Question Name	ATAN-Q2				
Concept	UV - deepness of suntan				
Question	How deep a suntan did you try to get?				
Universe	Respondents who answered TUP6_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LIGHT		1		93	198,500
MODERATE		2		120	278,500
DARK		3		43	113,500
VERY DARK		4		11	19,500
NOT APPLICABLE		6		11,987	27,286,500
DON'T KNOW		7		2	6,000
NOT STATED		9		290	415,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	TUC6_3	Length	1	Position	2731
Question Name	ATAN-Q3				
Concept	UV - got sunburnt				
Question	Did you get sunburnt at least once during the past 12 months?				
Universe	Respondents aged 12 and over in Alberta living in a household				
Note	Formerly TUP6_3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		324	792,500
NO		2		637	1,359,500
NOT APPLICABLE		6		11,295	25,751,000
NOT STATED		9		290	415,500
		Total		12,546	28,318,308

Variable Name	TUP6_4	Length	1	Position	2732
Question Name	ATAN-Q4				
Concept	UV - number of times sunburned				
Question	How many times did you get sunburnt during the past 12 months?				
Universe	Respondents who answered TUC6_3=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ONCE		1		181	444,000
2 TIMES		2		94	226,500
3 TIMES		3		27	62,000
MORE THAN 3 TIMES		4		22	60,000
NOT APPLICABLE		6		11,932	27,110,000
NOT STATED		9		290	415,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TUP6_5 **Length** 1 **Position** 2733

Question Name ATAN-Q5

Concept UV - description of worst sunburn

Question Which of the following describes your worst sunburn during the past 12 months?

Universe Respondents who answered TUC6_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEEPER THAN REG. SKIN COLOUR - NOT TEND.	1	53	121,000
SENSITIVE OR TENDER - WITH NO PEELING	2	119	309,000
SENSITIVE OR TENDER - WITH PEELING	3	129	301,500
BLISTERING	4	23	61,000
NOT APPLICABLE	6	11,932	27,110,000
NOT STATED	9	290	415,500
Total		12,546	28,318,308

Variable Name TUP6_6 **Length** 1 **Position** 2734

Question Name ATAN-Q6

Concept UV - frequency of using sunscreen in summer

Question Now I would like to know about your use of precautions against exposure to the sun during the months of June, July and August. How often do you use sunscreen?

Universe Respondents aged 12 and over in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	222	473,500
OFTEN	2	209	487,500
SOMETIMES	3	137	319,500
RARELY	4	98	229,500
NEVER	5	295	641,500
NOT APPLICABLE	6	11,295	25,751,000
NOT STATED	9	290	415,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TUP6_7 **Length** 1 **Position** 2735
Question Name ATAN-Q7
Concept UV - frequency of avoiding sun from 11am to 4pm
Question How often do you avoid being in the sun between 11 a.m. and 4 p.m. (peak periods of sun exposure)?
Universe Respondents aged 12 and over in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	149	296,000
OFTEN	2	221	448,500
SOMETIMES	3	185	432,000
RARELY	4	145	357,000
NEVER	5	260	615,500
NOT APPLICABLE	6	11,295	25,751,000
DON'T KNOW	7	1	3,000
NOT STATED	9	290	415,500
Total		12,546	28,318,308

Variable Name TUP6_8 **Length** 1 **Position** 2736
Question Name ATAN-Q8
Concept UV - frequency of avoiding long periods in the sun
Question How often do you avoid long periods of time in the sun?
Universe Respondents aged 12 and over in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	239	469,000
OFTEN	2	265	615,000
SOMETIMES	3	193	442,500
RARELY	4	107	257,000
NEVER	5	157	368,000
NOT APPLICABLE	6	11,295	25,751,000
NOT STATED	9	290	415,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TUP6_9 **Length** 1 **Position** 2737

Question Name ATAN-Q9

Concept UV - frequency of wearing sunglasses with UV protection

Question How often do you wear sunglasses with UV protection?

Universe Respondents aged 12 and over in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	323	688,000
OFTEN	2	178	401,000
SOMETIMES	3	130	313,000
RARELY	4	70	178,000
NEVER	5	253	553,500
NOT APPLICABLE	6	11,295	25,751,000
DON'T KNOW	7	7	18,000
NOT STATED	9	290	415,500
Total		12,546	28,318,308

Variable Name TUP6_10 **Length** 1 **Position** 2738

Question Name ATAN-Q10

Concept UV - frequency of wearing protective clothing in sun

Question How often do you wear protective clothing, including a hat, when in the sun?

Universe Respondents aged 12 and over in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	308	688,000
OFTEN	2	222	535,500
SOMETIMES	3	175	384,000
RARELY	4	89	183,000
NEVER	5	167	360,500
NOT APPLICABLE	6	11,295	25,751,000
NOT STATED	9	290	415,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC6_1 **Length** 1 **Position** 2739

Question Name RS-Q1

Concept Had repetitive strain injuries

Question In the past 12 months, did you have any injuries due to repetitive strain which were serious enough to limit your normal activities? (For example, carpal tunnel syndrome, tennis elbow or tendinitis.)

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	987	2,246,500
NO	2	9,830	21,702,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	1	1,500
REFUSAL	8	2	1,500
NOT STATED	9	272	357,000
Total		12,546	28,318,308

Variable Name RPC6_2 **Length** 2 **Position** 2740 - 2741

Question Name RS-Q2

Concept Number of repetitive strain injuries

Question How many injuries did you have due to repetitive strain which were serious enough to limit your normal activities?

Universe Respondents who answered RPC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF INJURIES	1 - 20	985	2,244,500
NOT APPLICABLE	96	11,284	25,712,000
DON'T KNOW	97	2	2,500
NOT STATED	99	275	359,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC6_3 **Length** 2 **Position** 2742 - 2743

Question Name RS-Q3

Concept Body part affected by repetitive strain

Question (Thinking about the most serious injury,) What part of the body was affected?

Universe Respondents who answered RPC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NECK	1	38	78,000
SHOULDER	2	169	357,000
ELBOW	3	148	311,000
WRIST / HAND / FINGER	4	188	406,500
KNEE	5	92	224,500
ANKLE / FOOT / TOE	6	88	244,000
BACK OR SPINE	7	180	430,000
HIP	8	19	42,000
OTHER	9	63	151,000
NOT APPLICABLE	96	11,284	25,712,000
NOT STATED	99	277	362,000
Total		12,546	28,318,308

Variable Name RPC6_4A **Length** 1 **Position** 2744

Question Name RS-Q4

Concept Cause of repetitive strain - activity at home

Question Was this repetitive strain injury the result of doing something at home?

Universe Respondents who answered RPC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	207	402,000
NO	2	764	1,819,500
NOT APPLICABLE	6	11,284	25,712,000
DON'T KNOW	7	14	23,000
NOT STATED	9	277	362,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RPC6_4B	Length	1	Position	2745
Question Name	RS-Q4				
Concept	Cause of repetitive strain - activity at work or school				
Question	Was this repetitive strain injury the result of doing something at work or school?				
Universe	Respondents who answered RPC6_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		463	1,095,500
NO		2		508	1,126,000
NOT APPLICABLE		6		11,284	25,712,000
DON'T KNOW		7		14	23,000
NOT STATED		9		277	362,000
		Total		12,546	28,318,308

Variable Name	RPC6_4C	Length	1	Position	2746
Question Name	RS-Q4				
Concept	Cause of repetitive strain - leisure activities				
Question	Was this repetitive strain injury the result of doing something in leisure activities such as sports or hobbies?				
Universe	Respondents who answered RPC6_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		297	727,500
NO		2		674	1,494,000
NOT APPLICABLE		6		11,284	25,712,000
DON'T KNOW		7		14	23,000
NOT STATED		9		277	362,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC6_4D **Length** 1 **Position** 2747
Question Name RS-Q4
Concept Cause of repetitive strain - other activity
Question Was this repetitive strain injury the result of doing something else?
Universe Respondents who answered RPC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	59	127,000
NO	2	912	2,094,500
NOT APPLICABLE	6	11,284	25,712,000
DON'T KNOW	7	14	23,000
NOT STATED	9	277	362,000
	Total	12,546	28,318,308

Variable Name IJC6_1 **Length** 1 **Position** 2748
Question Name IN-Q1
Concept Injured in the past 12 months
Question In the past 12 months, did you have any injuries that were serious enough to limit your normal activities?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,367	3,369,500
NO	2	10,847	24,529,000
NOT APPLICABLE	6	57	60,000
DON'T KNOW	7	1	1,500
REFUSAL	8	2	1,500
NOT STATED	9	272	357,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC6_2 **Length** 2 **Position** 2749 - 2750

Question Name IN-Q2

Concept Number of injuries in the past 12 months

Question How many times were you injured?

Universe Respondents who answered IJC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 30	1,367	3,369,500
NOT APPLICABLE	96	10,904	24,589,000
NOT STATED	99	275	359,500
	Total	12,546	28,318,308

Variable Name IJC6_3 **Length** 2 **Position** 2751 - 2752

Question Name IN-Q3

Concept Most serious injury - type

Question (Thinking about the most serious injury,) What type of injury did you have? For example, a broken bone or burn.

Universe Respondents who answered IJC6_1=1

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE INJURIES	1	33	73,500
BROKEN OR FRACTURED BONES	2	286	681,500
BURN OR SCALD	3	57	147,000
DISLOCATION	4	40	115,500
SPRAIN OR STRAIN	5	523	1,188,000
CUT OR SCRAPE	6	207	565,500
BRUISE OR ABRASION	7	72	184,500
CONCUSSION	8	12	35,500
POISONING BY SUBSTANCE OR LIQUID	9	15	40,500
INTERNAL INJURY	10	16	52,000
OTHER	11	106	286,500
NOT APPLICABLE	96	10,904	24,589,000
NOT STATED	99	275	359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC6_4 **Length** 2 **Position** 2753 - 2754

Question Name IN-Q4

Concept Most serious injury - body part affected

Question What part of your body was injured?

Universe Respondents who answered IJC6_1=1

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE SITES	1	28	70,000
EYES	2	16	44,500
HEAD (EXCLUDING EYES)	3	105	297,500
NECK	4	43	99,000
SHOULDER	5	79	211,000
ARMS OR HANDS	6	340	859,500
HIP	7	30	49,500
LEGS OR FEET	8	465	1,103,000
BACK OR SPINE	9	178	424,000
TRUNK (EXCLUDING BACK AND SPINE)	10	52	118,500
SYSTEMIC	11	31	92,500
NOT APPLICABLE	96	10,904	24,589,000
NOT STATED	99	275	359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC6_5 **Length** 2 **Position** 2755 - 2756

Question Name IN-Q5

Concept Most serious injury - place of occurrence

Question Where did the injury happen ?

Universe Respondents who answered IJC6_1=1

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
IN A HOME OR ITS SURROUNDING AREA	1	561	1,314,500
FARM	2	40	72,500
PLACE FOR RECREATION OR SPORT	3	309	864,500
STREET OR HIGHWAY	4	141	376,500
BUILDING USED BY GENERAL PUBLIC	5	120	318,500
RESIDENTIAL INSTITUTION	6	16	24,500
MINE	7	1	4,000
INDUSTRIAL PLACE	8	115	243,500
OTHER	9	60	143,000
NOT APPLICABLE	96	10,904	24,589,000
DON'T KNOW	97	4	8,500
NOT STATED	99	275	359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC6_6 **Length** 2 **Position** 2757 - 2758
Question Name IN-Q6
Concept Most serious injury - reason
Question What happened? For example, was the injury the result of a fall, a traffic accident or a physical assault, etc.?
Universe Respondents who answered IJC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MOTOR VEHICLE ACCIDENT	1	75	203,000
ACCIDENTAL FALL	2	619	1,487,000
FIRE, FLAMES OR RESULTING FUMES	3	4	12,000
ACCIDENTLY STRUCK BY AN OBJECT / PERSON	4	135	333,500
PHYSICAL ASSAULT	5	17	34,500
SUICIDE ATTEMPT	6	1	7,000
ACCIDENTAL INJURY - EXPLOSION	7	3	5,000
ACCIDENTAL INJURY - ENVIRON. FACTORS	8	70	155,000
HOT LIQUIDS, FOODS OR SUBSTANCES	11	29	65,500
ACCIDENT - MACHINERY	12	33	70,000
ACCIDENT - CUTTING OR PIERCING OBJECT	13	54	129,500
ACCIDENTAL POISONING	14	6	16,000
OTHER	15	316	840,500
NOT APPLICABLE	96	10,904	24,589,000
DON'T KNOW	97	5	10,500
NOT STATED	99	275	359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC6_8B **Length** 1 **Position** 2761
Question Name IN-Q8
Concept Precaution taken - being more careful
Question We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Being more careful
Universe Respondents aged 12 and over who answered IJC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	805	1,909,000
NO	2	387	941,500
NOT APPLICABLE	6	11,078	25,107,000
DON'T KNOW	7	1	1,000
NOT STATED	9	275	359,500
Total		12,546	28,318,308

Variable Name IJC6_8C **Length** 1 **Position** 2762
Question Name IN-Q8
Concept Precaution taken - safety training
Question We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Took safety training
Universe Respondents aged 12 and over who answered IJC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	15,000
NO	2	1,186	2,835,500
NOT APPLICABLE	6	11,078	25,107,000
DON'T KNOW	7	1	1,000
NOT STATED	9	275	359,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC6_8D **Length** 1 **Position** 2763
Question Name IN-Q8
Concept Precaution taken - protective gear
Question We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Using protective gear / safety equipment
Universe Respondents aged 12 and over who answered IJC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	101	230,000
NO	2	1,091	2,620,000
NOT APPLICABLE	6	11,078	25,107,000
DON'T KNOW	7	1	1,000
NOT STATED	9	275	359,500
Total		12,546	28,318,308

Variable Name IJC6_8E **Length** 1 **Position** 2764
Question Name IN-Q8
Concept Precaution taken - changing physical situation
Question We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Changing physical situation
Universe Respondents aged 12 and over who answered IJC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	74	170,500
NO	2	1,118	2,680,000
NOT APPLICABLE	6	11,078	25,107,000
DON'T KNOW	7	1	1,000
NOT STATED	9	275	359,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC6_8F **Length** 1 **Position** 2765
Question Name IN-Q8
Concept Precaution taken - other
Question We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - Other
Universe Respondents aged 12 and over who answered IJC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	24	71,000
NO	2	1,168	2,779,000
NOT APPLICABLE	6	11,078	25,107,000
DON'T KNOW	7	1	1,000
NOT STATED	9	275	359,500
Total		12,546	28,318,308

Variable Name IJC6_8G **Length** 1 **Position** 2766
Question Name IN-Q8
Concept Precaution taken - none
Question We would like to know what precautions you are taking, if any, to prevent this kind of injury from happening again. What precautions are you taking? - No precautions
Universe Respondents aged 12 and over who answered IJC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	213	538,500
NO	2	979	2,311,500
NOT APPLICABLE	6	11,078	25,107,000
DON'T KNOW	7	1	1,000
NOT STATED	9	275	359,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC6D1 **Length** 3 **Position** 2767 - 2769

Question Name

Concept Type of injury by body site - (D)

Question

Universe Respondents who answered IJC6_1=1

Note Based on IJC6_3 and IJC6_4. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INJURY BY BODY SITE	10 - 119	1,351	3,317,500
NOT APPLICABLE	996	10,904	24,589,000
NOT STATED	999	291	411,500
Total		12,546	28,318,308

Variable Name IJC6D2 **Length** 3 **Position** 2770 - 2772

Question Name

Concept Cause of injury by place of occurrence - (D)

Question

Universe Respondents who answered IJC6_1=1

Note Based on IJC6_5 and IJC6_6. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CAUSE BY PLACE OF OCCURRENCE	10 - 976	1,363	3,361,000
NOT APPLICABLE	996	10,904	24,589,000
NOT STATED	999	279	368,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6_1A **Length** 1 **Position** 2773
Question Name DRG-Q1A
Concept Medication - pain relievers
Question In the past month, did you take pain relievers such as Aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,087	15,447,500
NO	2	3,727	8,497,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	3	4,500
REFUSAL	8	2	1,500
NOT STATED	9	273	358,500
	Total	12,546	28,318,308

Variable Name DGC6_1B **Length** 1 **Position** 2774
Question Name DRG-Q1B
Concept Medication - tranquilizers
Question In the past month, did you take tranquilizers such as Valium?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	301	659,000
NO	2	10,512	23,282,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	4	8,500
NOT STATED	9	275	360,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_1C	Length	1	Position	2775
Question Name	DRG-Q1C				
Concept	Medication - diet pills				
Question	In the past month, did you take diet pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		58	154,500
NO		2		10,756	23,789,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		3	5,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

Variable Name	DGC6_1D	Length	1	Position	2776
Question Name	DRG-Q1D				
Concept	Medication - anti-depressants				
Question	In the past month, did you take anti-depressants?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		430	870,500
NO		2		10,380	23,069,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		7	9,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_1E	Length	1	Position	2777
Question Name	DRG-Q1E				
Concept	Medication - codeine, Demerol or morphine				
Question	In the past month, did you take codeine, Demerol or morphine?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		530	1,246,000
NO		2		10,284	22,695,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		3	8,000
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

Variable Name	DGC6_1F	Length	1	Position	2778
Question Name	DRG-Q1F				
Concept	Medication - allergy				
Question	In the past month, did you take allergy medicine such as Seldane or Chlor-Tripolon?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		915	2,143,000
NO		2		9,898	21,799,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		4	7,000
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6_1G **Length** 1 **Position** 2779

Question Name DRG-Q1G

Concept Medication - asthma

Question In the past month, did you take asthma medications such as inhalers or nebulizers?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	634	1,321,000
NO	2	10,181	22,624,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	2	3,500
NOT STATED	9	275	360,000
Total		12,546	28,318,308

Variable Name DGC6_1H **Length** 1 **Position** 2780

Question Name DRG-Q1H

Concept Medication - cough or cold remedies

Question In the past month, did you take cough or cold remedies?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,814	4,458,500
NO	2	9,001	19,487,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	2	3,500
NOT STATED	9	275	360,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_1I	Length	1	Position	2781
Question Name	DRG-Q1I				
Concept	Medication - penicillin or other antibiotics				
Question	In the past month, did you take penicillin or other antibiotics?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,031	2,168,000
NO		2		9,780	21,751,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		6	29,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

Variable Name	DGC6_1J	Length	1	Position	2782
Question Name	DRG-Q1J				
Concept	Medication - heart				
Question	In the past month, did you take medicine for the heart?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		664	1,139,000
NO		2		10,150	22,805,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		3	4,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_1K	Length	1	Position	2783
Question Name	DRG-Q1K				
Concept	Medication - blood pressure				
Question	In the past month, did you take medicine for blood pressure?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,264	2,122,500
NO		2		9,550	21,822,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		3	4,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

Variable Name	DGC6_1L	Length	1	Position	2784
Question Name	DRG-Q1L				
Concept	Medication - diuretics				
Question	In the past month, did you take diuretics or water pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		499	790,500
NO		2		10,316	23,155,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	3,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_1M	Length	1	Position	2785
Question Name	DRG-Q1M				
Concept	Medication - steroids				
Question	In the past month, did you take steroids?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		101	202,000
NO		2		10,714	23,743,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	3,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

Variable Name	DGC6_1N	Length	1	Position	2786
Question Name	DRG-Q1N				
Concept	Medication - insulin				
Question	In the past month, did you take insulin?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		126	247,500
NO		2		10,689	23,698,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	3,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_1O	Length	1	Position	2787
Question Name	DRG-Q1O				
Concept	Medication - pills to control diabetes				
Question	In the past month, did you take pills to control diabetes?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		250	452,500
NO		2		10,565	23,493,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	3,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

Variable Name	DGC6_1P	Length	1	Position	2788
Question Name	DRG-Q1P				
Concept	Medication - sleeping pills				
Question	In the past month, did you take sleeping pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		429	835,500
NO		2		10,386	23,110,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	3,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_1Q	Length	1	Position	2789
Question Name	DRG-Q1Q				
Concept	Medication - stomach remedies				
Question	In the past month, did you take stomach remedies?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,102	2,429,000
NO		2		9,713	21,516,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		2	3,500
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

Variable Name	DGC6_1R	Length	1	Position	2790
Question Name	DRG-Q1R				
Concept	Medication - laxatives				
Question	In the past month, did you take laxatives?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		460	906,500
NO		2		10,354	23,038,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		3	5,000
NOT STATED		9		275	360,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_1S	Length	1	Position	2791
Question Name	DRG-Q1S				
Concept	Medication - birth control pills				
Question	In the past month, did you take birth control pills?				
Universe	Females aged 12 to 49 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		669	1,397,000
NO		2		2,921	6,672,500
NOT APPLICABLE		6		8,680	19,885,000
DON'T KNOW		7		1	2,000
NOT STATED		9		275	361,500
		Total		12,546	28,318,308

Variable Name	DGC6_1T	Length	1	Position	2792
Question Name	DRG-Q1T				
Concept	Medication - hormones for menopause				
Question	In the past month, did you take hormones for menopause or aging symptoms?				
Universe	Females aged 30 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		525	1,013,000
NO		2		4,141	7,787,000
NOT APPLICABLE		6		7,601	19,153,000
DON'T KNOW		7		2	2,000
NOT STATED		9		277	363,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6_1T1 **Length** 1 **Position** 2793
Question Name DRG-Q1T1
Concept Hormone therapy - type
Question What type of hormones are you taking?
Universe Respondents who answered DGC6_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ESTROGEN ONLY	1	278	510,500
PROGESTERONE ONLY	2	37	75,000
BOTH	3	153	321,500
NEITHER	4	43	79,500
NOT APPLICABLE	6	11,742	26,940,000
DON'T KNOW	7	14	27,000
NOT STATED	9	279	365,000
Total		12,546	28,318,308

Variable Name DGC6_1T2 **Length** 4 **Position** 2794 - 2797
Question Name DRG-Q1T2
Concept Hormone therapy - year started
Question When did you start this hormone therapy?
Universe Respondents who answered DGC6_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1948 - 1997	518	998,000
NOT APPLICABLE	9996	11,742	26,940,000
DON'T KNOW	9997	7	15,000
NOT STATED	9999	279	365,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6_1U **Length** 1 **Position** 2798
Question Name DRG-Q1U
Concept Medication - thyroid
Question In the past month, did you take thyroid medication such as Synthroid or Levothyroxine?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	498	874,500
NO	2	10,317	23,071,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	2	3,000
NOT STATED	9	275	360,000
Total		12,546	28,318,308

Variable Name DGC6_1V **Length** 1 **Position** 2799
Question Name DRG-Q1V
Concept Medication - other
Question In the past month, did you take any other medication?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,166	2,541,500
NO	2	9,647	21,385,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	4	23,000
NOT STATED	9	275	360,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F1	Length	1	Position	2800
Question Name					
Concept	Flag for medications taken				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on DGC6_1A to DGC6_1V, DHC6_SEX and DHC6_AGE. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
HAS TAKEN AT LEAST ONE DRUG		1		8,866	19,230,000
HAS NOT TAKEN ANY DRUGS		2		1,945	4,688,500
NOT APPLICABLE		6		1,454	4,009,500
NOT STATED		9		281	390,500
		Total		12,546	28,318,308

Variable Name	DGC6_2	Length	3	Position	2801 - 2803
Question Name	DRG-Q2				
Concept	Number of different medications in past 2 days				
Question	Now, I am referring to the last 2 days, that is, yesterday and the day before yesterday. During those 2 days, how many different medications did you take?				
Universe	Respondents who answered any one of DGC6_1A to DGC6_1V=1 or respondents living in an institution				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRUGS		0 - 20		8,904	19,250,000
NOT APPLICABLE		996		3,348	8,668,500
DON'T KNOW		997		11	23,000
REFUSAL		998		6	14,500
NOT STATED		999		277	362,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3A	Length	1	Position	2804
Question Name					
Concept	Flag for drug 1				
Question					
Universe	Respondents who answered at least 1 in DGC6_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		5,387	10,709,500
NOT APPLICABLE		6		6,784	17,067,500
DON'T KNOW		7		42	85,500
REFUSAL		8		6	10,000
NOT STATED		9		327	445,500
		Total		12,546	28,318,308

Variable Name	DGC6C3A	Length	7	Position	2805 - 2811
Question Name	DRG-Q3				
Concept	Drug code - drug 1				
Question	What is the exact name of the medication that you took? - Drug 1				
Universe	Respondents who answered at least 1 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A01AD02 - Z99AA00		5,387	10,709,500
NOT APPLICABLE		9999996		6,784	17,067,500
DON'T KNOW		9999997		42	85,500
REFUSAL		9999998		6	10,000
NOT STATED		9999999		327	445,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3A **Length** 2 **Position** 2812 - 2813

Question Name

Concept Drug code - drug 1 - (G)

Question

Universe Respondents who answered at least 1 in DGC6_2

Note Based on DGC6C3A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	489	958,500
BLOOD & BLOOD FORMING ORGANS	2	62	98,500
CARDIOVASCULAR SYSTEM	3	986	1,698,000
DERMATOLOGICALS	4	15	40,500
GENITO-URINARY / SEX HORMONES	7	653	1,312,000
SYSTEMIC HORMONAL PREPARATIONS	8	281	521,500
GENERAL ANTI-INFECTIVES	10	124	268,500
ANTINEOPLASTICS	12	31	84,500
MUSCULO-SKELETAL SYSTEM	13	365	705,000
NERVOUS SYSTEM	14	1,929	4,032,000
ANTIPARASITIC PRODUCTS	16	10	29,500
RESPIRATORY SYSTEM	18	328	717,000
SENSORY ORGANS	19	37	72,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	6	26,500
NATURAL MEDICINES	24	11	25,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	60	119,000
NOT APPLICABLE	96	6,784	17,067,500
NOT STATED	99	375	541,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3B	Length	1	Position	2814
Question Name					
Concept	Flag for drug 2				
Question					
Universe	Respondents who answered at least 2 in DGC6_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		2,704	5,026,500
NOT APPLICABLE		6		9,476	22,791,000
DON'T KNOW		7		21	27,500
REFUSAL		8		6	10,500
NOT STATED		9		339	463,000
		Total		12,546	28,318,308

Variable Name	DGC6C3B	Length	7	Position	2815 - 2821
Question Name	DRG-Q3				
Concept	Drug code - drug 2				
Question	What is the exact name of the medication that you took? - Drug 2				
Universe	Respondents who answered at least 2 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A01AA01 - Z99AA00		2,704	5,026,500
NOT APPLICABLE		9999996		9,476	22,791,000
DON'T KNOW		9999997		21	27,500
REFUSAL		9999998		6	10,500
NOT STATED		9999999		339	463,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3B **Length** 2 **Position** 2822 - 2823

Question Name

Concept Drug code - drug 2 - (G)

Question

Universe Respondents who answered at least 2 in DGC6_2

Note Based on DGC6C3B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	360	641,000
BLOOD & BLOOD FORMING ORGANS	2	43	62,000
CARDIOVASCULAR SYSTEM	3	753	1,269,500
DERMATOLOGICALS	4	9	15,000
GENITO-URINARY / SEX HORMONES	7	231	456,000
SYSTEMIC HORMONAL PREPARATIONS	8	159	217,500
GENERAL ANTI-INFECTIVES	10	49	102,500
ANTINEOPLASTICS	12	11	32,500
MUSCULO-SKELETAL SYSTEM	13	153	264,000
NERVOUS SYSTEM	14	633	1,345,500
ANTIPARASITIC PRODUCTS	16	5	12,000
RESPIRATORY SYSTEM	18	222	455,500
SENSORY ORGANS	19	27	53,000
NATURAL MEDICINES	24	12	21,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	37	79,000
NOT APPLICABLE	96	9,476	22,791,000
NOT STATED	99	366	501,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3C	Length	1	Position	2824
Question Name					
Concept	Flag for drug 3				
Question					
Universe	Respondents who answered at least 3 in DGC6_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		1,348	2,322,500
NOT APPLICABLE		6		10,873	25,558,000
DON'T KNOW		7		12	13,000
REFUSAL		8		2	2,500
NOT STATED		9		311	422,000
		Total		12,546	28,318,308

Variable Name	DGC6C3C	Length	7	Position	2825 - 2831
Question Name	DRG-Q3				
Concept	Drug code - drug 3				
Question	What is the exact name of the medication that you took? - Drug 3				
Universe	Respondents who answered at least 3 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02 - Z99AA00		1,348	2,322,500
NOT APPLICABLE		9999996		10,873	25,558,000
DON'T KNOW		9999997		12	13,000
REFUSAL		9999998		2	2,500
NOT STATED		9999999		311	422,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3C **Length** 2 **Position** 2832 - 2833

Question Name

Concept Drug code - drug 3 - (G)

Question

Universe Respondents who answered at least 3 in DGC6_2

Note Based on DGC6C3C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	176	306,000
BLOOD & BLOOD FORMING ORGANS	2	30	46,000
CARDIOVASCULAR SYSTEM	3	396	643,000
DERMATOLOGICALS	4	7	22,500
GENITO-URINARY / SEX HORMONES	7	89	178,500
SYSTEMIC HORMONAL PREPARATIONS	8	61	97,500
GENERAL ANTI-INFECTIVES	10	43	69,000
ANTINEOPLASTICS	12	8	10,500
MUSCULO-SKELETAL SYSTEM	13	77	131,000
NERVOUS SYSTEM	14	317	564,500
ANTIPARASITIC PRODUCTS	16	5	11,000
RESPIRATORY SYSTEM	18	93	177,500
SENSORY ORGANS	19	10	17,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	11	18,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	24	30,500
NOT APPLICABLE	96	10,873	25,558,000
NOT STATED	99	325	437,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3D	Length	1	Position	2834
Question Name					
Concept	Flag for drug 4				
Question					
Universe	Respondents who answered at least 4 in DGC6_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		726	1,232,000
NOT APPLICABLE		6		11,497	26,639,500
DON'T KNOW		7		9	9,500
REFUSAL		8		1	2,000
NOT STATED		9		313	435,000
		Total		12,546	28,318,308

Variable Name	DGC6C3D	Length	7	Position	2835 - 2841
Question Name	DRG-Q3				
Concept	Drug code - drug 4				
Question	What is the exact name of the medication that you took? - Drug 4				
Universe	Respondents who answered at least 4 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02 - Z99AA00		726	1,232,000
NOT APPLICABLE		9999996		11,497	26,639,500
DON'T KNOW		9999997		9	9,500
REFUSAL		9999998		1	2,000
NOT STATED		9999999		313	435,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3D **Length** 2 **Position** 2842 - 2843

Question Name

Concept Drug code - drug 4 - (G)

Question

Universe Respondents who answered at least 4 in DGC6_2

Note Based on DGC6C3D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	114	179,500
BLOOD & BLOOD FORMING ORGANS	2	17	26,000
CARDIOVASCULAR SYSTEM	3	209	368,500
DERMATOLOGICALS	4	4	11,500
GENITO-URINARY / SEX HORMONES	7	33	51,500
SYSTEMIC HORMONAL PREPARATIONS	8	27	40,000
GENERAL ANTI-INFECTIVES	10	10	18,500
ANTINEOPLASTICS	12	3	6,500
MUSCULO-SKELETAL SYSTEM	13	47	71,000
NERVOUS SYSTEM	14	185	332,500
ANTIPARASITIC PRODUCTS	16	4	9,500
RESPIRATORY SYSTEM	18	41	68,000
SENSORY ORGANS	19	7	10,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	7	18,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	17	19,000
NOT APPLICABLE	96	11,497	26,639,500
NOT STATED	99	323	446,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3E	Length	1	Position	2844
Question Name					
Concept	Flag for drug 5				
Question					
Universe	Respondents who answered at least 5 in DGC6_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		407	699,000
NOT APPLICABLE		6		11,821	27,189,500
DON'T KNOW		7		5	5,000
REFUSAL		8		1	2,000
NOT STATED		9		312	423,000
		Total		12,546	28,318,308

Variable Name	DGC6C3E	Length	7	Position	2845 - 2851
Question Name	DRG-Q3				
Concept	Drug code - drug 5				
Question	What is the exact name of the medication that you took? - Drug 5				
Universe	Respondents who answered at least 5 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02 - Z99AA00		407	699,000
NOT APPLICABLE		9999996		11,821	27,189,500
DON'T KNOW		9999997		5	5,000
REFUSAL		9999998		1	2,000
NOT STATED		9999999		312	423,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3E **Length** 2 **Position** 2852 - 2853

Question Name

Concept Drug code - drug 5 - (G)

Question

Universe Respondents who answered at least 5 in DGC6_2

Note Based on DGC6C3E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	71	126,500
BLOOD & BLOOD FORMING ORGANS	2	16	24,500
CARDIOVASCULAR SYSTEM	3	108	184,000
DERMATOLOGICALS	4	3	6,000
GENITO-URINARY / SEX HORMONES	7	16	22,000
SYSTEMIC HORMONAL PREPARATIONS	8	22	35,500
GENERAL ANTI-INFECTIVES	10	10	15,500
ANTINEOPLASTICS	12	2	1,000
MUSCULO-SKELETAL SYSTEM	13	19	28,000
NERVOUS SYSTEM	14	95	188,000
ANTIPARASITIC PRODUCTS	16	1	1,000
RESPIRATORY SYSTEM	18	30	49,000
SENSORY ORGANS	19	3	7,000
NATURAL MEDICINES	24	5	4,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	6	6,500
NOT APPLICABLE	96	11,821	27,189,500
NOT STATED	99	318	430,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3F	Length	1	Position	2854
Question Name					
Concept	Flag for drug 6				
Question					
Universe	Respondents who answered at least 6 in DGC6_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		223	358,000
NOT APPLICABLE		6		12,009	27,532,000
DON'T KNOW		7		4	4,000
REFUSAL		8		1	2,000
NOT STATED		9		309	422,500
		Total		12,546	28,318,308

Variable Name	DGC6C3F	Length	7	Position	2855 - 2861
Question Name	DRG-Q3				
Concept	Drug code - drug 6				
Question	What is the exact name of the medication that you took? - Drug 6				
Universe	Respondents who answered at least 6 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02 - Z99AA00		223	358,000
NOT APPLICABLE		9999996		12,009	27,532,000
DON'T KNOW		9999997		4	4,000
REFUSAL		9999998		1	2,000
NOT STATED		9999999		309	422,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3F **Length** 2 **Position** 2862 - 2863

Question Name

Concept Drug code - drug 6 - (G)

Question

Universe Respondents who answered at least 6 in DGC6_2

Note Based on DGC6C3F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	44	66,500
BLOOD & BLOOD FORMING ORGANS	2	5	11,000
CARDIOVASCULAR SYSTEM	3	52	94,000
DERMATOLOGICALS	4	2	4,500
GENITO-URINARY / SEX HORMONES	7	12	21,500
SYSTEMIC HORMONAL PREPARATIONS	8	5	4,500
GENERAL ANTI-INFECTIVES	10	2	3,500
MUSCULO-SKELETAL SYSTEM	13	12	24,000
NERVOUS SYSTEM	14	60	77,000
RESPIRATORY SYSTEM	18	20	43,000
SENSORY ORGANS	19	3	2,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	2	2,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	3	4,000
NOT APPLICABLE	96	12,009	27,532,000
NOT STATED	99	314	428,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3G	Length	1	Position	2864
Question Name					
Concept	Flag for drug 7				
Question					
Universe	Respondents who answered at least 7 in DGC6_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		126	191,500
NOT APPLICABLE		6		12,110	27,706,500
DON'T KNOW		7		3	2,500
REFUSAL		8		1	2,000
NOT STATED		9		306	416,000
		Total		12,546	28,318,308

Variable Name	DGC6C3G	Length	7	Position	2865 - 2871
Question Name	DRG-Q3				
Concept	Drug code - drug 7				
Question	What is the exact name of the medication that you took? - Drug 7				
Universe	Respondents who answered at least 7 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02AC01 - X97CA02		126	191,500
NOT APPLICABLE		9999996		12,110	27,706,500
DON'T KNOW		9999997		3	2,500
REFUSAL		9999998		1	2,000
NOT STATED		9999999		306	416,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3G **Length** 2 **Position** 2872 - 2873

Question Name

Concept Drug code - drug 7 - (G)

Question

Universe Respondents who answered at least 7 in DGC6_2

Note Based on DGC6C3G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	31	48,500
BLOOD & BLOOD FORMING ORGANS	2	2	2,000
CARDIOVASCULAR SYSTEM	3	32	56,000
DERMATOLOGICALS	4	1	4,000
GENITO-URINARY / SEX HORMONES	7	3	6,000
SYSTEMIC HORMONAL PREPARATIONS	8	1	1,000
GENERAL ANTI-INFECTIVES	10	2	1,500
ANTINEOPLASTICS	12	2	3,000
MUSCULO-SKELETAL SYSTEM	13	10	17,000
NERVOUS SYSTEM	14	27	36,500
ANTIPARASITIC PRODUCTS	16	2	2,000
RESPIRATORY SYSTEM	18	9	13,500
SENSORY ORGANS	19	3	1,500
NATURAL MEDICINES	24	1	1,000
NOT APPLICABLE	96	12,110	27,706,500
NOT STATED	99	310	420,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3H	Length	1	Position	2874
Question Name					
Concept	Flag for drug 8				
Question					
Universe	Respondents who answered at least 8 in DGC6_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		78	121,000
NOT APPLICABLE		6		12,160	27,779,000
DON'T KNOW		7		3	2,500
REFUSAL		8		1	2,000
NOT STATED		9		304	413,500
		Total		12,546	28,318,308

Variable Name	DGC6C3H	Length	7	Position	2875 - 2881
Question Name	DRG-Q3				
Concept	Drug code - drug 8				
Question	What is the exact name of the medication that you took? - Drug 8				
Universe	Respondents who answered at least 8 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02AA04 - Z99AA00		78	121,000
NOT APPLICABLE		9999996		12,160	27,779,000
DON'T KNOW		9999997		3	2,500
REFUSAL		9999998		1	2,000
NOT STATED		9999999		304	413,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3H **Length** 2 **Position** 2882 - 2883

Question Name

Concept Drug code - drug 8 - (G)

Question

Universe Respondents who answered at least 8 in DGC6_2

Note Based on DGC6C3H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	24	37,000
BLOOD & BLOOD FORMING ORGANS	2	3	2,000
CARDIOVASCULAR SYSTEM	3	18	33,000
DERMATOLOGICALS	4	1	4,000
GENITO-URINARY / SEX HORMONES	7	3	3,500
GENERAL ANTI-INFECTIVES	10	1	1,000
MUSCULO-SKELETAL SYSTEM	13	4	11,500
NERVOUS SYSTEM	14	17	24,000
RESPIRATORY SYSTEM	18	6	3,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,500
NOT APPLICABLE	96	12,160	27,779,000
NOT STATED	99	308	418,000
Total		12,546	28,318,308

Variable Name DGC6F3I **Length** 1 **Position** 2884

Question Name

Concept Flag for drug 9

Question

Universe Respondents who answered at least 9 in DGC6_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	41	71,000
NOT APPLICABLE	6	12,199	27,832,000
DON'T KNOW	7	3	2,500
REFUSAL	8	1	2,000
NOT STATED	9	302	410,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6C3I **Length** 7 **Position** 2885 - 2891

Question Name DRG-Q3

Concept Drug code - drug 9

Question What is the exact name of the medication that you took? - Drug 9

Universe Respondents who answered at least 9 in DGC6_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BB01 - X97DC08	41	71,000
NOT APPLICABLE	9999996	12,199	27,832,000
DON'T KNOW	9999997	3	2,500
REFUSAL	9999998	1	2,000
NOT STATED	9999999	302	410,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3I **Length** 2 **Position** 2892 - 2893

Question Name

Concept Drug code - drug 9 - (G)

Question

Universe Respondents who answered at least 9 in DGC6_2

Note Based on DGC6C3I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	8	17,000
BLOOD & BLOOD FORMING ORGANS	2	2	6,500
CARDIOVASCULAR SYSTEM	3	4	8,000
DERMATOLOGICALS	4	1	1,000
GENITO-URINARY / SEX HORMONES	7	2	6,000
SYSTEMIC HORMONAL PREPARATIONS	8	2	6,500
MUSCULO-SKELETAL SYSTEM	13	4	5,500
NERVOUS SYSTEM	14	12	14,500
RESPIRATORY SYSTEM	18	4	2,000
SENSORY ORGANS	19	1	1,000
NATURAL MEDICINES	24	1	3,500
NOT APPLICABLE	96	12,199	27,832,000
NOT STATED	99	306	415,000
Total		12,546	28,318,308

Variable Name DGC6F3J **Length** 1 **Position** 2894

Question Name

Concept Flag for drug 10

Question

Universe Respondents who answered at least 10 in DGC6_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	27	42,500
NOT APPLICABLE	6	12,216	27,861,000
DON'T KNOW	7	2	1,500
REFUSAL	8	1	2,000
NOT STATED	9	300	411,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F3K	Length	1	Position	2904
Question Name					
Concept	Flag for drug 11				
Question					
Universe	Respondents who answered at least 11 in DGC6_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		12	13,500
NOT APPLICABLE		6		12,231	27,892,500
DON'T KNOW		7		2	1,500
REFUSAL		8		1	2,000
NOT STATED		9		300	408,500
		Total		12,546	28,318,308

Variable Name	DGC6C3K	Length	7	Position	2905 - 2911
Question Name	DRG-Q3				
Concept	Drug code - drug 11				
Question	What is the exact name of the medication that you took? - Drug 11				
Universe	Respondents who answered at least 11 in DGC6_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A03FA - S01GA02		12	13,500
NOT APPLICABLE		9999996		12,231	27,892,500
DON'T KNOW		9999997		2	1,500
REFUSAL		9999998		1	2,000
NOT STATED		9999999		300	408,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G3K **Length** 2 **Position** 2912 - 2913

Question Name

Concept Drug code - drug 11 - (G)

Question

Universe Respondents who answered at least 11 in DGC6_2

Note Based on DGC6C3K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2	1,500
CARDIOVASCULAR SYSTEM	3	2	6,000
DERMATOLOGICALS	4	1	1,000
MUSCULO-SKELETAL SYSTEM	13	1	1,000
NERVOUS SYSTEM	14	3	2,500
RESPIRATORY SYSTEM	18	1	1,000
SENSORY ORGANS	19	2	1,500
NOT APPLICABLE	96	12,231	27,892,500
NOT STATED	99	303	412,000
Total		12,546	28,318,308

Variable Name DGC6F3L **Length** 1 **Position** 2914

Question Name

Concept Flag for drug 12

Question

Universe Respondents who answered at least 12 in DGC6_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	8,500
NOT APPLICABLE	6	12,239	27,898,500
DON'T KNOW	7	3	3,500
REFUSAL	8	1	2,000
NOT STATED	9	298	405,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6C3L **Length** 7 **Position** 2915 - 2921
Question Name DRG-Q3
Concept Drug code - drug 12
Question What is the exact name of the medication that you took? - Drug 12
Universe Respondents who answered at least 12 in DGC6_2
Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BX13 - N05BA08	5	8,500
NOT APPLICABLE	9999996	12,239	27,898,500
DON'T KNOW	9999997	3	3,500
REFUSAL	9999998	1	2,000
NOT STATED	9999999	298	405,500
	Total	12,546	28,318,308

Variable Name DGC6G3L **Length** 2 **Position** 2922 - 2923

Question Name
Concept Drug code - drug 12 - (G)
Question
Universe Respondents who answered at least 12 in DGC6_2
Note Based on DGC6C3L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2	3,500
CARDIOVASCULAR SYSTEM	3	1	3,500
NERVOUS SYSTEM	14	2	1,500
NOT APPLICABLE	96	12,239	27,898,500
NOT STATED	99	302	411,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6_4 **Length** 1 **Position** 2924
Question Name DRG-Q4
Concept Medication - use other health product
Question There are many other health products such as ointments, vitamins, herbs, minerals or protein drinks which people use to prevent illness or to improve or maintain their health. Do you use any of these or other health products?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,640	8,307,500
NO	2	7,172	15,635,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	3	4,000
REFUSAL	8	1	1,500
NOT STATED	9	276	360,500
Total		12,546	28,318,308

Variable Name DGC6F5A **Length** 1 **Position** 2925

Question Name

Concept Flag for health product 1

Question

Universe Respondents who answered DGC6_4=1

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,600	8,222,000
NOT APPLICABLE	6	8,626	19,645,000
DON'T KNOW	7	13	29,000
REFUSAL	8	1	1,000
NOT STATED	9	306	422,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 990

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6C5A **Length** 7 **Position** 2926 - 2932

Question Name DRG-Q5

Concept Drug code - health product 1

Question What is the exact name of the health product that you use? - Product 1

Universe Respondents who answered DGC6_4=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	3,600	8,222,000
NOT APPLICABLE	9999996	8,626	19,645,000
DON'T KNOW	9999997	13	29,000
REFUSAL	9999998	1	1,000
NOT STATED	9999999	306	422,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5A **Length** 2 **Position** 2933 - 2934

Question Name

Concept Drug code - health product 1 - (G)

Question

Universe Respondents who answered DGC6_4=1

Note Based on DGC6C5A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2,608	5,901,000
BLOOD & BLOOD FORMING ORGANS	2	115	257,000
CARDIOVASCULAR SYSTEM	3	7	13,500
DERMATOLOGICALS	4	113	204,500
GENITO-URINARY / SEX HORMONES	7	1	1,500
SYSTEMIC HORMONAL PREPARATIONS	8	8	32,000
GENERAL ANTI-INFECTIVES	10	1	1,000
MUSCULO-SKELETAL SYSTEM	13	61	138,500
NERVOUS SYSTEM	14	8	16,000
RESPIRATORY SYSTEM	18	10	22,000
SENSORY ORGANS	19	5	10,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	15	36,500
NATURAL MEDICINES	24	592	1,453,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	56	135,500
NOT APPLICABLE	96	8,626	19,645,000
NOT STATED	99	320	451,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6_5AA	Length	1	Position	2935
Question Name	DRG-Q5				
Concept	Uses a 2nd health product				
Question	Do you use any other health products? - 2nd product				
Universe	Respondents who answered DGC6_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,342	3,001,000
NO		2		2,298	5,306,500
NOT APPLICABLE		6		8,626	19,645,000
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6F5B	Length	1	Position	2936
Question Name					
Concept	Flag for health product 2				
Question					
Universe	Respondents who answered DGC6_5AA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,328	2,966,000
NOT APPLICABLE		6		10,924	24,951,500
NOT STATED		9		294	400,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 993

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6C5B	Length	7	Position	2937 - 2943
Question Name	DRG-Q5				
Concept	Drug code - health product 2				
Question	What is the exact name of the health product that you use? - Product 2				
Universe	Respondents who answered DGC6_5AA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	1,328	2,966,000
NOT APPLICABLE	9999996	10,924	24,951,500
NOT STATED	9999999	294	400,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5B **Length** 2 **Position** 2944 - 2945

Question Name

Concept Drug code - health product 2 - (G)

Question

Universe Respondents who answered DGC6_5AA=1

Note Based on DGC6C5B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	871	1,928,000
BLOOD & BLOOD FORMING ORGANS	2	37	89,500
CARDIOVASCULAR SYSTEM	3	7	13,000
DERMATOLOGICALS	4	31	57,500
GENITO-URINARY / SEX HORMONES	7	1	3,000
SYSTEMIC HORMONAL PREPARATIONS	8	2	8,000
GENERAL ANTI-INFECTIVES	10	2	2,500
MUSCULO-SKELETAL SYSTEM	13	11	22,000
NERVOUS SYSTEM	14	12	20,500
RESPIRATORY SYSTEM	18	5	11,500
SENSORY ORGANS	19	4	6,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	14	30,500
NATURAL MEDICINES	24	312	736,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	19	39,500
NOT APPLICABLE	96	10,924	24,951,500
NOT STATED	99	294	400,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6_5BA **Length** 1 **Position** 2946
Question Name DRG-Q5
Concept Uses a 3rd health product
Question Do you use any other health products? - 3rd product
Universe Respondents who answered DGC6_5AA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	627	1,419,500
NO	2	715	1,581,500
NOT APPLICABLE	6	10,924	24,951,500
NOT STATED	9	280	366,000
	Total	12,546	28,318,308

Variable Name DGC6F5C **Length** 1 **Position** 2947
Question Name
Concept Flag for health product 3
Question
Universe Respondents who answered DGC6_5BA=1

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	622	1,404,500
NOT APPLICABLE	6	11,639	26,533,000
NOT STATED	9	285	380,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 996

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6C5C **Length** 7 **Position** 2948 - 2954

Question Name DRG-Q5

Concept Drug code - health product 3

Question What is the exact name of the health product that you use? - Product 3

Universe Respondents who answered DGC6_5BA=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BA02 - Z97AA00	622	1,404,500
NOT APPLICABLE	9999996	11,639	26,533,000
NOT STATED	9999999	285	380,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5C **Length** 2 **Position** 2955 - 2956

Question Name

Concept Drug code - health product 3 - (G)

Question

Universe Respondents who answered DGC6_5BA=1

Note Based on DGC6C5C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	393	847,500
BLOOD & BLOOD FORMING ORGANS	2	18	36,000
CARDIOVASCULAR SYSTEM	3	3	4,000
DERMATOLOGICALS	4	11	20,000
GENITO-URINARY / SEX HORMONES	7	1	1,000
MUSCULO-SKELETAL SYSTEM	13	3	31,000
NERVOUS SYSTEM	14	8	14,000
RESPIRATORY SYSTEM	18	3	3,500
SENSORY ORGANS	19	1	1,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	6	18,000
NATURAL MEDICINES	24	157	392,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	18	37,000
NOT APPLICABLE	96	11,639	26,533,000
NOT STATED	99	285	380,500
Total		12,546	28,318,308

Variable Name DGC6_5CA **Length** 1 **Position** 2957

Question Name DRG-Q5

Concept Uses a 4th health product

Question Do you use any other health products? - 4th product

Universe Respondents who answered DGC6_5BA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	316	725,500
NO	2	311	694,000
NOT APPLICABLE	6	11,639	26,533,000
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5D	Length	1	Position	2958
Question Name					
Concept	Flag for health product 4				
Question					
Universe	Respondents who answered DGC6_5CA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		314	722,000
NOT APPLICABLE		6		11,950	27,227,000
NOT STATED		9		282	369,000
		Total		12,546	28,318,308

Variable Name	DGC6C5D	Length	7	Position	2959 - 2965
Question Name	DRG-Q5				
Concept	Drug code - health product 4				
Question	What is the exact name of the health product that you use? - Product 4				
Universe	Respondents who answered DGC6_5CA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02AC01 - Z97AA00		314	722,000
NOT APPLICABLE		9999996		11,950	27,227,000
NOT STATED		9999999		282	369,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5D **Length** 2 **Position** 2966 - 2967

Question Name

Concept Drug code - health product 4 - (G)

Question

Universe Respondents who answered DGC6_5CA=1

Note Based on DGC6C5D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	175	411,500
BLOOD & BLOOD FORMING ORGANS	2	7	12,500
CARDIOVASCULAR SYSTEM	3	2	1,500
DERMATOLOGICALS	4	7	18,500
MUSCULO-SKELETAL SYSTEM	13	3	14,000
NERVOUS SYSTEM	14	7	13,500
RESPIRATORY SYSTEM	18	2	1,000
SENSORY ORGANS	19	1	1,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	6	11,000
NATURAL MEDICINES	24	95	211,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	9	27,500
NOT APPLICABLE	96	11,950	27,227,000
NOT STATED	99	282	369,000
Total		12,546	28,318,308

Variable Name DGC6_5DA **Length** 1 **Position** 2968

Question Name DRG-Q5

Concept Uses a 5th health product

Question Do you use any other health products? - 5th product

Universe Respondents who answered DGC6_5CA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	158	358,500
NO	2	158	366,500
NOT APPLICABLE	6	11,950	27,227,000
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5E	Length	1	Position	2969
Question Name					
Concept	Flag for health product 5				
Question					
Universe	Respondents who answered DGC6_5DA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		158	358,500
NOT APPLICABLE		6		12,108	27,594,000
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6C5E	Length	7	Position	2970 - 2976
Question Name	DRG-Q5				
Concept	Drug code - health product 5				
Question	What is the exact name of the health product that you use? - Product 5				
Universe	Respondents who answered DGC6_5DA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02AC01 - Z97AA00		158	358,500
NOT APPLICABLE		9999996		12,108	27,594,000
NOT STATED		9999999		280	366,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5E **Length** 2 **Position** 2977 - 2978

Question Name

Concept Drug code - health product 5 - (G)

Question

Universe Respondents who answered DGC6_5DA=1

Note Based on DGC6C5E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	83	185,000
BLOOD & BLOOD FORMING ORGANS	2	3	7,500
CARDIOVASCULAR SYSTEM	3	2	3,500
DERMATOLOGICALS	4	1	5,000
NERVOUS SYSTEM	14	1	2,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	63	148,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	4	6,500
NOT APPLICABLE	96	12,108	27,594,000
NOT STATED	99	280	366,000
Total		12,546	28,318,308

Variable Name DGC6_5EA **Length** 1 **Position** 2979

Question Name DRG-Q5

Concept Uses a 6th health product

Question Do you use any other health products? - 6th product

Universe Respondents who answered DGC6_5DA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	81	195,000
NO	2	77	164,000
NOT APPLICABLE	6	12,108	27,594,000
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5F	Length	1	Position	2980
Question Name					
Concept	Flag for health product 6				
Question					
Universe	Respondents who answered DGC6_5EA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		81	195,000
NOT APPLICABLE		6		12,185	27,757,500
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6C5F	Length	7	Position	2981 - 2987
Question Name	DRG-Q5				
Concept	Drug code - health product 6				
Question	What is the exact name of the health product that you use? - Product 6				
Universe	Respondents who answered DGC6_5EA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A01AA01 - Z99AA00		81	195,000
NOT APPLICABLE		9999996		12,185	27,757,500
NOT STATED		9999999		280	366,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5F **Length** 2 **Position** 2988 - 2989

Question Name

Concept Drug code - health product 6 - (G)

Question

Universe Respondents who answered DGC6_5EA=1

Note Based on DGC6C5F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	31	84,500
BLOOD & BLOOD FORMING ORGANS	2	4	11,500
CARDIOVASCULAR SYSTEM	3	2	2,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	3	6,500
NATURAL MEDICINES	24	35	79,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	6	11,500
NOT APPLICABLE	96	12,185	27,757,500
NOT STATED	99	280	366,000
Total		12,546	28,318,308

Variable Name DGC6_5FA **Length** 1 **Position** 2990

Question Name DRG-Q5

Concept Uses a 7th health product

Question Do you use any other health products? - 7th product

Universe Respondents who answered DGC6_5EA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	40	85,500
NO	2	41	109,500
NOT APPLICABLE	6	12,185	27,757,500
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5G	Length	1	Position	2991
Question Name					
Concept	Flag for health product 7				
Question					
Universe	Respondents who answered DGC6_5FA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		40	85,500
NOT APPLICABLE		6		12,226	27,867,000
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6C5G	Length	7	Position	2992 - 2998
Question Name	DRG-Q5				
Concept	Drug code - health product 7				
Question	What is the exact name of the health product that you use? - Product 7				
Universe	Respondents who answered DGC6_5FA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A06AB07 - Z97AA00		40	85,500
NOT APPLICABLE		9999996		12,226	27,867,000
NOT STATED		9999999		280	366,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5G **Length** 2 **Position** 2999 - 3000

Question Name

Concept Drug code - health product 7 - (G)

Question

Universe Respondents who answered DGC6_5FA=1

Note Based on DGC6C5G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	21	45,000
BLOOD & BLOOD FORMING ORGANS	2	1	3,000
CARDIOVASCULAR SYSTEM	3	2	2,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	2	3,000
NATURAL MEDICINES	24	13	31,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,000
NOT APPLICABLE	96	12,226	27,867,000
NOT STATED	99	280	366,000
Total		12,546	28,318,308

Variable Name DGC6_5GA **Length** 1 **Position** 3001

Question Name DRG-Q5

Concept Uses a 8th health product

Question Do you use any other health products? - 8th product

Universe Respondents who answered DGC6_5FA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	27	63,000
NO	2	13	22,500
NOT APPLICABLE	6	12,226	27,867,000
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5H	Length	1	Position	3002
Question Name					
Concept	Flag for health product 8				
Question					
Universe	Respondents who answered DGC6_5GA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		27	63,000
NOT APPLICABLE		6		12,239	27,889,500
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6C5H	Length	7	Position	3003 - 3009
Question Name	DRG-Q5				
Concept	Drug code - health product 8				
Question	What is the exact name of the health product that you use? - Product 8				
Universe	Respondents who answered DGC6_5GA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A07FA01 - Z97AA00		27	63,000
NOT APPLICABLE		9999996		12,239	27,889,500
NOT STATED		9999999		280	366,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5H **Length** 2 **Position** 3010 - 3011

Question Name

Concept Drug code - health product 8 - (G)

Question

Universe Respondents who answered DGC6_5GA=1

Note Based on DGC6C5H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	12	21,000
BLOOD & BLOOD FORMING ORGANS	2	1	1,000
SENSORY ORGANS	19	1	5,000
NATURAL MEDICINES	24	11	32,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	4,000
NOT APPLICABLE	96	12,239	27,889,500
NOT STATED	99	280	366,000
Total		12,546	28,318,308

Variable Name DGC6_5HA **Length** 1 **Position** 3012

Question Name DRG-Q5

Concept Uses a 9th health product

Question Do you use any other health products? - 9th product

Universe Respondents who answered DGC6_5GA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	25,000
NO	2	16	38,500
NOT APPLICABLE	6	12,239	27,889,500
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5I	Length	1	Position	3013
Question Name					
Concept	Flag for health product 9				
Question					
Universe	Respondents who answered DGC6_5HA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		11	25,000
NOT APPLICABLE		6		12,255	27,928,000
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6C5I	Length	7	Position	3014 - 3020
Question Name	DRG-Q5				
Concept	Drug code - health product 9				
Question	What is the exact name of the health product that you use? - Product 9				
Universe	Respondents who answered DGC6_5HA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A11CB - Z97AA00		11	25,000
NOT APPLICABLE		9999996		12,255	27,928,000
NOT STATED		9999999		280	366,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5I **Length** 2 **Position** 3021 - 3022

Question Name

Concept Drug code - health product 9 - (G)

Question

Universe Respondents who answered DGC6_5HA=1

Note Based on DGC6C5I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	7	10,500
NATURAL MEDICINES	24	3	6,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	7,500
NOT APPLICABLE	96	12,255	27,928,000
NOT STATED	99	280	366,000
Total		12,546	28,318,308

Variable Name DGC6_5IA **Length** 1 **Position** 3023

Question Name DRG-Q5

Concept Uses a 10th health product

Question Do you use any other health products? - 10th product

Universe Respondents who answered DGC6_5HA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7	12,000
NO	2	4	13,000
NOT APPLICABLE	6	12,255	27,928,000
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5J	Length	1	Position	3024
Question Name					
Concept	Flag for health product 10				
Question					
Universe	Respondents who answered DGC6_5IA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7	12,000
NOT APPLICABLE		6		12,259	27,940,500
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6C5J	Length	7	Position	3025 - 3031
Question Name	DRG-Q5				
Concept	Drug code - health product 10				
Question	What is the exact name of the health product that you use? - Product 10				
Universe	Respondents who answered DGC6_5IA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11AA03 - X97EG01		7	12,000
NOT APPLICABLE		9999996		12,259	27,940,500
NOT STATED		9999999		280	366,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5J **Length** 2 **Position** 3032 - 3033

Question Name

Concept Drug code - health product 10 - (G)

Question

Universe Respondents who answered DGC6_5IA=1

Note Based on DGC6C5J. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	3	5,500
BLOOD & BLOOD FORMING ORGANS	2	1	3,000
NATURAL MEDICINES	24	3	3,000
NOT APPLICABLE	96	12,259	27,940,500
NOT STATED	99	280	366,000
Total		12,546	28,318,308

Variable Name DGC6_5JA **Length** 1 **Position** 3034

Question Name DRG-Q5

Concept Uses a 11th health product

Question Do you use any other health products? - 11th product

Universe Respondents who answered DGC6_5IA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	8,000
NO	2	3	4,000
NOT APPLICABLE	6	12,259	27,940,500
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5K	Length	1	Position	3035
Question Name					
Concept	Flag for health product 11				
Question					
Universe	Respondents who answered DGC6_5JA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		4	8,000
NOT APPLICABLE		6		12,262	27,944,500
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6C5K	Length	7	Position	3036 - 3042
Question Name	DRG-Q5				
Concept	Drug code - health product 11				
Question	What is the exact name of the health product that you use? - Product 11				
Universe	Respondents who answered DGC6_5JA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A12AX - X97FC10		4	8,000
NOT APPLICABLE		9999996		12,262	27,944,500
NOT STATED		9999999		280	366,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5K **Length** 2 **Position** 3043 - 3044

Question Name

Concept Drug code - health product 11 - (G)

Question

Universe Respondents who answered DGC6_5JA=1

Note Based on DGC6C5K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	1	2,000
NATURAL MEDICINES	24	3	6,000
NOT APPLICABLE	96	12,262	27,944,500
NOT STATED	99	280	366,000
Total		12,546	28,318,308

Variable Name DGC6_5KA **Length** 1 **Position** 3045

Question Name DRG-Q5

Concept Uses a 12th health product

Question Do you use any other health products? - 12th product

Universe Respondents who answered DGC6_5JA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	7,500
NO	2	1	1,000
NOT APPLICABLE	6	12,262	27,944,500
NOT STATED	9	280	366,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC6F5L	Length	1	Position	3046
Question Name					
Concept	Flag for health product 12				
Question					
Universe	Respondents who answered DGC6_5KA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		3	7,500
NOT APPLICABLE		6		12,263	27,945,000
NOT STATED		9		280	366,000
		Total		12,546	28,318,308

Variable Name	DGC6C5L	Length	7	Position	3047 - 3053
Question Name	DRG-Q5				
Concept	Drug code - health product 12				
Question	What is the exact name of the health product that you use? - Product 12				
Universe	Respondents who answered DGC6_5KA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		D02A - X97CE92		3	7,500
NOT APPLICABLE		9999996		12,263	27,945,000
NOT STATED		9999999		280	366,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC6G5L **Length** 2 **Position** 3054 - 3055

Question Name

Concept Drug code - health product 12 - (G)

Question

Universe Respondents who answered DGC6_5KA=1

Note Based on DGC6C5L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DERMATOLOGICALS	4	1	2,000
NATURAL MEDICINES	24	2	5,500
NOT APPLICABLE	96	12,263	27,945,000
NOT STATED	99	280	366,000
Total		12,546	28,318,308

Variable Name ISC6_1 **Length** 1 **Position** 3056

Question Name DRG-Q6

Concept Insurance - prescription medications

Question Do you have insurance that covers all or part of the cost of your prescription medications? (Include any private, government or employer-paid plans.)

Universe Respondents aged 12 and over living in a household

Note Formerly DGC6_6.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,541	15,143,500
NO	2	4,145	8,432,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	129	371,000
REFUSAL	8	1	1,500
NOT STATED	9	276	360,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC6_1	Length	1	Position	3057
Question Name	SMK-Q1				
Concept	Household member smokes inside house				
Question	Does anyone in this household smoke regularly inside the house?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content			Code	Sample	Population
YES			1	3,608	8,258,500
NO			2	7,206	15,679,500
NOT APPLICABLE			6	1,454	4,009,500
REFUSAL			8	4	11,500
NOT STATED			9	274	359,000
			Total	12,546	28,318,308

Variable Name	SMC6_2	Length	1	Position	3058
Question Name	SMK-Q2				
Concept	Current smoking status				
Question	At the present time do you smoke cigarettes daily, occasionally or not at all?				
Universe	Respondents aged 12 and over				
Note					
Content			Code	Sample	Population
DAILY			1	2,578	5,671,000
OCCASIONALLY			2	384	985,500
NOT AT ALL			3	7,907	17,338,000
NOT APPLICABLE			6	1,397	3,949,500
REFUSAL			8	5	13,500
NOT STATED			9	275	360,500
			Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC6_3 **Length** 3 **Position** 3059 - 3061
Question Name SMK-Q3
Concept Age started smoking daily - daily smoker
Question At what age did you begin to smoke cigarettes daily?
Universe Respondents who answered SMC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	5 - 60	2,561	5,631,000
NOT APPLICABLE	996	9,688	22,273,500
DON'T KNOW	997	15	28,000
REFUSAL	998	2	12,000
NOT STATED	999	280	374,000
	Total	12,546	28,318,308

Variable Name SMC6_4 **Length** 3 **Position** 3062 - 3064
Question Name SMK-Q4
Concept Number of cigarettes smoked each day - daily smoker
Question How many cigarettes do you smoke each day now?
Universe Respondents who answered SMC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 99	2,573	5,657,500
NOT APPLICABLE	996	9,688	22,273,500
DON'T KNOW	997	4	12,500
REFUSAL	998	1	1,000
NOT STATED	999	280	374,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC6_4A **Length** 1 **Position** 3065
Question Name SMK-Q4A
Concept Ever smoked cigarettes
Question Have you ever smoked cigarettes at all?
Universe Respondents who answered SMC6_2=3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,577	7,419,000
NO	2	4,327	9,915,500
NOT APPLICABLE	6	4,359	10,606,500
DON'T KNOW	7	2	2,500
NOT STATED	9	281	375,000
Total		12,546	28,318,308

Variable Name SMC6_5 **Length** 1 **Position** 3066
Question Name SMK-Q5
Concept Ever smoked daily
Question Have you ever smoked cigarettes daily?
Universe Respondents who answered SMC6_2=2 or SMC6_4A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,964	5,948,500
NO	2	996	2,451,500
NOT APPLICABLE	6	8,302	19,536,500
DON'T KNOW	7	1	4,500
NOT STATED	9	283	377,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC6_6 **Length** 3 **Position** 3067 - 3069
Question Name SMK-Q6
Concept Age started smoking daily - former daily smoker
Question At what age did you begin to smoke (cigarettes) daily?
Universe Respondents who answered SMC6_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	5 - 70	2,933	5,908,000
NOT APPLICABLE	996	9,298	21,988,000
DON'T KNOW	997	30	38,500
REFUSAL	998	1	2,000
NOT STATED	999	284	382,000
	Total	12,546	28,318,308

Variable Name SMC6_7 **Length** 3 **Position** 3070 - 3072
Question Name SMK-Q7
Concept No. of cigarettes smoked daily - former daily smoker
Question How many cigarettes did you usually smoke each day?
Universe Respondents who answered SMC6_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 99	2,901	5,869,000
NOT APPLICABLE	996	9,322	22,011,000
DON'T KNOW	997	41	59,000
REFUSAL	998	2	2,500
NOT STATED	999	280	377,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC6_8 **Length** 3 **Position** 3073 - 3075

Question Name SMK-Q8

Concept Age stopped smoking daily - former daily smoker

Question At what age did you stop smoking (cigarettes) daily?

Universe Respondents who answered SMC6_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	11 - 87	2,941	5,898,000
NOT APPLICABLE	996	9,298	21,988,000
DON'T KNOW	997	21	43,000
REFUSAL	998	2	7,500
NOT STATED	999	284	382,000
	Total	12,546	28,318,308

Variable Name SMC6_9 **Length** 2 **Position** 3076 - 3077

Question Name SMK-Q9

Concept Reason for quitting smoking

Question Compared to our last interview, you are reporting that you no longer smoke. Why did you quit?

Universe Respondents who answered SMC4_2=1 or SMC4_2=2 and SMC6_2=3 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER SMOKED	1	2	4,000
DIDN'T SMOKE AT LAST INTERVIEW	2	26	57,500
AFFECTED PHYSICAL HEALTH	3	170	328,500
COST	4	23	47,000
SOCIAL / FAMILY PRESSURES	5	26	55,000
ATHLETIC ACTIVITIES	6	8	30,500
PREGNANCY	7	28	49,000
SMOKING RESTRICTIONS	8	6	9,500
DOCTOR'S ADVICE	9	22	38,000
EFFECT OF SECOND-HAND SMOKE ON OTHERS	10	19	45,500
OTHER	11	52	110,000
NOT APPLICABLE	96	11,808	26,990,500
DON'T KNOW	97	1	2,000
NOT STATED	99	355	551,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC6_10 **Length** 2 **Position** 3078 - 3079
Question Name SMK-Q10
Concept Reason for starting smoking
Question Compared to our last interview, you are reporting that you currently smoke. Why did you start smoking?
Universe Respondents who answered SMC4_2=3 and SMC6_2=1 or SMC6_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SMOKED AT LAST INTERVIEW	1	74	207,500
FAMILY / FRIENDS SMOKE	2	50	153,500
EVERYONE AROUND ME SMOKES	3	43	129,000
TO BE "COOL"	4	15	52,000
CURIOSITY	5	24	77,000
STRESS	6	66	147,000
STARTED AGAIN AFTER TRYING TO QUIT	7	44	101,000
COST	8	1	6,500
TO CONTROL WEIGHT	9	6	22,500
OTHER	10	45	125,500
NOT APPLICABLE	96	11,890	26,892,000
DON'T KNOW	97	2	2,000
NOT STATED	99	286	402,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC6_11 **Length** 2 **Position** 3080 - 3081

Question Name SMK-Q11

Concept Reason for smoking less

Question Compared to our last interview, you are reporting that you smoke less. Why did you cut down?

Universe Respondents who answered SMC4_2=1 and SMC6_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DID NOT CUT DOWN	1	1	2,000
DID NOT SMOKE AT LAST INTERVIEW	2	1	9,000
TRYING TO QUIT	3	28	44,000
AFFECTED PHYSICAL HEALTH	4	18	37,000
COST	5	8	13,500
SOCIAL / FAMILY PRESSURES	6	1	1,500
ATHLETIC ACTIVITIES	7	1	4,000
PREGNANCY	8	7	13,000
SMOKING RESTRICTIONS	9	1	1,000
DOCTOR'S ADVICE	10	4	14,000
EFFECT OF SECOND-HAND SMOKE ON OTHERS	11	1	1,000
OTHER	12	9	9,500
NOT APPLICABLE	96	12,188	27,800,000
DON'T KNOW	97	1	1,000
NOT STATED	99	277	368,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC6_12 **Length** 2 **Position** 3082 - 3083
Question Name SMK-Q12
Concept Reason for smoking more
Question Compared to our last interview, you are reporting that you smoke more. Why have you increased smoking?
Universe Respondents who answered SMC4_2=2 and SMC6_2=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAVEN'T INCREASED	1	42	99,000
FAMILY / FRIENDS SMOKE	2	5	12,500
EVERYONE AROUND ME SMOKES	3	8	18,000
CURIOSITY	5	1	6,000
STRESS	6	26	100,000
INCREASED AFTER TRYING TO QUIT / REDUCE	7	17	40,000
TO CONTROL WEIGHT	9	2	3,000
OTHER	10	29	90,500
NOT APPLICABLE	96	12,141	27,578,500
DON'T KNOW	97	3	15,000
NOT STATED	99	272	356,000
Total		12,546	28,318,308

Variable Name SMC6DTYP **Length** 2 **Position** 3084 - 3085
Question Name
Concept Type of smoker - (D)
Question
Universe Respondents aged 12 and over
Note Based on SMC6_2, SMC6_4A and SMC6_5. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY SMOKER	1	2,578	5,671,000
OCCASIONAL SMOKER (FORMER DAILY SMOKER)	2	221	494,500
ALWAYS AN OCCASIONAL SMOKER	3	162	487,000
FORMER DAILY SMOKER	4	2,743	5,454,500
FORMER OCCASIONAL SMOKER	5	834	1,964,500
NEVER SMOKED	6	4,327	9,915,500
NOT APPLICABLE	96	1,397	3,949,500
NOT STATED	99	284	382,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC6DYRS **Length** 3 **Position** 3086 - 3088

Question Name

Concept Number of years that respondent smoked - (D)

Question

Universe Respondents who answered SMC6_2=1 or SMC6_5=1

Note Based on SMC6_3, SMC6_6, SMC6_8, Type of smoker (SMC6_2, SMC6_4A, SMC6_5) and DHC6_AGE. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF YEARS	0 - 81	5,480	11,509,000
NOT APPLICABLE	996	6,720	16,316,500
NOT STATED	999	346	492,500
	Total	12,546	28,318,308

Variable Name GHS6_31 **Length** 1 **Position** 3089

Question Name SGH3-Q1

Concept Smoked during last pregnancy

Question Did you smoke during your last pregnancy?

Universe Respondents who answered (PHC6_4=1 or GHP6_21A=1) and (SMC6_2=1 or 2 or SMC6_4A=1)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	89	174,000
NO	2	138	253,500
NOT APPLICABLE	6	12,027	27,475,500
NOT STATED	9	292	416,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_32 **Length** 3 **Position** 3090 - 3092
Question Name SGH3-Q2
Concept Average number of cigarettes daily while pregnant
Question On average, how many cigarettes did you smoke per day during your last pregnancy?
Universe Respondents who answered GHS6_31=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 25	89	174,000
NOT APPLICABLE	996	12,165	27,728,500
NOT STATED	999	292	416,000
	Total	12,546	28,318,308

Variable Name GHS6_33 **Length** 1 **Position** 3093
Question Name SGH3-Q3
Concept Smoked while breast-feeding last baby
Question Did you smoke when you were breast-feeding (your last baby)?
Universe Respondents who answered (SMC6_2=1 or 2 or SMC6_4A=1) and GHS6_24=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	45	98,000
NO	2	116	218,500
NOT APPLICABLE	6	12,093	27,586,000
NOT STATED	9	292	416,000
	Total	12,546	28,318,308

Variable Name GHS6_34 **Length** 3 **Position** 3094 - 3096
Question Name SGH3-Q4
Concept Average number of cigarettes daily while breast-feeding
Question On average, how many cigarettes did you smoke per day when you were breast-feeding (your last baby)?
Universe Respondents who answered GHS6_33=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 25	45	98,000
NOT APPLICABLE	996	12,209	27,804,500
NOT STATED	999	292	416,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHS6_35 **Length** 1 **Position** 3097
Question Name SGH3-Q5
Concept Regularly exposed second-hand smoke during / after pregnancy
Question Did anyone regularly smoke in your presence during or after your last pregnancy (about 6 months after)?
Universe Respondents who answered (SMC6_2=1 or 2 or SMC6_4A=1) and GHS6_24=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	64	127,000
NO	2	97	189,000
NOT APPLICABLE	6	12,093	27,586,000
NOT STATED	9	292	416,000
	Total	12,546	28,318,308

Variable Name SMC6_201 **Length** 1 **Position** 3098
Question Name SSMK-Q8
Concept When first cigarette smoked after waking up
Question How soon after you wake up do you smoke your first cigarette?
Universe Respondents who answered SMC6_2=1 living in a household
Note Formerly SMS6_8.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WITHIN 5 MINUTES	1	595	1,375,000
6 TO 30 MINUTES AFTER WAKING	2	954	1,983,500
31 TO 60 MINUTES AFTER WAKING	3	504	1,063,500
MORE THAN 60 MINUTES AFTER WAKING	4	496	1,184,000
NOT APPLICABLE	6	9,691	22,275,500
DON'T KNOW	7	3	3,000
NOT STATED	9	303	434,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC6_205	Length	1	Position	3099
Question Name	SSMK-Q9				
Concept	Considering quitting smoking in the next 6 months				
Question	Are you seriously considering quitting smoking within the next 6 months?				
Universe	Respondents who answered SMC6_2=1 living in a household				
Note	Formerly SMS6_9.				
Content		Code		Sample	Population
YES		1		1,175	2,651,000
NO		2		1,356	2,914,500
NOT APPLICABLE		6		9,691	22,275,500
DON'T KNOW		7		18	40,000
NOT STATED		9		306	437,000
		Total		12,546	28,318,308

Variable Name	SMC6_206	Length	1	Position	3100
Question Name	SSMK-Q12				
Concept	Smoking restrictions in work place				
Question	At your place of work what are the restrictions on smoking?				
Universe	Respondents aged 15 to 75 who answered SMC6_2=1 and are currently working				
Note	Formerly SMS6_12.				
Content		Code		Sample	Population
RESTRICTED COMPLETELY		1		495	1,151,000
ALLOWED IN DESIGNATED AREAS		2		476	1,208,000
RESTRICTED ONLY IN CERTAIN PLACES		3		123	286,500
NOT RESTRICTED AT ALL		4		425	949,500
NOT APPLICABLE		6		10,727	24,292,500
DON'T KNOW		7		4	9,500
NOT STATED		9		296	421,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMS6_13A **Length** 1 **Position** 3101
Question Name SSMK-Q13A
Concept Children more likely to start smoking if their parents smoke
Question Tell me whether you agree or disagree - Children are more likely to start smoking if their parents smoke.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	7,802	17,386,000
DISAGREE	2	2,178	4,847,000
NO OPINION	3	567	1,074,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	48	91,000
REFUSAL	8	36	103,000
NOT STATED	9	461	808,000
	Total	12,546	28,318,308

Variable Name SMS6_13B **Length** 1 **Position** 3102
Question Name SSMK-Q13B
Concept People too concerned about second-hand smoke
Question Tell me whether you agree or disagree - People are too concerned about the effect of second-hand smoke on their health.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	3,368	7,929,000
DISAGREE	2	6,642	14,291,500
NO OPINION	3	523	1,066,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	13	16,000
REFUSAL	8	1	4,500
NOT STATED	9	545	1,002,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMS6_13C **Length** 1 **Position** 3103
Question Name SSMK-Q13C
Concept Non-smokers mind when people smoke in their presence
Question Tell me whether you agree or disagree - Most non-smokers mind when people smoke in their presence.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	8,847	19,533,500
DISAGREE	2	1,269	2,889,500
NO OPINION	3	410	839,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	21	45,500
NOT STATED	9	545	1,002,000
Total		12,546	28,318,308

Variable Name SMS6_13D **Length** 1 **Position** 3104
Question Name SSMK-Q13D
Concept Children more likely have ill health from second-hand smoke
Question Tell me whether you agree or disagree - Children who are exposed to second-hand smoke, are more likely to suffer ill health and developmental problems than children who are not exposed to it.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	8,013	17,747,500
DISAGREE	2	1,330	3,049,500
NO OPINION	3	1,138	2,401,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	65	107,000
REFUSAL	8	1	2,000
NOT STATED	9	545	1,002,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMS6_13E **Length** 1 **Position** 3105
Question Name SSMK-Q13E
Concept Should not smoke while pregnant nor others living with
Question Tell me whether you agree or disagree - Pregnant women, and others living with them, should not smoke in the home during the pregnancy.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	9,555	21,290,500
DISAGREE	2	503	1,092,500
NO OPINION	3	468	896,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	21	28,500
NOT STATED	9	545	1,002,000
Total		12,546	28,318,308

Variable Name SMS6_13F **Length** 1 **Position** 3106
Question Name SSMK-Q13F
Concept Provide non-smokers with a smoke-free environment at work
Question Tell me whether you agree or disagree - Non-smokers should be provided with a smoke-free environment at work.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	9,333	20,663,500
DISAGREE	2	645	1,504,000
NO OPINION	3	555	1,108,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	14	31,000
NOT STATED	9	545	1,002,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMS6_13G **Length** 1 **Position** 3107
Question Name SSMK-Q13G
Concept Ask permission to smoke in the presence of others
Question Tell me whether you agree or disagree - Smokers should ask permission before smoking in the presence of others.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	9,275	20,359,000
DISAGREE	2	861	2,027,000
NO OPINION	3	398	897,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	13	24,000
NOT STATED	9	545	1,002,000
Total		12,546	28,318,308

Variable Name SMS6_13H **Length** 1 **Position** 3108
Question Name SSMK-Q13H
Concept Lower cigarette prices lead to increased smoking
Question Tell me whether you agree or disagree - Lower cigarette prices lead to increased smoking.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	5,721	12,922,500
DISAGREE	2	3,870	8,415,500
NO OPINION	3	923	1,914,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	31	51,000
REFUSAL	8	2	3,000
NOT STATED	9	545	1,002,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMS6_14	Length	1	Position	3109
Question Name	SSMK-Q14				
Concept	Feels unpleasant effects from second-hand smoke				
Question	Do you ever feel unpleasant effects from second-hand smoke?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,559	15,026,000
NO		2		3,972	8,250,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		15	30,000
REFUSAL		8		1	1,000
NOT STATED		9		545	1,002,000
		Total		12,546	28,318,308

Variable Name	SMS6_15	Length	1	Position	3110
Question Name	SSMK-Q15				
Concept	Second-hand smoke can cause health problems in non-smoker				
Question	Do you believe that second-hand smoke can cause health problems in a non-smoker?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8,813	19,593,500
NO		2		1,406	3,050,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		319	619,000
REFUSAL		8		9	43,500
NOT STATED		9		545	1,002,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMS6_16A **Length** 1 **Position** 3111
Question Name SSMK-Q16A
Concept Second-hand smoke can cause lung cancer in non-smoker
Question Tell me whether you agree or disagree - Second-hand smoke can cause lung cancer in a non-smoker.
Universe Respondents who answered SMS6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	6,735	14,988,000
DISAGREE	2	653	1,563,000
NO OPINION	3	1,332	2,871,000
NOT APPLICABLE	6	2,860	7,060,000
DON'T KNOW	7	89	166,500
REFUSAL	8	4	5,000
NOT STATED	9	873	1,664,500
	Total	12,546	28,318,308

Variable Name SMS6_16B **Length** 1 **Position** 3112
Question Name SSMK-Q16B
Concept Second-hand smoke can cause heart problems in non-smoker
Question Tell me whether you agree or disagree - Second-hand smoke can cause heart disease or heart problems in a non-smoker.
Universe Respondents who answered SMS6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	5,868	12,941,000
DISAGREE	2	1,012	2,328,000
NO OPINION	3	1,811	4,086,500
NOT APPLICABLE	6	2,860	7,060,000
DON'T KNOW	7	116	229,500
REFUSAL	8	6	9,000
NOT STATED	9	873	1,664,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMS6_16C **Length** 1 **Position** 3113
Question Name SSMK-Q16C
Concept Second-hand smoke can cause a stroke in non-smoker
Question Tell me whether you agree or disagree - Second-hand smoke can cause a stroke in a non-smoker.
Universe Respondents who answered SMS6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	4,564	9,875,000
DISAGREE	2	1,625	3,771,500
NO OPINION	3	2,447	5,582,500
NOT APPLICABLE	6	2,860	7,060,000
DON'T KNOW	7	171	358,000
REFUSAL	8	6	6,500
NOT STATED	9	873	1,664,500
	Total	12,546	28,318,308

Variable Name SMS6_16D **Length** 1 **Position** 3114
Question Name SSMK-Q16D
Concept Second-hand smoke can cause breathing problems in non-smoker
Question Tell me whether you agree or disagree - Second-hand smoke can cause bronchitis, emphysema or asthma in a non-smoker.
Universe Respondents who answered SMS6_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	7,244	15,928,500
DISAGREE	2	533	1,312,000
NO OPINION	3	966	2,210,000
NOT APPLICABLE	6	2,860	7,060,000
DON'T KNOW	7	65	138,000
REFUSAL	8	5	5,500
NOT STATED	9	873	1,664,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMS6_17	Length	1	Position	3115
Question Name	SSMK-Q17				
Concept	Smoking cigarettes can cause health problems in a smoker				
Question	Do you believe that smoking cigarettes could cause health problems in a smoker?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		10,050	22,333,500
NO		2		405	796,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		88	163,500
REFUSAL		8		4	13,000
NOT STATED		9		545	1,002,000
		Total		12,546	28,318,308

Variable Name	SMS6_18A	Length	1	Position	3116
Question Name	SSMK-Q18A				
Concept	Smoking cigarettes can cause lung cancer in a smoker				
Question	Tell me whether you agree or disagree - Smoking cigarettes can cause lung cancer in a smoker.				
Universe	Respondents who answered SMS6_17=1				
Note					
Content		Code		Sample	Population
AGREE		1		9,648	21,483,500
DISAGREE		2		147	368,000
NO OPINION		3		232	448,500
NOT APPLICABLE		6		1,859	4,806,000
DON'T KNOW		7		23	33,500
NOT STATED		9		637	1,178,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMS6_18B **Length** 1 **Position** 3117
Question Name SSMK-Q18B
Concept Smoking cigarettes can cause heart disease in a smoker
Question Tell me whether you agree or disagree - Smoking cigarettes can cause heart disease or heart problems in a smoker.
Universe Respondents who answered SMS6_17=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	9,219	20,519,000
DISAGREE	2	245	536,000
NO OPINION	3	536	1,177,000
NOT APPLICABLE	6	1,859	4,806,000
DON'T KNOW	7	49	99,000
REFUSAL	8	1	2,500
NOT STATED	9	637	1,178,500
	Total	12,546	28,318,308

Variable Name SMS6_18C **Length** 1 **Position** 3118
Question Name SSMK-Q18C
Concept Smoking cigarettes can cause a stroke in a smoker
Question Tell me whether you agree or disagree - Smoking cigarettes can cause a stroke in a smoker.
Universe Respondents who answered SMS6_17=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	8,191	18,056,000
DISAGREE	2	512	1,186,500
NO OPINION	3	1,231	2,885,000
NOT APPLICABLE	6	1,859	4,806,000
DON'T KNOW	7	115	205,500
REFUSAL	8	1	1,000
NOT STATED	9	637	1,178,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMS6_18D **Length** 1 **Position** 3119
Question Name SSMK-Q18D
Concept Smoking cigarettes can cause breathing problems in a smoker
Question Tell me whether you agree or disagree - Smoking cigarettes can cause bronchitis, emphysema or asthma in a smoker.
Universe Respondents who answered SMS6_17=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	9,467	20,984,500
DISAGREE	2	170	411,500
NO OPINION	3	388	887,500
NOT APPLICABLE	6	1,859	4,806,000
DON'T KNOW	7	24	49,500
REFUSAL	8	1	1,000
NOT STATED	9	637	1,178,500
	Total	12,546	28,318,308

Variable Name ALC6_1 **Length** 1 **Position** 3120
Question Name ALC-Q1
Concept Drank alcohol in past 12 months
Question During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,053	18,338,500
NO	2	2,807	5,625,500
NOT APPLICABLE	6	1,397	3,949,500
DON'T KNOW	7	1	1,000
REFUSAL	8	11	39,000
NOT STATED	9	277	365,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1038

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_2 **Length** 2 **Position** 3121 - 3122

Question Name ALC-Q2

Concept Frequency of drinking alcohol

Question During the past 12 months, how often did you drink alcoholic beverages?

Universe Respondents who answered ALC6_1=1

Note Cycle 1 (1994) and Cycle 2 (1996) response categories are reversed.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN ONCE A MONTH	1	2,479	5,405,000
ONCE A MONTH	2	1,021	2,245,000
2 TO 3 TIMES A MONTH	3	1,297	2,917,000
ONCE A WEEK	4	1,352	3,076,000
2 TO 3 TIMES A WEEK	5	1,173	2,865,000
4 TO 6 TIMES A WEEK	6	275	684,000
EVERY DAY	7	451	1,132,000
NOT APPLICABLE	96	4,204	9,575,000
DON'T KNOW	97	3	12,500
REFUSAL	98	2	2,500
NOT STATED	99	289	404,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_3 **Length** 2 **Position** 3123 - 3124

Question Name ALC-Q3

Concept Frequency of having 5 or more drinks

Question How often in the past 12 months have you had 5 or more drinks on one occasion?

Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER	1	4,649	10,577,500
LESS THAN ONCE A MONTH	2	1,864	4,302,000
ONCE A MONTH	3	564	1,276,500
2 TO 3 TIMES A MONTH	4	453	955,500
ONCE A WEEK	5	326	763,000
MORE THAN ONCE A WEEK	6	153	379,000
NOT APPLICABLE	96	4,215	9,585,500
DON'T KNOW	97	7	18,000
REFUSAL	98	3	7,000
NOT STATED	99	312	454,500
	Total	12,546	28,318,308

Variable Name ALC6_DAY **Length** 2 **Position** 3125 - 3126

Question Name

Concept Interview date - day of the week

Question

Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SUNDAY	1	183	460,500
MONDAY	2	1,644	3,570,500
TUESDAY	3	1,724	4,052,000
WEDNESDAY	4	1,565	3,648,500
THURSDAY	5	1,413	3,208,500
FRIDAY	6	945	2,141,500
SATURDAY	7	569	1,248,500
NOT APPLICABLE	96	4,215	9,585,500
NOT STATED	99	288	403,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC6_5	Length	1	Position	3127
Question Name	ALC-Q5				
Concept	Drank alcohol in past week				
Question	Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?				
Universe	Respondents who answered ALC6_1=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,447	10,298,000
NO		2		3,588	8,003,500
NOT APPLICABLE		6		4,215	9,585,500
DON'T KNOW		7		6	22,500
REFUSAL		8		2	5,500
NOT STATED		9		288	403,500
		Total		12,546	28,318,308

Variable Name	ALC6_5A1	Length	3	Position	3128 - 3130
Question Name	ALC-Q51				
Concept	Number of drinks - Sunday				
Question	Starting with yesterday, that is Sunday, how many drinks did you have?				
Universe	Respondents who answered ALC6_5=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS		0 - 40		4,439	10,279,000
NOT APPLICABLE		996		7,803	17,589,000
DON'T KNOW		997		6	15,500
NOT STATED		999		298	435,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_5A2 **Length** 3 **Position** 3131 - 3133

Question Name ALC-Q51

Concept Number of drinks - Monday

Question Starting with yesterday, that is Monday, how many drinks did you have?

Universe Respondents who answered ALC6_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 30	4,434	10,271,000
NOT APPLICABLE	996	7,803	17,589,000
DON'T KNOW	997	11	23,500
NOT STATED	999	298	435,000
	Total	12,546	28,318,308

Variable Name ALC6_5A3 **Length** 3 **Position** 3134 - 3136

Question Name ALC-Q51

Concept Number of drinks - Tuesday

Question Starting with yesterday, that is Tuesday, how many drinks did you have?

Universe Respondents who answered ALC6_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 21	4,432	10,263,500
NOT APPLICABLE	996	7,803	17,589,000
DON'T KNOW	997	13	31,000
NOT STATED	999	298	435,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_5A4 **Length** 3 **Position** 3137 - 3139
Question Name ALC-Q51
Concept Number of drinks - Wednesday
Question Starting with yesterday, that is Wednesday, how many drinks did you have?
Universe Respondents who answered ALC6_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 60	4,429	10,266,500
NOT APPLICABLE	996	7,803	17,589,000
DON'T KNOW	997	15	27,500
REFUSAL	998	2	3,000
NOT STATED	999	297	432,500
Total		12,546	28,318,308

Variable Name ALC6_5A5 **Length** 3 **Position** 3140 - 3142
Question Name ALC-Q51
Concept Number of drinks - Thursday
Question Starting with yesterday, that is Thursday, how many drinks did you have?
Universe Respondents who answered ALC6_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 20	4,424	10,242,500
NOT APPLICABLE	996	7,803	17,589,000
DON'T KNOW	997	21	52,000
REFUSAL	998	1	1,000
NOT STATED	999	297	434,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_5A6 **Length** 3 **Position** 3143 - 3145
Question Name ALC-Q51
Concept Number of drinks - Friday
Question Starting with yesterday, that is Friday, how many drinks did you have?
Universe Respondents who answered ALC6_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 35	4,430	10,263,500
NOT APPLICABLE	996	7,803	17,589,000
DON'T KNOW	997	15	31,000
NOT STATED	999	298	435,000
	Total	12,546	28,318,308

Variable Name ALC6_5A7 **Length** 3 **Position** 3146 - 3148
Question Name ALC-Q51
Concept Number of drinks - Saturday
Question Starting with yesterday, that is Saturday, how many drinks did you have?
Universe Respondents who answered ALC6_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 60	4,433	10,272,000
NOT APPLICABLE	996	7,803	17,589,000
DON'T KNOW	997	11	21,000
REFUSAL	998	1	2,000
NOT STATED	999	298	435,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_5B **Length** 1 **Position** 3149
Question Name ALC-Q5B
Concept Ever had a drink
Question Have you ever had a drink?
Universe Respondents who answered ALC6_1=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,717	3,136,000
NO	2	1,083	2,480,500
NOT APPLICABLE	6	9,450	22,288,000
DON'T KNOW	7	4	6,500
REFUSAL	8	3	2,500
NOT STATED	9	289	404,500
	Total	12,546	28,318,308

Variable Name ALC6_6 **Length** 1 **Position** 3150
Question Name ALC-Q6
Concept Regularly drank more than 12 drinks a week
Question Did you ever regularly drink more than 12 drinks a week?
Universe Respondents who answered ALC6_5B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	280	404,500
NO	2	1,433	2,726,000
NOT APPLICABLE	6	10,533	24,768,500
DON'T KNOW	7	4	6,000
NOT STATED	9	296	413,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC6_7A	Length	1	Position	3151
Question Name	ALC-Q7				
Concept	Reason reduced drinking - dieting				
Question	Why did you reduce or quit drinking altogether? - Dieting				
Universe	Respondents who answered ALC6_1=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		2	3,000
NO		2		274	399,000
NOT APPLICABLE		6		11,977	27,506,500
NOT STATED		9		293	409,500
		Total		12,546	28,318,308

Variable Name	ALC6_7B	Length	1	Position	3152
Question Name	ALC-Q7				
Concept	Reason reduced drinking - athletic training				
Question	Why did you reduce or quit drinking altogether? - Athletic training				
Universe	Respondents who answered ALC6_1=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		3	7,500
NO		2		273	395,000
NOT APPLICABLE		6		11,977	27,506,500
NOT STATED		9		293	409,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_7C **Length** 1 **Position** 3153

Question Name ALC-Q7

Concept Reason reduced drinking - pregnancy

Question Why did you reduce or quit drinking altogether? - Pregnancy

Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	276	402,500
NOT APPLICABLE	6	11,977	27,506,500
NOT STATED	9	293	409,500
Total		12,546	28,318,308

Variable Name ALC6_7D **Length** 1 **Position** 3154

Question Name ALC-Q7

Concept Reason reduced drinking - getting older

Question Why did you reduce or quit drinking altogether? - Getting older

Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	25,000
NO	2	255	377,500
NOT APPLICABLE	6	11,977	27,506,500
NOT STATED	9	293	409,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_7E **Length** 1 **Position** 3155
Question Name ALC-Q7
Concept Reason reduced drinking - drinking too much
Question Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem
Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	125	179,500
NO	2	151	223,000
NOT APPLICABLE	6	11,977	27,506,500
NOT STATED	9	293	409,500
Total		12,546	28,318,308

Variable Name ALC6_7F **Length** 1 **Position** 3156
Question Name ALC-Q7
Concept Reason reduced drinking - affected work / studies
Question Why did you reduce or quit drinking altogether? - Affected - work, studies, employment opportunities
Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	40,000
NO	2	244	362,500
NOT APPLICABLE	6	11,977	27,506,500
NOT STATED	9	293	409,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_7G **Length** 1 **Position** 3157
Question Name ALC-Q7
Concept Reason reduced drinking - interfered with family life
Question Why did you reduce or quit drinking altogether? - Interfered with family or home life
Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	53	75,000
NO	2	223	327,500
NOT APPLICABLE	6	11,977	27,506,500
NOT STATED	9	293	409,500
Total		12,546	28,318,308

Variable Name ALC6_7H **Length** 1 **Position** 3158
Question Name ALC-Q7
Concept Reason reduced drinking - affected physical health
Question Why did you reduce or quit drinking altogether? - Affected - physical health
Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	108,000
NO	2	194	294,500
NOT APPLICABLE	6	11,977	27,506,500
NOT STATED	9	293	409,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6_7I **Length** 1 **Position** 3159

Question Name ALC-Q7

Concept Reason reduced drinking - affected social relationships

Question Why did you reduce or quit drinking altogether? - Affected - friendships or social relationships

Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	30	38,000
NO	2	246	364,500
NOT APPLICABLE	6	11,977	27,506,500
NOT STATED	9	293	409,500
Total		12,546	28,318,308

Variable Name ALC6_7J **Length** 1 **Position** 3160

Question Name ALC-Q7

Concept Reason reduced drinking - affected financial position

Question Why did you reduce or quit drinking altogether? - Affected - financial position

Universe Respondents who answered ALC6_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	36,000
NO	2	244	366,500
NOT APPLICABLE	6	11,977	27,506,500
NOT STATED	9	293	409,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC6_7K	Length	1	Position	3161
Question Name	ALC-Q7				
Concept	Reason reduced drinking - affected happiness				
Question	Why did you reduce or quit drinking altogether? - Affected - outlook on life, happiness				
Universe	Respondents who answered ALC6_1=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		27	32,500
NO		2		249	370,000
NOT APPLICABLE		6		11,977	27,506,500
NOT STATED		9		293	409,500
		Total		12,546	28,318,308

Variable Name	ALC6_7L	Length	1	Position	3162
Question Name	ALC-Q7				
Concept	Reason reduced drinking - influence of family / friends				
Question	Why did you reduce or quit drinking altogether? - Influence of family or friends				
Universe	Respondents who answered ALC6_1=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		22	24,500
NO		2		254	377,500
NOT APPLICABLE		6		11,977	27,506,500
NOT STATED		9		293	409,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC6_7M	Length	1	Position	3163
Question Name	ALC-Q7				
Concept	Reason reduced drinking - other				
Question	Why did you reduce or quit drinking altogether? - Other				
Universe	Respondents who answered ALC6_1=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		45	66,500
NO		2		231	336,000
NOT APPLICABLE		6		11,977	27,506,500
NOT STATED		9		293	409,500
		Total		12,546	28,318,308

Variable Name	ALC6DTYP	Length	1	Position	3164
Question Name					
Concept	Type of drinker - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Based on ALC6_2 and ALC6_5B. Cycle 1 (1994) and Cycle 2 (1996) response categories are reversed. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.				
Content		Code		Sample	Population
REGULAR DRINKER		1		5,569	12,919,000
OCCASIONAL DRINKER		2		2,479	5,405,000
NON-DRINKER NOW		3		1,717	3,136,000
NEVER DRANK		4		1,083	2,480,500
NOT APPLICABLE		6		1,397	3,949,500
NOT STATED		9		301	428,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC6DWKY **Length** 3 **Position** 3165 - 3167

Question Name

Concept Weekly total of alcohol consumed - (D)

Question

Universe Respondents who answered ALC6_1=1 living in a household

Note Based on ALC6_5A1 to ALC6_5A7. Sum of number of drinks consumed, on all days, in the week prior to the interview. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 100	7,987	18,204,000
NOT APPLICABLE	996	4,215	9,585,500
NOT STATED	999	344	528,500
Total		12,546	28,318,308

Variable Name ALC6DDLJ **Length** 2 **Position** 3168 - 3169

Question Name

Concept Average daily alcohol consumption - (D)

Question

Universe Respondents who answered ALC6_1=1 living in a household

Note Based on ALC6_5, ALC6_5A1 to ALC6_5A7. Weekly total of alcohol consumed divided by 7. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AVERAGE DAILY VOLUME	0 - 14	7,987	18,204,000
NOT APPLICABLE	96	4,215	9,585,500
NOT STATED	99	344	528,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALP6_1 **Length** 1 **Position** 3170
Question Name AALC-Q1
Concept Drank alcohol during last pregnancy
Question Did you drink any alcohol during your last pregnancy?
Universe Females aged 15 to 49 in Alberta who answered GHP6_21A=1 and (ALC6_1=1 or ALC6_5B=1)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	28,000
NO	2	57	105,000
NOT APPLICABLE	6	12,200	27,813,000
NOT STATED	9	276	372,500
	Total	12,546	28,318,308

Variable Name ALP6_2 **Length** 2 **Position** 3171 - 3172
Question Name AALC-Q2
Concept Average number of drinks during pregnancy
Question On average, how many drinks did you have during your last pregnancy?
Universe Respondents who answered ALP6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 1 DRINK PER MONTH	1	12	26,500
1 TO 3 DRINKS PER MONTH	2	1	2,000
NOT APPLICABLE	96	12,257	27,918,000
NOT STATED	99	276	372,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALP6_3 **Length** 1 **Position** 3173
Question Name AALC-Q3
Concept Consumed alcohol while breastfeeding
Question Did you drink any alcohol while you were breastfeeding (your last baby)?
Universe Females aged 15 to 49 in Alberta who answered GHS6_24=1 and (ALC6_1=1 or ALC6_5B=1)

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	16	29,500
NO	2	43	84,500
NOT APPLICABLE	6	12,211	27,832,000
NOT STATED	9	276	372,500
	Total	12,546	28,318,308

Variable Name ALP6_4 **Length** 2 **Position** 3174 - 3175
Question Name AALC-Q4
Concept Average number of drinks while breastfeeding
Question On average how many drinks did you have while you were breastfeeding (your last baby)?
Universe Respondents who answered ALP6_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 1 DRINK PER MONTH	1	11	23,500
1 TO 3 DRINKS PER MONTH	2	2	2,000
1 DRINK PER WEEK	3	2	2,500
2 TO 3 DRINKS PER WEEK	4	1	2,000
NOT APPLICABLE	96	12,254	27,916,500
NOT STATED	99	276	372,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AL_6_1 **Length** 2 **Position** 3176 - 3177

Question Name SALC-Q1

Concept Definition of moderate drinking

Question To start with, how would you define moderate drinking?

Universe Respondents aged 12 and over living in a household

Note Formerly ALS6_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO DRINKS	1	506	1,059,000
LESS THAN 1 DRINK PER WEEK	2	1,928	4,116,500
1 TO 3 DRINKS PER WEEK	3	4,943	11,030,500
4 TO 6 DRINKS PER WEEK	4	1,549	3,611,500
1 OR 2 DRINKS PER DAY	5	1,232	2,719,500
3 DRINKS OR MORE PER DAY	6	116	255,500
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	303	564,000
REFUSAL	98	49	118,500
NOT STATED	99	466	834,500
	Total	12,546	28,318,308

Variable Name AL_6_2 **Length** 1 **Position** 3178

Question Name SALC-Q2

Concept Moderate drinking can be good for your health

Question Please tell me whether you agree or disagree with the following statements. - Moderate drinking can be good for your health.

Universe Respondents aged 12 and over living in a household

Note Formerly ALS6_2.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	5,703	13,074,500
DISAGREE	2	3,230	6,845,000
NO OPINION	3	1,261	2,708,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	77	152,000
REFUSAL	8	3	12,500
NOT STATED	9	818	1,516,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AL_6_5 **Length** 1 **Position** 3181
Question Name SALC-Q5
Concept Alright to get drunk once a week if no drinking rest of week
Question Please tell me whether you agree or disagree with the following statements. - It's alright to get drunk once a week as long as you don't drink at all during the rest of the week.
Universe Respondents aged 12 and over living in a household
Note Formerly ALS6_5.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	898	1,942,000
DISAGREE	2	8,832	19,634,000
NO OPINION	3	523	1,154,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	19	45,000
REFUSAL	8	2	16,500
NOT STATED	9	818	1,516,500
Total		12,546	28,318,308

Variable Name AL_6_6 **Length** 1 **Position** 3182
Question Name SALC-Q6
Concept Pregnant woman should not drink any amount of alcohol
Question Please tell me whether you agree or disagree with the following statements. - A pregnant woman should not drink any amount of alcohol during her pregnancy.
Universe Respondents aged 12 and over living in a household
Note Formerly ALS6_6.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	8,793	19,089,500
DISAGREE	2	1,040	2,642,500
NO OPINION	3	417	988,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	22	55,500
REFUSAL	8	2	16,500
NOT STATED	9	818	1,516,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AL_6_7 **Length** 1 **Position** 3183
Question Name SALC-Q7
Concept Alright for breastfeeding woman to drink occasionally
Question Please tell me whether you agree or disagree with the following statements. - It's alright for a woman who is breastfeeding to drink occasionally.
Universe Respondents aged 12 and over living in a household
Note Formerly ALS6_7.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	1,627	3,990,500
DISAGREE	2	7,639	16,466,500
NO OPINION	3	956	2,194,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	50	124,500
REFUSAL	8	2	16,500
NOT STATED	9	818	1,516,500
Total		12,546	28,318,308

Variable Name AD_6_1 **Length** 1 **Position** 3184
Question Name AD-Q1
Concept Drunk - at work / school / taking care of child
Question In the past 12 months, have you ever been drunk or hung-over while at work or school or while taking care of children?
Universe Respondents who answered ALC6_3=3, 4, 5 or 6 living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	412	935,000
NO	2	1,071	2,416,500
NOT APPLICABLE	6	10,752	24,516,000
REFUSAL	8	1	1,000
NOT STATED	9	310	449,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_6_4 **Length** 1 **Position** 3187
Question Name AD-Q4
Concept Emotional or psychological problems due to alcohol
Question In the past 12 months, have you had any emotional or psychological problems because of alcohol use, such as feeling uninterested in things, depressed or suspicious of people?
Universe Respondents who answered ALC6_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	107	297,500
NO	2	1,375	3,053,000
NOT APPLICABLE	6	10,752	24,516,000
REFUSAL	8	1	1,000
NOT STATED	9	311	450,500
Total		12,546	28,318,308

Variable Name AD_6_5 **Length** 1 **Position** 3188
Question Name AD-Q5
Concept Strong desire or urge to drink
Question In the past 12 months, have you had such a strong desire or urge to drink alcohol that you could not resist it or could not think of anything else?
Universe Respondents who answered ALC6_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	88	218,000
NO	2	1,394	3,132,500
NOT APPLICABLE	6	10,752	24,516,000
REFUSAL	8	1	1,000
NOT STATED	9	311	450,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_6_6 **Length** 1 **Position** 3189
Question Name AD-Q6
Concept Spent month or more getting drunk
Question In the past 12 months, have you had a period of a month or more when you spent a great deal of time getting drunk or being hung-over?
Universe Respondents who answered ALC6_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	105	313,000
NO	2	1,377	3,037,500
NOT APPLICABLE	6	10,752	24,516,000
REFUSAL	8	1	1,000
NOT STATED	9	311	450,500
	Total	12,546	28,318,308

Variable Name AD_6_7 **Length** 1 **Position** 3190
Question Name AD-Q7
Concept Drank much more than intended
Question In the past 12 months, did you ever drink much more or for a longer period of time than you intended?
Universe Respondents who answered ALC6_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	373	937,500
NO	2	1,107	2,406,000
NOT APPLICABLE	6	10,752	24,516,000
DON'T KNOW	7	2	7,000
REFUSAL	8	1	1,000
NOT STATED	9	311	450,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_6DSF **Length** 2 **Position** 3193 - 3194

Question Name

Concept Alcohol dependence scale - Short Form Score - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on AD_6_1, AD_6_3 to AD_6_7 and AD_6_9. MIN = 0, MAX = 7 (higher values indicate higher dependence). Source: Kessler R.C., G. Andrews and D. Mroczek et al. «The World Health Organisation Composite Diagnostic Interview Short-Form», Psychological Medicine. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALCOHOL DEPENDENCE VALUE	1 - 7	749	1,789,000
NOT A REGULAR DRINKER	0	10,022	22,041,000
NOT APPLICABLE	96	1,454	4,009,500
NOT STATED	99	321	479,000
Total		12,546	28,318,308

Variable Name AD_6DPP **Length** 4.2 **Position** 3195 - 3198

Question Name

Concept Alcohol dependence scale - Predicted Probability - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on AD_6_1, AD_6_3 to AD_6_7 and AD_6_9. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALCOHOL DEPENDENCE - PP	0.00 - 1.00	10,771	23,829,500
NOT APPLICABLE	9.96	1,454	4,009,500
NOT STATED	9.99	321	479,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_1A **Length** 1 **Position** 3199

Question Name MH-Q1A

Concept Frequency of feeling sad

Question During the past month, about how often did you feel so sad that nothing could cheer you up?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	42	154,000
MOST OF THE TIME	2	171	407,500
SOME OF THE TIME	3	865	2,018,000
A LITTLE OF THE TIME	4	2,036	4,676,500
NONE OF THE TIME	5	7,483	16,163,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	21	51,000
REFUSAL	8	19	41,500
NOT STATED	9	455	797,000
Total		12,546	28,318,308

Variable Name MHC6_1B **Length** 1 **Position** 3200

Question Name MH-Q1B

Concept Frequency of feeling nervous

Question During the past month, about how often did you feel nervous?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	81	251,000
MOST OF THE TIME	2	279	755,500
SOME OF THE TIME	3	1,441	3,557,000
A LITTLE OF THE TIME	4	3,374	7,773,000
NONE OF THE TIME	5	5,416	11,064,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	6	19,000
NOT STATED	9	495	889,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_1C **Length** 1 **Position** 3201
Question Name MH-Q1C
Concept Frequency of feeling restless / fidgety
Question During the past month, about how often did you feel restless or fidgety?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	112	253,500
MOST OF THE TIME	2	305	787,500
SOME OF THE TIME	3	1,310	2,999,500
A LITTLE OF THE TIME	4	2,779	6,095,000
NONE OF THE TIME	5	6,079	13,244,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	6	21,000
NOT STATED	9	501	908,000
	Total	12,546	28,318,308

Variable Name MHC6_1D **Length** 1 **Position** 3202
Question Name MH-Q1D
Concept Frequency of feeling hopeless
Question During the past month, about how often did you feel hopeless?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	49	124,000
MOST OF THE TIME	2	74	169,000
SOME OF THE TIME	3	396	868,000
A LITTLE OF THE TIME	4	839	2,046,500
NONE OF THE TIME	5	9,223	20,169,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	4	2,500
NOT STATED	9	507	929,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_1E **Length** 1 **Position** 3203
Question Name MH-Q1E
Concept Frequency of feeling worthless
Question During the past month, about how often did you feel worthless?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	27	54,000
MOST OF THE TIME	2	56	77,500
SOME OF THE TIME	3	253	549,500
A LITTLE OF THE TIME	4	546	1,273,500
NONE OF THE TIME	5	9,695	21,413,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	4	8,500
NOT STATED	9	511	932,000
	Total	12,546	28,318,308

Variable Name MHC6_1F **Length** 1 **Position** 3204
Question Name MH-Q1F
Concept Frequency of feeling everything was an effort
Question During the past month, about how often did you feel that everything was an effort?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	143	334,000
MOST OF THE TIME	2	335	810,500
SOME OF THE TIME	3	1,180	2,778,500
A LITTLE OF THE TIME	4	2,541	5,589,500
NONE OF THE TIME	5	6,367	13,835,500
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	11	20,500
NOT STATED	9	515	940,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_1G **Length** 1 **Position** 3205
Question Name MH-Q1G
Concept Frequency of feelings occurrence
Question Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
Universe Respondents who answered positively to at least one of MHC6_1A to MHC6_1F

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MORE OFTEN	1	1,231	2,868,000
LESS OFTEN	2	637	1,598,500
ABOUT THE SAME	3	5,302	11,878,500
NEVER HAVE HAD ANY	4	248	533,000
NOT APPLICABLE	6	4,595	10,472,500
DON'T KNOW	7	7	6,500
NOT STATED	9	526	961,000
Total		12,546	28,318,308

Variable Name MHC6_1H **Length** 1 **Position** 3206
Question Name MH-Q1H
Concept Frequency of feelings occurrence (more)
Question Is that a lot more, somewhat more or only a little more often than usual?
Universe Respondents who answered MHC6_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
A LOT	1	442	994,500
SOMEWHAT	2	366	836,500
A LITTLE	3	423	1,037,000
NOT APPLICABLE	6	10,782	24,483,000
NOT STATED	9	533	967,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_1I **Length** 1 **Position** 3207
Question Name MH-Q1I
Concept Frequency of feelings occurrence (less)
Question Is that a lot less, somewhat less or only a little less often than usual?
Universe Respondents who answered MHC6_1G=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
A LOT	1	179	438,000
SOMEWHAT	2	216	570,000
A LITTLE	3	240	588,000
NOT APPLICABLE	6	11,376	25,752,500
DON'T KNOW	7	2	2,500
NOT STATED	9	533	967,000
	Total	12,546	28,318,308

Variable Name MHC6_1J **Length** 1 **Position** 3208
Question Name MH-Q1J
Concept Frequency - experiences interfere with life
Question How much do these experiences usually interfere with your life or activities?
Universe Respondents who answered MHC6_1G=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
A LOT	1	307	738,000
SOME	2	694	1,709,500
A LITTLE	3	2,010	4,576,500
NOT AT ALL	4	4,150	9,309,500
NOT APPLICABLE	6	4,843	11,006,000
DON'T KNOW	7	6	8,500
REFUSAL	8	1	1,000
NOT STATED	9	535	969,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_1K **Length** 1 **Position** 3209
Question Name MH-Q1K
Concept Mental health - has consulted with a health professional
Question In the past 12 months, have you seen or talked on the telephone to a health professional about your emotional or mental health?
Universe Respondents aged 12 and over living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	670	1,591,000
NO	2	9,956	21,896,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	6	19,500
REFUSAL	8	5	5,500
NOT STATED	9	455	797,000
	Total	12,546	28,318,308

Variable Name MHC6_1L **Length** 3 **Position** 3210 - 3212
Question Name MH-Q1L
Concept Mental health - no. of times consulted a health professional
Question How many times (in the past 12 months)?
Universe Respondents who answered MHC6_1K=1
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 175	664	1,585,000
NOT APPLICABLE	996	11,410	25,905,500
DON'T KNOW	997	5	6,000
REFUSAL	998	1	1,000
NOT STATED	999	466	822,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC6_1MA	Length	1	Position	3213
Question Name	MH-Q1M				
Concept	Mental health - consulted family doctor				
Question	Whom did you see or talk to? - Family doctor or general practitioner				
Universe	Respondents who answered MHC6_1K=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		305	667,500
NO		2		363	922,500
NOT APPLICABLE		6		11,410	25,905,500
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,000
NOT STATED		9		466	822,000
		Total		12,546	28,318,308

Variable Name	MHC6_1MB	Length	1	Position	3214
Question Name	MH-Q1M				
Concept	Mental health - consulted psychiatrist				
Question	Whom did you see or talk to? - Psychiatrist				
Universe	Respondents who answered MHC6_1K=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		142	337,000
NO		2		526	1,253,500
NOT APPLICABLE		6		11,410	25,905,500
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,000
NOT STATED		9		466	822,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC6_1MC	Length	1	Position	3215
Question Name	MH-Q1M				
Concept	Mental health - consulted psychologist				
Question	Whom did you see or talk to? - Psychologist				
Universe	Respondents who answered MHC6_1K=1				
Note					
Content		Code		Sample	Population
YES		1		168	413,000
NO		2		500	1,177,500
NOT APPLICABLE		6		11,410	25,905,500
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,000
NOT STATED		9		466	822,000
		Total		12,546	28,318,308

Variable Name	MHC6_1MD	Length	1	Position	3216
Question Name	MH-Q1M				
Concept	Mental health - consulted nurse				
Question	Whom did you see or talk to? - Nurse				
Universe	Respondents who answered MHC6_1K=1				
Note					
Content		Code		Sample	Population
YES		1		37	96,000
NO		2		631	1,494,500
NOT APPLICABLE		6		11,410	25,905,500
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,000
NOT STATED		9		466	822,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC6_1ME	Length	1	Position	3217
Question Name	MH-Q1M				
Concept	Mental health - consulted social worker or counselor				
Question	Whom did you see or talk to? - Social worker or counselor				
Universe	Respondents who answered MHC6_1K=1				
Note					
Content		Code		Sample	Population
YES		1		131	312,500
NO		2		537	1,278,000
NOT APPLICABLE		6		11,410	25,905,500
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,000
NOT STATED		9		466	822,000
		Total		12,546	28,318,308

Variable Name	MHC6_1MF	Length	1	Position	3218
Question Name	MH-Q1M				
Concept	Mental health - consulted other professional				
Question	Whom did you see or talk to? - Other				
Universe	Respondents who answered MHC6_1K=1				
Note					
Content		Code		Sample	Population
YES		1		51	112,000
NO		2		617	1,478,500
NOT APPLICABLE		6		11,410	25,905,500
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,000
NOT STATED		9		466	822,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_2 **Length** 1 **Position** 3219
Question Name MH-Q2
Concept Felt sad, blue, or depressed 2 weeks or more in past year
Question During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	841	2,114,000
NO	2	9,771	21,351,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	18	32,500
REFUSAL	8	7	14,500
NOT STATED	9	455	797,000
Total		12,546	28,318,308

Variable Name MHC6_3 **Length** 1 **Position** 3220
Question Name MH-Q3
Concept Depressed - usual duration of feelings
Question Please think of the 2-week period during the past 12 months when these feelings were worst. During that time how long did these feelings usually last?
Universe Respondents who answered MHC6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	260	665,500
MOST OF THE DAY	2	288	716,500
ABOUT HALF OF THE DAY	3	162	438,000
LESS THAN HALF OF A DAY	4	128	291,000
NOT APPLICABLE	6	11,225	25,360,500
DON'T KNOW	7	2	2,500
REFUSAL	8	1	1,000
NOT STATED	9	480	843,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC6_4	Length	1	Position	3221
Question Name	MH-Q4				
Concept	Depressed - frequency of feelings				
Question	How often did you feel this way during those 2 weeks?				
Universe	Respondents who answered MHC6_3=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EVERY DAY		1		313	788,000
ALMOST EVERY DAY		2		197	537,000
LESS OFTEN		3		38	57,000
NOT APPLICABLE		6		11,515	26,089,500
NOT STATED		9		483	847,000
		Total		12,546	28,318,308

Variable Name	MHC6_5	Length	1	Position	3222
Question Name	MH-Q5				
Concept	Depressed - lost interest in most things				
Question	During those 2 weeks, did you lose interest in most things?				
Universe	Respondents who answered MHC6_4=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		416	1,069,500
NO		2		94	255,000
NOT APPLICABLE		6		11,553	26,146,500
NOT STATED		9		483	847,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC6_6	Length	1	Position	3223
Question Name	MH-Q6				
Concept	Depressed - felt tired all of the time				
Question	Did you feel tired out or low on energy all of the time?				
Universe	Respondents who answered MHC6_4=1 or 2				
Note					
Content		Code		Sample	Population
YES		1		420	1,065,000
NO		2		90	259,500
NOT APPLICABLE		6		11,553	26,146,500
NOT STATED		9		483	847,000
		Total		12,546	28,318,308

Variable Name	MHC6_7	Length	1	Position	3224
Question Name	MH-Q7				
Concept	Depressed - weight change or not				
Question	Did you gain weight, lose weight or stay about the same?				
Universe	Respondents who answered MHC6_4=1 or 2				
Note					
Content		Code		Sample	Population
GAINED WEIGHT		1		72	171,000
LOST WEIGHT		2		166	384,500
STAYED ABOUT THE SAME		3		270	731,500
WAS ON A DIET		4		1	1,000
NOT APPLICABLE		6		11,553	26,146,500
DON'T KNOW		7		1	38,000
NOT STATED		9		483	847,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_8KG **Length** 3 **Position** 3225 - 3227
Question Name MH-Q8
Concept Depressed - weight change (kg.)
Question About how much weight did you (gain / lose)? - Kilograms
Universe Respondents who answered MHC6_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	1 - 26	228	541,000
NOT APPLICABLE	996	11,824	26,878,000
DON'T KNOW	997	8	10,000
REFUSAL	998	2	5,000
NOT STATED	999	484	884,500
	Total	12,546	28,318,308

Variable Name MHC6_8LB **Length** 3 **Position** 3228 - 3230
Question Name MH-Q8
Concept Depressed - weight change (lb.)
Question About how much weight did you (gain / lose)? - Pounds
Universe Respondents who answered MHC6_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	2 - 57	228	541,000
NOT APPLICABLE	996	11,824	26,878,000
DON'T KNOW	997	8	10,000
REFUSAL	998	2	5,000
NOT STATED	999	484	884,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC6_9	Length	1	Position	3231
Question Name	MH-Q9				
Concept	Depressed - trouble falling asleep				
Question	Did you have more trouble falling asleep than you usually do?				
Universe	Respondents who answered MHC6_4=1 or 2				
Note					
Content		Code		Sample	Population
YES		1		368	911,000
NO		2		139	372,500
NOT APPLICABLE		6		11,553	26,146,500
DON'T KNOW		7		2	3,500
NOT STATED		9		484	884,500
		Total		12,546	28,318,308

Variable Name	MHC6_10	Length	1	Position	3232
Question Name	MH-Q10				
Concept	Depressed - frequency of trouble falling asleep				
Question	How often did that happen?				
Universe	Respondents who answered MHC6_9=1				
Note					
Content		Code		Sample	Population
EVERY NIGHT		1		156	397,000
NEARLY EVERY NIGHT		2		173	402,000
LESS OFTEN		3		39	112,000
NOT APPLICABLE		6		11,692	26,519,500
NOT STATED		9		486	888,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_11 **Length** 1 **Position** 3233
Question Name MH-Q11
Concept Depressed - trouble concentrating
Question Did you have a lot more trouble concentrating than usual?
Universe Respondents who answered MHC6_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	421	1,088,500
NO	2	85	193,500
NOT APPLICABLE	6	11,553	26,146,500
DON'T KNOW	7	1	1,500
NOT STATED	9	486	888,000
	Total	12,546	28,318,308

Variable Name MHC6_12 **Length** 1 **Position** 3234
Question Name MH-Q12
Concept Depressed - felt down on self
Question At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
Universe Respondents who answered MHC6_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	316	779,000
NO	2	188	494,500
NOT APPLICABLE	6	11,553	26,146,500
DON'T KNOW	7	2	8,500
NOT STATED	9	487	889,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_13 **Length** 1 **Position** 3235
Question Name MH-Q13
Concept Depressed - thought a lot about death
Question Did you think a lot about death - either your own, someone else's, or death in general?
Universe Respondents who answered MHC6_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	282	730,000
NO	2	220	540,000
NOT APPLICABLE	6	11,553	26,146,500
DON'T KNOW	7	1	2,500
REFUSAL	8	1	1,000
NOT STATED	9	489	898,000
	Total	12,546	28,318,308

Variable Name MHC6_14 **Length** 2 **Position** 3236 - 3237
Question Name MH-Q14
Concept Depressed - number of weeks in past 12 months
Question About how many weeks altogether did you feel this way during the past 12 months?
Universe Respondents who answered any one of MHC6_5, _6, _9, _11, _12, _13 =1 or MHC6_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 53	482	1,214,500
NOT APPLICABLE	96	11,556	26,154,000
DON'T KNOW	97	16	46,500
REFUSAL	98	1	2,000
NOT STATED	99	491	901,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_15 **Length** 2 **Position** 3238 - 3239
Question Name MH-Q15
Concept Depressed - month of occurrence
Question Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
Universe Respondents who answered MHC6_14 < 52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	64	167,500
FEBRUARY	2	34	94,000
MARCH	3	45	121,000
APRIL	4	27	63,000
MAY	5	47	103,000
JUNE	6	34	84,000
JULY	7	33	80,000
AUGUST	8	29	87,000
SEPTEMBER	9	30	94,000
OCTOBER	10	30	61,500
NOVEMBER	11	30	79,500
DECEMBER	12	42	98,500
NOT APPLICABLE	96	11,591	26,228,500
DON'T KNOW	97	2	8,000
NOT STATED	99	508	949,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_16 **Length** 1 **Position** 3240
Question Name MH-Q16
Concept Lost interest in most things that usually give pleasure
Question During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work, or activities that usually give you pleasure?
Universe Respondents who answered MHC6_2=2 or MHC6_3=3 or 4 or MHC6_4=3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	421	1,005,000
NO	2	9,675	21,118,500
NOT APPLICABLE	6	1,964	5,334,000
DON'T KNOW	7	3	13,500
NOT STATED	9	483	847,000
Total		12,546	28,318,308

Variable Name MHC6_17 **Length** 1 **Position** 3241
Question Name MH-Q17
Concept Loss of interest - duration
Question Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?
Universe Respondents who answered MHC6_16=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	83	188,000
MOST OF THE DAY	2	101	220,500
ABOUT HALF OF THE DAY	3	120	333,500
LESS THAN HALF OF A DAY	4	115	258,500
NOT APPLICABLE	6	11,639	26,453,000
DON'T KNOW	7	2	4,000
NOT STATED	9	486	860,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC6_18	Length	1	Position	3242
Question Name	MH-Q18				
Concept	Loss of interest - frequency				
Question	How often did you feel this way during those 2 weeks?				
Universe	Respondents who answered MHC6_17=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EVERY DAY		1		54	108,500
ALMOST EVERY DAY		2		89	209,500
LESS OFTEN		3		40	89,500
NOT APPLICABLE		6		11,874	27,045,000
DON'T KNOW		7		1	1,000
NOT STATED		9		488	864,500
		Total		12,546	28,318,308

Variable Name	MHC6_19	Length	1	Position	3243
Question Name	MH-Q19				
Concept	Loss of interest - felt tired all the time				
Question	During those 2 weeks did you feel tired out or low on energy all the time?				
Universe	Respondents who answered MHC6_18=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		121	268,500
NO		2		22	49,500
NOT APPLICABLE		6		11,914	27,134,500
NOT STATED		9		489	865,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_20 **Length** 1 **Position** 3244
Question Name MH-Q20
Concept Loss of interest - weight change or not
Question Did you gain weight, lose weight, or stay about the same?
Universe Respondents who answered MHC6_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
GAINED WEIGHT	1	21	55,500
LOST WEIGHT	2	39	81,500
STAYED ABOUT THE SAME	3	82	178,500
NOT APPLICABLE	6	11,914	27,134,500
DON'T KNOW	7	1	3,000
NOT STATED	9	489	865,500
	Total	12,546	28,318,308

Variable Name MHC6_21K **Length** 3 **Position** 3245 - 3247
Question Name MH-Q21
Concept Loss of interest - weight change (kg.)
Question About how much did you (gain / lose)? - Kilograms
Universe Respondents who answered MHC6_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	0 - 27	55	130,000
NOT APPLICABLE	996	11,996	27,313,000
DON'T KNOW	997	5	6,500
NOT STATED	999	490	868,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_21L **Length** 3 **Position** 3248 - 3250

Question Name MH-Q21

Concept Loss of interest - weight change (lb.)

Question About how much did you (gain/lose)? - Pounds

Universe Respondents who answered MHC6_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	1 - 60	55	130,000
NOT APPLICABLE	996	11,996	27,313,000
DON'T KNOW	997	5	6,500
NOT STATED	999	490	868,500
	Total	12,546	28,318,308

Variable Name MHC6_22 **Length** 1 **Position** 3251

Question Name MH-Q22

Concept Loss of interest - trouble falling asleep

Question Did you have more trouble falling asleep than you usually do?

Universe Respondents who answered MHC6_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	88	167,000
NO	2	52	144,000
NOT APPLICABLE	6	11,914	27,134,500
DON'T KNOW	7	2	5,000
NOT STATED	9	490	868,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_23 **Length** 1 **Position** 3252
Question Name MH-Q23
Concept Loss of interest - frequency of trouble falling asleep
Question How often did that happen?
Universe Respondents who answered MHC6_22=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY NIGHT	1	35	68,000
NEARLY EVERY NIGHT	2	41	74,000
LESS OFTEN	3	12	25,000
NOT APPLICABLE	6	11,966	27,278,000
NOT STATED	9	492	873,500
	Total	12,546	28,318,308

Variable Name MHC6_24 **Length** 1 **Position** 3253
Question Name MH-Q24
Concept Loss of interest - trouble concentrating
Question Did you have a lot more trouble concentrating than usual?
Universe Respondents who answered MHC6_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	103	223,500
NO	2	36	76,000
NOT APPLICABLE	6	11,914	27,134,500
DON'T KNOW	7	1	11,000
NOT STATED	9	492	873,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_25 **Length** 1 **Position** 3254
Question Name MH-Q25
Concept Loss of interest - felt down on self
Question At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
Universe Respondents who answered MHC6_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	83	164,500
NO	2	56	135,000
NOT APPLICABLE	6	11,914	27,134,500
NOT STATED	9	493	884,500
	Total	12,546	28,318,308

Variable Name MHC6_26 **Length** 1 **Position** 3255
Question Name MH-Q26
Concept Loss of interest - thought a lot about death
Question Did you think a lot about death - either your own, someone else's, or death in general?
Universe Respondents who answered MHC6_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	61	118,000
NO	2	77	180,500
NOT APPLICABLE	6	11,914	27,134,500
DON'T KNOW	7	1	1,500
NOT STATED	9	493	884,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6_27 **Length** 2 **Position** 3256 - 3257

Question Name MH-Q27

Concept Loss of interest - number of weeks in past 12 months

Question About how many weeks did you feel this way during the past 12 months?

Universe Respondents who answered any one of MHC6_19, _22, _24, _25, _26 =1 or MHC6_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 52	129	274,500
NOT APPLICABLE	96	11,919	27,151,500
DON'T KNOW	97	4	7,000
NOT STATED	99	494	886,000
	Total	12,546	28,318,308

Variable Name MHC6_28 **Length** 2 **Position** 3258 - 3259

Question Name MH-Q28

Concept Loss of interest - month of occurrence

Question Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

Universe Respondents who answered MHC6_27 < 52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	19	55,500
FEBRUARY	2	12	32,000
MARCH	3	10	25,000
APRIL	4	7	9,000
MAY	5	8	8,500
JUNE	6	14	25,000
JULY	7	10	13,000
AUGUST	8	6	11,500
SEPTEMBER	9	7	23,000
OCTOBER	10	12	23,000
NOVEMBER	11	11	19,000
DECEMBER	12	8	23,000
NOT APPLICABLE	96	11,923	27,156,000
DON'T KNOW	97	1	2,500
NOT STATED	99	498	892,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC6DDS	Length	2	Position	3260 - 3261
Question Name					
Concept	Distress Scale - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on MHC6_1A to MHC6_1F. Scores were reversed for those questions. MIN=0, MAX=24 (higher values indicate more distress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 24		10,566	23,348,000
NOT APPLICABLE		96		1,454	4,009,500
NOT STATED		99		526	961,000
		Total		12,546	28,318,308

Variable Name	MHC6DCH	Length	2	Position	3262 - 3263
Question Name					
Concept	Chronicity of Distress Scale - (D)				
Question					
Universe	Respondents who answered positively to at least one of MHC6_1A to MHC6_1F				
Note	Based on MHC6_1G to MHC6_1I. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
A LOT MORE OFTEN THAN USUAL		1		442	994,500
SOMEWHAT MORE OFTEN THAN USUAL		2		366	836,500
A LITTLE MORE OFTEN THAN USUAL		3		423	1,037,000
ABOUT THE SAME AS USUAL		4		5,302	11,878,500
A LITTLE LESS OFTEN THAN USUAL		5		240	588,000
SOMEWHAT LESS OFTEN THAN USUAL		6		216	570,000
A LOT LESS OFTEN THAN USUAL		7		179	438,000
NEVER HAVE HAD ANY		8		248	533,000
NOT APPLICABLE		96		4,595	10,472,500
NOT STATED		99		535	969,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6DSF **Length** 2 **Position** 3264 - 3265

Question Name

Concept Depression Scale - Short Form Score - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC6_2 to MHC6_6, MHC6_8A, MHC6_8B, MHC6_10 to MHC6_13, MHC6_16 to MHC6_19, MHC6_21A, MHC6_21B and MHC6_23 to MHC6_26. Higher values indicate higher level of depression. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - SF	0 - 8	10,576	23,348,500
NOT APPLICABLE	96	1,454	4,009,500
NOT STATED	99	516	960,500
Total		12,546	28,318,308

Variable Name MHC6DPP **Length** 4.2 **Position** 3266 - 3269

Question Name

Concept Depression Scale - Predicted Probability - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC6_2 to MHC6_28. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - PP	0.00 - 0.90	10,576	23,348,500
NOT APPLICABLE	9.96	1,454	4,009,500
NOT STATED	9.99	516	960,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC6DWK **Length** 2 **Position** 3270 - 3271

Question Name

Concept Number of weeks felt depressed - (D)

Question

Universe Respondents who answered MHC6_14=2 to 53 or MHC6_27=2 to 53

Note Based on MHC6_14 or MHC6_27. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 52	599	1,472,000
NOT APPLICABLE	96	11,412	25,834,000
NOT STATED	99	535	1,012,500
Total		12,546	28,318,308

Variable Name MHC6DMT **Length** 2 **Position** 3272 - 3273

Question Name

Concept Specific month last felt depressed - (D)

Question

Universe Respondents who answered MHC6_14=2 to 53 or MHC6_27=2 to 53

Note Based on MHC6_15 or MHC6_28. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	81	222,000
FEBRUARY	2	46	126,000
MARCH	3	53	143,000
APRIL	4	34	71,500
MAY	5	54	109,500
JUNE	6	48	108,500
JULY	7	42	90,500
AUGUST	8	34	98,000
SEPTEMBER	9	36	114,000
OCTOBER	10	42	84,000
NOVEMBER	11	40	98,500
DECEMBER	12	50	121,500
NOT APPLICABLE	96	11,412	25,834,000
NOT STATED	99	574	1,097,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC6_1 **Length** 1 **Position** 3274
Question Name SUP-Q1
Concept Member of organization or association
Question Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,611	7,667,000
NO	2	7,018	15,839,000
NOT APPLICABLE	6	1,454	4,009,500
DON'T KNOW	7	2	1,000
REFUSAL	8	6	5,000
NOT STATED	9	455	797,000
Total		12,546	28,318,308

Variable Name SSC6_2 **Length** 1 **Position** 3275
Question Name SUP-Q2
Concept Frequency of participation in organizations
Question How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active.
Universe Respondents who answered SSC6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AT LEAST ONCE A WEEK	1	1,767	3,935,500
AT LEAST ONCE A MONTH	2	1,250	2,443,500
AT LEAST 3 OR 4 TIMES A YEAR	3	409	868,000
AT LEAST ONCE A YEAR	4	95	216,000
NOT AT ALL	5	89	202,000
NOT APPLICABLE	6	8,472	19,848,500
DON'T KNOW	7	1	2,500
NOT STATED	9	463	803,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSS6_2	Length	1	Position	3278
Question Name	SSUP-Q2				
Concept	Self-perception of religiousness / spirituality				
Question	How religious or spiritual do you consider yourself to be?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
VERY		1		1,700	3,726,500
MODERATELY		2		5,605	11,698,500
NOT VERY		3		2,167	5,018,000
NOT AT ALL		4		1,075	2,821,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		21	62,500
REFUSAL		8		7	21,000
NOT STATED		9		517	961,500
		Total		12,546	28,318,308

Variable Name	SSC6_3	Length	1	Position	3279
Question Name	SUP-Q3				
Concept	Has someone to confide in				
Question	Do you have someone you can confide in or talk to about your private feelings or concerns?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		9,632	21,238,500
NO		2		986	2,228,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		8	32,500
REFUSAL		8		3	7,000
NOT STATED		9		463	803,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSC6_4	Length	1	Position	3280
Question Name	SUP-Q4				
Concept	Has someone to count on in crisis situation				
Question	Do you have someone you can really count on to help you out in a crisis situation?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		10,195	22,466,000
NO		2		410	966,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		21	63,500
REFUSAL		8		3	10,500
NOT STATED		9		463	803,000
		Total		12,546	28,318,308

Variable Name	SSC6_5	Length	1	Position	3281
Question Name	SUP-Q5				
Concept	Has someone can count on for advice				
Question	Do you have someone you can really count on to give you advice when you are making important personal decisions?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		9,993	22,210,000
NO		2		621	1,248,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		12	41,500
REFUSAL		8		3	7,000
NOT STATED		9		463	803,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSC6_6	Length	1	Position	3282
Question Name	SUP-Q6				
Concept	Has someone to make feel loved and cared for				
Question	Do you have someone who makes you feel loved and cared for?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		10,348	22,904,500
NO		2		265	556,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		14	39,000
REFUSAL		8		2	6,500
NOT STATED		9		463	803,000
		Total		12,546	28,318,308

Variable Name	SSC6_7A	Length	2	Position	3283 - 3284
Question Name	SUP-Q7A				
Concept	Frequency of contact - parents / in-laws				
Question	In the past 12 months, how often did you have contact with your parents or parents-in-law?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
DON'T HAVE ANY OR ALL LIVE WITH YOU		1		3,973	8,463,500
EVERY DAY		2		1,620	3,411,500
AT LEAST ONCE A WEEK		3		2,961	6,507,500
2 OR 3 TIMES A MONTH		4		909	2,167,500
ONCE A MONTH		5		554	1,439,500
A FEW TIMES A YEAR		6		344	869,500
ONCE A YEAR		7		79	202,000
NEVER		8		180	398,500
NOT APPLICABLE		96		1,454	4,009,500
DON'T KNOW		97		1	9,500
REFUSAL		98		7	36,000
NOT STATED		99		464	804,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC6_7B **Length** 2 **Position** 3285 - 3286
Question Name SUP-Q7B
Concept Frequency of contact - grandparents
Question In the past 12 months, how often did you have contact with your grandparents?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY OR ALL LIVE WITH YOU	1	7,504	15,736,000
EVERY DAY	2	167	370,000
AT LEAST ONCE A WEEK	3	623	1,547,000
2 OR 3 TIMES A MONTH	4	448	1,110,000
ONCE A MONTH	5	552	1,354,000
A FEW TIMES A YEAR	6	709	1,818,500
ONCE A YEAR	7	252	661,000
NEVER	8	365	864,000
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	2	15,000
REFUSAL	98	6	29,000
NOT STATED	99	464	804,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC6_7C **Length** 2 **Position** 3287 - 3288
Question Name SUP-Q7C
Concept Frequency of contact - daughters / daughters-in-law
Question In the past 12 months, how often did you have contact with your daughters or daughters-in-law?
(Remember only think of those who do not live with you.)
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY OR ALL LIVE WITH YOU	1	6,408	15,678,000
EVERY DAY	2	1,487	2,703,000
AT LEAST ONCE A WEEK	3	1,812	3,402,500
2 OR 3 TIMES A MONTH	4	388	678,500
ONCE A MONTH	5	213	368,000
A FEW TIMES A YEAR	6	141	248,000
ONCE A YEAR	7	33	52,000
NEVER	8	128	315,000
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	3	15,500
REFUSAL	98	15	45,000
NOT STATED	99	464	804,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1098

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC6_7D **Length** 2 **Position** 3289 - 3290

Question Name SUP-Q7D

Concept Frequency of contact - sons / sons-in-law

Question In the past 12 months, how often did you have contact with your sons or sons-in-law?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY OR ALL LIVE WITH YOU	1	6,505	15,874,500
EVERY DAY	2	1,192	2,240,500
AT LEAST ONCE A WEEK	3	1,811	3,345,000
2 OR 3 TIMES A MONTH	4	470	798,000
ONCE A MONTH	5	298	507,500
A FEW TIMES A YEAR	6	160	282,000
ONCE A YEAR	7	29	46,000
NEVER	8	144	351,000
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	3	12,500
REFUSAL	98	16	48,000
NOT STATED	99	464	804,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC6_7E **Length** 2 **Position** 3291 - 3292
Question Name SUP-Q7E
Concept Frequency of contact - brothers / sisters
Question In the past 12 months, how often did you have contact with your brothers or sisters? (Remember, only think of those who do not live with you.)
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY OR ALL LIVE WITH YOU	1	1,400	3,734,000
EVERY DAY	2	1,287	2,540,000
AT LEAST ONCE A WEEK	3	3,048	6,416,500
2 OR 3 TIMES A MONTH	4	1,556	3,305,500
ONCE A MONTH	5	1,516	3,510,000
A FEW TIMES A YEAR	6	1,309	2,832,500
ONCE A YEAR	7	302	671,500
NEVER	8	190	427,500
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	4	19,000
REFUSAL	98	16	49,500
NOT STATED	99	464	804,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC6_7F **Length** 2 **Position** 3293 - 3294
Question Name SUP-Q7F
Concept Frequency of contact - other relatives
Question In the past 12 months, how often did you have contact with other relatives (including in-laws)?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY OR ALL LIVE WITH YOU	1	909	1,877,500
EVERY DAY	2	491	929,000
AT LEAST ONCE A WEEK	3	2,065	4,120,000
2 OR 3 TIMES A MONTH	4	1,426	3,046,000
ONCE A MONTH	5	1,677	3,947,000
A FEW TIMES A YEAR	6	2,361	5,630,000
ONCE A YEAR	7	736	1,693,000
NEVER	8	940	2,198,000
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	10	27,500
REFUSAL	98	13	36,500
NOT STATED	99	464	804,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC6_7G **Length** 2 **Position** 3295 - 3296
Question Name SUP-Q7G
Concept Frequency of contact - close friends
Question In the past 12 months, how often did you have contact with your close friends?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY OR ALL LIVE WITH YOU	1	247	559,500
EVERY DAY	2	3,851	8,277,000
AT LEAST ONCE A WEEK	3	4,492	9,759,500
2 OR 3 TIMES A MONTH	4	1,017	2,326,500
ONCE A MONTH	5	550	1,378,000
A FEW TIMES A YEAR	6	284	760,500
ONCE A YEAR	7	50	135,000
NEVER	8	120	265,500
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	8	14,500
REFUSAL	98	9	29,000
NOT STATED	99	464	804,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC6_7H **Length** 2 **Position** 3297 - 3298

Question Name SUP-Q7H

Concept Frequency of contact - neighbours

Question In the past 12 months, how often did you have contact with your neighbours?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DON'T HAVE ANY	1	252	624,000
EVERY DAY	2	2,782	5,196,000
AT LEAST ONCE A WEEK	3	3,368	7,291,500
2 OR 3 TIMES A MONTH	4	950	2,166,000
ONCE A MONTH	5	787	1,906,500
A FEW TIMES A YEAR	6	718	1,639,000
ONCE A YEAR	7	201	544,000
NEVER	8	1,551	4,086,000
NOT APPLICABLE	96	1,454	4,009,500
DON'T KNOW	97	10	23,000
REFUSAL	98	9	29,000
NOT STATED	99	464	804,000
	Total	12,546	28,318,308

Variable Name SSC6D1 **Length** 1 **Position** 3299

Question Name

Concept Perceived social support index - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC6_3 to SSC6_6. MIN = 0, MAX = 4 (higher values indicate greater perceived social support). Source: Health Statistics Division, Statistics Canada. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 4	10,588	23,414,500
NOT APPLICABLE	6	1,454	4,009,500
NOT STATED	9	504	894,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSC6D2	Length	2	Position	3300 - 3301
Question Name					
Concept	Social involvement score - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on SSC6_2 and SSC6_2A. MIN = 0, MAX = 4 (higher values indicate more social involvement). Source: Health Statistics Division, Statistics Canada. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 8		10,601	23,400,000
NOT APPLICABLE		96		1,454	4,009,500
NOT STATED		99		491	908,500
		Total		12,546	28,318,308

Variable Name	SSC6D3	Length	2	Position	3302 - 3303
Question Name					
Concept	Average frequency of contacts - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on SSC6_7A to SSC6_7H. MIN = 0, MAX = 4 (higher values indicate more contacts). Source: Health Statistics Division, Statistics Canada. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FREQUENCY OF CONTACTS		0 - 6		10,585	23,390,000
NOT APPLICABLE		96		1,454	4,009,500
NOT STATED		99		507	919,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSS6_3	Length	1	Position	3304
Question Name	SSUP-Q3				
Concept	Number of people seen socially who smoke				
Question	Of the people you see socially, how many smoke cigarettes?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NONE		1		2,403	5,373,500
A FEW		2		5,291	11,547,000
ABOUT HALF		3		1,722	3,770,000
MOST OR ALL		4		1,167	2,694,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		36	92,500
REFUSAL		8		9	28,000
NOT STATED		9		464	804,000
		Total		12,546	28,318,308

Variable Name	SSS6_4	Length	1	Position	3305
Question Name	SSUP-Q4				
Concept	Number of people seen socially who drink too much				
Question	Of the people you see socially, how many would you say drink too much?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NONE		1		6,010	13,185,000
A FEW		2		3,841	8,637,000
ABOUT HALF		3		460	1,004,500
MOST OR ALL		4		189	426,000
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		75	114,000
REFUSAL		8		8	17,500
NOT STATED		9		509	924,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSS6_5A	Length	1	Position	3306
Question Name	SSUP-Q5A				
Concept	Partner smokes cigarettes				
Question	Does your partner smoke cigarettes?				
Universe	Respondents with DHC6_MAR=1, 2, or 3 living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,459	3,351,500
NO		2		4,385	10,194,000
NOT APPLICABLE		6		6,308	14,120,000
DON'T KNOW		7		3	3,000
REFUSAL		8		1	7,000
NOT STATED		9		390	642,500
		Total		12,546	28,318,308

Variable Name	SSS6_5B	Length	1	Position	3307
Question Name	SSUP-Q5B				
Concept	Partner exercises regularly				
Question	Does your partner exercise regularly?				
Universe	Respondents with DHC6_MAR=1, 2, or 3 living in a household				
Note					
Content		Code		Sample	Population
YES		1		3,080	7,048,000
NO		2		2,761	6,486,500
NOT APPLICABLE		6		6,308	14,120,000
DON'T KNOW		7		6	20,500
REFUSAL		8		1	1,000
NOT STATED		9		390	642,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSS6_5C	Length	1	Position	3308
Question Name	SSUP-Q5C				
Concept	Partner drinks too much				
Question	Does your partner drink too much?				
Universe	Respondents with DHC6_MAR=1, 2, or 3 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		199	454,000
NO		2		5,644	13,095,000
NOT APPLICABLE		6		6,308	14,120,000
DON'T KNOW		7		4	6,500
REFUSAL		8		1	1,000
NOT STATED		9		390	642,500
		Total		12,546	28,318,308

Variable Name	SSS6_5D	Length	1	Position	3309
Question Name	SSUP-Q5D				
Concept	Partner overeats				
Question	Does your partner overeat?				
Universe	Respondents with DHC6_MAR=1, 2, or 3 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		827	1,836,000
NO		2		5,013	11,709,000
NOT APPLICABLE		6		6,308	14,120,000
DON'T KNOW		7		7	10,500
REFUSAL		8		1	1,000
NOT STATED		9		390	642,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSS6_5E	Length	1	Position	3310
Question Name	SSUP-Q5E				
Concept	Partner uses tranquilizers				
Question	Does your partner use tranquilizers such as Valium?				
Universe	Respondents with DHC6_MAR=1, 2, or 3 living in a household				
Note					
Content		Code		Sample	Population
YES		1		113	265,500
NO		2		5,725	13,270,500
NOT APPLICABLE		6		6,308	14,120,000
DON'T KNOW		7		9	19,500
REFUSAL		8		1	1,000
NOT STATED		9		390	642,500
		Total		12,546	28,318,308

Variable Name	SSP6_1	Length	1	Position	3311
Question Name	ASUP-Q1				
Concept	Received care from friend / relative past 12 months				
Question	In the past 12 months have you received any care from a friend or relative because of a physical, emotional, or mental health problem?				
Universe	Respondents aged 12 and over in Alberta living in a household				
Note					
Content		Code		Sample	Population
YES		1		121	263,000
NO		2		839	1,886,000
NOT APPLICABLE		6		11,295	25,751,000
DON'T KNOW		7		1	1,500
REFUSAL		8		1	1,500
NOT STATED		9		289	415,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SSP6_2	Length	1	Position	3312
Question Name	ASUP-Q2				
Concept	Received care from friend / relative last month				
Question	Was this in the past month that you received care from a friend or relative because of a physical, emotional, or mental health problem?				
Universe	Respondents who answered SSP6_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		51	104,000
NO		2		70	159,000
NOT APPLICABLE		6		12,134	27,637,000
NOT STATED		9		291	418,500
		Total		12,546	28,318,308

Variable Name	SSP6_3	Length	1	Position	3313
Question Name	ASUP-Q3				
Concept	Level of support from family / friends				
Question	How supportive or helpful were your family or friends when you needed help or had a problem?				
Universe	Respondents who answered SSP6_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
VERY HELPFUL		1		99	203,000
SOMEWHAT HELPFUL		2		17	45,000
NOT HELPFUL		3		4	13,500
NOT APPLICABLE		6		12,134	27,637,000
DON'T KNOW		7		1	1,000
NOT STATED		9		291	418,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name APP6_4 **Length** 1 **Position** 3318
Question Name APAR-Q4
Concept What my parents think of me is important
Question I'd like you to tell me whether you strongly agree, agree, disagree or strongly disagree - What your parents think of you is important.
Universe Respondents aged 12 to 17 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	26	109,500
AGREE	2	34	115,500
DISAGREE	3	3	7,500
STRONGLY DISAGREE	4	3	8,500
NOT APPLICABLE	6	12,205	27,706,500
NOT STATED	9	275	371,000
Total		12,546	28,318,308

Variable Name APP6_5 **Length** 1 **Position** 3319
Question Name APAR-Q5
Concept There are times when I would like to run away from home
Question I'd like you to tell me whether you strongly agree, agree, disagree or strongly disagree - There are times when you would like to run away from home.
Universe Respondents aged 12 to 17 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	3	8,000
AGREE	2	8	33,500
DISAGREE	3	20	56,000
STRONGLY DISAGREE	4	35	143,500
NOT APPLICABLE	6	12,205	27,706,500
NOT STATED	9	275	371,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name APP6_6 **Length** 1 **Position** 3320
Question Name APAR-Q6
Concept I have a happy home life
Question I'd like you to tell me whether you strongly agree, agree, disagree or strongly disagree - You have a happy home life.
Universe Respondents aged 12 to 17 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	34	134,500
AGREE	2	29	98,000
DISAGREE	3	2	7,500
STRONGLY DISAGREE	4	1	1,000
NOT APPLICABLE	6	12,205	27,706,500
NOT STATED	9	275	371,000
Total		12,546	28,318,308

Variable Name APP6_7 **Length** 1 **Position** 3321
Question Name APAR-Q7
Concept I would raise my children differently
Question I'd like you to tell me whether you strongly agree, agree, disagree or strongly disagree - You would raise your children differently from the way you were raised.
Universe Respondents aged 12 to 17 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	7	23,500
AGREE	2	12	47,000
DISAGREE	3	36	111,000
STRONGLY DISAGREE	4	11	59,000
NOT APPLICABLE	6	12,205	27,706,500
NOT STATED	9	275	371,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SVP6_2 **Length** 1 **Position** 3326
Question Name AHS-Q2
Concept Availability of community health care
Question Overall, how would you rate the availability of health care services for people your age in your community?
Universe Respondents aged 12 to 17 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	13	68,500
GOOD	2	46	151,000
FAIR	3	2	7,500
POOR	4	1	1,000
NOT APPLICABLE	6	12,205	27,706,500
NOT STATED	9	279	384,000
Total		12,546	28,318,308

Variable Name SVP6_3 **Length** 1 **Position** 3327
Question Name AHS-Q3
Concept Quality of community health care
Question Overall, how would you rate the quality of health care services for people your age in your community?
Universe Respondents aged 12 to 17 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	11	53,000
GOOD	2	45	155,500
FAIR	3	4	12,500
POOR	4	1	1,000
NOT APPLICABLE	6	12,205	27,706,500
DON'T KNOW	7	1	6,000
NOT STATED	9	279	384,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SVP6_4 **Length** 1 **Position** 3328

Question Name AHS-Q4

Concept Overall availability of health care in community

Question Overall, how would you rate the availability of health care services in your community?

Universe Respondents aged 18 and over in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	141	315,000
GOOD	2	504	1,051,500
FAIR	3	185	422,500
POOR	4	41	73,500
NOT APPLICABLE	6	11,365	26,007,500
DON'T KNOW	7	14	25,500
NOT STATED	9	296	422,500
Total		12,546	28,318,308

Variable Name SVP6_5 **Length** 1 **Position** 3329

Question Name AHS-Q5

Concept Overall quality of health care in community

Question Overall, how would you rate the quality of health care services in your community?

Universe Respondents aged 18 and over in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	123	264,500
GOOD	2	531	1,122,500
FAIR	3	169	376,500
POOR	4	39	82,500
NOT APPLICABLE	6	11,365	26,007,500
DON'T KNOW	7	23	42,000
NOT STATED	9	296	422,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SVP6_6	Length	1	Position	3330
Question Name	AHS-Q6				
Concept	Difficulty getting health care services needed				
Question	How difficult is it for you to get the health care services that you need?				
Universe	Respondents aged 18 and over in Alberta living in a household				
Note					
Content		Code		Sample	Population
VERY EASY		1		289	674,000
EASY		2		518	1,146,000
A BIT DIFFICULT		3		105	224,500
VERY DIFFICULT		4		16	31,500
NOT APPLICABLE		6		11,295	25,751,000
DON'T KNOW		7		19	39,500
NOT STATED		9		304	451,500
		Total		12,546	28,318,308

Variable Name	SVP6_7	Length	1	Position	3331
Question Name	AHS-Q7				
Concept	Quality of health care received in past 12 months				
Question	Overall, how would you rate the quality of any health care you received in the past 12 months?				
Universe	Respondents aged 12 and over in Alberta with HCC6F1=1				
Note					
Content		Code		Sample	Population
EXCELLENT		1		217	498,000
GOOD		2		487	1,052,500
FAIR		3		77	172,500
POOR		4		11	20,000
DIDN'T RECEIVE ANY HEALTH CARE SERVICES		5		13	35,500
NOT APPLICABLE		6		11,359	25,915,000
NOT STATED		9		382	625,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SHS6_1 **Length** 1 **Position** 3332
Question Name SSH-Q1
Concept Ever had sexual intercourse
Question Have you ever had sexual intercourse?
Universe Respondents aged 15 to 59 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,914	16,013,000
NO	2	539	1,736,500
NOT APPLICABLE	6	4,656	9,795,000
DON'T KNOW	7	16	28,500
REFUSAL	8	86	209,500
NOT STATED	9	335	536,000
	Total	12,546	28,318,308

Variable Name SHS6_2 **Length** 2 **Position** 3333 - 3334
Question Name SSH-Q2
Concept Age at first sexual intercourse
Question How old were you when you first had sexual intercourse?
Universe Respondents who answered SHS6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	10 - 46	6,561	15,246,000
NOT APPLICABLE	96	5,195	11,531,500
DON'T KNOW	97	154	272,500
REFUSAL	98	199	494,500
NOT STATED	99	437	774,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHS6_3	Length	1	Position	3335
Question Name	SSH-Q3				
Concept	Had sexual intercourse in past 12 months				
Question	In the past 12 months have you had sexual intercourse?				
Universe	Respondents who answered SHS6_1=1				
Note					
Content		Code		Sample	Population
YES		1		6,106	14,333,500
NO		2		747	1,540,000
NOT APPLICABLE		6		5,195	11,531,500
DON'T KNOW		7		7	17,000
REFUSAL		8		54	122,500
NOT STATED		9		437	774,000
		Total		12,546	28,318,308

Variable Name	SHS6_4	Length	1	Position	3336
Question Name	SSH-Q4				
Concept	Number of partners (sexual intercourse)				
Question	With how many different partners have you had sexual intercourse in the past 12 months?				
Universe	Respondents who answered SHS6_3=1				
Note					
Content		Code		Sample	Population
1 PARTNER		1		5,578	13,059,500
2 PARTNERS		2		312	740,000
3 PARTNERS		3		110	283,500
4 OR MORE PARTNERS		4		91	215,500
NOT APPLICABLE		6		5,942	13,071,500
DON'T KNOW		7		5	3,000
REFUSAL		8		10	32,000
NOT STATED		9		498	913,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHS6_5	Length	1	Position	3337
Question Name	SSH-Q5				
Concept	Relationship lasted 12 months or longer				
Question	Did this relationship last 12 months or longer? (1 partner)				
Universe	Respondents who answered SHS6_4=1 with DHC6_MAR=4, 5, 6 or 7				
Note					
Content		Code		Sample	Population
YES		1		996	2,058,500
NO		2		321	773,500
NOT APPLICABLE		6		10,715	24,534,500
REFUSAL		8		1	3,500
NOT STATED		9		513	948,500
		Total		12,546	28,318,308

Variable Name	SHS6_6	Length	1	Position	3338
Question Name	SSH-Q6				
Concept	Relationships lasted less than 12 months				
Question	Did any of these relationships last less than 12 months? (More than 1 partner)				
Universe	Respondents who answered SHS6_4=2, 3 or 4				
Note					
Content		Code		Sample	Population
YES		1		397	962,000
NO		2		116	276,500
NOT APPLICABLE		6		11,520	26,131,000
NOT STATED		9		513	948,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHS6_8	Length	1	Position	3341
Question Name	SSH-Q8				
Concept	Had / has - chlamydia				
Question	Do you currently have, or in the past 2 years, have you had chlamydia? (transmitted sexually)				
Universe	Respondents who answered SHS6_1=1				
Note					
Content		Code		Sample	Population
YES		1		41	109,000
NO		2		6,806	15,744,000
NOT APPLICABLE		6		5,195	11,531,500
REFUSAL		8		6	20,500
NOT STATED		9		498	913,500
		Total		12,546	28,318,308

Variable Name	SHS6_9	Length	1	Position	3342
Question Name	SSH-Q9				
Concept	Had / has - gonorrhea				
Question	Do you currently have, or in the past 2 years, have you had gonorrhea? (transmitted sexually)				
Universe	Respondents who answered SHS6_1=1				
Note					
Content		Code		Sample	Population
YES		1		15	42,000
NO		2		6,832	15,811,000
NOT APPLICABLE		6		5,195	11,531,500
NOT STATED		9		504	934,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SHS6_10 **Length** 1 **Position** 3343

Question Name SSH-Q10

Concept Had / has - syphilis

Question Do you currently have, or in the past 2 years, have you had syphilis? (transmitted sexually)

Universe Respondents who answered SHS6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12	24,000
NO	2	6,835	15,829,000
NOT APPLICABLE	6	5,195	11,531,500
NOT STATED	9	504	934,000
	Total	12,546	28,318,308

Variable Name SHS6_11 **Length** 1 **Position** 3344

Question Name SSH-Q11

Concept Had / has - genital warts

Question Do you currently have, or in the past 2 years, have you had genital warts? (transmitted sexually)

Universe Respondents who answered SHS6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	33	82,500
NO	2	6,814	15,770,500
NOT APPLICABLE	6	5,195	11,531,500
NOT STATED	9	504	934,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHS6_12	Length	1	Position	3345
Question Name	SSH-Q12				
Concept	Had / has - genital herpes				
Question	Do you currently have, or in the past 2 years, have you had genital herpes? (transmitted sexually)				
Universe	Respondents who answered SHS6_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		42	98,500
NO		2		6,804	15,753,500
NOT APPLICABLE		6		5,195	11,531,500
DON'T KNOW		7		1	1,500
NOT STATED		9		504	934,000
		Total		12,546	28,318,308

Variable Name	SHS6_13	Length	1	Position	3346
Question Name	SSH-Q13				
Concept	Had / has - hepatitis B				
Question	Do you currently have, or in the past 2 years, have you had Hepatitis B? (transmitted sexually)				
Universe	Respondents who answered SHS6_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11	31,500
NO		2		6,836	15,822,000
NOT APPLICABLE		6		5,195	11,531,500
NOT STATED		9		504	934,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SHS6_14 **Length** 1 **Position** 3347

Question Name SSH-Q14

Concept Has HIV / AIDS

Question Do you currently have, or in the past 2 years, have you had HIV / AIDS? (transmitted sexually)

Universe Respondents who answered SHS6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	15	32,500
NO	2	6,831	15,818,000
NOT APPLICABLE	6	5,195	11,531,500
DON'T KNOW	7	1	2,500
NOT STATED	9	504	934,000
Total		12,546	28,318,308

Variable Name SHS6_15 **Length** 1 **Position** 3348

Question Name SSH-Q15

Concept Had / has - pelvic inflammatory disease

Question Do you currently have, or in the past 2 years, have you had pelvic inflammatory disease? (transmitted sexually)

Universe Females who answered SHS6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	14	20,500
NO	2	3,752	7,894,000
NOT APPLICABLE	6	8,404	19,795,500
NOT STATED	9	376	608,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHS6_16	Length	1	Position	3349
Question Name	SSH-Q16				
Concept	Had / has - other STD				
Question	Do you currently have, or in the past 2 years, have you had any other sexually transmitted disease?				
Universe	Respondents who answered SHS6_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		12	35,000
NO		2		6,835	15,818,000
NOT APPLICABLE		6		5,195	11,531,500
NOT STATED		9		504	934,000
		Total		12,546	28,318,308

Variable Name	SHS6D1	Length	1	Position	3350
Question Name					
Concept	Had at least 1 STD - (D)				
Question					
Universe	Respondents who answered SHS6_1=1				
Note	Based on DHC6_SEX, SHS6_8 to SHS6_16. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
HAD AN STD IN PAST 2 YEARS		1		152	377,000
DID NOT HAVE AN STD IN PAST 2 YEARS		2		6,693	15,472,500
NOT APPLICABLE		6		5,195	11,531,500
NOT STATED		9		506	937,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_1	Length	1	Position	3351
Question Name	ASH-Q1				
Concept	Effective in preventing STD - using condom				
Question	How effective do you think a condom is in preventing STDs?				
Universe	Respondents aged 15 to 59 in Alberta living in a household				
Note					
Content		Code		Sample	Population
VERY USEFUL		1		333	741,500
SOMEWHAT USEFUL		2		355	819,500
NOT AT ALL USEFUL		3		25	67,500
NOT APPLICABLE		6		11,529	26,251,500
DON'T KNOW		7		14	33,000
NOT STATED		9		290	406,000
		Total		12,546	28,318,308

Variable Name	SHP6_2	Length	1	Position	3352
Question Name	ASH-Q2				
Concept	Effective in preventing STD - birth control pill				
Question	How effective do you think the birth control pill is in preventing STDs?				
Universe	Respondents aged 15 to 59 in Alberta living in a household				
Note					
Content		Code		Sample	Population
VERY USEFUL		1		56	123,000
SOMEWHAT USEFUL		2		75	189,000
NOT AT ALL USEFUL		3		574	1,301,500
NOT APPLICABLE		6		11,529	26,251,500
DON'T KNOW		7		7	10,500
REFUSAL		8		1	4,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_7	Length	1	Position	3357
Question Name	ASH-Q7				
Concept	Effective in preventing STD - ask partner to be tested				
Question	How effective is asking a partner to go for testing in preventing STDs?				
Universe	Respondents aged 15 to 59 in Alberta living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
VERY USEFUL		1		325	753,000
SOMEWHAT USEFUL		2		277	632,500
NOT AT ALL USEFUL		3		93	195,500
NOT APPLICABLE		6		11,529	26,251,500
DON'T KNOW		7		17	42,500
REFUSAL		8		1	4,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

Variable Name	SHP6_8	Length	1	Position	3358
Question Name	ASH-Q8				
Concept	STD prevention - has sources of information				
Question	Do you have any sources of information about preventing STDs?				
Universe	Respondents aged 15 to 59 in Alberta living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		490	1,138,500
NO		2		223	489,500
NOT APPLICABLE		6		11,529	26,251,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_9A	Length	1	Position	3359
Question Name	ASH-Q9				
Concept	STD main source of info. - parents				
Question	What are your main sources of information about preventing STDs? - Parents				
Universe	Respondents who answered SHP6_8=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		17	37,500
NO		2		472	1,098,500
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

Variable Name	SHP6_9B	Length	1	Position	3360
Question Name	ASH-Q9				
Concept	STD main source of info. - medical professionals				
Question	What are your main sources of information about preventing STDs? - Medical professional				
Universe	Respondents who answered SHP6_8=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		293	642,500
NO		2		196	493,500
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_9C	Length	1	Position	3361
Question Name	ASH-Q9				
Concept	STD main source of info. - friends				
Question	What are your main sources of information about preventing STDs? - Friends				
Universe	Respondents who answered SHP6_8=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	33,500
NO		2		474	1,102,500
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

Variable Name	SHP6_9D	Length	1	Position	3362
Question Name	ASH-Q9				
Concept	STD main source of info. - school				
Question	What are your main sources of information about preventing STDs? - School				
Universe	Respondents who answered SHP6_8=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		53	154,500
NO		2		436	981,500
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_9E	Length	1	Position	3363
Question Name	ASH-Q9				
Concept	STD main source of info. - church				
Question	What are your main sources of information about preventing STDs? - Church				
Universe	Respondents who answered SHP6_8=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	10,500
NO		2		484	1,125,500
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

Variable Name	SHP6_9F	Length	1	Position	3364
Question Name	ASH-Q9				
Concept	STD main source of info. - youth club				
Question	What are your main sources of information about preventing STDs? - Youth Club				
Universe	Respondents who answered SHP6_8=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	6,000
NO		2		486	1,130,000
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_9G	Length	1	Position	3365
Question Name	ASH-Q9				
Concept	STD main source of info. - TV / radio				
Question	What are your main sources of information about preventing STDs? - TV / Radio				
Universe	Respondents who answered SHP6_8=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		65	155,000
NO		2		424	981,000
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

Variable Name	SHP6_9H	Length	1	Position	3366
Question Name	ASH-Q9				
Concept	STD main source of info. - magazines / papers				
Question	What are your main sources of information about preventing STDs? - Magazines / Newspaper				
Universe	Respondents who answered SHP6_8=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		119	279,000
NO		2		370	857,000
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_9I	Length	1	Position	3367
Question Name	ASH-Q9				
Concept	STD main source of info. - pamphlets				
Question	What are your main sources of information about preventing STDs? - Information pamphlets				
Universe	Respondents who answered SHP6_8=1				
Note					
Content		Code		Sample	Population
YES		1		120	260,500
NO		2		369	875,000
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

Variable Name	SHP6_9J	Length	1	Position	3368
Question Name	ASH-Q9				
Concept	STD main source of info. - books				
Question	What are your main sources of information about preventing STDs? - Books				
Universe	Respondents who answered SHP6_8=1				
Note					
Content		Code		Sample	Population
YES		1		60	146,000
NO		2		429	989,500
NOT APPLICABLE		6		11,752	26,741,000
DON'T KNOW		7		1	2,500
NOT STATED		9		304	439,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SHP6_9K **Length** 1 **Position** 3369

Question Name ASH-Q9

Concept STD main source of info. - other

Question What are your main sources of information about preventing STDs? - Other

Universe Respondents who answered SHP6_8=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	46	94,000
NO	2	443	1,042,000
NOT APPLICABLE	6	11,752	26,741,000
DON'T KNOW	7	1	2,500
NOT STATED	9	304	439,000
	Total	12,546	28,318,308

Variable Name SHP6_10 **Length** 1 **Position** 3370

Question Name ASH-Q10

Concept Chance of getting an STD

Question What do you think your chances are of getting a sexually transmitted disease?

Universe Respondents aged 15 to 59 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HIGH	1	2	3,500
MEDIUM	2	35	86,000
LOW	3	255	584,500
NO CHANCE AT ALL	4	416	941,500
CURRENTLY HAVE AN STD	5	3	5,500
NOT APPLICABLE	6	11,529	26,251,500
REFUSAL	8	1	4,500
NOT STATED	9	305	441,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SHP6_11 **Length** 1 **Position** 3371

Question Name ASH-Q11

Concept To prevent STD - changed sexual behaviour

Question In the past two years, did you change your sexual behaviour so as to increase your protection from getting a sexually transmitted disease?

Universe Respondents aged 15 to 59 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	66	132,500
NO	2	643	1,479,500
NOT APPLICABLE	6	11,529	26,251,500
REFUSAL	8	3	14,000
NOT STATED	9	305	441,500
Total		12,546	28,318,308

Variable Name SHP6_12 **Length** 1 **Position** 3372

Question Name ASH-Q12

Concept To prevent STD - sex with only 1 partner

Question To increase your protection against STDs have you started having sexual intercourse with only one partner?

Universe Respondents who answered SHP6_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	45	84,500
NO	2	21	48,000
NOT APPLICABLE	6	12,172	27,730,500
NOT STATED	9	308	455,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_13	Length	1	Position	3373
Question Name	ASH-Q13				
Concept	To prevent STD - using condoms				
Question	To increase your protection against STDs have you started using condoms for protection?				
Universe	Respondents who answered SHP6_11=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		43	78,500
NO		2		23	54,000
NOT APPLICABLE		6		12,172	27,730,500
NOT STATED		9		308	455,000
		Total		12,546	28,318,308

Variable Name	SHP6_14	Length	1	Position	3374
Question Name	ASH-Q14				
Concept	To prevent STD - using jellies / foams				
Question	To increase your protection against STDs have you started using spermicidal jellies and foams?				
Universe	Respondents who answered SHP6_11=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3	3,500
NO		2		63	129,000
NOT APPLICABLE		6		12,172	27,730,500
NOT STATED		9		308	455,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_15	Length	1	Position	3375
Question Name	ASH-Q15				
Concept	To prevent STD - more careful selecting partner				
Question	To increase your protection against STDs have you started being more careful in selecting partners?				
Universe	Respondents who answered SHP6_11=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		54	105,000
NO		2		12	27,500
NOT APPLICABLE		6		12,172	27,730,500
NOT STATED		9		308	455,000
		Total		12,546	28,318,308

Variable Name	SHP6_16	Length	1	Position	3376
Question Name	ASH-Q16				
Concept	To prevent STD - started being tested				
Question	To increase your protection against STDs have you started being tested for STDs (in the past 2 years)?				
Universe	Respondents who answered SHP6_11=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		30	50,500
NO		2		36	82,000
NOT APPLICABLE		6		12,172	27,730,500
NOT STATED		9		308	455,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SHP6_17 **Length** 1 **Position** 3377
Question Name ASH-Q17
Concept To prevent STD - insisting that partner be tested
Question To increase your protection against STDs have you started insisting that partners be tested for STDs?
Universe Respondents who answered SHP6_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	18	35,500
NO	2	48	97,000
NOT APPLICABLE	6	12,172	27,730,500
NOT STATED	9	308	455,000
	Total	12,546	28,318,308

Variable Name SHP6_18 **Length** 1 **Position** 3378
Question Name ASH-Q18
Concept To prevent STD - abstaining
Question To increase your protection against STDs have you started to abstain from sexual intercourse?
Universe Respondents who answered SHP6_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	69,500
NO	2	34	63,000
NOT APPLICABLE	6	12,172	27,730,500
NOT STATED	9	308	455,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SHP6_19	Length	1	Position	3379
Question Name	ASH-Q19				
Concept	To prevent STD - other measures				
Question	In the past 2 years, have you done anything else to increase your protection against STDs?				
Universe	Respondents who answered SHP6_11=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	9,000
NO		2		61	123,500
NOT APPLICABLE		6		12,172	27,730,500
NOT STATED		9		308	455,000
		Total		12,546	28,318,308

Variable Name	RSS6_1	Length	1	Position	3380
Question Name	SRD-Q1				
Concept	Been passenger / driver who had too much to drink				
Question	In the past 12 months, have you been a passenger with a driver who had too much to drink?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		620	1,503,500
NO		2		9,994	21,948,500
NOT APPLICABLE		6		1,454	4,009,500
DON'T KNOW		7		9	19,500
REFUSAL		8		13	39,500
NOT STATED		9		456	798,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RSS6_2 **Length** 1 **Position** 3381
Question Name SRD-Q2
Concept Driver intoxicated - tried to prevent from driving
Question On the most recent occasion when you have been a passenger with a driver who had too much to drink, did you try to prevent this person from driving?
Universe Respondents who answered RSS6_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	316	766,000
NO	2	303	737,000
NOT APPLICABLE	6	11,448	25,958,000
DON'T KNOW	7	1	1,000
NOT STATED	9	478	857,000
Total		12,546	28,318,308

Variable Name RSS6_3A **Length** 1 **Position** 3382
Question Name SRD-Q3
Concept Driver intoxicated - drove person home yourself
Question What did you do to prevent this person from driving? - Drove him / her home yourself
Universe Respondents who answered RSS6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	73	172,000
NO	2	243	594,000
NOT APPLICABLE	6	11,751	26,695,000
NOT STATED	9	479	857,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RSS6_3B	Length	1	Position	3383
Question Name	SRD-Q3				
Concept	Driver intoxicated - asked someone else to drive				
Question	What did you do to prevent this person from driving? - Asked someone to drive him / her home				
Universe	Respondents who answered RSS6_2=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		61	164,500
NO		2		255	601,500
NOT APPLICABLE		6		11,751	26,695,000
NOT STATED		9		479	857,500
		Total		12,546	28,318,308

Variable Name	RSS6_3C	Length	1	Position	3384
Question Name	SRD-Q3				
Concept	Driver intoxicated - asked person to take a taxi				
Question	What did you do to prevent this person from driving? - Asked him / her to take a taxi				
Universe	Respondents who answered RSS6_2=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		73	173,500
NO		2		243	592,500
NOT APPLICABLE		6		11,751	26,695,000
NOT STATED		9		479	857,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RSS6_3D	Length	1	Position	3385
Question Name	SRD-Q3				
Concept	Driver intoxicated - hid car keys				
Question	What did you do to prevent this person from driving? - Hid his / her car keys				
Universe	Respondents who answered RSS6_2=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		55	103,500
NO		2		261	662,500
NOT APPLICABLE		6		11,751	26,695,000
NOT STATED		9		479	857,500
		Total		12,546	28,318,308

Variable Name	RSS6_3E	Length	1	Position	3386
Question Name	SRD-Q3				
Concept	Driver intoxicated - served coffee to person				
Question	What did you do to prevent this person from driving? - Served coffee				
Universe	Respondents who answered RSS6_2=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6	11,500
NO		2		310	755,000
NOT APPLICABLE		6		11,751	26,695,000
NOT STATED		9		479	857,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RSS6_3F **Length** 1 **Position** 3387
Question Name SRD-Q3
Concept Driver intoxicated - kept the person at home
Question What did you do to prevent this person from driving? - Kept the person at home
Universe Respondents who answered RSS6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	7,000
NO	2	311	759,000
NOT APPLICABLE	6	11,751	26,695,000
NOT STATED	9	479	857,500
	Total	12,546	28,318,308

Variable Name RSS6_3G **Length** 1 **Position** 3388
Question Name SRD-Q3
Concept Driver intoxicated - other
Question What did you do to prevent this person from driving? - Other
Universe Respondents who answered RSS6_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	73	208,500
NO	2	243	557,500
NOT APPLICABLE	6	11,751	26,695,000
NOT STATED	9	479	857,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RSS6_4	Length	1	Position	3389
Question Name	SRD-Q4				
Concept	Has valid driver's license for a motor vehicle				
Question	Do you have a valid driver's license for a motor vehicle? (Include cars, vans, trucks, motorcycles.)				
Universe	Respondents aged 16 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		8,384	18,283,500
NO		2		1,738	3,618,000
NOT APPLICABLE		6		1,992	5,681,000
REFUSAL		8		3	10,000
NOT STATED		9		429	726,000
		Total		12,546	28,318,308

Variable Name	RSS6_5	Length	1	Position	3390
Question Name	SRD-Q5				
Concept	Frequency of insist that passengers wear seatbelt				
Question	How often, when you are driving a car, do you insist that all passengers with you have their seat belts fastened and that all young children are in car seats?				
Universe	Respondents who answered RSS6_4=1				
Note					
Content		Code		Sample	Population
ALWAYS		1		7,133	15,547,000
MOST OF THE TIME		2		643	1,383,000
SOMETIMES		3		231	499,000
RARELY OR NEVER		4		369	844,000
NOT APPLICABLE		6		3,730	9,299,000
DON'T KNOW		7		8	10,000
NOT STATED		9		432	736,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RSS6_6 **Length** 1 **Position** 3391

Question Name SRD-Q6

Concept Frequency of obeying speed limits

Question How often, when you drive, do you drive at or below the posted speed limits?

Universe Respondents who answered RSS6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	3,431	6,921,500
MOST OF THE TIME	2	3,510	7,833,000
SOMETIMES	3	876	2,088,000
RARELY OR NEVER	4	563	1,435,500
NOT APPLICABLE	6	3,730	9,299,000
DON'T KNOW	7	3	4,000
REFUSAL	8	1	1,500
NOT STATED	9	432	736,000
	Total	12,546	28,318,308

Variable Name RSS6_7 **Length** 3 **Position** 3392 - 3394

Question Name SRD-Q7

Concept Frequency of drinking and driving

Question In the past 12 months, how many times did you drive when you perhaps had too much to drink?

Universe Respondents who answered RSS6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 99	8,371	18,250,500
NOT APPLICABLE	996	3,730	9,299,000
DON'T KNOW	997	8	19,000
REFUSAL	998	5	14,000
NOT STATED	999	432	736,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RSS6_8 **Length** 1 **Position** 3395
Question Name SRD-Q8
Concept Go out with friends / family to consume alcohol
Question Do you ever go out with friends or family to a place where you will be consuming alcohol?
Universe Respondents who answered RSS6_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,835	13,013,000
NO	2	2,539	5,229,000
NOT APPLICABLE	6	3,730	9,299,000
DON'T KNOW	7	2	5,500
REFUSAL	8	3	21,500
NOT STATED	9	437	750,000
	Total	12,546	28,318,308

Variable Name RSS6_9 **Length** 1 **Position** 3396
Question Name SRD-Q9
Concept Has a designated driver
Question When people go out, one person can agree ahead of time to be the designated driver and to not drink any alcohol in order to drive the group home safely. When you go out with your friends, do you arrange to have a designated driver?
Universe Respondents who answered RSS6_8=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,526	9,974,500
NO	2	1,308	3,031,500
NOT APPLICABLE	6	6,269	14,528,000
DON'T KNOW	7	1	7,000
NOT STATED	9	442	777,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	VSP6_5	Length	1	Position	3401
Question Name	AVIO-Q5				
Concept	No. of times - verbal abuse at school / school bus				
Question	During the last 12 months, while at school or on a school bus, how many times did someone say something personal about you that made you feel extremely uncomfortable, not just friendly teasing?				
Universe	Respondents aged 12 to 17 in Alberta with EDC6_1=1 or HIP6_5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NEVER		1		35	120,500
ONCE		2		14	47,000
2 TIMES		3		8	26,500
3 OR MORE TIMES		4		7	37,500
NOT APPLICABLE		6		12,206	27,713,000
NOT STATED		9		276	374,000
		Total		12,546	28,318,308

Variable Name	VSP6_6	Length	1	Position	3402
Question Name	AVIO-Q6				
Concept	No. of times - verbal threats at school / school bus				
Question	During the last 12 months, while at school or on a school bus, how many times did someone threaten to hurt you but not actually hurt you?				
Universe	Respondents aged 12 to 17 in Alberta with EDC6_1=1 or HIP6_5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NEVER		1		48	170,000
ONCE		2		10	41,000
2 TIMES		3		2	3,500
3 OR MORE TIMES		4		4	17,000
NOT APPLICABLE		6		12,206	27,713,000
NOT STATED		9		276	374,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name VSP6_7 **Length** 1 **Position** 3403
Question Name AVIO-Q7
Concept No. of times - attacks at school / school bus
Question During the last 12 months, while at school or on a school bus, how many times did someone physically attack or assault you?
Universe Respondents aged 12 to 17 in Alberta with EDC6_1=1 or HIP6_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER	1	63	229,000
ONCE	2	1	2,000
NOT APPLICABLE	6	12,206	27,713,000
NOT STATED	9	276	374,000
Total		12,546	28,318,308

Variable Name VSP6_8 **Length** 1 **Position** 3404
Question Name AVIO-Q8
Concept No. of times - verbal abuse outside of school
Question During the last 12 months, while outside of school, how many times did someone say something personal about you that made you feel extremely uncomfortable, not just friendly teasing?
Universe Respondents aged 12 to 17 in Alberta living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER	1	50	183,500
ONCE	2	7	19,500
2 TIMES	3	7	30,500
3 OR MORE TIMES	4	1	4,000
NOT APPLICABLE	6	12,205	27,706,500
NOT STATED	9	276	374,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name COP6_1 **Length** 1 **Position** 3407
Question Name ACOP-Q1
Concept Ability to handle day-to-day demands
Question How would you rate your ability to handle the day-to-day demands in your life, for example, work, family and volunteer responsibilities?
Universe Respondents aged 18 and over in Alberta living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	246	540,500
VERY GOOD	2	389	824,500
GOOD	3	228	484,000
FAIR	4	25	45,500
POOR	5	3	5,500
NOT APPLICABLE	6	11,365	26,007,500
DON'T KNOW	7	3	5,000
REFUSAL	8	2	5,500
NOT STATED	9	285	399,500
Total		12,546	28,318,308

Variable Name COP6_2 **Length** 1 **Position** 3408
Question Name ACOP-Q2
Concept Ability to handle unexpected / difficult problems
Question How would you rate your ability to handle unexpected and difficult problems, for example, family or personal crisis?
Universe Respondents aged 18 and over in Alberta living in a household
Note This is the same question as COP4_3 in Cycle 1 (1994).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	147	318,500
VERY GOOD	2	381	819,000
GOOD	3	304	637,000
FAIR	4	51	109,000
POOR	5	7	15,000
NOT APPLICABLE	6	11,365	26,007,500
DON'T KNOW	7	1	2,000
NOT STATED	9	290	410,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM66_LNK **Length** 1 **Position** 3409
Question Name LINK-PERM
Concept Permission to link data
Question We are seeking your permission to link information collected during this interview with provincial health information... Do we have your permission?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12,013	27,406,000
NO	2	245	527,500
NOT APPLICABLE	6	2	1,500
DON'T KNOW	7	4	9,500
REFUSAL	8	3	5,000
NOT STATED	9	279	368,500
	Total	12,546	28,318,308

Variable Name AM66_SHA **Length** 1 **Position** 3410
Question Name H06-SHARE2
Concept Agree to share information
Question To avoid duplication, Statistics Canada intends to share the information from this survey with ... Do you agree to share the information you have provided?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12,072	27,491,500
NO	2	191	453,500
DON'T KNOW	7	2	1,000
REFUSAL	8	3	5,000
NOT STATED	9	278	367,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM66_TEL **Length** 1 **Position** 3411

Question Name H06-TEL

Concept H06 interview by telephone or in person

Question Interviewer: Was this interview conducted on the telephone or in person?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ON TELEPHONE	1	11,585	26,659,000
IN PERSON	2	670	1,271,000
BOTH	3	11	16,500
DON'T KNOW	7	1	2,500
REFUSAL	8	1	2,000
NOT STATED	9	278	367,000
Total		12,546	28,318,308

Variable Name AM66_ALO **Length** 1 **Position** 3412

Question Name H06-CTXT

Concept Respondent alone for completion of H06 questionnaire

Question Interviewer: Was the respondent alone when you asked this health questionnaire?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,188	23,140,500
NO	2	1,921	4,466,500
NOT APPLICABLE	6	57	60,000
DON'T KNOW	7	100	277,000
REFUSAL	8	2	7,500
NOT STATED	9	278	367,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM66_AFF **Length** 1 **Position** 3413
Question Name H06-CTXT1
Concept Answers affected by presence of another person
Question Interviewer: Do you think that the answers of the respondent were affected by someone else being there?
Universe Respondents who answered AM66_ALO=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	85	249,000
NO	2	1,812	4,167,500
NOT APPLICABLE	6	10,245	23,200,000
DON'T KNOW	7	24	49,500
NOT STATED	9	380	652,000
	Total	12,546	28,318,308

Variable Name AM66_LNG **Length** 2 **Position** 3414 - 3415
Question Name H06-LANG
Concept Interview language - H06
Question Interviewer: Record language of interview.
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,943	20,985,500
FRENCH	2	2,299	6,803,500
CHINESE	4	15	94,500
ITALIAN	9	1	6,500
POLISH	12	1	2,500
PORTUGUESE	13	4	19,500
PUNJABI	14	1	6,500
VIETNAMESE	18	1	2,500
OTHER	19	1	19,000
DON'T KNOW	97	1	9,500
REFUSAL	98	1	2,000
NOT STATED	99	278	367,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM66_EDD **Length** 2 **Position** 3416 - 3417

Question Name

Concept Day of interview - H06 (end)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	12,268	27,951,500
NOT STATED	99	278	367,000
Total		12,546	28,318,308

Variable Name AM66_EMM **Length** 2 **Position** 3418 - 3419

Question Name

Concept Month of interview - H06 (end)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	10	17,000
FEBRUARY	2	2,556	6,541,000
MARCH	3	588	1,670,500
APRIL	4	17	41,500
MAY	5	103	220,500
JUNE	6	2,691	5,418,500
JULY	7	71	128,000
AUGUST	8	2,644	5,252,000
SEPTEMBER	9	239	479,000
OCTOBER	10	80	229,000
NOVEMBER	11	3,007	7,263,500
DECEMBER	12	262	692,000
NOT STATED	99	278	367,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM66_EYY	Length	4	Position	3420 - 3423
Question Name					
Concept	Year of interview - H06 (end)				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1996		1996		8,928	19,226,000
1997		1997		3,340	8,725,500
NOT STATED		9999		278	367,000
		Total		12,546	28,318,308

Variable Name	AM66LDUR	Length	4	Position	3424 - 3427
Question Name					
Concept	Duration of time between H06 interviews				
Question					
Universe	All respondents				
Note	Based on AM64_BDD, AM64_BMM, AM64_BY Y, AM66_BDD, AM66_BMM and AM66_BY Y. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS		435 - 1147		12,275	27,963,500
NOT STATED		9999		271	355,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PRC8_CUR **Length** 2 **Position** 3428 - 3429

Question Name

Concept Province of residence

Question

Universe All respondents

Note Province of residence at the time of data collection in Cycle 3 (1998).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEWFOUNDLAND AND LABRADOR	10	752	527,500
PRINCE EDWARD ISLAND	11	771	141,000
NOVA SCOTIA	12	768	878,000
NEW BRUNSWICK	13	818	743,500
QUEBEC	24	2,189	7,014,000
ONTARIO	35	3,046	10,679,500
MANITOBA	46	909	1,051,500
SASKATCHEWAN	47	901	972,500
ALBERTA	48	1,171	2,685,000
BRITISH COLUMBIA	59	1,217	3,618,000
YUKON	60	1	2,000
NORTHWEST TERRITORIES	61	3	6,500
Total		12,546	28,318,308

Variable Name GE38DURB **Length** 1 **Position** 3430

Question Name

Concept Rural or urban area - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
RURAL	1	3,237	5,475,000
URBAN	2	9,309	22,843,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1161

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GE38DCD	Length	3	Position	3431 - 3433
----------------------	---------	---------------	---	-----------------	-------------

Question Name

Concept Census Division - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

Variable Name	GE38DCSD	Length	3	Position	3434 - 3436
----------------------	----------	---------------	---	-----------------	-------------

Question Name

Concept Census Sub-division - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE38DCMA **Length** 3 **Position** 3437 - 3439

Question Name

Concept Census Metropolitan Area - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO CMA ASSIGNED	000	6,581	11,126,000
ST. JOHN'S	001	234	170,000
HALIFAX	205	261	318,500
SAINT JOHN	310	142	125,000
CHICOUTIMI	408	66	192,000
QUEBEC	421	227	777,500
SHERBROOKE	433	49	133,500
TROIS-RIVIÈRES	442	54	166,500
MONTREAL	462	791	3,117,000
OTTAWA / HULL	505	360	1,005,500
OSHAWA	532	101	270,500
TORONTO	535	866	3,921,500
HAMILTON	537	208	639,000
ST. CATHARINES	539	105	381,000
KITCHENER	541	110	344,000
LONDON	555	127	343,000
WINDSOR	559	89	264,000
SUDBURY	580	43	155,500
THUNDER BAY	595	50	132,500
WINNIPEG	602	336	631,500
REGINA	705	192	218,500
SASKATOON	725	182	186,000
CALGARY	825	372	826,000
EDMONTON	835	372	866,000
VANCOUVER	933	502	1,681,000
VICTORIA	935	126	326,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE38DFED **Length** 3 **Position** 3440 - 3442

Question Name

Concept Federal Electoral Districts - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

Variable Name SP38DPC **Length** 6 **Position** 3443 - 3448

Question Name

Concept Postal code - (D)

Question

Universe All respondents

Note

Variable Name SP38FOUT **Length** 1 **Position** 3449

Question Name

Concept Flag for record sent for field collection

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NOT SENT OUT	0	213	280,500
SENT OUT	1	12,333	28,038,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SP38_CPA **Length** 2 **Position** 3450 - 3451

Question Name

Concept Actual collection period

Question

Universe All respondents

Note Collection period in which the data were collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
QUARTER #1 - JUNE 1998	1	2,647	5,252,500
QUARTER #2 - AUGUST 1998	2	2,808	5,634,500
QUARTER #3 - NOVEMBER 1998	3	3,374	8,326,000
QUARTER #4 - MARCH 1999	4	3,211	8,362,000
QUARTER #5 - JUNE 1999	5	155	321,500
INST. SURVEY - JAN. TO MAR. 1999	15	138	142,000
NOT APPLICABLE	96	213	280,500
Total		12,546	28,318,308

Variable Name AM38_TEL **Length** 1 **Position** 3452

Question Name

Concept Type of contact - H03

Question Interviewer: Is this a telephone or a personal contact?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TELEPHONE	1	11,408	26,174,500
PERSONAL	2	398	1,031,000
NOT APPLICABLE	6	105	108,500
NOT STATED	9	635	1,004,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM38_LP	Length	1	Position	3453
Question Name					
Concept	Language preference of household				
Question					
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ENGLISH		1		9,638	20,750,500
FRENCH		2		2,241	6,690,000
NOT APPLICABLE		6		105	108,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	DHC8_DWE	Length	2	Position	3454 - 3455
Question Name					
Concept	Type of dwelling				
Question	Interviewer: Record type of dwelling. In what type of dwelling are you living?				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
SINGLE DETACHED HOUSE		1		8,355	18,630,000
SEMI-DETACHED OR DOUBLE		2		437	1,369,000
GARDEN HOUSE, TOWNHOUSE OR ROW HOUSE		3		499	1,427,000
DUPLEX		4		427	1,043,000
LOW-RISE APARTMENT		5		1,296	2,900,500
HIGH-RISE APARTMENT		6		511	1,462,000
INSTITUTION		7		105	108,500
COLLECTIVE DWELLING		8		21	37,000
MOBILE HOME		9		838	1,193,000
OTHER		10		56	148,500
DON'T KNOW		97		1	1,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC8_OWN	Length	1	Position	3456
Question Name					
Concept	Dwelling owned by a household member				
Question	Is this dwelling owned by a member of this household (even if being paid for)?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		8,869	20,302,500
NO		2		3,007	7,128,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		3	10,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	DHC8_BED	Length	2	Position	3457 - 3458
Question Name					
Concept	Number of bedrooms				
Question	How many bedrooms are there in this dwelling?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
NUMBER OF BEDROOMS		0 - 30		11,864	27,400,000
NOT APPLICABLE		96		105	108,500
DON'T KNOW		97		3	10,500
REFUSAL		98		11	24,000
NOT STATED		99		563	775,500
		Total		12,546	28,318,308

Variable Name	AM38_SRC	Length	2	Position	3459 - 3460
Question Name					
Concept	Record number of person providing H03 information				
Question					
Universe	All respondents living in a household				
Note					

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM38_LNG **Length** 2 **Position** 3461 - 3462

Question Name

Concept Interview language - H03

Question Interviewer: Record language of interview.

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,697	20,737,500
FRENCH	2	2,256	6,655,500
CHINESE	4	14	72,500
ITALIAN	9	1	3,500
POLISH	12	1	2,500
PORTUGUESE	13	6	34,000
PUNJABI	14	3	24,000
VIETNAMESE	18	3	11,500
OTHER	19	3	8,000
NOT STATED	99	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC8DLVG **Length** 2 **Position** 3463 - 3464

Question Name

Concept Living arrangement of the selected respondent - (D)

Question

Universe All respondents

Note Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL LIVING ALONE	1	2,290	3,483,500
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	214	481,000
LIVING WITH SPOUSE/PARTNER	3	2,621	5,177,000
PAR. LIVING WITH SPOUSE/PARTNER,CHILDREN	4	3,043	7,578,500
SINGLE PAR. LIVING WITH CHILDREN	5	540	1,018,000
CHILD LIVING WITH SINGLE PAR.	6	255	568,500
CHILD LIVING WITH SINGLE PAR., SIBLINGS	7	277	861,000
CHILD LIVING WITH TWO PAR.	8	422	994,000
CHILD LIVING WITH TWO PAR., SIBLINGS	9	1,517	4,991,000
OTHER	10	805	2,396,000
NOT STATED	99	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC8DECF **Length** 2 **Position** 3465 - 3466

Question Name

Concept Type of household - (D)

Question

Universe All respondents

Note Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL	1	2,290	3,483,500
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	243	544,000
COUPLE ALONE	3	2,621	5,177,000
COUPLE, NO DEP. CHILDREN, OTH.	4	71	143,500
COUPLE, CHILDREN < 25	5	4,632	12,557,000
COUPLE, CHILDREN < 25, OTH.	6	516	1,737,000
COUPLE, ALL CHILDREN >= 25	7	297	857,000
COUPLE, ALL CHILDREN >= 25, OTH.	8	75	202,500
FEM. LONE PAR., CHILDREN < 25	9	749	1,722,500
FEM. LONE PAR., CHILDREN < 25, OTH.	10	95	199,500
FEM. LONE PAR., ALL CHILDREN >= 25	11	162	311,500
FEM. LONE PAR., ALL CHILDREN >= 25, OTH.	12	12	23,500
MALE LONE PAR., CHILDREN < 25	13	124	359,500
MALE LONE PAR., CHILDREN < 25, OTH.	14	8	20,500
MALE LONE PAR., ALL CHILDREN >= 25	15	26	38,500
MALE LONE PAR., ALL CHILDREN >= 25, OTH.	16	3	9,500
OTHER HOUSEHOLD TYPES	17	60	161,000
NOT STATED	99	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC8DHSZ **Length** 2 **Position** 3467 - 3468

Question Name

Concept Household size - (D)

Question

Universe All respondents

Note Based on DHC8_MEM. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	1 - 11	11,984	27,548,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

Variable Name DHC8DL12 **Length** 2 **Position** 3469 - 3470

Question Name

Concept Number of persons less than 12 years old in household - (D)

Question

Universe All respondents

Note Based on DHC8_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 6	11,984	27,548,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

Variable Name DHC8DE12 **Length** 2 **Position** 3471 - 3472

Question Name

Concept Number of persons 12 years old in household - (D)

Question

Universe All respondents

Note Based on DHC8_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 2	11,984	27,548,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC8DLE5 **Length** 2 **Position** 3473 - 3474

Question Name

Concept Number of persons 5 years old or less in household - (D)

Question

Universe All respondents

Note Based on DHC8_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 5	11,984	27,548,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

Variable Name DHC8D611 **Length** 2 **Position** 3475 - 3476

Question Name

Concept Number of persons 6 to 11 years old in household - (D)

Question

Universe All respondents

Note Based on DHC8_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 4	11,984	27,548,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

Variable Name SP38_STA **Length** 3 **Position** 3477 - 3479

Question Name

Concept Status code after processing

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
COMPLETED INTERVIEW	000	11,758	26,884,000
PARTIAL INTERVIEW	001	226	664,500
DEATH OF LONGITUDINAL RESPONDENT	028	243	344,000
DEATH OF LONGITUDINAL RESPONDENT (HO)	328	1	1,000
DEATH OF LONGITUDINAL RESPONDENT (HO)	928	318	425,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC8_AGE **Length** 3 **Position** 3480 - 3482

Question Name

Concept Age

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	3 - 99	11,984	27,548,500
NOT STATED	999	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC8GAGE **Length** 2 **Position** 3483 - 3484

Question Name

Concept Age - (G)

Question

Universe All respondents

Note Based on DHC8_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 TO 3 YEARS	1	11	21,500
4 TO 5 YEARS	2	266	735,000
6 TO 9 YEARS	3	544	1,623,000
10 TO 11 YEARS	4	316	886,000
12 TO 14 YEARS	5	424	1,126,500
15 TO 19 YEARS	6	652	2,192,000
20 TO 24 YEARS	7	642	1,830,000
25 TO 29 YEARS	8	761	1,649,000
30 TO 34 YEARS	9	932	2,155,000
35 TO 39 YEARS	10	1,137	2,638,000
40 TO 44 YEARS	11	1,046	2,512,000
45 TO 49 YEARS	12	878	2,142,000
50 TO 54 YEARS	13	831	1,780,500
55 TO 59 YEARS	14	656	1,398,000
60 TO 64 YEARS	15	599	1,223,500
65 TO 69 YEARS	16	623	1,158,000
70 TO 74 YEARS	17	561	882,000
75 TO 79 YEARS	18	511	804,000
80 YEARS OR OLDER	19	594	793,000
NOT STATED	99	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC8_MAR	Length	2	Position	3485 - 3486
Question Name					
Concept	Marital status				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MARRIED		1		5,263	12,143,500
COMMON-LAW		2		663	1,513,000
LIVING WITH A PARTNER		3		39	94,500
SINGLE (NEVER MARRIED)		4		3,909	10,486,000
WIDOWED		5		1,080	1,401,000
SEPARATED		6		346	759,000
DIVORCED		7		684	1,151,500
NOT STATED		99		562	770,000
		Total		12,546	28,318,308

Variable Name	DHC8_FID	Length	1	Position	3487
Question Name					
Concept	Family ID code				
Question					
Universe	All respondents				
Note	Assigned during generic relationship module.				

Variable Name	AM58_STA	Length	1	Position	3488
Question Name					
Concept	Status of general form - H05				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FULLY COMPLETE		1		11,984	27,548,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM58_BDD **Length** 2 **Position** 3489 - 3490

Question Name

Concept Day of interview - H05 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	11,984	27,548,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

Variable Name AM58_BMM **Length** 2 **Position** 3491 - 3492

Question Name

Concept Month of interview - H05 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	1,099	2,219,000
FEBRUARY	2	1,804	5,274,500
MARCH	3	290	786,000
APRIL	4	36	44,000
MAY	5	361	656,500
JUNE	6	2,261	4,630,500
JULY	7	1,279	2,349,000
AUGUST	8	1,443	3,107,000
SEPTEMBER	9	1,028	2,192,500
OCTOBER	10	2,270	6,001,000
NOVEMBER	11	113	288,000
NOT STATED	99	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM58_BYY	Length	4	Position	3493 - 3496
Question Name					
Concept	Year of interview - H05 (start)				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1998		1998		8,654	18,974,500
1999		1999		3,330	8,574,000
NOT STATED		9999		562	770,000
		Total		12,546	28,318,308

Variable Name	AM58_SRC	Length	2	Position	3497 - 3498
Question Name					
Concept	Record number of person providing H05 information				
Question					
Universe	All respondents				
Note					

Variable Name	AM58_PXY	Length	1	Position	3499
Question Name					
Concept	H05 completed by proxy				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
PROXY		1		2,708	7,229,000
NON-PROXY		2		9,276	20,319,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1177

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC8_1 **Length** 1 **Position** 3500
Question Name TWOWK-Q1
Concept Stayed in bed / hospital due to illness / injury
Question During the past 14 days, did you stay in bed at all because of illness or injury, including any nights spent as a patient in a hospital?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	791	1,876,500
NO	2	11,088	25,563,500
NOT APPLICABLE	6	105	108,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC8_2 **Length** 2 **Position** 3501 - 3502

Question Name TWOWK-Q2

Concept Number of days spent in bed

Question During the past 14 days, how many days did you stay in bed for all or most of the day?

Universe Respondents who answered TWC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 DAYS	0	32	76,500
1 DAY	1	281	705,500
2 DAYS	2	197	469,500
3 DAYS	3	83	183,000
4 DAYS	4	41	102,500
5 DAYS	5	24	43,000
6 DAYS	6	15	31,000
7 DAYS	7	30	50,500
8 DAYS	8	5	7,000
9 DAYS	9	2	1,000
10 DAYS	10	13	29,000
11 DAYS	11	2	1,500
12 DAYS	12	3	3,000
14 DAYS	14	63	174,000
NOT APPLICABLE	96	11,193	25,672,000
NOT STATED	99	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1179

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC8_3 **Length** 1 **Position** 3503
Question Name TWOWK-Q3
Concept Cut down on things done due to illness / injury
Question (Not counting days spent in bed) During those 14 days, were there any days that you cut down on things you normally do because of illness or injury?
Universe Respondents who answered TWC8_1=2 or TWC8_2<14

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,427	3,181,500
NO	2	10,389	24,085,000
NOT APPLICABLE	6	168	282,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC8_4 **Length** 2 **Position** 3504 - 3505

Question Name TWOWK-Q4

Concept Number of days cut down on things

Question During the past 14 days, how many days did you cut down on things for all or most of the day?

Universe Respondents who answered TWC8_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 DAYS	0	30	91,000
1 DAY	1	202	526,000
2 DAYS	2	275	644,500
3 DAYS	3	199	424,500
4 DAYS	4	126	259,500
5 DAYS	5	77	166,500
6 DAYS	6	32	79,500
7 DAYS	7	115	239,500
8 DAYS	8	19	34,500
9 DAYS	9	18	42,000
10 DAYS	10	52	142,500
11 DAYS	11	12	20,000
12 DAYS	12	37	81,000
13 DAYS	13	12	22,000
14 DAYS	14	219	404,500
NOT APPLICABLE	96	10,557	24,367,000
DON'T KNOW	97	2	3,000
NOT STATED	99	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1181

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC8_3	Length	1	Position	3506
Question Name	TWOWK-Q5				
Concept	Has regular medical doctor				
Question	Do you have a regular medical doctor?				
Universe	All respondents living in a household				
Note	Formerly TWC8_5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10,499	24,189,500
NO		2		1,379	3,247,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	3,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name TWC8DDDY **Length** 2 **Position** 3507 - 3508

Question Name

Concept Total number of disability days - (D)

Question

Universe All respondents living in a household

Note Based on TWC8_2 and TWC8_4. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 DAYS	0	10,175	23,624,500
1 DAY	1	285	701,500
2 DAYS	2	288	666,000
3 DAYS	3	187	408,500
4 DAYS	4	156	340,500
5 DAYS	5	88	181,000
6 DAYS	6	58	166,000
7 DAYS	7	110	243,500
8 DAYS	8	30	65,000
9 DAYS	9	18	38,000
10 DAYS	10	47	94,000
11 DAYS	11	8	50,000
12 DAYS	12	15	26,000
13 DAYS	13	9	13,000
14 DAYS	14	403	820,000
NOT APPLICABLE	96	105	108,500
NOT STATED	99	564	772,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_1 **Length** 1 **Position** 3509
Question Name UTIL-Q1
Concept Overnight patient
Question In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,090	2,018,000
NO	2	10,893	25,525,500
DON'T KNOW	7	1	5,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name HCC8_1A **Length** 3 **Position** 3510 - 3512
Question Name UTIL-Q1A
Concept Number of nights as patient
Question For how many nights in the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
Universe Respondents who answered HCC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF NIGHTS	1 - 365	980	1,904,000
NOT APPLICABLE	996	10,893	25,525,500
DON'T KNOW	997	5	5,500
NOT STATED	999	668	883,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_2A **Length** 3 **Position** 3513 - 3515
Question Name UTIL-Q2
Concept Number of consultations - family doctor / g.p.
Question (Not counting when you were an overnight patient,) In the past 12 months, how many times have you seen or talked on the telephone with a family doctor or general practitioner about your physical, emotional or mental health?
Universe All respondents living in a household
Note For respondents less than 18 years old, family doctor includes "pediatrician".

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 366	11,868	27,413,000
NOT APPLICABLE	996	105	108,500
DON'T KNOW	997	11	27,000
NOT STATED	999	562	770,000
	Total	12,546	28,318,308

Variable Name HCC8_3A **Length** 2 **Position** 3516 - 3517
Question Name UTIL-Q3
Concept Place of most recent contact - family doctor
Question Where did the most recent contact with a family doctor or general practitioner take place?
Universe Respondents who answered HCC8_2A>0
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR'S OFFICE	1	8,152	17,996,000
HOSPITAL EMERGENCY ROOM	2	250	589,000
HOSPITAL OUTPATIENT CLINIC	3	185	421,500
WALK-IN CLINIC	4	409	1,191,500
APPOINTMENT CLINIC	5	372	937,500
COMMUNITY HEALTH CENTRE / CLSC	6	68	206,000
AT WORK	7	15	48,500
AT SCHOOL	8	4	12,000
AT HOME	9	62	117,500
TELEPHONE CONSULTATION ONLY	10	63	122,500
OTHER	11	17	48,500
NOT APPLICABLE	96	2,376	5,830,500
NOT STATED	99	573	797,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_3C **Length** 2 **Position** 3523 - 3524

Question Name UTIL-Q3

Concept Place of most recent contact - other medical doctor

Question Where did the most recent contact with another medical doctor take place?

Universe Respondents who answered HCC8_2C>0

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR'S OFFICE	1	2,060	4,538,000
HOSPITAL EMERGENCY ROOM	2	130	319,000
HOSPITAL OUTPATIENT CLINIC	3	505	1,190,500
WALK-IN CLINIC	4	53	132,000
APPOINTMENT CLINIC	5	167	389,000
COMMUNITY HEALTH CENTRE / CLSC	6	21	66,500
AT SCHOOL	8	4	10,500
AT HOME	9	5	25,000
TELEPHONE CONSULTATION ONLY	10	18	59,500
OTHER	11	22	38,500
NOT APPLICABLE	96	8,993	20,769,000
NOT STATED	99	568	780,500
Total		12,546	28,318,308

Variable Name HCC8_2D **Length** 3 **Position** 3525 - 3527

Question Name UTIL-Q2

Concept Number of consultations - nurse

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a nurse for care or advice about your physical, emotional or mental health?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 366	11,873	27,428,000
NOT APPLICABLE	996	105	108,500
DON'T KNOW	997	6	12,000
NOT STATED	999	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_3D **Length** 2 **Position** 3528 - 3529

Question Name UTIL-Q3

Concept Place of most recent contact - nurse

Question Where did the most recent contact with a nurse for care or advice take place?

Universe Respondents who answered HCC8_2D>0

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR'S OFFICE	1	158	395,500
HOSPITAL EMERGENCY ROOM	2	67	159,500
HOSPITAL OUTPATIENT CLINIC	3	85	172,500
WALK-IN CLINIC	4	39	77,500
APPOINTMENT CLINIC	5	39	87,000
COMMUNITY HEALTH CENTRE / CLSC	6	146	349,000
AT WORK	7	36	82,500
AT SCHOOL	8	56	162,000
AT HOME	9	211	376,000
TELEPHONE CONSULTATION ONLY	10	134	259,000
OTHER	11	24	48,500
NOT APPLICABLE	96	10,983	25,367,000
NOT STATED	99	568	782,000
Total		12,546	28,318,308

Variable Name HCC8_2E **Length** 3 **Position** 3530 - 3532

Question Name UTIL-Q2

Concept Number of consultations - dentist or orthodontist

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a dentist or orthodontist about your physical, emotional or mental health?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 47	11,873	27,425,000
NOT APPLICABLE	996	105	108,500
DON'T KNOW	997	6	15,000
NOT STATED	999	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_2F **Length** 3 **Position** 3533 - 3535

Question Name UTIL-Q2

Concept Number of consultations - chiropractor

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a chiropractor about your physical, emotional or mental health?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 121	11,874	27,430,000
NOT APPLICABLE	996	105	108,500
DON'T KNOW	997	5	10,000
NOT STATED	999	562	770,000
Total		12,546	28,318,308

Variable Name HCC8_2G **Length** 3 **Position** 3536 - 3538

Question Name UTIL-Q2

Concept Number of consultations - physiotherapist

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a physiotherapist about your physical, emotional or mental health?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 250	11,877	27,436,500
NOT APPLICABLE	996	105	108,500
DON'T KNOW	997	2	3,500
NOT STATED	999	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_2H **Length** 3 **Position** 3539 - 3541
Question Name UTIL-Q2
Concept Number of consultations - social worker or counsellor
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a social worker or counsellor about your physical, emotional or mental health?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 156	11,878	27,440,000
NOT APPLICABLE	996	105	108,500
DON'T KNOW	997	1	1,000
NOT STATED	999	562	770,000
	Total	12,546	28,318,308

Variable Name HCC8_2I **Length** 3 **Position** 3542 - 3544
Question Name UTIL-Q2
Concept Number of consultations - psychologist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone with a psychologist about your physical, emotional or mental health?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 104	11,879	27,440,000
NOT APPLICABLE	996	105	108,500
NOT STATED	999	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8DHPC **Length** 1 **Position** 3549

Question Name

Concept Consultations with health professionals - (D)

Question

Universe All respondents living in a household

Note Based on HCC8_2A to HCC8_2J. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,192	25,955,500
NO	2	685	1,477,500
NOT APPLICABLE	6	105	108,500
NOT STATED	9	564	776,500
Total		12,546	28,318,308

Variable Name HCC8DMDC **Length** 3 **Position** 3550 - 3552

Question Name

Concept Number of consultations with medical doctors - (D)

Question

Universe All respondents living in a household

Note Based on HCC8_2A and HCC8_2C. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 426	11,864	27,407,000
NOT APPLICABLE	996	105	108,500
NOT STATED	999	577	803,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC8_5A	Length	1	Position	3555
Question Name	UTIL-Q5				
Concept	Alternative health care - massage therapist				
Question	Who did you see or talk to? - Massage therapist				
Universe	Respondents who answered HCC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		472	1,041,500
NO		2		354	821,000
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HCC8_5B	Length	1	Position	3556
Question Name	UTIL-Q5				
Concept	Alternative health care - acupuncturist				
Question	Who did you see or talk to? - Acupuncturist				
Universe	Respondents who answered HCC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		182	387,500
NO		2		644	1,475,000
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC8_5C	Length	1	Position	3557
Question Name	UTIL-Q5				
Concept	Alternative health care - homeopath or naturopath				
Question	Who did you see or talk to? - Homeopath or naturopath				
Universe	Respondents who answered HCC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		152	373,500
NO		2		674	1,489,000
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HCC8_5D	Length	1	Position	3558
Question Name	UTIL-Q5				
Concept	Alternative health care - Feldenkrais or Alexander				
Question	Who did you see or talk to? - Feldenkrais or Alexander teacher				
Universe	Respondents who answered HCC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	9,500
NO		2		824	1,853,000
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC8_5E	Length	1	Position	3559
Question Name	UTIL-Q5				
Concept	Alternative health care - relaxation therapist				
Question	Who did you see or talk to? - Relaxation therapist				
Universe	Respondents who answered HCC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		17	36,000
NO		2		809	1,826,500
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HCC8_5F	Length	1	Position	3560
Question Name	UTIL-Q5				
Concept	Alternative health care - biofeedback				
Question	Who did you see or talk to? - Biofeedback teacher				
Universe	Respondents who answered HCC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	1,500
NO		2		824	1,861,000
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC8_5G	Length	1	Position	3561
Question Name	UTIL-Q5				
Concept	Alternative health care - rolfer				
Question	Who did you see or talk to? - Rolfer				
Universe	Respondents who answered HCC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	2,000
NO		2		825	1,860,500
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HCC8_5H	Length	1	Position	3562
Question Name	UTIL-Q5				
Concept	Alternative health care - herbalist				
Question	Who did you see or talk to? - Herbalist				
Universe	Respondents who answered HCC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		58	116,500
NO		2		768	1,746,500
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC8_5I	Length	1	Position	3563
Question Name	UTIL-Q5				
Concept	Alternative health care - reflexologist				
Question	Who did you see or talk to? - Reflexologist				
Universe	Respondents who answered HCC8_4=1				
Note					
Content		Code		Sample	Population
YES		1		32	53,500
NO		2		794	1,809,500
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HCC8_5J	Length	1	Position	3564
Question Name	UTIL-Q5				
Concept	Alternative health care - spiritual healer				
Question	Who did you see or talk to? - Spiritual healer				
Universe	Respondents who answered HCC8_4=1				
Note					
Content		Code		Sample	Population
YES		1		5	11,000
NO		2		821	1,852,000
NOT APPLICABLE		6		11,158	25,686,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_5K **Length** 1 **Position** 3565

Question Name UTIL-Q5

Concept Alternative health care - religious healer

Question Who did you see or talk to? - Religious healer

Universe Respondents who answered HCC8_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	826	1,862,500
NOT APPLICABLE	6	11,158	25,686,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name HCC8_5L **Length** 1 **Position** 3566

Question Name UTIL-Q5

Concept Alternative health care - other

Question Who did you see or talk to? - Other

Universe Respondents who answered HCC8_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	46	89,000
NO	2	780	1,773,500
NOT APPLICABLE	6	11,158	25,686,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_6 **Length** 1 **Position** 3567
Question Name UTIL-Q6
Concept Self perceived unmet health care need
Question During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	654	1,425,500
NO	2	10,085	22,741,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	3	7,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name HCC8_7A **Length** 1 **Position** 3568
Question Name UTIL-Q7
Concept Care not received - not available in area
Question Thinking of the most recent time, why didn't you get care? - Not available - in the area
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	50	95,000
NO	2	602	1,328,500
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_7B **Length** 1 **Position** 3569
Question Name UTIL-Q7
Concept Care not received - not available when required
Question Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g., doctor on holidays, inconvenient hours)
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	189,000
NO	2	552	1,234,500
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

Variable Name HCC8_7C **Length** 1 **Position** 3570
Question Name UTIL-Q7
Concept Care not received - waiting time too long
Question Thinking of the most recent time, why didn't you get care? - Waiting time too long
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	140	312,000
NO	2	512	1,112,000
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_7D **Length** 1 **Position** 3571
Question Name UTIL-Q7
Concept Care not received - felt would be inadequate
Question Thinking of the most recent time, why didn't you get care? - Felt would be inadequate
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	88	173,000
NO	2	564	1,251,000
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

Variable Name HCC8_7E **Length** 1 **Position** 3572
Question Name UTIL-Q7
Concept Care not received - cost
Question Thinking of the most recent time, why didn't you get care? - Cost
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	81	174,500
NO	2	571	1,249,000
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_7F **Length** 1 **Position** 3573
Question Name UTIL-Q7
Concept Care not received - too busy
Question Thinking of the most recent time, why didn't you get care? - Too busy
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	216,000
NO	2	570	1,207,500
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

Variable Name HCC8_7G **Length** 1 **Position** 3574
Question Name UTIL-Q7
Concept Care not received - didn't get around to it
Question Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	96	218,500
NO	2	556	1,205,000
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_7H **Length** 1 **Position** 3575
Question Name UTIL-Q7
Concept Care not received - didn't know where to go
Question Thinking of the most recent time, why didn't you get care? - Didn't know where to go
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	20	41,500
NO	2	632	1,382,000
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

Variable Name HCC8_7I **Length** 1 **Position** 3576
Question Name UTIL-Q7
Concept Care not received - transportation problems
Question Thinking of the most recent time, why didn't you get care? - Transportation problems
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	23	34,000
NO	2	629	1,390,000
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_7J **Length** 1 **Position** 3577

Question Name UTIL-Q7

Concept Care not received - language problem

Question Thinking of the most recent time, why didn't you get care? - Language problems

Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	652	1,423,500
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

Variable Name HCC8_7K **Length** 1 **Position** 3578

Question Name UTIL-Q7

Concept Care not received - personal or family responsibilities

Question Thinking of the most recent time, why didn't you get care? - Personal or family responsibilities

Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	9	16,000
NO	2	643	1,408,000
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_7L **Length** 1 **Position** 3579
Question Name UTIL-Q7
Concept Care not received - dislikes doctors / afraid
Question Thinking of the most recent time, why didn't you get care? - Dislikes doctors / afraid
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12	25,000
NO	2	640	1,398,500
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
	Total	12,546	28,318,308

Variable Name HCC8_7M **Length** 1 **Position** 3580
Question Name UTIL-Q7
Concept Care not received - decided not to seek care
Question Thinking of the most recent time, why didn't you get care? - Decided not to seek care
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	29	75,000
NO	2	623	1,348,500
NOT APPLICABLE	6	11,327	26,115,000
DON'T KNOW	7	1	2,000
REFUSAL	8	1	1,000
NOT STATED	9	565	777,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC8_7N	Length	1	Position	3581
Question Name	UTIL-Q7				
Concept	Care not received - other reason				
Question	Thinking of the most recent time, why didn't you get care? - Other				
Universe	Respondents who answered HCC8_6=1				
Note					
Content		Code		Sample	Population
YES		1		42	88,500
NO		2		610	1,335,000
NOT APPLICABLE		6		11,327	26,115,000
DON'T KNOW		7		1	2,000
REFUSAL		8		1	1,000
NOT STATED		9		565	777,500
		Total		12,546	28,318,308

Variable Name	HCC8_8A	Length	1	Position	3582
Question Name	UTIL-Q8				
Concept	Type of care not received - physical health problem				
Question	Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem				
Universe	Respondents who answered HCC8_6=1				
Note					
Content		Code		Sample	Population
YES		1		491	1,007,500
NO		2		163	418,000
NOT APPLICABLE		6		11,327	26,115,000
NOT STATED		9		565	777,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_8B **Length** 1 **Position** 3583
Question Name UTIL-Q8
Concept Type of care not received - emot. or mental health problem
Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	64	159,000
NO	2	590	1,266,500
NOT APPLICABLE	6	11,327	26,115,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

Variable Name HCC8_8C **Length** 1 **Position** 3584
Question Name UTIL-Q8
Concept Type of care not received - regular check-up
Question Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	37	109,500
NO	2	617	1,316,500
NOT APPLICABLE	6	11,327	26,115,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_8D **Length** 1 **Position** 3585
Question Name UTIL-Q8
Concept Type of care not received - injury
Question Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	59	140,000
NO	2	595	1,285,500
NOT APPLICABLE	6	11,327	26,115,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

Variable Name HCC8_8E **Length** 1 **Position** 3586
Question Name UTIL-Q8
Concept Type of care not received - other
Question Again, thinking of the most recent time, what was the type of care that was needed? - Other
Universe Respondents who answered HCC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	41	77,500
NO	2	613	1,348,000
NOT APPLICABLE	6	11,327	26,115,000
NOT STATED	9	565	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC8_9	Length	1	Position	3587
Question Name	UTIL-Q9				
Concept	Received home care services				
Question	Have you received any home care services in the past 12 months?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		392	642,000
NO		2		9,543	21,148,500
NOT APPLICABLE		6		2,048	5,756,500
DON'T KNOW		7		1	1,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HCC8_10A	Length	1	Position	3588
Question Name	UTIL-Q10				
Concept	Home care received - nursing care				
Question	What type of services have you received? - Nursing care (e.g., dressing changes, VON)				
Universe	Respondents who answered HCC8_9=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		154	263,500
NO		2		238	378,000
NOT APPLICABLE		6		11,591	26,905,000
NOT STATED		9		563	771,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_10B **Length** 1 **Position** 3589
Question Name UTIL-Q10
Concept Home care received - other health care
Question What type of services have you received? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC8_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	41	80,500
NO	2	351	561,500
NOT APPLICABLE	6	11,591	26,905,000
NOT STATED	9	563	771,500
Total		12,546	28,318,308

Variable Name HCC8_10C **Length** 1 **Position** 3590
Question Name UTIL-Q10
Concept Home care received - personal care
Question What type of services have you received? - Personal care (e.g., bathing, foot care)
Universe Respondents who answered HCC8_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	130	226,500
NO	2	262	415,500
NOT APPLICABLE	6	11,591	26,905,000
NOT STATED	9	563	771,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_10D **Length** 1 **Position** 3591

Question Name UTIL-Q10

Concept Home care received - housework

Question What type of services have you received? - Housework (e.g., cleaning, laundry)

Universe Respondents who answered HCC8_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	202	288,500
NO	2	190	353,500
NOT APPLICABLE	6	11,591	26,905,000
NOT STATED	9	563	771,500
	Total	12,546	28,318,308

Variable Name HCC8_10E **Length** 1 **Position** 3592

Question Name UTIL-Q10

Concept Home care received - meal preparation or delivery

Question What type of services have you received? - Meal preparation or delivery

Universe Respondents who answered HCC8_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	85	114,500
NO	2	307	527,500
NOT APPLICABLE	6	11,591	26,905,000
NOT STATED	9	563	771,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_10F **Length** 1 **Position** 3593
Question Name UTIL-Q10
Concept Home care received - shopping
Question What type of services have you received? - Shopping
Universe Respondents who answered HCC8_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	27	36,000
NO	2	365	606,000
NOT APPLICABLE	6	11,591	26,905,000
NOT STATED	9	563	771,500
	Total	12,546	28,318,308

Variable Name HCC8_10G **Length** 1 **Position** 3594
Question Name UTIL-Q10
Concept Home care received - respite care
Question What type of services have you received? - Respite care (i.e. caregiver relief program)
Universe Respondents who answered HCC8_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	26	41,500
NO	2	366	600,500
NOT APPLICABLE	6	11,591	26,905,000
NOT STATED	9	563	771,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC8_10H **Length** 1 **Position** 3595
Question Name UTIL-Q10
Concept Home care received - other
Question What type of services have you received? - Other
Universe Respondents who answered HCC8_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12	20,500
NO	2	380	621,500
NOT APPLICABLE	6	11,591	26,905,000
NOT STATED	9	563	771,500
	Total	12,546	28,318,308

Variable Name HCC8_11 **Length** 1 **Position** 3596
Question Name UTIL-Q11
Concept Received health care services in the U.S.
Question In the past 12 months, did you receive any health care services in the United States?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	69	150,500
NO	2	11,810	27,289,500
NOT APPLICABLE	6	105	108,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC8_1A **Length** 1 **Position** 3599

Question Name RESTR-Q1

Concept Limited in kind / amount of activities - at home

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at home?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,520	2,738,000
NO	2	10,426	24,747,000
DON'T KNOW	7	1	2,500
NOT STATED	9	599	830,500
Total		12,546	28,318,308

Variable Name RAC8_1B **Length** 1 **Position** 3600

Question Name RESTR-Q1

Concept Limited in kind / amount of activities - at school

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at school?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	106	284,500
NO	2	3,322	9,224,000
N/A ACCORDING TO RESPONDENT	3	8,508	17,957,500
NOT APPLICABLE	6	11	21,500
NOT STATED	9	599	830,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC8_1C **Length** 1 **Position** 3601
Question Name RESTR-Q1
Concept Limited in kind / amount of activities - at work
Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at work?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	468	996,500
NO	2	6,603	15,850,500
N/A ACCORDING TO RESPONDENT	3	3,738	7,371,500
NOT APPLICABLE	6	1,137	3,265,500
DON'T KNOW	7	1	3,500
NOT STATED	9	599	830,500
	Total	12,546	28,318,308

Variable Name RAC8_1D **Length** 1 **Position** 3602
Question Name RESTR-Q1
Concept Limited in kind / amount of activities - other
Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do in other activities such as transportation to or from work or school or leisure time activities?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,337	2,591,500
NO	2	10,610	24,896,000
NOT STATED	9	599	830,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC8_2	Length	1	Position	3603
Question Name	RESTR-Q2				
Concept	Has long-term disabilities or handicaps				
Question	Do you have any long-term disabilities or handicaps?				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,720	3,343,500
NO		2		10,224	24,141,000
DON'T KNOW		7		3	3,000
NOT STATED		9		599	830,500
		Total		12,546	28,318,308

Variable Name	RAC8F1	Length	1	Position	3604
Question Name					
Concept	Flag for restriction of activity				
Question					
Universe	All respondents				
Note	Based on RAC8_1A to RAC8_1D and RAC8_2 . In the calculation of Cycle 1 (1994) Restriction of Activity Flag, the category "No" included "Don't Know" and "Refusal" but in Cycle 2 (1996) and beyond, the category "No" was only responses of "No. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,440	4,688,000
NO		2		9,543	22,857,500
NOT STATED		9		563	772,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC8F2	Length	1	Position	3605
Question Name					
Concept	Restriction of activity flag (excl. long-term disability)				
Question					
Universe	All respondents				
Note	Based on RAC8_1A to RAC8_1D. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,914	3,631,500
NO		2		10,032	23,853,500
NOT STATED		9		600	833,500
		Total		12,546	28,318,308

Variable Name	RAC8F3	Length	1	Position	3606
Question Name	RESTR-Q3				
Concept	Flag for problem causing limitation or handicap				
Question	What is the main condition or health problem causing you (to be limited in your activities / to have a long-term disability or handicap)?				
Universe	Respondents with RAC8F1=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,395	4,614,500
NOT APPLICABLE		6		9,543	22,857,500
DON'T KNOW		7		4	8,500
NOT STATED		9		604	837,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC8CIC	Length	5	Position	3607 - 3611
Question Name	RESTR-Q3				
Concept	ICD-9 code - main health problem causing limitations				
Question					
Universe	Respondents with RAC8F1=1				
Note	Based on the International Classification of Diseases, 9th revision (ICD-9).				
Content		Code		Sample	Population
ICD-9 CODE		0V222 - 9953		2,383	4,585,000
NOT APPLICABLE		99996		9,543	22,857,500
DON'T KNOW		99997		4	8,500
NOT STATED		99999		616	867,000
		Total		12,546	28,318,308

Variable Name	RAC8GC12	Length	2	Position	3612 - 3613
Question Name					
Concept	Main health problem - 12 groups - (D,G)				
Question					
Universe	Respondents with RAC8F1=1				
Note	Based on RAC8CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.				
Content		Code		Sample	Population
DISEASES OF NERVOUS SYSTEM AND SENSES		1		410	838,500
ISCHEMIC HEART DISEASE		2		41	77,000
OTHER HEART CONDITIONS		3		157	274,500
OTHER CIRCULATORY DISEASES		4		81	125,000
DISEASES OF RESPIRATORY/DIGESTIVE SYSTEM		5		212	406,500
ARTHRITIS - LIMBS		6		43	86,000
ARTHRITIS - BACK AND SPINE		7		20	32,000
ARTHRITIS - OTHER AND UNSPECIFIED		8		265	414,000
DISEASES OF THE MSCT - LIMBS		9		270	591,000
DISEASES OF THE MSCT - BACK AND SPINE		10		334	693,000
DISEASES OF THE MSCT - OTHER		11		84	146,500
OTHER		12		466	901,000
NOT APPLICABLE		96		9,543	22,857,500
NOT STATED		99		620	875,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC8GC25 **Length** 2 **Position** 3614 - 3615

Question Name

Concept Main health problem - 25 groups - (D,G)

Question

Universe Respondents with RAC8F1=1

Note Based on RAC8CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MENTAL RETARDATION	1	12	28,500
MENTAL DISORDERS	2	109	245,500
SIGHT DISORDER	3	73	123,000
HEARING DISORDER	4	65	116,000
OTHER DISORDERS OF NERVOUS SYSTEM	5	151	325,500
HYPERTENSIVE DISEASE	6	18	34,000
ISCHEMIC HEART DISEASE	7	41	77,000
OTHER HEART CONDITIONS	8	139	240,000
OTHER CIRCULATORY DISORDERS	9	81	125,000
BRONCHITIS AND EMPHYSEMA	10	24	41,500
ASTHMA	11	98	179,000
OTHER RESPIRATORY DISORDERS	12	44	85,500
DISORDERS OF DIGESTIVE SYSTEM	13	46	100,000
INFECTIOUS AND PARASITIC DISEASES	14	24	35,000
ARTHRITIS - LOWER LIMBS	15	37	77,000
ARTHRITIS - UPPER LIMBS	16	6	9,000
ARTHRITIS - BACK AND SPINE	17	20	32,000
ARTHRITIS - OTHER AND UNSPECIFIED	18	265	414,000
MUSC. SKELETAL - LOWER LIMBS	19	187	413,500
MUSC. SKELETAL - UPPER LIMBS	20	83	177,500
MUSC. SKELETAL - BACK AND SPINE	21	334	693,000
MUSC. SKELETAL - OTHER	22	84	146,500
NEOPLASMS	23	47	99,500
ENDOCRINE, NUTRITIONAL, ETC.	24	60	119,000
OTHER	25	335	647,500
NOT APPLICABLE	96	9,543	22,857,500
NOT STATED	99	620	875,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC8_2A **Length** 1 **Position** 3616
Question Name RESTR-Q2A
Concept New activity restriction or worsening of old one
Question During our last interview there were no activity restrictions or disabilities reported for you, BUT this time there were. Is this due to a new activity restriction or disability or to the worsening of an old one?
Universe Respondents aged 12 and over with RAC6F1=2 and RAC8F1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEW SINCE LAST INTERVIEW	1	345	720,500
WORSENING SINCE LAST INTERVIEW	2	210	433,500
SAME ACTIVITY RESTRICTION OR DISABILITY	4	91	173,000
OTHER	5	25	36,000
NOT APPLICABLE	6	11,302	26,150,500
NOT STATED	9	573	804,500
Total		12,546	28,318,308

Variable Name RAC8_2B **Length** 2 **Position** 3617 - 3618
Question Name RESTR-Q2B
Concept Disappearance or improvement of activity restriction
Question During our last interview ... reported for you, BUT this time there were not. Is this due to the disappearance or improvement of an old activity restriction or disability, to the use of special equipment (e.g., artificial limb), or to something else?
Universe Respondents aged 12 and over with RAC6F1=1 and RAC8F1=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DISAPPEARED OR IMPROVED	1	488	1,046,500
CURRENTLY USES SPECIAL EQUIPMENT	2	3	4,500
NONE AT LAST INTERVIEW	3	66	147,500
NEVER HAD	4	27	103,500
CURR. HAVE / HAS ACTIVITY REST. / DISAB.	5	37	61,000
OTHER	6	29	77,500
NOT APPLICABLE	96	11,300	26,037,000
NOT STATED	99	596	840,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC8_6B	Length	1	Position	3622
Question Name	RESTR-Q6B				
Concept	Needs help for - shopping for necessities				
Question	Because of any condition or health problem, do you need the help of another person in shopping for groceries or other necessities?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		533	944,500
NO		2		10,208	23,227,500
NOT APPLICABLE		6		1,242	3,374,000
NOT STATED		9		563	772,500
		Total		12,546	28,318,308

Variable Name	RAC8_6C	Length	1	Position	3623
Question Name	RESTR-Q6C				
Concept	Needs help for - housework				
Question	Because of any condition or health problem, do you need the help of another person in doing normal everyday housework?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		626	1,113,000
NO		2		10,115	23,059,000
NOT APPLICABLE		6		1,242	3,374,000
NOT STATED		9		563	772,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC8_6D	Length	1	Position	3624
Question Name	RESTR-Q6D				
Concept	Needs help for - heavy household chores				
Question	Because of any condition or health problem, do you need the help of another person in doing heavy household chores such as washing walls or yard work?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,524	2,666,000
NO		2		9,215	21,500,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		2	6,000
NOT STATED		9		563	772,500
		Total		12,546	28,318,308

Variable Name	RAC8_6E	Length	1	Position	3625
Question Name	RESTR-Q6E				
Concept	Needs help for - personal care				
Question	Because of any condition or health problem, do you need the help of another person in personal care such as washing, dressing or eating?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		287	467,000
NO		2		10,559	23,813,500
NOT APPLICABLE		6		1,137	3,265,500
NOT STATED		9		563	772,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCK8_1 **Length** 1 **Position** 3628
Question Name CHR-QK1A
Concept Frequency of infections - nose or throat
Question Thinking now about illnesses, how often does he / she have nose or throat infections?
Universe Respondents aged 0 to 3 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FROM TIME TO TIME	3	2	9,000
RARELY	4	6	8,500
NEVER	5	3	4,000
NOT APPLICABLE	6	11,973	27,527,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name CCK8_2 **Length** 1 **Position** 3629
Question Name CHR-QK1B
Concept Has had otitis
Question Has he / she ever had otitis (an inner ear infection)?
Universe Respondents aged 0 to 3 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	13,500
NO	2	5	8,500
NOT APPLICABLE	6	11,973	27,527,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCK8_3 **Length** 1 **Position** 3630
Question Name CHR-QK1C
Concept Number of times had otitis since birth
Question How many times since birth has he / she had otitis (an inner ear infection)?
Universe Respondents who answered CCK8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ONCE	1	1	1,000
3 TIMES	3	4	8,500
4 OR MORE TIMES	4	1	4,500
NOT APPLICABLE	6	11,978	27,535,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name CCC8_1A **Length** 1 **Position** 3631
Question Name CHR-Q1
Concept Has food allergies
Question Do you have food allergies?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	882	1,988,000
NO	2	10,994	25,444,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	3	8,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1B	Length	1	Position	3632
Question Name	CHR-Q1				
Concept	Has allergies other than food allergies				
Question	Do you have any other allergies?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		2,788	6,518,500
NO		2		9,086	20,910,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		5	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_1C	Length	1	Position	3633
Question Name	CHR-Q1				
Concept	Has asthma				
Question	Do you have asthma?				
Universe	All respondents				
Note					
Content		Code		Sample	Population
YES		1		1,008	2,447,500
NO		2		10,974	25,099,500
DON'T KNOW		7		2	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_C1 **Length** 1 **Position** 3634
Question Name CHR-Q1C1
Concept Asthma - condition disappeared
Question During our last interview, it was reported that you had asthma, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC6_1C=1 and CCC8_1C=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	53	132,500
NEVER HAD ASTHMA	3	27	62,500
NOT APPLICABLE	6	11,863	27,264,000
NOT STATED	9	603	859,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_C2M **Length** 2 **Position** 3635 - 3636
Question Name CHR-Q1C2
Concept Asthma - month condition disappeared
Question When did it "asthma" disappear? - Month
Universe Respondents who answered CCC8_C1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	3	3,500
FEBRUARY	2	4	11,500
MARCH	3	2	6,000
APRIL	4	1	3,500
MAY	5	1	1,000
JUNE	6	13	48,500
JULY	7	5	16,000
AUGUST	8	7	9,000
SEPTEMBER	9	4	7,000
OCTOBER	10	1	4,000
NOVEMBER	11	3	3,500
DECEMBER	12	6	12,500
NOT APPLICABLE	96	11,890	27,326,000
DON'T KNOW	97	3	6,500
NOT STATED	99	603	859,500
Total		12,546	28,318,308

Variable Name CCC8_C2Y **Length** 4 **Position** 3637 - 3640
Question Name CHR-Q1C2
Concept Asthma - year condition disappeared
Question When did it "asthma" disappear? - Year
Universe Respondents who answered CCC8_C1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1996 - 1998	51	127,000
NOT APPLICABLE	9996	11,890	27,326,000
DON'T KNOW	9997	2	5,000
NOT STATED	9999	603	859,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_C3M **Length** 2 **Position** 3641 - 3642
Question Name CHR-Q1C3
Concept Asthma - month diagnosed
Question When were you diagnosed with this "asthma"? - Month
Universe Respondents aged 12 and over who answered CCC6_1C=2 and CCC8_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	35	109,000
FEBRUARY	2	11	30,500
MARCH	3	7	18,500
APRIL	4	9	11,500
MAY	5	13	29,000
JUNE	6	26	42,500
JULY	7	9	16,000
AUGUST	8	12	73,000
SEPTEMBER	9	20	52,500
OCTOBER	10	14	27,500
NOVEMBER	11	9	15,000
DECEMBER	12	5	6,500
NOT APPLICABLE	96	11,795	27,078,500
DON'T KNOW	97	8	13,500
NOT STATED	99	573	795,000
Total		12,546	28,318,308

Variable Name CCC8_C3Y **Length** 4 **Position** 3643 - 3646
Question Name CHR-Q1C3
Concept Asthma - year diagnosed
Question When were you diagnosed with this "asthma"? - Year
Universe Respondents aged 12 and over who answered CCC6_1C=2 and CCC8_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1947 - 1999	176	445,000
NOT APPLICABLE	9996	11,795	27,078,500
DON'T KNOW	9997	2	1,000
NOT STATED	9999	573	795,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_C4	Length	1	Position	3647
Question Name	CHR-Q1C4				
Concept	Asthma - had prior to last interview				
Question	So you had asthma prior to our last interview?				
Universe	Respondents aged 12 and over with the condition prior to last interview living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		79	231,000
NO		2		4	4,000
NOT APPLICABLE		6		11,891	27,296,000
NOT STATED		9		572	787,500
		Total		12,546	28,318,308

Variable Name	CCC8_C5	Length	1	Position	3648
Question Name	CHR-Q1C5				
Concept	Asthma - had symptoms or attacks				
Question	Have you had any asthma symptoms or asthma attacks in the past 12 months?				
Universe	Respondents who answered CCC8_1C=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		609	1,432,500
NO		2		389	998,000
NOT APPLICABLE		6		10,983	25,111,000
NOT STATED		9		565	777,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_C6 **Length** 1 **Position** 3649
Question Name CHR-Q1C6
Concept Asthma - took medication
Question In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?
Universe Respondents who answered CCC8_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	769	1,857,500
NO	2	229	572,500
NOT APPLICABLE	6	10,983	25,111,000
NOT STATED	9	565	777,000
Total		12,546	28,318,308

Variable Name CCC8_1D **Length** 1 **Position** 3650
Question Name CHR-Q1
Concept Has arthritis or rheumatism
Question Do you have arthritis or rheumatism?
Universe Respondents aged 12 and over

Note The list of chronic conditions changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,234	3,889,000
NO	2	8,603	20,380,000
NOT APPLICABLE	6	1,137	3,265,500
DON'T KNOW	7	9	13,500
NOT STATED	9	563	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_D1 **Length** 1 **Position** 3651
Question Name CHR-Q1D1
Concept Arthritis / rheum. - condition disappeared
Question During our last interview, it was reported that you had arthritis or rheumatism, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC6_1D=1 and CCC8_1D=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	101	186,500
NEVER HAD ARTHRITIS / RHEUMATISM	3	98	203,000
NOT APPLICABLE	6	11,711	26,963,000
DON'T KNOW	7	2	1,000
NOT STATED	9	634	965,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_D2M **Length** 2 **Position** 3652 - 3653

Question Name CHR-Q1D2

Concept Arthritis / rheum. - month condition disappeared

Question When did it "arthritis or rheumatism" disappear? - Month

Universe Respondents who answered CCC8_D1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	12	30,000
FEBRUARY	2	8	15,500
MARCH	3	4	2,000
APRIL	4	3	4,000
MAY	5	6	15,500
JUNE	6	21	35,000
JULY	7	8	11,500
AUGUST	8	5	7,000
SEPTEMBER	9	7	14,500
OCTOBER	10	7	21,000
NOVEMBER	11	3	5,000
DECEMBER	12	9	16,000
NOT APPLICABLE	96	11,809	27,165,500
DON'T KNOW	97	7	8,500
REFUSAL	98	1	1,000
NOT STATED	99	636	966,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_D2Y **Length** 4 **Position** 3654 - 3657
Question Name CHR-Q1D2
Concept Arthritis / rheum. - year condition disappeared
Question When did it "arthritis or rheumatism" disappear? - Year
Universe Respondents who answered CCC8_D1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1996 - 1999	96	181,000
NOT APPLICABLE	9996	11,809	27,165,500
DON'T KNOW	9997	4	4,000
REFUSAL	9998	1	1,000
NOT STATED	9999	636	966,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_D3M **Length** 2 **Position** 3658 - 3659
Question Name CHR-Q1D3
Concept Arthritis / rheum. - month diagnosed
Question When were you diagnosed with this "arthritis or rheumatism"? - Month
Universe Respondents aged 12 and over who answered CCC6_1D=2 and CCC8_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	63	144,500
FEBRUARY	2	32	97,000
MARCH	3	26	78,500
APRIL	4	29	41,500
MAY	5	33	62,500
JUNE	6	79	145,000
JULY	7	31	48,000
AUGUST	8	20	58,000
SEPTEMBER	9	44	76,000
OCTOBER	10	40	70,500
NOVEMBER	11	25	53,000
DECEMBER	12	20	37,000
NOT APPLICABLE	96	11,503	26,559,000
DON'T KNOW	97	34	71,000
NOT STATED	99	567	776,500
Total		12,546	28,318,308

Variable Name CCC8_D3Y **Length** 4 **Position** 3660 - 3663
Question Name CHR-Q1D3
Concept Arthritis / rheum. - year diagnosed
Question When were you diagnosed with this "arthritis or rheumatism"? - Year
Universe Respondents aged 12 and over who answered CCC6_1D=2 and CCC8_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1934 - 1999	473	978,500
NOT APPLICABLE	9996	11,503	26,559,000
DON'T KNOW	9997	3	5,000
NOT STATED	9999	567	776,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_D4	Length	1	Position	3664
Question Name	CHR-Q1D4				
Concept	Arthritis / rheum. - had prior to last interview				
Question	So you had arthritis or rheumatism prior to our last interview?				
Universe	Respondents aged 12 and over with the condition prior to last interview living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		193	379,000
NO		2		4	15,500
NOT APPLICABLE		6		11,747	27,076,000
DON'T KNOW		7		1	1,000
NOT STATED		9		601	847,500
		Total		12,546	28,318,308

Variable Name	CCC8_D5	Length	1	Position	3665
Question Name	CHR-Q1D5				
Concept	Arthritis / rheum. - received treatment or medication				
Question	Do you receive any treatment or medication for your arthritis or rheumatism?				
Universe	Respondents who answered CCC8_1D=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,042	1,858,000
NO		2		1,111	1,907,000
NOT APPLICABLE		6		9,799	23,709,000
DON'T KNOW		7		2	5,500
NOT STATED		9		592	838,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_D6A **Length** 1 **Position** 3666
Question Name CHR-Q1D6
Concept Arthritis / rheum. treatment - drug
Question What kind of treatment or medication? - Drug
Universe Respondents who answered CCC8_D5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	925	1,641,500
NO	2	117	217,000
NOT APPLICABLE	6	10,910	25,616,000
NOT STATED	9	594	844,000
	Total	12,546	28,318,308

Variable Name CCC8_D6B **Length** 1 **Position** 3667
Question Name CHR-Q1D6
Concept Arthritis / rheum. treatment - diet
Question What kind of treatment or medication? - Diet
Universe Respondents who answered CCC8_D5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	91	187,000
NO	2	951	1,671,000
NOT APPLICABLE	6	10,910	25,616,000
NOT STATED	9	594	844,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_D6D	Length	1	Position	3668
Question Name	CHR-Q1D6				
Concept	Arthritis / rheum. treatment - exercise / physiotherapy				
Question	What kind of treatment or medication? - Exercise / physiotherapy				
Universe	Respondents who answered CCC8_D5=1				
Note					
Content		Code		Sample	Population
YES		1		193	380,500
NO		2		849	1,477,500
NOT APPLICABLE		6		10,910	25,616,000
NOT STATED		9		594	844,000
		Total		12,546	28,318,308

Variable Name	CCC8_D6C	Length	1	Position	3669
Question Name	CHR-Q1D6				
Concept	Arthritis / rheum. treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC8_D5=1				
Note					
Content		Code		Sample	Population
YES		1		89	154,500
NO		2		953	1,703,500
NOT APPLICABLE		6		10,910	25,616,000
NOT STATED		9		594	844,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1E	Length	1	Position	3670
Question Name	CHR-Q1				
Concept	Has back problems excluding arthritis				
Question	Do you have back problems, excluding arthritis?				
Universe	Respondents aged 12 and over living in a household				
Note	The list of chronic conditions changed in Cycle 4 (2000).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,609	3,459,500
NO		2		9,133	20,715,000
NOT APPLICABLE		6		1,242	3,374,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_1F	Length	1	Position	3671
Question Name	CHR-Q1				
Concept	Has high blood pressure				
Question	Do you have high blood pressure?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,542	2,687,000
NO		2		9,290	21,570,500
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		15	25,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_F1 **Length** 1 **Position** 3672
Question Name CHR-Q1F1
Concept High blood pressure - condition disappeared
Question During our last interview, it was reported that you had high blood pressure, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC6_1F=1 and CCC8_1F=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	121	204,500
NEVER HAD HIGH BLOOD PRESSURE	3	21	56,000
NOT APPLICABLE	6	11,811	27,223,000
NOT STATED	9	593	834,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_F2M **Length** 2 **Position** 3673 - 3674
Question Name CHR-Q1F2
Concept High blood pressure - month condition disappeared
Question When did it "high blood pressure" disappear? - Month
Universe Respondents who answered CCC8_F1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	14	26,000
FEBRUARY	2	13	15,500
MARCH	3	8	11,000
APRIL	4	4	7,000
MAY	5	7	20,000
JUNE	6	14	28,500
JULY	7	11	15,500
AUGUST	8	4	7,500
SEPTEMBER	9	15	20,000
OCTOBER	10	9	17,500
NOVEMBER	11	8	13,000
DECEMBER	12	8	14,500
NOT APPLICABLE	96	11,832	27,279,500
DON'T KNOW	97	6	9,000
NOT STATED	99	593	834,500
Total		12,546	28,318,308

Variable Name CCC8_F2Y **Length** 4 **Position** 3675 - 3678
Question Name CHR-Q1F2
Concept High blood pressure - year condition disappeared
Question When did it "high blood pressure" disappear? - Year
Universe Respondents who answered CCC8_F1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1996 - 1999	119	203,000
NOT APPLICABLE	9996	11,832	27,279,500
DON'T KNOW	9997	2	2,000
NOT STATED	9999	593	834,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_F3M **Length** 2 **Position** 3679 - 3680
Question Name CHR-Q1F3
Concept High blood pressure - month diagnosed
Question When were you diagnosed with this "high blood pressure" ? - Month
Universe Respondents aged 12 and over who answered CCC6_1F=2 and CCC8_1F=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	49	97,500
FEBRUARY	2	16	49,500
MARCH	3	17	36,500
APRIL	4	21	38,000
MAY	5	31	51,500
JUNE	6	44	60,500
JULY	7	28	44,500
AUGUST	8	19	28,000
SEPTEMBER	9	33	78,000
OCTOBER	10	28	43,500
NOVEMBER	11	18	30,500
DECEMBER	12	33	60,500
NOT APPLICABLE	96	11,618	26,878,000
DON'T KNOW	97	20	37,000
REFUSAL	98	1	1,000
NOT STATED	99	570	783,500
Total		12,546	28,318,308

Variable Name CCC8_F3Y **Length** 4 **Position** 3681 - 3684
Question Name CHR-Q1F3
Concept High blood pressure - year diagnosed
Question When were you diagnosed with this "high blood pressure" ? - Year
Universe Respondents aged 12 and over who answered CCC6_1F=2 and CCC8_1F=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1913 - 1999	358	656,500
NOT APPLICABLE	9996	11,618	26,878,000
NOT STATED	9999	570	783,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_F4	Length	1	Position	3685
Question Name	CHR-Q1F4				
Concept	High blood pressure - had prior to last interview				
Question	So you had high blood pressure prior to our last interview?				
Universe	Respondents aged 12 and over with the condition prior to last interview living in a household				
Note					
Content		Code		Sample	Population
YES		1		93	178,000
NO		2		1	1,500
NOT APPLICABLE		6		11,859	27,313,000
NOT STATED		9		593	826,000
		Total		12,546	28,318,308

Variable Name	CCC8_F5	Length	1	Position	3686
Question Name	CHR-Q1F5				
Concept	High blood pressure - received treatment or medication				
Question	Do you receive any treatment or medication for your high blood pressure?				
Universe	Respondents who answered CCC8_1F=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,317	2,297,500
NO		2		186	342,000
NOT APPLICABLE		6		10,468	24,876,000
DON'T KNOW		7		2	1,500
NOT STATED		9		573	801,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_F6A	Length	1	Position	3687
Question Name	CHR-Q1F6				
Concept	High blood pressure treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC8_F5=1				
Note					
Content		Code		Sample	Population
YES		1		1,293	2,245,500
NO		2		24	52,000
NOT APPLICABLE		6		10,654	25,218,000
NOT STATED		9		575	803,000
		Total		12,546	28,318,308

Variable Name	CCC8_F6B	Length	1	Position	3688
Question Name	CHR-Q1F6				
Concept	High blood pressure treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC8_F5=1				
Note					
Content		Code		Sample	Population
YES		1		199	364,500
NO		2		1,118	1,933,000
NOT APPLICABLE		6		10,654	25,218,000
NOT STATED		9		575	803,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1247

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_F6D **Length** 1 **Position** 3689

Question Name CHR-Q1F6

Concept High blood pressure treatment - exercise / physiotherapy

Question What kind of treatment or medication? - Exercise / physiotherapy

Universe Respondents who answered CCC8_F5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	176,000
NO	2	1,217	2,121,500
NOT APPLICABLE	6	10,654	25,218,000
NOT STATED	9	575	803,000
	Total	12,546	28,318,308

Variable Name CCC8_F6C **Length** 1 **Position** 3690

Question Name CHR-Q1F6

Concept High blood pressure treatment - other

Question What kind of treatment or medication? - Other

Universe Respondents who answered CCC8_F5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	9,500
NO	2	1,309	2,288,000
NOT APPLICABLE	6	10,654	25,218,000
NOT STATED	9	575	803,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1G	Length	1	Position	3691
Question Name	CHR-Q1				
Concept	Has migraine headaches				
Question	Do you have migraine headaches?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		846	1,920,000
NO		2		9,894	22,253,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		2	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_G1	Length	1	Position	3692
Question Name	CHR-Q1G1				
Concept	Migraines - condition disappeared				
Question	During our last interview, it was reported that you had migraine headaches, but this time it was not. Has the condition disappeared since then?				
Universe	Non-proxy respondents aged 12 and over who answered CCC6_1G=1 and CCC8_1G=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		138	318,500
NEVER HAD MIGRAINE HEADACHES		3		30	69,000
NOT APPLICABLE		6		11,780	27,083,000
DON'T KNOW		7		1	4,500
NOT STATED		9		597	843,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_G2M **Length** 2 **Position** 3693 - 3694
Question Name CHR-Q1G2
Concept Migraines - month condition disappeared
Question When did it "migraine headaches" disappear? - Month
Universe Respondents who answered CCC8_G1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	13	30,000
FEBRUARY	2	20	46,500
MARCH	3	9	18,000
APRIL	4	8	16,500
MAY	5	4	11,500
JUNE	6	23	47,000
JULY	7	10	27,500
AUGUST	8	7	9,000
SEPTEMBER	9	14	35,000
OCTOBER	10	9	12,500
NOVEMBER	11	8	31,500
DECEMBER	12	11	29,500
NOT APPLICABLE	96	11,810	27,152,000
DON'T KNOW	97	2	4,000
NOT STATED	99	598	847,500
Total		12,546	28,318,308

Variable Name CCC8_G2Y **Length** 4 **Position** 3695 - 3698
Question Name CHR-Q1G2
Concept Migraines - year condition disappeared
Question When did it "migraine headaches" disappear? - Year
Universe Respondents who answered CCC8_G1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1996 - 1998	138	318,500
NOT APPLICABLE	9996	11,810	27,152,000
NOT STATED	9999	598	847,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_G3M **Length** 2 **Position** 3699 - 3700

Question Name CHR-Q1G3

Concept Migraines - month diagnosed

Question When were you diagnosed with this "migraine headaches"? - Month

Universe Respondents aged 12 and over who answered CCC6_1G=2 and CCC8_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	49	132,000
FEBRUARY	2	11	29,500
MARCH	3	6	12,000
APRIL	4	10	17,500
MAY	5	17	26,000
JUNE	6	36	90,500
JULY	7	16	65,000
AUGUST	8	12	29,000
SEPTEMBER	9	18	34,500
OCTOBER	10	15	38,500
NOVEMBER	11	9	15,500
DECEMBER	12	7	16,500
NOT APPLICABLE	96	11,756	26,987,000
DON'T KNOW	97	19	50,500
NOT STATED	99	565	774,500
	Total	12,546	28,318,308

Variable Name CCC8_G3Y **Length** 4 **Position** 3701 - 3704

Question Name CHR-Q1G3

Concept Migraines - year diagnosed

Question When were you diagnosed with this "migraine headaches"? - Year

Universe Respondents aged 12 and over who answered CCC6_1G=2 and CCC8_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1930 - 1999	224	553,500
NOT APPLICABLE	9996	11,756	26,987,000
DON'T KNOW	9997	1	3,000
NOT STATED	9999	565	774,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_G4 **Length** 1 **Position** 3705

Question Name CHR-Q1G4

Concept Migraines - had prior to last interview

Question So you had migraine headaches prior to our last interview?

Universe Respondents aged 12 and over with the condition prior to last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	97	253,500
NOT APPLICABLE	6	11,863	27,234,500
NOT STATED	9	586	830,500
	Total	12,546	28,318,308

Variable Name CCC8_G5 **Length** 1 **Position** 3706

Question Name CHR-Q1G5

Concept Migraines - received treatment or medication

Question Do you receive any treatment or medication for your migraine headaches?

Universe Respondents who answered CCC8_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	440	1,010,000
NO	2	396	886,000
NOT APPLICABLE	6	11,136	25,627,000
DON'T KNOW	7	1	3,000
NOT STATED	9	573	792,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_G6A	Length	1	Position	3707
Question Name	CHR-Q1G6				
Concept	Migraines treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC8_G5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		412	952,500
NO		2		28	57,500
NOT APPLICABLE		6		11,532	26,513,500
NOT STATED		9		574	795,000
		Total		12,546	28,318,308

Variable Name	CCC8_G6B	Length	1	Position	3708
Question Name	CHR-Q1G6				
Concept	Migraines treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC8_G5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		36	88,500
NO		2		404	921,500
NOT APPLICABLE		6		11,532	26,513,500
NOT STATED		9		574	795,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_G6D **Length** 1 **Position** 3709
Question Name CHR-Q1G6
Concept Migraines treatment - exercise / physiotherapy
Question What kind of treatment or medication? - Exercise / physiotherapy
Universe Respondents who answered CCC8_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	18	42,000
NO	2	422	968,000
NOT APPLICABLE	6	11,532	26,513,500
NOT STATED	9	574	795,000
	Total	12,546	28,318,308

Variable Name CCC8_G6C **Length** 1 **Position** 3710
Question Name CHR-Q1G6
Concept Migraines treatment - other
Question What kind of treatment or medication? - Other
Universe Respondents who answered CCC8_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	31	75,000
NO	2	409	935,500
NOT APPLICABLE	6	11,532	26,513,500
NOT STATED	9	574	795,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1H	Length	1	Position	3711
Question Name	CHR-Q1				
Concept	Has chronic bronchitis or emphysema				
Question	Do you have chronic bronchitis or emphysema?				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		347	650,500
NO		2		11,636	26,897,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_1I	Length	1	Position	3712
Question Name	CHR-Q1				
Concept	Has sinusitis				
Question	Do you have sinusitis diagnosed by a health professional?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		647	1,272,000
NO		2		10,095	22,902,500
NOT APPLICABLE		6		1,242	3,374,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1J	Length	1	Position	3713
Question Name	CHR-Q1				
Concept	Has diabetes				
Question	Do you have diabetes?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		473	877,000
NO		2		10,373	23,398,500
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		1	7,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_J1	Length	1	Position	3714
Question Name	CHR-Q1J1				
Concept	Diabetes - condition disappeared				
Question	During our last interview, it was reported that you had diabetes, but this time it was not. Has the condition disappeared since then?				
Universe	Non-proxy respondents aged 12 and over who answered CCC6_1J=1 and CCC8_1J=2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		12	22,000
NEVER HAD DIABETES		3		8	9,500
NOT APPLICABLE		6		11,955	27,496,000
NOT STATED		9		571	791,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_J2M **Length** 2 **Position** 3715 - 3716
Question Name CHR-Q1J2
Concept Diabetes - month condition disappeared
Question When did it "diabetes" disappear? - Month
Universe Respondents who answered CCC8_J1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	1	2,000
FEBRUARY	2	2	2,000
MAY	5	1	1,500
JUNE	6	3	7,500
SEPTEMBER	9	1	2,500
NOVEMBER	11	2	2,000
DECEMBER	12	1	3,500
NOT APPLICABLE	96	11,963	27,505,500
DON'T KNOW	97	1	1,000
NOT STATED	99	571	791,000
	Total	12,546	28,318,308

Variable Name CCC8_J2Y **Length** 4 **Position** 3717 - 3720
Question Name CHR-Q1J2
Concept Diabetes - year condition disappeared
Question When did it "diabetes" disappear? - Year
Universe Respondents who answered CCC8_J1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1996 - 1998	12	22,000
NOT APPLICABLE	9996	11,963	27,505,500
NOT STATED	9999	571	791,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_J3M **Length** 2 **Position** 3721 - 3722
Question Name CHR-Q1J3
Concept Diabetes - month diagnosed
Question When were you diagnosed with this "diabetes"? - Month
Universe Respondents aged 12 and over who answered CCC6_1J=2 and CCC8_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	11	24,500
FEBRUARY	2	10	31,500
MARCH	3	6	10,000
APRIL	4	4	5,000
MAY	5	5	7,500
JUNE	6	12	21,500
JULY	7	9	16,000
AUGUST	8	9	13,000
SEPTEMBER	9	7	16,000
OCTOBER	10	5	10,500
NOVEMBER	11	5	3,500
DECEMBER	12	4	6,500
NOT APPLICABLE	96	11,890	27,363,500
DON'T KNOW	97	5	11,500
NOT STATED	99	564	777,500
Total		12,546	28,318,308

Variable Name CCC8_J3Y **Length** 4 **Position** 3723 - 3726
Question Name CHR-Q1J3
Concept Diabetes - year diagnosed
Question When were you diagnosed with this "diabetes"? - Year
Universe Respondents aged 12 and over who answered CCC6_1J=2 and CCC8_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1978 - 1998	92	177,000
NOT APPLICABLE	9996	11,890	27,363,500
NOT STATED	9999	564	777,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_J4	Length	1	Position	3727
Question Name	CHR-Q1J4				
Concept	Diabetes - had prior to last interview				
Question	So you had diabetes prior to our last interview?				
Universe	Respondents aged 12 and over with the condition prior to last interview living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	38,000
NO		2		1	3,500
NOT APPLICABLE		6		11,960	27,486,500
NOT STATED		9		570	790,000
		Total		12,546	28,318,308

Variable Name	CCC8_J5	Length	1	Position	3728
Question Name	CHR-Q1J5				
Concept	Diabetes - takes insulin				
Question	Do you take insulin for your diabetes?				
Universe	Respondents who answered CCC8_1J=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		114	210,500
NO		2		335	644,000
NOT APPLICABLE		6		11,533	26,684,000
NOT STATED		9		564	780,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_J6 **Length** 1 **Position** 3729

Question Name CHR-Q1J6

Concept Diabetes - takes treatment other than insulin

Question Do you take any other treatment or medication for your diabetes?

Universe Respondents who answered CCC8_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	288	521,500
NO	2	161	332,500
NOT APPLICABLE	6	11,533	26,684,000
NOT STATED	9	564	780,000
	Total	12,546	28,318,308

Variable Name CCC8_J7A **Length** 1 **Position** 3730

Question Name CHR-Q1J7

Concept Diabetes treatment - drug

Question What kind of treatment or medication? - Drug

Universe Respondents who answered CCC8_J6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	254	469,000
NO	2	34	52,500
NOT APPLICABLE	6	11,694	27,016,500
NOT STATED	9	564	780,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_J7B	Length	1	Position	3731
Question Name	CHR-Q1J7				
Concept	Diabetes treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC8_J6=1				
Note					
Content		Code		Sample	Population
YES		1		119	205,500
NO		2		169	316,000
NOT APPLICABLE		6		11,694	27,016,500
NOT STATED		9		564	780,000
		Total		12,546	28,318,308

Variable Name	CCC8_J7D	Length	1	Position	3732
Question Name	CHR-Q1J6				
Concept	Diabetes treatment - exercise / physiotherapy				
Question	What kind of treatment or medication? - Exercise / physiotherapy				
Universe	Respondents who answered CCC8_J6=1				
Note					
Content		Code		Sample	Population
YES		1		45	63,500
NO		2		243	458,000
NOT APPLICABLE		6		11,694	27,016,500
NOT STATED		9		564	780,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_J7C **Length** 1 **Position** 3733
Question Name CHR-Q1J7
Concept Diabetes treatment - other
Question What kind of treatment or medication? - Other
Universe Respondents who answered CCC8_J6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1	1,000
NO	2	287	521,000
NOT APPLICABLE	6	11,694	27,016,500
NOT STATED	9	564	780,000
	Total	12,546	28,318,308

Variable Name CCC8_1K **Length** 1 **Position** 3734
Question Name CHR-Q1
Concept Has epilepsy
Question Do you have epilepsy?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	185,000
NO	2	11,901	27,360,500
DON'T KNOW	7	1	3,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_K1 **Length** 1 **Position** 3735
Question Name CHR-Q1K1
Concept Epilepsy - condition disappeared
Question During our last interview, it was reported that you had epilepsy, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC6_1K=1 and CCC8_1K=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	4,500
NEVER HAD EPILEPSY	3	6	18,500
NOT APPLICABLE	6	11,971	27,519,000
NOT STATED	9	566	776,000
	Total	12,546	28,318,308

Variable Name CCC8_K2M **Length** 2 **Position** 3736 - 3737
Question Name CHR-Q1K2
Concept Epilepsy - month condition disappeared
Question When did it "epilepsy" disappear? - Month
Universe Respondents who answered CCC8_K1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AUGUST	8	3	4,500
NOT APPLICABLE	96	11,977	27,537,500
NOT STATED	99	566	776,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_K2Y **Length** 4 **Position** 3738 - 3741
Question Name CHR-Q1K2
Concept Epilepsy - year condition disappeared
Question When did it "epilepsy" disappear? - Year
Universe Respondents who answered CCC8_K1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1997 - 1998	3	4,500
NOT APPLICABLE	9996	11,977	27,537,500
NOT STATED	9999	566	776,000
	Total	12,546	28,318,308

Variable Name CCC8_K3M **Length** 2 **Position** 3742 - 3743
Question Name CHR-Q1K3
Concept Epilepsy - month diagnosed
Question When were you diagnosed with this "epilepsy"? - Month
Universe Respondents aged 12 and over who answered CCC6_1K=2 and CCC8_1K=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	1	1,000
FEBRUARY	2	1	6,000
MARCH	3	2	8,500
JUNE	6	1	4,000
JULY	7	2	2,000
AUGUST	8	1	1,500
SEPTEMBER	9	2	4,000
OCTOBER	10	1	5,000
DECEMBER	12	4	7,500
NOT APPLICABLE	96	11,969	27,509,000
NOT STATED	99	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_K3Y **Length** 4 **Position** 3744 - 3747
Question Name CHR-Q1K3
Concept Epilepsy - year diagnosed
Question When were you diagnosed with this "epilepsy"? - Year
Universe Respondents aged 12 and over who answered CCC6_1K=2 and CCC8_1K=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1928 - 1998	15	39,500
NOT APPLICABLE	9996	11,969	27,509,000
NOT STATED	9999	562	770,000
	Total	12,546	28,318,308

Variable Name CCC8_K4 **Length** 1 **Position** 3748
Question Name CHR-Q1K4
Concept Epilepsy - had prior to last interview
Question So you had epilepsy prior to our last interview?
Universe Respondents aged 12 and over with the condition prior to last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	24,000
NOT APPLICABLE	6	11,976	27,524,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name CCC8_1L **Length** 1 **Position** 3749
Question Name CHR-Q1
Concept Has heart disease
Question Do you have heart disease?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	634	1,101,500
NO	2	11,347	26,445,000
DON'T KNOW	7	3	2,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1M	Length	1	Position	3750
Question Name	CHR-Q1				
Concept	Has cancer				
Question	Do you have cancer?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		217	405,500
NO		2		10,624	23,869,000
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		5	8,000
NOT STATED		9		563	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_1N	Length	1	Position	3751
Question Name	CHR-Q1				
Concept	Has intestinal or stomach ulcers				
Question	Do you have stomach or intestinal ulcers?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		356	667,000
NO		2		10,488	23,613,000
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		3	2,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_N1 **Length** 1 **Position** 3752

Question Name CHR-Q1N1

Concept Ulcers - condition disappeared

Question During our last interview, it was reported that you had stomach or intestinal ulcers, but this time it was not. Has the condition disappeared since then?

Universe Non-proxy respondents aged 12 and over who answered CCC6_1N=1 and CCC8_1N=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	182,500
NEVER HAD ULCERS	3	21	29,500
NOT APPLICABLE	6	11,836	27,273,000
NOT STATED	9	589	833,500
	Total	12,546	28,318,308

Variable Name CCC8_N2M **Length** 2 **Position** 3753 - 3754

Question Name CHR-Q1N2

Concept Ulcers - month condition disappeared

Question When did it "stomach or intestinal ulcers" disappear? - Month

Universe Respondents who answered CCC8_N1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	9	16,500
FEBRUARY	2	11	18,500
MARCH	3	7	6,500
APRIL	4	4	8,000
JUNE	6	13	24,000
JULY	7	7	13,000
AUGUST	8	16	22,000
SEPTEMBER	9	11	19,000
OCTOBER	10	7	27,500
NOVEMBER	11	7	13,000
DECEMBER	12	6	12,000
NOT APPLICABLE	96	11,857	27,302,000
DON'T KNOW	97	2	3,000
NOT STATED	99	589	833,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_N2Y **Length** 4 **Position** 3755 - 3758

Question Name CHR-Q1N2

Concept Ulcers - year condition disappeared

Question When did it "stomach or intestinal ulcers" disappear? - Year

Universe Respondents who answered CCC8_N1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1996 - 1999	99	182,000
NOT APPLICABLE	9996	11,857	27,302,000
DON'T KNOW	9997	1	1,000
NOT STATED	9999	589	833,500
	Total	12,546	28,318,308

Variable Name CCC8_N3M **Length** 2 **Position** 3759 - 3760

Question Name CHR-Q1N3

Concept Ulcers - month diagnosed

Question When were you diagnosed with this "stomach or intestinal ulcers"? - Month

Universe Respondents aged 12 and over who answered CCC6_1N=2 and CCC8_1N=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	20	36,000
FEBRUARY	2	8	11,000
MARCH	3	10	13,000
APRIL	4	10	24,000
MAY	5	8	18,000
JUNE	6	23	34,500
JULY	7	7	11,500
AUGUST	8	9	15,500
SEPTEMBER	9	18	32,500
OCTOBER	10	6	11,500
NOVEMBER	11	10	28,500
DECEMBER	12	7	14,500
NOT APPLICABLE	96	11,838	27,283,000
DON'T KNOW	97	7	12,000
NOT STATED	99	565	772,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_N3Y **Length** 4 **Position** 3761 - 3764
Question Name CHR-Q1N3
Concept Ulcers - year diagnosed
Question When were you diagnosed with this "stomach or intestinal ulcers"? - Year
Universe Respondents aged 12 and over who answered CCC6_1N=2 and CCC8_1N=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1945 - 1999	142	262,500
NOT APPLICABLE	9996	11,838	27,283,000
DON'T KNOW	9997	1	1,000
NOT STATED	9999	565	772,500
	Total	12,546	28,318,308

Variable Name CCC8_N4 **Length** 1 **Position** 3765
Question Name CHR-Q1N4
Concept Ulcers - had prior to last interview
Question So you had stomach or intestinal ulcers prior to our last interview?
Universe Respondents aged 12 and over with the condition prior to last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	56	99,500
NO	2	2	3,500
NOT APPLICABLE	6	11,916	27,430,500
NOT STATED	9	572	785,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1O	Length	1	Position	3766
Question Name	CHR-Q1				
Concept	Suffers from the effects of a stroke				
Question	Do you suffer from the effects of a stroke?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		167	267,000
NO		2		10,676	24,009,000
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		4	6,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_O1	Length	1	Position	3767
Question Name	CHR-Q1O1				
Concept	Effects of stroke - condition disappeared				
Question	During our last interview, it was reported that you suffered from the effects of a stroke, but this time it was not. Has the condition disappeared since then?				
Universe	Non-proxy respondents aged 12 and over who answered CCC6_1O=1 and CCC8_1O=2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		14	27,500
NEVER HAD A STROKE		3		11	14,500
NOT APPLICABLE		6		11,951	27,490,500
NOT STATED		9		570	786,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_O2M **Length** 2 **Position** 3768 - 3769
Question Name CHR-Q1O2
Concept Effects of stroke - month condition disappeared
Question When did it "effects of your stroke" disappear? - Month
Universe Respondents who answered CCC8_O1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	2	5,000
APRIL	4	1	2,000
JUNE	6	3	3,500
JULY	7	2	2,500
AUGUST	8	1	1,000
OCTOBER	10	2	6,000
NOVEMBER	11	1	3,000
DECEMBER	12	1	1,500
NOT APPLICABLE	96	11,962	27,505,000
DON'T KNOW	97	1	3,000
NOT STATED	99	570	786,000
Total		12,546	28,318,308

Variable Name CCC8_O2Y **Length** 4 **Position** 3770 - 3773
Question Name CHR-Q1O2
Concept Effects of stroke - year condition disappeared
Question When did it "effects of your stroke" disappear? - Year
Universe Respondents who answered CCC8_O1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1996 - 1998	13	24,500
NOT APPLICABLE	9996	11,962	27,505,000
DON'T KNOW	9997	1	3,000
NOT STATED	9999	570	786,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC8_O3M **Length** 2 **Position** 3774 - 3775
Question Name CHR-Q1O3
Concept Effects of stroke - month diagnosed
Question When were you diagnosed with this "effects of a stroke"? - Month
Universe Respondents aged 12 and over who answered CCC6_1O=2 and CCC8_1O=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	4	8,500
FEBRUARY	2	4	7,500
MARCH	3	1	1,000
APRIL	4	7	17,000
MAY	5	6	10,500
JUNE	6	6	9,000
JULY	7	5	7,000
AUGUST	8	5	8,500
SEPTEMBER	9	7	7,000
OCTOBER	10	6	8,000
NOVEMBER	11	2	7,500
DECEMBER	12	4	6,500
NOT APPLICABLE	96	11,923	27,447,500
DON'T KNOW	97	1	1,000
NOT STATED	99	565	773,500
Total		12,546	28,318,308

Variable Name CCC8_O3Y **Length** 4 **Position** 3776 - 3779
Question Name CHR-Q1O3
Concept Effects of stroke - year diagnosed
Question When were you diagnosed with this "effects of a stroke"? - Year
Universe Respondents aged 12 and over who answered CCC6_1O=2 and CCC8_1O=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1968 - 1998	58	97,500
NOT APPLICABLE	9996	11,923	27,447,500
NOT STATED	9999	565	773,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_O4	Length	1	Position	3780
Question Name	CHR-Q1O4				
Concept	Effects of stroke - had prior to last interview				
Question	So you suffered from the effects of a stroke prior to our last interview?				
Universe	Respondents aged 12 and over with the condition prior to last interview living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	30,000
NO		2		1	1,000
NOT APPLICABLE		6		11,964	27,514,000
NOT STATED		9		566	773,500
		Total		12,546	28,318,308

Variable Name	CCC8_1P	Length	1	Position	3781
Question Name	CHR-Q1				
Concept	Suffers from urinary incontinence				
Question	Do you suffer from urinary incontinence?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		356	563,500
NO		2		10,487	23,716,000
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		4	3,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1Q	Length	1	Position	3782
Question Name	CHR-Q1				
Concept	Has a bowel disorder (Crohn's Disease or colitis)				
Question	Do you have a bowel disorder such as Crohn's Disease or colitis?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		218	406,000
NO		2		10,627	23,875,500
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		2	1,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_1R	Length	1	Position	3783
Question Name	CHR-Q1				
Concept	Has Alzheimer's Disease or other dementia				
Question	Do you have Alzheimer's Disease or any other dementia?				
Universe	Respondents aged 18 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		81	111,000
NO		2		9,951	21,785,000
NOT APPLICABLE		6		1,943	5,648,000
DON'T KNOW		7		9	4,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1S	Length	1	Position	3784
Question Name	CHR-Q1				
Concept	Has cataracts				
Question	Do you have cataracts?				
Universe	Respondents aged 18 and over				
Note					
Content		Code		Sample	Population
YES		1		501	792,000
NO		2		9,537	21,103,500
NOT APPLICABLE		6		1,943	5,648,000
DON'T KNOW		7		3	4,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_1T	Length	1	Position	3785
Question Name	CHR-Q1				
Concept	Has glaucoma				
Question	Do you have glaucoma?				
Universe	Respondents aged 18 and over				
Note					
Content		Code		Sample	Population
YES		1		182	308,500
NO		2		9,856	21,589,000
NOT APPLICABLE		6		1,943	5,648,000
DON'T KNOW		7		3	2,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8_1U	Length	1	Position	3786
Question Name	CHR-Q1				
Concept	Has a thyroid condition				
Question	Do you have a thyroid condition?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		567	1,000,000
NO		2		10,277	23,279,000
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		3	4,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	CCC8_1V	Length	1	Position	3787
Question Name	CHR-Q1				
Concept	Has other long-term condition				
Question	Do you have any other long-term condition that has been diagnosed by a health professional?				
Universe	All respondents				
Note	The list of chronic conditions changed in Cycle 4 (2000). This variable now includes sinusitis, ear, nose and throat infections for children less than 3 years old.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		896	1,856,000
NO		2		11,086	25,691,500
DON'T KNOW		7		1	1,000
NOT STATED		9		563	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC8DANY	Length	1	Position	3788
Question Name					
Concept	Has a chronic condition - (D)				
Question					
Universe	All respondents living in a household				
Note	Based on CCC8_1A to CCC8_1V. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7,246	15,630,000
NO		2		4,626	11,791,000
NOT APPLICABLE		6		105	108,500
NOT STATED		9		569	789,000
		Total		12,546	28,318,308

Variable Name	CCC8DNUM	Length	2	Position	3789 - 3790
Question Name					
Concept	Number of chronic conditions - (D)				
Question					
Universe	All respondents living in a household				
Note	Based on CCC8_1A to CCC8_1V. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF CHRONIC CONDITIONS		0 - 13		11,839	27,365,000
NOT APPLICABLE		96		105	108,500
NOT STATED		99		602	844,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8DRES **Length** 3 **Position** 3791 - 3793

Question Name

Concept Length of time in Canada since immigration - (D)

Question

Universe All immigrants

Note Based on DHC8_AGE, AM68_BYI and YOI (year of immigration to Canada). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	4 - 97	1,297	4,499,000
NOT APPLICABLE	996	11,139	23,601,000
NOT STATED	999	110	218,500
	Total	12,546	28,318,308

Variable Name SDC8_4A **Length** 1 **Position** 3794

Question Name SOCIO-Q4

Concept Ethnic origin - Canadian

Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Canadian

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,759	11,325,000
NO	2	7,068	16,037,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4B **Length** 1 **Position** 3795
Question Name SOCIO-Q4
Concept Ethnic origin - French
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - French
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,981	7,517,000
NO	2	8,846	19,845,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_4C **Length** 1 **Position** 3796
Question Name SOCIO-Q4
Concept Ethnic origin - English
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - English
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,294	6,397,000
NO	2	8,533	20,965,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4D **Length** 1 **Position** 3797
Question Name SOCIO-Q4
Concept Ethnic origin - German
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - German
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,201	2,513,000
NO	2	10,626	24,848,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name SDC8_4E **Length** 1 **Position** 3798
Question Name SOCIO-Q4
Concept Ethnic origin - Scottish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Scottish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,048	3,891,500
NO	2	9,779	23,470,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4F **Length** 1 **Position** 3799
Question Name SOCIO-Q4
Concept Ethnic origin - Irish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Irish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,765	3,484,000
NO	2	10,062	23,877,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name SDC8_4G **Length** 1 **Position** 3800
Question Name SOCIO-Q4
Concept Ethnic origin - Italian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Italian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	315	1,143,500
NO	2	11,512	26,218,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4H **Length** 1 **Position** 3801
Question Name SOCIO-Q4
Concept Ethnic origin - Ukrainian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Ukrainian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	516	1,046,500
NO	2	11,311	26,315,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_4I **Length** 1 **Position** 3802
Question Name SOCIO-Q4
Concept Ethnic origin - Dutch (Netherlands)
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Dutch (Netherlands)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	361	905,500
NO	2	11,466	26,456,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4J **Length** 1 **Position** 3803
Question Name SOCIO-Q4
Concept Ethnic origin - Chinese
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Chinese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	153	747,500
NO	2	11,674	26,614,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name SDC8_4K **Length** 1 **Position** 3804
Question Name SOCIO-Q4
Concept Ethnic origin - Jewish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Jewish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	49	186,500
NO	2	11,778	27,175,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4L **Length** 1 **Position** 3805
Question Name SOCIO-Q4
Concept Ethnic origin - Polish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Polish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	295	830,500
NO	2	11,532	26,531,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_4M **Length** 1 **Position** 3806
Question Name SOCIO-Q4
Concept Ethnic origin - Portuguese
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Portuguese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	75	318,000
NO	2	11,752	27,043,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4N **Length** 1 **Position** 3807
Question Name SOCIO-Q4
Concept Ethnic origin - South Asian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - South Asian (e.g., East Indian, Pakistani, Punjabi, Sri Lankan)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	148	795,500
NO	2	11,679	26,566,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_4O **Length** 1 **Position** 3808
Question Name SOCIO-Q4
Concept Ethnic origin - Black
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Black
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	65	261,500
NO	2	11,762	27,100,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4P **Length** 1 **Position** 3809
Question Name SOCIO-Q4
Concept Ethnic origin - North American Indian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - North American Indian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	225	511,000
NO	2	11,602	26,851,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_4Q **Length** 1 **Position** 3810
Question Name SOCIO-Q4
Concept Ethnic origin - Métis
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Métis
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	67	109,500
NO	2	11,760	27,252,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_4R **Length** 1 **Position** 3811

Question Name SOCIO-Q4

Concept Ethnic origin - Inuit / Eskimo

Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Inuit / Eskimo

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	9	4,000
NO	2	11,818	27,358,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name SDC8_4S **Length** 1 **Position** 3812

Question Name SOCIO-Q4

Concept Ethnic origin - other

Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Other

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,178	3,432,000
NO	2	10,649	23,930,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	49	64,500
REFUSAL	8	3	14,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5A	Length	1	Position	3813
Question Name	SOCIO-Q5				
Concept	Can converse - English				
Question	In which languages can you conduct a conversation? - English				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10,427	23,199,500
NO		2		1,451	4,239,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_5B	Length	1	Position	3814
Question Name	SOCIO-Q5				
Concept	Can converse - French				
Question	In which languages can you conduct a conversation? - French				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,338	9,145,500
NO		2		8,540	18,293,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5C	Length	1	Position	3815
Question Name	SOCIO-Q5				
Concept	Can converse - Arabic				
Question	In which languages can you conduct a conversation? - Arabic				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		29	158,000
NO		2		11,849	27,281,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_5D	Length	1	Position	3816
Question Name	SOCIO-Q5				
Concept	Can converse - Chinese				
Question	In which languages can you conduct a conversation? - Chinese				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		114	566,000
NO		2		11,764	26,873,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5E	Length	1	Position	3817
Question Name	SOCIO-Q5				
Concept	Can converse - Cree				
Question	In which languages can you conduct a conversation? - Cree				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		17	22,000
NO		2		11,861	27,417,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_5F	Length	1	Position	3818
Question Name	SOCIO-Q5				
Concept	Can converse - German				
Question	In which languages can you conduct a conversation? - German				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		300	599,500
NO		2		11,578	26,839,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5G	Length	1	Position	3819
Question Name	SOCIO-Q5				
Concept	Can converse - Greek				
Question	In which languages can you conduct a conversation? - Greek				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		29	118,000
NO		2		11,849	27,321,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_5H	Length	1	Position	3820
Question Name	SOCIO-Q5				
Concept	Can converse - Hungarian				
Question	In which languages can you conduct a conversation? - Hungarian				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		37	79,500
NO		2		11,841	27,359,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5I	Length	1	Position	3821
Question Name	SOCIO-Q5				
Concept	Can converse - Italian				
Question	In which languages can you conduct a conversation? - Italian				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		183	758,500
NO		2		11,695	26,680,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_5J	Length	1	Position	3822
Question Name	SOCIO-Q5				
Concept	Can converse - Korean				
Question	In which languages can you conduct a conversation? - Korean				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		2	11,000
NO		2		11,876	27,428,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5K	Length	1	Position	3823
Question Name	SOCIO-Q5				
Concept	Can converse - Persian				
Question	In which languages can you conduct a conversation? - Persian (Farsi)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		7	31,000
NO		2		11,871	27,408,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_5L	Length	1	Position	3824
Question Name	SOCIO-Q5				
Concept	Can converse - Polish				
Question	In which languages can you conduct a conversation? - Polish				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		90	296,000
NO		2		11,788	27,143,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5M	Length	1	Position	3825
Question Name	SOCIO-Q5				
Concept	Can converse - Portuguese				
Question	In which languages can you conduct a conversation? - Portuguese				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		55	244,000
NO		2		11,823	27,195,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_5N	Length	1	Position	3826
Question Name	SOCIO-Q5				
Concept	Can converse - Punjabi				
Question	In which languages can you conduct a conversation? - Punjabi				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		36	180,500
NO		2		11,842	27,258,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5O	Length	1	Position	3827
Question Name	SOCIO-Q5				
Concept	Can converse - Spanish				
Question	In which languages can you conduct a conversation? - Spanish				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		145	471,000
NO		2		11,733	26,968,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_5P	Length	1	Position	3828
Question Name	SOCIO-Q5				
Concept	Can converse - Tagalog				
Question	In which languages can you conduct a conversation? - Tagalog (Filipino)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		24	116,000
NO		2		11,854	27,323,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_5Q **Length** 1 **Position** 3829

Question Name SOCIO-Q5

Concept Can converse - Ukrainian

Question In which languages can you conduct a conversation? - Ukrainian

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	136	212,500
NO	2	11,742	27,226,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	1	1,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_5R **Length** 1 **Position** 3830

Question Name SOCIO-Q5

Concept Can converse - Vietnamese

Question In which languages can you conduct a conversation? - Vietnamese

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	16	87,000
NO	2	11,862	27,352,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	1	1,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_5S	Length	1	Position	3831
Question Name	SOCIO-Q5				
Concept	Can converse - other language				
Question	In which languages can you conduct a conversation? - Other				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		369	1,436,500
NO		2		11,509	26,002,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	1,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8DLNG	Length	2	Position	3832 - 3833
Question Name					
Concept	Language(s) in which respondent can converse - (D)				
Question					
Universe	All respondents living in a household				
Note	Based on SDC8_5A to SDC8_5S. See Derived Variables Documentation.				
Content		Code		Sample	Population
ENGLISH ONLY		1		7,401	14,529,500
FRENCH ONLY		2		1,322	3,722,500
ENGLISH AND FRENCH ONLY		3		1,724	4,345,500
ENGLISH AND FRENCH AND OTHER		4		260	942,500
ENGLISH AND OTHER (NOT FRENCH)		5		1,042	3,382,500
FRENCH AND OTHER (NOT ENGLISH)		6		32	135,000
NEITHER ENGLISH NOR FRENCH (OTHER)		7		97	381,500
NOT APPLICABLE		96		105	108,500
NOT STATED		99		563	771,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_6A **Length** 1 **Position** 3834
Question Name SOCIO-Q6
Concept First language learned and still understood - English
Question What is the language that you first learned at home in childhood and can still understand? - English
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,341	16,929,000
NO	2	3,537	10,505,500
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_6B **Length** 1 **Position** 3835
Question Name SOCIO-Q6
Concept First language learned and still understood - French
Question What is the language that you first learned at home in childhood and can still understand? - French
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,500	6,903,000
NO	2	9,378	20,531,500
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_6C **Length** 1 **Position** 3836
Question Name SOCIO-Q6
Concept First language learned and still understood - Arabic
Question What is the language that you first learned at home in childhood and can still understand? - Arabic
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	132,500
NO	2	11,856	27,302,500
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_6D **Length** 1 **Position** 3837
Question Name SOCIO-Q6
Concept First language learned and still understood - Chinese
Question What is the language that you first learned at home in childhood and can still understand? - Chinese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	111	551,500
NO	2	11,767	26,883,000
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_6E	Length	1	Position	3838
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Cree				
Question	What is the language that you first learned at home in childhood and can still understand? - Cree				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	16,500
NO		2		11,863	27,418,500
NOT APPLICABLE		6		105	108,500
REFUSAL		8		1	5,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_6F	Length	1	Position	3839
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - German				
Question	What is the language that you first learned at home in childhood and can still understand? - German				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		239	437,500
NO		2		11,639	26,997,500
NOT APPLICABLE		6		105	108,500
REFUSAL		8		1	5,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_6G **Length** 1 **Position** 3840
Question Name SOCIO-Q6
Concept First language learned and still understood - Greek
Question What is the language that you first learned at home in childhood and can still understand? - Greek
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	25	108,000
NO	2	11,853	27,327,000
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_6H **Length** 1 **Position** 3841
Question Name SOCIO-Q6
Concept First language learned and still understood - Hungarian
Question What is the language that you first learned at home in childhood and can still understand? - Hungarian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	35	76,500
NO	2	11,843	27,358,000
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_6I	Length	1	Position	3842
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Italian				
Question	What is the language that you first learned at home in childhood and can still understand? - Italian				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		133	560,500
NO		2		11,745	26,874,000
NOT APPLICABLE		6		105	108,500
REFUSAL		8		1	5,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_6J	Length	1	Position	3843
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - Korean				
Question	What is the language that you first learned at home in childhood and can still understand? - Korean				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		3	14,000
NO		2		11,875	27,421,000
NOT APPLICABLE		6		105	108,500
REFUSAL		8		1	5,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_6K **Length** 1 **Position** 3844
Question Name SOCIO-Q6
Concept First language learned and still understood - Persian
Question What is the language that you first learned at home in childhood and can still understand? - Persian (Farsi)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	30,500
NO	2	11,872	27,404,500
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name SDC8_6L **Length** 1 **Position** 3845
Question Name SOCIO-Q6
Concept First language learned and still understood - Polish
Question What is the language that you first learned at home in childhood and can still understand? - Polish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	274,000
NO	2	11,796	27,161,000
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_6M **Length** 1 **Position** 3846
Question Name SOCIO-Q6
Concept First language learned and still understood - Portuguese
Question What is the language that you first learned at home in childhood and can still understand? - Portuguese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	43	195,000
NO	2	11,835	27,240,000
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name SDC8_6N **Length** 1 **Position** 3847
Question Name SOCIO-Q6
Concept First language learned and still understood - Punjabi
Question What is the language that you first learned at home in childhood and can still understand? - Punjabi
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	36	179,000
NO	2	11,842	27,256,000
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_6O **Length** 1 **Position** 3848
Question Name SOCIO-Q6
Concept First language learned and still understood - Spanish
Question What is the language that you first learned at home in childhood and can still understand? - Spanish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	50	178,500
NO	2	11,828	27,256,500
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_6P **Length** 1 **Position** 3849
Question Name SOCIO-Q6
Concept First language learned and still understood - Tagalog
Question What is the language that you first learned at home in childhood and can still understand? - Tagalog (Filipino)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	110,500
NO	2	11,856	27,324,000
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_6Q **Length** 1 **Position** 3850
Question Name SOCIO-Q6
Concept First language learned and still understood - Ukrainian
Question What is the language that you first learned at home in childhood and can still understand? - Ukrainian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	111	172,000
NO	2	11,767	27,262,500
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name SDC8_6R **Length** 1 **Position** 3851
Question Name SOCIO-Q6
Concept First language learned and still understood - Vietnamese
Question What is the language that you first learned at home in childhood and can still understand? - Vietnamese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	67,000
NO	2	11,865	27,368,000
NOT APPLICABLE	6	105	108,500
REFUSAL	8	1	5,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_6S	Length	1	Position	3852
Question Name	SOCIO-Q6				
Concept	First language learned and still understood - other				
Question	What is the language that you first learned at home in childhood and can still understand? - Other				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		354	1,347,500
NO		2		11,524	26,087,500
NOT APPLICABLE		6		105	108,500
REFUSAL		8		1	5,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_7A	Length	1	Position	3853
Question Name	SOCIO-Q7				
Concept	Race or colour - White				
Question	How would you best describe your race or colour? - White				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11,242	24,621,000
NO		2		633	2,806,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_7B	Length	1	Position	3854
Question Name	SOCIO-Q7				
Concept	Race or colour - Chinese				
Question	How would you best describe your race or colour? - Chinese				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		155	754,000
NO		2		11,720	26,673,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_7C	Length	1	Position	3855
Question Name	SOCIO-Q7				
Concept	Race or colour - South Asian				
Question	How would you best describe your race or colour? - South Asian (e.g., East Indian, Pakistani, Punjabi, Sri Lankan)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		129	699,500
NO		2		11,746	26,727,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_7D	Length	1	Position	3856
Question Name	SOCIO-Q7				
Concept	Race or colour - Black				
Question	How would you best describe your race or colour? - Black				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		120	484,000
NO		2		11,755	26,943,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_7E	Length	1	Position	3857
Question Name	SOCIO-Q7				
Concept	Race or colour - Native / Aboriginal peoples of N. America				
Question	How would you best describe your race or colour? - Native / Aboriginal peoples of North America (North American Indian, Métis, Inuit / Eskimo)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		130	242,000
NO		2		11,745	27,185,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_7F **Length** 1 **Position** 3858
Question Name SOCIO-Q7
Concept Race or colour - Arab / West Asian
Question How would you best describe your race or colour? - Arab / West Asian (e. g. Armenian, Egyptian, Iranian, Lebanese, Moroccan)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	35	183,500
NO	2	11,840	27,244,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	1	2,000
REFUSAL	8	3	11,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name SDC8_7G **Length** 1 **Position** 3859
Question Name SOCIO-Q7
Concept Race or colour - Filipino
Question How would you best describe your race or colour? - Filipino
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	42	197,000
NO	2	11,833	27,230,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	1	2,000
REFUSAL	8	3	11,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_7H	Length	1	Position	3860
Question Name	SOCIO-Q7				
Concept	Race or colour - South East Asian				
Question	How would you best describe your race or colour? - South East Asian (e.g., Cambodian, Indonesian, Laotian, Vietnamese)				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		27	174,500
NO		2		11,848	27,252,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_7I	Length	1	Position	3861
Question Name	SOCIO-Q7				
Concept	Race or colour - Latin American				
Question	How would you best describe your race or colour? - Latin American				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		28	119,500
NO		2		11,847	27,307,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC8_7J	Length	1	Position	3862
Question Name	SOCIO-Q7				
Concept	Race or colour - Japanese				
Question	How would you best describe your race or colour? - Japanese				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		11	33,000
NO		2		11,864	27,394,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	SDC8_7K	Length	1	Position	3863
Question Name	SOCIO-Q7				
Concept	Race or colour - Korean				
Question	How would you best describe your race or colour? - Korean				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		4	20,000
NO		2		11,871	27,407,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		1	2,000
REFUSAL		8		3	11,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1312

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8_7L **Length** 1 **Position** 3864

Question Name SOCIO-Q7

Concept Race or colour - other

Question How would you best describe your race or colour? - Other

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	23	95,000
NO	2	11,852	27,332,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	1	2,000
REFUSAL	8	3	11,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC8DRAC **Length** 2 **Position** 3865 - 3866

Question Name

Concept Race or colour - (D)

Question

Universe All respondents living in a household

Note Based on SDC8_7A to SDC8_7L. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WHITE	1	11,181	24,465,500
BLACK	2	106	438,500
KOREAN	3	4	20,000
FILIPINO	4	38	181,000
JAPANESE	5	8	21,500
CHINESE	6	145	716,500
ABORIGINAL PEOPLES OF NORTH AMERICA	7	102	199,500
SOUTH ASIAN	8	125	671,000
SOUTH EAST ASIAN	9	24	166,500
ARAB / WEST ASIAN	10	30	168,500
LATIN AMERICAN	11	27	115,500
MULTIPLE RACE CATEGORY	12	69	189,000
NOT APPLICABLE	96	105	108,500
NOT STATED	99	582	856,500
Total		12,546	28,318,308

Variable Name EDC8_1 **Length** 1 **Position** 3867

Question Name EDUC-Q1

Concept Currently attending a school, college or university

Question Are you currently attending a school, college or university?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,409	4,371,000
NO	2	9,333	19,804,000
NOT APPLICABLE	6	1,242	3,374,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC8_5	Length	1	Position	3871
Question Name	EDUC-Q5				
Concept	Graduated from high school				
Question	Have you graduated from high school?				
Universe	Respondents aged 15 and over with some schooling living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,533	15,576,000
NO		2		3,760	7,397,000
NOT APPLICABLE		6		1,690	4,573,000
NOT STATED		9		563	772,500
		Total		12,546	28,318,308

Variable Name	EDC8_6	Length	1	Position	3872
Question Name	EDUC-Q6				
Concept	Attended post-secondary institution				
Question	Have you ever attended any other kind of school such as a university, community college, business school, trade or vocational school, CEGEP or other post-secondary institution?				
Universe	Respondents aged 15 and over with some schooling living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,020	13,852,000
NO		2		4,273	9,121,000
NOT APPLICABLE		6		1,690	4,573,000
NOT STATED		9		563	772,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC8_7 **Length** 2 **Position** 3873 - 3874
Question Name EDUC-Q7
Concept Highest level of post-secondary education attained
Question What is the highest level of education that you have EVER attained?
Universe Respondents who answered EDC8_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SOME TRADE, TECHNICAL, BUSINESS COLLEGE	1	1,076	2,270,500
SOME COMM. COLLEGE, CEGEP, NURSING	2	902	2,267,500
SOME UNIVERSITY	3	604	1,399,500
DIPL./CERT.- TRADE, TECHNICAL, BUSINESS	4	1,032	2,155,000
DIPL./CERT.- COMM. COL., CEGEP, NURSING	5	809	1,941,000
BACHELOR DEGREE OR TEACHER'S COLL.	6	1,185	2,810,500
MASTER'S DEGREE	7	219	509,500
MEDICINE DEGREE/DDS/DMD/DVM/OD	8	32	66,000
EARNED DOCTORATE	9	58	175,500
OTHER	10	103	257,500
NOT APPLICABLE	96	5,963	13,694,000
NOT STATED	99	563	772,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC8D1 **Length** 2 **Position** 3875 - 3876

Question Name

Concept Highest level of education - 14 levels - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on EDC8_4, EDC8_5, EDC8_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	24	72,500
ELEMENTARY SCHOOL	2	884	1,878,500
SOME SECONDARY SCHOOL	3	2,376	4,915,500
SECONDARY SCHOOL GRADUATION	4	1,437	3,454,000
OTHER POST-SECONDARY	5	103	257,500
SOME TRADE SCHOOL	6	1,076	2,270,500
SOME COMMUNITY COLLEGE	7	902	2,267,500
SOME UNIVERSITY	8	604	1,399,500
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,032	2,155,000
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	809	1,941,000
BACHELOR DEGREE	11	1,185	2,810,500
MASTER'S DEGREE	12	219	509,500
DEGREE IN MEDICINE	13	32	66,000
EARNED DOCTORATE	14	58	175,500
NOT APPLICABLE	96	1,242	3,374,000
NOT STATED	99	563	772,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC8D2 **Length** 2 **Position** 3877 - 3878

Question Name

Concept Highest level of education - 12 levels - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on EDC8_4, EDC8_5, EDC8_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	24	72,500
ELEMENTARY SCHOOL	2	884	1,878,500
SOME SECONDARY SCHOOL	3	2,376	4,915,500
SECONDARY SCHOOL GRADUATION	4	1,437	3,454,000
OTHER POST-SECONDARY	5	103	257,500
SOME TRADE SCHOOL	6	1,076	2,270,500
SOME COMMUNITY COLLEGE	7	902	2,267,500
SOME UNIVERSITY	8	604	1,399,500
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,032	2,155,000
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	809	1,941,000
BACHELOR DEGREE	11	1,185	2,810,500
MASTER'S/DEGREE IN MEDICINE/DOCTORATE	12	309	751,000
NOT APPLICABLE	96	1,242	3,374,000
NOT STATED	99	563	772,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC8D3	Length	1	Position	3879
Question Name					
Concept	Highest level of education - 4 levels - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on EDC8_4, EDC8_5 and EDC8_7. See Derived Variables Documentation.				
Content		Code		Sample	Population
LESS THAN SECONDARY SCHOOL GRADUATION		1		3,284	6,866,000
SECONDARY SCHOOL GRADUATION		2		1,437	3,454,000
SOME POST-SECONDARY		3		2,685	6,195,000
POST-SECONDARY GRADUATION		4		3,335	7,657,000
NOT APPLICABLE		6		1,242	3,374,000
NOT STATED		9		563	772,500
		Total		12,546	28,318,308

Variable Name	EDC8D4	Length	1	Position	3880
Question Name					
Concept	Highest level of education - Household, 4 levels - (D)				
Question					
Universe	All respondents				
Note	Based on EDC8_4, EDC8_5 and EDC8_7. See Derived Variables Documentation.				
Content		Code		Sample	Population
LESS THAN SECONDARY SCHOOL GRADUATION		1		1,427	2,122,500
SECONDARY SCHOOL GRADUATION		2		811	1,695,000
SOME POST-SECONDARY		3		2,040	4,515,000
POST-SECONDARY GRADUATION		4		3,676	8,752,500
NOT APPLICABLE		6		3,660	9,576,500
NOT STATED		9		932	1,657,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC8DLF **Length** 1 **Position** 3881
Question Name
Concept Labour force activity of students - (D)
Question
Universe Respondents aged 15 to 75 with EDC8_1=1
Note Based on EDC8_1, EDC8_2, DHC8_AGE, LFC8_2, LFC8_61 to LFC8_63, LFC8_51M and LFC8_71M.
 See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WORKED LAST 12 MTHS / SCHOOL FULL-TIME	1	533	1,841,000
WORKED LAST 12 MTHS / SCHOOL PART-TIME	2	190	570,500
DID NOT WORK / SCHOOL FULL-TIME	3	236	764,000
DID NOT WORK / SCHOOL PART-TIME	4	28	68,000
NOT APPLICABLE	6	10,997	24,304,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name LFC8_2 **Length** 1 **Position** 3882
Question Name LFS-Q2
Concept Worked for pay or profit
Question Have you worked for pay or profit at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work.
Universe Respondents aged 15 to 75 living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,716	16,221,500
NO	2	2,695	5,530,500
NOT APPLICABLE	6	2,573	5,796,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1322

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_41 **Length** 1 **Position** 3885
Question Name LFS-Q4.1
Concept Had job one year ago without break - job 1
Question Did you have that job one year ago without a break in employment since then? - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,211	12,749,000
NO	2	1,504	3,472,500
NOT APPLICABLE	6	5,268	11,327,000
REFUSAL	8	1	1,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_51M **Length** 2 **Position** 3886 - 3887
Question Name LFS-Q5.1
Concept Month started - job 1
Question When, in the past year, did you start working at this job or business? - Month - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	472	1,063,000
FEBRUARY	2	826	2,495,000
MARCH	3	183	536,000
APRIL	4	100	221,000
MAY	5	336	715,500
JUNE	6	1,398	3,036,500
JULY	7	729	1,514,500
AUGUST	8	970	2,250,000
SEPTEMBER	9	536	1,173,500
OCTOBER	10	996	2,784,500
NOVEMBER	11	115	287,500
DECEMBER	12	49	133,000
NOT APPLICABLE	96	5,268	11,327,000
DON'T KNOW	97	5	10,500
NOT STATED	99	563	770,000
Total		12,546	28,318,308

Variable Name LFC8_51D **Length** 2 **Position** 3888 - 3889
Question Name LFS-Q5.1
Concept Day started - job 1
Question When, in the past year, did you start working at this job or business? - Day - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	6,710	16,210,500
NOT APPLICABLE	96	5,268	11,327,000
DON'T KNOW	97	5	10,500
NOT STATED	99	563	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_51Y **Length** 4 **Position** 3890 - 3893
Question Name LFS-Q5.1
Concept Year started - job 1
Question When, in the past year, did you start working at this job or business? - Year - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1997 - 1999	6,710	16,210,500
NOT APPLICABLE	9996	5,268	11,327,000
DON'T KNOW	9997	5	10,500
NOT STATED	9999	563	770,000
	Total	12,546	28,318,308

Variable Name LFC8_61 **Length** 1 **Position** 3894
Question Name LFS-Q6.1
Concept Has job now - job 1
Question Do you have that job now? - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,563	13,530,000
NO	2	1,147	2,680,500
NOT APPLICABLE	6	5,268	11,327,000
NOT STATED	9	568	780,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_71M **Length** 2 **Position** 3895 - 3896
Question Name LFS-Q7.1
Concept Month stopped - job 1
Question When did you stop working at this job or business? - Month - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	458	1,043,000
FEBRUARY	2	819	2,447,500
MARCH	3	192	548,500
APRIL	4	69	149,500
MAY	5	234	463,500
JUNE	6	1,336	2,934,500
JULY	7	684	1,385,500
AUGUST	8	1,097	2,573,500
SEPTEMBER	9	533	1,261,000
OCTOBER	10	1,066	2,906,000
NOVEMBER	11	113	266,500
DECEMBER	12	106	220,000
NOT APPLICABLE	96	5,268	11,327,000
DON'T KNOW	97	3	12,500
NOT STATED	99	568	780,500
Total		12,546	28,318,308

Variable Name LFC8_71D **Length** 2 **Position** 3897 - 3898
Question Name LFS-Q7.1
Concept Day stopped - job 1
Question When did you stop working at this job or business? - Day - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	6,707	16,198,000
NOT APPLICABLE	96	5,268	11,327,000
DON'T KNOW	97	3	12,500
NOT STATED	99	568	780,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_71Y **Length** 4 **Position** 3899 - 3902

Question Name LFS-Q7.1

Concept Year stopped - job 1

Question When did you stop working at this job or business? - Year - Job 1

Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1997 - 1999	6,707	16,198,000
NOT APPLICABLE	9996	5,268	11,327,000
DON'T KNOW	9997	3	12,500
NOT STATED	9999	568	780,500
	Total	12,546	28,318,308

Variable Name LFC8_81 **Length** 3 **Position** 3903 - 3905

Question Name LFS-Q8.1

Concept Hours usually worked per week - job 1

Question About how many hours per week do you usually work at this job? - Job 1

Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 99	6,695	16,167,500
NOT APPLICABLE	996	5,268	11,327,000
DON'T KNOW	997	9	25,000
NOT STATED	999	574	799,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_91 **Length** 2 **Position** 3906 - 3907
Question Name LFS-Q9.1
Concept Type of working hours - job 1
Question Which of the following best describes the hours you usually work at this job? - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR - DAYTIME SCHEDULE OR SHIFT	1	4,713	11,129,000
REGULAR - EVENING SHIFT	2	338	923,500
REGULAR - NIGHT SHIFT	3	128	409,500
ROTATING SHIFT	4	599	1,374,000
SPLIT SHIFT	5	66	172,500
ON CALL	6	106	273,500
IRREGULAR SCHEDULE	7	718	1,819,000
OTHER	8	39	97,500
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	571	793,000
Total		12,546	28,318,308

Variable Name LFC8_101 **Length** 1 **Position** 3908
Question Name LFS-Q10.1
Concept Usually works weekends - job 1
Question Do you usually work on weekends at this job? - Job 1
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,839	6,905,000
NO	2	3,867	9,291,500
NOT APPLICABLE	6	5,268	11,327,000
DON'T KNOW	7	1	2,000
NOT STATED	9	571	793,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_111 **Length** 1 **Position** 3909

Question Name LFS-Q11.1

Concept Worked other than job 1

Question Did you do any other work for pay or profit in the past 12 months?

Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,330	3,226,500
NO	2	5,376	12,971,000
NOT APPLICABLE	6	5,268	11,327,000
REFUSAL	8	1	1,000
NOT STATED	9	571	793,000
Total		12,546	28,318,308

Variable Name LFC8FE2 **Length** 1 **Position** 3910

Question Name LFS-Q3.2

Concept Flag for employer - job 2

Question For whom have you worked for pay or profit in the past 12 months? - Job 1

Universe Respondents who answered LFC8_111=1

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,330	3,226,500
NOT APPLICABLE	6	10,644	24,298,000
NOT STATED	9	572	793,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_42 **Length** 1 **Position** 3911
Question Name LFS-Q4.2
Concept Had job one year ago without break - job 2
Question Did you have that job one year ago without a break in employment since then? - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	450	1,143,000
NO	2	880	2,083,500
NOT APPLICABLE	6	10,644	24,298,000
NOT STATED	9	572	793,500
	Total	12,546	28,318,308

Variable Name LFC8_52M **Length** 2 **Position** 3912 - 3913
Question Name LFS-Q5.2
Concept Month started - job 2
Question When, in the past year, did you start working at this job or business? - Month - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	123	269,000
FEBRUARY	2	101	276,000
MARCH	3	68	168,000
APRIL	4	62	155,500
MAY	5	121	274,500
JUNE	6	203	530,000
JULY	7	136	305,000
AUGUST	8	118	291,500
SEPTEMBER	9	138	304,000
OCTOBER	10	156	392,500
NOVEMBER	11	61	129,500
DECEMBER	12	41	125,500
NOT APPLICABLE	96	10,644	24,298,000
DON'T KNOW	97	2	5,000
NOT STATED	99	572	793,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_52D **Length** 2 **Position** 3914 - 3915
Question Name LFS-Q5.2
Concept Day started - job 2
Question When, in the past year, did you start working at this job or business? - Day - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	1,328	3,221,500
NOT APPLICABLE	96	10,644	24,298,000
DON'T KNOW	97	2	5,000
NOT STATED	99	572	793,500
	Total	12,546	28,318,308

Variable Name LFC8_52Y **Length** 4 **Position** 3916 - 3919
Question Name LFS-Q5.2
Concept Year started - job 2
Question When, in the past year, did you start working at this job or business? - Year - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1997 - 1999	1,328	3,221,500
NOT APPLICABLE	9996	10,644	24,298,000
DON'T KNOW	9997	2	5,000
NOT STATED	9999	572	793,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_62 **Length** 1 **Position** 3920
Question Name LFS-Q6.2
Concept Has job now - job 2
Question Do you have that job now? - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	799	1,861,000
NO	2	529	1,360,500
NOT APPLICABLE	6	10,644	24,298,000
NOT STATED	9	574	799,000
	Total	12,546	28,318,308

Variable Name LFC8_72M **Length** 2 **Position** 3921 - 3922
Question Name LFS-Q7.2
Concept Month stopped - job 2
Question When did you stop working at this job or business? - Month - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	88	250,500
FEBRUARY	2	138	388,500
MARCH	3	59	118,000
APRIL	4	40	100,500
MAY	5	83	207,500
JUNE	6	229	496,500
JULY	7	131	300,500
AUGUST	8	181	402,000
SEPTEMBER	9	125	326,500
OCTOBER	10	170	444,500
NOVEMBER	11	34	46,000
DECEMBER	12	50	140,500
NOT APPLICABLE	96	10,644	24,298,000
NOT STATED	99	574	799,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_72D **Length** 2 **Position** 3923 - 3924
Question Name LFS-Q7.2
Concept Day stopped - job 2
Question When did you stop working at this job or business? - Day - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	1,328	3,221,500
NOT APPLICABLE	96	10,644	24,298,000
NOT STATED	99	574	799,000
Total		12,546	28,318,308

Variable Name LFC8_72Y **Length** 4 **Position** 3925 - 3928
Question Name LFS-Q7.2
Concept Year stopped - job 2
Question When did you stop working at this job or business? - Year - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1997 - 1999	1,328	3,221,500
NOT APPLICABLE	9996	10,644	24,298,000
NOT STATED	9999	574	799,000
Total		12,546	28,318,308

Variable Name LFC8_82 **Length** 3 **Position** 3929 - 3931
Question Name LFS-Q8.2
Concept Hours usually worked per week - job 2
Question About how many hours per week do you usually work at this job? - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 99	1,310	3,172,000
NOT APPLICABLE	996	10,644	24,298,000
DON'T KNOW	997	7	28,500
NOT STATED	999	585	820,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_92 **Length** 2 **Position** 3932 - 3933
Question Name LFS-Q9.2
Concept Type of working hours - job 2
Question Which of the following best describes the hours you usually work at this job? - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR - DAYTIME SCHEDULE OR SHIFT	1	730	1,701,500
REGULAR - EVENING SHIFT	2	170	413,000
REGULAR - NIGHT SHIFT	3	37	96,500
ROTATING SHIFT	4	80	196,500
SPLIT SHIFT	5	13	25,500
ON CALL	6	48	133,500
IRREGULAR SCHEDULE	7	246	639,500
OTHER	8	4	15,500
NOT APPLICABLE	96	10,644	24,298,000
NOT STATED	99	574	799,000
Total		12,546	28,318,308

Variable Name LFC8_102 **Length** 1 **Position** 3934
Question Name LFS-Q10.2
Concept Usually works weekends - job 2
Question Do you usually work on weekends at this job? - Job 2
Universe Respondents who answered LFC8_111=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	692	1,653,000
NO	2	635	1,564,500
NOT APPLICABLE	6	10,644	24,298,000
DON'T KNOW	7	1	4,000
NOT STATED	9	574	799,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC8_112	Length	1	Position	3935
Question Name	LFS-Q11.2				
Concept	Worked other than job 1 and job 2				
Question	Did you do any other work for pay or profit in the past 12 months?				
Universe	Respondents who answered LFC8_111=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		231	583,500
NO		2		1,097	2,638,000
NOT APPLICABLE		6		10,644	24,298,000
NOT STATED		9		574	799,000
		Total		12,546	28,318,308

Variable Name	LFC8FE3	Length	1	Position	3936
Question Name	LFS-Q3.3				
Concept	Flag for employer - job 3				
Question	For whom else have you worked for pay or profit in the past 12 months? - Job 3				
Universe	Respondents who answered LFC8_112=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		231	583,500
NOT APPLICABLE		6		11,741	26,936,000
NOT STATED		9		574	799,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_43 **Length** 1 **Position** 3937
Question Name LFS-Q4.3
Concept Had job one year ago without break - job 3
Question Did you have that job one year ago without a break in employment since then? - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	65	158,500
NO	2	166	425,000
NOT APPLICABLE	6	11,741	26,936,000
NOT STATED	9	574	799,000
	Total	12,546	28,318,308

Variable Name LFC8_53M **Length** 2 **Position** 3938 - 3939
Question Name LFS-Q5.3
Concept Month started - job 3
Question When, in the past year, did you start working at this job or business? - Month - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	24	53,000
FEBRUARY	2	20	47,000
MARCH	3	10	24,000
APRIL	4	11	31,500
MAY	5	20	53,000
JUNE	6	39	85,000
JULY	7	22	35,500
AUGUST	8	18	60,000
SEPTEMBER	9	31	85,000
OCTOBER	10	17	58,000
NOVEMBER	11	12	34,000
DECEMBER	12	7	17,000
NOT APPLICABLE	96	11,741	26,936,000
NOT STATED	99	574	799,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_53D **Length** 2 **Position** 3940 - 3941
Question Name LFS-Q5.3
Concept Day started - job 3
Question When, in the past year, did you start working at this job or business? - Day - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	231	583,500
NOT APPLICABLE	96	11,741	26,936,000
NOT STATED	99	574	799,000
	Total	12,546	28,318,308

Variable Name LFC8_53Y **Length** 4 **Position** 3942 - 3945
Question Name LFS-Q5.3
Concept Year started - job 3
Question When, in the past year, did you start working at this job or business? -Year - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1997 - 1999	231	583,500
NOT APPLICABLE	9996	11,741	26,936,000
NOT STATED	9999	574	799,000
	Total	12,546	28,318,308

Variable Name LFC8_63 **Length** 1 **Position** 3946
Question Name LFS-Q6.3
Concept Has job now - job 3
Question Do you have that job now? - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	119	306,500
NO	2	112	277,000
NOT APPLICABLE	6	11,741	26,936,000
NOT STATED	9	574	799,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_73M **Length** 2 **Position** 3947 - 3948
Question Name LFS-Q7.3
Concept Month stopped - job 3
Question When did you stop working at this job or business? - Month - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	21	47,500
FEBRUARY	2	20	61,500
MARCH	3	9	38,000
APRIL	4	12	25,500
MAY	5	7	19,500
JUNE	6	38	89,000
JULY	7	23	41,000
AUGUST	8	33	101,500
SEPTEMBER	9	29	64,000
OCTOBER	10	23	53,000
NOVEMBER	11	6	14,500
DECEMBER	12	10	27,500
NOT APPLICABLE	96	11,741	26,936,000
NOT STATED	99	574	799,000
Total		12,546	28,318,308

Variable Name LFC8_73D **Length** 2 **Position** 3949 - 3950
Question Name LFS-Q7.3
Concept Day stopped - job 3
Question When did you stop working at this job or business? - Day - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	231	583,500
NOT APPLICABLE	96	11,741	26,936,000
NOT STATED	99	574	799,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_73Y **Length** 4 **Position** 3951 - 3954

Question Name LFS-Q7.3

Concept Year stopped - job 3

Question When did you stop working at this job or business? - Year - Job 3

Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1997 - 1999	231	583,500
NOT APPLICABLE	9996	11,741	26,936,000
NOT STATED	9999	574	799,000
	Total	12,546	28,318,308

Variable Name LFC8_83 **Length** 3 **Position** 3955 - 3957

Question Name LFS-Q8.3

Concept Hours usually worked per week - job 3

Question About how many hours per week do you usually work at this job? - Job 3

Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 99	226	565,000
NOT APPLICABLE	996	11,741	26,936,000
DON'T KNOW	997	2	7,500
NOT STATED	999	577	809,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_93 **Length** 2 **Position** 3958 - 3959
Question Name LFS-Q9.3
Concept Type of working hours - job 3
Question Which of the following best describes the hours you usually work at this job? - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR - DAYTIME SCHEDULE OR SHIFT	1	123	323,500
REGULAR - EVENING SHIFT	2	28	59,000
REGULAR - NIGHT SHIFT	3	5	14,000
ROTATING SHIFT	4	20	41,500
SPLIT SHIFT	5	1	2,500
ON CALL	6	10	29,500
IRREGULAR SCHEDULE	7	43	111,500
OTHER	8	1	2,000
NOT APPLICABLE	96	11,741	26,936,000
NOT STATED	99	574	799,000
	Total	12,546	28,318,308

Variable Name LFC8_103 **Length** 1 **Position** 3960
Question Name LFS-Q10.3
Concept Usually works weekends - job 3
Question Do you usually work on weekends at this job? - Job 3
Universe Respondents who answered LFC8_112=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	127	344,000
NO	2	104	239,500
NOT APPLICABLE	6	11,741	26,936,000
NOT STATED	9	574	799,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC8FMN	Length	1	Position	3961
Question Name					
Concept	Job number of main job				
Question					
Universe	Respondents who answered LFC8_2=1				
Note	If more than one job, the jobs are reordered in such a way that Job 1 is the most current job. If two jobs have the same stopdate, the startdate will determine the sort. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FIRST JOB		1		6,071	14,637,500
SECOND JOB		2		543	1,296,500
THIRD JOB		3		88	244,500
NOT APPLICABLE		6		5,268	11,327,000
NOT STATED		9		576	812,500
		Total		12,546	28,318,308

Variable Name	LFC8F13	Length	1	Position	3962
Question Name	LFS-Q13				
Concept	Flag for main job industry				
Question	Thinking about this job, what kind of business, service or industry is this? (For example, wheat farm, road maintenance, retail shoe store, secondary school, trapping.)				
Universe	Respondents who answered LFC8_2=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,693	16,158,000
NOT APPLICABLE		6		5,268	11,327,000
REFUSAL		8		2	6,500
NOT STATED		9		583	827,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8F14 **Length** 1 **Position** 3963
Question Name LFS-Q14
Concept Flag for main job occupation
Question Again, thinking about this job, what kind of work were you doing? (For example, medical lab technician, accounting clerk, secondary school teacher, supervisor of data entry unit, food processing labourer.)
Universe Respondents who answered LFC8_2=1
Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,692	16,157,500
NOT APPLICABLE	6	5,268	11,327,000
DON'T KNOW	7	2	4,500
REFUSAL	8	1	2,500
NOT STATED	9	583	827,000
Total		12,546	28,318,308

Variable Name LFC8F15 **Length** 1 **Position** 3964
Question Name LFS-Q15
Concept Flag for main job duties
Question In this work, what were your most important duties or activities? (For example, analysis of blood samples, verifying invoices, teaching mathematics, organizing work schedules, cleaning vegetables)
Universe Respondents who answered LFC8_2=1
Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,693	16,159,500
NOT APPLICABLE	6	5,268	11,327,000
DON'T KNOW	7	1	2,500
REFUSAL	8	1	2,500
NOT STATED	9	583	827,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1342

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_16 **Length** 1 **Position** 3965
Question Name LFS-Q16
Concept Worked for others or in own business - main job
Question Did you work mainly for others for wages, salary, or commission or in your own business, farm or professional practice?
Universe Respondents who answered LFC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FOR OTHERS FOR WAGES, SALARY / COMMIS.	1	5,709	13,843,000
IN OWN BUSINESS FARM OR PROFES. PRACTICE	2	971	2,272,500
UNPAID FAMILY WORKER	3	15	49,000
NOT APPLICABLE	6	5,268	11,327,000
NOT STATED	9	583	827,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_17A **Length** 2 **Position** 3966 - 3967
Question Name LFS-Q17A
Concept Reason for not working - most recent period
Question What was the main reason that you were not working for pay or profit during the most recent period away from work in the past 12 months?
Universe Respondents who are currently employed but didn't work the full year

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	33	67,500
PREGNANCY	2	12	15,000
CARING FOR - OWN CHILDREN	3	43	118,500
CARING FOR - ELDER RELATIVES	4	3	7,500
OTHER PERSONAL OR FAMILY RESP.	5	32	76,000
SCHOOL OR EDUCATIONAL LEAVE	6	178	517,500
LABOUR DISPUTE	7	3	11,000
TEMPORARY LAYOFF - DUE TO SEASONAL COND.	8	90	132,000
TEMPORARY LAYOFF - NON-SEASONAL	9	46	73,000
PERMANENT LAYOFF	10	40	93,000
RETIRED	11	11	19,000
UNPAID OR PARTIALLY PAID LEAVE	12	3	8,000
LOOKING FOR WORK	13	111	206,000
RESIGNED	15	14	25,500
OTHER	16	9	24,500
NO PERIOD NOT WORKING FOR PAY OR PROFIT	17	12	26,500
NOT APPLICABLE	96	11,227	25,818,500
DON'T KNOW	97	4	13,500
REFUSAL	98	1	2,000
NOT STATED	99	674	1,064,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8_17B **Length** 2 **Position** 3968 - 3969
Question Name LFS-Q17B
Concept Reason for not working - currently
Question What is the main reason that you are currently not working for pay or profit?
Universe Respondents who are not currently employed

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	456	923,500
PREGNANCY	2	26	47,500
CARING FOR - OWN CHILDREN	3	252	583,000
CARING FOR - ELDER RELATIVES	4	13	27,000
OTHER PERSONAL OR FAMILY RESP.	5	182	435,500
SCHOOL OR EDUCATIONAL LEAVE	6	407	1,215,000
LABOUR DISPUTE	7	3	8,000
TEMPORARY LAYOFF - DUE TO SEASONAL COND.	8	120	239,000
TEMPORARY LAYOFF - NON-SEASONAL	9	43	69,000
PERMANENT LAYOFF	10	110	253,500
RETIRED	11	1,548	2,794,000
UNPAID OR PARTIALLY PAID LEAVE	12	2	4,000
LOOKING FOR WORK	13	112	229,500
DISABLED / RECOVERING FROM ILLNESS	14	20	61,500
RESIGNED	15	23	55,500
OTHER	16	21	41,500
NOT APPLICABLE	96	8,603	20,451,500
NOT STATED	99	605	880,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1345

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8CI97 **Length** 4 **Position** 3970 - 3973

Question Name

Concept Standard Industry Code (NAICS) for main job

Question

Universe Respondents who answered LFC8_2=1

Note Based on the North American Industry Classification System (NAICS) - 1997.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	1100 - 9191	6,687	16,150,000
NOT APPLICABLE	9996	5,268	11,327,000
DON'T KNOW	9997	5	6,000
REFUSAL	9998	2	6,500
NOT STATED	9999	584	828,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8G116 **Length** 2 **Position** 3974 - 3975

Question Name

Concept Standard Industry Code for main job - 16 groups - (G)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8CI97 (North American Industry Classification System (NAICS) - 1997). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGRICULTURE	1	259	507,500
FORESTRY, FISHING, MINING, OIL AND GAS	2	195	331,500
UTILITIES	3	54	155,000
CONSTRUCTION	4	340	806,000
MANUFACTURING	5	771	2,194,000
TRADE	6	970	2,432,000
TRANSPORTATION AND WAREHOUSING	7	334	779,000
FINANCE, INSUR., REAL ESTATE AND LEASING	8	370	907,000
PROFESSIONAL, SCIENTIFIC AND TECH. SERV.	9	363	1,056,500
MANAGEMENT, ADMIN. AND OTHER SUPPORT	10	195	478,500
EDUCATIONAL SERVICES	11	526	1,129,500
HEALTH CARE AND SOCIAL ASSISTANCE	12	692	1,534,000
INFORMATION, CULTURE AND RECREATION	13	275	742,500
ACCOMMODATION AND FOOD SERVICES	14	444	1,171,500
OTHER SERVICES (EXCEPT PUBLIC ADMIN.)	15	407	965,000
PUBLIC ADMINISTRATION	16	492	960,500
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	591	841,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1347

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8CO91 **Length** 4 **Position** 3976 - 3979

Question Name

Concept Standard Occupation Code (SOC - 91) for main job

Question

Universe Respondents who answered LFC8_2=1

Note Based on the Standard Occupational Classification (SOC) - 1991.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	A011 - J319	6,684	16,147,500
NOT APPLICABLE	9996	5,268	11,327,000
DON'T KNOW	9997	5	6,000
REFUSAL	9998	2	6,500
NOT STATED	9999	587	831,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8GO25 **Length** 2 **Position** 3980 - 3981

Question Name

Concept Standard Occupation Code for main job - 25 groups - (G)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	26	59,000
OTHER MANAGEMENT OCCUPATIONS	2	444	1,065,000
PROF. OCC. IN BUSINESS AND FINANCE	3	145	385,500
FINANCIAL/SECRETARIAL/ADMIN. OCC.	4	322	684,000
CLERICAL OCC. INCL. SUPERVISORS	5	792	1,923,000
NATURAL AND APPLIED SCIENCES	6	345	918,500
PROF. OCC. IN HEALTH/NURSE SUPERV.	7	174	400,500
TECHN. / ASSISTING IN HEALTH	8	183	392,000
OCC. IN SOCIAL SC./GOV. SERV./RELIGION	9	212	487,000
TEACHERS AND PROFESSORS	10	337	721,500
OCC. IN ART/CULTURE/RECREATION/SPORT	11	175	454,500
WHOLESALE/TECH/INSUR./REAL ESTATE/SALES	12	194	494,500
RETAIL SALES/CASHIERS	13	384	881,500
CHEFS/COOKS/OCCUPATIONS IN FOOD AND BEV.	14	211	548,000
OCCUPATIONS IN PROTECTIVE SERVICES	15	105	241,500
CHILDCARE AND HOME SUPPORT WORKERS	16	257	557,500
SALES/SERVICES OCCUPATIONS N.E.C.	17	642	1,769,500
CONTRACTORS/SUPER IN TRADES AND TRANSP.	18	65	206,000
CONSTRUCTION TRADES	19	125	295,500
OTHER TRADES OCCUPATIONS	20	316	792,000
TRANSPORTATION AND EQUIPMENT OPERATORS	21	247	551,000
TRADES HELPERS/CONST./TRANSP./RELATED	22	125	332,000
OCCUPATIONS UNIQUE TO PRIMARY INDUSTRY	23	399	737,500
MACHINE OPERATORS/ASSEMBLERS/SUPERVISORS	24	364	1,013,500
LABOURERS IN PROCESSING/MANUF. AND UTIL.	25	95	238,500
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	594	844,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8GO47 **Length** 2 **Position** 3982 - 3983

Question Name

Concept Standard Occupation Code for main job - 47 groups - (G)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	26	59,000
SPECIALIST MANAGERS	2	113	272,500
MANAGERS-RETAIL TRADE/FOOD/ACCOMM. SERV.	3	137	295,500
OTHER MANAGERS N.E.C.	4	194	497,000
PROF. OCC. IN BUSINESS AND FINANCE	5	145	385,500
FINANCE AND INSURANCE ADMIN. OCCUPATIONS	6	117	258,000
SECRETARIES	7	116	218,500
ADMIN. AND REGULATORY OCCUPATIONS	8	89	207,500
CLERICAL SUPERVISORS	9	55	119,000
CLERICAL OCCUPATIONS	10	737	1,804,000
PROF. OCC. IN NATURAL / APPLIED SCIENCES	11	191	558,500
TECH. OCC. IN NATURAL / APPLIED SCIENCES	12	154	360,000
PROFESSIONAL OCCUPATIONS IN HEALTH	13	66	189,000
NURSE SUPERVISORS AND REGISTERED NURSES	14	108	211,500
TECH. AND RELATED OCCUPATIONS IN HEALTH	15	63	128,000
ASSIST. OCC. IN SUPPORT OF HEALTH SERV.	16	120	264,000
PROF. IN SOCIAL SCI./GOV. SERV./RELIGION	17	118	265,000
TEACHERS AND PROFESSORS	18	337	721,500
TECH. IN SOCIAL SCI./GOV. SERV./RELIGION	19	94	222,000
PROFESSIONAL OCC. IN ART AND CULTURE	20	77	176,500
TECH. OCC. IN ART/CULTURE/RECR./SPORT	21	98	278,000
SALES AND SERVICE SUPERVISORS	22	58	124,000
WHOLESALE/TECH/INSUR./REAL ESTATE	23	194	494,500
RETAIL SALES AND SALES CLERKS	24	250	581,000
CASHIERS	25	102	230,500
CHEFS AND COOKS	26	77	216,500
OCCUPATIONS IN FOOD AND BEVERAGE SERVICE	27	121	306,000
OCCUPATIONS IN PROTECTIVE SERVICES	28	105	241,500
OCCUPATIONS IN TRAVEL AND ACCOMMODATION	29	58	151,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

CHILDCARE AND HOME SUPPORT WORKERS	30	257	557,500
SALES AND SERVICE OCCUPATIONS N.E.C.	31	571	1,590,000
CONTRACT./SUPERV. IN TRADES AND TRANSP.	32	65	206,000
CONSTRUCTION TRADES	33	125	295,500
STAT. ENG./POWER STAT./ELECTR./TELEC.	34	66	154,500
MACHINISTS/METAL FORM./SHAP./ERECT. OCC.	35	26	71,500
MECHANICS	36	183	454,000
OTHER TRADES N.E.C.	37	41	112,000
HEAVY EQUIPMENT OPER. INCL. DRILLERS	38	52	99,000
TRANSP. EQ. OPER./WORKERS EXCL. LABOUR	39	195	452,000
TRAD. HELP./CONSTR./TRANSP. LABOUR./REL.	40	125	332,000
OCC. UNIQUE TO AGRICULTURE/EXCL. LABOUR	41	223	463,000
OCC. UNIQUE TO EXTRACTION/EXCL. LABOUR	42	103	131,000
PRIMARY PRODUCTION LABOURERS	43	73	143,500
SUPERVISORS IN MANUFACTURING	44	53	150,000
MACHINE OPERATORS IN MANUFACTURING	45	227	592,000
ASSEMBLERS IN MANUFACTURING	46	84	271,500
LABOURERS IN PROCESSING/MANUFACT./UTIL.	47	95	238,500
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	594	844,000
Total		12,546	28,318,308

Variable Name	LFC8FWK	Length	1	Position	3984
----------------------	---------	---------------	---	-----------------	------

Question Name

Concept Work flag (used for processing only)

Question

Universe Respondents aged 15 to 75 living in a household

Note This flag is used to determine if currently working. However, if there is any non-response in the LFS section the value is set to 9. See Derived Variables Documentation.

Content	Code	Sample	Population
HAS CURRENT JOB	1	5,979	14,522,500
HAS NO CURRENT JOB	2	3,426	7,218,500
NOT APPLICABLE	6	2,573	5,796,500
NOT STATED	9	568	780,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8FGAP **Length** 1 **Position** 3985

Question Name

Concept Flag for jobless gap greater than 30 days

Question

Universe Respondents who answered LFC8_2=1

Note Flag indicating a jobless gap greater than 30 days. LFC8DGA measures a gap between jobs 1, 2 and / or 3. LFC8FGAP measures any jobless spell within the past 12 months, not only those between job 1, 2 and 3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,425	3,250,000
NO	2	5,279	12,942,500
NOT APPLICABLE	6	5,268	11,327,000
NOT STATED	9	574	799,000
Total		12,546	28,318,308

Variable Name LFC8DCWS **Length** 1 **Position** 3986

Question Name

Concept Working status in last 12 months - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LFC8_2, LFC8_61, LFC8_62, LFC8_63, LFC8_51M and LFC8_71M. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CURRENTLY WORKING	1	5,979	14,522,500
NOT CURR. WORK./WORKED AT JOB/PAST 12 M.	2	728	1,676,000
DID NOT WORK DURING LAST 12 MONTHS	3	2,695	5,530,500
WORKED LAST 12 MOS - UNKNOWN IF CURRENT	4	9	23,000
NOT APPLICABLE	6	2,573	5,796,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DDA **Length** 2 **Position** 3987 - 3988

Question Name

Concept Duration of work without break greater than 30 days - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on calculation of LFC8_7 (end date) minus LFC8_5 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	84	181,500
1 MONTH	1	183	397,500
2 MONTHS	2	162	441,000
3 MONTHS	3	167	374,000
4 MONTHS	4	142	368,500
5 MONTHS	5	107	207,500
6 MONTHS	6	105	248,000
7 MONTHS	7	105	218,500
8 MONTHS	8	113	264,500
9 MONTHS	9	97	217,500
10 MONTHS	10	101	217,500
11 MONTHS	11	107	214,000
12 MONTHS	12	5,231	12,843,000
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	574	799,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DHA **Length** 1 **Position** 3989

Question Name

Concept Pattern of working hours of all jobs - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8_2, LFC8_111, LFC8_112 (number of jobs), LFC8_81, LFC8_82, LFC8_83 (working hours at job 1, 2 and 3). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 JOB FULL-TIME	1	4,463	10,716,500
1 JOB PART-TIME	2	905	2,235,000
ONLY FULL-TIME AT ALL JOBS	3	473	1,019,500
ONLY PART-TIME AT ALL JOBS	4	248	691,500
SOME FULL-TIME, SOME PART-TIME	5	587	1,456,500
NOT APPLICABLE	6	5,268	11,327,000
NOT STATED	9	602	872,000
Total		12,546	28,318,308

Variable Name LFC8DJA **Length** 1 **Position** 3990

Question Name

Concept Number of jobs - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LFC8_2, LFC8_111 and LFC8_112. This variable was 2 bytes long in Cycle 1 (1994). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO JOBS	0	2,695	5,530,500
1 JOB	1	5,376	12,971,000
2 JOBS	2	1,097	2,638,000
3 JOBS	3	231	583,500
NOT APPLICABLE	6	2,573	5,796,500
NOT STATED	9	574	799,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DGA **Length** 1 **Position** 3991

Question Name

Concept Number of gaps of 30 days or more - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on all start and stop dates of jobs in the past 12 months. LFC8DGA measures a gap between jobs 1, 2 and/or 3. LFC8FGAP measures any jobless spell within the past 12 months, not only those between job 1, 2 and 3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO GAPS	0	6,423	15,539,000
1 GAP	1	241	530,500
2 GAPS	2	40	123,000
NOT APPLICABLE	6	5,268	11,327,000
NOT STATED	9	574	799,000
	Total	12,546	28,318,308

Variable Name LFC8DJGA **Length** 2 **Position** 3992 - 3993

Question Name

Concept Pattern of number of jobs - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8DJA (number of jobs), LFC8DCWS (current work status), LFC8DGA (job gaps) and overlaps. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 JOB - CURRENTLY WORKING	1	4,802	11,643,000
1 JOB - NOT CURRENTLY WORKING	2	574	1,327,500
2+ JOBS - NO GAPS, NO OVERLAP	3	286	708,000
2+ JOBS - NO GAPS, SOME OVERLAP	4	761	1,860,000
2+ JOBS - AT LEAST 1 GAP, NO OVERLAP	5	271	623,000
2+ JOBS - AT LEAST 1 GAP, SOME OVERLAP	6	10	30,500
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	574	799,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1355

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DCMN **Length** 1 **Position** 3994

Question Name

Concept Main job is the current job - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8FMN (job number of main job), LFC8_61, LFC8_62 and LFC8_63. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,974	14,503,000
NO	2	728	1,676,000
NOT APPLICABLE	6	5,268	11,327,000
NOT STATED	9	576	812,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DDMN **Length** 2 **Position** 3995 - 3996

Question Name

Concept Work duration - main job - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8_71 (end date) minus LFC8_51 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	117	283,000
1 MONTH	1	228	525,000
2 MONTHS	2	232	632,000
3 MONTHS	3	209	477,500
4 MONTHS	4	166	393,000
5 MONTHS	5	155	341,500
6 MONTHS	6	142	361,500
7 MONTHS	7	141	289,500
8 MONTHS	8	127	325,000
9 MONTHS	9	123	272,500
10 MONTHS	10	127	269,500
11 MONTHS	11	116	233,000
12 MONTHS	12	4,818	11,772,000
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	577	816,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DHMN **Length** 1 **Position** 3997

Question Name

Concept Hours of work - main job - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8FMN (job number of main job) and LFC8_81 (number of hours worked). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)	1	5,418	12,894,000
PART TIME (LESS THAN 30 HOURS)	2	1,276	3,265,500
NOT APPLICABLE	6	5,268	11,327,000
NOT STATED	9	584	832,000
Total		12,546	28,318,308

Variable Name LFC8DTMN **Length** 2 **Position** 3998 - 3999

Question Name

Concept Type of working hours - main job - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8FMN (job number of main job), LFC8_91 to LFC8_93 (type of hours worked) and LFC8_101 to LFC8_103 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	3,525	8,452,000
REGULAR SHIFT - WITH WEEKEND	2	1,659	4,025,500
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	136	353,500
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	528	1,187,500
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	213	504,500
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	606	1,571,500
OTHER - NO WEEKEND	7	7	30,000
OTHER - WITH WEEKEND	8	26	48,000
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	578	818,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DD1 **Length** 2 **Position** 4000 - 4001

Question Name

Concept Work duration - job 1 - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8_71 (end date) minus LFC8_51 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	122	272,500
1 MONTH	1	266	574,500
2 MONTHS	2	235	638,500
3 MONTHS	3	220	508,000
4 MONTHS	4	175	449,000
5 MONTHS	5	151	342,500
6 MONTHS	6	140	344,000
7 MONTHS	7	139	277,000
8 MONTHS	8	127	322,500
9 MONTHS	9	112	254,500
10 MONTHS	10	110	245,000
11 MONTHS	11	96	187,500
12 MONTHS	12	4,814	11,783,000
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	571	793,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DD2 **Length** 2 **Position** 4002 - 4003

Question Name

Concept Work duration - job 2 - (D)

Question

Universe Respondents who answered LFC8_111=1

Note Based on LFC8_72 (end date) minus LFC8_52 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	69	183,500
1 MONTH	1	122	295,500
2 MONTHS	2	127	283,000
3 MONTHS	3	94	234,000
4 MONTHS	4	81	219,500
5 MONTHS	5	76	164,500
6 MONTHS	6	68	162,500
7 MONTHS	7	55	147,500
8 MONTHS	8	42	119,000
9 MONTHS	9	47	118,000
10 MONTHS	10	53	111,000
11 MONTHS	11	48	113,000
12 MONTHS	12	445	1,066,500
NOT APPLICABLE	96	10,644	24,298,000
NOT STATED	99	575	802,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DD3 **Length** 2 **Position** 4004 - 4005

Question Name

Concept Work duration - job 3 - (D)

Question

Universe Respondents who answered LFC8_112=1

Note Based on LFC8_73 (end date) minus LFC8_53 (start date) divided by 30. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
0 MONTHS	0	22	73,000
1 MONTH	1	32	72,500
2 MONTHS	2	41	101,500
3 MONTHS	3	29	85,500
4 MONTHS	4	16	29,000
5 MONTHS	5	11	34,000
6 MONTHS	6	12	45,000
7 MONTHS	7	14	27,500
8 MONTHS	8	10	25,000
9 MONTHS	9	5	17,000
10 MONTHS	10	2	5,000
11 MONTHS	11	8	12,000
12 MONTHS	12	29	56,000
NOT APPLICABLE	96	11,741	26,936,000
NOT STATED	99	574	799,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LFC8DH1	Length	1	Position	4006
Question Name					
Concept	Hours of work - job 1 - (D)				
Question					
Universe	Respondents who answered LFC8_2=1				
Note	Based on LFC8_81 (number of hours worked). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)		1		5,357	12,741,500
PART TIME (LESS THAN 30 HOURS)		2		1,338	3,426,000
NOT APPLICABLE		6		5,268	11,327,000
NOT STATED		9		583	823,500
		Total		12,546	28,318,308

Variable Name	LFC8DH2	Length	1	Position	4007
Question Name					
Concept	Hours of work - job 2 - (D)				
Question					
Universe	Respondents who answered LFC8_111=1				
Note	Based on LFC8_82 (number of hours worked). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)		1		669	1,542,500
PART TIME (LESS THAN 30 HOURS)		2		641	1,629,500
NOT APPLICABLE		6		10,644	24,298,000
NOT STATED		9		592	848,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DH3 **Length** 1 **Position** 4008

Question Name

Concept Hours of work - job 3 - (D)

Question

Universe Respondents who answered LFC8_112=1

Note Based on LFC8_83 (number of hours worked). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)	1	104	253,500
PART TIME (LESS THAN 30 HOURS)	2	122	311,500
NOT APPLICABLE	6	11,741	26,936,000
NOT STATED	9	579	817,000
Total		12,546	28,318,308

Variable Name LFC8DT1 **Length** 2 **Position** 4009 - 4010

Question Name

Concept Type of working hours - job 1 - (D)

Question

Universe Respondents who answered LFC8_2=1

Note Based on LFC8_91 (type of hours worked) and LFC8_101 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	3,514	8,420,500
REGULAR SHIFT - WITH WEEKEND	2	1,665	4,041,500
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	137	361,500
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	527	1,183,000
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	209	475,000
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	615	1,617,500
OTHER - NO WEEKEND	7	7	34,000
OTHER - WITH WEEKEND	8	32	63,500
NOT APPLICABLE	96	5,268	11,327,000
NOT STATED	99	572	795,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DT2 **Length** 2 **Position** 4011 - 4012

Question Name

Concept Type of working hours - job 2 - (D)

Question

Universe Respondents who answered LFC8_111=1

Note Based on LFC8_92 (type of hours worked) and LFC8_102 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	530	1,254,500
REGULAR SHIFT - WITH WEEKEND	2	407	957,000
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	23	61,000
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	70	161,000
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	81	249,000
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	212	520,500
OTHER - NO WEEKEND	7	1	1,000
OTHER - WITH WEEKEND	8	3	15,000
NOT APPLICABLE	96	10,644	24,298,000
NOT STATED	99	575	802,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC8DT3 **Length** 2 **Position** 4013 - 4014

Question Name

Concept Type of working hours - job 3 - (D)

Question

Universe Respondents who answered LFC8_112=1

Note Based on LFC8_93 (type of hours worked) and LFC8_103 (whether usually worked weekends). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR SHIFT - NO WEEKEND	1	89	198,000
REGULAR SHIFT - WITH WEEKEND	2	67	198,000
ROTATING OR SPLIT SHIFT - NO WEEKEND	3	3	7,000
ROTATING OR SPLIT SHIFT - WITH WEEKEND	4	18	37,000
IRREG. / ON CALL SCHEDULE - NO WEEKEND	5	11	32,500
IRREG. / ON CALL SCHEDULE - WITH WEEKEND	6	42	109,000
OTHER - NO WEEKEND	7	1	2,000
NOT APPLICABLE	96	11,741	26,936,000
NOT STATED	99	574	799,000
Total		12,546	28,318,308

Variable Name INC8F1 **Length** 1 **Position** 4015

Question Name

Concept Income questions asked of this H05 respondent

Question

Universe All respondents

Note See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,198	17,648,000
NO	2	3,785	9,897,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC8_1A	Length	1	Position	4016
Question Name	INCOM-Q1				
Concept	Source of income - wages and salaries				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Wages and salaries				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8,358	20,807,500
NO		2		3,527	6,482,000
DON'T KNOW		7		60	169,000
REFUSAL		8		38	86,000
NOT STATED		9		563	773,500
		Total		12,546	28,318,308

Variable Name	INC8_1B	Length	1	Position	4017
Question Name	INCOM-Q1				
Concept	Source of income - self-employment				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Income from self-employment				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,369	5,756,500
NO		2		9,423	21,439,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		48	154,500
REFUSAL		8		38	86,000
NOT STATED		9		563	773,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC8_1C	Length	1	Position	4018
Question Name	INCOM-Q1				
Concept	Source of income - dividends and interest				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Dividends and interest (e.g., on bonds, savings)				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,329	5,281,000
NO		2		9,556	22,009,000
DON'T KNOW		7		60	169,000
REFUSAL		8		38	86,000
NOT STATED		9		563	773,500
		Total		12,546	28,318,308

Variable Name	INC8_1D	Length	1	Position	4019
Question Name	INCOM-Q1				
Concept	Source of income - employment insurance				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Employment insurance				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,397	2,647,000
NO		2		10,395	24,548,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		48	154,500
REFUSAL		8		38	86,000
NOT STATED		9		563	773,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8_1E **Length** 1 **Position** 4020
Question Name INCOM-Q1
Concept Source of income - worker's compensation
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Worker's compensation
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	310	706,500
NO	2	11,482	26,489,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	48	154,500
REFUSAL	8	38	86,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

Variable Name INC8_1F **Length** 1 **Position** 4021
Question Name INCOM-Q1
Concept Source of income - benefits from Can. / Que. Pension Plan
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Benefits from Canada or Quebec Pension Plan
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,756	4,825,000
NO	2	9,129	22,465,000
DON'T KNOW	7	60	169,000
REFUSAL	8	38	86,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8_1G **Length** 1 **Position** 4022

Question Name INCOM-Q1

Concept Source of income - pensions, superannuation and annuities

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Retirement pensions, superannuation and annuities

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,974	3,751,000
NO	2	9,911	23,539,000
DON'T KNOW	7	60	169,000
REFUSAL	8	38	86,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

Variable Name INC8_1H **Length** 1 **Position** 4023

Question Name INCOM-Q1

Concept Source of income - Old Age Security / G.I.S.

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Old Age Security and Guaranteed Income Supplement

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,469	4,020,500
NO	2	9,416	23,269,000
DON'T KNOW	7	60	169,000
REFUSAL	8	38	86,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8_1K **Length** 1 **Position** 4026
Question Name INCOM-Q1
Concept Source of income - child support
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Support
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	364	910,500
NO	2	11,428	26,285,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	48	154,500
REFUSAL	8	38	86,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

Variable Name INC8_1L **Length** 1 **Position** 4027
Question Name INCOM-Q1
Concept Source of income - alimony
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Alimony
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	46	122,500
NO	2	11,746	27,073,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	48	154,500
REFUSAL	8	38	86,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8_1M **Length** 1 **Position** 4028

Question Name INCOM-Q1

Concept Source of income - other

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Other (e.g., rental income, scholarships)

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	695	1,554,500
NO	2	11,190	25,735,000
DON'T KNOW	7	60	169,000
REFUSAL	8	38	86,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

Variable Name INC8_1N **Length** 1 **Position** 4029

Question Name INCOM-Q1

Concept Source of income - none

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - None

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	25	69,000
NO	2	11,860	27,220,500
DON'T KNOW	7	60	169,000
REFUSAL	8	38	86,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8_3D **Length** 1 **Position** 4041
Question Name INCOM-Q3B
Concept Total household income - < \$15,000 or >= \$15,000
Question Was the total household income from all sources less than \$15,000 or \$15,000 or more?
Universe Respondents who answered INC8_3B=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$15,000	1	1,002	1,546,500
\$15,000 OR MORE	2	813	1,439,000
NOT APPLICABLE	6	9,710	23,373,000
DON'T KNOW	7	21	42,000
REFUSAL	8	3	5,500
NOT STATED	9	997	1,912,000
	Total	12,546	28,318,308

Variable Name INC8_3E **Length** 1 **Position** 4042
Question Name INCOM-Q3E
Concept Total household income - < \$40,000 or >= \$40,000
Question Was the total household income from all sources less than \$40,000 or \$40,000 or more?
Universe Respondents who answered INC8_3A=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$40,000	1	3,172	6,453,000
\$40,000 OR MORE	2	5,976	15,709,500
NOT APPLICABLE	6	2,310	3,939,500
DON'T KNOW	7	78	272,000
REFUSAL	8	27	63,500
NOT STATED	9	983	1,881,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8_3F **Length** 1 **Position** 4043
Question Name INCOM-Q3B
Concept Total household income - < \$30,000 or >= \$30,000
Question Was the total household income from all sources less than \$30,000 or \$30,000 or more?
Universe Respondents who answered INC8_3E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$30,000	1	1,580	3,014,500
\$30,000 OR MORE	2	1,566	3,365,500
NOT APPLICABLE	6	8,286	19,649,000
DON'T KNOW	7	23	68,500
REFUSAL	8	3	4,500
NOT STATED	9	1,088	2,216,500
	Total	12,546	28,318,308

Variable Name INC8_3G **Length** 1 **Position** 4044
Question Name INCOM-Q3B
Concept Total household income - >= \$40,000
Question Was the total household income from all sources less than \$50,000, \$50,000 to less than \$60,000, \$60,000 to less than \$80,000 or \$80,000 or more?
Universe Respondents who answered INC8_3E=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$50,000	1	1,322	3,051,000
\$50,000 TO LESS THAN \$60,000	2	1,230	3,113,500
\$60,000 TO LESS THAN \$80,000	3	1,617	4,188,000
\$80,000 OR MORE	4	1,720	5,108,000
NOT APPLICABLE	6	5,482	10,392,500
DON'T KNOW	7	69	196,500
REFUSAL	8	13	49,000
NOT STATED	9	1,093	2,220,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8DHH **Length** 2 **Position** 4045 - 4046

Question Name

Concept Total household income - All sources - (D)

Question

Universe All respondents

Note Based on INC8_3A to INC8_3G. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO INCOME	1	34	92,500
LESS THAN \$5,000	2	74	171,000
\$5,000 TO \$9,999	3	348	610,500
\$10,000 TO \$14,999	4	1,002	1,546,500
\$15,000 TO \$19,999	5	813	1,439,000
\$20,000 TO \$29,999	6	1,580	3,014,500
\$30,000 TO \$39,999	7	1,566	3,365,500
\$40,000 TO \$49,999	8	1,322	3,051,000
\$50,000 TO \$59,999	9	1,230	3,113,500
\$60,000 TO \$79,999	10	1,617	4,188,000
\$80,000 OR MORE	11	1,720	5,108,000
NOT STATED	99	1,240	2,618,500
	Total	12,546	28,318,308

Variable Name INC8DIA2 **Length** 1 **Position** 4047

Question Name

Concept Income adequacy - 2 groups - (D)

Question

Universe All respondents

Note Based on INC8_3A to INC8_3G and DHC8_MEM. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LOW INCOME	1	1,788	3,246,000
MIDDLE OR HIGH INCOME	2	9,518	22,453,500
NOT STATED	9	1,240	2,618,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC8DIA4	Length	1	Position	4048
Question Name					
Concept Income adequacy - 4 groups - (D)					
Question					
Universe All respondents					
Note Based on INC8_3A to INC8_3G and DHC8_MEM. See Derived Variables Documentation.					
Content					
			Code	Sample	Population
LOWEST INCOME			1	1,788	3,246,000
LOWER MIDDLE INCOME			2	3,239	6,786,500
UPPER MIDDLE INCOME			3	4,100	9,533,000
HIGHEST INCOME			4	2,179	6,134,500
NOT STATED			9	1,240	2,618,500
			Total	12,546	28,318,308

Variable Name	INC8DIA5	Length	1	Position	4049
Question Name					
Concept Income adequacy - 5 groups - (D)					
Question					
Universe All respondents					
Note Based on INC8_3A to INC8_3G and DHC8_MEM. See Derived Variables Documentation.					
Content					
			Code	Sample	Population
LOWEST INCOME			1	477	919,500
LOWER MIDDLE INCOME			2	1,311	2,327,000
MIDDLE INCOME			3	3,239	6,786,500
UPPER MIDDLE INCOME			4	4,100	9,533,000
HIGHEST INCOME			5	2,179	6,134,500
NOT STATED			9	1,240	2,618,500
			Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8_4B **Length** 1 **Position** 4057
Question Name INCOM-Q4B
Concept Total personal income - < \$10,000 or >= \$10,000
Question Can you estimate in which of the following groups your personal income falls? Was your total personal income less than \$10,000 or \$10,000 or more?
Universe Respondents who answered INC8_4A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$10,000	1	1,782	4,211,500
\$10,000 OR MORE	2	2,530	4,501,500
NOT APPLICABLE	6	7,234	17,796,000
DON'T KNOW	7	15	26,000
NOT STATED	9	985	1,783,500
Total		12,546	28,318,308

Variable Name INC8_4C **Length** 1 **Position** 4058
Question Name INCOM-Q4C
Concept Total personal income - < \$5,000 or >= \$5,000
Question Can you estimate in which of the following groups your personal income falls? Was your total personal income less than \$5,000 or \$5,000 or more?
Universe Respondents who answered INC8_4B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$5,000	1	774	2,081,000
\$5,000 OR MORE	2	1,003	2,121,500
NOT APPLICABLE	6	9,764	22,297,500
DON'T KNOW	7	5	8,500
NOT STATED	9	1,000	1,809,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8_4F **Length** 1 **Position** 4061

Question Name INCOM-Q4F

Concept Total personal income - < \$30,000 or >= \$30,000

Question Can you estimate in which of the following groups your personal income falls? Was your total personal income less than \$30,000 or \$30,000 or more?

Universe Respondents who answered INC8_4E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$30,000	1	1,716	3,556,500
\$30,000 OR MORE	2	1,327	3,089,000
NOT APPLICABLE	6	8,496	19,838,500
DON'T KNOW	7	6	10,000
REFUSAL	8	2	6,000
NOT STATED	9	999	1,818,000
Total		12,546	28,318,308

Variable Name INC8_4G **Length** 1 **Position** 4062

Question Name INCOM-Q4G

Concept Total personal income - >= \$40,000

Question Can you estimate in which of the following groups your personal income falls? Was your total personal income less than \$50,000, \$50,000 to less than \$60,000, \$60,000 to less than \$80,000 or \$80,000 or more?

Universe Respondents who answered INC8_4E=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$50,000	1	841	1,941,500
\$50,000 TO LESS THAN \$60,000	2	524	1,369,000
\$60,000 TO LESS THAN \$80,000	3	465	1,306,500
\$80,000 OR MORE	4	261	694,500
NOT APPLICABLE	6	9,444	21,156,500
DON'T KNOW	7	3	13,500
REFUSAL	8	4	14,500
NOT STATED	9	1,004	1,822,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC8DPER **Length** 2 **Position** 4063 - 4064

Question Name

Concept Total personal income - All sources - (D)

Question

Universe Respondents aged 15 and over

Note Based on INC8_4A to INC8_4G. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO INCOME	1	505	1,364,500
LESS THAN \$5,000	2	774	2,081,000
\$5,000 TO \$9,999	3	1,003	2,121,500
\$10,000 TO \$14,999	4	1,536	2,642,000
\$15,000 TO \$19,999	5	973	1,828,000
\$20,000 TO \$29,999	6	1,716	3,556,500
\$30,000 TO \$39,999	7	1,327	3,089,000
\$40,000 TO \$49,999	8	841	1,941,500
\$50,000 TO \$59,999	9	524	1,369,000
\$60,000 TO \$79,999	10	465	1,306,500
\$80,000 OR MORE	11	261	694,500
NOT APPLICABLE	96	1,561	4,392,000
NOT STATED	99	1,060	1,931,500
	Total	12,546	28,318,308

Variable Name INC8CCPI **Length** 5.1 **Position** 4065 - 4069

Question Name

Concept Consumer Price Index

Question

Universe All respondents

Note Consumer Price Index - All items, not seasonally adjusted (1992 = 100). 2000 annual average = 108.6. See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FIC8_1 **Length** 1 **Position** 4070
Question Name FI-Q1
Concept Worried about a lack of money to eat
Question In the past 12 months, did you or anyone else in your household worry that there would not be enough to eat because of a lack of money?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	858	2,002,500
NO	2	11,013	25,403,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	6	30,000
REFUSAL	8	1	1,000
NOT STATED	9	563	773,500
Total		12,546	28,318,308

Variable Name FIC8_2 **Length** 1 **Position** 4071
Question Name FI-Q2
Concept Not enough to eat because of a lack of money
Question In the past 12 months, did you or anyone else in your household not have enough food to eat because of a lack of money?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	421	935,500
NO	2	11,449	26,469,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	1	1,000
NOT STATED	9	570	804,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM58_TEL **Length** 1 **Position** 4074

Question Name H05-TEL

Concept H05 interview by telephone or in person

Question Interviewer: Was this interview conducted on the telephone or in person?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ON TELEPHONE	1	11,376	26,137,500
IN PERSON	2	489	1,258,000
BOTH	3	14	44,500
NOT STATED	9	667	878,000
	Total	12,546	28,318,308

Variable Name AM58_LNG **Length** 2 **Position** 4075 - 4076

Question Name H05-LANG

Concept Interview language - H05

Question Interviewer: Record language of interview.

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,688	20,691,500
FRENCH	2	2,259	6,672,500
ARABIC	3	1	1,000
CHINESE	4	16	86,500
ITALIAN	9	2	6,500
POLISH	12	2	9,000
PORTUGUESE	13	6	34,000
PUNJABI	14	4	28,500
VIETNAMESE	18	3	11,500
OTHER	19	3	8,000
NOT STATED	99	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM58_EDD **Length** 2 **Position** 4077 - 4078

Question Name

Concept Day of interview - H05 (end)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	11,984	27,548,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

Variable Name AM58_EMM **Length** 2 **Position** 4079 - 4080

Question Name

Concept Month of interview - H05 (end)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	1,099	2,219,000
FEBRUARY	2	1,804	5,274,500
MARCH	3	290	786,000
APRIL	4	36	44,000
MAY	5	361	656,500
JUNE	6	2,261	4,630,500
JULY	7	1,279	2,349,000
AUGUST	8	1,443	3,107,000
SEPTEMBER	9	1,028	2,192,500
OCTOBER	10	2,270	6,001,000
NOVEMBER	11	113	288,000
NOT STATED	99	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM58_EYY	Length	4	Position	4081 - 4084
Question Name					
Concept	Year of interview - H05 (end)				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
1998		1998		8,654	18,974,500
1999		1999		3,330	8,574,000
NOT STATED		9999		562	770,000
		Total		12,546	28,318,308

Variable Name	AM68_STA	Length	1	Position	4085
Question Name					
Concept	Status of health form - H06				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FULLY COMPLETE		1		11,984	27,548,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	AM68_BDD	Length	2	Position	4086 - 4087
Question Name					
Concept	Day of interview - H06 (start)				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH		1 - 31		11,984	27,548,500
NOT STATED		99		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM68_BMM **Length** 2 **Position** 4088 - 4089

Question Name

Concept Month of interview - H06 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	1,027	2,076,000
FEBRUARY	2	1,837	5,310,500
MARCH	3	329	893,500
APRIL	4	36	44,000
MAY	5	338	615,000
JUNE	6	2,269	4,624,500
JULY	7	1,203	2,212,500
AUGUST	8	1,527	3,270,500
SEPTEMBER	9	945	2,024,000
OCTOBER	10	2,342	6,143,000
NOVEMBER	11	131	335,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

Variable Name AM68_BYY **Length** 4 **Position** 4090 - 4093

Question Name

Concept Year of interview - H06 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1998	1998	8,654	18,974,500
1999	1999	3,330	8,574,000
NOT STATED	9999	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM68_SRC **Length** 2 **Position** 4094 - 4095

Question Name

Concept Record number of person providing H06 information

Question

Universe All respondents

Note

Variable Name AM68_PXY **Length** 1 **Position** 4096

Question Name

Concept H06 completed by proxy

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PROXY	1	1,420	3,872,500
NON-PROXY	2	10,564	23,676,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

Variable Name AM68FR **Length** 1 **Position** 4097

Question Name REASON

Concept Flag for reason for proxy - H06

Question

Universe Respondents aged 12 and over with AM68_PXY=1 living in a household

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	210	528,500
NOT APPLICABLE	6	11,773	27,017,500
REFUSAL	8	1	2,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHC8_1	Length	1	Position	4098
Question Name	GH-Q1				
Concept	Respondent's self perceived general health				
Question	In general, would you say your health is:				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EXCELLENT		1		3,131	8,137,500
VERY GOOD		2		4,700	10,658,500
GOOD		3		2,950	6,549,500
FAIR		4		942	1,728,500
POOR		5		260	473,000
DON'T KNOW		7		1	2,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	GHC8DHD1	Length	1	Position	4099
Question Name					
Concept	Health description index - (D)				
Question					
Universe	All respondents				
Note	Based on GHC8_1. This variable lists the health description response categories in the reverse order of GHC8_1, starting at "0". Higher values indicate positive self-reported health status. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
POOR		0		260	473,000
FAIR		1		942	1,728,500
GOOD		2		2,950	6,549,500
VERY GOOD		3		4,700	10,658,500
EXCELLENT		4		3,131	8,137,500
NOT STATED		9		563	771,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC8_HT **Length** 2 **Position** 4100 - 4101
Question Name HTWT-Q2
Concept Height
Question How tall are you without shoes on?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
2'5" (29 INCHES) (72.4 TO 74.8 CM)	19	1	3,000
2'6" (30 INCHES) (74.9 TO 77.4 CM)	20	2	5,000
2'8" (32 INCHES) (80.0 TO 82.5 CM)	22	2	2,000
2'10" (34 INCHES) (85.1 TO 87.5 CM)	24	2	3,000
2'11" (35 INCHES) (87.6 TO 90.1 CM)	25	1	1,000
3'0" (36 INCHES) (90.2 TO 92.6 CM)	26	33	94,000
3'1" (37 INCHES) (92.7 TO 95.2 CM)	27	7	22,000
3'2" (38 INCHES) (95.3 TO 97.7 CM)	28	17	52,500
3'3" (39 INCHES) (97.8 TO 100.2 CM)	29	18	42,500
3'4" (40 INCHES) (100.3 TO 102.8 CM)	30	28	76,500
3'5" (41 INCHES) (102.9 TO 105.3 CM)	31	30	118,500
3'6" (42 INCHES) (105.4 TO 107.9 CM)	32	77	210,500
3'7" (43 INCHES) (108.0 TO 110.4 CM)	33	23	84,000
3'8" (44 INCHES) (110.5 TO 112.9 CM)	34	34	119,500
3'9" (45 INCHES) (113.0 TO 115.5 CM)	35	31	87,000
3'10" (46 INCHES) (115.6 TO 118.0 CM)	36	22	55,000
3'11" (47 INCHES) (118.1 TO 120.6 CM)	37	34	76,000
4'0" (48 INCHES) (120.7 TO 123.1 CM)	38	165	409,500
4'1" (49 INCHES) (123.2 TO 125.6 CM)	39	40	146,500
4'2" (50 INCHES) (125.7 TO 128.2 CM)	40	48	137,500
4'3" (51 INCHES) (128.3 TO 130.7 CM)	41	49	141,500
4'4" (52 INCHES) (130.8 TO 133.3 CM)	42	37	117,500
4'5" (53 INCHES) (133.4 TO 135.8 CM)	43	34	89,000
4'6" (54 INCHES) (135.9 TO 138.3 CM)	44	56	161,500
4'7" (55 INCHES) (138.4 TO 140.9 CM)	45	42	111,500
4'8" (56 INCHES) (141.0 TO 143.4 CM)	46	63	157,000
4'9" (57 INCHES) (143.5 TO 146.0 CM)	47	63	169,000
4'10" (58 INCHES) (146.1 TO 148.5 CM)	48	94	260,500
4'11" (59 INCHES) (148.6 TO 151.0 CM)	49	181	410,000
5'0" (60 INCHES) (151.1 TO 153.6 CM)	50	516	1,082,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

5'1" (61 INCHES) (153.7 TO 156.1 CM)	51	483	1,039,000
5'2" (62 INCHES) (156.2 TO 158.7 CM)	52	901	1,875,000
5'3" (63 INCHES) (158.8 TO 161.2 CM)	53	880	1,812,500
5'4" (64 INCHES) (161.3 TO 163.7 CM)	54	966	2,037,500
5'5" (65 INCHES) (163.8 TO 166.3 CM)	55	884	1,898,500
5'6" (66 INCHES) (166.4 TO 168.8 CM)	56	1,007	2,247,000
5'7" (67 INCHES) (168.9 TO 171.4 CM)	57	852	2,000,500
5'8" (68 INCHES) (171.5 TO 173.9 CM)	58	941	2,163,000
5'9" (69 INCHES) (174.0 TO 176.4 CM)	59	627	1,476,000
5'10" (70 INCHES) (176.5 TO 179.0 CM)	60	788	1,973,000
5'11" (71 INCHES) (179.1 TO 181.5 CM)	61	626	1,469,500
6'0" (72 INCHES) (181.6 TO 184.1 CM)	62	511	1,266,000
6'1" (73 INCHES) (184.2 TO 186.6 CM)	63	222	549,500
6'2" (74 INCHES) (186.7 TO 189.1 CM)	64	207	560,000
6'3" (75 INCHES) (189.2 TO 191.7 CM)	65	84	201,500
6'4" (76 INCHES) (191.8 TO 194.2 CM)	66	43	134,000
6'5" (77 INCHES) (194.3 TO 196.8 CM)	67	13	32,000
6'6" (78 INCHES) (196.9 TO 199.3 CM)	68	8	15,000
6'7" (79 INCHES) (199.4 TO 201.8 CM)	69	1	1,000
6'11" (83 INCHES) (209.6 TO 212.0 CM)	73	1	4,500
NOT APPLICABLE	96	105	108,500
NOT STATED	99	646	1,011,500
Total		12,546	28,318,308

Variable Name HWC8_3LB **Length** 4 **Position** 4102 - 4105

Question Name HTWT-Q4

Concept Weight - pounds

Question How much do you weigh? - Pounds

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	29 - 441	11,753	27,150,000
NOT APPLICABLE	9996	105	108,500
NOT STATED	9999	688	1,060,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC8_3KG **Length** 4 **Position** 4106 - 4109

Question Name HTWT-Q4

Concept Weight - kilograms

Question How much do you weigh? - Kilograms

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	13 - 200	11,753	27,150,000
NOT APPLICABLE	9996	105	108,500
NOT STATED	9999	688	1,060,000
Total		12,546	28,318,308

Variable Name HWC8DBMI **Length** 4.1 **Position** 4110 - 4113

Question Name

Concept Body Mass Index - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women living in a household

Note Based on HWC8_HT, HWC8_3KG and PHC8_4B (formerly HWC8_1). Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE - BODY MASS	10.4 - 67.1	7,627	17,993,000
NOT APPLICABLE	99.6	4,305	9,442,500
NOT STATED	99.9	614	883,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC8DISW **Length** 2 **Position** 4114 - 4115

Question Name

Concept Standard weight (International standard) - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women living in a household

Note Based on HWC8_HT, HWC8_3KG and PHC8_4B (formerly HWC8_1). This variable is conceptually the same as HWC8DSW in Cycle 3 (1998). Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNDERWEIGHT	1	123	338,500
NORMAL WEIGHT	2	3,415	8,559,500
OVERWEIGHT	3	2,818	6,406,000
OBESE - CLASS 1	4	935	1,998,000
OBESE - CLASS 11	5	233	502,500
OBESE - CLASS 111	6	103	188,000
NOT APPLICABLE	96	4,305	9,442,500
NOT STATED	99	614	883,000
	Total	12,546	28,318,308

Variable Name PHC8_1 **Length** 1 **Position** 4116

Question Name ACC-Q10

Concept Ever had blood pressure taken

Question Have you ever had your blood pressure taken?

Universe Respondents aged 12 and over living in a household

Note Formerly BPC8_10.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,171	22,535,500
NO	2	353	1,082,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	7	26,500
NOT STATED	9	773	1,300,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC8_2	Length	1	Position	4119
Question Name	PH-Q2				
Concept	Ever had PAP smear test				
Question	Have you ever had a PAP smear test?				
Universe	Females aged 18 and over living in a household				
Note	Formerly WHC8_20.				
Content		Code		Sample	Population
YES		1		5,107	9,958,500
NO		2		430	1,039,500
NOT APPLICABLE		6		6,394	16,427,500
DON'T KNOW		7		15	27,000
NOT STATED		9		600	866,000
		Total		12,546	28,318,308

Variable Name	PHC8_2A	Length	1	Position	4120
Question Name	PH-Q2A				
Concept	Ever had PAP smear test (probe)				
Question	(Remember, it's important to understand change.) During our last interview, we recorded that you had previously had a PAP smear BUT this time we did not. In fact, have you EVER had a PAP smear?				
Universe	Respondents who answered PHC6_2=1 and PHC8_2=2				
Note	Formerly WHC8_20A.				
Content		Code		Sample	Population
YES		1		29	55,500
NO		2		47	91,000
NOT APPLICABLE		6		11,853	27,286,000
DON'T KNOW		7		2	4,000
NOT STATED		9		615	882,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC8_2B	Length	1	Position	4121
Question Name	PH-Q2B				
Concept	Last time had PAP smear test				
Question	When was the last time that you had a PAP smear test?				
Universe	Respondents who answered PHC8_2=1				
Note	Formerly WHC8_22.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO		1		1,223	2,405,500
6 MONTHS TO LESS THAN 1 YEAR AGO		2		1,509	3,004,500
1 YEAR TO LESS THAN 3 YEARS AGO		3		1,287	2,706,500
3 YEARS TO LESS THAN 5 YEARS AGO		4		319	573,000
5 OR MORE YEARS AGO		5		758	1,253,500
NOT APPLICABLE		6		6,824	17,467,000
DON'T KNOW		7		11	15,000
NOT STATED		9		615	892,500
		Total		12,546	28,318,308

Variable Name	PHC8_3	Length	1	Position	4122
Question Name	PH-Q3				
Concept	Ever had mammogram				
Question	Have you ever had a mammogram, that is, a breast x-ray?				
Universe	Females aged 35 and over living in a household				
Note	Formerly WHC8_30.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,608	5,010,500
NO		2		1,484	2,702,500
NOT APPLICABLE		6		7,844	19,732,500
DON'T KNOW		7		3	4,000
NOT STATED		9		607	869,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC8_3A **Length** 1 **Position** 4123

Question Name PH-Q3A

Concept Ever had mammogram (probe)

Question (Remember, ...) During our last interview, we recorded that you had previously had a mammogram BUT this time we did not. In fact, have you EVER had a mammogram?

Universe Respondents who answered PHC6_3=1 and PHC8_3=2

Note Formerly WHC8_30A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	16	33,000
NO	2	42	70,500
NOT APPLICABLE	6	11,886	27,355,500
NOT STATED	9	602	859,500
Total		12,546	28,318,308

Variable Name PHC8_3B **Length** 1 **Position** 4124

Question Name PH-Q3B

Concept Last time mammogram was done

Question When was the last time that you had a mammogram?

Universe Respondents who answered PHC8_3=1

Note Formerly WHC8_32.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO	1	547	1,067,000
6 MONTHS TO LESS THAN 1 YEAR AGO	2	650	1,234,500
1 YEAR TO LESS THAN 2 YEARS AGO	3	607	1,187,500
2 YEARS TO LESS THAN 5 YEARS AGO	4	458	912,500
5 OR MORE YEARS AGO	5	345	608,500
NOT APPLICABLE	6	9,328	22,434,500
DON'T KNOW	7	1	1,000
NOT STATED	9	610	873,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC8_4	Length	1	Position	4125
Question Name	PH-Q4				
Concept	Gave birth since last interview				
Question	Since our last interview, have you given birth?				
Universe	Females aged 15 to 49 living in a household				
Note	Formerly GHC8_21.				
Content		Code		Sample	Population
YES		1		286	600,000
NO		2		3,005	6,859,500
NOT APPLICABLE		6		8,673	20,022,500
NOT STATED		9		582	836,000
		Total		12,546	28,318,308

Variable Name	PHC8_4A	Length	1	Position	4126
Question Name	PH-Q4A				
Concept	Used services of a doctor or midwife				
Question	(For your last baby,) did you use the services of a doctor, a midwife or both?				
Universe	Respondents who answered PHC8_4=1				
Note	Formerly GHC8_23.				
Content		Code		Sample	Population
DOCTOR ONLY		1		275	575,500
MIDWIFE ONLY		2		4	12,500
BOTH DOCTOR AND MIDWIFE		3		7	12,000
NOT APPLICABLE		6		11,678	26,882,000
NOT STATED		9		582	836,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC8_4B **Length** 1 **Position** 4127
Question Name PH_Q4B
Concept Currently pregnant
Question It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?
Universe Females aged 15 to 49 living in a household
Note Formerly HWC8_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	72	155,500
NO	2	3,217	7,300,500
NOT APPLICABLE	6	8,673	20,022,500
DON'T KNOW	7	2	3,500
NOT STATED	9	582	836,000
	Total	12,546	28,318,308

Variable Name PHC8_5 **Length** 1 **Position** 4128
Question Name PH-Q5
Concept Had a hysterectomy
Question Have you had a hysterectomy? (uterus removed)
Universe Females aged 18 and over living in a household
Note Formerly WHC8_5.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,085	1,775,500
NO	2	4,447	9,215,000
NOT APPLICABLE	6	6,394	16,427,500
NOT STATED	9	620	900,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC8_5B	Length	3	Position	4129 - 4131
Question Name	PH-Q5A				
Concept	Age had a hysterectomy				
Question	At what age?				
Universe	Respondents who answered PHC8_5=1				
Note	Formerly WHC8_5A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		19 - 80		1,079	1,768,000
NOT APPLICABLE		996		10,841	25,642,500
DON'T KNOW		997		6	7,500
NOT STATED		999		620	900,500
		Total		12,546	28,318,308

Variable Name	PHC8_5C	Length	2	Position	4132 - 4133
Question Name	PH-Q5B				
Concept	Reason had a hysterectomy				
Question	Why did you have a hysterectomy?				
Universe	Respondents who answered PHC8_5=1				
Note	Formerly WHC8_5B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
CANCER TREATMENT		1		80	128,000
CANCER PREVENTION		2		64	94,500
ENDOMETRIOSIS		3		63	124,000
TUBAL PREGNANCY		4		14	20,500
BENIGN TUMORS (E.G., FIBROIDS)		5		305	513,000
MENSTRUAL PROBLEMS / ABNORMAL BLEEDING		6		406	630,500
OTHER (SPECIFY)		7		148	263,000
NOT APPLICABLE		96		10,841	25,642,500
DON'T KNOW		97		5	2,000
NOT STATED		99		620	900,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SC_8_1	Length	1	Position	4134
Question Name	SC-Q1				
Concept	Had sore throat, cold or a flu				
Question	In the past month, have you had a sore throat, cold or a flu?				
Universe	Respondents aged 18 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		2,830	6,563,500
NO		2		6,963	14,884,000
NOT APPLICABLE		6		2,048	5,756,500
DON'T KNOW		7		1	2,000
NOT STATED		9		704	1,112,000
		Total		12,546	28,318,308

Variable Name	SC_8_2	Length	2	Position	4135 - 4136
Question Name	SC-Q2				
Concept	Sore throat, cold or a flu - solution (#1)				
Question	What did you do first about your sore throat, cold or flu?				
Universe	Respondents who answered SC_8_1=1				
Note					
Content		Code		Sample	Population
IGNORED IT		1		647	1,508,000
TREATED IT MYSELF		2		1,874	4,397,500
WENT TO A CLINIC		3		60	161,000
WENT TO A COMMUNITY HEALTH CENTRE/CLSC		4		11	32,500
WENT TO AN EMERGENCY ROOM AT A HOSPITAL		5		19	26,000
WENT TO A DOCTOR'S OFFICE		6		183	369,500
OTHER (SPECIFY)		7		36	69,000
NOT APPLICABLE		96		9,011	20,640,500
NOT STATED		99		705	1,114,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SC_8_3 **Length** 1 **Position** 4137
Question Name SC-Q3
Concept Sore throat, cold or a flu - other (#1)
Question Did you do anything else after that about your sore throat, cold or flu?
Universe Respondents who answered SC_8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	523	1,164,000
NO	2	2,307	5,400,000
NOT APPLICABLE	6	9,011	20,640,500
NOT STATED	9	705	1,114,000
	Total	12,546	28,318,308

Variable Name SC_8_4 **Length** 2 **Position** 4138 - 4139
Question Name SC-Q4
Concept Sore throat, cold or a flu - solution (#2)
Question What else did you do about your sore throat, cold or flu?
Universe Respondents who answered SC_8_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
IGNORED IT	1	12	30,000
TREATED IT MYSELF	2	215	487,500
WENT TO A CLINIC	3	62	169,500
WENT TO A COMMUNITY HEALTH CENTRE/CLSC	4	5	13,000
WENT TO AN EMERGENCY ROOM AT A HOSPITAL	5	18	29,000
WENT TO A DOCTOR'S OFFICE	6	169	342,000
OTHER (SPECIFY)	7	42	93,000
NOT APPLICABLE	96	11,318	26,040,500
NOT STATED	99	705	1,114,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SC_8_7 **Length** 1 **Position** 4143
Question Name SC-Q7
Concept Cold - took over-the-counter medication
Question You mentioned that you treated your sore throat, cold or flu yourself. In treating it yourself, did you take over-the-counter medication?
Universe Respondents who answered any one of SC_8_2, SC_8_4 or SC_8_6=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,593	3,686,500
NO	2	440	1,070,000
NOT APPLICABLE	6	9,808	22,447,500
NOT STATED	9	705	1,114,000
Total		12,546	28,318,308

Variable Name SC_8_8 **Length** 1 **Position** 4144
Question Name SC-Q8
Concept Cold - used herbal / vitamin supplements
Question You mentioned that you had treated your sore throat, cold or flu yourself. In treating it yourself, did you use herbal or vitamin supplements?
Universe Respondents who answered any one of SC_8_2, SC_8_4 or SC_8_6=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	722	1,787,500
NO	2	1,311	2,969,500
NOT APPLICABLE	6	9,808	22,447,500
NOT STATED	9	705	1,114,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SC_8_9	Length	1	Position	4145
Question Name	SC-Q9				
Concept	Cold - old prescription / someone else's				
Question	You mentioned that you had treated your sore throat, cold or flu yourself. In treating it yourself, did you use medication left over from an old prescription or use someone else's prescription?				
Universe	Respondents who answered any one of SC_8_2, SC_8_4 or SC_8_6=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		53	132,500
NO		2		1,980	4,624,000
NOT APPLICABLE		6		9,808	22,447,500
NOT STATED		9		705	1,114,000
		Total		12,546	28,318,308

Variable Name	SC_8_10	Length	1	Position	4146
Question Name	SC-Q10				
Concept	Cold - used home remedies				
Question	You mentioned that you had treated your sore throat, cold or flu yourself. In treating it yourself, did you use home remedies?				
Universe	Respondents who answered any one of SC_8_2, SC_8_4 or SC_8_6=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		533	1,229,500
NO		2		1,500	3,527,500
NOT APPLICABLE		6		9,808	22,447,500
NOT STATED		9		705	1,114,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SC_8_11	Length	1	Position	4147
Question Name	SC-Q11				
Concept	Cold - cut down on activities and got more rest				
Question	You mentioned that you had treated your sore throat, cold or flu yourself. In treating it yourself, did you cut down on activities and get more rest?				
Universe	Respondents who answered any one of SC_8_2, SC_8_4 or SC_8_6=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,345	3,177,500
NO		2		688	1,579,000
NOT APPLICABLE		6		9,808	22,447,500
NOT STATED		9		705	1,114,000
		Total		12,546	28,318,308

Variable Name	SC_8_12	Length	1	Position	4148
Question Name	SC-Q12				
Concept	Prefer doctors that let me decide what to do				
Question	Please tell me whether you strongly agree, agree, disagree or strongly disagree. I prefer doctors who give me choices or options and let me decide for myself what to do.				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
STRONGLY AGREE		1		2,459	5,812,500
AGREE		2		5,431	11,563,500
NEITHER AGREE NOR DISAGREE		3		614	1,230,000
DISAGREE		4		1,165	2,576,500
STRONGLY DISAGREE		5		86	194,000
NOT APPLICABLE		6		2,048	5,756,500
DON'T KNOW		7		29	49,000
REFUSAL		8		9	22,500
NOT STATED		9		705	1,114,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SC_8_13 **Length** 1 **Position** 4149
Question Name SC-Q13
Concept Patients should never challenge the authority of the doctor
Question Please tell me whether you strongly agree, agree, disagree or strongly disagree. Patients should never challenge the authority of the doctor.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	286	600,500
AGREE	2	1,627	3,486,500
NEITHER AGREE NOR DISAGREE	3	710	1,703,500
DISAGREE	4	5,356	11,687,000
STRONGLY DISAGREE	5	1,778	3,890,500
NOT APPLICABLE	6	2,048	5,756,500
DON'T KNOW	7	28	58,000
REFUSAL	8	8	22,000
NOT STATED	9	705	1,114,000
	Total	12,546	28,318,308

Variable Name SC_8_14 **Length** 1 **Position** 4150
Question Name SC-Q14
Concept Prefer that the doctor assume all of the responsibility
Question Please tell me whether you strongly agree, agree, disagree or strongly disagree. I prefer that the doctor assume all of the responsibility for my medical care.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	479	1,167,000
AGREE	2	2,812	6,244,500
NEITHER AGREE NOR DISAGREE	3	904	1,936,500
DISAGREE	4	4,687	10,081,000
STRONGLY DISAGREE	5	873	1,923,000
NOT APPLICABLE	6	2,048	5,756,500
DON'T KNOW	7	29	68,500
REFUSAL	8	9	27,000
NOT STATED	9	705	1,114,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SC_8_15 **Length** 1 **Position** 4151
Question Name SC-Q15
Concept Better to take care of own health than go to a doctor
Question Please tell me whether you strongly agree, agree, disagree or strongly disagree. Except for serious illness, it is generally better to take care of your own health than go to a doctor.
Universe Respondents aged 18 and over living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	661	1,605,000
AGREE	2	4,013	8,622,000
NEITHER AGREE NOR DISAGREE	3	823	1,800,000
DISAGREE	4	3,917	8,537,000
STRONGLY DISAGREE	5	343	802,500
NOT APPLICABLE	6	2,048	5,756,500
DON'T KNOW	7	28	58,500
REFUSAL	8	8	23,000
NOT STATED	9	705	1,114,000
Total		12,546	28,318,308

Variable Name SC_8_16 **Length** 1 **Position** 4152
Question Name SC-Q16
Concept Better to go to a doctor than to try to treat yourself
Question Please tell me whether you strongly agree, agree, disagree or strongly disagree. It is almost always better to go to a doctor than to try to treat yourself.
Universe Respondents aged 18 and over living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	711	1,639,000
AGREE	2	4,170	8,890,000
NEITHER AGREE NOR DISAGREE	3	1,340	2,981,000
DISAGREE	4	3,332	7,328,000
STRONGLY DISAGREE	5	206	522,000
NOT APPLICABLE	6	2,048	5,756,500
DON'T KNOW	7	24	57,500
REFUSAL	8	10	30,000
NOT STATED	9	705	1,114,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SC_8DFCT **Length** 2 **Position** 4153 - 4154

Question Name

Concept Attitude toward self-care

Question

Universe Respondents aged 18 and over living in a household

Note Based on SC_8_12 to SC_8_16. Scores were reversed for questions SC_8_12 and SC_8_15. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 20	9,722	21,304,500
NOT APPLICABLE	96	2,048	5,756,500
NOT STATED	99	776	1,257,000
	Total	12,546	28,318,308

Variable Name ISC8_1 **Length** 1 **Position** 4155

Question Name INS-Q1

Concept Insurance - prescription medications

Question Do you have insurance that covers all or part of the cost of your prescription medications?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,591	20,785,000
NO	2	3,197	6,380,000
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	91	275,000
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ISC8_2	Length	1	Position	4156
Question Name	INS-Q2				
Concept	Insurance - dental expenses				
Question	Do you have insurance that covers all or part of your dental expenses?				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,536	16,356,000
NO		2		5,263	10,873,500
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		80	211,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	ISC8_3	Length	1	Position	4157
Question Name	INS-Q3				
Concept	Insurance - eye glasses / contact lenses				
Question	Do you have insurance that covers all or part of the costs of eye glasses or contact lenses?				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,033	14,274,000
NO		2		5,638	12,544,000
NOT APPLICABLE		6		105	108,500
DON'T KNOW		7		208	622,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_10 **Length** 1 **Position** 4160
Question Name FH-Q10
Concept Has some knowledge of birth family's health history
Question By immediate family, we mean birth parents and birth siblings - alive or deceased. Do you have some knowledge of the health history of your birth family?
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	9,159	19,930,500
NO	2	625	1,481,500
NOT APPLICABLE	6	2,048	5,756,500
DON'T KNOW	7	5	22,500
REFUSAL	8	5	15,500
NOT STATED	9	704	1,112,000
Total		12,546	28,318,308

Variable Name FH_8_11 **Length** 1 **Position** 4161
Question Name FH-Q11
Concept Birth mother ever had heart disease
Question Did your birth mother ever have heart disease?
Universe Respondents who answered FH_8_10=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,859	3,684,500
NO	2	7,209	16,076,500
NOT APPLICABLE	6	2,673	7,237,500
DON'T KNOW	7	89	164,000
REFUSAL	8	2	6,000
NOT STATED	9	714	1,150,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_12	Length	1	Position	4162
Question Name	FH-Q12				
Concept	Birth mother ever had high blood pressure				
Question	Did your birth mother ever have high blood pressure (excluding during pregnancy)?				
Universe	Respondents who answered FH_8_10=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,104	6,433,500
NO		2		5,567	12,514,500
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		487	980,000
REFUSAL		8		1	3,000
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

Variable Name	FH_8_13	Length	1	Position	4163
Question Name	FH-Q13				
Concept	Birth mother ever had stroke				
Question	Did your birth mother ever have a stroke?				
Universe	Respondents who answered FH_8_10=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,034	1,973,500
NO		2		8,030	17,783,000
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		94	171,500
REFUSAL		8		1	3,000
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_14	Length	1	Position	4164
Question Name	FH-Q14				
Concept	Birth mother ever had diabetes				
Question	Did your birth mother ever have diabetes (excluding during pregnancy)?				
Universe	Respondents who answered FH_8_10=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,101	2,291,000
NO		2		7,945	17,374,500
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		112	262,000
REFUSAL		8		1	3,000
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

Variable Name	FH_8_15	Length	1	Position	4165
Question Name	FH-Q15				
Concept	Birth mother ever had cancer				
Question	Did your birth mother ever have cancer?				
Universe	Respondents who answered FH_8_10=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,616	3,257,500
NO		2		7,461	16,496,500
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		81	174,000
REFUSAL		8		1	3,000
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_16A	Length	1	Position	4166
Question Name	FH-Q16				
Concept	Mother's type of cancer - breast				
Question	What type of cancer did your birth mother have? - Breast				
Universe	Respondents who answered FH_8_15=1				
Note					
Content		Code		Sample	Population
YES		1		424	879,500
NO		2		1,140	2,278,000
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

Variable Name	FH_8_16B	Length	1	Position	4167
Question Name	FH-Q16				
Concept	Mother's type of cancer - ovarian				
Question	What type of cancer did your birth mother have? - Ovarian				
Universe	Respondents who answered FH_8_15=1				
Note					
Content		Code		Sample	Population
YES		1		111	213,000
NO		2		1,453	2,945,000
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_16C	Length	1	Position	4168
Question Name	FH-Q16				
Concept	Mother's type of cancer - cervical				
Question	What type of cancer did your birth mother have? - Cervical				
Universe	Respondents who answered FH_8_15=1				
Note					
Content		Code		Sample	Population
YES		1		124	243,000
NO		2		1,440	2,914,500
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

Variable Name	FH_8_16D	Length	1	Position	4169
Question Name	FH-Q16				
Concept	Mother's type of cancer - colorectal				
Question	What type of cancer did your birth mother have? - Colorectal				
Universe	Respondents who answered FH_8_15=1				
Note					
Content		Code		Sample	Population
YES		1		193	330,500
NO		2		1,371	2,827,000
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_16E	Length	1	Position	4170
Question Name	FH-Q16				
Concept	Mother's type of cancer - skin (melanoma)				
Question	What type of cancer did your birth mother have? - Skin (melanoma)				
Universe	Respondents who answered FH_8_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		119	218,500
NO		2		1,445	2,939,500
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

Variable Name	FH_8_16F	Length	1	Position	4171
Question Name	FH-Q16				
Concept	Mother's type of cancer - stomach				
Question	What type of cancer did your birth mother have? - Stomach				
Universe	Respondents who answered FH_8_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		138	251,500
NO		2		1,426	2,906,500
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_16G	Length	1	Position	4172
Question Name	FH-Q16				
Concept	Mother's type of cancer - uterus				
Question	What type of cancer did your birth mother have? - Uterus				
Universe	Respondents who answered FH_8_15=1				
Note					
Content		Code		Sample	Population
YES		1		31	72,000
NO		2		1,533	3,085,500
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

Variable Name	FH_8_16H	Length	1	Position	4173
Question Name	FH-Q16				
Concept	Mother's type of cancer - kidney				
Question	What type of cancer did your birth mother have? - Kidney				
Universe	Respondents who answered FH_8_15=1				
Note					
Content		Code		Sample	Population
YES		1		24	65,000
NO		2		1,540	3,092,500
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_16I	Length	1	Position	4174
Question Name	FH-Q16				
Concept	Mother's type of cancer - leukemia / lymphoma				
Question	What type of cancer did your birth mother have? - Leukemia / lymphoma				
Universe	Respondents who answered FH_8_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		52	110,000
NO		2		1,512	3,048,000
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

Variable Name	FH_8_16J	Length	1	Position	4175
Question Name	FH-Q16				
Concept	Mother's type of cancer - lung				
Question	What type of cancer did your birth mother have? - Lung				
Universe	Respondents who answered FH_8_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		119	278,500
NO		2		1,445	2,879,500
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_16K	Length	1	Position	4176
Question Name	FH-Q16				
Concept	Mother's type of cancer - bladder				
Question	What type of cancer did your birth mother have? - Bladder				
Universe	Respondents who answered FH_8_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10	28,500
NO		2		1,554	3,129,000
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

Variable Name	FH_8_16L	Length	1	Position	4177
Question Name	FH-Q16				
Concept	Mother's type of cancer - other				
Question	What type of cancer did your birth mother have? - Other				
Universe	Respondents who answered FH_8_15=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		332	728,500
NO		2		1,232	2,429,500
NOT APPLICABLE		6		10,134	23,734,500
DON'T KNOW		7		52	99,500
NOT STATED		9		796	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_161 **Length** 3 **Position** 4178 - 4180

Question Name FH-Q161

Concept Mother's age - breast cancer

Question At what age did your birth mother first have breast cancer?

Universe Respondents who answered FH_8_16A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	20 - 97	406	841,000
NOT APPLICABLE	996	11,274	26,012,500
DON'T KNOW	997	18	38,500
NOT STATED	999	848	1,426,000
	Total	12,546	28,318,308

Variable Name FH_8_162 **Length** 3 **Position** 4181 - 4183

Question Name FH-Q162

Concept Mother's age - ovarian cancer

Question At what age did your birth mother first have ovarian cancer?

Universe Respondents who answered FH_8_16B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	22 - 86	104	202,500
NOT APPLICABLE	996	11,587	26,679,000
DON'T KNOW	997	7	10,500
NOT STATED	999	848	1,426,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_163 **Length** 3 **Position** 4184 - 4186

Question Name FH-Q163

Concept Mother's age - cervical cancer

Question At what age did your birth mother first have cervical cancer?

Universe Respondents who answered FH_8_16C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	27 - 81	117	223,000
NOT APPLICABLE	996	11,574	26,649,000
DON'T KNOW	997	7	20,000
NOT STATED	999	848	1,426,000
	Total	12,546	28,318,308

Variable Name FH_8_164 **Length** 3 **Position** 4187 - 4189

Question Name FH-Q164

Concept Mother's age - colorectal cancer

Question At what age did your birth mother first have colorectal cancer?

Universe Respondents who answered FH_8_16D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	33 - 94	116	214,000
NOT APPLICABLE	996	11,505	26,561,500
DON'T KNOW	997	4	6,500
NOT STATED	999	921	1,536,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_165 **Length** 3 **Position** 4190 - 4192
Question Name FH-Q165
Concept Mother's age - melanoma cancer
Question At what age did your birth mother first have melanoma cancer?
Universe Respondents who answered FH_8_16E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	15 - 90	114	208,500
NOT APPLICABLE	996	11,579	26,673,500
DON'T KNOW	997	3	7,000
NOT STATED	999	850	1,429,000
	Total	12,546	28,318,308

Variable Name FH_8_166 **Length** 3 **Position** 4193 - 4195
Question Name FH-Q166
Concept Mother's age - stomach cancer
Question At what age did your birth mother first have stomach cancer?
Universe Respondents who answered FH_8_16F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	30 - 91	122	230,000
NOT APPLICABLE	996	11,560	26,640,500
DON'T KNOW	997	14	19,000
NOT STATED	999	850	1,428,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_17 **Length** 1 **Position** 4196
Question Name FH-Q17
Concept Birth mother - now living
Question Is your birth mother now living?
Universe Respondents who answered FH_8_10=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,556	13,074,000
NO	2	3,588	6,815,500
NOT APPLICABLE	6	2,673	7,237,500
DON'T KNOW	7	14	38,000
REFUSAL	8	1	3,000
NOT STATED	9	714	1,150,000
	Total	12,546	28,318,308

Variable Name FH_8_18 **Length** 3 **Position** 4197 - 4199
Question Name FH-Q18
Concept Birth mother - age of death
Question At what age did your birth mother die?
Universe Respondents who answered FH_8_17=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	19 - 106	3,561	6,770,000
NOT APPLICABLE	996	8,229	20,312,000
DON'T KNOW	997	26	43,000
REFUSAL	998	1	2,500
NOT STATED	999	729	1,191,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_19 **Length** 2 **Position** 4200 - 4201

Question Name FH-Q19

Concept Birth mother - cause of death

Question What was the cause of death of your birth mother?

Universe Respondents who answered FH_8_17=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HEART DISEASE	1	838	1,567,500
STROKE	2	438	788,000
CANCER - BREAST	3	128	232,500
CANCER - OVARIAN	4	49	81,500
CANCER - CERVICAL	5	38	92,000
CANCER - COLORECTAL	6	75	147,500
CANCER - STOMACH	7	115	216,500
CANCER - OTHER	8	473	973,500
PNEUMONIA / INFLUENZA	9	143	252,000
ACCIDENT	10	110	205,500
LIVER DISEASE	11	30	67,500
COLITIS	12	4	2,500
DIABETES	13	95	201,500
ALZHEIMER'S DISEASE	14	77	111,000
PARKINSON'S DISEASE	15	14	22,500
OLD AGE	16	352	642,500
OTHER (SPECIFY)	17	465	974,500
NOT APPLICABLE	96	8,229	20,312,000
DON'T KNOW	97	143	236,500
REFUSAL	98	1	1,000
NOT STATED	99	729	1,191,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_21	Length	1	Position	4202
Question Name	FH-Q21				
Concept	Birth father ever had heart disease				
Question	Did your birth father ever have heart disease?				
Universe	Respondents who answered FH_8_10=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,572	5,190,000
NO		2		6,325	14,154,500
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		258	580,000
REFUSAL		8		4	6,500
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

Variable Name	FH_8_22	Length	1	Position	4203
Question Name	FH-Q22				
Concept	Birth father ever had high blood pressure				
Question	Did your birth father ever have high blood pressure?				
Universe	Respondents who answered FH_8_10=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,407	5,149,000
NO		2		5,980	13,154,500
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		772	1,627,000
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_23	Length	1	Position	4204
Question Name	FH-Q23				
Concept	Birth father ever had stroke				
Question	Did your birth father ever have a stroke?				
Universe	Respondents who answered FH_8_10=1				
Note					
Content		Code		Sample	Population
YES		1		1,088	2,179,500
NO		2		7,762	17,054,500
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		308	695,500
REFUSAL		8		1	1,000
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

Variable Name	FH_8_24	Length	1	Position	4205
Question Name	FH-Q24				
Concept	Birth father ever had diabetes				
Question	Did your birth father ever have diabetes?				
Universe	Respondents who answered FH_8_10=1				
Note					
Content		Code		Sample	Population
YES		1		904	2,000,500
NO		2		7,965	17,279,000
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		290	651,000
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_25	Length	1	Position	4206
Question Name	FH-Q25				
Concept	Birth father ever had cancer				
Question	Did your birth father ever have cancer?				
Universe	Respondents who answered FH_8_10=1				
Note					
Content		Code		Sample	Population
YES		1		1,764	3,569,000
NO		2		7,110	15,683,500
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		285	678,000
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

Variable Name	FH_8_26A	Length	1	Position	4207
Question Name	FH-Q26				
Concept	Father's type of cancer - prostate				
Question	What type of cancer did your birth father have? - Prostate				
Universe	Respondents who answered FH_8_25=1				
Note					
Content		Code		Sample	Population
YES		1		365	698,000
NO		2		1,350	2,783,500
NOT APPLICABLE		6		9,783	22,921,000
DON'T KNOW		7		46	83,000
REFUSAL		8		3	4,500
NOT STATED		9		999	1,828,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_26B	Length	1	Position	4208
Question Name	FH-Q26				
Concept	Father's type of cancer - colorectal				
Question	What type of cancer did your birth father have? - Colorectal				
Universe	Respondents who answered FH_8_25=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		206	441,000
NO		2		1,509	3,040,500
NOT APPLICABLE		6		9,783	22,921,000
DON'T KNOW		7		46	83,000
REFUSAL		8		3	4,500
NOT STATED		9		999	1,828,000
		Total		12,546	28,318,308

Variable Name	FH_8_26C	Length	1	Position	4209
Question Name	FH-Q26				
Concept	Father's type of cancer - stomach				
Question	What type of cancer did your birth father have? - Stomach				
Universe	Respondents who answered FH_8_25=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		201	353,500
NO		2		1,514	3,128,000
NOT APPLICABLE		6		9,783	22,921,000
DON'T KNOW		7		46	83,000
REFUSAL		8		3	4,500
NOT STATED		9		999	1,828,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_26D	Length	1	Position	4210
Question Name	FH-Q26				
Concept	Father's type of cancer - kidney				
Question	What type of cancer did your birth father have? - Kidney				
Universe	Respondents who answered FH_8_25=1				
Note					
Content		Code		Sample	Population
YES		1		37	71,000
NO		2		1,678	3,410,500
NOT APPLICABLE		6		9,783	22,921,000
DON'T KNOW		7		46	83,000
REFUSAL		8		3	4,500
NOT STATED		9		999	1,828,000
		Total		12,546	28,318,308

Variable Name	FH_8_26E	Length	1	Position	4211
Question Name	FH-Q26				
Concept	Father's type of cancer - leukemia / lymphoma				
Question	What type of cancer did your birth father have? - Leukemia / lymphoma				
Universe	Respondents who answered FH_8_25=1				
Note					
Content		Code		Sample	Population
YES		1		94	187,500
NO		2		1,621	3,294,500
NOT APPLICABLE		6		9,783	22,921,000
DON'T KNOW		7		46	83,000
REFUSAL		8		3	4,500
NOT STATED		9		999	1,828,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_26F	Length	1	Position	4212
Question Name	FH-Q26				
Concept	Father's type of cancer - lung				
Question	What type of cancer did your birth father have? - Lung				
Universe	Respondents who answered FH_8_25=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		303	626,500
NO		2		1,412	2,855,000
NOT APPLICABLE		6		9,783	22,921,000
DON'T KNOW		7		46	83,000
REFUSAL		8		3	4,500
NOT STATED		9		999	1,828,000
		Total		12,546	28,318,308

Variable Name	FH_8_26G	Length	1	Position	4213
Question Name	FH-Q26				
Concept	Father's type of cancer - bladder				
Question	What type of cancer did your birth father have? - Bladder				
Universe	Respondents who answered FH_8_25=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		33	49,500
NO		2		1,682	3,432,000
NOT APPLICABLE		6		9,783	22,921,000
DON'T KNOW		7		46	83,000
REFUSAL		8		3	4,500
NOT STATED		9		999	1,828,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_26H	Length	1	Position	4214
Question Name	FH-Q26				
Concept	Father's type of cancer - other				
Question	What type of cancer did your birth father have? - Other				
Universe	Respondents who answered FH_8_25=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		563	1,208,500
NO		2		1,152	2,273,500
NOT APPLICABLE		6		9,783	22,921,000
DON'T KNOW		7		46	83,000
REFUSAL		8		3	4,500
NOT STATED		9		999	1,828,000
		Total		12,546	28,318,308

Variable Name	FH_8_261	Length	3	Position	4215 - 4217
Question Name	FH-Q261				
Concept	Father's age - prostate cancer				
Question	At what age did your birth father first have prostate cancer?				
Universe	Respondents who answered FH_8_26A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		40 - 95		354	678,000
NOT APPLICABLE		996		11,133	25,704,500
DON'T KNOW		997		9	15,500
NOT STATED		999		1,050	1,920,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_262 **Length** 3 **Position** 4218 - 4220

Question Name FH-Q262

Concept Father's age - colorectal cancer

Question At what age did your birth father first have colorectal cancer?

Universe Respondents who answered FH_8_26B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	25 - 86	144	333,000
NOT APPLICABLE	996	11,292	25,961,500
DON'T KNOW	997	10	17,500
NOT STATED	999	1,100	2,006,500
	Total	12,546	28,318,308

Variable Name FH_8_263 **Length** 3 **Position** 4221 - 4223

Question Name FH-Q263

Concept Father's age - stomach cancer

Question At what age did your birth father first have stomach cancer?

Universe Respondents who answered FH_8_26C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	25 - 101	178	307,000
NOT APPLICABLE	996	11,297	26,049,000
DON'T KNOW	997	21	42,500
NOT STATED	999	1,050	1,919,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_27	Length	1	Position	4224
Question Name	FH-Q27				
Concept	Birth father - now living				
Question	Is your birth father now living?				
Universe	Respondents who answered FH_8_10=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,098	10,004,500
NO		2		4,980	9,722,000
NOT APPLICABLE		6		2,673	7,237,500
DON'T KNOW		7		81	204,500
NOT STATED		9		714	1,150,000
		Total		12,546	28,318,308

Variable Name	FH_8_28	Length	3	Position	4225 - 4227
Question Name	FH-Q28				
Concept	Birth father - age of death				
Question	At what age did your birth father die?				
Universe	Respondents who answered FH_8_27=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		19 - 103		4,904	9,594,000
NOT APPLICABLE		996		6,771	17,242,000
DON'T KNOW		997		73	120,500
REFUSAL		998		3	7,500
NOT STATED		999		795	1,354,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_29 **Length** 2 **Position** 4228 - 4229
Question Name FH-Q29
Concept Birth father - cause of death
Question What was the cause of death of your birth father?
Universe Respondents who answered FH_8_27=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HEART DISEASE	1	1,464	2,823,000
STROKE	2	467	897,000
CANCER - PROSTATE	3	148	274,000
CANCER - COLORECTAL	4	94	206,000
CANCER - STOMACH	5	177	317,000
CANCER - OTHER	6	768	1,575,000
PNEUMONIA / INFLUENZA	7	227	407,500
ACCIDENT	8	248	431,000
LIVER DISEASE	9	65	162,500
COLITIS	10	2	1,500
DIABETES	11	73	159,500
ALZHEIMER'S DISEASE	12	69	137,000
PARKINSON'S DISEASE	13	22	48,000
OLD AGE	14	259	444,000
OTHER (SPECIFY)	15	683	1,426,000
NOT APPLICABLE	96	6,771	17,242,000
DON'T KNOW	97	213	408,000
REFUSAL	98	1	4,500
NOT STATED	99	795	1,354,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_30 **Length** 1 **Position** 4230
Question Name FH-Q30
Concept Has / had biological brothers or sisters
Question Do you or did you have any biological brothers only / biological sisters only / both biological brothers and sisters / neither biological brothers nor sisters?
Universe Respondents who answered FH_8_10=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
BIOLOGICAL BROTHERS ONLY	1	1,648	3,976,000
BIOLOGICAL SISTERS ONLY	2	1,445	3,272,000
BOTH BIOLOGICAL BROTHERS AND SISTERS	3	5,632	11,690,500
NEITHER BIOLOGICAL BROTHERS NOR SISTERS	4	427	978,000
NOT APPLICABLE	6	2,673	7,237,500
DON'T KNOW	7	7	14,000
NOT STATED	9	714	1,150,000
Total		12,546	28,318,308

Variable Name FH_8_31 **Length** 1 **Position** 4231
Question Name FH-Q31
Concept Siblings ever had heart disease
Question Did any one of your biological brothers or sisters ever have heart disease?
Universe Respondents who answered FH_8_30=1,2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,387	2,455,500
NO	2	7,276	16,385,000
NOT APPLICABLE	6	3,100	8,216,000
DON'T KNOW	7	62	98,000
NOT STATED	9	721	1,164,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_32	Length	1	Position	4232
Question Name	FH-Q32				
Concept	Siblings ever had high blood pressure				
Question	Did any one of your biological brothers or sisters ever have high blood pressure (excluding during pregnancy)?				
Universe	Respondents who answered FH_8_30=1,2 or 3				
Note					
Content		Code		Sample	Population
YES		1		1,743	3,201,000
NO		2		6,557	14,980,500
NOT APPLICABLE		6		3,100	8,216,000
DON'T KNOW		7		425	757,000
NOT STATED		9		721	1,164,000
		Total		12,546	28,318,308

Variable Name	FH_8_33	Length	1	Position	4233
Question Name	FH-Q33				
Concept	Siblings ever had stroke				
Question	Did any one of your biological brothers or sisters ever have a stroke?				
Universe	Respondents who answered FH_8_30=1,2 or 3				
Note					
Content		Code		Sample	Population
YES		1		418	716,500
NO		2		8,229	18,081,500
NOT APPLICABLE		6		3,100	8,216,000
DON'T KNOW		7		78	140,500
NOT STATED		9		721	1,164,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_34 **Length** 1 **Position** 4234
Question Name FH-Q34
Concept Siblings ever had diabetes
Question Did any one of your biological brothers or sisters ever have diabetes (excluding during pregnancy)?
Universe Respondents who answered FH_8_30=1,2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	828	1,578,500
NO	2	7,808	17,180,000
NOT APPLICABLE	6	3,100	8,216,000
DON'T KNOW	7	89	180,500
NOT STATED	9	721	1,164,000
Total		12,546	28,318,308

Variable Name FH_8_35 **Length** 1 **Position** 4235
Question Name FH-Q35
Concept Any biological sister ever had cancer
Question Did any one of your biological sisters ever have cancer?
Universe Respondents who answered FH_8_30=2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,001	1,673,500
NO	2	6,027	13,201,500
NOT APPLICABLE	6	4,748	12,191,500
DON'T KNOW	7	49	88,000
NOT STATED	9	721	1,164,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FH_8_36A **Length** 1 **Position** 4236
Question Name FH-Q36
Concept Sister's type of cancer - breast
Question What type of cancer did your biological sister have? - Breast
Universe Respondents who answered FH_8_35=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	308	511,000
NO	2	666	1,114,500
NOT APPLICABLE	6	10,775	25,393,500
DON'T KNOW	7	27	48,000
NOT STATED	9	770	1,251,500
Total		12,546	28,318,308

Variable Name FH_8_36B **Length** 1 **Position** 4237
Question Name FH-Q36
Concept Sister's type of cancer - ovarian
Question What type of cancer did your biological sister have? - Ovarian
Universe Respondents who answered FH_8_35=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	94	164,500
NO	2	880	1,461,000
NOT APPLICABLE	6	10,775	25,393,500
DON'T KNOW	7	27	48,000
NOT STATED	9	770	1,251,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_36C	Length	1	Position	4238
Question Name	FH-Q36				
Concept	Sister's type of cancer - cervical				
Question	What type of cancer did your biological sister have? - Cervical				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		120	203,500
NO		2		854	1,422,000
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

Variable Name	FH_8_36D	Length	1	Position	4239
Question Name	FH-Q36				
Concept	Sister's type of cancer - colorectal				
Question	What type of cancer did your biological sister have? - Colorectal				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		92	155,000
NO		2		882	1,470,500
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_36E	Length	1	Position	4240
Question Name	FH-Q36				
Concept	Sister's type of cancer - skin (melanoma)				
Question	What type of cancer did your biological sister have? - Skin (melanoma)				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		62	92,000
NO		2		912	1,533,500
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

Variable Name	FH_8_36F	Length	1	Position	4241
Question Name	FH-Q36				
Concept	Sister's type of cancer - stomach				
Question	What type of cancer did your biological sister have? - Stomach				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		57	70,000
NO		2		917	1,555,500
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_36G	Length	1	Position	4242
Question Name	FH-Q36				
Concept	Sister's type of cancer - uterus				
Question	What type of cancer did your biological sister have? - Uterus				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		21	38,500
NO		2		953	1,587,000
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

Variable Name	FH_8_36H	Length	1	Position	4243
Question Name	FH-Q36				
Concept	Sister's type of cancer - kidney				
Question	What type of cancer did your biological sister have? - Kidney				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		12	18,000
NO		2		962	1,607,500
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_36I	Length	1	Position	4244
Question Name	FH-Q36				
Concept	Sister's type of cancer - leukemia / lymphoma				
Question	What type of cancer did your biological sister have? - Leukemia / lymphoma				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		50	85,500
NO		2		924	1,539,500
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

Variable Name	FH_8_36J	Length	1	Position	4245
Question Name	FH-Q36				
Concept	Sister's type of cancer - lung				
Question	What type of cancer did your biological sister have? - Lung				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		79	117,500
NO		2		895	1,508,000
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_36K	Length	1	Position	4246
Question Name	FH-Q36				
Concept	Sister's type of cancer - bladder				
Question	What type of cancer did your biological sister have? - Bladder				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		2	3,000
NO		2		972	1,622,000
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

Variable Name	FH_8_36L	Length	1	Position	4247
Question Name	FH-Q36				
Concept	Sister's type of cancer - other				
Question	What type of cancer did your biological sister have? - Other				
Universe	Respondents who answered FH_8_35=1				
Note					
Content		Code		Sample	Population
YES		1		187	323,500
NO		2		787	1,301,500
NOT APPLICABLE		6		10,775	25,393,500
DON'T KNOW		7		27	48,000
NOT STATED		9		770	1,251,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_37	Length	1	Position	4248
Question Name	FH-Q37				
Concept	Any biological brother ever had cancer				
Question	Did any one of your biological brothers ever have cancer?				
Universe	Respondents who answered FH_8_30=1 or 3				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		749	1,302,000
NO		2		6,483	14,273,000
NOT APPLICABLE		6		4,545	11,488,000
DON'T KNOW		7		48	91,500
NOT STATED		9		721	1,164,000
		Total		12,546	28,318,308

Variable Name	FH_8_38A	Length	1	Position	4249
Question Name	FH-Q38				
Concept	Brother's type of cancer - prostate				
Question	What type of cancer did your biological brother have? - Prostate				
Universe	Respondents who answered FH_8_37=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		117	187,500
NO		2		601	1,074,000
NOT APPLICABLE		6		11,028	25,761,000
DON'T KNOW		7		31	40,500
NOT STATED		9		769	1,255,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_38B	Length	1	Position	4250
Question Name	FH-Q38				
Concept	Brother's type of cancer - colorectal				
Question	What type of cancer did your biological brother have? - Colorectal				
Universe	Respondents who answered FH_8_37=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		93	162,000
NO		2		625	1,099,000
NOT APPLICABLE		6		11,028	25,761,000
DON'T KNOW		7		31	40,500
NOT STATED		9		769	1,255,000
		Total		12,546	28,318,308

Variable Name	FH_8_38C	Length	1	Position	4251
Question Name	FH-Q38				
Concept	Brother's type of cancer - stomach				
Question	What type of cancer did your biological brother have? - Stomach				
Universe	Respondents who answered FH_8_37=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		80	124,500
NO		2		638	1,137,000
NOT APPLICABLE		6		11,028	25,761,000
DON'T KNOW		7		31	40,500
NOT STATED		9		769	1,255,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_38D	Length	1	Position	4252
Question Name	FH-Q38				
Concept	Brother's type of cancer - kidney				
Question	What type of cancer did your biological brother have? - Kidney				
Universe	Respondents who answered FH_8_37=1				
Note					
Content		Code		Sample	Population
YES		1		15	17,500
NO		2		703	1,243,500
NOT APPLICABLE		6		11,028	25,761,000
DON'T KNOW		7		31	40,500
NOT STATED		9		769	1,255,000
		Total		12,546	28,318,308

Variable Name	FH_8_38E	Length	1	Position	4253
Question Name	FH-Q38				
Concept	Brother's type of cancer - leukemia / lymphoma				
Question	What type of cancer did your biological brother have? - Leukemia / lymphoma				
Universe	Respondents who answered FH_8_37=1				
Note					
Content		Code		Sample	Population
YES		1		60	124,000
NO		2		658	1,137,500
NOT APPLICABLE		6		11,028	25,761,000
DON'T KNOW		7		31	40,500
NOT STATED		9		769	1,255,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_38F	Length	1	Position	4254
Question Name	FH-Q38				
Concept	Brother's type of cancer - lung				
Question	What type of cancer did your biological brother have? - Lung				
Universe	Respondents who answered FH_8_37=1				
Note					
Content		Code		Sample	Population
YES		1		121	199,000
NO		2		597	1,062,500
NOT APPLICABLE		6		11,028	25,761,000
DON'T KNOW		7		31	40,500
NOT STATED		9		769	1,255,000
		Total		12,546	28,318,308

Variable Name	FH_8_38G	Length	1	Position	4255
Question Name	FH-Q38				
Concept	Brother's type of cancer - bladder				
Question	What type of cancer did your biological brother have? - Bladder				
Universe	Respondents who answered FH_8_37=1				
Note					
Content		Code		Sample	Population
YES		1		12	20,500
NO		2		706	1,241,000
NOT APPLICABLE		6		11,028	25,761,000
DON'T KNOW		7		31	40,500
NOT STATED		9		769	1,255,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	FH_8_38H	Length	1	Position	4256
Question Name	FH-Q38				
Concept	Brother's type of cancer - other				
Question	What type of cancer did your biological brother have? - Other				
Universe	Respondents who answered FH_8_37=1				
Note					
Content		Code		Sample	Population
YES		1		269	497,000
NO		2		449	764,500
NOT APPLICABLE		6		11,028	25,761,000
DON'T KNOW		7		31	40,500
NOT STATED		9		769	1,255,000
		Total		12,546	28,318,308

Variable Name	NU_8_1A	Length	1	Position	4257
Question Name	NU-Q1A				
Concept	Choose or avoid foods - concerned about body weight				
Question	Do you choose certain foods or avoid others because you are concerned about your body weight?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		5,214	11,635,000
NO		2		4,949	11,028,000
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		1	1,000
REFUSAL		8		2	7,000
NOT STATED		9		714	1,147,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_8_1B **Length** 1 **Position** 4258
Question Name NU-Q1B
Concept Choose or avoid foods - maintain or improve health
Question Do you choose certain foods or avoid others because you are concerned about maintaining or improving your health?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	7,464	16,722,500
NO	2	2,697	5,929,500
NOT APPLICABLE	6	1,666	4,500,500
DON'T KNOW	7	2	11,500
NOT STATED	9	717	1,154,500
Total		12,546	28,318,308

Variable Name NU_8_1C **Length** 1 **Position** 4259
Question Name NU-Q1C
Concept Choose or avoid foods - concerned about heart disease
Question Do you choose certain foods or avoid others because you are concerned about heart disease?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	4,680	10,122,000
NO	2	5,480	12,536,500
NOT APPLICABLE	6	1,666	4,500,500
DON'T KNOW	7	3	5,000
NOT STATED	9	717	1,154,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_8_1D	Length	1	Position	4260
Question Name	NU-Q1D				
Concept	Choose or avoid foods - concerned about cancer				
Question	Do you choose certain foods or avoid others because you are concerned about cancer?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		3,001	6,588,000
NO		2		7,158	16,072,000
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		4	3,000
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

Variable Name	NU_8_1E	Length	1	Position	4261
Question Name	NU-Q1E				
Concept	Choose or avoid foods - concerned about osteoporosis				
Question	Do you choose certain foods or avoid others because you are concerned about osteoporosis (brittle bones)?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		3,201	6,745,500
NO		2		6,956	15,892,000
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		6	26,000
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_8_1F **Length** 1 **Position** 4262
Question Name NU-Q1F
Concept Choose or avoid foods - concerned about high blood pressure
Question Do you choose certain foods or avoid others because you are concerned about high blood pressure?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	3,356	7,024,000
NO	2	6,804	15,627,500
NOT APPLICABLE	6	1,666	4,500,500
DON'T KNOW	7	3	12,000
NOT STATED	9	717	1,154,500
	Total	12,546	28,318,308

Variable Name NU_8_1G **Length** 1 **Position** 4263
Question Name NU-Q1G
Concept Choose or avoid foods - concerned about diabetes
Question Do you choose certain foods or avoid others because you are concerned about diabetes?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	2,481	5,380,500
NO	2	7,677	17,275,500
NOT APPLICABLE	6	1,666	4,500,500
DON'T KNOW	7	5	7,000
NOT STATED	9	717	1,154,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_8D1 **Length** 2 **Position** 4264 - 4265

Question Name

Concept Number of medical reasons - choosing / avoiding foods - (D)

Question

Universe Respondents aged 15 and over living in a household

Note Based on NU_8_1A to NU_8_1G. Source: Health Canada, Office of Nutrition Policy and Promotion. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	0	2,095	4,607,500
ONE	1	1,265	3,042,000
TWO	2	1,533	3,706,500
THREE	3	1,374	2,930,000
FOUR	4	1,206	2,590,500
FIVE	5	940	2,055,000
SIX	6	786	1,640,000
SEVEN	7	952	2,055,500
NOT APPLICABLE	96	1,666	4,500,500
NOT STATED	99	729	1,190,500
	Total	12,546	28,318,308

Variable Name NU_8_2A **Length** 1 **Position** 4266

Question Name NU-Q2A

Concept Reason to choose foods - lower fat content

Question Do you choose certain foods because of the lower fat content?

Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	7,011	15,363,000
NO	2	3,147	7,295,000
NOT APPLICABLE	6	1,666	4,500,500
DON'T KNOW	7	5	5,500
NOT STATED	9	717	1,154,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_8_2B	Length	1	Position	4267
Question Name	NU-Q2B				
Concept	Reason to choose foods - fibre content				
Question	Do you choose certain foods because of the fibre content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		5,792	12,699,500
NO		2		4,365	9,947,500
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		6	16,000
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

Variable Name	NU_8_2C	Length	1	Position	4268
Question Name	NU-Q2C				
Concept	Reason to choose foods - calcium content				
Question	Do you choose certain foods because of the calcium content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		4,700	10,274,500
NO		2		5,452	12,362,000
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		11	27,000
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_8_2D	Length	1	Position	4269
Question Name	NU-Q2D				
Concept	Reason to choose foods - iron content				
Question	Do you choose certain foods because of the iron content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		3,320	7,319,000
NO		2		6,836	15,323,500
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		7	21,000
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

Variable Name	NU_8_2E	Length	1	Position	4270
Question Name	NU-Q2E				
Concept	Reason to choose foods - other vitamins or minerals				
Question	Do you choose certain foods because of the other vitamins or minerals they contain?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		4,964	11,217,500
NO		2		5,191	11,426,500
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		8	19,000
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_8D2 **Length** 2 **Position** 4271 - 4272

Question Name

Concept Number of content reasons for choosing foods - (D)

Question

Universe Respondents aged 15 and over living in a household

Note Based on NU_8_2A to NU_8_2E. Source: Health Canada, Office of Nutrition Policy and Promotion. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	0	2,213	5,169,000
ONE	1	1,338	2,947,500
TWO	2	1,441	3,070,500
THREE	3	1,377	3,089,000
FOUR	4	1,481	3,273,000
FIVE	5	2,296	5,063,500
NOT APPLICABLE	96	1,666	4,500,500
NOT STATED	99	734	1,205,500
	Total	12,546	28,318,308

Variable Name NU_8_3A **Length** 1 **Position** 4273

Question Name NU-Q3A

Concept Reason to avoid foods - fat content

Question Do you avoid certain foods because of the fat content?

Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	6,878	15,185,500
NO	2	3,279	7,459,500
NOT APPLICABLE	6	1,666	4,500,500
DON'T KNOW	7	6	18,500
NOT STATED	9	717	1,154,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_8_3B	Length	1	Position	4274
Question Name	NU-Q3B				
Concept	Reason to avoid foods - type of fat				
Question	Do you avoid certain foods because of the type of fat they contain?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		5,662	12,255,500
NO		2		4,492	10,390,000
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		9	18,000
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

Variable Name	NU_8_3C	Length	1	Position	4275
Question Name	NU-Q3C				
Concept	Reason to avoid foods - salt content				
Question	Do you avoid certain foods because of the salt content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		4,947	10,296,000
NO		2		5,210	12,348,500
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		6	18,500
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_8_3D	Length	1	Position	4276
Question Name	NU-Q3D				
Concept	Reason to avoid foods - cholesterol content				
Question	Do you avoid certain foods because of the cholesterol content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		5,021	10,956,500
NO		2		5,131	11,674,000
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		11	32,500
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

Variable Name	NU_8_3E	Length	1	Position	4277
Question Name	NU-Q3E				
Concept	Reason to avoid foods - sugar content				
Question	Do you avoid certain foods because of the sugar content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		4,671	10,313,000
NO		2		5,486	12,331,500
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		6	18,500
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_8_3F	Length	1	Position	4278
Question Name	NU-Q3F				
Concept	Reason to avoid foods - iron content				
Question	Do you avoid certain foods because of the iron content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,934	4,227,000
NO		2		8,217	18,418,000
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		12	18,500
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

Variable Name	NU_8_3G	Length	1	Position	4279
Question Name	NU-Q3G				
Concept	Reason to avoid foods - calorie content				
Question	Do you avoid certain foods because of the calorie content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		4,570	10,141,000
NO		2		5,585	12,501,000
NOT APPLICABLE		6		1,666	4,500,500
DON'T KNOW		7		8	21,500
NOT STATED		9		717	1,154,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_8D3 **Length** 2 **Position** 4280 - 4281

Question Name

Concept Number of content reasons for avoiding foods - (D)

Question

Universe Respondents aged 15 and over living in a household

Note Based on NU_8_3A to NU_8_3G. Source: Health Canada, Office of Nutrition Policy and Promotion. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	0	2,252	5,194,500
ONE	1	805	1,898,500
TWO	2	942	2,158,000
THREE	3	1,065	2,339,500
FOUR	4	1,275	2,892,000
FIVE	5	1,367	2,940,000
SIX	6	1,249	2,606,500
SEVEN	7	1,187	2,583,500
NOT APPLICABLE	96	1,666	4,500,500
NOT STATED	99	738	1,205,500
Total		12,546	28,318,308

Variable Name NU_8_4A **Length** 1 **Position** 4282

Question Name NU-Q4A

Concept Took supplements - past 4 weeks

Question In the past 4 weeks, did you take any vitamin or mineral supplements?

Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,248	9,597,500
NO	2	5,914	13,065,500
NOT APPLICABLE	6	1,666	4,500,500
DON'T KNOW	7	1	1,000
NOT STATED	9	717	1,154,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_8_4B **Length** 1 **Position** 4283
Question Name NU-Q4B
Concept Took supplements - at least once a week
Question Did you take them at least once a week?
Universe Respondents who answered NU_8_4A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,990	8,963,000
NO	2	258	634,000
NOT APPLICABLE	6	7,580	17,566,000
NOT STATED	9	718	1,155,000
	Total	12,546	28,318,308

Variable Name NU_8_4C **Length** 2 **Position** 4284 - 4285
Question Name NU-Q4C
Concept Took supplements - number of days in last week
Question Last week, on how many days did you take them?
Universe Respondents who answered NU_8_4B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	1 - 7	3,989	8,961,500
NOT APPLICABLE	96	7,838	18,200,000
DON'T KNOW	97	1	1,500
NOT STATED	99	718	1,155,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_8_4D **Length** 2 **Position** 4286 - 4287

Question Name NU-Q4D

Concept Took supplements - number of days in past 4 weeks

Question In the past 4 weeks, on how many days did you take them?

Universe Respondents who answered NU_8_4B=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	1 - 21	255	621,000
NOT APPLICABLE	96	11,570	26,529,000
DON'T KNOW	97	3	13,000
NOT STATED	99	718	1,155,000
	Total	12,546	28,318,308

Variable Name NU_8D4 **Length** 1 **Position** 4288

Question Name

Concept Number of reasons - choosing / avoiding foods (S. V.) - (D)

Question

Universe Respondents aged 15 and over living in a household

Note Based on NU_8_1A, NU_8_1C, NU_8_1D and NU_8_1E. Source: Health Canada, Food and Nutrition Surveillance Working Group. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	0	3,264	7,379,000
ONE	1	2,101	4,934,500
TWO	2	1,845	3,966,000
THREE	3	1,485	3,217,500
FOUR	4	1,459	3,136,000
NOT APPLICABLE	6	1,666	4,500,500
NOT STATED	9	726	1,185,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_8D5	Length	1	Position	4289
Question Name					
Concept	Number of reasons for choosing foods (S. V.) - (D)				
Question					
Universe	Respondents aged 15 and over living in a household				
Note	Based on NU_8_2A to NU_8_2C. Source: Health Canada, Food and Nutrition Surveillance Working Group. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NONE		0		2,422	5,697,500
ONE		1		1,717	3,740,500
TWO		2		2,261	5,016,000
THREE		3		3,750	8,171,500
NOT APPLICABLE		6		1,666	4,500,500
NOT STATED		9		730	1,192,500
		Total		12,546	28,318,308

Variable Name	NU_8D6	Length	1	Position	4290
Question Name					
Concept	Number of reasons for avoiding foods (S. V.) - (D)				
Question					
Universe	Respondents aged 15 and over living in a household				
Note	Based on NU_8_3A to NU_8_3D and NU_8_3G. Source: Health Canada, Food and Nutrition Surveillance Working Group. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NONE		0		2,408	5,597,500
ONE		1		880	2,058,500
TWO		2		1,122	2,480,000
THREE		3		1,444	3,338,500
FOUR		4		1,871	4,015,000
FIVE		5		2,422	5,129,500
NOT APPLICABLE		6		1,666	4,500,500
NOT STATED		9		733	1,198,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_8DCON **Length** 2 **Position** 4291 - 4292

Question Name

Concept Freq. of consumption of vitamin / mineral supplements - (D)

Question

Universe Respondents aged 15 and over living in a household

Note Based on NU_8_4A to NU_8_4C. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NON-USER	1	5,914	13,065,500
OCCASIONAL USER	2	258	634,000
REGULAR USER (1-2 DAYS LAST WEEK)	3	365	896,000
REGULAR USER (3-4 DAYS LAST WEEK)	4	486	1,264,500
REGULAR USER (5-6 DAYS LAST WEEK)	5	261	626,000
REGULAR USER (7 DAYS LAST WEEK)	6	2,877	6,175,500
NOT APPLICABLE	96	1,666	4,500,500
NOT STATED	99	719	1,156,500
	Total	12,546	28,318,308

Variable Name HSC8_1 **Length** 1 **Position** 4293

Question Name HS-Q1

Concept Vision - read newsprint without glasses / contact lenses

Question Are you usually able to see well enough to read ordinary newsprint without glasses or contact lenses?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,783	17,071,500
NO	2	5,190	10,455,500
NOT APPLICABLE	6	11	21,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC8_2	Length	1	Position	4294
Question Name	HS-Q2				
Concept	Vision - read newsprint with glasses / contacts				
Question	Are you usually able to see well enough to read ordinary newsprint with glasses or contact lenses?				
Universe	Respondents who answered HSC8_1=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,979	10,075,500
NO		2		208	374,500
NOT APPLICABLE		6		6,794	17,093,000
DON'T KNOW		7		3	5,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HSC8_3	Length	1	Position	4295
Question Name	HS-Q3				
Concept	Vision - able to see				
Question	Are you able to see at all?				
Universe	Respondents who answered HSC8_2=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		190	341,000
NO		2		20	36,000
NOT APPLICABLE		6		11,773	27,168,500
DON'T KNOW		7		1	2,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8_4 **Length** 1 **Position** 4296
Question Name HS-Q4
Concept Vision - recognize a friend without glasses / contact lenses
Question Are you able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?
Universe Respondents who answered HSC8_1=1 or HSC8_2=1 or HSC8_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,748	20,534,000
NO	2	3,188	6,923,000
NOT APPLICABLE	6	31	57,500
DON'T KNOW	7	15	31,000
NOT STATED	9	564	772,500
	Total	12,546	28,318,308

Variable Name HSC8_5 **Length** 1 **Position** 4297
Question Name HS-Q5
Concept Vision - recognize a friend with glasses / contact lenses
Question Are you usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?
Universe Respondents who answered HSC8_4=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,023	6,647,500
NO	2	162	270,500
NOT APPLICABLE	6	8,779	20,592,000
DON'T KNOW	7	2	4,500
NOT STATED	9	580	804,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8DVIS **Length** 2 **Position** 4298 - 4299

Question Name

Concept Vision problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC8_1 to HSC8_5. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO VISUAL PROBLEM	1	5,708	14,467,000
PROBLEM CORRECTED BY LENSES	2	5,938	12,479,500
PROBLEM SEEING DISTANCE - NOT CORRECTED	3	99	165,500
PROBLEM SEEING CLOSE - NOT CORRECTED	4	123	230,000
PROBLEM CLOSE & DISTANCE - NOT CORRECTED	5	63	105,500
NO SIGHT AT ALL	6	20	36,000
NOT APPLICABLE	96	11	21,500
NOT STATED	99	584	813,000
Total		12,546	28,318,308

Variable Name HSC8_6 **Length** 1 **Position** 4300

Question Name HS-Q6

Concept Hearing - in group without hearing aid

Question Are you usually able to hear what is said in a group conversation with at least 3 other people without a hearing aid?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,399	26,550,000
NO	2	571	974,000
NOT APPLICABLE	6	11	21,500
DON'T KNOW	7	3	2,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC8_7	Length	1	Position	4301
Question Name	HS-Q7				
Concept	Hearing - in group with hearing aid				
Question	Are you usually able to hear what is said in a group conversation with at least 3 other people with a hearing aid?				
Universe	Respondents who answered HSC8_6=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		309	520,000
NO		2		238	421,500
NOT APPLICABLE		6		11,410	26,571,500
DON'T KNOW		7		24	33,000
NOT STATED		9		565	772,500
		Total		12,546	28,318,308

Variable Name	HSC8_7A	Length	1	Position	4302
Question Name	HS-Q7A				
Concept	Hearing - able to hear				
Question	Are you able to hear at all?				
Universe	Respondents who answered HSC8_7=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		253	438,500
NO		2		9	16,000
NOT APPLICABLE		6		11,719	27,091,500
NOT STATED		9		565	772,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8_8 **Length** 1 **Position** 4303
Question Name HS-Q8
Concept Hearing - in quiet room without hearing aid
Question Are you usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid?
Universe Respondents who answered HSC8_7=1 or HSC8_7A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	423	730,000
NO	2	139	228,500
NOT APPLICABLE	6	11,419	26,587,500
NOT STATED	9	565	772,500
	Total	12,546	28,318,308

Variable Name HSC8_9 **Length** 1 **Position** 4304
Question Name HS-Q9
Concept Hearing - in quiet room with hearing aid
Question Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?
Universe Respondents who answered HSC8_8=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	118	187,000
NO	2	21	41,500
NOT APPLICABLE	6	11,842	27,317,500
NOT STATED	9	565	772,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8DHER **Length** 2 **Position** 4305 - 4306

Question Name

Concept Hearing problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC8_6 to HSC8_9. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO HEARING PROBLEM	1	11,399	26,550,000
PROBLEM IN GROUP - CORRECTED	2	223	390,500
PROBLEM IN GROUP & IND. - CORRECTED	3	86	129,000
PROBLEM IN GROUP - NOT CORRECTED	4	176	306,500
PROBLEM IN GROUP & IND.- IND. CORRECTED	5	34	59,500
CANNOT HEAR	6	28	55,500
NOT APPLICABLE	96	11	21,500
NOT STATED	99	589	805,500
	Total	12,546	28,318,308

Variable Name HSC8_10 **Length** 1 **Position** 4307

Question Name HS-Q10

Concept Speech - completely understood by strangers

Question Are you usually able to be understood completely when speaking with strangers in your own language?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,842	27,246,500
NO	2	131	280,500
NOT APPLICABLE	6	11	21,500
NOT STATED	9	562	770,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC8_11	Length	1	Position	4308
Question Name	HS-Q11				
Concept	Speech - partially understood by strangers				
Question	Are you able to be understood partially when speaking with strangers?				
Universe	Respondents who answered HSC8_10=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		101	213,500
NO		2		30	67,000
NOT APPLICABLE		6		11,853	27,268,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HSC8_12	Length	1	Position	4309
Question Name	HS-Q12				
Concept	Speech - completely understood by non-strangers				
Question	Are you able to be understood completely when speaking with those who know you well?				
Universe	Respondents who answered HSC8_10=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		80	178,500
NO		2		51	102,000
NOT APPLICABLE		6		11,853	27,268,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC8_13	Length	1	Position	4310
Question Name	HS-Q13				
Concept	Speech - partially understood by non-strangers				
Question	Are you able to be understood partially when speaking with those who know you well?				
Universe	Respondents who answered HSC8_12=2				
Note					
Content		Code		Sample	Population
YES		1		37	82,500
NO		2		14	19,000
NOT APPLICABLE		6		11,933	27,446,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HSC8DSPE	Length	1	Position	4311
Question Name					
Concept	Speech problem - function code - (D)				
Question					
Universe	Respondents aged 4 and over				
Note	Based on HSC8_10 to HSC8_13. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.				
Content		Code		Sample	Population
NO SPEECH PROBLEM		1		11,842	27,246,500
PARTIALLY UNDERSTOOD BY STRANGERS		2		73	163,500
PARTIALLY UNDERSTOOD BY FRIENDS		3		25	47,500
NOT UNDERSTOOD BY STRANGERS		4		19	50,500
NOT UNDERSTOOD BY FRIENDS		5		14	19,000
NOT APPLICABLE		6		11	21,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8_14 **Length** 1 **Position** 4312
Question Name HS-Q14
Concept Mobility - walk without difficulty and without support
Question Are you usually able to walk around the neighbourhood without difficulty and without mechanical support such as braces, a cane or crutches?
Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,396	26,625,500
NO	2	577	901,000
NOT APPLICABLE	6	11	21,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name HSC8_15 **Length** 1 **Position** 4313
Question Name HS-Q15
Concept Mobility - able to walk
Question Are you able to walk at all?
Universe Respondents who answered HSC8_14=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	483	736,500
NO	2	94	165,000
NOT APPLICABLE	6	11,407	26,647,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8_16 **Length** 1 **Position** 4314
Question Name HS-Q16
Concept Mobility - requires support to walk
Question Do you require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood?
Universe Respondents who answered HSC8_15=1
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	377	549,500
NO	2	106	187,000
NOT APPLICABLE	6	11,501	26,812,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name HSC8_17 **Length** 1 **Position** 4315
Question Name HS-Q17
Concept Mobility - requires help of person to walk
Question Do you require the help of another person to be able to walk?
Universe Respondents who answered HSC8_15=1
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	103	204,000
NO	2	380	532,000
NOT APPLICABLE	6	11,501	26,812,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC8_18	Length	1	Position	4316
Question Name	HS-Q18				
Concept	Mobility - requires a wheelchair				
Question	Do you require a wheelchair to get around?				
Universe	Respondents who answered HSC8_14=2				
Note					
Content		Code		Sample	Population
YES		1		150	248,500
NO		2		427	653,000
NOT APPLICABLE		6		11,407	26,647,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HSC8_19	Length	1	Position	4317
Question Name	HS-Q19				
Concept	Mobility - frequency of wheelchair use				
Question	How often do you use a wheelchair?				
Universe	Respondents who answered HSC8_18=1				
Note					
Content		Code		Sample	Population
ALWAYS		1		91	141,000
OFTEN		2		21	42,500
SOMETIMES		3		35	54,500
NEVER		4		3	10,500
NOT APPLICABLE		6		11,834	27,300,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC8_20	Length	1	Position	4318
Question Name	HS-Q20				
Concept	Mobility - requires help to move in wheelchair				
Question	Do you need the help of another person to get around in the wheelchair?				
Universe	Respondents who answered HSC8_18=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		96	175,500
NO		2		54	73,000
NOT APPLICABLE		6		11,834	27,300,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HSC8DMOB	Length	2	Position	4319 - 4320
Question Name					
Concept	Mobility problem - function code - (D)				
Question					
Universe	Respondents aged 4 and over				
Note	Based on HSC8_14 to HSC8_18. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO MOBILITY PROBLEM		1		11,396	26,625,500
PROBLEM - NO AID REQUIRED		2		88	149,500
PROBLEM - REQUIRES MECHANICAL SUPPORT		3		261	341,000
PROBLEM - REQUIRES WHEELCHAIR		4		31	41,500
PROBLEM - REQUIRES HELP FROM PEOPLE		5		103	204,000
CANNOT WALK		6		94	165,000
NOT APPLICABLE		96		11	21,500
NOT STATED		99		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC8_21	Length	1	Position	4321
Question Name	HS-Q21				
Concept	Dexterity - able to grasp and handle small objects				
Question	Are you usually able to grasp and handle small objects such as a pencil or scissors?				
Universe	Respondents aged 4 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11,826	27,275,000
NO		2		147	251,500
NOT APPLICABLE		6		11	21,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HSC8_22	Length	1	Position	4322
Question Name	HS-Q22				
Concept	Dexterity - requires help due to limitation in hands				
Question	Do you require the help of another person because of limitations in the use of hands or fingers?				
Universe	Respondents who answered HSC8_21=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		77	134,000
NO		2		70	118,000
NOT APPLICABLE		6		11,837	27,297,000
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8_23 **Length** 1 **Position** 4323
Question Name HS-Q23
Concept Dexterity - requires help with tasks
Question Do you require the help of another person with:
Universe Respondents who answered HSC8_22=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SOME TASKS	1	32	54,000
MOST TASKS	2	14	28,500
ALMOST ALL TASKS	3	11	17,000
ALL TASKS	4	20	34,500
NOT APPLICABLE	6	11,907	27,414,500
NOT STATED	9	562	770,000
Total		12,546	28,318,308

Variable Name HSC8_24 **Length** 1 **Position** 4324
Question Name HS-Q24
Concept Dexterity - requires special equipment
Question Do you require special equipment, for example, devices to assist in dressing, because of limitations in the use of hands or fingers?
Universe Respondents who answered HSC8_21=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	49,500
NO	2	115	202,000
NOT APPLICABLE	6	11,837	27,297,000
NOT STATED	9	562	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8DDEX **Length** 2 **Position** 4325 - 4326

Question Name

Concept Dexterity problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC8_21 to HSC8_24. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO DEXTERITY PROBLEM	1	11,826	27,275,000
PROBLEM - NO HELP REQUIRED	2	65	108,000
PROBLEM - REQUIRES SPECIAL EQUIPMENT	3	5	9,500
PROBLEM - REQUIRES HELP WITH SOME TASKS	4	32	54,000
PROBLEM - REQUIRES HELP WITH MOST TASKS	5	25	45,500
PROBLEM - REQUIRES HELP WITH ALL TASKS	6	20	34,500
NOT APPLICABLE	96	11	21,500
NOT STATED	99	562	770,000
Total		12,546	28,318,308

Variable Name HSC8_25 **Length** 1 **Position** 4327

Question Name HS-Q25

Concept Feelings - self perceived happiness

Question Would you describe yourself as being usually:

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAPPY AND INTERESTED IN LIFE	1	9,751	22,365,000
SOMEWHAT HAPPY	2	1,838	4,359,500
SOMEWHAT UNHAPPY	3	271	590,500
UNHAPPY WITH LITTLE INTEREST IN LIFE	4	83	146,500
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE	5	20	53,500
NOT APPLICABLE	6	11	21,500
DON'T KNOW	7	6	7,000
REFUSAL	8	3	4,500
NOT STATED	9	563	770,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8DEMO **Length** 1 **Position** 4328

Question Name

Concept Emotional problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC8_25. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAPPY AND INTERESTED IN LIFE	1	9,751	22,365,000
SOMEWHAT HAPPY	2	1,838	4,359,500
SOMEWHAT UNHAPPY	3	271	590,500
VERY UNHAPPY	4	83	146,500
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE	5	20	53,500
NOT APPLICABLE	6	11	21,500
NOT STATED	9	572	781,500
Total		12,546	28,318,308

Variable Name HSC8_26 **Length** 1 **Position** 4329

Question Name HS-Q26

Concept Cognition - ability to remember things

Question How would you describe your usual ability to remember things?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ABLE TO REMEMBER MOST THINGS	1	9,553	22,497,000
SOMEWHAT FORGETFUL	2	2,186	4,605,000
VERY FORGETFUL	3	193	355,000
UNABLE TO REMEMBER ANYTHING AT ALL	4	32	49,000
NOT APPLICABLE	6	11	21,500
DON'T KNOW	7	4	7,000
REFUSAL	8	4	12,500
NOT STATED	9	563	771,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8_27 **Length** 1 **Position** 4330
Question Name HS-Q27
Concept Cognition - ability to think and solve problems
Question How would you describe your usual ability to think and solve day-to-day problems?
Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ABLE TO THINK CLEARLY AND SOLVE PROBLEMS	1	10,861	25,131,500
HAVING A LITTLE DIFFICULTY	2	768	1,695,000
HAVING SOME DIFFICULTY	3	208	476,000
HAVING A GREAT DEAL OF DIFFICULTY	4	68	106,000
UNABLE TO THINK OR SOLVE PROBLEMS	5	58	86,500
NOT APPLICABLE	6	11	21,500
DON'T KNOW	7	7	21,500
REFUSAL	8	2	9,500
NOT STATED	9	563	771,000
	Total	12,546	28,318,308

Variable Name HSC8DCOG **Length** 2 **Position** 4331 - 4332
Question Name
Concept Cognition problem - function code - (D)
Question
Universe Respondents aged 4 and over

Note Based on HSC8_26 and HSC8_27. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO COGNITION PROBLEM	1	9,182	21,597,500
A LITTLE DIFFICULTY THINKING	2	354	857,500
SOMEWHAT FORGETFUL	3	1,612	3,376,000
SOMEWHAT FORGETFUL/A LITTLE DIFF. THINK.	4	551	1,189,500
VERY FORGETFUL/GREAT DEAL DIFF. THINK.	5	203	384,500
UNABLE TO REMEMBER OR TO THINK	6	58	86,500
NOT APPLICABLE	96	11	21,500
NOT STATED	99	575	805,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC8_28	Length	1	Position	4333
Question Name	HS-Q28				
Concept	Pain - usually free of pain				
Question	Are you usually free of pain or discomfort?				
Universe	Respondents aged 4 and over				
Note					
Content		Code		Sample	Population
YES		1		10,297	24,167,500
NO		2		1,675	3,355,000
NOT APPLICABLE		6		11	21,500
DON'T KNOW		7		1	4,500
NOT STATED		9		562	770,000
		Total		12,546	28,318,308

Variable Name	HSC8_29	Length	1	Position	4334
Question Name	HS-Q29				
Concept	Pain - usual intensity				
Question	How would you describe the usual intensity of your pain or discomfort?				
Universe	Respondents who answered HSC8_28=2				
Note					
Content		Code		Sample	Population
MILD		1		489	1,048,000
MODERATE		2		936	1,852,500
SEVERE		3		244	448,500
NOT APPLICABLE		6		10,308	24,189,000
DON'T KNOW		7		4	4,000
NOT STATED		9		565	776,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8_30 **Length** 1 **Position** 4335
Question Name HS-Q30
Concept Pain - number of activities prevented
Question How many activities does your pain or discomfort prevent?
Universe Respondents who answered HSC8_28=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	427	895,500
A FEW	2	548	1,189,500
SOME	3	402	757,500
MOST	4	297	507,000
NOT APPLICABLE	6	10,308	24,189,000
DON'T KNOW	7	1	5,000
NOT STATED	9	563	774,000
	Total	12,546	28,318,308

Variable Name HSC8DPAD **Length** 1 **Position** 4336
Question Name
Concept Activities prevented by pain - function code - (D)
Question
Universe Respondents aged 4 and over

Note Based on HSC8_28 and HSC8_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. Labels for this variable have been changed in Cycle 5 (2002) to better reflect the questions used to derive this variable. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO PAIN OR DISCOMFORT	1	10,297	24,167,500
PAIN DOES NOT PREVENT ACTIVITY	2	427	895,500
PAIN PREVENTS A FEW ACTIVITIES	3	548	1,189,500
PAIN PREVENTS SOME ACTIVITIES	4	402	757,500
PAIN PREVENTS MOST ACTIVITIES	5	297	507,000
NOT APPLICABLE	6	11	21,500
NOT STATED	9	564	779,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC8DHSI **Length** 5.3 **Position** 4337 - 4341

Question Name

Concept Health Utility Index (HUI3) - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC8_1 to HSC8_28 and HSC8_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	- .352 - 1.000	11,903	27,396,500
NOT APPLICABLE	9.996	11	21,500
NOT STATED	9.999	632	900,000
	Total	12,546	28,318,308

Variable Name PY_8_H1 **Length** 2 **Position** 4342 - 4343

Question Name SCOH-Q1

Concept Stress (coherence) - don't care about surroundings

Question How often do you have the feeling that you don't really care about what goes on around you? (1 means "very seldom or never" and 7 means "very often").

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY SELDOM OR NEVER	1	5,564	11,566,000
2	2	1,520	3,478,000
3	3	932	2,307,500
4	4	662	1,565,000
5	5	523	1,189,000
6	6	216	551,500
7 VERY OFTEN	7	261	577,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	76	138,500
REFUSAL	98	39	75,500
NOT STATED	99	705	1,113,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H2 **Length** 2 **Position** 4344 - 4345
Question Name SCOH-Q2
Concept Stress (coherence) - surprised by other's behaviour
Question How often in the past were you surprised by the behaviour of people whom you thought you knew well? (1 means that "it has never happened" and 7 means "it has always happened").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 NEVER HAPPENED	1	2,177	4,428,000
2	2	2,531	5,487,500
3	3	2,085	4,735,500
4	4	1,422	3,119,000
5	5	881	2,137,500
6	6	272	603,000
7 ALWAYS HAPPENED	7	270	631,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	36	79,500
REFUSAL	98	4	14,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H3 **Length** 2 **Position** 4346 - 4347

Question Name SCOH-Q3

Concept Stress (coherence) - disappointed with people counted on

Question How often have people you counted on disappointed you? (1 means that "it never happened" and 7 means "it always happened").

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 NEVER HAPPENED	1	1,935	3,854,000
2	2	3,245	6,987,500
3	3	2,058	4,694,500
4	4	1,222	2,869,000
5	5	723	1,747,500
6	6	250	519,500
7 ALWAYS HAPPENED	7	212	473,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	27	63,500
REFUSAL	98	6	26,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H4 **Length** 2 **Position** 4348 - 4349
Question Name SCOH-Q4
Concept Stress (coherence) - treated unfairly
Question How often do you have the feeling you're being treated unfairly? (1 means "very often" and 7 means "very seldom or never").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	317	679,500
2	2	506	1,196,500
3	3	724	1,706,500
4	4	725	1,684,000
5	5	946	2,238,500
6	6	2,477	5,674,500
7 VERY SELDOM OR NEVER	7	3,964	8,000,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	14	35,500
REFUSAL	98	5	20,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H5 **Length** 2 **Position** 4350 - 4351
Question Name SCOH-Q5
Concept Stress (coherence) - in unfamiliar situations
Question How often do you have the feeling you are in an unfamiliar situation and don't know what to do? (1 means "very often" and 7 means "very seldom or never").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	145	344,500
2	2	240	529,500
3	3	324	786,500
4	4	469	1,094,500
5	5	807	1,899,000
6	6	2,389	5,243,000
7 VERY SELDOM OR NEVER	7	5,274	11,244,500
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	25	71,500
REFUSAL	98	5	21,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H6 **Length** 2 **Position** 4352 - 4353
Question Name SCOH-Q6
Concept Stress (coherence) - mixed-up feelings
Question How often do you have very mixed-up feelings and ideas? (1 means "very often" and 7 means "very seldom or never").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	160	389,000
2	2	199	482,000
3	3	348	847,000
4	4	547	1,375,500
5	5	953	2,170,500
6	6	2,328	5,030,000
7 VERY SELDOM OR NEVER	7	5,116	10,856,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	21	61,500
REFUSAL	98	6	22,500
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H7 **Length** 2 **Position** 4354 - 4355
Question Name SCOH-Q7
Concept Stress (coherence) - uncomfortable feelings
Question How often do you have feelings inside that you would rather not feel? (1 means "very often" and 7 means "very seldom or never").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	281	673,000
2	2	270	635,000
3	3	495	1,130,000
4	4	748	1,806,500
5	5	1,287	3,044,000
6	6	2,421	5,299,000
7 VERY SELDOM OR NEVER	7	4,133	8,552,500
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	36	73,000
REFUSAL	98	7	22,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H8 **Length** 2 **Position** 4356 - 4357
Question Name SCOH-Q8
Concept Stress (coherence) - losers
Question Many people -- even those with a strong character -- sometimes feel like sad sacks (losers) in certain situations. How often have you felt this way in the past? (1 means "very seldom or never" and 7 means "very often").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY SELDOM OR NEVER	1	4,403	9,208,500
2	2	2,453	5,544,500
3	3	1,080	2,482,500
4	4	715	1,562,000
5	5	546	1,275,500
6	6	267	636,500
7 VERY OFTEN	7	177	410,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	30	93,000
REFUSAL	98	7	22,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H9 **Length** 2 **Position** 4358 - 4359

Question Name SCOH-Q9

Concept Stress (coherence) - little meaning in life

Question How often do you have the feeling that there's little meaning in the things you do in your daily life? (1 means "very often" and 7 means "very seldom or never").

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	230	478,000
2	2	205	504,000
3	3	389	958,000
4	4	564	1,225,000
5	5	852	2,016,500
6	6	2,132	4,702,000
7 VERY SELDOM OR NEVER	7	5,272	11,266,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	27	55,500
REFUSAL	98	7	29,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H10 **Length** 2 **Position** 4360 - 4361
Question Name SCOH-Q10
Concept Stress (coherence) - can't keep feelings under control
Question How often do you have feelings that you're not sure you can keep under control? (1 means "very often" and 7 means "very seldom or never").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 VERY OFTEN	1	163	343,500
2	2	144	356,500
3	3	295	713,500
4	4	484	1,078,000
5	5	889	2,200,000
6	6	2,244	5,084,000
7 VERY SELDOM OR NEVER	7	5,421	11,371,500
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	28	53,000
REFUSAL	98	10	34,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H11 **Length** 2 **Position** 4362 - 4363

Question Name SCOH-Q11

Concept Stress (coherence) - clear goals and purpose

Question Until now has your life had no clear goals or purpose or has it had very clear goals and purpose? (1 means "no clear goals or purpose" and 7 means "very clear goals and purpose").

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 NO CLEAR GOALS OR NO PURPOSE AT ALL	1	227	550,500
2	2	150	360,000
3	3	270	570,500
4	4	749	1,625,000
5	5	1,489	3,341,500
6	6	2,178	4,721,500
7 VERY CLEAR GOALS AND PURPOSE	7	4,563	9,966,500
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	42	73,000
REFUSAL	98	10	26,500
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H12 **Length** 2 **Position** 4364 - 4365
Question Name SCOH-Q12
Concept Stress (coherence) - keep things in proportion
Question When something happens, you generally find that you overestimate or underestimate its importance or you see things in the right proportion? (1 means you "overestimate or underestimate importance" and 7 means "you see things in the right proportion").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 OVER. / UNDERESTIMATE ITS IMPORTANCE	1	295	661,000
2	2	202	413,500
3	3	415	963,000
4	4	916	1,977,500
5	5	1,614	3,628,000
6	6	2,334	5,002,000
7 SEE THINGS IN THE RIGHT PROPORTION	7	3,844	8,472,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	48	90,000
REFUSAL	98	10	27,000
NOT STATED	99	820	1,327,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_8_H13 **Length** 2 **Position** 4366 - 4367
Question Name SCOH-Q13
Concept Stress (coherence) - bored or satisfied with everyday act.
Question Is doing the things you do every day a source of great pleasure and satisfaction or a source of pain and boredom? (1 means "a source of great pleasure and satisfaction" and 7 means "a source of pain and boredom").
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 A GREAT DEAL OF PLEASURE & SATISFACT.	1	3,932	8,300,500
2	2	2,533	5,684,000
3	3	1,495	3,472,000
4	4	938	2,076,000
5	5	423	930,500
6	6	177	383,500
7 A SOURCE OF PAIN AND BOREDOM	7	148	313,000
NOT APPLICABLE	96	2,048	5,756,500
DON'T KNOW	97	22	43,500
REFUSAL	98	10	31,000
NOT STATED	99	820	1,327,500
Total		12,546	28,318,308

Variable Name PY_8DH1 **Length** 2 **Position** 4368 - 4369

Question Name

Concept Sense of coherence scale - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on PY_8_H1 to PY_8_H13. Scores were reversed for questions PY_8_H1 to PY_8_H3, PY_8_H8 and PY_8_H13. MIN = 0, MAX = 78 (higher values indicate a stronger sense of coherence). Source: Antonovsky, Morris, Unraveling the Mystery of Health : How people Manage Stress and Stay Well, 1987, Appendix, p. 189 - 194. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 78	9,509	20,892,000
NOT APPLICABLE	96	2,048	5,756,500
NOT STATED	99	989	1,670,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1A	Length	1	Position	4370
Question Name	PA-Q1				
Concept	Activity in last 3 months - walking for exercise				
Question	Have you done any of the following in the past 3 months? - Walking for exercise				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7,451	16,395,500
NO		2		3,068	7,216,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1B	Length	1	Position	4371
Question Name	PA-Q1				
Concept	Activity in last 3 months - gardening or yard work				
Question	Have you done any of the following in the past 3 months? - Gardening or yard work				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,230	11,101,000
NO		2		5,289	12,511,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1C	Length	1	Position	4372
Question Name	PA-Q1				
Concept	Activity in last 3 months - swimming				
Question	Have you done any of the following in the past 3 months? - Swimming				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,635	6,445,000
NO		2		7,884	17,167,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1D	Length	1	Position	4373
Question Name	PA-Q1				
Concept	Activity in last 3 months - bicycling				
Question	Have you done any of the following in the past 3 months? - Bicycling				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,560	6,423,500
NO		2		7,959	17,188,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1E	Length	1	Position	4374
Question Name	PA-Q1				
Concept	Activity in last 3 months - popular or social dance				
Question	Have you done any of the following in the past 3 months? - Popular or social dance				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,522	5,725,000
NO		2		7,997	17,887,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1F	Length	1	Position	4375
Question Name	PA-Q1				
Concept	Activity in last 3 months - home exercises				
Question	Have you done any of the following in the past 3 months? - Home exercises				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,108	7,290,500
NO		2		7,411	16,321,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1G	Length	1	Position	4376
Question Name	PA-Q1				
Concept	Activity in last 3 months - ice hockey				
Question	Have you done any of the following in the past 3 months? - Ice hockey				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		439	1,161,000
NO		2		10,080	22,451,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1H	Length	1	Position	4377
Question Name	PA-Q1				
Concept	Activity in last 3 months - ice skating				
Question	Have you done any of the following in the past 3 months? - Ice skating				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		589	1,466,500
NO		2		9,930	22,145,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1Y	Length	1	Position	4378
Question Name					
Concept	Activity in last 3 months - in-line skating or rollerblading				
Question	Have you done any of the following in the past 3 months? - In-line skating or rollerblading				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		704	2,045,500
NO		2		9,815	21,566,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1J	Length	1	Position	4379
Question Name	PA-Q1				
Concept	Activity in last 3 months - jogging or running				
Question	Have you done any of the following in the past 3 months? - Jogging or running				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,458	3,843,000
NO		2		9,061	19,769,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1K	Length	1	Position	4380
Question Name	PA-Q1				
Concept	Activity in last 3 months - golfing				
Question	Have you done any of the following in the past 3 months? - Golfing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,327	3,195,500
NO		2		9,192	20,416,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1L	Length	1	Position	4381
Question Name	PA-Q1				
Concept	Activity in last 3 months - exercise class or aerobics				
Question	Have you done any of the following in the past 3 months? - Exercise class or aerobics				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		713	1,810,500
NO		2		9,806	21,801,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1I	Length	1	Position	4382
Question Name	PA-Q1				
Concept	Activity in last 3 months - downhill skiing				
Question	Have you done any of the following in the past 3 months? - Downhill skiing				
Universe	Respondents aged 12 and over living in a household				
Note	This question changed in Cycle 5 (2002). Now includes snowboarding.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		255	700,000
NO		2		10,264	22,912,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1N	Length	1	Position	4383
Question Name	PA-Q1				
Concept	Activity in last 3 months - bowling				
Question	Have you done any of the following in the past 3 months? - Bowling				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,011	2,412,500
NO		2		9,508	21,199,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1O	Length	1	Position	4384
Question Name	PA-Q1				
Concept	Activity in last 3 months - baseball or softball				
Question	Have you done any of the following in the past 3 months? - Baseball or softball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		809	1,996,500
NO		2		9,710	21,615,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1P	Length	1	Position	4385
Question Name	PA-Q1				
Concept	Activity in last 3 months - tennis				
Question	Have you done any of the following in the past 3 months? - Tennis				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		396	1,118,500
NO		2		10,123	22,493,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1Q	Length	1	Position	4386
Question Name	PA-Q1				
Concept	Activity in last 3 months - weight-training				
Question	Have you done any of the following in the past 3 months? - Weight-training				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,181	3,136,000
NO		2		9,338	20,476,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1R	Length	1	Position	4387
Question Name	PA-Q1				
Concept	Activity in last 3 months - fishing				
Question	Have you done any of the following in the past 3 months? - Fishing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,164	2,614,500
NO		2		9,355	20,997,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1S	Length	1	Position	4388
Question Name	PA-Q1				
Concept	Activity in last 3 months - volleyball				
Question	Have you done any of the following in the past 3 months? - Volleyball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		560	1,507,500
NO		2		9,959	22,104,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1T	Length	1	Position	4389
Question Name	PA-Q1				
Concept	Activity in last 3 months - basketball				
Question	Have you done any of the following in the past 3 months? - Basketball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		723	2,066,500
NO		2		9,796	21,545,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8_1U	Length	1	Position	4390
Question Name	PA-Q1				
Concept	Activity in last 3 months - other activity (#1)				
Question	Have you done any of the following in the past 3 months? - Other activity (#1)				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		795	2,105,500
NO		2		9,724	21,506,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

Variable Name	PAC8_1V	Length	1	Position	4391
Question Name	PA-Q1				
Concept	Activity in last 3 months - no physical activity				
Question	Have you done any of the following in the past 3 months? - No physical activity				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		932	1,918,500
NO		2		9,587	21,693,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	15,500
REFUSAL		8		8	15,500
NOT STATED		9		774	1,302,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8FC1	Length	1	Position	4392
Question Name	PA-Q1Ui				
Concept	Flag for other physical activity (#1)				
Question	What was this activity? - Activity (#1)				
Universe	Respondents who answered PAC8_1U=1				
Note	Based on PAC8_1U. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		795	2,105,500
NOT APPLICABLE		6		10,966	24,880,500
NOT STATED		9		785	1,332,500
		Total		12,546	28,318,308

Variable Name	PAC8_1W	Length	1	Position	4393
Question Name	PA-Q1W				
Concept	Activity in last 3 months - other activity (#2)				
Question	In the past 3 months, did you do any other activity for leisure? - Other activity (#2)				
Universe	Respondents who answered PAC8_1U=1				
Note					
Content		Code		Sample	Population
YES		1		125	343,500
NO		2		670	1,762,000
NOT APPLICABLE		6		10,966	24,880,500
NOT STATED		9		785	1,332,500
		Total		12,546	28,318,308

Variable Name	PAC8FC2	Length	1	Position	4394
Question Name	PA-Q1Wi				
Concept	Flag for other physical activity (#2)				
Question	What was this activity? - Activity (#2)				
Universe	Respondents who answered PAC8_1W=1				
Note	Based on PAC8_1W. Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		125	343,500
NOT APPLICABLE		6		11,636	26,642,000
NOT STATED		9		785	1,332,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_1X **Length** 1 **Position** 4395

Question Name PA-Q1X

Concept Activity in last 3 months - other activity (#3)

Question In the past 3 months, did you do any other activity for leisure? - Other activity (#3)

Universe Respondents who answered PAC8_1W=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	57,500
NO	2	104	286,000
NOT APPLICABLE	6	11,636	26,642,000
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8FC3 **Length** 1 **Position** 4396

Question Name PA-Q1Xi

Concept Flag for other physical activity (#3)

Question What was this activity? - Activity (#3)

Universe Respondents who answered PAC8_1X=1

Note Based on PAC8_1X. Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	57,500
NOT APPLICABLE	6	11,740	26,928,000
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2A **Length** 3 **Position** 4397 - 4399

Question Name PA-Q2

Concept No. of times participated - walking for exercise

Question In the past 3 months, how many times did you participate in walking for exercise?

Universe Respondents who answered PAC8_1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 270	7,419	16,356,500
NOT APPLICABLE	996	4,310	10,590,000
DON'T KNOW	997	32	39,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3A **Length** 1 **Position** 4400

Question Name PA-Q3

Concept Time spent - walking for exercise

Question About how much time did you spend on each occasion? - Walking for exercise

Universe Respondents who answered PAC8_1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	755	1,609,500
16 TO 30 MINUTES	2	2,956	6,649,000
31 TO 60 MINUTES	3	2,743	5,898,500
MORE THAN ONE HOUR	4	964	2,195,000
NOT APPLICABLE	6	4,310	10,590,000
DON'T KNOW	7	1	4,000
NOT STATED	9	817	1,371,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2B **Length** 3 **Position** 4401 - 4403

Question Name PA-Q2

Concept No. of times participated - gardening or yard work

Question In the past 3 months, how many times did you participate in gardening or yard work?

Universe Respondents who answered PAC8_1B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	5,208	11,076,500
NOT APPLICABLE	996	6,531	15,884,500
DON'T KNOW	997	22	25,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3B **Length** 1 **Position** 4404

Question Name PA-Q3

Concept Time spent - gardening or yard work

Question About how much time did you spend on each occasion? - Gardening or yard work

Universe Respondents who answered PAC8_1B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	297	633,500
16 TO 30 MINUTES	2	1,138	2,322,000
31 TO 60 MINUTES	3	1,516	3,265,500
MORE THAN ONE HOUR	4	2,254	4,847,000
NOT APPLICABLE	6	6,531	15,884,500
DON'T KNOW	7	3	8,500
NOT STATED	9	807	1,357,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2C **Length** 3 **Position** 4405 - 4407
Question Name PA-Q2
Concept No. of times participated - swimming
Question In the past 3 months, how many times did you participate in swimming?
Universe Respondents who answered PAC8_1C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	2,633	6,441,000
NOT APPLICABLE	996	9,126	20,541,000
DON'T KNOW	997	2	4,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3C **Length** 1 **Position** 4408
Question Name PA-Q3
Concept Time spent - swimming
Question About how much time did you spend on each occasion? - Swimming
Universe Respondents who answered PAC8_1C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	176	447,000
16 TO 30 MINUTES	2	681	1,620,500
31 TO 60 MINUTES	3	908	2,174,500
MORE THAN ONE HOUR	4	868	2,198,500
NOT APPLICABLE	6	9,126	20,541,000
NOT STATED	9	787	1,336,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2D **Length** 3 **Position** 4409 - 4411
Question Name PA-Q2
Concept No. of times participated - bicycling
Question In the past 3 months, how many times did you participate bicycling?
Universe Respondents who answered PAC8_1D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	2,557	6,404,500
NOT APPLICABLE	996	9,201	20,562,500
DON'T KNOW	997	3	19,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3D **Length** 1 **Position** 4412
Question Name PA-Q3
Concept Time spent - bicycling
Question About how much time did you spend on each occasion? - Bicycling
Universe Respondents who answered PAC8_1D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	255	631,000
16 TO 30 MINUTES	2	804	1,935,000
31 TO 60 MINUTES	3	831	2,109,500
MORE THAN ONE HOUR	4	667	1,729,000
NOT APPLICABLE	6	9,201	20,562,500
NOT STATED	9	788	1,351,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2E **Length** 3 **Position** 4413 - 4415

Question Name PA-Q2

Concept No. of times participated - popular or social dance

Question In the past 3 months, how many times did you participate in popular or social dancing?

Universe Respondents who answered PAC8_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	2,520	5,723,000
NOT APPLICABLE	996	9,239	21,260,500
DON'T KNOW	997	2	2,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3E **Length** 1 **Position** 4416

Question Name PA-Q3

Concept Time spent - popular or social dance

Question About how much time did you spend on each occasion? - Popular or social dance

Universe Respondents who answered PAC8_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	71	139,000
16 TO 30 MINUTES	2	162	354,000
31 TO 60 MINUTES	3	309	623,000
MORE THAN ONE HOUR	4	1,977	4,606,000
NOT APPLICABLE	6	9,239	21,260,500
DON'T KNOW	7	1	1,000
NOT STATED	9	787	1,334,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2F **Length** 3 **Position** 4417 - 4419

Question Name PA-Q2

Concept No. of times participated - home exercises

Question In the past 3 months, how many times did you participate in home exercises?

Universe Respondents who answered PAC8_1F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	3,103	7,274,000
NOT APPLICABLE	996	8,653	19,695,500
DON'T KNOW	997	5	16,500
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3F **Length** 1 **Position** 4420

Question Name PA-Q3

Concept Time spent - home exercises

Question About how much time did you spend on each occasion? - Home exercises

Universe Respondents who answered PAC8_1F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	891	1,940,000
16 TO 30 MINUTES	2	1,397	3,262,500
31 TO 60 MINUTES	3	623	1,558,000
MORE THAN ONE HOUR	4	191	513,000
NOT APPLICABLE	6	8,653	19,695,500
DON'T KNOW	7	1	1,000
NOT STATED	9	790	1,349,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2G **Length** 3 **Position** 4421 - 4423

Question Name PA-Q2

Concept No. of times participated - ice hockey

Question In the past 3 months, how many times did you participate in ice hockey?

Universe Respondents who answered PAC8_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	438	1,153,000
NOT APPLICABLE	996	11,322	25,825,000
DON'T KNOW	997	1	7,500
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3G **Length** 1 **Position** 4424

Question Name PA-Q3

Concept Time spent - ice hockey

Question About how much time did you spend on each occasion? - Ice hockey

Universe Respondents who answered PAC8_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	3	4,500
16 TO 30 MINUTES	2	5	9,000
31 TO 60 MINUTES	3	101	253,500
MORE THAN ONE HOUR	4	329	886,000
NOT APPLICABLE	6	11,322	25,825,000
NOT STATED	9	786	1,340,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2H **Length** 3 **Position** 4425 - 4427

Question Name PA-Q2

Concept No. of times participated - ice skating

Question In the past 3 months, how many times did you participate in ice skating?

Universe Respondents who answered PAC8_1H=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	589	1,466,500
NOT APPLICABLE	996	11,172	25,519,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3H **Length** 1 **Position** 4428

Question Name PA-Q3

Concept Time spent - ice skating

Question About how much time did you spend on each occasion? - Ice skating

Universe Respondents who answered PAC8_1H=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	18	45,500
16 TO 30 MINUTES	2	49	110,000
31 TO 60 MINUTES	3	264	634,000
MORE THAN ONE HOUR	4	258	677,000
NOT APPLICABLE	6	11,172	25,519,000
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2Y **Length** 3 **Position** 4429 - 4431

Question Name PA-Q2

Concept No. of times participated - in-line skating or rollerblading

Question In the past 3 months, how many times did you participate in in-line skating or rollerblading?

Universe Respondents who answered PAC8_1Y=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 92	703	2,044,500
NOT APPLICABLE	996	11,057	24,940,500
DON'T KNOW	997	1	1,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3Y **Length** 1 **Position** 4432

Question Name PA-Q3

Concept Time spent - in-line skating or rollerblading

Question About how much time did you spend on each occasion? - In-line skating or rollerblading

Universe Respondents who answered PAC8_1Y=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	41	123,000
16 TO 30 MINUTES	2	193	563,000
31 TO 60 MINUTES	3	230	662,500
MORE THAN ONE HOUR	4	239	696,000
NOT APPLICABLE	6	11,057	24,940,500
NOT STATED	9	786	1,333,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2J **Length** 3 **Position** 4433 - 4435

Question Name PA-Q2

Concept No. of times participated - jogging or running

Question In the past 3 months, how many times did you participate in jogging or running?

Universe Respondents who answered PAC8_1J=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,456	3,835,500
NOT APPLICABLE	996	10,303	23,143,000
DON'T KNOW	997	2	7,500
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3J **Length** 1 **Position** 4436

Question Name PA-Q3

Concept Time spent - jogging or running

Question About how much time did you spend on each occasion? - Jogging or running

Universe Respondents who answered PAC8_1J=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	300	737,000
16 TO 30 MINUTES	2	641	1,690,500
31 TO 60 MINUTES	3	407	1,095,500
MORE THAN ONE HOUR	4	107	309,500
NOT APPLICABLE	6	10,303	23,143,000
DON'T KNOW	7	1	3,000
NOT STATED	9	787	1,340,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2K **Length** 3 **Position** 4437 - 4439

Question Name PA-Q2

Concept No. of times participated - golfing

Question In the past 3 months, how many times did you participate in golfing?

Universe Respondents who answered PAC8_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,327	3,195,500
NOT APPLICABLE	996	10,434	23,790,500
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3K **Length** 1 **Position** 4440

Question Name PA-Q3

Concept Time spent - golfing

Question About how much time did you spend on each occasion? - Golfing

Universe Respondents who answered PAC8_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	3	8,500
16 TO 30 MINUTES	2	12	30,500
31 TO 60 MINUTES	3	42	84,500
MORE THAN ONE HOUR	4	1,270	3,072,000
NOT APPLICABLE	6	10,434	23,790,500
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2L **Length** 3 **Position** 4441 - 4443

Question Name PA-Q2

Concept No. of times participated - exercise class or aerobics

Question In the past 3 months, how many times did you participate in exercise class or aerobics?

Universe Respondents who answered PAC8_1L=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	710	1,795,000
NOT APPLICABLE	996	11,048	25,175,500
DON'T KNOW	997	3	15,500
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3L **Length** 1 **Position** 4444

Question Name PA-Q3

Concept Time spent - exercise class or aerobics

Question About how much time did you spend on each occasion? - Exercise class or aerobics

Universe Respondents who answered PAC8_1L=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	31	67,000
16 TO 30 MINUTES	2	78	165,000
31 TO 60 MINUTES	3	383	967,000
MORE THAN ONE HOUR	4	218	596,000
NOT APPLICABLE	6	11,048	25,175,500
NOT STATED	9	788	1,348,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2I **Length** 3 **Position** 4445 - 4447

Question Name PA-Q2

Concept No. of times participated - downhill skiing

Question In the past 3 months, how many times did you participate in downhill skiing?

Universe Respondents who answered PAC8_1I=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 39	253	693,500
NOT APPLICABLE	996	11,506	26,286,000
DON'T KNOW	997	2	7,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3I **Length** 1 **Position** 4448

Question Name PA-Q3

Concept Time spent - downhill skiing

Question About how much time did you spend on each occasion? - Downhill skiing

Universe Respondents who answered PAC8_1I=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
16 TO 30 MINUTES	2	1	1,500
31 TO 60 MINUTES	3	7	19,000
MORE THAN ONE HOUR	4	245	672,500
NOT APPLICABLE	6	11,506	26,286,000
NOT STATED	9	787	1,339,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2N **Length** 3 **Position** 4449 - 4451

Question Name PA-Q2

Concept No. of times participated - bowling

Question In the past 3 months, how many times did you participate in bowling?

Universe Respondents who answered PAC8_1N=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,011	2,412,500
NOT APPLICABLE	996	10,750	24,573,500
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3N **Length** 1 **Position** 4452

Question Name PA-Q3

Concept Time spent - bowling

Question About how much time did you spend on each occasion? - Bowling

Universe Respondents who answered PAC8_1N=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	4	8,500
16 TO 30 MINUTES	2	19	36,500
31 TO 60 MINUTES	3	153	341,500
MORE THAN ONE HOUR	4	835	2,026,000
NOT APPLICABLE	6	10,750	24,573,500
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2O **Length** 3 **Position** 4453 - 4455

Question Name PA-Q2

Concept No. of times participated - baseball or softball

Question In the past 3 months, how many times did you participate in baseball or softball?

Universe Respondents who answered PAC8_1O=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	807	1,992,000
NOT APPLICABLE	996	10,952	24,989,500
DON'T KNOW	997	2	4,500
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3O **Length** 1 **Position** 4456

Question Name PA-Q3

Concept Time spent - baseball or softball

Question About how much time did you spend on each occasion? - Baseball or softball

Universe Respondents who answered PAC8_1O=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	7	10,500
16 TO 30 MINUTES	2	32	67,000
31 TO 60 MINUTES	3	118	295,500
MORE THAN ONE HOUR	4	650	1,619,000
NOT APPLICABLE	6	10,952	24,989,500
NOT STATED	9	787	1,337,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2P **Length** 3 **Position** 4457 - 4459

Question Name PA-Q2

Concept No. of times participated - tennis

Question In the past 3 months, how many times did you participate in tennis?

Universe Respondents who answered PAC8_1P=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	396	1,118,500
NOT APPLICABLE	996	11,365	25,867,500
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3P **Length** 1 **Position** 4460

Question Name PA-Q3

Concept Time spent - tennis

Question About how much time did you spend on each occasion? - Tennis

Universe Respondents who answered PAC8_1P=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
16 TO 30 MINUTES	2	30	81,500
31 TO 60 MINUTES	3	141	369,500
MORE THAN ONE HOUR	4	225	667,500
NOT APPLICABLE	6	11,365	25,867,500
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2Q **Length** 3 **Position** 4461 - 4463

Question Name PA-Q2

Concept No. of times participated - weight-training

Question In the past 3 months, how many times did you participate in weight-training?

Universe Respondents who answered PAC8_1Q=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,181	3,136,000
NOT APPLICABLE	996	10,580	23,850,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3Q **Length** 1 **Position** 4464

Question Name PA-Q3

Concept Time spent - weight-training

Question About how much time did you spend on each occasion? - Weight-training

Universe Respondents who answered PAC8_1Q=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	154	381,000
16 TO 30 MINUTES	2	340	876,500
31 TO 60 MINUTES	3	382	1,035,000
MORE THAN ONE HOUR	4	305	843,500
NOT APPLICABLE	6	10,580	23,850,000
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2R **Length** 3 **Position** 4465 - 4467
Question Name PA-Q2
Concept No. of times participated - fishing
Question In the past 3 months, how many times did you participate in fishing?
Universe Respondents who answered PAC8_1R=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,163	2,613,000
NOT APPLICABLE	996	10,597	24,371,500
REFUSAL	998	1	1,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3R **Length** 1 **Position** 4468
Question Name PA-Q3
Concept Time spent - fishing
Question About how much time did you spend on each occasion? - Fishing
Universe Respondents who answered PAC8_1R=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	12	22,000
16 TO 30 MINUTES	2	30	48,500
31 TO 60 MINUTES	3	69	151,000
MORE THAN ONE HOUR	4	1,052	2,391,500
NOT APPLICABLE	6	10,597	24,371,500
NOT STATED	9	786	1,333,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2S **Length** 3 **Position** 4469 - 4471

Question Name PA-Q2

Concept No. of times participated - volleyball

Question In the past 3 months, how many times did you participate in volleyball?

Universe Respondents who answered PAC8_1S=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 95	558	1,502,500
NOT APPLICABLE	996	11,201	25,478,000
DON'T KNOW	997	2	5,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3S **Length** 1 **Position** 4472

Question Name PA-Q3

Concept Time spent - volleyball

Question About how much time did you spend on each occasion? - Volleyball

Universe Respondents who answered PAC8_1S=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	11	24,500
16 TO 30 MINUTES	2	67	161,500
31 TO 60 MINUTES	3	169	486,500
MORE THAN ONE HOUR	4	311	830,000
NOT APPLICABLE	6	11,201	25,478,000
NOT STATED	9	787	1,337,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2T **Length** 3 **Position** 4473 - 4475

Question Name PA-Q2

Concept No. of times participated - basketball

Question In the past 3 months, how many times did you participate in basketball?

Universe Respondents who answered PAC8_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	721	2,061,000
NOT APPLICABLE	996	11,038	24,919,000
DON'T KNOW	997	2	6,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3T **Length** 1 **Position** 4476

Question Name PA-Q3

Concept Time spent - basketball

Question About how much time did you spend on each occasion? - Basketball

Universe Respondents who answered PAC8_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	31	69,000
16 TO 30 MINUTES	2	130	389,000
31 TO 60 MINUTES	3	234	678,500
MORE THAN ONE HOUR	4	326	924,000
NOT APPLICABLE	6	11,038	24,919,000
NOT STATED	9	787	1,338,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2U **Length** 3 **Position** 4477 - 4479
Question Name PA-Q2
Concept No. of times participated - other activity (#1)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#1)?
Universe Respondents who answered PAC8_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	794	2,105,000
NOT APPLICABLE	996	10,966	24,880,500
DON'T KNOW	997	1	1,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3U **Length** 1 **Position** 4480
Question Name PA-Q3
Concept Time spent - other activity (#1)
Question About how much time did you spend on each occasion? - Other leisure time activity (#1)
Universe Respondents who answered PAC8_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	18	43,500
16 TO 30 MINUTES	2	54	139,000
31 TO 60 MINUTES	3	167	416,500
MORE THAN ONE HOUR	4	554	1,503,500
NOT APPLICABLE	6	10,966	24,880,500
DON'T KNOW	7	1	2,500
NOT STATED	9	786	1,333,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2W **Length** 3 **Position** 4481 - 4483
Question Name PA-Q2
Concept No. of times participated - other activity (#2)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#2)?
Universe Respondents who answered PAC8_1W=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 170	125	343,500
NOT APPLICABLE	996	11,636	26,642,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3W **Length** 1 **Position** 4484
Question Name PA-Q3
Concept Time spent - other activity (#2)
Question About how much time did you spend on each occasion? - Other leisure time activity (#2)
Universe Respondents who answered PAC8_1W=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	3	11,000
16 TO 30 MINUTES	2	10	17,000
31 TO 60 MINUTES	3	29	80,500
MORE THAN ONE HOUR	4	83	235,000
NOT APPLICABLE	6	11,636	26,642,000
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_2X **Length** 3 **Position** 4485 - 4487
Question Name PA-Q2
Concept No. of times participated - other activity (#3)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#3)?
Universe Respondents who answered PAC8_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	21	57,500
NOT APPLICABLE	996	11,740	26,928,000
NOT STATED	999	785	1,332,500
	Total	12,546	28,318,308

Variable Name PAC8_3X **Length** 1 **Position** 4488
Question Name PA-Q3
Concept Time spent - other activity (#3)
Question About how much time did you spend on each occasion? - Other leisure time activity (#3)
Universe Respondents who answered PAC8_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	4	9,500
16 TO 30 MINUTES	2	1	10,500
31 TO 60 MINUTES	3	5	13,500
MORE THAN ONE HOUR	4	11	24,000
NOT APPLICABLE	6	11,740	26,928,000
NOT STATED	9	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1535

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_4A **Length** 2 **Position** 4489 - 4490
Question Name PA-Q4A
Concept Number of hours walking - to work or to school
Question In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	4,359	9,595,000
LESS THAN 1 HOUR	2	1,708	3,631,000
FROM 1 TO 5 HOURS	3	2,730	6,279,000
FROM 6 TO 10 HOURS	4	797	1,907,500
FROM 11 TO 20 HOURS	5	315	720,500
MORE THAN 20 HOURS	6	588	1,435,500
NOT APPLICABLE	96	1,242	3,374,000
DON'T KNOW	97	22	43,500
NOT STATED	99	785	1,332,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_4B **Length** 2 **Position** 4491 - 4492
Question Name PA-Q4B
Concept Number of hours biking - to work or to school
Question In a typical week, how much time did you usually spend bicycling to work or to school or while doing errands?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	9,731	21,543,500
LESS THAN 1 HOUR	2	380	973,000
FROM 1 TO 5 HOURS	3	296	781,000
FROM 6 TO 10 HOURS	4	68	190,500
FROM 11 TO 20 HOURS	5	20	44,500
MORE THAN 20 HOURS	6	19	58,500
NOT APPLICABLE	96	1,242	3,374,000
DON'T KNOW	97	3	12,500
REFUSAL	98	2	9,000
NOT STATED	99	785	1,332,500
Total		12,546	28,318,308

Variable Name PAC8_5 **Length** 1 **Position** 4493
Question Name PA-Q5
Concept Frequency of bike helmet use
Question When riding a bicycle how often did you wear a helmet?
Universe Respondents who answered PAC8_1D=1 or PAC8_4B > 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	844	2,081,000
MOST OF THE TIME	2	160	461,500
RARELY	3	163	425,000
NEVER	4	1,565	3,881,000
NOT APPLICABLE	6	9,028	20,137,000
DON'T KNOW	7	1	1,000
NOT STATED	9	785	1,332,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8_6 **Length** 1 **Position** 4494

Question Name PA-Q6

Concept Level of physical activity for usual day

Question Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
USUALLY SIT AND DON'T WALK VERY MUCH	1	2,630	5,967,000
STAND OR WALK QUITE A LOT	2	5,060	11,469,000
USUALLY LIFT OR CARRY LIGHT LOADS	3	2,212	4,812,000
DO HEAVY WORK OR CARRY VERY HEAVY LOADS	4	611	1,354,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	6	9,000
NOT STATED	9	785	1,332,500
Total		12,546	28,318,308

Variable Name PAC8DLEI **Length** 1 **Position** 4495

Question Name

Concept Participant in leisure physical activity - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC8_1V. Source: Ontario Health Survey. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PARTICIPANT	1	9,587	21,693,500
NON-PARTICIPANT	2	932	1,918,500
NOT APPLICABLE	6	1,242	3,374,000
NOT STATED	9	785	1,332,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8DFM **Length** 3 **Position** 4496 - 4498

Question Name

Concept Monthly freq. of physical activity lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC8_1V, PAC8_2A to PAC8_2X and PAC8_3A to PAC8_3X. Activity list is unique to each cycle. Source: Ontario Health Survey. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MONTHLY FREQUENCY	1 - 266	9,154	20,882,000
NO PHYSICAL ACTIVITY	0	1,365	2,730,000
NOT APPLICABLE	996	1,242	3,374,000
NOT STATED	999	785	1,332,500
Total		12,546	28,318,308

Variable Name PAC8DFR **Length** 1 **Position** 4499

Question Name

Concept Freq. of all physical activity lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC8_1V, PAC8_2A to PAC8_2X and PAC8_3A to PAC8_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR	1	6,496	14,850,000
OCCASIONAL	2	1,942	4,404,500
INFREQUENT	3	2,081	4,357,500
NOT APPLICABLE	6	1,242	3,374,000
NOT STATED	9	785	1,332,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC8DFD **Length** 1 **Position** 4500

Question Name

Concept Participation in daily phys. activ. lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC8_1V, PAC8_2A to PAC8_2X and PAC8_3A to PAC8_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY	1	3,389	7,867,500
NOT DAILY	2	7,130	15,744,500
NOT APPLICABLE	6	1,242	3,374,000
NOT STATED	9	785	1,332,500
Total		12,546	28,318,308

Variable Name PAC8DEE **Length** 4.1 **Position** 4501 - 4504

Question Name

Concept Energy expenditure - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC8_1A to PAC8_1X, PAC8_2A to PAC8_2X and PAC8_3A to PAC8_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNITS OF ENERGY	0.1 - 35.7	9,430	21,398,000
NO PHYSICAL ACTIVITY	0	1,089	2,214,000
NOT APPLICABLE	99.6	1,242	3,374,000
NOT STATED	99.9	785	1,332,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC8DPAI	Length	1	Position	4505
Question Name					
Concept	Physical activity index - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on PAC8_1A to PAC8_1X, PAC8_2A to PAC8_2X and PAC8_3A to PAC8_3X. Activity list is unique to each cycle. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ACTIVE		1		2,238	5,400,500
MODERATE		2		2,602	5,922,500
INACTIVE		3		5,679	12,289,000
NOT APPLICABLE		6		1,242	3,374,000
NOT STATED		9		785	1,332,500
		Total		12,546	28,318,308

Variable Name	RPC8_1	Length	1	Position	4506
Question Name	RS-Q1				
Concept	Had repetitive strain injuries				
Question	In the past 12 months, did you have any injuries due to repetitive strain which were serious enough to limit your normal activities? (For example, carpal tunnel syndrome, tennis elbow or tendinitis.)				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,022	2,406,000
NO		2		9,715	21,762,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	3,000
NOT STATED		9		564	773,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RPC8_4A	Length	1	Position	4511
Question Name	RS-Q4				
Concept	Cause of repetitive strain - activity at home				
Question	Was this repetitive strain injury the result of doing something at home?				
Universe	Respondents who answered RPC8_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		203	422,000
NO		2		800	1,947,500
NOT APPLICABLE		6		10,957	25,136,000
DON'T KNOW		7		17	35,500
NOT STATED		9		569	777,000
		Total		12,546	28,318,308

Variable Name	RPC8_4B	Length	1	Position	4512
Question Name	RS-Q4				
Concept	Cause of repetitive strain - activity at work or school				
Question	Was this repetitive strain injury the result of doing something at work or school?				
Universe	Respondents who answered RPC8_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		515	1,234,500
NO		2		488	1,135,500
NOT APPLICABLE		6		10,957	25,136,000
DON'T KNOW		7		17	35,500
NOT STATED		9		569	777,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC8_4C **Length** 1 **Position** 4513
Question Name RS-Q4
Concept Cause of repetitive strain - leisure activities
Question Was this repetitive strain injury the result of doing something in leisure activities such as sports or hobbies?
Universe Respondents who answered RPC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	284	725,000
NO	2	719	1,645,000
NOT APPLICABLE	6	10,957	25,136,000
DON'T KNOW	7	17	35,500
NOT STATED	9	569	777,000
	Total	12,546	28,318,308

Variable Name RPC8_4D **Length** 1 **Position** 4514
Question Name RS-Q4
Concept Cause of repetitive strain - other activity
Question Was this repetitive strain injury the result of doing something else?
Universe Respondents who answered RPC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	62	122,000
NO	2	941	2,248,000
NOT APPLICABLE	6	10,957	25,136,000
DON'T KNOW	7	17	35,500
NOT STATED	9	569	777,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_1 **Length** 1 **Position** 4515
Question Name IN-Q1
Concept Injured in the past 12 months
Question (Not counting repetitive strain injuries,) In the past 12 months, were you injured?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,381	3,332,000
NO	2	10,495	24,102,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	1	2,000
NOT STATED	9	564	773,500
Total		12,546	28,318,308

Variable Name IJC8_2 **Length** 2 **Position** 4516 - 4517
Question Name IN-Q2
Concept Number of injuries in the past 12 months
Question How many times were you injured?
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 30	1,381	3,332,000
NOT APPLICABLE	96	10,600	24,211,000
NOT STATED	99	565	775,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_3 **Length** 2 **Position** 4518 - 4519
Question Name IN-Q3
Concept Most serious injury - type
Question (Thinking about the most serious injury,) What type of injury did you have? For example, a broken bone or burn.
Universe Respondents who answered IJC8_1=1
Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE INJURIES	1	22	51,500
BROKEN OR FRACTURED BONES	2	287	675,500
BURN OR SCALD	3	59	105,000
DISLOCATION	4	35	126,000
SPRAIN OR STRAIN	5	519	1,267,500
CUT OR SCRAPE	6	225	580,500
BRUISE OR ABRASION	7	101	237,000
CONCUSSION	8	23	62,500
POISONING BY SUBSTANCE OR LIQUID	9	9	24,500
INTERNAL INJURY	10	17	28,500
OTHER	11	84	173,000
NOT APPLICABLE	96	10,600	24,211,000
NOT STATED	99	565	775,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_4 **Length** 2 **Position** 4520 - 4521

Question Name IN-Q4

Concept Most serious injury - body part affected

Question What part of your body was injured?

Universe Respondents who answered IJC8_1=1

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE SITES	1	37	80,000
EYES	2	20	50,000
HEAD (EXCLUDING EYES)	3	91	249,000
NECK	4	43	96,000
SHOULDER	5	78	226,500
ARMS OR HANDS	6	393	914,000
HIP	7	27	70,000
LEGS OR FEET	8	469	1,109,500
BACK OR SPINE	9	148	372,000
TRUNK (EXCLUDING BACK AND SPINE)	10	49	112,000
SYSTEMIC	11	26	53,000
NOT APPLICABLE	96	10,600	24,211,000
NOT STATED	99	565	775,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_5 **Length** 2 **Position** 4522 - 4523

Question Name IN-Q5

Concept Most serious injury - place of occurrence

Question Where did the injury happen ?

Universe Respondents who answered IJC8_1=1

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
IN A HOME OR ITS SURROUNDING AREA	1	518	1,195,000
FARM	2	33	57,000
PLACE FOR RECREATION OR SPORT	3	364	919,500
STREET OR HIGHWAY	4	140	363,000
BUILDING USED BY GENERAL PUBLIC	5	145	377,500
RESIDENTIAL INSTITUTION	6	17	37,000
MINE	7	1	2,000
INDUSTRIAL PLACE	8	112	278,000
OTHER	9	49	101,500
NOT APPLICABLE	96	10,600	24,211,000
DON'T KNOW	97	2	1,500
NOT STATED	99	565	775,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_6 **Length** 2 **Position** 4524 - 4525
Question Name IN-Q6
Concept Most serious injury - reason
Question What happened? For example, was the injury the result of a fall, a traffic accident or a physical assault, etc.?
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MOTOR VEHICLE ACCIDENT	1	74	200,000
ACCIDENTAL FALL	2	594	1,430,500
FIRE, FLAMES OR RESULTING FUMES	3	10	20,500
ACCIDENTLY STRUCK BY AN OBJECT / PERSON	4	168	409,000
PHYSICAL ASSAULT	5	19	43,500
SUICIDE ATTEMPT	6	2	6,500
ACCIDENTAL INJURY - EXPLOSION	7	5	7,500
ACCIDENTAL INJURY - ENVIRON. FACTORS	8	100	252,500
HOT LIQUIDS, FOODS OR SUBSTANCES	11	26	37,500
ACCIDENT - MACHINERY	12	40	92,500
ACCIDENT - CUTTING OR PIERCING OBJECT	13	73	177,000
ACCIDENTAL POISONING	14	3	11,000
OTHER	15	266	644,000
NOT APPLICABLE	96	10,600	24,211,000
DON'T KNOW	97	1	1,000
NOT STATED	99	565	775,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_7 **Length** 1 **Position** 4526
Question Name IN-Q7
Concept Most serious injury - work-related
Question Was this a work-related injury?
Universe Respondents aged 15 and over who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	249	560,500
NO	2	896	2,153,500
NOT APPLICABLE	6	10,836	24,829,500
NOT STATED	9	565	775,000
	Total	12,546	28,318,308

Variable Name IJC8_8A **Length** 1 **Position** 4527
Question Name IN-Q8
Concept Precaution taken - gave up the activity
Question What precautions are being taken, if any, to prevent this kind of injury from happening again? - Gave up the activity
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	84	205,000
NO	2	1,297	3,127,000
NOT APPLICABLE	6	10,600	24,211,000
NOT STATED	9	565	775,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_8B **Length** 1 **Position** 4528
Question Name IN-Q8
Concept Precaution taken - being more careful
Question What precautions are being taken, if any, to prevent this kind of injury from happening again? - Being more careful
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	871	2,074,000
NO	2	510	1,258,500
NOT APPLICABLE	6	10,600	24,211,000
NOT STATED	9	565	775,000
Total		12,546	28,318,308

Variable Name IJC8_8C **Length** 1 **Position** 4529
Question Name IN-Q8
Concept Precaution taken - safety training
Question What precautions are being taken, if any, to prevent this kind of injury from happening again? - Took safety training
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	17	50,500
NO	2	1,364	3,281,500
NOT APPLICABLE	6	10,600	24,211,000
NOT STATED	9	565	775,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_8D **Length** 1 **Position** 4530
Question Name IN-Q8
Concept Precaution taken - protective gear
Question What precautions are being taken, if any, to prevent this kind of injury from happening again? - Using protective gear / safety equipment
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	92	211,000
NO	2	1,289	3,121,000
NOT APPLICABLE	6	10,600	24,211,000
NOT STATED	9	565	775,000
Total		12,546	28,318,308

Variable Name IJC8_8E **Length** 1 **Position** 4531
Question Name IN-Q8
Concept Precaution taken - changing physical situation
Question What precautions are being taken, if any, to prevent this kind of injury from happening again? - Changing physical situation
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	55	124,500
NO	2	1,326	3,208,000
NOT APPLICABLE	6	10,600	24,211,000
NOT STATED	9	565	775,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8_8F **Length** 1 **Position** 4532
Question Name IN-Q8
Concept Precaution taken - other
Question What precautions are being taken, if any, to prevent this kind of injury from happening again? - Other
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	57,000
NO	2	1,359	3,275,500
NOT APPLICABLE	6	10,600	24,211,000
NOT STATED	9	565	775,000
	Total	12,546	28,318,308

Variable Name IJC8_8G **Length** 1 **Position** 4533
Question Name IN-Q8
Concept Precaution taken - none
Question What precautions are being taken, if any, to prevent this kind of injury from happening again? - No precautions
Universe Respondents who answered IJC8_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	320	827,500
NO	2	1,061	2,504,500
NOT APPLICABLE	6	10,600	24,211,000
NOT STATED	9	565	775,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC8D1 **Length** 3 **Position** 4534 - 4536

Question Name

Concept Type of injury by body site - (D)

Question

Universe Respondents who answered IJC8_1=1

Note Based on IJC8_3 and IJC8_4. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INJURY BY BODY SITE	10 - 119	1,364	3,304,000
NOT APPLICABLE	996	10,600	24,211,000
NOT STATED	999	582	803,500
Total		12,546	28,318,308

Variable Name IJC8D2 **Length** 3 **Position** 4537 - 4539

Question Name

Concept Cause of injury by place of occurrence - (D)

Question

Universe Respondents who answered IJC8_1=1

Note Based on IJC8_5 and IJC8_6. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CAUSE BY PLACE OF OCCURRENCE	10 - 158	1,379	3,330,500
NOT APPLICABLE	996	10,600	24,211,000
NOT STATED	999	567	776,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_1A **Length** 1 **Position** 4540
Question Name DRG-Q1A
Concept Medication - pain relievers
Question In the past month, did you take pain relievers such as Aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,166	15,922,000
NO	2	3,568	8,240,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	5	7,500
REFUSAL	8	1	1,000
NOT STATED	9	564	773,500
	Total	12,546	28,318,308

Variable Name DGC8_1B **Length** 1 **Position** 4541
Question Name DRG-Q1B
Concept Medication - tranquilizers
Question In the past month, did you take tranquilizers such as Valium?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	310	628,000
NO	2	10,427	23,542,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	2	1,000
NOT STATED	9	565	774,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1C	Length	1	Position	4542
Question Name	DRG-Q1C				
Concept	Medication - diet pills				
Question	In the past month, did you take diet pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		44	89,500
NO		2		10,694	24,080,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		1	1,000
NOT STATED		9		565	774,000
		Total		12,546	28,318,308

Variable Name	DGC8_1D	Length	1	Position	4543
Question Name	DRG-Q1D				
Concept	Medication - anti-depressants				
Question	In the past month, did you take anti-depressants?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		520	1,071,000
NO		2		10,213	23,093,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		6	6,500
NOT STATED		9		565	774,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1E	Length	1	Position	4544
Question Name	DRG-Q1E				
Concept	Medication - codeine, Demerol or morphine				
Question	In the past month, did you take codeine, Demerol or morphine?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		548	1,230,000
NO		2		10,189	22,934,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		2	6,500
NOT STATED		9		565	774,000
		Total		12,546	28,318,308

Variable Name	DGC8_1F	Length	1	Position	4545
Question Name	DRG-Q1F				
Concept	Medication - allergy				
Question	In the past month, did you take allergy medicine such as Seldane or Chlor-Tripolon?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		932	2,130,000
NO		2		9,806	22,040,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		1	1,000
NOT STATED		9		565	774,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1G	Length	1	Position	4546
Question Name	DRG-Q1G				
Concept	Medication - asthma				
Question	In the past month, did you take asthma medications such as inhalers or nebulizers?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		656	1,427,500
NO		2		10,079	22,737,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	4,000
REFUSAL		8		1	1,500
NOT STATED		9		565	774,000
		Total		12,546	28,318,308

Variable Name	DGC8_1H	Length	1	Position	4547
Question Name	DRG-Q1H				
Concept	Medication - cough or cold remedies				
Question	In the past month, did you take cough or cold remedies?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,946	4,814,000
NO		2		8,789	19,351,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		3	3,500
REFUSAL		8		1	1,500
NOT STATED		9		565	774,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1I	Length	1	Position	4548
Question Name	DRG-Q1I				
Concept	Medication - penicillin or other antibiotics				
Question	In the past month, did you take penicillin or other antibiotics?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		915	2,073,500
NO		2		9,818	22,088,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		5	7,000
REFUSAL		8		1	1,500
NOT STATED		9		565	774,000
		Total		12,546	28,318,308

Variable Name	DGC8_1J	Length	1	Position	4549
Question Name	DRG-Q1J				
Concept	Medication - heart				
Question	In the past month, did you take medicine for the heart?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		633	1,125,500
NO		2		10,102	23,037,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		1	1,000
REFUSAL		8		2	4,000
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1K	Length	1	Position	4550
Question Name	DRG-Q1K				
Concept	Medication - blood pressure				
Question	In the past month, did you take medicine for blood pressure?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,366	2,375,500
NO		2		9,365	21,784,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		5	4,000
REFUSAL		8		2	4,000
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

Variable Name	DGC8_1L	Length	1	Position	4551
Question Name	DRG-Q1L				
Concept	Medication - diuretics				
Question	In the past month, did you take diuretics or water pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		546	928,500
NO		2		10,185	23,230,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		5	5,500
REFUSAL		8		2	4,000
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1M	Length	1	Position	4552
Question Name	DRG-Q1M				
Concept	Medication - steroids				
Question	In the past month, did you take steroids?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		136	275,500
NO		2		10,600	23,890,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,500
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

Variable Name	DGC8_1N	Length	1	Position	4553
Question Name	DRG-Q1N				
Concept	Medication - insulin				
Question	In the past month, did you take insulin?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		102	187,500
NO		2		10,632	23,973,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		2	2,500
REFUSAL		8		2	4,000
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1O	Length	1	Position	4554
Question Name	DRG-Q1O				
Concept	Medication - pills to control diabetes				
Question	In the past month, did you take pills to control diabetes?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		270	507,500
NO		2		10,465	23,656,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		1	1,000
REFUSAL		8		2	4,000
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

Variable Name	DGC8_1P	Length	1	Position	4555
Question Name	DRG-Q1P				
Concept	Medication - sleeping pills				
Question	In the past month, did you take sleeping pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		431	839,500
NO		2		10,304	23,324,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		1	1,000
REFUSAL		8		2	4,000
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1Q	Length	1	Position	4556
Question Name	DRG-Q1Q				
Concept	Medication - stomach remedies				
Question	In the past month, did you take stomach remedies?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,243	2,749,000
NO		2		9,492	21,414,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		1	1,000
REFUSAL		8		2	4,000
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

Variable Name	DGC8_1R	Length	1	Position	4557
Question Name	DRG-Q1R				
Concept	Medication - laxatives				
Question	In the past month, did you take laxatives?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		436	814,000
NO		2		10,298	23,348,500
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		2	1,000
REFUSAL		8		2	4,000
NOT STATED		9		566	776,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_1S	Length	1	Position	4558
Question Name	DRG-Q1S				
Concept	Medication - birth control pills				
Question	In the past month, did you take birth control pills?				
Universe	Females aged 12 to 49 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		669	1,427,500
NO		2		2,843	6,619,000
NOT APPLICABLE		6		8,469	19,500,000
NOT STATED		9		565	771,500
		Total		12,546	28,318,308

Variable Name	DGC8_1T	Length	1	Position	4559
Question Name	DRG-Q1T				
Concept	Medication - hormones for menopause				
Question	In the past month, did you take hormones for menopause or aging symptoms?				
Universe	Females aged 30 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		630	1,237,500
NO		2		4,038	7,688,500
NOT APPLICABLE		6		7,313	18,618,500
REFUSAL		8		1	1,500
NOT STATED		9		564	772,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_1T1 **Length** 1 **Position** 4560
Question Name DRG-Q1T1
Concept Hormone therapy - type
Question What type of hormones are you taking?
Universe Respondents who answered DGC8_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ESTROGEN ONLY	1	326	625,500
PROGESTERONE ONLY	2	30	72,000
BOTH	3	237	481,500
NEITHER	4	26	45,500
NOT APPLICABLE	6	11,351	26,307,000
DON'T KNOW	7	11	13,500
NOT STATED	9	565	773,500
Total		12,546	28,318,308

Variable Name DGC8_1T2 **Length** 4 **Position** 4561 - 4564
Question Name DRG-Q1T2
Concept Hormone therapy - year started
Question When did you start this hormone therapy?
Universe Respondents who answered DGC8_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1955 - 1999	619	1,216,500
NOT APPLICABLE	9996	11,351	26,307,000
DON'T KNOW	9997	11	21,500
NOT STATED	9999	565	773,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_1U **Length** 1 **Position** 4565
Question Name DRG-Q1U
Concept Medication - thyroid
Question In the past month, did you take thyroid medication such as Synthroid or Levothyroxine?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	562	970,500
NO	2	10,173	23,192,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	2	4,000
REFUSAL	8	1	1,500
NOT STATED	9	566	776,500
	Total	12,546	28,318,308

Variable Name DGC8_1V **Length** 1 **Position** 4566
Question Name DRG-Q1V
Concept Medication - other
Question In the past month, did you take any other medication?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,149	2,504,500
NO	2	9,584	21,653,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	4	8,000
REFUSAL	8	1	1,500
NOT STATED	9	566	776,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F1	Length	1	Position	4567
Question Name					
Concept	Flag for medications taken				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on DGC8_1A to DGC8_1V, DHC8_SEX and DHC8_AGE. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
HAS TAKEN AT LEAST ONE DRUG		1		8,838	19,386,000
HAS NOT TAKEN ANY DRUGS		2		1,897	4,778,000
NOT APPLICABLE		6		1,242	3,374,000
NOT STATED		9		569	780,500
		Total		12,546	28,318,308

Variable Name	DGC8_2	Length	3	Position	4568 - 4570
Question Name	DRG-Q2				
Concept	Number of different medications in past 2 days				
Question	Now, I am referring to the last 2 days, that is, yesterday and the day before yesterday. During those 2 days, how many different medications did you take?				
Universe	Respondents who answered any one of DGC8_1A to DGC8_1V=1 or respondents living in an institution				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRUGS		0 - 24		8,931	19,477,000
NOT APPLICABLE		996		3,038	8,050,000
DON'T KNOW		997		8	12,500
NOT STATED		999		569	778,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F3A	Length	1	Position	4571
Question Name	DRG-Q3				
Concept	Flag for drug 1				
Question					
Universe	Respondents who answered at least 1 in DGC8_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		5,443	10,986,000
NOT APPLICABLE		6		6,436	16,391,500
DON'T KNOW		7		74	109,000
REFUSAL		8		10	24,000
NOT STATED		9		583	807,500
		Total		12,546	28,318,308

Variable Name	DGC8C3A	Length	7	Position	4572 - 4578
Question Name	DRG-Q3				
Concept	Drug code - drug 1				
Question	What is the exact name of the medication that you took? - Drug 1				
Universe	Respondents who answered at least 1 in DGC8_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02 - Z99AA00		5,443	10,986,000
NOT APPLICABLE		9999996		6,436	16,391,500
DON'T KNOW		9999997		74	109,000
REFUSAL		9999998		10	24,000
NOT STATED		9999999		583	807,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G3A **Length** 2 **Position** 4579 - 4580

Question Name

Concept Drug code - drug 1 - (G)

Question

Universe Respondents who answered at least 1 in DGC8_2

Note Based on DGC8C3A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	508	1,010,000
BLOOD & BLOOD FORMING ORGANS	2	50	98,000
CARDIOVASCULAR SYSTEM	3	1,055	1,848,000
DERMATOLOGICALS	4	14	43,000
GENITO-URINARY / SEX HORMONES	7	659	1,335,500
SYSTEMIC HORMONAL PREPARATIONS	8	332	606,000
GENERAL ANTI-INFECTIVES	10	115	245,000
ANTINEOPLASTICS	12	31	57,500
MUSCULO-SKELETAL SYSTEM	13	475	985,000
NERVOUS SYSTEM	14	1,795	3,872,500
ANTIPARASITIC PRODUCTS	16	9	20,000
RESPIRATORY SYSTEM	18	280	627,000
SENSORY ORGANS	19	31	49,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	5	5,000
NATURAL MEDICINES	24	41	88,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	43	96,500
NOT APPLICABLE	96	6,436	16,391,500
NOT STATED	99	667	940,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_3AA	Length	1	Position	4581
Question Name	DRG-Q3A				
Concept	Prescription from doctor / dentist - drug 1				
Question	Was this a prescription from a medical doctor or dentist? - Drug 1				
Universe	Respondents who answered at least 1 in DGC8_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,937	7,702,500
NO		2		1,494	3,327,500
NOT APPLICABLE		6		6,539	16,499,000
DON'T KNOW		7		1	1,000
REFUSAL		8		1	1,000
NOT STATED		9		574	789,000
		Total		12,546	28,318,308

Variable Name	DGC8F3B	Length	1	Position	4582
Question Name	DRG-Q3				
Concept	Flag for drug 2				
Question					
Universe	Respondents who answered at least 2 in DGC8_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,954	5,547,000
NOT APPLICABLE		6		8,945	21,857,500
DON'T KNOW		7		52	79,000
REFUSAL		8		9	16,500
NOT STATED		9		586	818,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1570

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3B **Length** 7 **Position** 4583 - 4589

Question Name DRG-Q3

Concept Drug code - drug 2

Question What is the exact name of the medication that you took? - Drug 2

Universe Respondents who answered at least 2 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	2,954	5,547,000
NOT APPLICABLE	9999996	8,945	21,857,500
DON'T KNOW	9999997	52	79,000
REFUSAL	9999998	9	16,500
NOT STATED	9999999	586	818,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G3B **Length** 2 **Position** 4590 - 4591

Question Name

Concept Drug code - drug 2 - (G)

Question

Universe Respondents who answered at least 2 in DGC8_2

Note Based on DGC8C3B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	368	677,000
BLOOD & BLOOD FORMING ORGANS	2	61	84,500
CARDIOVASCULAR SYSTEM	3	837	1,503,000
DERMATOLOGICALS	4	16	50,000
GENITO-URINARY / SEX HORMONES	7	311	587,000
SYSTEMIC HORMONAL PREPARATIONS	8	151	228,000
GENERAL ANTI-INFECTIVES	10	50	100,500
ANTINEOPLASTICS	12	15	49,500
MUSCULO-SKELETAL SYSTEM	13	202	355,500
NERVOUS SYSTEM	14	636	1,249,000
ANTIPARASITIC PRODUCTS	16	10	20,500
RESPIRATORY SYSTEM	18	212	456,500
SENSORY ORGANS	19	23	45,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	3	5,000
NATURAL MEDICINES	24	30	84,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	29	52,500
NOT APPLICABLE	96	8,945	21,857,500
NOT STATED	99	647	913,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_3BA	Length	1	Position	4592
Question Name	DRG-Q3A				
Concept	Prescription from doctor / dentist - drug 2				
Question	Was this a prescription from a medical doctor or dentist? - Drug 2				
Universe	Respondents who answered at least 2 in DGC8_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,484	4,633,000
NO		2		442	940,000
NOT APPLICABLE		6		9,045	21,956,500
REFUSAL		8		1	1,000
NOT STATED		9		574	789,000
		Total		12,546	28,318,308

Variable Name	DGC8F3C	Length	1	Position	4593
Question Name	DRG-Q3				
Concept	Flag for drug 3				
Question					
Universe	Respondents who answered at least 3 in DGC8_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,605	2,855,500
NOT APPLICABLE		6		10,322	24,591,000
DON'T KNOW		7		32	57,500
REFUSAL		8		5	8,500
NOT STATED		9		582	806,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 1573

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3C **Length** 7 **Position** 4594 - 4600

Question Name DRG-Q3

Concept Drug code - drug 3

Question What is the exact name of the medication that you took? - Drug 3

Universe Respondents who answered at least 3 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AA04 - Z99AA00	1,605	2,855,500
NOT APPLICABLE	9999996	10,322	24,591,000
DON'T KNOW	9999997	32	57,500
REFUSAL	9999998	5	8,500
NOT STATED	9999999	582	806,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G3C **Length** 2 **Position** 4601 - 4602

Question Name

Concept Drug code - drug 3 - (G)

Question

Universe Respondents who answered at least 3 in DGC8_2

Note Based on DGC8C3C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	215	412,000
BLOOD & BLOOD FORMING ORGANS	2	34	65,500
CARDIOVASCULAR SYSTEM	3	480	855,000
DERMATOLOGICALS	4	7	25,000
GENITO-URINARY / SEX HORMONES	7	120	189,000
SYSTEMIC HORMONAL PREPARATIONS	8	69	132,500
GENERAL ANTI-INFECTIVES	10	19	36,500
ANTINEOPLASTICS	12	11	17,000
MUSCULO-SKELETAL SYSTEM	13	88	145,000
NERVOUS SYSTEM	14	396	672,500
ANTIPARASITIC PRODUCTS	16	4	4,500
RESPIRATORY SYSTEM	18	107	196,000
SENSORY ORGANS	19	14	26,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,500
NATURAL MEDICINES	24	15	26,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	25	51,500
NOT APPLICABLE	96	10,322	24,591,000
NOT STATED	99	619	872,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_3CA **Length** 1 **Position** 4603

Question Name DRG-Q3A

Concept Prescription from doctor / dentist - drug 3

Question Was this a prescription from a medical doctor or dentist? - Drug 3

Universe Respondents who answered at least 3 in DGC8_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,369	2,469,500
NO	2	189	372,000
NOT APPLICABLE	6	10,411	24,682,000
DON'T KNOW	7	3	5,500
NOT STATED	9	574	789,000
Total		12,546	28,318,308

Variable Name DGC8F3D **Length** 1 **Position** 4604

Question Name DRG-Q3

Concept Flag for drug 4

Question

Universe Respondents who answered at least 4 in DGC8_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	946	1,686,500
NOT APPLICABLE	6	10,990	25,792,500
DON'T KNOW	7	24	31,500
REFUSAL	8	5	10,000
NOT STATED	9	581	798,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3D **Length** 7 **Position** 4605 - 4611

Question Name DRG-Q3

Concept Drug code - drug 4

Question What is the exact name of the medication that you took? - Drug 4

Universe Respondents who answered at least 4 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	946	1,686,500
NOT APPLICABLE	9999996	10,990	25,792,500
DON'T KNOW	9999997	24	31,500
REFUSAL	9999998	5	10,000
NOT STATED	9999999	581	798,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G3D **Length** 2 **Position** 4612 - 4613

Question Name

Concept Drug code - drug 4 - (G)

Question

Universe Respondents who answered at least 4 in DGC8_2

Note Based on DGC8C3D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	157	302,000
BLOOD & BLOOD FORMING ORGANS	2	30	53,500
CARDIOVASCULAR SYSTEM	3	266	462,000
DERMATOLOGICALS	4	3	3,000
GENITO-URINARY / SEX HORMONES	7	53	95,500
SYSTEMIC HORMONAL PREPARATIONS	8	41	66,500
GENERAL ANTI-INFECTIVES	10	19	28,000
ANTINEOPLASTICS	12	4	11,000
MUSCULO-SKELETAL SYSTEM	13	42	78,500
NERVOUS SYSTEM	14	232	422,500
ANTIPARASITIC PRODUCTS	16	3	6,500
RESPIRATORY SYSTEM	18	60	94,500
SENSORY ORGANS	19	13	19,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,500
NATURAL MEDICINES	24	12	18,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	10	25,000
NOT APPLICABLE	96	10,990	25,792,500
NOT STATED	99	610	839,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_3DA **Length** 1 **Position** 4614

Question Name DRG-Q3A

Concept Prescription from doctor / dentist - drug 4

Question Was this a prescription from a medical doctor or dentist? - Drug 4

Universe Respondents who answered at least 4 in DGC8_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	792	1,444,000
NO	2	99	197,000
NOT APPLICABLE	6	11,076	25,881,000
DON'T KNOW	7	4	7,000
REFUSAL	8	1	1,000
NOT STATED	9	574	789,000
Total		12,546	28,318,308

Variable Name DGC8F3E **Length** 1 **Position** 4615

Question Name DRG-Q3

Concept Flag for drug 5

Question

Universe Respondents who answered at least 5 in DGC8_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	552	988,000
NOT APPLICABLE	6	11,391	26,492,000
DON'T KNOW	7	18	28,500
REFUSAL	8	3	9,000
NOT STATED	9	582	800,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1579

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3E **Length** 7 **Position** 4616 - 4622

Question Name DRG-Q3

Concept Drug code - drug 5

Question What is the exact name of the medication that you took? - Drug 5

Universe Respondents who answered at least 5 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	552	988,000
NOT APPLICABLE	9999996	11,391	26,492,000
DON'T KNOW	9999997	18	28,500
REFUSAL	9999998	3	9,000
NOT STATED	9999999	582	800,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G3E **Length** 2 **Position** 4623 - 4624

Question Name

Concept Drug code - drug 5 - (G)

Question

Universe Respondents who answered at least 5 in DGC8_2

Note Based on DGC8C3E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation..

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	111	231,000
BLOOD & BLOOD FORMING ORGANS	2	21	21,500
CARDIOVASCULAR SYSTEM	3	152	268,000
DERMATOLOGICALS	4	2	3,500
GENITO-URINARY / SEX HORMONES	7	28	47,500
SYSTEMIC HORMONAL PREPARATIONS	8	18	25,000
GENERAL ANTI-INFECTIVES	10	11	25,000
ANTINEOPLASTICS	12	3	6,500
MUSCULO-SKELETAL SYSTEM	13	25	46,000
NERVOUS SYSTEM	14	116	217,500
ANTIPARASITIC PRODUCTS	16	1	4,000
RESPIRATORY SYSTEM	18	38	52,000
SENSORY ORGANS	19	14	17,500
NATURAL MEDICINES	24	3	4,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	9	19,500
NOT APPLICABLE	96	11,391	26,492,000
NOT STATED	99	603	838,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_3EA	Length	1	Position	4625
Question Name	DRG-Q3A				
Concept	Prescription from doctor / dentist - drug 5				
Question	Was this a prescription from a medical doctor or dentist? - Drug 5				
Universe	Respondents who answered at least 5 in DGC8_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		443	833,000
NO		2		61	123,000
NOT APPLICABLE		6		11,465	26,568,000
DON'T KNOW		7		3	5,000
NOT STATED		9		574	789,000
		Total		12,546	28,318,308

Variable Name	DGC8F3F	Length	1	Position	4626
Question Name	DRG-Q3				
Concept	Flag for drug 6				
Question					
Universe	Respondents who answered at least 6 in DGC8_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		333	529,000
NOT APPLICABLE		6		11,614	26,960,500
DON'T KNOW		7		15	20,000
REFUSAL		8		2	5,500
NOT STATED		9		582	803,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1582

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3F **Length** 7 **Position** 4627 - 4633

Question Name DRG-Q3

Concept Drug code - drug 6

Question What is the exact name of the medication that you took? - Drug 6

Universe Respondents who answered at least 6 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	333	529,000
NOT APPLICABLE	9999996	11,614	26,960,500
DON'T KNOW	9999997	15	20,000
REFUSAL	9999998	2	5,500
NOT STATED	9999999	582	803,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G3F **Length** 2 **Position** 4634 - 4635

Question Name

Concept Drug code - drug 6 - (G)

Question

Universe Respondents who answered at least 6 in DGC8_2

Note Based on DGC8C3F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	77	124,500
BLOOD & BLOOD FORMING ORGANS	2	12	14,000
CARDIOVASCULAR SYSTEM	3	78	135,500
GENITO-URINARY / SEX HORMONES	7	8	16,500
SYSTEMIC HORMONAL PREPARATIONS	8	10	9,000
GENERAL ANTI-INFECTIVES	10	7	14,000
ANTINEOPLASTICS	12	2	5,000
MUSCULO-SKELETAL SYSTEM	13	14	17,000
NERVOUS SYSTEM	14	77	129,000
ANTIPARASITIC PRODUCTS	16	2	1,500
RESPIRATORY SYSTEM	18	26	31,500
SENSORY ORGANS	19	8	12,000
NATURAL MEDICINES	24	4	5,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	8	15,000
NOT APPLICABLE	96	11,614	26,960,500
NOT STATED	99	599	829,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_3FA	Length	1	Position	4636
Question Name	DRG-Q3A				
Concept	Prescription from doctor / dentist - drug 6				
Question	Was this a prescription from a medical doctor or dentist? - Drug 6				
Universe	Respondents who answered at least 6 in DGC8_2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		253	438,000
NO		2		43	68,000
NOT APPLICABLE		6		11,675	27,022,500
DON'T KNOW		7		1	1,000
NOT STATED		9		574	789,000
		Total		12,546	28,318,308

Variable Name	DGC8F3G	Length	1	Position	4637
Question Name	DRG-Q3				
Concept	Flag for drug 7				
Question					
Universe	Respondents who answered at least 7 in DGC8_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		183	273,500
NOT APPLICABLE		6		11,775	27,238,500
DON'T KNOW		7		6	6,000
REFUSAL		8		2	5,500
NOT STATED		9		580	794,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3G **Length** 7 **Position** 4638 - 4644

Question Name DRG-Q3

Concept Drug code - drug 7

Question What is the exact name of the medication that you took? - Drug 7

Universe Respondents who answered at least 7 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	183	273,500
NOT APPLICABLE	9999996	11,775	27,238,500
DON'T KNOW	9999997	6	6,000
REFUSAL	9999998	2	5,500
NOT STATED	9999999	580	794,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G3G **Length** 2 **Position** 4645 - 4646

Question Name

Concept Drug code - drug 7 - (G)

Question

Universe Respondents who answered at least 7 in DGC8_2

Note Based on DGC8C3G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	42	61,500
BLOOD & BLOOD FORMING ORGANS	2	6	8,500
CARDIOVASCULAR SYSTEM	3	53	79,000
DERMATOLOGICALS	4	2	6,000
GENITO-URINARY / SEX HORMONES	7	4	6,000
SYSTEMIC HORMONAL PREPARATIONS	8	5	15,000
GENERAL ANTI-INFECTIVES	10	2	4,500
MUSCULO-SKELETAL SYSTEM	13	7	8,500
NERVOUS SYSTEM	14	39	52,000
ANTIPARASITIC PRODUCTS	16	1	4,500
RESPIRATORY SYSTEM	18	11	13,500
SENSORY ORGANS	19	5	2,000
NATURAL MEDICINES	24	3	3,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	3	9,000
NOT APPLICABLE	96	11,775	27,238,500
NOT STATED	99	588	806,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_3GA	Length	1	Position	4647
Question Name	DRG-Q3A				
Concept	Prescription from doctor / dentist - drug 7				
Question	Was this a prescription from a medical doctor or dentist? - Drug 7				
Universe	Respondents who answered at least 7 in DGC8_2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		133	215,500
NO		2		18	28,000
NOT APPLICABLE		6		11,820	27,286,000
DON'T KNOW		7		1	1,000
NOT STATED		9		574	789,000
		Total		12,546	28,318,308

Variable Name	DGC8F3H	Length	1	Position	4648
Question Name	DRG-Q3				
Concept	Flag for drug 8				
Question					
Universe	Respondents who answered at least 8 in DGC8_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		108	175,000
NOT APPLICABLE		6		11,853	27,342,000
DON'T KNOW		7		7	9,000
NOT STATED		9		578	792,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 1588

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3H **Length** 7 **Position** 4649 - 4655

Question Name DRG-Q3

Concept Drug code - drug 8

Question What is the exact name of the medication that you took? - Drug 8

Universe Respondents who answered at least 8 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	108	175,000
NOT APPLICABLE	9999996	11,853	27,342,000
DON'T KNOW	9999997	7	9,000
NOT STATED	9999999	578	792,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G3H **Length** 2 **Position** 4656 - 4657

Question Name

Concept Drug code - drug 8 - (G)

Question

Universe Respondents who answered at least 8 in DGC8_2

Note Based on DGC8C3H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	23	34,500
BLOOD & BLOOD FORMING ORGANS	2	4	5,000
CARDIOVASCULAR SYSTEM	3	21	31,500
DERMATOLOGICALS	4	1	1,500
GENITO-URINARY / SEX HORMONES	7	1	10,500
SYSTEMIC HORMONAL PREPARATIONS	8	3	3,500
GENERAL ANTI-INFECTIVES	10	2	1,500
MUSCULO-SKELETAL SYSTEM	13	4	10,500
NERVOUS SYSTEM	14	29	47,500
RESPIRATORY SYSTEM	18	10	16,500
SENSORY ORGANS	19	3	2,000
NATURAL MEDICINES	24	3	3,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	4	6,500
NOT APPLICABLE	96	11,853	27,342,000
NOT STATED	99	585	801,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_3HA	Length	1	Position	4658
Question Name	DRG-Q3A				
Concept	Prescription from doctor / dentist - drug 8				
Question	Was this a prescription from a medical doctor or dentist? - Drug 8				
Universe	Respondents who answered at least 8 in DGC8_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		74	127,000
NO		2		13	28,000
NOT APPLICABLE		6		11,885	27,374,500
NOT STATED		9		574	789,000
		Total		12,546	28,318,308

Variable Name	DGC8F3I	Length	1	Position	4659
Question Name	DRG-Q3				
Concept	Flag for drug 9				
Question					
Universe	Respondents who answered at least 9 in DGC8_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		73	117,000
NOT APPLICABLE		6		11,888	27,391,500
DON'T KNOW		7		4	6,000
NOT STATED		9		581	803,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3I **Length** 7 **Position** 4660 - 4666
Question Name DRG-Q3
Concept Drug code - drug 9
Question What is the exact name of the medication that you took? - Drug 9
Universe Respondents who answered at least 9 in DGC8_2
Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BA02 - S03CA06	73	117,000
NOT APPLICABLE	9999996	11,888	27,391,500
DON'T KNOW	9999997	4	6,000
NOT STATED	9999999	581	803,500
Total		12,546	28,318,308

Variable Name DGC8G3I **Length** 2 **Position** 4667 - 4668
Question Name
Concept Drug code - drug 9 - (G)
Question
Universe Respondents who answered at least 9 in DGC8_2
Note Based on DGC8C3I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	14	18,500
BLOOD & BLOOD FORMING ORGANS	2	4	3,500
CARDIOVASCULAR SYSTEM	3	16	39,000
DERMATOLOGICALS	4	1	1,000
GENITO-URINARY / SEX HORMONES	7	1	1,000
GENERAL ANTI-INFECTIVES	10	2	2,000
MUSCULO-SKELETAL SYSTEM	13	3	8,000
NERVOUS SYSTEM	14	25	36,000
RESPIRATORY SYSTEM	18	4	7,000
SENSORY ORGANS	19	3	2,000
NOT APPLICABLE	96	11,888	27,391,500
NOT STATED	99	585	809,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_3IA	Length	1	Position	4669
Question Name	DRG-Q3A				
Concept	Prescription from doctor / dentist - drug 9				
Question	Was this a prescription from a medical doctor or dentist? - Drug 9				
Universe	Respondents who answered at least 9 in DGC8_2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		49	87,500
NO		2		10	21,500
NOT APPLICABLE		6		11,912	27,416,500
DON'T KNOW		7		1	3,500
NOT STATED		9		574	789,000
		Total		12,546	28,318,308

Variable Name	DGC8F3J	Length	1	Position	4670
Question Name	DRG-Q3				
Concept	Flag for drug 10				
Question					
Universe	Respondents who answered at least 10 in DGC8_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		44	69,000
NOT APPLICABLE		6		11,917	27,440,500
DON'T KNOW		7		5	8,000
NOT STATED		9		580	801,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_3JA **Length** 1 **Position** 4680

Question Name DRG-Q3A

Concept Prescription from doctor / dentist - drug 10

Question Was this a prescription from a medical doctor or dentist? - Drug 10

Universe Respondents who answered at least 10 in DGC8_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	26	48,500
NO	2	9	21,000
NOT APPLICABLE	6	11,937	27,459,500
NOT STATED	9	574	789,000
	Total	12,546	28,318,308

Variable Name DGC8F3K **Length** 1 **Position** 4681

Question Name DRG-Q3

Concept Flag for drug 11

Question

Universe Respondents who answered at least 11 in DGC8_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	24	38,000
NOT APPLICABLE	6	11,942	27,482,000
DON'T KNOW	7	1	1,000
NOT STATED	9	579	798,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3K **Length** 7 **Position** 4682 - 4688

Question Name DRG-Q3

Concept Drug code - drug 11

Question What is the exact name of the medication that you took? - Drug 11

Universe Respondents who answered at least 11 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BC01 - Z99AA00	24	38,000
NOT APPLICABLE	9999996	11,942	27,482,000
DON'T KNOW	9999997	1	1,000
NOT STATED	9999999	579	798,000
	Total	12,546	28,318,308

Variable Name DGC8G3K **Length** 2 **Position** 4689 - 4690

Question Name

Concept Drug code - drug 11 - (G)

Question

Universe Respondents who answered at least 11 in DGC8_2

Note Based on DGC8C3K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	11	19,500
CARDIOVASCULAR SYSTEM	3	1	2,000
DERMATOLOGICALS	4	1	1,500
ANTINEOPLASTICS	12	1	3,000
NERVOUS SYSTEM	14	5	7,000
ANTIPARASITIC PRODUCTS	16	1	1,000
RESPIRATORY SYSTEM	18	3	2,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,000
NOT APPLICABLE	96	11,942	27,482,000
NOT STATED	99	580	798,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_3KA **Length** 1 **Position** 4691
Question Name DRG-Q3A
Concept Prescription from doctor / dentist - drug 11
Question Was this a prescription from a medical doctor or dentist? - Drug 11
Universe Respondents who answered at least 11 in DGC8_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	25,500
NO	2	2	6,000
NOT APPLICABLE	6	11,957	27,497,500
NOT STATED	9	574	789,000
	Total	12,546	28,318,308

Variable Name DGC8F3L **Length** 1 **Position** 4692
Question Name DRG-Q3
Concept Flag for drug 12
Question
Universe Respondents who answered at least 12 in DGC8_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	19	28,000
NOT APPLICABLE	6	11,947	27,489,000
NOT STATED	9	580	801,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C3L **Length** 7 **Position** 4693 - 4699

Question Name DRG-Q3

Concept Drug code - drug 12

Question What is the exact name of the medication that you took? - Drug 12

Universe Respondents who answered at least 12 in DGC8_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BC01 - V03AN	19	28,000
NOT APPLICABLE	9999996	11,947	27,489,000
NOT STATED	9999999	580	801,000
	Total	12,546	28,318,308

Variable Name DGC8G3L **Length** 2 **Position** 4700 - 4701

Question Name

Concept Drug code - drug 12 - (G)

Question

Universe Respondents who answered at least 12 in DGC8_2

Note Based on DGC8C3L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	6	10,000
CARDIOVASCULAR SYSTEM	3	3	6,500
MUSCULO-SKELETAL SYSTEM	13	1	1,000
NERVOUS SYSTEM	14	4	3,500
RESPIRATORY SYSTEM	18	4	6,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NOT APPLICABLE	96	11,947	27,489,000
NOT STATED	99	580	801,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_3LA **Length** 1 **Position** 4702

Question Name DRG-Q3A

Concept Prescription from doctor / dentist - drug 12

Question Was this a prescription from a medical doctor or dentist? - Drug 12

Universe Respondents who answered at least 12 in DGC8_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10	18,000
NO	2	3	9,000
NOT APPLICABLE	6	11,959	27,502,500
NOT STATED	9	574	789,000
Total		12,546	28,318,308

Variable Name DGC8_4 **Length** 1 **Position** 4703

Question Name DRG-Q4

Concept Medication - use other health product

Question There are many other health products such as ointments, vitamins, herbs, minerals or protein drinks which people use to prevent illness or to improve or maintain their health. Do you use any of these or other health products?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,769	8,533,500
NO	2	6,966	15,631,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	1	1,000
REFUSAL	8	2	3,000
NOT STATED	9	566	776,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5A	Length	1	Position	4704
Question Name	DRG-Q5				
Concept	Flag for health product 1				
Question					
Universe	Respondents who answered DGC8_4=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,741	8,471,000
NOT APPLICABLE		6		8,208	19,005,000
DON'T KNOW		7		26	59,500
NOT STATED		9		571	782,500
		Total		12,546	28,318,308

Variable Name	DGC8C5A	Length	7	Position	4705 - 4711
Question Name	DRG-Q5				
Concept	Drug code - health product 1				
Question	What is the exact name of the health product that you use? - Product 1				
Universe	Respondents who answered DGC8_4=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02AC01 - Z97AA00		3,741	8,471,000
NOT APPLICABLE		9999996		8,208	19,005,000
DON'T KNOW		9999997		26	59,500
NOT STATED		9999999		571	782,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5A **Length** 2 **Position** 4712 - 4713

Question Name

Concept Drug code - health product 1 - (G)

Question

Universe Respondents who answered DGC8_4=1

Note Based on DGC8C5A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2,541	5,726,500
BLOOD & BLOOD FORMING ORGANS	2	94	230,000
CARDIOVASCULAR SYSTEM	3	8	15,000
DERMATOLOGICALS	4	113	251,500
GENITO-URINARY / SEX HORMONES	7	6	13,000
SYSTEMIC HORMONAL PREPARATIONS	8	8	14,500
GENERAL ANTI-INFECTIVES	10	3	7,500
ANTINEOPLASTICS	12	1	2,000
MUSCULO-SKELETAL SYSTEM	13	46	88,500
NERVOUS SYSTEM	14	19	43,500
RESPIRATORY SYSTEM	18	12	22,500
SENSORY ORGANS	19	12	18,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	24	46,500
NATURAL MEDICINES	24	796	1,849,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	58	142,000
NOT APPLICABLE	96	8,208	19,005,000
NOT STATED	99	597	842,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_5AA	Length	1	Position	4714
Question Name	DRG-Q5				
Concept	Uses a 2nd health product				
Question	Do you use any other health products? - 2nd product				
Universe	Respondents who answered DGC8_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,622	3,601,500
NO		2		2,147	4,932,000
NOT APPLICABLE		6		8,208	19,005,000
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8F5B	Length	1	Position	4715
Question Name	DRG-Q5				
Concept	Flag for health product 2				
Question					
Universe	Respondents who answered DGC8_5AA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,620	3,596,500
NOT APPLICABLE		6		10,355	23,937,500
DON'T KNOW		7		2	5,000
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 1602

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C5B **Length** 7 **Position** 4716 - 4722

Question Name DRG-Q5

Concept Drug code - health product 2

Question What is the exact name of the health product that you use? - Product 2

Universe Respondents who answered DGC8_5AA=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z97AA00	1,620	3,596,500
NOT APPLICABLE	9999996	10,355	23,937,500
DON'T KNOW	9999997	2	5,000
NOT STATED	9999999	569	779,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5B **Length** 2 **Position** 4723 - 4724

Question Name

Concept Drug code - health product 2 - (G)

Question

Universe Respondents who answered DGC8_5AA=1

Note Based on DGC8C5B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	1,004	2,190,000
BLOOD & BLOOD FORMING ORGANS	2	44	105,000
CARDIOVASCULAR SYSTEM	3	5	9,000
DERMATOLOGICALS	4	20	48,500
GENITO-URINARY / SEX HORMONES	7	1	4,500
GENERAL ANTI-INFECTIVES	10	1	2,500
MUSCULO-SKELETAL SYSTEM	13	11	32,000
NERVOUS SYSTEM	14	16	39,500
RESPIRATORY SYSTEM	18	6	13,500
SENSORY ORGANS	19	3	4,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	30	59,500
NATURAL MEDICINES	24	458	1,004,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	21	84,500
NOT APPLICABLE	96	10,355	23,937,500
NOT STATED	99	571	784,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8_5BA	Length	1	Position	4725
Question Name	DRG-Q5				
Concept	Uses a 3rd health product				
Question	Do you use any other health products? - 3rd product				
Universe	Respondents who answered DGC8_5AA=1				
Note					
Content		Code		Sample	Population
YES		1		818	1,842,500
NO		2		804	1,758,500
NOT APPLICABLE		6		10,355	23,937,500
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8F5C	Length	1	Position	4726
Question Name	DRG-Q5				
Concept	Flag for health product 3				
Question					
Universe	Respondents who answered DGC8_5BA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		817	1,840,500
NOT APPLICABLE		6		11,159	25,696,000
NOT STATED		9		570	782,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C5C **Length** 7 **Position** 4727 - 4733

Question Name DRG-Q5

Concept Drug code - health product 3

Question What is the exact name of the health product that you use? - Product 3

Universe Respondents who answered DGC8_5BA=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BA03 - Z97AA00	817	1,840,500
NOT APPLICABLE	9999996	11,159	25,696,000
NOT STATED	9999999	570	782,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5C **Length** 2 **Position** 4734 - 4735

Question Name

Concept Drug code - health product 3 - (G)

Question

Universe Respondents who answered DGC8_5BA=1

Note Based on DGC8C5C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	484	1,039,000
BLOOD & BLOOD FORMING ORGANS	2	28	44,000
CARDIOVASCULAR SYSTEM	3	5	11,000
DERMATOLOGICALS	4	11	26,500
GENITO-URINARY / SEX HORMONES	7	1	4,500
SYSTEMIC HORMONAL PREPARATIONS	8	1	1,000
GENERAL ANTI-INFECTIVES	10	1	4,500
MUSCULO-SKELETAL SYSTEM	13	7	7,000
NERVOUS SYSTEM	14	9	19,000
ANTIPARASITIC PRODUCTS	16	1	4,000
RESPIRATORY SYSTEM	18	3	6,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	10	14,500
NATURAL MEDICINES	24	241	622,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	15	38,500
NOT APPLICABLE	96	11,159	25,696,000
NOT STATED	99	570	782,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8_5CA **Length** 1 **Position** 4736
Question Name DRG-Q5
Concept Uses a 4th health product
Question Do you use any other health products? - 4th product
Universe Respondents who answered DGC8_5BA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	430	939,500
NO	2	388	903,000
NOT APPLICABLE	6	11,159	25,696,000
NOT STATED	9	569	779,500
	Total	12,546	28,318,308

Variable Name DGC8F5D **Length** 1 **Position** 4737
Question Name DRG-Q5
Concept Flag for health product 4
Question
Universe Respondents who answered DGC8_5CA=1

Note

Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	429	937,000
NOT APPLICABLE	6	11,547	26,599,000
DON'T KNOW	7	1	2,500
NOT STATED	9	569	779,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 1608

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8C5D **Length** 7 **Position** 4738 - 4744

Question Name DRG-Q5

Concept Drug code - health product 4

Question What is the exact name of the health product that you use? - Product 4

Universe Respondents who answered DGC8_5CA=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A06AC01 - Z97AA00	429	937,000
NOT APPLICABLE	9999996	11,547	26,599,000
DON'T KNOW	9999997	1	2,500
NOT STATED	9999999	569	779,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5D **Length** 2 **Position** 4745 - 4746

Question Name

Concept Drug code - health product 4 - (G)

Question

Universe Respondents who answered DGC8_5CA=1

Note Based on DGC8C5D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	239	525,500
BLOOD & BLOOD FORMING ORGANS	2	17	29,500
CARDIOVASCULAR SYSTEM	3	3	7,000
DERMATOLOGICALS	4	4	9,500
GENITO-URINARY / SEX HORMONES	7	1	1,000
SYSTEMIC HORMONAL PREPARATIONS	8	1	2,000
NERVOUS SYSTEM	14	4	7,500
SENSORY ORGANS	19	1	2,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	7	20,000
NATURAL MEDICINES	24	143	311,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	9	22,500
NOT APPLICABLE	96	11,547	26,599,000
NOT STATED	99	570	782,000
Total		12,546	28,318,308

Variable Name DGC8_5DA **Length** 1 **Position** 4747

Question Name DRG-Q5

Concept Uses a 5th health product

Question Do you use any other health products? - 5th product

Universe Respondents who answered DGC8_5CA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	228	454,000
NO	2	202	485,500
NOT APPLICABLE	6	11,547	26,599,000
NOT STATED	9	569	779,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5E	Length	1	Position	4748
Question Name	DRG-Q5				
Concept	Flag for health product 5				
Question					
Universe	Respondents who answered DGC8_5DA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		228	454,000
NOT APPLICABLE		6		11,749	27,084,500
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8C5E	Length	7	Position	4749 - 4755
Question Name	DRG-Q5				
Concept	Drug code - health product 5				
Question	What is the exact name of the health product that you use? - Product 5				
Universe	Respondents who answered DGC8_5DA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A11AA03 - Z97AA00		228	454,000
NOT APPLICABLE		9999996		11,749	27,084,500
NOT STATED		9999999		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5E **Length** 2 **Position** 4756 - 4757

Question Name

Concept Drug code - health product 5 - (G)

Question

Universe Respondents who answered DGC8_5DA=1

Note Based on DGC8C5E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	128	232,500
BLOOD & BLOOD FORMING ORGANS	2	5	9,500
CARDIOVASCULAR SYSTEM	3	3	7,500
DERMATOLOGICALS	4	2	4,500
GENERAL ANTI-INFECTIVES	10	1	4,500
NERVOUS SYSTEM	14	1	3,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	7	12,500
NATURAL MEDICINES	24	77	172,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	4	7,000
NOT APPLICABLE	96	11,749	27,084,500
NOT STATED	99	569	779,500
Total		12,546	28,318,308

Variable Name DGC8_5EA **Length** 1 **Position** 4758

Question Name DRG-Q5

Concept Uses a 6th health product

Question Do you use any other health products? - 6th product

Universe Respondents who answered DGC8_5DA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	126	272,000
NO	2	102	182,500
NOT APPLICABLE	6	11,749	27,084,500
NOT STATED	9	569	779,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5F	Length	1	Position	4759
Question Name	DRG-Q5				
Concept	Flag for health product 6				
Question					
Universe	Respondents who answered DGC8_5EA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		126	272,000
NOT APPLICABLE		6		11,851	27,267,000
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8C5F	Length	7	Position	4760 - 4766
Question Name	DRG-Q5				
Concept	Drug code - health product 6				
Question	What is the exact name of the health product that you use? - Product 6				
Universe	Respondents who answered DGC8_5EA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02AC01 - Z97AA00		126	272,000
NOT APPLICABLE		9999996		11,851	27,267,000
NOT STATED		9999999		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5F **Length** 2 **Position** 4767 - 4768

Question Name

Concept Drug code - health product 6 - (G)

Question

Universe Respondents who answered DGC8_5EA=1

Note Based on DGC8C5F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	65	154,000
BLOOD & BLOOD FORMING ORGANS	2	3	5,000
MUSCULO-SKELETAL SYSTEM	13	1	5,000
NERVOUS SYSTEM	14	1	1,000
RESPIRATORY SYSTEM	18	1	2,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,500
NATURAL MEDICINES	24	51	98,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	3	4,000
NOT APPLICABLE	96	11,851	27,267,000
NOT STATED	99	569	779,500
Total		12,546	28,318,308

Variable Name DGC8_5FA **Length** 1 **Position** 4769

Question Name DRG-Q5

Concept Uses a 7th health product

Question Do you use any other health products? - 7th product

Universe Respondents who answered DGC8_5EA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	79	164,000
NO	2	47	107,500
NOT APPLICABLE	6	11,851	27,267,000
NOT STATED	9	569	779,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5G	Length	1	Position	4770
Question Name	DRG-Q5				
Concept	Flag for health product 7				
Question					
Universe	Respondents who answered DGC8_5FA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		79	164,000
NOT APPLICABLE		6		11,898	27,374,500
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8C5G	Length	7	Position	4771 - 4777
Question Name	DRG-Q5				
Concept	Drug code - health product 7				
Question	What is the exact name of the health product that you use? - Product 7				
Universe	Respondents who answered DGC8_5FA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02BX13 - Z97AA00		79	164,000
NOT APPLICABLE		9999996		11,898	27,374,500
NOT STATED		9999999		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5G **Length** 2 **Position** 4778 - 4779

Question Name

Concept Drug code - health product 7 - (G)

Question

Universe Respondents who answered DGC8_5FA=1

Note Based on DGC8C5G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	38	75,500
BLOOD & BLOOD FORMING ORGANS	2	5	11,500
CARDIOVASCULAR SYSTEM	3	1	2,000
NERVOUS SYSTEM	14	1	3,500
RESPIRATORY SYSTEM	18	1	1,000
NATURAL MEDICINES	24	32	70,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,500
NOT APPLICABLE	96	11,898	27,374,500
NOT STATED	99	569	779,500
Total		12,546	28,318,308

Variable Name DGC8_5GA **Length** 1 **Position** 4780

Question Name DRG-Q5

Concept Uses a 8th health product

Question Do you use any other health products? - 8th product

Universe Respondents who answered DGC8_5FA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	51	100,000
NO	2	28	64,000
NOT APPLICABLE	6	11,898	27,374,500
NOT STATED	9	569	779,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5H	Length	1	Position	4781
Question Name	DRG-Q5				
Concept	Flag for health product 8				
Question					
Universe	Respondents who answered DGC8_5GA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		51	100,000
NOT APPLICABLE		6		11,926	27,438,500
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8C5H	Length	7	Position	4782 - 4788
Question Name	DRG-Q5				
Concept	Drug code - health product 8				
Question	What is the exact name of the health product that you use? - Product 8				
Universe	Respondents who answered DGC8_5GA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11AA03 - Z97AA00		51	100,000
NOT APPLICABLE		9999996		11,926	27,438,500
NOT STATED		9999999		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5H **Length** 2 **Position** 4789 - 4790

Question Name

Concept Drug code - health product 8 - (G)

Question

Universe Respondents who answered DGC8_5GA=1

Note Based on DGC8C5H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	16	36,000
BLOOD & BLOOD FORMING ORGANS	2	3	8,500
CARDIOVASCULAR SYSTEM	3	1	1,500
DERMATOLOGICALS	4	1	1,000
SYSTEMIC HORMONAL PREPARATIONS	8	1	2,500
NATURAL MEDICINES	24	26	45,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	3	6,000
NOT APPLICABLE	96	11,926	27,438,500
NOT STATED	99	569	779,500
Total		12,546	28,318,308

Variable Name DGC8_5HA **Length** 1 **Position** 4791

Question Name DRG-Q5

Concept Uses a 9th health product

Question Do you use any other health products? - 9th product

Universe Respondents who answered DGC8_5GA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	63,000
NO	2	19	37,000
NOT APPLICABLE	6	11,926	27,438,500
NOT STATED	9	569	779,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5I	Length	1	Position	4792
Question Name	DRG-Q5				
Concept	Flag for health product 9				
Question					
Universe	Respondents who answered DGC8_5HA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		32	63,000
NOT APPLICABLE		6		11,945	27,476,000
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8C5I	Length	7	Position	4793 - 4799
Question Name	DRG-Q5				
Concept	Drug code - health product 9				
Question	What is the exact name of the health product that you use? - Product 9				
Universe	Respondents who answered DGC8_5HA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A09AC - Z97AA00		32	63,000
NOT APPLICABLE		9999996		11,945	27,476,000
NOT STATED		9999999		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5I **Length** 2 **Position** 4800 - 4801

Question Name

Concept Drug code - health product 9 - (G)

Question

Universe Respondents who answered DGC8_5HA=1

Note Based on DGC8C5I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	14	33,500
BLOOD & BLOOD FORMING ORGANS	2	1	3,000
CARDIOVASCULAR SYSTEM	3	1	1,000
DERMATOLOGICALS	4	1	1,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	13	22,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,500
NOT APPLICABLE	96	11,945	27,476,000
NOT STATED	99	569	779,500
Total		12,546	28,318,308

Variable Name DGC8_5IA **Length** 1 **Position** 4802

Question Name DRG-Q5

Concept Uses a 10th health product

Question Do you use any other health products? - 10th product

Universe Respondents who answered DGC8_5HA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	45,000
NO	2	10	17,500
NOT APPLICABLE	6	11,945	27,476,000
NOT STATED	9	569	779,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5J	Length	1	Position	4803
Question Name	DRG-Q5				
Concept	Flag for health product 10				
Question					
Universe	Respondents who answered DGC8_5IA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		22	45,000
NOT APPLICABLE		6		11,955	27,493,500
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8C5J	Length	7	Position	4804 - 4810
Question Name	DRG-Q5				
Concept	Drug code - health product 10				
Question	What is the exact name of the health product that you use? - Product 10				
Universe	Respondents who answered DGC8_5IA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A07BB - X97ED91		22	45,000
NOT APPLICABLE		9999996		11,955	27,493,500
NOT STATED		9999999		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5J **Length** 2 **Position** 4811 - 4812

Question Name

Concept Drug code - health product 10 - (G)

Question

Universe Respondents who answered DGC8_5IA=1

Note Based on DGC8C5J. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	9	24,000
BLOOD & BLOOD FORMING ORGANS	2	2	1,000
CARDIOVASCULAR SYSTEM	3	1	1,000
GENITO-URINARY / SEX HORMONES	7	1	1,500
NATURAL MEDICINES	24	9	18,000
NOT APPLICABLE	96	11,955	27,493,500
NOT STATED	99	569	779,500
Total		12,546	28,318,308

Variable Name DGC8_5JA **Length** 1 **Position** 4813

Question Name DRG-Q5

Concept Uses a 11th health product

Question Do you use any other health products? - 11th product

Universe Respondents who answered DGC8_5IA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10	23,500
NO	2	12	22,000
NOT APPLICABLE	6	11,955	27,493,500
NOT STATED	9	569	779,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5K	Length	1	Position	4814
Question Name	DRG-Q5				
Concept	Flag for health product 11				
Question					
Universe	Respondents who answered DGC8_5JA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10	23,500
NOT APPLICABLE		6		11,967	27,515,500
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8C5K	Length	7	Position	4815 - 4821
Question Name	DRG-Q5				
Concept	Drug code - health product 11				
Question	What is the exact name of the health product that you use? - Product 11				
Universe	Respondents who answered DGC8_5JA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11GA01 - Z97AA00		10	23,500
NOT APPLICABLE		9999996		11,967	27,515,500
NOT STATED		9999999		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5K **Length** 2 **Position** 4822 - 4823

Question Name

Concept Drug code - health product 11 - (G)

Question

Universe Respondents who answered DGC8_5JA=1

Note Based on DGC8C5K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2	2,000
NERVOUS SYSTEM	14	2	8,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	4	9,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	3,000
NOT APPLICABLE	96	11,967	27,515,500
NOT STATED	99	569	779,500
Total		12,546	28,318,308

Variable Name DGC8_5KA **Length** 1 **Position** 4824

Question Name DRG-Q5

Concept Uses a 12th health product

Question Do you use any other health products? - 12th product

Universe Respondents who answered DGC8_5JA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7	18,500
NO	2	3	5,000
NOT APPLICABLE	6	11,967	27,515,500
NOT STATED	9	569	779,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC8F5L	Length	1	Position	4825
Question Name	DRG-Q5				
Concept	Flag for health product 12				
Question					
Universe	Respondents who answered DGC8_5KA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7	18,500
NOT APPLICABLE		6		11,970	27,520,000
NOT STATED		9		569	779,500
		Total		12,546	28,318,308

Variable Name	DGC8C5L	Length	7	Position	4826 - 4832
Question Name	DRG-Q5				
Concept	Drug code - health product 12				
Question	What is the exact name of the health product that you use? - Product 12				
Universe	Respondents who answered DGC8_5KA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11AA03 - Z97AA00		7	18,500
NOT APPLICABLE		9999996		11,970	27,520,000
NOT STATED		9999999		569	779,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC8G5L **Length** 2 **Position** 4833 - 4834

Question Name

Concept Drug code - health product 12 - (G)

Question

Universe Respondents who answered DGC8_5KA=1

Note Based on DGC8C5L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	1	1,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	4	11,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	4,000
NOT APPLICABLE	96	11,970	27,520,000
NOT STATED	99	569	779,500
Total		12,546	28,318,308

Variable Name SMC8_1 **Length** 1 **Position** 4835

Question Name SMK-Q1

Concept Household member smokes inside house

Question Does anyone in this household smoke regularly inside the house?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,341	7,708,000
NO	2	7,394	16,455,000
NOT APPLICABLE	6	1,242	3,374,000
REFUSAL	8	4	5,500
NOT STATED	9	565	775,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_2 **Length** 1 **Position** 4836

Question Name SMK-Q2

Concept Current smoking status

Question At the present time do you smoke cigarettes daily, occasionally or not at all?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY	1	2,477	5,532,000
OCCASIONALLY	2	383	888,500
NOT AT ALL	3	7,975	17,822,000
NOT APPLICABLE	6	1,137	3,265,500
DON'T KNOW	7	1	12,000
REFUSAL	8	7	15,500
NOT STATED	9	566	783,000
Total		12,546	28,318,308

Variable Name SMC8_3 **Length** 3 **Position** 4837 - 4839

Question Name SMK-Q3

Concept Age started smoking daily - daily smoker

Question At what age did you begin to smoke cigarettes daily?

Universe Respondents who answered SMC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	5 - 74	2,462	5,501,000
NOT APPLICABLE	996	9,495	21,976,000
DON'T KNOW	997	15	31,000
NOT STATED	999	574	810,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_4 **Length** 3 **Position** 4840 - 4842
Question Name SMK-Q4
Concept Number of cigarettes smoked each day - daily smoker
Question How many cigarettes do you smoke each day now?
Universe Respondents who answered SMC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 75	2,474	5,518,500
NOT APPLICABLE	996	9,495	21,976,000
DON'T KNOW	997	2	13,000
REFUSAL	998	1	1,000
NOT STATED	999	574	810,500
	Total	12,546	28,318,308

Variable Name SMC8_4A **Length** 1 **Position** 4843
Question Name SMK-Q4A
Concept Ever smoked cigarettes
Question Have you ever smoked cigarettes at all?
Universe Respondents who answered SMC8_2=3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,959	8,432,000
NO	2	4,004	9,378,000
NOT APPLICABLE	6	3,997	9,685,500
DON'T KNOW	7	11	12,000
NOT STATED	9	575	810,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_4B **Length** 1 **Position** 4844
Question Name SMK-Q4B
Concept Ever smoked cigarettes (probe)
Question (Remember, it's important to understand change.) During our last interview, we recorded that you had previously smoked BUT this time we did not. In fact, have you EVER smoked cigarettes?
Universe Non-proxy respondents who answered SMC6_4A=1 and SMC8_4A=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	66	161,500
NO	2	104	259,500
NOT APPLICABLE	6	11,794	27,081,000
NOT STATED	9	582	816,500
Total		12,546	28,318,308

Variable Name SMC8_5A **Length** 1 **Position** 4845
Question Name SMK-Q5A
Concept Smoked 100 or more cigarettes - former smoker
Question In your lifetime, have you smoked a total of 100 or more cigarettes? (about 4 packs)
Universe Respondents who answered SMC8_4A=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,988	6,176,000
NO	2	939	2,203,500
NOT APPLICABLE	6	8,038	19,102,000
DON'T KNOW	7	3	19,000
NOT STATED	9	578	817,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_5B **Length** 3 **Position** 4846 - 4848

Question Name SMK-Q5B

Concept No. of cigarettes smoked - occasional smoker

Question On the days that you do smoke, about how many cigarettes do you usually have?

Universe Respondents who answered SMC8_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 55	382	887,500
NOT APPLICABLE	996	11,590	26,620,000
NOT STATED	999	574	810,500
Total		12,546	28,318,308

Variable Name SMC8_5C **Length** 2 **Position** 4849 - 4850

Question Name SMK-Q5C

Concept No. of days smoked 1 or more cigarettes - occasional smoker

Question In the past month, on how many days have you smoked 1 or more cigarettes?

Universe Respondents who answered SMC8_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	0 - 30	379	885,000
NOT APPLICABLE	96	11,590	26,620,000
DON'T KNOW	97	2	3,000
REFUSAL	98	1	1,000
NOT STATED	99	574	810,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC8_5	Length	1	Position	4851
Question Name	SMK-Q5				
Concept	Ever smoked daily				
Question	Have you ever smoked cigarettes daily?				
Universe	Respondents who answered SMC8_2=2 or SMC8_4A=1				
Note					
Content		Code		Sample	Population
YES		1		3,049	6,282,000
NO		2		1,293	3,038,000
NOT APPLICABLE		6		7,618	18,175,500
NOT STATED		9		586	822,500
		Total		12,546	28,318,308

Variable Name	SMC8_6	Length	3	Position	4852 - 4854
Question Name	SMK-Q6				
Concept	Age started smoking daily - former daily smoker				
Question	At what age did you begin to smoke (cigarettes) daily?				
Universe	Respondents who answered SMC8_5=1				
Note					
Content		Code		Sample	Population
YEARS		5 - 70		3,010	6,220,000
NOT APPLICABLE		996		8,911	21,213,500
DON'T KNOW		997		37	54,000
REFUSAL		998		1	7,000
NOT STATED		999		587	823,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_7 **Length** 3 **Position** 4855 - 4857

Question Name SMK-Q7

Concept No. of cigarettes smoked daily - former daily smoker

Question How many cigarettes did you usually smoke each day?

Universe Respondents who answered SMC8_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 99	2,973	6,166,500
NOT APPLICABLE	996	8,947	21,249,000
DON'T KNOW	997	45	72,000
REFUSAL	998	3	13,500
NOT STATED	999	578	817,500
	Total	12,546	28,318,308

Variable Name SMC8_8 **Length** 3 **Position** 4858 - 4860

Question Name SMK-Q8

Concept Age stopped smoking daily - former daily smoker

Question At what age did you stop smoking (cigarettes) daily?

Universe Respondents who answered SMC8_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	10 - 86	3,003	6,198,500
NOT APPLICABLE	996	8,911	21,213,500
DON'T KNOW	997	43	74,000
REFUSAL	998	2	8,500
NOT STATED	999	587	823,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC8DTYP	Length	2	Position	4861 - 4862
Question Name					
Concept	Type of smoker - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Based on SMC8_2, SMC8_4A and SMC8_5. See Derived Variables Documentation.				
Content		Code		Sample	Population
DAILY SMOKER		1		2,477	5,532,000
OCCASIONAL SMOKER (FORMER DAILY SMOKER)		2		258	577,500
ALWAYS AN OCCASIONAL SMOKER		3		125	310,500
FORMER DAILY SMOKER		4		2,791	5,704,500
FORMER OCCASIONAL SMOKER		5		1,168	2,727,500
NEVER SMOKED		6		4,004	9,378,000
NOT APPLICABLE		96		1,137	3,265,500
NOT STATED		99		586	822,500
		Total		12,546	28,318,308

Variable Name	SMC8DYRS	Length	3	Position	4863 - 4865
Question Name					
Concept	Number of years that respondent smoked - (D)				
Question					
Universe	Respondents who answered SMC8_2=1 or SMC8_5=1				
Note	Based on SMC8_3, SMC8_6, SMC8_8, Type of smoker (SMC8_2, SMC8_4A, SMC8_5) and DHC8_AGE. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.				
Content		Code		Sample	Population
NUMBER OF YEARS		0 - 84		5,440	11,665,000
NOT APPLICABLE		996		6,434	15,682,000
NOT STATED		999		672	971,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_9 **Length** 2 **Position** 4866 - 4867

Question Name SMK-Q9

Concept Reason for quitting smoking

Question Compared to our last interview, you are reporting that you no longer smoke. Why did you quit?

Universe Respondents who answered SMC6_2=1 or SMC6_2=2 and SMC8_2=3 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER SMOKED	1	2	3,000
DIDN'T SMOKE AT LAST INTERVIEW	2	25	60,500
AFFECTED PHYSICAL HEALTH	3	152	359,500
COST	4	29	57,500
SOCIAL / FAMILY PRESSURES	5	33	78,500
ATHLETIC ACTIVITIES	6	3	17,000
PREGNANCY	7	9	20,500
SMOKING RESTRICTIONS	8	6	20,000
DOCTOR'S ADVICE	9	29	77,000
EFFECT OF SECOND-HAND SMOKE ON OTHERS	10	10	33,500
OTHER	11	64	140,500
NOT APPLICABLE	96	11,606	26,638,000
NOT STATED	99	578	813,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_10 **Length** 2 **Position** 4868 - 4869
Question Name SMK-Q10
Concept Reason for starting smoking
Question Compared to our last interview, you are reporting that you currently smoke. Why did you start smoking?
Universe Respondents who answered SMC6_2=3 and SMC8_2=1 or SMC8_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SMOKED AT LAST INTERVIEW	1	70	161,000
FAMILY / FRIENDS SMOKE	2	46	114,500
EVERYONE AROUND ME SMOKES	3	45	104,500
TO BE "COOL"	4	4	8,500
CURIOSITY	5	20	68,000
STRESS	6	64	145,500
STARTED AGAIN AFTER TRYING TO QUIT	7	57	98,000
COST	8	1	2,500
TO CONTROL WEIGHT	9	2	3,500
OTHER	10	60	151,000
NOT APPLICABLE	96	11,598	26,651,000
DON'T KNOW	97	3	3,000
REFUSAL	98	1	1,500
NOT STATED	99	575	806,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_11 **Length** 2 **Position** 4870 - 4871
Question Name SMK-Q11
Concept Reason for smoking less
Question Compared to our last interview, you are reporting that you smoke less. Why did you cut down?
Universe Respondents who answered SMC6_2=1 and SMC8_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DID NOT CUT DOWN	1	8	20,500
TRYING TO QUIT	3	28	52,000
AFFECTED PHYSICAL HEALTH	4	28	49,000
COST	5	6	9,500
SOCIAL / FAMILY PRESSURES	6	6	16,500
ATHLETIC ACTIVITIES	7	4	13,000
PREGNANCY	8	7	9,500
DOCTOR'S ADVICE	10	7	13,000
EFFECT OF SECOND-HAND SMOKE ON OTHERS	11	1	3,000
OTHER	12	8	10,000
NOT APPLICABLE	96	11,878	27,348,000
NOT STATED	99	565	773,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC8_12 **Length** 2 **Position** 4872 - 4873
Question Name SMK-Q12
Concept Reason for smoking more
Question Compared to our last interview, you are reporting that you smoke more. Why have you increased smoking?
Universe Respondents who answered SMC6_2=2 and SMC8_2=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAVEN'T INCREASED	1	31	72,000
FAMILY / FRIENDS SMOKE	2	5	10,500
EVERYONE AROUND ME SMOKES	3	11	29,500
TO BE "COOL"	4	1	6,500
CURIOSITY	5	1	3,500
STRESS	6	26	67,500
INCREASED AFTER TRYING TO QUIT / REDUCE	7	9	16,500
TO CONTROL WEIGHT	9	2	4,500
OTHER	10	29	75,500
NOT APPLICABLE	96	11,863	27,233,000
DON'T KNOW	97	2	14,000
NOT STATED	99	566	785,000
	Total	12,546	28,318,308

Variable Name SMC8_201 **Length** 1 **Position** 4874
Question Name SMK2-Q1
Concept When first cigarette smoked after waking up
Question How soon after you wake up do you smoke your first cigarette?
Universe Respondents who answered SMC8_2=1 living in a household
Note Formerly SMC8_2_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WITHIN 5 MINUTES	1	545	1,233,000
6 TO 30 MINUTES AFTER WAKING	2	938	2,004,500
31 TO 60 MINUTES AFTER WAKING	3	464	1,024,000
MORE THAN 60 MINUTES AFTER WAKING	4	500	1,214,000
NOT APPLICABLE	6	9,506	21,983,500
NOT STATED	9	593	859,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC8_202	Length	1	Position	4875
Question Name	SMK2-Q2				
Concept	Tried quitting smoking				
Question	Have you tried quitting smoking in the past 6 months?				
Universe	Respondents who answered SMC8_2=1 or SMC8_2=2 living in a household				
Note	Formerly SMC8_2_2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		817	1,872,000
NO		2		2,007	4,482,500
NOT APPLICABLE		6		9,124	21,095,500
NOT STATED		9		598	868,000
		Total		12,546	28,318,308

Variable Name	SMC8_203	Length	2	Position	4876 - 4877
Question Name	SMK2-Q3				
Concept	Number of times tried to quit smoking				
Question	How many times have you tried quitting (in the past 6 months)?				
Universe	Respondents who answered SMC8_202=1				
Note	Formerly SMC8_2_3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 25		813	1,857,000
NOT APPLICABLE		96		11,131	25,578,000
DON'T KNOW		97		4	15,500
NOT STATED		99		598	868,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC8_204	Length	1	Position	4878
Question Name	SMK2-Q4				
Concept	Considering quitting smoking in the next 30 days				
Question	Are you seriously considering quitting smoking within the next 30 days?				
Universe	Respondents who answered SMC8_202=1				
Note	Formerly SMC8_2_4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		430	919,000
NO		2		380	941,000
NOT APPLICABLE		6		11,131	25,578,000
DON'T KNOW		7		7	12,000
NOT STATED		9		598	868,000
		Total		12,546	28,318,308

Variable Name	SMC8_205	Length	1	Position	4879
Question Name	SMK2-Q5				
Concept	Considering quitting smoking in the next 6 months				
Question	Are you seriously considering quitting smoking within the next 6 months?				
Universe	Respondents who answered SMC8_204=2				
Note	Formerly SMC8_2_5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		220	567,000
NO		2		156	362,000
NOT APPLICABLE		6		11,561	26,497,000
DON'T KNOW		7		11	24,500
NOT STATED		9		598	868,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC8_206	Length	1	Position	4880
Question Name	SMK2-Q6				
Concept	Smoking restrictions in work place				
Question	At your place of work what are the restrictions on smoking?				
Universe	Respondents aged 15 to 75 who answered SMC8_2=1, 2 or 3, and are currently working				
Note	Formerly SMC8_2_6.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
RESTRICTED COMPLETELY		1		3,113	7,524,000
ALLOWED IN DESIGNATED AREAS		2		1,315	3,418,500
RESTRICTED ONLY IN CERTAIN PLACES		3		434	1,044,000
NOT RESTRICTED AT ALL		4		1,070	2,374,500
NOT APPLICABLE		6		5,999	13,015,500
DON'T KNOW		7		12	50,000
REFUSAL		8		1	2,500
NOT STATED		9		602	889,000
		Total		12,546	28,318,308

Variable Name	TAS8_1	Length	1	Position	4881
Question Name	STOB-Q1				
Concept	Smoked cigars				
Question	In the past month, have you smoked cigars?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		427	1,112,500
NO		2		10,096	22,508,000
NOT APPLICABLE		6		1,242	3,374,000
REFUSAL		8		5	13,000
NOT STATED		9		776	1,311,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	TAS8_4	Length	1	Position	4884
Question Name	STOB-Q4				
Concept	Used chewing tobacco				
Question	In the past month, have you used chewing tobacco?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		42	73,500
NO		2		10,481	23,546,500
NOT APPLICABLE		6		1,242	3,374,000
NOT STATED		9		781	1,324,000
		Total		12,546	28,318,308

Variable Name	ALC8_1	Length	1	Position	4885
Question Name	ALC-Q1				
Concept	Drank alcohol in past 12 months				
Question	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8,067	18,599,500
NO		2		2,764	5,634,000
NOT APPLICABLE		6		1,137	3,265,500
DON'T KNOW		7		4	22,500
REFUSAL		8		7	13,500
NOT STATED		9		567	783,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8_DAY **Length** 2 **Position** 4890 - 4891

Question Name

Concept Interview date - day of the week

Question

Universe Respondents who answered ALC8_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SUNDAY	1	287	618,500
MONDAY	2	1,707	3,717,000
TUESDAY	3	1,691	3,901,500
WEDNESDAY	4	1,568	3,617,500
THURSDAY	5	1,388	3,271,000
FRIDAY	6	862	2,060,500
SATURDAY	7	536	1,385,000
NOT APPLICABLE	96	3,930	8,928,500
NOT STATED	99	577	819,000
Total		12,546	28,318,308

Variable Name ALC8_5 **Length** 1 **Position** 4892

Question Name ALC-Q5

Concept Drank alcohol in past week

Question Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?

Universe Respondents who answered ALC8_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,613	10,986,500
NO	2	3,423	7,564,000
NOT APPLICABLE	6	3,930	8,928,500
DON'T KNOW	7	3	20,500
NOT STATED	9	577	819,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8_5A1 **Length** 3 **Position** 4893 - 4895
Question Name ALC-Q51
Concept Number of drinks - Sunday
Question Starting with yesterday, that is Sunday, how many drinks did you have?
Universe Respondents who answered ALC8_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 22	4,604	10,967,000
NOT APPLICABLE	996	7,353	16,492,500
DON'T KNOW	997	8	19,000
NOT STATED	999	581	840,000
	Total	12,546	28,318,308

Variable Name ALC8_5A2 **Length** 3 **Position** 4896 - 4898
Question Name ALC-Q51
Concept Number of drinks - Monday
Question Starting with yesterday, that is Monday, how many drinks did you have?
Universe Respondents who answered ALC8_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 32	4,604	10,965,500
NOT APPLICABLE	996	7,353	16,492,500
DON'T KNOW	997	8	20,500
NOT STATED	999	581	840,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8_5A3 **Length** 3 **Position** 4899 - 4901
Question Name ALC-Q51
Concept Number of drinks - Tuesday
Question Starting with yesterday, that is Tuesday, how many drinks did you have?
Universe Respondents who answered ALC8_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 20	4,601	10,963,000
NOT APPLICABLE	996	7,353	16,492,500
DON'T KNOW	997	10	22,000
REFUSAL	998	1	1,000
NOT STATED	999	581	840,000
Total		12,546	28,318,308

Variable Name ALC8_5A4 **Length** 3 **Position** 4902 - 4904
Question Name ALC-Q51
Concept Number of drinks - Wednesday
Question Starting with yesterday, that is Wednesday, how many drinks did you have?
Universe Respondents who answered ALC8_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 20	4,594	10,942,500
NOT APPLICABLE	996	7,353	16,492,500
DON'T KNOW	997	16	41,000
REFUSAL	998	2	2,500
NOT STATED	999	581	840,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8_5A5 **Length** 3 **Position** 4905 - 4907
Question Name ALC-Q51
Concept Number of drinks - Thursday
Question Starting with yesterday, that is Thursday, how many drinks did you have?
Universe Respondents who answered ALC8_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 91	4,598	10,954,000
NOT APPLICABLE	996	7,353	16,492,500
DON'T KNOW	997	13	31,000
REFUSAL	998	1	1,000
NOT STATED	999	581	840,000
	Total	12,546	28,318,308

Variable Name ALC8_5A6 **Length** 3 **Position** 4908 - 4910
Question Name ALC-Q51
Concept Number of drinks - Friday
Question Starting with yesterday, that is Friday, how many drinks did you have?
Universe Respondents who answered ALC8_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 45	4,596	10,956,000
NOT APPLICABLE	996	7,353	16,492,500
DON'T KNOW	997	14	27,500
REFUSAL	998	2	2,500
NOT STATED	999	581	840,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8_5A7 **Length** 3 **Position** 4911 - 4913
Question Name ALC-Q51
Concept Number of drinks - Saturday
Question Starting with yesterday, that is Saturday, how many drinks did you have?
Universe Respondents who answered ALC8_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 34	4,604	10,970,500
NOT APPLICABLE	996	7,353	16,492,500
DON'T KNOW	997	7	14,500
REFUSAL	998	1	1,000
NOT STATED	999	581	840,000
	Total	12,546	28,318,308

Variable Name ALC8_5B **Length** 1 **Position** 4914
Question Name ALC-Q5B
Concept Ever had a drink
Question Have you ever had a drink?
Universe Respondents who answered ALC8_1=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,682	3,046,000
NO	2	1,074	2,579,000
NOT APPLICABLE	6	9,204	21,865,000
DON'T KNOW	7	8	8,500
NOT STATED	9	578	819,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8_6 **Length** 1 **Position** 4915
Question Name ALC-Q6
Concept Regularly drank more than 12 drinks a week
Question Did you ever regularly drink more than 12 drinks a week?
Universe Respondents who answered ALC8_5B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	274	427,000
NO	2	1,403	2,597,500
NOT APPLICABLE	6	10,278	24,444,000
DON'T KNOW	7	4	19,000
REFUSAL	8	1	2,500
NOT STATED	9	586	828,000
	Total	12,546	28,318,308

Variable Name ALC8_7A **Length** 1 **Position** 4916
Question Name ALC-Q7
Concept Reason reduced drinking - dieting
Question Why did you reduce or quit drinking altogether? - Dieting
Universe Respondents who answered ALC8_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1	4,500
NO	2	265	415,500
NOT APPLICABLE	6	11,698	27,055,500
DON'T KNOW	7	1	2,500
NOT STATED	9	581	840,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC8_7B	Length	1	Position	4917
Question Name	ALC-Q7				
Concept	Reason reduced drinking - athletic training				
Question	Why did you reduce or quit drinking altogether? - Athletic training				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	3,000
NO		2		265	416,500
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

Variable Name	ALC8_7C	Length	1	Position	4918
Question Name	ALC-Q7				
Concept	Reason reduced drinking - pregnancy				
Question	Why did you reduce or quit drinking altogether? - Pregnancy				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	4,500
NO		2		264	415,000
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC8_7D	Length	1	Position	4919
Question Name	ALC-Q7				
Concept	Reason reduced drinking - getting older				
Question	Why did you reduce or quit drinking altogether? - Getting older				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	24,000
NO		2		251	395,500
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

Variable Name	ALC8_7E	Length	1	Position	4920
Question Name	ALC-Q7				
Concept	Reason reduced drinking - drinking too much				
Question	Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		121	191,500
NO		2		145	228,000
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8_7F **Length** 1 **Position** 4921
Question Name ALC-Q7
Concept Reason reduced drinking - affected work / studies
Question Why did you reduce or quit drinking altogether? - Affected - work, studies, employment opportunities
Universe Respondents who answered ALC8_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	39	65,500
NO	2	227	354,500
NOT APPLICABLE	6	11,698	27,055,500
DON'T KNOW	7	1	2,500
NOT STATED	9	581	840,500
	Total	12,546	28,318,308

Variable Name ALC8_7G **Length** 1 **Position** 4922
Question Name ALC-Q7
Concept Reason reduced drinking - interfered with family life
Question Why did you reduce or quit drinking altogether? - Interfered with family or home life
Universe Respondents who answered ALC8_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	53	95,000
NO	2	213	324,500
NOT APPLICABLE	6	11,698	27,055,500
DON'T KNOW	7	1	2,500
NOT STATED	9	581	840,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC8_7H	Length	1	Position	4923
Question Name	ALC-Q7				
Concept	Reason reduced drinking - affected physical health				
Question	Why did you reduce or quit drinking altogether? - Affected - physical health				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		87	140,500
NO		2		179	279,000
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

Variable Name	ALC8_7I	Length	1	Position	4924
Question Name	ALC-Q7				
Concept	Reason reduced drinking - affected social relationships				
Question	Why did you reduce or quit drinking altogether? - Affected - friendships or social relationships				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		34	57,500
NO		2		232	362,500
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC8_7J	Length	1	Position	4925
Question Name	ALC-Q7				
Concept	Reason reduced drinking - affected financial position				
Question	Why did you reduce or quit drinking altogether? - Affected - financial position				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		40	59,000
NO		2		226	360,500
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

Variable Name	ALC8_7K	Length	1	Position	4926
Question Name	ALC-Q7				
Concept	Reason reduced drinking - affected happiness				
Question	Why did you reduce or quit drinking altogether? - Affected - outlook on life, happiness				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		40	75,500
NO		2		226	344,500
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC8_7L	Length	1	Position	4927
Question Name	ALC-Q7				
Concept	Reason reduced drinking - influence of family / friends				
Question	Why did you reduce or quit drinking altogether? - Influence of family or friends				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		22	42,500
NO		2		244	377,000
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

Variable Name	ALC8_7M	Length	1	Position	4928
Question Name	ALC-Q7				
Concept	Reason reduced drinking - other				
Question	Why did you reduce or quit drinking altogether? - Other				
Universe	Respondents who answered ALC8_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		41	73,000
NO		2		225	347,000
NOT APPLICABLE		6		11,698	27,055,500
DON'T KNOW		7		1	2,500
NOT STATED		9		581	840,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8DTYP **Length** 1 **Position** 4929

Question Name

Concept Type of drinker - (D)

Question

Universe Respondents aged 12 and over

Note Based on ALC8_2 and ALC8_5B. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR DRINKER	1	5,667	13,542,500
OCCASIONAL DRINKER	2	2,400	5,057,000
NON-DRINKER NOW	3	1,682	3,046,000
NEVER DRANK	4	1,074	2,579,000
NOT APPLICABLE	6	1,137	3,265,500
NOT STATED	9	586	828,000
Total		12,546	28,318,308

Variable Name ALC8DWKY **Length** 3 **Position** 4930 - 4932

Question Name

Concept Weekly total of alcohol consumed - (D)

Question

Universe Respondents who answered ALC8_1=1 living in a household

Note Based on ALC8_5A1 to ALC8_5A7. Sum of number of drinks consumed, on all days, in the week prior to the interview. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 96	7,994	18,452,500
NOT APPLICABLE	996	3,930	8,928,500
NOT STATED	999	622	937,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC8DDLJ **Length** 2 **Position** 4933 - 4934

Question Name

Concept Average daily alcohol consumption - (D)

Question

Universe Respondents who answered ALC8_1=1 living in a household

Note Based on ALC8_5, ALC8_5A1 to ALC8_5A7. Weekly total of alcohol consumed divided by 7. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AVERAGE DAILY VOLUME	0 - 14	7,994	18,452,500
NOT APPLICABLE	96	3,930	8,928,500
NOT STATED	99	622	937,000
	Total	12,546	28,318,308

Variable Name MHC8_1A **Length** 1 **Position** 4935

Question Name MH-Q1A

Concept Frequency of feeling sad

Question During the past month, about how often did you feel so sad that nothing could cheer you up?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	64	162,000
MOST OF THE TIME	2	169	420,500
SOME OF THE TIME	3	865	2,068,500
A LITTLE OF THE TIME	4	1,910	4,457,500
NONE OF THE TIME	5	7,472	16,433,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	27	35,500
REFUSAL	8	21	56,000
NOT STATED	9	776	1,311,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_1B **Length** 1 **Position** 4936
Question Name MH-Q1B
Concept Frequency of feeling nervous
Question During the past month, about how often did you feel nervous?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	101	239,500
MOST OF THE TIME	2	268	773,000
SOME OF THE TIME	3	1,578	3,948,500
A LITTLE OF THE TIME	4	3,250	7,874,500
NONE OF THE TIME	5	5,276	10,683,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	5	17,500
REFUSAL	8	2	5,500
NOT STATED	9	824	1,403,000
Total		12,546	28,318,308

Variable Name MHC8_1C **Length** 1 **Position** 4937
Question Name MH-Q1C
Concept Frequency of feeling restless / fidgety
Question During the past month, about how often did you feel restless or fidgety?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	145	334,000
MOST OF THE TIME	2	273	730,000
SOME OF THE TIME	3	1,437	3,249,500
A LITTLE OF THE TIME	4	2,655	6,048,000
NONE OF THE TIME	5	5,960	13,151,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	2	5,000
NOT STATED	9	832	1,427,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_1D **Length** 1 **Position** 4938
Question Name MH-Q1D
Concept Frequency of feeling hopeless
Question During the past month, about how often did you feel hopeless?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	37	85,500
MOST OF THE TIME	2	93	230,500
SOME OF THE TIME	3	382	872,000
A LITTLE OF THE TIME	4	803	1,897,500
NONE OF THE TIME	5	9,153	20,423,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	2	4,000
NOT STATED	9	834	1,432,000
	Total	12,546	28,318,308

Variable Name MHC8_1E **Length** 1 **Position** 4939
Question Name MH-Q1E
Concept Frequency of feeling worthless
Question During the past month, about how often did you feel worthless?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	34	76,500
MOST OF THE TIME	2	60	119,000
SOME OF THE TIME	3	272	592,500
A LITTLE OF THE TIME	4	586	1,337,500
NONE OF THE TIME	5	9,512	21,372,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	2	6,000
REFUSAL	8	2	4,500
NOT STATED	9	836	1,436,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_1F **Length** 1 **Position** 4940
Question Name MH-Q1F
Concept Frequency of feeling everything was an effort
Question During the past month, about how often did you feel that everything was an effort?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	179	402,000
MOST OF THE TIME	2	335	833,000
SOME OF THE TIME	3	1,334	3,105,000
A LITTLE OF THE TIME	4	2,436	5,517,500
NONE OF THE TIME	5	6,177	13,632,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	2	7,500
REFUSAL	8	1	1,000
NOT STATED	9	840	1,446,500
	Total	12,546	28,318,308

Variable Name MHC8_1G **Length** 1 **Position** 4941
Question Name MH-Q1G
Concept Frequency of feelings occurrence
Question Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
Universe Respondents who answered positively to at least one of MHC8_1A to MHC8_1F

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MORE OFTEN	1	1,214	2,985,000
LESS OFTEN	2	612	1,506,000
ABOUT THE SAME	3	5,445	12,380,500
NEVER HAVE HAD ANY	4	262	642,000
NOT APPLICABLE	6	4,164	9,339,000
DON'T KNOW	7	6	12,500
NOT STATED	9	843	1,453,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC8_1H	Length	1	Position	4942
Question Name	MH-Q1H				
Concept	Frequency of feelings occurrence (more)				
Question	Is that a lot more, somewhat more or only a little more often than usual?				
Universe	Respondents who answered MHC8_1G=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
A LOT		1		440	1,128,500
SOMEWHAT		2		356	854,000
A LITTLE		3		417	1,001,500
NOT APPLICABLE		6		10,483	23,867,000
DON'T KNOW		7		1	1,000
NOT STATED		9		849	1,466,000
		Total		12,546	28,318,308

Variable Name	MHC8_1I	Length	1	Position	4943
Question Name	MH-Q1I				
Concept	Frequency of feelings occurrence (less)				
Question	Is that a lot less, somewhat less or only a little less often than usual?				
Universe	Respondents who answered MHC8_1G=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
A LOT		1		189	482,000
SOMEWHAT		2		196	457,000
A LITTLE		3		226	556,000
NOT APPLICABLE		6		11,085	25,346,500
NOT STATED		9		850	1,477,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC8_1J	Length	1	Position	4944
Question Name	MH-Q1J				
Concept	Frequency - experiences interfere with life				
Question	How much do these experiences usually interfere with your life or activities?				
Universe	Respondents who answered MHC8_1G=1, 2 or 3				
Note					
Content		Code		Sample	Population
A LOT		1		278	708,000
SOME		2		690	1,568,000
A LITTLE		3		2,018	4,775,500
NOT AT ALL		4		4,278	9,785,000
NOT APPLICABLE		6		4,426	9,981,000
DON'T KNOW		7		5	22,500
NOT STATED		9		851	1,478,000
		Total		12,546	28,318,308

Variable Name	MHC8_1K	Length	1	Position	4945
Question Name	MH-Q1K				
Concept	Mental health - has consulted with a health professional				
Question	In the past 12 months, have you seen or talked on the telephone to a health professional about your emotional or mental health?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		695	1,580,500
NO		2		9,821	22,019,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		5	21,000
REFUSAL		8		5	10,500
NOT STATED		9		778	1,313,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_1L **Length** 3 **Position** 4946 - 4948

Question Name MH-Q1L

Concept Mental health - no. of times consulted a health professional

Question How many times (in the past 12 months)?

Universe Respondents who answered MHC8_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 240	691	1,570,500
NOT APPLICABLE	996	11,063	25,393,000
DON'T KNOW	997	3	8,000
REFUSAL	998	1	2,000
NOT STATED	999	788	1,345,000
	Total	12,546	28,318,308

Variable Name MHC8_1MA **Length** 1 **Position** 4949

Question Name MH-Q1M

Concept Mental health - consulted family doctor

Question Whom did you see or talk to? - Family doctor or general practitioner

Universe Respondents who answered MHC8_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	305	647,000
NO	2	390	933,500
NOT APPLICABLE	6	11,063	25,393,000
NOT STATED	9	788	1,345,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC8_1MB	Length	1	Position	4950
Question Name	MH-Q1M				
Concept	Mental health - consulted psychiatrist				
Question	Whom did you see or talk to? - Psychiatrist				
Universe	Respondents who answered MHC8_1K=1				
Note					
Content		Code		Sample	Population
YES		1		163	397,000
NO		2		532	1,183,500
NOT APPLICABLE		6		11,063	25,393,000
NOT STATED		9		788	1,345,000
		Total		12,546	28,318,308

Variable Name	MHC8_1MC	Length	1	Position	4951
Question Name	MH-Q1M				
Concept	Mental health - consulted psychologist				
Question	Whom did you see or talk to? - Psychologist				
Universe	Respondents who answered MHC8_1K=1				
Note					
Content		Code		Sample	Population
YES		1		148	334,000
NO		2		547	1,246,500
NOT APPLICABLE		6		11,063	25,393,000
NOT STATED		9		788	1,345,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_1MD **Length** 1 **Position** 4952
Question Name MH-Q1M
Concept Mental health - consulted nurse
Question Whom did you see or talk to? - Nurse
Universe Respondents who answered MHC8_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	87,000
NO	2	663	1,493,500
NOT APPLICABLE	6	11,063	25,393,000
NOT STATED	9	788	1,345,000
Total		12,546	28,318,308

Variable Name MHC8_1ME **Length** 1 **Position** 4953
Question Name MH-Q1M
Concept Mental health - consulted social worker or counselor
Question Whom did you see or talk to? - Social worker or counselor
Universe Respondents who answered MHC8_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	167	435,000
NO	2	528	1,145,500
NOT APPLICABLE	6	11,063	25,393,000
NOT STATED	9	788	1,345,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC8_1MF	Length	1	Position	4954
Question Name	MH-Q1M				
Concept	Mental health - consulted other professional				
Question	Whom did you see or talk to? - Other				
Universe	Respondents who answered MHC8_1K=1				
Note					
Content		Code		Sample	Population
YES		1		46	119,000
NO		2		649	1,461,500
NOT APPLICABLE		6		11,063	25,393,000
NOT STATED		9		788	1,345,000
		Total		12,546	28,318,308

Variable Name	MHC8_2	Length	1	Position	4955
Question Name	MH-Q2				
Concept	Felt sad, blue, or depressed 2 weeks or more in past year				
Question	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		866	2,092,500
NO		2		9,643	21,474,000
NOT APPLICABLE		6		1,242	3,374,000
DON'T KNOW		7		8	34,500
REFUSAL		8		9	29,500
NOT STATED		9		778	1,313,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_3 **Length** 1 **Position** 4956
Question Name MH-Q3
Concept Depressed - usual duration of feelings
Question Please think of the 2-week period during the past 12 months when these feelings were worst. During that time how long did these feelings usually last?
Universe Respondents who answered MHC8_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	253	583,000
MOST OF THE DAY	2	319	762,500
ABOUT HALF OF THE DAY	3	168	418,500
LESS THAN HALF OF A DAY	4	125	326,500
NOT APPLICABLE	6	10,885	24,848,000
DON'T KNOW	7	1	2,500
NOT STATED	9	795	1,378,000
Total		12,546	28,318,308

Variable Name MHC8_4 **Length** 1 **Position** 4957
Question Name MH-Q4
Concept Depressed - frequency of feelings
Question How often did you feel this way during those 2 weeks?
Universe Respondents who answered MHC8_3=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY DAY	1	315	691,000
ALMOST EVERY DAY	2	217	572,500
LESS OFTEN	3	40	81,500
NOT APPLICABLE	6	11,178	25,593,000
NOT STATED	9	796	1,380,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC8_5	Length	1	Position	4958
Question Name	MH-Q5				
Concept	Depressed - lost interest in most things				
Question	During those 2 weeks, did you lose interest in most things?				
Universe	Respondents who answered MHC8_4=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		427	1,023,500
NO		2		104	237,500
NOT APPLICABLE		6		11,218	25,674,500
DON'T KNOW		7		1	2,500
NOT STATED		9		796	1,380,500
		Total		12,546	28,318,308

Variable Name	MHC8_6	Length	1	Position	4959
Question Name	MH-Q6				
Concept	Depressed - felt tired all of the time				
Question	Did you feel tired out or low on energy all of the time?				
Universe	Respondents who answered MHC8_4=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		451	1,092,500
NO		2		80	168,500
NOT APPLICABLE		6		11,218	25,674,500
NOT STATED		9		797	1,383,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_7 **Length** 1 **Position** 4960
Question Name MH-Q7
Concept Depressed - weight change or not
Question Did you gain weight, lose weight or stay about the same?
Universe Respondents who answered MHC8_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
GAINED WEIGHT	1	77	183,500
LOST WEIGHT	2	172	439,500
STAYED ABOUT THE SAME	3	280	636,500
WAS ON A DIET	4	1	1,000
NOT APPLICABLE	6	11,218	25,674,500
DON'T KNOW	7	1	1,000
NOT STATED	9	797	1,383,000
	Total	12,546	28,318,308

Variable Name MHC8_8KG **Length** 3 **Position** 4961 - 4963
Question Name MH-Q8B
Concept Depressed - weight change (kg.)
Question About how much did you (gain / lose)? - Kilograms
Universe Respondents who answered MHC8_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	1 - 23	240	591,500
NOT APPLICABLE	996	11,499	26,312,000
NOT STATED	999	807	1,415,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_8LB **Length** 3 **Position** 4964 - 4966

Question Name MH-Q8B

Concept Depressed - weight change (lb.)

Question About how much did you (gain / lose)? - Pounds

Universe Respondents who answered MHC8_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	2 - 51	240	591,500
NOT APPLICABLE	996	11,499	26,312,000
NOT STATED	999	807	1,415,000
Total		12,546	28,318,308

Variable Name MHC8_9 **Length** 1 **Position** 4967

Question Name MH-Q9

Concept Depressed - trouble falling asleep

Question Did you have more trouble falling asleep than you usually do?

Universe Respondents who answered MHC8_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	386	888,000
NO	2	144	372,500
NOT APPLICABLE	6	11,218	25,674,500
NOT STATED	9	798	1,383,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_10 **Length** 1 **Position** 4968
Question Name MH-Q10
Concept Depressed - frequency of trouble falling asleep
Question How often did that happen?
Universe Respondents who answered MHC8_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY NIGHT	1	152	368,500
NEARLY EVERY NIGHT	2	197	432,500
LESS OFTEN	3	36	85,500
NOT APPLICABLE	6	11,362	26,046,500
DON'T KNOW	7	1	2,000
NOT STATED	9	798	1,383,500
	Total	12,546	28,318,308

Variable Name MHC8_11 **Length** 1 **Position** 4969
Question Name MH-Q11
Concept Depressed - trouble concentrating
Question Did you have a lot more trouble concentrating than usual?
Universe Respondents who answered MHC8_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	427	1,016,000
NO	2	99	240,500
NOT APPLICABLE	6	11,218	25,674,500
DON'T KNOW	7	2	1,500
REFUSAL	8	1	1,000
NOT STATED	9	799	1,385,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_12 **Length** 1 **Position** 4970
Question Name MH-Q12
Concept Depressed - felt down on self
Question At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
Universe Respondents who answered MHC8_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	334	824,500
NO	2	190	425,000
NOT APPLICABLE	6	11,218	25,674,500
DON'T KNOW	7	2	7,000
NOT STATED	9	802	1,387,500
Total		12,546	28,318,308

Variable Name MHC8_13 **Length** 1 **Position** 4971
Question Name MH-Q13
Concept Depressed - thought a lot about death
Question Did you think a lot about death - either your own, someone else's, or death in general?
Universe Respondents who answered MHC8_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	316	738,500
NO	2	206	508,000
NOT APPLICABLE	6	11,218	25,674,500
DON'T KNOW	7	1	1,000
REFUSAL	8	1	2,000
NOT STATED	9	804	1,394,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_14 **Length** 2 **Position** 4972 - 4973

Question Name MH-Q14

Concept Depressed - number of weeks in past 12 months

Question About how many weeks altogether did you feel this way during the past 12 months?

Universe Respondents who answered any one of MHC8_5, _6, _9, _11, _12, _13 =1 or MHC8_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 53	506	1,218,500
NOT APPLICABLE	96	11,220	25,678,500
DON'T KNOW	97	14	24,000
NOT STATED	99	806	1,397,000
	Total	12,546	28,318,308

Variable Name MHC8_15 **Length** 2 **Position** 4974 - 4975

Question Name MH-Q15

Concept Depressed - month of occurrence

Question Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?

Universe Respondents who answered MHC8_14 < 52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	58	136,500
FEBRUARY	2	38	87,500
MARCH	3	46	119,000
APRIL	4	33	65,000
MAY	5	44	120,500
JUNE	6	38	89,000
JULY	7	46	100,000
AUGUST	8	30	99,000
SEPTEMBER	9	39	99,500
OCTOBER	10	18	42,000
NOVEMBER	11	37	90,500
DECEMBER	12	47	96,000
NOT APPLICABLE	96	11,251	25,749,500
DON'T KNOW	97	1	3,500
NOT STATED	99	820	1,421,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_16 **Length** 1 **Position** 4976
Question Name MH-Q16
Concept Lost interest in most things that usually give pleasure
Question During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work, or activities that usually give you pleasure?
Universe Respondents who answered MHC8_2=2 or MHC8_3=3 or 4 or MHC8_4=3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	390	979,000
NO	2	9,577	21,300,000
NOT APPLICABLE	6	1,774	4,637,500
DON'T KNOW	7	6	16,000
REFUSAL	8	3	5,500
NOT STATED	9	796	1,380,500
Total		12,546	28,318,308

Variable Name MHC8_17 **Length** 1 **Position** 4977
Question Name MH-Q17
Concept Loss of interest - duration
Question Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?
Universe Respondents who answered MHC8_16=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	70	158,500
MOST OF THE DAY	2	98	222,500
ABOUT HALF OF THE DAY	3	120	332,000
LESS THAN HALF OF A DAY	4	101	264,000
NOT APPLICABLE	6	11,351	25,937,500
DON'T KNOW	7	1	2,000
NOT STATED	9	805	1,401,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_18 **Length** 1 **Position** 4978
Question Name MH-Q18
Concept Loss of interest - frequency
Question How often did you feel this way during those 2 weeks?
Universe Respondents who answered MHC8_17=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY DAY	1	51	119,000
ALMOST EVERY DAY	2	78	181,000
LESS OFTEN	3	39	81,000
NOT APPLICABLE	6	11,572	26,534,000
NOT STATED	9	806	1,403,500
Total		12,546	28,318,308

Variable Name MHC8_19 **Length** 1 **Position** 4979
Question Name MH-Q19
Concept Loss of interest - felt tired all the time
Question During those 2 weeks did you feel tired out or low on energy all the time?
Universe Respondents who answered MHC8_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	114	267,500
NO	2	15	32,000
NOT APPLICABLE	6	11,611	26,615,000
NOT STATED	9	806	1,403,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_20 **Length** 1 **Position** 4980
Question Name MH-Q20
Concept Loss of interest - weight change or not
Question Did you gain weight, lose weight, or stay about the same?
Universe Respondents who answered MHC8_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
GAINED WEIGHT	1	20	46,000
LOST WEIGHT	2	45	110,000
STAYED ABOUT THE SAME	3	63	144,000
NOT APPLICABLE	6	11,611	26,615,000
DON'T KNOW	7	1	1,000
NOT STATED	9	806	1,403,500
	Total	12,546	28,318,308

Variable Name MHC8_21K **Length** 3 **Position** 4981 - 4983
Question Name MH-Q21B
Concept Loss of interest - weight change (kg.)
Question About how much did you (gain / lose)? - Kilograms
Universe Respondents who answered MHC8_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	1 - 27	62	151,000
NOT APPLICABLE	996	11,674	26,759,000
NOT STATED	999	810	1,408,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_21L **Length** 3 **Position** 4984 - 4986

Question Name MH-Q21B

Concept Loss of interest - weight change (lb.)

Question About how much did you (gain/lose)? - Pounds

Universe Respondents who answered MHC8_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	2 - 60	62	151,000
NOT APPLICABLE	996	11,674	26,759,000
NOT STATED	999	810	1,408,000
Total		12,546	28,318,308

Variable Name MHC8_22 **Length** 1 **Position** 4987

Question Name MH-Q22

Concept Loss of interest - trouble falling asleep

Question Did you have more trouble falling asleep than you usually do?

Universe Respondents who answered MHC8_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	77	170,000
NO	2	51	129,500
NOT APPLICABLE	6	11,611	26,615,000
NOT STATED	9	807	1,403,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_23 **Length** 1 **Position** 4988
Question Name MH-Q23
Concept Loss of interest - frequency of trouble falling asleep
Question How often did that happen?
Universe Respondents who answered MHC8_22=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY NIGHT	1	22	46,500
NEARLY EVERY NIGHT	2	45	102,000
LESS OFTEN	3	10	22,000
NOT APPLICABLE	6	11,662	26,744,500
NOT STATED	9	807	1,403,500
	Total	12,546	28,318,308

Variable Name MHC8_24 **Length** 1 **Position** 4989
Question Name MH-Q24
Concept Loss of interest - trouble concentrating
Question Did you have a lot more trouble concentrating than usual?
Universe Respondents who answered MHC8_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	97	227,500
NO	2	29	67,500
NOT APPLICABLE	6	11,611	26,615,000
DON'T KNOW	7	2	4,500
NOT STATED	9	807	1,403,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_25 **Length** 1 **Position** 4990
Question Name MH-Q25
Concept Loss of interest - felt down on self
Question At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
Universe Respondents who answered MHC8_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	61	156,500
NO	2	65	138,500
NOT APPLICABLE	6	11,611	26,615,000
NOT STATED	9	809	1,408,500
	Total	12,546	28,318,308

Variable Name MHC8_26 **Length** 1 **Position** 4991
Question Name MH-Q26
Concept Loss of interest - thought a lot about death
Question Did you think a lot about death - either your own, someone else's, or death in general?
Universe Respondents who answered MHC8_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	53	128,500
NO	2	73	166,500
NOT APPLICABLE	6	11,611	26,615,000
NOT STATED	9	809	1,408,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8_27 **Length** 2 **Position** 4992 - 4993

Question Name MH-Q27

Concept Loss of interest - number of weeks in past 12 months

Question About how many weeks did you feel this way during the past 12 months?

Universe Respondents who answered any one of MHC8_19, _22, _24, _25, _26 =1 or MHC8_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 53	120	287,000
NOT APPLICABLE	96	11,613	26,618,500
DON'T KNOW	97	4	4,500
NOT STATED	99	809	1,408,500
	Total	12,546	28,318,308

Variable Name MHC8_28 **Length** 2 **Position** 4994 - 4995

Question Name MH-Q28

Concept Loss of interest - month of occurrence

Question Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

Universe Respondents who answered MHC8_27 < 52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	17	40,000
FEBRUARY	2	14	38,000
MARCH	3	13	30,500
APRIL	4	8	32,000
MAY	5	4	21,500
JUNE	6	11	15,000
JULY	7	6	18,000
AUGUST	8	8	16,500
SEPTEMBER	9	12	28,000
OCTOBER	10	10	17,500
NOVEMBER	11	2	2,500
DECEMBER	12	9	20,000
NOT APPLICABLE	96	11,617	26,623,000
DON'T KNOW	97	2	3,000
NOT STATED	99	813	1,413,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8DDS **Length** 2 **Position** 4996 - 4997

Question Name

Concept Distress Scale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC8_1A to MHC8_1F. Scores were reversed for those questions. MIN=0, MAX=24 (higher values indicate more distress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 24	10,461	23,490,500
NOT APPLICABLE	96	1,242	3,374,000
NOT STATED	99	843	1,453,500
	Total	12,546	28,318,308

Variable Name MHC8DCH **Length** 2 **Position** 4998 - 4999

Question Name

Concept Chronicity of Distress Scale - (D)

Question

Universe Respondents who answered positively to at least one of MHC8_1A to MHC8_1F

Note Based on MHC8_1G to MHC8_1I. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
A LOT MORE OFTEN THAN USUAL	1	440	1,128,500
SOMEWHAT MORE OFTEN THAN USUAL	2	356	854,000
A LITTLE MORE OFTEN THAN USUAL	3	417	1,001,500
ABOUT THE SAME AS USUAL	4	5,445	12,380,500
A LITTLE LESS OFTEN THAN USUAL	5	226	556,000
SOMEWHAT LESS OFTEN THAN USUAL	6	196	457,000
A LOT LESS OFTEN THAN USUAL	7	189	482,000
NEVER HAVE HAD ANY	8	262	642,000
NOT APPLICABLE	96	4,164	9,339,000
NOT STATED	99	851	1,478,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8DSF **Length** 2 **Position** 5000 - 5001

Question Name

Concept Depression Scale - Short Form Score - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC8_2 to MHC8_6, MHC8_8A, MHC8_8B, MHC8_10 to MHC8_13, MHC8_16 to MHC8_19, MHC8_21A, MHC8_21B and MHC8_23 to MHC8_26. Higher values indicate higher level of depression. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - SF	0 - 8	10,474	23,485,000
NOT APPLICABLE	96	1,242	3,374,000
NOT STATED	99	830	1,459,500
Total		12,546	28,318,308

Variable Name MHC8DPP **Length** 4.2 **Position** 5002 - 5005

Question Name

Concept Depression Scale - Predicted Probability - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC8_2 to MHC8_28. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - PP	0.00 - 0.90	10,474	23,485,000
NOT APPLICABLE	9.96	1,242	3,374,000
NOT STATED	9.99	830	1,459,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC8DWK **Length** 2 **Position** 5006 - 5007

Question Name

Concept Number of weeks felt depressed - (D)

Question

Universe Respondents who answered MHC8_14=2 to 53 or MHC8_27=2 to 53

Note Based on MHC8_14 or MHC8_27. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 52	616	1,472,500
NOT APPLICABLE	96	11,083	25,359,000
NOT STATED	99	847	1,486,500
Total		12,546	28,318,308

Variable Name MHC8DMT **Length** 2 **Position** 5008 - 5009

Question Name

Concept Specific month last felt depressed - (D)

Question

Universe Respondents who answered MHC8_14=2 to 53 or MHC8_27=2 to 53

Note Based on MHC8_15 or MHC8_28. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	72	169,500
FEBRUARY	2	52	125,500
MARCH	3	59	149,500
APRIL	4	41	97,500
MAY	5	47	141,000
JUNE	6	48	103,000
JULY	7	52	118,000
AUGUST	8	38	115,500
SEPTEMBER	9	50	124,000
OCTOBER	10	25	39,000
NOVEMBER	11	39	93,000
DECEMBER	12	56	116,000
NOT APPLICABLE	96	11,083	25,359,000
NOT STATED	99	884	1,567,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_101 **Length** 3 **Position** 5010 - 5012

Question Name MOS-Q1

Concept Number of close friends and relatives

Question About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CLOSE FRIENDS AND RELATIVES	0 - 99	10,429	23,402,000
NOT APPLICABLE	996	1,242	3,374,000
DON'T KNOW	997	63	131,000
REFUSAL	998	33	97,500
NOT STATED	999	779	1,314,000
	Total	12,546	28,318,308

Variable Name SSC8_102 **Length** 1 **Position** 5013

Question Name MOS-Q2

Concept Has someone to give help if confined to bed

Question How often is support available to you if you need someone to help you if you were confined to bed ?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	468	966,000
A LITTLE OF THE TIME	2	512	1,057,500
SOME OF THE TIME	3	1,220	2,615,500
MOST OF THE TIME	4	2,487	5,534,000
ALL OF THE TIME	5	5,683	13,125,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	53	90,500
REFUSAL	8	6	13,500
NOT STATED	9	875	1,542,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_103 **Length** 1 **Position** 5014
Question Name MOS-Q3
Concept Has someone to count on to listen
Question How often is support available to you if you need someone you can count on to listen to you when you need to talk?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	149	352,500
A LITTLE OF THE TIME	2	251	591,000
SOME OF THE TIME	3	735	1,642,500
MOST OF THE TIME	4	2,672	6,038,500
ALL OF THE TIME	5	6,559	14,663,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	4	10,000
NOT STATED	9	934	1,646,500
Total		12,546	28,318,308

Variable Name SSC8_104 **Length** 1 **Position** 5015
Question Name MOS-Q4
Concept Has someone to give advice about a crisis
Question How often is support available to you if you need someone to give you advice about a crisis?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	290	700,000
A LITTLE OF THE TIME	2	303	648,000
SOME OF THE TIME	3	992	2,193,500
MOST OF THE TIME	4	2,899	6,664,500
ALL OF THE TIME	5	5,863	13,048,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	21	41,500
REFUSAL	8	2	2,500
NOT STATED	9	934	1,646,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_105 **Length** 1 **Position** 5016
Question Name MOS-Q5
Concept Has someone to go to the doctor with
Question How often is support available to you if you need someone to take you to the doctor if you needed it?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	220	501,000
A LITTLE OF THE TIME	2	187	438,000
SOME OF THE TIME	3	547	1,237,000
MOST OF THE TIME	4	1,924	4,355,500
ALL OF THE TIME	5	7,489	16,759,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	2	6,000
REFUSAL	8	1	1,500
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

Variable Name SSC8_106 **Length** 1 **Position** 5017
Question Name MOS-Q6
Concept Has someone who shows love and affection
Question How often is support available to you if you need someone who shows you love and affection?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	123	220,000
A LITTLE OF THE TIME	2	216	438,500
SOME OF THE TIME	3	578	1,343,000
MOST OF THE TIME	4	1,788	4,075,500
ALL OF THE TIME	5	7,658	17,207,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	6	9,000
REFUSAL	8	1	4,500
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_107 **Length** 1 **Position** 5018
Question Name MOS-Q7
Concept Has someone to have a good time with
Question How often is support available to you if you need someone to have a good time with?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	159	310,500
A LITTLE OF THE TIME	2	287	622,000
SOME OF THE TIME	3	932	1,970,000
MOST OF THE TIME	4	2,640	5,830,000
ALL OF THE TIME	5	6,339	14,549,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	12	15,500
REFUSAL	8	1	1,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

Variable Name SSC8_108 **Length** 1 **Position** 5019
Question Name MOS-Q8
Concept Has someone who gives information to understand a situation
Question How often is support available to you if you need someone to give you information in order to help you understand a situation?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	176	395,000
A LITTLE OF THE TIME	2	281	600,000
SOME OF THE TIME	3	1,082	2,345,500
MOST OF THE TIME	4	3,320	7,768,000
ALL OF THE TIME	5	5,483	12,121,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	25	61,500
REFUSAL	8	3	6,500
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_109 **Length** 1 **Position** 5020
Question Name MOS-Q9
Concept Has someone to confide in
Question How often is support available to you if you need someone to confide in or talk to about yourself or your problems?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	200	434,000
A LITTLE OF THE TIME	2	292	664,000
SOME OF THE TIME	3	826	1,914,000
MOST OF THE TIME	4	2,721	6,202,500
ALL OF THE TIME	5	6,317	14,057,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	12	24,500
REFUSAL	8	2	2,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

Variable Name SSC8_110 **Length** 1 **Position** 5021
Question Name MOS-Q10
Concept Has someone who gives hugs
Question How often is support available to you if you need someone who hugs you?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	379	766,500
A LITTLE OF THE TIME	2	457	1,009,000
SOME OF THE TIME	3	1,010	2,199,500
MOST OF THE TIME	4	2,062	4,592,000
ALL OF THE TIME	5	6,448	14,694,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	10	27,000
REFUSAL	8	4	9,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_111 **Length** 1 **Position** 5022

Question Name MOS-Q11

Concept Has someone to get together with for relaxation

Question How often is support available to you if you need someone to get together with for relaxation?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	192	465,500
A LITTLE OF THE TIME	2	344	739,500
SOME OF THE TIME	3	1,140	2,534,000
MOST OF THE TIME	4	2,831	6,253,500
ALL OF THE TIME	5	5,853	13,281,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	6	18,500
REFUSAL	8	4	6,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

Variable Name SSC8_112 **Length** 1 **Position** 5023

Question Name MOS-Q12

Concept Has someone to prepare meals

Question How often is support available to you if you need someone to prepare your meals if you were unable to do it yourself?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	411	809,500
A LITTLE OF THE TIME	2	380	803,000
SOME OF THE TIME	3	1,003	2,031,500
MOST OF THE TIME	4	2,131	4,731,000
ALL OF THE TIME	5	6,426	14,898,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	15	18,000
REFUSAL	8	4	6,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_113 **Length** 1 **Position** 5024

Question Name MOS-Q13

Concept Has someone to give advice

Question How often is support available to you if you need someone whose advice you really want?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	319	677,000
A LITTLE OF THE TIME	2	402	895,500
SOME OF THE TIME	3	1,274	2,855,500
MOST OF THE TIME	4	2,970	6,759,500
ALL OF THE TIME	5	5,385	12,064,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	16	40,500
REFUSAL	8	4	6,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

Variable Name SSC8_114 **Length** 1 **Position** 5025

Question Name MOS-Q14

Concept Has someone to do things to get mind off things

Question How often is support available to you if you need someone to do things with to help you get your mind off things?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	221	434,500
A LITTLE OF THE TIME	2	406	905,500
SOME OF THE TIME	3	1,303	2,860,500
MOST OF THE TIME	4	3,133	6,943,500
ALL OF THE TIME	5	5,280	12,082,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	20	56,500
REFUSAL	8	7	15,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_115 **Length** 1 **Position** 5026

Question Name MOS-Q15

Concept Has someone to help with daily chores if sick

Question How often is support available to you if you need someone to help with daily chores if you were sick?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	382	810,000
A LITTLE OF THE TIME	2	416	913,500
SOME OF THE TIME	3	1,107	2,291,000
MOST OF THE TIME	4	2,546	5,764,500
ALL OF THE TIME	5	5,895	13,471,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	19	38,000
REFUSAL	8	5	9,500
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

Variable Name SSC8_116 **Length** 1 **Position** 5027

Question Name MOS-Q16

Concept Has someone to share most private worries and fears with

Question How often is support available to you if you need someone to share your most private worries and fears with?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	375	796,000
A LITTLE OF THE TIME	2	400	968,500
SOME OF THE TIME	3	1,010	2,224,000
MOST OF THE TIME	4	2,661	6,058,500
ALL OF THE TIME	5	5,900	13,194,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	19	46,500
REFUSAL	8	5	9,500
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_117 **Length** 1 **Position** 5028
Question Name MOS-Q17
Concept Has someone to turn to for suggestions for personal problems
Question How often is support available to you if you need someone to turn to for suggestions about how to deal with a personal problem?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	255	522,500
A LITTLE OF THE TIME	2	339	772,500
SOME OF THE TIME	3	1,038	2,341,000
MOST OF THE TIME	4	2,925	6,714,500
ALL OF THE TIME	5	5,793	12,896,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	16	43,500
REFUSAL	8	4	8,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

Variable Name SSC8_118 **Length** 1 **Position** 5029
Question Name MOS-Q18
Concept Has someone to do something enjoyable with
Question How often is support available to you if you need someone to do something enjoyable with?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	141	310,000
A LITTLE OF THE TIME	2	292	608,500
SOME OF THE TIME	3	957	2,065,500
MOST OF THE TIME	4	2,980	6,656,500
ALL OF THE TIME	5	5,987	13,634,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	9	15,000
REFUSAL	8	4	8,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8_119 **Length** 1 **Position** 5030

Question Name MOS-Q19

Concept Has someone who understands problems

Question How often is support available to you if you need someone who understands your problems?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	202	463,000
A LITTLE OF THE TIME	2	324	681,500
SOME OF THE TIME	3	1,113	2,534,500
MOST OF THE TIME	4	3,189	7,203,000
ALL OF THE TIME	5	5,521	12,373,000
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	17	35,000
REFUSAL	8	4	8,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

Variable Name SSC8_120 **Length** 1 **Position** 5031

Question Name MOS-Q20

Concept Has someone who loves and makes feel wanted

Question How often is support available to you if you need someone to love you and make you feel wanted?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	194	390,500
A LITTLE OF THE TIME	2	296	702,000
SOME OF THE TIME	3	735	1,720,500
MOST OF THE TIME	4	2,251	5,008,500
ALL OF THE TIME	5	6,877	15,440,500
NOT APPLICABLE	6	1,242	3,374,000
DON'T KNOW	7	12	23,500
REFUSAL	8	5	12,000
NOT STATED	9	934	1,646,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8DTNG **Length** 2 **Position** 5032 - 5033

Question Name

Concept Tangible social support - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC8_102, SSC8_105, SSC8_112 and SSC8_115. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 16 (higher values indicate higher level of tangible support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 16	10,334	23,236,000
NOT APPLICABLE	96	1,242	3,374,000
NOT STATED	99	970	1,708,500
	Total	12,546	28,318,308

Variable Name SSC8DAFF **Length** 2 **Position** 5034 - 5035

Question Name

Concept Affection - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC8_106, SSC8_110 and SSC8_120. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 12 (higher values indicate higher level of affection support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	10,344	23,240,000
NOT APPLICABLE	96	1,242	3,374,000
NOT STATED	99	960	1,704,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC8DSOC **Length** 2 **Position** 5036 - 5037

Question Name

Concept Positive social interaction - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC8_107, SSC8_111, SSC8_114 and SSC8_118. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 16 (higher values indicate higher level of positive social interaction). See Derived Variables Documentation. MIN = 0, MAX = 16 (higher values indicate higher level of positive social interaction). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 16	10,331	23,207,000
NOT APPLICABLE	96	1,242	3,374,000
NOT STATED	99	973	1,737,500
Total		12,546	28,318,308

Variable Name SSC8DEMO **Length** 2 **Position** 5038 - 5039

Question Name

Concept Emotional or informational support - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC8_103, SSC8_104, SSC8_108, SSC8_109, SSC8_113, SSC8_116, SSC8_117 and SSC8_119. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 32 (higher values indicate more emotional or informational support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 32	10,292	23,135,000
NOT APPLICABLE	96	1,242	3,374,000
NOT STATED	99	1,012	1,809,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM68_LNK **Length** 1 **Position** 5040
Question Name LINK-PERM
Concept Permission to link data
Question We are seeking your permission to link information collected during this interview with provincial health information... Do we have your permission?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,688	26,928,000
NO	2	284	599,000
DON'T KNOW	7	5	6,000
NOT STATED	9	569	785,500
Total		12,546	28,318,308

Variable Name AM68_SHA **Length** 1 **Position** 5041
Question Name H06-SHARE2
Concept Agree to share information
Question To avoid duplication, Statistics Canada intends to share the information from all interviews conducted as part of this survey with... Do you agree to share the information provided?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12,260	27,635,500
NO	2	286	683,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM68_TEL **Length** 1 **Position** 5042

Question Name H06-TEL

Concept H06 interview by telephone or in person

Question Interviewer: Was this interview conducted on the telephone or in person?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ON TELEPHONE	1	11,344	26,073,500
IN PERSON	2	505	1,281,000
BOTH	3	22	66,000
NOT STATED	9	675	897,500
Total		12,546	28,318,308

Variable Name AM68_ALO **Length** 1 **Position** 5043

Question Name H06-CTXT

Concept Respondent alone for completion of H06 questionnaire

Question Interviewer: Was the respondent alone when you asked this health questionnaire?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	9,553	22,057,500
NO	2	2,208	5,092,500
NOT APPLICABLE	6	105	108,500
DON'T KNOW	7	108	267,500
REFUSAL	8	2	3,000
NOT STATED	9	570	789,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM68_AFF **Length** 1 **Position** 5044
Question Name H06-CTXT1
Concept Answers affected by presence of another person
Question Interviewer: Do you think that the answers of the respondent were affected by someone else being there?
Universe Respondents who answered AM68_ALO=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	85	227,000
NO	2	2,092	4,791,500
NOT APPLICABLE	6	9,658	22,165,500
DON'T KNOW	7	31	74,000
NOT STATED	9	680	1,060,000
	Total	12,546	28,318,308

Variable Name AM68_LNG **Length** 2 **Position** 5045 - 5046
Question Name H06-LANG
Concept Interview language - H06
Question Interviewer: Record language of interview.
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,675	20,649,500
FRENCH	2	2,263	6,677,500
ARABIC	3	1	20,000
CHINESE	4	17	88,000
ITALIAN	9	2	6,500
POLISH	12	1	2,500
PORTUGUESE	13	7	36,500
PUNJABI	14	4	28,500
VIETNAMESE	18	3	11,500
OTHER	19	3	8,000
NOT STATED	99	570	789,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM68_EDD	Length	2	Position	5047 - 5048
Question Name					
Concept	Day of interview - H06 (end)				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
DAY OF THE MONTH		1 - 31		11,975	27,527,500
NOT STATED		99		571	791,000
		Total		12,546	28,318,308

Variable Name	AM68_EMM	Length	2	Position	5049 - 5050
Question Name					
Concept	Month of interview - H06 (end)				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
JANUARY		1		1,027	2,076,000
FEBRUARY		2		1,837	5,310,500
MARCH		3		329	893,500
APRIL		4		36	44,000
MAY		5		338	615,000
JUNE		6		2,265	4,619,000
JULY		7		1,203	2,212,500
AUGUST		8		1,527	3,270,500
SEPTEMBER		9		945	2,024,000
OCTOBER		10		2,337	6,127,000
NOVEMBER		11		131	335,500
NOT STATED		99		571	791,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM68_EYY	Length	4	Position	5051 - 5054
Question Name					
Concept	Year of interview - H06 (end)				
Question					
Universe	All respondents				
Note					
Content		Code		Sample	Population
1998		1998		8,646	18,954,000
1999		1999		3,329	8,573,500
NOT STATED		9999		571	791,000
		Total		12,546	28,318,308

Variable Name	AM68LDUR	Length	4	Position	5055 - 5058
Question Name					
Concept	Duration of time between H06 interviews				
Question					
Universe	All respondents				
Note	Based on AM66_BDD, AM66_BMM, AM66_BY Y, AM68_BDD, AM68_BMM and AM68_BY Y. See Derived Variables Documentation.				
Content		Code		Sample	Population
NUMBER OF DAYS		342 - 1105		11,984	27,548,500
NOT STATED		9999		562	770,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PRC0_CUR **Length** 2 **Position** 5059 - 5060

Question Name

Concept Province of residence

Question

Universe All respondents

Note Province of residence at the time of data collection in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEWFOUNDLAND AND LABRADOR	10	736	515,500
PRINCE EDWARD ISLAND	11	759	135,000
NOVA SCOTIA	12	766	889,500
NEW BRUNSWICK	13	818	737,000
QUEBEC	24	2,188	6,996,500
ONTARIO	35	3,073	10,704,000
MANITOBA	46	903	1,062,500
SASKATCHEWAN	47	882	936,000
ALBERTA	48	1,198	2,745,500
BRITISH COLUMBIA	59	1,218	3,589,000
YUKON	60	1	2,000
NORTHWEST TERRITORIES	61	4	6,000
Total		12,546	28,318,308

Variable Name GE30DURB **Length** 1 **Position** 5061

Question Name

Concept Rural or urban area - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
RURAL	1	3,276	5,600,000
URBAN	2	9,267	22,712,500
NOT STATED	9	3	5,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1701

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GE30DCD	Length	3	Position	5062 - 5064
----------------------	---------	---------------	---	-----------------	-------------

Question Name

Concept Census Division - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

Variable Name	GE30DCSD	Length	3	Position	5065 - 5067
----------------------	----------	---------------	---	-----------------	-------------

Question Name

Concept Census Sub-division - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE30DCMA **Length** 3 **Position** 5068 - 5070

Question Name

Concept Census Metropolitan Area - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO CMA ASSIGNED	000	6,499	10,942,000
ST. JOHN'S	001	242	175,500
HALIFAX	205	269	340,000
SAINT JOHN	310	140	121,500
CHICOUTIMI	408	63	186,000
QUEBEC	421	227	773,500
SHERBROOKE	433	52	138,500
TROIS-RIVIÈRES	442	50	156,500
MONTREAL	462	808	3,158,500
OTTAWA / HULL	505	364	997,500
OSHAWA	532	97	260,000
TORONTO	535	881	3,921,000
HAMILTON	537	212	655,500
ST. CATHARINES	539	110	401,500
KITCHENER	541	118	380,500
LONDON	555	133	360,500
WINDSOR	559	90	276,000
SUDBURY	580	43	159,500
THUNDER BAY	595	49	125,500
WINNIPEG	602	341	640,000
REGINA	705	187	207,000
SASKATOON	725	177	186,000
CALGARY	825	384	860,000
EDMONTON	835	376	886,000
VANCOUVER	933	504	1,678,500
VICTORIA	935	127	325,500
NOT STATED	999	3	5,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE30DFED **Length** 3 **Position** 5071 - 5073

Question Name

Concept Federal Electoral Districts - (D)

Question

Universe All respondents

Note Based on 1996 Census geography. See Derived Variables Documentation.

Variable Name SP30DPC **Length** 6 **Position** 5074 - 5079

Question Name

Concept Postal code - (D)

Question

Universe All respondents

Note

Variable Name SP30FOUT **Length** 1 **Position** 5080

Question Name

Concept Flag for record sent for field collection

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NOT SENT OUT	0	515	691,000
SENT OUT	1	12,031	27,627,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SP30_CPA **Length** 2 **Position** 5081 - 5082

Question Name

Concept Actual collection period

Question

Universe All respondents

Note Collection period in which the data were collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
QUARTER #1 - JUNE 2000	1	2,421	4,874,500
QUARTER #2 - AUGUST 2000	2	2,583	5,236,500
QUARTER #3 - NOVEMBER 2000	3	3,190	7,896,500
QUARTER #4 - MARCH 2001	4	3,014	8,019,500
QUARTER #5 - JUNE 2001	5	650	1,395,500
INST. SURVEY - JAN. TO MAR. 2001	15	173	204,500
NOT APPLICABLE	96	515	691,000
Total		12,546	28,318,308

Variable Name AM30_TEL **Length** 1 **Position** 5083

Question Name

Concept Type of contact - H03

Question Interviewer: Is this a telephone or a personal contact?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TELEPHONE	1	11,364	26,508,000
PERSONAL	2	158	332,500
NOT APPLICABLE	6	1,002	1,404,500
NOT STATED	9	22	73,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC0_DWE **Length** 2 **Position** 5084 - 5085

Question Name

Concept Type of dwelling

Question Interviewer: Record type of dwelling. In what type of dwelling are you living?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SINGLE DETACHED	1	8,194	18,471,500
DOUBLE	2	413	1,274,000
ROW OR TERRACE	3	461	1,303,000
DUPLEX	4	401	957,500
LOW-RISE APARTMENT <5 STORIES OR FLAT	5	1,231	2,881,000
HIGH-RISE APARTMENT >=5 STORIES	6	489	1,396,000
INSTITUTION	7	173	204,500
HOTEL, ROOMING/LODGING HOUSE, CAMP	8	15	27,000
MOBILE HOME	9	38	80,500
OTHER	10	65	135,000
NOT APPLICABLE	96	20	60,000
DON'T KNOW	97	4	13,000
NOT STATED	99	1,042	1,515,000
Total		12,546	28,318,308

Variable Name DHC0_OWN **Length** 1 **Position** 5086

Question Name

Concept Dwelling owned by a household member

Question Is this dwelling owned by a member of this household?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,635	19,906,000
NO	2	2,906	7,001,000
NOT APPLICABLE	6	173	204,500
DON'T KNOW	7	2	5,000
REFUSAL	8	1	2,000
NOT STATED	9	829	1,200,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC0_MGE	Length	1	Position	5087
Question Name					
Concept	Mortgage on dwelling				
Question	Is there a mortgage on this dwelling?				
Universe	Respondents who answered DHC0_OWN=1				
Note					
Content		Code		Sample	Population
YES		1		799	2,019,500
NO		2		218	427,000
NOT APPLICABLE		6		3,079	7,205,500
DON'T KNOW		7		35	106,000
REFUSAL		8		4	10,500
NOT STATED		9		8,411	18,549,500
		Total		12,546	28,318,308

Variable Name	DHC0_BED	Length	2	Position	5088 - 5089
Question Name					
Concept	Number of bedrooms				
Question	How many bedrooms are there in this dwelling?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
NUMBER OF BEDROOMS		0 - 20		11,526	26,870,000
NOT APPLICABLE		96		173	204,500
DON'T KNOW		97		5	11,500
REFUSAL		98		12	26,500
NOT STATED		99		830	1,205,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM30_PL **Length** 2 **Position** 5090 - 5091

Question Name

Concept Respondent's preferred language

Question

Universe All respondents living in a household

Note Generated in Master file creation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,462	20,407,000
FRENCH	2	2,198	6,532,500
CHINESE	3	5	33,500
ITALIAN	4	3	6,500
PUNJABI	5	3	26,000
PORTUGUESE	7	1	8,500
POLISH	8	1	2,500
GERMAN	9	1	1,000
VIETNAMESE	10	2	6,000
ARABIC	11	1	20,000
CANTONESE	17	7	23,500
HINDI	18	1	8,000
MANDARIN	19	2	14,000
OTHER	90	2	5,000
NOT STATED	99	857	1,224,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC0DLVG **Length** 2 **Position** 5092 - 5093

Question Name

Concept Living arrangement of the selected respondent - (D)

Question

Universe All respondents

Note Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL LIVING ALONE	1	2,212	3,629,500
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	245	596,000
LIVING WITH SPOUSE/PARTNER	3	2,594	5,258,500
PAR. LIVING WITH SPOUSE/PARTNER,CHILDREN	4	3,007	7,404,000
SINGLE PAR. LIVING WITH CHILDREN	5	555	1,102,500
CHILD LIVING WITH SINGLE PAR.	6	217	523,500
CHILD LIVING WITH SINGLE PAR., SIBLINGS	7	243	771,500
CHILD LIVING WITH TWO PAR.	8	404	928,500
CHILD LIVING WITH TWO PAR., SIBLINGS	9	1,373	4,558,000
OTHER	10	816	2,294,000
NOT STATED	99	880	1,252,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC0DECF **Length** 2 **Position** 5094 - 5095

Question Name

Concept Type of household - (D)

Question

Universe All respondents

Note Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL	1	2,212	3,629,500
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	292	704,500
COUPLE ALONE	3	2,594	5,258,500
COUPLE, NO DEP. CHILDREN, OTH.	4	83	168,500
COUPLE, CHILDREN < 25	5	4,411	11,850,000
COUPLE, CHILDREN < 25, OTH.	6	480	1,495,500
COUPLE, ALL CHILDREN >= 25	7	306	880,000
COUPLE, ALL CHILDREN >= 25, OTH.	8	90	241,000
FEM. LONE PAR., CHILDREN < 25	9	705	1,667,000
FEM. LONE PAR., CHILDREN < 25, OTH.	10	84	200,000
FEM. LONE PAR., ALL CHILDREN >= 25	11	171	354,000
FEM. LONE PAR., ALL CHILDREN >= 25, OTH.	12	11	23,500
MALE LONE PAR., CHILDREN < 25	13	109	311,000
MALE LONE PAR., CHILDREN < 25, OTH.	14	7	20,500
MALE LONE PAR., ALL CHILDREN >= 25	15	30	65,500
OTHER HOUSEHOLD TYPES	17	81	198,000
NOT STATED	99	880	1,252,000
Total		12,546	28,318,308

Variable Name DHC0DHSZ **Length** 2 **Position** 5096 - 5097

Question Name

Concept Household size - (D)

Question

Universe All respondents

Note Based on DHC0_MEM. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	1 - 10	11,666	27,066,000
NOT STATED	99	880	1,252,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC0DL12 **Length** 2 **Position** 5098 - 5099

Question Name

Concept Number of persons less than 12 years old in household - (D)

Question

Universe All respondents

Note Based on DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 6	11,666	27,066,000
NOT STATED	99	880	1,252,000
Total		12,546	28,318,308

Variable Name DHC0DE12 **Length** 2 **Position** 5100 - 5101

Question Name

Concept Number of persons 12 years old in household - (D)

Question

Universe All respondents

Note Based on DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 3	11,666	27,066,000
NOT STATED	99	880	1,252,000
Total		12,546	28,318,308

Variable Name DHC0DLE5 **Length** 2 **Position** 5102 - 5103

Question Name

Concept Number of persons 5 years old or less in household - (D)

Question

Universe All respondents

Note Based on DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 4	11,666	27,066,000
NOT STATED	99	880	1,252,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC0D611 **Length** 2 **Position** 5104 - 5105

Question Name

Concept Number of persons 6 to 11 years old in household - (D)

Question

Universe All respondents

Note Based on DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 5	11,666	27,066,000
NOT STATED	99	880	1,252,000
Total		12,546	28,318,308

Variable Name SP30_STA **Length** 3 **Position** 5106 - 5108

Question Name

Concept Status code after processing

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DECEASED	640	110	168,000
DECEASED (CONF)	642	226	360,000
DECEASED (PERM)	644	544	724,000
FULLY COMPLETED	700	11,666	27,066,000
Total		12,546	28,318,308

Variable Name DHC0_AGE **Length** 3 **Position** 5109 - 5111

Question Name

Concept Age

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	5 - 101	11,666	27,066,000
NOT STATED	999	880	1,252,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC0GAGE **Length** 2 **Position** 5112 - 5113

Question Name

Concept Age - (G)

Question

Universe All respondents

Note Based on DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
4 TO 5 YEARS	2	3	3,000
6 TO 9 YEARS	3	550	1,538,000
10 TO 11 YEARS	4	255	793,500
12 TO 14 YEARS	5	435	1,231,000
15 TO 19 YEARS	6	677	2,021,500
20 TO 24 YEARS	7	648	2,097,000
25 TO 29 YEARS	8	716	1,680,000
30 TO 34 YEARS	9	817	1,794,500
35 TO 39 YEARS	10	1,103	2,462,000
40 TO 44 YEARS	11	1,084	2,734,000
45 TO 49 YEARS	12	943	2,312,000
50 TO 54 YEARS	13	882	1,905,500
55 TO 59 YEARS	14	671	1,467,000
60 TO 64 YEARS	15	639	1,320,000
65 TO 69 YEARS	16	574	1,122,500
70 TO 74 YEARS	17	531	884,500
75 TO 79 YEARS	18	512	832,500
80 YEARS OR OLDER	19	626	868,000
NOT STATED	99	880	1,252,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC0_MAR **Length** 2 **Position** 5114 - 5115

Question Name

Concept Marital status

Question

Universe All respondents

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MARRIED	1	5,174	12,018,500
LIVING COMMON-LAW	2	753	1,689,500
WIDOWED	3	1,039	1,439,500
SEPARATED	4	355	814,000
DIVORCED	5	687	1,182,500
SINGLE, NEVER MARRIED	6	3,657	9,921,000
DON'T KNOW	97	1	1,000
NOT STATED	99	880	1,252,000
Total		12,546	28,318,308

Variable Name DHC0_FID **Length** 1 **Position** 5116

Question Name

Concept Family ID code

Question

Universe All respondents

Note Assigned during generic relationship module.

Variable Name AM60_STA **Length** 1 **Position** 5117

Question Name

Concept Status of health form - H06

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULLY COMPLETE	1	11,666	27,066,000
NOT STATED	9	880	1,252,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM60_BDD **Length** 2 **Position** 5118 - 5119

Question Name

Concept Day of interview - H06 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	11,663	27,065,500
NOT STATED	99	883	1,253,000
	Total	12,546	28,318,308

Variable Name AM60_BMM **Length** 2 **Position** 5120 - 5121

Question Name

Concept Month of interview - H06 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	495	1,571,000
FEBRUARY	2	1,899	5,059,000
MARCH	3	1,016	2,569,500
APRIL	4	218	541,000
MAY	5	11	9,500
JUNE	6	2,402	4,951,500
JULY	7	364	821,000
AUGUST	8	1,945	3,796,500
SEPTEMBER	9	504	1,118,500
OCTOBER	10	126	318,500
NOVEMBER	11	2,106	4,631,000
DECEMBER	12	578	1,678,500
NOT STATED	99	882	1,253,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM60_BYY **Length** 4 **Position** 5122 - 5125

Question Name

Concept Year of interview - H06 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
2000	2000	7,670	16,403,500
2001	2001	3,996	10,662,500
NOT STATED	9999	880	1,252,000
Total		12,546	28,318,308

Variable Name AM60_SRC **Length** 2 **Position** 5126 - 5127

Question Name

Concept Record number of person providing H06 information

Question

Universe All respondents

Note

Variable Name AM60_PXY **Length** 1 **Position** 5128

Question Name

Concept H06 completed by proxy

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PROXY	1	1,267	3,420,000
NON-PROXY	2	10,399	23,646,000
NOT STATED	9	880	1,252,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM60FR **Length** 1 **Position** 5129

Question Name REASON

Concept Flag for reason for proxy - H06

Question

Universe Respondents aged 12 and over with AM60_PXY=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	396	1,018,000
NOT APPLICABLE	6	46	50,000
NOT STATED	9	12,104	27,250,000
Total		12,546	28,318,308

Variable Name GHC0_1 **Length** 1 **Position** 5130

Question Name GH_Q1

Concept Respondent's self perceived general health

Question In general, would you say your health is:

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXCELLENT	1	2,585	6,788,000
VERY GOOD	2	4,447	10,276,000
GOOD	3	3,207	7,221,500
FAIR	4	1,114	2,205,500
POOR	5	311	572,500
DON'T KNOW	7	2	2,500
NOT STATED	9	880	1,252,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GHC0_2	Length	1	Position	5131
Question Name	GH_Q2				
Concept	Respondent's self perceived stress level				
Question	Thinking about the amount of stress in your life, would you say that most days are:				
Universe	Respondents aged 18 and over living in a household				
Note	Formerly STC0_1.				
Content		Code		Sample	Population
NOT AT ALL STRESSFUL		1		1,278	2,703,000
NOT VERY STRESSFUL		2		2,515	5,136,000
A BIT STRESSFUL		3		3,980	9,155,000
QUITE A BIT STRESSFUL		4		1,752	4,455,500
EXTREMELY STRESSFUL		5		338	763,500
NOT APPLICABLE		6		1,796	4,844,000
DON'T KNOW		7		7	8,500
NOT STATED		9		880	1,252,000
		Total		12,546	28,318,308

Variable Name	GHC0DHD1	Length	1	Position	5132
Question Name					
Concept	Health description index - (D)				
Question					
Universe	All respondents				
Note	Based on GHC0_1. This variable lists the health description response categories in the reverse order of GHC0_1, starting at '0'. Higher values indicate positive self-reported health status. See Derived Variables Documentation.				
Content		Code		Sample	Population
POOR		0		311	572,500
FAIR		1		1,114	2,205,500
GOOD		2		3,207	7,221,500
VERY GOOD		3		4,447	10,276,000
EXCELLENT		4		2,585	6,788,000
NOT STATED		9		882	1,254,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC0_HT **Length** 2 **Position** 5133 - 5134

Question Name

Concept Height

Question How tall are you without shoes on?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
3'0" (36 INCHES) (90.2 TO 92.6 CM)	26	17	32,500
3'1" (37 INCHES) (92.7 TO 95.2 CM)	27	8	17,500
3'2" (38 INCHES) (95.3 TO 97.7 CM)	28	2	8,000
3'3" (39 INCHES) (97.8 TO 100.2 CM)	29	5	16,000
3'4" (40 INCHES) (100.3 TO 102.8 CM)	30	7	20,000
3'5" (41 INCHES) (102.9 TO 105.3 CM)	31	6	29,500
3'6" (42 INCHES) (105.4 TO 107.9 CM)	32	27	75,000
3'7" (43 INCHES) (108.0 TO 110.4 CM)	33	4	14,000
3'8" (44 INCHES) (110.5 TO 112.9 CM)	34	19	40,000
3'9" (45 INCHES) (113.0 TO 115.5 CM)	35	9	25,000
3'10" (46 INCHES) (115.6 TO 118.0 CM)	36	16	78,000
3'11" (47 INCHES) (118.1 TO 120.6 CM)	37	20	41,500
4'0" (48 INCHES) (120.7 TO 123.1 CM)	38	108	290,000
4'1" (49 INCHES) (123.2 TO 125.6 CM)	39	38	109,500
4'2" (50 INCHES) (125.7 TO 128.2 CM)	40	59	172,500
4'3" (51 INCHES) (128.3 TO 130.7 CM)	41	35	87,000
4'4" (52 INCHES) (130.8 TO 133.3 CM)	42	36	113,500
4'5" (53 INCHES) (133.4 TO 135.8 CM)	43	29	65,000
4'6" (54 INCHES) (135.9 TO 138.3 CM)	44	59	139,000
4'7" (55 INCHES) (138.4 TO 140.9 CM)	45	33	109,500
4'8" (56 INCHES) (141.0 TO 143.4 CM)	46	52	125,500
4'9" (57 INCHES) (143.5 TO 146.0 CM)	47	67	190,000
4'10" (58 INCHES) (146.1 TO 148.5 CM)	48	89	265,500
4'11" (59 INCHES) (148.6 TO 151.0 CM)	49	177	414,000
5'0" (60 INCHES) (151.1 TO 153.6 CM)	50	463	1,071,500
5'1" (61 INCHES) (153.7 TO 156.1 CM)	51	508	1,091,000
5'2" (62 INCHES) (156.2 TO 158.7 CM)	52	850	1,804,500
5'3" (63 INCHES) (158.8 TO 161.2 CM)	53	848	1,813,000
5'4" (64 INCHES) (161.3 TO 163.7 CM)	54	1,028	2,182,000
5'5" (65 INCHES) (163.8 TO 166.3 CM)	55	844	1,821,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

5'6" (66 INCHES) (166.4 TO 168.8 CM)	56	1,028	2,299,000
5'7" (67 INCHES) (168.9 TO 171.4 CM)	57	852	1,977,000
5'8" (68 INCHES) (171.5 TO 173.9 CM)	58	928	2,170,500
5'9" (69 INCHES) (174.0 TO 176.4 CM)	59	641	1,579,000
5'10" (70 INCHES) (176.5 TO 179.0 CM)	60	793	2,021,000
5'11" (71 INCHES) (179.1 TO 181.5 CM)	61	617	1,505,500
6'0" (72 INCHES) (181.6 TO 184.1 CM)	62	434	1,055,500
6'1" (73 INCHES) (184.2 TO 186.6 CM)	63	285	710,000
6'2" (74 INCHES) (186.7 TO 189.1 CM)	64	204	556,000
6'3" (75 INCHES) (189.2 TO 191.7 CM)	65	85	225,000
6'4" (76 INCHES) (191.8 TO 194.2 CM)	66	48	141,500
6'5" (77 INCHES) (194.3 TO 196.8 CM)	67	14	36,000
6'6" (78 INCHES) (196.9 TO 199.3 CM)	68	20	42,000
6'8" (80 INCHES) (201.9 TO 204.4 CM)	70	2	4,500
6'10" (82 INCHES) (207.0 TO 209.5 CM)	72	2	7,500
6'11" (83 INCHES) (209.6 TO 212.0 CM)	73	1	6,500
NOT APPLICABLE	96	122	152,000
NOT STATED	99	1,007	1,568,000
Total		12,546	28,318,308

Variable Name HWC0_3LB **Length** 4 **Position** 5135 - 5138

Question Name HW_N4

Concept Weight - pounds

Question How much do you weigh? - Pounds

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	1 - 400	11,387	26,548,000
NOT APPLICABLE	9996	122	152,000
NOT STATED	9999	1,037	1,618,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC0_3KG **Length** 4 **Position** 5139 - 5142

Question Name HW_N4

Concept Weight - kilograms

Question How much do you weigh? - Kilograms

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	0 - 181	11,387	26,548,000
NOT APPLICABLE	9996	122	152,000
NOT STATED	9999	1,037	1,618,500
Total		12,546	28,318,308

Variable Name HWC0DBMI **Length** 4.1 **Position** 5143 - 5146

Question Name

Concept Body Mass Index - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women living in a household

Note Based on HWC0_HT, HWC0_3KG and PHC0_4B (formerly HWC0_1). Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE - BODY MASS	0.0 - 56.8	7,577	18,337,500
NOT APPLICABLE	99.6	4,006	8,561,500
NOT STATED	99.9	963	1,419,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC0DISW **Length** 2 **Position** 5147 - 5148

Question Name

Concept Standard weight (International standard) - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women living in a household

Note Based on HWC0_HT, HWC0_3KG and PHC0_4B (formerly HWC0_1). This variable is conceptually the same as HWC0DSW in Cycle 4 (2000). Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNDERWEIGHT	1	135	388,000
NORMAL WEIGHT	2	3,225	8,372,500
OVERWEIGHT	3	2,818	6,500,000
OBESE - CLASS 1	4	999	2,211,000
OBESE - CLASS 11	5	270	602,000
OBESE - CLASS 111	6	130	264,000
NOT APPLICABLE	96	4,006	8,561,500
NOT STATED	99	963	1,419,500
	Total	12,546	28,318,308

Variable Name PHC0_1 **Length** 1 **Position** 5149

Question Name PH_Q1

Concept Ever had blood pressure taken

Question Have you ever had your blood pressure taken?

Universe Respondents aged 12 and over living in a household

Note Formerly BPC0_10.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,083	22,790,000
NO	2	248	746,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	5	12,000
REFUSAL	8	4	13,000
NOT STATED	9	1,276	2,270,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_1B	Length	1	Position	5150
Question Name	PH_Q1B				
Concept	Last time blood pressure was taken				
Question	When was the last time you had your blood pressure taken?				
Universe	Respondents who answered PHC0_1=1				
Note	Formerly BPC0_12.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO		1		5,958	12,882,000
6 MONTHS TO LESS THAN 1 YEAR AGO		2		2,031	4,806,000
1 YEAR TO LESS THAN 2 YEARS AGO		3		1,107	2,660,500
2 YEARS TO LESS THAN 5 YEARS AGO		4		588	1,505,500
5 OR MORE YEARS AGO		5		356	811,500
NOT APPLICABLE		6		1,178	3,233,000
DON'T KNOW		7		38	111,000
REFUSAL		8		5	13,500
NOT STATED		9		1,285	2,295,500
		Total		12,546	28,318,308

Variable Name	PHC0_2	Length	1	Position	5151
Question Name	PH_Q2				
Concept	Ever had PAP smear test				
Question	Have you ever had a PAP smear test?				
Universe	Females aged 18 and over living in a household				
Note	Formerly WHC0_20.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,165	10,363,000
NO		2		294	764,500
NOT APPLICABLE		6		6,111	15,747,500
DON'T KNOW		7		5	7,500
NOT STATED		9		971	1,436,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_2B	Length	1	Position	5152
Question Name	PH_Q2B				
Concept	Last time had PAP smear test				
Question	When was the last time that you had a PAP smear test?				
Universe	Respondents who answered PHC0_2=1				
Note	Formerly WHC0_22.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO		1		1,333	2,814,500
6 MONTHS TO LESS THAN 1 YEAR AGO		2		1,494	3,080,000
1 YEAR TO LESS THAN 3 YEARS AGO		3		1,161	2,363,500
3 YEARS TO LESS THAN 5 YEARS AGO		4		305	628,000
5 OR MORE YEARS AGO		5		837	1,403,500
NOT APPLICABLE		6		6,405	16,512,000
DON'T KNOW		7		34	70,000
REFUSAL		8		1	2,500
NOT STATED		9		976	1,443,500
		Total		12,546	28,318,308

Variable Name	PHC0_3	Length	1	Position	5153
Question Name	PH_Q3				
Concept	Ever had mammogram				
Question	Have you ever had a mammogram, that is, a breast x-ray?				
Universe	Females aged 35 and over living in a household				
Note	Formerly WHC0_30.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,811	5,438,500
NO		2		1,322	2,524,500
NOT APPLICABLE		6		7,448	18,951,500
DON'T KNOW		7		2	2,500
NOT STATED		9		963	1,401,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC0_3B **Length** 1 **Position** 5154

Question Name PH_Q3B

Concept Last time mammogram was done

Question When was the last time that you had a mammogram?

Universe Respondents who answered PHC0_3=1

Note Formerly WHC0_32.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO	1	574	1,103,500
6 MONTHS TO LESS THAN 1 YEAR AGO	2	705	1,384,000
1 YEAR TO LESS THAN 2 YEARS AGO	3	675	1,320,500
2 YEARS TO LESS THAN 5 YEARS AGO	4	411	772,000
5 OR MORE YEARS AGO	5	413	786,500
NOT APPLICABLE	6	8,770	21,476,000
DON'T KNOW	7	24	57,000
REFUSAL	8	9	15,500
NOT STATED	9	965	1,403,500
	Total	12,546	28,318,308

Variable Name PHC0_3CA **Length** 1 **Position** 5155

Question Name PH_Q3C

Concept Had mammogram - family history

Question Why did you have a mammogram? - Family history of breast cancer

Universe Respondents who answered PHC0_3=1

Note Formerly WHC0_33A.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	271	480,000
NO	2	2,527	4,939,500
NOT APPLICABLE	6	8,770	21,476,000
DON'T KNOW	7	10	14,000
REFUSAL	8	3	5,000
NOT STATED	9	965	1,403,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_3CB	Length	1	Position	5156
Question Name	PH_Q3C				
Concept	Had mammogram - regular check-up				
Question	Why did you have a mammogram? - Part of regular check-up / routine screening				
Universe	Respondents who answered PHC0_3=1				
Note	Formerly WHC0_33B.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,850	3,563,500
NO		2		948	1,856,000
NOT APPLICABLE		6		8,770	21,476,000
DON'T KNOW		7		10	14,000
REFUSAL		8		3	5,000
NOT STATED		9		965	1,403,500
		Total		12,546	28,318,308

Variable Name	PHC0_3CC	Length	1	Position	5157
Question Name	PH_Q3C				
Concept	Had mammogram - age				
Question	Why did you have a mammogram? - Age				
Universe	Respondents who answered PHC0_3=1				
Note	Formerly WHC0_33C.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		206	430,000
NO		2		2,592	4,989,500
NOT APPLICABLE		6		8,770	21,476,000
DON'T KNOW		7		10	14,000
REFUSAL		8		3	5,000
NOT STATED		9		965	1,403,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_3CD	Length	1	Position	5158
Question Name	PH_Q3C				
Concept	Had mammogram - previously detected lump				
Question	Why did you have a mammogram? - Previously detected lump				
Universe	Respondents who answered PHC0_3=1				
Note	Formerly WHC0_33D.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		332	641,500
NO		2		2,466	4,778,000
NOT APPLICABLE		6		8,770	21,476,000
DON'T KNOW		7		10	14,000
REFUSAL		8		3	5,000
NOT STATED		9		965	1,403,500
		Total		12,546	28,318,308

Variable Name	PHC0_3CE	Length	1	Position	5159
Question Name	PH_Q3C				
Concept	Had mammogram - follow-up treatment				
Question	Why did you have a mammogram? - Follow-up of breast cancer treatment				
Universe	Respondents who answered PHC0_3=1				
Note	Formerly WHC0_33E.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		97	201,000
NO		2		2,701	5,218,500
NOT APPLICABLE		6		8,770	21,476,000
DON'T KNOW		7		10	14,000
REFUSAL		8		3	5,000
NOT STATED		9		965	1,403,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_3CF	Length	1	Position	5160
Question Name	PH_Q3C				
Concept	Had mammogram - on hormone replacement therapy				
Question	Why did you have a mammogram? - On hormone replacement therapy				
Universe	Respondents who answered PHC0_3=1				
Note	Formerly WHC0_33F.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		26	40,500
NO		2		2,772	5,379,000
NOT APPLICABLE		6		8,770	21,476,000
DON'T KNOW		7		10	14,000
REFUSAL		8		3	5,000
NOT STATED		9		965	1,403,500
		Total		12,546	28,318,308

Variable Name	PHC0_3CG	Length	1	Position	5161
Question Name	PH_Q3C				
Concept	Had mammogram - breast problem				
Question	Why did you have a mammogram? - Breast problem				
Universe	Respondents who answered PHC0_3=1				
Note	Formerly WHC0_33H.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		121	217,500
NO		2		2,677	5,202,000
NOT APPLICABLE		6		8,770	21,476,000
DON'T KNOW		7		10	14,000
REFUSAL		8		3	5,000
NOT STATED		9		965	1,403,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_3CH	Length	1	Position	5162
Question Name	PH_Q3C				
Concept	Had mammogram - other reason				
Question	Why did you have a mammogram? - Other				
Universe	Respondents who answered PHC0_3=1				
Note	Formerly WHC0_33G.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		81	159,500
NO		2		2,717	5,260,000
NOT APPLICABLE		6		8,770	21,476,000
DON'T KNOW		7		10	14,000
REFUSAL		8		3	5,000
NOT STATED		9		965	1,403,500
		Total		12,546	28,318,308

Variable Name	PHC0_4	Length	1	Position	5163
Question Name	PH_Q4				
Concept	Gave birth since last interview				
Question	Since our last interview, have you given birth?				
Universe	Females aged 15 to 49 living in a household				
Note	Formerly GHC0_21.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		247	494,500
NO		2		2,993	6,917,500
NOT APPLICABLE		6		8,387	19,544,500
NOT STATED		9		919	1,361,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_4A	Length	1	Position	5164
Question Name	PH_Q4A				
Concept	Used services of a doctor or midwife				
Question	(For your last baby,) did you use the services of a doctor, a midwife or both?				
Universe	Respondents who answered PHC0_4=1				
Note	Formerly GHC0_23.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DOCTOR ONLY		1		238	470,500
MIDWIFE ONLY		2		1	2,500
BOTH DOCTOR AND MIDWIFE		3		5	15,000
NEITHER		4		2	5,000
NOT APPLICABLE		6		11,380	26,462,000
DON'T KNOW		7		1	1,500
NOT STATED		9		919	1,361,500
		Total		12,546	28,318,308

Variable Name	PHC0_4B	Length	1	Position	5165
Question Name	PH_Q4B				
Concept	Currently pregnant				
Question	It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?				
Universe	Females aged 15 to 49 living in a household				
Note	Formerly HWC0_1.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		86	157,500
NO		2		3,149	7,245,000
NOT APPLICABLE		6		8,387	19,544,500
DON'T KNOW		7		4	8,500
REFUSAL		8		1	1,500
NOT STATED		9		919	1,361,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_5	Length	1	Position	5166
Question Name	PH_Q5				
Concept	Had a hysterectomy				
Question	Have you had a hysterectomy? (uterus removed)				
Universe	Females aged 18 and over living in a household				
Note	Formerly WHC0_5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,156	1,948,000
NO		2		4,294	9,161,000
NOT APPLICABLE		6		6,111	15,747,500
DON'T KNOW		7		3	8,000
NOT STATED		9		982	1,454,000
		Total		12,546	28,318,308

Variable Name	PHC0_5B	Length	3	Position	5167 - 5169
Question Name	PH_Q5A				
Concept	Age had a hysterectomy				
Question	At what age?				
Universe	Respondents who answered PHC0_5=1				
Note	Formerly WHC0_5A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		19 - 85		1,153	1,944,500
NOT APPLICABLE		996		10,405	24,908,500
DON'T KNOW		997		3	3,500
NOT STATED		999		985	1,461,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC0_5CA **Length** 1 **Position** 5170
Question Name PH_Q5C
Concept Reason had a hysterectomy - cancer treatment
Question Why did you have it? - Cancer treatment
Universe Respondents who answered PHC0_5=1
Note Formerly WHC0_5BA. This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	83	135,500
NO	2	1,067	1,804,000
NOT APPLICABLE	6	10,405	24,908,500
DON'T KNOW	7	6	8,500
NOT STATED	9	985	1,461,500
Total		12,546	28,318,308

Variable Name PHC0_5CB **Length** 1 **Position** 5171
Question Name PH_Q5C
Concept Reason had a hysterectomy - cancer prevention
Question Why did you have it? - Cancer prevention
Universe Respondents who answered PHC0_5=1
Note Formerly WHC0_5BB. This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	69	100,000
NO	2	1,081	1,839,500
NOT APPLICABLE	6	10,405	24,908,500
DON'T KNOW	7	6	8,500
NOT STATED	9	985	1,461,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC0_5CC **Length** 1 **Position** 5172

Question Name PH_Q5C

Concept Reason had a hysterectomy - endometriosis

Question Why did you have it? - Endometriosis

Universe Respondents who answered PHC0_5=1

Note Formerly WHC0_5BC. This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	71	136,500
NO	2	1,079	1,803,000
NOT APPLICABLE	6	10,405	24,908,500
DON'T KNOW	7	6	8,500
NOT STATED	9	985	1,461,500
	Total	12,546	28,318,308

Variable Name PHC0_5CD **Length** 1 **Position** 5173

Question Name PH_Q5C

Concept Reason had a hysterectomy - tubal pregnancy

Question Why did you have it? - Tubal pregnancy

Universe Respondents who answered PHC0_5=1

Note Formerly WHC0_5BD. This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	14	20,500
NO	2	1,136	1,919,000
NOT APPLICABLE	6	10,405	24,908,500
DON'T KNOW	7	6	8,500
NOT STATED	9	985	1,461,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC0_5CE	Length	1	Position	5174
Question Name	PH_Q5C				
Concept	Reason had a hysterectomy - benign tumors				
Question	Why did you have it? - Benign tumors (e.g., fibroids)				
Universe	Respondents who answered PHC0_5=1				
Note	Formerly WHC0_5BE. This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		323	546,000
NO		2		827	1,393,500
NOT APPLICABLE		6		10,405	24,908,500
DON'T KNOW		7		6	8,500
NOT STATED		9		985	1,461,500
		Total		12,546	28,318,308

Variable Name	PHC0_5CF	Length	1	Position	5175
Question Name	PH_Q5C				
Concept	Reason had a hysterectomy - menstrual problems				
Question	Why did you have it? - Menstrual problems / abnormal bleeding				
Universe	Respondents who answered PHC0_5=1				
Note	Formerly WHC0_5BF. This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		428	702,000
NO		2		722	1,237,500
NOT APPLICABLE		6		10,405	24,908,500
DON'T KNOW		7		6	8,500
NOT STATED		9		985	1,461,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC0_5CG **Length** 1 **Position** 5176

Question Name PH_Q5C

Concept Reason had a hysterectomy - other reason

Question Why did you have it? - Other reason

Universe Respondents who answered PHC0_5=1

Note Formerly WHC0_5BG. This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	169	309,500
NO	2	981	1,630,000
NOT APPLICABLE	6	10,405	24,908,500
DON'T KNOW	7	6	8,500
NOT STATED	9	985	1,461,500
	Total	12,546	28,318,308

Variable Name HCC0_1 **Length** 1 **Position** 5177

Question Name HC_Q01

Concept Overnight patient

Question In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,173	2,144,000
NO	2	10,491	24,919,000
REFUSAL	8	2	3,000
NOT STATED	9	880	1,252,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_1A **Length** 3 **Position** 5178 - 5180
Question Name HC_Q01A
Concept Number of nights as patient
Question For how many nights in the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
Universe Respondents who answered HCC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF NIGHTS	1 - 365	1,044	1,974,500
NOT APPLICABLE	996	10,491	24,919,000
DON'T KNOW	997	7	17,500
NOT STATED	999	1,004	1,407,500
Total		12,546	28,318,308

Variable Name HCC0_2A **Length** 3 **Position** 5181 - 5183
Question Name HC_Q02A
Concept Number of consultations - family doctor / g.p.
Question (Not counting when you were an overnight patient,) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a family doctor or general practitioner?
Universe All respondents living in a household
Note For respondents less than 18 years old, family doctor includes "pediatrician".

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 200	11,524	26,883,000
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	18	28,000
NOT STATED	999	882	1,255,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_2B **Length** 2 **Position** 5184 - 5185
Question Name HC_Q02B
Concept Number of consultations - eye specialist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with an eye specialist (such as an ophthalmologist or optometrist)?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 30	11,536	26,902,000
NOT APPLICABLE	96	122	152,000
DON'T KNOW	97	6	9,000
NOT STATED	99	882	1,255,000
	Total	12,546	28,318,308

Variable Name HCC0_2C **Length** 3 **Position** 5186 - 5188
Question Name HC_Q02C
Concept Number of consultations - other medical doctor
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with any other medical doctor (such as a surgeon, allergist, orthopedist, gynaecologist, or psychiatrist)?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 159	11,531	26,900,000
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	11	11,000
NOT STATED	999	882	1,255,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_2D **Length** 3 **Position** 5189 - 5191
Question Name HC_Q02D
Concept Number of consultations - nurse
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a nurse for care or advice?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 365	11,531	26,892,000
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	11	19,000
NOT STATED	999	882	1,255,000
Total		12,546	28,318,308

Variable Name HCC0_2E **Length** 3 **Position** 5192 - 5194
Question Name HC_Q02E
Concept Number of consultations - dentist or orthodontist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a dentist or orthodontist?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 99	11,533	26,896,000
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	9	15,000
NOT STATED	999	882	1,255,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_2F **Length** 3 **Position** 5195 - 5197
Question Name HC_Q02F
Concept Number of consultations - chiropractor
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a chiropractor?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 204	11,537	26,901,500
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	5	9,500
NOT STATED	999	882	1,255,000
	Total	12,546	28,318,308

Variable Name HCC0_2G **Length** 3 **Position** 5198 - 5200
Question Name HC_Q02G
Concept Number of consultations - physiotherapist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a physiotherapist?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 280	11,535	26,898,500
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	7	12,500
NOT STATED	999	882	1,255,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_2H **Length** 3 **Position** 5201 - 5203
Question Name HC_Q02H
Concept Number of consultations - social worker or counsellor
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a social worker or counsellor?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 60	11,531	26,898,000
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	11	13,000
NOT STATED	999	882	1,255,000
	Total	12,546	28,318,308

Variable Name HCC0_2I **Length** 3 **Position** 5204 - 5206
Question Name HC_Q02I
Concept Number of consultations - psychologist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a psychologist?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 52	11,537	26,906,000
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	5	5,000
NOT STATED	999	882	1,255,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_2J **Length** 3 **Position** 5207 - 5209
Question Name HC_Q02J
Concept Number of consultations - speech / audiology / occ. ther.
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a speech, audiology or occupational therapist?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 80	11,537	26,903,000
NOT APPLICABLE	996	122	152,000
DON'T KNOW	997	5	7,500
NOT STATED	999	882	1,255,000
	Total	12,546	28,318,308

Variable Name HCC0F1 **Length** 1 **Position** 5210

Question Name

Concept Flag for any health care service utilization

Question

Universe All respondents living in a household

Note Based on HCC0_1 and HCC0_2A to HCC0_2J. This variable is also calculated in Cycle 2 (1996) for Alberta buy-in questions. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,097	25,744,000
NO	2	561	1,307,000
NOT STATED	9	888	1,267,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0DHPC **Length** 1 **Position** 5211

Question Name

Concept Consultations with health professionals - (D)

Question

Universe All respondents living in a household

Note Based on HCC0_2A to HCC0_2J. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,953	25,550,000
NO	2	575	1,338,500
NOT APPLICABLE	6	122	152,000
NOT STATED	9	896	1,278,000
Total		12,546	28,318,308

Variable Name HCC0DMDC **Length** 3 **Position** 5212 - 5214

Question Name

Concept Number of consultations with medical doctors - (D)

Question

Universe All respondents living in a household

Note Based on HCC0_2A and HCC0_2C. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 200	11,521	26,881,000
NOT APPLICABLE	996	122	152,000
NOT STATED	999	903	1,285,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_3	Length	1	Position	5215
Question Name	HC_Q3				
Concept	Has regular medical doctor				
Question	Do you have a regular medical doctor?				
Universe	All respondents living in a household				
Note	Formerly TWC0_5.				
Content		Code		Sample	Population
YES		1		10,228	23,763,000
NO		2		1,310	3,143,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		4	4,500
NOT STATED		9		882	1,255,000
		Total		12,546	28,318,308

Variable Name	HCC0_4A	Length	1	Position	5216
Question Name	HC_Q04A				
Concept	Attended self-help group				
Question	In the past 12 months, have you attended a meeting of a self-help group such as AA or a cancer support group?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		318	713,500
NO		2		10,415	23,861,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		1	1,500
NOT STATED		9		882	1,255,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_4	Length	1	Position	5217
Question Name	HC_Q04				
Concept	Consulted alternative health care provider				
Question	In the past 12 months, have you seen or talked to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		960	2,214,500
NO		2		9,772	22,359,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		2	3,000
NOT STATED		9		882	1,255,000
		Total		12,546	28,318,308

Variable Name	HCC0_5A	Length	1	Position	5218
Question Name	HC_Q05				
Concept	Alternative health care - massage therapist				
Question	Who did you see or talk to? - Massage therapist				
Universe	Respondents who answered HCC0_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		594	1,339,000
NO		2		365	873,000
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_5B	Length	1	Position	5219
Question Name	HC_Q05				
Concept	Alternative health care - acupuncturist				
Question	Who did you see or talk to? - Acupuncturist				
Universe	Respondents who answered HCC0_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		172	409,000
NO		2		787	1,802,500
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

Variable Name	HCC0_5C	Length	1	Position	5220
Question Name	HC_Q05				
Concept	Alternative health care - homeopath or naturopath				
Question	Who did you see or talk to? - Homeopath or naturopath				
Universe	Respondents who answered HCC0_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		175	460,000
NO		2		784	1,751,500
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_5D	Length	1	Position	5221
Question Name	HC_Q05				
Concept	Alternative health care - Feldenkrais or Alexander				
Question	Who did you see or talk to? - Feldenkrais or Alexander teacher				
Universe	Respondents who answered HCC0_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	2,000
NO		2		957	2,210,000
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

Variable Name	HCC0_5E	Length	1	Position	5222
Question Name	HC_Q05				
Concept	Alternative health care - relaxation therapist				
Question	Who did you see or talk to? - Relaxation therapist				
Universe	Respondents who answered HCC0_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		15	26,000
NO		2		944	2,185,500
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_5F	Length	1	Position	5223
Question Name	HC_Q05				
Concept	Alternative health care - biofeedback				
Question	Who did you see or talk to? - Biofeedback teacher				
Universe	Respondents who answered HCC0_4=1				
Note					
Content		Code		Sample	Population
NO		2		959	2,212,000
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

Variable Name	HCC0_5G	Length	1	Position	5224
Question Name	HC_Q05				
Concept	Alternative health care - rolfer				
Question	Who did you see or talk to? - Rolfer				
Universe	Respondents who answered HCC0_4=1				
Note					
Content		Code		Sample	Population
YES		1		1	1,500
NO		2		958	2,210,500
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_5H	Length	1	Position	5225
Question Name	HC_Q05				
Concept	Alternative health care - herbalist				
Question	Who did you see or talk to? - Herbalist				
Universe	Respondents who answered HCC0_4=1				
Note					
Content		Code		Sample	Population
YES		1		38	84,500
NO		2		921	2,127,500
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

Variable Name	HCC0_5I	Length	1	Position	5226
Question Name	HC_Q05				
Concept	Alternative health care - reflexologist				
Question	Who did you see or talk to? - Reflexologist				
Universe	Respondents who answered HCC0_4=1				
Note					
Content		Code		Sample	Population
YES		1		36	55,500
NO		2		923	2,156,000
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_5J	Length	1	Position	5227
Question Name	HC_Q05				
Concept	Alternative health care - spiritual healer				
Question	Who did you see or talk to? - Spiritual healer				
Universe	Respondents who answered HCC0_4=1				
Note					
Content		Code		Sample	Population
YES		1		8	14,000
NO		2		951	2,198,000
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

Variable Name	HCC0_5K	Length	1	Position	5228
Question Name	HC_Q05				
Concept	Alternative health care - religious healer				
Question	Who did you see or talk to? - Religious healer				
Universe	Respondents who answered HCC0_4=1				
Note					
Content		Code		Sample	Population
YES		1		3	5,500
NO		2		956	2,206,500
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_5L	Length	1	Position	5229
Question Name	HC_Q05				
Concept	Alternative health care - other				
Question	Who did you see or talk to? - Other				
Universe	Respondents who answered HCC0_4=1				
Note					
Content		Code		Sample	Population
YES		1		66	151,000
NO		2		893	2,061,000
NOT APPLICABLE		6		10,702	24,846,000
DON'T KNOW		7		1	2,500
NOT STATED		9		884	1,258,000
		Total		12,546	28,318,308

Variable Name	HCC0_6	Length	1	Position	5230
Question Name	HC_Q06				
Concept	Self perceived unmet health care need				
Question	During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		902	2,037,000
NO		2		9,824	22,528,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		8	11,500
NOT STATED		9		882	1,255,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_7A **Length** 1 **Position** 5231
Question Name HC_Q07
Concept Care not received - not available in area
Question Thinking of the most recent time, why didn't you get care? - Not available - in the area
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	85	157,500
NO	2	816	1,879,000
NOT APPLICABLE	6	10,754	25,015,000
DON'T KNOW	7	1	1,000
NOT STATED	9	890	1,266,500
Total		12,546	28,318,308

Variable Name HCC0_7B **Length** 1 **Position** 5232
Question Name HC_Q07
Concept Care not received - not available when required
Question Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g., doctor on holidays, inconvenient hours)
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	147	242,500
NO	2	754	1,794,000
NOT APPLICABLE	6	10,754	25,015,000
DON'T KNOW	7	1	1,000
NOT STATED	9	890	1,266,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_7C	Length	1	Position	5233
Question Name	HC_Q07				
Concept	Care not received - waiting time too long				
Question	Thinking of the most recent time, why didn't you get care? - Waiting time too long				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		309	719,000
NO		2		592	1,317,500
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

Variable Name	HCC0_7D	Length	1	Position	5234
Question Name	HC_Q07				
Concept	Care not received - felt would be inadequate				
Question	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		86	195,000
NO		2		815	1,841,500
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_7E	Length	1	Position	5235
Question Name	HC_Q07				
Concept	Care not received - cost				
Question	Thinking of the most recent time, why didn't you get care? - Cost				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		73	201,000
NO		2		828	1,835,500
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

Variable Name	HCC0_7F	Length	1	Position	5236
Question Name	HC_Q07				
Concept	Care not received - too busy				
Question	Thinking of the most recent time, why didn't you get care? - Too busy				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		74	214,500
NO		2		827	1,822,000
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_7G	Length	1	Position	5237
Question Name	HC_Q07				
Concept	Care not received - didn't get around to it				
Question	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		113	243,500
NO		2		788	1,792,500
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

Variable Name	HCC0_7H	Length	1	Position	5238
Question Name	HC_Q07				
Concept	Care not received - didn't know where to go				
Question	Thinking of the most recent time, why didn't you get care? - Didn't know where to go				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		13	32,500
NO		2		888	2,004,000
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_7I	Length	1	Position	5239
Question Name	HC_Q07				
Concept	Care not received - transportation problems				
Question	Thinking of the most recent time, why didn't you get care? - Transportation problems				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		17	33,500
NO		2		884	2,003,000
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

Variable Name	HCC0_7J	Length	1	Position	5240
Question Name	HC_Q07				
Concept	Care not received - language problem				
Question	Thinking of the most recent time, why didn't you get care? - Language problems				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		901	2,036,500
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC0_7K	Length	1	Position	5241
Question Name	HC_Q07				
Concept	Care not received - personal or family responsibilities				
Question	Thinking of the most recent time, why didn't you get care? - Personal or family responsibilities				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		12	24,000
NO		2		889	2,012,500
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

Variable Name	HCC0_7L	Length	1	Position	5242
Question Name	HC_Q07				
Concept	Care not received - dislikes doctors / afraid				
Question	Thinking of the most recent time, why didn't you get care? - Dislikes doctors / afraid				
Universe	Respondents who answered HCC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		24	60,500
NO		2		877	1,976,000
NOT APPLICABLE		6		10,754	25,015,000
DON'T KNOW		7		1	1,000
NOT STATED		9		890	1,266,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_7M **Length** 1 **Position** 5243
Question Name HC_Q07
Concept Care not received - decided not to seek care
Question Thinking of the most recent time, why didn't you get care? - Decided not to seek care
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	43	95,500
NO	2	858	1,941,000
NOT APPLICABLE	6	10,754	25,015,000
DON'T KNOW	7	1	1,000
NOT STATED	9	890	1,266,500
	Total	12,546	28,318,308

Variable Name HCC0_7N **Length** 1 **Position** 5244
Question Name HC_Q07
Concept Care not received - other reason
Question Thinking of the most recent time, why didn't you get care? - Other
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	53	118,000
NO	2	848	1,918,000
NOT APPLICABLE	6	10,754	25,015,000
DON'T KNOW	7	1	1,000
NOT STATED	9	890	1,266,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_8A **Length** 1 **Position** 5245
Question Name HC_Q08
Concept Type of care not received - physical health problem
Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	642	1,407,500
NO	2	259	626,500
NOT APPLICABLE	6	10,754	25,015,000
REFUSAL	8	1	3,000
NOT STATED	9	890	1,266,500
Total		12,546	28,318,308

Variable Name HCC0_8B **Length** 1 **Position** 5246
Question Name HC_Q08
Concept Type of care not received - emot. or mental health problem
Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	190,500
NO	2	819	1,843,500
NOT APPLICABLE	6	10,754	25,015,000
REFUSAL	8	1	3,000
NOT STATED	9	890	1,266,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_8C **Length** 1 **Position** 5247
Question Name HC_Q08
Concept Type of care not received - regular check-up
Question Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	80	194,000
NO	2	821	1,840,000
NOT APPLICABLE	6	10,754	25,015,000
REFUSAL	8	1	3,000
NOT STATED	9	890	1,266,500
Total		12,546	28,318,308

Variable Name HCC0_8D **Length** 1 **Position** 5248
Question Name HC_Q08
Concept Type of care not received - injury
Question Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	72	170,000
NO	2	829	1,864,000
NOT APPLICABLE	6	10,754	25,015,000
REFUSAL	8	1	3,000
NOT STATED	9	890	1,266,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_8E **Length** 1 **Position** 5249
Question Name HC_Q08
Concept Type of care not received - other
Question Again, thinking of the most recent time, what was the type of care that was needed? - Other
Universe Respondents who answered HCC0_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	60	134,500
NO	2	841	1,899,500
NOT APPLICABLE	6	10,754	25,015,000
REFUSAL	8	1	3,000
NOT STATED	9	890	1,266,500
Total		12,546	28,318,308

Variable Name HCC0_9 **Length** 1 **Position** 5250
Question Name HC_Q09
Concept Received home care services
Question Have you received any home care services in the past 12 months?
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	403	680,500
NO	2	9,464	21,537,000
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	1	1,000
NOT STATED	9	882	1,255,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_10A **Length** 1 **Position** 5251
Question Name HC_Q10
Concept Home care received - nursing care
Question What type of services have you received? - Nursing care (e.g., dressing changes, VON)
Universe Respondents who answered HCC0_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	164	311,500
NO	2	237	367,500
NOT APPLICABLE	6	11,260	26,381,000
DON'T KNOW	7	2	2,000
NOT STATED	9	883	1,256,500
Total		12,546	28,318,308

Variable Name HCC0_10B **Length** 1 **Position** 5252
Question Name HC_Q10
Concept Home care received - other health care
Question What type of services have you received? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC0_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	49	101,000
NO	2	352	578,000
NOT APPLICABLE	6	11,260	26,381,000
DON'T KNOW	7	2	2,000
NOT STATED	9	883	1,256,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_10C **Length** 1 **Position** 5253

Question Name HC_Q10

Concept Home care received - personal care

Question What type of services have you received? - Personal care (e.g., bathing, foot care)

Universe Respondents who answered HCC0_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	131	192,000
NO	2	270	487,000
NOT APPLICABLE	6	11,260	26,381,000
DON'T KNOW	7	2	2,000
NOT STATED	9	883	1,256,500
	Total	12,546	28,318,308

Variable Name HCC0_10D **Length** 1 **Position** 5254

Question Name HC_Q10

Concept Home care received - housework

Question What type of services have you received? - Housework (e.g., cleaning, laundry)

Universe Respondents who answered HCC0_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	178	242,000
NO	2	223	437,000
NOT APPLICABLE	6	11,260	26,381,000
DON'T KNOW	7	2	2,000
NOT STATED	9	883	1,256,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_10E **Length** 1 **Position** 5255
Question Name HC_Q10
Concept Home care received - meal preparation or delivery
Question What type of services have you received? - Meal preparation or delivery
Universe Respondents who answered HCC0_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	93,500
NO	2	319	585,500
NOT APPLICABLE	6	11,260	26,381,000
DON'T KNOW	7	2	2,000
NOT STATED	9	883	1,256,500
Total		12,546	28,318,308

Variable Name HCC0_10F **Length** 1 **Position** 5256
Question Name HC_Q10
Concept Home care received - shopping
Question What type of services have you received? - Shopping
Universe Respondents who answered HCC0_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	19	23,000
NO	2	382	655,500
NOT APPLICABLE	6	11,260	26,381,000
DON'T KNOW	7	2	2,000
NOT STATED	9	883	1,256,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC0_10G **Length** 1 **Position** 5257
Question Name HC_Q10
Concept Home care received - respite care
Question What type of services have you received? - Respite care (i.e. caregiver relief program)
Universe Respondents who answered HCC0_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	36,500
NO	2	380	642,500
NOT APPLICABLE	6	11,260	26,381,000
DON'T KNOW	7	2	2,000
NOT STATED	9	883	1,256,500
	Total	12,546	28,318,308

Variable Name HCC0_10H **Length** 1 **Position** 5258
Question Name HC_Q10
Concept Home care received - other
Question What type of services have you received? - Other
Universe Respondents who answered HCC0_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	14	36,500
NO	2	387	642,500
NOT APPLICABLE	6	11,260	26,381,000
DON'T KNOW	7	2	2,000
NOT STATED	9	883	1,256,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC0_1A **Length** 1 **Position** 5259

Question Name RA_Q1A

Concept Limited in kind / amount of activities - at home

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at home?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,531	2,905,500
NO	2	10,131	24,151,500
DON'T KNOW	7	3	8,500
REFUSAL	8	1	1,000
NOT STATED	9	880	1,252,000
Total		12,546	28,318,308

Variable Name RAC0_1B **Length** 1 **Position** 5260

Question Name RA_Q1B

Concept Limited in kind / amount of activities - at school

Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at school?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	128	333,000
NO	2	3,260	8,908,000
N/A ACCORDING TO RESPONDENT	3	8,277	17,824,000
NOT STATED	9	881	1,253,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC0_1C **Length** 1 **Position** 5261
Question Name RA_Q1C
Concept Limited in kind / amount of activities - at work
Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at work?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	535	1,174,000
NO	2	6,685	16,463,500
N/A ACCORDING TO RESPONDENT	3	3,637	7,093,000
NOT APPLICABLE	6	808	2,334,500
NOT STATED	9	881	1,253,500
Total		12,546	28,318,308

Variable Name RAC0_1D **Length** 1 **Position** 5262
Question Name RA_Q1D
Concept Limited in kind / amount of activities - other
Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do in other activities such as transportation to or from work or school or leisure time activities?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,373	2,675,500
NO	2	10,289	24,382,500
DON'T KNOW	7	2	5,000
NOT STATED	9	882	1,255,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC0_2	Length	1	Position	5263
Question Name	RA_Q2				
Concept	Has long-term disabilities or handicaps				
Question	Do you have any long-term disabilities or handicaps?				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,616	3,195,500
NO		2		10,045	23,863,000
DON'T KNOW		7		4	6,000
NOT STATED		9		881	1,253,500
		Total		12,546	28,318,308

Variable Name	RAC0F1	Length	1	Position	5264
Question Name					
Concept	Flag for restriction of activity				
Question					
Universe	All respondents				
Note	Based on RAC0_1A to RAC0_1D and RAC0_2 . In the calculation of Cycle 1 (1994) Restriction of Activity Flag, the category "No" included "Don't Know" and "Refusal" but in Cycle 2 (1996) and beyond, the category "No" was only responses of "No. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,369	4,697,500
NO		2		9,291	22,355,000
NOT STATED		9		886	1,266,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC0F2	Length	1	Position	5265
Question Name					
Concept	Restriction of activity flag (excl. long-term disability)				
Question					
Universe	All respondents				
Note	Based on RAC0_1A to RAC0_1D. See Derived Variables Documentation.				
Content		Code		Sample	Population
YES		1		1,982	3,853,500
NO		2		9,678	23,198,500
NOT STATED		9		886	1,266,500
		Total		12,546	28,318,308

Variable Name	RAC0F3	Length	1	Position	5266
Question Name	RA_Q3				
Concept	Flag for problem causing limitation or handicap				
Question	What is the main condition or health problem causing you (to be limited in your activities / to have a long-term disability or handicap)?				
Universe	Respondents with RAC0F1=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		2,354	4,675,000
NOT APPLICABLE		6		9,291	22,355,000
DON'T KNOW		7		8	11,500
REFUSAL		8		2	6,000
NOT STATED		9		891	1,271,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1768

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC0CIC **Length** 5 **Position** 5267 - 5271

Question Name RA_Q3

Concept ICD-9 code - main health problem causing limitations

Question

Universe Respondents with RAC0F1=1

Note Based on the International Classification of Diseases, 9th revision (ICD-9).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ICD-9 CODE	0V222 - 9953	2,354	4,675,000
NOT APPLICABLE	99996	9,291	22,355,000
DON'T KNOW	99997	8	11,500
REFUSAL	99998	2	6,000
NOT STATED	99999	891	1,271,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC0GC12 **Length** 2 **Position** 5272 - 5273

Question Name

Concept Main health problem - 12 groups - (D,G)

Question

Universe Respondents with RAC0F1=1

Note Based on RAC0CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DISEASES OF NERVOUS SYSTEM AND SENSES	1	415	879,000
ISCHEMIC HEART DISEASE	2	33	54,500
OTHER HEART CONDITIONS	3	152	254,000
OTHER CIRCULATORY DISEASES	4	76	110,500
DISEASES OF RESPIRATORY/DIGESTIVE SYSTEM	5	206	401,000
ARTHRITIS - LIMBS	6	24	66,500
ARTHRITIS - BACK AND SPINE	7	11	22,000
ARTHRITIS - OTHER AND UNSPECIFIED	8	252	440,000
DISEASES OF THE MSCT - LIMBS	9	300	656,500
DISEASES OF THE MSCT - BACK AND SPINE	10	335	693,500
DISEASES OF THE MSCT - OTHER	11	89	150,500
OTHER	12	461	947,500
NOT APPLICABLE	96	9,291	22,355,000
NOT STATED	99	901	1,288,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC0GC25 **Length** 2 **Position** 5274 - 5275

Question Name

Concept Main health problem - 25 groups - (D,G)

Question

Universe Respondents with RAC0F1=1

Note Based on RAC0CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MENTAL RETARDATION	1	9	21,000
MENTAL DISORDERS	2	123	287,000
SIGHT DISORDER	3	75	147,500
HEARING DISORDER	4	61	134,500
OTHER DISORDERS OF NERVOUS SYSTEM	5	147	289,500
HYPERTENSIVE DISEASE	6	13	25,500
ISCHEMIC HEART DISEASE	7	33	54,500
OTHER HEART CONDITIONS	8	139	228,000
OTHER CIRCULATORY DISORDERS	9	76	110,500
BRONCHITIS AND EMPHYSEMA	10	30	60,000
ASTHMA	11	97	200,000
OTHER RESPIRATORY DISORDERS	12	32	49,500
DISORDERS OF DIGESTIVE SYSTEM	13	47	91,000
INFECTIOUS AND PARASITIC DISEASES	14	26	43,500
ARTHRITIS - LOWER LIMBS	15	19	50,500
ARTHRITIS - UPPER LIMBS	16	5	16,000
ARTHRITIS - BACK AND SPINE	17	11	22,000
ARTHRITIS - OTHER AND UNSPECIFIED	18	252	440,000
MUSC. SKELETAL - LOWER LIMBS	19	214	451,000
MUSC. SKELETAL - UPPER LIMBS	20	86	205,500
MUSC. SKELETAL - BACK AND SPINE	21	335	693,500
MUSC. SKELETAL - OTHER	22	89	150,500
NEOPLASMS	23	41	85,500
ENDOCRINE, NUTRITIONAL, ETC.	24	55	107,000
OTHER	25	339	711,500
NOT APPLICABLE	96	9,291	22,355,000
NOT STATED	99	901	1,288,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC0_6B	Length	1	Position	5282
Question Name	RA_Q6B				
Concept	Needs help for - shopping for necessities				
Question	Because of any condition or health problem, do you need the help of another person in shopping for groceries or other necessities?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		548	1,051,500
NO		2		10,185	23,524,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		2	2,500
NOT STATED		9		881	1,253,500
		Total		12,546	28,318,308

Variable Name	RAC0_6C	Length	1	Position	5283
Question Name	RA_Q6C				
Concept	Needs help for - housework				
Question	Because of any condition or health problem, do you need the help of another person in doing normal everyday housework?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		635	1,206,000
NO		2		10,098	23,370,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		2	2,500
NOT STATED		9		881	1,253,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC0_6D **Length** 1 **Position** 5284
Question Name RA_Q6D
Concept Needs help for - heavy household chores
Question Because of any condition or health problem, do you need the help of another person in doing heavy household chores such as washing walls or yard work?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,598	3,016,500
NO	2	9,133	21,554,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	4	7,000
NOT STATED	9	881	1,253,500
Total		12,546	28,318,308

Variable Name RAC0_6E **Length** 1 **Position** 5285
Question Name RA_Q6E
Concept Needs help for - personal care
Question Because of any condition or health problem, do you need the help of another person in personal care such as washing, dressing or eating?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	334	571,000
NO	2	10,523	24,159,500
NOT APPLICABLE	6	808	2,334,500
NOT STATED	9	881	1,253,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC0_6F **Length** 1 **Position** 5286

Question Name RA_Q6F

Concept Needs help for - moving about inside the house

Question Because of any condition or health problem, do you need the help of another person in moving about inside the house?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	228	393,000
NO	2	10,629	24,337,500
NOT APPLICABLE	6	808	2,334,500
NOT STATED	9	881	1,253,500
Total		12,546	28,318,308

Variable Name RAC0F6 **Length** 1 **Position** 5287

Question Name

Concept Flag for need for help in series of tasks (indoors)

Question

Universe Respondents aged 12 and over

Note Any "yes" in RAC0_6A to RAC0_6F. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,790	3,320,500
NO	2	9,063	21,403,000
NOT APPLICABLE	6	808	2,334,500
NOT STATED	9	885	1,260,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_1A **Length** 1 **Position** 5288
Question Name CC_Q011
Concept Has food allergies
Question Do you have food allergies?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	843	1,966,000
NO	2	10,693	24,927,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	6	17,500
REFUSAL	8	2	3,000
NOT STATED	9	880	1,252,000
	Total	12,546	28,318,308

Variable Name CCC0_A3 **Length** 3 **Position** 5289 - 5291
Question Name CC_Q012
Concept Food allergies - age first diagnosed
Question How old were you when this "food allergies" was first diagnosed?
Universe Respondents who answered CCC0_1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 84	832	1,939,500
NOT APPLICABLE	996	10,815	25,080,000
DON'T KNOW	997	11	26,500
NOT STATED	999	888	1,272,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_1B **Length** 1 **Position** 5292
Question Name CC_Q021
Concept Has allergies other than food allergies
Question Do you have any other allergies?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,822	6,879,500
NO	2	8,713	20,016,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	7	15,500
NOT STATED	9	882	1,255,000
Total		12,546	28,318,308

Variable Name CCC0_1C **Length** 1 **Position** 5293
Question Name CC_Q031
Concept Has asthma
Question Do you have asthma?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,085	2,594,000
NO	2	10,573	24,454,000
DON'T KNOW	7	4	13,000
NOT STATED	9	884	1,257,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_C3 **Length** 3 **Position** 5294 - 5296

Question Name CC_Q032

Concept Asthma - age first diagnosed

Question How old were you when this "asthma" was first diagnosed?

Universe Respondents who answered CCC0_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 94	1,049	2,520,500
NOT APPLICABLE	996	10,584	24,467,500
DON'T KNOW	997	26	62,500
REFUSAL	998	2	2,500
NOT STATED	999	885	1,265,500
Total		12,546	28,318,308

Variable Name CCC0_C1 **Length** 1 **Position** 5297

Question Name CC_Q033

Concept Asthma - condition disappeared

Question During our last interview, it was reported that you had asthma, but this time it was not. Has the condition disappeared since then?

Universe Non-proxy respondents aged 12 and over and proxy respondents aged less than 12 who answered CCC8_1C=1 and CCC0_1C=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	104	312,000
NEVER HAD ASTHMA	3	42	120,500
NOT APPLICABLE	6	11,511	26,610,500
NOT STATED	9	889	1,275,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_C2M **Length** 2 **Position** 5298 - 5299
Question Name CC_Q034
Concept Asthma - month condition disappeared
Question When did it "asthma" disappear? - Month
Universe Respondents who answered CCC0_C1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	21	67,500
FEBRUARY	2	6	18,500
MARCH	3	5	11,500
APRIL	4	4	8,500
MAY	5	5	7,500
JUNE	6	5	17,500
JULY	7	7	17,000
AUGUST	8	6	11,000
SEPTEMBER	9	6	20,000
OCTOBER	10	8	34,500
NOVEMBER	11	7	25,000
DECEMBER	12	5	18,500
NOT APPLICABLE	96	11,553	26,731,000
DON'T KNOW	97	18	36,500
REFUSAL	98	1	18,500
NOT STATED	99	889	1,275,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_C2Y **Length** 4 **Position** 5300 - 5303
Question Name CC_Q034
Concept Asthma - year condition disappeared
Question When did it "asthma" disappear? - Year
Universe Respondents who answered CCC0_C1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1998 - 2000	99	307,000
NOT APPLICABLE	9996	11,553	26,731,000
DON'T KNOW	9997	5	5,000
NOT STATED	9999	889	1,275,000
	Total	12,546	28,318,308

Variable Name CCC0_C5 **Length** 1 **Position** 5304
Question Name CC_Q035
Concept Asthma - had symptoms or attacks
Question Have you had any asthma symptoms or asthma attacks in the past 12 months?
Universe Respondents who answered CCC0_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	591	1,434,000
NO	2	483	1,147,000
NOT APPLICABLE	6	10,584	24,467,500
DON'T KNOW	7	3	4,000
NOT STATED	9	885	1,265,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_C6 **Length** 1 **Position** 5305
Question Name CC_Q036
Concept Asthma - took medication
Question In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?
Universe Respondents who answered CCC0_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	793	1,885,000
NO	2	283	699,000
NOT APPLICABLE	6	10,584	24,467,500
DON'T KNOW	7	1	1,000
NOT STATED	9	885	1,265,500
	Total	12,546	28,318,308

Variable Name CCC0_1X **Length** 1 **Position** 5306
Question Name CC_Q041
Concept Has fibromyalgia
Question Remember, we're interested in conditions diagnosed by a health professional. Do you have fibromyalgia?
Universe Respondents aged 12 and over living in a household
Note The list of chronic conditions changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	125	241,000
NO	2	10,604	24,329,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	5	6,000
NOT STATED	9	882	1,255,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_X3 **Length** 3 **Position** 5307 - 5309

Question Name CC_Q042

Concept Fibromyalgia - age first diagnosed

Question How old were you when this "fibromyalgia" was first diagnosed?

Universe Respondents who answered CCC0_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	17 - 84	125	241,000
NOT APPLICABLE	996	11,534	26,816,000
NOT STATED	999	887	1,261,500
	Total	12,546	28,318,308

Variable Name CCC0_1D **Length** 1 **Position** 5310

Question Name CC_Q051

Concept Has arthritis or rheumatism excluding fibromyalgia

Question Do you have arthritis or rheumatism excluding fibromyalgia?

Universe Respondents aged 12 and over

Note The list of chronic conditions changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,969	3,621,500
NO	2	8,877	21,090,000
NOT APPLICABLE	6	808	2,334,500
DON'T KNOW	7	9	16,500
NOT STATED	9	883	1,256,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_D3 **Length** 3 **Position** 5311 - 5313
Question Name CC_Q052
Concept Arthritis / rheum. - age first diagnosed
Question How old were you when this "arthritis or rheumatism excluding fibromyalgia" was first diagnosed?
Universe Respondents who answered CCC0_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 93	1,868	3,493,000
NOT APPLICABLE	996	9,744	23,490,500
DON'T KNOW	997	44	63,500
NOT STATED	999	890	1,271,000
	Total	12,546	28,318,308

Variable Name CCC0_D11 **Length** 1 **Position** 5314
Question Name CC_Q05A
Concept Arthritis / rheum. - kind
Question What kind of arthritis do you have?
Universe Respondents who answered CCC0_1D=1 living in a household
Note Formerly CC_0_D1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
RHEUMATOID ARTHRITIS	1	542	958,500
OSTEOARTHRITIS	2	1,002	1,941,000
OTHER	3	147	308,000
NOT APPLICABLE	6	9,744	23,490,500
DON'T KNOW	7	219	346,500
REFUSAL	8	2	2,500
NOT STATED	9	890	1,271,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_D2	Length	1	Position	5315
Question Name	CC_Q05B				
Concept	Arthritis / rheum. - had surgery				
Question	Have you had an operation or surgery because of your arthritis?				
Universe	Respondents who answered CCC0_1D=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		175	309,000
NO		2		1,736	3,244,500
NOT APPLICABLE		6		9,744	23,490,500
DON'T KNOW		7		1	3,000
NOT STATED		9		890	1,271,000
		Total		12,546	28,318,308

Variable Name	CC_0_D2A	Length	1	Position	5316
Question Name	CC_Q05C				
Concept	Arthritis / rheum. surgery - hip replacement				
Question	What kind of operation or surgery? - Hip replacement				
Universe	Respondents who answered CC_0_D2=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		46	62,500
NO		2		128	244,500
NOT APPLICABLE		6		11,480	26,735,000
DON'T KNOW		7		1	2,000
NOT STATED		9		891	1,274,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_D2B **Length** 1 **Position** 5317
Question Name CC_Q05C
Concept Arthritis / rheum. surgery - knee replacement
Question What kind of operation or surgery? - Knee replacement
Universe Respondents who answered CC_0_D2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	49	69,500
NO	2	125	237,500
NOT APPLICABLE	6	11,480	26,735,000
DON'T KNOW	7	1	2,000
NOT STATED	9	891	1,274,000
	Total	12,546	28,318,308

Variable Name CC_0_D2C **Length** 1 **Position** 5318
Question Name CC_Q05C
Concept Arthritis / rheum. surgery - other joint replacement
Question What kind of operation or surgery? - Other joint replacement
Universe Respondents who answered CC_0_D2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	16	42,000
NO	2	158	265,000
NOT APPLICABLE	6	11,480	26,735,000
DON'T KNOW	7	1	2,000
NOT STATED	9	891	1,274,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_D2D	Length	1	Position	5319
Question Name	CC_Q05C				
Concept	Arthritis / rheum. surgery - other joint surgery				
Question	What kind of operation or surgery? - Other joint surgery				
Universe	Respondents who answered CC_0_D2=1				
Note					
Content		Code		Sample	Population
YES		1		73	151,000
NO		2		101	156,500
NOT APPLICABLE		6		11,480	26,735,000
DON'T KNOW		7		1	2,000
NOT STATED		9		891	1,274,000
		Total		12,546	28,318,308

Variable Name	CCC0_D5	Length	1	Position	5320
Question Name	CC_Q05D				
Concept	Arthritis / rheum. - received treatment or medication				
Question	Do you receive any treatment or medication for your arthritis or do you do anything to relieve arthritis pain?				
Universe	Respondents who answered CCC0_1D=1 living in a household				
Note	Formerly CC_0_D3.				
Content		Code		Sample	Population
YES		1		1,184	2,187,000
NO		2		726	1,369,000
NOT APPLICABLE		6		9,744	23,490,500
DON'T KNOW		7		2	1,000
NOT STATED		9		890	1,271,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_D3A	Length	1	Position	5321
Question Name	CC_Q05E				
Concept	Arthritis / rheum. treatment - drug				
Question	What do you do? - Drug				
Universe	Respondents who answered CCC0_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,063	1,931,000
NO		2		121	256,000
NOT APPLICABLE		6		10,470	24,859,500
NOT STATED		9		892	1,272,000
		Total		12,546	28,318,308

Variable Name	CC_0_D3B	Length	1	Position	5322
Question Name	CC_Q05E				
Concept	Arthritis / rheum. treatment - diet				
Question	What do you do? - Diet				
Universe	Respondents who answered CCC0_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		77	171,000
NO		2		1,107	2,016,000
NOT APPLICABLE		6		10,470	24,859,500
NOT STATED		9		892	1,272,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_D3C **Length** 1 **Position** 5323
Question Name CC_Q05E
Concept Arthritis / rheum. treatment - exercise
Question What do you do? - Exercise
Universe Respondents who answered CCC0_D5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	195	376,500
NO	2	989	1,810,500
NOT APPLICABLE	6	10,470	24,859,500
NOT STATED	9	892	1,272,000
	Total	12,546	28,318,308

Variable Name CC_0_D3D **Length** 1 **Position** 5324
Question Name CC_Q05E
Concept Arthritis / rheum. treatment - physiotherapy
Question What do you do? - Physiotherapy
Universe Respondents who answered CCC0_D5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	71	145,000
NO	2	1,113	2,042,000
NOT APPLICABLE	6	10,470	24,859,500
NOT STATED	9	892	1,272,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_D3E	Length	1	Position	5325
Question Name	CC_Q05E				
Concept	Arthritis / rheum. treatment - heat or ice				
Question	What do you do? - Heat or ice				
Universe	Respondents who answered CCC0_D5=1				
Note					
Content		Code		Sample	Population
YES		1		140	274,000
NO		2		1,044	1,912,500
NOT APPLICABLE		6		10,470	24,859,500
NOT STATED		9		892	1,272,000
		Total		12,546	28,318,308

Variable Name	CC_0_D3F	Length	1	Position	5326
Question Name	CC_Q05E				
Concept	Arthritis / rheum. treatment - relaxation techniques				
Question	What do you do? - Relaxation techniques				
Universe	Respondents who answered CCC0_D5=1				
Note					
Content		Code		Sample	Population
YES		1		57	129,500
NO		2		1,127	2,057,500
NOT APPLICABLE		6		10,470	24,859,500
NOT STATED		9		892	1,272,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_D3G **Length** 1 **Position** 5327
Question Name CC_Q05E
Concept Arthritis / rheum. treatment - splints, supports etc.
Question What do you do? - Splints, supports or other assistive devices
Universe Respondents who answered CCC0_D5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	41	83,500
NO	2	1,143	2,103,000
NOT APPLICABLE	6	10,470	24,859,500
NOT STATED	9	892	1,272,000
	Total	12,546	28,318,308

Variable Name CC_0_D3H **Length** 1 **Position** 5328
Question Name CC_Q05E
Concept Arthritis / rheum. treatment - other
Question What do you do? - Other
Universe Respondents who answered CCC0_D5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	29	58,000
NO	2	1,155	2,129,000
NOT APPLICABLE	6	10,470	24,859,500
NOT STATED	9	892	1,272,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_D4A	Length	1	Position	5329
Question Name	CC_Q05F				
Concept	Arthritis / rheum. drug type - prescription medication				
Question	What kind of drugs? - Prescription medication				
Universe	Respondents who answered CC_0_D3A=1				
Note					
Content		Code		Sample	Population
YES		1		718	1,290,000
NO		2		344	640,500
NOT APPLICABLE		6		10,591	25,115,500
DON'T KNOW		7		1	1,000
NOT STATED		9		892	1,272,000
		Total		12,546	28,318,308

Variable Name	CC_0_D4B	Length	1	Position	5330
Question Name	CC_Q05F				
Concept	Arthritis / rheum. drug type - over-the-counter pain killers				
Question	What kind of drugs? - Over-the-counter pain killers				
Universe	Respondents who answered CC_0_D3A=1				
Note					
Content		Code		Sample	Population
YES		1		371	684,500
NO		2		691	1,246,000
NOT APPLICABLE		6		10,591	25,115,500
DON'T KNOW		7		1	1,000
NOT STATED		9		892	1,272,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_D4C	Length	1	Position	5331
Question Name	CC_Q05F				
Concept	Arthritis / rheum. drug type - herbal or natural remedies				
Question	What kind of drugs? - Herbal or natural remedies				
Universe	Respondents who answered CC_0_D3A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		64	146,000
NO		2		998	1,784,500
NOT APPLICABLE		6		10,591	25,115,500
DON'T KNOW		7		1	1,000
NOT STATED		9		892	1,272,000
		Total		12,546	28,318,308

Variable Name	CCC0_1E	Length	1	Position	5332
Question Name	CC_Q061				
Concept	Has back problems excluding fibromyalgia and arthritis				
Question	Remember, we're interested in conditions diagnosed by a health professional. Do you have back problems, excluding fibromyalgia and arthritis?				
Universe	Respondents aged 12 and over living in a household				
Note	The list of chronic conditions changed in Cycle 4 (2000).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,600	3,521,000
NO		2		9,128	21,044,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		6	11,500
NOT STATED		9		882	1,255,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_E3 **Length** 3 **Position** 5333 - 5335
Question Name CC_Q062
Concept Back problems - age first diagnosed
Question How old were you when this "back problems, excluding fibromyalgia and arthritis" was first diagnosed?
Universe Respondents who answered CCC0_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 90	1,577	3,486,000
NOT APPLICABLE	996	10,058	23,530,500
DON'T KNOW	997	22	32,500
REFUSAL	998	1	2,000
NOT STATED	999	888	1,266,500
Total		12,546	28,318,308

Variable Name CCC0_1F **Length** 1 **Position** 5336
Question Name CC_Q071
Concept Has high blood pressure
Question Do you have high blood pressure?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,696	3,085,000
NO	2	9,128	21,580,000
NOT APPLICABLE	6	808	2,334,500
DON'T KNOW	7	29	58,500
REFUSAL	8	1	3,000
NOT STATED	9	884	1,257,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_F3 **Length** 3 **Position** 5337 - 5339

Question Name CC_Q072

Concept High blood pressure - age first diagnosed

Question How old were you when this "high blood pressure" was first diagnosed?

Universe Respondents who answered CCC0_1F=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	3 - 95	1,615	2,948,500
NOT APPLICABLE	996	9,986	23,975,000
DON'T KNOW	997	38	85,000
NOT STATED	999	907	1,309,500
	Total	12,546	28,318,308

Variable Name CCC0_F1 **Length** 1 **Position** 5340

Question Name CC_Q073

Concept High blood pressure - condition disappeared

Question During our last interview, it was reported that you had high blood pressure, but this time it was not. Has the condition disappeared since then?

Universe Non-proxy respondents aged 12 and over who answered CCC8_1F=1 and CCC0_1F=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	123	251,500
NEVER HAD HIGH BLOOD PRESSURE	3	27	39,500
NOT APPLICABLE	6	11,151	25,773,000
NOT STATED	9	1,245	2,254,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_F2M **Length** 2 **Position** 5341 - 5342
Question Name CC_Q074
Concept High blood pressure - month condition disappeared
Question When did it "high blood pressure" disappear? - Month
Universe Respondents who answered CCC0_F1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	27	65,000
FEBRUARY	2	3	6,000
MARCH	3	6	11,000
APRIL	4	4	2,500
MAY	5	4	14,500
JUNE	6	16	41,000
JULY	7	7	12,500
AUGUST	8	7	15,000
SEPTEMBER	9	5	6,500
OCTOBER	10	7	13,500
NOVEMBER	11	13	20,000
DECEMBER	12	5	6,500
NOT APPLICABLE	96	11,178	25,812,500
DON'T KNOW	97	19	37,500
NOT STATED	99	1,245	2,254,500
Total		12,546	28,318,308

Variable Name CCC0_F2Y **Length** 4 **Position** 5343 - 5346
Question Name CC_Q074
Concept High blood pressure - year condition disappeared
Question When did it "high blood pressure" disappear? - Year
Universe Respondents who answered CCC0_F1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1998 - 2000	114	230,500
NOT APPLICABLE	9996	11,178	25,812,500
DON'T KNOW	9997	9	21,000
NOT STATED	9999	1,245	2,254,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_F5	Length	1	Position	5347
Question Name	CC_Q075				
Concept	High blood pressure - received treatment or medication				
Question	Do you receive any treatment or medication for your high blood pressure?				
Universe	Respondents who answered CCC0_1F=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,459	2,663,000
NO		2		192	369,500
NOT APPLICABLE		6		9,986	23,975,000
DON'T KNOW		7		2	1,500
NOT STATED		9		907	1,309,500
		Total		12,546	28,318,308

Variable Name	CCC0_F6A	Length	1	Position	5348
Question Name	CC_Q076				
Concept	High blood pressure treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC0_F5=1				
Note					
Content		Code		Sample	Population
YES		1		1,434	2,615,000
NO		2		24	46,500
NOT APPLICABLE		6		10,178	24,344,500
DON'T KNOW		7		1	1,000
NOT STATED		9		909	1,311,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_F6B	Length	1	Position	5349
Question Name	CC_Q076				
Concept	High blood pressure treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC0_F5=1				
Note					
Content		Code		Sample	Population
YES		1		162	269,500
NO		2		1,296	2,392,000
NOT APPLICABLE		6		10,178	24,344,500
DON'T KNOW		7		1	1,000
NOT STATED		9		909	1,311,000
		Total		12,546	28,318,308

Variable Name	CCC0_F6D	Length	1	Position	5350
Question Name	CC_Q076				
Concept	High blood pressure treatment - exercise / physiotherapy				
Question	What kind of treatment or medication? - Exercise / physiotherapy				
Universe	Respondents who answered CCC0_F5=1				
Note					
Content		Code		Sample	Population
YES		1		98	176,000
NO		2		1,360	2,486,000
NOT APPLICABLE		6		10,178	24,344,500
DON'T KNOW		7		1	1,000
NOT STATED		9		909	1,311,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_F6C	Length	1	Position	5351
Question Name	CC_Q076				
Concept	High blood pressure treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC0_F5=1				
Note					
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	8	25,000
NO			2	1,450	2,637,000
NOT APPLICABLE			6	10,178	24,344,500
DON'T KNOW			7	1	1,000
NOT STATED			9	909	1,311,000
		Total		12,546	28,318,308

Variable Name	CCC0_1G	Length	1	Position	5352
Question Name	CC_Q081				
Concept	Has migraine headaches				
Question	Remember, we're interested in conditions diagnosed by a health professional. Do you have migraine headaches?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	952	2,227,000
NO			2	9,778	22,347,000
NOT APPLICABLE			6	930	2,486,500
DON'T KNOW			7	2	1,000
REFUSAL			8	2	2,000
NOT STATED			9	882	1,255,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_G3 **Length** 3 **Position** 5353 - 5355
Question Name CC_Q082
Concept Migraine - age first diagnosed
Question How old were you when this "migraine headaches" was first diagnosed?
Universe Respondents who answered CCC0_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	1 - 79	932	2,188,000
NOT APPLICABLE	996	10,708	24,833,500
DON'T KNOW	997	18	37,500
REFUSAL	998	2	1,500
NOT STATED	999	886	1,258,000
	Total	12,546	28,318,308

Variable Name CCC0_G1 **Length** 1 **Position** 5356
Question Name CC_Q083
Concept Migraines - condition disappeared
Question During our last interview, it was reported that you had migraine headaches, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC8_1G=1 and CCC0_1G=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	155	334,000
NEVER HAD MIGRAINE HEADACHES	3	33	72,000
NOT APPLICABLE	6	11,142	25,705,500
DON'T KNOW	7	2	15,500
NOT STATED	9	1,214	2,191,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_G2M **Length** 2 **Position** 5357 - 5358
Question Name CC_Q084
Concept Migraines - month condition disappeared
Question When did it "migraine headaches" disappear? - Month
Universe Respondents who answered CCC0_G1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	14	21,000
FEBRUARY	2	9	25,500
MARCH	3	10	15,000
APRIL	4	3	4,500
MAY	5	9	28,500
JUNE	6	19	39,500
JULY	7	12	30,000
AUGUST	8	13	30,500
SEPTEMBER	9	12	31,000
OCTOBER	10	5	5,000
NOVEMBER	11	10	12,500
DECEMBER	12	11	22,000
NOT APPLICABLE	96	11,175	25,777,500
DON'T KNOW	97	26	63,000
REFUSAL	98	2	5,000
NOT STATED	99	1,216	2,207,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_G2Y **Length** 4 **Position** 5359 - 5362
Question Name CC_Q084
Concept Migraines - year condition disappeared
Question When did it "migraine headaches" disappear? - Year
Universe Respondents who answered CCC0_G1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1998 - 2000	143	310,500
NOT APPLICABLE	9996	11,175	25,777,500
DON'T KNOW	9997	12	23,500
NOT STATED	9999	1,216	2,207,000
	Total	12,546	28,318,308

Variable Name CCC0_G5 **Length** 1 **Position** 5363
Question Name CC_Q085
Concept Migraines - received treatment or medication
Question Do you receive any treatment or medication for your migraine headaches?
Universe Respondents who answered CCC0_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	457	1,089,500
NO	2	495	1,137,000
NOT APPLICABLE	6	10,708	24,833,500
NOT STATED	9	886	1,258,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_G6A **Length** 1 **Position** 5364
Question Name CC_Q086
Concept Migraines treatment - drug
Question What kind of treatment or medication? - Drug
Universe Respondents who answered CCC0_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	430	1,043,000
NO	2	27	46,500
NOT APPLICABLE	6	11,203	25,970,500
NOT STATED	9	886	1,258,000
	Total	12,546	28,318,308

Variable Name CCC0_G6B **Length** 1 **Position** 5365
Question Name CC_Q086
Concept Migraines treatment - diet
Question What kind of treatment or medication? - Diet
Universe Respondents who answered CCC0_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	29	59,500
NO	2	428	1,030,000
NOT APPLICABLE	6	11,203	25,970,500
NOT STATED	9	886	1,258,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_G6D **Length** 1 **Position** 5366
Question Name CC_Q086
Concept Migraines treatment - exercise / physiotherapy
Question What kind of treatment or medication? - Exercise / physiotherapy
Universe Respondents who answered CCC0_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	27	67,000
NO	2	430	1,022,500
NOT APPLICABLE	6	11,203	25,970,500
NOT STATED	9	886	1,258,000
	Total	12,546	28,318,308

Variable Name CCC0_G6C **Length** 1 **Position** 5367
Question Name CC_Q086
Concept Migraines treatment - other
Question What kind of treatment or medication? - Other
Universe Respondents who answered CCC0_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	28	66,500
NO	2	429	1,023,000
NOT APPLICABLE	6	11,203	25,970,500
NOT STATED	9	886	1,258,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_1H	Length	1	Position	5368
Question Name	CC_Q091				
Concept	Has chronic bronchitis or emphysema				
Question	Do you have chronic bronchitis or emphysema?				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		310	628,000
NO		2		11,346	26,429,500
DON'T KNOW		7		6	3,500
NOT STATED		9		884	1,257,500
		Total		12,546	28,318,308

Variable Name	CCC0_H3	Length	3	Position	5369 - 5371
Question Name	CC_Q092				
Concept	Chronic bronchitis or emphysema - age first diagnosed				
Question	How old were you when this "chronic bronchitis or emphysema" was first diagnosed?				
Universe	Respondents who answered CCC0_1H=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		0 - 94		292	607,500
NOT APPLICABLE		996		11,364	26,447,000
DON'T KNOW		997		4	7,000
NOT STATED		999		886	1,257,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_1J	Length	1	Position	5372
Question Name	CC_Q101				
Concept	Has diabetes				
Question	Do you have diabetes?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		523	1,036,500
NO		2		10,327	23,686,000
NOT APPLICABLE		6		808	2,334,500
DON'T KNOW		7		4	4,000
NOT STATED		9		884	1,257,500
		Total		12,546	28,318,308

Variable Name	CCC0_J3	Length	3	Position	5373 - 5375
Question Name	CC_Q102				
Concept	Diabetes - age first diagnosed				
Question	How old were you when this "diabetes" was first diagnosed?				
Universe	Respondents who answered CCC0_1J=1 living in a household				
Note					
Content		Code		Sample	Population
YEARS		2 - 91		494	1,005,000
NOT APPLICABLE		996		11,165	26,050,500
DON'T KNOW		997		1	4,000
NOT STATED		999		886	1,259,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_J1 **Length** 1 **Position** 5376
Question Name CC_Q103
Concept Diabetes - condition disappeared
Question During our last interview, it was reported that you had diabetes, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC8_1J=1 and CCC0_1J=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	7,000
NEVER HAD DIABETES	3	11	17,000
NOT APPLICABLE	6	11,318	26,112,000
NOT STATED	9	1,212	2,182,500
	Total	12,546	28,318,308

Variable Name CCC0_J2M **Length** 2 **Position** 5377 - 5378
Question Name CC_Q104
Concept Diabetes - month condition disappeared
Question When did it "diabetes" disappear? - Month
Universe Respondents who answered CCC0_J1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JUNE	6	2	5,000
DECEMBER	12	1	1,000
NOT APPLICABLE	96	11,329	26,129,000
DON'T KNOW	97	2	1,000
NOT STATED	99	1,212	2,182,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_J2Y **Length** 4 **Position** 5379 - 5382

Question Name CC_Q104

Concept Diabetes - year condition disappeared

Question When did it "diabetes" disappear? - Year

Universe Respondents who answered CCC0_J1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1998 - 2000	5	7,000
NOT APPLICABLE	9996	11,329	26,129,000
NOT STATED	9999	1,212	2,182,500
	Total	12,546	28,318,308

Variable Name CC_0_J3A **Length** 1 **Position** 5383

Question Name CC_Q10A

Concept Diabetes - diagnosed when pregnant

Question Were you pregnant when you were first diagnosed with diabetes?

Universe Females aged 15 and over who answered CCC0_J3>14

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12	26,500
NO	2	243	450,500
NOT APPLICABLE	6	11,408	26,584,000
NOT STATED	9	883	1,257,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_J3B	Length	1	Position	5384
Question Name	CC_Q10B				
Concept	Diabetes - diagnosed other than during pregnancy				
Question	Other than during pregnancy, has a health professional ever told you that you have diabetes?				
Universe	Respondents who answered CC_0_J3A=1				
Note					
Content		Code		Sample	Population
YES		1		10	22,000
NO		2		2	4,000
NOT APPLICABLE		6		11,651	27,035,000
NOT STATED		9		883	1,257,000
		Total		12,546	28,318,308

Variable Name	CC_0_J3C	Length	2	Position	5385 - 5386
Question Name	CC_Q10C				
Concept	Diabetes - when started using insulin				
Question	When you were first diagnosed with diabetes, how long was it before you were started on insulin?				
Universe	Males who answered CCC0_1J=1 living in a household and females who answered CC_0_J3A<>1 or CC_0_J3B=1				
Note					
Content		Code		Sample	Population
LESS THAN 1 MONTH		1		54	103,500
1 MONTH TO LESS THAN 2 MONTHS		2		5	14,000
2 MONTH TO LESS THAN 6 MONTHS		3		5	15,000
6 MONTH TO LESS THAN 1 YEAR		4		9	30,500
1 YEAR OR MORE		5		53	103,500
NEVER		6		367	737,500
NOT APPLICABLE		96		11,167	26,054,500
NOT STATED		99		886	1,259,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_J5 **Length** 1 **Position** 5387
Question Name CC_Q105
Concept Diabetes - currently takes insulin
Question Do you currently take insulin for your diabetes?
Universe Males who answered CCC0_1J=1 living in a household and females who answered CC_0_J3A<>1 or CC_0_J3B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	99	205,000
NO	2	394	800,000
NOT APPLICABLE	6	11,167	26,054,500
NOT STATED	9	886	1,259,000
Total		12,546	28,318,308

Variable Name CC_0_J4 **Length** 1 **Position** 5388
Question Name CC_Q10D
Concept Diabetes - takes insulin daily
Question Do you take insulin every day?
Universe Respondents who answered CCC0_J5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	97	201,000
NO	2	2	4,000
NOT APPLICABLE	6	11,561	26,854,500
NOT STATED	9	886	1,259,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_J4A **Length** 1 **Position** 5389
Question Name CC_Q10E
Concept Diabetes - number of times per day use insulin
Question How many times per day do you take insulin?
Universe Respondents who answered CC_0_J4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 5	96	200,500
NOT APPLICABLE	6	11,563	26,858,500
DON'T KNOW	7	1	1,000
NOT STATED	9	886	1,259,000
	Total	12,546	28,318,308

Variable Name CC_0_J4B **Length** 3 **Position** 5390 - 5392
Question Name CC_Q10F
Concept Diabetes - number of units of insulin per day
Question On average, how many units per day do you take?
Universe Respondents who answered CC_0_J4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF UNITS	1 - 200	94	196,000
NOT APPLICABLE	996	11,563	26,858,500
DON'T KNOW	997	3	4,500
NOT STATED	999	886	1,259,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_J6 **Length** 1 **Position** 5393
Question Name CC_Q106
Concept Diabetes - takes treatment other than insulin
Question Do you take any other treatment or medication for your diabetes?
Universe Males who answered CCC0_1J=1 living in a household and females who answered CC_0_J3A<>1 or CC_0_J3B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	336	676,000
NO	2	156	327,000
NOT APPLICABLE	6	11,167	26,054,500
DON'T KNOW	7	1	1,500
NOT STATED	9	886	1,259,000
	Total	12,546	28,318,308

Variable Name CCC0_J7A **Length** 1 **Position** 5394
Question Name CC_Q107
Concept Diabetes treatment - drug
Question What kind of treatment or medication? - Drug
Universe Respondents who answered CCC0_J6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	309	641,000
NO	2	27	35,000
NOT APPLICABLE	6	11,323	26,382,000
NOT STATED	9	887	1,260,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_J7B	Length	1	Position	5395
Question Name	CC_Q107				
Concept	Diabetes treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC0_J6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		97	185,500
NO		2		239	490,500
NOT APPLICABLE		6		11,323	26,382,000
NOT STATED		9		887	1,260,500
		Total		12,546	28,318,308

Variable Name	CCC0_J7D	Length	1	Position	5396
Question Name	CC_Q107				
Concept	Diabetes treatment - exercise / physiotherapy				
Question	What kind of treatment or medication? - Exercise / physiotherapy				
Universe	Respondents who answered CCC0_J6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		38	69,500
NO		2		298	606,500
NOT APPLICABLE		6		11,323	26,382,000
NOT STATED		9		887	1,260,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_J7C **Length** 1 **Position** 5397
Question Name CC_Q107
Concept Diabetes treatment - other
Question What kind of treatment or medication? - Other
Universe Respondents who answered CCC0_J6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	8,500
NO	2	332	667,500
NOT APPLICABLE	6	11,323	26,382,000
NOT STATED	9	887	1,260,500
	Total	12,546	28,318,308

Variable Name CC_0_J5A **Length** 1 **Position** 5398
Question Name CC_Q10G
Concept Diabetes - has taken course in managing
Question Have you ever taken a course or class on how to manage your diabetes?
Universe Males who answered CCC0_1J=1 living in a household and females who answered CC_0_J3A<>1 or CC_0_J3B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	293	620,500
NO	2	199	383,000
NOT APPLICABLE	6	11,167	26,054,500
DON'T KNOW	7	1	1,000
NOT STATED	9	886	1,259,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_J5B **Length** 1 **Position** 5399

Question Name CC_Q10H

Concept Diabetes - household member has taken course in managing

Question Has anyone else in your household ever taken a course or class on how to manage diabetes?

Universe Respondents who answered CC_0_J5A<>1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	20,500
NO	2	189	363,500
NOT APPLICABLE	6	11,460	26,675,000
NOT STATED	9	886	1,259,000
	Total	12,546	28,318,308

Variable Name CC_0_J5C **Length** 1 **Position** 5400

Question Name CC_Q10I

Concept Diabetes - health professional gave information on diet

Question Have you ever been given information by a health professional on what you should be eating?

Universe Males who answered CCC0_1J=1 living in a household and females who answered CC_0_J3A<>1 or CC_0_J3B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	437	899,500
NO	2	55	104,000
NOT APPLICABLE	6	11,167	26,054,500
DON'T KNOW	7	1	1,000
NOT STATED	9	886	1,259,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_J6A	Length	1	Position	5401
Question Name	CC_Q10J				
Concept	Diabetes - nurse gave info on diet				
Question	From what type of health professional? - Nurse				
Universe	Respondents who answered CC_0_J5C=1				
Note					
Content		Code		Sample	Population
YES		1		118	235,000
NO		2		317	658,000
NOT APPLICABLE		6		11,222	26,159,000
DON'T KNOW		7		2	6,500
NOT STATED		9		887	1,260,000
		Total		12,546	28,318,308

Variable Name	CC_0_J6B	Length	1	Position	5402
Question Name	CC_Q10J				
Concept	Diabetes - registered dietitian gave info on diet				
Question	From what type of health professional? - Registered dietitian				
Universe	Respondents who answered CC_0_J5C=1				
Note					
Content		Code		Sample	Population
YES		1		291	562,000
NO		2		144	330,500
NOT APPLICABLE		6		11,222	26,159,000
DON'T KNOW		7		2	6,500
NOT STATED		9		887	1,260,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_J6C **Length** 1 **Position** 5403
Question Name CC_Q10J
Concept Diabetes - family doctor / g.p. gave info on diet
Question From what type of health professional? - Family doctor or general practitioner
Universe Respondents who answered CC_0_J5C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	125	287,500
NO	2	310	605,000
NOT APPLICABLE	6	11,222	26,159,000
DON'T KNOW	7	2	6,500
NOT STATED	9	887	1,260,000
	Total	12,546	28,318,308

Variable Name CC_0_J6D **Length** 1 **Position** 5404
Question Name CC_Q10J
Concept Diabetes - other med. dr. / specialist gave info on diet
Question From what type of health professional? - Other medical doctor or specialist
Universe Respondents who answered CC_0_J5C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	25	50,000
NO	2	410	843,000
NOT APPLICABLE	6	11,222	26,159,000
DON'T KNOW	7	2	6,500
NOT STATED	9	887	1,260,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_J6E **Length** 1 **Position** 5405
Question Name CC_Q10J
Concept Diabetes - other professional gave info on diet
Question From what type of health professional? - Other
Universe Respondents who answered CC_0_J5C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	21,500
NO	2	422	871,500
NOT APPLICABLE	6	11,222	26,159,000
DON'T KNOW	7	2	6,500
NOT STATED	9	887	1,260,000
Total		12,546	28,318,308

Variable Name CC_0_J7A **Length** 1 **Position** 5406
Question Name CC_Q10K
Concept Diabetes - has been taught how to verify blood sugar
Question Have you ever been taught how to check blood sugar levels?
Universe Males who answered CCC0_1J=1 living in a household and females who answered CC_0_J3A<>1 or CC_0_J3B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	412	830,000
NO	2	81	174,500
NOT APPLICABLE	6	11,167	26,054,500
NOT STATED	9	886	1,259,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_J7B **Length** 1 **Position** 5407
Question Name CC_Q10L
Concept Diabetes - hhld member has been taught how to verify sugar
Question Has anyone else in your household ever been taught how to check blood sugar levels?
Universe Respondents who answered CC_0_J7A=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	3,500
NO	2	77	171,000
NOT APPLICABLE	6	11,579	26,885,000
NOT STATED	9	886	1,259,000
	Total	12,546	28,318,308

Variable Name CC_0_J8A **Length** 2 **Position** 5408 - 5409
Question Name CC_Q10M
Concept Diabetes - frequency of checking blood sugar levels
Question In the past month, how often did you or anyone else in the household check your blood sugar levels?
Universe Respondents who answered CC_0_J7A=1 or CC_0_J7B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MORE THAN ONCE A DAY	1	102	215,000
ONCE A DAY	2	75	150,500
4 TO 6 TIMES A WEEK	3	34	69,000
2 TO 3 TIMES A WEEK	4	74	146,000
ONCE A WEEK	5	50	84,000
2 TO 3 TIMES A MONTH	6	23	26,000
ONCE A MONTH	7	28	63,500
NOT IN THE PAST MONTH	8	28	76,500
NOT APPLICABLE	96	11,244	26,226,000
DON'T KNOW	97	2	3,500
NOT STATED	99	886	1,259,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_J8B **Length** 2 **Position** 5410 - 5411
Question Name CC_Q10N
Concept Diabetes - frequency of checking feet
Question In the past month, how often did you or anyone else in the household check your feet?
Universe Males who answered CCC0_1J=1 living in a household and females who answered CC_0_J3A<>1 or CC_0_J3B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ONCE A DAY	1	151	312,500
4 TO 6 TIMES A WEEK	2	28	51,000
2 TO 3 TIMES A WEEK	3	29	33,000
ONCE A WEEK	4	33	64,000
2 TO 3 TIMES A MONTH	5	18	37,000
ONCE A MONTH	6	48	100,000
NOT IN THE PAST MONTH	7	184	401,500
NOT APPLICABLE	96	11,167	26,054,500
DON'T KNOW	97	2	5,000
NOT STATED	99	886	1,259,000
Total		12,546	28,318,308

Variable Name CCC0_1K **Length** 1 **Position** 5412
Question Name CC_Q111
Concept Has epilepsy
Question Do you have epilepsy?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	87	180,500
NO	2	11,572	26,876,000
DON'T KNOW	7	3	4,000
NOT STATED	9	884	1,257,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_K3 **Length** 3 **Position** 5413 - 5415

Question Name CC_Q112

Concept Epilepsy - age first diagnosed

Question How old were you when this "epilepsy" was first diagnosed?

Universe Respondents who answered CCC0_1K=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 80	85	179,000
NOT APPLICABLE	996	11,577	26,883,000
NOT STATED	999	884	1,256,000
	Total	12,546	28,318,308

Variable Name CCC0_K1 **Length** 1 **Position** 5416

Question Name CC_Q113

Concept Epilepsy - condition disappeared

Question During our last interview, it was reported that you had epilepsy, but this time it was not. Has the condition disappeared since then?

Universe Non-proxy respondents aged 12 and over and proxy respondents aged less than 12 who answered CCC8_1K=1 and CCC0_1K=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	4,000
NEVER HAD EPILEPSY	3	4	19,000
NOT APPLICABLE	6	11,653	27,028,500
NOT STATED	9	887	1,267,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_K2M **Length** 2 **Position** 5417 - 5418
Question Name CC_Q114
Concept Epilepsy - month condition disappeared
Question When did it "epilepsy" disappear? - Month
Universe Respondents who answered CCC0_K1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JULY	7	1	2,500
AUGUST	8	1	1,500
NOT APPLICABLE	96	11,657	27,047,000
NOT STATED	99	887	1,267,000
	Total	12,546	28,318,308

Variable Name CCC0_K2Y **Length** 4 **Position** 5419 - 5422
Question Name CC_Q114
Concept Epilepsy - year condition disappeared
Question When did it "epilepsy" disappear? - Year
Universe Respondents who answered CCC0_K1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1998 - 1998	2	4,000
NOT APPLICABLE	9996	11,657	27,047,000
NOT STATED	9999	887	1,267,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_1L **Length** 1 **Position** 5423
Question Name CC_Q121
Concept Has heart disease
Question Do you have heart disease?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	625	1,143,500
NO	2	11,026	25,896,000
DON'T KNOW	7	10	20,000
REFUSAL	8	1	1,000
NOT STATED	9	884	1,257,500
	Total	12,546	28,318,308

Variable Name CCC0_L3 **Length** 3 **Position** 5424 - 5426
Question Name CC_Q122
Concept Heart disease - age first diagnosed
Question How old were you when this "heart disease" was first diagnosed?
Universe Respondents who answered CCC0_1L=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 93	575	1,080,000
NOT APPLICABLE	996	11,073	25,958,000
DON'T KNOW	997	8	9,500
NOT STATED	999	890	1,271,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_L1A	Length	1	Position	5427
Question Name	CC_Q12A				
Concept	Heart disease - ever had a heart attack				
Question	Have you ever had a heart attack (damage to the heart muscle)?				
Universe	Respondents who answered CCC0_L1=1 living in a household				
Note	Formerly CC_0_L1A.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		240	416,000
NO		2		339	670,500
NOT APPLICABLE		6		11,073	25,958,000
DON'T KNOW		7		4	3,000
NOT STATED		9		890	1,271,000
		Total		12,546	28,318,308

Variable Name	CC_0_L1B	Length	2	Position	5428 - 5429
Question Name	CC_Q12B				
Concept	Heart disease - number of heart attacks				
Question	How many heart attacks have you had?				
Universe	Respondents who answered CCC0_L1A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF HEART ATTACKS		1 - 7		235	412,000
NOT APPLICABLE		96		11,412	26,628,500
DON'T KNOW		97		5	4,500
NOT STATED		99		894	1,273,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_L1C **Length** 3 **Position** 5430 - 5432
Question Name CC_Q12C
Concept Heart disease - age at first heart attack
Question How old were you when you had your (first) heart attack?
Universe Respondents who answered CCC0_L1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	7 - 88	231	405,000
NOT APPLICABLE	996	11,412	26,628,500
DON'T KNOW	997	9	11,000
NOT STATED	999	894	1,273,500
	Total	12,546	28,318,308

Variable Name CC_0_L1D **Length** 3 **Position** 5433 - 5435
Question Name CC_Q12D
Concept Heart disease - age at most recent heart attack
Question How old were you when you had your most recent heart attack?
Universe Respondents who answered CC_0_L1B>1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	37 - 90	100	153,500
NOT APPLICABLE	996	11,546	26,883,500
DON'T KNOW	997	6	7,000
NOT STATED	999	894	1,273,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_L1E **Length** 1 **Position** 5436
Question Name CC_Q12E
Concept Heart disease - ever been admitted
Question Have you ever been admitted to a hospital overnight due to a heart attack?
Universe Respondents who answered CCC0_L1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	214	371,500
NO	2	26	44,500
NOT APPLICABLE	6	11,412	26,628,500
NOT STATED	9	894	1,273,500
	Total	12,546	28,318,308

Variable Name CC_0_L4A **Length** 1 **Position** 5437
Question Name CC_Q12F
Concept Heart disease treatment - bypass surgery
Question What medical treatments have you received for your heart attack(s)? - Bypass surgery
Universe Respondents who answered CCC0_L1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	57	96,500
NO	2	181	318,500
NOT APPLICABLE	6	11,412	26,628,500
DON'T KNOW	7	2	1,500
NOT STATED	9	894	1,273,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CC_0_L4B **Length** 1 **Position** 5438
Question Name CC_Q12F
Concept Heart disease treatment - angioplasty
Question What medical treatments have you received for your heart attack(s)? - Angioplasty
Universe Respondents who answered CCC0_L1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	40	87,000
NO	2	198	327,500
NOT APPLICABLE	6	11,412	26,628,500
DON'T KNOW	7	2	1,500
NOT STATED	9	894	1,273,500
	Total	12,546	28,318,308

Variable Name CC_0_L4C **Length** 1 **Position** 5439
Question Name CC_Q12F
Concept Heart disease treatment - drugs
Question What medical treatments have you received for your heart attack(s)? - Drugs
Universe Respondents who answered CCC0_L1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	159	272,000
NO	2	79	143,000
NOT APPLICABLE	6	11,412	26,628,500
DON'T KNOW	7	2	1,500
NOT STATED	9	894	1,273,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_L4D	Length	1	Position	5440
Question Name	CC_Q12F				
Concept	Heart disease treatment - other				
Question	What medical treatments have you received for your heart attack(s)? - Other				
Universe	Respondents who answered CCC0_L1A=1				
Note					
Content		Code		Sample	Population
YES		1		30	50,000
NO		2		208	365,000
NOT APPLICABLE		6		11,412	26,628,500
DON'T KNOW		7		2	1,500
NOT STATED		9		894	1,273,500
		Total		12,546	28,318,308

Variable Name	CC_0_L4E	Length	1	Position	5441
Question Name	CC_Q12F				
Concept	Heart disease treatment - no treatment received				
Question	What medical treatments have you received for your heart attack(s)? - No treatment received				
Universe	Respondents who answered CCC0_L1A=1				
Note					
Content		Code		Sample	Population
YES		1		15	17,000
NO		2		223	398,000
NOT APPLICABLE		6		11,412	26,628,500
DON'T KNOW		7		2	1,500
NOT STATED		9		894	1,273,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_L5A	Length	1	Position	5442
Question Name	CC_Q12G				
Concept	Heart disease rehabilitation program - ever been referred				
Question	Have you ever been referred to a cardiac rehabilitation program?				
Universe	Respondents who answered CCC0_L1A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		58	116,000
NO		2		179	298,500
NOT APPLICABLE		6		11,412	26,628,500
DON'T KNOW		7		3	1,500
NOT STATED		9		894	1,273,500
		Total		12,546	28,318,308

Variable Name	CC_0_L5B	Length	1	Position	5443
Question Name	CC_Q12H				
Concept	Heart disease rehabilitation program - has attended				
Question	Did you attend the cardiac rehabilitation program?				
Universe	Respondents who answered CC_0_L5A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		54	113,000
NO		2		4	3,000
NOT APPLICABLE		6		11,591	26,927,000
NOT STATED		9		897	1,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CC_0_L5C	Length	1	Position	5444
Question Name	CC_Q12I				
Concept	Heart disease rehabilitation program - has completed				
Question	Did you complete the rehabilitation program?				
Universe	Respondents who answered CC_0_L5B=1				
Note					
Content		Code		Sample	Population
YES		1		36	81,000
NO		2		11	21,500
STILL ATTENDING		3		7	10,000
NOT APPLICABLE		6		11,595	26,930,000
NOT STATED		9		897	1,275,500
		Total		12,546	28,318,308

Variable Name	CCC0_L6	Length	1	Position	5445
Question Name	CC_Q12J				
Concept	Heart disease - has angina				
Question	Do you currently have angina (chest pain, chest tightness)?				
Universe	Respondents who answered CCC0_1L=1 living in a household				
Note	Formerly CC_0_L6.				
Content		Code		Sample	Population
YES		1		221	399,000
NO		2		357	686,000
NOT APPLICABLE		6		11,073	25,958,000
DON'T KNOW		7		5	4,500
NOT STATED		9		890	1,271,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_L7	Length	1	Position	5446
Question Name	CC_Q12K				
Concept	Heart disease - has congestive heart failure				
Question	Do you currently have congestive heart failure (inadequate heart beat, fluid build-up in the lungs or legs)?				
Universe	Respondents who answered CCC0_1L=1 living in a household				
Note	Formerly CC_0_L7.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		109	203,000
NO		2		465	875,000
NOT APPLICABLE		6		11,073	25,958,000
DON'T KNOW		7		9	12,000
NOT STATED		9		890	1,271,000
		Total		12,546	28,318,308

Variable Name	CCC0_1M	Length	1	Position	5447
Question Name	CC_Q131				
Concept	Has cancer				
Question	Do you have cancer?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		209	413,000
NO		2		10,633	24,293,500
NOT APPLICABLE		6		808	2,334,500
DON'T KNOW		7		10	15,500
REFUSAL		8		1	1,000
NOT STATED		9		885	1,261,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_M3 **Length** 3 **Position** 5448 - 5450

Question Name CC_Q132

Concept Cancer - age first diagnosed

Question How old were you when this "cancer" was first diagnosed?

Universe Respondents who answered CCC0_1M=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	4 - 91	203	401,500
NOT APPLICABLE	996	11,452	26,648,500
NOT STATED	999	891	1,268,500
	Total	12,546	28,318,308

Variable Name CCC0_1N **Length** 1 **Position** 5451

Question Name CC_Q141

Concept Has intestinal or stomach ulcers

Question Remember, we're interested in conditions diagnosed by a health professional. Do you have stomach or intestinal ulcers?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	350	674,500
NO	2	10,492	24,033,000
NOT APPLICABLE	6	808	2,334,500
DON'T KNOW	7	11	17,500
REFUSAL	8	1	1,000
NOT STATED	9	884	1,257,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_N3 **Length** 3 **Position** 5452 - 5454
Question Name CC_Q142
Concept Ulcers - age first diagnosed
Question How old were you when this "stomach or intestinal ulcers" was first diagnosed?
Universe Respondents who answered CCC0_1N=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	5 - 89	338	647,000
NOT APPLICABLE	996	11,307	26,383,000
DON'T KNOW	997	8	17,500
REFUSAL	998	1	3,500
NOT STATED	999	892	1,268,000
	Total	12,546	28,318,308

Variable Name CCC0_N1 **Length** 1 **Position** 5455
Question Name CC_Q143
Concept Ulcers - condition disappeared
Question During our last interview, it was reported that you had stomach or intestinal ulcers, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC8_1N=1 and CCC0_1N=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	93	180,000
NEVER HAD ULCERS	3	32	65,500
NOT APPLICABLE	6	11,195	25,861,500
NOT STATED	9	1,226	2,211,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_N2M **Length** 2 **Position** 5456 - 5457
Question Name CC_Q144
Concept Ulcers - month condition disappeared
Question When did it "stomach or intestinal ulcers" disappear? - Month
Universe Respondents who answered CCC0_N1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	19	35,000
FEBRUARY	2	7	15,000
MARCH	3	1	1,000
APRIL	4	2	3,500
MAY	5	5	4,500
JUNE	6	13	22,000
JULY	7	3	2,500
AUGUST	8	11	26,500
SEPTEMBER	9	1	3,500
OCTOBER	10	3	3,000
NOVEMBER	11	7	15,000
DECEMBER	12	2	8,000
NOT APPLICABLE	96	11,227	25,926,500
DON'T KNOW	97	19	40,500
NOT STATED	99	1,226	2,211,500
Total		12,546	28,318,308

Variable Name CCC0_N2Y **Length** 4 **Position** 5458 - 5461
Question Name CC_Q144
Concept Ulcers - year condition disappeared
Question When did it "stomach or intestinal ulcers" disappear? - Year
Universe Respondents who answered CCC0_N1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1998 - 2001	82	153,500
NOT APPLICABLE	9996	11,227	25,926,500
DON'T KNOW	9997	11	26,500
NOT STATED	9999	1,226	2,211,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0_10	Length	1	Position	5462
Question Name	CC_Q151				
Concept	Suffers from the effects of a stroke				
Question	Do you suffer from the effects of a stroke?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		175	291,500
NO		2		10,675	24,430,500
NOT APPLICABLE		6		808	2,334,500
DON'T KNOW		7		4	4,500
NOT STATED		9		884	1,257,500
		Total		12,546	28,318,308

Variable Name	CCC0_O3	Length	3	Position	5463 - 5465
Question Name	CC_Q152				
Concept	Effects of stroke - age first diagnosed				
Question	How old were you when this "effects of a stroke" was first diagnosed?				
Universe	Respondents who answered CCC0_10=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		0 - 94		143	256,000
NOT APPLICABLE		996		11,517	26,804,500
DON'T KNOW		997		2	1,500
NOT STATED		999		884	1,256,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_O1 **Length** 1 **Position** 5466
Question Name CC_Q153
Concept Effects of stroke - condition disappeared
Question During our last interview, it was reported that you suffered from the effects of a stroke, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC8_1O=1 and CCC0_1O=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	16	27,500
NEVER HAD A STROKE	3	10	20,500
NOT APPLICABLE	6	11,303	26,078,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,216	2,191,500
	Total	12,546	28,318,308

Variable Name CCC0_O2M **Length** 2 **Position** 5467 - 5468
Question Name CC_Q154
Concept Effects of stroke - month condition disappeared
Question When did it "effects of your stroke" disappear? - Month
Universe Respondents who answered CCC0_O1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	3	2,500
FEBRUARY	2	1	3,500
MARCH	3	1	1,000
JUNE	6	1	3,500
AUGUST	8	2	2,500
SEPTEMBER	9	1	1,000
OCTOBER	10	1	5,000
NOVEMBER	11	2	5,000
NOT APPLICABLE	96	11,313	26,098,500
DON'T KNOW	97	4	5,000
NOT STATED	99	1,217	2,192,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_O2Y **Length** 4 **Position** 5469 - 5472
Question Name CC_Q154
Concept Effects of stroke - year condition disappeared
Question When did it "effects of your stroke" disappear? - Year
Universe Respondents who answered CCC0_O1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1998 - 2000	14	25,000
NOT APPLICABLE	9996	11,313	26,098,500
DON'T KNOW	9997	2	2,500
NOT STATED	9999	1,217	2,192,000
	Total	12,546	28,318,308

Variable Name CCC0_1P **Length** 1 **Position** 5473
Question Name CC_Q161
Concept Suffers from urinary incontinence
Question Do you suffer from urinary incontinence?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	327	563,500
NO	2	10,520	24,152,000
NOT APPLICABLE	6	808	2,334,500
DON'T KNOW	7	6	9,500
REFUSAL	8	1	1,000
NOT STATED	9	884	1,257,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_P3 **Length** 3 **Position** 5474 - 5476
Question Name CC_Q162
Concept Urinary incontinence - age first diagnosed
Question How old were you when this "urinary incontinence" was first diagnosed?
Universe Respondents who answered CCC0_1P=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 93	253	472,000
NOT APPLICABLE	996	11,398	26,570,500
DON'T KNOW	997	7	11,000
NOT STATED	999	888	1,265,000
	Total	12,546	28,318,308

Variable Name CCC0_1Q **Length** 1 **Position** 5477
Question Name CC_Q171
Concept Has a bowel disorder (Crohn's Disease or colitis)
Question Do you have a bowel disorder such as Crohn's Disease or colitis?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	228	420,000
NO	2	10,615	24,284,500
NOT APPLICABLE	6	808	2,334,500
DON'T KNOW	7	10	20,000
REFUSAL	8	1	1,000
NOT STATED	9	884	1,257,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_Q3 **Length** 3 **Position** 5478 - 5480
Question Name CC_Q172
Concept Bowel disorder - age first diagnosed
Question How old were you when this "bowel disorder such as Crohn's Disease or colitis" was first diagnosed?
Universe Respondents who answered CCC0_1Q=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 89	223	409,500
NOT APPLICABLE	996	11,431	26,638,500
DON'T KNOW	997	1	1,000
NOT STATED	999	891	1,270,000
	Total	12,546	28,318,308

Variable Name CCC0_1R **Length** 1 **Position** 5481
Question Name CC_Q181
Concept Has Alzheimer's Disease or other dementia
Question Remember, we're interested in conditions diagnosed by a health professional. Do you have Alzheimer's Disease or any other dementia(senility)?
Universe Respondents aged 18 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	98	133,500
NO	2	9,882	22,226,000
NOT APPLICABLE	6	1,674	4,692,000
DON'T KNOW	7	8	9,500
REFUSAL	8	1	1,000
NOT STATED	9	883	1,256,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_R3 **Length** 3 **Position** 5482 - 5484

Question Name CC_Q182

Concept Alzheimer's disease / other dementia - age first diagnosed

Question How old were you when this "Alzheimer's disease or any other dementia" was first diagnosed?

Universe Respondents who answered CCC0_1R=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 90	38	59,500
NOT APPLICABLE	996	11,618	26,993,000
DON'T KNOW	997	1	1,000
NOT STATED	999	889	1,265,500
	Total	12,546	28,318,308

Variable Name CCC0_1S **Length** 1 **Position** 5485

Question Name CC_Q191

Concept Has cataracts

Question Do you have cataracts?

Universe Respondents aged 18 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	522	832,000
NO	2	9,454	21,514,500
NOT APPLICABLE	6	1,674	4,692,000
DON'T KNOW	7	11	22,000
REFUSAL	8	1	1,000
NOT STATED	9	884	1,257,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_S3 **Length** 3 **Position** 5486 - 5488
Question Name CC_Q192
Concept Cataracts - age first diagnosed
Question How old were you when this "cataracts" was first diagnosed?
Universe Respondents who answered CCC0_1S=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	1 - 93	478	785,000
NOT APPLICABLE	996	11,169	26,249,500
DON'T KNOW	997	9	10,500
NOT STATED	999	890	1,273,500
	Total	12,546	28,318,308

Variable Name CCC0_1T **Length** 1 **Position** 5489
Question Name CC_Q201
Concept Has glaucoma
Question Do you have glaucoma?
Universe Respondents aged 18 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	177	323,500
NO	2	9,801	22,026,500
NOT APPLICABLE	6	1,674	4,692,000
DON'T KNOW	7	9	17,500
REFUSAL	8	1	1,000
NOT STATED	9	884	1,257,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_T3 **Length** 3 **Position** 5490 - 5492

Question Name CC_Q202

Concept Glaucoma - age first diagnosed

Question How old were you when this "glaucoma" was first diagnosed?

Universe Respondents who answered CCC0_1T=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	1 - 97	160	299,000
NOT APPLICABLE	996	11,495	26,747,000
DON'T KNOW	997	2	1,000
NOT STATED	999	889	1,271,000
	Total	12,546	28,318,308

Variable Name CCC0_1U **Length** 1 **Position** 5493

Question Name CC_Q211

Concept Has a thyroid condition

Question Do you have a thyroid condition?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	626	1,099,000
NO	2	10,220	23,615,000
NOT APPLICABLE	6	808	2,334,500
DON'T KNOW	7	6	10,000
REFUSAL	8	1	1,000
NOT STATED	9	885	1,259,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC0_U3 **Length** 3 **Position** 5494 - 5496

Question Name CC_Q212

Concept Thyroid condition - age first diagnosed

Question How old were you when this "thyroid condition" was first diagnosed?

Universe Respondents who answered CCC0_1U=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	0 - 92	597	1,064,500
NOT APPLICABLE	996	11,051	25,981,500
DON'T KNOW	997	9	8,000
REFUSAL	998	1	1,000
NOT STATED	999	888	1,263,000
	Total	12,546	28,318,308

Variable Name CCC0_1V **Length** 1 **Position** 5497

Question Name CC_Q221

Concept Has other long-term condition

Question Do you have any other long-term condition that has been diagnosed by a health professional?

Universe All respondents

Note The list of chronic conditions changed in Cycle 4 (2000). This variable now includes sinusitis, ear, nose and throat infections for children less than 3 years old.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	974	2,071,500
NO	2	10,681	24,980,500
DON'T KNOW	7	2	1,000
REFUSAL	8	2	5,000
NOT STATED	9	887	1,260,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC0DANY	Length	1	Position	5498
Question Name					
Concept	Has a chronic condition - (D)				
Question					
Universe	All respondents living in a household				
Note	Based on CCC0_1A to CCC0_1X. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7,200	15,902,000
NO		2		4,328	10,972,000
NOT APPLICABLE		6		122	152,000
NOT STATED		9		896	1,292,000
		Total		12,546	28,318,308

Variable Name	CCC0DNUM	Length	2	Position	5499 - 5500
Question Name					
Concept	Number of chronic conditions - (D)				
Question					
Universe	All respondents living in a household				
Note	Based on CCC0_1A to CCC0_1X. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF CHRONIC CONDITIONS		0 - 12		11,469	26,744,000
NOT APPLICABLE		96		122	152,000
NOT STATED		99		955	1,422,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ISC0_1	Length	1	Position	5501
Question Name	IS_Q1				
Concept	Insurance - prescription medications				
Question	Do you have insurance that covers all or part of the cost of your prescription medications?				
Universe	All respondents living in a household				
Note					
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	8,687	21,265,500
NO			2	2,727	5,347,000
NOT APPLICABLE			6	122	152,000
DON'T KNOW			7	124	292,000
REFUSAL			8	6	10,000
NOT STATED			9	880	1,252,000
			Total	12,546	28,318,308

Variable Name	ISC0_2	Length	1	Position	5502
Question Name	IS_Q2				
Concept	Insurance - dental expenses				
Question	Do you have insurance that covers all or part of your dental expenses?				
Universe	All respondents living in a household				
Note					
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	6,477	16,295,000
NO			2	4,905	10,246,000
NOT APPLICABLE			6	122	152,000
DON'T KNOW			7	153	357,500
REFUSAL			8	3	5,500
NOT STATED			9	886	1,262,000
			Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ISC0_3	Length	1	Position	5503
Question Name	IS_Q3				
Concept	Insurance - eye glasses / contact lenses				
Question	Do you have insurance that covers all or part of the costs of eye glasses or contact lenses?				
Universe	All respondents living in a household				
Note					
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	6,119	14,565,000
NO			2	5,156	11,606,500
NOT APPLICABLE			6	122	152,000
DON'T KNOW			7	262	729,000
REFUSAL			8	1	3,500
NOT STATED			9	886	1,262,000
		Total		12,546	28,318,308

Variable Name	ISC0_4	Length	1	Position	5504
Question Name	IS_Q4				
Concept	Insurance - hospital charges				
Question	Do you have insurance that covers all or part of hospital charges for a private or semi-private room?				
Universe	All respondents living in a household				
Note					
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	6,567	15,920,000
NO			2	4,417	9,559,500
NOT APPLICABLE			6	122	152,000
DON'T KNOW			7	543	1,400,000
REFUSAL			8	11	24,500
NOT STATED			9	886	1,262,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ISC0D1	Length	1	Position	5505
Question Name					
Concept	Number of types of medical insurance - (D)				
Question					
Universe	All respondents living in a household				
Note	Based on ISC0_1 to ISC0_4. See Derived Variables Documentation.				
Content			Code	Sample	Population
NO INSURANCE			0	2,401	4,707,000
ONE TYPE OF INSURANCE			1	1,386	3,296,500
TWO TYPES OF INSURANCE			2	822	2,008,000
THREE TYPES OF INSURANCE			3	1,503	3,337,500
FOUR TYPES OF INSURANCE			4	4,733	11,790,000
NOT APPLICABLE			6	122	152,000
NOT STATED			9	1,579	3,027,000
		Total		12,546	28,318,308

Variable Name	HSC0_1	Length	1	Position	5506
Question Name	HS_Q01				
Concept	Vision - read newsprint without glasses / contact lenses				
Question	Are you usually able to see well enough to read ordinary newsprint without glasses or contact lenses?				
Universe	Respondents aged 4 and over				
Note					
Content			Code	Sample	Population
YES			1	6,505	16,269,000
NO			2	5,152	10,778,500
DON'T KNOW			7	4	8,500
REFUSAL			8	5	9,500
NOT STATED			9	880	1,252,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0_2 **Length** 1 **Position** 5507
Question Name HS_Q02
Concept Vision - read newsprint with glasses / contacts
Question Are you usually able to see well enough to read ordinary newsprint with glasses or contact lenses?
Universe Respondents who answered HSC0_1=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,004	10,511,500
NO	2	144	250,500
NOT APPLICABLE	6	6,505	16,269,000
DON'T KNOW	7	3	15,000
REFUSAL	8	1	1,500
NOT STATED	9	889	1,270,500
	Total	12,546	28,318,308

Variable Name HSC0_3 **Length** 1 **Position** 5508
Question Name HS_Q03
Concept Vision - able to see
Question Are you able to see at all?
Universe Respondents who answered HSC0_2=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	134	246,000
NO	2	14	21,000
NOT APPLICABLE	6	11,509	26,781,000
NOT STATED	9	889	1,270,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0_4 **Length** 1 **Position** 5509
Question Name HS_Q04
Concept Vision - recognize a friend without glasses / contact lenses
Question Are you able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?
Universe Respondents who answered HSC0_1=1 or HSC0_2=1 or HSC0_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,347	19,684,500
NO	2	3,266	7,287,500
NOT APPLICABLE	6	14	21,000
DON'T KNOW	7	29	52,500
NOT STATED	9	890	1,273,000
	Total	12,546	28,318,308

Variable Name HSC0_5 **Length** 1 **Position** 5510
Question Name HS_Q05
Concept Vision - recognize a friend with glasses / contact lenses
Question Are you usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?
Universe Respondents who answered HSC0_4=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,114	7,000,500
NO	2	147	277,000
NOT APPLICABLE	6	8,361	19,705,000
DON'T KNOW	7	6	12,000
NOT STATED	9	918	1,323,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0DVIS **Length** 2 **Position** 5511 - 5512

Question Name

Concept Vision problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC0_1 to HSC0_5. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO VISUAL PROBLEM	1	5,418	13,570,500
PROBLEM CORRECTED BY LENSES	2	5,977	12,984,000
PROBLEM SEEING DISTANCE - NOT CORRECTED	3	81	169,000
PROBLEM SEEING CLOSE - NOT CORRECTED	4	64	121,000
PROBLEM CLOSE & DISTANCE - NOT CORRECTED	5	65	106,500
NO SIGHT AT ALL	6	14	21,000
NOT STATED	99	927	1,346,000
Total		12,546	28,318,308

Variable Name HSC0_6 **Length** 1 **Position** 5513

Question Name HS_Q06

Concept Hearing - in group without hearing aid

Question Are you usually able to hear what is said in a group conversation with at least 3 other people without a hearing aid?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,137	26,148,500
NO	2	515	894,000
DON'T KNOW	7	5	5,500
NOT STATED	9	889	1,270,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC0_7	Length	1	Position	5514
Question Name	HS_Q07				
Concept	Hearing - in group with hearing aid				
Question	Are you usually able to hear what is said in a group conversation with at least 3 other people with a hearing aid?				
Universe	Respondents who answered HSC0_6=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		322	552,500
NO		2		151	273,500
NOT APPLICABLE		6		11,137	26,148,500
DON'T KNOW		7		41	67,500
REFUSAL		8		1	1,000
NOT STATED		9		894	1,276,000
		Total		12,546	28,318,308

Variable Name	HSC0_7A	Length	1	Position	5515
Question Name	HS_Q07A				
Concept	Hearing - able to hear				
Question	Are you able to hear at all?				
Universe	Respondents who answered HSC0_7<>1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		183	308,000
NO		2		10	33,500
NOT APPLICABLE		6		11,459	26,700,500
NOT STATED		9		894	1,276,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0_8 **Length** 1 **Position** 5516
Question Name HS_Q08
Concept Hearing - in quiet room without hearing aid
Question Are you usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid?
Universe Respondents who answered HSC0_7=1 or HSC0_7A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	392	701,000
NO	2	113	159,500
NOT APPLICABLE	6	11,147	26,182,000
NOT STATED	9	894	1,276,000
Total		12,546	28,318,308

Variable Name HSC0_9 **Length** 1 **Position** 5517
Question Name HS_Q09
Concept Hearing - in quiet room with hearing aid
Question Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?
Universe Respondents who answered HSC0_8=2 or HSC0_8=7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	137,500
NO	2	12	21,000
NOT APPLICABLE	6	11,539	26,883,000
DON'T KNOW	7	1	1,000
NOT STATED	9	894	1,276,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0DHER **Length** 2 **Position** 5518 - 5519

Question Name

Concept Hearing problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC0_6 to HSC0_9. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO HEARING PROBLEM	1	11,137	26,148,500
PROBLEM IN GROUP - CORRECTED	2	241	448,000
PROBLEM IN GROUP & IND. - CORRECTED	3	81	104,500
PROBLEM IN GROUP - NOT CORRECTED	4	112	190,000
PROBLEM IN GROUP & IND.- IND. CORRECTED	5	21	32,500
CANNOT HEAR	6	17	50,000
NOT STATED	99	937	1,345,000
Total		12,546	28,318,308

Variable Name HSC0_10 **Length** 1 **Position** 5520

Question Name HS_Q10

Concept Speech - completely understood by strangers

Question Are you usually able to be understood completely when speaking with strangers in your own language?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,570	26,862,000
NO	2	85	180,000
DON'T KNOW	7	2	5,500
NOT STATED	9	889	1,270,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC0_11	Length	1	Position	5521
Question Name	HS_Q11				
Concept	Speech - partially understood by strangers				
Question	Are you able to be understood partially when speaking with strangers?				
Universe	Respondents who answered HSC0_10=2 or HSC0_10=7				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		55	98,000
NO		2		31	86,000
NOT APPLICABLE		6		11,570	26,862,000
DON'T KNOW		7		1	1,500
NOT STATED		9		889	1,270,500
		Total		12,546	28,318,308

Variable Name	HSC0_12	Length	1	Position	5522
Question Name	HS_Q12				
Concept	Speech - completely understood by non-strangers				
Question	Are you able to be understood completely when speaking with those who know you well?				
Universe	Respondents who answered HSC0_10=2 or HSC0_10=7				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		45	86,500
NO		2		42	99,000
NOT APPLICABLE		6		11,570	26,862,000
NOT STATED		9		889	1,270,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0_13 **Length** 1 **Position** 5523
Question Name HS_Q13
Concept Speech - partially understood by non-strangers
Question Are you able to be understood partially when speaking with those who know you well?
Universe Respondents who answered HSC0_12=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	39,000
NO	2	20	60,000
NOT APPLICABLE	6	11,615	26,948,500
NOT STATED	9	889	1,270,500
	Total	12,546	28,318,308

Variable Name HSC0DSPE **Length** 1 **Position** 5524
Question Name
Concept Speech problem - function code - (D)
Question
Universe Respondents aged 4 and over

Note Based on HSC0_10 to HSC0_13. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SPEECH PROBLEM	1	11,570	26,862,000
PARTIALLY UNDERSTOOD BY STRANGERS	2	38	69,000
PARTIALLY UNDERSTOOD BY FRIENDS	3	15	24,000
NOT UNDERSTOOD BY STRANGERS	4	12	27,000
NOT UNDERSTOOD BY FRIENDS	5	20	60,000
NOT STATED	9	891	1,276,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0_14 **Length** 1 **Position** 5525
Question Name HS_Q14
Concept Mobility - walk without difficulty and without support
Question Are you usually able to walk around the neighbourhood without difficulty and without mechanical support such as braces, a cane or crutches?
Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,085	26,130,500
NO	2	571	913,000
REFUSAL	8	1	4,000
NOT STATED	9	889	1,270,500
Total		12,546	28,318,308

Variable Name HSC0_15 **Length** 1 **Position** 5526
Question Name HS_Q15
Concept Mobility - able to walk
Question Are you able to walk at all?
Universe Respondents who answered HSC0_14=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	469	746,000
NO	2	102	167,500
NOT APPLICABLE	6	11,085	26,130,500
NOT STATED	9	890	1,274,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0_16 **Length** 1 **Position** 5527
Question Name HS_Q16
Concept Mobility - requires support to walk
Question Do you require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood?
Universe Respondents who answered HSC0_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	372	559,500
NO	2	97	186,500
NOT APPLICABLE	6	11,187	26,298,000
NOT STATED	9	890	1,274,500
Total		12,546	28,318,308

Variable Name HSC0_17 **Length** 1 **Position** 5528
Question Name HS_Q17
Concept Mobility - requires help of person to walk
Question Do you require the help of another person to be able to walk?
Universe Respondents who answered HSC0_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	95	154,000
NO	2	374	592,000
NOT APPLICABLE	6	11,187	26,298,000
NOT STATED	9	890	1,274,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC0_18	Length	1	Position	5529
Question Name	HS_Q18				
Concept	Mobility - requires a wheelchair				
Question	Do you require a wheelchair to get around?				
Universe	Respondents who answered HSC0_14=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		148	227,500
NO		2		423	686,000
NOT APPLICABLE		6		11,085	26,130,500
NOT STATED		9		890	1,274,500
		Total		12,546	28,318,308

Variable Name	HSC0_19	Length	1	Position	5530
Question Name	HS_Q19				
Concept	Mobility - frequency of wheelchair use				
Question	How often do you use a wheelchair?				
Universe	Respondents who answered HSC0_18=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ALWAYS		1		96	140,000
OFTEN		2		19	23,000
SOMETIMES		3		31	59,500
NEVER		4		2	4,500
NOT APPLICABLE		6		11,508	26,816,500
NOT STATED		9		890	1,274,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC0_20	Length	1	Position	5531
Question Name	HS_Q20				
Concept	Mobility - requires help to move in wheelchair				
Question	Do you need the help of another person to get around in the wheelchair?				
Universe	Respondents who answered HSC0_18=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		95	140,000
NO		2		53	87,500
NOT APPLICABLE		6		11,508	26,816,500
NOT STATED		9		890	1,274,500
		Total		12,546	28,318,308

Variable Name	HSC0DMOB	Length	2	Position	5532 - 5533
Question Name					
Concept	Mobility problem - function code - (D)				
Question					
Universe	Respondents aged 4 and over				
Note	Based on HSC0_14 to HSC0_18. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO MOBILITY PROBLEM		1		11,085	26,130,500
PROBLEM - NO AID REQUIRED		2		79	159,000
PROBLEM - REQUIRES MECHANICAL SUPPORT		3		272	405,500
PROBLEM - REQUIRES WHEELCHAIR		4		23	28,000
PROBLEM - REQUIRES HELP FROM PEOPLE		5		95	154,000
CANNOT WALK		6		102	167,500
NOT STATED		99		890	1,274,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC0_21	Length	1	Position	5534
Question Name	HS_Q21				
Concept	Dexterity - able to grasp and handle small objects				
Question	Are you usually able to grasp and handle small objects such as a pencil or scissors?				
Universe	Respondents aged 4 and over				
Note					
Content		Code		Sample	Population
YES		1		11,518	26,785,000
NO		2		137	258,000
DON'T KNOW		7		1	1,000
REFUSAL		8		1	4,000
NOT STATED		9		889	1,270,500
		Total		12,546	28,318,308

Variable Name	HSC0_22	Length	1	Position	5535
Question Name	HS_Q22				
Concept	Dexterity - requires help due to limitation in hands				
Question	Do you require the help of another person because of limitations in the use of hands or fingers?				
Universe	Respondents who answered HSC0_21=2				
Note					
Content		Code		Sample	Population
YES		1		70	141,500
NO		2		67	116,500
NOT APPLICABLE		6		11,518	26,785,000
NOT STATED		9		891	1,275,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0_23 **Length** 1 **Position** 5536
Question Name HS_Q23
Concept Dexterity - requires help with tasks
Question Do you require the help of another person with:
Universe Respondents who answered HSC0_22=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SOME TASKS	1	25	58,500
MOST TASKS	2	14	32,000
ALMOST ALL TASKS	3	14	23,500
ALL TASKS	4	17	27,500
NOT APPLICABLE	6	11,585	26,901,500
NOT STATED	9	891	1,275,000
	Total	12,546	28,318,308

Variable Name HSC0_24 **Length** 1 **Position** 5537
Question Name HS_Q24
Concept Dexterity - requires special equipment
Question Do you require special equipment, for example, devices to assist in dressing, because of limitations in the use of hands or fingers?
Universe Respondents who answered HSC0_21=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	26	38,500
NO	2	111	219,500
NOT APPLICABLE	6	11,518	26,785,000
NOT STATED	9	891	1,275,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0DDEX **Length** 2 **Position** 5538 - 5539

Question Name

Concept Dexterity problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC0_21 to HSC0_24. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO DEXTERITY PROBLEM	1	11,518	26,785,000
PROBLEM - NO HELP REQUIRED	2	65	114,500
PROBLEM - REQUIRES SPECIAL EQUIPMENT	3	2	2,000
PROBLEM - REQUIRES HELP WITH SOME TASKS	4	25	58,500
PROBLEM - REQUIRES HELP WITH MOST TASKS	5	28	55,500
PROBLEM - REQUIRES HELP WITH ALL TASKS	6	17	27,500
NOT STATED	99	891	1,275,000
Total		12,546	28,318,308

Variable Name HSC0_25 **Length** 1 **Position** 5540

Question Name HS_Q25

Concept Feelings - self perceived happiness

Question Would you describe yourself as being usually:

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAPPY AND INTERESTED IN LIFE	1	9,491	21,988,000
SOMEWHAT HAPPY	2	1,769	4,173,500
SOMEWHAT UNHAPPY	3	293	662,000
UNHAPPY WITH LITTLE INTEREST IN LIFE	4	77	179,000
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE	5	16	27,000
DON'T KNOW	7	8	13,000
REFUSAL	8	1	1,000
NOT STATED	9	891	1,275,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0DEMO **Length** 1 **Position** 5541

Question Name

Concept Emotional problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC0_25. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAPPY AND INTERESTED IN LIFE	1	9,491	21,988,000
SOMEWHAT HAPPY	2	1,769	4,173,500
SOMEWHAT UNHAPPY	3	293	662,000
VERY UNHAPPY	4	77	179,000
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE	5	16	27,000
NOT STATED	9	900	1,289,500
Total		12,546	28,318,308

Variable Name HSC0_26 **Length** 1 **Position** 5542

Question Name HS_Q26

Concept Cognition - ability to remember things

Question How would you describe your usual ability to remember things?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ABLE TO REMEMBER MOST THINGS	1	9,424	22,322,000
SOMEWHAT FORGETFUL	2	2,001	4,265,000
VERY FORGETFUL	3	194	393,000
UNABLE TO REMEMBER ANYTHING AT ALL	4	32	60,500
DON'T KNOW	7	4	2,500
REFUSAL	8	1	1,000
NOT STATED	9	890	1,274,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC0_28	Length	1	Position	5546
Question Name	HS_Q28				
Concept	Pain - usually free of pain				
Question	Are you usually free of pain or discomfort?				
Universe	Respondents aged 4 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10,065	23,835,500
NO		2		1,584	3,200,000
DON'T KNOW		7		5	6,000
REFUSAL		8		1	1,000
NOT STATED		9		891	1,276,500
		Total		12,546	28,318,308

Variable Name	HSC0_29	Length	1	Position	5547
Question Name	HS_Q29				
Concept	Pain - usual intensity				
Question	How would you describe the usual intensity of your pain or discomfort?				
Universe	Respondents who answered HSC0_28=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MILD		1		464	984,500
MODERATE		2		899	1,818,500
SEVERE		3		218	393,500
NOT APPLICABLE		6		10,065	23,835,500
DON'T KNOW		7		2	2,500
NOT STATED		9		898	1,284,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC0_30	Length	1	Position	5548
Question Name	HS_Q30				
Concept	Pain - number of activities prevented				
Question	How many activities does your pain or discomfort prevent?				
Universe	Respondents who answered HSC0_28=2				
Note					
Content		Code		Sample	Population
NONE		1		353	698,000
A FEW		2		508	1,119,000
SOME		3		448	889,000
MOST		4		273	489,000
NOT APPLICABLE		6		10,065	23,835,500
DON'T KNOW		7		2	5,000
NOT STATED		9		897	1,283,000
		Total		12,546	28,318,308

Variable Name	HSC0DPAD	Length	1	Position	5549
Question Name					
Concept	Activities prevented by pain - function code - (D)				
Question					
Universe	Respondents aged 4 and over				
Note	Based on HSC0_28 and HSC0_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. Labels for this variable have been changed in Cycle 5 (2002) to better reflect the questions used to derive this variable. See Derived Variables Documentation.				
Content		Code		Sample	Population
NO PAIN OR DISCOMFORT		1		10,065	23,835,500
PAIN DOES NOT PREVENT ACTIVITY		2		353	698,000
PAIN PREVENTS A FEW ACTIVITIES		3		508	1,119,000
PAIN PREVENTS SOME ACTIVITIES		4		448	889,000
PAIN PREVENTS MOST ACTIVITIES		5		273	489,000
NOT STATED		9		899	1,288,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC0DHSI **Length** 5.3 **Position** 5550 - 5554

Question Name

Concept Health Utility Index (HUI3) - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC0_1 to HSC0_28 and HSC0_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	- .351 - 1.000	11,558	26,881,000
NOT STATED	9.999	988	1,437,000
	Total	12,546	28,318,308

Variable Name PAC0_1A **Length** 1 **Position** 5555

Question Name PA_Q1

Concept Activity in last 3 months - walking for exercise

Question Have you done any of the following in the past 3 months? - Walking for exercise

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,062	15,752,000
NO	2	3,244	7,741,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	14	28,000
REFUSAL	8	17	35,500
NOT STATED	9	1,279	2,275,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_1B **Length** 1 **Position** 5556

Question Name PA_Q1

Concept Activity in last 3 months - gardening or yard work

Question Have you done any of the following in the past 3 months? - Gardening or yard work

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,622	9,675,000
NO	2	5,684	13,817,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	14	28,000
REFUSAL	8	17	35,500
NOT STATED	9	1,279	2,275,500
	Total	12,546	28,318,308

Variable Name PAC0_1C **Length** 1 **Position** 5557

Question Name PA_Q1

Concept Activity in last 3 months - swimming

Question Have you done any of the following in the past 3 months? - Swimming

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,094	4,883,500
NO	2	8,212	18,609,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	14	28,000
REFUSAL	8	17	35,500
NOT STATED	9	1,279	2,275,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1D	Length	1	Position	5558
Question Name	PA_Q1				
Concept	Activity in last 3 months - bicycling				
Question	Have you done any of the following in the past 3 months? - Bicycling				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,038	4,959,000
NO		2		8,268	18,533,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

Variable Name	PAC0_1E	Length	1	Position	5559
Question Name	PA_Q1				
Concept	Activity in last 3 months - popular or social dance				
Question	Have you done any of the following in the past 3 months? - Popular or social dance				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,271	5,068,500
NO		2		8,035	18,424,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1F	Length	1	Position	5560
Question Name	PA_Q1				
Concept	Activity in last 3 months - home exercises				
Question	Have you done any of the following in the past 3 months? - Home exercises				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,644	6,221,500
NO		2		7,662	17,271,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

Variable Name	PAC0_1G	Length	1	Position	5561
Question Name	PA_Q1				
Concept	Activity in last 3 months - ice hockey				
Question	Have you done any of the following in the past 3 months? - Ice hockey				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		458	1,250,000
NO		2		9,848	22,242,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1H	Length	1	Position	5562
Question Name	PA_Q1				
Concept	Activity in last 3 months - ice skating				
Question	Have you done any of the following in the past 3 months? - Ice skating				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		640	1,669,500
NO		2		9,666	21,823,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

Variable Name	PAC0_1Y	Length	1	Position	5563
Question Name	PA_Q1				
Concept	Activity in last 3 months - in-line skating or rollerblading				
Question	Have you done any of the following in the past 3 months? - In-line skating or rollerblading				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		532	1,558,000
NO		2		9,774	21,934,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1J	Length	1	Position	5564
Question Name	PA_Q1				
Concept	Activity in last 3 months - jogging or running				
Question	Have you done any of the following in the past 3 months? - Jogging or running				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,256	3,421,000
NO		2		9,050	20,071,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

Variable Name	PAC0_1K	Length	1	Position	5565
Question Name	PA_Q1				
Concept	Activity in last 3 months - golfing				
Question	Have you done any of the following in the past 3 months? - Golfing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,180	2,807,500
NO		2		9,126	20,685,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_1L **Length** 1 **Position** 5566
Question Name PA_Q1
Concept Activity in last 3 months - exercise class or aerobics
Question Have you done any of the following in the past 3 months? - Exercise class or aerobics
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	768	2,079,500
NO	2	9,538	21,413,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	14	28,000
REFUSAL	8	17	35,500
NOT STATED	9	1,279	2,275,500
	Total	12,546	28,318,308

Variable Name PAC0_1I **Length** 1 **Position** 5567
Question Name PA_Q1
Concept Activity in last 3 months - downhill skiing
Question Have you done any of the following in the past 3 months? - Downhill skiing
Universe Respondents aged 12 and over living in a household

Note This question changed in Cycle 5 (2002). Now includes snowboarding.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	328	927,000
NO	2	9,978	22,565,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	14	28,000
REFUSAL	8	17	35,500
NOT STATED	9	1,279	2,275,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1N	Length	1	Position	5568
Question Name	PA_Q1				
Concept	Activity in last 3 months - bowling				
Question	Have you done any of the following in the past 3 months? - Bowling				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		939	2,307,500
NO		2		9,367	21,185,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

Variable Name	PAC0_1O	Length	1	Position	5569
Question Name	PA_Q1				
Concept	Activity in last 3 months - baseball or softball				
Question	Have you done any of the following in the past 3 months? - Baseball or softball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		543	1,265,000
NO		2		9,763	22,227,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1P	Length	1	Position	5570
Question Name	PA_Q1				
Concept	Activity in last 3 months - tennis				
Question	Have you done any of the following in the past 3 months? - Tennis				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		300	862,500
NO		2		10,006	22,630,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

Variable Name	PAC0_1Q	Length	1	Position	5571
Question Name	PA_Q1				
Concept	Activity in last 3 months - weight-training				
Question	Have you done any of the following in the past 3 months? - Weight-training				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,118	3,014,000
NO		2		9,188	20,479,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1R	Length	1	Position	5572
Question Name	PA_Q1				
Concept	Activity in last 3 months - fishing				
Question	Have you done any of the following in the past 3 months? - Fishing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		900	1,930,000
NO		2		9,406	21,562,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

Variable Name	PAC0_1S	Length	1	Position	5573
Question Name	PA_Q1				
Concept	Activity in last 3 months - volleyball				
Question	Have you done any of the following in the past 3 months? - Volleyball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		507	1,366,000
NO		2		9,799	22,127,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1T	Length	1	Position	5574
Question Name	PA_Q1				
Concept	Activity in last 3 months - basketball				
Question	Have you done any of the following in the past 3 months? - Basketball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		609	1,705,000
NO		2		9,697	21,787,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

Variable Name	PAC0_1U	Length	1	Position	5575
Question Name	PA_Q1				
Concept	Activity in last 3 months - other (#1)				
Question	Have you done any of the following in the past 3 months? - Other activity (#1)				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		763	1,958,000
NO		2		9,543	21,534,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	28,000
REFUSAL		8		17	35,500
NOT STATED		9		1,279	2,275,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_1V **Length** 1 **Position** 5576
Question Name PA_Q1
Concept Activity in last 3 months - no physical activity
Question Have you done any of the following in the past 3 months? - No physical activity
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,101	2,398,000
NO	2	9,205	21,094,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	14	28,000
REFUSAL	8	17	35,500
NOT STATED	9	1,279	2,275,500
	Total	12,546	28,318,308

Variable Name PAC0FC1 **Length** 1 **Position** 5577
Question Name PA_Q1US
Concept Flag for other physical activity (#1)
Question What was this activity? - Activity (#1)
Universe Respondents who answered PAC0_1U=1

Note

Based on PAC0_1U. Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	762	1,956,500
NOT APPLICABLE	6	10,473	24,021,000
REFUSAL	8	1	2,000
NOT STATED	9	1,310	2,339,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_1W **Length** 1 **Position** 5578

Question Name PA_Q1W

Concept Activity in last 3 months - other other activity (#2)

Question In the past 3 months, did you do any other activity for leisure? - Other activity (#2)

Universe Respondents who answered PAC0_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	739	1,875,000
NO	2	8,465	19,219,000
NOT APPLICABLE	6	2,031	4,884,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,310	2,339,000
Total		12,546	28,318,308

Variable Name PAC0FC2 **Length** 1 **Position** 5579

Question Name PA_Q1WS

Concept Flag for other physical activity (#2)

Question What was this activity? - Activity (#2)

Universe Respondents who answered PAC0_1W=1

Note Based on PAC0_1W. Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	739	1,875,000
NOT APPLICABLE	6	10,496	24,103,500
NOT STATED	9	1,311	2,340,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0_1X	Length	1	Position	5580
Question Name	PA_Q1X				
Concept	Activity in last 3 months - other activity (#3)				
Question	In the past 3 months, did you do any other activity for leisure? - Other activity (#3)				
Universe	Respondents who answered PAC0_1W=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		88	234,000
NO		2		651	1,641,000
NOT APPLICABLE		6		10,496	24,103,500
NOT STATED		9		1,311	2,340,000
		Total		12,546	28,318,308

Variable Name	PAC0FC3	Length	1	Position	5581
Question Name	PA_Q1XS				
Concept	Flag for other physical activity (#3)				
Question	What was this activity? - Activity (#3)				
Universe	Respondents who answered PAC0_1X=1				
Note	Based on PAC0_1X. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		88	234,000
NOT APPLICABLE		6		11,147	25,744,500
NOT STATED		9		1,311	2,340,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2A **Length** 3 **Position** 5582 - 5584

Question Name PA_Q2

Concept No. of times participated - walking for exercise

Question In the past 3 months, how many times did you participate in walking for exercise?

Universe Respondents who answered PAC0_1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 270	7,037	15,699,000
NOT APPLICABLE	996	4,174	10,227,500
DON'T KNOW	997	21	37,000
REFUSAL	998	4	16,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3A **Length** 1 **Position** 5585

Question Name PA_Q3

Concept Time spent - walking for exercise

Question About how much time did you spend on each occasion? - Walking for exercise

Universe Respondents who answered PAC0_1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	632	1,333,000
16 TO 30 MINUTES	2	2,585	5,876,500
31 TO 60 MINUTES	3	2,799	6,145,000
MORE THAN ONE HOUR	4	1,017	2,338,500
NOT APPLICABLE	6	4,174	10,227,500
DON'T KNOW	7	4	6,000
NOT STATED	9	1,335	2,392,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2B **Length** 3 **Position** 5586 - 5588

Question Name PA_Q2

Concept No. of times participated - gardening or yard work

Question In the past 3 months, how many times did you participate in gardening or yard work?

Universe Respondents who answered PAC0_1B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	4,605	9,646,000
NOT APPLICABLE	996	6,614	16,304,000
DON'T KNOW	997	16	28,500
REFUSAL	998	1	1,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3B **Length** 1 **Position** 5589

Question Name PA_Q3

Concept Time spent - gardening or yard work

Question About how much time did you spend on each occasion? - Gardening or yard work

Universe Respondents who answered PAC0_1B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	234	557,500
16 TO 30 MINUTES	2	903	1,884,000
31 TO 60 MINUTES	3	1,317	2,787,500
MORE THAN ONE HOUR	4	2,148	4,406,500
NOT APPLICABLE	6	6,614	16,304,000
DON'T KNOW	7	3	10,000
NOT STATED	9	1,327	2,368,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2C **Length** 3 **Position** 5590 - 5592

Question Name PA_Q2

Concept No. of times participated - swimming

Question In the past 3 months, how many times did you participate in swimming?

Universe Respondents who answered PAC0_1C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	2,090	4,874,000
NOT APPLICABLE	996	9,142	21,095,500
DON'T KNOW	997	4	9,500
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3C **Length** 1 **Position** 5593

Question Name PA_Q3

Concept Time spent - swimming

Question About how much time did you spend on each occasion? - Swimming

Universe Respondents who answered PAC0_1C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	124	312,000
16 TO 30 MINUTES	2	462	1,058,500
31 TO 60 MINUTES	3	717	1,653,500
MORE THAN ONE HOUR	4	787	1,850,000
NOT APPLICABLE	6	9,142	21,095,500
NOT STATED	9	1,314	2,349,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2D **Length** 3 **Position** 5594 - 5596
Question Name PA_Q2
Concept No. of times participated - bicycling
Question In the past 3 months, how many times did you participate bicycling?
Universe Respondents who answered PAC0_1D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 180	2,029	4,940,500
NOT APPLICABLE	996	9,198	21,020,000
DON'T KNOW	997	9	19,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3D **Length** 1 **Position** 5597
Question Name PA_Q3
Concept Time spent - bicycling
Question About how much time did you spend on each occasion? - Bicycling
Universe Respondents who answered PAC0_1D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	192	444,500
16 TO 30 MINUTES	2	566	1,320,500
31 TO 60 MINUTES	3	680	1,661,000
MORE THAN ONE HOUR	4	590	1,511,500
NOT APPLICABLE	6	9,198	21,020,000
DON'T KNOW	7	1	3,000
NOT STATED	9	1,319	2,358,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2E **Length** 3 **Position** 5598 - 5600

Question Name PA_Q2

Concept No. of times participated - popular or social dance

Question In the past 3 months, how many times did you participate in popular or social dancing?

Universe Respondents who answered PAC0_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	2,270	5,067,500
NOT APPLICABLE	996	8,965	20,910,500
DON'T KNOW	997	1	1,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3E **Length** 1 **Position** 5601

Question Name PA_Q3

Concept Time spent - popular or social dance

Question About how much time did you spend on each occasion? - Popular or social dance

Universe Respondents who answered PAC0_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	63	129,500
16 TO 30 MINUTES	2	119	247,000
31 TO 60 MINUTES	3	258	534,500
MORE THAN ONE HOUR	4	1,829	4,155,500
NOT APPLICABLE	6	8,965	20,910,500
DON'T KNOW	7	1	1,500
NOT STATED	9	1,311	2,340,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2F **Length** 3 **Position** 5602 - 5604

Question Name PA_Q2

Concept No. of times participated - home exercises

Question In the past 3 months, how many times did you participate in home exercises?

Universe Respondents who answered PAC0_1F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	2,632	6,191,000
NOT APPLICABLE	996	8,592	19,757,500
DON'T KNOW	997	12	30,500
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3F **Length** 1 **Position** 5605

Question Name PA_Q3

Concept Time spent - home exercises

Question About how much time did you spend on each occasion? - Home exercises

Universe Respondents who answered PAC0_1F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	707	1,614,500
16 TO 30 MINUTES	2	1,138	2,671,500
31 TO 60 MINUTES	3	564	1,392,000
MORE THAN ONE HOUR	4	223	513,000
NOT APPLICABLE	6	8,592	19,757,500
NOT STATED	9	1,322	2,370,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2G **Length** 3 **Position** 5606 - 5608
Question Name PA_Q2
Concept No. of times participated - ice hockey
Question In the past 3 months, how many times did you participate in ice hockey?
Universe Respondents who answered PAC0_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	455	1,243,500
NOT APPLICABLE	996	10,778	24,729,500
DON'T KNOW	997	3	6,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3G **Length** 1 **Position** 5609
Question Name PA_Q3
Concept Time spent - ice hockey
Question About how much time did you spend on each occasion? - Ice hockey
Universe Respondents who answered PAC0_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	6	15,000
16 TO 30 MINUTES	2	9	30,500
31 TO 60 MINUTES	3	70	204,500
MORE THAN ONE HOUR	4	370	993,500
NOT APPLICABLE	6	10,778	24,729,500
NOT STATED	9	1,313	2,345,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2H **Length** 3 **Position** 5610 - 5612

Question Name PA_Q2

Concept No. of times participated - ice skating

Question In the past 3 months, how many times did you participate in ice skating?

Universe Respondents who answered PAC0_1H=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	639	1,666,500
NOT APPLICABLE	996	10,596	24,310,000
DON'T KNOW	997	1	3,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3H **Length** 1 **Position** 5613

Question Name PA_Q3

Concept Time spent - ice skating

Question About how much time did you spend on each occasion? - Ice skating

Universe Respondents who answered PAC0_1H=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	16	33,000
16 TO 30 MINUTES	2	55	145,000
31 TO 60 MINUTES	3	215	573,500
MORE THAN ONE HOUR	4	351	913,000
NOT APPLICABLE	6	10,596	24,310,000
DON'T KNOW	7	2	2,000
NOT STATED	9	1,311	2,342,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2Y **Length** 3 **Position** 5614 - 5616

Question Name PA_Q2

Concept No. of times participated - in-line skating or rollerblading

Question In the past 3 months, how many times did you participate in in-line skating or rollerblading?

Universe Respondents who answered PAC0_1Y=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	531	1,556,000
NOT APPLICABLE	996	10,704	24,421,000
DON'T KNOW	997	1	2,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3Y **Length** 1 **Position** 5617

Question Name PA_Q3

Concept Time spent - in-line skating or rollerblading

Question About how much time did you spend on each occasion? - In-line skating or rollerblading

Universe Respondents who answered PAC0_1Y=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	28	71,000
16 TO 30 MINUTES	2	115	362,000
31 TO 60 MINUTES	3	205	604,500
MORE THAN ONE HOUR	4	182	517,000
NOT APPLICABLE	6	10,704	24,421,000
DON'T KNOW	7	1	2,000
NOT STATED	9	1,311	2,341,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2J **Length** 3 **Position** 5618 - 5620
Question Name PA_Q2
Concept No. of times participated - jogging or running
Question In the past 3 months, how many times did you participate in jogging or running?
Universe Respondents who answered PAC0_1J=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,252	3,400,000
NOT APPLICABLE	996	9,980	22,558,500
DON'T KNOW	997	3	8,000
REFUSAL	998	1	13,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3J **Length** 1 **Position** 5621
Question Name PA_Q3
Concept Time spent - jogging or running
Question About how much time did you spend on each occasion? - Jogging or running
Universe Respondents who answered PAC0_1J=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	213	571,500
16 TO 30 MINUTES	2	531	1,464,500
31 TO 60 MINUTES	3	393	1,022,500
MORE THAN ONE HOUR	4	115	341,000
NOT APPLICABLE	6	9,980	22,558,500
NOT STATED	9	1,314	2,360,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2K **Length** 3 **Position** 5622 - 5624

Question Name PA_Q2

Concept No. of times participated - golfing

Question In the past 3 months, how many times did you participate in golfing?

Universe Respondents who answered PAC0_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	1,177	2,793,500
NOT APPLICABLE	996	10,056	23,172,000
DON'T KNOW	997	3	13,500
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3K **Length** 1 **Position** 5625

Question Name PA_Q3

Concept Time spent - golfing

Question About how much time did you spend on each occasion? - Golfing

Universe Respondents who answered PAC0_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	8	20,000
16 TO 30 MINUTES	2	3	8,000
31 TO 60 MINUTES	3	26	56,500
MORE THAN ONE HOUR	4	1,139	2,708,500
NOT APPLICABLE	6	10,056	23,172,000
DON'T KNOW	7	1	1,000
NOT STATED	9	1,313	2,353,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2L **Length** 3 **Position** 5626 - 5628

Question Name PA_Q2

Concept No. of times participated - exercise class or aerobics

Question In the past 3 months, how many times did you participate in exercise class or aerobics?

Universe Respondents who answered PAC0_1L=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	766	2,067,500
NOT APPLICABLE	996	10,468	23,899,500
DON'T KNOW	997	2	12,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3L **Length** 1 **Position** 5629

Question Name PA_Q3

Concept Time spent - exercise class or aerobics

Question About how much time did you spend on each occasion? - Exercise class or aerobics

Universe Respondents who answered PAC0_1L=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	24	52,000
16 TO 30 MINUTES	2	85	255,500
31 TO 60 MINUTES	3	371	985,500
MORE THAN ONE HOUR	4	284	771,000
NOT APPLICABLE	6	10,468	23,899,500
DON'T KNOW	7	2	3,500
NOT STATED	9	1,312	2,351,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2I **Length** 3 **Position** 5630 - 5632

Question Name PA_Q2

Concept No. of times participated - downhill skiing

Question In the past 3 months, how many times did you participate in downhill skiing?

Universe Respondents who answered PAC0_1I=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 70	328	927,000
NOT APPLICABLE	996	10,908	25,052,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3I **Length** 1 **Position** 5633

Question Name PA_Q3

Concept Time spent - downhill skiing

Question About how much time did you spend on each occasion? - Downhill skiin

Universe Respondents who answered PAC0_1I=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	4	23,500
16 TO 30 MINUTES	2	2	2,500
31 TO 60 MINUTES	3	9	12,500
MORE THAN ONE HOUR	4	313	888,500
NOT APPLICABLE	6	10,908	25,052,000
NOT STATED	9	1,310	2,339,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2N **Length** 3 **Position** 5634 - 5636

Question Name PA_Q2

Concept No. of times participated - bowling

Question In the past 3 months, how many times did you participate in bowling?

Universe Respondents who answered PAC0_1N=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	939	2,307,500
NOT APPLICABLE	996	10,297	23,672,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3N **Length** 1 **Position** 5637

Question Name PA_Q3

Concept Time spent - bowling

Question About how much time did you spend on each occasion? - Bowling

Universe Respondents who answered PAC0_1N=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	7	14,500
16 TO 30 MINUTES	2	6	10,000
31 TO 60 MINUTES	3	103	289,500
MORE THAN ONE HOUR	4	823	1,993,000
NOT APPLICABLE	6	10,297	23,672,000
NOT STATED	9	1,310	2,339,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_20 **Length** 3 **Position** 5638 - 5640

Question Name PA_Q2

Concept No. of times participated - baseball or softball

Question In the past 3 months, how many times did you participate in baseball or softball?

Universe Respondents who answered PAC0_1O=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 96	539	1,246,500
NOT APPLICABLE	996	10,693	24,714,000
DON'T KNOW	997	3	13,000
REFUSAL	998	1	6,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_30 **Length** 1 **Position** 5641

Question Name PA_Q3

Concept Time spent - baseball or softball

Question About how much time did you spend on each occasion? - Baseball or softball

Universe Respondents who answered PAC0_1O=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	10	17,500
16 TO 30 MINUTES	2	17	28,500
31 TO 60 MINUTES	3	51	121,500
MORE THAN ONE HOUR	4	460	1,078,000
NOT APPLICABLE	6	10,693	24,714,000
DON'T KNOW	7	1	1,000
NOT STATED	9	1,314	2,358,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2P **Length** 3 **Position** 5642 - 5644

Question Name PA_Q2

Concept No. of times participated - tennis

Question In the past 3 months, how many times did you participate in tennis?

Universe Respondents who answered PAC0_1P=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 72	300	862,500
NOT APPLICABLE	996	10,936	25,116,500
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3P **Length** 1 **Position** 5645

Question Name PA_Q3

Concept Time spent - tennis

Question About how much time did you spend on each occasion? - Tennis

Universe Respondents who answered PAC0_1P=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	4	4,000
16 TO 30 MINUTES	2	12	22,500
31 TO 60 MINUTES	3	84	229,000
MORE THAN ONE HOUR	4	200	607,000
NOT APPLICABLE	6	10,936	25,116,500
NOT STATED	9	1,310	2,339,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2Q **Length** 3 **Position** 5646 - 5648

Question Name PA_Q2

Concept No. of times participated - weight-training

Question In the past 3 months, how many times did you participate in weight-training?

Universe Respondents who answered PAC0_1Q=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,113	2,992,000
NOT APPLICABLE	996	10,118	22,965,500
DON'T KNOW	997	5	22,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3Q **Length** 1 **Position** 5649

Question Name PA_Q3

Concept Time spent - weight-training

Question About how much time did you spend on each occasion? - Weight-training

Universe Respondents who answered PAC0_1Q=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	111	278,000
16 TO 30 MINUTES	2	309	770,500
31 TO 60 MINUTES	3	382	1,016,500
MORE THAN ONE HOUR	4	311	927,000
NOT APPLICABLE	6	10,118	22,965,500
NOT STATED	9	1,315	2,361,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2R **Length** 3 **Position** 5650 - 5652

Question Name PA_Q2

Concept No. of times participated - fishing

Question In the past 3 months, how many times did you participate in fishing?

Universe Respondents who answered PAC0_1R=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	899	1,927,000
NOT APPLICABLE	996	10,336	24,049,000
DON'T KNOW	997	1	3,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3R **Length** 1 **Position** 5653

Question Name PA_Q3

Concept Time spent - fishing

Question About how much time did you spend on each occasion? - Fishing

Universe Respondents who answered PAC0_1R=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	8	17,000
16 TO 30 MINUTES	2	15	32,000
31 TO 60 MINUTES	3	31	55,500
MORE THAN ONE HOUR	4	845	1,822,500
NOT APPLICABLE	6	10,336	24,049,000
NOT STATED	9	1,311	2,342,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2S **Length** 3 **Position** 5654 - 5656

Question Name PA_Q2

Concept No. of times participated - volleyball

Question In the past 3 months, how many times did you participate in volleyball?

Universe Respondents who answered PAC0_1S=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	506	1,362,500
NOT APPLICABLE	996	10,729	24,613,500
DON'T KNOW	997	1	3,500
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3S **Length** 1 **Position** 5657

Question Name PA_Q3

Concept Time spent - volleyball

Question About how much time did you spend on each occasion? - Volleyball

Universe Respondents who answered PAC0_1S=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	9	25,500
16 TO 30 MINUTES	2	34	100,000
31 TO 60 MINUTES	3	122	357,500
MORE THAN ONE HOUR	4	340	874,000
NOT APPLICABLE	6	10,729	24,613,500
DON'T KNOW	7	1	6,000
NOT STATED	9	1,311	2,342,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2T **Length** 3 **Position** 5658 - 5660

Question Name PA_Q2

Concept No. of times participated - basketball

Question In the past 3 months, how many times did you participate in basketball?

Universe Respondents who answered PAC0_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	608	1,697,000
NOT APPLICABLE	996	10,627	24,274,000
DON'T KNOW	997	1	8,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3T **Length** 1 **Position** 5661

Question Name PA_Q3

Concept Time spent - basketball

Question About how much time did you spend on each occasion? - Basketball

Universe Respondents who answered PAC0_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	20	56,000
16 TO 30 MINUTES	2	80	189,500
31 TO 60 MINUTES	3	182	539,000
MORE THAN ONE HOUR	4	326	912,500
NOT APPLICABLE	6	10,627	24,274,000
NOT STATED	9	1,311	2,347,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2U **Length** 3 **Position** 5662 - 5664
Question Name PA_Q2
Concept No. of times participated - other activity (#1)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#1)?
Universe Respondents who answered PAC0_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 132	761	1,956,000
NOT APPLICABLE	996	10,473	24,021,000
DON'T KNOW	997	1	1,000
REFUSAL	998	1	2,000
NOT STATED	999	1,310	2,339,000
	Total	12,546	28,318,308

Variable Name PAC0_3U **Length** 1 **Position** 5665
Question Name PA_Q3
Concept Time spent - other activity (#1)
Question About how much time did you spend on each occasion? - Other leisure time activity (#1)
Universe Respondents who answered PAC0_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	20	59,000
16 TO 30 MINUTES	2	64	148,000
31 TO 60 MINUTES	3	161	390,500
MORE THAN ONE HOUR	4	515	1,355,500
NOT APPLICABLE	6	10,473	24,021,000
DON'T KNOW	7	1	3,000
NOT STATED	9	1,312	2,341,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2W **Length** 3 **Position** 5666 - 5668

Question Name PA_Q2

Concept No. of times participated - other activity (#2)

Question In the past 3 months, how many times did you participate in this other leisure time activity (#2)?

Universe Respondents who answered PAC0_1W=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 100	739	1,875,000
NOT APPLICABLE	996	10,496	24,103,500
NOT STATED	999	1,311	2,340,000
	Total	12,546	28,318,308

Variable Name PAC0_3W **Length** 1 **Position** 5669

Question Name PA_Q3

Concept Time spent - other activity (#2)

Question About how much time did you spend on each occasion? - Other leisure time activity (#2)

Universe Respondents who answered PAC0_1W=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	24	50,500
16 TO 30 MINUTES	2	57	154,500
31 TO 60 MINUTES	3	134	351,500
MORE THAN ONE HOUR	4	524	1,318,500
NOT APPLICABLE	6	10,496	24,103,500
NOT STATED	9	1,311	2,340,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_2X **Length** 3 **Position** 5670 - 5672
Question Name PA_Q2
Concept No. of times participated - other activity (#3)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#3)?
Universe Respondents who answered PAC0_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	87	233,500
NOT APPLICABLE	996	11,147	25,744,500
DON'T KNOW	997	1	1,000
NOT STATED	999	1,311	2,340,000
	Total	12,546	28,318,308

Variable Name PAC0_3X **Length** 1 **Position** 5673
Question Name PA_Q3
Concept Time spent - other activity (#3)
Question About how much time did you spend on each occasion? - Other leisure time activity (#3)
Universe Respondents who answered PAC0_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	3	12,500
16 TO 30 MINUTES	2	4	7,500
31 TO 60 MINUTES	3	22	59,500
MORE THAN ONE HOUR	4	58	154,500
NOT APPLICABLE	6	11,147	25,744,500
NOT STATED	9	1,312	2,340,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0_4A **Length** 2 **Position** 5674 - 5675

Question Name PA_Q4A

Concept Number of hours walking - to work or to school

Question In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	3,833	8,560,000
LESS THAN 1 HOUR	2	1,504	3,234,500
FROM 1 TO 5 HOURS	3	2,914	6,740,500
FROM 6 TO 10 HOURS	4	970	2,273,500
FROM 11 TO 20 HOURS	5	373	910,000
MORE THAN 20 HOURS	6	687	1,709,000
NOT APPLICABLE	96	930	2,486,500
DON'T KNOW	97	24	50,000
NOT STATED	99	1,311	2,353,500
	Total	12,546	28,318,308

Variable Name PAC0_4B **Length** 2 **Position** 5676 - 5677

Question Name PA_Q4B

Concept Number of hours biking - to work or to school

Question In a typical week, how much time did you usually spend bicycling to work or to school or while doing errands?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	9,753	22,010,500
LESS THAN 1 HOUR	2	234	613,000
FROM 1 TO 5 HOURS	3	232	646,500
FROM 6 TO 10 HOURS	4	53	128,500
FROM 11 TO 20 HOURS	5	13	41,000
MORE THAN 20 HOURS	6	13	27,500
NOT APPLICABLE	96	930	2,486,500
DON'T KNOW	97	7	11,000
NOT STATED	99	1,311	2,353,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC0DLEI	Length	1	Position	5680
Question Name					
Concept	Participant in leisure physical activity - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on PAC0_1V. Source: Ontario Health Survey. See Derived Variables Documentation.				
Content		Code		Sample	Population
PARTICIPANT		1		9,205	21,094,500
NON-PARTICIPANT		2		1,101	2,398,000
NOT APPLICABLE		6		930	2,486,500
NOT STATED		9		1,310	2,339,000
		Total		12,546	28,318,308

Variable Name	PAC0DFM	Length	3	Position	5681 - 5683
Question Name					
Concept	Monthly freq. of physical activity lasting >15 min. - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on PAC0_1V, PAC0_2A to PAC0_2X and PAC0_3A to PAC0_3X. Activity list is unique to each cycle. Source: Ontario Health Survey. See Derived Variables Documentation.				
Content		Code		Sample	Population
MONTHLY FREQUENCY		1 - 216		8,834	20,402,000
NO PHYSICAL ACTIVITY		0		1,472	3,090,500
NOT APPLICABLE		996		930	2,486,500
NOT STATED		999		1,310	2,339,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0DFR **Length** 1 **Position** 5684

Question Name

Concept Freq. of all physical activity lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC0_1V, PAC0_2A to PAC0_2X and PAC0_3A to PAC0_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR	1	6,186	14,125,000
OCCASIONAL	2	1,947	4,652,500
INFREQUENT	3	2,173	4,715,000
NOT APPLICABLE	6	930	2,486,500
NOT STATED	9	1,310	2,339,000
Total		12,546	28,318,308

Variable Name PAC0DFD **Length** 1 **Position** 5685

Question Name

Concept Participation in daily phys. activ. lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC0_1V, PAC0_2A to PAC0_2X and PAC0_3A to PAC0_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY	1	2,970	6,733,500
NOT DAILY	2	7,336	16,759,000
NOT APPLICABLE	6	930	2,486,500
NOT STATED	9	1,310	2,339,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC0DEE **Length** 4.1 **Position** 5686 - 5689

Question Name

Concept Energy expenditure - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC0_1A to PAC0_1X, PAC0_2A to PAC0_2X and PAC0_3A to PAC0_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNITS OF ENERGY	0.1 - 26.8	9,048	20,786,500
NO PHYSICAL ACTIVITY	0	1,258	2,706,000
NOT APPLICABLE	99.6	930	2,486,500
NOT STATED	99.9	1,310	2,339,000
Total		12,546	28,318,308

Variable Name PAC0DPAI **Length** 1 **Position** 5690

Question Name

Concept Physical activity index - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC0_1A to PAC0_1X, PAC0_2A to PAC0_2X and PAC0_3A to PAC0_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ACTIVE	1	1,971	4,625,000
MODERATE	2	2,607	5,884,000
INACTIVE	3	5,728	12,983,500
NOT APPLICABLE	6	930	2,486,500
NOT STATED	9	1,310	2,339,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	TUC0_3	Length	1	Position	5691
Question Name	TU_Q1				
Concept	UV - has been sunburnt				
Question	In the past 12 months, has any part of your body been sunburnt?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,691	6,106,000
NO		2		7,638	17,425,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		4	6,500
REFUSAL		8		3	4,000
NOT STATED		9		1,280	2,290,000
		Total		12,546	28,318,308

Variable Name	RPC0_1	Length	1	Position	5692
Question Name	RP_Q1				
Concept	Had repetitive strain injuries				
Question	In the past 12 months, did you have any injuries due to repetitive strain which were serious enough to limit your normal activities? (For example, carpal tunnel syndrome, tennis elbow or tendinitis.)				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,092	2,611,500
NO		2		9,630	21,933,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		4	6,000
REFUSAL		8		6	9,500
NOT STATED		9		884	1,272,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC0_3 **Length** 2 **Position** 5693 - 5694

Question Name RP_Q3

Concept Body part affected by repetitive strain

Question Thinking about the most serious repetitive strain, what part of the body was affected?

Universe Respondents who answered RPC0_1=1

Note This is the same question as in Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HEAD	1	1	1,500
NECK	2	43	100,500
SHOULDER, UPPER ARM	3	227	619,500
ELBOW, LOWER ARM	4	163	334,000
WRIST, HAND	5	248	618,000
HIP	6	20	37,500
THIGH	7	15	35,500
KNEE, LOWER LEG	8	101	284,000
ANKLE, FOOT	9	79	200,000
UPPER BACK OR UPPER SPINE	10	36	80,500
LOWER BACK OR LOWER SPINE	11	142	278,000
CHEST	12	7	10,500
ABDOMEN OR PELVIS	13	10	11,500
NOT APPLICABLE	96	10,560	24,419,500
NOT STATED	99	894	1,287,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC0_5A **Length** 1 **Position** 5695

Question Name RP_Q4

Concept Repetitive strain activity - sports or physical exercise

Question What type of activity were you doing when you got this repetitive strain? - Sports or physical exercise (include school activities)

Universe Respondents who answered RPC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	270	739,500
NO	2	813	1,852,500
NOT APPLICABLE	6	10,560	24,419,500
DON'T KNOW	7	9	19,500
NOT STATED	9	894	1,287,500
Total		12,546	28,318,308

Variable Name RPC0_5B **Length** 1 **Position** 5696

Question Name RP_Q4

Concept Repetitive strain activity - leisure or hobby

Question What type of activity were you doing when you got this repetitive strain? - Leisure or hobby (include volunteering)

Universe Respondents who answered RPC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	81	182,000
NO	2	1,002	2,410,000
NOT APPLICABLE	6	10,560	24,419,500
DON'T KNOW	7	9	19,500
NOT STATED	9	894	1,287,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC0_5C **Length** 1 **Position** 5697
Question Name RP_Q4
Concept Repetitive strain activity - working at a job or business
Question What type of activity were you doing when you got this repetitive strain? - Working at a job or business (include travel to or from work)
Universe Respondents who answered RPC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	527	1,309,000
NO	2	556	1,283,000
NOT APPLICABLE	6	10,560	24,419,500
DON'T KNOW	7	9	19,500
NOT STATED	9	894	1,287,500
Total		12,546	28,318,308

Variable Name RPC0_5D **Length** 1 **Position** 5698
Question Name RP_Q4
Concept Repetitive strain activity - hhd chores, other work / educ.
Question What type of activity were you doing when you got this repetitive strain? - Household chores, other unpaid work or education
Universe Respondents who answered RPC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	160	283,000
NO	2	923	2,309,000
NOT APPLICABLE	6	10,560	24,419,500
DON'T KNOW	7	9	19,500
NOT STATED	9	894	1,287,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC0_5E **Length** 1 **Position** 5699
Question Name RP_Q4
Concept Repetitive strain activity - sleeping, eating, personal care
Question What type of activity were you doing when you got this repetitive strain? - Sleeping, eating, personal care
Universe Respondents who answered RPC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	17	31,000
NO	2	1,066	2,561,000
NOT APPLICABLE	6	10,560	24,419,500
DON'T KNOW	7	9	19,500
NOT STATED	9	894	1,287,500
Total		12,546	28,318,308

Variable Name RPC0_5F **Length** 1 **Position** 5700
Question Name RP_Q4
Concept Repetitive strain activity - other
Question What type of activity were you doing when you got this repetitive strain? - Other
Universe Respondents who answered RPC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	59	119,500
NO	2	1,024	2,472,500
NOT APPLICABLE	6	10,560	24,419,500
DON'T KNOW	7	9	19,500
NOT STATED	9	894	1,287,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	IJC0_1	Length	1	Position	5701
Question Name	IN_Q01				
Concept	Injured in the past 12 months				
Question	(Not counting repetitive strain injuries,) In the past 12 months, were you injured?				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,362	3,308,500
NO		2		10,170	23,573,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		2	5,000
REFUSAL		8		5	7,500
NOT STATED		9		885	1,272,500
		Total		12,546	28,318,308

Variable Name	IJC0_2	Length	2	Position	5702 - 5703
Question Name	IJ_Q02				
Concept	Number of injuries in the past 12 months				
Question	How many times were you injured?				
Universe	Respondents who answered IJC0_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 25		1,362	3,308,500
NOT APPLICABLE		96		10,292	23,725,000
NOT STATED		99		892	1,285,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0_3 **Length** 2 **Position** 5704 - 5705
Question Name IJ_Q03
Concept Most serious injury - type
Question (Thinking about the most serious injury,) What type of injury did you have? For example, a broken bone or burn.
Universe Respondents who answered IJC0_1=1
Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE INJURIES	1	37	96,000
BROKEN OR FRACTURED BONES	2	256	616,500
BURN, SCALD, CHEMICAL BURN	3	58	129,500
DISLOCATION	4	45	117,500
SPRAIN OR STRAIN	5	571	1,327,000
CUT, PUNCTURE, ANIMAL BITE	6	150	412,500
SCRAPE, BRUISE, BLISTER	7	110	292,500
CONCUSSION OR OTHER BRAIN INJURY	8	23	60,500
POISONING	9	10	17,500
INJURY TO INTERNAL ORGANS	10	12	34,500
OTHER	11	89	203,500
NOT APPLICABLE	96	10,292	23,725,000
DON'T KNOW	97	1	1,000
NOT STATED	99	892	1,285,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0_4 **Length** 2 **Position** 5706 - 5707

Question Name IJ_Q04

Concept Most serious injury - body part affected

Question What part of your body was injured?

Universe Respondents who answered IJC0_3<8 or IJC0_3=11

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE SITES	1	35	67,500
EYES	2	13	18,000
HEAD (EXCL. EYES)	3	48	139,500
NECK	4	46	132,000
SHOULDER, UPPER ARM	5	109	284,000
ELBOW, LOWER ARM	6	69	177,500
WRIST, HAND	7	243	591,500
HIP	8	31	40,000
THIGH	9	24	62,000
KNEE, LOWER LEG	10	188	494,500
ANKLE, FOOT	11	285	716,500
UPPER BACK OR UPPER SPINE	12	48	118,000
LOWER BACK OR LOWER SPINE	13	132	255,500
CHEST (EXCL. BACK AND SPINE)	14	29	66,500
ABDOMEN OR PELVIS (EXCL. BACK AND SPINE)	15	17	33,500
NOT APPLICABLE	96	10,337	23,837,500
NOT STATED	99	892	1,285,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0_4A **Length** 1 **Position** 5708
Question Name IJ_Q05
Concept Most serious injury - body part affected (internal injuries)
Question What part of your body was injured?
Universe Respondents who answered IJC0_3=10

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CHEST (WITHIN RIB CAGE)	1	2	4,500
ABDOMEN OR PELVIS (BELOW RIBS)	2	7	22,500
OTHER	3	3	7,000
NOT APPLICABLE	6	11,642	26,999,000
NOT STATED	9	892	1,285,000
Total		12,546	28,318,308

Variable Name IJC0_5 **Length** 2 **Position** 5709 - 5710
Question Name IJ_Q06
Concept Most serious injury - place of occurrence
Question Where did the injury happen?
Universe Respondents who answered IJC0_1=1

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
IN A HOME OR ITS SURROUNDING AREA	1	481	1,056,000
RESIDENTIAL INSTITUTION	2	15	60,000
SCHOOL, COLLEGE, UNIVERSITY	3	68	174,500
OTHER INSTITUTION	4	36	89,000
SPORTS OR ATHLETICS AREA	5	315	854,500
STREET, HIGHWAY, SIDEWALK	6	180	467,500
COMMERCIAL AREA	7	107	228,000
INDUSTRIAL OR CONSTRUCTION AREA	8	89	210,000
FARM	9	42	100,500
OTHER	10	19	51,500
NOT APPLICABLE	96	10,292	23,725,000
DON'T KNOW	97	10	17,000
NOT STATED	99	892	1,285,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0_9 **Length** 2 **Position** 5711 - 5712
Question Name IJ_Q07
Concept Most serious injury - activity type when injured
Question What type of activity were you doing when you were injured?
Universe Respondents who answered IJC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SPORTS OR PHYSICAL EXERCISE	1	401	1,083,500
LEISURE OR HOBBY	2	209	465,000
WORKING AT A JOB OR BUSINESS	3	296	703,500
HHLD CHORES, OTHER UNPAID WORK/EDUCATION	4	284	637,000
SLEEPING, EATING, PERSONAL CARE	5	44	96,500
OTHER	6	118	300,500
NOT APPLICABLE	96	10,292	23,725,000
DON'T KNOW	97	10	21,500
NOT STATED	99	892	1,285,000
Total		12,546	28,318,308

Variable Name IJC0_10 **Length** 1 **Position** 5713
Question Name IJ_Q08
Concept Most serious injury - result of a fall
Question Was the injury the result of a fall?
Universe Respondents who answered IJC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	540	1,262,500
NO	2	819	2,043,000
NOT APPLICABLE	6	10,292	23,725,000
DON'T KNOW	7	3	3,000
NOT STATED	9	892	1,285,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0_10A **Length** 2 **Position** 5714 - 5715
Question Name IJ_Q09
Concept Most serious injury - how fell
Question How did you fall?
Universe Respondents who answered IJC0_10=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WHILE SKATING, SKIING, SNOWBOARDING ETC.	1	66	151,500
GOING UP OR DOWN STAIRS / STEPS	2	42	80,000
SLIP, TRIP, STUMBLE ON ICE OR SNOW	3	93	224,500
SLIP, TRIP, STUMBLE ON ANY OTHER SURFACE	4	198	434,000
FROM FURNITURE	5	15	29,500
FROM ELEVATED POSITION	6	30	56,000
OTHER	7	95	287,000
NOT APPLICABLE	96	11,111	25,768,000
DON'T KNOW	97	1	1,000
NOT STATED	99	895	1,288,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0_10B **Length** 2 **Position** 5716 - 5717
Question Name IJ_Q10
Concept Most serious injury - cause
Question What caused the injury?
Universe Respondents who answered IJC0_10<>1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRANSPORTATION ACCIDENT	1	86	232,500
ACCID. BUMPED, PUSHED, BITT. PERS./ANIM.	2	96	257,500
ACCID. STRUCK, CRUSHED BY OBJECT	3	121	323,500
ACCID. CONT SHARP OBJECT, TOOL / MACHINE	4	116	311,500
SMOKE, FIRE, FLAMES	5	10	22,000
ACC. CONTACT - HOT OBJECT, LIQUID, GAS	6	47	105,000
EXTREME WEATHER OR NATURAL DISASTER	7	1	4,500
OVEREXERTION OR STRENUOUS MOVEMENT	8	235	542,000
PHYSICAL ASSAULT	9	13	47,000
OTHER	10	88	188,500
NOT APPLICABLE	96	10,832	24,987,500
DON'T KNOW	97	9	12,000
NOT STATED	99	892	1,285,000
Total		12,546	28,318,308

Variable Name IJC0_11 **Length** 1 **Position** 5718
Question Name IJ_Q11
Concept Most serious injury - received treatment within 48 hours
Question Did you receive any medical attention for the injury within 48 hours from a health professional?
Universe Respondents who answered IJC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	906	2,239,500
NO	2	456	1,069,000
NOT APPLICABLE	6	10,292	23,725,000
NOT STATED	9	892	1,285,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0_12 **Length** 2 **Position** 5719 - 5720
Question Name IJ_Q12
Concept Most serious injury - where received treatment
Question Where did you receive treatment?
Universe Respondents who answered IJC0_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR'S OFFICE	1	203	478,000
HOSPITAL EMERGENCY ROOM	2	491	1,248,500
HOSPITAL OUTPATIENT CLINIC	3	61	105,500
WALK-IN CLINIC	4	93	249,500
APPOINTMENT CLINIC	5	8	17,000
COMMUNITY HEALTH CENTRE / CLSC	6	10	29,000
AT WORK	7	6	12,500
AT HOME	9	8	17,500
TELEPHONE CONSULTATION ONLY	10	2	8,500
OTHER	11	24	74,000
NOT APPLICABLE	96	10,748	24,794,000
NOT STATED	99	892	1,285,000
Total		12,546	28,318,308

Variable Name IJC0_13 **Length** 1 **Position** 5721
Question Name IJ_Q13
Concept Most serious injury - admitted to hospital
Question Were you admitted to a hospital overnight?
Universe Respondents who answered IJC0_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	77	176,500
NO	2	829	2,063,000
NOT APPLICABLE	6	10,748	24,794,000
NOT STATED	9	892	1,285,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0_14 **Length** 1 **Position** 5722
Question Name IJ_Q14
Concept Other injuries - treated but did not limit normal activities
Question Did you have any other injuries in the past 12 months that were treated by a health professional, but did not limit your normal activities?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	436	1,043,000
NO	2	11,096	25,838,000
NOT APPLICABLE	6	122	152,000
NOT STATED	9	892	1,285,000
Total		12,546	28,318,308

Variable Name IJC0_15 **Length** 2 **Position** 5723 - 5724
Question Name IJ_Q15
Concept Other injuries - number of treated injuries
Question How many injuries?
Universe Respondents who answered IJC0_14=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF INJURIES	1 - 30	436	1,043,000
NOT APPLICABLE	96	11,218	25,990,500
NOT STATED	99	892	1,285,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0DTBS **Length** 4 **Position** 5725 - 5728

Question Name

Concept Type of injury by body site - (D)

Question

Universe Respondents who answered IJC0_1=1

Note Based on IJC0_1, IJC0_3, IJC0_4 and IJC0_4A. This variable is conceptually the same as IJC4D1 in Cycle 1 (1994), IJC6D1 in Cycle 2 (1996) and IJC8D1 in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INJURY BY BODY SITE	101 - 1115	1,361	3,307,500
NOT APPLICABLE	9996	10,292	23,725,000
NOT STATED	9999	893	1,285,500
Total		12,546	28,318,308

Variable Name IJC0DCAU **Length** 2 **Position** 5729 - 5730

Question Name

Concept Cause of injury - (D)

Question

Universe Respondents who answered IJC0_1=1

Note Based on IJC0_10 and IJC0_10B. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FALL	1	540	1,262,500
TRANSPORTATION ACCIDENT	2	86	232,500
ACCID. BUMPED, PUSHED, BITT. PERS./ANIM.	3	96	257,500
ACCID. STRUCK, CRUSHED BY OBJECT	4	121	323,500
ACCID. CONT SHARP OBJECT, TOOL / MACHINE	5	116	311,500
SMOKE, FIRE, FLAMES	6	10	22,000
ACC. CONTACT - HOT OBJECT, LIQUID, GAS	7	47	105,000
EXTREME WEATHER OR NATURAL DISASTER	8	1	4,500
OVEREXERTION OR STRENUOUS MOVEMENT	9	235	542,000
PHYSICAL ASSAULT	10	13	47,000
OTHER	11	88	188,500
NOT APPLICABLE	96	10,292	23,725,000
NOT STATED	99	901	1,296,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC0DCBP **Length** 3 **Position** 5731 - 5733

Question Name

Concept Cause of injury by place of occurrence - (D)

Question

Universe Respondents who answered IJC0_1=1

Note Based on IJC0_5, IJC0_10 and IJC0_10B. This variable is conceptually the same as IJC4D2 in Cycle 1 (1994), IJC6D2 in Cycle 2 (1996) and IJC8D2 in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CAUSE BY PLACE OF OCCURRENCE	10 - 119	1,349	3,285,500
NOT APPLICABLE	996	10,292	23,725,000
NOT STATED	999	905	1,308,000
Total		12,546	28,318,308

Variable Name ST_0_C1 **Length** 1 **Position** 5734

Question Name ST_Q101

Concept Stress (ongoing) - trying to take on too many things

Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You are trying to take on too many things at once.

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	3,831	9,159,000
FALSE	2	5,703	12,336,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	20	42,000
REFUSAL	8	48	74,000
NOT STATED	9	1,148	1,862,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C2 **Length** 1 **Position** 5735
Question Name ST_Q102
Concept Stress (ongoing) - pressure to conform
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - There is too much pressure on you to be like other people.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,056	2,728,000
FALSE	2	8,461	18,742,000
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	35	64,000
REFUSAL	8	2	4,000
NOT STATED	9	1,196	1,936,500
	Total	12,546	28,318,308

Variable Name ST_0_C3 **Length** 1 **Position** 5736
Question Name ST_Q103
Concept Stress (ongoing) - others expect too much from you
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Too much is expected of you by others.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	2,568	5,996,000
FALSE	2	6,944	15,452,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	39	77,000
REFUSAL	8	2	10,000
NOT STATED	9	1,197	1,939,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C4 **Length** 1 **Position** 5737
Question Name ST_Q104
Concept Stress (ongoing) - lack of money
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You don't have enough money to buy the things you need.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	2,439	5,601,000
FALSE	2	7,089	15,881,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	25	53,000
NOT STATED	9	1,197	1,939,000
	Total	12,546	28,318,308

Variable Name ST_0_C5 **Length** 1 **Position** 5738
Question Name ST_Q105
Concept Stress (ongoing) - partner doesn't understand you
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner doesn't understand you.
Universe Respondents aged 18 and over with DHC0_MAR=1 or 2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	561	1,248,000
FALSE	2	5,121	11,867,000
NOT APPLICABLE	6	5,762	13,400,500
DON'T KNOW	7	22	51,000
REFUSAL	8	3	19,500
NOT STATED	9	1,077	1,732,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C6 **Length** 1 **Position** 5739
Question Name ST_Q106
Concept Stress (ongoing) - partner is not affectionate enough
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner doesn't show enough affection.
Universe Respondents aged 18 and over with DHC0_MAR=1 or 2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	510	1,175,000
FALSE	2	5,172	11,934,000
NOT APPLICABLE	6	5,762	13,400,500
DON'T KNOW	7	21	63,500
REFUSAL	8	4	13,000
NOT STATED	9	1,077	1,732,000
	Total	12,546	28,318,308

Variable Name ST_0_C7 **Length** 1 **Position** 5740
Question Name ST_Q107
Concept Stress (ongoing) - partner is not committed to relationship
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner is not committed enough to your relationship.
Universe Respondents aged 18 and over with DHC0_MAR=1 or 2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	236	588,000
FALSE	2	5,443	12,530,500
NOT APPLICABLE	6	5,762	13,400,500
DON'T KNOW	7	19	47,500
REFUSAL	8	8	19,000
NOT STATED	9	1,078	1,732,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C8 **Length** 1 **Position** 5741
Question Name ST_Q108
Concept Stress (ongoing) - difficult to find someone compatible
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You find it is very difficult to find someone compatible with you.
Universe Respondents aged 18 and over with DHC0_MAR=3, 4, 5 or 6 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,012	2,343,500
FALSE	2	2,792	5,917,000
NOT APPLICABLE	6	7,698	18,507,500
DON'T KNOW	7	32	73,500
REFUSAL	8	2	1,000
NOT STATED	9	1,010	1,475,500
	Total	12,546	28,318,308

Variable Name ST_0_C9 **Length** 1 **Position** 5742
Question Name ST_Q109
Concept Stress (ongoing) - has children
Question Do you have any children?
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,914	14,892,000
NO	2	2,629	6,630,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	6	6,500
REFUSAL	8	2	4,500
NOT STATED	9	1,199	1,940,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C10 **Length** 1 **Position** 5743
Question Name ST_Q110
Concept Stress (ongoing) - child seems unhappy
Question Remember I want to know if you feel any of these statements are true for you at this time. - One of your children seems very unhappy.
Universe Respondents who answered ST_0_C9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,020	2,007,000
FALSE	2	5,847	12,784,000
NOT APPLICABLE	6	4,425	11,474,500
DON'T KNOW	7	43	93,500
REFUSAL	8	3	5,500
NOT STATED	9	1,208	1,953,500
	Total	12,546	28,318,308

Variable Name ST_0_C11 **Length** 1 **Position** 5744
Question Name ST_Q111
Concept Stress (ongoing) - child's behaviour is a concern
Question Remember I want to know if you feel any of these statements are true for you at this time. - A child's behaviour is a source of serious concern to you.
Universe Respondents who answered ST_0_C9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,886	3,933,500
FALSE	2	4,998	10,887,500
NOT APPLICABLE	6	4,425	11,474,500
DON'T KNOW	7	25	63,500
REFUSAL	8	4	5,500
NOT STATED	9	1,208	1,953,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C12 **Length** 1 **Position** 5745
Question Name ST_Q112
Concept Stress (ongoing) - work around home not appreciated
Question Remember I want to know if you feel any of these statements are true for you at this time. - Your work around the home is not appreciated.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	879	2,046,000
FALSE	2	8,625	19,384,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	40	83,000
REFUSAL	8	6	18,000
NOT STATED	9	1,200	1,942,500
	Total	12,546	28,318,308

Variable Name ST_0_C13 **Length** 1 **Position** 5746
Question Name ST_Q113
Concept Stress (ongoing) - friends are a bad influence
Question Remember I want to know if you feel any of these statements are true for you at this time. - Your friends are a bad influence.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	235	532,500
FALSE	2	9,285	20,941,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	25	41,000
REFUSAL	8	5	17,000
NOT STATED	9	1,200	1,942,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C14 **Length** 1 **Position** 5747
Question Name ST_Q114
Concept Stress (ongoing) - would like to move
Question Remember I want to know if you feel any of these statements are true for you at this time. - You would like to move but you cannot.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,389	3,498,500
FALSE	2	8,132	17,979,000
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	23	37,000
REFUSAL	8	6	17,000
NOT STATED	9	1,200	1,942,500
	Total	12,546	28,318,308

Variable Name ST_0_C15 **Length** 1 **Position** 5748
Question Name ST_Q115
Concept Stress (ongoing) - neighbourhood too noisy or polluted
Question Remember I want to know if you feel any of these statements are true for you at this time. - Your neighbourhood or community is too noisy or too polluted.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	590	1,479,000
FALSE	2	8,936	20,003,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	18	32,000
REFUSAL	8	6	17,000
NOT STATED	9	1,200	1,942,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C16 **Length** 1 **Position** 5749
Question Name ST_Q116
Concept Stress (ongoing) - family member in very bad health
Question Remember I want to know if you feel any of these statements are true for you at this time. - You have a parent, a child or partner who is in very bad health and may die.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,017	2,338,500
FALSE	2	8,509	19,142,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	17	37,000
REFUSAL	8	7	13,500
NOT STATED	9	1,200	1,942,500
Total		12,546	28,318,308

Variable Name ST_0_C17 **Length** 1 **Position** 5750
Question Name ST_Q117
Concept Stress (ongoing) - family member has alcohol or drug problem
Question Remember I want to know if you feel any of these statements are true for you at this time. - Someone in your family has an alcohol or drug problem.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,223	2,545,500
FALSE	2	8,293	18,909,000
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	27	57,000
REFUSAL	8	7	20,500
NOT STATED	9	1,200	1,942,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_C18 **Length** 1 **Position** 5751
Question Name ST_Q118
Concept Stress (ongoing) - people are too critical
Question Remember I want to know if you feel any of these statements are true for you at this time. - People are too critical of you or what you do.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	802	1,853,000
FALSE	2	8,674	19,532,000
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	68	128,500
REFUSAL	8	6	18,000
NOT STATED	9	1,200	1,942,500
Total		12,546	28,318,308

Variable Name ST_0DC1 **Length** 4.1 **Position** 5752 - 5755

Question Name

Concept General chronic stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note

Based on ST_0_C1 to ST_0_C4 and ST_0_C12 to ST_0_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 11.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 9.0	9,524	21,473,500
NOT APPLICABLE	99.6	1,796	4,844,000
NOT STATED	99.9	1,226	2,001,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_ODC2 **Length** 4.1 **Position** 5756 - 5759

Question Name

Concept Specific chronic stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_C1 to ST_0_C8 and ST_0_C10 to ST_0_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 16.0 (higher values indicate more stress). Maximum score equals total number of questions to answer. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 13.0	9,525	21,469,000
NOT APPLICABLE	99.6	1,796	4,844,000
NOT STATED	99.9	1,225	2,005,500
Total		12,546	28,318,308

Variable Name ST_ODC3 **Length** 4.1 **Position** 5760 - 5763

Question Name

Concept Adjusted specific chronic stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_C1 to ST_0_C8 and ST_0_C10 to ST_0_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 16.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 13.7	9,525	21,469,000
NOT APPLICABLE	99.6	1,796	4,844,000
NOT STATED	99.9	1,225	2,005,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_ODC4 **Length** 3.1 **Position** 5764 - 5766

Question Name

Concept Personal stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_C1 to ST_0_C3, ST_0_C12 and ST_0_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 5.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 5.0	9,517	21,464,500
NOT APPLICABLE	9.6	1,796	4,844,000
NOT STATED	9.9	1,233	2,009,500
Total		12,546	28,318,308

Variable Name ST_ODC5 **Length** 1 **Position** 5767

Question Name

Concept Financial problems stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_C4. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 1 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 1	9,528	21,482,500
NOT APPLICABLE	6	1,796	4,844,000
NOT STATED	9	1,222	1,992,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_ODC6	Length	1	Position	5768
Question Name					
Concept	Relationship problems (with partner) stress index - (D)				
Question					
Universe	Respondents aged 18 and over with DHC0_MAR=1 or 2 living in a household				
Note	Based on ST_0_C5 to ST_0_C7 and DHC0_MAR (only if married or living common law). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 3 (higher values indicate more stress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 3		5,666	13,087,000
NOT APPLICABLE		6		5,763	13,401,500
NOT STATED		9		1,117	1,829,500
		Total		12,546	28,318,308

Variable Name	ST_ODC7	Length	1	Position	5769
Question Name					
Concept	Relationship problems (no partner) stress index - (D)				
Question					
Universe	Respondents aged 18 and over with DHC0_MAR=3, 4, 5 or 6 living in a household				
Note	Based on ST_0_C8 and DHC0_MAR (only if no partner). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 1 (higher values indicate more stress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 1		3,804	8,260,500
NOT APPLICABLE		6		7,699	18,508,500
NOT STATED		9		1,043	1,549,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_ODC8 **Length** 1 **Position** 5770

Question Name

Concept Child problems stress index - (D)

Question

Universe Respondents aged 18 and over with ST_0_C9=1

Note Based on ST_0_C9 to ST_0_C11 (only if respondent has children). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 2 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 2	6,853	14,762,500
NOT APPLICABLE	6	4,425	11,474,500
NOT STATED	9	1,268	2,081,000
Total		12,546	28,318,308

Variable Name ST_ODC9 **Length** 1 **Position** 5771

Question Name

Concept Environmental problems stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_C13 to ST_0_C15. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 3 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 3	9,506	21,462,000
NOT APPLICABLE	6	1,796	4,844,000
NOT STATED	9	1,244	2,012,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_ODC10 **Length** 1 **Position** 5772

Question Name

Concept Family health stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_C16 and ST_0_C17. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 2 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 2	9,511	21,445,500
NOT APPLICABLE	6	1,796	4,844,000
NOT STATED	9	1,239	2,029,000
	Total	12,546	28,318,308

Variable Name ST_0_R1 **Length** 1 **Position** 5773

Question Name ST_Q201

Concept Stress (recent) - physically attacked

Question I'd like to ask you about yourself or anyone close to you. In the past 12 months, was any one of you beaten up or physically attacked?

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	375	930,500
NO	2	9,171	20,596,000
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	11	16,500
REFUSAL	8	38	60,000
NOT STATED	9	1,155	1,871,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_0_R2	Length	1	Position	5774
Question Name	ST_Q202				
Concept	Stress (recent) - unwanted pregnancy				
Question	In the past 12 months, did (you or) someone in your family have an unwanted pregnancy?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		189	470,500
NO		2		9,317	20,965,500
NOT APPLICABLE		6		1,796	4,844,000
DON'T KNOW		7		46	103,500
REFUSAL		8		5	3,500
NOT STATED		9		1,193	1,931,500
		Total		12,546	28,318,308

Variable Name	ST_0_R3	Length	1	Position	5775
Question Name	ST_Q203				
Concept	Stress (recent) - abortion or miscarriage				
Question	In the past 12 months, did (you or) someone in your family have an abortion or miscarriage?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		240	650,000
NO		2		9,257	20,763,000
NOT APPLICABLE		6		1,796	4,844,000
DON'T KNOW		7		51	110,500
REFUSAL		8		9	19,000
NOT STATED		9		1,193	1,931,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_R4 **Length** 1 **Position** 5776

Question Name ST_Q204

Concept Stress (recent) - major financial crisis

Question In the past 12 months, did you or someone in your family have a major financial crisis?

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,024	2,391,500
NO	2	8,477	19,067,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	48	75,500
REFUSAL	8	8	8,500
NOT STATED	9	1,193	1,931,500
	Total	12,546	28,318,308

Variable Name ST_0_R5 **Length** 1 **Position** 5777

Question Name ST_Q205

Concept Stress (recent) - failed school

Question In the past 12 months, did you or someone in your family fail school or a training program?

Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	384	960,000
NO	2	9,122	20,499,500
NOT APPLICABLE	6	1,796	4,844,000
DON'T KNOW	7	45	78,000
REFUSAL	8	6	6,000
NOT STATED	9	1,193	1,931,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_0_R6	Length	1	Position	5778
Question Name	ST_Q206				
Concept	Stress (recent) - a change of job for a worse one				
Question	In the past 12 months, did you (or your partner) experience a change of job for a worse one?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		415	1,080,500
NO		2		9,125	20,429,500
NOT APPLICABLE		6		1,796	4,844,000
DON'T KNOW		7		12	26,500
REFUSAL		8		5	6,500
NOT STATED		9		1,193	1,931,500
		Total		12,546	28,318,308

Variable Name	ST_0_R7	Length	1	Position	5779
Question Name	ST_Q207				
Concept	Stress (recent) - demotion or cut in pay				
Question	In the past 12 months, were you (or your partner) demoted at work or did you (either of you) take a cut in pay?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		515	1,185,500
NO		2		9,023	20,327,000
NOT APPLICABLE		6		1,796	4,844,000
DON'T KNOW		7		15	25,500
REFUSAL		8		4	4,500
NOT STATED		9		1,193	1,931,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_0_R8	Length	1	Position	5780
Question Name	ST_Q208				
Concept	Stress (recent) - argues with partner				
Question	In the past 12 months, did you have increased arguments with your partner?				
Universe	Respondents aged 18 and over with DHC0_MAR=1 or 2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		380	889,000
NO		2		5,314	12,257,500
NOT APPLICABLE		6		5,762	13,400,500
DON'T KNOW		7		8	24,000
REFUSAL		8		5	12,500
NOT STATED		9		1,077	1,735,000
		Total		12,546	28,318,308

Variable Name	ST_0_R9	Length	1	Position	5781
Question Name	ST_Q209				
Concept	Stress (recent) - went on welfare				
Question	Now, just you personally, in the past 12 months, did you go on Welfare?				
Universe	Respondents aged 18 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		281	596,000
NO		2		9,262	20,917,000
NOT APPLICABLE		6		1,796	4,844,000
DON'T KNOW		7		9	24,000
REFUSAL		8		5	5,500
NOT STATED		9		1,193	1,931,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_R10 **Length** 1 **Position** 5782
Question Name ST_Q210
Concept Stress (recent) - child moved back
Question In the past 12 months, did you have a child move back into the house?
Universe Respondents who answered ST_0_C9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	324	708,000
NO	2	6,580	14,166,500
NOT APPLICABLE	6	4,425	11,474,500
DON'T KNOW	7	3	6,000
NOT STATED	9	1,214	1,963,000
Total		12,546	28,318,308

Variable Name ST_0DR1 **Length** 4.1 **Position** 5783 - 5786
Question Name
Concept Recent life events score - All items - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_R1 to ST_0_R7 and ST_0_R9. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 8.0 (higher values indicate numerous events). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 6.0	9,513	21,471,000
NOT APPLICABLE	99.6	1,796	4,844,000
NOT STATED	99.9	1,237	2,003,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_ODR2 **Length** 4.1 **Position** 5787 - 5790

Question Name

Concept Recent life events score - All valid items - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_R1 to ST_0_R10. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 10.0 (higher values indicate numerous events). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 6.3	9,513	21,471,000
NOT APPLICABLE	99.6	1,796	4,844,000
NOT STATED	99.9	1,237	2,003,500
Total		12,546	28,318,308

Variable Name ST_ODR3 **Length** 4.1 **Position** 5791 - 5794

Question Name

Concept Adjusted recent life events index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_0_R1 to ST_0_R10. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 10.0 (higher values indicate numerous events). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 7.5	9,513	21,471,000
NOT APPLICABLE	99.6	1,796	4,844,000
NOT STATED	99.9	1,237	2,003,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_T1 **Length** 1 **Position** 5795
Question Name ST_Q301
Concept Stress (trauma) - 2 weeks or more in hospital
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did you spend 2 weeks or more in the hospital?
Universe Respondents aged less than 18 in Cycle 1 and aged 18 and over in Cycle 4 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	62	202,000
NO	2	678	2,298,000
NOT APPLICABLE	6	10,897	24,464,500
DON'T KNOW	7	2	3,500
REFUSAL	8	2	7,000
NOT STATED	9	905	1,343,000
Total		12,546	28,318,308

Variable Name ST_0_T2 **Length** 1 **Position** 5796
Question Name ST_Q302
Concept Stress (trauma) - parents divorced
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did your parents get a divorce?
Universe Respondents aged less than 18 in Cycle 1 and aged 18 and over in Cycle 4 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	172	536,000
NO	2	569	1,966,500
NOT APPLICABLE	6	10,897	24,464,500
DON'T KNOW	7	1	1,500
NOT STATED	9	907	1,350,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_T3 **Length** 1 **Position** 5797
Question Name ST_Q303
Concept Stress (trauma) - parents unemployed for a long time
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did your father or mother not have a job for a long time when they wanted to be working?
Universe Respondents aged less than 18 in Cycle 1 and aged 18 and over in Cycle 4 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	119	409,500
NO	2	620	2,082,000
NOT APPLICABLE	6	10,897	24,464,500
DON'T KNOW	7	3	12,500
NOT STATED	9	907	1,350,000
	Total	12,546	28,318,308

Variable Name ST_0_T4 **Length** 1 **Position** 5798
Question Name ST_Q304
Concept Stress (trauma) - traumatised for years
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did something happen that scared you so much you thought about it for years after?
Universe Respondents aged less than 18 in Cycle 1 and aged 18 and over in Cycle 4 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	131	483,000
NO	2	609	2,017,500
NOT APPLICABLE	6	10,897	24,464,500
DON'T KNOW	7	2	4,000
NOT STATED	9	907	1,350,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_T5 **Length** 1 **Position** 5799
Question Name ST_Q305
Concept Stress (trauma) - sent away from home
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Were you sent away from home because you did something wrong?
Universe Respondents aged less than 18 in Cycle 1 and aged 18 and over in Cycle 4 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	24	83,000
NO	2	717	2,419,500
NOT APPLICABLE	6	10,897	24,464,500
DON'T KNOW	7	1	1,500
NOT STATED	9	907	1,350,000
	Total	12,546	28,318,308

Variable Name ST_0_T6 **Length** 1 **Position** 5800
Question Name ST_Q306
Concept Stress (trauma) - parents abused alcohol or drugs
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Did either of your parents drink or use drugs so often that it caused problems for the family?
Universe Respondents aged less than 18 in Cycle 1 and aged 18 and over in Cycle 4 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	92	290,000
NO	2	648	2,208,000
NOT APPLICABLE	6	10,897	24,464,500
DON'T KNOW	7	2	5,500
NOT STATED	9	907	1,350,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_T7 **Length** 1 **Position** 5801
Question Name ST_Q307
Concept Stress (trauma) - was ever physically abused
Question The next few questions ask about some things that may have happened to you while you were a child or a teenager, before you moved out of the house. Were you ever physically abused by someone close to you?
Universe Respondents aged less than 18 in Cycle 1 and aged 18 and over in Cycle 4 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	56	214,500
NO	2	684	2,283,500
NOT APPLICABLE	6	10,897	24,464,500
DON'T KNOW	7	2	5,500
NOT STATED	9	907	1,350,000
	Total	12,546	28,318,308

Variable Name ST_ODT1 **Length** 4.1 **Position** 5802 - 5805

Question Name
Concept Childhood and adult stress index - (D)
Question
Universe Respondents aged less than 18 in Cycle 1 and aged 18 and over in Cycle 4 living in a household
Note Based on ST_0_T1 to ST_0_T7. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 7.0 (higher values indicate more stressors). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 7.0	740	2,498,000
NOT APPLICABLE	99.6	10,897	24,464,500
NOT STATED	99.9	909	1,356,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_0_W1	Length	1	Position	5806
Question Name	ST_Q400				
Concept	Stress (work) - currently work at a job				
Question	Do you currently work at a job or business?				
Universe	Respondents aged 15 to 75 living in a household				
Note					
Content		Code		Sample	Population
YES		1		6,051	15,060,000
NO		2		3,117	6,363,000
NOT APPLICABLE		6		2,296	5,112,500
DON'T KNOW		7		1	1,500
REFUSAL		8		5	3,500
NOT STATED		9		1,076	1,777,500
		Total		12,546	28,318,308

Variable Name	ST_0_W1A	Length	1	Position	5807
Question Name	ST_Q401				
Concept	Stress (work) - must learn new things				
Question	Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires that you learn new things.				
Universe	Respondents who answered ST_0_W1=1				
Note	In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.				
Content		Code		Sample	Population
STRONGLY AGREE		1		1,346	3,314,500
AGREE		2		3,476	8,463,000
NEITHER AGREE NOR DISAGREE		3		235	715,500
DISAGREE		4		885	2,274,000
STRONGLY DISAGREE		5		87	234,500
NOT APPLICABLE		6		5,413	11,475,500
DON'T KNOW		7		5	12,500
REFUSAL		8		13	27,500
NOT STATED		9		1,086	1,801,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1B **Length** 1 **Position** 5808
Question Name ST_Q402
Concept Stress (work) - high level of skill
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires a high level of skill.
Universe Respondents who answered ST_0_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,270	3,138,500
AGREE	2	3,149	7,546,500
NEITHER AGREE NOR DISAGREE	3	401	1,165,500
DISAGREE	4	1,156	2,996,000
STRONGLY DISAGREE	5	52	154,500
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	4	11,000
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1C **Length** 1 **Position** 5809
Question Name ST_Q403
Concept Stress (work) - freedom to decide
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
Your job allows you freedom to decide how you do your job.
Universe Respondents who answered ST_0_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,032	2,668,500
AGREE	2	3,604	8,635,500
NEITHER AGREE NOR DISAGREE	3	456	1,208,500
DISAGREE	4	862	2,294,500
STRONGLY DISAGREE	5	72	188,500
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	6	16,000
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1D **Length** 1 **Position** 5810
Question Name ST_Q404
Concept Stress (work) - repetitive tasks
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
Your job requires that you do things over and over.
Universe Respondents who answered ST_0_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	730	1,871,000
AGREE	2	3,366	7,903,000
NEITHER AGREE NOR DISAGREE	3	472	1,227,000
DISAGREE	4	1,331	3,606,000
STRONGLY DISAGREE	5	129	391,000
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	4	13,500
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1E **Length** 1 **Position** 5811

Question Name ST_Q405

Concept Stress (work) - hectic job

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job is very hectic.

Universe Respondents who answered ST_0_W1=1

Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	993	2,403,500
AGREE	2	2,727	6,451,000
NEITHER AGREE NOR DISAGREE	3	619	1,693,000
DISAGREE	4	1,600	4,196,500
STRONGLY DISAGREE	5	88	251,000
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	5	17,000
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1F **Length** 1 **Position** 5812

Question Name ST_Q406

Concept Stress (work) - free from conflicting demands

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - You are free from conflicting demands that others make.

Universe Respondents who answered ST_0_W1=1

Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	213	581,000
AGREE	2	2,633	6,432,000
NEITHER AGREE NOR DISAGREE	3	550	1,457,500
DISAGREE	4	2,326	5,774,500
STRONGLY DISAGREE	5	295	734,000
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	14	30,500
REFUSAL	8	3	5,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1954

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1G **Length** 1 **Position** 5813
Question Name ST_Q407
Concept Stress (work) - good job security
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
Your job security is good.
Universe Respondents who answered ST_0_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	922	2,390,500
AGREE	2	3,848	9,319,500
NEITHER AGREE NOR DISAGREE	3	429	1,105,000
DISAGREE	4	689	1,812,500
STRONGLY DISAGREE	5	137	365,500
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	7	18,000
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1955

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1H **Length** 1 **Position** 5814

Question Name ST_Q408

Concept Stress (work) - requires a lot of physical effort

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires a lot of physical effort.

Universe Respondents who answered ST_0_W1=1

Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	574	1,463,000
AGREE	2	1,996	4,675,000
NEITHER AGREE NOR DISAGREE	3	410	1,043,500
DISAGREE	4	2,575	6,611,000
STRONGLY DISAGREE	5	473	1,206,500
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	4	12,500
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1956

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W11 **Length** 1 **Position** 5815
Question Name ST_Q409
Concept Stress (work) - has own job input
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
You have a lot to say about what happens in your job.
Universe Respondents who answered ST_0_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	772	1,991,500
AGREE	2	3,264	7,969,500
NEITHER AGREE NOR DISAGREE	3	574	1,518,500
DISAGREE	4	1,299	3,199,000
STRONGLY DISAGREE	5	118	319,000
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	5	13,500
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1J **Length** 1 **Position** 5816

Question Name ST_Q410

Concept Stress (work) - hostility or conflict with others

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - You are exposed to hostility or conflict from the people you work with.

Universe Respondents who answered ST_0_W1=1

Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	169	383,500
AGREE	2	1,394	3,443,000
NEITHER AGREE NOR DISAGREE	3	428	1,132,000
DISAGREE	4	3,493	8,571,000
STRONGLY DISAGREE	5	540	1,454,000
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	8	28,000
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1K **Length** 1 **Position** 5817
Question Name ST_Q411
Concept Stress (work) - supervisor helpful
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
Your supervisor is helpful in getting the job done.
Universe Respondents who answered ST_0_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	649	1,603,000
AGREE	2	3,467	8,521,500
NEITHER AGREE NOR DISAGREE	3	903	2,303,500
DISAGREE	4	841	2,137,500
STRONGLY DISAGREE	5	140	370,000
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	27	59,500
REFUSAL	8	7	20,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1959

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W1L **Length** 1 **Position** 5818
Question Name ST_Q412
Concept Stress (work) - co-workers helpful
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
The people you work with are helpful in getting the job done.
Universe Respondents who answered ST_0_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	740	1,854,500
AGREE	2	4,366	10,602,500
NEITHER AGREE NOR DISAGREE	3	504	1,344,000
DISAGREE	4	362	1,038,500
STRONGLY DISAGREE	5	44	121,500
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	13	44,500
REFUSAL	8	5	9,500
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0_W2 **Length** 1 **Position** 5819
Question Name ST_Q413
Concept Stress (work) - job satisfaction
Question How satisfied are you with your job?
Universe Respondents who answered ST_0_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
VERY SATISFIED	1	3,095	7,375,500
SOMEWHAT SATISFIED	2	2,489	6,460,500
NOT TOO SATISFIED	3	334	887,000
NOT AT ALL SATISFIED	4	110	277,500
NOT APPLICABLE	6	5,413	11,475,500
DON'T KNOW	7	4	11,000
REFUSAL	8	2	3,000
NOT STATED	9	1,099	1,828,000
	Total	12,546	28,318,308

Variable Name ST_0DW1 **Length** 4.1 **Position** 5820 - 5823

Question Name
Concept Work stress index - All Items - (D)
Question
Universe Respondents who answered ST_0_W1=1
Note Based on ST_0_W1A to ST_0_W1L. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for questions ST_0_W1D, ST_0_W1E, ST_0_W1H and ST_0_W1J. MIN = 0.0, MAX = 48.0 (higher values indicate greater work stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	2.0 - 37.0	6,027	14,996,000
NOT APPLICABLE	99.6	5,413	11,475,500
NOT STATED	99.9	1,106	1,846,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_ODW2 **Length** 2 **Position** 5824 - 5825

Question Name

Concept Decision latitude - Skill discretion - (D)

Question

Universe Respondents who answered ST_0_W1=1

Note Based on ST_0_W1A, ST_0_W1B and ST_0_W1D. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_0_W1D. MIN = 0, MAX = 12 (lower values means that higher skills are required for the job). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	6,027	14,996,500
NOT APPLICABLE	96	5,413	11,475,500
NOT STATED	99	1,106	1,846,000
Total		12,546	28,318,308

Variable Name ST_ODW3 **Length** 2 **Position** 5826 - 5827

Question Name

Concept Decision latitude - Decision authority - (D)

Question

Universe Respondents who answered ST_0_W1=1

Note Based on ST_0_W1C and ST_0_W1I. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 8 (higher values indicate lower decision authority). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 8	6,023	14,988,000
NOT APPLICABLE	96	5,413	11,475,500
NOT STATED	99	1,110	1,854,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_ODW4 **Length** 2 **Position** 5828 - 5829

Question Name

Concept Psychological demands - (D)

Question

Universe Respondents who answered ST_0_W1=1

Note Based on ST_0_W1E and ST_0_W1F. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_0_W1E. MIN = 0, MAX = 8 (higher values indicate greater psychological demands). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 8	6,016	14,977,000
NOT APPLICABLE	96	5,413	11,475,500
NOT STATED	99	1,117	1,866,000
Total		12,546	28,318,308

Variable Name ST_ODW5 **Length** 1 **Position** 5830

Question Name

Concept Job insecurity - (D)

Question

Universe Respondents who answered ST_0_W1=1

Note Based on ST_0_W1G. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 4 (higher values indicate greater job security). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 4	6,025	14,993,500
NOT APPLICABLE	6	5,413	11,475,500
NOT STATED	9	1,108	1,849,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0DW6 **Length** 1 **Position** 5831

Question Name

Concept Physical exertion - (D)

Question

Universe Respondents who answered ST_0_W1=1

Note Based on ST_0_W1H. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_0_W1H. MIN = 0, MAX = 4 (higher values indicate greater physical exertion). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 4	6,028	14,999,500
NOT APPLICABLE	6	5,413	11,475,500
NOT STATED	9	1,105	1,843,500
Total		12,546	28,318,308

Variable Name ST_0DW7 **Length** 2 **Position** 5832 - 5833

Question Name

Concept Social support - (D)

Question

Universe Respondents who answered ST_0_W1=1

Note Based on ST_0_W1J, ST_0_W1K and ST_0_W1L. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_0_W1J. MIN = 0, MAX = 12 (higher values indicate greater social support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	5,990	14,898,000
NOT APPLICABLE	96	5,413	11,475,500
NOT STATED	99	1,143	1,945,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_0DW8 **Length** 4.2 **Position** 5834 - 5837

Question Name

Concept Job strain

Question

Universe Respondents who answered ST_0_W1=1

Note Based on ST_0_W1A to ST_0_W1F and ST_0_W1I. Scores were reversed for questions ST_0_W1A, ST_0_W1B, ST_0_W1C, ST_0_W1E and ST_0_W1I. MIN = 0.20, MAX = 5.00 (higher values indicate greater job strain). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.20 - 4.50	6,011	14,967,500
NOT APPLICABLE	9.96	5,413	11,475,500
NOT STATED	9.99	1,122	1,875,000
Total		12,546	28,318,308

Variable Name PY_0_E1A **Length** 1 **Position** 5838

Question Name ST_Q501

Concept Stress (self-esteem) - feel have good qualities

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You feel that you have a number of good qualities.

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	2,853	7,107,500
AGREE	2	7,247	15,998,500
NEITHER AGREE NOR DISAGREE	3	84	150,500
DISAGREE	4	52	94,000
STRONGLY DISAGREE	5	3	4,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	31	57,500
REFUSAL	8	49	91,500
NOT STATED	9	1,297	2,328,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_0_E1B **Length** 1 **Position** 5839
Question Name ST_Q502
Concept Stress (self-esteem) - worthy person
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You feel that you're a person of worth at least equal to others.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	2,913	7,286,000
AGREE	2	7,116	15,570,500
NEITHER AGREE NOR DISAGREE	3	104	205,000
DISAGREE	4	81	216,000
STRONGLY DISAGREE	5	18	54,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	33	68,500
REFUSAL	8	5	11,500
NOT STATED	9	1,346	2,419,500
Total		12,546	28,318,308

Variable Name PY_0_E1C **Length** 1 **Position** 5840
Question Name ST_Q503
Concept Stress (self-esteem) - able to do things
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You are able to do things as well as most other people.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	2,662	6,779,500
AGREE	2	7,041	15,571,500
NEITHER AGREE NOR DISAGREE	3	223	433,500
DISAGREE	4	299	537,500
STRONGLY DISAGREE	5	14	21,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	25	52,500
REFUSAL	8	4	10,500
NOT STATED	9	1,348	2,425,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_0_E1D **Length** 1 **Position** 5841
Question Name ST_Q504
Concept Stress (self-esteem) - positive attitude toward self
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You take a positive attitude toward yourself.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	2,670	6,591,000
AGREE	2	6,957	15,378,000
NEITHER AGREE NOR DISAGREE	3	338	771,000
DISAGREE	4	259	564,000
STRONGLY DISAGREE	5	17	41,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	23	51,000
REFUSAL	8	4	10,500
NOT STATED	9	1,348	2,425,500
Total		12,546	28,318,308

Variable Name PY_0_E1E **Length** 1 **Position** 5842
Question Name ST_Q505
Concept Stress (self-esteem) - satisfied with self
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - On the whole you are satisfied with yourself.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	2,424	6,015,500
AGREE	2	7,206	15,920,500
NEITHER AGREE NOR DISAGREE	3	286	655,500
DISAGREE	4	305	700,000
STRONGLY DISAGREE	5	20	48,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	22	50,000
REFUSAL	8	5	16,000
NOT STATED	9	1,348	2,425,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_0_E1F **Length** 1 **Position** 5843
Question Name ST_Q506
Concept Stress (self-esteem) - feel is a failure
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - All in all, you're inclined to feel you're a failure.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	22	50,500
AGREE	2	220	521,000
NEITHER AGREE NOR DISAGREE	3	198	423,500
DISAGREE	4	5,732	12,001,500
STRONGLY DISAGREE	5	4,064	10,333,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	25	59,500
REFUSAL	8	7	17,500
NOT STATED	9	1,348	2,425,500
	Total	12,546	28,318,308

Variable Name PY_0DE1 **Length** 2 **Position** 5844 - 5845

Question Name

Concept Self-esteem scale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PY_0_E1A to PY_0_E1F. Scores were reversed for questions PY_0_E1A to PY_0_E1E. MIN = 0, MAX = 24 (higher values indicate greater self-esteem). MIN = 0, MAX = 24 (higher values indicate greater self-esteem). Source: Rosenberg, Morris, Conceiving the self, Appendix A, 1979, 291-295. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	3 - 24	10,218	23,305,000
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	1,398	2,527,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_0_M1A **Length** 1 **Position** 5846
Question Name ST_Q601
Concept Stress (mastery) - lack of control over things
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You have little control over the things that happen to you.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	110	312,500
AGREE	2	1,343	2,864,000
NEITHER AGREE NOR DISAGREE	3	790	1,871,500
DISAGREE	4	6,485	14,614,000
STRONGLY DISAGREE	5	1,486	3,613,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	45	109,000
REFUSAL	8	58	114,000
NOT STATED	9	1,299	2,334,000
	Total	12,546	28,318,308

Variable Name PY_0_M1B **Length** 1 **Position** 5847
Question Name ST_Q602
Concept Stress (mastery) - cannot solve problems
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - There is really no way you can solve some of the problems you have.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	93	219,000
AGREE	2	1,640	3,614,500
NEITHER AGREE NOR DISAGREE	3	796	1,807,500
DISAGREE	4	6,483	14,749,500
STRONGLY DISAGREE	5	1,197	2,875,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	47	113,500
REFUSAL	8	2	3,500
NOT STATED	9	1,358	2,449,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_0_M1C **Length** 1 **Position** 5848
Question Name ST_Q603
Concept Stress (mastery) - cannot change things
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - There is little you can do to change many of the important things in your life.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	74	174,000
AGREE	2	1,450	3,009,500
NEITHER AGREE NOR DISAGREE	3	698	1,563,000
DISAGREE	4	6,775	15,586,000
STRONGLY DISAGREE	5	1,202	2,917,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	58	130,500
REFUSAL	8	1	1,500
NOT STATED	9	1,358	2,449,000
Total		12,546	28,318,308

Variable Name PY_0_M1D **Length** 1 **Position** 5849
Question Name ST_Q604
Concept Stress (mastery) - helpless in dealing with life problems
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You often feel helpless in dealing with problems of life.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	62	153,000
AGREE	2	1,199	2,679,500
NEITHER AGREE NOR DISAGREE	3	589	1,354,500
DISAGREE	4	7,005	15,801,500
STRONGLY DISAGREE	5	1,361	3,299,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	41	94,000
REFUSAL	8	1	1,500
NOT STATED	9	1,358	2,449,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_0_M1E **Length** 1 **Position** 5850

Question Name ST_Q605

Concept Stress (mastery) - pushed around in life

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - Sometimes you feel that you are being pushed around in life.

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	90	208,500
AGREE	2	1,590	3,806,500
NEITHER AGREE NOR DISAGREE	3	528	1,399,500
DISAGREE	4	6,812	15,106,500
STRONGLY DISAGREE	5	1,207	2,791,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	29	69,000
REFUSAL	8	2	2,500
NOT STATED	9	1,358	2,449,000
	Total	12,546	28,318,308

Variable Name PY_0_M1F **Length** 1 **Position** 5851

Question Name ST_Q606

Concept Stress (mastery) - fate depends upon self

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - What happens to you in the future mostly depends on you.

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,846	4,436,000
AGREE	2	7,244	16,219,500
NEITHER AGREE NOR DISAGREE	3	496	1,180,500
DISAGREE	4	590	1,341,000
STRONGLY DISAGREE	5	37	103,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	41	97,500
REFUSAL	8	4	4,500
NOT STATED	9	1,358	2,449,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_0_M1G **Length** 1 **Position** 5852
Question Name ST_Q607
Concept Stress (mastery) - can do anything
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You can do just about anything you really set your mind to.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,880	4,549,000
AGREE	2	7,162	15,986,000
NEITHER AGREE NOR DISAGREE	3	609	1,535,500
DISAGREE	4	545	1,149,500
STRONGLY DISAGREE	5	24	77,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	35	79,000
REFUSAL	8	3	6,000
NOT STATED	9	1,358	2,449,000
	Total	12,546	28,318,308

Variable Name PY_0DM1 **Length** 2 **Position** 5853 - 5854

Question Name
Concept Mastery scale - (D)
Question
Universe Respondents aged 12 and over living in a household
Note Based on PY_0_M1A to PY_0_M1G. Scores were reversed for questions PY_0_M1F and PY_0_M1G. MIN = 0, MAX = 28 (higher values indicate superior mastery). Source: Pearlin, L.I. and Schooler, C, Journal of health and Social Behavior, The Structure of Coping, 1981, vol 19, p. 2-21. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	2 - 28	10,161	23,162,500
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	1,455	2,669,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_1A **Length** 1 **Position** 5855
Question Name DG_Q1A
Concept Medication - pain relievers
Question In the past month, did you take pain relievers such as Aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,410	16,830,000
NO	2	3,291	7,664,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	6	11,500
REFUSAL	8	4	5,500
NOT STATED	9	905	1,320,500
	Total	12,546	28,318,308

Variable Name DGC0_1B **Length** 1 **Position** 5856
Question Name DG_Q1B
Concept Medication - tranquilizers
Question In the past month, did you take tranquilizers such as Valium?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	329	747,000
NO	2	10,368	23,740,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	10	18,000
NOT STATED	9	909	1,326,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_1C	Length	1	Position	5857
Question Name	DG_Q1C				
Concept	Medication - diet pills				
Question	In the past month, did you take diet pills such as Redux, Ponderal or Fastin?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		88	249,500
NO		2		10,611	24,244,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		8	11,000
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

Variable Name	DGC0_1D	Length	1	Position	5858
Question Name	DG_Q1D				
Concept	Medication - anti-depressants				
Question	In the past month, did you take anti-depressants such as Prozac, Paxil or Effexor?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		579	1,256,500
NO		2		10,117	23,227,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		11	22,000
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_1E	Length	1	Position	5859
Question Name	DG_Q1E				
Concept	Medication - codeine, Demerol or morphine				
Question	In the past month, did you take codeine, Demerol or morphine?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		573	1,222,000
NO		2		10,119	23,262,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		14	20,000
REFUSAL		8		1	1,000
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

Variable Name	DGC0_1F	Length	1	Position	5860
Question Name	DG_Q1F				
Concept	Medication - allergy				
Question	In the past month, did you take allergy medicine such as Seldane or Chlor-Tripolon?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		970	2,190,000
NO		2		9,729	22,304,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		8	11,000
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_1G	Length	1	Position	5861
Question Name	DG_Q1G				
Concept	Medication - asthma				
Question	In the past month, did you take asthma medications such as inhalers or nebulizers?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		695	1,520,000
NO		2		10,003	22,970,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		9	14,500
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

Variable Name	DGC0_1H	Length	1	Position	5862
Question Name	DG_Q1H				
Concept	Medication - cough or cold remedies				
Question	In the past month, did you take cough or cold remedies?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,149	5,381,500
NO		2		8,550	19,111,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		8	12,500
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_1I	Length	1	Position	5863
Question Name	DG_Q1I				
Concept	Medication - penicillin or other antibiotics				
Question	In the past month, did you take penicillin or other antibiotics?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,022	2,372,500
NO		2		9,678	22,121,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		7	12,000
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

Variable Name	DGC0_1J	Length	1	Position	5864
Question Name	DG_Q1J				
Concept	Medication - heart				
Question	In the past month, did you take medicine for the heart?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		694	1,375,500
NO		2		10,007	23,118,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		6	11,500
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_1K	Length	1	Position	5865
Question Name	DG_Q1K				
Concept	Medication - blood pressure				
Question	In the past month, did you take medicine for blood pressure?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,564	2,869,000
NO		2		9,131	21,616,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		12	20,000
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

Variable Name	DGC0_1L	Length	1	Position	5866
Question Name	DG_Q1L				
Concept	Medication - diuretics				
Question	In the past month, did you take diuretics or water pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		568	937,500
NO		2		10,124	23,540,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		15	27,000
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_1M **Length** 1 **Position** 5867

Question Name DG_Q1M

Concept Medication - steroids

Question In the past month, did you take steroids?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	139	256,500
NO	2	10,558	24,235,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	10	13,500
NOT STATED	9	909	1,326,500
	Total	12,546	28,318,308

Variable Name DGC0_1N **Length** 1 **Position** 5868

Question Name DG_Q1N

Concept Medication - insulin

Question In the past month, did you take insulin?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	198,500
NO	2	10,600	24,294,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	7	12,000
NOT STATED	9	909	1,326,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_1O	Length	1	Position	5869
Question Name	DG_Q1O				
Concept	Medication - pills to control diabetes				
Question	In the past month, did you take pills to control diabetes?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		311	670,000
NO		2		10,391	23,824,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		5	11,000
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

Variable Name	DGC0_1P	Length	1	Position	5870
Question Name	DG_Q1P				
Concept	Medication - sleeping pills				
Question	In the past month, did you take sleeping pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		526	1,096,500
NO		2		10,176	23,399,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		5	9,500
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_1Q	Length	1	Position	5871
Question Name	DG_Q1Q				
Concept	Medication - stomach remedies				
Question	In the past month, did you take stomach remedies?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,312	2,782,500
NO		2		9,390	21,713,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		5	9,500
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

Variable Name	DGC0_1R	Length	1	Position	5872
Question Name	DG_Q1R				
Concept	Medication - laxatives				
Question	In the past month, did you take laxatives?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		453	862,500
NO		2		10,247	23,632,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		7	10,500
NOT STATED		9		909	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_1S	Length	1	Position	5873
Question Name	DG_Q1S				
Concept	Medication - birth control pills				
Question	In the past month, did you take birth control pills?				
Universe	Females aged 12 to 49 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		688	1,589,500
NO		2		2,788	6,462,500
NOT APPLICABLE		6		8,180	18,975,000
DON'T KNOW		7		2	5,500
NOT STATED		9		888	1,285,500
		Total		12,546	28,318,308

Variable Name	DGC0_1T	Length	1	Position	5874
Question Name	DG_Q1T				
Concept	Medication - hormones for menopause				
Question	In the past month, did you take hormones for menopause or aging symptoms?				
Universe	Females aged 30 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		682	1,319,500
NO		2		3,988	7,699,500
NOT APPLICABLE		6		6,978	18,013,500
DON'T KNOW		7		4	6,500
NOT STATED		9		894	1,279,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_1T1 **Length** 1 **Position** 5875
Question Name DG_Q1T1
Concept Hormone therapy - type
Question What type of hormones are you taking?
Universe Respondents who answered DGC0_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ESTROGEN ONLY	1	318	607,000
PROGESTERONE ONLY	2	38	82,500
BOTH	3	265	497,000
NEITHER	4	31	67,000
NOT APPLICABLE	6	10,966	25,713,000
DON'T KNOW	7	29	65,000
REFUSAL	8	1	1,000
NOT STATED	9	898	1,285,500
	Total	12,546	28,318,308

Variable Name DGC0_1T2 **Length** 4 **Position** 5876 - 5879
Question Name DG_Q1T2
Concept Hormone therapy - year started
Question When did you start this hormone therapy?
Universe Respondents who answered DGC0_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1950 - 2001	682	1,319,500
NOT APPLICABLE	9996	10,966	25,713,000
NOT STATED	9999	898	1,285,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_1U **Length** 1 **Position** 5880
Question Name DG_Q1U
Concept Medication - thyroid
Question In the past month, did you take thyroid medication such as Synthroid or Levothyroxine?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	602	1,096,000
NO	2	10,096	23,391,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	9	18,500
NOT STATED	9	909	1,326,500
	Total	12,546	28,318,308

Variable Name DGC0_1V **Length** 1 **Position** 5881
Question Name DG_Q1V
Concept Medication - other
Question In the past month, did you take any other medication?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,269	2,698,000
NO	2	9,428	21,789,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	10	18,000
NOT STATED	9	909	1,326,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F1	Length	1	Position	5882
Question Name					
Concept	Flag for medications taken				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on DGC0_1A to DGC0_1V, DHC0_SEX and DHC0_AGE. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
HAS TAKEN AT LEAST ONE DRUG		1		9,062	20,344,000
HAS NOT TAKEN ANY DRUGS		2		1,641	4,153,000
NOT APPLICABLE		6		930	2,486,500
NOT STATED		9		913	1,335,000
		Total		12,546	28,318,308

Variable Name	DGC0_2	Length	3	Position	5883 - 5885
Question Name	DG_Q2				
Concept	Number of different medications in past 2 days				
Question	Now, I am referring to the last 2 days, that is, yesterday and the day before yesterday. During those 2 days, how many different medications did you take?				
Universe	Respondents who answered any one of DGC0_1A to DGC0_1V=1 or respondents living in an institution				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRUGS		0 - 42		9,166	20,470,500
NOT APPLICABLE		996		2,453	6,496,000
DON'T KNOW		997		16	22,500
REFUSAL		998		1	3,000
NOT STATED		999		910	1,326,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F3A	Length	1	Position	5886
Question Name	DG_Q3nn				
Concept	Flag for drug 1				
Question					
Universe	Respondents who answered at least 1 in DGC0_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		5,768	12,034,000
NOT APPLICABLE		6		5,743	14,760,500
DON'T KNOW		7		76	116,000
REFUSAL		8		14	19,000
NOT STATED		9		945	1,388,500
		Total		12,546	28,318,308

Variable Name	DGC0C3A	Length	7	Position	5887 - 5893
Question Name	DG_Q3nn				
Concept	Drug code - drug 1				
Question	What is the exact name of the medication that you took? - Drug 1				
Universe	Respondents who answered at least 1 in DGC0_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A02 - Z99AA00		5,768	12,034,000
NOT APPLICABLE		9999996		5,743	14,760,500
DON'T KNOW		9999997		76	116,000
REFUSAL		9999998		14	19,000
NOT STATED		9999999		945	1,388,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3A **Length** 2 **Position** 5894 - 5895

Question Name

Concept Drug code - drug 1 - (G)

Question

Universe Respondents who answered at least 1 in DGC0_2

Note Based on DGC0C3A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	507	1,018,000
BLOOD & BLOOD FORMING ORGANS	2	79	133,500
CARDIOVASCULAR SYSTEM	3	1,116	2,145,500
DERMATOLOGICALS	4	40	90,500
GENITO-URINARY / SEX HORMONES	7	667	1,393,500
SYSTEMIC HORMONAL PREPARATIONS	8	325	648,500
GENERAL ANTI-INFECTIVES	10	93	196,000
ANTINEOPLASTICS	12	38	100,000
MUSCULO-SKELETAL SYSTEM	13	627	1,449,000
NERVOUS SYSTEM	14	1,812	3,898,000
ANTIPARASITIC PRODUCTS	16	11	25,500
RESPIRATORY SYSTEM	18	324	684,500
SENSORY ORGANS	19	31	43,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	4	10,500
NATURAL MEDICINES	24	34	77,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	60	121,000
NOT APPLICABLE	96	5,743	14,760,500
NOT STATED	99	1,035	1,523,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_3AA **Length** 1 **Position** 5896
Question Name DG_Q3nnA
Concept Prescription from doctor / dentist - drug 1
Question Was this a prescription from a medical doctor or dentist? - Drug 1
Universe Respondents who answered at least 1 in DGC0_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,076	8,337,000
NO	2	1,590	3,583,000
NOT APPLICABLE	6	5,863	14,909,000
NOT STATED	9	1,017	1,489,000
Total		12,546	28,318,308

Variable Name DGC0F3B **Length** 1 **Position** 5897
Question Name DG_Q3nn
Concept Flag for drug 2
Question
Universe Respondents who answered at least 2 in DGC0_2

Note

Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,215	6,134,000
NOT APPLICABLE	6	8,302	20,635,500
DON'T KNOW	7	30	66,000
NOT STATED	9	999	1,483,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3B **Length** 7 **Position** 5898 - 5904

Question Name DG_Q3nn

Concept Drug code - drug 2

Question What is the exact name of the medication that you took? - Drug 2

Universe Respondents who answered at least 2 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A01AA51 - Z99AA00	3,215	6,134,000
NOT APPLICABLE	9999996	8,302	20,635,500
DON'T KNOW	9999997	30	66,000
NOT STATED	9999999	999	1,483,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3B **Length** 2 **Position** 5905 - 5906

Question Name

Concept Drug code - drug 2 - (G)

Question

Universe Respondents who answered at least 2 in DGC0_2

Note Based on DGC0C3B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	393	748,000
BLOOD & BLOOD FORMING ORGANS	2	61	130,500
CARDIOVASCULAR SYSTEM	3	922	1,637,500
DERMATOLOGICALS	4	15	30,000
GENITO-URINARY / SEX HORMONES	7	327	669,000
SYSTEMIC HORMONAL PREPARATIONS	8	153	269,000
GENERAL ANTI-INFECTIVES	10	50	129,000
ANTINEOPLASTICS	12	20	54,500
MUSCULO-SKELETAL SYSTEM	13	271	522,000
NERVOUS SYSTEM	14	714	1,415,500
ANTIPARASITIC PRODUCTS	16	5	8,000
RESPIRATORY SYSTEM	18	198	370,000
SENSORY ORGANS	19	24	35,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	2	2,500
NATURAL MEDICINES	24	21	48,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	39	64,000
NOT APPLICABLE	96	8,302	20,635,500
NOT STATED	99	1,029	1,549,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_3BA **Length** 1 **Position** 5907
Question Name DG_Q3nnA
Concept Prescription from doctor / dentist - drug 2
Question Was this a prescription from a medical doctor or dentist? - Drug 2
Universe Respondents who answered at least 2 in DGC0_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,661	5,097,000
NO	2	454	944,500
NOT APPLICABLE	6	8,419	20,780,000
NOT STATED	9	1,012	1,497,000
	Total	12,546	28,318,308

Variable Name DGC0F3C **Length** 1 **Position** 5908
Question Name DG_Q3nn
Concept Flag for drug 3
Question
Universe Respondents who answered at least 3 in DGC0_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,813	3,357,000
NOT APPLICABLE	6	9,735	23,512,000
DON'T KNOW	7	9	10,000
REFUSAL	8	1	1,000
NOT STATED	9	988	1,439,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 1991

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3C **Length** 7 **Position** 5909 - 5915

Question Name DG_Q3nn

Concept Drug code - drug 3

Question What is the exact name of the medication that you took? - Drug 3

Universe Respondents who answered at least 3 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	1,813	3,357,000
NOT APPLICABLE	9999996	9,735	23,512,000
DON'T KNOW	9999997	9	10,000
REFUSAL	9999998	1	1,000
NOT STATED	9999999	988	1,439,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3C **Length** 2 **Position** 5916 - 5917

Question Name

Concept Drug code - drug 3 - (G)

Question

Universe Respondents who answered at least 3 in DGC0_2

Note Based on DGC0C3C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	252	481,500
BLOOD & BLOOD FORMING ORGANS	2	35	46,000
CARDIOVASCULAR SYSTEM	3	551	1,008,500
DERMATOLOGICALS	4	9	15,500
GENITO-URINARY / SEX HORMONES	7	158	297,500
SYSTEMIC HORMONAL PREPARATIONS	8	91	153,000
GENERAL ANTI-INFECTIVES	10	22	50,500
ANTINEOPLASTICS	12	8	15,500
MUSCULO-SKELETAL SYSTEM	13	145	263,500
NERVOUS SYSTEM	14	385	749,000
ANTIPARASITIC PRODUCTS	16	8	8,500
RESPIRATORY SYSTEM	18	106	202,000
SENSORY ORGANS	19	14	17,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	2,000
NATURAL MEDICINES	24	11	19,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	17	28,500
NOT APPLICABLE	96	9,735	23,512,000
NOT STATED	99	998	1,449,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_3CA	Length	1	Position	5918
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 3				
Question	Was this a prescription from a medical doctor or dentist? - Drug 3				
Universe	Respondents who answered at least 3 in DGC0_2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,543	2,885,000
NO		2		168	352,000
NOT APPLICABLE		6		9,847	23,650,000
NOT STATED		9		988	1,431,500
		Total		12,546	28,318,308

Variable Name	DGC0F3D	Length	1	Position	5919
Question Name	DG_Q3nn				
Concept	Flag for drug 4				
Question					
Universe	Respondents who answered at least 4 in DGC0_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		1,123	2,034,000
NOT APPLICABLE		6		10,431	24,839,500
DON'T KNOW		7		6	11,500
REFUSAL		8		3	7,000
NOT STATED		9		983	1,426,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 1994

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3D **Length** 7 **Position** 5920 - 5926

Question Name DG_Q3nn

Concept Drug code - drug 4

Question What is the exact name of the medication that you took? - Drug 4

Universe Respondents who answered at least 4 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	1,123	2,034,000
NOT APPLICABLE	9999996	10,431	24,839,500
DON'T KNOW	9999997	6	11,500
REFUSAL	9999998	3	7,000
NOT STATED	9999999	983	1,426,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3D **Length** 2 **Position** 5927 - 5928

Question Name

Concept Drug code - drug 4 - (G)

Question

Universe Respondents who answered at least 4 in DGC0_2

Note Based on DGC0C3D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	182	363,500
BLOOD & BLOOD FORMING ORGANS	2	32	48,500
CARDIOVASCULAR SYSTEM	3	365	649,000
DERMATOLOGICALS	4	4	3,500
GENITO-URINARY / SEX HORMONES	7	76	141,000
SYSTEMIC HORMONAL PREPARATIONS	8	41	58,500
GENERAL ANTI-INFECTIVES	10	20	42,000
ANTINEOPLASTICS	12	4	4,000
MUSCULO-SKELETAL SYSTEM	13	66	137,500
NERVOUS SYSTEM	14	235	423,000
ANTIPARASITIC PRODUCTS	16	5	9,000
RESPIRATORY SYSTEM	18	60	88,500
SENSORY ORGANS	19	10	15,000
NATURAL MEDICINES	24	10	20,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	13	30,500
NOT APPLICABLE	96	10,431	24,839,500
NOT STATED	99	992	1,444,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_3DA **Length** 1 **Position** 5929

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 4

Question Was this a prescription from a medical doctor or dentist? - Drug 4

Universe Respondents who answered at least 4 in DGC0_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	930	1,741,000
NO	2	94	180,500
NOT APPLICABLE	6	10,539	24,967,000
NOT STATED	9	983	1,429,500
	Total	12,546	28,318,308

Variable Name DGC0F3E **Length** 1 **Position** 5930

Question Name DG_Q3nn

Concept Flag for drug 5

Question

Universe Respondents who answered at least 5 in DGC0_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	706	1,274,500
NOT APPLICABLE	6	10,861	25,618,000
DON'T KNOW	7	4	8,000
NOT STATED	9	975	1,418,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 1997

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3E **Length** 7 **Position** 5931 - 5937

Question Name DG_Q3nn

Concept Drug code - drug 5

Question What is the exact name of the medication that you took? - Drug 5

Universe Respondents who answered at least 5 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A01AA51 - Z99AA00	706	1,274,500
NOT APPLICABLE	9999996	10,861	25,618,000
DON'T KNOW	9999997	4	8,000
NOT STATED	9999999	975	1,418,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3E **Length** 2 **Position** 5938 - 5939

Question Name

Concept Drug code - drug 5 - (G)

Question

Universe Respondents who answered at least 5 in DGC0_2

Note Based on DGC0C3E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	137	263,500
BLOOD & BLOOD FORMING ORGANS	2	18	37,000
CARDIOVASCULAR SYSTEM	3	187	322,500
DERMATOLOGICALS	4	5	5,500
GENITO-URINARY / SEX HORMONES	7	33	58,500
SYSTEMIC HORMONAL PREPARATIONS	8	32	60,500
GENERAL ANTI-INFECTIVES	10	8	13,000
ANTINEOPLASTICS	12	4	6,000
MUSCULO-SKELETAL SYSTEM	13	34	55,500
NERVOUS SYSTEM	14	178	340,000
ANTIPARASITIC PRODUCTS	16	5	6,500
RESPIRATORY SYSTEM	18	41	75,000
SENSORY ORGANS	19	9	6,000
NATURAL MEDICINES	24	5	9,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	10	15,000
NOT APPLICABLE	96	10,861	25,618,000
NOT STATED	99	979	1,426,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_3EA	Length	1	Position	5940
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 5				
Question	Was this a prescription from a medical doctor or dentist? - Drug 5				
Universe	Respondents who answered at least 5 in DGC0_2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		548	1,013,500
NO		2		74	163,500
NOT APPLICABLE		6		10,957	25,732,500
NOT STATED		9		967	1,408,500
		Total		12,546	28,318,308

Variable Name	DGC0F3F	Length	1	Position	5941
Question Name	DG_Q3nn				
Concept	Flag for drug 6				
Question					
Universe	Respondents who answered at least 6 in DGC0_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		418	736,000
NOT APPLICABLE		6		11,161	26,172,500
DON'T KNOW		7		3	2,000
REFUSAL		8		1	1,000
NOT STATED		9		963	1,407,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2000

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3F **Length** 7 **Position** 5942 - 5948

Question Name DG_Q3nn

Concept Drug code - drug 6

Question What is the exact name of the medication that you took? - Drug 6

Universe Respondents who answered at least 6 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	418	736,000
NOT APPLICABLE	9999996	11,161	26,172,500
DON'T KNOW	9999997	3	2,000
REFUSAL	9999998	1	1,000
NOT STATED	9999999	963	1,407,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3F **Length** 2 **Position** 5949 - 5950

Question Name

Concept Drug code - drug 6 - (G)

Question

Universe Respondents who answered at least 6 in DGC0_2

Note Based on DGC0C3F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	86	143,500
BLOOD & BLOOD FORMING ORGANS	2	8	16,000
CARDIOVASCULAR SYSTEM	3	96	178,000
DERMATOLOGICALS	4	5	5,500
GENITO-URINARY / SEX HORMONES	7	14	26,500
SYSTEMIC HORMONAL PREPARATIONS	8	15	19,500
GENERAL ANTI-INFECTIVES	10	2	5,500
ANTINEOPLASTICS	12	1	2,000
MUSCULO-SKELETAL SYSTEM	13	33	54,500
NERVOUS SYSTEM	14	115	223,000
ANTIPARASITIC PRODUCTS	16	2	2,000
RESPIRATORY SYSTEM	18	27	41,500
SENSORY ORGANS	19	5	6,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	2,000
NATURAL MEDICINES	24	4	3,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	4	7,500
NOT APPLICABLE	96	11,161	26,172,500
NOT STATED	99	967	1,409,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_3FA	Length	1	Position	5951
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 6				
Question	Was this a prescription from a medical doctor or dentist? - Drug 6				
Universe	Respondents who answered at least 6 in DGC0_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		294	535,500
NO		2		47	113,000
NOT APPLICABLE		6		11,245	26,272,500
NOT STATED		9		960	1,397,000
		Total		12,546	28,318,308

Variable Name	DGC0F3G	Length	1	Position	5952
Question Name	DG_Q3nn				
Concept	Flag for drug 7				
Question					
Universe	Respondents who answered at least 7 in DGC0_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		246	423,500
NOT APPLICABLE		6		11,348	26,513,000
DON'T KNOW		7		2	1,500
NOT STATED		9		950	1,380,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2003

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3G **Length** 7 **Position** 5953 - 5959

Question Name DG_Q3nn

Concept Drug code - drug 7

Question What is the exact name of the medication that you took? - Drug 7

Universe Respondents who answered at least 7 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BA01 - Z99AA00	246	423,500
NOT APPLICABLE	9999996	11,348	26,513,000
DON'T KNOW	9999997	2	1,500
NOT STATED	9999999	950	1,380,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3G **Length** 2 **Position** 5960 - 5961

Question Name

Concept Drug code - drug 7 - (G)

Question

Universe Respondents who answered at least 7 in DGC0_2

Note Based on DGC0C3G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	56	99,000
BLOOD & BLOOD FORMING ORGANS	2	5	6,000
CARDIOVASCULAR SYSTEM	3	56	96,000
DERMATOLOGICALS	4	2	3,500
GENITO-URINARY / SEX HORMONES	7	9	27,500
SYSTEMIC HORMONAL PREPARATIONS	8	8	9,000
GENERAL ANTI-INFECTIVES	10	2	2,500
ANTINEOPLASTICS	12	1	1,000
MUSCULO-SKELETAL SYSTEM	13	10	10,500
NERVOUS SYSTEM	14	59	114,500
ANTIPARASITIC PRODUCTS	16	1	1,000
RESPIRATORY SYSTEM	18	20	34,500
SENSORY ORGANS	19	9	11,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	4	4,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	3	4,000
NOT APPLICABLE	96	11,348	26,513,000
NOT STATED	99	952	1,381,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_3GA	Length	1	Position	5962
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 7				
Question	Was this a prescription from a medical doctor or dentist? - Drug 7				
Universe	Respondents who answered at least 7 in DGC0_2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		168	325,000
NO		2		14	20,500
NOT APPLICABLE		6		11,416	26,596,500
DON'T KNOW		7		1	1,500
NOT STATED		9		947	1,375,500
		Total		12,546	28,318,308

Variable Name	DGC0F3H	Length	1	Position	5963
Question Name	DG_Q3nn				
Concept	Flag for drug 8				
Question					
Universe	Respondents who answered at least 8 in DGC0_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		147	252,000
NOT APPLICABLE		6		11,451	26,686,000
DON'T KNOW		7		2	4,000
NOT STATED		9		946	1,376,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2006

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3H **Length** 7 **Position** 5964 - 5970

Question Name DG_Q3nn

Concept Drug code - drug 8

Question What is the exact name of the medication that you took? - Drug 8

Universe Respondents who answered at least 8 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BA02 - Z99AA00	147	252,000
NOT APPLICABLE	9999996	11,451	26,686,000
DON'T KNOW	9999997	2	4,000
NOT STATED	9999999	946	1,376,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3H **Length** 2 **Position** 5971 - 5972

Question Name

Concept Drug code - drug 8 - (G)

Question

Universe Respondents who answered at least 8 in DGC0_2

Note Based on DGC0C3H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	33	60,000
BLOOD & BLOOD FORMING ORGANS	2	7	6,000
CARDIOVASCULAR SYSTEM	3	36	74,000
DERMATOLOGICALS	4	1	4,000
GENITO-URINARY / SEX HORMONES	7	4	6,000
SYSTEMIC HORMONAL PREPARATIONS	8	1	1,500
GENERAL ANTI-INFECTIVES	10	4	3,000
ANTINEOPLASTICS	12	1	1,500
MUSCULO-SKELETAL SYSTEM	13	10	15,500
NERVOUS SYSTEM	14	31	53,500
RESPIRATORY SYSTEM	18	13	17,000
SENSORY ORGANS	19	4	6,000
NATURAL MEDICINES	24	1	2,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,500
NOT APPLICABLE	96	11,451	26,686,000
NOT STATED	99	948	1,380,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_3HA **Length** 1 **Position** 5973
Question Name DG_Q3nnA
Concept Prescription from doctor / dentist - drug 8
Question Was this a prescription from a medical doctor or dentist? - Drug 8
Universe Respondents who answered at least 8 in DGC0_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	86	164,500
NO	2	14	33,500
NOT APPLICABLE	6	11,502	26,745,000
NOT STATED	9	944	1,375,500
Total		12,546	28,318,308

Variable Name DGC0F3I **Length** 1 **Position** 5974
Question Name DG_Q3nn
Concept Flag for drug 9
Question
Universe Respondents who answered at least 9 in DGC0_2

Note

Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	87	156,000
NOT APPLICABLE	6	11,511	26,783,000
DON'T KNOW	7	1	1,500
NOT STATED	9	947	1,378,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2009

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3I **Length** 7 **Position** 5975 - 5981

Question Name DG_Q3nn

Concept Drug code - drug 9

Question What is the exact name of the medication that you took? - Drug 9

Universe Respondents who answered at least 9 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AA04 - Z99AA00	87	156,000
NOT APPLICABLE	9999996	11,511	26,783,000
DON'T KNOW	9999997	1	1,500
NOT STATED	9999999	947	1,378,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3I **Length** 2 **Position** 5982 - 5983

Question Name

Concept Drug code - drug 9 - (G)

Question

Universe Respondents who answered at least 9 in DGC0_2

Note Based on DGC0C3I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	22	50,500
BLOOD & BLOOD FORMING ORGANS	2	3	5,000
CARDIOVASCULAR SYSTEM	3	13	24,000
DERMATOLOGICALS	4	3	9,000
GENITO-URINARY / SEX HORMONES	7	5	5,000
SYSTEMIC HORMONAL PREPARATIONS	8	3	3,500
GENERAL ANTI-INFECTIVES	10	1	1,000
MUSCULO-SKELETAL SYSTEM	13	3	3,000
NERVOUS SYSTEM	14	26	47,000
RESPIRATORY SYSTEM	18	3	3,500
SENSORY ORGANS	19	2	1,500
NATURAL MEDICINES	24	2	2,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,500
NOT APPLICABLE	96	11,511	26,783,000
NOT STATED	99	948	1,379,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_3IA	Length	1	Position	5984
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 9				
Question	Was this a prescription from a medical doctor or dentist? - Drug 9				
Universe	Respondents who answered at least 9 in DGC0_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		48	103,500
NO		2		8	17,500
NOT APPLICABLE		6		11,547	26,824,000
NOT STATED		9		943	1,373,000
		Total		12,546	28,318,308

Variable Name	DGC0F3J	Length	1	Position	5985
Question Name	DG_Q3nn				
Concept	Flag for drug 10				
Question					
Universe	Respondents who answered at least 10 in DGC0_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		55	101,000
NOT APPLICABLE		6		11,544	26,840,000
DON'T KNOW		7		3	3,500
NOT STATED		9		944	1,374,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2012

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C3J **Length** 7 **Position** 5986 - 5992

Question Name DG_Q3nn

Concept Drug code - drug 10

Question What is the exact name of the medication that you took? - Drug 10

Universe Respondents who answered at least 10 in DGC0_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - X97AC01	55	101,000
NOT APPLICABLE	9999996	11,544	26,840,000
DON'T KNOW	9999997	3	3,500
NOT STATED	9999999	944	1,374,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3J **Length** 2 **Position** 5993 - 5994

Question Name

Concept Drug code - drug 10 - (G)

Question

Universe Respondents who answered at least 10 in DGC0_2

Note Based on DGC0C3J. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	12	23,000
BLOOD & BLOOD FORMING ORGANS	2	3	3,500
CARDIOVASCULAR SYSTEM	3	8	13,500
DERMATOLOGICALS	4	2	2,500
GENITO-URINARY / SEX HORMONES	7	2	4,000
SYSTEMIC HORMONAL PREPARATIONS	8	2	8,500
ANTINEOPLASTICS	12	1	1,000
MUSCULO-SKELETAL SYSTEM	13	1	1,000
NERVOUS SYSTEM	14	15	23,000
RESPIRATORY SYSTEM	18	4	7,000
SENSORY ORGANS	19	4	13,500
NATURAL MEDICINES	24	1	1,500
NOT APPLICABLE	96	11,544	26,840,000
NOT STATED	99	947	1,377,500
Total		12,546	28,318,308

Variable Name DGC0_3JA **Length** 1 **Position** 5995

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 10

Question Was this a prescription from a medical doctor or dentist? - Drug 10

Universe Respondents who answered at least 10 in DGC0_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	29	62,000
NO	2	4	11,000
NOT APPLICABLE	6	11,570	26,873,000
NOT STATED	9	943	1,372,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F3K	Length	1	Position	5996
Question Name	DG_Q3nn				
Concept	Flag for drug 11				
Question					
Universe	Respondents who answered at least 11 in DGC0_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		38	69,500
NOT APPLICABLE		6		11,570	26,878,000
DON'T KNOW		7		1	1,500
NOT STATED		9		937	1,369,500
		Total		12,546	28,318,308

Variable Name	DGC0C3K	Length	7	Position	5997 - 6003
Question Name	DG_Q3nn				
Concept	Drug code - drug 11				
Question	What is the exact name of the medication that you took? - Drug 11				
Universe	Respondents who answered at least 11 in DGC0_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02BA02 - Z99AA00		38	69,500
NOT APPLICABLE		9999996		11,570	26,878,000
DON'T KNOW		9999997		1	1,500
NOT STATED		9999999		937	1,369,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3K **Length** 2 **Position** 6004 - 6005

Question Name

Concept Drug code - drug 11 - (G)

Question

Universe Respondents who answered at least 11 in DGC0_2

Note Based on DGC0C3K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	10	21,000
BLOOD & BLOOD FORMING ORGANS	2	1	1,000
CARDIOVASCULAR SYSTEM	3	3	3,500
DERMATOLOGICALS	4	1	1,500
GENERAL ANTI-INFECTIVES	10	2	1,500
ANTINEOPLASTICS	12	1	1,500
MUSCULO-SKELETAL SYSTEM	13	5	7,500
NERVOUS SYSTEM	14	8	13,000
RESPIRATORY SYSTEM	18	5	6,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	12,500
NOT APPLICABLE	96	11,570	26,878,000
NOT STATED	99	938	1,371,000
Total		12,546	28,318,308

Variable Name DGC0_3KA **Length** 1 **Position** 6006

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 11

Question Was this a prescription from a medical doctor or dentist? - Drug 11

Universe Respondents who answered at least 11 in DGC0_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	18	47,500
NO	2	5	6,000
NOT APPLICABLE	6	11,589	26,899,000
NOT STATED	9	934	1,365,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F3L	Length	1	Position	6007
Question Name	DG_Q3nn				
Concept	Flag for drug 12				
Question					
Universe	Respondents who answered at least 12 in DGC0_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		25	41,500
NOT APPLICABLE		6		11,582	26,904,500
DON'T KNOW		7		1	1,500
NOT STATED		9		938	1,371,000
		Total		12,546	28,318,308

Variable Name	DGC0C3L	Length	7	Position	6008 - 6014
Question Name	DG_Q3nn				
Concept	Drug code - drug 12				
Question	What is the exact name of the medication that you took? - Drug 12				
Universe	Respondents who answered at least 12 in DGC0_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A06AA02 - X97DC03		25	41,500
NOT APPLICABLE		9999996		11,582	26,904,500
DON'T KNOW		9999997		1	1,500
NOT STATED		9999999		938	1,371,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G3L **Length** 2 **Position** 6015 - 6016

Question Name

Concept Drug code - drug 12 - (G)

Question

Universe Respondents who answered at least 12 in DGC0_2

Note Based on DGC0C3L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	11	13,000
CARDIOVASCULAR SYSTEM	3	3	11,500
GENERAL ANTI-INFECTIVES	10	1	1,000
MUSCULO-SKELETAL SYSTEM	13	2	3,500
NERVOUS SYSTEM	14	3	5,500
RESPIRATORY SYSTEM	18	4	6,500
NATURAL MEDICINES	24	1	1,000
NOT APPLICABLE	96	11,582	26,904,500
NOT STATED	99	939	1,372,500
Total		12,546	28,318,308

Variable Name DGC0_3LA **Length** 1 **Position** 6017

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 12

Question Was this a prescription from a medical doctor or dentist? - Drug 12

Universe Respondents who answered at least 12 in DGC0_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12	25,500
NO	2	1	1,000
NOT APPLICABLE	6	11,598	26,925,000
NOT STATED	9	935	1,367,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_4 **Length** 1 **Position** 6018
Question Name DG_Q4
Concept Medication - use other health product
Question There are many other health products such as ointments, vitamins, herbs, minerals or protein drinks which people use to prevent illness or to improve or maintain their health. Do you use any of these or other health products?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,312	10,033,500
NO	2	6,386	14,458,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	7	9,500
REFUSAL	8	1	1,500
NOT STATED	9	910	1,329,000
Total		12,546	28,318,308

Variable Name DGC0_4A **Length** 1 **Position** 6019
Question Name DG_Q4A
Concept Medication - use other product in past 2 days
Question In the past 2 days, that is, yesterday and the day before yesterday, did you use any of these health products?
Universe Respondents who answered DGC0_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,437	7,893,500
NO	2	871	2,131,500
NOT APPLICABLE	6	7,316	16,945,000
DON'T KNOW	7	4	8,500
NOT STATED	9	918	1,340,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5A	Length	1	Position	6020
Question Name	DG_Q501				
Concept	Flag for health product 1				
Question					
Universe	Respondents who answered DGC0_4A=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,410	7,823,500
NOT APPLICABLE		6		8,187	19,076,500
DON'T KNOW		7		13	37,500
REFUSAL		8		2	2,000
NOT STATED		9		934	1,379,000
		Total		12,546	28,318,308

Variable Name	DGC0C5A	Length	7	Position	6021 - 6027
Question Name	DG_Q501				
Concept	Drug code - health product 1				
Question	Thinking of the past 2 days, what is the exact name of the health product that you used? - Product 1				
Universe	Respondents who answered DGC0_4A=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02AC01 - Z99AA00		3,410	7,823,500
NOT APPLICABLE		9999996		8,187	19,076,500
DON'T KNOW		9999997		13	37,500
REFUSAL		9999998		2	2,000
NOT STATED		9999999		934	1,379,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5A **Length** 2 **Position** 6028 - 6029

Question Name

Concept Drug code - health product 1 - (G)

Question

Universe Respondents who answered DGC0_4A=1

Note Based on DGC0C5A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2,539	5,890,500
BLOOD & BLOOD FORMING ORGANS	2	103	203,500
CARDIOVASCULAR SYSTEM	3	5	17,500
DERMATOLOGICALS	4	66	187,500
GENITO-URINARY / SEX HORMONES	7	5	11,000
SYSTEMIC HORMONAL PREPARATIONS	8	6	15,000
GENERAL ANTI-INFECTIVES	10	5	7,000
MUSCULO-SKELETAL SYSTEM	13	32	72,000
NERVOUS SYSTEM	14	19	29,500
RESPIRATORY SYSTEM	18	5	9,000
SENSORY ORGANS	19	2	6,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	25	49,500
NATURAL MEDICINES	24	562	1,217,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	36	108,000
NOT APPLICABLE	96	8,187	19,076,500
NOT STATED	99	949	1,418,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_5AA **Length** 1 **Position** 6030
Question Name DG_Q5nnA
Concept Used a 2nd health product
Question Did you use any other health products? - 2nd product
Universe Respondents who answered DGC0_4A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,434	3,209,500
NO	2	1,988	4,644,500
NOT APPLICABLE	6	8,187	19,076,500
NOT STATED	9	937	1,388,000
	Total	12,546	28,318,308

Variable Name DGC0F5B **Length** 1 **Position** 6031
Question Name DG_Q5nn
Concept Flag for health product 2
Question
Universe Respondents who answered DGC0_5AA=1

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,433	3,207,000
NOT APPLICABLE	6	10,175	23,721,000
NOT STATED	9	938	1,390,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2022

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C5B **Length** 7 **Position** 6032 - 6038

Question Name DG_Q5nn

Concept Drug code - health product 2

Question Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 2

Universe Respondents who answered DGC0_5AA=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	1,433	3,207,000
NOT APPLICABLE	9999996	10,175	23,721,000
NOT STATED	9999999	938	1,390,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5B **Length** 2 **Position** 6039 - 6040

Question Name

Concept Drug code - health product 2 - (G)

Question

Universe Respondents who answered DGC0_5AA=1

Note Based on DGC0C5B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	966	2,195,500
BLOOD & BLOOD FORMING ORGANS	2	50	92,000
CARDIOVASCULAR SYSTEM	3	4	13,500
DERMATOLOGICALS	4	25	59,500
GENITO-URINARY / SEX HORMONES	7	2	4,500
SYSTEMIC HORMONAL PREPARATIONS	8	1	3,000
GENERAL ANTI-INFECTIVES	10	1	3,500
MUSCULO-SKELETAL SYSTEM	13	7	15,500
NERVOUS SYSTEM	14	10	18,000
RESPIRATORY SYSTEM	18	1	2,500
SENSORY ORGANS	19	1	1,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	28	75,000
NATURAL MEDICINES	24	318	693,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	19	30,000
NOT APPLICABLE	96	10,175	23,721,000
NOT STATED	99	938	1,390,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0_5BA	Length	1	Position	6041
Question Name	DG_Q5nnA				
Concept	Used a 3rd health product				
Question	Did you use any other health products? - 3rd product				
Universe	Respondents who answered DGC0_5AA=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		731	1,605,500
NO		2		703	1,603,500
NOT APPLICABLE		6		10,175	23,721,000
NOT STATED		9		937	1,388,000
		Total		12,546	28,318,308

Variable Name	DGC0F5C	Length	1	Position	6042
Question Name	DG_Q5nn				
Concept	Flag for health product 3				
Question					
Universe	Respondents who answered DGC0_5BA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		729	1,602,500
NOT APPLICABLE		6		10,878	25,325,000
NOT STATED		9		939	1,391,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2025

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C5C **Length** 7 **Position** 6043 - 6049

Question Name DG_Q5nn

Concept Drug code - health product 3

Question Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 3

Universe Respondents who answered DGC0_5BA=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	729	1,602,500
NOT APPLICABLE	9999996	10,878	25,325,000
NOT STATED	9999999	939	1,391,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5C **Length** 2 **Position** 6050 - 6051

Question Name

Concept Drug code - health product 3 - (G)

Question

Universe Respondents who answered DGC0_5BA=1

Note Based on DGC0C5C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	466	993,000
BLOOD & BLOOD FORMING ORGANS	2	36	75,000
CARDIOVASCULAR SYSTEM	3	7	15,000
DERMATOLOGICALS	4	4	25,000
GENITO-URINARY / SEX HORMONES	7	1	1,000
SYSTEMIC HORMONAL PREPARATIONS	8	1	12,500
GENERAL ANTI-INFECTIVES	10	1	2,500
MUSCULO-SKELETAL SYSTEM	13	1	3,000
NERVOUS SYSTEM	14	6	8,000
RESPIRATORY SYSTEM	18	2	12,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	11	22,500
NATURAL MEDICINES	24	175	394,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	18	39,500
NOT APPLICABLE	96	10,878	25,325,000
NOT STATED	99	939	1,391,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0_5CA **Length** 1 **Position** 6052
Question Name DG_Q5nnA
Concept Used a 4th health product
Question Did you use any other health products? - 4th product
Universe Respondents who answered DGC0_5BA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	354	748,000
NO	2	377	857,500
NOT APPLICABLE	6	10,878	25,325,000
NOT STATED	9	937	1,388,000
	Total	12,546	28,318,308

Variable Name DGC0F5D **Length** 1 **Position** 6053
Question Name DG_Q5nn
Concept Flag for health product 4
Question
Universe Respondents who answered DGC0_5CA=1

Note

Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	353	745,500
NOT APPLICABLE	6	11,255	26,182,500
DON'T KNOW	7	1	2,500
NOT STATED	9	937	1,388,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2028

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0C5D **Length** 7 **Position** 6054 - 6060

Question Name DG_Q5nn

Concept Drug code - health product 4

Question Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 4

Universe Respondents who answered DGC0_5CA=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	353	745,500
NOT APPLICABLE	9999996	11,255	26,182,500
DON'T KNOW	9999997	1	2,500
NOT STATED	9999999	937	1,388,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5D **Length** 2 **Position** 6061 - 6062

Question Name

Concept Drug code - health product 4 - (G)

Question

Universe Respondents who answered DGC0_5CA=1

Note Based on DGC0C5D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	201	432,500
BLOOD & BLOOD FORMING ORGANS	2	18	54,000
CARDIOVASCULAR SYSTEM	3	4	5,500
DERMATOLOGICALS	4	3	4,500
GENITO-URINARY / SEX HORMONES	7	1	1,000
NERVOUS SYSTEM	14	4	13,000
ANTIPARASITIC PRODUCTS	16	1	2,000
RESPIRATORY SYSTEM	18	1	3,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	18	30,500
NATURAL MEDICINES	24	95	182,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	7	18,000
NOT APPLICABLE	96	11,255	26,182,500
NOT STATED	99	938	1,390,000
Total		12,546	28,318,308

Variable Name DGC0_5DA **Length** 1 **Position** 6063

Question Name DG_Q5nnA

Concept Used a 5th health product

Question Did you use any other health products? - 5th product

Universe Respondents who answered DGC0_5CA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	183	390,000
NO	2	170	355,500
NOT APPLICABLE	6	11,255	26,182,500
NOT STATED	9	938	1,390,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5E	Length	1	Position	6064
Question Name	DG_Q5nn				
Concept	Flag for health product 5				
Question					
Universe	Respondents who answered DGC0_5DA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		183	390,000
NOT APPLICABLE		6		11,425	26,538,500
NOT STATED		9		938	1,390,000
		Total		12,546	28,318,308

Variable Name	DGC0C5E	Length	7	Position	6065 - 6071
Question Name	DG_Q5nn				
Concept	Drug code - health product 5				
Question	Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 5				
Universe	Respondents who answered DGC0_5DA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A06A - Z99AA00		183	390,000
NOT APPLICABLE		9999996		11,425	26,538,500
NOT STATED		9999999		938	1,390,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5E **Length** 2 **Position** 6072 - 6073

Question Name

Concept Drug code - health product 5 - (G)

Question

Universe Respondents who answered DGC0_5DA=1

Note Based on DGC0C5E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	96	207,500
BLOOD & BLOOD FORMING ORGANS	2	8	12,500
CARDIOVASCULAR SYSTEM	3	2	7,000
DERMATOLOGICALS	4	3	5,000
GENITO-URINARY / SEX HORMONES	7	1	5,500
NERVOUS SYSTEM	14	2	1,500
SENSORY ORGANS	19	1	2,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	7	14,000
NATURAL MEDICINES	24	58	127,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	5	8,000
NOT APPLICABLE	96	11,425	26,538,500
NOT STATED	99	938	1,390,000
Total		12,546	28,318,308

Variable Name DGC0_5EA **Length** 1 **Position** 6074

Question Name DG_Q5nnA

Concept Used a 6th health product

Question Did you use any other health products? - 6th product

Universe Respondents who answered DGC0_5DA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	105	224,000
NO	2	78	166,000
NOT APPLICABLE	6	11,425	26,538,500
NOT STATED	9	938	1,390,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5F	Length	1	Position	6075
Question Name	DG_Q5nn				
Concept	Flag for health product 6				
Question					
Universe	Respondents who answered DGC0_5EA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		104	222,500
NOT APPLICABLE		6		11,503	26,704,000
NOT STATED		9		939	1,391,500
		Total		12,546	28,318,308

Variable Name	DGC0C5F	Length	7	Position	6076 - 6082
Question Name	DG_Q5nn				
Concept	Drug code - health product 6				
Question	Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 6				
Universe	Respondents who answered DGC0_5EA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A06AC01 - Z99AA00		104	222,500
NOT APPLICABLE		9999996		11,503	26,704,000
NOT STATED		9999999		939	1,391,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5F **Length** 2 **Position** 6083 - 6084

Question Name

Concept Drug code - health product 6 - (G)

Question

Universe Respondents who answered DGC0_5EA=1

Note Based on DGC0C5F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	35	69,000
BLOOD & BLOOD FORMING ORGANS	2	6	16,000
CARDIOVASCULAR SYSTEM	3	1	2,000
NERVOUS SYSTEM	14	4	5,000
RESPIRATORY SYSTEM	18	2	6,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	6	9,000
NATURAL MEDICINES	24	45	105,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	5	10,500
NOT APPLICABLE	96	11,503	26,704,000
NOT STATED	99	939	1,391,500
Total		12,546	28,318,308

Variable Name DGC0_5FA **Length** 1 **Position** 6085

Question Name DG_Q5nnA

Concept Used a 7th health product

Question Did you use any other health products? - 7th product

Universe Respondents who answered DGC0_5EA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	60	132,500
NO	2	45	91,500
NOT APPLICABLE	6	11,503	26,704,000
NOT STATED	9	938	1,390,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5G	Length	1	Position	6086
Question Name	DG_Q5nn				
Concept	Flag for health product 7				
Question					
Universe	Respondents who answered DGC0_5FA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		60	132,500
NOT APPLICABLE		6		11,548	26,796,000
NOT STATED		9		938	1,390,000
		Total		12,546	28,318,308

Variable Name	DGC0C5G	Length	7	Position	6087 - 6093
Question Name	DG_Q5nn				
Concept	Drug code - health product 7				
Question	Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 7				
Universe	Respondents who answered DGC0_5FA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A09AC - Z99AA00		60	132,500
NOT APPLICABLE		9999996		11,548	26,796,000
NOT STATED		9999999		938	1,390,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5G **Length** 2 **Position** 6094 - 6095

Question Name

Concept Drug code - health product 7 - (G)

Question

Universe Respondents who answered DGC0_5FA=1

Note Based on DGC0C5G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	25	51,000
BLOOD & BLOOD FORMING ORGANS	2	1	3,000
DERMATOLOGICALS	4	1	2,500
SYSTEMIC HORMONAL PREPARATIONS	8	1	1,000
MUSCULO-SKELETAL SYSTEM	13	1	1,000
RESPIRATORY SYSTEM	18	1	3,000
SENSORY ORGANS	19	1	3,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	4	12,500
NATURAL MEDICINES	24	23	51,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	4,000
NOT APPLICABLE	96	11,548	26,796,000
NOT STATED	99	938	1,390,000
Total		12,546	28,318,308

Variable Name DGC0_5GA **Length** 1 **Position** 6096

Question Name DG_Q5nnA

Concept Used a 8th health product

Question Did you use any other health products? - 8th product

Universe Respondents who answered DGC0_5FA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	35	81,000
NO	2	25	51,500
NOT APPLICABLE	6	11,548	26,796,000
NOT STATED	9	938	1,390,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5H	Length	1	Position	6097
Question Name	DG_Q5nn				
Concept	Flag for health product 8				
Question					
Universe	Respondents who answered DGC0_5GA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		35	81,000
NOT APPLICABLE		6		11,573	26,847,000
NOT STATED		9		938	1,390,000
		Total		12,546	28,318,308

Variable Name	DGC0C5H	Length	7	Position	6098 - 6104
Question Name	DG_Q5nn				
Concept	Drug code - health product 8				
Question	Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 8				
Universe	Respondents who answered DGC0_5GA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A11AA03 - Z97AA00		35	81,000
NOT APPLICABLE		9999996		11,573	26,847,000
NOT STATED		9999999		938	1,390,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5H **Length** 2 **Position** 6105 - 6106

Question Name

Concept Drug code - health product 8 - (G)

Question

Universe Respondents who answered DGC0_5GA=1

Note Based on DGC0C5H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	9	16,500
BLOOD & BLOOD FORMING ORGANS	2	2	2,000
NERVOUS SYSTEM	14	1	4,500
NATURAL MEDICINES	24	21	51,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	7,500
NOT APPLICABLE	96	11,573	26,847,000
NOT STATED	99	938	1,390,000
Total		12,546	28,318,308

Variable Name DGC0_5HA **Length** 1 **Position** 6107

Question Name DG_Q5nnA

Concept Used a 9th health product

Question Did you use any other health products? - 9th product

Universe Respondents who answered DGC0_5GA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	23	50,000
NO	2	12	31,000
NOT APPLICABLE	6	11,573	26,847,000
NOT STATED	9	938	1,390,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5I	Length	1	Position	6108
Question Name	DG_Q5nn				
Concept	Flag for health product 9				
Question					
Universe	Respondents who answered DGC0_5HA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		23	50,000
NOT APPLICABLE		6		11,585	26,878,000
NOT STATED		9		938	1,390,000
		Total		12,546	28,318,308

Variable Name	DGC0C5I	Length	7	Position	6109 - 6115
Question Name	DG_Q5nn				
Concept	Drug code - health product 9				
Question	Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 9				
Universe	Respondents who answered DGC0_5HA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11AA03 - Z97AA00		23	50,000
NOT APPLICABLE		9999996		11,585	26,878,000
NOT STATED		9999999		938	1,390,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5I **Length** 2 **Position** 6116 - 6117

Question Name

Concept Drug code - health product 9 - (G)

Question

Universe Respondents who answered DGC0_5HA=1

Note Based on DGC0C5I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	12	24,500
NATURAL MEDICINES	24	9	24,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	2,000
NOT APPLICABLE	96	11,585	26,878,000
NOT STATED	99	938	1,390,000
Total		12,546	28,318,308

Variable Name DGC0_5IA **Length** 1 **Position** 6118

Question Name DG_Q5nnA

Concept Used a 10th health product

Question Did you use any other health products? - 10th product

Universe Respondents who answered DGC0_5HA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	14	32,500
NO	2	9	17,500
NOT APPLICABLE	6	11,585	26,878,000
NOT STATED	9	938	1,390,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5J	Length	1	Position	6119
Question Name	DG_Q5nn				
Concept	Flag for health product 10				
Question					
Universe	Respondents who answered DGC0_5IA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		14	32,500
NOT APPLICABLE		6		11,594	26,895,500
NOT STATED		9		938	1,390,000
		Total		12,546	28,318,308

Variable Name	DGC0C5J	Length	7	Position	6120 - 6126
Question Name	DG_Q5nn				
Concept	Drug code - health product 10				
Question	Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 10				
Universe	Respondents who answered DGC0_5IA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A09AC - X97JE20		14	32,500
NOT APPLICABLE		9999996		11,594	26,895,500
NOT STATED		9999999		938	1,390,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5J **Length** 2 **Position** 6127 - 6128

Question Name

Concept Drug code - health product 10 - (G)

Question

Universe Respondents who answered DGC0_5IA=1

Note Based on DGC0C5J. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	6	13,500
CARDIOVASCULAR SYSTEM	3	1	7,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	6	11,000
NOT APPLICABLE	96	11,594	26,895,500
NOT STATED	99	938	1,390,000
Total		12,546	28,318,308

Variable Name DGC0_5JA **Length** 1 **Position** 6129

Question Name DG_Q5nnA

Concept Used a 11th health product

Question Did you use any other health products? - 11th product

Universe Respondents who answered DGC0_5IA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	23,000
NO	2	3	9,500
NOT APPLICABLE	6	11,594	26,895,500
NOT STATED	9	938	1,390,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5K	Length	1	Position	6130
Question Name	DG_Q5nn				
Concept	Flag for health product 11				
Question					
Universe	Respondents who answered DGC0_5JA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11	23,000
NOT APPLICABLE		6		11,597	26,905,500
NOT STATED		9		938	1,390,000
		Total		12,546	28,318,308

Variable Name	DGC0C5K	Length	7	Position	6131 - 6137
Question Name	DG_Q5nn				
Concept	Drug code - health product 11				
Question	Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 11				
Universe	Respondents who answered DGC0_5JA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11EA - Z97AA00		11	23,000
NOT APPLICABLE		9999996		11,597	26,905,500
NOT STATED		9999999		938	1,390,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5K **Length** 2 **Position** 6138 - 6139

Question Name

Concept Drug code - health product 11 - (G)

Question

Universe Respondents who answered DGC0_5JA=1

Note Based on DGC0C5K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2	4,000
GENITO-URINARY / SEX HORMONES	7	1	2,500
NATURAL MEDICINES	24	6	13,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	3,500
NOT APPLICABLE	96	11,597	26,905,500
NOT STATED	99	938	1,390,000
Total		12,546	28,318,308

Variable Name DGC0_5KA **Length** 1 **Position** 6140

Question Name DG_Q5nnA

Concept Used a 12th health product

Question Did you use any other health products? - 12th product

Universe Respondents who answered DGC0_5JA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7	15,500
NO	2	4	7,500
NOT APPLICABLE	6	11,597	26,905,500
NOT STATED	9	938	1,390,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC0F5L	Length	1	Position	6141
Question Name	DG_Q5nn				
Concept	Flag for health product 12				
Question					
Universe	Respondents who answered DGC0_5KA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7	15,500
NOT APPLICABLE		6		11,601	26,912,500
NOT STATED		9		938	1,390,000
		Total		12,546	28,318,308

Variable Name	DGC0C5L	Length	7	Position	6142 - 6148
Question Name	DG_Q5nn				
Concept	Drug code - health product 12				
Question	Thinking of the past 2 days, what is the exact name of the next health product that you used? - Product 12				
Universe	Respondents who answered DGC0_5KA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11CA02 - Z97AA00		7	15,500
NOT APPLICABLE		9999996		11,601	26,912,500
NOT STATED		9999999		938	1,390,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC0G5L **Length** 2 **Position** 6149 - 6150

Question Name

Concept Drug code - health product 12 - (G)

Question

Universe Respondents who answered DGC0_5KA=1

Note Based on DGC0C5L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	1	3,000
NATURAL MEDICINES	24	4	8,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	4,000
NOT APPLICABLE	96	11,601	26,912,500
NOT STATED	99	938	1,390,000
Total		12,546	28,318,308

Variable Name SMC0_1 **Length** 1 **Position** 6151

Question Name SM_Q101

Concept Household member smokes inside house

Question Does anyone in this household smoke regularly inside the house?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,953	6,839,000
NO	2	7,751	17,646,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	2	12,000
REFUSAL	8	3	4,500
NOT STATED	9	907	1,329,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_2 **Length** 1 **Position** 6152
Question Name SM_Q102
Concept Current smoking status
Question At the present time do you smoke cigarettes daily, occasionally or not at all?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY	1	2,239	5,137,000
OCCASIONALLY	2	450	1,153,000
NOT AT ALL	3	8,136	18,341,000
NOT APPLICABLE	6	808	2,334,500
DON'T KNOW	7	2	12,000
REFUSAL	8	2	2,500
NOT STATED	9	909	1,338,000
Total		12,546	28,318,308

Variable Name SMC0_3 **Length** 3 **Position** 6153 - 6155
Question Name SM_Q103
Concept Age started smoking daily - daily smoker
Question At what age did you begin to smoke cigarettes daily?
Universe Respondents who answered SMC0_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	5 - 84	2,226	5,111,500
NOT APPLICABLE	996	9,394	21,828,500
DON'T KNOW	997	13	25,500
NOT STATED	999	913	1,353,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_4 **Length** 3 **Position** 6156 - 6158
Question Name SM_Q104
Concept Number of cigarettes smoked each day - daily smoker
Question How many cigarettes do you smoke each day now?
Universe Respondents who answered SMC0_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 62	2,233	5,126,000
NOT APPLICABLE	996	9,394	21,828,500
DON'T KNOW	997	4	7,500
REFUSAL	998	2	3,500
NOT STATED	999	913	1,353,000
	Total	12,546	28,318,308

Variable Name SMC0_4A **Length** 1 **Position** 6159
Question Name SM_Q104A
Concept Ever smoked cigarettes
Question Have you ever smoked cigarettes at all?
Universe Respondents who answered SMC0_2=3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,238	9,195,500
NO	2	3,877	9,108,000
NOT APPLICABLE	6	3,497	8,624,500
DON'T KNOW	7	19	35,000
REFUSAL	8	1	2,000
NOT STATED	9	914	1,353,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_4B **Length** 1 **Position** 6160
Question Name SM_Q104B
Concept Ever smoked cigarettes (probe)
Question (Remember, it's important to understand change.) During our last interview, we recorded that you had previously smoked BUT this time we did not. In fact, have you EVER smoked cigarettes?
Universe Non-proxy respondents who answered SMC8_4A=1 and SMC0_4A=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	85	206,000
NO	2	174	346,500
NOT APPLICABLE	6	11,368	26,399,500
NOT STATED	9	919	1,366,500
Total		12,546	28,318,308

Variable Name SMC0_5A **Length** 1 **Position** 6161
Question Name SM_Q105A
Concept Smoked 100 or more cigarettes - former smoker
Question In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?
Universe Respondents who answered SMC0_4A=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,156	6,624,000
NO	2	1,045	2,515,500
NOT APPLICABLE	6	7,419	17,798,000
DON'T KNOW	7	7	14,500
NOT STATED	9	919	1,366,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_5B **Length** 3 **Position** 6162 - 6164
Question Name SM_Q105B
Concept No. of cigarettes smoked - occasional smoker
Question On the days that you do smoke, about how many cigarettes do you usually have?
Universe Respondents who answered SMC0_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 25	443	1,142,000
NOT APPLICABLE	996	11,188	25,822,500
DON'T KNOW	997	2	1,000
NOT STATED	999	913	1,353,000
	Total	12,546	28,318,308

Variable Name SMC0_5C **Length** 2 **Position** 6165 - 6166
Question Name SM_Q105C
Concept No. of days smoked 1 or more cigarettes - occasional smoker
Question In the past month, on how many days have you smoked 1 or more cigarettes?
Universe Respondents who answered SMC0_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	0 - 30	434	1,119,500
NOT APPLICABLE	96	11,188	25,822,500
DON'T KNOW	97	11	23,500
NOT STATED	99	913	1,353,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_5 **Length** 1 **Position** 6167
Question Name SM_Q105D
Concept Ever smoked daily
Question Have you ever smoked cigarettes daily?
Universe Respondents who answered SMC0_2=2 or SMC0_4A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,492	7,421,000
NO	2	1,194	2,926,000
NOT APPLICABLE	6	6,924	16,579,500
DON'T KNOW	7	2	2,000
NOT STATED	9	934	1,390,500
Total		12,546	28,318,308

Variable Name SMC0_6 **Length** 3 **Position** 6168 - 6170
Question Name SM_Q106
Concept Age started smoking daily - former daily smoker
Question At what age did you begin to smoke (cigarettes) daily?
Universe Respondents who answered SMC0_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	5 - 74	2,964	6,263,500
NOT APPLICABLE	996	8,118	19,505,500
DON'T KNOW	997	33	57,000
REFUSAL	998	1	7,000
NOT STATED	999	1,430	2,485,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_7 **Length** 3 **Position** 6171 - 6173

Question Name SM_Q107

Concept No. of cigarettes smoked daily - former daily smoker

Question How many cigarettes did you usually smoke each day?

Universe Respondents who answered SMC0_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 99	2,926	6,211,000
NOT APPLICABLE	996	8,159	19,571,000
DON'T KNOW	997	45	70,000
REFUSAL	998	3	13,500
NOT STATED	999	1,413	2,453,000
	Total	12,546	28,318,308

Variable Name SMC0_8 **Length** 3 **Position** 6174 - 6176

Question Name SM_Q108

Concept Age stopped smoking daily - former daily smoker

Question At what age did you stop smoking (cigarettes) daily?

Universe Respondents who answered SMC0_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	10 - 90	2,958	6,243,000
NOT APPLICABLE	996	8,118	19,505,500
DON'T KNOW	997	38	75,500
REFUSAL	998	2	8,500
NOT STATED	999	1,430	2,485,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0DTYP **Length** 2 **Position** 6177 - 6178

Question Name

Concept Type of smoker - (D)

Question

Universe Respondents aged 12 and over

Note Based on SMC0_2, SMC0_4A and SMC0_5. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY SMOKER	1	2,239	5,137,000
OCCASIONAL SMOKER (FORMER DAILY SMOKER)	2	348	858,500
ALWAYS AN OCCASIONAL SMOKER	3	102	295,000
FORMER DAILY SMOKER	4	3,144	6,562,500
FORMER OCCASIONAL SMOKER	5	1,092	2,631,000
NEVER SMOKED	6	3,877	9,108,000
NOT APPLICABLE	96	808	2,334,500
NOT STATED	99	936	1,392,000
	Total	12,546	28,318,308

Variable Name SMC0DYRS **Length** 3 **Position** 6179 - 6181

Question Name

Concept Number of years that respondent smoked - (D)

Question

Universe Respondents who answered SMC0_2=1 or SMC0_5=1

Note Based on SMC0_3, SMC0_6, SMC0_8, Type of smoker (SMC0_2, SMC0_4A, SMC0_5) and DHC0_AGE. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF YEARS	0 - 78	5,158	11,308,500
NOT APPLICABLE	996	5,879	14,368,500
NOT STATED	999	1,509	2,641,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_9 **Length** 2 **Position** 6182 - 6183

Question Name SM_Q109

Concept Reason for quitting smoking

Question Compared to our last interview, you are reporting that you no longer smoke. Why did you quit?

Universe Respondents who answered SMC8_2=1 or SMC8_2=2 and SMC0_2=3 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER SMOKED	1	5	39,000
DIDN'T SMOKE AT LAST INTERVIEW	2	17	47,000
AFFECTED PHYSICAL HEALTH	3	181	407,000
COST	4	34	56,000
SOCIAL / FAMILY PRESSURES	5	56	113,500
ATHLETIC ACTIVITIES	6	7	22,000
PREGNANCY	7	14	27,500
SMOKING RESTRICTIONS	8	7	17,500
DOCTOR'S ADVICE	9	28	67,000
EFFECT OF SECOND-HAND SMOKE ON OTHERS	10	13	24,500
OTHER	11	90	191,000
NOT APPLICABLE	96	10,863	25,070,500
DON'T KNOW	97	2	5,500
NOT STATED	99	1,229	2,230,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2054

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_10 **Length** 2 **Position** 6184 - 6185
Question Name SM_Q110
Concept Reason for starting smoking
Question Compared to our last interview, you are reporting that you currently smoke. Why did you start smoking?
Universe Respondents who answered SMC8_2=3 and SMC0_2=1 or SMC0_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SMOKED AT LAST INTERVIEW	1	66	167,000
FAMILY / FRIENDS SMOKE	2	56	168,500
EVERYONE AROUND ME SMOKES	3	38	126,000
TO BE "COOL"	4	8	20,000
CURIOSITY	5	21	54,500
STRESS	6	62	180,500
STARTED AGAIN AFTER TRYING TO QUIT	7	53	115,000
OTHER	10	50	144,000
NOT APPLICABLE	96	11,272	25,953,500
DON'T KNOW	97	3	16,500
NOT STATED	99	917	1,372,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_11 **Length** 2 **Position** 6186 - 6187

Question Name SM_Q111

Concept Reason for smoking less

Question Compared to our last interview, you are reporting that you smoke less. Why did you cut down?

Universe Respondents who answered SMC8_2=1 and SMC0_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DID NOT CUT DOWN	1	6	12,500
TRYING TO QUIT	3	54	137,500
AFFECTED PHYSICAL HEALTH	4	21	47,000
COST	5	8	9,000
SOCIAL / FAMILY PRESSURES	6	6	9,500
ATHLETIC ACTIVITIES	7	1	1,000
PREGNANCY	8	3	6,500
SMOKING RESTRICTIONS	9	3	5,000
DOCTOR'S ADVICE	10	8	12,500
OTHER	12	23	71,500
NOT APPLICABLE	96	11,515	26,702,000
DON'T KNOW	97	1	4,500
NOT STATED	99	897	1,301,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC0_12 **Length** 2 **Position** 6188 - 6189
Question Name SM_Q112
Concept Reason for smoking more
Question Compared to our last interview, you are reporting that you smoke more. Why have you increased smoking?
Universe Respondents who answered SMC8_2=2 and SMC0_2=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAVEN'T INCREASED	1	24	53,000
FAMILY / FRIENDS SMOKE	2	4	5,000
EVERYONE AROUND ME SMOKES	3	11	17,000
CURIOSITY	5	1	7,500
STRESS	6	33	81,500
INCREASED AFTER TRYING TO QUIT / REDUCE	7	5	4,000
COST	8	1	2,000
OTHER	10	21	53,500
NOT APPLICABLE	96	11,553	26,798,500
DON'T KNOW	97	3	4,000
NOT STATED	99	890	1,292,500
Total		12,546	28,318,308

Variable Name SMC0_201 **Length** 1 **Position** 6190
Question Name SM_Q201
Concept When first cigarette smoked after waking up
Question How soon after you wake up do you smoke your first cigarette?
Universe Respondents who answered SMC0_2=1 living in a household
Note Formerly SMC0_2_1.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WITHIN 5 MINUTES	1	496	1,050,500
6 TO 30 MINUTES AFTER WAKING	2	807	1,799,500
31 TO 60 MINUTES AFTER WAKING	3	422	978,000
MORE THAN 60 MINUTES AFTER WAKING	4	448	1,153,000
NOT APPLICABLE	6	9,404	21,836,000
DON'T KNOW	7	4	3,000
REFUSAL	8	1	3,500
NOT STATED	9	964	1,494,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC0_202	Length	1	Position	6191
Question Name	SM_Q202				
Concept	Tried quitting smoking				
Question	Have you tried quitting smoking in the past 6 months?				
Universe	Respondents who answered SMC0_2=1 or SMC0_2=2 living in a household				
Note	Formerly SMC0_2_2.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		810	1,984,500
NO		2		1,802	4,124,500
NOT APPLICABLE		6		8,959	20,693,000
NOT STATED		9		975	1,516,500
		Total		12,546	28,318,308

Variable Name	SMC0_203	Length	2	Position	6192 - 6193
Question Name	SM_Q203				
Concept	Number of times tried to quit smoking				
Question	How many times have you tried quitting (in the past 6 months)?				
Universe	Respondents who answered SMC0_202=1				
Note	Formerly SMC0_2_3.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 25		806	1,979,500
NOT APPLICABLE		96		10,761	24,817,500
DON'T KNOW		97		4	4,500
NOT STATED		99		975	1,516,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC0_204	Length	1	Position	6194
Question Name	SM_Q204				
Concept	Considering quitting smoking in the next 30 days				
Question	Are you seriously considering quitting smoking within the next 30 days?				
Universe	Respondents who answered SMC0_202=1				
Note	Formerly SMC0_2_4.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		437	996,500
NO		2		360	965,500
NOT APPLICABLE		6		10,761	24,817,500
DON'T KNOW		7		13	22,500
NOT STATED		9		975	1,516,500
		Total		12,546	28,318,308

Variable Name	SMC0_205	Length	1	Position	6195
Question Name	SM_Q205				
Concept	Considering quitting smoking in the next 6 months				
Question	Are you seriously considering quitting smoking within the next 6 months?				
Universe	Respondents who answered SMC0_204=2				
Note	Formerly SMC0_2_5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		231	624,500
NO		2		125	324,500
NOT APPLICABLE		6		11,198	25,814,000
DON'T KNOW		7		16	35,500
REFUSAL		8		1	3,500
NOT STATED		9		975	1,516,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC0_206	Length	1	Position	6196
Question Name	SM_Q206				
Concept	Smoking restrictions in work place				
Question	At your place of work what are the restrictions on smoking?				
Universe	Respondents aged 15 to 75 who answered SMC0_2=1, 2 or 3, and are currently working				
Note	Formerly SMC0_2_6.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
RESTRICTED COMPLETELY		1		3,613	8,915,000
ALLOWED IN DESIGNATED AREAS		2		1,384	3,702,500
RESTRICTED ONLY IN CERTAIN PLACES		3		256	717,500
NOT RESTRICTED AT ALL		4		774	1,638,000
NOT APPLICABLE		6		5,219	10,988,000
DON'T KNOW		7		13	46,000
REFUSAL		8		1	1,500
NOT STATED		9		1,286	2,310,000
		Total		12,546	28,318,308

Variable Name	ALC0_1A	Length	1	Position	6197
Question Name	AL_Q1A				
Concept	Drank alcohol since last interview				
Question	Since our last interview, have you had a drink of beer, wine, liquor or any other alcoholic beverage?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8,217	19,425,500
NO		2		2,456	4,976,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		9	39,000
REFUSAL		8		14	18,000
NOT STATED		9		920	1,373,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0_1 **Length** 1 **Position** 6198
Question Name AL_Q1B
Concept Drank alcohol in past 12 months
Question During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
Universe Respondents who answered ALC0_1A=1 or respondents living in an institution

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,077	19,091,500
NO	2	260	482,500
NOT APPLICABLE	6	3,264	7,310,500
DON'T KNOW	7	1	1,000
NOT STATED	9	944	1,433,000
	Total	12,546	28,318,308

Variable Name ALC0_2 **Length** 2 **Position** 6199 - 6200
Question Name AL_Q2
Concept Frequency of drinking alcohol
Question During the past 12 months, how often did you drink alcoholic beverages?
Universe Respondents who answered ALC0_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN ONCE A MONTH	1	2,328	5,062,000
ONCE A MONTH	2	1,049	2,424,000
2 TO 3 TIMES A MONTH	3	1,337	3,067,500
ONCE A WEEK	4	1,440	3,613,000
2 TO 3 TIMES A WEEK	5	1,125	2,853,000
4 TO 6 TIMES A WEEK	6	300	823,500
EVERY DAY	7	486	1,217,500
NOT APPLICABLE	96	3,524	7,792,500
DON'T KNOW	97	8	15,500
REFUSAL	98	4	16,000
NOT STATED	99	945	1,434,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0_3 **Length** 2 **Position** 6201 - 6202

Question Name AL_Q3

Concept Frequency of having 5 or more drinks

Question How often in the past 12 months have you had 5 or more drinks on one occasion?

Universe Respondents who answered ALC0_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER	1	4,722	11,017,500
LESS THAN ONCE A MONTH	2	1,878	4,473,000
ONCE A MONTH	3	503	1,270,000
2 TO 3 TIMES A MONTH	4	432	1,059,500
ONCE A WEEK	5	327	742,500
MORE THAN ONCE A WEEK	6	163	434,500
NOT APPLICABLE	96	3,553	7,837,000
DON'T KNOW	97	20	41,000
REFUSAL	98	4	12,500
NOT STATED	99	944	1,431,500
	Total	12,546	28,318,308

Variable Name ALC0_DAY **Length** 2 **Position** 6203 - 6204

Question Name

Concept Interview date - day of the week

Question

Universe Respondents who answered ALC0_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SUNDAY	1	382	910,500
MONDAY	2	1,694	3,946,500
TUESDAY	3	1,566	3,498,000
WEDNESDAY	4	1,375	3,317,500
THURSDAY	5	1,396	3,216,000
FRIDAY	6	915	2,268,000
SATURDAY	7	785	2,072,500
NOT APPLICABLE	96	3,553	7,837,000
NOT STATED	99	880	1,252,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0_5 **Length** 1 **Position** 6205
Question Name AL_Q5
Concept Drank alcohol in past week
Question Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?
Universe Respondents who answered ALC0_1=1 living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,435	10,841,000
NO	2	3,602	8,181,000
NOT APPLICABLE	6	3,553	7,837,000
DON'T KNOW	7	7	13,000
REFUSAL	8	5	15,000
NOT STATED	9	944	1,431,500
	Total	12,546	28,318,308

Variable Name ALC0_5A1 **Length** 3 **Position** 6206 - 6208
Question Name AL_Q5A
Concept Number of drinks - Sunday
Question Starting with yesterday, that is Sunday, how many drinks did you have?
Universe Respondents who answered ALC0_5=1
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 30	4,427	10,826,000
NOT APPLICABLE	996	7,155	16,018,500
DON'T KNOW	997	7	12,500
NOT STATED	999	957	1,462,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0_5A2 **Length** 3 **Position** 6209 - 6211
Question Name AL_Q5A
Concept Number of drinks - Monday
Question Starting with yesterday, that is Monday, how many drinks did you have?
Universe Respondents who answered ALC0_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 20	4,426	10,829,500
NOT APPLICABLE	996	7,155	16,018,500
DON'T KNOW	997	8	8,500
NOT STATED	999	957	1,462,000
	Total	12,546	28,318,308

Variable Name ALC0_5A3 **Length** 3 **Position** 6212 - 6214
Question Name AL_Q5A
Concept Number of drinks - Tuesday
Question Starting with yesterday, that is Tuesday, how many drinks did you have?
Universe Respondents who answered ALC0_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 20	4,423	10,820,500
NOT APPLICABLE	996	7,155	16,018,500
DON'T KNOW	997	11	18,000
NOT STATED	999	957	1,462,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0_5A4 **Length** 3 **Position** 6215 - 6217
Question Name AL_Q5A
Concept Number of drinks - Wednesday
Question Starting with yesterday, that is Wednesday, how many drinks did you have?
Universe Respondents who answered ALC0_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 20	4,422	10,821,500
NOT APPLICABLE	996	7,155	16,018,500
DON'T KNOW	997	12	17,000
REFUSAL	998	1	2,500
NOT STATED	999	956	1,459,000
Total		12,546	28,318,308

Variable Name ALC0_5A5 **Length** 3 **Position** 6218 - 6220
Question Name AL_Q5A
Concept Number of drinks - Thursday
Question Starting with yesterday, that is Thursday, how many drinks did you have?
Universe Respondents who answered ALC0_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 20	4,418	10,813,000
NOT APPLICABLE	996	7,155	16,018,500
DON'T KNOW	997	16	25,500
NOT STATED	999	957	1,462,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0_5A6 **Length** 3 **Position** 6221 - 6223
Question Name AL_Q5A
Concept Number of drinks - Friday
Question Starting with yesterday, that is Friday, how many drinks did you have?
Universe Respondents who answered ALC0_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 24	4,426	10,819,000
NOT APPLICABLE	996	7,155	16,018,500
DON'T KNOW	997	8	19,000
NOT STATED	999	957	1,462,000
	Total	12,546	28,318,308

Variable Name ALC0_5A7 **Length** 3 **Position** 6224 - 6226
Question Name AL_Q5A
Concept Number of drinks - Saturday
Question Starting with yesterday, that is Saturday, how many drinks did you have?
Universe Respondents who answered ALC0_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 25	4,421	10,810,000
NOT APPLICABLE	996	7,155	16,018,500
DON'T KNOW	997	13	28,000
NOT STATED	999	957	1,462,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0_5B **Length** 1 **Position** 6227
Question Name AL_Q5B
Concept Ever had a drink
Question Have you ever had a drink?
Universe Respondents who answered ALC0_1B=2 or respondents living in an institution

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,400	2,464,000
NO	2	1,130	2,594,500
NOT APPLICABLE	6	9,052	21,800,500
DON'T KNOW	7	20	28,000
NOT STATED	9	944	1,431,500
Total		12,546	28,318,308

Variable Name ALC0_6 **Length** 1 **Position** 6228
Question Name AL_Q6
Concept Regularly drank more than 12 drinks a week
Question Did you ever regularly drink more than 12 drinks a week?
Universe Respondents who answered ALC0_1=2 or ALC0_5B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	249	425,500
NO	2	1,312	2,407,500
NOT APPLICABLE	6	10,015	24,020,500
DON'T KNOW	7	6	5,500
NOT STATED	9	964	1,459,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC0_7A	Length	1	Position	6229
Question Name	AL_Q7				
Concept	Reason reduced drinking - dieting				
Question	Why did you reduce or quit drinking altogether? - Dieting				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		2	6,500
NO		2		242	416,500
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

Variable Name	ALC0_7B	Length	1	Position	6230
Question Name	AL_Q7				
Concept	Reason reduced drinking - athletic training				
Question	Why did you reduce or quit drinking altogether? - Athletic training				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
Content		Code		Sample	Population
NO		2		244	423,500
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

Variable Name	ALC0_7C	Length	1	Position	6231
Question Name	AL_Q7				
Concept	Reason reduced drinking - pregnancy				
Question	Why did you reduce or quit drinking altogether? - Pregnancy				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
Content		Code		Sample	Population
NO		2		244	423,500
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC0_7D	Length	1	Position	6232
Question Name	AL_Q7				
Concept	Reason reduced drinking - getting older				
Question	Why did you reduce or quit drinking altogether? - Getting older				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8	15,500
NO		2		236	408,000
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

Variable Name	ALC0_7E	Length	1	Position	6233
Question Name	AL_Q7				
Concept	Reason reduced drinking - drinking too much				
Question	Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		123	179,000
NO		2		121	244,000
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0_7F **Length** 1 **Position** 6234
Question Name AL_Q7
Concept Reason reduced drinking - affected work / studies
Question Why did you reduce or quit drinking altogether? - Affected - work, studies, employment opportunities
Universe Respondents who answered ALC0_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	35	59,000
NO	2	209	364,000
NOT APPLICABLE	6	11,351	26,457,500
NOT STATED	9	951	1,437,500
Total		12,546	28,318,308

Variable Name ALC0_7G **Length** 1 **Position** 6235
Question Name AL_Q7
Concept Reason reduced drinking - interfered with family life
Question Why did you reduce or quit drinking altogether? - Interfered with family or home life
Universe Respondents who answered ALC0_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	54	84,000
NO	2	190	339,000
NOT APPLICABLE	6	11,351	26,457,500
NOT STATED	9	951	1,437,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC0_7H	Length	1	Position	6236
Question Name	AL_Q7				
Concept	Reason reduced drinking - affected physical health				
Question	Why did you reduce or quit drinking altogether? - Affected - physical health				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		62	130,000
NO		2		182	293,500
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

Variable Name	ALC0_7I	Length	1	Position	6237
Question Name	AL_Q7				
Concept	Reason reduced drinking - affected social relationships				
Question	Why did you reduce or quit drinking altogether? - Affected - friendships or social relationships				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		27	46,000
NO		2		217	377,000
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC0_7J	Length	1	Position	6238
Question Name	AL_Q7				
Concept	Reason reduced drinking - affected financial position				
Question	Why did you reduce or quit drinking altogether? - Affected - financial position				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		26	39,500
NO		2		218	383,500
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

Variable Name	ALC0_7K	Length	1	Position	6239
Question Name	AL_Q7				
Concept	Reason reduced drinking - affected happiness				
Question	Why did you reduce or quit drinking altogether? - Affected - outlook on life, happiness				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		34	61,000
NO		2		210	362,500
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC0_7L	Length	1	Position	6240
Question Name	AL_Q7				
Concept	Reason reduced drinking - influence of family / friends				
Question	Why did you reduce or quit drinking altogether? - Influence of family or friends				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		20	21,000
NO		2		224	402,500
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

Variable Name	ALC0_7M	Length	1	Position	6241
Question Name	AL_Q7				
Concept	Reason reduced drinking - other				
Question	Why did you reduce or quit drinking altogether? - Other				
Universe	Respondents who answered ALC0_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		41	88,500
NO		2		203	335,000
NOT APPLICABLE		6		11,351	26,457,500
NOT STATED		9		951	1,437,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0DTYP **Length** 1 **Position** 6242

Question Name

Concept Type of drinker - (D)

Question

Universe Respondents aged 12 and over

Note Based on ALC0_2 and ALC0_5B. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR DRINKER	1	5,737	13,998,500
OCCASIONAL DRINKER	2	2,328	5,062,000
NON-DRINKER NOW	3	1,400	2,464,000
NEVER DRANK	4	1,130	2,594,500
NOT APPLICABLE	6	975	2,709,000
NOT STATED	9	976	1,491,000
Total		12,546	28,318,308

Variable Name ALC0DWKY **Length** 3 **Position** 6243 - 6245

Question Name

Concept Weekly total of alcohol consumed - (D)

Question

Universe Respondents who answered ALC0_1=1 living in a household

Note Based on ALC0_5A1 to ALC0_5A7. Sum of number of drinks consumed, on all days, in the week prior to the interview. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 140	7,995	18,941,500
NOT APPLICABLE	996	3,553	7,837,000
NOT STATED	999	998	1,540,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC0DDLY **Length** 2 **Position** 6246 - 6247

Question Name

Concept Average daily alcohol consumption - (D)

Question

Universe Respondents who answered ALC0_1=1 living in a household

Note Based on ALC0_5, ALC0_5A1 to ALC0_5A7. Weekly total of alcohol consumed divided by 7. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AVERAGE DAILY VOLUME	0 - 20	7,995	18,941,500
NOT APPLICABLE	96	3,553	7,837,000
NOT STATED	99	998	1,540,000
	Total	12,546	28,318,308

Variable Name MHC0_1A **Length** 1 **Position** 6248

Question Name MH_Q01A

Concept Frequency of feeling sad

Question During the past month, about how often did you feel so sad that nothing could cheer you up?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	44	116,500
MOST OF THE TIME	2	162	410,500
SOME OF THE TIME	3	786	1,850,500
A LITTLE OF THE TIME	4	1,669	3,871,000
NONE OF THE TIME	5	7,572	17,038,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	19	39,000
REFUSAL	8	41	88,500
NOT STATED	9	1,323	2,418,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_1B **Length** 1 **Position** 6249
Question Name MH_Q01B
Concept Frequency of feeling nervous
Question During the past month, about how often did you feel nervous?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	92	225,000
MOST OF THE TIME	2	281	770,500
SOME OF THE TIME	3	1,582	4,198,000
A LITTLE OF THE TIME	4	2,255	5,483,000
NONE OF THE TIME	5	6,018	12,605,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	1	1,000
REFUSAL	8	3	4,000
NOT STATED	9	1,384	2,545,500
	Total	12,546	28,318,308

Variable Name MHC0_1C **Length** 1 **Position** 6250
Question Name MH_Q01C
Concept Frequency of feeling restless / fidgety
Question During the past month, about how often did you feel restless or fidgety?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	154	394,500
MOST OF THE TIME	2	274	736,000
SOME OF THE TIME	3	1,514	3,541,000
A LITTLE OF THE TIME	4	1,921	4,622,000
NONE OF THE TIME	5	6,359	13,967,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	5	15,500
NOT STATED	9	1,389	2,555,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_1D **Length** 1 **Position** 6251
Question Name MH_Q01D
Concept Frequency of feeling hopeless
Question During the past month, about how often did you feel hopeless?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	34	92,000
MOST OF THE TIME	2	68	175,500
SOME OF THE TIME	3	391	948,000
A LITTLE OF THE TIME	4	615	1,441,000
NONE OF THE TIME	5	9,109	20,597,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	4	6,500
REFUSAL	8	1	1,000
NOT STATED	9	1,394	2,571,000
	Total	12,546	28,318,308

Variable Name MHC0_1E **Length** 1 **Position** 6252
Question Name MH_Q01E
Concept Frequency of feeling worthless
Question During the past month, about how often did you feel worthless?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	27	77,500
MOST OF THE TIME	2	47	93,000
SOME OF THE TIME	3	219	520,500
A LITTLE OF THE TIME	4	379	918,000
NONE OF THE TIME	5	9,540	21,634,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	2	5,000
REFUSAL	8	3	5,000
NOT STATED	9	1,399	2,578,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_1F **Length** 1 **Position** 6253
Question Name MH_Q01F
Concept Frequency of feeling everything was an effort
Question During the past month, about how often did you feel that everything was an effort?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	115	319,000
MOST OF THE TIME	2	252	627,000
SOME OF THE TIME	3	1,042	2,359,500
A LITTLE OF THE TIME	4	1,296	3,226,000
NONE OF THE TIME	5	7,499	16,702,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	7	9,500
REFUSAL	8	1	1,000
NOT STATED	9	1,404	2,588,000
	Total	12,546	28,318,308

Variable Name MHC0_1G **Length** 1 **Position** 6254
Question Name MH_Q01G
Concept Frequency of feelings occurrence
Question Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
Universe Respondents who answered positively to at least one of MHC0_1A to MHC0_1F

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MORE OFTEN	1	1,136	2,605,000
LESS OFTEN	2	618	1,527,500
ABOUT THE SAME	3	4,305	10,317,500
NEVER HAVE HAD ANY	4	146	392,500
NOT APPLICABLE	6	4,925	10,871,500
DON'T KNOW	7	4	6,500
NOT STATED	9	1,412	2,598,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC0_1H	Length	1	Position	6255
Question Name	MH_Q01H				
Concept	Frequency of feelings occurrence (more)				
Question	Is that a lot more, somewhat more or only a little more often than usual?				
Universe	Respondents who answered MHC0_1G=1				
Note					
Content		Code		Sample	Population
A LOT		1		405	893,000
SOMEWHAT		2		362	867,500
A LITTLE		3		369	844,500
NOT APPLICABLE		6		9,994	23,109,000
NOT STATED		9		1,416	2,604,500
		Total		12,546	28,318,308

Variable Name	MHC0_1I	Length	1	Position	6256
Question Name	MH_Q01I				
Concept	Frequency of feelings occurrence (less)				
Question	Is that a lot less, somewhat less or only a little less often than usual?				
Universe	Respondents who answered MHC0_1G=2				
Note					
Content		Code		Sample	Population
A LOT		1		200	457,500
SOMEWHAT		2		200	557,500
A LITTLE		3		217	511,000
NOT APPLICABLE		6		10,512	24,186,500
DON'T KNOW		7		1	1,500
NOT STATED		9		1,416	2,604,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_1J **Length** 1 **Position** 6257
Question Name MH_Q1J
Concept Frequency - experiences interfere with life
Question How much do these experiences usually interfere with your life or activities?
Universe Respondents who answered MHC0_1G=1, 2 or 3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
A LOT	1	297	788,000
SOME	2	706	1,611,500
A LITTLE	3	1,815	4,392,500
NOT AT ALL	4	3,236	7,648,000
NOT APPLICABLE	6	5,071	11,264,000
DON'T KNOW	7	2	2,500
REFUSAL	8	2	6,000
NOT STATED	9	1,417	2,605,500
	Total	12,546	28,318,308

Variable Name MHC0_1K **Length** 1 **Position** 6258
Question Name MH_11K
Concept Mental health - has consulted with a health professional
Question In the past 12 months, have you seen or talked on the telephone to a health professional about your emotional or mental health?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	699	1,558,500
NO	2	9,570	21,813,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	5	4,000
REFUSAL	8	17	33,500
NOT STATED	9	1,325	2,423,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_1L **Length** 3 **Position** 6259 - 6261
Question Name MH_Q1L
Concept Mental health - no. of times consulted a health professional
Question How many times (in the past 12 months)?
Universe Respondents who answered MHC0_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	695	1,555,500
NOT APPLICABLE	996	10,500	24,299,500
DON'T KNOW	997	4	2,500
NOT STATED	999	1,347	2,460,500
	Total	12,546	28,318,308

Variable Name MHC0_1MA **Length** 1 **Position** 6262
Question Name MH_Q01M
Concept Mental health - consulted family doctor
Question Whom did you see or talk to? - Family doctor or general practitioner
Universe Respondents who answered MHC0_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	343	712,500
NO	2	355	837,000
NOT APPLICABLE	6	10,500	24,299,500
DON'T KNOW	7	1	9,000
NOT STATED	9	1,347	2,460,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC0_1MB	Length	1	Position	6263
Question Name	MH_Q01M				
Concept	Mental health - consulted psychiatrist				
Question	Whom did you see or talk to? - Psychiatrist				
Universe	Respondents who answered MHC0_1K=1				
Note					
Content		Code		Sample	Population
YES		1		145	336,500
NO		2		553	1,213,000
NOT APPLICABLE		6		10,500	24,299,500
DON'T KNOW		7		1	9,000
NOT STATED		9		1,347	2,460,500
		Total		12,546	28,318,308

Variable Name	MHC0_1MC	Length	1	Position	6264
Question Name	MH_Q01M				
Concept	Mental health - consulted psychologist				
Question	Whom did you see or talk to? - Psychologist				
Universe	Respondents who answered MHC0_1K=1				
Note					
Content		Code		Sample	Population
YES		1		146	390,500
NO		2		552	1,158,500
NOT APPLICABLE		6		10,500	24,299,500
DON'T KNOW		7		1	9,000
NOT STATED		9		1,347	2,460,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC0_1MD	Length	1	Position	6265
Question Name	MH_Q01M				
Concept	Mental health - consulted nurse				
Question	Whom did you see or talk to? - Nurse				
Universe	Respondents who answered MHC0_1K=1				
Note					
Content		Code		Sample	Population
YES		1		18	36,500
NO		2		680	1,513,000
NOT APPLICABLE		6		10,500	24,299,500
DON'T KNOW		7		1	9,000
NOT STATED		9		1,347	2,460,500
		Total		12,546	28,318,308

Variable Name	MHC0_1ME	Length	1	Position	6266
Question Name	MH_Q01M				
Concept	Mental health - consulted social worker or counselor				
Question	Whom did you see or talk to? - Social worker or counselor				
Universe	Respondents who answered MHC0_1K=1				
Note					
Content		Code		Sample	Population
YES		1		135	256,000
NO		2		563	1,293,500
NOT APPLICABLE		6		10,500	24,299,500
DON'T KNOW		7		1	9,000
NOT STATED		9		1,347	2,460,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC0_1MF	Length	1	Position	6267
Question Name	MH_Q01M				
Concept	Mental health - consulted other professional				
Question	Whom did you see or talk to? - Other				
Universe	Respondents who answered MHC0_1K=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		35	89,000
NO		2		663	1,460,000
NOT APPLICABLE		6		10,500	24,299,500
DON'T KNOW		7		1	9,000
NOT STATED		9		1,347	2,460,500
		Total		12,546	28,318,308

Variable Name	MHC0_2	Length	1	Position	6268
Question Name	MH_Q02				
Concept	Felt sad, blue, or depressed 2 weeks or more in past year				
Question	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		860	2,112,500
NO		2		9,402	21,249,500
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		6	6,000
REFUSAL		8		23	40,500
NOT STATED		9		1,325	2,423,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_3 **Length** 1 **Position** 6269
Question Name MH_Q03
Concept Depressed - usual duration of feelings
Question Please think of the 2-week period during the past 12 months when these feelings were worst. During that time how long did these feelings usually last?
Universe Respondents who answered MHC0_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	282	690,000
MOST OF THE DAY	2	313	725,500
ABOUT HALF OF THE DAY	3	141	357,500
LESS THAN HALF OF A DAY	4	118	325,000
NOT APPLICABLE	6	10,332	23,736,000
DON'T KNOW	7	4	12,000
REFUSAL	8	2	2,500
NOT STATED	9	1,354	2,470,000
Total		12,546	28,318,308

Variable Name MHC0_4 **Length** 1 **Position** 6270
Question Name MH_Q04
Concept Depressed - frequency of feelings
Question How often did you feel this way during those 2 weeks?
Universe Respondents who answered MHC0_3=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY DAY	1	330	768,500
ALMOST EVERY DAY	2	227	565,000
LESS OFTEN	3	38	81,500
NOT APPLICABLE	6	10,591	24,419,000
NOT STATED	9	1,360	2,484,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC0_5	Length	1	Position	6271
Question Name	MH_Q05				
Concept	Depressed - lost interest in most things				
Question	During those 2 weeks, did you lose interest in most things?				
Universe	Respondents who answered MHC0_4=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		456	1,116,000
NO		2		101	217,500
NOT APPLICABLE		6		10,629	24,500,500
NOT STATED		9		1,360	2,484,500
		Total		12,546	28,318,308

Variable Name	MHC0_6	Length	1	Position	6272
Question Name	MH_Q06				
Concept	Depressed - felt tired all of the time				
Question	Did you feel tired out or low on energy all of the time?				
Universe	Respondents who answered MHC0_4=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		487	1,157,500
NO		2		70	176,000
NOT APPLICABLE		6		10,629	24,500,500
NOT STATED		9		1,360	2,484,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_7 **Length** 1 **Position** 6273
Question Name MH_Q07
Concept Depressed - weight change or not
Question Did you gain weight, lose weight or stay about the same?
Universe Respondents who answered MHC0_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
GAINED WEIGHT	1	105	225,500
LOST WEIGHT	2	165	417,000
STAYED ABOUT THE SAME	3	280	676,000
WAS ON A DIET	4	4	8,000
NOT APPLICABLE	6	10,629	24,500,500
DON'T KNOW	7	3	7,000
NOT STATED	9	1,360	2,484,500
	Total	12,546	28,318,308

Variable Name MHC0_8KG **Length** 3 **Position** 6274 - 6276
Question Name MH_Q08B
Concept Depressed - weight change (kg.)
Question About how much did you (gain / lose)? - Kilograms
Universe Respondents who answered MHC0_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	0 - 23	260	605,500
NOT APPLICABLE	996	10,913	25,184,500
NOT STATED	999	1,373	2,528,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_8LB **Length** 3 **Position** 6277 - 6279

Question Name MH_Q08B

Concept Depressed - weight change (lb.)

Question About how much did you (gain / lose)? - Pounds

Universe Respondents who answered MHC0_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	0 - 51	260	605,500
NOT APPLICABLE	996	10,913	25,184,500
NOT STATED	999	1,373	2,528,000
Total		12,546	28,318,308

Variable Name MHC0_9 **Length** 1 **Position** 6280

Question Name MH_Q09

Concept Depressed - trouble falling asleep

Question Did you have more trouble falling asleep than you usually do?

Universe Respondents who answered MHC0_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	401	974,000
NO	2	153	352,500
NOT APPLICABLE	6	10,629	24,500,500
NOT STATED	9	1,363	2,491,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC0_10	Length	1	Position	6281
Question Name	MH_Q10				
Concept	Depressed - frequency of trouble falling asleep				
Question	How often did that happen?				
Universe	Respondents who answered MHC0_9=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EVERY NIGHT		1		188	490,000
NEARLY EVERY NIGHT		2		173	391,000
LESS OFTEN		3		39	92,000
NOT APPLICABLE		6		10,782	24,853,000
DON'T KNOW		7		1	1,000
NOT STATED		9		1,363	2,491,500
		Total		12,546	28,318,308

Variable Name	MHC0_11	Length	1	Position	6282
Question Name	MH_Q11				
Concept	Depressed - trouble concentrating				
Question	Did you have a lot more trouble concentrating than usual?				
Universe	Respondents who answered MHC0_4=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		472	1,130,000
NO		2		79	181,500
NOT APPLICABLE		6		10,629	24,500,500
DON'T KNOW		7		2	14,000
NOT STATED		9		1,364	2,492,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_12 **Length** 1 **Position** 6283
Question Name MH_Q12
Concept Depressed - felt down on self
Question At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
Universe Respondents who answered MHC0_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	345	849,500
NO	2	205	460,000
NOT APPLICABLE	6	10,629	24,500,500
REFUSAL	8	1	1,500
NOT STATED	9	1,366	2,507,000
Total		12,546	28,318,308

Variable Name MHC0_13 **Length** 1 **Position** 6284
Question Name MH_Q13
Concept Depressed - thought a lot about death
Question Did you think a lot about death - either your own, someone else's, or death in general?
Universe Respondents who answered MHC0_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	312	691,500
NO	2	236	610,500
NOT APPLICABLE	6	10,629	24,500,500
DON'T KNOW	7	2	7,500
NOT STATED	9	1,367	2,508,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2090

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_14 **Length** 2 **Position** 6285 - 6286

Question Name MH_Q14

Concept Depressed - number of weeks in past 12 months

Question About how many weeks altogether did you feel this way during the past 12 months?

Universe Respondents who answered any one of MHC0_5, _6, _9, _11, _12, _13 =1 or MHC0_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 52	533	1,265,000
NOT APPLICABLE	96	10,632	24,507,000
DON'T KNOW	97	10	25,000
REFUSAL	98	2	5,500
NOT STATED	99	1,369	2,515,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_15 **Length** 2 **Position** 6287 - 6288
Question Name MH_Q15
Concept Depressed - month of occurrence
Question Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
Universe Respondents who answered MHC0_14 < 52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	42	89,000
FEBRUARY	2	38	100,000
MARCH	3	45	74,500
APRIL	4	33	70,500
MAY	5	46	107,500
JUNE	6	49	110,500
JULY	7	34	90,000
AUGUST	8	35	82,000
SEPTEMBER	9	37	75,000
OCTOBER	10	44	129,000
NOVEMBER	11	49	125,000
DECEMBER	12	43	117,500
NOT APPLICABLE	96	10,659	24,576,000
DON'T KNOW	97	11	25,500
NOT STATED	99	1,381	2,546,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_16 **Length** 1 **Position** 6289

Question Name MH_Q16

Concept Lost interest in most things that usually give pleasure

Question During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work, or activities that usually give you pleasure?

Universe Respondents who answered MHC0_2=2 or MHC0_3=3 or 4 or MHC0_4=3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	337	829,000
NO	2	9,360	21,180,000
NOT APPLICABLE	6	1,487	3,820,000
DON'T KNOW	7	1	1,000
REFUSAL	8	1	4,500
NOT STATED	9	1,360	2,484,500
	Total	12,546	28,318,308

Variable Name MHC0_17 **Length** 1 **Position** 6290

Question Name MH_Q17

Concept Loss of interest - duration

Question Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?

Universe Respondents who answered MHC0_16=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	77	203,000
MOST OF THE DAY	2	85	214,000
ABOUT HALF OF THE DAY	3	100	232,000
LESS THAN HALF OF A DAY	4	75	180,000
NOT APPLICABLE	6	10,847	25,000,000
NOT STATED	9	1,362	2,489,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_18 **Length** 1 **Position** 6291
Question Name MH_Q18
Concept Loss of interest - frequency
Question How often did you feel this way during those 2 weeks?
Universe Respondents who answered MHC0_17=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY DAY	1	63	159,000
ALMOST EVERY DAY	2	70	174,000
LESS OFTEN	3	28	82,500
NOT APPLICABLE	6	11,022	25,412,000
DON'T KNOW	7	1	1,000
NOT STATED	9	1,362	2,489,500
	Total	12,546	28,318,308

Variable Name MHC0_19 **Length** 1 **Position** 6292
Question Name MH_Q19
Concept Loss of interest - felt tired all the time
Question During those 2 weeks did you feel tired out or low on energy all the time?
Universe Respondents who answered MHC0_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	115	285,000
NO	2	18	48,000
NOT APPLICABLE	6	11,050	25,494,500
NOT STATED	9	1,363	2,490,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_20 **Length** 1 **Position** 6293
Question Name MH_Q20
Concept Loss of interest - weight change or not
Question Did you gain weight, lose weight, or stay about the same?
Universe Respondents who answered MHC0_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
GAINED WEIGHT	1	21	43,000
LOST WEIGHT	2	36	81,500
STAYED ABOUT THE SAME	3	75	204,000
WAS ON A DIET	4	1	4,500
NOT APPLICABLE	6	11,050	25,494,500
NOT STATED	9	1,363	2,490,500
	Total	12,546	28,318,308

Variable Name MHC0_21K **Length** 3 **Position** 6294 - 6296
Question Name MH_Q21B
Concept Loss of interest - weight change (kg.)
Question About how much did you (gain / lose)? - Kilograms
Universe Respondents who answered MHC0_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	0 - 20	54	121,500
NOT APPLICABLE	996	11,126	25,703,500
NOT STATED	999	1,366	2,493,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_21L **Length** 3 **Position** 6297 - 6299

Question Name MH_Q21B

Concept Loss of interest - weight change (lb.)

Question About how much did you (gain/lose)? - Pounds

Universe Respondents who answered MHC0_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	0 - 44	54	121,500
NOT APPLICABLE	996	11,126	25,703,500
NOT STATED	999	1,366	2,493,000
Total		12,546	28,318,308

Variable Name MHC0_22 **Length** 1 **Position** 6300

Question Name MH_Q22

Concept Loss of interest - trouble falling asleep

Question Did you have more trouble falling asleep than you usually do?

Universe Respondents who answered MHC0_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	81	205,000
NO	2	52	128,000
NOT APPLICABLE	6	11,050	25,494,500
NOT STATED	9	1,363	2,490,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_23 **Length** 1 **Position** 6301
Question Name MH_Q23
Concept Loss of interest - frequency of trouble falling asleep
Question How often did that happen?
Universe Respondents who answered MHC0_22=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY NIGHT	1	28	70,000
NEARLY EVERY NIGHT	2	39	100,500
LESS OFTEN	3	14	34,500
NOT APPLICABLE	6	11,102	25,622,500
NOT STATED	9	1,363	2,490,500
	Total	12,546	28,318,308

Variable Name MHC0_24 **Length** 1 **Position** 6302
Question Name MH_Q24
Concept Loss of interest - trouble concentrating
Question Did you have a lot more trouble concentrating than usual?
Universe Respondents who answered MHC0_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	94	230,000
NO	2	39	103,500
NOT APPLICABLE	6	11,050	25,494,500
NOT STATED	9	1,363	2,490,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_25 **Length** 1 **Position** 6303
Question Name MH_Q25
Concept Loss of interest - felt down on self
Question At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
Universe Respondents who answered MHC0_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	75	190,000
NO	2	58	143,500
NOT APPLICABLE	6	11,050	25,494,500
NOT STATED	9	1,363	2,490,500
	Total	12,546	28,318,308

Variable Name MHC0_26 **Length** 1 **Position** 6304
Question Name MH_Q26
Concept Loss of interest - thought a lot about death
Question Did you think a lot about death - either your own, someone else's, or death in general?
Universe Respondents who answered MHC0_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	52	144,000
NO	2	80	187,000
NOT APPLICABLE	6	11,050	25,494,500
DON'T KNOW	7	1	2,500
NOT STATED	9	1,363	2,490,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0_27 **Length** 2 **Position** 6305 - 6306

Question Name MH_Q27

Concept Loss of interest - number of weeks in past 12 months

Question About how many weeks did you feel this way during the past 12 months?

Universe Respondents who answered any one of MHC0_19, _22, _24, _25, _26 =1 or MHC0_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 53	122	315,500
NOT APPLICABLE	96	11,055	25,502,500
DON'T KNOW	97	5	7,500
NOT STATED	99	1,364	2,493,000
	Total	12,546	28,318,308

Variable Name MHC0_28 **Length** 2 **Position** 6307 - 6308

Question Name MH_Q28

Concept Loss of interest - month of occurrence

Question Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

Universe Respondents who answered MHC0_27 < 52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	10	22,500
FEBRUARY	2	12	37,000
MARCH	3	13	30,000
APRIL	4	9	24,500
MAY	5	13	47,000
JUNE	6	5	7,000
JULY	7	10	26,000
AUGUST	8	8	22,500
SEPTEMBER	9	6	15,500
OCTOBER	10	10	13,500
NOVEMBER	11	14	41,000
DECEMBER	12	8	24,500
NOT APPLICABLE	96	11,058	25,505,000
DON'T KNOW	97	1	3,000
NOT STATED	99	1,369	2,500,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0DDS **Length** 2 **Position** 6309 - 6310

Question Name

Concept Distress Scale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC0_1A to MHC0_1F. Scores were reversed for those questions. MIN=0, MAX=24 (higher values indicate more distress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 24	10,204	23,234,000
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	1,412	2,598,000
	Total	12,546	28,318,308

Variable Name MHC0DCH **Length** 2 **Position** 6311 - 6312

Question Name

Concept Chronicity of Distress Scale - (D)

Question

Universe Respondents who answered positively to at least one of MHC0_1A to MHC0_1F

Note Based on MHC0_1G to MHC0_1I. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
A LOT MORE OFTEN THAN USUAL	1	405	893,000
SOMEWHAT MORE OFTEN THAN USUAL	2	362	867,500
A LITTLE MORE OFTEN THAN USUAL	3	369	844,500
ABOUT THE SAME AS USUAL	4	4,305	10,317,500
A LITTLE LESS OFTEN THAN USUAL	5	217	511,000
SOMEWHAT LESS OFTEN THAN USUAL	6	200	557,500
A LOT LESS OFTEN THAN USUAL	7	200	457,500
NEVER HAVE HAD ANY	8	146	392,500
NOT APPLICABLE	96	4,925	10,871,500
NOT STATED	99	1,417	2,605,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0DSF **Length** 2 **Position** 6313 - 6314

Question Name

Concept Depression Scale - Short Form Score - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC0_2 to MHC0_6, MHC0_8A, MHC0_8B, MHC0_10 to MHC0_13, MHC0_16 to MHC0_19, MHC0_21A, MHC0_21B and MHC0_23 to MHC0_26. Higher values indicate higher level of depression. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - SF	0 - 8	10,230	23,268,000
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	1,386	2,563,500
Total		12,546	28,318,308

Variable Name MHC0DPP **Length** 4.2 **Position** 6315 - 6318

Question Name

Concept Depression Scale - Predicted Probability - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC0_2 to MHC0_28. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - PP	0.00 - 0.90	10,230	23,268,000
NOT APPLICABLE	9.96	930	2,486,500
NOT STATED	9.99	1,386	2,563,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC0DWK **Length** 2 **Position** 6319 - 6320

Question Name

Concept Number of weeks felt depressed - (D)

Question

Universe Respondents who answered MHC0_14=2 to 53 or MHC0_27=2 to 53

Note Based on MHC0_14 or MHC0_27. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 52	645	1,547,500
NOT APPLICABLE	96	10,501	24,175,500
NOT STATED	99	1,400	2,595,000
Total		12,546	28,318,308

Variable Name MHC0DMT **Length** 2 **Position** 6321 - 6322

Question Name

Concept Specific month last felt depressed - (D)

Question

Universe Respondents who answered MHC0_14=2 to 53 or MHC0_27=2 to 53

Note Based on MHC0_15 or MHC0_28. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	52	111,500
FEBRUARY	2	50	137,000
MARCH	3	58	104,500
APRIL	4	42	95,000
MAY	5	59	154,500
JUNE	6	54	117,500
JULY	7	44	116,000
AUGUST	8	43	104,000
SEPTEMBER	9	43	90,000
OCTOBER	10	54	142,500
NOVEMBER	11	63	166,000
DECEMBER	12	51	142,000
NOT APPLICABLE	96	10,501	24,175,500
NOT STATED	99	1,432	2,662,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_101 **Length** 3 **Position** 6323 - 6325

Question Name SS_Q01

Concept Number of close friends and relatives

Question About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CLOSE FRIENDS AND RELATIVES	0 - 99	10,116	23,054,500
NOT APPLICABLE	996	930	2,486,500
DON'T KNOW	997	122	224,500
REFUSAL	998	43	98,500
NOT STATED	999	1,335	2,454,500
Total		12,546	28,318,308

Variable Name SSC0_102 **Length** 1 **Position** 6326

Question Name SS_Q02

Concept Has someone to give help if confined to bed

Question How often is support available to you if you need someone to help you if you were confined to bed ?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	409	886,500
A LITTLE OF THE TIME	2	464	976,000
SOME OF THE TIME	3	1,179	2,482,500
MOST OF THE TIME	4	2,293	5,325,500
ALL OF THE TIME	5	5,679	13,212,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	76	132,000
REFUSAL	8	15	35,000
NOT STATED	9	1,501	2,782,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_103 **Length** 1 **Position** 6327

Question Name SS_Q03

Concept Has someone to count on to listen

Question How often is support available to you if you need someone you can count on to listen to you when you need to talk?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	108	251,500
A LITTLE OF THE TIME	2	192	434,000
SOME OF THE TIME	3	689	1,457,000
MOST OF THE TIME	4	2,290	5,470,000
ALL OF THE TIME	5	6,740	15,258,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	3	3,500
REFUSAL	8	2	9,000
NOT STATED	9	1,592	2,949,500
	Total	12,546	28,318,308

Variable Name SSC0_104 **Length** 1 **Position** 6328

Question Name SS_Q04

Concept Has someone to give advice about a crisis

Question How often is support available to you if you need someone to give you advice about a crisis?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	226	451,500
A LITTLE OF THE TIME	2	249	568,500
SOME OF THE TIME	3	855	1,941,500
MOST OF THE TIME	4	2,330	5,536,000
ALL OF THE TIME	5	6,343	14,338,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	18	36,500
REFUSAL	8	3	10,000
NOT STATED	9	1,592	2,949,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_105 **Length** 1 **Position** 6329

Question Name SS_Q05

Concept Has someone to go to the doctor with

Question How often is support available to you if you need someone to take you to the doctor if you needed it?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	162	369,500
A LITTLE OF THE TIME	2	160	351,500
SOME OF THE TIME	3	568	1,336,500
MOST OF THE TIME	4	1,768	4,183,000
ALL OF THE TIME	5	7,357	16,610,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	6	8,000
REFUSAL	8	3	24,000
NOT STATED	9	1,592	2,949,500
	Total	12,546	28,318,308

Variable Name SSC0_106 **Length** 1 **Position** 6330

Question Name SS_Q06

Concept Has someone who shows love and affection

Question How often is support available to you if you need someone who shows you love and affection?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	127	254,500
A LITTLE OF THE TIME	2	172	404,000
SOME OF THE TIME	3	521	1,062,500
MOST OF THE TIME	4	1,642	3,805,000
ALL OF THE TIME	5	7,555	17,338,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	2	2,000
REFUSAL	8	4	11,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_107 **Length** 1 **Position** 6331
Question Name SS_Q07
Concept Has someone to have a good time with
Question How often is support available to you if you need someone to have a good time with?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	127	241,000
A LITTLE OF THE TIME	2	196	473,000
SOME OF THE TIME	3	775	1,587,500
MOST OF THE TIME	4	2,115	4,929,000
ALL OF THE TIME	5	6,798	15,618,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	10	19,000
REFUSAL	8	2	9,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

Variable Name SSC0_108 **Length** 1 **Position** 6332
Question Name SS_Q08
Concept Has someone who gives information to understand a situation
Question How often is support available to you if you need someone to give you information in order to help you understand a situation?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	142	258,000
A LITTLE OF THE TIME	2	215	495,000
SOME OF THE TIME	3	990	2,213,000
MOST OF THE TIME	4	2,682	6,442,000
ALL OF THE TIME	5	5,966	13,404,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	24	52,000
REFUSAL	8	4	12,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_109 **Length** 1 **Position** 6333

Question Name SS_Q09

Concept Has someone to confide in

Question How often is support available to you if you need someone to confide in or talk to about yourself or your problems?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	150	288,500
A LITTLE OF THE TIME	2	211	467,500
SOME OF THE TIME	3	749	1,673,500
MOST OF THE TIME	4	2,311	5,545,500
ALL OF THE TIME	5	6,591	14,873,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	6	15,000
REFUSAL	8	5	14,500
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

Variable Name SSC0_110 **Length** 1 **Position** 6334

Question Name SS_Q10

Concept Has someone who gives hugs

Question How often is support available to you if you need someone who hugs you?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	295	579,000
A LITTLE OF THE TIME	2	379	829,000
SOME OF THE TIME	3	906	2,034,000
MOST OF THE TIME	4	1,803	4,338,500
ALL OF THE TIME	5	6,629	15,066,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	5	15,000
REFUSAL	8	6	16,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_111 **Length** 1 **Position** 6335

Question Name SS_Q11

Concept Has someone to get together with for relaxation

Question How often is support available to you if you need someone to get together with for relaxation?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	160	372,000
A LITTLE OF THE TIME	2	254	643,500
SOME OF THE TIME	3	995	2,088,500
MOST OF THE TIME	4	2,383	5,477,000
ALL OF THE TIME	5	6,218	14,262,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	7	18,000
REFUSAL	8	6	16,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

Variable Name SSC0_112 **Length** 1 **Position** 6336

Question Name SS_Q12

Concept Has someone to prepare meals

Question How often is support available to you if you need someone to prepare your meals if you were unable to do it yourself?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	332	704,500
A LITTLE OF THE TIME	2	355	752,000
SOME OF THE TIME	3	916	1,859,000
MOST OF THE TIME	4	1,887	4,260,500
ALL OF THE TIME	5	6,507	15,244,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	21	43,000
REFUSAL	8	5	14,500
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_113 **Length** 1 **Position** 6337
Question Name SS_Q13
Concept Has someone to give advice
Question How often is support available to you if you need someone whose advice you really want?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	253	491,000
A LITTLE OF THE TIME	2	306	662,000
SOME OF THE TIME	3	1,197	2,658,500
MOST OF THE TIME	4	2,464	5,794,000
ALL OF THE TIME	5	5,780	13,222,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	14	27,500
REFUSAL	8	9	22,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

Variable Name SSC0_114 **Length** 1 **Position** 6338
Question Name SS_Q14
Concept Has someone to do things to get mind off things
Question How often is support available to you if you need someone to do things with to help you get your mind off things?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	176	380,500
A LITTLE OF THE TIME	2	259	567,000
SOME OF THE TIME	3	1,143	2,434,000
MOST OF THE TIME	4	2,552	6,049,500
ALL OF THE TIME	5	5,875	13,406,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	12	22,500
REFUSAL	8	6	17,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_115 **Length** 1 **Position** 6339

Question Name SS_Q15

Concept Has someone to help with daily chores if sick

Question How often is support available to you if you need someone to help with daily chores if you were sick?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	311	617,500
A LITTLE OF THE TIME	2	331	769,000
SOME OF THE TIME	3	1,050	2,217,500
MOST OF THE TIME	4	2,135	4,900,000
ALL OF THE TIME	5	6,177	14,332,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	13	24,500
REFUSAL	8	6	17,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

Variable Name SSC0_116 **Length** 1 **Position** 6340

Question Name SS_Q16

Concept Has someone to share most private worries and fears with

Question How often is support available to you if you need someone to share your most private worries and fears with?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	291	606,000
A LITTLE OF THE TIME	2	304	707,500
SOME OF THE TIME	3	965	2,192,000
MOST OF THE TIME	4	2,238	5,315,500
ALL OF THE TIME	5	6,203	14,000,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	13	31,500
REFUSAL	8	9	24,000
NOT STATED	9	1,593	2,954,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_117 **Length** 1 **Position** 6341

Question Name SS_Q17

Concept Has someone to turn to for suggestions for personal problems

Question How often is support available to you if you need someone to turn to for suggestions about how to deal with a personal problem?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	189	417,000
A LITTLE OF THE TIME	2	260	559,500
SOME OF THE TIME	3	971	2,135,500
MOST OF THE TIME	4	2,398	5,757,500
ALL OF THE TIME	5	6,188	13,965,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	10	19,500
REFUSAL	8	6	16,000
NOT STATED	9	1,594	2,962,000
	Total	12,546	28,318,308

Variable Name SSC0_118 **Length** 1 **Position** 6342

Question Name SS_Q18

Concept Has someone to do something enjoyable with

Question How often is support available to you if you need someone to do something enjoyable with?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	114	228,000
A LITTLE OF THE TIME	2	196	429,000
SOME OF THE TIME	3	886	1,848,500
MOST OF THE TIME	4	2,489	5,836,000
ALL OF THE TIME	5	6,325	14,497,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	6	15,500
REFUSAL	8	6	16,000
NOT STATED	9	1,594	2,962,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0_119 **Length** 1 **Position** 6343

Question Name SS_Q19

Concept Has someone who understands problems

Question How often is support available to you if you need someone who understands your problems?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	172	335,000
A LITTLE OF THE TIME	2	224	489,000
SOME OF THE TIME	3	1,037	2,353,500
MOST OF THE TIME	4	2,579	6,142,500
ALL OF THE TIME	5	5,991	13,511,000
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	13	23,000
REFUSAL	8	6	16,000
NOT STATED	9	1,594	2,962,000
	Total	12,546	28,318,308

Variable Name SSC0_120 **Length** 1 **Position** 6344

Question Name SS_Q20

Concept Has someone who loves and makes feel wanted

Question How often is support available to you if you need someone to love you and make you feel wanted?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	173	392,000
A LITTLE OF THE TIME	2	244	520,500
SOME OF THE TIME	3	644	1,434,000
MOST OF THE TIME	4	1,976	4,637,000
ALL OF THE TIME	5	6,962	15,834,500
NOT APPLICABLE	6	930	2,486,500
DON'T KNOW	7	16	31,500
REFUSAL	8	7	20,000
NOT STATED	9	1,594	2,962,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0DTNG **Length** 2 **Position** 6345 - 6346

Question Name

Concept Tangible social support - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC0_102, SSC0_105, SSC0_112 and SSC0_115. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 16 (higher values indicate higher level of tangible support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 16	9,980	22,775,000
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	1,636	3,056,500
Total		12,546	28,318,308

Variable Name SSC0DAFF **Length** 2 **Position** 6347 - 6348

Question Name

Concept Affection - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC0_106, SSC0_110 and SSC0_120. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 12 (higher values indicate higher level of affection support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	9,994	22,811,500
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	1,622	3,020,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC0DSOC **Length** 2 **Position** 6349 - 6350

Question Name

Concept Positive social interaction - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC0_107, SSC0_111, SSC0_114 and SSC0_118. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 16 (higher values indicate higher level of positive social interaction). See Derived Variables Documentation. MIN = 0, MAX = 16 (higher values indicate higher level of positive social interaction). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 16	9,992	22,815,000
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	1,624	3,017,000
	Total	12,546	28,318,308

Variable Name SSC0DEMO **Length** 2 **Position** 6351 - 6352

Question Name

Concept Emotional or informational support - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC0_103, SSC0_104, SSC0_108, SSC0_109, SSC0_113, SSC0_116, SSC0_117 and SSC0_119. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 32 (higher values indicate more emotional or informational support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 32	9,950	22,730,000
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	1,666	3,102,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0DRES	Length	3	Position	6353 - 6355
Question Name					
Concept	Length of time in Canada since immigration - (D)				
Question					
Universe	All immigrants				
Note	Based on DHC0_AGE, AM60_BYE and YOI (year of immigration to Canada). See Derived Variables Documentation.				
Content		Code		Sample	Population
YEARS		6 - 92		1,248	4,383,500
NOT APPLICABLE		996		10,366	22,537,000
NOT STATED		999		932	1,398,000
		Total		12,546	28,318,308

Variable Name	SDC0_4A	Length	1	Position	6356
Question Name	SD_Q4				
Concept	Ethnic origin - Canadian				
Question	To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Canadian				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		3,609	9,056,500
NO		2		7,780	17,527,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		82	99,000
REFUSAL		8		8	18,500
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4B **Length** 1 **Position** 6357
Question Name SD_Q4
Concept Ethnic origin - French
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - French
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,494	6,008,500
NO	2	8,895	20,575,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
Total		12,546	28,318,308

Variable Name SDC0_4C **Length** 1 **Position** 6358
Question Name SD_Q4
Concept Ethnic origin - English
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - English
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,018	5,870,500
NO	2	8,371	20,713,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4D **Length** 1 **Position** 6359
Question Name SD_Q4
Concept Ethnic origin - German
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - German
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,200	2,588,000
NO	2	10,189	23,996,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
Total		12,546	28,318,308

Variable Name SDC0_4E **Length** 1 **Position** 6360
Question Name SD_Q4
Concept Ethnic origin - Scottish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Scottish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,149	4,155,500
NO	2	9,240	22,429,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4F **Length** 1 **Position** 6361
Question Name SD_Q4
Concept Ethnic origin - Irish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Irish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,819	3,556,000
NO	2	9,570	23,028,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_4G **Length** 1 **Position** 6362
Question Name SD_Q4
Concept Ethnic origin - Italian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Italian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	323	1,161,000
NO	2	11,066	25,423,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4H **Length** 1 **Position** 6363
Question Name SD_Q4
Concept Ethnic origin - Ukrainian
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Ukrainian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	478	1,007,500
NO	2	10,911	25,577,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_4I **Length** 1 **Position** 6364
Question Name SD_Q4
Concept Ethnic origin - Dutch (Netherlands)
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Dutch (Netherlands)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	366	906,500
NO	2	11,023	25,677,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4J **Length** 1 **Position** 6365
Question Name SD_Q4
Concept Ethnic origin - Chinese
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Chinese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	150	705,500
NO	2	11,239	25,879,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_4K **Length** 1 **Position** 6366
Question Name SD_Q4
Concept Ethnic origin - Jewish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Jewish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	61	224,000
NO	2	11,328	26,360,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4L **Length** 1 **Position** 6367
Question Name SD_Q4
Concept Ethnic origin - Polish
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Polish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	278	775,000
NO	2	11,111	25,809,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_4M **Length** 1 **Position** 6368
Question Name SD_Q4
Concept Ethnic origin - Portuguese
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Portuguese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	86	323,500
NO	2	11,303	26,261,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4N **Length** 1 **Position** 6369

Question Name SD_Q4

Concept Ethnic origin - South Asian

Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - South Asian (e.g., East Indian, Pakistani, Punjabi, Sri Lankan)

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	148	730,500
NO	2	11,241	25,854,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
Total		12,546	28,318,308

Variable Name SDC0_4O **Length** 1 **Position** 6370

Question Name SD_Q4

Concept Ethnic origin - Black

Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Black

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	60	235,000
NO	2	11,329	26,349,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4P **Length** 1 **Position** 6371

Question Name SD_Q4

Concept Ethnic origin - North American Indian

Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - North American Indian

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	224	583,500
NO	2	11,165	26,001,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_4Q **Length** 1 **Position** 6372

Question Name SD_Q4

Concept Ethnic origin - Métis

Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Métis

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	77	147,000
NO	2	11,312	26,437,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_4R **Length** 1 **Position** 6373
Question Name SD_Q4
Concept Ethnic origin - Inuit / Eskimo
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Inuit / Eskimo
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	7,000
NO	2	11,381	26,577,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_4S **Length** 1 **Position** 6374
Question Name SD_Q4
Concept Ethnic origin - other
Question To which ethnic or cultural group(s) did your ancestors belong? (For example: French, Scottish, Chinese) - Other
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,236	3,603,000
NO	2	10,153	22,981,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	82	99,000
REFUSAL	8	8	18,500
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5A	Length	1	Position	6375
Question Name	SD_Q5				
Concept	Can converse - English				
Question	In which languages can you conduct a conversation? - English				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		10,070	22,691,500
NO		2		1,404	3,989,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0_5B	Length	1	Position	6376
Question Name	SD_Q5				
Concept	Can converse - French				
Question	In which languages can you conduct a conversation? - French				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,370	9,400,000
NO		2		8,104	17,280,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5C	Length	1	Position	6377
Question Name	SD_Q5				
Concept	Can converse - Arabic				
Question	In which languages can you conduct a conversation? - Arabic				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		36	174,000
NO		2		11,438	26,506,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0_5D	Length	1	Position	6378
Question Name	SD_Q5				
Concept	Can converse - Chinese				
Question	In which languages can you conduct a conversation? - Chinese				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		110	509,000
NO		2		11,364	26,171,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_5E **Length** 1 **Position** 6379

Question Name SD_Q5

Concept Can converse - Cree

Question In which languages can you conduct a conversation? - Cree

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	17	18,500
NO	2	11,457	26,662,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	1	9,000
REFUSAL	8	4	13,000
NOT STATED	9	945	1,464,000
Total		12,546	28,318,308

Variable Name SDC0_5F **Length** 1 **Position** 6380

Question Name SD_Q5

Concept Can converse - German

Question In which languages can you conduct a conversation? - German

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	280	648,000
NO	2	11,194	26,032,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	1	9,000
REFUSAL	8	4	13,000
NOT STATED	9	945	1,464,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5G	Length	1	Position	6381
Question Name	SD_Q5				
Concept	Can converse - Greek				
Question	In which languages can you conduct a conversation? - Greek				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		20	86,000
NO		2		11,454	26,594,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0_5H	Length	1	Position	6382
Question Name	SD_Q5				
Concept	Can converse - Hungarian				
Question	In which languages can you conduct a conversation? - Hungarian				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		29	67,000
NO		2		11,445	26,613,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5I	Length	1	Position	6383
Question Name	SD_Q5				
Concept	Can converse - Italian				
Question	In which languages can you conduct a conversation? - Italian				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		177	710,500
NO		2		11,297	25,970,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0_5J	Length	1	Position	6384
Question Name	SD_Q5				
Concept	Can converse - Korean				
Question	In which languages can you conduct a conversation? - Korean				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		7	23,000
NO		2		11,467	26,657,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5K	Length	1	Position	6385
Question Name	SD_Q5				
Concept	Can converse - Persian				
Question	In which languages can you conduct a conversation? - Persian (Farsi)				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		18	56,500
NO		2		11,456	26,624,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0_5L	Length	1	Position	6386
Question Name	SD_Q5				
Concept	Can converse - Polish				
Question	In which languages can you conduct a conversation? - Polish				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		106	302,500
NO		2		11,368	26,378,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5M	Length	1	Position	6387
Question Name	SD_Q5				
Concept	Can converse - Portuguese				
Question	In which languages can you conduct a conversation? - Portuguese				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		50	214,000
NO		2		11,424	26,466,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0_5N	Length	1	Position	6388
Question Name	SD_Q5				
Concept	Can converse - Punjabi				
Question	In which languages can you conduct a conversation? - Punjabi				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		43	232,500
NO		2		11,431	26,448,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5O	Length	1	Position	6389
Question Name	SD_Q5				
Concept	Can converse - Spanish				
Question	In which languages can you conduct a conversation? - Spanish				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		165	538,000
NO		2		11,309	26,142,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0_5P	Length	1	Position	6390
Question Name	SD_Q5				
Concept	Can converse - Tagalog				
Question	In which languages can you conduct a conversation? - Tagalog (Filipino)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		22	77,000
NO		2		11,452	26,603,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5Q	Length	1	Position	6391
Question Name	SD_Q5				
Concept	Can converse - Ukrainian				
Question	In which languages can you conduct a conversation? - Ukrainian				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		111	210,000
NO		2		11,363	26,470,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0_5R	Length	1	Position	6392
Question Name	SD_Q5				
Concept	Can converse - Vietnamese				
Question	In which languages can you conduct a conversation? - Vietnamese				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		16	86,000
NO		2		11,458	26,594,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_5S	Length	1	Position	6393
Question Name	SD_Q5				
Concept	Can converse - other language				
Question	In which languages can you conduct a conversation? - Other				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		436	1,627,000
NO		2		11,038	25,053,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		1	9,000
REFUSAL		8		4	13,000
NOT STATED		9		945	1,464,000
		Total		12,546	28,318,308

Variable Name	SDC0DLNG	Length	2	Position	6394 - 6395
Question Name					
Concept	Language(s) in which respondent can converse - (D)				
Question					
Universe	All respondents living in a household				
Note	Based on SDC0_5A to SDC0_5S. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ENGLISH ONLY		1		6,986	13,583,500
FRENCH ONLY		2		1,243	3,479,000
ENGLISH AND FRENCH ONLY		3		1,784	4,637,000
ENGLISH AND FRENCH AND OTHER		4		314	1,181,000
ENGLISH AND OTHER (NOT FRENCH)		5		986	3,289,500
FRENCH AND OTHER (NOT ENGLISH)		6		29	103,000
NEITHER ENGLISH NOR FRENCH (OTHER)		7		132	407,500
NOT APPLICABLE		96		122	152,000
NOT STATED		99		950	1,485,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6A **Length** 1 **Position** 6396
Question Name SD_Q6
Concept First language learned and still understood - English
Question What is the language that you first learned at home in childhood and can still understand? - English
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,012	16,312,000
NO	2	3,457	10,367,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6B **Length** 1 **Position** 6397
Question Name SD_Q6
Concept First language learned and still understood - French
Question What is the language that you first learned at home in childhood and can still understand? - French
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,407	6,602,000
NO	2	9,062	20,077,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6C **Length** 1 **Position** 6398
Question Name SD_Q6
Concept First language learned and still understood - Arabic
Question What is the language that you first learned at home in childhood and can still understand? - Arabic
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	20	114,500
NO	2	11,449	26,564,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6D **Length** 1 **Position** 6399
Question Name SD_Q6
Concept First language learned and still understood - Chinese
Question What is the language that you first learned at home in childhood and can still understand? - Chinese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	98	446,500
NO	2	11,371	26,232,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6E **Length** 1 **Position** 6400
Question Name SD_Q6
Concept First language learned and still understood - Cree
Question What is the language that you first learned at home in childhood and can still understand? - Cree
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	15,000
NO	2	11,456	26,664,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6F **Length** 1 **Position** 6401
Question Name SD_Q6
Concept First language learned and still understood - German
Question What is the language that you first learned at home in childhood and can still understand? - German
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	211	417,500
NO	2	11,258	26,261,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6G **Length** 1 **Position** 6402
Question Name SD_Q6
Concept First language learned and still understood - Greek
Question What is the language that you first learned at home in childhood and can still understand? - Greek
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	86,000
NO	2	11,448	26,593,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6H **Length** 1 **Position** 6403
Question Name SD_Q6
Concept First language learned and still understood - Hungarian
Question What is the language that you first learned at home in childhood and can still understand? - Hungarian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	26	57,500
NO	2	11,443	26,621,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6I **Length** 1 **Position** 6404
Question Name SD_Q6
Concept First language learned and still understood - Italian
Question What is the language that you first learned at home in childhood and can still understand? - Italian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	122	513,500
NO	2	11,347	26,165,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6J **Length** 1 **Position** 6405
Question Name SD_Q6
Concept First language learned and still understood - Korean
Question What is the language that you first learned at home in childhood and can still understand? - Korean
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	6,000
NO	2	11,467	26,673,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6K **Length** 1 **Position** 6406
Question Name SD_Q6
Concept First language learned and still understood - Persian
Question What is the language that you first learned at home in childhood and can still understand? - Persian (Farsi)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	30,500
NO	2	11,461	26,648,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6L **Length** 1 **Position** 6407
Question Name SD_Q6
Concept First language learned and still understood - Polish
Question What is the language that you first learned at home in childhood and can still understand? - Polish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	77	273,500
NO	2	11,392	26,405,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6M **Length** 1 **Position** 6408
Question Name SD_Q6
Concept First language learned and still understood - Portuguese
Question What is the language that you first learned at home in childhood and can still understand? - Portuguese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	41	189,500
NO	2	11,428	26,489,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6N **Length** 1 **Position** 6409
Question Name SD_Q6
Concept First language learned and still understood - Punjabi
Question What is the language that you first learned at home in childhood and can still understand? - Punjabi
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	39	223,000
NO	2	11,430	26,456,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6O **Length** 1 **Position** 6410
Question Name SD_Q6
Concept First language learned and still understood - Spanish
Question What is the language that you first learned at home in childhood and can still understand? - Spanish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	49	189,000
NO	2	11,420	26,490,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6P **Length** 1 **Position** 6411
Question Name SD_Q6
Concept First language learned and still understood - Tagalog
Question What is the language that you first learned at home in childhood and can still understand? - Tagalog (Filipino)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	89,500
NO	2	11,447	26,589,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6Q **Length** 1 **Position** 6412
Question Name SD_Q6
Concept First language learned and still understood - Ukrainian
Question What is the language that you first learned at home in childhood and can still understand? - Ukrainian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	102	193,000
NO	2	11,367	26,486,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_6R **Length** 1 **Position** 6413
Question Name SD_Q6
Concept First language learned and still understood - Vietnamese
Question What is the language that you first learned at home in childhood and can still understand? - Vietnamese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	14	75,500
NO	2	11,455	26,603,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_6S **Length** 1 **Position** 6414
Question Name SD_Q6
Concept First language learned and still understood - other
Question What is the language that you first learned at home in childhood and can still understand? - Other
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	345	1,296,000
NO	2	11,124	25,382,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	8,000
REFUSAL	8	6	15,000
NOT STATED	9	945	1,464,000
	Total	12,546	28,318,308

Variable Name SDC0_7A **Length** 1 **Position** 6415
Question Name SD_Q7
Concept Race or colour - White
Question How would you best describe your race or colour? - White
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,787	23,789,500
NO	2	681	2,872,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	28,500
REFUSAL	8	6	10,500
NOT STATED	9	946	1,465,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_7B	Length	1	Position	6416
Question Name	SD_Q7				
Concept	Race or colour - Chinese				
Question	How would you best describe your race or colour? - Chinese				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		153	714,500
NO		2		11,315	25,947,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		4	28,500
REFUSAL		8		6	10,500
NOT STATED		9		946	1,465,500
		Total		12,546	28,318,308

Variable Name	SDC0_7C	Length	1	Position	6417
Question Name	SD_Q7				
Concept	Race or colour - South Asian				
Question	How would you best describe your race or colour? - South Asian (e.g., East Indian, Pakistani, Punjabi, Sri Lankan)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		116	644,000
NO		2		11,352	26,018,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		4	28,500
REFUSAL		8		6	10,500
NOT STATED		9		946	1,465,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_7D	Length	1	Position	6418
Question Name	SD_Q7				
Concept	Race or colour - Black				
Question	How would you best describe your race or colour? - Black				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		91	388,000
NO		2		11,377	26,273,500
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		4	28,500
REFUSAL		8		6	10,500
NOT STATED		9		946	1,465,500
		Total		12,546	28,318,308

Variable Name	SDC0_7E	Length	1	Position	6419
Question Name	SD_Q7				
Concept	Race or colour - Native / Aboriginal peoples of N. America				
Question	How would you best describe your race or colour? - Native / Aboriginal peoples of North America (North American Indian, Métis, Inuit / Eskimo)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		123	258,500
NO		2		11,345	26,403,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		4	28,500
REFUSAL		8		6	10,500
NOT STATED		9		946	1,465,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_7F **Length** 1 **Position** 6420
Question Name SD_Q7
Concept Race or colour - Arab / West Asian
Question How would you best describe your race or colour? - Arab / West Asian (e. g. Armenian, Egyptian, Iranian, Lebanese, Moroccan)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	30	145,500
NO	2	11,438	26,516,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	28,500
REFUSAL	8	6	10,500
NOT STATED	9	946	1,465,500
Total		12,546	28,318,308

Variable Name SDC0_7G **Length** 1 **Position** 6421
Question Name SD_Q7
Concept Race or colour - Filipino
Question How would you best describe your race or colour? - Filipino
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	33	162,000
NO	2	11,435	26,499,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	28,500
REFUSAL	8	6	10,500
NOT STATED	9	946	1,465,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_7H **Length** 1 **Position** 6422
Question Name SD_Q7
Concept Race or colour - South East Asian
Question How would you best describe your race or colour? - South East Asian (e.g., Cambodian, Indonesian, Laotian, Vietnamese)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	44	220,500
NO	2	11,424	26,441,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	28,500
REFUSAL	8	6	10,500
NOT STATED	9	946	1,465,500
Total		12,546	28,318,308

Variable Name SDC0_7I **Length** 1 **Position** 6423
Question Name SD_Q7
Concept Race or colour - Latin American
Question How would you best describe your race or colour? - Latin American
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	33	146,000
NO	2	11,435	26,515,500
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	28,500
REFUSAL	8	6	10,500
NOT STATED	9	946	1,465,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC0_7J	Length	1	Position	6424
Question Name	SD_Q7				
Concept	Race or colour - Japanese				
Question	How would you best describe your race or colour? - Japanese				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7	20,500
NO		2		11,461	26,641,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		4	28,500
REFUSAL		8		6	10,500
NOT STATED		9		946	1,465,500
		Total		12,546	28,318,308

Variable Name	SDC0_7K	Length	1	Position	6425
Question Name	SD_Q7				
Concept	Race or colour - Korean				
Question	How would you best describe your race or colour? - Korean				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		22	49,500
NO		2		11,446	26,612,000
NOT APPLICABLE		6		122	152,000
DON'T KNOW		7		4	28,500
REFUSAL		8		6	10,500
NOT STATED		9		946	1,465,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2149

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0_7L **Length** 1 **Position** 6426

Question Name SD_Q7

Concept Race or colour - other

Question How would you best describe your race or colour? - Other

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	71	297,500
NO	2	11,397	26,364,000
NOT APPLICABLE	6	122	152,000
DON'T KNOW	7	4	28,500
REFUSAL	8	6	10,500
NOT STATED	9	946	1,465,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2150

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC0DRAC **Length** 2 **Position** 6427 - 6428

Question Name

Concept Race or colour - (D)

Question

Universe All respondents living in a household

Note Based on SDC0_7A to SDC0_7L. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WHITE	1	10,757	23,688,000
BLACK	2	85	356,500
KOREAN	3	21	48,000
FILIPINO	4	31	142,500
JAPANESE	5	7	20,500
CHINESE	6	145	687,000
ABORIGINAL PEOPLES OF NORTH AMERICA	7	108	221,500
SOUTH ASIAN	8	111	610,000
SOUTH EAST ASIAN	9	40	191,500
ARAB / WEST ASIAN	10	26	131,500
LATIN AMERICAN	11	32	140,000
MULTIPLE RACE CATEGORY	12	40	169,000
NOT APPLICABLE	96	122	152,000
NOT STATED	99	1,021	1,759,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC0_1	Length	1	Position	6429
Question Name	ED_Q1				
Concept	Currently attending a school, college or university				
Question	Are you currently attending a school, college or university?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,491	4,400,000
NO		2		9,174	19,958,000
NOT APPLICABLE		6		930	2,486,500
DON'T KNOW		7		1	1,000
REFUSAL		8		4	8,000
NOT STATED		9		946	1,465,500
		Total		12,546	28,318,308

Variable Name	EDC0_2	Length	1	Position	6430
Question Name	ED_Q2				
Concept	Full-time or part-time student				
Question	Are you enrolled as a full-time student or a part-time student?				
Universe	Respondents who answered EDC0_1=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FULL-TIME		1		1,253	3,684,000
PART-TIME		2		238	716,000
NOT APPLICABLE		6		10,104	22,444,500
NOT STATED		9		951	1,474,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC0_4 **Length** 2 **Position** 6431 - 6432
Question Name ED_Q4
Concept Number of years of elementary and high school completed
Question Excluding kindergarten, how many years of elementary and high school have you successfully completed?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	20	54,000
1 TO 5 YEARS	2	223	449,500
6 YEARS	3	241	539,500
7 YEARS	4	383	812,500
8 YEARS	5	641	1,222,500
9 YEARS	6	640	1,347,500
10 YEARS	7	1,035	2,087,000
11 YEARS	8	1,508	3,327,500
12 YEARS	9	4,801	10,507,000
13 YEARS	10	1,169	3,984,000
NOT APPLICABLE	96	930	2,486,500
DON'T KNOW	97	1	5,500
NOT STATED	99	954	1,496,000
	Total	12,546	28,318,308

Variable Name EDC0_5 **Length** 1 **Position** 6433
Question Name ED_Q5
Concept Graduated from high school
Question Have you graduated from high school?
Universe Respondents aged 15 and over with some schooling living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,639	16,058,500
NO	2	3,566	6,990,000
NOT APPLICABLE	6	1,384	3,769,500
NOT STATED	9	957	1,500,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC0_6	Length	1	Position	6434
Question Name	ED_Q6				
Concept	Attended post-secondary institution				
Question	Have you ever attended any other kind of school such as a university, community college, business school, trade or vocational school, CEGEP or other post-secondary institution?				
Universe	Respondents aged 15 and over with some schooling living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,178	14,493,500
NO		2		4,027	8,555,000
NOT APPLICABLE		6		1,384	3,769,500
NOT STATED		9		957	1,500,000
		Total		12,546	28,318,308

Variable Name	EDC0_7	Length	2	Position	6435 - 6436
Question Name	ED_Q7				
Concept	Highest level of post-secondary education attained				
Question	What is the highest level of education that you have EVER attained?				
Universe	Respondents who answered EDC0_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
SOME TRADE, TECHNICAL, BUSINESS COLLEGE		1		1,049	2,221,500
SOME COMM. COLLEGE, CEGEP, NURSING		2		890	2,246,500
SOME UNIVERSITY		3		608	1,459,500
DIPL./CERT.- TRADE, TECHNICAL, BUSINESS		4		1,046	2,280,500
DIPL./CERT.- COMM. COL., CEGEP, NURSING		5		894	2,173,500
BACHELOR DEGREE OR TEACHER'S COLL.		6		1,222	2,920,500
MASTER'S DEGREE		7		231	544,000
MEDICINE DEGREE/DDS/DMD/DVM/OD		8		32	81,500
EARNED DOCTORATE		9		65	204,500
OTHER		10		140	359,500
NOT APPLICABLE		96		5,411	12,324,500
DON'T KNOW		97		1	2,000
NOT STATED		99		957	1,500,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC0D1 **Length** 2 **Position** 6437 - 6438

Question Name

Concept Highest level of education - 14 levels - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on EDC0_4, EDC0_5, EDC0_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	20	54,000
ELEMENTARY SCHOOL	2	784	1,727,000
SOME SECONDARY SCHOOL	3	2,319	4,787,000
SECONDARY SCHOOL GRADUATION	4	1,361	3,271,000
OTHER POST-SECONDARY	5	140	359,500
SOME TRADE SCHOOL	6	1,049	2,221,500
SOME COMMUNITY COLLEGE	7	890	2,246,500
SOME UNIVERSITY	8	608	1,459,500
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,046	2,280,500
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	894	2,173,500
BACHELOR DEGREE	11	1,222	2,920,500
MASTER'S DEGREE	12	231	544,000
DEGREE IN MEDICINE	13	32	81,500
EARNED DOCTORATE	14	65	204,500
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	955	1,501,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC0D2 **Length** 2 **Position** 6439 - 6440

Question Name

Concept Highest level of education - 12 levels - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on EDC0_4, EDC0_5, EDC0_7 and DESIGPRV (Design province). See Derived Variables Documentation..

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	20	54,000
ELEMENTARY SCHOOL	2	784	1,727,000
SOME SECONDARY SCHOOL	3	2,319	4,787,000
SECONDARY SCHOOL GRADUATION	4	1,361	3,271,000
OTHER POST-SECONDARY	5	140	359,500
SOME TRADE SCHOOL	6	1,049	2,221,500
SOME COMMUNITY COLLEGE	7	890	2,246,500
SOME UNIVERSITY	8	608	1,459,500
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,046	2,280,500
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	894	2,173,500
BACHELOR DEGREE	11	1,222	2,920,500
MASTER'S/DEGREE IN MEDICINE/DOCTORATE	12	328	830,000
NOT APPLICABLE	96	930	2,486,500
NOT STATED	99	955	1,501,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC0D3	Length	1	Position	6441
Question Name					
Concept	Highest level of education - 4 levels - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on EDC0_4, EDC0_5 and EDC0_7. See Derived Variables Documentation.				
Content		Code		Sample	Population
LESS THAN SECONDARY SCHOOL GRADUATION		1		3,123	6,568,000
SECONDARY SCHOOL GRADUATION		2		1,361	3,271,000
SOME POST-SECONDARY		3		2,687	6,287,000
POST-SECONDARY GRADUATION		4		3,490	8,204,000
NOT APPLICABLE		6		930	2,486,500
NOT STATED		9		955	1,501,500
		Total		12,546	28,318,308

Variable Name	LSC0_1	Length	1	Position	6442
Question Name	LF_Q01				
Concept	Worked at a job or business last week				
Question	Last week, did you work at a job or a business? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.				
Universe	Respondents aged 15 to 75 living in a household				
Note					
Content		Code		Sample	Population
YES		1		5,701	14,228,000
NO		2		3,341	7,099,500
PERMANENTLY UNABLE TO WORK		3		270	433,000
NOT APPLICABLE		6		2,296	5,112,500
DON'T KNOW		7		1	1,500
REFUSAL		8		3	6,500
NOT STATED		9		934	1,437,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_2 **Length** 1 **Position** 6443
Question Name LF_Q02
Concept Absent from job or business last week
Question Last week, did you have a job or business from which you were absent?
Universe Respondents who answered LSC0_1=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	504	1,193,000
NO	2	2,837	5,907,000
NOT APPLICABLE	6	8,267	19,773,500
NOT STATED	9	938	1,445,000
	Total	12,546	28,318,308

Variable Name LSC0_3 **Length** 1 **Position** 6444
Question Name LF_Q03
Concept Had more than one job or business last week
Question Did you have more than one job or business last week?
Universe Respondents who answered LSC0_1=1 or LSC0_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	514	1,340,000
NO	2	5,689	14,074,500
NOT APPLICABLE	6	5,403	11,452,500
REFUSAL	8	2	6,000
NOT STATED	9	938	1,445,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LSC0_11	Length	1	Position	6445
Question Name	LF_Q11				
Concept	Looked for work in the past 4 weeks				
Question	In the past 4 weeks, did you do anything to find work?				
Universe	Respondents who answered LSC0_2=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		320	776,000
NO		2		2,517	5,131,000
NOT APPLICABLE		6		8,771	20,966,500
NOT STATED		9		938	1,445,000
		Total		12,546	28,318,308

Variable Name	LSC0_12	Length	1	Position	6446
Question Name	LF_Q12				
Concept	Had a job to start in future last week				
Question	Last week, did you have a job to start at a definite date in the future?				
Universe	Respondents who answered LSC0_11=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		63	119,000
NO		2		2,454	5,012,000
NOT APPLICABLE		6		9,091	21,742,500
NOT STATED		9		938	1,445,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_13 **Length** 2 **Position** 6447 - 6448

Question Name LF_Q13

Concept Not currently working - reason

Question What is the main reason that you are not currently working at a job or business?

Universe Respondents who answered LSC0_12=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	236	516,000
CARING FOR - OWN CHILDREN	2	181	403,000
CARING FOR - ELDER RELATIVES	3	9	24,000
PREGNANCY (FEMALES ONLY)	4	8	16,000
OTHER PERSONAL / FAMILY RESPONSIBILITIES	5	149	279,500
VACATION	6	9	12,000
SCHOOL OR EDUCATIONAL LEAVE	7	338	899,000
RETIRED	8	1,417	2,700,000
BELIEVES NO WORK AVAILABLE	9	83	110,000
OTHER	10	23	49,500
NOT APPLICABLE	96	9,154	21,861,000
DON'T KNOW	97	1	3,500
NOT STATED	99	938	1,445,000
Total		12,546	28,318,308

Variable Name LSC0_21 **Length** 1 **Position** 6449

Question Name LF_Q21

Concept Worked at a job or a business in past 12 months

Question Did you work at a job or a business at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.

Universe Respondents who answered LSC0_1=3 or LSC0_2=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	713	1,596,500
NO	2	2,393	4,741,500
NOT APPLICABLE	6	8,501	20,533,500
REFUSAL	8	1	2,000
NOT STATED	9	938	1,445,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LSC0_22	Length	1	Position	6450
Question Name	LF_Q22				
Concept	Looked for work in past 12 months				
Question	During the past 12 months, did you do anything to find work?				
Universe	Respondents who answered LSC0_11=2 and LSC0_21=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		36	77,000
NO		2		2,271	4,436,500
NOT APPLICABLE		6		9,300	22,358,500
REFUSAL		8		1	2,000
NOT STATED		9		938	1,445,000
		Total		12,546	28,318,308

Variable Name	LSC0_23	Length	1	Position	6451
Question Name	LF_Q23				
Concept	Had more than one job or business - past 12 months				
Question	During that 12 months, did you work at more than one job or business at the same time?				
Universe	Respondents who answered LSC0_21=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		49	124,000
NO		2		664	1,472,500
NOT APPLICABLE		6		10,895	25,277,000
NOT STATED		9		938	1,445,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LSC0_31	Length	1	Position	6452
Question Name	LF_Q31				
Concept	Status in employment - main job or business				
Question	Are you an employee or self-employed?				
Universe	Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EMPLOYEE		1		5,778	14,235,000
SELF-EMPLOYED		2		1,105	2,702,500
WORKING IN A FAMILY BUSINESS WITHOUT PAY		3		28	65,000
NOT APPLICABLE		6		4,690	9,856,000
DON'T KNOW		7		1	2,000
REFUSAL		8		6	12,500
NOT STATED		9		938	1,445,000
		Total		12,546	28,318,308

Variable Name	LSC0F32	Length	1	Position	6453
Question Name	LS_Q32				
Concept	Flag for name of own business				
Question	What is the name of your business?				
Universe	Respondents who answered LSC0_31=2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,096	2,682,000
NOT APPLICABLE		6		10,503	24,170,500
DON'T KNOW		7		2	3,500
REFUSAL		8		7	16,500
NOT STATED		9		938	1,445,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0F33 **Length** 1 **Position** 6454

Question Name LS_Q33

Concept Flag for name of employer

Question For whom do you currently / last work? (For example: name of business, government department or agency, or person)

Universe Respondents who answered LSC0_31<>2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,776	14,191,000
NOT APPLICABLE	6	5,795	12,558,500
DON'T KNOW	7	6	29,000
REFUSAL	8	31	95,000
NOT STATED	9	938	1,445,000
Total		12,546	28,318,308

Variable Name LSC0F34 **Length** 1 **Position** 6455

Question Name LS_Q34

Concept Flag for kind of business

Question What kind of business, industry or service is this? (For example: cardboard box manufacturing, road maintenance, retail shoe store, secondary school, dairy farm, municipal government)

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Indicates that a long answer was collected. This variable is conceptually the same as LFC4F13 in Cycle 1 (1994), LFC6F13 in Cycle 2 (1996) and LFC8F13 in Cycle 3 (1998).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,887	16,931,500
NOT APPLICABLE	6	4,690	9,856,000
DON'T KNOW	7	9	23,000
REFUSAL	8	22	62,500
NOT STATED	9	938	1,445,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0F35 **Length** 1 **Position** 6456

Question Name LS_Q35

Concept Flag for kind of work

Question What kind of work are you doing? (For example: babysitting in own home, factory worker, forestry technician)

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Indicates that a long answer was collected. This variable is conceptually the same as LFC4F14 in Cycle 1 (1994), LFC6F14 in Cycle 2 (1996) and LFC8F14 in Cycle 3 (1998).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,886	16,944,500
NOT APPLICABLE	6	4,690	9,856,000
DON'T KNOW	7	7	17,500
REFUSAL	8	24	50,000
NOT STATED	9	939	1,450,000
	Total	12,546	28,318,308

Variable Name LSC0F36 **Length** 1 **Position** 6457

Question Name LS_Q36

Concept Flag for main activity or duties

Question What are your most important activities or duties? (For example: caring for children, stamp press machine operator, forest examiner)

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Indicates that a long answer was collected. This variable is conceptually the same as LFC4F15 in Cycle 1 (1994), LFC6F15 in Cycle 2 (1996) and LFC8F15 in Cycle 3 (1998).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,884	16,937,500
NOT APPLICABLE	6	4,690	9,856,000
DON'T KNOW	7	10	28,500
REFUSAL	8	23	46,000
NOT STATED	9	939	1,450,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2164

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC0CI97 **Length** 4 **Position** 6458 - 6461

Question Name

Concept Standard Industry Code (NAICS) for main job

Question

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Based on the North American Industry Classification System (NAICS) - 1997.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	1100 - 9191	6,889	16,947,000
NOT APPLICABLE	9996	4,690	9,856,000
DON'T KNOW	9997	4	15,000
REFUSAL	9998	17	38,500
NOT STATED	9999	946	1,462,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC0G116 **Length** 2 **Position** 6462 - 6463

Question Name

Concept Standard Industry Code for main job - 16 groups - (G)

Question

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Based on LFC0CI97 (North American Industry Classification System (NAICS) - 1997). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGRICULTURE	1	225	425,500
FORESTRY, FISHING, MINING, OIL AND GAS	2	176	285,500
UTILITIES	3	60	183,000
CONSTRUCTION	4	379	905,000
MANUFACTURING	5	828	2,336,500
TRADE	6	975	2,466,000
TRANSPORTATION AND WAREHOUSING	7	373	927,500
FINANCE, INSUR., REAL ESTATE AND LEASING	8	388	990,000
PROFESSIONAL, SCIENTIFIC AND TECH. SERV.	9	429	1,226,000
MANAGEMENT, ADMIN. AND OTHER SUPPORT	10	227	540,000
EDUCATIONAL SERVICES	11	553	1,250,500
HEALTH CARE AND SOCIAL ASSISTANCE	12	762	1,639,500
INFORMATION, CULTURE AND RECREATION	13	289	793,500
ACCOMMODATION AND FOOD SERVICES	14	442	1,234,500
OTHER SERVICES (EXCEPT PUBLIC ADMIN.)	15	341	879,000
PUBLIC ADMINISTRATION	16	442	865,000
NOT APPLICABLE	96	4,690	9,856,000
NOT STATED	99	967	1,515,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC0CO91 **Length** 4 **Position** 6464 - 6467

Question Name

Concept Standard Occupation Code (SOC - 91) for main job

Question

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Based on the Standard Occupational Classification (SOC) - 1991.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	A011 - J319	6,884	16,941,500
NOT APPLICABLE	9996	4,690	9,856,000
DON'T KNOW	9997	4	15,000
REFUSAL	9998	17	38,500
NOT STATED	9999	951	1,467,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC0GO25 **Length** 2 **Position** 6468 - 6469

Question Name

Concept Standard Occupation Code for main job - 25 groups - (G)

Question

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Based on LFC0CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	31	73,500
OTHER MANAGEMENT OCCUPATIONS	2	513	1,289,000
PROF. OCC. IN BUSINESS AND FINANCE	3	155	436,500
FINANCIAL/SECRETARIAL/ADMIN. OCC.	4	383	817,000
CLERICAL OCC. INCL. SUPERVISORS	5	724	1,865,000
NATURAL AND APPLIED SCIENCES	6	393	1,106,000
PROF. OCC. IN HEALTH/NURSE SUPERV.	7	205	458,000
TECHN. / ASSISTING IN HEALTH	8	170	351,000
OCC. IN SOCIAL SC./GOV. SERV./RELIGION	9	240	556,500
TEACHERS AND PROFESSORS	10	356	800,500
OCC. IN ART/CULTURE/RECREATION/SPORT	11	180	472,500
WHOLESALE/TECH/INSUR./REAL ESTATE/SALES	12	192	477,000
RETAIL SALES/CASHIERS	13	414	1,061,500
CHEFS/COOKS/OCCUPATIONS IN FOOD AND BEV.	14	250	676,000
OCCUPATIONS IN PROTECTIVE SERVICES	15	92	231,500
CHILDCARE AND HOME SUPPORT WORKERS	16	219	493,000
SALES/SERVICES OCCUPATIONS N.E.C.	17	586	1,536,500
CONTRACTORS/SUPER IN TRADES AND TRANSP.	18	89	252,500
CONSTRUCTION TRADES	19	122	309,000
OTHER TRADES OCCUPATIONS	20	313	774,500
TRANSPORTATION AND EQUIPMENT OPERATORS	21	260	572,000
TRADES HELPERS/CONST./TRANSP./RELATED	22	138	350,000
OCCUPATIONS UNIQUE TO PRIMARY INDUSTRY	23	393	735,500
MACHINE OPERATORS/ASSEMBLERS/SUPERVISORS	24	382	1,046,000
LABOURERS IN PROCESSING/MANUF. AND UTIL.	25	84	201,000
NOT APPLICABLE	96	4,690	9,856,000
NOT STATED	99	972	1,521,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC0GO47 **Length** 2 **Position** 6470 - 6471

Question Name

Concept Standard Occupation Code for main job - 47 groups - (G)

Question

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Based on LFC0CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	31	73,500
SPECIALIST MANAGERS	2	129	326,000
MANAGERS-RETAIL TRADE/FOOD/ACCOMM. SERV.	3	174	443,500
OTHER MANAGERS N.E.C.	4	210	519,500
PROF. OCC. IN BUSINESS AND FINANCE	5	155	436,500
FINANCE AND INSURANCE ADMIN. OCCUPATIONS	6	98	228,000
SECRETARIES	7	154	294,500
ADMIN. AND REGULATORY OCCUPATIONS	8	131	294,000
CLERICAL SUPERVISORS	9	72	186,500
CLERICAL OCCUPATIONS	10	652	1,678,500
PROF. OCC. IN NATURAL / APPLIED SCIENCES	11	228	669,500
TECH. OCC. IN NATURAL / APPLIED SCIENCES	12	165	437,000
PROFESSIONAL OCCUPATIONS IN HEALTH	13	62	167,500
NURSE SUPERVISORS AND REGISTERED NURSES	14	143	290,500
TECH. AND RELATED OCCUPATIONS IN HEALTH	15	79	176,000
ASSIST. OCC. IN SUPPORT OF HEALTH SERV.	16	91	175,000
PROF. IN SOCIAL SCI./GOV. SERV./RELIGION	17	136	339,000
TEACHERS AND PROFESSORS	18	356	800,500
TECH. IN SOCIAL SCI./GOV. SERV./RELIGION	19	104	217,500
PROFESSIONAL OCC. IN ART AND CULTURE	20	84	209,500
TECH. OCC. IN ART/CULTURE/RECR./SPORT	21	96	263,000
SALES AND SERVICE SUPERVISORS	22	119	343,500
WHOLESALE/TECH/INSUR./REAL ESTATE	23	192	477,000
RETAIL SALES AND SALES CLERKS	24	213	558,500
CASHIERS	25	132	317,500
CHEFS AND COOKS	26	104	279,500
OCCUPATIONS IN FOOD AND BEVERAGE SERVICE	27	121	324,500
OCCUPATIONS IN PROTECTIVE SERVICES	28	92	231,500
OCCUPATIONS IN TRAVEL AND ACCOMMODATION	29	59	135,000

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2169

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

CHILDCARE AND HOME SUPPORT WORKERS	30	219	493,000
SALES AND SERVICE OCCUPATIONS N.E.C.	31	502	1,316,000
CONTRACT./SUPERV. IN TRADES AND TRANSP.	32	89	252,500
CONSTRUCTION TRADES	33	122	309,000
STAT. ENG./POWER STAT./ELECTR./TELEC.	34	73	192,000
MACHINISTS/METAL FORM./SHAP./ERECT. OCC.	35	30	73,500
MECHANICS	36	174	420,000
OTHER TRADES N.E.C.	37	36	89,000
HEAVY EQUIPMENT OPER. INCL. DRILLERS	38	61	115,000
TRANSP. EQ. OPER./WORKERS EXCL. LABOUR	39	199	457,000
TRAD. HELP./CONSTR./TRANSP. LABOUR./REL.	40	138	350,000
OCC. UNIQUE TO AGRICULTURE/EXCL. LABOUR	41	222	438,500
OCC. UNIQUE TO EXTRACTION/EXCL. LABOUR	42	98	136,500
PRIMARY PRODUCTION LABOURERS	43	73	160,500
SUPERVISORS IN MANUFACTURING	44	53	139,500
MACHINE OPERATORS IN MANUFACTURING	45	244	628,000
ASSEMBLERS IN MANUFACTURING	46	85	278,500
LABOURERS IN PROCESSING/MANUFACT./UTIL.	47	84	201,000
NOT APPLICABLE	96	4,690	9,856,000
NOT STATED	99	972	1,521,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_41 **Length** 2 **Position** 6472 - 6473
Question Name LF_Q41
Concept Absent from job or business last week - reason
Question What was the main reason you were absent from work last week?
Universe Respondents who answered LSC0_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	99	229,500
CARING FOR - OWN CHILDREN	2	7	16,500
CARING FOR - ELDER RELATIVES	3	1	1,000
MATERNITY LEAVE (FEMALES ONLY)	4	40	84,000
OTHER PERSONAL / FAMILY RESPONSIBILITIES	5	10	27,000
VACATION	6	241	596,500
LABOUR DISPUTE	7	4	17,000
TEMP. LAYOFF DUE TO BUSINESS CONDITIONS	8	20	63,000
SEASONAL LAYOFF	9	17	32,500
CASUAL JOB, NO WORK AVAILABLE	10	15	25,000
WORK SCHEDULE	11	2	10,500
SELF-EMPLOYED, NO WORK AVAILABLE	12	7	15,500
SEASONAL BUSINESS	13	10	11,500
SCHOOL OR EDUCATIONAL LEAVE	14	16	36,500
OTHER	15	15	26,500
NOT APPLICABLE	96	11,104	25,680,500
NOT STATED	99	938	1,445,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_42 **Length** 3 **Position** 6474 - 6476
Question Name LF_Q42
Concept Usual number of hours worked - main job or business
Question About how many hours a week do you usually work at your job/business? If you usually work extra hours, paid or unpaid, please include these hours.
Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 168	6,892	16,967,000
NOT APPLICABLE	996	4,690	9,856,000
DON'T KNOW	997	14	24,500
REFUSAL	998	11	21,000
NOT STATED	999	939	1,450,000
	Total	12,546	28,318,308

Variable Name LSC0_43 **Length** 1 **Position** 6477
Question Name LF_Q43
Concept Preferred number of hours - main job or business
Question Given the choice, at this job would you prefer to work:
Universe Respondents who answered (LSC0_1=1 or LSC0_2=1) and LSC0_31=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FEWER HOURS FOR LESS PAY	1	445	1,107,500
MORE HOURS FOR MORE PAY	2	1,006	2,653,500
THE SAME HOURS FOR THE SAME PAY	3	3,653	8,942,500
NOT APPLICABLE	6	6,454	14,057,000
DON'T KNOW	7	33	64,000
REFUSAL	8	9	29,500
NOT STATED	9	946	1,464,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_44 **Length** 2 **Position** 6478 - 6479

Question Name LF_Q44

Concept Usual work schedule - main job or business

Question Which of the following best describes the hours you usually work at your job/business?

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR DAYTIME SCHEDULE OR SHIFT	1	4,932	12,063,000
REGULAR EVENING SHIFT	2	307	894,000
REGULAR NIGHT SHIFT	3	145	418,500
ROTATING SHIFT	4	624	1,416,500
SPLIT SHIFT	5	74	137,500
ON CALL	6	75	188,500
IRREGULAR SCHEDULE	7	704	1,752,000
OTHER	8	47	122,000
NOT APPLICABLE	96	4,690	9,856,000
DON'T KNOW	97	2	7,500
REFUSAL	98	7	13,000
NOT STATED	99	939	1,450,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_45 **Length** 2 **Position** 6480 - 6481
Question Name LF_Q45
Concept Usual work schedule - reason
Question What is the main reason that you work this schedule?
Universe Respondents who answered LSC0_44<>1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REQUIREMENT OF JOB / NO CHOICE	1	1,535	3,654,500
GOING TO SCHOOL	2	162	542,000
CARING FOR - OWN CHILDREN	3	71	186,000
CARING FOR - OTHER RELATIVES	4	2	7,000
TO EARN MORE MONEY	5	24	89,500
LIKES TO WORK THIS SCHEDULE	6	137	357,500
OTHER	7	45	92,500
NOT APPLICABLE	96	9,622	21,919,000
NOT STATED	99	948	1,470,500
Total		12,546	28,318,308

Variable Name LSC0_46 **Length** 1 **Position** 6482
Question Name LF_Q46
Concept Work on weekends - main job or business
Question Do you usually work on weekends at this job/business?
Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,901	7,134,000
NO	2	4,008	9,863,500
NOT APPLICABLE	6	4,690	9,856,000
DON'T KNOW	7	1	2,000
REFUSAL	8	7	13,000
NOT STATED	9	939	1,450,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_51 **Length** 2 **Position** 6483 - 6484

Question Name LF_Q51

Concept Worked at more than one job or business - number of weeks

Question You indicated that you have more than one job. For how many weeks in a row have you worked at more than one job (in the past 12 months)?

Universe Respondents who answered LSC0_3=1 or LSC0_23 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	1 - 52	558	1,452,000
NOT APPLICABLE	96	11,043	25,403,000
DON'T KNOW	97	5	12,000
NOT STATED	99	940	1,451,000
Total		12,546	28,318,308

Variable Name LSC0_52 **Length** 2 **Position** 6485 - 6486

Question Name LF_Q52

Concept Worked at more than one job or business - reason

Question What is the main reason that you work at more than one job?

Universe Respondents who answered LSC0_3=1 or LSC0_23 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TO MEET REGULAR HOUSEHOLD EXPENSES	1	154	384,500
TO PAY OFF DEBTS	2	56	170,500
TO BUY SOMETHING SPECIAL	3	18	41,500
TO SAVE FOR THE FUTURE	4	59	177,000
TO GAIN EXPERIENCE	5	31	104,500
TO BUILD UP A BUSINESS	6	48	105,000
ENJOYS THE WORK OF THE SECOND JOB	7	122	267,000
OTHER	8	74	210,500
NOT APPLICABLE	96	11,043	25,403,000
DON'T KNOW	97	1	3,500
NOT STATED	99	940	1,451,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_53 **Length** 3 **Position** 6487 - 6489

Question Name LF_Q53

Concept Usual number of hours worked - other job or business

Question About how many hours a week do you usually work at your other job(s)? If you usually work extra hours, paid or unpaid, please include these hours.

Universe Respondents who answered LSC0_3=1 or LSC0_23 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 118	553	1,420,500
NOT APPLICABLE	996	11,043	25,403,000
DON'T KNOW	997	8	37,500
REFUSAL	998	2	6,000
NOT STATED	999	940	1,451,000
	Total	12,546	28,318,308

Variable Name LSC0_54 **Length** 1 **Position** 6490

Question Name LF_Q54

Concept Work on weekends - other job or business

Question Do you usually work on weekends at your other job(s)?

Universe Respondents who answered LSC0_3=1 or LSC0_23 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	341	875,000
NO	2	221	585,500
NOT APPLICABLE	6	11,043	25,403,000
DON'T KNOW	7	1	3,500
NOT STATED	9	940	1,451,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_61 **Length** 2 **Position** 6491 - 6492

Question Name LF_Q61

Concept Number of weeks worked in past 12 months

Question During the past 52 weeks, how many weeks did you do any work at a job or a business? (Include paid vacation leave, paid maternity leave, and paid sick leave.)

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	1 - 52	6,883	16,929,000
NOT APPLICABLE	96	4,690	9,856,000
DON'T KNOW	97	25	55,000
REFUSAL	98	9	28,000
NOT STATED	99	939	1,450,000
	Total	12,546	28,318,308

Variable Name LSC0_71 **Length** 2 **Position** 6493 - 6494

Question Name LF_Q71

Concept Number of weeks looked for work in past 12 months

Question During the past 52 weeks, how many weeks were you looking for work?

Universe Respondents who answered LSC0_61<52 or LSC0_22 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	0 - 52	2,075	4,880,000
NOT APPLICABLE	96	9,509	21,928,000
DON'T KNOW	97	13	29,000
REFUSAL	98	9	29,500
NOT STATED	99	940	1,452,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2177

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_72 **Length** 1 **Position** 6495
Question Name LF_Q72
Concept Not working nor looking - number of weeks (confirm)
Question That leaves "# weeks" during which you were neither working nor looking for work. Is that correct?
Universe Respondents who answered LSC0_61 + LSC0_71 <52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,449	3,513,500
NOT APPLICABLE	6	10,037	23,075,000
NOT STATED	9	1,060	1,729,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_73 **Length** 2 **Position** 6496 - 6497
Question Name LF_Q73
Concept Not looking for work - reason
Question What is the main reason that you were not looking for work?
Universe Respondents who answered (LSC0_1=1 or LSC0_2=1 or LSC0_11=1 or LSC0_12=1) and LSC0_72=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	119	285,000
CARING FOR - OWN CHILDREN	2	69	139,500
CARING FOR - ELDER RELATIVES	3	3	5,000
PREGNANCY (FEMALES ONLY)	4	28	50,500
OTHER PERSONAL / FAMILY RESPONSIBILITIES	5	96	205,500
VACATION	6	153	429,500
LABOUR DISPUTE	7	2	8,500
TEMP. LAYOFF DUE TO BUSINESS CONDITIONS	8	56	109,500
SEASONAL LAYOFF	9	104	179,000
CASUAL JOB, NO WORK AVAILABLE	10	37	75,500
WORK SCHEDULE	11	27	43,500
SCHOOL OR EDUCATIONAL LEAVE	12	298	897,500
RETIRED	13	39	77,500
BELIEVES NO WORK AVAILABLE	14	25	51,500
OTHER	15	31	125,500
NOT APPLICABLE	96	10,396	23,889,500
DON'T KNOW	97	1	7,500
REFUSAL	98	2	8,000
NOT STATED	99	1,060	1,729,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0_74 **Length** 1 **Position** 6498
Question Name LF_Q74
Concept Looked for work - number of continous periods
Question Were those weeks when you were without work but looking for work:
Universe Respondents who answered 1<LSC2_71<52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL IN ONE PERIOD	1	125	296,000
IN 2 SEPARATE PERIODS	2	25	70,500
IN 3 OR MORE PERIODS	3	28	64,500
NOT APPLICABLE	6	11,277	26,080,000
NOT STATED	9	1,091	1,807,500
Total		12,546	28,318,308

Variable Name LSC0DCWS **Length** 1 **Position** 6499
Question Name
Concept Current working status - (D)
Question
Universe Respondents aged 15 to 75 living in a household

Note Based on LSC0_1, LSC0_2 and DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAD A JOB - AT WORK LAST WEEK	1	5,701	14,228,000
HAD A JOB - ABSENT FROM WORK LAST WEEK	2	504	1,193,000
DID NOT HAVE A JOB LAST WEEK	3	2,837	5,907,000
PERMANENTLY UNABLE TO WORK	4	270	433,000
NOT APPLICABLE	6	2,296	5,112,500
NOT STATED	9	938	1,445,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0DYWS **Length** 2 **Position** 6500 - 6501

Question Name

Concept Working status in the last 12 months - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LSC0_1, LSC0_2, LSC0_11, LSC0_21, LSC0_22 and DHC0_AGE. This variable is conceptually the same as LFC4DCWS in Cycle 1 (1994), LFC6DCWS in Cycle 2 (1996) and LFC8DCWS in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAD A JOB LAST WEEK	1	6,205	15,420,500
DID NOT HAVE A JOB BUT WORK LAST YR	2	711	1,593,000
NO JOB LAST YR BUT LOOKED LAST 4 WK	3	86	228,500
NO JOB LAST YR BUT LOOKED LAST YR	4	36	77,000
NO JOB LAST YR AND DIDN'T LOOK LAST YR	5	2,005	4,009,500
PERMANENTLY UNABLE TO WORK	6	268	430,000
NOT APPLICABLE	96	2,296	5,112,500
NOT STATED	99	939	1,447,000
Total		12,546	28,318,308

Variable Name LSC0DSWS **Length** 1 **Position** 6502

Question Name

Concept Student working status - (D)

Question

Universe Respondents aged 15 to 75 with EDC0_1=1

Note Based on EDC0_1, EDC0_2, DHC0_AGE, LSC0_1, LSC0_2, LSC0_11, LSC0_21, LSC0_22 and DHC0_AGE. This variable is conceptually the same as EDC4DLF in Cycle 1 (1994), EDC6DLF in Cycle 2 (1996) and EDC8DLF in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WORKED - SCHOOL FULL-TIME	1	643	1,985,500
WORKED - SCHOOL PART-TIME	2	206	637,000
DID NOT WORK - SCHOOL FULL-TIME	3	177	482,500
DID NOT WORK - SCHOOL PART-TIME	4	31	78,000
NOT APPLICABLE	6	10,553	23,699,500
NOT STATED	9	936	1,435,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0DMJS **Length** 2 **Position** 6503 - 6504

Question Name

Concept Multiple job status - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LSC0_1, LSC0_3, LSC0_21, LSC0_23, LSC0_51 and DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAS MULT JOBS - HAD THEM ALL PAST YEAR	1	258	618,000
HAS MULT JOBS - DID NOT HAVE PAST YEAR	2	253	712,000
CURRENTLY HAS ONLY ONE JOB	3	5,689	14,074,500
NO JOB - MULT JOBS PAST YEAR	4	49	124,000
NO JOB - ONLY 1 AT A TIME PAST YEAR	5	664	1,472,500
NO JOB - NO JOB PAST YEAR	6	2,393	4,741,500
NOT APPLICABLE	96	2,296	5,112,500
NOT STATED	99	944	1,463,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0DRNW **Length** 2 **Position** 6505 - 6506

Question Name

Concept Main reason for not working last week - (D)

Question

Universe Respondents who answered LSC0_1=2 or LSC0_1=3

Note Based on LSC0_1, LSC0_11, LSC0_12, LSC0_13, LSC0_41 and DHC0_AGE. This variable is conceptually the same as LFC6G17A in Cycle 2 (1996) and LFC8G17A in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PERMANENTLY UNABLE TO WORK	1	270	433,000
OWN ILLNESS OR DISABILITY	2	335	745,500
CARING FOR - OWN CHILDREN	3	188	419,500
CARING FOR - ELDER RELATIVES	4	10	24,500
PREGNANCY / MATERNITY LEAVE	5	48	100,000
OTHER PERSONAL / FAMILY RESPONSIBILITIES	6	159	306,500
VACATION	7	250	608,500
SCHOOL OR EDUCATIONAL LEAVE	8	354	936,000
RETIRED	9	1,417	2,700,000
BELIEVES NO WORK AVAILABLE	10	83	110,000
LABOUR DISPUTE	11	4	17,000
TEMP. LAYOFF DUE TO BUSINESS CONDITIONS	12	20	63,000
SEASONAL LAYOFF	13	17	32,500
CASUAL JOB, NO WORK AVAILABLE	14	15	25,000
SELF-EMPLOYED, NO WORK AVAILABLE	15	7	15,500
SEASONAL BUSINESS	16	10	11,500
LOOKING FOR WORK	17	320	776,000
WORK SCHEDULE	18	2	10,500
JOB TO START IN FUTURE	19	63	119,000
OTHER	20	38	76,000
NOT APPLICABLE	96	7,997	19,340,500
NOT STATED	99	939	1,448,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0DHPW **Length** 3 **Position** 6507 - 6509

Question Name

Concept Total usual hours worked per week - (D)

Question

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Based on LSC0_1, LSC0_42, LSC0_53 and DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS WORKED PER WEEK	1 - 168	6,883	16,924,000
NOT APPLICABLE	996	4,690	9,856,000
NOT STATED	999	973	1,538,000
	Total	12,546	28,318,308

Variable Name LSC0DPFT **Length** 1 **Position** 6510

Question Name

Concept Work status - full time or part time - (D)

Question

Universe Respondents who answered LSC0_1=1 or LSC0_2=1 or LSC0_21=1

Note Based on LSC0_1, LSC0_42, LSC0_53 and DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FULL TIME (30 HOURS OR MORE)	1	5,640	13,575,000
PART TIME (LESS THAN 30 HOURS)	2	1,243	3,349,500
NOT APPLICABLE	6	4,690	9,856,000
NOT STATED	9	973	1,538,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC0DJST **Length** 2 **Position** 6511 - 6512

Question Name

Concept Job status over past year - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LSC0_1, LSC0_11, LSC0_22, LSC0_61, LSC0_71 and DHC0_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAD A JOB THROUGH PAST YR	1	4,942	12,379,000
WAS W/O JOB - LOOKING PAST YR	2	39	115,500
WAS W/O JOB - NOT LOOKING PAST YR	3	2,271	4,436,500
HAD JOB PART YR - W/O & LOOK PART YR	4	489	1,031,500
HAD JOB PART YR - W/O & N-LOOK PART YR	5	1,194	2,896,000
NO JOB & LOOK PART YR - W/O & N-LOOK	6	82	186,000
HAD JOB - W/O & LOOK - W/O & N-LOOK	7	255	617,500
NOT APPLICABLE	96	2,296	5,112,500
NOT STATED	99	978	1,543,500
Total		12,546	28,318,308

Variable Name INC0_1A **Length** 1 **Position** 6513

Question Name IN_Q1

Concept Source of income - wages and salaries

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Wages and salaries

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,214	20,644,000
NO	2	3,146	5,574,500
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INCO_1B **Length** 1 **Position** 6514

Question Name IN_Q1

Concept Source of income - self-employment

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Income from self-employment

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,271	5,510,500
NO	2	9,089	20,708,000
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
Total		12,546	28,318,308

Variable Name INCO_1C **Length** 1 **Position** 6515

Question Name IN_Q1

Concept Source of income - dividends and interest

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Dividends and interest (e.g., on bonds, savings)

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,227	5,071,000
NO	2	9,133	21,147,500
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INCO_1D	Length	1	Position	6516
Question Name	IN_Q1				
Concept	Source of income - employment insurance				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Employment insurance				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,205	2,192,500
NO		2		10,155	24,026,000
DON'T KNOW		7		167	457,500
REFUSAL		8		70	163,500
NOT STATED		9		949	1,479,000
		Total		12,546	28,318,308

Variable Name	INCO_1E	Length	1	Position	6517
Question Name	IN_Q1				
Concept	Source of income - worker's compensation				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Worker's compensation				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		334	815,500
NO		2		11,026	25,402,500
DON'T KNOW		7		167	457,500
REFUSAL		8		70	163,500
NOT STATED		9		949	1,479,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INCO_1F	Length	1	Position	6518
Question Name	IN_Q1				
Concept	Source of income - benefits from Can. / Que. Pension Plan				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Benefits from Canada or Quebec Pension Plan				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,712	4,927,500
NO		2		8,648	21,291,000
DON'T KNOW		7		167	457,500
REFUSAL		8		70	163,500
NOT STATED		9		949	1,479,000
		Total		12,546	28,318,308

Variable Name	INCO_1G	Length	1	Position	6519
Question Name	IN_Q1				
Concept	Source of income - pensions, superannuation and annuities				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Retirement pensions, superannuation and annuities				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,907	3,771,000
NO		2		9,453	22,447,500
DON'T KNOW		7		167	457,500
REFUSAL		8		70	163,500
NOT STATED		9		949	1,479,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INCO_1H **Length** 1 **Position** 6520

Question Name IN_Q1

Concept Source of income - Old Age Security / G.I.S.

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Old Age Security and Guaranteed Income Supplement

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,338	3,967,000
NO	2	9,022	22,251,000
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
	Total	12,546	28,318,308

Variable Name INCO_1I **Length** 1 **Position** 6521

Question Name IN_Q1

Concept Source of income - child tax benefit

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Tax Benefit

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,212	4,932,500
NO	2	9,148	21,285,500
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INCO_1J **Length** 1 **Position** 6522

Question Name IN_Q1

Concept Source of income - social assistance / welfare

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Provincial or municipal social assistance or welfare

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	570	1,197,500
NO	2	10,790	25,020,500
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
Total		12,546	28,318,308

Variable Name INCO_1K **Length** 1 **Position** 6523

Question Name IN_Q1

Concept Source of income - child support

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Support

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	373	945,000
NO	2	10,987	25,273,500
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INCO_1L **Length** 1 **Position** 6524

Question Name IN_Q1

Concept Source of income - alimony

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Alimony

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	46	128,500
NO	2	11,314	26,090,000
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
Total		12,546	28,318,308

Variable Name INCO_1M **Length** 1 **Position** 6525

Question Name IN_Q1

Concept Source of income - other

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Other (e.g., rental income, scholarships)

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	646	1,650,500
NO	2	10,714	24,568,000
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2191

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INCO_1N **Length** 1 **Position** 6526
Question Name IN_Q1
Concept Source of income - none
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - None
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	48,000
NO	2	11,339	26,170,500
DON'T KNOW	7	167	457,500
REFUSAL	8	70	163,500
NOT STATED	9	949	1,479,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INCO_3D **Length** 1 **Position** 6538
Question Name IN_Q3D
Concept Total household income - < \$15,000 or >= \$15,000
Question Was the total household income from all sources less than \$15,000 or \$15,000 or more?
Universe Respondents who answered INCO_3B=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$15,000	1	777	1,258,000
\$15,000 OR MORE	2	632	1,115,500
NOT APPLICABLE	6	9,255	22,059,500
DON'T KNOW	7	27	35,000
REFUSAL	8	2	3,500
NOT STATED	9	1,853	3,846,500
	Total	12,546	28,318,308

Variable Name INCO_3E **Length** 1 **Position** 6539
Question Name IN_Q3E
Concept Total household income - < \$40,000 or >= \$40,000
Question Was the total household income from all sources less than \$40,000 or \$40,000 or more?
Universe Respondents who answered INCO_3A=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$40,000	1	2,635	5,230,000
\$40,000 OR MORE	2	6,121	15,726,000
NOT APPLICABLE	6	1,832	3,204,500
DON'T KNOW	7	108	278,000
REFUSAL	8	24	78,000
NOT STATED	9	1,826	3,801,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INCO_3F **Length** 1 **Position** 6540
Question Name IN_Q3F
Concept Total household income - < \$30,000 or >= \$30,000
Question Was the total household income from all sources less than \$30,000 or \$30,000 or more?
Universe Respondents who answered INCO_3E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$30,000	1	1,257	2,433,500
\$30,000 OR MORE	2	1,330	2,721,000
NOT APPLICABLE	6	7,953	18,931,000
DON'T KNOW	7	42	59,500
REFUSAL	8	6	15,500
NOT STATED	9	1,958	4,157,500
	Total	12,546	28,318,308

Variable Name INCO_3G **Length** 1 **Position** 6541
Question Name IN_Q3G
Concept Total household income - >= \$40,000
Question Was the total household income from all sources less than \$50,000, \$50,000 to less than \$60,000, \$60,000 to less than \$80,000 or \$80,000 or more?
Universe Respondents who answered INCO_3E=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$50,000	1	1,207	2,707,000
\$50,000 TO LESS THAN \$60,000	2	1,123	2,678,500
\$60,000 TO LESS THAN \$80,000	3	1,630	4,319,500
\$80,000 OR MORE	4	2,061	5,764,000
NOT APPLICABLE	6	4,467	8,434,500
DON'T KNOW	7	80	218,000
REFUSAL	8	18	34,500
NOT STATED	9	1,960	4,162,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC0DHH **Length** 2 **Position** 6542 - 6543

Question Name

Concept Total household income - All sources - (D)

Question

Universe All respondents

Note Based on INC0_3A to INC0_3G. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO INCOME	1	20	83,000
LESS THAN \$5,000	2	71	158,500
\$5,000 TO \$9,999	3	273	502,500
\$10,000 TO \$14,999	4	777	1,258,000
\$15,000 TO \$19,999	5	632	1,115,500
\$20,000 TO \$29,999	6	1,257	2,433,500
\$30,000 TO \$39,999	7	1,330	2,721,000
\$40,000 TO \$49,999	8	1,207	2,707,000
\$50,000 TO \$59,999	9	1,123	2,678,500
\$60,000 TO \$79,999	10	1,630	4,319,500
\$80,000 OR MORE	11	2,061	5,764,000
NOT STATED	99	2,165	4,576,000
	Total	12,546	28,318,308

Variable Name INC0DIA2 **Length** 1 **Position** 6544

Question Name

Concept Income adequacy - 2 groups - (D)

Question

Universe All respondents

Note Based on INC0_3A to INC0_3G and DHC0_MEM. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LOW INCOME	1	1,375	2,603,500
MIDDLE OR HIGH INCOME	2	9,006	21,139,000
NOT STATED	9	2,165	4,576,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC0DIA4	Length	1	Position	6545
Question Name					
Concept	Income adequacy - 4 groups - (D)				
Question					
Universe	All respondents				
Note	Based on INC0_3A to INC0_3G and DHC0_MEM. See Derived Variables Documentation.				
Content			Code	Sample	Population
LOWEST INCOME			1	1,375	2,603,500
LOWER MIDDLE INCOME			2	2,540	5,082,500
UPPER MIDDLE INCOME			3	3,872	9,124,000
HIGHEST INCOME			4	2,594	6,932,500
NOT STATED			9	2,165	4,576,000
		Total		12,546	28,318,308

Variable Name	INC0DIA5	Length	1	Position	6546
Question Name					
Concept	Income adequacy - 5 groups - (D)				
Question					
Universe	All respondents				
Note	Based on INC0_3A to INC0_3G and DHC0_MEM. See Derived Variables Documentation.				
Content			Code	Sample	Population
LOWEST INCOME			1	390	834,000
LOWER MIDDLE INCOME			2	985	1,769,500
MIDDLE INCOME			3	2,540	5,082,500
UPPER MIDDLE INCOME			4	3,872	9,124,000
HIGHEST INCOME			5	2,594	6,932,500
NOT STATED			9	2,165	4,576,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INCO_4F **Length** 1 **Position** 6558
Question Name IN_Q4F
Concept Total personal income - < \$30,000 or >= \$30,000
Question Was your total personal income less than \$30,000 or \$30,000 or more?
Universe Respondents who answered INCO_4E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$30,000	1	1,616	3,404,500
\$30,000 OR MORE	2	1,311	3,064,000
NOT APPLICABLE	6	7,829	18,279,000
DON'T KNOW	7	6	11,500
REFUSAL	8	3	15,500
NOT STATED	9	1,781	3,544,000
	Total	12,546	28,318,308

Variable Name INCO_4G **Length** 1 **Position** 6559
Question Name IN_Q4G
Concept Total personal income - >= \$40,000
Question Was your total personal income less than \$50,000, \$50,000 to less than \$60,000, \$60,000 to less than \$80,000 or \$80,000 or more?
Universe Respondents who answered INCO_4E=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$50,000	1	874	2,041,500
\$50,000 TO LESS THAN \$60,000	2	595	1,425,500
\$60,000 TO LESS THAN \$80,000	3	592	1,617,500
\$80,000 OR MORE	4	386	1,041,000
NOT APPLICABLE	6	8,300	18,601,000
DON'T KNOW	7	10	32,000
REFUSAL	8	6	12,000
NOT STATED	9	1,783	3,548,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC0DPER **Length** 2 **Position** 6560 - 6561

Question Name

Concept Total personal income - All sources - (D)

Question

Universe Respondents aged 15 and over

Note Based on INC0_4A to INC0_4G. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO INCOME	1	375	929,500
LESS THAN \$5,000	2	561	1,391,000
\$5,000 TO \$9,999	3	933	2,010,500
\$10,000 TO \$14,999	4	1,338	2,399,500
\$15,000 TO \$19,999	5	863	1,710,500
\$20,000 TO \$29,999	6	1,616	3,404,500
\$30,000 TO \$39,999	7	1,311	3,064,000
\$40,000 TO \$49,999	8	874	2,041,500
\$50,000 TO \$59,999	9	595	1,425,500
\$60,000 TO \$79,999	10	592	1,617,500
\$80,000 OR MORE	11	386	1,041,000
NOT APPLICABLE	96	1,243	3,565,500
NOT STATED	99	1,859	3,718,000
	Total	12,546	28,318,308

Variable Name INC0CCPI **Length** 5.1 **Position** 6562 - 6566

Question Name

Concept Consumer Price Index

Question

Universe All respondents

Note Consumer Price Index - All items, not seasonally adjusted (1992 = 100). 2000 annual average = 113.5.
 See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM60_LNK **Length** 1 **Position** 6567
Question Name AM_Q01B
Concept Permission to link data
Question We are seeking your permission to link information collected during this interview with provincial health information... Do we have your permission?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,306	26,150,500
NO	2	270	636,000
DON'T KNOW	7	9	22,500
REFUSAL	8	7	18,500
NOT STATED	9	954	1,491,000
Total		12,546	28,318,308

Variable Name AM60_SHA **Length** 1 **Position** 6568
Question Name AM_Q04B
Concept Agree to share information
Question To avoid duplication, Statistics Canada intends to share the information from all interviews conducted as part of this survey with... Do you agree to share the information provided?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,318	26,155,000
NO	2	257	632,000
DON'T KNOW	7	10	23,000
REFUSAL	8	7	17,000
NOT STATED	9	954	1,491,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM60_TEL **Length** 1 **Position** 6569
Question Name AM_N09
Concept H06 interview by telephone or in person
Question Interviewer: Was this interview conducted on the telephone or in person?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ON TELEPHONE	1	11,250	26,235,000
IN PERSON	2	217	435,000
BOTH	3	6	13,500
NOT APPLICABLE	6	122	152,000
NOT STATED	9	951	1,482,500
Total		12,546	28,318,308

Variable Name AM60_LNG **Length** 2 **Position** 6570 - 6571
Question Name AM_N12
Concept Interview language - H06
Question Interviewer: Record language of interview.
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,369	20,105,000
FRENCH	2	2,179	6,467,000
ARABIC	3	1	20,000
CHINESE	4	16	84,500
CREE	5	1	1,000
GERMAN	6	1	1,000
ITALIAN	9	5	13,500
PERSIAN (FARSI)	11	2	2,000
POLISH	12	1	2,500
PORTUGUESE	13	4	17,000
PUNJABI	14	6	63,000
VIETNAMESE	18	2	6,000
OTHER	19	5	52,000
NOT STATED	99	954	1,485,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM60LDUR **Length** 4 **Position** 6572 - 6575

Question Name

Concept Duration of time between H06 interviews

Question

Universe All respondents

Note Based on AM68_BDD, AM68_BMM, AM68_BY, AM60_BDD, AM60_BMM and AM60_BY. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	356 - 1140	11,663	27,065,500
NOT STATED	9999	883	1,253,000
Total		12,546	28,318,308

Variable Name PRC2_CUR **Length** 2 **Position** 6576 - 6577

Question Name

Concept Province of residence

Question

Universe All respondents

Note Province of residence at the time of data collection in Cycle 5 (2002).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEWFOUNDLAND AND LABRADOR	10	725	509,000
PRINCE EDWARD ISLAND	11	753	138,500
NOVA SCOTIA	12	765	890,000
NEW BRUNSWICK	13	817	744,000
QUEBEC	24	2,191	6,999,000
ONTARIO	35	3,073	10,659,000
MANITOBA	46	900	1,058,000
SASKATCHEWAN	47	860	916,500
ALBERTA	48	1,226	2,785,500
BRITISH COLUMBIA	59	1,203	3,539,500
YUKON	60	2	5,000
NORTHWEST TERRITORIES	61	4	7,000
NUNAVUT	62	2	4,500
UNITED STATES	76	25	63,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	GE32DURB	Length	1	Position	6578
Question Name					
Concept	Rural or urban area - (D)				
Question					
Universe	All respondents				
Note	Based on 2001 Census geography. See Derived Variables Documentation.				
Content			Code	Sample	Population
RURAL			1	3,270	5,524,000
URBAN			2	9,245	22,710,500
NOT STATED			9	31	84,000
		Total		12,546	28,318,308

Variable Name	GE32DCD	Length	3	Position	6579 - 6581
Question Name					
Concept	Census Division - (D)				
Question					
Universe	All respondents				
Note	Based on 2001 Census geography. See Derived Variables Documentation.				

Variable Name	GE32DCSD	Length	3	Position	6582 - 6584
Question Name					
Concept	Census Sub-division - (D)				
Question					
Universe	All respondents				
Note	Based on 2001 Census geography. See Derived Variables Documentation.				

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE32DCMA **Length** 3 **Position** 6585 - 6587

Question Name

Concept Census Metropolitan Area - (D)

Question

Universe All respondents

Note Based on 2001 Census geography. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO CMA ASSIGNED	000	6,441	10,954,500
ST. JOHN'S	001	237	175,500
HALIFAX	205	279	346,500
SAINT JOHN	310	135	116,000
SAGUENAY	408	60	178,000
QUEBEC	421	226	760,500
SHERBROOKE	433	53	136,000
TROIS-RIVIÈRES	442	50	156,000
MONTREAL	462	801	3,120,500
OTTAWA / GATINEAU	505	368	973,000
OSHAWA	532	99	259,500
TORONTO	535	869	3,862,000
HAMILTON	537	212	660,500
ST. CATHARINES	539	118	418,000
KITCHENER	541	119	360,500
LONDON	555	135	375,000
WINDSOR	559	90	277,500
SUDBURY	580	44	147,000
THUNDER BAY	595	48	122,000
WINNIPEG	602	351	646,000
REGINA	705	182	208,000
SASKATOON	725	175	187,500
CALGARY	825	406	908,500
EDMONTON	835	388	902,500
VANCOUVER	933	501	1,656,500
VICTORIA	935	128	327,500
NOT STATED	999	31	84,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GE32DFED **Length** 3 **Position** 6588 - 6590

Question Name

Concept Federal Electoral Districts - (D)

Question

Universe All respondents

Note Based on 2001 Census geography. See Derived Variables Documentation.

Variable Name SP32DPC **Length** 6 **Position** 6591 - 6596

Question Name

Concept Postal code - (D)

Question

Universe All respondents

Note

Variable Name SP32FOUT **Length** 1 **Position** 6597

Question Name

Concept Flag for record sent for field collection

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NOT SENT OUT	0	876	1,241,000
SENT OUT	1	11,670	27,077,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SP32_CPA **Length** 2 **Position** 6598 - 6599

Question Name

Concept Actual collection period

Question

Universe All respondents

Note Collection period in which the data were collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
QUARTER #1 - JUNE 2002	1	2,340	4,746,000
QUARTER #2 - AUGUST 2002	2	2,491	5,042,500
QUARTER #3 - NOVEMBER 2002	3	3,257	8,110,000
QUARTER #4 - MARCH 2003	4	3,050	8,053,000
QUARTER #5 - JUNE 2003	5	328	855,500
INST. SURVEY - JAN. TO MAR. 2003	15	204	270,500
NOT APPLICABLE	96	876	1,241,000
Total		12,546	28,318,308

Variable Name AM32_TEL **Length** 1 **Position** 6600

Question Name

Concept Type of contact - H03

Question Interviewer: Is this a telephone or a personal contact?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TELEPHONE	1	11,049	26,066,000
PERSONAL	2	163	269,500
NOT APPLICABLE	6	1,274	1,826,000
NOT STATED	9	60	157,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC2_DWE **Length** 2 **Position** 6601 - 6602

Question Name

Concept Type of dwelling

Question Interviewer: Record type of dwelling. In what type of dwelling are you living?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SINGLE DETACHED	1	8,041	18,226,500
DOUBLE	2	396	1,252,000
ROW OR TERRACE	3	421	1,210,500
DUPLEX	4	388	989,500
LOW-RISE APARTMENT <5 STORIES OR FLAT	5	1,199	2,847,000
HIGH-RISE APARTMENT >=5 STORIES	6	482	1,337,000
INSTITUTION	7	204	270,500
HOTEL, ROOMING/LODGING HOUSE, CAMP	8	13	23,000
MOBILE HOME	9	63	109,000
OTHER	10	74	197,500
NOT APPLICABLE	96	17	57,000
DON'T KNOW	97	6	18,000
NOT STATED	99	1,242	1,780,500
Total		12,546	28,318,308

Variable Name DHC2_OWNS **Length** 1 **Position** 6603

Question Name

Concept Dwelling owned by a household member

Question Is this dwelling owned by a member of this household?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,492	19,741,000
NO	2	2,778	6,745,500
NOT APPLICABLE	6	204	270,500
DON'T KNOW	7	2	6,000
NOT STATED	9	1,070	1,555,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC2_MGE **Length** 1 **Position** 6604

Question Name HH_Q24

Concept Mortgage on dwelling

Question Is there a mortgage on this dwelling?

Universe Respondents who answered DHC2_OWN=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	809	2,222,500
NO	2	191	408,000
NOT APPLICABLE	6	2,982	7,015,500
DON'T KNOW	7	33	97,000
REFUSAL	8	12	15,500
NOT STATED	9	8,519	18,559,000
	Total	12,546	28,318,308

Variable Name DHC2_BED **Length** 2 **Position** 6605 - 6606

Question Name

Concept Number of bedrooms

Question How many bedrooms are there in this dwelling?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF BEDROOMS	0 - 20	11,250	26,443,000
NOT APPLICABLE	96	204	270,500
DON'T KNOW	97	11	23,500
REFUSAL	98	10	20,500
NOT STATED	99	1,071	1,561,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM32_PL **Length** 2 **Position** 6607 - 6608

Question Name

Concept Respondent's preferred language

Question

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,264	20,169,000
FRENCH	2	2,181	6,468,000
CHINESE	3	7	38,000
ITALIAN	4	1	6,500
PUNJABI	5	3	19,000
SPANISH	6	1	1,000
PORTUGUESE	7	3	8,000
POLISH	8	2	7,000
CANTONESE	17	9	32,000
MANDARIN	19	3	9,000
RUSSIAN	21	1	3,500
OTHER	90	1	2,500
NOT STATED	99	1,070	1,555,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC2DLVG **Length** 2 **Position** 6609 - 6610

Question Name

Concept Living arrangement of the selected respondent - (D)

Question

Universe All respondents

Note Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL LIVING ALONE	1	2,233	3,760,000
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	239	629,000
LIVING WITH SPOUSE/PARTNER	3	2,653	5,561,500
PAR. LIVING WITH SPOUSE/PARTNER,CHILDREN	4	2,895	7,074,000
SINGLE PAR. LIVING WITH CHILDREN	5	545	1,175,000
CHILD LIVING WITH SINGLE PAR.	6	235	604,000
CHILD LIVING WITH SINGLE PAR., SIBLINGS	7	227	734,500
CHILD LIVING WITH TWO PAR.	8	388	906,500
CHILD LIVING WITH TWO PAR., SIBLINGS	9	1,192	3,905,000
OTHER	10	808	2,315,000
NOT STATED	99	1,131	1,654,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC2DECF **Length** 2 **Position** 6611 - 6612

Question Name

Concept Type of household - (D)

Question

Universe All respondents

Note Based on the relationship matrix. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNATTACHED INDIVIDUAL	1	2,233	3,760,000
UNATTACHED INDIVIDUAL LIVING WITH OTHERS	2	267	680,500
COUPLE ALONE	3	2,653	5,561,500
COUPLE, NO DEP. CHILDREN, OTH.	4	88	232,000
COUPLE, CHILDREN < 25	5	4,100	10,779,000
COUPLE, CHILDREN < 25, OTH.	6	488	1,564,000
COUPLE, ALL CHILDREN >= 25	7	303	908,500
COUPLE, ALL CHILDREN >= 25, OTH.	8	96	212,500
FEM. LONE PAR., CHILDREN < 25	9	667	1,620,000
FEM. LONE PAR., CHILDREN < 25, OTH.	10	92	228,500
FEM. LONE PAR., ALL CHILDREN >= 25	11	184	449,000
FEM. LONE PAR., ALL CHILDREN >= 25, OTH.	12	10	26,000
MALE LONE PAR., CHILDREN < 25	13	125	357,000
MALE LONE PAR., CHILDREN < 25, OTH.	14	8	19,000
MALE LONE PAR., ALL CHILDREN >= 25	15	28	73,000
MALE LONE PAR., ALL CHILDREN >= 25, OTH.	16	1	1,000
OTHER HOUSEHOLD TYPES	17	72	193,000
NOT STATED	99	1,131	1,654,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC2DHSZ **Length** 2 **Position** 6613 - 6614

Question Name

Concept Household size - (D)

Question

Universe All respondents

Note Based on DHC2_MEM. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	1 - 12	11,415	26,664,500
NOT STATED	99	1,131	1,654,000
Total		12,546	28,318,308

Variable Name DHC2DL12 **Length** 2 **Position** 6615 - 6616

Question Name

Concept Number of persons less than 12 years old in household - (D)

Question

Universe All respondents

Note Based on DHC2_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 6	11,415	26,664,500
NOT STATED	99	1,131	1,654,000
Total		12,546	28,318,308

Variable Name DHC2DE12 **Length** 2 **Position** 6617 - 6618

Question Name

Concept Number of persons 12 years old in household - (D)

Question

Universe All respondents

Note Based on DHC2_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 2	11,415	26,664,500
NOT STATED	99	1,131	1,654,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC2DLE5 **Length** 2 **Position** 6619 - 6620

Question Name

Concept Number of persons 5 years old or less in household - (D)

Question

Universe All respondents

Note Based on DHC2_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 4	11,415	26,664,500
NOT STATED	99	1,131	1,654,000
Total		12,546	28,318,308

Variable Name DHC2D611 **Length** 2 **Position** 6621 - 6622

Question Name

Concept Number of persons 6 to 11 years old in household - (D)

Question

Universe All respondents

Note Based on DHC2_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF PERSONS	0 - 5	11,415	26,664,500
NOT STATED	99	1,131	1,654,000
Total		12,546	28,318,308

Variable Name SP32_STA **Length** 3 **Position** 6623 - 6625

Question Name

Concept Status code after processing

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DECEASED	640	241	398,500
DECEASED (CONF)	642	15	37,500
DECEASED (NOT CONF)	643	14	23,500
DECEASED (PERM)	644	861	1,194,500
FULLY COMPLETED	700	11,415	26,664,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2218

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC2_AGE **Length** 3 **Position** 6626 - 6628

Question Name

Concept Age

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	7 - 104	11,415	26,664,500
NOT STATED	999	1,131	1,654,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DHC2GAGE **Length** 2 **Position** 6629 - 6630

Question Name

Concept Age - (G)

Question

Universe All respondents

Note Based on DHC2_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
6 TO 9 YEARS	3	273	745,000
10 TO 11 YEARS	4	294	839,500
12 TO 14 YEARS	5	402	1,221,500
15 TO 19 YEARS	6	717	1,917,000
20 TO 24 YEARS	7	641	2,244,000
25 TO 29 YEARS	8	658	1,766,000
30 TO 34 YEARS	9	771	1,655,000
35 TO 39 YEARS	10	981	2,184,500
40 TO 44 YEARS	11	1,154	2,820,000
45 TO 49 YEARS	12	985	2,365,000
50 TO 54 YEARS	13	869	2,039,500
55 TO 59 YEARS	14	772	1,652,500
60 TO 64 YEARS	15	636	1,341,500
65 TO 69 YEARS	16	556	1,139,500
70 TO 74 YEARS	17	547	955,000
75 TO 79 YEARS	18	472	797,500
80 YEARS OR OLDER	19	687	981,000
NOT STATED	99	1,131	1,654,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DHC2_MAR	Length	2	Position	6631 - 6632
Question Name					
Concept	Marital status				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MARRIED		1		5,116	11,925,000
LIVING COMMON-LAW		2		778	1,783,500
WIDOWED		3		1,011	1,485,000
SEPARATED		4		364	833,000
DIVORCED		5		717	1,308,000
SINGLE, NEVER MARRIED		6		3,427	9,326,500
DON'T KNOW		97		2	3,500
NOT STATED		99		1,131	1,654,000
		Total		12,546	28,318,308

Variable Name	DHC2_FID	Length	1	Position	6633
Question Name					
Concept	Family ID code				
Question					
Universe	All respondents				
Note	Assigned during generic relationship module.				

Variable Name	AM62_STA	Length	1	Position	6634
Question Name					
Concept	Status of health form - H06				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
FULLY COMPLETE		1		11,415	26,664,500
NOT STATED		9		1,131	1,654,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM62_BDD **Length** 2 **Position** 6635 - 6636

Question Name

Concept Day of interview - H06 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAY OF THE MONTH	1 - 31	11,412	26,662,500
NOT STATED	99	1,134	1,656,000
	Total	12,546	28,318,308

Variable Name AM62_BMM **Length** 2 **Position** 6637 - 6638

Question Name

Concept Month of interview - H06 (start)

Question

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	2,143	5,607,000
FEBRUARY	2	735	1,984,000
MARCH	3	150	439,000
APRIL	4	96	102,500
MAY	5	125	244,000
JUNE	6	2,016	4,171,000
JULY	7	571	1,201,500
AUGUST	8	1,894	3,787,000
SEPTEMBER	9	515	1,171,000
OCTOBER	10	2,647	6,651,500
NOVEMBER	11	483	1,231,000
DECEMBER	12	37	73,500
NOT STATED	99	1,134	1,656,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM62_BYY	Length	4	Position	6639 - 6642
Question Name					
Concept	Year of interview - H06 (start)				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
2002		2002		7,956	17,664,000
2003		2003		3,459	9,000,500
NOT STATED		9999		1,131	1,654,000
		Total		12,546	28,318,308

Variable Name	AM62_SRC	Length	2	Position	6643 - 6644
Question Name					
Concept	Record number of person providing H06 information				
Question					
Universe	All respondents				
Note					

Variable Name	AM62_PXY	Length	1	Position	6645
Question Name					
Concept	H06 completed by proxy				
Question					
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
PROXY		1		1,019	2,567,500
NON-PROXY		2		10,396	24,097,000
NOT STATED		9		1,131	1,654,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	AM62FR	Length	1	Position	6646
Question Name					
Concept	Flag for reason for proxy - H06				
Question					
Universe	Respondents aged 12 and over with AM62_PXY=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		369	895,500
NOT APPLICABLE		6		54	61,500
NOT STATED		9		12,123	27,361,000
		Total		12,546	28,318,308

Variable Name	GHC2_1	Length	1	Position	6647
Question Name	GH_Q1				
Concept	Respondent's self perceived general health				
Question	In general, would you say your health is:				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
EXCELLENT		1		2,285	5,857,000
VERY GOOD		2		4,376	10,162,500
GOOD		3		3,332	7,811,500
FAIR		4		1,100	2,198,500
POOR		5		314	624,000
DON'T KNOW		7		4	5,000
REFUSAL		8		2	2,500
NOT STATED		9		1,133	1,657,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2225

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name GHC2DHDHDI **Length** 1 **Position** 6650

Question Name

Concept Health description index - (D)

Question

Universe All respondents

Note Based on GHC2_1. This variable lists the health description response categories in the reverse order of GHC2_1, starting at '0'. Higher values indicate positive self-reported health status. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POOR	0	314	624,000
FAIR	1	1,100	2,198,500
GOOD	2	3,332	7,811,500
VERY GOOD	3	4,376	10,162,500
EXCELLENT	4	2,285	5,857,000
NOT STATED	9	1,139	1,665,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SL_2_1 **Length** 2 **Position** 6651 - 6652

Question Name SL_Q1

Concept Number of hours spent sleeping per night

Question How long do you usually spend sleeping each night?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNDER 2 HOURS	1	6	10,000
2 HOURS TO LESS THAN 3 HOURS	2	27	61,000
3 HOURS TO LESS THAN 4 HOURS	3	83	159,000
4 HOURS TO LESS THAN 5 HOURS	4	267	616,500
5 HOURS TO LESS THAN 6 HOURS	5	800	1,900,500
6 HOURS TO LESS THAN 7 HOURS	6	2,257	5,388,000
7 HOURS TO LESS THAN 8 HOURS	7	3,383	7,802,500
8 HOURS TO LESS THAN 9 HOURS	8	2,690	6,094,000
9 HOURS TO LESS THAN 10 HOURS	9	544	1,306,000
10 HOURS TO LESS THAN 11 HOURS	10	191	458,500
11 HOURS TO LESS THAN 12 HOURS	11	41	105,000
12 HOURS OR MORE	12	24	45,500
NOT APPLICABLE	96	710	1,756,500
DON'T KNOW	97	19	57,000
REFUSAL	98	4	8,500
NOT STATED	99	1,500	2,549,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SL_2_2 **Length** 1 **Position** 6653
Question Name SL_Q2
Concept Frequency - trouble sleeping
Question How often do you have trouble going to sleep or staying asleep?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	3,842	9,020,500
A LITTLE OF THE TIME	2	2,912	6,856,500
SOME OF THE TIME	3	2,272	5,383,000
MOST OF THE TIME	4	905	1,938,500
ALL OF THE TIME	5	397	792,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	3	10,500
REFUSAL	8	1	3,000
NOT STATED	9	1,504	2,558,500
	Total	12,546	28,318,308

Variable Name SL_2_3 **Length** 1 **Position** 6654
Question Name SL_Q3
Concept Frequency - find sleep refreshing
Question How often do you find your sleep refreshing?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	327	775,500
A LITTLE OF THE TIME	2	919	2,238,500
SOME OF THE TIME	3	2,017	4,688,500
MOST OF THE TIME	4	4,467	10,238,500
ALL OF THE TIME	5	2,596	6,051,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	5	8,500
REFUSAL	8	1	3,000
NOT STATED	9	1,504	2,558,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SL_2_4 **Length** 1 **Position** 6655

Question Name SL_Q4

Concept Frequency - find it difficult to stay awake

Question How often do you find it difficult to stay awake when you want to?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	4,983	11,248,500
A LITTLE OF THE TIME	2	2,815	6,716,500
SOME OF THE TIME	3	1,891	4,529,500
MOST OF THE TIME	4	475	1,121,500
ALL OF THE TIME	5	158	350,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	9	34,000
REFUSAL	8	1	3,000
NOT STATED	9	1,504	2,558,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC2_HT **Length** 2 **Position** 6656 - 6657

Question Name

Concept Height

Question How tall are you without shoes on?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
3'0" (36 INCHES) (90.2 TO 92.6 CM)	26	2	2,000
3'4" (40 INCHES) (100.3 TO 102.8 CM)	30	2	4,000
3'5" (41 INCHES) (102.9 TO 105.3 CM)	31	2	5,000
3'6" (42 INCHES) (105.4 TO 107.9 CM)	32	4	13,000
3'7" (43 INCHES) (108.0 TO 110.4 CM)	33	2	5,000
3'8" (44 INCHES) (110.5 TO 112.9 CM)	34	5	9,500
3'10" (46 INCHES) (115.6 TO 118.0 CM)	36	1	1,000
3'11" (47 INCHES) (118.1 TO 120.6 CM)	37	6	20,000
4'0" (48 INCHES) (120.7 TO 123.1 CM)	38	58	161,000
4'1" (49 INCHES) (123.2 TO 125.6 CM)	39	21	50,500
4'2" (50 INCHES) (125.7 TO 128.2 CM)	40	41	102,500
4'3" (51 INCHES) (128.3 TO 130.7 CM)	41	25	71,500
4'4" (52 INCHES) (130.8 TO 133.3 CM)	42	31	85,500
4'5" (53 INCHES) (133.4 TO 135.8 CM)	43	35	161,000
4'6" (54 INCHES) (135.9 TO 138.3 CM)	44	41	100,500
4'7" (55 INCHES) (138.4 TO 140.9 CM)	45	17	41,000
4'8" (56 INCHES) (141.0 TO 143.4 CM)	46	56	131,500
4'9" (57 INCHES) (143.5 TO 146.0 CM)	47	57	128,500
4'10" (58 INCHES) (146.1 TO 148.5 CM)	48	77	236,500
4'11" (59 INCHES) (148.6 TO 151.0 CM)	49	190	450,500
5'0" (60 INCHES) (151.1 TO 153.6 CM)	50	435	881,000
5'1" (61 INCHES) (153.7 TO 156.1 CM)	51	512	1,212,500
5'2" (62 INCHES) (156.2 TO 158.7 CM)	52	881	1,899,000
5'3" (63 INCHES) (158.8 TO 161.2 CM)	53	829	1,789,000
5'4" (64 INCHES) (161.3 TO 163.7 CM)	54	1,004	2,203,500
5'5" (65 INCHES) (163.8 TO 166.3 CM)	55	870	1,923,500
5'6" (66 INCHES) (166.4 TO 168.8 CM)	56	1,000	2,271,500
5'7" (67 INCHES) (168.9 TO 171.4 CM)	57	842	1,954,000
5'8" (68 INCHES) (171.5 TO 173.9 CM)	58	957	2,273,000
5'9" (69 INCHES) (174.0 TO 176.4 CM)	59	663	1,662,500

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

5'10" (70 INCHES) (176.5 TO 179.0 CM)	60	745	1,897,500
5'11" (71 INCHES) (179.1 TO 181.5 CM)	61	617	1,473,500
6'0" (72 INCHES) (181.6 TO 184.1 CM)	62	499	1,274,000
6'1" (73 INCHES) (184.2 TO 186.6 CM)	63	257	638,500
6'2" (74 INCHES) (186.7 TO 189.1 CM)	64	202	555,000
6'3" (75 INCHES) (189.2 TO 191.7 CM)	65	84	245,000
6'4" (76 INCHES) (191.8 TO 194.2 CM)	66	61	162,000
6'5" (77 INCHES) (194.3 TO 196.8 CM)	67	13	41,000
6'6" (78 INCHES) (196.9 TO 199.3 CM)	68	14	32,500
6'7" (79 INCHES) (199.4 TO 201.8 CM)	69	3	5,500
6'8" (80 INCHES) (201.9 TO 204.4 CM)	70	2	5,000
6'10" (82 INCHES) (207.0 TO 209.5 CM)	72	1	1,500
6'11" (83 INCHES) (209.6 TO 212.0 CM)	73	1	2,500
7'0" (84 INCHES / 212.1 CM) AND OVER	74	1	5,000
NOT APPLICABLE	96	143	172,000
NOT STATED	99	1,237	1,959,000
Total		12,546	28,318,308

Variable Name	HWC2_3LB	Length	4	Position	6658 - 6661
Question Name	HW_N4				
Concept	Weight - pounds				
Question	How much do you weigh? - Pounds				
Universe	All respondents living in a household				

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	10 - 454	11,133	26,120,500
NOT APPLICABLE	9996	143	172,000
NOT STATED	9999	1,270	2,026,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC2_3KG **Length** 4 **Position** 6662 - 6665

Question Name HW_N4

Concept Weight - kilograms

Question How much do you weigh? - Kilograms

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	5 - 206	11,133	26,120,500
NOT APPLICABLE	9996	143	172,000
NOT STATED	9999	1,270	2,026,000
Total		12,546	28,318,308

Variable Name HWC2DBMI **Length** 4.1 **Position** 6666 - 6669

Question Name

Concept Body Mass Index - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women living in a household

Note Based on HWC2_HT, HWC2_3KG and PHC2_4B. Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as in previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE - BODY MASS	1.6 - 87.8	7,609	18,433,500
NOT APPLICABLE	99.6	3,733	8,019,000
NOT STATED	99.9	1,204	1,865,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HWC2DISW **Length** 2 **Position** 6670 - 6671

Question Name

Concept Standard weight (International standard) - (D)

Question

Universe Respondents aged 20 to 64 years old excluding pregnant women living in a household

Note Based on HWC2_HT, HWC2_3KG and PHC2_4B. Due to new Guidelines for Body Weight Classification, BMI is now calculated for persons 18 to 64 years old rather than 20 to 64 years old as per previous cycles. In Cycle 5 (2002) and for all previous cycles, this derived variable was recalculated. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNDERWEIGHT	1	128	366,000
NORMAL WEIGHT	2	3,129	8,121,000
OVERWEIGHT	3	2,829	6,540,000
OBESE - CLASS 1	4	1,085	2,438,500
OBESE - CLASS 11	5	274	633,000
OBESE - CLASS 111	6	164	335,000
NOT APPLICABLE	96	3,733	8,019,000
NOT STATED	99	1,204	1,865,500
Total		12,546	28,318,308

Variable Name HW_2_5 **Length** 1 **Position** 6672

Question Name BI_Q1

Concept Respondent's opinion of own weight

Question Do you consider yourself:

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OVERWEIGHT	1	4,397	9,509,000
UNDERWEIGHT	2	349	973,000
JUST ABOUT RIGHT	3	5,483	13,294,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	5	8,500
REFUSAL	8	2	1,500
NOT STATED	9	1,600	2,775,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HW_2_6 **Length** 1 **Position** 6673
Question Name BI_Q2
Concept Presently trying to lose weight
Question Are you presently trying to lose weight?
Universe Respondents who answered HW_2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,544	5,690,000
NO	2	1,850	3,811,000
NOT APPLICABLE	6	6,542	16,024,000
DON'T KNOW	7	2	7,000
REFUSAL	8	1	1,000
NOT STATED	9	1,607	2,785,500
	Total	12,546	28,318,308

Variable Name HW_2_7 **Length** 1 **Position** 6674
Question Name BI_Q3
Concept Presently trying to gain weight
Question Are you presently trying to gain weight?
Universe Respondents who answered HW_2_5=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	166	480,000
NO	2	183	493,000
NOT APPLICABLE	6	10,590	24,559,500
NOT STATED	9	1,607	2,785,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HW_2_8LB **Length** 4 **Position** 6675 - 6678

Question Name BI_N5

Concept Desired weight - pounds

Question How much would you like to weigh? - Pounds

Universe Respondents who answered HW_2_5=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	5 - 375	4,663	10,338,000
NOT APPLICABLE	9996	6,193	15,050,500
NOT STATED	9999	1,690	2,930,000
	Total	12,546	28,318,308

Variable Name HW_2_8KG **Length** 4 **Position** 6679 - 6682

Question Name BI_N5

Concept Desired weight - kilograms

Question How much would you like to weigh? - Kilograms

Universe Respondents who answered HW_2_5=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	2 - 170	4,663	10,338,000
NOT APPLICABLE	9996	6,193	15,050,500
NOT STATED	9999	1,690	2,930,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_2_1A **Length** 1 **Position** 6683
Question Name NU_Q1A
Concept Choose or avoid foods - concerned about body weight
Question Do you choose certain foods or avoid others because you are concerned about your body weight?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	5,191	11,899,000
NO	2	4,814	11,062,500
NOT APPLICABLE	6	1,112	2,978,000
DON'T KNOW	7	5	15,000
REFUSAL	8	15	20,500
NOT STATED	9	1,409	2,343,500
	Total	12,546	28,318,308

Variable Name NU_2_1C **Length** 1 **Position** 6684
Question Name NU_Q1B
Concept Choose or avoid foods - concerned about heart disease
Question Do you choose certain foods or avoid others because you are concerned about heart disease?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	4,595	10,340,000
NO	2	5,408	12,617,000
NOT APPLICABLE	6	1,112	2,978,000
DON'T KNOW	7	2	4,500
NOT STATED	9	1,429	2,379,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_2_1D	Length	1	Position	6685
Question Name	NU_Q1C				
Concept	Choose or avoid foods - concerned about cancer				
Question	Do you choose certain foods or avoid others because you are concerned about cancer?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		3,252	7,293,500
NO		2		6,749	15,663,000
NOT APPLICABLE		6		1,112	2,978,000
DON'T KNOW		7		4	5,000
NOT STATED		9		1,429	2,379,000
		Total		12,546	28,318,308

Variable Name	NU_2_1E	Length	1	Position	6686
Question Name	NU_Q1D				
Concept	Choose or avoid foods - concerned about osteoporosis				
Question	Do you choose certain foods or avoid others because you are concerned about osteoporosis (brittle bones)?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		3,048	6,497,500
NO		2		6,950	16,447,500
NOT APPLICABLE		6		1,112	2,978,000
DON'T KNOW		7		7	16,000
NOT STATED		9		1,429	2,379,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_2_2A **Length** 1 **Position** 6687
Question Name NU_Q2A
Concept Reason to choose foods - lower fat content
Question Do you choose certain foods because of the lower fat content?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	6,867	15,346,500
NO	2	3,136	7,611,500
NOT APPLICABLE	6	1,112	2,978,000
DON'T KNOW	7	2	4,000
NOT STATED	9	1,429	2,379,000
	Total	12,546	28,318,308

Variable Name NU_2_2B **Length** 1 **Position** 6688
Question Name NU_Q2B
Concept Reason to choose foods - fibre content
Question Do you choose certain foods because of the fibre content?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	5,522	12,242,500
NO	2	4,476	10,708,000
NOT APPLICABLE	6	1,112	2,978,000
DON'T KNOW	7	7	11,500
NOT STATED	9	1,429	2,379,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_2_3B	Length	1	Position	6691
Question Name	NU_Q3B				
Concept	Reason to avoid foods - type of fat				
Question	Do you avoid certain foods because of the type of fat they contain?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		5,474	12,235,500
NO		2		4,515	10,695,500
NOT APPLICABLE		6		1,112	2,978,000
DON'T KNOW		7		16	30,500
NOT STATED		9		1,429	2,379,000
		Total		12,546	28,318,308

Variable Name	NU_2_3C	Length	1	Position	6692
Question Name	NU_Q3C				
Concept	Reason to avoid foods - salt content				
Question	Do you avoid certain foods because of the salt content?				
Universe	Respondents aged 15 and over living in a household				
Note					
Content		Code		Sample	Population
YES (OR SOMETIMES)		1		4,606	9,836,500
NO		2		5,394	13,099,500
NOT APPLICABLE		6		1,112	2,978,000
DON'T KNOW		7		5	26,000
NOT STATED		9		1,429	2,379,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_2_3D **Length** 1 **Position** 6693

Question Name NU_Q3D

Concept Reason to avoid foods - cholesterol content

Question Do you avoid certain foods because of the cholesterol content?

Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	4,741	10,704,500
NO	2	5,259	12,249,500
NOT APPLICABLE	6	1,112	2,978,000
DON'T KNOW	7	5	7,500
NOT STATED	9	1,429	2,379,000
Total		12,546	28,318,308

Variable Name NU_2_3G **Length** 1 **Position** 6694

Question Name NU_Q3E

Concept Reason to avoid foods - calorie content

Question Do you avoid certain foods because of the calorie content?

Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES (OR SOMETIMES)	1	4,769	10,726,500
NO	2	5,232	12,231,000
NOT APPLICABLE	6	1,112	2,978,000
DON'T KNOW	7	4	4,000
NOT STATED	9	1,429	2,379,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_2_4A	Length	1	Position	6695
Question Name	NU_Q4A				
Concept	Took supplements - past 4 weeks				
Question	In the past 4 weeks, did you take any vitamin or mineral supplements?				
Universe	Respondents aged 15 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,611	10,619,000
NO		2		5,391	12,334,500
NOT APPLICABLE		6		1,112	2,978,000
DON'T KNOW		7		3	8,000
NOT STATED		9		1,429	2,379,000
		Total		12,546	28,318,308

Variable Name	NU_2_4B	Length	1	Position	6696
Question Name	NU_Q4B				
Concept	Took supplements - at least once a week				
Question	Did you take them at least once a week?				
Universe	Respondents who answered NU_2_4A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,393	10,043,500
NO		2		215	572,000
NOT APPLICABLE		6		6,503	15,312,500
DON'T KNOW		7		3	3,500
NOT STATED		9		1,432	2,387,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_2_4C **Length** 2 **Position** 6697 - 6698

Question Name NU_Q4C

Concept Took supplements - number of days in last week

Question Last week, on how many days did you take them?

Universe Respondents who answered NU_2_4B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	1 - 7	4,386	10,029,000
NOT APPLICABLE	96	6,718	15,884,500
DON'T KNOW	97	6	11,500
REFUSAL	98	1	3,000
NOT STATED	99	1,435	2,390,500
	Total	12,546	28,318,308

Variable Name NU_2_4D **Length** 2 **Position** 6699 - 6700

Question Name NU_Q4D

Concept Took supplements - number of days in past 4 weeks

Question In the past 4 weeks, on how many days did you take them?

Universe Respondents who answered NU_2_4B=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	1 - 21	212	566,500
NOT APPLICABLE	96	10,896	25,356,000
DON'T KNOW	97	3	5,500
NOT STATED	99	1,435	2,390,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	NU_2D4	Length	1	Position	6701
Question Name					
Concept	Number of reasons - choosing / avoiding foods (S. V.) - (D)				
Question					
Universe	Respondents aged 15 and over living in a household				
Note	Based on NU_2_1A, NU_2_1C, NU_2_1D and NU_2_1E. Source: Health Canada, Food and Nutrition Surveillance Working Group. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NONE		0		3,224	7,546,500
ONE		1		2,063	4,919,500
TWO		2		1,638	3,678,000
THREE		3		1,543	3,456,500
FOUR		4		1,525	3,337,000
NOT APPLICABLE		6		1,112	2,978,000
NOT STATED		9		1,441	2,403,000
		Total		12,546	28,318,308

Variable Name	NU_2D5	Length	1	Position	6702
Question Name					
Concept	Number of reasons for choosing foods (S. V.) - (D)				
Question					
Universe	Respondents aged 15 and over living in a household				
Note	Based on NU_2_2A to NU_2_2C. Source: Health Canada, Food and Nutrition Surveillance Working Group. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NONE		0		2,282	5,535,500
ONE		1		1,814	4,374,000
TWO		2		2,430	5,634,000
THREE		3		3,467	7,392,500
NOT APPLICABLE		6		1,112	2,978,000
NOT STATED		9		1,441	2,404,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name NU_2D6 **Length** 1 **Position** 6703

Question Name

Concept Number of reasons for avoiding foods (S. V.) - (D)

Question

Universe Respondents aged 15 and over living in a household

Note Based on NU_2_3A to NU_2_3D and NU_2_3G. Source: Health Canada, Food and Nutrition Surveillance Working Group. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	0	2,214	5,262,500
ONE	1	896	2,227,500
TWO	2	1,284	2,954,000
THREE	3	1,570	3,635,000
FOUR	4	1,850	4,170,000
FIVE	5	2,171	4,654,000
NOT APPLICABLE	6	1,112	2,978,000
NOT STATED	9	1,449	2,437,000
	Total	12,546	28,318,308

Variable Name NU_2DCON **Length** 2 **Position** 6704 - 6705

Question Name

Concept Freq. of consumption of vitamin / mineral supplements - (D)

Question

Universe Respondents aged 15 and over living in a household

Note Based on NU_2_4A to NU_2_4C. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NON-USER	1	5,391	12,334,500
OCCASIONAL USER	2	215	572,000
REGULAR USER (1-2 DAYS LAST WEEK)	3	399	964,000
REGULAR USER (3-4 DAYS LAST WEEK)	4	505	1,272,500
REGULAR USER (5-6 DAYS LAST WEEK)	5	431	1,108,500
REGULAR USER (7 DAYS LAST WEEK)	6	3,051	6,683,500
NOT APPLICABLE	96	1,112	2,978,000
NOT STATED	99	1,442	2,405,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2245

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FV_2_1A **Length** 3 **Position** 6706 - 6708
Question Name FV_Q1A
Concept Drink fruit juices - frequency
Question How often do you usually drink fruit juices such as orange, grapefruit or tomato? (For example: once a day, three times a week, twice a month)
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 30	9,990	22,941,000
NOT APPLICABLE	996	1,112	2,978,000
DON'T KNOW	997	13	31,000
REFUSAL	998	22	25,000
NOT STATED	999	1,409	2,343,500
	Total	12,546	28,318,308

Variable Name FV_2_2A **Length** 3 **Position** 6709 - 6711
Question Name FV_Q2A
Concept Eat fruit - frequency
Question Not counting juice, how often do you usually eat fruit?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 30	9,991	22,944,500
NOT APPLICABLE	996	1,112	2,978,000
DON'T KNOW	997	12	27,500
NOT STATED	999	1,431	2,368,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FV_2_3A **Length** 3 **Position** 6712 - 6714

Question Name FV_Q3A

Concept Eat green salad - frequency

Question How often do you usually eat green salad?

Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 52	9,986	22,928,500
NOT APPLICABLE	996	1,112	2,978,000
DON'T KNOW	997	16	34,500
REFUSAL	998	1	9,000
NOT STATED	999	1,431	2,368,500
	Total	12,546	28,318,308

Variable Name FV_2_4A **Length** 3 **Position** 6715 - 6717

Question Name FV_Q4A

Concept Eat potatoes - frequency

Question How often do you usually eat potatoes, not including french fries, fried potatoes or potato chips?

Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 21	9,988	22,926,000
NOT APPLICABLE	996	1,112	2,978,000
DON'T KNOW	997	15	46,000
NOT STATED	999	1,431	2,368,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FV_2_5A **Length** 3 **Position** 6718 - 6720
Question Name FV_Q5A
Concept Eat carrots - frequency
Question How often do you usually eat carrots?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 200	9,966	22,894,500
NOT APPLICABLE	996	1,112	2,978,000
DON'T KNOW	997	33	72,000
REFUSAL	998	4	5,500
NOT STATED	999	1,431	2,368,500
	Total	12,546	28,318,308

Variable Name FV_2_6A **Length** 3 **Position** 6721 - 6723
Question Name FV_Q6A
Concept Eat other vegetables - frequency
Question Not counting carrots, potatoes, or salad, how many servings of other vegetables do you usually eat?
Universe Respondents aged 15 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 40	9,962	22,861,000
NOT APPLICABLE	996	1,112	2,978,000
DON'T KNOW	997	39	107,000
REFUSAL	998	2	4,000
NOT STATED	999	1,431	2,368,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name FV_2DTOT **Length** 5.2 **Position** 6724 - 6728

Question Name

Concept Total daily consumption of fruits and vegetables - (D)

Question

Universe Respondents aged 15 and over living in a household

Note Based on FV_2_1A to FV_2_6B. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SERVINGS OF FRUITS & VEGETABLES PER DAY	0.00 - 27.14	9,916	22,755,500
NOT APPLICABLE	99.96	1,112	2,978,000
NOT STATED	99.99	1,518	2,585,000
Total		12,546	28,318,308

Variable Name PHC2_1 **Length** 1 **Position** 6729

Question Name PH_Q1

Concept Ever had blood pressure taken

Question Have you ever had your blood pressure taken?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,098	23,217,500
NO	2	233	759,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	5	36,000
NOT STATED	9	1,500	2,549,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_1B **Length** 1 **Position** 6730
Question Name PH_Q1B
Concept Last time blood pressure was taken
Question When was the last time you had your blood pressure taken?
Universe Respondents who answered PHC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO	1	6,130	13,491,500
6 MONTHS TO LESS THAN 1 YEAR AGO	2	1,912	4,427,500
1 YEAR TO LESS THAN 2 YEARS AGO	3	1,077	2,729,500
2 YEARS TO LESS THAN 5 YEARS AGO	4	574	1,487,500
5 OR MORE YEARS AGO	5	329	846,500
NOT APPLICABLE	6	943	2,515,000
DON'T KNOW	7	70	227,000
REFUSAL	8	6	8,500
NOT STATED	9	1,505	2,585,500
	Total	12,546	28,318,308

Variable Name PHC2_2 **Length** 1 **Position** 6731
Question Name PH_Q2
Concept Ever had PAP smear test
Question Have you ever had a PAP smear test?
Universe Females aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,175	10,507,000
NO	2	251	679,500
NOT APPLICABLE	6	5,878	15,193,000
DON'T KNOW	7	2	2,000
NOT STATED	9	1,240	1,937,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_2B **Length** 1 **Position** 6732
Question Name PH_Q2B
Concept Last time had PAP smear test
Question When was the last time that you had a PAP smear test?
Universe Respondents who answered PHC2_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO	1	1,290	2,847,500
6 MONTHS TO LESS THAN 1 YEAR AGO	2	1,386	2,844,500
1 YEAR TO LESS THAN 3 YEARS AGO	3	1,312	2,756,500
3 YEARS TO LESS THAN 5 YEARS AGO	4	311	576,000
5 OR MORE YEARS AGO	5	839	1,420,000
NOT APPLICABLE	6	6,129	15,872,500
DON'T KNOW	7	32	53,500
REFUSAL	8	5	8,500
NOT STATED	9	1,242	1,939,000
Total		12,546	28,318,308

Variable Name PHC2_3 **Length** 1 **Position** 6733
Question Name PH_Q3
Concept Ever had mammogram
Question Have you ever had a mammogram, that is, a breast x-ray?
Universe Females aged 35 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,928	5,722,000
NO	2	1,233	2,365,500
NOT APPLICABLE	6	7,158	18,345,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,226	1,885,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_3B **Length** 1 **Position** 6734
Question Name PH_Q3B
Concept Last time mammogram was done
Question When was the last time that you had a mammogram?
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN 6 MONTHS AGO	1	569	1,137,500
6 MONTHS TO LESS THAN 1 YEAR AGO	2	711	1,391,500
1 YEAR TO LESS THAN 2 YEARS AGO	3	701	1,364,000
2 YEARS TO LESS THAN 5 YEARS AGO	4	470	933,500
5 OR MORE YEARS AGO	5	427	783,500
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	44	104,500
REFUSAL	8	6	8,000
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

Variable Name PHC2_3CA **Length** 1 **Position** 6735
Question Name PH_Q3C
Concept Had mammogram - family history
Question Why did you have a mammogram? - Family history of breast cancer
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	301	561,500
NO	2	2,608	5,118,000
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	18	40,500
REFUSAL	8	1	1,500
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_3CB **Length** 1 **Position** 6736
Question Name PH_Q3C
Concept Had mammogram - regular check-up
Question Why did you have a mammogram? - Part of regular check-up / routine screening
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,926	3,724,500
NO	2	983	1,955,000
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	18	40,500
REFUSAL	8	1	1,500
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

Variable Name PHC2_3CC **Length** 1 **Position** 6737
Question Name PH_Q3C
Concept Had mammogram - age
Question Why did you have a mammogram? - Age
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	246	451,500
NO	2	2,663	5,228,500
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	18	40,500
REFUSAL	8	1	1,500
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_3CD **Length** 1 **Position** 6738
Question Name PH_Q3C
Concept Had mammogram - previously detected lump
Question Why did you have a mammogram? - Previously detected lump
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	340	714,000
NO	2	2,569	4,966,000
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	18	40,500
REFUSAL	8	1	1,500
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

Variable Name PHC2_3CE **Length** 1 **Position** 6739
Question Name PH_Q3C
Concept Had mammogram - follow-up treatment
Question Why did you have a mammogram? - Follow-up of breast cancer treatment
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	119	238,000
NO	2	2,790	5,442,000
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	18	40,500
REFUSAL	8	1	1,500
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_3CF **Length** 1 **Position** 6740
Question Name PH_Q3C
Concept Had mammogram - on hormone replacement therapy
Question Why did you have a mammogram? - On hormone replacement therapy
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	28	47,500
NO	2	2,881	5,632,000
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	18	40,500
REFUSAL	8	1	1,500
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

Variable Name PHC2_3CH **Length** 1 **Position** 6741
Question Name PH_Q3C
Concept Had mammogram - other reason
Question Why did you have a mammogram? - Other
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	96	224,000
NO	2	2,813	5,456,000
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	18	40,500
REFUSAL	8	1	1,500
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_3CG **Length** 1 **Position** 6742
Question Name PH_Q3C
Concept Had mammogram - breast problem
Question Why did you have a mammogram? - Breast problem
Universe Respondents who answered PHC2_3=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	148	259,000
NO	2	2,761	5,420,500
NOT APPLICABLE	6	8,391	20,711,000
DON'T KNOW	7	18	40,500
REFUSAL	8	1	1,500
NOT STATED	9	1,227	1,885,500
	Total	12,546	28,318,308

Variable Name PHC2_4 **Length** 1 **Position** 6743
Question Name PH_Q4
Concept Gave birth since last interview
Question Since our last interview, have you given birth?
Universe Females aged 15 to 49 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	234	463,500
NO	2	2,769	6,537,000
NOT APPLICABLE	6	8,190	19,201,500
NOT STATED	9	1,353	2,116,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_4A **Length** 1 **Position** 6744
Question Name PH_Q4A
Concept Used services of a doctor or midwife
Question (For your last baby,) did you use the services of a doctor, a midwife or both?
Universe Respondents who answered PHC2_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR ONLY	1	220	423,000
MIDWIFE ONLY	2	6	28,500
BOTH DOCTOR AND MIDWIFE	3	7	11,500
NEITHER	4	1	1,000
NOT APPLICABLE	6	10,959	25,738,500
NOT STATED	9	1,353	2,116,500
	Total	12,546	28,318,308

Variable Name PHC2_4B **Length** 1 **Position** 6745
Question Name PH_Q4B
Concept Currently pregnant
Question It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?
Universe Females aged 15 to 49 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	68	181,000
NO	2	2,935	6,819,000
NOT APPLICABLE	6	8,190	19,201,500
NOT STATED	9	1,353	2,116,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC2_5	Length	1	Position	6746
Question Name	PH_Q5				
Concept	Had a hysterectomy				
Question	Have you had a hysterectomy? (in other words, has your uterus been removed)				
Universe	Females aged 18 and over living in a household				
Note	Formerly WHC0_5.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,181	2,031,500
NO		2		4,248	9,145,500
NOT APPLICABLE		6		5,878	15,193,000
DON'T KNOW		7		1	22,000
REFUSAL		8		1	1,000
NOT STATED		9		1,237	1,926,000
		Total		12,546	28,318,308

Variable Name	PHC2_5B	Length	3	Position	6747 - 6749
Question Name	PH_Q5B				
Concept	Age had a hysterectomy				
Question	At what age?				
Universe	Respondents who answered PHC2_5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		19 - 85		1,177	2,027,000
NOT APPLICABLE		996		10,126	24,338,000
DON'T KNOW		997		4	4,500
NOT STATED		999		1,239	1,948,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_5CA **Length** 1 **Position** 6750
Question Name PH_Q5C
Concept Reason had a hysterectomy - cancer treatment
Question Why did you have it? - Cancer treatment
Universe Respondents who answered PHC2_5=1
Note This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	80	144,000
NO	2	1,093	1,877,500
NOT APPLICABLE	6	10,126	24,338,000
DON'T KNOW	7	8	10,000
NOT STATED	9	1,239	1,948,500
Total		12,546	28,318,308

Variable Name PHC2_5CB **Length** 1 **Position** 6751
Question Name PH_Q5C
Concept Reason had a hysterectomy - cancer prevention
Question Why did you have it? - Cancer prevention
Universe Respondents who answered PHC2_5=1
Note This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	73	118,000
NO	2	1,100	1,903,000
NOT APPLICABLE	6	10,126	24,338,000
DON'T KNOW	7	8	10,000
NOT STATED	9	1,239	1,948,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC2_5CC	Length	1	Position	6752
Question Name	PH_Q5C				
Concept	Reason had a hysterectomy - endometriosis				
Question	Why did you have it? - Endometriosis				
Universe	Respondents who answered PHC2_5=1				
Note	This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	72	137,500
NO	2	1,101	1,884,000
NOT APPLICABLE	6	10,126	24,338,000
DON'T KNOW	7	8	10,000
NOT STATED	9	1,239	1,948,500
	Total	12,546	28,318,308

Variable Name	PHC2_5CD	Length	1	Position	6753
Question Name	PH_Q5C				
Concept	Reason had a hysterectomy - tubal pregnancy				
Question	Why did you have it? - Tubal pregnancy				
Universe	Respondents who answered PHC2_5=1				
Note	This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	14	21,000
NO	2	1,159	2,000,500
NOT APPLICABLE	6	10,126	24,338,000
DON'T KNOW	7	8	10,000
NOT STATED	9	1,239	1,948,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PHC2_5CE	Length	1	Position	6754
Question Name	PH_Q5C				
Concept	Reason had a hysterectomy - benign tumors				
Question	Why did you have it? - Benign tumors (e.g., fibroids)				
Universe	Respondents who answered PHC2_5=1				
Note	This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	325	561,500
NO	2	848	1,459,500
NOT APPLICABLE	6	10,126	24,338,000
DON'T KNOW	7	8	10,000
NOT STATED	9	1,239	1,948,500
	Total	12,546	28,318,308

Variable Name	PHC2_5CF	Length	1	Position	6755
Question Name	PH_Q5C				
Concept	Reason had a hysterectomy - menstrual problems				
Question	Why did you have it? - Menstrual problems / abnormal bleeding				
Universe	Respondents who answered PHC2_5=1				
Note	This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).				

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	434	714,000
NO	2	739	1,307,500
NOT APPLICABLE	6	10,126	24,338,000
DON'T KNOW	7	8	10,000
NOT STATED	9	1,239	1,948,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PHC2_5CG **Length** 1 **Position** 6756
Question Name PH_Q5C
Concept Reason had a hysterectomy - other reason
Question Why did you have it? - Other reason
Universe Respondents who answered PHC2_5=1
Note This is the same question as PHC8_5C in Cycle 3 (1998), but the question type changed from "Mark one only" to "Mark all that apply" in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	189	353,000
NO	2	984	1,668,000
NOT APPLICABLE	6	10,126	24,338,000
DON'T KNOW	7	8	10,000
NOT STATED	9	1,239	1,948,500
	Total	12,546	28,318,308

Variable Name HCC2_1 **Length** 1 **Position** 6757
Question Name HC_Q01
Concept Overnight patient
Question In the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
Universe All respondents
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,094	2,051,000
NO	2	10,317	24,601,000
DON'T KNOW	7	2	8,500
REFUSAL	8	2	3,500
NOT STATED	9	1,131	1,654,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_1A **Length** 3 **Position** 6758 - 6760
Question Name HC_Q01A
Concept Number of nights as patient
Question For how many nights in the past 12 months, have you been a patient overnight in a hospital, nursing home or convalescent home?
Universe Respondents who answered HCC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF NIGHTS	1 - 365	948	1,868,500
NOT APPLICABLE	996	10,317	24,601,000
DON'T KNOW	997	3	11,000
NOT STATED	999	1,278	1,838,000
	Total	12,546	28,318,308

Variable Name HCC2_2A **Length** 3 **Position** 6761 - 6763
Question Name HC_Q02A
Concept Number of consultations - family doctor / g.p.
Question (Not counting when you were an overnight patient,) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a family doctor or general practitioner?
Universe All respondents living in a household
Note For respondents less than 18 years old, family doctor includes "pediatrician".

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 365	11,235	26,401,000
NOT APPLICABLE	996	143	172,000
DON'T KNOW	997	33	86,500
REFUSAL	998	2	1,500
NOT STATED	999	1,133	1,657,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_2D **Length** 3 **Position** 6769 - 6771
Question Name HC_Q02D
Concept Number of consultations - nurse
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a nurse for care or advice?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 365	11,251	26,432,500
NOT APPLICABLE	996	143	172,000
DON'T KNOW	997	15	50,000
REFUSAL	998	3	4,500
NOT STATED	999	1,134	1,659,500
	Total	12,546	28,318,308

Variable Name HCC2_2E **Length** 3 **Position** 6772 - 6774
Question Name HC_Q02E
Concept Number of consultations - dentist or orthodontist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a dentist or orthodontist?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 44	11,262	26,470,500
NOT APPLICABLE	996	143	172,000
DON'T KNOW	997	7	16,500
NOT STATED	999	1,134	1,659,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_2F **Length** 3 **Position** 6775 - 6777

Question Name HC_Q02F

Concept Number of consultations - chiropractor

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a chiropractor?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 156	11,260	26,444,500
NOT APPLICABLE	996	143	172,000
DON'T KNOW	997	9	42,500
NOT STATED	999	1,134	1,659,500
	Total	12,546	28,318,308

Variable Name HCC2_2G **Length** 3 **Position** 6778 - 6780

Question Name HC_Q02G

Concept Number of consultations - physiotherapist

Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a physiotherapist?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 365	11,263	26,456,500
NOT APPLICABLE	996	143	172,000
DON'T KNOW	997	6	30,500
NOT STATED	999	1,134	1,659,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_2H **Length** 3 **Position** 6781 - 6783
Question Name HC_Q02H
Concept Number of consultations - social worker or counsellor
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a social worker or counsellor?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 200	11,258	26,443,500
NOT APPLICABLE	996	143	172,000
DON'T KNOW	997	8	35,000
REFUSAL	998	3	8,500
NOT STATED	999	1,134	1,659,500
Total		12,546	28,318,308

Variable Name HCC2_2I **Length** 3 **Position** 6784 - 6786
Question Name HC_Q02I
Concept Number of consultations - psychologist
Question (Not counting ...) In the past 12 months, how many times have you seen or talked on the telephone about your physical, emotional or mental health with a psychologist?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	0 - 104	11,262	26,453,000
NOT APPLICABLE	996	143	172,000
DON'T KNOW	997	5	27,500
REFUSAL	998	2	6,500
NOT STATED	999	1,134	1,659,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2DHPC **Length** 1 **Position** 6791
Question Name
Concept Consultations with health professionals - (D)
Question
Universe All respondents living in a household
Note Based on HCC2_2A to HCC2_2J. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,658	24,985,000
NO	2	600	1,469,500
NOT APPLICABLE	6	143	172,000
NOT STATED	9	1,145	1,691,500
Total		12,546	28,318,308

Variable Name HCC2DMDC **Length** 3 **Position** 6792 - 6794
Question Name
Concept Number of consultations with medical doctors - (D)
Question
Universe All respondents living in a household
Note Based on HCC2_2A and HCC2_2C. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CONSULTATIONS	0 - 365	11,227	26,379,000
NOT APPLICABLE	996	143	172,000
NOT STATED	999	1,176	1,767,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3	Length	1	Position	6795
Question Name	HC_Q03				
Concept	Has regular medical doctor				
Question	Do you have a regular medical doctor?				
Universe	All respondents living in a household				
Note					
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	9,971	23,286,500
NO			2	1,288	3,162,500
NOT APPLICABLE			6	143	172,000
DON'T KNOW			7	11	40,000
NOT STATED			9	1,133	1,657,500
		Total		12,546	28,318,308

Variable Name	HCC2_4A	Length	1	Position	6796
Question Name	HC_Q04A				
Concept	Attended self-help group				
Question	In the past 12 months, have you attended a meeting of a self-help group such as AA or a cancer support group?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>			<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES			1	316	655,000
NO			2	10,380	24,217,000
NOT APPLICABLE			6	710	1,756,500
DON'T KNOW			7	6	30,500
NOT STATED			9	1,134	1,659,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_4 **Length** 1 **Position** 6797
Question Name HC_Q04
Concept Consulted alternative health care provider
Question In the past 12 months, have you seen or talked on the telephone to an alternative health care provider such as an acupuncturist, homeopath or massage therapist about your physical, emotional or mental health?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,168	2,763,500
NO	2	9,530	22,115,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	4	24,000
NOT STATED	9	1,134	1,659,500
Total		12,546	28,318,308

Variable Name HCC2_5A **Length** 1 **Position** 6798
Question Name HC_Q05
Concept Alternative health care - massage therapist
Question Who did you see or talk to? - Massage therapist
Universe Respondents who answered HCC2_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	764	1,779,000
NO	2	403	984,000
NOT APPLICABLE	6	10,240	23,871,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,138	1,683,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_5B	Length	1	Position	6799
Question Name	HC_Q05				
Concept	Alternative health care - acupuncturist				
Question	Who did you see or talk to? - Acupuncturist				
Universe	Respondents who answered HCC2_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		216	525,500
NO		2		951	2,237,500
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

Variable Name	HCC2_5C	Length	1	Position	6800
Question Name	HC_Q05				
Concept	Alternative health care - homeopath or naturopath				
Question	Who did you see or talk to? - Homeopath or naturopath				
Universe	Respondents who answered HCC2_4=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		195	480,500
NO		2		972	2,282,500
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_5D	Length	1	Position	6801
Question Name	HC_Q05				
Concept	Alternative health care - Feldenkrais or Alexander				
Question	Who did you see or talk to? - Feldenkrais or Alexander teacher				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
YES		1		1	2,000
NO		2		1,166	2,760,500
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

Variable Name	HCC2_5E	Length	1	Position	6802
Question Name	HC_Q05				
Concept	Alternative health care - relaxation therapist				
Question	Who did you see or talk to? - Relaxation therapist				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
YES		1		5	13,500
NO		2		1,162	2,749,000
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_5F	Length	1	Position	6803
Question Name	HC_Q05				
Concept	Alternative health care - biofeedback				
Question	Who did you see or talk to? - Biofeedback teacher				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
YES		1		1	1,000
NO		2		1,166	2,762,000
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

Variable Name	HCC2_5G	Length	1	Position	6804
Question Name	HC_Q05				
Concept	Alternative health care - rolfer				
Question	Who did you see or talk to? - Rolfer				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
NO		2		1,167	2,763,000
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_5H	Length	1	Position	6805
Question Name	HC_Q05				
Concept	Alternative health care - herbalist				
Question	Who did you see or talk to? - Herbalist				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
YES		1		31	54,500
NO		2		1,136	2,708,500
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

Variable Name	HCC2_5I	Length	1	Position	6806
Question Name	HC_Q05				
Concept	Alternative health care - reflexologist				
Question	Who did you see or talk to? - Reflexologist				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
YES		1		30	57,500
NO		2		1,137	2,705,000
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_5J	Length	1	Position	6807
Question Name	HC_Q05				
Concept	Alternative health care - spiritual healer				
Question	Who did you see or talk to? - Spiritual healer				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
YES		1		11	24,000
NO		2		1,156	2,738,500
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

Variable Name	HCC2_5K	Length	1	Position	6808
Question Name	HC_Q05				
Concept	Alternative health care - religious healer				
Question	Who did you see or talk to? - Religious healer				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
YES		1		1	2,000
NO		2		1,166	2,761,000
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_5L	Length	1	Position	6809
Question Name	HC_Q05				
Concept	Alternative health care - other				
Question	Who did you see or talk to? - Other				
Universe	Respondents who answered HCC2_4=1				
Note					
Content		Code		Sample	Population
YES		1		100	252,000
NO		2		1,067	2,511,000
NOT APPLICABLE		6		10,240	23,871,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,138	1,683,500
		Total		12,546	28,318,308

Variable Name	HCC2_6	Length	1	Position	6810
Question Name	HC_Q06				
Concept	Self perceived unmet health care need				
Question	During the past 12 months, was there ever a time when you felt that you needed health care but you didn't receive it?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,050	2,626,500
NO		2		9,650	22,261,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		3	17,000
NOT STATED		9		1,133	1,657,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_7A	Length	1	Position	6811
Question Name	HC_Q07				
Concept	Care not received - not available in area				
Question	Thinking of the most recent time, why didn't you get care? - Not available - in the area				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		98	166,000
NO		2		950	2,457,500
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

Variable Name	HCC2_7B	Length	1	Position	6812
Question Name	HC_Q07				
Concept	Care not received - not available when required				
Question	Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g., doctor on holidays, inconvenient hours)				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		175	386,500
NO		2		873	2,237,000
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_7C	Length	1	Position	6813
Question Name	HC_Q07				
Concept	Care not received - waiting time too long				
Question	Thinking of the most recent time, why didn't you get care? - Waiting time too long				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		355	856,000
NO		2		693	1,767,000
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

Variable Name	HCC2_7D	Length	1	Position	6814
Question Name	HC_Q07				
Concept	Care not received - felt would be inadequate				
Question	Thinking of the most recent time, why didn't you get care? - Felt would be inadequate				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		129	334,000
NO		2		919	2,289,000
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_7E	Length	1	Position	6815
Question Name	HC_Q07				
Concept	Care not received - cost				
Question	Thinking of the most recent time, why didn't you get care? - Cost				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		69	179,500
NO		2		979	2,444,000
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

Variable Name	HCC2_7F	Length	1	Position	6816
Question Name	HC_Q07				
Concept	Care not received - too busy				
Question	Thinking of the most recent time, why didn't you get care? - Too busy				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		81	277,500
NO		2		967	2,346,000
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_7G	Length	1	Position	6817
Question Name	HC_Q07				
Concept	Care not received - didn't get around to it				
Question	Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		115	328,000
NO		2		933	2,295,500
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

Variable Name	HCC2_7H	Length	1	Position	6818
Question Name	HC_Q07				
Concept	Care not received - didn't know where to go				
Question	Thinking of the most recent time, why didn't you get care? - Didn't know where to go				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		18	45,500
NO		2		1,030	2,577,500
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_7I	Length	1	Position	6819
Question Name	HC_Q07				
Concept	Care not received - transportation problems				
Question	Thinking of the most recent time, why didn't you get care? - Transportation problems				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		18	72,500
NO		2		1,030	2,551,000
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

Variable Name	HCC2_7J	Length	1	Position	6820
Question Name	HC_Q07				
Concept	Care not received - language problem				
Question	Thinking of the most recent time, why didn't you get care? - Language problems				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	2,500
NO		2		1,046	2,621,000
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_7K	Length	1	Position	6821
Question Name	HC_Q07				
Concept	Care not received - personal or family responsibilities				
Question	Thinking of the most recent time, why didn't you get care? - Personal or family responsibilities				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8	20,000
NO		2		1,040	2,603,500
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

Variable Name	HCC2_7L	Length	1	Position	6822
Question Name	HC_Q07				
Concept	Care not received - dislikes doctors / afraid				
Question	Thinking of the most recent time, why didn't you get care? - Dislikes doctors / afraid				
Universe	Respondents who answered HCC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		25	67,000
NO		2		1,023	2,556,000
NOT APPLICABLE		6		10,360	24,017,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_7M **Length** 1 **Position** 6823
Question Name HC_Q07
Concept Care not received - decided not to seek care
Question Thinking of the most recent time, why didn't you get care? - Decided not to seek care
Universe Respondents who answered HCC2_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	52	142,500
NO	2	996	2,480,500
NOT APPLICABLE	6	10,360	24,017,000
DON'T KNOW	7	2	3,500
NOT STATED	9	1,136	1,674,500
	Total	12,546	28,318,308

Variable Name HCC2_7N **Length** 1 **Position** 6824
Question Name HC_Q07
Concept Care not received - other reason
Question Thinking of the most recent time, why didn't you get care? - Other
Universe Respondents who answered HCC2_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	78	223,500
NO	2	970	2,400,000
NOT APPLICABLE	6	10,360	24,017,000
DON'T KNOW	7	2	3,500
NOT STATED	9	1,136	1,674,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_8A **Length** 1 **Position** 6825
Question Name HC_Q08
Concept Type of care not received - physical health problem
Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a physical health problem
Universe Respondents who answered HCC2_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	780	1,913,000
NO	2	270	713,500
NOT APPLICABLE	6	10,360	24,017,000
NOT STATED	9	1,136	1,674,500
Total		12,546	28,318,308

Variable Name HCC2_8B **Length** 1 **Position** 6826
Question Name HC_Q08
Concept Type of care not received - emot. or mental health problem
Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an emotional or mental health problem
Universe Respondents who answered HCC2_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	95	292,500
NO	2	955	2,334,000
NOT APPLICABLE	6	10,360	24,017,000
NOT STATED	9	1,136	1,674,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_8C **Length** 1 **Position** 6827
Question Name HC_Q08
Concept Type of care not received - regular check-up
Question Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up (including regular pre-natal care)
Universe Respondents who answered HCC2_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	189,000
NO	2	968	2,437,500
NOT APPLICABLE	6	10,360	24,017,000
NOT STATED	9	1,136	1,674,500
Total		12,546	28,318,308

Variable Name HCC2_8D **Length** 1 **Position** 6828
Question Name HC_Q08
Concept Type of care not received - injury
Question Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury
Universe Respondents who answered HCC2_6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	78	195,000
NO	2	972	2,431,500
NOT APPLICABLE	6	10,360	24,017,000
NOT STATED	9	1,136	1,674,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_8E	Length	1	Position	6829
Question Name	HC_Q08				
Concept	Type of care not received - other				
Question	Again, thinking of the most recent time, what was the type of care that was needed? - Other				
Universe	Respondents who answered HCC2_6=1				
Note					
Content		Code		Sample	Population
YES		1		64	154,500
NO		2		986	2,472,000
NOT APPLICABLE		6		10,360	24,017,000
NOT STATED		9		1,136	1,674,500
		Total		12,546	28,318,308

Variable Name	HCC2_9	Length	1	Position	6830
Question Name	HC_Q09				
Concept	Received home care services				
Question	Have you received any home care services in the past 12 months with the cost being entirely or partially covered by government?				
Universe	Respondents aged 18 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		364	662,500
NO		2		9,504	21,857,000
NOT APPLICABLE		6		1,542	4,130,500
DON'T KNOW		7		3	11,500
REFUSAL		8		2	3,500
NOT STATED		9		1,131	1,654,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_10A **Length** 1 **Position** 6831
Question Name HC_Q10
Concept Home care received - nursing care
Question What type of services have you received? - Nursing care (e.g., dressing changes)
Universe Respondents who answered HCC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	144	289,000
NO	2	220	373,500
NOT APPLICABLE	6	11,046	25,987,000
NOT STATED	9	1,136	1,669,000
	Total	12,546	28,318,308

Variable Name HCC2_10B **Length** 1 **Position** 6832
Question Name HC_Q10
Concept Home care received - other health care
Question What type of services have you received? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	40	82,000
NO	2	324	580,500
NOT APPLICABLE	6	11,046	25,987,000
NOT STATED	9	1,136	1,669,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_10C **Length** 1 **Position** 6833
Question Name HC_Q10
Concept Home care received - personal care
Question What type of services have you received? - Personal care (e.g., bathing, foot care)
Universe Respondents who answered HCC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	122	206,000
NO	2	242	456,000
NOT APPLICABLE	6	11,046	25,987,000
NOT STATED	9	1,136	1,669,000
Total		12,546	28,318,308

Variable Name HCC2_10D **Length** 1 **Position** 6834
Question Name HC_Q10
Concept Home care received - housework
Question What type of services have you received? - Housework (e.g., cleaning, laundry)
Universe Respondents who answered HCC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	168	280,000
NO	2	196	382,500
NOT APPLICABLE	6	11,046	25,987,000
NOT STATED	9	1,136	1,669,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_10E **Length** 1 **Position** 6835
Question Name HC_Q10
Concept Home care received - meal preparation or delivery
Question What type of services have you received? - Meal preparation or delivery
Universe Respondents who answered HCC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	65	120,500
NO	2	299	541,500
NOT APPLICABLE	6	11,046	25,987,000
NOT STATED	9	1,136	1,669,000
	Total	12,546	28,318,308

Variable Name HCC2_10F **Length** 1 **Position** 6836
Question Name HC_Q10
Concept Home care received - shopping
Question What type of services have you received? - Shopping
Universe Respondents who answered HCC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	19	47,500
NO	2	345	614,500
NOT APPLICABLE	6	11,046	25,987,000
NOT STATED	9	1,136	1,669,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_10G **Length** 1 **Position** 6837
Question Name HC_Q10
Concept Home care received - respite care
Question What type of services have you received? - Respite care (i.e. caregiver relief program)
Universe Respondents who answered HCC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	34,500
NO	2	343	627,500
NOT APPLICABLE	6	11,046	25,987,000
NOT STATED	9	1,136	1,669,000
	Total	12,546	28,318,308

Variable Name HCC2_10H **Length** 1 **Position** 6838
Question Name HC_Q10
Concept Home care received - other
Question What type of services have you received? - Other
Universe Respondents who answered HCC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	24	42,500
NO	2	340	619,500
NOT APPLICABLE	6	11,046	25,987,000
NOT STATED	9	1,136	1,669,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_11A	Length	1	Position	6839
Question Name	HC_Q11				
Concept	Received other home care services not covered by government				
Question	Have you received any home care services in the past 12 months, with the cost not covered by government (for example care provided by a spouse or friends)?				
Universe	Respondents who answered HCC2_9=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		355	672,000
NO		2		9,510	21,846,000
NOT APPLICABLE		6		1,542	4,130,500
DON'T KNOW		7		3	1,500
NOT STATED		9		1,136	1,669,000
		Total		12,546	28,318,308

Variable Name	HCC2_12A	Length	1	Position	6840
Question Name	HC_Q12				
Concept	Home care services - nurse from private agency				
Question	Who provided these home care services you received? - Nurse from private agency				
Universe	Respondents who answered HCC2_11A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11	14,500
NO		2		344	657,000
NOT APPLICABLE		6		11,052	25,976,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_12B	Length	1	Position	6841
Question Name	HC_Q12				
Concept	Home care services - homemaker from private agency				
Question	Who provided these home care services you received? - Homemaker from private agency				
Universe	Respondents who answered HCC2_11A=1				
Note					
Content		Code		Sample	Population
YES		1		42	63,000
NO		2		313	608,500
NOT APPLICABLE		6		11,052	25,976,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_12C	Length	1	Position	6842
Question Name	HC_Q12				
Concept	Home care services - neighbour or friend				
Question	Who provided these home care services you received? - Neighbour or friend				
Universe	Respondents who answered HCC2_11A=1				
Note					
Content		Code		Sample	Population
YES		1		75	136,500
NO		2		280	535,000
NOT APPLICABLE		6		11,052	25,976,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_12D	Length	1	Position	6843
Question Name	HC_Q12				
Concept	Home care services - family member				
Question	Who provided these home care services you received? - Family member				
Universe	Respondents who answered HCC2_11A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		217	432,500
NO		2		138	239,000
NOT APPLICABLE		6		11,052	25,976,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_12E	Length	1	Position	6844
Question Name	HC_Q12				
Concept	Home care services - volunteer				
Question	Who provided these home care services you received? - Volunteer				
Universe	Respondents who answered HCC2_11A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		14	22,000
NO		2		341	650,000
NOT APPLICABLE		6		11,052	25,976,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_12F **Length** 1 **Position** 6845
Question Name HC_Q12
Concept Home care services - other
Question Who provided these home care services you received? - Other
Universe Respondents who answered HCC2_11A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	36	73,500
NO	2	319	598,500
NOT APPLICABLE	6	11,052	25,976,000
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

Variable Name HCC2_3AA **Length** 1 **Position** 6846
Question Name HC_Q13
Concept Service type / nurse - nursing care
Question What type of services have you received from a nurse from a private agency? - Nursing care (e.g., dressing changes)
Universe Respondents who answered HCC2_12A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7	10,000
NO	2	4	4,500
NOT APPLICABLE	6	11,396	26,633,500
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3AB **Length** 1 **Position** 6847
Question Name HC_Q13
Concept Service type / nurse - other health care services
Question What type of services have you received from a nurse from a private agency? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC2_12A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	11	14,500
NOT APPLICABLE	6	11,396	26,633,500
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3AC **Length** 1 **Position** 6848
Question Name HC_Q13
Concept Service type / nurse - personal care
Question What type of services have you received from a nurse from a private agency? - Personal care (e.g., bathing, foot care)
Universe Respondents who answered HCC2_12A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	3,500
NO	2	7	11,000
NOT APPLICABLE	6	11,396	26,633,500
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3AD **Length** 1 **Position** 6849
Question Name HC_Q13
Concept Service type / nurse - housework
Question What type of services have you received from a nurse from a private agency? - Housework (e.g., cleaning, laundry)
Universe Respondents who answered HCC2_12A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	2,000
NO	2	8	12,500
NOT APPLICABLE	6	11,396	26,633,500
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3AE **Length** 1 **Position** 6850
Question Name HC_Q13
Concept Service type / nurse - meal prep. or delivery
Question What type of services have you received from a nurse from a private agency? - Meal preparation or delivery
Universe Respondents who answered HCC2_12A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	11	14,500
NOT APPLICABLE	6	11,396	26,633,500
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3AF	Length	1	Position	6851
Question Name	HC_Q13				
Concept	Service type / nurse - shopping				
Question	What type of services have you received from a nurse from a private agency? - Shopping				
Universe	Respondents who answered HCC2_12A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	1,000
NO		2		10	14,000
NOT APPLICABLE		6		11,396	26,633,500
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3AG	Length	1	Position	6852
Question Name	HC_Q13				
Concept	Service type / nurse - respite care				
Question	What type of services have you received from a nurse from a private agency? - Respite care (i.e. caregiver relief program)				
Universe	Respondents who answered HCC2_12A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		11	14,500
NOT APPLICABLE		6		11,396	26,633,500
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3AH **Length** 1 **Position** 6853
Question Name HC_Q13
Concept Service type / nurse - other service
Question What type of services have you received from a nurse from a private agency? - Other
Universe Respondents who answered HCC2_12A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	11	14,500
NOT APPLICABLE	6	11,396	26,633,500
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3BA **Length** 1 **Position** 6854
Question Name HC_Q13
Concept Service type / homemaker - nursing care
Question What type of services have you received from a homemaker from a private agency? - Nursing care (e.g., dressing changes)
Universe Respondents who answered HCC2_12B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	1,500
NO	2	40	61,500
NOT APPLICABLE	6	11,365	26,585,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3BB **Length** 1 **Position** 6855
Question Name HC_Q13
Concept Service type / homemaker - other health care services
Question What type of services have you received from a homemaker from a private agency? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC2_12B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	42	63,000
NOT APPLICABLE	6	11,365	26,585,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3BC **Length** 1 **Position** 6856
Question Name HC_Q13
Concept Service type / homemaker - personal care
Question What type of services have you received from a homemaker from a private agency? - Personal care (e.g., bathing, foot care)
Universe Respondents who answered HCC2_12B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	9,000
NO	2	37	54,500
NOT APPLICABLE	6	11,365	26,585,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3BD **Length** 1 **Position** 6857
Question Name HC_Q13
Concept Service type / homemaker - housework
Question What type of services have you received from a homemaker from a private agency? - Housework (e.g., cleaning, laundry)
Universe Respondents who answered HCC2_12B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	40	63,000
NO	2	2	1,000
NOT APPLICABLE	6	11,365	26,585,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3BE **Length** 1 **Position** 6858
Question Name HC_Q13
Concept Service type / homemaker - meal prep. or delivery
Question What type of services have you received from a homemaker from a private agency? - Meal preparation or delivery
Universe Respondents who answered HCC2_12B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	14,000
NO	2	31	49,500
NOT APPLICABLE	6	11,365	26,585,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3BF	Length	1	Position	6859
Question Name	HC_Q13				
Concept	Service type / homemaker - shopping				
Question	What type of services have you received from a homemaker from a private agency? - Shopping				
Universe	Respondents who answered HCC2_12B=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	11,000
NO		2		37	52,000
NOT APPLICABLE		6		11,365	26,585,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3BG	Length	1	Position	6860
Question Name	HC_Q13				
Concept	Service type / homemaker - respite care				
Question	What type of services have you received from a homemaker from a private agency? - Respite care (i.e. caregiver relief program)				
Universe	Respondents who answered HCC2_12B=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	3,000
NO		2		41	60,500
NOT APPLICABLE		6		11,365	26,585,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3BH	Length	1	Position	6861
Question Name	HC_Q13				
Concept	Service type / homemaker - other service				
Question	What type of services have you received from a homemaker from a private agency? - Other				
Universe	Respondents who answered HCC2_12B=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1	3,000
NO		2		41	60,000
NOT APPLICABLE		6		11,365	26,585,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3CA	Length	1	Position	6862
Question Name	HC_Q13				
Concept	Service type / neighbour or friend - nursing care				
Question	What type of services have you received from a neighbour or friend? - Nursing care (e.g., dressing changes)				
Universe	Respondents who answered HCC2_12C=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5	15,000
NO		2		69	121,000
NOT APPLICABLE		6		11,332	26,511,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3CB **Length** 1 **Position** 6863
Question Name HC_Q13
Concept Service type / neighbour or friend - other health care serv.
Question What type of services have you received from a neighbour or friend? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC2_12C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	74	136,000
NOT APPLICABLE	6	11,332	26,511,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3CC **Length** 1 **Position** 6864
Question Name HC_Q13
Concept Service type / neighbour or friend - personal care
Question What type of services have you received from a neighbour or friend? - Personal care (e.g., bathing, foot care)
Universe Respondents who answered HCC2_12C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	19,000
NO	2	61	117,000
NOT APPLICABLE	6	11,332	26,511,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3CD **Length** 1 **Position** 6865
Question Name HC_Q13
Concept Service type / neighbour or friend - housework
Question What type of services have you received from a neighbour or friend? - Housework (e.g., cleaning, laundry)
Universe Respondents who answered HCC2_12C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	41	78,000
NO	2	33	58,000
NOT APPLICABLE	6	11,332	26,511,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

Variable Name HCC2_3CE **Length** 1 **Position** 6866
Question Name HC_Q13
Concept Service type / neighbour or friend - meal prep. or delivery
Question What type of services have you received from a neighbour or friend? - Meal preparation or delivery
Universe Respondents who answered HCC2_12C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	36	78,000
NO	2	38	58,000
NOT APPLICABLE	6	11,332	26,511,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3CF **Length** 1 **Position** 6867
Question Name HC_Q13
Concept Service type / neighbour or friend - shopping
Question What type of services have you received from a neighbour or friend? - Shopping
Universe Respondents who answered HCC2_12C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	60,000
NO	2	42	76,000
NOT APPLICABLE	6	11,332	26,511,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3CG **Length** 1 **Position** 6868
Question Name HC_Q13
Concept Service type / neighbour or friend - respite care
Question What type of services have you received from a neighbour or friend? - Respite care (i.e. caregiver relief program)
Universe Respondents who answered HCC2_12C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	7,500
NO	2	71	128,000
NOT APPLICABLE	6	11,332	26,511,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3CH	Length	1	Position	6869
Question Name	HC_Q13				
Concept	Service type / neighbour or friend - other service				
Question	What type of services have you received from a neighbour or friend? - Other				
Universe	Respondents who answered HCC2_12C=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7	15,000
NO		2		67	121,000
NOT APPLICABLE		6		11,332	26,511,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3DA	Length	1	Position	6870
Question Name	HC_Q13				
Concept	Service type / family member - nursing care				
Question	What type of services have you received from a family member? - Nursing care (e.g., dressing changes)				
Universe	Respondents who answered HCC2_12D=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		29	83,000
NO		2		187	347,500
NOT APPLICABLE		6		11,190	26,215,500
DON'T KNOW		7		1	2,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3DB **Length** 1 **Position** 6871
Question Name HC_Q13
Concept Service type / family member - other health care services
Question What type of services have you received from a family member? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC2_12D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10	19,000
NO	2	206	411,500
NOT APPLICABLE	6	11,190	26,215,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

Variable Name HCC2_3DC **Length** 1 **Position** 6872
Question Name HC_Q13
Concept Service type / family member - personal care
Question What type of services have you received from a family member? - Personal care (e.g., bathing, foot care)
Universe Respondents who answered HCC2_12D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	67	150,500
NO	2	149	280,000
NOT APPLICABLE	6	11,190	26,215,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3DD **Length** 1 **Position** 6873
Question Name HC_Q13
Concept Service type / family member - housework
Question What type of services have you received from a family member? - Housework (e.g., cleaning, laundry)
Universe Respondents who answered HCC2_12D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	147	282,000
NO	2	69	148,500
NOT APPLICABLE	6	11,190	26,215,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

Variable Name HCC2_3DE **Length** 1 **Position** 6874
Question Name HC_Q13
Concept Service type / family member - meal prep. or delivery
Question What type of services have you received from a family member? - Meal preparation or delivery
Universe Respondents who answered HCC2_12D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	124	257,500
NO	2	92	173,000
NOT APPLICABLE	6	11,190	26,215,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3DF **Length** 1 **Position** 6875
Question Name HC_Q13
Concept Service type / family member - shopping
Question What type of services have you received from a family member? - Shopping
Universe Respondents who answered HCC2_12D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	114	221,000
NO	2	102	209,500
NOT APPLICABLE	6	11,190	26,215,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3DG **Length** 1 **Position** 6876
Question Name HC_Q13
Concept Service type / family member - respite care
Question What type of services have you received from a family member? - Respite care (i.e. caregiver relief program)
Universe Respondents who answered HCC2_12D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	13	27,500
NO	2	203	403,000
NOT APPLICABLE	6	11,190	26,215,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3DH **Length** 1 **Position** 6877
Question Name HC_Q13
Concept Service type / family member - other service
Question What type of services have you received from a family member? - Other
Universe Respondents who answered HCC2_12D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	22	39,000
NO	2	194	391,500
NOT APPLICABLE	6	11,190	26,215,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3EA **Length** 1 **Position** 6878
Question Name HC_Q13
Concept Service type / volunteer - nursing care
Question What type of services have you received from a volunteer? - Nursing care (e.g., dressing changes)
Universe Respondents who answered HCC2_12E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO	2	14	22,000
NOT APPLICABLE	6	11,393	26,626,000
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3EB	Length	1	Position	6879
Question Name	HC_Q13				
Concept	Service type / volunteer - other health care services				
Question	What type of services have you received from a volunteer? - Other health care services (e.g., physiotherapy, nutrition counselling)				
Universe	Respondents who answered HCC2_12E=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		14	22,000
NOT APPLICABLE		6		11,393	26,626,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3EC	Length	1	Position	6880
Question Name	HC_Q13				
Concept	Service type / volunteer - personal care				
Question	What type of services have you received from a volunteer? - Personal care (e.g., bathing, foot care)				
Universe	Respondents who answered HCC2_12E=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	3,000
NO		2		12	18,500
NOT APPLICABLE		6		11,393	26,626,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3ED	Length	1	Position	6881
Question Name	HC_Q13				
Concept	Service type / volunteer - housework				
Question	What type of services have you received from a volunteer? - Housework (e.g., cleaning, laundry)				
Universe	Respondents who answered HCC2_12E=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	5,500
NO		2		10	16,000
NOT APPLICABLE		6		11,393	26,626,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3EE	Length	1	Position	6882
Question Name	HC_Q13				
Concept	Service type / volunteer - meal prep. or delivery				
Question	What type of services have you received from a volunteer? - Meal preparation or delivery				
Universe	Respondents who answered HCC2_12E=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6	8,000
NO		2		8	14,000
NOT APPLICABLE		6		11,393	26,626,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3EF	Length	1	Position	6883
Question Name	HC_Q13				
Concept	Service type / volunteer - shopping				
Question	What type of services have you received from a volunteer? - Shopping				
Universe	Respondents who answered HCC2_12E=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	2,000
NO		2		12	20,000
NOT APPLICABLE		6		11,393	26,626,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3EG	Length	1	Position	6884
Question Name	HC_Q13				
Concept	Service type / volunteer - respite care				
Question	What type of services have you received from a volunteer? - Respite care (i.e. caregiver relief program)				
Universe	Respondents who answered HCC2_12E=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		14	22,000
NOT APPLICABLE		6		11,393	26,626,000
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3EH **Length** 1 **Position** 6885
Question Name HC_Q13
Concept Service type / volunteer - other service
Question What type of services have you received from a volunteer? - Other
Universe Respondents who answered HCC2_12E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	4,500
NO	2	11	17,000
NOT APPLICABLE	6	11,393	26,626,000
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

Variable Name HCC2_3FA **Length** 1 **Position** 6886
Question Name HC_Q13
Concept Service type / other - nursing care
Question What type of services have you received from other? - Nursing care (e.g., dressing changes)
Universe Respondents who answered HCC2_12F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5	11,500
NO	2	31	62,000
NOT APPLICABLE	6	11,371	26,574,500
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3FB **Length** 1 **Position** 6887
Question Name HC_Q13
Concept Service type / other - other health care services
Question What type of services have you received from other? - Other health care services (e.g., physiotherapy, nutrition counselling)
Universe Respondents who answered HCC2_12F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2	4,500
NO	2	34	69,000
NOT APPLICABLE	6	11,371	26,574,500
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

Variable Name HCC2_3FC **Length** 1 **Position** 6888
Question Name HC_Q13
Concept Service type / other - personal care
Question What type of services have you received from other? - Personal care (e.g., bathing, foot care)
Universe Respondents who answered HCC2_12F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	18,000
NO	2	28	55,500
NOT APPLICABLE	6	11,371	26,574,500
NOT STATED	9	1,139	1,670,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3FD	Length	1	Position	6889
Question Name	HC_Q13				
Concept	Service type / other - housework				
Question	What type of services have you received from other? - Housework (e.g., cleaning, laundry)				
Universe	Respondents who answered HCC2_12F=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		23	42,000
NO		2		13	31,500
NOT APPLICABLE		6		11,371	26,574,500
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3FE	Length	1	Position	6890
Question Name	HC_Q13				
Concept	Service type / other - meal prep. or delivery				
Question	What type of services have you received from other? - Meal preparation or delivery				
Universe	Respondents who answered HCC2_12F=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		9	16,500
NO		2		27	57,000
NOT APPLICABLE		6		11,371	26,574,500
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HCC2_3FF	Length	1	Position	6891
Question Name	HC_Q13				
Concept	Service type / other - shopping				
Question	What type of services have you received from other? - Shopping				
Universe	Respondents who answered HCC2_12F=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		8	17,000
NO		2		28	56,500
NOT APPLICABLE		6		11,371	26,574,500
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

Variable Name	HCC2_3FG	Length	1	Position	6892
Question Name	HC_Q13				
Concept	Service type / other - respite care				
Question	What type of services have you received from other? - Respite care (i.e. caregiver relief program)				
Universe	Respondents who answered HCC2_12F=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	4,000
NO		2		34	69,000
NOT APPLICABLE		6		11,371	26,574,500
NOT STATED		9		1,139	1,670,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HCC2_3FH **Length** 1 **Position** 6893
Question Name HC_Q13
Concept Service type / other - other service
Question What type of services have you received from other? - Other
Universe Respondents who answered HCC2_12F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	10,500
NO	2	32	63,000
NOT APPLICABLE	6	11,371	26,574,500
NOT STATED	9	1,139	1,670,500
	Total	12,546	28,318,308

Variable Name RAC2_1A **Length** 1 **Position** 6894
Question Name RA_Q1A
Concept Limited in kind / amount of activities - at home
Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do at home?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,781	3,563,000
NO	2	9,628	23,088,500
DON'T KNOW	7	2	6,000
REFUSAL	8	2	3,500
NOT STATED	9	1,133	1,657,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC2_1D **Length** 1 **Position** 6897
Question Name RA_Q1D
Concept Limited in kind / amount of activities - other
Question Because of a long-term physical or mental condition or a health problem, are you limited in the kind or amount of activity you can do in other activities such as transportation to or from work or school or leisure time activities?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,584	3,328,000
NO	2	9,822	23,303,000
DON'T KNOW	7	4	21,500
NOT STATED	9	1,136	1,665,500
Total		12,546	28,318,308

Variable Name RAC2_2 **Length** 1 **Position** 6898
Question Name RA_Q2
Concept Has long-term disabilities or handicaps
Question Do you have any long-term disabilities or handicaps?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,840	3,846,500
NO	2	9,558	22,784,000
DON'T KNOW	7	9	18,500
REFUSAL	8	1	3,000
NOT STATED	9	1,138	1,666,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC2F1	Length	1	Position	6899
Question Name					
Concept	Flag for restriction of activity				
Question					
Universe	All respondents				
Note	Based on RAC2_1A to RAC2_1D and RAC2_2. In the calculation of Cycle 1 (1994) Restriction of Activity Flag, the category "No" included "Don't Know" and "Refusal" but in Cycle 2 (1996) and beyond, the category "No" was only responses of "No. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,740	5,775,500
NO		2		8,664	20,850,500
NOT STATED		9		1,142	1,692,500
		Total		12,546	28,318,308

Variable Name	RAC2F2	Length	1	Position	6900
Question Name					
Concept	Restriction of activity flag (excl. long-term disability)				
Question					
Universe	All respondents				
Note	Based on RAC2_1A to RAC2_1D. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,294	4,830,500
NO		2		9,112	21,800,500
NOT STATED		9		1,140	1,687,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC2F3 **Length** 1 **Position** 6901

Question Name RA_Q3

Concept Flag for problem causing limitation or handicap

Question What is the main condition or health problem causing you (to be limited in your activities / to have a long-term disability or handicap)?

Universe Respondents with RAC2F1=1

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,729	5,752,500
NOT APPLICABLE	6	8,664	20,850,500
DON'T KNOW	7	5	17,000
NOT STATED	9	1,148	1,698,500
Total		12,546	28,318,308

Variable Name RAC2CIC **Length** 5 **Position** 6902 - 6906

Question Name RA_Q3

Concept ICD-9 code - main health problem causing limitations

Question

Universe Respondents with RAC2F1=1

Note Based on the International Classification of Diseases, 9th revision (ICD-9).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ICD-9 CODE	0V222 - 9953	2,729	5,752,500
NOT APPLICABLE	99996	8,664	20,850,500
DON'T KNOW	99997	5	17,000
NOT STATED	99999	1,148	1,698,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC2GC12 **Length** 2 **Position** 6907 - 6908

Question Name

Concept Main health problem - 12 groups - (D,G)

Question

Universe Respondents with RAC2F1=1

Note Based on RAC2CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DISEASES OF NERVOUS SYSTEM AND SENSES	1	456	999,500
ISCHEMIC HEART DISEASE	2	31	68,000
OTHER HEART CONDITIONS	3	155	281,000
OTHER CIRCULATORY DISEASES	4	77	160,500
DISEASES OF RESPIRATORY/DIGESTIVE SYSTEM	5	205	454,000
ARTHRITIS - LIMBS	6	47	94,500
ARTHRITIS - BACK AND SPINE	7	13	23,500
ARTHRITIS - OTHER AND UNSPECIFIED	8	319	554,000
DISEASES OF THE MSCT - LIMBS	9	357	764,000
DISEASES OF THE MSCT - BACK AND SPINE	10	414	902,000
DISEASES OF THE MSCT - OTHER	11	103	178,000
OTHER	12	552	1,274,000
NOT APPLICABLE	96	8,664	20,850,500
NOT STATED	99	1,153	1,715,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC2GC25 **Length** 2 **Position** 6909 - 6910

Question Name

Concept Main health problem - 25 groups - (D,G)

Question

Universe Respondents with RAC2F1=1

Note Based on RAC2CIC (The International Classification of Diseases, 9th revision (ICD-9)). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MENTAL RETARDATION	1	13	37,000
MENTAL DISORDERS	2	133	320,000
SIGHT DISORDER	3	73	133,500
HEARING DISORDER	4	80	190,000
OTHER DISORDERS OF NERVOUS SYSTEM	5	157	319,000
HYPERTENSIVE DISEASE	6	9	20,500
ISCHEMIC HEART DISEASE	7	31	68,000
OTHER HEART CONDITIONS	8	146	260,500
OTHER CIRCULATORY DISORDERS	9	77	160,500
BRONCHITIS AND EMPHYSEMA	10	21	44,000
ASTHMA	11	96	228,500
OTHER RESPIRATORY DISORDERS	12	34	61,500
DISORDERS OF DIGESTIVE SYSTEM	13	54	120,000
INFECTIOUS AND PARASITIC DISEASES	14	32	75,000
ARTHRITIS - LOWER LIMBS	15	43	88,500
ARTHRITIS - UPPER LIMBS	16	4	6,500
ARTHRITIS - BACK AND SPINE	17	13	23,500
ARTHRITIS - OTHER AND UNSPECIFIED	18	319	554,000
MUSC. SKELETAL - LOWER LIMBS	19	254	522,000
MUSC. SKELETAL - UPPER LIMBS	20	103	242,000
MUSC. SKELETAL - BACK AND SPINE	21	414	902,000
MUSC. SKELETAL - OTHER	22	103	178,000
NEOPLASMS	23	54	128,000
ENDOCRINE, NUTRITIONAL, ETC.	24	67	142,000
OTHER	25	399	929,000
NOT APPLICABLE	96	8,664	20,850,500
NOT STATED	99	1,153	1,715,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC2_6B	Length	1	Position	6917
Question Name	RA_Q6B				
Concept	Needs help for - shopping for necessities				
Question	Because of any condition or health problem, do you need the help of another person in shopping for groceries or other necessities?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		616	1,201,500
NO		2		10,080	23,655,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		5	40,000
NOT STATED		9		1,135	1,665,500
		Total		12,546	28,318,308

Variable Name	RAC2_6C	Length	1	Position	6918
Question Name	RA_Q6C				
Concept	Needs help for - housework				
Question	Because of any condition or health problem, do you need the help of another person in doing normal everyday housework?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		711	1,442,000
NO		2		9,985	23,437,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		5	17,000
NOT STATED		9		1,135	1,665,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC2_6D **Length** 1 **Position** 6919

Question Name RA_Q6D

Concept Needs help for - heavy household chores

Question Because of any condition or health problem, do you need the help of another person in doing heavy household chores such as washing walls or yard work?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,745	3,434,000
NO	2	8,942	21,422,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	12	35,000
REFUSAL	8	2	5,500
NOT STATED	9	1,135	1,665,500
	Total	12,546	28,318,308

Variable Name RAC2_6E **Length** 1 **Position** 6920

Question Name RA_Q6E

Concept Needs help for - personal care

Question Because of any condition or health problem, do you need the help of another person in personal care such as washing, dressing or eating?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	328	596,500
NO	2	10,509	24,428,500
NOT APPLICABLE	6	567	1,584,500
DON'T KNOW	7	4	36,000
REFUSAL	8	1	4,000
NOT STATED	9	1,137	1,668,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RAC2_6F **Length** 1 **Position** 6921

Question Name RA_Q6F

Concept Needs help for - moving about inside the house

Question Because of any condition or health problem, do you need the help of another person in moving about inside the house?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	227	441,500
NO	2	10,611	24,605,500
NOT APPLICABLE	6	567	1,584,500
DON'T KNOW	7	3	14,000
REFUSAL	8	1	4,000
NOT STATED	9	1,137	1,668,500
Total		12,546	28,318,308

Variable Name RAC2_6G **Length** 1 **Position** 6922

Question Name RA_Q6G

Concept Needs help for - going outdoors

Question Because of any condition or health problem, do you need the help of another person in going outdoors in any weather?

Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	469	936,500
NO	2	10,228	23,944,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	3	12,000
REFUSAL	8	1	4,000
NOT STATED	9	1,135	1,665,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	RAC2F6	Length	1	Position	6923
Question Name					
Concept	Flag for need for help in series of tasks (indoors)				
Question					
Universe	Respondents aged 12 and over				
Note	Any "yes" in RAC2_6A to RAC2_6F. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,945	3,738,000
NO		2		8,882	21,238,500
NOT APPLICABLE		6		567	1,584,500
NOT STATED		9		1,152	1,757,000
		Total		12,546	28,318,308

Variable Name	RAC2F6X	Length	1	Position	6924
Question Name					
Concept	Flag - need for help in series of tasks indoors and outdoors				
Question					
Universe	Respondents aged 12 and over				
Note	Based on RAC2_6A to RAC2_6G. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,982	3,823,000
NO		2		8,818	21,124,000
NOT APPLICABLE		6		567	1,584,500
NOT STATED		9		1,179	1,786,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_1A	Length	1	Position	6925
Question Name	CC_Q011				
Concept	Has food allergies				
Question	Do you have food allergies?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		985	2,411,500
NO		2		10,280	24,057,000
NOT APPLICABLE		6		143	172,000
DON'T KNOW		7		5	20,500
REFUSAL		8		2	3,500
NOT STATED		9		1,131	1,654,000
		Total		12,546	28,318,308

Variable Name	CCC2_1B	Length	1	Position	6926
Question Name	CC_Q021				
Concept	Has allergies other than food allergies				
Question	Do you have any other allergies?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		3,154	7,707,000
NO		2		8,113	18,770,000
NOT APPLICABLE		6		143	172,000
DON'T KNOW		7		3	12,500
NOT STATED		9		1,133	1,657,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2332

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_1C **Length** 1 **Position** 6927
Question Name CC_Q031
Concept Has asthma
Question Do you have asthma?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,033	2,460,500
NO	2	10,368	24,172,500
DON'T KNOW	7	8	24,000
NOT STATED	9	1,137	1,661,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_C3M **Length** 2 **Position** 6928 - 6929

Question Name CC_Q032

Concept Asthma - month diagnosed

Question When were you diagnosed with this "asthma"? - Month

Universe Respondents who answered CCC0_1C<>1 and CCC2_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	15	48,000
FEBRUARY	2	7	20,000
MARCH	3	7	10,500
APRIL	4	13	23,500
MAY	5	9	25,000
JUNE	6	22	58,500
JULY	7	5	4,500
AUGUST	8	7	8,000
SEPTEMBER	9	12	26,000
OCTOBER	10	15	36,500
NOVEMBER	11	9	22,500
DECEMBER	12	5	15,500
NOT APPLICABLE	96	11,236	26,205,500
DON'T KNOW	97	45	138,000
REFUSAL	98	1	2,500
NOT STATED	99	1,138	1,674,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_C3Y **Length** 4 **Position** 6930 - 6933
Question Name CC_Q032
Concept Asthma - year diagnosed
Question When were you diagnosed with this "asthma"? - Year
Universe Respondents who answered CCC0_1C<>1 and CCC2_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1960 - 2003	160	412,500
NOT APPLICABLE	9996	11,236	26,205,500
DON'T KNOW	9997	11	24,000
REFUSAL	9998	1	2,500
NOT STATED	9999	1,138	1,674,500
	Total	12,546	28,318,308

Variable Name CCC2_C4 **Length** 1 **Position** 6934
Question Name CC_Q032X
Concept Asthma - had prior to last interview
Question So you had asthma prior to our last interview?
Universe Respondents with a CCC2_C3 date prior to the last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	82	233,000
NOT APPLICABLE	6	11,314	26,384,500
NOT STATED	9	1,150	1,700,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_C1 **Length** 1 **Position** 6935
Question Name CC_Q033
Concept Asthma - condition disappeared
Question During our last interview, it was reported that you had asthma, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over and proxy respondents aged less than 12 who answered CCC0_1C=1 and CCC2_1C=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	142	393,500
NEVER HAD ASTHMA	3	48	105,000
NOT APPLICABLE	6	11,212	26,125,500
DON'T KNOW	7	3	19,000
NOT STATED	9	1,141	1,675,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_C2M **Length** 2 **Position** 6936 - 6937
Question Name CC_Q034
Concept Asthma - month condition disappeared
Question When did it "asthma" disappear? - Month
Universe Respondents who answered CCC2_C1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	10	22,500
FEBRUARY	2	2	5,000
MARCH	3	6	22,500
APRIL	4	11	30,000
MAY	5	7	18,000
JUNE	6	14	40,500
JULY	7	12	24,000
AUGUST	8	6	15,500
SEPTEMBER	9	10	23,000
OCTOBER	10	7	21,000
NOVEMBER	11	5	7,000
DECEMBER	12	9	32,500
NOT APPLICABLE	96	11,260	26,230,500
DON'T KNOW	97	42	130,500
REFUSAL	98	1	2,500
NOT STATED	99	1,144	1,694,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_C2Y **Length** 4 **Position** 6938 - 6941
Question Name CC_Q034
Concept Asthma - year condition disappeared
Question When did it "asthma" disappear? - Year
Universe Respondents who answered CCC2_C1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2000 - 2002	127	344,000
NOT APPLICABLE	9996	11,260	26,230,500
DON'T KNOW	9997	15	49,500
NOT STATED	9999	1,144	1,694,000
	Total	12,546	28,318,308

Variable Name CCC2_C5 **Length** 1 **Position** 6942
Question Name CC_Q035
Concept Asthma - had symptoms or attacks
Question Have you had any asthma symptoms or asthma attacks in the past 12 months?
Universe Respondents who answered CCC2_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	548	1,274,500
NO	2	474	1,172,500
NOT APPLICABLE	6	10,381	24,187,500
DON'T KNOW	7	2	2,000
NOT STATED	9	1,141	1,681,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_C6 **Length** 1 **Position** 6943
Question Name CC_Q036
Concept Asthma - took medication
Question In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?
Universe Respondents who answered CCC2_1C=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	771	1,783,000
NO	2	253	666,000
NOT APPLICABLE	6	10,381	24,187,500
NOT STATED	9	1,141	1,681,500
Total		12,546	28,318,308

Variable Name CCC2_1X **Length** 1 **Position** 6944
Question Name CC_Q041
Concept Has fibromyalgia
Question Remember, we're interested in conditions diagnosed by a health professional. Do you have fibromyalgia?
Universe Respondents aged 12 and over living in a household
Note The list of chronic conditions changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	147	307,500
NO	2	10,547	24,560,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	9	37,000
NOT STATED	9	1,133	1,657,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_X3M **Length** 2 **Position** 6945 - 6946

Question Name CC_Q042

Concept Fibromyalgia - month diagnosed

Question When were you diagnosed with this "fibromyalgia"? - Month

Universe Respondents who answered CCC0_1X<>1 and CCC2_1X=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	4	9,500
FEBRUARY	2	7	16,000
MARCH	3	1	3,000
APRIL	4	7	14,000
MAY	5	1	2,500
JUNE	6	6	11,500
JULY	7	3	4,500
SEPTEMBER	9	5	10,500
OCTOBER	10	1	3,500
NOVEMBER	11	1	1,000
NOT APPLICABLE	96	11,119	25,785,500
DON'T KNOW	97	9	26,000
NOT STATED	99	1,382	2,431,500
Total		12,546	28,318,308

Variable Name CCC2_X3Y **Length** 4 **Position** 6947 - 6950

Question Name CC_Q042

Concept Fibromyalgia - year diagnosed

Question When were you diagnosed with this "fibromyalgia"? - Year

Universe Respondents who answered CCC0_1X<>1 and CCC2_1X=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1960 - 2002	45	101,500
NOT APPLICABLE	9996	11,119	25,785,500
NOT STATED	9999	1,382	2,431,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_X4	Length	1	Position	6951
Question Name	CC_Q042X				
Concept	Fibromyalgia - had prior to last interview				
Question	So you had fibromyalgia prior to our last interview?				
Universe	Respondents with a CCC2_X3 date prior to the last interview living in a household				
Note					
Content		Code		Sample	Population
YES		1		18	33,000
NOT APPLICABLE		6		11,145	25,850,500
DON'T KNOW		7		1	3,500
NOT STATED		9		1,382	2,431,500
		Total		12,546	28,318,308

Variable Name	CCC2_X1	Length	1	Position	6952
Question Name	CC_Q043				
Concept	Fibromyalgia - condition disappeared				
Question	During our last interview, it was reported that you had fibromyalgia, but this time it was not. Has the condition disappeared since then?				
Universe	Non-proxy respondents aged 12 and over and proxy respondents aged less than 12 who answered CCC0_1X=1 and CCC2_1X=2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		4	9,000
NEVER HAD FIBROMYALGIA		3		15	14,000
NOT APPLICABLE		6		11,390	26,632,500
NOT STATED		9		1,137	1,662,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_X2M **Length** 2 **Position** 6953 - 6954
Question Name CC_Q044
Concept Fibromyalgia - month condition disappeared
Question When did it "fibromyalgia" disappear? - Month
Universe Respondents who answered CCC2_X1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
APRIL	4	1	2,500
MAY	5	1	1,000
JULY	7	1	3,000
SEPTEMBER	9	1	3,500
NOT APPLICABLE	96	11,405	26,646,500
NOT STATED	99	1,137	1,662,500
	Total	12,546	28,318,308

Variable Name CCC2_X2Y **Length** 4 **Position** 6955 - 6958
Question Name CC_Q044
Concept Fibromyalgia - year condition disappeared
Question When did it "fibromyalgia" disappear? - Year
Universe Respondents who answered CCC2_X1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2000 - 2002	4	9,000
NOT APPLICABLE	9996	11,405	26,646,500
NOT STATED	9999	1,137	1,662,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_X5 **Length** 1 **Position** 6959
Question Name CC_Q045
Concept Fibromyalgia - received treatment or medication
Question Do you receive any treatment or medication for your fibromyalgia?
Universe Respondents who answered CCC2_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	88	194,500
NO	2	59	113,000
NOT APPLICABLE	6	11,257	26,316,500
NOT STATED	9	1,142	1,694,500
	Total	12,546	28,318,308

Variable Name CCC2_X6A **Length** 1 **Position** 6960
Question Name CC_Q046
Concept Fibromyalgia treatment - drug
Question What kind of treatment or medication? - Drug
Universe Respondents who answered CCC2_X5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	72	159,000
NO	2	16	35,500
NOT APPLICABLE	6	11,316	26,429,500
NOT STATED	9	1,142	1,694,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_X6B	Length	1	Position	6961
Question Name	CC_Q046				
Concept	Fibromyalgia treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC2_X5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		13	17,500
NO		2		75	177,000
NOT APPLICABLE		6		11,316	26,429,500
NOT STATED		9		1,142	1,694,500
		Total		12,546	28,318,308

Variable Name	CCC2_X6D	Length	1	Position	6962
Question Name	CC_Q046				
Concept	Fibromyalgia treatment - exercise / physiotherapy				
Question	What kind of treatment or medication? - Exercise / physiotherapy				
Universe	Respondents who answered CCC2_X5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		30	73,000
NO		2		58	121,500
NOT APPLICABLE		6		11,316	26,429,500
NOT STATED		9		1,142	1,694,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_X6C	Length	1	Position	6963
Question Name	CC_Q046				
Concept	Fibromyalgia treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC2_X5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		11	20,000
NO		2		77	174,500
NOT APPLICABLE		6		11,316	26,429,500
NOT STATED		9		1,142	1,694,500
		Total		12,546	28,318,308

Variable Name	CCC2_1D	Length	1	Position	6964
Question Name	CC_Q051				
Concept	Has arthritis or rheumatism excluding fibromyalgia				
Question	Do you have arthritis or rheumatism excluding fibromyalgia?				
Universe	Respondents aged 12 and over				
Note	The list of chronic conditions changed in Cycle 4 (2000).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,314	4,346,000
NO		2		8,512	20,684,500
NOT APPLICABLE		6		567	1,584,500
DON'T KNOW		7		18	42,000
NOT STATED		9		1,135	1,661,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_D3M **Length** 2 **Position** 6965 - 6966

Question Name CC_Q052

Concept Arthritis / rheum. - month diagnosed

Question When were you diagnosed with this "arthritis or rheumatism"? - Month

Universe Respondents who answered CCC0_1D<>1 and CCC2_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	70	165,000
FEBRUARY	2	28	70,000
MARCH	3	18	38,500
APRIL	4	30	65,500
MAY	5	36	76,500
JUNE	6	83	143,500
JULY	7	35	48,000
AUGUST	8	30	58,500
SEPTEMBER	9	43	91,000
OCTOBER	10	32	77,000
NOVEMBER	11	28	46,500
DECEMBER	12	16	30,000
NOT APPLICABLE	96	10,513	24,556,500
DON'T KNOW	97	197	403,500
REFUSAL	98	6	17,000
NOT STATED	99	1,381	2,430,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_D3Y **Length** 4 **Position** 6967 - 6970
Question Name CC_Q052
Concept Arthritis / rheum. - year diagnosed
Question When were you diagnosed with this "arthritis or rheumatism"? - Year
Universe Respondents who answered CCC0_1D<>1 and CCC2_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1944 - 2003	620	1,273,000
NOT APPLICABLE	9996	10,513	24,556,500
DON'T KNOW	9997	32	58,000
NOT STATED	9999	1,381	2,430,500
	Total	12,546	28,318,308

Variable Name CCC2_D4 **Length** 1 **Position** 6971
Question Name CC_Q052X
Concept Arthritis / rheum. - had prior to last interview
Question So you had arthritis or rheumatism prior to our last interview?
Universe Respondents with a CCC2_D3 date prior to the last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	271	536,500
NOT APPLICABLE	6	10,860	25,286,000
DON'T KNOW	7	2	7,500
NOT STATED	9	1,413	2,488,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_D1 **Length** 1 **Position** 6972
Question Name CC_Q053
Concept Arthritis / rheum. - condition disappeared
Question During our last interview, it was reported that you had arthritis or rheumatism, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over and proxy respondents aged less than 12 who answered CCC0_1D=1 and CCC2_1D=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	80	182,500
NEVER HAD ARTHRITIS / RHEUMATISM	3	98	192,000
NOT APPLICABLE	6	11,203	26,203,000
DON'T KNOW	7	4	8,500
NOT STATED	9	1,161	1,732,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_D2M **Length** 2 **Position** 6973 - 6974
Question Name CC_Q054
Concept Arthritis / rheum. - month condition disappeared
Question When did it "arthritis or rheumatism" disappear? - Month
Universe Respondents who answered CCC2_D1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	7	11,500
FEBRUARY	2	5	7,500
MARCH	3	4	6,000
APRIL	4	5	16,000
MAY	5	4	18,500
JUNE	6	11	24,000
JULY	7	2	1,500
AUGUST	8	6	16,000
SEPTEMBER	9	7	17,500
OCTOBER	10	2	6,500
NOVEMBER	11	5	9,000
DECEMBER	12	5	9,000
NOT APPLICABLE	96	11,301	26,395,500
DON'T KNOW	97	17	40,500
NOT STATED	99	1,165	1,740,500
Total		12,546	28,318,308

Variable Name CCC2_D2Y **Length** 4 **Position** 6975 - 6978
Question Name CC_Q054
Concept Arthritis / rheum. - year condition disappeared
Question When did it "arthritis or rheumatism" disappear? - Year
Universe Respondents who answered CCC2_D1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2000 - 2002	73	162,000
NOT APPLICABLE	9996	11,301	26,395,500
DON'T KNOW	9997	7	21,000
NOT STATED	9999	1,165	1,740,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_D11 **Length** 1 **Position** 6979
Question Name CC_Q055
Concept Arthritis / rheum. - kind
Question What kind of arthritis do you have?
Universe Respondents who answered CCC2_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
RHEUMATOID ARTHRITIS	1	590	1,089,000
OSTEOARTHRITIS	2	1,151	2,220,500
OTHER	3	189	355,000
NOT APPLICABLE	6	9,160	22,361,500
DON'T KNOW	7	307	590,000
REFUSAL	8	4	7,500
NOT STATED	9	1,145	1,694,500
Total		12,546	28,318,308

Variable Name CCC2_D5 **Length** 1 **Position** 6980
Question Name CC_Q056
Concept Arthritis / rheum. - received treatment or medication
Question Do you receive any treatment or medication for your arthritis or rheumatism?
Universe Respondents who answered CCC2_1D=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,090	2,025,000
NO	2	1,149	2,234,500
NOT APPLICABLE	6	9,160	22,361,500
DON'T KNOW	7	2	2,500
NOT STATED	9	1,145	1,694,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_D6A	Length	1	Position	6981
Question Name	CC_Q057				
Concept	Arthritis / rheum. treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC2_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		985	1,806,500
NO		2		105	218,500
NOT APPLICABLE		6		10,309	24,596,500
NOT STATED		9		1,147	1,697,000
		Total		12,546	28,318,308

Variable Name	CCC2_D6B	Length	1	Position	6982
Question Name	CC_Q057				
Concept	Arthritis / rheum. treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC2_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		54	100,500
NO		2		1,036	1,924,500
NOT APPLICABLE		6		10,309	24,596,500
NOT STATED		9		1,147	1,697,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_D6D	Length	1	Position	6983
Question Name	CC_Q057				
Concept	Arthritis / rheum. treatment - exercise / physiotherapy				
Question	What kind of treatment or medication? - Exercise / physiotherapy				
Universe	Respondents who answered CCC2_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		161	266,000
NO		2		929	1,759,000
NOT APPLICABLE		6		10,309	24,596,500
NOT STATED		9		1,147	1,697,000
		Total		12,546	28,318,308

Variable Name	CCC2_D6C	Length	1	Position	6984
Question Name	CC_Q057				
Concept	Arthritis / rheum. treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC2_D5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		81	157,500
NO		2		1,009	1,867,500
NOT APPLICABLE		6		10,309	24,596,500
NOT STATED		9		1,147	1,697,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_1E	Length	1	Position	6985
Question Name	CC_Q061				
Concept	Has back problems excluding fibromyalgia and arthritis				
Question	Remember, we're interested in conditions diagnosed by a health professional. Do you have back problems, excluding fibromyalgia and arthritis?				
Universe	Respondents aged 12 and over living in a household				
Note	The list of chronic conditions changed in Cycle 4 (2000).				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,853	4,175,000
NO		2		8,849	20,726,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		1	3,500
NOT STATED		9		1,133	1,657,500
		Total		12,546	28,318,308

Variable Name	CCC2_1F	Length	1	Position	6986
Question Name	CC_Q071				
Concept	Has high blood pressure				
Question	Do you have high blood pressure?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,890	3,529,500
NO		2		8,922	21,425,000
NOT APPLICABLE		6		567	1,584,500
DON'T KNOW		7		31	117,000
REFUSAL		8		1	1,000
NOT STATED		9		1,135	1,661,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_F3M **Length** 2 **Position** 6987 - 6988

Question Name CC_Q072

Concept High blood pressure - month diagnosed

Question When were you diagnosed with this "high blood pressure" ? - Month

Universe Respondents who answered CCC0_1F<>1 and CCC2_1F=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	31	71,500
FEBRUARY	2	20	47,000
MARCH	3	27	39,500
APRIL	4	34	65,500
MAY	5	29	50,500
JUNE	6	50	99,500
JULY	7	29	58,000
AUGUST	8	20	62,000
SEPTEMBER	9	40	84,500
OCTOBER	10	24	50,000
NOVEMBER	11	22	50,500
DECEMBER	12	21	49,000
NOT APPLICABLE	96	10,726	24,949,500
DON'T KNOW	97	77	161,500
REFUSAL	98	4	9,500
NOT STATED	99	1,392	2,470,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_F3Y **Length** 4 **Position** 6989 - 6992

Question Name CC_Q072

Concept High blood pressure - year diagnosed

Question When were you diagnosed with this "high blood pressure" ? - Year

Universe Respondents who answered CCC0_1F<>1 and CCC2_1F=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1950 - 2003	420	883,000
NOT APPLICABLE	9996	10,726	24,949,500
DON'T KNOW	9997	8	16,000
NOT STATED	9999	1,392	2,470,000
	Total	12,546	28,318,308

Variable Name CCC2_F4 **Length** 1 **Position** 6993

Question Name CC_Q072X

Concept High blood pressure - had prior to last interview

Question So you had high blood pressure prior to our last interview?

Universe Respondents with a CCC2_F3 date prior to the last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	198,000
NOT APPLICABLE	6	11,044	25,630,500
DON'T KNOW	7	2	4,000
NOT STATED	9	1,400	2,486,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2355

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_F1 **Length** 1 **Position** 6994
Question Name CC_Q073
Concept High blood pressure - condition disappeared
Question During our last interview, it was reported that you had high blood pressure, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC0_1F=1 and CCC2_1F=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	119	245,000
NEVER HAD HIGH BLOOD PRESSURE	3	21	34,500
NOT APPLICABLE	6	11,255	26,319,000
DON'T KNOW	7	1	3,500
NOT STATED	9	1,150	1,716,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_F2M **Length** 2 **Position** 6995 - 6996

Question Name CC_Q074

Concept High blood pressure - month condition disappeared

Question When did it "high blood pressure" disappear? - Month

Universe Respondents who answered CCC2_F1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	5	9,000
FEBRUARY	2	5	14,000
MARCH	3	6	13,000
APRIL	4	4	3,500
MAY	5	8	9,500
JUNE	6	13	27,500
JULY	7	9	20,000
AUGUST	8	10	20,500
SEPTEMBER	9	10	26,500
OCTOBER	10	9	19,000
NOVEMBER	11	7	11,000
DECEMBER	12	7	16,000
NOT APPLICABLE	96	11,276	26,353,000
DON'T KNOW	97	26	56,500
NOT STATED	99	1,151	1,720,000
Total		12,546	28,318,308

Variable Name CCC2_F2Y **Length** 4 **Position** 6997 - 7000

Question Name CC_Q074

Concept High blood pressure - year condition disappeared

Question When did it "high blood pressure" disappear? - Year

Universe Respondents who answered CCC2_F1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2000 - 2002	105	222,000
NOT APPLICABLE	9996	11,276	26,353,000
DON'T KNOW	9997	14	23,000
NOT STATED	9999	1,151	1,720,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_F5	Length	1	Position	7001
Question Name	CC_Q075				
Concept	High blood pressure - received treatment or medication				
Question	Do you receive any treatment or medication for your high blood pressure?				
Universe	Respondents who answered CCC2_1F=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,649	3,066,500
NO		2		179	383,000
NOT APPLICABLE		6		9,555	23,093,500
DON'T KNOW		7		1	3,000
NOT STATED		9		1,162	1,772,000
		Total		12,546	28,318,308

Variable Name	CCC2_F6A	Length	1	Position	7002
Question Name	CC_Q076				
Concept	High blood pressure treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC2_F5=1				
Note					
Content		Code		Sample	Population
YES		1		1,633	3,030,500
NO		2		16	36,000
NOT APPLICABLE		6		9,734	23,476,500
NOT STATED		9		1,163	1,775,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_F6B **Length** 1 **Position** 7003
Question Name CC_Q076
Concept High blood pressure treatment - diet
Question What kind of treatment or medication? - Diet
Universe Respondents who answered CCC2_F5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	200	346,000
NO	2	1,449	2,720,500
NOT APPLICABLE	6	9,734	23,476,500
NOT STATED	9	1,163	1,775,000
Total		12,546	28,318,308

Variable Name CCC2_F6D **Length** 1 **Position** 7004
Question Name CC_Q076
Concept High blood pressure treatment - exercise / physiotherapy
Question What kind of treatment or medication? - Exercise / physiotherapy
Universe Respondents who answered CCC2_F5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	130	241,500
NO	2	1,519	2,825,000
NOT APPLICABLE	6	9,734	23,476,500
NOT STATED	9	1,163	1,775,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_F6C	Length	1	Position	7005
Question Name	CC_Q076				
Concept	High blood pressure treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC2_F5=1				
Note					
Content		Code		Sample	Population
YES		1		4	9,000
NO		2		1,645	3,057,500
NOT APPLICABLE		6		9,734	23,476,500
NOT STATED		9		1,163	1,775,000
		Total		12,546	28,318,308

Variable Name	CCC2_1G	Length	1	Position	7006
Question Name	CC_Q081				
Concept	Has migraine headaches				
Question	Remember, we're interested in conditions diagnosed by a health professional. Do you have migraine headaches?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,006	2,362,000
NO		2		10,260	24,114,500
NOT APPLICABLE		6		143	172,000
DON'T KNOW		7		4	12,500
NOT STATED		9		1,133	1,657,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_G3M **Length** 2 **Position** 7007 - 7008

Question Name CC_Q082

Concept Migraines - month diagnosed

Question When were you diagnosed with this "migraine headaches"? - Month

Universe Respondents who answered CCC0_1G<>1 and CCC2_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	28	65,000
FEBRUARY	2	15	45,000
MARCH	3	14	27,000
APRIL	4	10	20,500
MAY	5	16	44,000
JUNE	6	33	61,000
JULY	7	13	21,500
AUGUST	8	11	33,000
SEPTEMBER	9	20	62,500
OCTOBER	10	10	31,000
NOVEMBER	11	14	32,000
DECEMBER	12	12	24,000
NOT APPLICABLE	96	10,341	23,677,000
DON'T KNOW	97	91	250,000
REFUSAL	98	5	8,000
NOT STATED	99	1,913	3,916,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_G3Y **Length** 4 **Position** 7009 - 7012
Question Name CC_Q082
Concept Migraines - year diagnosed
Question When were you diagnosed with this "migraine headaches"? - Year
Universe Respondents who answered CCC0_1G<>1 and CCC2_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1947 - 2003	273	669,000
NOT APPLICABLE	9996	10,341	23,677,000
DON'T KNOW	9997	16	49,500
REFUSAL	9998	3	6,000
NOT STATED	9999	1,913	3,916,500
Total		12,546	28,318,308

Variable Name CCC2_G4 **Length** 1 **Position** 7013
Question Name CC_Q082X
Concept Migraines - had prior to last interview
Question So you had migraine headaches prior to our last interview?
Universe Respondents with a CCC2_G3 date prior to the last interview

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	131	307,000
NOT APPLICABLE	6	10,483	24,039,000
NOT STATED	9	1,932	3,972,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2362

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_G1 **Length** 1 **Position** 7014
Question Name CC_Q083
Concept Migraines - condition disappeared
Question During our last interview, it was reported that you had migraine headaches, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC0_1G=1 and CCC2_1G=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	177	426,500
NEVER HAD MIGRAINE HEADACHES	3	46	132,000
NOT APPLICABLE	6	11,183	26,086,500
DON'T KNOW	7	1	2,500
NOT STATED	9	1,139	1,671,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_G2M **Length** 2 **Position** 7015 - 7016
Question Name CC_Q084
Concept Migraines - month condition disappeared
Question When did it "migraine headaches" disappear? - Month
Universe Respondents who answered CCC2_G1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	9	29,000
FEBRUARY	2	11	30,000
MARCH	3	9	19,500
APRIL	4	11	16,000
MAY	5	6	14,000
JUNE	6	20	54,500
JULY	7	21	39,000
AUGUST	8	12	21,500
SEPTEMBER	9	14	31,500
OCTOBER	10	10	26,500
NOVEMBER	11	7	19,000
DECEMBER	12	9	25,500
NOT APPLICABLE	96	11,229	26,218,500
DON'T KNOW	97	38	100,500
NOT STATED	99	1,140	1,673,500
Total		12,546	28,318,308

Variable Name CCC2_G2Y **Length** 4 **Position** 7017 - 7020
Question Name CC_Q084
Concept Migraines - year condition disappeared
Question When did it "migraine headaches" disappear? - Year
Universe Respondents who answered CCC2_G1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2000 - 2003	163	384,500
NOT APPLICABLE	9996	11,229	26,218,500
DON'T KNOW	9997	14	42,000
NOT STATED	9999	1,140	1,673,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_G5	Length	1	Position	7021
Question Name	CC_Q085				
Concept	Migraines - received treatment or medication				
Question	Do you receive any treatment or medication for your migraine headaches?				
Universe	Respondents who answered CCC2_1G=1				
Note					
Content		Code		Sample	Population
YES		1		485	1,146,500
NO		2		520	1,203,000
NOT APPLICABLE		6		10,403	24,286,000
DON'T KNOW		7		1	12,500
NOT STATED		9		1,137	1,670,000
		Total		12,546	28,318,308

Variable Name	CCC2_G6A	Length	1	Position	7022
Question Name	CC_Q086				
Concept	Migraines treatment - drug				
Question	What kind of treatment or medication? - Drug				
Universe	Respondents who answered CCC2_G5=1				
Note					
Content		Code		Sample	Population
YES		1		456	1,092,000
NO		2		29	55,000
NOT APPLICABLE		6		10,923	25,489,000
NOT STATED		9		1,138	1,682,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_G6B **Length** 1 **Position** 7023
Question Name CC_Q086
Concept Migraines treatment - diet
Question What kind of treatment or medication? - Diet
Universe Respondents who answered CCC2_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	33	95,000
NO	2	452	1,051,500
NOT APPLICABLE	6	10,923	25,489,000
NOT STATED	9	1,138	1,682,500
	Total	12,546	28,318,308

Variable Name CCC2_G6D **Length** 1 **Position** 7024
Question Name CC_Q086
Concept Migraines treatment - exercise / physiotherapy
Question What kind of treatment or medication? - Exercise / physiotherapy
Universe Respondents who answered CCC2_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	23	51,000
NO	2	462	1,095,500
NOT APPLICABLE	6	10,923	25,489,000
NOT STATED	9	1,138	1,682,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_G6C **Length** 1 **Position** 7025
Question Name CC_Q086
Concept Migraines treatment - other
Question What kind of treatment or medication? - Other
Universe Respondents who answered CCC2_G5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	29	48,500
NO	2	456	1,098,000
NOT APPLICABLE	6	10,923	25,489,000
NOT STATED	9	1,138	1,682,500
	Total	12,546	28,318,308

Variable Name CCC2_1H **Length** 1 **Position** 7026
Question Name CC_Q091
Concept Has chronic bronchitis or emphysema
Question Do you have chronic bronchitis or emphysema?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	313	642,000
NO	2	10,516	24,373,000
NOT APPLICABLE	6	567	1,584,500
DON'T KNOW	7	13	57,500
NOT STATED	9	1,137	1,661,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_1J **Length** 1 **Position** 7027
Question Name CC_Q101
Concept Has diabetes
Question Do you have diabetes?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	604	1,175,000
NO	2	10,807	25,482,500
NOT STATED	9	1,135	1,661,000
	Total	12,546	28,318,308

Variable Name CCC2_J3M **Length** 2 **Position** 7028 - 7029
Question Name CC_Q102
Concept Diabetes - month diagnosed
Question When were you diagnosed with this "diabetes"? - Month
Universe Respondents who answered CCC0_1J<>1 and CCC2_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	17	21,500
FEBRUARY	2	8	19,000
MARCH	3	9	11,500
APRIL	4	12	28,500
MAY	5	16	22,000
JUNE	6	18	43,000
JULY	7	14	32,000
AUGUST	8	5	12,500
SEPTEMBER	9	7	9,000
OCTOBER	10	11	11,000
NOVEMBER	11	12	22,500
DECEMBER	12	8	9,000
NOT APPLICABLE	96	10,461	24,055,500
DON'T KNOW	97	10	34,000
NOT STATED	99	1,938	3,988,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_J3Y **Length** 4 **Position** 7030 - 7033

Question Name CC_Q102

Concept Diabetes - year diagnosed

Question When were you diagnosed with this "diabetes"? - Year

Universe Respondents who answered CCC0_1J<>1 and CCC2_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1970 - 2003	147	275,000
NOT APPLICABLE	9996	10,461	24,055,500
NOT STATED	9999	1,938	3,988,000
	Total	12,546	28,318,308

Variable Name CCC2_J4 **Length** 1 **Position** 7034

Question Name CC_Q102X

Concept Diabetes - had prior to last interview

Question So you had diabetes prior to our last interview?

Universe Respondents with a CCC2_J3 date prior to the last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	27	54,000
NOT APPLICABLE	6	10,581	24,277,000
NOT STATED	9	1,938	3,988,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_J1 **Length** 1 **Position** 7035
Question Name CC_Q103
Concept Diabetes - condition disappeared
Question During our last interview, it was reported that you had diabetes, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC0_1J=1 and CCC2_1J=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	23,500
NEVER HAD DIABETES	3	5	13,500
NOT APPLICABLE	6	11,402	26,607,000
NOT STATED	9	1,133	1,675,000
Total		12,546	28,318,308

Variable Name CCC2_J2M **Length** 2 **Position** 7036 - 7037
Question Name CC_Q104
Concept Diabetes - month condition disappeared
Question When did it "diabetes" disappear? - Month
Universe Respondents who answered CCC2_J1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FEBRUARY	2	2	6,500
JULY	7	1	14,500
OCTOBER	10	2	1,500
NOT APPLICABLE	96	11,407	26,620,000
DON'T KNOW	97	1	1,000
NOT STATED	99	1,133	1,675,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_J2Y **Length** 4 **Position** 7038 - 7041
Question Name CC_Q104
Concept Diabetes - year condition disappeared
Question When did it "diabetes" disappear? - Year
Universe Respondents who answered CCC2_J1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2001 - 2001	5	23,000
NOT APPLICABLE	9996	11,407	26,620,000
DON'T KNOW	9997	1	1,000
NOT STATED	9999	1,133	1,675,000
	Total	12,546	28,318,308

Variable Name CCC2_J5 **Length** 1 **Position** 7042
Question Name CC_Q105
Concept Diabetes - currently takes insulin
Question Do you currently take insulin for your diabetes?
Universe Respondents who answered CCC2_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	112	204,500
NO	2	471	948,500
NOT APPLICABLE	6	10,830	25,508,000
NOT STATED	9	1,133	1,657,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_J6 **Length** 1 **Position** 7043
Question Name CC_Q106
Concept Diabetes - takes treatment other than insulin
Question Do you take any other treatment or medication for your diabetes?
Universe Respondents who answered CCC2_1J=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	397	795,500
NO	2	186	357,500
NOT APPLICABLE	6	10,830	25,508,000
NOT STATED	9	1,133	1,657,500
	Total	12,546	28,318,308

Variable Name CCC2_J7A **Length** 1 **Position** 7044
Question Name CC_Q107
Concept Diabetes treatment - drug
Question What kind of treatment or medication? - Drug
Universe Respondents who answered CCC2_J6=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	362	746,000
NO	2	35	49,500
NOT APPLICABLE	6	11,016	25,865,500
NOT STATED	9	1,133	1,657,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_J7B	Length	1	Position	7045
Question Name	CC_Q107				
Concept	Diabetes treatment - diet				
Question	What kind of treatment or medication? - Diet				
Universe	Respondents who answered CCC2_J6=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		115	207,500
NO		2		282	588,000
NOT APPLICABLE		6		11,016	25,865,500
NOT STATED		9		1,133	1,657,500
		Total		12,546	28,318,308

Variable Name	CCC2_J7C	Length	1	Position	7046
Question Name	CC_Q107				
Concept	Diabetes treatment - other				
Question	What kind of treatment or medication? - Other				
Universe	Respondents who answered CCC2_J6=3				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		397	795,500
NOT APPLICABLE		6		11,016	25,865,500
NOT STATED		9		1,133	1,657,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_J7D **Length** 1 **Position** 7047
Question Name CC_Q107
Concept Diabetes treatment - exercise / physiotherapy
Question What kind of treatment or medication? - Exercise / physiotherapy
Universe Respondents who answered CCC2_J6=4

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	46	97,500
NO	2	351	698,000
NOT APPLICABLE	6	11,016	25,865,500
NOT STATED	9	1,133	1,657,500
	Total	12,546	28,318,308

Variable Name CCC2_1K **Length** 1 **Position** 7048
Question Name CC_Q111
Concept Has epilepsy
Question Do you have epilepsy?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	90	177,000
NO	2	11,317	26,464,000
DON'T KNOW	7	1	12,500
REFUSAL	8	1	4,000
NOT STATED	9	1,137	1,661,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_K3M **Length** 2 **Position** 7049 - 7050

Question Name CC_Q112

Concept Epilepsy - month diagnosed

Question When were you diagnosed with this "epilepsy"? - Month

Universe Respondents who answered CCC0_1K<>1 and CCC2_1K=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	2	5,000
FEBRUARY	2	1	2,000
MARCH	3	2	2,000
APRIL	4	2	1,000
MAY	5	2	6,500
JUNE	6	1	1,000
SEPTEMBER	9	1	10,000
NOVEMBER	11	1	2,500
NOT APPLICABLE	96	11,393	26,601,000
DON'T KNOW	97	5	10,500
REFUSAL	98	1	4,000
NOT STATED	99	1,135	1,674,000
	Total	12,546	28,318,308

Variable Name CCC2_K3Y **Length** 4 **Position** 7051 - 7054

Question Name CC_Q112

Concept Epilepsy - year diagnosed

Question When were you diagnosed with this "epilepsy"? - Year

Universe Respondents who answered CCC0_1K<>1 and CCC2_1K=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1939 - 2003	18	43,500
NOT APPLICABLE	9996	11,393	26,601,000
NOT STATED	9999	1,135	1,674,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_K4 **Length** 1 **Position** 7055

Question Name CC_Q112X

Concept Epilepsy - had prior to last interview

Question So you had epilepsy prior to our last interview?

Universe Respondents with a CCC2_K3 date prior to the last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	22,000
NOT APPLICABLE	6	11,400	26,622,500
NOT STATED	9	1,135	1,674,000
	Total	12,546	28,318,308

Variable Name CCC2_K1 **Length** 1 **Position** 7056

Question Name CC_Q113

Concept Epilepsy - condition disappeared

Question During our last interview, it was reported that you had epilepsy, but this time it was not. Has the condition disappeared since then?

Universe Non-proxy respondents aged 12 and over and proxy respondents aged less than 12 who answered CCC0_1K=1 and CCC2_1K=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	19,500
NEVER HAD EPILEPSY	3	5	4,000
NOT APPLICABLE	6	11,403	26,629,000
NOT STATED	9	1,132	1,666,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_K2M **Length** 2 **Position** 7057 - 7058
Question Name CC_Q114
Concept Epilepsy - month condition disappeared
Question When did it "epilepsy" disappear? - Month
Universe Respondents who answered CCC2_K1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	1	7,000
FEBRUARY	2	1	3,000
APRIL	4	1	2,000
NOVEMBER	11	1	1,000
NOT APPLICABLE	96	11,408	26,633,000
DON'T KNOW	97	2	6,500
NOT STATED	99	1,132	1,666,000
	Total	12,546	28,318,308

Variable Name CCC2_K2Y **Length** 4 **Position** 7059 - 7062
Question Name CC_Q114
Concept Epilepsy - year condition disappeared
Question When did it "epilepsy" disappear? - Year
Universe Respondents who answered CCC2_K1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2000 - 2002	5	17,000
NOT APPLICABLE	9996	11,408	26,633,000
DON'T KNOW	9997	1	2,500
NOT STATED	9999	1,132	1,666,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_1L **Length** 1 **Position** 7063
Question Name CC_Q121
Concept Has heart disease
Question Do you have heart disease?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	665	1,203,500
NO	2	10,733	25,420,500
DON'T KNOW	7	11	29,000
REFUSAL	8	1	4,000
NOT STATED	9	1,136	1,661,000
Total		12,546	28,318,308

Variable Name CCC2_L1A **Length** 1 **Position** 7064
Question Name CC_Q122
Concept Heart disease - ever had a heart attack
Question Have you ever had a heart attack (damage to the heart muscle)?
Universe Respondents who answered CCC2_1L=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	278	482,000
NO	2	337	668,000
NOT APPLICABLE	6	10,782	25,474,000
DON'T KNOW	7	5	7,000
REFUSAL	8	1	1,000
NOT STATED	9	1,143	1,686,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_L6	Length	1	Position	7065
Question Name	CC_Q123				
Concept	Heart disease - has angina				
Question	Do you currently have angina (chest pain, chest tightness)?				
Universe	Respondents who answered CCC2_1L=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		223	367,000
NO		2		395	783,000
NOT APPLICABLE		6		10,782	25,474,000
DON'T KNOW		7		3	8,000
NOT STATED		9		1,143	1,686,000
		Total		12,546	28,318,308

Variable Name	CCC2_L7	Length	1	Position	7066
Question Name	CC_Q124				
Concept	Heart disease - has congestive heart failure				
Question	Do you currently have congestive heart failure (inadequate heart beat, fluid build-up in the lungs or legs)?				
Universe	Respondents who answered CCC2_1L=1 living in a household				
Note					
Content		Code		Sample	Population
YES		1		150	253,000
NO		2		460	879,000
NOT APPLICABLE		6		10,782	25,474,000
DON'T KNOW		7		11	26,000
NOT STATED		9		1,143	1,686,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_1M **Length** 1 **Position** 7067
Question Name CC_Q131
Concept Has cancer
Question Do you have cancer?
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	195	367,000
NO	2	11,210	26,281,000
DON'T KNOW	7	3	5,000
REFUSAL	8	1	4,000
NOT STATED	9	1,137	1,661,500
Total		12,546	28,318,308

Variable Name CCC2_1N **Length** 1 **Position** 7068
Question Name CC_Q141
Concept Has intestinal or stomach ulcers
Question Remember, we're interested in conditions diagnosed by a health professional. Do you have intestinal or stomach ulcers?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	327	718,500
NO	2	10,504	24,321,500
NOT APPLICABLE	6	567	1,584,500
DON'T KNOW	7	10	28,000
REFUSAL	8	1	4,000
NOT STATED	9	1,137	1,661,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_N3M **Length** 2 **Position** 7069 - 7070

Question Name CC_Q142

Concept Ulcers - month diagnosed

Question When were you diagnosed with this "intestinal or stomach ulcers"? - Month

Universe Respondents who answered CCC0_1N<>1 and CCC2_1N=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	13	25,000
FEBRUARY	2	7	50,000
MARCH	3	6	17,500
APRIL	4	9	18,000
MAY	5	7	9,500
JUNE	6	13	29,000
JULY	7	7	11,000
AUGUST	8	5	11,500
SEPTEMBER	9	11	20,000
OCTOBER	10	2	13,500
NOVEMBER	11	4	21,500
DECEMBER	12	1	5,500
NOT APPLICABLE	96	11,051	25,585,500
DON'T KNOW	97	30	70,500
REFUSAL	98	1	3,000
NOT STATED	99	1,379	2,427,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_N3Y **Length** 4 **Position** 7071 - 7074

Question Name CC_Q142

Concept Ulcers - year diagnosed

Question When were you diagnosed with this "intestinal or stomach ulcers"? - Year

Universe Respondents who answered CCC0_1N<>1 and CCC2_1N=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1965 - 2003	112	298,000
NOT APPLICABLE	9996	11,051	25,585,500
DON'T KNOW	9997	4	7,500
NOT STATED	9999	1,379	2,427,000
	Total	12,546	28,318,308

Variable Name CCC2_N4 **Length** 1 **Position** 7075

Question Name CC_Q142X

Concept Ulcers - had prior to last interview

Question So you had intestinal or stomach ulcers prior to our last interview?

Universe Respondents with a CCC2_N3 date prior to the last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	46	103,500
NOT APPLICABLE	6	11,117	25,780,500
NOT STATED	9	1,383	2,434,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_N1 **Length** 1 **Position** 7076
Question Name CC_Q143
Concept Ulcers - condition disappeared
Question During our last interview, it was reported that you had intestinal or stomach ulcers, but this time it was not. Has the condition disappeared since then?
Universe Non-proxy respondents aged 12 and over who answered CCC0_1N=1 and CCC2_1N=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	86	173,500
NEVER HAD ULCERS	3	34	57,500
NOT APPLICABLE	6	11,287	26,416,000
DON'T KNOW	7	1	1,000
REFUSAL	8	1	1,500
NOT STATED	9	1,137	1,669,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_N2M **Length** 2 **Position** 7077 - 7078

Question Name CC_Q144

Concept Ulcers - month condition disappeared

Question When did it "stomach or intestinal ulcers" disappear? - Month

Universe Respondents who answered CCC2_N1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	8	13,500
FEBRUARY	2	2	1,500
MARCH	3	2	2,000
APRIL	4	6	13,500
MAY	5	4	9,500
JUNE	6	11	26,500
JULY	7	8	13,500
AUGUST	8	8	20,000
SEPTEMBER	9	9	21,500
OCTOBER	10	8	17,000
DECEMBER	12	7	11,500
NOT APPLICABLE	96	11,321	26,473,500
DON'T KNOW	97	13	23,500
NOT STATED	99	1,139	1,671,500
	Total	12,546	28,318,308

Variable Name CCC2_N2Y **Length** 4 **Position** 7079 - 7082

Question Name CC_Q144

Concept Ulcers - year condition disappeared

Question When did it "stomach or intestinal ulcers" disappear? - Year

Universe Respondents who answered CCC2_N1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2000 - 2002	79	160,000
NOT APPLICABLE	9996	11,321	26,473,500
DON'T KNOW	9997	7	13,000
NOT STATED	9999	1,139	1,671,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_10 **Length** 1 **Position** 7083
Question Name CC_Q151
Concept Suffers from the effects of a stroke
Question Do you suffer from the effects of a stroke?
Universe Respondents aged 12 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	173	336,500
NO	2	10,663	24,711,000
NOT APPLICABLE	6	567	1,584,500
DON'T KNOW	7	5	17,500
REFUSAL	8	1	4,000
NOT STATED	9	1,137	1,665,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_O3M **Length** 2 **Position** 7084 - 7085

Question Name CC_Q152

Concept Effects of stroke - month diagnosed

Question When were you diagnosed with this "effects of a stroke"? - Month

Universe Respondents who answered CCC0_1O<>1 and CCC2_1O=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	7	18,500
FEBRUARY	2	2	3,500
MARCH	3	4	5,500
APRIL	4	6	9,500
MAY	5	8	15,500
JUNE	6	8	17,500
JULY	7	2	2,500
AUGUST	8	5	15,500
SEPTEMBER	9	7	9,000
OCTOBER	10	1	1,000
NOVEMBER	11	3	21,000
DECEMBER	12	2	2,500
NOT APPLICABLE	96	11,106	25,754,500
DON'T KNOW	97	10	32,000
NOT STATED	99	1,375	2,411,000
	Total	12,546	28,318,308

Variable Name CCC2_O3Y **Length** 4 **Position** 7086 - 7089

Question Name CC_Q152

Concept Effects of stroke - year diagnosed

Question When were you diagnosed with this "effects of a stroke"? - Year

Universe Respondents who answered CCC0_1O<>1 and CCC2_1O=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1985 - 2003	61	146,500
NOT APPLICABLE	9996	11,106	25,754,500
DON'T KNOW	9997	4	6,500
NOT STATED	9999	1,375	2,411,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_O4 **Length** 1 **Position** 7090

Question Name CC_Q152X

Concept Effects of stroke - had prior to last interview

Question So you suffered from the effects of a stroke prior to our last interview?

Universe Respondents with a CCC2_O3 date prior to the last interview living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	18	51,000
NOT APPLICABLE	6	11,149	25,850,000
NOT STATED	9	1,379	2,417,500
	Total	12,546	28,318,308

Variable Name CCC2_O1 **Length** 1 **Position** 7091

Question Name CC_Q153

Concept Effects of stroke - condition disappeared

Question During our last interview, it was reported that you suffered from the effects of a stroke, but this time it was not. Has the condition disappeared since then?

Universe Non-proxy respondents aged 12 and over who answered CCC0_1O=1 and CCC2_1O=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	19	35,500
NEVER HAD A STROKE	3	7	13,000
NOT APPLICABLE	6	11,383	26,605,000
DON'T KNOW	7	1	1,000
NOT STATED	9	1,136	1,663,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_O2M **Length** 2 **Position** 7092 - 7093
Question Name CC_Q154
Concept Effects of stroke - month condition disappeared
Question When did it "effects of your stroke" disappear? - Month
Universe Respondents who answered CCC2_O1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	1	5,500
MARCH	3	2	2,000
JUNE	6	5	6,500
JULY	7	1	1,000
SEPTEMBER	9	3	5,500
NOVEMBER	11	1	1,000
NOT APPLICABLE	96	11,390	26,618,000
DON'T KNOW	97	6	14,000
NOT STATED	99	1,137	1,665,000
Total		12,546	28,318,308

Variable Name CCC2_O2Y **Length** 4 **Position** 7094 - 7097
Question Name CC_Q154
Concept Effects of stroke - year condition disappeared
Question When did it "effects of your stroke" disappear? - Year
Universe Respondents who answered CCC2_O1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	2000 - 2002	13	21,500
NOT APPLICABLE	9996	11,390	26,618,000
DON'T KNOW	9997	6	14,000
NOT STATED	9999	1,137	1,665,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_1P	Length	1	Position	7098
Question Name	CC_Q161				
Concept	Suffers from urinary incontinence				
Question	Do you suffer from urinary incontinence?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		450	755,500
NO		2		10,387	24,306,000
NOT APPLICABLE		6		567	1,584,500
DON'T KNOW		7		5	7,500
REFUSAL		8		1	4,000
NOT STATED		9		1,136	1,661,000
		Total		12,546	28,318,308

Variable Name	CCC2_1Q	Length	1	Position	7099
Question Name	CC_Q171				
Concept	Has a bowel disorder (Crohn's Disease or colitis)				
Question	Do you have a bowel disorder such as Crohn's Disease or colitis?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		287	531,500
NO		2		10,548	24,502,000
NOT APPLICABLE		6		567	1,584,500
DON'T KNOW		7		6	35,000
REFUSAL		8		1	4,000
NOT STATED		9		1,137	1,661,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_1R **Length** 1 **Position** 7100
Question Name CC_Q181
Concept Has Alzheimer's Disease or other dementia
Question Remember, we're interested in conditions diagnosed by a health professional. Do you have Alzheimer's Disease or any other dementia(senelity)?
Universe Respondents aged 18 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	104	158,000
NO	2	9,904	22,535,500
NOT APPLICABLE	6	1,399	3,958,500
DON'T KNOW	7	2	1,500
REFUSAL	8	1	4,000
NOT STATED	9	1,136	1,661,000
	Total	12,546	28,318,308

Variable Name CCC2_1S **Length** 1 **Position** 7101
Question Name CC_Q191
Concept Has cataracts
Question Do you have cataracts?
Universe Respondents aged 18 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	575	975,500
NO	2	9,424	21,704,500
NOT APPLICABLE	6	1,399	3,958,500
DON'T KNOW	7	10	14,500
REFUSAL	8	1	4,000
NOT STATED	9	1,137	1,661,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	CCC2_1T	Length	1	Position	7102
Question Name	CC_Q201				
Concept	Has glaucoma				
Question	Do you have glaucoma?				
Universe	Respondents aged 18 and over				
Note					
Content		Code		Sample	Population
YES		1		205	388,500
NO		2		9,789	22,277,500
NOT APPLICABLE		6		1,399	3,958,500
DON'T KNOW		7		15	28,500
REFUSAL		8		1	4,000
NOT STATED		9		1,137	1,661,500
		Total		12,546	28,318,308

Variable Name	CCC2_1U	Length	1	Position	7103
Question Name	CC_Q211				
Concept	Has a thyroid condition				
Question	Do you have a thyroid condition?				
Universe	Respondents aged 12 and over				
Note					
Content		Code		Sample	Population
YES		1		696	1,305,000
NO		2		10,138	23,745,500
NOT APPLICABLE		6		567	1,584,500
DON'T KNOW		7		7	17,500
REFUSAL		8		1	4,000
NOT STATED		9		1,137	1,661,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2_1V **Length** 1 **Position** 7104
Question Name CC_Q221
Concept Has other long-term condition
Question Do you have any other long-term condition that has been diagnosed by a health professional?
Universe All respondents
Note The list of chronic conditions changed in Cycle 4 (2000). This variable now includes sinusitis, ear, nose and throat infections for children less than 3 years old.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,257	2,674,500
NO	2	10,142	23,950,000
DON'T KNOW	7	3	15,000
REFUSAL	8	1	4,000
NOT STATED	9	1,143	1,675,000
	Total	12,546	28,318,308

Variable Name CCC2DANY **Length** 1 **Position** 7105
Question Name
Concept Has a chronic condition - (D)
Question
Universe All respondents living in a household
Note Based on CCC2_1A to CCC2_1X. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,668	17,349,000
NO	2	3,578	9,014,500
NOT APPLICABLE	6	143	172,000
NOT STATED	9	1,157	1,782,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name CCC2DNUM **Length** 2 **Position** 7106 - 7107

Question Name

Concept Number of chronic conditions - (D)

Question

Universe All respondents living in a household

Note Based on CCC2_1A to CCC2_1X. This variable is "Not applicable" for residents of institutions. The list of chronic conditions changed in Cycle 4 (2000). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CHRONIC CONDITIONS	0 - 12	11,161	26,109,000
NOT APPLICABLE	96	143	172,000
NOT STATED	99	1,242	2,037,500
	Total	12,546	28,318,308

Variable Name ISC2_1 **Length** 1 **Position** 7108

Question Name IS_Q1

Concept Insurance - prescription medications

Question Do you have insurance that covers all or part of the cost of your prescription medications?

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,694	21,133,000
NO	2	2,449	4,974,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	123	370,500
REFUSAL	8	5	12,500
NOT STATED	9	1,132	1,656,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_1 **Length** 1 **Position** 7113
Question Name HS_Q01
Concept Vision - read newsprint without glasses / contact lenses
Question Are you usually able to see well enough to read ordinary newsprint without glasses or contact lenses?
Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,238	15,819,500
NO	2	5,167	10,821,500
DON'T KNOW	7	3	4,500
REFUSAL	8	4	13,500
NOT STATED	9	1,134	1,659,000
Total		12,546	28,318,308

Variable Name HSC2_2 **Length** 1 **Position** 7114
Question Name HS_Q02
Concept Vision - read newsprint with glasses / contacts
Question Are you usually able to see well enough to read ordinary newsprint with glasses or contact lenses?
Universe Respondents who answered HSC2_1=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	5,011	10,562,000
NO	2	150	247,000
NOT APPLICABLE	6	6,238	15,819,500
DON'T KNOW	7	3	9,000
REFUSAL	8	1	2,000
NOT STATED	9	1,143	1,678,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC2_3	Length	1	Position	7115
Question Name	HS_Q03				
Concept	Vision - able to see				
Question	Are you able to see at all?				
Universe	Respondents who answered HSC2_2=2				
Note					
Content		Code		Sample	Population
YES		1		139	235,000
NO		2		16	22,500
NOT APPLICABLE		6		11,249	26,382,000
REFUSAL		8		1	2,000
NOT STATED		9		1,141	1,677,000
		Total		12,546	28,318,308

Variable Name	HSC2_4	Length	1	Position	7116
Question Name	HS_Q04				
Concept	Vision - recognize a friend without glasses / contact lenses				
Question	Are you able to see well enough to recognize a friend on the other side of the street without glasses or contact lenses?				
Universe	Respondents who answered HSC2_1=1 or HSC2_2=1 or HSC2_3=1				
Note					
Content		Code		Sample	Population
YES		1		8,160	19,318,500
NO		2		3,189	7,227,000
NOT APPLICABLE		6		16	22,500
DON'T KNOW		7		35	66,500
REFUSAL		8		3	5,000
NOT STATED		9		1,143	1,678,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_5 **Length** 1 **Position** 7117
Question Name HS_Q05
Concept Vision - recognize a friend with glasses / contact lenses
Question Are you usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses?
Universe Respondents who answered HSC2_4=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,030	6,892,500
NO	2	152	317,000
NOT APPLICABLE	6	8,176	19,341,000
DON'T KNOW	7	7	16,000
NOT STATED	9	1,181	1,752,000
Total		12,546	28,318,308

Variable Name HSC2DVIS **Length** 2 **Position** 7118 - 7119

Question Name
Concept Vision problem - function code - (D)
Question
Universe Respondents aged 4 and over
Note Based on HSC2_1 to HSC2_5. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO VISUAL PROBLEM	1	5,083	12,859,500
PROBLEM CORRECTED BY LENSES	2	6,042	13,250,500
PROBLEM SEEING DISTANCE - NOT CORRECTED	3	78	189,500
PROBLEM SEEING CLOSE - NOT CORRECTED	4	58	89,500
PROBLEM CLOSE & DISTANCE - NOT CORRECTED	5	74	127,500
NO SIGHT AT ALL	6	16	22,500
NOT STATED	99	1,195	1,780,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_6 **Length** 1 **Position** 7120
Question Name HS_Q06
Concept Hearing - in group without hearing aid
Question Are you usually able to hear what is said in a group conversation with at least 3 other people without a hearing aid?
Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,832	25,607,500
NO	2	564	1,018,000
DON'T KNOW	7	9	15,000
REFUSAL	8	1	2,000
NOT STATED	9	1,140	1,675,500
	Total	12,546	28,318,308

Variable Name HSC2_7 **Length** 1 **Position** 7121
Question Name HS_Q07
Concept Hearing - in group with hearing aid
Question Are you usually able to hear what is said in a group conversation with at least 3 other people with a hearing aid?
Universe Respondents who answered HSC2_6=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	334	650,500
NO	2	170	246,000
NOT APPLICABLE	6	10,832	25,607,500
DON'T KNOW	7	55	94,500
REFUSAL	8	3	22,500
NOT STATED	9	1,152	1,697,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_7A **Length** 1 **Position** 7122
Question Name HS_Q07A
Concept Hearing - able to hear
Question Are you able to hear at all?
Universe Respondents who answered HSC2_7<>1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	222	352,500
NO	2	8	15,000
NOT APPLICABLE	6	11,166	26,258,000
NOT STATED	9	1,150	1,692,500
	Total	12,546	28,318,308

Variable Name HSC2_8 **Length** 1 **Position** 7123
Question Name HS_Q08
Concept Hearing - in quiet room without hearing aid
Question Are you usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid?
Universe Respondents who answered HSC2_7=1 or HSC2_7A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	426	754,500
NO	2	127	244,500
NOT APPLICABLE	6	10,840	25,623,000
DON'T KNOW	7	3	3,500
NOT STATED	9	1,150	1,692,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_9 **Length** 1 **Position** 7124
Question Name HS_Q09
Concept Hearing - in quiet room with hearing aid
Question Are you usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?
Universe Respondents who answered HSC2_8=2 or HSC2_8=7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	113	206,000
NO	2	13	38,000
NOT APPLICABLE	6	11,266	26,377,500
DON'T KNOW	7	3	4,000
NOT STATED	9	1,151	1,693,000
	Total	12,546	28,318,308

Variable Name HSC2DHER **Length** 2 **Position** 7125 - 7126

Question Name

Concept Hearing problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC2_6 to HSC2_9. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO HEARING PROBLEM	1	10,832	25,607,500
PROBLEM IN GROUP - CORRECTED	2	244	471,500
PROBLEM IN GROUP & IND. - CORRECTED	3	89	178,000
PROBLEM IN GROUP - NOT CORRECTED	4	127	169,000
PROBLEM IN GROUP & IND.- IND. CORRECTED	5	25	41,000
CANNOT HEAR	6	18	36,500
NOT STATED	99	1,211	1,815,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_10 **Length** 1 **Position** 7127
Question Name HS_Q10
Concept Speech - completely understood by strangers
Question Are you usually able to be understood completely when speaking with strangers in your own language?
Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,303	26,402,500
NO	2	98	220,000
DON'T KNOW	7	4	18,000
REFUSAL	8	1	2,000
NOT STATED	9	1,140	1,675,500
Total		12,546	28,318,308

Variable Name HSC2_11 **Length** 1 **Position** 7128
Question Name HS_Q11
Concept Speech - partially understood by strangers
Question Are you able to be understood partially when speaking with strangers?
Universe Respondents who answered HSC2_10=2 or HSC2_10=7

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	77	191,000
NO	2	24	44,500
NOT APPLICABLE	6	11,303	26,402,500
DON'T KNOW	7	1	2,500
NOT STATED	9	1,141	1,677,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC2_12	Length	1	Position	7129
Question Name	HS_Q12				
Concept	Speech - completely understood by non-strangers				
Question	Are you able to be understood completely when speaking with those who know you well?				
Universe	Respondents who answered HSC2_10=2 or HSC2_10=7				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		63	165,500
NO		2		38	70,000
NOT APPLICABLE		6		11,303	26,402,500
DON'T KNOW		7		1	2,500
NOT STATED		9		1,141	1,677,500
		Total		12,546	28,318,308

Variable Name	HSC2_13	Length	1	Position	7130
Question Name	HS_Q13				
Concept	Speech - partially understood by non-strangers				
Question	Are you able to be understood partially when speaking with those who know you well?				
Universe	Respondents who answered HSC2_12=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		23	43,500
NO		2		15	27,000
NOT APPLICABLE		6		11,366	26,568,000
DON'T KNOW		7		1	2,500
NOT STATED		9		1,141	1,677,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2DSPE **Length** 1 **Position** 7131

Question Name

Concept Speech problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC2_10 to HSC2_13. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SPEECH PROBLEM	1	11,303	26,402,500
PARTIALLY UNDERSTOOD BY STRANGERS	2	56	143,500
PARTIALLY UNDERSTOOD BY FRIENDS	3	17	29,000
NOT UNDERSTOOD BY STRANGERS	4	10	20,500
NOT UNDERSTOOD BY FRIENDS	5	15	27,000
NOT STATED	9	1,145	1,695,500
Total		12,546	28,318,308

Variable Name HSC2_14 **Length** 1 **Position** 7132

Question Name HS_Q14

Concept Mobility - walk without difficulty and without support

Question Are you usually able to walk around the neighbourhood without difficulty and without mechanical support such as braces, a cane or crutches?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,766	25,635,000
NO	2	635	998,000
DON'T KNOW	7	3	3,500
REFUSAL	8	1	2,000
NOT STATED	9	1,141	1,679,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2404

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_15 **Length** 1 **Position** 7133

Question Name HS_Q15

Concept Mobility - able to walk

Question Are you able to walk at all?

Universe Respondents who answered HSC2_14=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	541	858,000
NO	2	94	140,000
NOT APPLICABLE	6	10,766	25,635,000
NOT STATED	9	1,145	1,685,000
	Total	12,546	28,318,308

Variable Name HSC2_16 **Length** 1 **Position** 7134

Question Name HS_Q16

Concept Mobility - requires support to walk

Question Do you require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood?

Universe Respondents who answered HSC2_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	426	672,500
NO	2	115	185,000
NOT APPLICABLE	6	10,860	25,775,000
NOT STATED	9	1,145	1,685,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_17 **Length** 1 **Position** 7135
Question Name HS_Q17
Concept Mobility - requires help of person to walk
Question Do you require the help of another person to be able to walk?
Universe Respondents who answered HSC2_15=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	118	197,500
NO	2	423	660,500
NOT APPLICABLE	6	10,860	25,775,000
NOT STATED	9	1,145	1,685,000
	Total	12,546	28,318,308

Variable Name HSC2_18 **Length** 1 **Position** 7136
Question Name HS_Q18
Concept Mobility - requires a wheelchair
Question Do you require a wheelchair to get around?
Universe Respondents who answered HSC2_14=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	159	252,000
NO	2	476	746,000
NOT APPLICABLE	6	10,766	25,635,000
NOT STATED	9	1,145	1,685,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_19 **Length** 1 **Position** 7137
Question Name HS_Q19
Concept Mobility - frequency of wheelchair use
Question How often do you use a wheelchair?
Universe Respondents who answered HSC2_18=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	101	152,500
OFTEN	2	24	46,500
SOMETIMES	3	32	50,000
NEVER	4	2	3,000
NOT APPLICABLE	6	11,242	26,381,000
NOT STATED	9	1,145	1,685,000
Total		12,546	28,318,308

Variable Name HSC2_20 **Length** 1 **Position** 7138
Question Name HS_Q20
Concept Mobility - requires help to move in wheelchair
Question Do you need the help of another person to get around in the wheelchair?
Universe Respondents who answered HSC2_18=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	111	182,500
NO	2	47	68,500
NOT APPLICABLE	6	11,242	26,381,000
DON'T KNOW	7	1	1,000
NOT STATED	9	1,145	1,685,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2DMOB **Length** 2 **Position** 7139 - 7140

Question Name

Concept Mobility problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC2_14 to HSC2_18. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO MOBILITY PROBLEM	1	10,766	25,635,000
PROBLEM - NO AID REQUIRED	2	96	159,500
PROBLEM - REQUIRES MECHANICAL SUPPORT	3	300	440,000
PROBLEM - REQUIRES WHEELCHAIR	4	27	60,500
PROBLEM - REQUIRES HELP FROM PEOPLE	5	118	197,500
CANNOT WALK	6	94	140,000
NOT STATED	99	1,145	1,685,000
Total		12,546	28,318,308

Variable Name HSC2_21 **Length** 1 **Position** 7141

Question Name HS_Q21

Concept Dexterity - able to grasp and handle small objects

Question Are you usually able to grasp and handle small objects such as a pencil or scissors?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,279	26,380,500
NO	2	123	250,000
DON'T KNOW	7	1	1,000
REFUSAL	8	1	2,000
NOT STATED	9	1,142	1,685,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC2_22	Length	1	Position	7142
Question Name	HS_Q22				
Concept	Dexterity - requires help due to limitation in hands				
Question	Do you require the help of another person because of limitations in the use of hands or fingers?				
Universe	Respondents who answered HSC2_21=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		72	164,000
NO		2		51	86,000
NOT APPLICABLE		6		11,279	26,380,500
NOT STATED		9		1,144	1,688,000
		Total		12,546	28,318,308

Variable Name	HSC2_23	Length	1	Position	7143
Question Name	HS_Q23				
Concept	Dexterity - requires help with tasks				
Question	Do you require the help of another person with:				
Universe	Respondents who answered HSC2_22=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
SOME TASKS		1		28	95,500
MOST TASKS		2		12	27,500
ALMOST ALL TASKS		3		10	13,500
ALL TASKS		4		22	27,000
NOT APPLICABLE		6		11,330	26,466,500
NOT STATED		9		1,144	1,688,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_24 **Length** 1 **Position** 7144
Question Name HS_Q24
Concept Dexterity - requires special equipment
Question Do you require special equipment, for example, devices to assist in dressing, because of limitations in the use of hands or fingers?
Universe Respondents who answered HSC2_21=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	26	32,000
NO	2	97	218,000
NOT APPLICABLE	6	11,279	26,380,500
NOT STATED	9	1,144	1,688,000
Total		12,546	28,318,308

Variable Name HSC2DDEX **Length** 2 **Position** 7145 - 7146

Question Name

Concept Dexterity problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC2_21 to HSC2_24. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO DEXTERITY PROBLEM	1	11,279	26,380,500
PROBLEM - NO HELP REQUIRED	2	47	80,500
PROBLEM - REQUIRES SPECIAL EQUIPMENT	3	4	5,500
PROBLEM - REQUIRES HELP WITH SOME TASKS	4	28	95,500
PROBLEM - REQUIRES HELP WITH MOST TASKS	5	22	41,000
PROBLEM - REQUIRES HELP WITH ALL TASKS	6	22	27,000
NOT STATED	99	1,144	1,688,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_25 **Length** 1 **Position** 7147
Question Name HS_Q25
Concept Feelings - self perceived happiness
Question Would you describe yourself as being usually:
Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAPPY AND INTERESTED IN LIFE	1	9,008	20,893,000
SOMEWHAT HAPPY	2	1,976	4,742,500
SOMEWHAT UNHAPPY	3	306	758,000
UNHAPPY WITH LITTLE INTEREST IN LIFE	4	85	197,500
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE	5	14	19,000
DON'T KNOW	7	9	16,000
REFUSAL	8	2	5,000
NOT STATED	9	1,146	1,687,000
	Total	12,546	28,318,308

Variable Name HSC2DEMO **Length** 1 **Position** 7148
Question Name
Concept Emotional problem - function code - (D)
Question
Universe Respondents aged 4 and over

Note Based on HSC2_25. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAPPY AND INTERESTED IN LIFE	1	9,008	20,893,000
SOMEWHAT HAPPY	2	1,976	4,742,500
SOMEWHAT UNHAPPY	3	306	758,000
VERY UNHAPPY	4	85	197,500
SO UNHAPPY THAT LIFE IS NOT WORTHWHILE	5	14	19,000
NOT STATED	9	1,157	1,708,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2_26 **Length** 1 **Position** 7149

Question Name HS_Q26

Concept Cognition - ability to remember things

Question How would you describe your usual ability to remember things?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ABLE TO REMEMBER MOST THINGS	1	8,779	20,705,500
SOMEWHAT FORGETFUL	2	2,354	5,314,500
VERY FORGETFUL	3	231	562,000
UNABLE TO REMEMBER ANYTHING AT ALL	4	31	40,000
DON'T KNOW	7	6	6,500
REFUSAL	8	1	2,000
NOT STATED	9	1,144	1,688,000
Total		12,546	28,318,308

Variable Name HSC2_27 **Length** 1 **Position** 7150

Question Name HS_Q27

Concept Cognition - ability to think and solve problems

Question How would you describe your usual ability to think and solve day-to-day problems?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ABLE TO THINK CLEARLY AND SOLVE PROBLEMS	1	10,168	23,682,500
HAVING A LITTLE DIFFICULTY	2	834	2,094,500
HAVING SOME DIFFICULTY	3	260	604,000
HAVING A GREAT DEAL OF DIFFICULTY	4	73	151,000
UNABLE TO THINK OR SOLVE PROBLEMS	5	57	76,500
DON'T KNOW	7	7	14,500
REFUSAL	8	2	5,000
NOT STATED	9	1,145	1,690,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2DCOG **Length** 2 **Position** 7151 - 7152

Question Name

Concept Cognition problem - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC2_26 and HSC2_27. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO COGNITION PROBLEM	1	8,355	19,623,500
A LITTLE DIFFICULTY THINKING	2	410	1,046,000
SOMEWHAT FORGETFUL	3	1,732	3,881,500
SOMEWHAT FORGETFUL/A LITTLE DIFF. THINK.	4	590	1,374,500
VERY FORGETFUL/GREAT DEAL DIFF. THINK.	5	241	599,500
UNABLE TO REMEMBER OR TO THINK	6	60	79,000
NOT STATED	99	1,158	1,714,500
	Total	12,546	28,318,308

Variable Name HSC2_28 **Length** 1 **Position** 7153

Question Name HS_Q28

Concept Pain - usually free of pain

Question Are you usually free of pain or discomfort?

Universe Respondents aged 4 and over

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	9,695	23,016,000
NO	2	1,702	3,604,500
DON'T KNOW	7	4	8,000
REFUSAL	8	1	2,000
NOT STATED	9	1,144	1,687,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	HSC2_29	Length	1	Position	7154
Question Name	HS_Q29				
Concept	Pain - usual intensity				
Question	How would you describe the usual intensity of your pain or discomfort?				
Universe	Respondents who answered HSC2_28=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
MILD		1		490	1,114,500
MODERATE		2		956	1,981,500
SEVERE		3		251	499,500
NOT APPLICABLE		6		9,695	23,016,000
DON'T KNOW		7		5	9,000
NOT STATED		9		1,149	1,698,000
		Total		12,546	28,318,308

Variable Name	HSC2_30	Length	1	Position	7155
Question Name	HS_Q30				
Concept	Pain - number of activities prevented				
Question	How many activities does your pain or discomfort prevent?				
Universe	Respondents who answered HSC2_28=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NONE		1		384	857,500
A FEW		2		594	1,261,500
SOME		3		445	962,000
MOST		4		274	516,000
NOT APPLICABLE		6		9,695	23,016,000
DON'T KNOW		7		5	8,000
NOT STATED		9		1,149	1,698,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name HSC2DPAD **Length** 1 **Position** 7156

Question Name

Concept Activities prevented by pain - function code - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC2_28 and HSC2_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. Labels for this variable have been changed in Cycle 5 (2002) to better reflect the questions used to derive this variable. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO PAIN OR DISCOMFORT	1	9,695	23,016,000
PAIN DOES NOT PREVENT ACTIVITY	2	384	857,500
PAIN PREVENTS A FEW ACTIVITIES	3	594	1,261,500
PAIN PREVENTS SOME ACTIVITIES	4	445	962,000
PAIN PREVENTS MOST ACTIVITIES	5	274	516,000
NOT STATED	9	1,154	1,706,000
	Total	12,546	28,318,308

Variable Name HSC2DHSI **Length** 5.3 **Position** 7157 - 7161

Question Name

Concept Health Utility Index (HUI3) - (D)

Question

Universe Respondents aged 4 and over

Note Based on HSC2_1 to HSC2_28 and HSC2_30. Source: The Comprehensive Health Status Measurement System / HUI3. In Cycle 3 (1998) and for all previous cycles, this derived variable was recalculated using HUI3. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	-.330 - 1.000	11,253	26,333,500
NOT STATED	9.999	1,293	1,985,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1A	Length	1	Position	7162
Question Name	PA_Q1				
Concept	Activity in last 3 months - walking for exercise				
Question	Have you done any of the following in the past 3 months? - Walking for exercise				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		7,577	17,445,000
NO		2		2,718	6,415,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1B	Length	1	Position	7163
Question Name	PA_Q1				
Concept	Activity in last 3 months - gardening or yard work				
Question	Have you done any of the following in the past 3 months? - Gardening or yard work				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,395	11,765,500
NO		2		4,900	12,095,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1C	Length	1	Position	7164
Question Name	PA_Q1				
Concept	Activity in last 3 months - swimming				
Question	Have you done any of the following in the past 3 months? - Swimming				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,672	6,729,500
NO		2		7,623	17,131,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1D	Length	1	Position	7165
Question Name	PA_Q1				
Concept	Activity in last 3 months - bicycling				
Question	Have you done any of the following in the past 3 months? - Bicycling				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,449	6,430,500
NO		2		7,846	17,430,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1E	Length	1	Position	7166
Question Name	PA_Q1				
Concept	Activity in last 3 months - popular or social dance				
Question	Have you done any of the following in the past 3 months? - Popular or social dance				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,359	5,670,500
NO		2		7,936	18,190,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1F	Length	1	Position	7167
Question Name	PA_Q1				
Concept	Activity in last 3 months - home exercises				
Question	Have you done any of the following in the past 3 months? - Home exercises				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,283	7,934,000
NO		2		7,012	15,927,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1G	Length	1	Position	7168
Question Name	PA_Q1				
Concept	Activity in last 3 months - ice hockey				
Question	Have you done any of the following in the past 3 months? - Ice hockey				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		502	1,417,000
NO		2		9,793	22,443,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1H	Length	1	Position	7169
Question Name	PA_Q1				
Concept	Activity in last 3 months - ice skating				
Question	Have you done any of the following in the past 3 months? - Ice skating				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		621	1,714,000
NO		2		9,674	22,146,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1Y	Length	1	Position	7170
Question Name	PA_Q1				
Concept	Activity in last 3 months - in-line skating or rollerblading				
Question	Have you done any of the following in the past 3 months? - In-line skating or rollerblading				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		677	2,080,500
NO		2		9,618	21,780,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1J	Length	1	Position	7171
Question Name	PA_Q1				
Concept	Activity in last 3 months - jogging or running				
Question	Have you done any of the following in the past 3 months? - Jogging or running				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,585	4,632,000
NO		2		8,710	19,228,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1K	Length	1	Position	7172
Question Name	PA_Q1				
Concept	Activity in last 3 months - golfing				
Question	Have you done any of the following in the past 3 months? - Golfing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,366	3,400,000
NO		2		8,929	20,461,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1L	Length	1	Position	7173
Question Name	PA_Q1				
Concept	Activity in last 3 months - exercise class or aerobics				
Question	Have you done any of the following in the past 3 months? - Exercise class or aerobics				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		867	2,317,500
NO		2		9,428	21,543,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1I	Length	1	Position	7174
Question Name	PA_Q1				
Concept	Activity in last 3 months - downhill skiing or snowboarding				
Question	Have you done any of the following in the past 3 months? - Downhill skiing or snowboarding				
Universe	Respondents aged 12 and over living in a household				
Note	This question changed in Cycle 5 (2002). Now includes snowboarding.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		315	898,500
NO		2		9,980	22,962,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1N	Length	1	Position	7175
Question Name	PA_Q1				
Concept	Activity in last 3 months - bowling				
Question	Have you done any of the following in the past 3 months? - Bowling				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		958	2,629,000
NO		2		9,337	21,231,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1O	Length	1	Position	7176
Question Name	PA_Q1				
Concept	Activity in last 3 months - baseball or softball				
Question	Have you done any of the following in the past 3 months? - Baseball or softball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		618	1,612,500
NO		2		9,677	22,248,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1P	Length	1	Position	7177
Question Name	PA_Q1				
Concept	Activity in last 3 months - tennis				
Question	Have you done any of the following in the past 3 months? - Tennis				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		379	1,203,000
NO		2		9,916	22,657,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1Q	Length	1	Position	7178
Question Name	PA_Q1				
Concept	Activity in last 3 months - weight-training				
Question	Have you done any of the following in the past 3 months? - Weight-training				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,457	4,046,000
NO		2		8,838	19,814,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1R	Length	1	Position	7179
Question Name	PA_Q1				
Concept	Activity in last 3 months - fishing				
Question	Have you done any of the following in the past 3 months? - Fishing				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,081	2,624,500
NO		2		9,214	21,236,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1S	Length	1	Position	7180
Question Name	PA_Q1				
Concept	Activity in last 3 months - volleyball				
Question	Have you done any of the following in the past 3 months? - Volleyball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		606	1,822,500
NO		2		9,689	22,038,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1T	Length	1	Position	7181
Question Name	PA_Q1				
Concept	Activity in last 3 months - basketball				
Question	Have you done any of the following in the past 3 months? - Basketball				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		724	2,277,000
NO		2		9,571	21,583,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2_1U	Length	1	Position	7182
Question Name	PA_Q1				
Concept	Activity in last 3 months - other (#1)				
Question	Have you done any of the following in the past 3 months? - Other activity (#1)				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		814	2,237,500
NO		2		9,481	21,623,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

Variable Name	PAC2_1V	Length	1	Position	7183
Question Name	PA_Q1				
Concept	Activity in last 3 months - no physical activity				
Question	Have you done any of the following in the past 3 months? - No physical activity				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		811	1,629,500
NO		2		9,484	22,231,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	1,500
REFUSAL		8		7	19,500
NOT STATED		9		1,532	2,680,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2FC1	Length	1	Position	7184
Question Name	PA_Q1US				
Concept	Flag for other physical activity (#1)				
Question	What was this activity? - Activity (#1)				
Universe	Respondents who answered PAC2_1U=1				
Note	Based on PAC2_1U. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		814	2,237,500
NOT APPLICABLE		6		10,191	23,379,500
NOT STATED		9		1,541	2,701,500
		Total		12,546	28,318,308

Variable Name	PAC2_1W	Length	1	Position	7185
Question Name	PA_Q1W				
Concept	Activity in last 3 months - other other activity (#2)				
Question	In the past 3 months, did you do any other activity for leisure? - Other activity (#2)				
Universe	Respondents who answered PAC2_1U=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		868	2,546,500
NO		2		8,613	19,678,000
NOT APPLICABLE		6		1,521	3,385,500
DON'T KNOW		7		1	3,500
REFUSAL		8		1	3,000
NOT STATED		9		1,542	2,701,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2FC2	Length	1	Position	7186
Question Name	PA_Q1WS				
Concept	Flag for other physical activity (#2)				
Question	What was this activity? - Activity (#2)				
Universe	Respondents who answered PAC2_1W=1				
Note	Based on PAC2_1W. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		867	2,546,000
NOT APPLICABLE		6		10,134	23,063,500
DON'T KNOW		7		1	1,000
NOT STATED		9		1,544	2,708,000
		Total		12,546	28,318,308

Variable Name	PAC2_1X	Length	1	Position	7187
Question Name	PA_Q1X				
Concept	Activity in last 3 months - other activity (#3)				
Question	In the past 3 months, did you do any other activity for leisure? - Other activity (#3)				
Universe	Respondents who answered PAC2_1W=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		140	454,500
NO		2		728	2,092,000
NOT APPLICABLE		6		10,134	23,063,500
NOT STATED		9		1,544	2,708,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2FC3	Length	1	Position	7188
Question Name	PA_Q1XS				
Concept	Flag for other physical activity (#3)				
Question	What was this activity? - Activity (#3)				
Universe	Respondents who answered PAC2_1X=1				
Note	Based on PAC2_1X. Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		140	454,500
NOT APPLICABLE		6		10,862	25,156,000
NOT STATED		9		1,544	2,708,000
		Total		12,546	28,318,308

Variable Name	PAC2_2A	Length	3	Position	7189 - 7191
Question Name	PA_Q2				
Concept	No. of times participated - walking for exercise				
Question	In the past 3 months, how many times did you participate in walking for exercise?				
Universe	Respondents who answered PAC2_1A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES		1 - 270		7,522	17,309,000
NOT APPLICABLE		996		3,428	8,172,000
DON'T KNOW		997		53	134,500
REFUSAL		998		1	1,500
NOT STATED		999		1,542	2,701,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3A **Length** 1 **Position** 7192
Question Name PA_Q3
Concept Time spent - walking for exercise
Question About how much time did you spend on each occasion? - Walking for exercise
Universe Respondents who answered PAC2_1A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	637	1,380,500
16 TO 30 MINUTES	2	2,838	6,644,000
31 TO 60 MINUTES	3	2,984	6,829,500
MORE THAN ONE HOUR	4	1,057	2,446,500
NOT APPLICABLE	6	3,428	8,172,000
DON'T KNOW	7	5	8,000
NOT STATED	9	1,597	2,838,000
	Total	12,546	28,318,308

Variable Name PAC2_2B **Length** 3 **Position** 7193 - 7195
Question Name PA_Q2
Concept No. of times participated - gardening or yard work
Question In the past 3 months, how many times did you participate in gardening or yard work?
Universe Respondents who answered PAC2_1B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	5,371	11,734,500
NOT APPLICABLE	996	5,610	13,851,500
DON'T KNOW	997	24	31,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3B **Length** 1 **Position** 7196
Question Name PA_Q3
Concept Time spent - gardening or yard work
Question About how much time did you spend on each occasion? - Gardening or yard work
Universe Respondents who answered PAC2_1B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	265	536,500
16 TO 30 MINUTES	2	981	2,140,000
31 TO 60 MINUTES	3	1,602	3,438,000
MORE THAN ONE HOUR	4	2,519	5,614,000
NOT APPLICABLE	6	5,610	13,851,500
DON'T KNOW	7	4	6,500
NOT STATED	9	1,565	2,732,000
	Total	12,546	28,318,308

Variable Name PAC2_2C **Length** 3 **Position** 7197 - 7199
Question Name PA_Q2
Concept No. of times participated - swimming
Question In the past 3 months, how many times did you participate in swimming?
Universe Respondents who answered PAC2_1C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	2,665	6,720,000
NOT APPLICABLE	996	8,333	18,887,500
DON'T KNOW	997	7	9,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3C **Length** 1 **Position** 7200
Question Name PA_Q3
Concept Time spent - swimming
Question About how much time did you spend on each occasion? - Swimming
Universe Respondents who answered PAC2_1C=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	153	377,000
16 TO 30 MINUTES	2	621	1,561,000
31 TO 60 MINUTES	3	935	2,316,000
MORE THAN ONE HOUR	4	956	2,466,500
NOT APPLICABLE	6	8,333	18,887,500
NOT STATED	9	1,548	2,710,500
	Total	12,546	28,318,308

Variable Name PAC2_2D **Length** 3 **Position** 7201 - 7203
Question Name PA_Q2
Concept No. of times participated - bicycling
Question In the past 3 months, how many times did you participate bicycling?
Universe Respondents who answered PAC2_1D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	2,444	6,419,500
NOT APPLICABLE	996	8,556	19,186,500
DON'T KNOW	997	5	10,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3D **Length** 1 **Position** 7204
Question Name PA_Q3
Concept Time spent - bicycling
Question About how much time did you spend on each occasion? - Bicycling
Universe Respondents who answered PAC2_1D=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	208	502,500
16 TO 30 MINUTES	2	677	1,713,000
31 TO 60 MINUTES	3	837	2,231,500
MORE THAN ONE HOUR	4	722	1,973,000
NOT APPLICABLE	6	8,556	19,186,500
NOT STATED	9	1,546	2,712,000
	Total	12,546	28,318,308

Variable Name PAC2_2E **Length** 3 **Position** 7205 - 7207
Question Name PA_Q2
Concept No. of times participated - popular or social dance
Question In the past 3 months, how many times did you participate in popular or social dancing?
Universe Respondents who answered PAC2_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	2,358	5,669,000
NOT APPLICABLE	996	8,646	19,946,500
DON'T KNOW	997	1	1,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3E **Length** 1 **Position** 7208

Question Name PA_Q3

Concept Time spent - popular or social dance

Question About how much time did you spend on each occasion? - Popular or social dance

Universe Respondents who answered PAC2_1E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	72	162,000
16 TO 30 MINUTES	2	126	291,000
31 TO 60 MINUTES	3	293	729,500
MORE THAN ONE HOUR	4	1,866	4,486,000
NOT APPLICABLE	6	8,646	19,946,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,542	2,703,000
	Total	12,546	28,318,308

Variable Name PAC2_2F **Length** 3 **Position** 7209 - 7211

Question Name PA_Q2

Concept No. of times participated - home exercises

Question In the past 3 months, how many times did you participate in home exercises?

Universe Respondents who answered PAC2_1F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	3,264	7,901,000
NOT APPLICABLE	996	7,722	17,683,000
DON'T KNOW	997	18	31,500
REFUSAL	998	1	1,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3F **Length** 1 **Position** 7212

Question Name PA_Q3

Concept Time spent - home exercises

Question About how much time did you spend on each occasion? - Home exercises

Universe Respondents who answered PAC2_1F=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	810	1,833,500
16 TO 30 MINUTES	2	1,432	3,476,000
31 TO 60 MINUTES	3	815	2,038,000
MORE THAN ONE HOUR	4	205	552,000
NOT APPLICABLE	6	7,722	17,683,000
DON'T KNOW	7	1	1,500
NOT STATED	9	1,561	2,734,500
	Total	12,546	28,318,308

Variable Name PAC2_2G **Length** 3 **Position** 7213 - 7215

Question Name PA_Q2

Concept No. of times participated - ice hockey

Question In the past 3 months, how many times did you participate in ice hockey?

Universe Respondents who answered PAC2_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	497	1,408,000
NOT APPLICABLE	996	10,503	24,200,000
DON'T KNOW	997	5	9,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3G **Length** 1 **Position** 7216
Question Name PA_Q3
Concept Time spent - ice hockey
Question About how much time did you spend on each occasion? - Ice hockey
Universe Respondents who answered PAC2_1G=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	2	5,000
16 TO 30 MINUTES	2	14	34,500
31 TO 60 MINUTES	3	107	369,500
MORE THAN ONE HOUR	4	374	999,500
NOT APPLICABLE	6	10,503	24,200,000
NOT STATED	9	1,546	2,710,000
	Total	12,546	28,318,308

Variable Name PAC2_2H **Length** 3 **Position** 7217 - 7219
Question Name PA_Q2
Concept No. of times participated - ice skating
Question In the past 3 months, how many times did you participate in ice skating?
Universe Respondents who answered PAC2_1H=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 96	620	1,710,000
NOT APPLICABLE	996	10,384	23,903,000
DON'T KNOW	997	1	4,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3H **Length** 1 **Position** 7220
Question Name PA_Q3
Concept Time spent - ice skating
Question About how much time did you spend on each occasion? - Ice skating
Universe Respondents who answered PAC2_1H=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	9	11,500
16 TO 30 MINUTES	2	62	135,500
31 TO 60 MINUTES	3	257	717,000
MORE THAN ONE HOUR	4	292	846,000
NOT APPLICABLE	6	10,384	23,903,000
NOT STATED	9	1,542	2,705,500
	Total	12,546	28,318,308

Variable Name PAC2_2Y **Length** 3 **Position** 7221 - 7223
Question Name PA_Q2
Concept No. of times participated - in-line skating or rollerblading
Question In the past 3 months, how many times did you participate in in-line skating or rollerblading?
Universe Respondents who answered PAC2_1Y=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	675	2,071,000
NOT APPLICABLE	996	10,328	23,536,500
DON'T KNOW	997	2	9,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3Y **Length** 1 **Position** 7224

Question Name PA_Q3

Concept Time spent - in-line skating or rollerblading

Question About how much time did you spend on each occasion? - In-line skating or rollerblading

Universe Respondents who answered PAC2_1Y=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	34	100,500
16 TO 30 MINUTES	2	141	442,500
31 TO 60 MINUTES	3	262	781,500
MORE THAN ONE HOUR	4	238	746,500
NOT APPLICABLE	6	10,328	23,536,500
NOT STATED	9	1,543	2,711,000
	Total	12,546	28,318,308

Variable Name PAC2_2J **Length** 3 **Position** 7225 - 7227

Question Name PA_Q2

Concept No. of times participated - jogging or running

Question In the past 3 months, how many times did you participate in jogging or running?

Universe Respondents who answered PAC2_1J=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 95	1,576	4,593,000
NOT APPLICABLE	996	9,420	20,985,000
DON'T KNOW	997	8	34,500
REFUSAL	998	1	4,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3J **Length** 1 **Position** 7228
Question Name PA_Q3
Concept Time spent - jogging or running
Question About how much time did you spend on each occasion? - Jogging or running
Universe Respondents who answered PAC2_1J=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	266	835,500
16 TO 30 MINUTES	2	680	1,900,000
31 TO 60 MINUTES	3	498	1,469,500
MORE THAN ONE HOUR	4	132	388,000
NOT APPLICABLE	6	9,420	20,985,000
NOT STATED	9	1,550	2,740,000
	Total	12,546	28,318,308

Variable Name PAC2_2K **Length** 3 **Position** 7229 - 7231
Question Name PA_Q2
Concept No. of times participated - golfing
Question In the past 3 months, how many times did you participate in golfing?
Universe Respondents who answered PAC2_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,362	3,392,500
NOT APPLICABLE	996	9,639	22,217,000
DON'T KNOW	997	4	7,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3K **Length** 1 **Position** 7232
Question Name PA_Q3
Concept Time spent - golfing
Question About how much time did you spend on each occasion? - Golfing
Universe Respondents who answered PAC2_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	6	10,000
16 TO 30 MINUTES	2	10	29,500
31 TO 60 MINUTES	3	26	83,000
MORE THAN ONE HOUR	4	1,320	3,270,500
NOT APPLICABLE	6	9,639	22,217,000
NOT STATED	9	1,545	2,708,500
	Total	12,546	28,318,308

Variable Name PAC2_2L **Length** 3 **Position** 7233 - 7235
Question Name PA_Q2
Concept No. of times participated - exercise class or aerobics
Question In the past 3 months, how many times did you participate in exercise class or aerobics?
Universe Respondents who answered PAC2_1L=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	865	2,315,000
NOT APPLICABLE	996	10,138	23,299,500
DON'T KNOW	997	2	3,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3L **Length** 1 **Position** 7236
Question Name PA_Q3
Concept Time spent - exercise class or aerobics
Question About how much time did you spend on each occasion? - Exercise class or aerobics
Universe Respondents who answered PAC2_1L=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	28	102,500
16 TO 30 MINUTES	2	108	309,000
31 TO 60 MINUTES	3	454	1,172,500
MORE THAN ONE HOUR	4	275	730,500
NOT APPLICABLE	6	10,138	23,299,500
NOT STATED	9	1,543	2,704,000
	Total	12,546	28,318,308

Variable Name PAC2_2I **Length** 3 **Position** 7237 - 7239
Question Name PA_Q2
Concept No. of times participated - downhill skiing or snowboarding
Question In the past 3 months, how many times did you participate in downhill skiing or snowboarding?
Universe Respondents who answered PAC2_1I=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 52	315	898,500
NOT APPLICABLE	996	10,690	24,718,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3I **Length** 1 **Position** 7240

Question Name PA_Q3

Concept Time spent - downhill skiing or snowboarding

Question About how much time did you spend on each occasion? - Downhill skiing or snowboarding

Universe Respondents who answered PAC2_1I=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	3	6,000
16 TO 30 MINUTES	2	1	1,000
31 TO 60 MINUTES	3	13	28,500
MORE THAN ONE HOUR	4	298	863,500
NOT APPLICABLE	6	10,690	24,718,500
NOT STATED	9	1,541	2,701,500
	Total	12,546	28,318,308

Variable Name PAC2_2N **Length** 3 **Position** 7241 - 7243

Question Name PA_Q2

Concept No. of times participated - bowling

Question In the past 3 months, how many times did you participate in bowling?

Universe Respondents who answered PAC2_1N=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 80	957	2,625,000
NOT APPLICABLE	996	10,047	22,988,000
DON'T KNOW	997	1	4,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3N **Length** 1 **Position** 7244
Question Name PA_Q3
Concept Time spent - bowling
Question About how much time did you spend on each occasion? - Bowling
Universe Respondents who answered PAC2_1N=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	4	7,000
16 TO 30 MINUTES	2	16	42,000
31 TO 60 MINUTES	3	148	486,500
MORE THAN ONE HOUR	4	789	2,090,000
NOT APPLICABLE	6	10,047	22,988,000
NOT STATED	9	1,542	2,705,500
	Total	12,546	28,318,308

Variable Name PAC2_2O **Length** 3 **Position** 7245 - 7247
Question Name PA_Q2
Concept No. of times participated - baseball or softball
Question In the past 3 months, how many times did you participate in baseball or softball?
Universe Respondents who answered PAC2_1O=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 84	618	1,612,500
NOT APPLICABLE	996	10,387	24,004,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3O **Length** 1 **Position** 7248
Question Name PA_Q3
Concept Time spent - baseball or softball
Question About how much time did you spend on each occasion? - Baseball or softball
Universe Respondents who answered PAC2_1O=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	5	9,000
16 TO 30 MINUTES	2	17	42,500
31 TO 60 MINUTES	3	87	238,000
MORE THAN ONE HOUR	4	508	1,322,000
NOT APPLICABLE	6	10,387	24,004,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,541	2,701,500
	Total	12,546	28,318,308

Variable Name PAC2_2P **Length** 3 **Position** 7249 - 7251
Question Name PA_Q2
Concept No. of times participated - tennis
Question In the past 3 months, how many times did you participate in tennis?
Universe Respondents who answered PAC2_1P=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 60	379	1,203,000
NOT APPLICABLE	996	10,626	24,414,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3P **Length** 1 **Position** 7252
Question Name PA_Q3
Concept Time spent - tennis
Question About how much time did you spend on each occasion? - Tennis
Universe Respondents who answered PAC2_1P=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	5	14,000
16 TO 30 MINUTES	2	25	65,500
31 TO 60 MINUTES	3	123	386,500
MORE THAN ONE HOUR	4	226	737,000
NOT APPLICABLE	6	10,626	24,414,000
NOT STATED	9	1,541	2,701,500
	Total	12,546	28,318,308

Variable Name PAC2_2Q **Length** 3 **Position** 7253 - 7255
Question Name PA_Q2
Concept No. of times participated - weight-training
Question In the past 3 months, how many times did you participate in weight-training?
Universe Respondents who answered PAC2_1Q=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 99	1,456	4,042,500
NOT APPLICABLE	996	9,548	21,571,000
DON'T KNOW	997	1	3,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3Q **Length** 1 **Position** 7256
Question Name PA_Q3
Concept Time spent - weight-training
Question About how much time did you spend on each occasion? - Weight-training
Universe Respondents who answered PAC2_1Q=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	168	490,500
16 TO 30 MINUTES	2	406	1,104,000
31 TO 60 MINUTES	3	579	1,558,000
MORE THAN ONE HOUR	4	303	890,000
NOT APPLICABLE	6	9,548	21,571,000
NOT STATED	9	1,542	2,704,500
	Total	12,546	28,318,308

Variable Name PAC2_2R **Length** 3 **Position** 7257 - 7259
Question Name PA_Q2
Concept No. of times participated - fishing
Question In the past 3 months, how many times did you participate in fishing?
Universe Respondents who answered PAC2_1R=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	1,080	2,620,000
NOT APPLICABLE	996	9,924	22,992,500
DON'T KNOW	997	1	4,000
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3R **Length** 1 **Position** 7260
Question Name PA_Q3
Concept Time spent - fishing
Question About how much time did you spend on each occasion? - Fishing
Universe Respondents who answered PAC2_1R=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	6	14,500
16 TO 30 MINUTES	2	18	63,500
31 TO 60 MINUTES	3	56	159,000
MORE THAN ONE HOUR	4	1,000	2,383,500
NOT APPLICABLE	6	9,924	22,992,500
NOT STATED	9	1,542	2,705,500
	Total	12,546	28,318,308

Variable Name PAC2_2S **Length** 3 **Position** 7261 - 7263
Question Name PA_Q2
Concept No. of times participated - volleyball
Question In the past 3 months, how many times did you participate in volleyball?
Universe Respondents who answered PAC2_1S=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	602	1,806,000
NOT APPLICABLE	996	10,399	23,794,500
DON'T KNOW	997	4	16,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3S **Length** 1 **Position** 7264
Question Name PA_Q3
Concept Time spent - volleyball
Question About how much time did you spend on each occasion? - Volleyball
Universe Respondents who answered PAC2_1S=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	11	38,500
16 TO 30 MINUTES	2	61	204,000
31 TO 60 MINUTES	3	194	562,500
MORE THAN ONE HOUR	4	336	1,001,000
NOT APPLICABLE	6	10,399	23,794,500
NOT STATED	9	1,545	2,718,000
	Total	12,546	28,318,308

Variable Name PAC2_2T **Length** 3 **Position** 7265 - 7267
Question Name PA_Q2
Concept No. of times participated - basketball
Question In the past 3 months, how many times did you participate in basketball?
Universe Respondents who answered PAC2_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	719	2,257,500
NOT APPLICABLE	996	10,281	23,340,000
DON'T KNOW	997	5	19,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3T **Length** 1 **Position** 7268
Question Name PA_Q3
Concept Time spent - basketball
Question About how much time did you spend on each occasion? - Basketball
Universe Respondents who answered PAC2_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	30	84,500
16 TO 30 MINUTES	2	136	398,000
31 TO 60 MINUTES	3	232	799,000
MORE THAN ONE HOUR	4	321	976,000
NOT APPLICABLE	6	10,281	23,340,000
NOT STATED	9	1,546	2,721,000
	Total	12,546	28,318,308

Variable Name PAC2_2U **Length** 3 **Position** 7269 - 7271
Question Name PA_Q2
Concept No. of times participated - other activity (#1)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#1)?
Universe Respondents who answered PAC2_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 120	805	2,209,000
NOT APPLICABLE	996	10,191	23,379,500
DON'T KNOW	997	9	28,500
NOT STATED	999	1,541	2,701,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3U **Length** 1 **Position** 7272
Question Name PA_Q3
Concept Time spent - other activity (#1)
Question About how much time did you spend on each occasion? - Other leisure time activity (#1)
Universe Respondents who answered PAC2_1U=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	28	71,000
16 TO 30 MINUTES	2	73	214,500
31 TO 60 MINUTES	3	170	445,500
MORE THAN ONE HOUR	4	534	1,478,000
NOT APPLICABLE	6	10,191	23,379,500
NOT STATED	9	1,550	2,730,000
	Total	12,546	28,318,308

Variable Name PAC2_2W **Length** 3 **Position** 7273 - 7275
Question Name PA_Q2
Concept No. of times participated - other activity (#2)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#2)?
Universe Respondents who answered PAC2_1W=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 200	864	2,537,500
NOT APPLICABLE	996	10,134	23,063,500
DON'T KNOW	997	4	9,000
NOT STATED	999	1,544	2,708,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3W **Length** 1 **Position** 7276
Question Name PA_Q3
Concept Time spent - other activity (#2)
Question About how much time did you spend on each occasion? - Other leisure time activity (#2)
Universe Respondents who answered PAC2_1W=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	20	43,000
16 TO 30 MINUTES	2	65	196,000
31 TO 60 MINUTES	3	171	517,500
MORE THAN ONE HOUR	4	606	1,774,500
NOT APPLICABLE	6	10,134	23,063,500
DON'T KNOW	7	2	7,500
NOT STATED	9	1,548	2,717,000
	Total	12,546	28,318,308

Variable Name PAC2_2X **Length** 3 **Position** 7277 - 7279
Question Name PA_Q2
Concept No. of times participated - other activity (#3)
Question In the past 3 months, how many times did you participate in this other leisure time activity (#3)?
Universe Respondents who answered PAC2_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 90	138	433,500
NOT APPLICABLE	996	10,862	25,156,000
DON'T KNOW	997	1	18,000
REFUSAL	998	1	3,500
NOT STATED	999	1,544	2,708,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_3X **Length** 1 **Position** 7280
Question Name PA_Q3
Concept Time spent - other activity (#3)
Question About how much time did you spend on each occasion? - Other leisure time activity (#3)
Universe Respondents who answered PAC2_1X=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
1 TO 15 MINUTES	1	2	2,500
16 TO 30 MINUTES	2	14	46,000
31 TO 60 MINUTES	3	26	97,000
MORE THAN ONE HOUR	4	96	287,500
NOT APPLICABLE	6	10,862	25,156,000
NOT STATED	9	1,546	2,729,000
	Total	12,546	28,318,308

Variable Name PAC2_4A **Length** 2 **Position** 7281 - 7282
Question Name PA_Q4A
Concept Number of hours walking - to work or to school
Question In a typical week in the past 3 months, how many hours did you usually spend walking to work or to school or while doing errands?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	3,246	7,832,500
LESS THAN 1 HOUR	2	1,412	3,270,000
FROM 1 TO 5 HOURS	3	3,343	7,816,500
FROM 6 TO 10 HOURS	4	985	2,198,500
FROM 11 TO 20 HOURS	5	499	977,000
MORE THAN 20 HOURS	6	759	1,649,000
NOT APPLICABLE	96	710	1,756,500
DON'T KNOW	97	42	100,500
REFUSAL	98	1	1,000
NOT STATED	99	1,549	2,717,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_4B **Length** 2 **Position** 7283 - 7284

Question Name PA_Q4B

Concept Number of hours biking - to work or to school

Question In a typical week, how much time did you usually spend bicycling to work or to school or while doing errands?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE	1	9,624	22,063,000
LESS THAN 1 HOUR	2	266	711,000
FROM 1 TO 5 HOURS	3	315	857,500
FROM 6 TO 10 HOURS	4	50	134,500
FROM 11 TO 20 HOURS	5	16	34,000
MORE THAN 20 HOURS	6	11	31,500
NOT APPLICABLE	96	710	1,756,500
DON'T KNOW	97	5	11,500
NOT STATED	99	1,549	2,719,000
	Total	12,546	28,318,308

Variable Name PAC2_5 **Length** 1 **Position** 7285

Question Name PA_Q5

Concept Frequency of bike helmet use

Question When riding a bicycle how often did you wear a helmet?

Universe Respondents who answered PAC2_1D=1 or PAC2_4B > 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALWAYS	1	882	2,202,000
MOST OF THE TIME	2	180	537,000
RARELY	3	205	596,000
NEVER	4	1,292	3,395,500
NOT APPLICABLE	6	8,426	18,826,500
DON'T KNOW	7	6	16,000
REFUSAL	8	3	18,000
NOT STATED	9	1,552	2,727,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2_6 **Length** 1 **Position** 7286
Question Name PA_Q6
Concept Level of physical activity for usual day
Question Thinking back over the past 3 months, which of the following best describes your usual daily activities or work habits?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
USUALLY SIT AND DON'T WALK VERY MUCH	1	2,596	6,076,500
STAND OR WALK QUITE A LOT	2	4,854	11,083,500
USUALLY LIFT OR CARRY LIGHT LOADS	3	2,244	5,136,000
DO HEAVY WORK OR CARRY VERY HEAVY LOADS	4	575	1,487,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	15	55,000
REFUSAL	8	1	3,000
NOT STATED	9	1,551	2,720,000
Total		12,546	28,318,308

Variable Name PAC2DLEI **Length** 1 **Position** 7287

Question Name

Concept Participant in leisure physical activity - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC2_1V. Source: Ontario Health Survey. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PARTICIPANT	1	9,484	22,231,500
NON-PARTICIPANT	2	811	1,629,500
NOT APPLICABLE	6	710	1,756,500
NOT STATED	9	1,541	2,701,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2DFM **Length** 3 **Position** 7288 - 7290

Question Name

Concept Monthly freq. of physical activity lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC2_1V, PAC2_2A to PAC2_2X and PAC2_3A to PAC2_3X. Activity list is unique to each cycle. Source: Ontario Health Survey. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MONTHLY FREQUENCY	1 - 183	9,138	21,626,000
NO PHYSICAL ACTIVITY	0	1,157	2,234,500
NOT APPLICABLE	996	710	1,756,500
NOT STATED	999	1,541	2,701,500
Total		12,546	28,318,308

Variable Name PAC2DFR **Length** 1 **Position** 7291

Question Name

Concept Freq. of all physical activity lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC2_1V, PAC2_2A to PAC2_2X and PAC2_3A to PAC2_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR	1	6,793	16,046,500
OCCASIONAL	2	1,709	4,065,000
INFREQUENT	3	1,793	3,749,000
NOT APPLICABLE	6	710	1,756,500
NOT STATED	9	1,541	2,701,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PAC2DFD **Length** 1 **Position** 7292

Question Name

Concept Participation in daily phys. activ. lasting >15 min. - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC2_1V, PAC2_2A to PAC2_2X and PAC2_3A to PAC2_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DAILY	1	3,498	8,475,000
NOT DAILY	2	6,797	15,385,500
NOT APPLICABLE	6	710	1,756,500
NOT STATED	9	1,541	2,701,500
Total		12,546	28,318,308

Variable Name PAC2DEE **Length** 4.1 **Position** 7293 - 7296

Question Name

Concept Energy expenditure - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on PAC2_1A to PAC2_1X, PAC2_2A to PAC2_2X and PAC2_3A to PAC2_3X. Activity list is unique to each cycle. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
UNITS OF ENERGY	0.1 - 21.7	9,308	21,913,500
NO PHYSICAL ACTIVITY	0	987	1,947,500
NOT APPLICABLE	99.6	710	1,756,500
NOT STATED	99.9	1,541	2,701,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	PAC2DPAI	Length	1	Position	7297
Question Name					
Concept	Physical activity index - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on PAC2_1A to PAC2_1X, PAC2_2A to PAC2_2X and PAC2_3A to PAC2_3X. Activity list is unique to each cycle. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
ACTIVE		1		2,417	6,130,500
MODERATE		2		2,782	6,561,500
INACTIVE		3		5,096	11,168,500
NOT APPLICABLE		6		710	1,756,500
NOT STATED		9		1,541	2,701,500
		Total		12,546	28,318,308

Variable Name	TUC2_3	Length	1	Position	7298
Question Name	TU_Q1				
Concept	UV - has been sunburnt				
Question	In the past 12 months, has any part of your body been sunburnt?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,172	7,542,000
NO		2		7,108	16,276,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		6	21,500
REFUSAL		8		4	8,500
NOT STATED		9		1,546	2,713,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2457

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC2_1 **Length** 1 **Position** 7299

Question Name RP_Q1

Concept Had repetitive strain injuries

Question In the past 12 months, did you have any injuries due to repetitive strain which were serious enough to limit your normal activities? (For example, carpal tunnel syndrome, tennis elbow or tendinitis.)

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,125	2,780,000
NO	2	9,526	21,945,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	5	7,500
REFUSAL	8	2	3,500
NOT STATED	9	1,178	1,826,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC2_3 **Length** 2 **Position** 7300 - 7301

Question Name RP_Q3

Concept Body part affected by repetitive strain

Question Thinking about the most serious repetitive strain, what part of the body was affected?

Universe Respondents who answered RPC2_1=1

Note This is the same question as in Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HEAD	1	4	11,000
NECK	2	39	70,500
SHOULDER, UPPER ARM	3	263	697,500
ELBOW, LOWER ARM	4	180	410,500
WRIST, HAND	5	233	490,500
HIP	6	19	40,000
THIGH	7	16	42,000
KNEE, LOWER LEG	8	95	271,000
ANKLE, FOOT	9	68	191,500
UPPER BACK OR UPPER SPINE	10	36	109,500
LOWER BACK OR LOWER SPINE	11	159	422,000
CHEST	12	3	5,000
ABDOMEN OR PELVIS	13	10	19,000
NOT APPLICABLE	96	10,236	23,701,500
NOT STATED	99	1,185	1,837,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC2_5A **Length** 1 **Position** 7302

Question Name RP_Q4

Concept Repetitive strain activity - sports or physical exercise

Question What type of activity were you doing when you got this repetitive strain? - Sports or physical exercise (include school activities)

Universe Respondents who answered RPC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	254	714,500
NO	2	848	2,014,000
NOT APPLICABLE	6	10,236	23,701,500
DON'T KNOW	7	23	51,000
NOT STATED	9	1,185	1,837,000
Total		12,546	28,318,308

Variable Name RPC2_5B **Length** 1 **Position** 7303

Question Name RP_Q4

Concept Repetitive strain activity - leisure or hobby

Question What type of activity were you doing when you got this repetitive strain? - Leisure or hobby (include volunteering)

Universe Respondents who answered RPC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	83	193,500
NO	2	1,019	2,535,000
NOT APPLICABLE	6	10,236	23,701,500
DON'T KNOW	7	23	51,000
NOT STATED	9	1,185	1,837,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC2_5C **Length** 1 **Position** 7304
Question Name RP_Q4
Concept Repetitive strain activity - working at a job or business
Question What type of activity were you doing when you got this repetitive strain? - Working at a job or business (include travel to or from work)
Universe Respondents who answered RPC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	538	1,283,500
NO	2	564	1,445,000
NOT APPLICABLE	6	10,236	23,701,500
DON'T KNOW	7	23	51,000
NOT STATED	9	1,185	1,837,000
Total		12,546	28,318,308

Variable Name RPC2_5D **Length** 1 **Position** 7305
Question Name RP_Q4
Concept Repetitive strain activity - hhd chores, other work / educ.
Question What type of activity were you doing when you got this repetitive strain? - Household chores, other unpaid work or education
Universe Respondents who answered RPC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	160	375,000
NO	2	942	2,354,000
NOT APPLICABLE	6	10,236	23,701,500
DON'T KNOW	7	23	51,000
NOT STATED	9	1,185	1,837,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name RPC2_5E **Length** 1 **Position** 7306
Question Name RP_Q4
Concept Repetitive strain activity - sleeping, eating, personal care
Question What type of activity were you doing when you got this repetitive strain? - Sleeping, eating, personal care
Universe Respondents who answered RPC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10	17,000
NO	2	1,092	2,712,000
NOT APPLICABLE	6	10,236	23,701,500
DON'T KNOW	7	23	51,000
NOT STATED	9	1,185	1,837,000
	Total	12,546	28,318,308

Variable Name RPC2_5F **Length** 1 **Position** 7307
Question Name RP_Q4
Concept Repetitive strain activity - other
Question What type of activity were you doing when you got this repetitive strain? - Other
Universe Respondents who answered RPC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	88	220,500
NO	2	1,014	2,508,000
NOT APPLICABLE	6	10,236	23,701,500
DON'T KNOW	7	23	51,000
NOT STATED	9	1,185	1,837,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	IJC2_1	Length	1	Position	7308
Question Name	IN_Q01				
Concept	Injured in the past 12 months				
Question	(Not counting repetitive strain injuries,) In the past 12 months, were you injured?				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,431	3,677,500
NO		2		9,791	22,636,500
NOT APPLICABLE		6		143	172,000
REFUSAL		8		2	3,500
NOT STATED		9		1,179	1,829,000
		Total		12,546	28,318,308

Variable Name	IJC2_2	Length	2	Position	7309 - 7310
Question Name	IJ_Q02				
Concept	Number of injuries in the past 12 months				
Question	How many times were you injured?				
Universe	Respondents who answered IJC2_1=1				
Note					
Content		Code		Sample	Population
NUMBER OF TIMES		1 - 20		1,431	3,677,500
NOT APPLICABLE		96		9,934	22,808,500
NOT STATED		99		1,181	1,832,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2_3 **Length** 2 **Position** 7311 - 7312
Question Name IJ_Q03
Concept Most serious injury - type
Question (Thinking about the most serious injury,) What type of injury did you have? For example, a broken bone or burn.
Universe Respondents who answered IJC2_1=1
Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE INJURIES	1	23	47,000
BROKEN OR FRACTURED BONES	2	277	668,000
BURN, SCALD, CHEMICAL BURN	3	51	111,500
DISLOCATION	4	46	144,000
SPRAIN OR STRAIN	5	634	1,608,500
CUT, PUNCTURE, ANIMAL BITE	6	179	488,500
SCRAPE, BRUISE, BLISTER	7	84	222,000
CONCUSSION OR OTHER BRAIN INJURY	8	17	56,000
POISONING	9	11	21,500
INJURY TO INTERNAL ORGANS	10	10	21,000
OTHER	11	96	284,000
NOT APPLICABLE	96	9,934	22,808,500
DON'T KNOW	97	3	5,500
NOT STATED	99	1,181	1,832,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2_4 **Length** 2 **Position** 7313 - 7314

Question Name IJ_Q04

Concept Most serious injury - body part affected

Question What part of your body was injured?

Universe Respondents who answered IJC2_3<8 or IJC2_3=11

Note This is the same question as in Cycle 1 (1994), Cycle 2 (1996) and Cycle 3 (1998), but the response categories changed in Cycle 4 (2000).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MULTIPLE SITES	1	32	62,500
EYES	2	11	13,500
HEAD (EXCL. EYES)	3	44	122,500
NECK	4	42	98,000
SHOULDER, UPPER ARM	5	116	359,000
ELBOW, LOWER ARM	6	60	137,000
WRIST, HAND	7	288	829,000
HIP	8	22	49,500
THIGH	9	26	55,000
KNEE, LOWER LEG	10	164	461,500
ANKLE, FOOT	11	328	737,500
UPPER BACK OR UPPER SPINE	12	42	106,000
LOWER BACK OR LOWER SPINE	13	154	410,500
CHEST (EXCL. BACK AND SPINE)	14	35	75,000
ABDOMEN OR PELVIS (EXCL. BACK AND SPINE)	15	26	59,000
NOT APPLICABLE	96	9,972	22,906,500
DON'T KNOW	97	2	3,000
NOT STATED	99	1,182	1,833,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2_9 **Length** 2 **Position** 7318 - 7319
Question Name IJ_Q07
Concept Most serious injury - activity type when injured
Question What type of activity were you doing when you were injured?
Universe Respondents who answered IJC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SPORTS OR PHYSICAL EXERCISE	1	424	1,217,500
LEISURE OR HOBBY	2	211	527,000
WORKING AT A JOB OR BUSINESS	3	287	756,000
HHLD CHORES, OTHER UNPAID WORK/EDUCATION	4	281	617,500
SLEEPING, EATING, PERSONAL CARE	5	64	142,000
OTHER	6	158	395,500
NOT APPLICABLE	96	9,934	22,808,500
DON'T KNOW	97	6	22,000
NOT STATED	99	1,181	1,832,500
Total		12,546	28,318,308

Variable Name IJC2_10 **Length** 1 **Position** 7320
Question Name IJ_Q08
Concept Most serious injury - result of a fall
Question Was the injury the result of a fall?
Universe Respondents who answered IJC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	572	1,446,500
NO	2	854	2,219,500
NOT APPLICABLE	6	9,934	22,808,500
DON'T KNOW	7	5	11,500
NOT STATED	9	1,181	1,832,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2467

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2_10A **Length** 2 **Position** 7321 - 7322
Question Name IJ_Q09
Concept Most serious injury - how fell
Question How did you fall?
Universe Respondents who answered IJC2_10=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WHILE SKATING, SKIING, SNOWBOARDING ETC.	1	69	204,500
GOING UP OR DOWN STAIRS / STEPS	2	57	116,500
SLIP, TRIP, STUMBLE ON ICE OR SNOW	3	75	175,500
SLIP, TRIP, STUMBLE ON ANY OTHER SURFACE	4	212	490,000
FROM FURNITURE	5	18	35,500
FROM ELEVATED POSITION	6	36	97,500
OTHER	7	105	327,000
NOT APPLICABLE	96	10,788	25,027,500
NOT STATED	99	1,186	1,844,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2_10B **Length** 2 **Position** 7323 - 7324
Question Name IJ_Q10
Concept Most serious injury - cause
Question What caused the injury?
Universe Respondents who answered IJC2_10<>1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRANSPORTATION ACCIDENT	1	76	174,000
ACCID. BUMPED, PUSHED, BITT. PERS./ANIM.	2	109	295,000
ACCID. STRUCK, CRUSHED BY OBJECT	3	107	304,000
ACCID. CONT SHARP OBJECT, TOOL / MACHINE	4	122	322,500
SMOKE, FIRE, FLAMES	5	5	8,500
ACC. CONTACT - HOT OBJECT, LIQUID, GAS	6	42	91,500
EXTREME WEATHER OR NATURAL DISASTER	7	2	4,500
OVEREXERTION OR STRENUOUS MOVEMENT	8	241	658,000
PHYSICAL ASSAULT	9	9	26,500
OTHER	10	132	307,000
NOT APPLICABLE	96	10,506	24,254,500
DON'T KNOW	97	14	38,500
NOT STATED	99	1,181	1,832,500
Total		12,546	28,318,308

Variable Name IJC2_11 **Length** 1 **Position** 7325
Question Name IJ_Q11
Concept Most serious injury - received treatment within 48 hours
Question Did you receive any medical attention for this injury from a health professional within 48 hours?
Universe Respondents who answered IJC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	910	2,228,000
NO	2	519	1,440,000
NOT APPLICABLE	6	9,934	22,808,500
DON'T KNOW	7	2	9,500
NOT STATED	9	1,181	1,832,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2_12 **Length** 2 **Position** 7326 - 7327
Question Name IJ_Q12
Concept Most serious injury - where received treatment
Question Where did you receive treatment?
Universe Respondents who answered IJC2_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DOCTOR'S OFFICE	1	197	508,500
HOSPITAL EMERGENCY ROOM	2	479	1,149,500
HOSPITAL OUTPATIENT CLINIC	3	61	101,500
WALK-IN CLINIC	4	88	240,500
APPOINTMENT CLINIC	5	13	31,000
COMMUNITY HEALTH CENTRE / CLSC	6	15	47,500
AT WORK	7	7	16,500
AT SCHOOL	8	3	8,000
AT HOME	9	10	30,500
TELEPHONE CONSULTATION ONLY	10	3	4,500
OTHER	11	34	90,000
NOT APPLICABLE	96	10,453	24,248,500
NOT STATED	99	1,183	1,842,000
Total		12,546	28,318,308

Variable Name IJC2_13 **Length** 1 **Position** 7328
Question Name IJ_Q13
Concept Most serious injury - admitted to hospital
Question Were you admitted to a hospital overnight?
Universe Respondents who answered IJC2_11=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	75	185,500
NO	2	835	2,042,500
NOT APPLICABLE	6	10,453	24,248,500
NOT STATED	9	1,183	1,842,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2_14 **Length** 1 **Position** 7329
Question Name IJ_Q14
Concept Other injuries - treated but did not limit normal activities
Question Did you have any other injuries in the past 12 months that were treated by a health professional, but did not limit your normal activities?
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	475	1,203,500
NO	2	10,744	25,103,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	2	6,500
NOT STATED	9	1,182	1,833,500
Total		12,546	28,318,308

Variable Name IJC2_15 **Length** 2 **Position** 7330 - 7331
Question Name IJ_Q15
Concept Other injuries - number of treated injuries
Question How many injuries?
Universe Respondents who answered IJC2_14=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF INJURIES	1 - 15	474	1,202,000
NOT APPLICABLE	96	10,887	25,275,000
DON'T KNOW	97	1	1,500
NOT STATED	99	1,184	1,840,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2DTBS **Length** 4 **Position** 7332 - 7335

Question Name

Concept Type of injury by body site - (D)

Question

Universe Respondents who answered IJC2_1=1

Note Based on IJC2_1, IJC2_3, IJC2_4 and IJC2_4A. This variable is conceptually the same as IJC4D1 in Cycle 1 (1994), IJC6D1 in Cycle 2 (1996) and IJC8D1 in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INJURY BY BODY SITE	101 - 1115	1,425	3,667,500
NOT APPLICABLE	9996	9,934	22,808,500
NOT STATED	9999	1,187	1,843,000
Total		12,546	28,318,308

Variable Name IJC2DCAU **Length** 2 **Position** 7336 - 7337

Question Name

Concept Cause of injury - (D)

Question

Universe Respondents who answered IJC2_1=1

Note Based on IJC2_10 and IJC2_10B. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FALL	1	572	1,446,500
TRANSPORTATION ACCIDENT	2	76	174,000
ACCID. BUMPED, PUSHED, BITT. PERS./ANIM.	3	109	295,000
ACCID. STRUCK, CRUSHED BY OBJECT	4	107	304,000
ACCID. CONT SHARP OBJECT, TOOL / MACHINE	5	122	322,500
SMOKE, FIRE, FLAMES	6	5	8,500
ACC. CONTACT - HOT OBJECT, LIQUID, GAS	7	42	91,500
EXTREME WEATHER OR NATURAL DISASTER	8	2	4,500
OVEREXERTION OR STRENUOUS MOVEMENT	9	241	658,000
PHYSICAL ASSAULT	10	9	26,500
OTHER	11	132	307,000
NOT APPLICABLE	96	9,934	22,808,500
NOT STATED	99	1,195	1,871,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name IJC2DCBP **Length** 3 **Position** 7338 - 7340

Question Name

Concept Cause of injury by place of occurrence - (D)

Question

Universe Respondents who answered IJC2_1=1

Note Based on IJC2_5, IJC2_10 and IJC2_10B. This variable is conceptually the same as IJC4D2 in Cycle 1 (1994), IJC6D2 in Cycle 2 (1996) and IJC8D2 in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CAUSE BY PLACE OF OCCURRENCE	10 - 119	1,415	3,630,000
NOT APPLICABLE	996	9,934	22,808,500
NOT STATED	999	1,197	1,880,000
	Total	12,546	28,318,308

Variable Name ST_2_C1 **Length** 1 **Position** 7341

Question Name ST_Q101

Concept Stress (ongoing) - trying to take on too many things

Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You are trying to take on too many things at once.

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	4,126	10,026,000
FALSE	2	6,117	13,744,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	8	11,500
REFUSAL	8	29	49,500
NOT STATED	9	1,556	2,731,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C2 **Length** 1 **Position** 7342
Question Name ST_Q102
Concept Stress (ongoing) - pressure to conform
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - There is too much pressure on you to be like other people.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,161	3,005,000
FALSE	2	9,071	20,748,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	18	24,000
NOT STATED	9	1,586	2,784,500
	Total	12,546	28,318,308

Variable Name ST_2_C3 **Length** 1 **Position** 7343
Question Name ST_Q103
Concept Stress (ongoing) - others expect too much from you
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Too much is expected of you by others.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	2,778	6,624,500
FALSE	2	7,435	17,060,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	36	89,000
NOT STATED	9	1,587	2,788,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C4 **Length** 1 **Position** 7344
Question Name ST_Q104
Concept Stress (ongoing) - lack of money
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You don't have enough money to buy the things you need.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	2,449	5,820,500
FALSE	2	7,062	15,801,000
NOT APPLICABLE	6	1,542	4,130,500
DON'T KNOW	7	15	37,000
REFUSAL	8	2	3,500
NOT STATED	9	1,476	2,526,500
	Total	12,546	28,318,308

Variable Name ST_2_C5 **Length** 1 **Position** 7345
Question Name ST_Q105
Concept Stress (ongoing) - partner doesn't understand you
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner doesn't understand you.
Universe Respondents aged 18 and over with DHC2_MAR=1 or 2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	594	1,310,500
FALSE	2	5,048	11,718,500
NOT APPLICABLE	6	5,548	13,009,500
DON'T KNOW	7	24	73,000
REFUSAL	8	3	7,000
NOT STATED	9	1,329	2,200,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C6 **Length** 1 **Position** 7346
Question Name ST_Q106
Concept Stress (ongoing) - partner is not affectionate enough
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner doesn't show enough affection.
Universe Respondents aged 18 and over with DHC2_MAR=1 or 2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	558	1,340,000
FALSE	2	5,086	11,706,000
NOT APPLICABLE	6	5,548	13,009,500
DON'T KNOW	7	23	52,500
REFUSAL	8	3	10,500
NOT STATED	9	1,328	2,199,500
	Total	12,546	28,318,308

Variable Name ST_2_C7 **Length** 1 **Position** 7347
Question Name ST_Q107
Concept Stress (ongoing) - partner is not committed to relationship
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - Your partner is not committed enough to your relationship.
Universe Respondents aged 18 and over with DHC2_MAR=1 or 2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	250	615,500
FALSE	2	5,395	12,439,500
NOT APPLICABLE	6	5,548	13,009,500
DON'T KNOW	7	20	41,000
REFUSAL	8	3	9,000
NOT STATED	9	1,330	2,204,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C8 **Length** 1 **Position** 7348
Question Name ST_Q108
Concept Stress (ongoing) - difficult to find someone compatible
Question I'd like you to tell me if these things are true for you at this time by answering "true" if it applies to you or "false" if it does not. - You find it is very difficult to find someone compatible with you.
Universe Respondents aged 18 and over with DHC2_MAR=3, 4, 5 or 6 living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,098	2,619,500
FALSE	2	2,722	5,855,500
NOT APPLICABLE	6	7,405	17,778,500
DON'T KNOW	7	25	50,500
REFUSAL	8	3	4,000
NOT STATED	9	1,293	2,010,500
	Total	12,546	28,318,308

Variable Name ST_2_C9 **Length** 1 **Position** 7349
Question Name ST_Q109
Concept Stress (ongoing) - has children
Question Do you have any children?
Universe Respondents aged 18 and over living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,847	14,842,500
NO	2	2,679	6,814,500
NOT APPLICABLE	6	1,542	4,130,500
DON'T KNOW	7	3	2,500
NOT STATED	9	1,475	2,528,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C10 **Length** 1 **Position** 7350
Question Name ST_Q110
Concept Stress (ongoing) - child seems unhappy
Question Remember I want to know if you feel any of these statements are true for you at this time. - One of your children seems very unhappy.
Universe Respondents who answered ST_2_C9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,086	2,341,500
FALSE	2	5,720	12,418,000
NOT APPLICABLE	6	4,221	10,945,000
DON'T KNOW	7	34	68,000
REFUSAL	8	6	13,000
NOT STATED	9	1,479	2,533,000
Total		12,546	28,318,308

Variable Name ST_2_C11 **Length** 1 **Position** 7351
Question Name ST_Q111
Concept Stress (ongoing) - child's behaviour is a concern
Question Remember I want to know if you feel any of these statements are true for you at this time. - A child's behaviour is a source of serious concern to you.
Universe Respondents who answered ST_2_C9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,929	4,178,000
FALSE	2	4,895	10,603,000
NOT APPLICABLE	6	4,221	10,945,000
DON'T KNOW	7	17	45,000
REFUSAL	8	4	11,500
NOT STATED	9	1,480	2,535,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C12 **Length** 1 **Position** 7352
Question Name ST_Q112
Concept Stress (ongoing) - work around home not appreciated
Question Remember I want to know if you feel any of these statements are true for you at this time. - Your work around the home is not appreciated.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	962	2,287,000
FALSE	2	9,218	21,351,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	58	107,000
REFUSAL	8	9	21,000
NOT STATED	9	1,589	2,795,000
	Total	12,546	28,318,308

Variable Name ST_2_C13 **Length** 1 **Position** 7353
Question Name ST_Q113
Concept Stress (ongoing) - friends are a bad influence
Question Remember I want to know if you feel any of these statements are true for you at this time. - Your friends are a bad influence.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	235	625,500
FALSE	2	9,269	20,971,000
NOT APPLICABLE	6	1,542	4,130,500
DON'T KNOW	7	17	47,000
REFUSAL	8	5	11,000
NOT STATED	9	1,478	2,533,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C14 **Length** 1 **Position** 7354
Question Name ST_Q114
Concept Stress (ongoing) - would like to move
Question Remember I want to know if you feel any of these statements are true for you at this time. - You would like to move but you cannot.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,438	3,628,000
FALSE	2	8,065	17,986,000
NOT APPLICABLE	6	1,542	4,130,500
DON'T KNOW	7	20	33,500
REFUSAL	8	3	7,000
NOT STATED	9	1,478	2,533,500
Total		12,546	28,318,308

Variable Name ST_2_C15 **Length** 1 **Position** 7355
Question Name ST_Q115
Concept Stress (ongoing) - neighbourhood too noisy or polluted
Question Remember I want to know if you feel any of these statements are true for you at this time. - Your neighbourhood or community is too noisy or too polluted.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	642	1,735,500
FALSE	2	8,877	19,902,500
NOT APPLICABLE	6	1,542	4,130,500
DON'T KNOW	7	6	12,000
REFUSAL	8	2	5,000
NOT STATED	9	1,477	2,533,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C16 **Length** 1 **Position** 7356
Question Name ST_Q116
Concept Stress (ongoing) - family member in very bad health
Question Remember I want to know if you feel any of these statements are true for you at this time. - You have a parent, a child or partner who is in very bad health and may die.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,003	2,272,000
FALSE	2	8,502	19,336,000
NOT APPLICABLE	6	1,542	4,130,500
DON'T KNOW	7	17	37,000
REFUSAL	8	4	9,500
NOT STATED	9	1,478	2,533,500
Total		12,546	28,318,308

Variable Name ST_2_C17 **Length** 1 **Position** 7357
Question Name ST_Q117
Concept Stress (ongoing) - family member has alcohol or drug problem
Question Remember I want to know if you feel any of these statements are true for you at this time. - Someone in your family has an alcohol or drug problem.
Universe Respondents aged 18 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	1,334	2,945,000
FALSE	2	8,170	18,646,000
NOT APPLICABLE	6	1,542	4,130,500
DON'T KNOW	7	18	54,500
REFUSAL	8	4	9,500
NOT STATED	9	1,478	2,533,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_C18 **Length** 1 **Position** 7358
Question Name ST_Q118
Concept Stress (ongoing) - people are too critical
Question Remember I want to know if you feel any of these statements are true for you at this time. - People are too critical of you or what you do.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TRUE	1	952	2,382,000
FALSE	2	9,244	21,271,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	46	103,500
REFUSAL	8	5	10,500
NOT STATED	9	1,589	2,795,000
Total		12,546	28,318,308

Variable Name ST_2DC1 **Length** 4.1 **Position** 7359 - 7362

Question Name

Concept General chronic stress index - (D)

Question

Universe Respondents aged 12 and over living in a household

Note

Based on ST_2_C1 to ST_2_C4 and ST_2_C12 to ST_2_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 11.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 11.0	10,231	23,730,500
NOT APPLICABLE	99.6	710	1,756,500
NOT STATED	99.9	1,605	2,831,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2DC2 **Length** 4.1 **Position** 7363 - 7366

Question Name

Concept Specific chronic stress index - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on ST_2_C1 to ST_2_C8 and ST_2_C10 to ST_2_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 16.0 (higher values indicate more stress). Maximum score equals total number of questions to answer. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 14.0	10,233	23,741,500
NOT APPLICABLE	99.6	710	1,756,500
NOT STATED	99.9	1,603	2,820,500
	Total	12,546	28,318,308

Variable Name ST_2DC3 **Length** 4.1 **Position** 7367 - 7370

Question Name

Concept Adjusted specific chronic stress index - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on ST_2_C1 to ST_2_C8 and ST_2_C10 to ST_2_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 16.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 16.0	10,233	23,741,500
NOT APPLICABLE	99.6	710	1,756,500
NOT STATED	99.9	1,603	2,820,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2DC4 **Length** 3.1 **Position** 7371 - 7373

Question Name

Concept Personal stress index - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on ST_2_C1 to ST_2_C3, ST_2_C12 and ST_2_C18. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0.0, MAX = 5.0 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 5.0	10,223	23,706,500
NOT APPLICABLE	9.6	710	1,756,500
NOT STATED	9.9	1,613	2,855,500
Total		12,546	28,318,308

Variable Name ST_2DC5 **Length** 1 **Position** 7374

Question Name

Concept Financial problems stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_2_C4. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 1 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 1	9,511	21,621,000
NOT APPLICABLE	6	1,542	4,130,500
NOT STATED	9	1,493	2,567,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2DC6 **Length** 1 **Position** 7375

Question Name

Concept Relationship problems (with partner) stress index - (D)

Question

Universe Respondents aged 18 and over with DHC2_MAR=1 or 2 living in a household

Note Based on ST_2_C5 to ST_2_C7 and DHC2_MAR (only if married or living common law). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 3 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 3	5,621	12,970,000
NOT APPLICABLE	6	5,550	13,012,500
NOT STATED	9	1,375	2,335,500
Total		12,546	28,318,308

Variable Name ST_2DC7 **Length** 1 **Position** 7376

Question Name

Concept Relationship problems (no partner) stress index - (D)

Question

Universe Respondents aged 18 and over with DHC2_MAR=3, 4, 5 or 6 living in a household

Note Based on ST_2_C8 and DHC2_MAR (only if no partner). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 1 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 1	3,820	8,475,000
NOT APPLICABLE	6	7,407	17,782,000
NOT STATED	9	1,319	2,061,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ST_2DC8	Length	1	Position	7377
Question Name					
Concept	Child problems stress index - (D)				
Question					
Universe	Respondents aged 18 and over with ST_2_C9=1				
Note	Based on ST_2_C9 to ST_2_C11 (only if respondent has children). In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 2 (higher values indicate more stress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 2		6,796	14,736,000
NOT APPLICABLE		6		4,221	10,945,000
NOT STATED		9		1,529	2,637,500
		Total		12,546	28,318,308

Variable Name	ST_2DC9	Length	1	Position	7378
Question Name					
Concept	Environmental problems stress index - (D)				
Question					
Universe	Respondents aged 18 and over living in a household				
Note	Based on ST_2_C13 to ST_2_C15. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 3 (higher values indicate more stress). See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
INDEX VALUE		0 - 3		9,484	21,560,000
NOT APPLICABLE		6		1,542	4,130,500
NOT STATED		9		1,520	2,628,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2DC10 **Length** 1 **Position** 7379

Question Name

Concept Family health stress index - (D)

Question

Universe Respondents aged 18 and over living in a household

Note Based on ST_2_C16 and ST_2_C17. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 2 (higher values indicate more stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 2	9,490	21,559,500
NOT APPLICABLE	6	1,542	4,130,500
NOT STATED	9	1,514	2,628,500
Total		12,546	28,318,308

Variable Name ST_2_W1 **Length** 1 **Position** 7380

Question Name ST_Q400

Concept Stress (work) - currently work at a job

Question Do you currently work at a job or business?

Universe Respondents aged 15 to 75 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,058	15,147,500
NO	2	3,083	6,410,000
NOT APPLICABLE	6	2,057	4,440,500
DON'T KNOW	7	2	5,500
REFUSAL	8	1	1,000
NOT STATED	9	1,345	2,314,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2487

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1A **Length** 1 **Position** 7381
Question Name ST_Q401
Concept Stress (work) - must learn new things
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
Your job requires that you learn new things.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,354	3,537,000
AGREE	2	3,443	8,231,500
NEITHER AGREE NOR DISAGREE	3	210	593,500
DISAGREE	4	955	2,487,500
STRONGLY DISAGREE	5	92	290,000
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	1	1,500
REFUSAL	8	3	6,000
NOT STATED	9	1,348	2,320,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1B **Length** 1 **Position** 7382
Question Name ST_Q402
Concept Stress (work) - high level of skill
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires a high level of skill.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,286	3,442,000
AGREE	2	3,169	7,575,000
NEITHER AGREE NOR DISAGREE	3	354	955,000
DISAGREE	4	1,176	2,955,500
STRONGLY DISAGREE	5	66	198,000
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	3	5,000
REFUSAL	8	1	10,500
NOT STATED	9	1,351	2,326,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2489

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1C **Length** 1 **Position** 7383
Question Name ST_Q403
Concept Stress (work) - freedom to decide
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
Your job allows you freedom to decide how you do your job.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,036	2,877,000
AGREE	2	3,711	8,841,500
NEITHER AGREE NOR DISAGREE	3	423	1,090,500
DISAGREE	4	796	2,022,000
STRONGLY DISAGREE	5	86	275,500
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	2	23,500
REFUSAL	8	1	10,500
NOT STATED	9	1,351	2,326,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1D **Length** 1 **Position** 7384
Question Name ST_Q404
Concept Stress (work) - repetitive tasks
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires that you do things over and over.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	818	2,123,500
AGREE	2	3,352	7,898,500
NEITHER AGREE NOR DISAGREE	3	414	1,103,000
DISAGREE	4	1,340	3,607,000
STRONGLY DISAGREE	5	128	396,000
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	2	2,500
REFUSAL	8	1	10,500
NOT STATED	9	1,351	2,326,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2491

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1E **Length** 1 **Position** 7385
Question Name ST_Q405
Concept Stress (work) - hectic job
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
Your job is very hectic.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	981	2,493,000
AGREE	2	2,785	6,645,500
NEITHER AGREE NOR DISAGREE	3	560	1,515,500
DISAGREE	4	1,619	4,078,000
STRONGLY DISAGREE	5	107	375,500
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	1	1,500
REFUSAL	8	1	10,500
NOT STATED	9	1,352	2,348,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2492

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1F **Length** 1 **Position** 7386
Question Name ST_Q406
Concept Stress (work) - free from conflicting demands
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
You are free from conflicting demands that others make.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	244	764,500
AGREE	2	2,660	6,581,500
NEITHER AGREE NOR DISAGREE	3	509	1,221,500
DISAGREE	4	2,289	5,544,000
STRONGLY DISAGREE	5	345	983,500
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	5	10,500
REFUSAL	8	2	14,000
NOT STATED	9	1,352	2,348,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2493

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1G **Length** 1 **Position** 7387
Question Name ST_Q407
Concept Stress (work) - good job security
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job security is good.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	950	2,431,000
AGREE	2	3,784	9,156,500
NEITHER AGREE NOR DISAGREE	3	391	1,095,500
DISAGREE	4	778	1,986,500
STRONGLY DISAGREE	5	140	408,000
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	10	31,000
REFUSAL	8	1	10,500
NOT STATED	9	1,352	2,348,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2494

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1H **Length** 1 **Position** 7388

Question Name ST_Q408

Concept Stress (work) - requires a lot of physical effort

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your job requires a lot of physical effort.

Universe Respondents who answered ST_2_W1=1

Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	602	1,504,000
AGREE	2	1,925	4,602,500
NEITHER AGREE NOR DISAGREE	3	392	1,000,000
DISAGREE	4	2,565	6,367,500
STRONGLY DISAGREE	5	567	1,630,500
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	1	1,500
REFUSAL	8	1	10,500
NOT STATED	9	1,353	2,351,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W11 **Length** 1 **Position** 7389
Question Name ST_Q409
Concept Stress (work) - has own job input
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
You have a lot to say about what happens in your job.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	818	2,351,500
AGREE	2	3,265	7,941,000
NEITHER AGREE NOR DISAGREE	3	523	1,297,000
DISAGREE	4	1,314	3,174,500
STRONGLY DISAGREE	5	128	332,500
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	4	8,500
REFUSAL	8	1	10,500
NOT STATED	9	1,353	2,351,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2496

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1J **Length** 1 **Position** 7390

Question Name ST_Q410

Concept Stress (work) - hostility or conflict with others

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - You are exposed to hostility or conflict from the people you work with.

Universe Respondents who answered ST_2_W1=1

Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	204	589,500
AGREE	2	1,466	3,596,000
NEITHER AGREE NOR DISAGREE	3	440	1,140,000
DISAGREE	4	3,349	8,154,000
STRONGLY DISAGREE	5	588	1,617,500
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	5	8,500
REFUSAL	8	1	10,500
NOT STATED	9	1,353	2,351,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1K **Length** 1 **Position** 7391

Question Name ST_Q411

Concept Stress (work) - supervisor helpful

Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree - Your supervisor is helpful in getting the job done.

Universe Respondents who answered ST_2_W1=1

Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress questions in the French interview. This may result in some bias. Users should control for language when analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	713	1,844,500
AGREE	2	3,570	8,617,000
NEITHER AGREE NOR DISAGREE	3	776	1,920,000
DISAGREE	4	803	2,114,000
STRONGLY DISAGREE	5	146	495,000
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	38	97,000
REFUSAL	8	7	29,000
NOT STATED	9	1,353	2,351,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2_W1L **Length** 1 **Position** 7392
Question Name ST_Q412
Concept Stress (work) - co-workers helpful
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree -
The people you work with are helpful in getting the job done.
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	812	2,004,500
AGREE	2	4,357	10,780,000
NEITHER AGREE NOR DISAGREE	3	471	1,211,000
DISAGREE	4	344	922,000
STRONGLY DISAGREE	5	48	135,000
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	19	46,500
REFUSAL	8	2	17,000
NOT STATED	9	1,353	2,351,500
	Total	12,546	28,318,308

Variable Name ST_2_W2 **Length** 1 **Position** 7393
Question Name ST_Q413
Concept Stress (work) - job satisfaction
Question How satisfied are you with your job?
Universe Respondents who answered ST_2_W1=1
Note In quarter 3 of Cycle 1 (1994) collection, not all eligible working people were asked the work stress
questions in the French interview. This may result in some bias. Users should control for language when
analyzing these questions.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
VERY SATISFIED	1	2,943	7,140,000
SOMEWHAT SATISFIED	2	2,627	6,597,000
NOT TOO SATISFIED	3	358	978,000
NOT AT ALL SATISFIED	4	123	389,500
NOT APPLICABLE	6	5,140	10,850,500
REFUSAL	8	2	12,000
NOT STATED	9	1,353	2,351,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2DW1 **Length** 4.1 **Position** 7394 - 7397

Question Name

Concept Work stress index - All Items - (D)

Question

Universe Respondents who answered ST_2_W1=1

Note Based on ST_2_W1A to ST_2_W1L. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for questions ST_2_W1D, ST_2_W1E, ST_2_W1H and ST_2_W1J. MIN = 0.0, MAX = 48.0 (higher values indicate greater work stress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.0 - 41.0	6,051	15,104,000
NOT APPLICABLE	99.6	5,140	10,850,500
NOT STATED	99.9	1,355	2,364,000
Total		12,546	28,318,308

Variable Name ST_2DW2 **Length** 2 **Position** 7398 - 7399

Question Name

Concept Decision latitude - Skill discretion - (D)

Question

Universe Respondents who answered ST_2_W1=1

Note Based on ST_2_W1A, ST_2_W1B and ST_2_W1D. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_2_W1D. MIN = 0, MAX = 12 (lower values means that higher skills are required for the job). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	6,050	15,124,500
NOT APPLICABLE	96	5,140	10,850,500
NOT STATED	99	1,356	2,343,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2DW3 **Length** 2 **Position** 7400 - 7401

Question Name

Concept Decision latitude - Decision authority - (D)

Question

Universe Respondents who answered ST_2_W1=1

Note Based on ST_2_W1C and ST_2_W1I. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 8 (higher values indicate lower decision authority). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 8	6,048	15,097,000
NOT APPLICABLE	96	5,140	10,850,500
NOT STATED	99	1,358	2,371,000
Total		12,546	28,318,308

Variable Name ST_2DW4 **Length** 2 **Position** 7402 - 7403

Question Name

Concept Psychological demands - (D)

Question

Universe Respondents who answered ST_2_W1=1

Note Based on ST_2_W1E and ST_2_W1F. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_2_W1E. MIN = 0, MAX = 8 (higher values indicate greater psychological demands). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 8	6,047	15,095,000
NOT APPLICABLE	96	5,140	10,850,500
NOT STATED	99	1,359	2,373,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2DW5 **Length** 1 **Position** 7404

Question Name

Concept Job insecurity - (D)

Question

Universe Respondents who answered ST_2_W1=1

Note Based on ST_2_W1G. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. MIN = 0, MAX = 4 (higher values indicate greater job security). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 4	6,043	15,078,000
NOT APPLICABLE	6	5,140	10,850,500
NOT STATED	9	1,363	2,390,000
Total		12,546	28,318,308

Variable Name ST_2DW6 **Length** 1 **Position** 7405

Question Name

Concept Physical exertion - (D)

Question

Universe Respondents who answered ST_2_W1=1

Note Based on ST_2_W1H. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_2_W1H. MIN = 0, MAX = 4 (higher values indicate greater physical exertion). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 4	6,051	15,104,000
NOT APPLICABLE	6	5,140	10,850,500
NOT STATED	9	1,355	2,364,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ST_2DW7 **Length** 2 **Position** 7406 - 7407

Question Name

Concept Social support - (D)

Question

Universe Respondents who answered ST_2_W1=1

Note Based on ST_2_W1J, ST_2_W1K and ST_2_W1L. In Cycle 4 (2000) and for all previous cycles, this derived variable was recalculated using a different algorithm. Scores were reversed for question ST_2_W1J. MIN = 0, MAX = 12 (higher values indicate lower social support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	6,000	14,965,500
NOT APPLICABLE	96	5,140	10,850,500
NOT STATED	99	1,406	2,502,500
	Total	12,546	28,318,308

Variable Name ST_2DW8 **Length** 4.2 **Position** 7408 - 7411

Question Name

Concept Job strain

Question

Universe Respondents who answered ST_2_W1=1

Note Based on ST_2_W1A to ST_2_W1F and ST_2_W1I. Scores were reversed for questions ST_2_W1A, ST_2_W1B, ST_2_W1C, ST_2_W1E and ST_2_W1I. MIN = 0.20, MAX = 5.00 (higher values indicate greater job strain). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0.20 - 3.57	6,040	15,080,000
NOT APPLICABLE	9.96	5,140	10,850,500
NOT STATED	9.99	1,366	2,388,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_2_M1A **Length** 1 **Position** 7412
Question Name ST_Q601
Concept Stress (mastery) - lack of control over things
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You have little control over the things that happen to you.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	225	600,000
AGREE	2	1,620	3,815,500
NEITHER AGREE NOR DISAGREE	3	624	1,536,500
DISAGREE	4	6,290	14,034,000
STRONGLY DISAGREE	5	1,425	3,638,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	40	77,500
REFUSAL	8	48	77,000
NOT STATED	9	1,564	2,783,500
	Total	12,546	28,318,308

Variable Name PY_2_M1B **Length** 1 **Position** 7413
Question Name ST_Q602
Concept Stress (mastery) - cannot solve problems
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - There is really no way you can solve some of the problems you have.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	146	346,500
AGREE	2	1,918	4,137,500
NEITHER AGREE NOR DISAGREE	3	542	1,271,000
DISAGREE	4	6,535	15,021,500
STRONGLY DISAGREE	5	1,050	2,850,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	30	65,000
REFUSAL	8	3	9,500
NOT STATED	9	1,612	2,860,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_2_M1C **Length** 1 **Position** 7414
Question Name ST_Q603
Concept Stress (mastery) - cannot change things
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - There is little you can do to change many of the important things in your life.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	112	278,500
AGREE	2	1,603	3,460,000
NEITHER AGREE NOR DISAGREE	3	558	1,285,500
DISAGREE	4	6,808	15,684,500
STRONGLY DISAGREE	5	1,090	2,875,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	46	104,000
REFUSAL	8	8	16,000
NOT STATED	9	1,611	2,858,000
	Total	12,546	28,318,308

Variable Name PY_2_M1D **Length** 1 **Position** 7415
Question Name ST_Q604
Concept Stress (mastery) - helpless in dealing with life problems
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You often feel helpless in dealing with problems of life.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	108	277,500
AGREE	2	1,480	3,413,000
NEITHER AGREE NOR DISAGREE	3	592	1,545,500
DISAGREE	4	6,792	15,187,000
STRONGLY DISAGREE	5	1,221	3,194,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	23	68,500
REFUSAL	8	8	16,000
NOT STATED	9	1,612	2,860,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_2_M1E **Length** 1 **Position** 7416
Question Name ST_Q605
Concept Stress (mastery) - pushed around in life
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree -
 Sometimes you feel that you are being pushed around in life.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	110	318,500
AGREE	2	1,684	4,100,500
NEITHER AGREE NOR DISAGREE	3	470	1,261,000
DISAGREE	4	6,791	15,068,500
STRONGLY DISAGREE	5	1,145	2,896,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	17	40,500
REFUSAL	8	7	16,500
NOT STATED	9	1,612	2,860,500
	Total	12,546	28,318,308

Variable Name PY_2_M1F **Length** 1 **Position** 7417
Question Name ST_Q606
Concept Stress (mastery) - fate depends upon self
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree -
 What happens to you in the future mostly depends on you.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	2,072	5,067,500
AGREE	2	7,087	16,083,000
NEITHER AGREE NOR DISAGREE	3	429	1,022,500
DISAGREE	4	551	1,313,500
STRONGLY DISAGREE	5	36	93,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	42	105,500
REFUSAL	8	7	16,500
NOT STATED	9	1,612	2,860,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name PY_2_M1G **Length** 1 **Position** 7418
Question Name ST_Q607
Concept Stress (mastery) - can do anything
Question Please tell me if you strongly agree, agree, neither agree nor disagree, disagree or strongly disagree - You can do just about anything you really set your mind to.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
STRONGLY AGREE	1	1,911	4,491,500
AGREE	2	7,041	16,156,000
NEITHER AGREE NOR DISAGREE	3	565	1,404,500
DISAGREE	4	635	1,480,500
STRONGLY DISAGREE	5	35	86,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	28	59,500
REFUSAL	8	9	23,000
NOT STATED	9	1,612	2,860,500
	Total	12,546	28,318,308

Variable Name PY_2DM1 **Length** 2 **Position** 7419 - 7420

Question Name
Concept Mastery scale - (D)
Question
Universe Respondents aged 12 and over living in a household
Note Based on PY_2_M1A to PY_2_M1G. Scores were reversed for questions PY_2_M1F and PY_2_M1G. MIN = 0, MAX = 28 (higher values indicate superior mastery). Source: Pearlin, L.I. and Schooler, C, Journal of health and Social Behavior, The Structure of Coping, 1981, vol 19, p. 2-21. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 28	10,114	23,443,500
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,722	3,118,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2_1A **Length** 1 **Position** 7421
Question Name DG_Q1A
Concept Medication - pain relievers
Question In the past month, did you take pain relievers such as Aspirin or Tylenol (including arthritis medicine and anti-inflammatories)?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,506	17,083,000
NO	2	3,114	7,517,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	7	35,000
REFUSAL	8	8	16,500
NOT STATED	9	1,201	1,910,500
	Total	12,546	28,318,308

Variable Name DGC2_1B **Length** 1 **Position** 7422
Question Name DG_Q1B
Concept Medication - tranquilizers
Question In the past month, did you take tranquilizers such as Valium or Ativan?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	414	956,500
NO	2	10,209	23,665,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	5	13,500
NOT STATED	9	1,208	1,926,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2_1C **Length** 1 **Position** 7423

Question Name DG_Q1C

Concept Medication - diet pills

Question In the past month, did you take diet pills such as Ponderal, Dexatrim or Fastin?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	74	150,000
NO	2	10,551	24,478,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	2	7,000
NOT STATED	9	1,209	1,927,000
Total		12,546	28,318,308

Variable Name DGC2_1D **Length** 1 **Position** 7424

Question Name DG_Q1D

Concept Medication - anti-depressants

Question In the past month, did you take anti-depressants such as Prozac, Paxil or Effexor?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	621	1,345,500
NO	2	9,999	23,247,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	6	37,500
NOT STATED	9	1,210	1,931,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1E	Length	1	Position	7425
Question Name	DG_Q1E				
Concept	Medication - codeine, Demerol or morphine				
Question	In the past month, did you take codeine, Demerol or morphine?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		649	1,425,000
NO		2		9,971	23,189,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		6	16,000
NOT STATED		9		1,210	1,931,500
		Total		12,546	28,318,308

Variable Name	DGC2_1F	Length	1	Position	7426
Question Name	DG_Q1F				
Concept	Medication - allergy				
Question	In the past month, did you take allergy medicine such as Reactine or Allegra?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,133	2,771,500
NO		2		9,492	21,853,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		1	5,500
NOT STATED		9		1,210	1,931,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1G	Length	1	Position	7427
Question Name	DG_Q1G				
Concept	Medication - asthma				
Question	In the past month, did you take asthma medications such as inhalers or nebulizers?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		686	1,505,000
NO		2		9,939	23,120,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		1	5,500
NOT STATED		9		1,210	1,931,500
		Total		12,546	28,318,308

Variable Name	DGC2_1H	Length	1	Position	7428
Question Name	DG_Q1H				
Concept	Medication - cough or cold remedies				
Question	In the past month, did you take cough or cold remedies?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,042	5,015,500
NO		2		8,580	19,585,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		4	30,000
NOT STATED		9		1,210	1,931,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1I	Length	1	Position	7429
Question Name	DG_Q1I				
Concept	Medication - penicillin or other antibiotics				
Question	In the past month, did you take penicillin or other antibiotics?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		956	2,050,000
NO		2		9,665	22,558,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		5	23,000
NOT STATED		9		1,210	1,931,500
		Total		12,546	28,318,308

Variable Name	DGC2_1J	Length	1	Position	7430
Question Name	DG_Q1J				
Concept	Medication - heart				
Question	In the past month, did you take medicine for the heart?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		724	1,397,500
NO		2		9,895	23,220,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		6	11,500
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1K	Length	1	Position	7431
Question Name	DG_Q1K				
Concept	Medication - blood pressure				
Question	In the past month, did you take medicine for blood pressure?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,730	3,256,000
NO		2		8,889	21,362,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		5	10,000
REFUSAL		8		1	1,000
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

Variable Name	DGC2_1L	Length	1	Position	7432
Question Name	DG_Q1L				
Concept	Medication - diuretics				
Question	In the past month, did you take diuretics or water pills?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		729	1,273,500
NO		2		9,888	23,327,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		7	23,500
REFUSAL		8		1	4,500
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1M	Length	1	Position	7433
Question Name	DG_Q1M				
Concept	Medication - steroids				
Question	In the past month, did you take steroids?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		144	274,000
NO		2		10,476	24,343,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		5	11,500
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

Variable Name	DGC2_1N	Length	1	Position	7434
Question Name	DG_Q1N				
Concept	Medication - insulin				
Question	In the past month, did you take insulin?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		112	216,500
NO		2		10,511	24,404,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	8,000
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1O	Length	1	Position	7435
Question Name	DG_Q1O				
Concept	Medication - pills to control diabetes				
Question	In the past month, did you take pills to control diabetes?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		370	751,500
NO		2		10,251	23,865,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		4	12,500
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

Variable Name	DGC2_1P	Length	1	Position	7436
Question Name	DG_Q1P				
Concept	Medication - sleeping pills				
Question	In the past month, did you take sleeping pills such as Imovane, Nytol or Starnoc?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		529	1,077,000
NO		2		10,095	23,547,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		1	5,500
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1Q	Length	1	Position	7437
Question Name	DG_Q1Q				
Concept	Medication - stomach remedies				
Question	In the past month, did you take stomach remedies?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,524	3,400,500
NO		2		9,099	21,220,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		2	8,000
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

Variable Name	DGC2_1R	Length	1	Position	7438
Question Name	DG_Q1R				
Concept	Medication - laxatives				
Question	In the past month, did you take laxatives?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		504	1,006,500
NO		2		10,116	23,610,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		4	11,000
REFUSAL		8		1	1,500
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1S	Length	1	Position	7439
Question Name	DG_Q1S				
Concept	Medication - birth control pills				
Question	In the past month, did you take birth control pills?				
Universe	Females aged 12 to 49 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		710	1,740,500
NO		2		2,677	6,151,500
NOT APPLICABLE		6		8,002	18,664,000
DON'T KNOW		7		3	26,500
NOT STATED		9		1,154	1,735,500
		Total		12,546	28,318,308

Variable Name	DGC2_1T	Length	1	Position	7440
Question Name	DG_Q1T				
Concept	Medication - hormones for menopause				
Question	In the past month, did you take hormones for menopause or aging symptoms?				
Universe	Females aged 30 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		626	1,177,500
NO		2		4,040	7,904,000
NOT APPLICABLE		6		6,709	17,474,500
DON'T KNOW		7		3	8,500
NOT STATED		9		1,168	1,753,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2_1T1 **Length** 1 **Position** 7441
Question Name DG_Q1T1
Concept Hormone therapy - type
Question What type of hormones are you taking?
Universe Respondents who answered DGC2_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ESTROGEN ONLY	1	300	521,000
PROGESTERONE ONLY	2	28	52,500
BOTH	3	224	434,500
NEITHER	4	39	74,500
NOT APPLICABLE	6	10,749	25,378,500
DON'T KNOW	7	33	83,000
REFUSAL	8	2	11,500
NOT STATED	9	1,171	1,762,500
	Total	12,546	28,318,308

Variable Name DGC2_1T2 **Length** 4 **Position** 7442 - 7445
Question Name DG_Q1T2
Concept Hormone therapy - year started
Question When did you start this hormone therapy?
Universe Respondents who answered DGC2_1T=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEAR	1958 - 2003	614	1,148,000
NOT APPLICABLE	9996	10,749	25,378,500
DON'T KNOW	9997	12	29,500
NOT STATED	9999	1,171	1,762,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_1U	Length	1	Position	7446
Question Name	DG_Q1U				
Concept	Medication - thyroid				
Question	In the past month, did you take thyroid medication such as Synthroid or Levothyroxine?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		669	1,258,500
NO		2		9,951	23,357,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		5	13,000
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

Variable Name	DGC2_1V	Length	1	Position	7447
Question Name	DG_Q1V				
Concept	Medication - other				
Question	In the past month, did you take any other medication?				
Universe	Respondents aged 12 and over living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,456	3,237,000
NO		2		9,160	21,359,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		9	33,000
NOT STATED		9		1,211	1,933,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F1	Length	1	Position	7448
Question Name					
Concept	Flag for medications taken				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on DGC2_1A to DGC2_1V, DHC2_SEX and DHC2_AGE. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
HAS TAKEN AT LEAST ONE DRUG		1		9,155	20,930,500
HAS NOT TAKEN ANY DRUGS		2		1,464	3,667,000
NOT APPLICABLE		6		710	1,756,500
NOT STATED		9		1,217	1,964,500
		Total		12,546	28,318,308

Variable Name	DGC2_2	Length	3	Position	7449 - 7451
Question Name	DG_Q2				
Concept	Number of different medications in past 2 days				
Question	Now, I am referring to the last 2 days, that is, yesterday and the day before yesterday. During those 2 days, how many different medications did you take?				
Universe	Respondents who answered any one of DGC2_1A to DGC2_1V=1 or respondents living in an institution				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRUGS		0 - 24		9,267	21,043,000
NOT APPLICABLE		996		2,038	5,284,500
DON'T KNOW		997		19	44,500
REFUSAL		998		3	5,000
NOT STATED		999		1,219	1,941,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F3A	Length	1	Position	7452
Question Name	DG_Q3nn				
Concept	Flag for drug 1				
Question					
Universe	Respondents who answered at least 1 in DGC2_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,926	12,544,500
NOT APPLICABLE		6		5,262	13,568,000
DON'T KNOW		7		89	167,000
REFUSAL		8		12	13,000
NOT STATED		9		1,257	2,026,000
		Total		12,546	28,318,308

Variable Name	DGC2C3A	Length	7	Position	7453 - 7459
Question Name	DG_Q3nn				
Concept	Drug code - drug 1				
Question	What is the exact name of the medication that you took? - Drug 1				
Universe	Respondents who answered at least 1 in DGC2_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A01AD11 - Z99AA00		5,926	12,544,500
NOT APPLICABLE		9999996		5,262	13,568,000
DON'T KNOW		9999997		89	167,000
REFUSAL		9999998		12	13,000
NOT STATED		9999999		1,257	2,026,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3A **Length** 2 **Position** 7460 - 7461

Question Name

Concept Drug code - drug 1 - (G)

Question

Universe Respondents who answered at least 1 in DGC2_2

Note Based on DGC2C3A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	521	1,110,000
BLOOD & BLOOD FORMING ORGANS	2	90	182,500
CARDIOVASCULAR SYSTEM	3	1,212	2,358,000
DERMATOLOGICALS	4	29	78,000
GENITO-URINARY / SEX HORMONES	7	639	1,445,500
SYSTEMIC HORMONAL PREPARATIONS	8	350	664,000
GENERAL ANTI-INFECTIVES	10	107	241,000
ANTINEOPLASTICS	12	40	71,000
MUSCULO-SKELETAL SYSTEM	13	769	1,600,500
NERVOUS SYSTEM	14	1,708	3,763,000
ANTIPARASITIC PRODUCTS	16	13	30,500
RESPIRATORY SYSTEM	18	325	750,000
SENSORY ORGANS	19	24	40,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	5	7,000
NATURAL MEDICINES	24	33	83,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	61	120,500
NOT APPLICABLE	96	5,262	13,568,000
NOT STATED	99	1,358	2,206,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_3AA	Length	1	Position	7462
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 1				
Question	Was this a prescription from a medical doctor or dentist? - Drug 1				
Universe	Respondents who answered at least 1 in DGC2_2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		4,273	8,851,000
NO		2		1,531	3,558,000
NOT APPLICABLE		6		5,403	13,737,000
DON'T KNOW		7		3	3,000
NOT STATED		9		1,336	2,169,500
		Total		12,546	28,318,308

Variable Name	DGC2F3B	Length	1	Position	7463
Question Name	DG_Q3nn				
Concept	Flag for drug 2				
Question					
Universe	Respondents who answered at least 2 in DGC2_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		3,469	6,846,500
NOT APPLICABLE		6		7,724	19,268,500
DON'T KNOW		7		32	66,000
REFUSAL		8		1	2,000
NOT STATED		9		1,320	2,135,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2523

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C3B **Length** 7 **Position** 7464 - 7470

Question Name DG_Q3nn

Concept Drug code - drug 2

Question What is the exact name of the medication that you took? - Drug 2

Universe Respondents who answered at least 2 in DGC2_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A01AA01 - Z99AA00	3,469	6,846,500
NOT APPLICABLE	9999996	7,724	19,268,500
DON'T KNOW	9999997	32	66,000
REFUSAL	9999998	1	2,000
NOT STATED	9999999	1,320	2,135,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3B **Length** 2 **Position** 7471 - 7472

Question Name

Concept Drug code - drug 2 - (G)

Question

Universe Respondents who answered at least 2 in DGC2_2

Note Based on DGC2C3B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	442	884,000
BLOOD & BLOOD FORMING ORGANS	2	63	121,500
CARDIOVASCULAR SYSTEM	3	1,028	1,954,000
DERMATOLOGICALS	4	14	35,000
GENITO-URINARY / SEX HORMONES	7	320	598,500
SYSTEMIC HORMONAL PREPARATIONS	8	172	325,000
GENERAL ANTI-INFECTIVES	10	46	76,500
ANTINEOPLASTICS	12	22	56,000
MUSCULO-SKELETAL SYSTEM	13	279	568,500
NERVOUS SYSTEM	14	751	1,570,000
ANTIPARASITIC PRODUCTS	16	12	17,500
RESPIRATORY SYSTEM	18	208	435,000
SENSORY ORGANS	19	30	57,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	5,000
NATURAL MEDICINES	24	32	50,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	49	93,500
NOT APPLICABLE	96	7,724	19,268,500
NOT STATED	99	1,353	2,203,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2_3BA **Length** 1 **Position** 7473

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 2

Question Was this a prescription from a medical doctor or dentist? - Drug 2

Universe Respondents who answered at least 2 in DGC2_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,870	5,642,000
NO	2	481	1,065,500
NOT APPLICABLE	6	7,859	19,431,500
NOT STATED	9	1,336	2,179,500
	Total	12,546	28,318,308

Variable Name DGC2F3C **Length** 1 **Position** 7474

Question Name DG_Q3nn

Concept Flag for drug 3

Question

Universe Respondents who answered at least 3 in DGC2_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,034	3,855,500
NOT APPLICABLE	6	9,173	22,292,000
DON'T KNOW	7	23	46,500
NOT STATED	9	1,316	2,124,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2526

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C3C **Length** 7 **Position** 7475 - 7481

Question Name DG_Q3nn

Concept Drug code - drug 3

Question What is the exact name of the medication that you took? - Drug 3

Universe Respondents who answered at least 3 in DGC2_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AA04 - Z99AA00	2,034	3,855,500
NOT APPLICABLE	9999996	9,173	22,292,000
DON'T KNOW	9999997	23	46,500
NOT STATED	9999999	1,316	2,124,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3C **Length** 2 **Position** 7482 - 7483

Question Name

Concept Drug code - drug 3 - (G)

Question

Universe Respondents who answered at least 3 in DGC2_2

Note Based on DGC2C3C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation..

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	306	627,500
BLOOD & BLOOD FORMING ORGANS	2	49	73,000
CARDIOVASCULAR SYSTEM	3	653	1,213,000
DERMATOLOGICALS	4	8	15,500
GENITO-URINARY / SEX HORMONES	7	139	257,000
SYSTEMIC HORMONAL PREPARATIONS	8	106	213,500
GENERAL ANTI-INFECTIVES	10	36	58,500
ANTINEOPLASTICS	12	10	22,000
MUSCULO-SKELETAL SYSTEM	13	121	225,000
NERVOUS SYSTEM	14	430	790,500
ANTIPARASITIC PRODUCTS	16	8	15,000
RESPIRATORY SYSTEM	18	110	228,500
SENSORY ORGANS	19	9	23,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	3	9,000
NATURAL MEDICINES	24	16	22,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	30	61,500
NOT APPLICABLE	96	9,173	22,292,000
NOT STATED	99	1,339	2,171,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_3CA	Length	1	Position	7484
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 3				
Question	Was this a prescription from a medical doctor or dentist? - Drug 3				
Universe	Respondents who answered at least 3 in DGC2_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,708	3,309,500
NO		2		212	406,000
NOT APPLICABLE		6		9,301	22,445,500
NOT STATED		9		1,325	2,157,000
		Total		12,546	28,318,308

Variable Name	DGC2F3D	Length	1	Position	7485
Question Name	DG_Q3nn				
Concept	Flag for drug 4				
Question					
Universe	Respondents who answered at least 4 in DGC2_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,289	2,404,000
NOT APPLICABLE		6		9,937	23,768,000
DON'T KNOW		7		10	20,000
REFUSAL		8		1	3,000
NOT STATED		9		1,309	2,124,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2529

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C3D **Length** 7 **Position** 7486 - 7492

Question Name DG_Q3nn

Concept Drug code - drug 4

Question What is the exact name of the medication that you took? - Drug 4

Universe Respondents who answered at least 4 in DGC2_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	1,289	2,404,000
NOT APPLICABLE	9999996	9,937	23,768,000
DON'T KNOW	9999997	10	20,000
REFUSAL	9999998	1	3,000
NOT STATED	9999999	1,309	2,124,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3D **Length** 2 **Position** 7493 - 7494

Question Name

Concept Drug code - drug 4 - (G)

Question

Universe Respondents who answered at least 4 in DGC2_2

Note Based on DGC2C3D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	230	407,000
BLOOD & BLOOD FORMING ORGANS	2	37	43,000
CARDIOVASCULAR SYSTEM	3	403	782,500
DERMATOLOGICALS	4	5	8,500
GENITO-URINARY / SEX HORMONES	7	78	147,000
SYSTEMIC HORMONAL PREPARATIONS	8	45	65,000
GENERAL ANTI-INFECTIVES	10	14	23,500
ANTINEOPLASTICS	12	9	20,500
MUSCULO-SKELETAL SYSTEM	13	78	155,500
NERVOUS SYSTEM	14	314	597,000
ANTIPARASITIC PRODUCTS	16	3	8,000
RESPIRATORY SYSTEM	18	41	81,000
SENSORY ORGANS	19	7	26,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,500
NATURAL MEDICINES	24	12	19,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	12	18,500
NOT APPLICABLE	96	9,937	23,768,000
NOT STATED	99	1,320	2,146,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_3DA	Length	1	Position	7495
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 4				
Question	Was this a prescription from a medical doctor or dentist? - Drug 4				
Universe	Respondents who answered at least 4 in DGC2_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,056	2,050,000
NO		2		125	229,500
NOT APPLICABLE		6		10,057	23,905,000
REFUSAL		8		1	4,500
NOT STATED		9		1,307	2,130,000
		Total		12,546	28,318,308

Variable Name	DGC2F3E	Length	1	Position	7496
Question Name	DG_Q3nn				
Concept	Flag for drug 5				
Question					
Universe	Respondents who answered at least 5 in DGC2_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		793	1,488,000
NOT APPLICABLE		6		10,449	24,726,500
DON'T KNOW		7		6	10,000
REFUSAL		8		3	7,500
NOT STATED		9		1,295	2,086,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2532

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C3E **Length** 7 **Position** 7497 - 7503

Question Name DG_Q3nn

Concept Drug code - drug 5

Question What is the exact name of the medication that you took? - Drug 5

Universe Respondents who answered at least 5 in DGC2_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	793	1,488,000
NOT APPLICABLE	9999996	10,449	24,726,500
DON'T KNOW	9999997	6	10,000
REFUSAL	9999998	3	7,500
NOT STATED	9999999	1,295	2,086,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3E **Length** 2 **Position** 7504 - 7505

Question Name

Concept Drug code - drug 5 - (G)

Question

Universe Respondents who answered at least 5 in DGC2_2

Note Based on DGC2C3E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	152	299,500
BLOOD & BLOOD FORMING ORGANS	2	30	51,000
CARDIOVASCULAR SYSTEM	3	247	453,500
DERMATOLOGICALS	4	5	7,500
GENITO-URINARY / SEX HORMONES	7	33	64,000
SYSTEMIC HORMONAL PREPARATIONS	8	33	75,000
GENERAL ANTI-INFECTIVES	10	5	6,000
ANTINEOPLASTICS	12	7	13,000
MUSCULO-SKELETAL SYSTEM	13	55	95,500
NERVOUS SYSTEM	14	156	293,500
ANTIPARASITIC PRODUCTS	16	4	8,500
RESPIRATORY SYSTEM	18	37	61,500
SENSORY ORGANS	19	11	30,500
NATURAL MEDICINES	24	6	8,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	12	21,500
NOT APPLICABLE	96	10,449	24,726,500
NOT STATED	99	1,304	2,104,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_3EA	Length	1	Position	7506
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 5				
Question	Was this a prescription from a medical doctor or dentist? - Drug 5				
Universe	Respondents who answered at least 5 in DGC2_2 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		631	1,256,000
NO		2		63	119,000
NOT APPLICABLE		6		10,561	24,853,500
DON'T KNOW		7		1	2,000
NOT STATED		9		1,290	2,088,500
		Total		12,546	28,318,308

Variable Name	DGC2F3F	Length	1	Position	7507
Question Name	DG_Q3nn				
Concept	Flag for drug 6				
Question					
Universe	Respondents who answered at least 6 in DGC2_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		507	929,000
NOT APPLICABLE		6		10,750	25,311,000
DON'T KNOW		7		7	21,000
REFUSAL		8		1	3,500
NOT STATED		9		1,281	2,054,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C3F **Length** 7 **Position** 7508 - 7514

Question Name DG_Q3nn

Concept Drug code - drug 6

Question What is the exact name of the medication that you took? - Drug 6

Universe Respondents who answered at least 6 in DGC2_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02 - Z99AA00	507	929,000
NOT APPLICABLE	9999996	10,750	25,311,000
DON'T KNOW	9999997	7	21,000
REFUSAL	9999998	1	3,500
NOT STATED	9999999	1,281	2,054,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3F **Length** 2 **Position** 7515 - 7516

Question Name

Concept Drug code - drug 6 - (G)

Question

Universe Respondents who answered at least 6 in DGC2_2

Note Based on DGC2C3F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	108	213,500
BLOOD & BLOOD FORMING ORGANS	2	18	32,000
CARDIOVASCULAR SYSTEM	3	132	240,500
DERMATOLOGICALS	4	3	7,000
GENITO-URINARY / SEX HORMONES	7	17	34,000
SYSTEMIC HORMONAL PREPARATIONS	8	15	19,500
GENERAL ANTI-INFECTIVES	10	4	10,500
ANTINEOPLASTICS	12	5	5,000
MUSCULO-SKELETAL SYSTEM	13	32	63,000
NERVOUS SYSTEM	14	121	230,000
ANTIPARASITIC PRODUCTS	16	1	1,000
RESPIRATORY SYSTEM	18	33	47,000
SENSORY ORGANS	19	7	11,000
NATURAL MEDICINES	24	5	8,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	6	7,500
NOT APPLICABLE	96	10,750	25,311,000
NOT STATED	99	1,289	2,078,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2_3FA **Length** 1 **Position** 7517

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 6

Question Was this a prescription from a medical doctor or dentist? - Drug 6

Universe Respondents who answered at least 6 in DGC2_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	379	738,000
NO	2	40	88,500
NOT APPLICABLE	6	10,849	25,424,000
NOT STATED	9	1,278	2,068,000
	Total	12,546	28,318,308

Variable Name DGC2F3G **Length** 1 **Position** 7518

Question Name DG_Q3nn

Concept Flag for drug 7

Question

Universe Respondents who answered at least 7 in DGC2_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	323	579,500
NOT APPLICABLE	6	10,948	25,676,000
DON'T KNOW	7	3	6,500
NOT STATED	9	1,272	2,056,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C3G **Length** 7 **Position** 7519 - 7525

Question Name DG_Q3nn

Concept Drug code - drug 7

Question What is the exact name of the medication that you took? - Drug 7

Universe Respondents who answered at least 7 in DGC2_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02BA01 - Z99AA00	323	579,500
NOT APPLICABLE	9999996	10,948	25,676,000
DON'T KNOW	9999997	3	6,500
NOT STATED	9999999	1,272	2,056,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3G **Length** 2 **Position** 7526 - 7527

Question Name

Concept Drug code - drug 7 - (G)

Question

Universe Respondents who answered at least 7 in DGC2_2

Note Based on DGC2C3G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	73	114,500
BLOOD & BLOOD FORMING ORGANS	2	17	32,000
CARDIOVASCULAR SYSTEM	3	89	157,000
DERMATOLOGICALS	4	3	1,000
GENITO-URINARY / SEX HORMONES	7	8	10,500
SYSTEMIC HORMONAL PREPARATIONS	8	11	25,000
GENERAL ANTI-INFECTIVES	10	6	13,000
ANTINEOPLASTICS	12	1	8,500
MUSCULO-SKELETAL SYSTEM	13	14	26,500
NERVOUS SYSTEM	14	70	149,000
ANTIPARASITIC PRODUCTS	16	2	6,500
RESPIRATORY SYSTEM	18	14	22,000
SENSORY ORGANS	19	6	5,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	2	1,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	6	6,500
NOT APPLICABLE	96	10,948	25,676,000
NOT STATED	99	1,275	2,063,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_3GA	Length	1	Position	7528
Question Name	DG_Q3nnA				
Concept	Prescription from doctor / dentist - drug 7				
Question	Was this a prescription from a medical doctor or dentist? - Drug 7				
Universe	Respondents who answered at least 7 in DGC2_2 living in a household				
Note					
Content		Code		Sample	Population
YES		1		230	449,000
NO		2		24	46,500
NOT APPLICABLE		6		11,029	25,772,500
NOT STATED		9		1,263	2,050,000
		Total		12,546	28,318,308

Variable Name	DGC2F3H	Length	1	Position	7529
Question Name	DG_Q3nn				
Concept	Flag for drug 8				
Question					
Universe	Respondents who answered at least 8 in DGC2_2				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		213	351,500
NOT APPLICABLE		6		11,064	25,921,000
DON'T KNOW		7		3	4,500
NOT STATED		9		1,266	2,042,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2541

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C3H **Length** 7 **Position** 7530 - 7536

Question Name DG_Q3nn

Concept Drug code - drug 8

Question What is the exact name of the medication that you took? - Drug 8

Universe Respondents who answered at least 8 in DGC2_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A01AC01 - Z99AA00	213	351,500
NOT APPLICABLE	9999996	11,064	25,921,000
DON'T KNOW	9999997	3	4,500
NOT STATED	9999999	1,266	2,042,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3H **Length** 2 **Position** 7537 - 7538

Question Name

Concept Drug code - drug 8 - (G)

Question

Universe Respondents who answered at least 8 in DGC2_2

Note Based on DGC2C3H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	60	113,000
BLOOD & BLOOD FORMING ORGANS	2	5	10,500
CARDIOVASCULAR SYSTEM	3	56	86,000
DERMATOLOGICALS	4	1	1,000
GENITO-URINARY / SEX HORMONES	7	3	4,000
SYSTEMIC HORMONAL PREPARATIONS	8	7	7,000
GENERAL ANTI-INFECTIVES	10	4	14,000
MUSCULO-SKELETAL SYSTEM	13	8	12,500
NERVOUS SYSTEM	14	48	84,000
ANTIPARASITIC PRODUCTS	16	1	1,000
RESPIRATORY SYSTEM	18	13	14,500
SENSORY ORGANS	19	4	3,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,000
NATURAL MEDICINES	24	1	1,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,000
NOT APPLICABLE	96	11,064	25,921,000
NOT STATED	99	1,269	2,046,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2_3HA **Length** 1 **Position** 7539

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 8

Question Was this a prescription from a medical doctor or dentist? - Drug 8

Universe Respondents who answered at least 8 in DGC2_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	141	247,000
NO	2	15	35,500
NOT APPLICABLE	6	11,131	25,998,500
NOT STATED	9	1,259	2,037,500
Total		12,546	28,318,308

Variable Name DGC2F3I **Length** 1 **Position** 7540

Question Name DG_Q3nn

Concept Flag for drug 9

Question

Universe Respondents who answered at least 9 in DGC2_2

Note Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	142	225,000
NOT APPLICABLE	6	11,139	26,060,000
DON'T KNOW	7	4	3,500
NOT STATED	9	1,261	2,030,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2544

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C3I **Length** 7 **Position** 7541 - 7547

Question Name DG_Q3nn

Concept Drug code - drug 9

Question What is the exact name of the medication that you took? - Drug 9

Universe Respondents who answered at least 9 in DGC2_2

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AD01 - X97AC18	142	225,000
NOT APPLICABLE	9999996	11,139	26,060,000
DON'T KNOW	9999997	4	3,500
NOT STATED	9999999	1,261	2,030,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3I **Length** 2 **Position** 7548 - 7549

Question Name

Concept Drug code - drug 9 - (G)

Question

Universe Respondents who answered at least 9 in DGC2_2

Note Based on DGC2C3I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	30	43,000
BLOOD & BLOOD FORMING ORGANS	2	6	22,000
CARDIOVASCULAR SYSTEM	3	36	62,500
DERMATOLOGICALS	4	2	2,500
GENITO-URINARY / SEX HORMONES	7	3	6,500
SYSTEMIC HORMONAL PREPARATIONS	8	4	2,000
GENERAL ANTI-INFECTIVES	10	2	5,000
MUSCULO-SKELETAL SYSTEM	13	3	3,500
NERVOUS SYSTEM	14	45	63,500
RESPIRATORY SYSTEM	18	7	10,500
SENSORY ORGANS	19	3	3,000
NATURAL MEDICINES	24	1	1,000
NOT APPLICABLE	96	11,139	26,060,000
NOT STATED	99	1,265	2,033,500
Total		12,546	28,318,308

Variable Name DGC2_3IA **Length** 1 **Position** 7550

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 9

Question Was this a prescription from a medical doctor or dentist? - Drug 9

Universe Respondents who answered at least 9 in DGC2_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	86	160,500
NO	2	9	11,000
NOT APPLICABLE	6	11,196	26,124,500
NOT STATED	9	1,255	2,022,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F3J	Length	1	Position	7551
Question Name	DG_Q3nn				
Concept	Flag for drug 10				
Question					
Universe	Respondents who answered at least 10 in DGC2_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		99	154,000
NOT APPLICABLE		6		11,190	26,143,500
NOT STATED		9		1,257	2,020,500
		Total		12,546	28,318,308

Variable Name	DGC2C3J	Length	7	Position	7552 - 7558
Question Name	DG_Q3nn				
Concept	Drug code - drug 10				
Question	What is the exact name of the medication that you took? - Drug 10				
Universe	Respondents who answered at least 10 in DGC2_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02AC01 - Z99AA00		99	154,000
NOT APPLICABLE		9999996		11,190	26,143,500
NOT STATED		9999999		1,257	2,020,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3J **Length** 2 **Position** 7559 - 7560

Question Name

Concept Drug code - drug 10 - (G)

Question

Universe Respondents who answered at least 10 in DGC2_2

Note Based on DGC2C3J. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	28	31,000
BLOOD & BLOOD FORMING ORGANS	2	1	1,000
CARDIOVASCULAR SYSTEM	3	19	36,000
DERMATOLOGICALS	4	3	5,500
GENITO-URINARY / SEX HORMONES	7	2	2,500
SYSTEMIC HORMONAL PREPARATIONS	8	2	8,500
GENERAL ANTI-INFECTIVES	10	1	1,000
MUSCULO-SKELETAL SYSTEM	13	8	14,000
NERVOUS SYSTEM	14	25	41,000
RESPIRATORY SYSTEM	18	7	11,000
SENSORY ORGANS	19	2	2,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	1,500
NOT APPLICABLE	96	11,190	26,143,500
NOT STATED	99	1,257	2,020,500
Total		12,546	28,318,308

Variable Name DGC2_3JA **Length** 1 **Position** 7561

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 10

Question Was this a prescription from a medical doctor or dentist? - Drug 10

Universe Respondents who answered at least 10 in DGC2_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	60	113,000
NO	2	4	2,500
NOT APPLICABLE	6	11,235	26,192,000
NOT STATED	9	1,247	2,011,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F3K	Length	1	Position	7562
Question Name	DG_Q3nn				
Concept	Flag for drug 11				
Question					
Universe	Respondents who answered at least 11 in DGC2_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		67	105,500
NOT APPLICABLE		6		11,226	26,198,500
DON'T KNOW		7		3	9,000
NOT STATED		9		1,250	2,005,500
		Total		12,546	28,318,308

Variable Name	DGC2C3K	Length	7	Position	7563 - 7569
Question Name	DG_Q3nn				
Concept	Drug code - drug 11				
Question	What is the exact name of the medication that you took? - Drug 11				
Universe	Respondents who answered at least 11 in DGC2_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02AA04 - Z99AA00		67	105,500
NOT APPLICABLE		9999996		11,226	26,198,500
DON'T KNOW		9999997		3	9,000
NOT STATED		9999999		1,250	2,005,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3K **Length** 2 **Position** 7570 - 7571

Question Name

Concept Drug code - drug 11 - (G)

Question

Universe Respondents who answered at least 11 in DGC2_2

Note Based on DGC2C3K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	18	19,000
BLOOD & BLOOD FORMING ORGANS	2	6	4,500
CARDIOVASCULAR SYSTEM	3	12	29,500
SYSTEMIC HORMONAL PREPARATIONS	8	1	1,000
GENERAL ANTI-INFECTIVES	10	1	2,500
MUSCULO-SKELETAL SYSTEM	13	3	5,500
NERVOUS SYSTEM	14	12	22,500
RESPIRATORY SYSTEM	18	5	9,000
SENSORY ORGANS	19	3	3,500
NATURAL MEDICINES	24	4	5,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	3,500
NOT APPLICABLE	96	11,226	26,198,500
NOT STATED	99	1,253	2,014,500
Total		12,546	28,318,308

Variable Name DGC2_3KA **Length** 1 **Position** 7572

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 11

Question Was this a prescription from a medical doctor or dentist? - Drug 11

Universe Respondents who answered at least 11 in DGC2_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	33	70,500
NO	2	4	6,500
NOT APPLICABLE	6	11,265	26,235,000
NOT STATED	9	1,244	2,006,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F3L	Length	1	Position	7573
Question Name	DG_Q3nn				
Concept	Flag for drug 12				
Question					
Universe	Respondents who answered at least 12 in DGC2_2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		41	60,500
NOT APPLICABLE		6		11,251	26,241,000
DON'T KNOW		7		2	3,500
NOT STATED		9		1,252	2,013,000
		Total		12,546	28,318,308

Variable Name	DGC2C3L	Length	7	Position	7574 - 7580
Question Name	DG_Q3nn				
Concept	Drug code - drug 12				
Question	What is the exact name of the medication that you took? - Drug 12				
Universe	Respondents who answered at least 12 in DGC2_2				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A06AA02 - S01XA20		41	60,500
NOT APPLICABLE		9999996		11,251	26,241,000
DON'T KNOW		9999997		2	3,500
NOT STATED		9999999		1,252	2,013,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G3L **Length** 2 **Position** 7581 - 7582

Question Name

Concept Drug code - drug 12 - (G)

Question

Universe Respondents who answered at least 12 in DGC2_2

Note Based on DGC2C3L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	9	15,000
BLOOD & BLOOD FORMING ORGANS	2	5	7,000
CARDIOVASCULAR SYSTEM	3	11	20,500
DERMATOLOGICALS	4	1	1,000
SYSTEMIC HORMONAL PREPARATIONS	8	1	1,000
NERVOUS SYSTEM	14	11	12,500
RESPIRATORY SYSTEM	18	1	3,000
SENSORY ORGANS	19	2	1,000
NOT APPLICABLE	96	11,251	26,241,000
NOT STATED	99	1,254	2,016,500
	Total	12,546	28,318,308

Variable Name DGC2_3LA **Length** 1 **Position** 7583

Question Name DG_Q3nnA

Concept Prescription from doctor / dentist - drug 12

Question Was this a prescription from a medical doctor or dentist? - Drug 12

Universe Respondents who answered at least 12 in DGC2_2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	18	38,000
NOT APPLICABLE	6	11,282	26,270,500
NOT STATED	9	1,246	2,010,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2_4 **Length** 1 **Position** 7584
Question Name DG_Q4
Concept Medication - use other health product
Question There are many other health products such as ointments, vitamins, herbs, minerals or protein drinks which people use to prevent illness or to improve or maintain their health. Do you use any of these or other health products?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,305	9,995,500
NO	2	6,311	14,608,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	4	10,500
NOT STATED	9	1,216	1,948,000
Total		12,546	28,318,308

Variable Name DGC2_4A **Length** 1 **Position** 7585
Question Name DG_Q4A
Concept Medication - use other product in past 2 days
Question In the past 2 days, that is, yesterday and the day before yesterday, did you use any of these health products?
Universe Respondents who answered DGC2_4=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,531	8,065,500
NO	2	768	1,898,500
NOT APPLICABLE	6	7,021	16,364,500
DON'T KNOW	7	5	28,000
REFUSAL	8	1	3,000
NOT STATED	9	1,220	1,958,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5A	Length	1	Position	7586
Question Name	DG_Q501				
Concept	Flag for health product 1				
Question					
Universe	Respondents who answered DGC2_4A=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		3,503	7,981,500
NOT APPLICABLE		6		7,789	18,263,000
DON'T KNOW		7		16	50,500
REFUSAL		8		3	3,500
NOT STATED		9		1,235	2,020,000
		Total		12,546	28,318,308

Variable Name	DGC2C5A	Length	7	Position	7587 - 7593
Question Name	DG_Q501				
Concept	Drug code - health product 1				
Question	Thinking of the past 2 days, what is the exact name of a health product that you used? - Product 1				
Universe	Respondents who answered DGC2_4A=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A02AA04 - Z99AA00		3,503	7,981,500
NOT APPLICABLE		9999996		7,789	18,263,000
DON'T KNOW		9999997		16	50,500
REFUSAL		9999998		3	3,500
NOT STATED		9999999		1,235	2,020,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5A **Length** 2 **Position** 7594 - 7595

Question Name

Concept Drug code - health product 1 - (G)

Question

Universe Respondents who answered DGC2_4A=1

Note Based on DGC2C5A. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2,455	5,575,000
BLOOD & BLOOD FORMING ORGANS	2	137	297,500
CARDIOVASCULAR SYSTEM	3	12	26,500
DERMATOLOGICALS	4	95	196,500
GENITO-URINARY / SEX HORMONES	7	7	12,000
SYSTEMIC HORMONAL PREPARATIONS	8	6	5,500
GENERAL ANTI-INFECTIVES	10	2	4,000
ANTINEOPLASTICS	12	1	1,000
MUSCULO-SKELETAL SYSTEM	13	29	64,500
NERVOUS SYSTEM	14	24	39,500
RESPIRATORY SYSTEM	18	9	19,000
SENSORY ORGANS	19	5	6,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	28	57,000
NATURAL MEDICINES	24	619	1,495,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	74	182,000
NOT APPLICABLE	96	7,789	18,263,000
NOT STATED	99	1,254	2,074,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2_5AA	Length	1	Position	7596
Question Name	DG_Q5nnA				
Concept	Used a 2nd health product				
Question	Did you use another health products? - 2nd product				
Universe	Respondents who answered DGC2_4A=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,567	3,527,000
NO		2		1,944	4,470,500
NOT APPLICABLE		6		7,789	18,263,000
DON'T KNOW		7		1	14,000
NOT STATED		9		1,245	2,043,500
		Total		12,546	28,318,308

Variable Name	DGC2F5B	Length	1	Position	7597
Question Name	DG_Q5nn				
Concept	Flag for health product 2				
Question					
Universe	Respondents who answered DGC2_5AA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,560	3,507,500
NOT APPLICABLE		6		9,733	22,733,500
DON'T KNOW		7		1	1,500
NOT STATED		9		1,252	2,076,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C5B **Length** 7 **Position** 7598 - 7604

Question Name DG_Q5nn

Concept Drug code - health product 2

Question What is the exact name of this product? - Product 2

Universe Respondents who answered DGC2_5AA=1

Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	1,560	3,507,500
NOT APPLICABLE	9999996	9,733	22,733,500
DON'T KNOW	9999997	1	1,500
NOT STATED	9999999	1,252	2,076,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5B **Length** 2 **Position** 7605 - 7606

Question Name

Concept Drug code - health product 2 - (G)

Question

Universe Respondents who answered DGC2_5AA=1

Note Based on DGC2C5B. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	1,028	2,277,000
BLOOD & BLOOD FORMING ORGANS	2	81	163,500
CARDIOVASCULAR SYSTEM	3	9	19,000
DERMATOLOGICALS	4	22	40,000
GENITO-URINARY / SEX HORMONES	7	2	4,500
SYSTEMIC HORMONAL PREPARATIONS	8	2	5,000
GENERAL ANTI-INFECTIVES	10	1	1,500
MUSCULO-SKELETAL SYSTEM	13	8	15,500
NERVOUS SYSTEM	14	11	19,000
RESPIRATORY SYSTEM	18	5	19,500
SENSORY ORGANS	19	2	3,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	35	66,500
NATURAL MEDICINES	24	319	781,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	35	92,500
NOT APPLICABLE	96	9,733	22,733,500
NOT STATED	99	1,253	2,077,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2_5BA **Length** 1 **Position** 7607
Question Name DG_Q5nnA
Concept Used a 3rd health product
Question Did you use another health products? - 3rd product
Universe Respondents who answered DGC2_5AA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	745	1,648,500
NO	2	821	1,877,000
NOT APPLICABLE	6	9,733	22,733,500
NOT STATED	9	1,247	2,059,000
Total		12,546	28,318,308

Variable Name DGC2F5C **Length** 1 **Position** 7608
Question Name DG_Q5nn
Concept Flag for health product 3
Question
Universe Respondents who answered DGC2_5BA=1

Note

Indicates that a long answer was collected.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	742	1,644,500
NOT APPLICABLE	6	10,554	24,611,000
DON'T KNOW	7	1	1,500
NOT STATED	9	1,249	2,061,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2C5C **Length** 7 **Position** 7609 - 7615
Question Name DG_Q5nn
Concept Drug code - health product 3
Question What is the exact name of this product? - Product 3
Universe Respondents who answered DGC2_5BA=1
Note Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DRUG CODE	A02AC01 - Z99AA00	742	1,644,500
NOT APPLICABLE	9999996	10,554	24,611,000
DON'T KNOW	9999997	1	1,500
NOT STATED	9999999	1,249	2,061,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5C **Length** 2 **Position** 7616 - 7617

Question Name

Concept Drug code - health product 3 - (G)

Question

Universe Respondents who answered DGC2_5BA=1

Note Based on DGC2C5C. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	458	1,014,500
BLOOD & BLOOD FORMING ORGANS	2	38	80,500
CARDIOVASCULAR SYSTEM	3	10	17,500
DERMATOLOGICALS	4	4	5,000
GENITO-URINARY / SEX HORMONES	7	1	2,000
MUSCULO-SKELETAL SYSTEM	13	5	8,500
NERVOUS SYSTEM	14	8	17,500
RESPIRATORY SYSTEM	18	2	8,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	17	41,500
NATURAL MEDICINES	24	184	416,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	15	33,500
NOT APPLICABLE	96	10,554	24,611,000
NOT STATED	99	1,250	2,063,000
Total		12,546	28,318,308

Variable Name DGC2_5CA **Length** 1 **Position** 7618

Question Name DG_Q5nnA

Concept Used a 4th health product

Question Did you use another health products? - 4th product

Universe Respondents who answered DGC2_5BA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	371	824,000
NO	2	373	823,000
NOT APPLICABLE	6	10,554	24,611,000
NOT STATED	9	1,248	2,060,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5D	Length	1	Position	7619
Question Name	DG_Q5nn				
Concept	Flag for health product 4				
Question					
Universe	Respondents who answered DGC2_5CA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		369	821,500
NOT APPLICABLE		6		10,927	25,434,000
DON'T KNOW		7		2	2,500
NOT STATED		9		1,248	2,060,500
		Total		12,546	28,318,308

Variable Name	DGC2C5D	Length	7	Position	7620 - 7626
Question Name	DG_Q5nn				
Concept	Drug code - health product 4				
Question	What is the exact name of this product? - Product 4				
Universe	Respondents who answered DGC2_5CA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A06AC01 - Z97AA00		369	821,500
NOT APPLICABLE		9999996		10,927	25,434,000
DON'T KNOW		9999997		2	2,500
NOT STATED		9999999		1,248	2,060,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5D **Length** 2 **Position** 7627 - 7628

Question Name

Concept Drug code - health product 4 - (G)

Question

Universe Respondents who answered DGC2_5CA=1

Note Based on DGC2C5D. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	213	459,000
BLOOD & BLOOD FORMING ORGANS	2	21	50,000
CARDIOVASCULAR SYSTEM	3	6	11,000
DERMATOLOGICALS	4	1	2,000
GENITO-URINARY / SEX HORMONES	7	2	10,000
NERVOUS SYSTEM	14	4	10,000
RESPIRATORY SYSTEM	18	1	1,500
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	16	26,500
NATURAL MEDICINES	24	96	225,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	9	25,500
NOT APPLICABLE	96	10,927	25,434,000
NOT STATED	99	1,250	2,063,000
Total		12,546	28,318,308

Variable Name DGC2_5DA **Length** 1 **Position** 7629

Question Name DG_Q5nnA

Concept Used a 5th health product

Question Did you use another health products? - 5th product

Universe Respondents who answered DGC2_5CA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	207	462,000
NO	2	162	359,500
NOT APPLICABLE	6	10,927	25,434,000
NOT STATED	9	1,250	2,063,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5E	Length	1	Position	7630
Question Name	DG_Q5nn				
Concept	Flag for health product 5				
Question					
Universe	Respondents who answered DGC2_5DA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		206	461,000
NOT APPLICABLE		6		11,089	25,793,500
NOT STATED		9		1,251	2,064,000
		Total		12,546	28,318,308

Variable Name	DGC2C5E	Length	7	Position	7631 - 7637
Question Name	DG_Q5nn				
Concept	Drug code - health product 5				
Question	What is the exact name of this product? - Product 5				
Universe	Respondents who answered DGC2_5DA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A06AB57 - Z99AA00		206	461,000
NOT APPLICABLE		9999996		11,089	25,793,500
NOT STATED		9999999		1,251	2,064,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5E **Length** 2 **Position** 7638 - 7639

Question Name

Concept Drug code - health product 5 - (G)

Question

Universe Respondents who answered DGC2_5DA=1

Note Based on DGC2C5E. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	101	243,000
BLOOD & BLOOD FORMING ORGANS	2	6	11,500
CARDIOVASCULAR SYSTEM	3	2	10,000
DERMATOLOGICALS	4	1	2,500
GENITO-URINARY / SEX HORMONES	7	1	1,000
MUSCULO-SKELETAL SYSTEM	13	1	2,000
NERVOUS SYSTEM	14	3	7,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	10	21,000
NATURAL MEDICINES	24	75	142,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	6	21,000
NOT APPLICABLE	96	11,089	25,793,500
NOT STATED	99	1,251	2,064,000
Total		12,546	28,318,308

Variable Name DGC2_5EA **Length** 1 **Position** 7640

Question Name DG_Q5nnA

Concept Used a 6th health product

Question Did you use another health products? - 6th product

Universe Respondents who answered DGC2_5DA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	113	249,000
NO	2	94	212,500
NOT APPLICABLE	6	11,089	25,793,500
NOT STATED	9	1,250	2,063,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5F	Length	1	Position	7641
Question Name	DG_Q5nn				
Concept	Flag for health product 6				
Question					
Universe	Respondents who answered DGC2_5EA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		113	249,000
NOT APPLICABLE		6		11,183	26,006,000
NOT STATED		9		1,250	2,063,000
		Total		12,546	28,318,308

Variable Name	DGC2C5F	Length	7	Position	7642 - 7648
Question Name	DG_Q5nn				
Concept	Drug code - health product 6				
Question	What is the exact name of this product? - Product 6				
Universe	Respondents who answered DGC2_5EA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A06AC01 - Z97AA00		113	249,000
NOT APPLICABLE		9999996		11,183	26,006,000
NOT STATED		9999999		1,250	2,063,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5F **Length** 2 **Position** 7649 - 7650

Question Name

Concept Drug code - health product 6 - (G)

Question

Universe Respondents who answered DGC2_5EA=1

Note Based on DGC2C5F. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	50	115,000
BLOOD & BLOOD FORMING ORGANS	2	3	2,000
CARDIOVASCULAR SYSTEM	3	2	2,500
NERVOUS SYSTEM	14	1	2,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	6	15,000
NATURAL MEDICINES	24	44	98,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	7	15,000
NOT APPLICABLE	96	11,183	26,006,000
NOT STATED	99	1,250	2,063,000
Total		12,546	28,318,308

Variable Name DGC2_5FA **Length** 1 **Position** 7651

Question Name DG_Q5nnA

Concept Used a 7th health product

Question Did you use another health products? - 7th product

Universe Respondents who answered DGC2_5EA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	66	163,000
NO	2	47	86,500
NOT APPLICABLE	6	11,183	26,006,000
NOT STATED	9	1,250	2,063,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5G	Length	1	Position	7652
Question Name	DG_Q5nn				
Concept	Flag for health product 7				
Question					
Universe	Respondents who answered DGC2_5FA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		66	163,000
NOT APPLICABLE		6		11,230	26,092,500
NOT STATED		9		1,250	2,063,000
		Total		12,546	28,318,308

Variable Name	DGC2C5G	Length	7	Position	7653 - 7659
Question Name	DG_Q5nn				
Concept	Drug code - health product 7				
Question	What is the exact name of this product? - Product 7				
Universe	Respondents who answered DGC2_5FA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A07FA01 - Z97AA00		66	163,000
NOT APPLICABLE		9999996		11,230	26,092,500
NOT STATED		9999999		1,250	2,063,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5G **Length** 2 **Position** 7660 - 7661

Question Name

Concept Drug code - health product 7 - (G)

Question

Universe Respondents who answered DGC2_5FA=1

Note Based on DGC2C5G. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	26	57,500
BLOOD & BLOOD FORMING ORGANS	2	3	2,500
CARDIOVASCULAR SYSTEM	3	5	15,000
DERMATOLOGICALS	4	1	2,000
MUSCULO-SKELETAL SYSTEM	13	1	1,000
NERVOUS SYSTEM	14	1	1,000
RESPIRATORY SYSTEM	18	1	7,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	3	4,500
NATURAL MEDICINES	24	22	62,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	3	10,000
NOT APPLICABLE	96	11,230	26,092,500
NOT STATED	99	1,250	2,063,000
Total		12,546	28,318,308

Variable Name DGC2_5GA **Length** 1 **Position** 7662

Question Name DG_Q5nnA

Concept Used a 8th health product

Question Did you use another health products? - 8th product

Universe Respondents who answered DGC2_5FA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	37	72,000
NO	2	29	91,000
NOT APPLICABLE	6	11,230	26,092,500
NOT STATED	9	1,250	2,063,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5H	Length	1	Position	7663
Question Name	DG_Q5nn				
Concept	Flag for health product 8				
Question					
Universe	Respondents who answered DGC2_5GA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		37	72,000
NOT APPLICABLE		6		11,259	26,183,500
NOT STATED		9		1,250	2,063,000
		Total		12,546	28,318,308

Variable Name	DGC2C5H	Length	7	Position	7664 - 7670
Question Name	DG_Q5nn				
Concept	Drug code - health product 8				
Question	What is the exact name of this product? - Product 8				
Universe	Respondents who answered DGC2_5GA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A06AC01 - Z97AA00		37	72,000
NOT APPLICABLE		9999996		11,259	26,183,500
NOT STATED		9999999		1,250	2,063,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5H **Length** 2 **Position** 7671 - 7672

Question Name

Concept Drug code - health product 8 - (G)

Question

Universe Respondents who answered DGC2_5GA=1

Note Based on DGC2C5H. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	18	37,500
BLOOD & BLOOD FORMING ORGANS	2	3	4,500
DERMATOLOGICALS	4	1	2,000
MUSCULO-SKELETAL SYSTEM	13	1	1,000
NATURAL MEDICINES	24	13	24,000
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	3,000
NOT APPLICABLE	96	11,259	26,183,500
NOT STATED	99	1,250	2,063,000
Total		12,546	28,318,308

Variable Name DGC2_5HA **Length** 1 **Position** 7673

Question Name DG_Q5nnA

Concept Used a 9th health product

Question Did you use another health products? - 9th product

Universe Respondents who answered DGC2_5GA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	15	39,500
NO	2	22	32,500
NOT APPLICABLE	6	11,259	26,183,500
NOT STATED	9	1,250	2,063,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5I	Length	1	Position	7674
Question Name	DG_Q5nn				
Concept	Flag for health product 9				
Question					
Universe	Respondents who answered DGC2_5HA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		15	39,500
NOT APPLICABLE		6		11,281	26,216,000
NOT STATED		9		1,250	2,063,000
		Total		12,546	28,318,308

Variable Name	DGC2C5I	Length	7	Position	7675 - 7681
Question Name	DG_Q5nn				
Concept	Drug code - health product 9				
Question	What is the exact name of this product? - Product 9				
Universe	Respondents who answered DGC2_5HA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A11AB - Z97AA00		15	39,500
NOT APPLICABLE		9999996		11,281	26,216,000
NOT STATED		9999999		1,250	2,063,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5I **Length** 2 **Position** 7682 - 7683

Question Name

Concept Drug code - health product 9 - (G)

Question

Universe Respondents who answered DGC2_5HA=1

Note Based on DGC2C5I. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	7	16,500
BLOOD & BLOOD FORMING ORGANS	2	1	1,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	1	1,500
NATURAL MEDICINES	24	4	17,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	2	3,500
NOT APPLICABLE	96	11,281	26,216,000
NOT STATED	99	1,250	2,063,000
Total		12,546	28,318,308

Variable Name DGC2_5IA **Length** 1 **Position** 7684

Question Name DG_Q5nnA

Concept Used a 10th health product

Question Did you use another health products? - 10th product

Universe Respondents who answered DGC2_5HA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11	23,500
NO	2	4	15,500
NOT APPLICABLE	6	11,281	26,216,000
NOT STATED	9	1,250	2,063,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5J	Length	1	Position	7685
Question Name	DG_Q5nn				
Concept	Flag for health product 10				
Question					
Universe	Respondents who answered DGC2_5IA=1				
Note	Indicates that a long answer was collected.				
Content		Code		Sample	Population
YES		1		10	21,000
NOT APPLICABLE		6		11,285	26,231,500
DON'T KNOW		7		1	3,000
NOT STATED		9		1,250	2,063,000
		Total		12,546	28,318,308

Variable Name	DGC2C5J	Length	7	Position	7686 - 7692
Question Name	DG_Q5nn				
Concept	Drug code - health product 10				
Question	What is the exact name of this product? - Product 10				
Universe	Respondents who answered DGC2_5IA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
Content		Code		Sample	Population
DRUG CODE		A07EC02 - X97CI01		10	21,000
NOT APPLICABLE		9999996		11,285	26,231,500
DON'T KNOW		9999997		1	3,000
NOT STATED		9999999		1,250	2,063,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5J **Length** 2 **Position** 7693 - 7694

Question Name

Concept Drug code - health product 10 - (G)

Question

Universe Respondents who answered DGC2_5IA=1

Note Based on DGC2C5J. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	2	2,000
BLOOD & BLOOD FORMING ORGANS	2	2	3,500
DERMATOLOGICALS	4	1	2,000
VARIOUS MEDICATIONS AND HEALTH PRODUCTS	22	4	11,000
NATURAL MEDICINES	24	1	2,000
NOT APPLICABLE	96	11,285	26,231,500
NOT STATED	99	1,251	2,066,000
Total		12,546	28,318,308

Variable Name DGC2_5JA **Length** 1 **Position** 7695

Question Name DG_Q5nnA

Concept Used a 11th health product

Question Did you use another health products? - 11th product

Universe Respondents who answered DGC2_5IA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6	15,500
NO	2	4	5,000
NOT APPLICABLE	6	11,285	26,231,500
NOT STATED	9	1,251	2,066,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5K	Length	1	Position	7696
Question Name	DG_Q5nn				
Concept	Flag for health product 11				
Question					
Universe	Respondents who answered DGC2_5JA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6	15,500
NOT APPLICABLE		6		11,289	26,237,000
NOT STATED		9		1,251	2,066,000
		Total		12,546	28,318,308

Variable Name	DGC2C5K	Length	7	Position	7697 - 7703
Question Name	DG_Q5nn				
Concept	Drug code - health product 11				
Question	What is the exact name of this product? - Product 11				
Universe	Respondents who answered DGC2_5JA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11CC05 - Z97AA00		6	15,500
NOT APPLICABLE		9999996		11,289	26,237,000
NOT STATED		9999999		1,251	2,066,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5K **Length** 2 **Position** 7704 - 7705

Question Name

Concept Drug code - health product 11 - (G)

Question

Universe Respondents who answered DGC2_5JA=1

Note Based on DGC2C5K. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	3	9,000
NATURAL MEDICINES	24	2	3,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	3,000
NOT APPLICABLE	96	11,289	26,237,000
NOT STATED	99	1,251	2,066,000
	Total	12,546	28,318,308

Variable Name DGC2_5KA **Length** 1 **Position** 7706

Question Name DG_Q5nnA

Concept Used a 12th health product

Question Did you use another health products? - 12th product

Universe Respondents who answered DGC2_5JA=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4	8,500
NO	2	2	7,000
NOT APPLICABLE	6	11,289	26,237,000
NOT STATED	9	1,251	2,066,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	DGC2F5L	Length	1	Position	7707
Question Name	DG_Q5nn				
Concept	Flag for health product 12				
Question					
Universe	Respondents who answered DGC2_5KA=1				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4	8,500
NOT APPLICABLE		6		11,291	26,244,000
NOT STATED		9		1,251	2,066,000
		Total		12,546	28,318,308

Variable Name	DGC2C5L	Length	7	Position	7708 - 7714
Question Name	DG_Q5nn				
Concept	Drug code - health product 12				
Question	What is the exact name of this product? - Product 12				
Universe	Respondents who answered DGC2_5KA=1				
Note	Based on the Anatomical Therapeutic Chemical (ATC) Classification developed by the World Health Organisation as available on the Health Canada Drug Product Database (DPD) in September 2003. A complete revision of the drug codes was done for all NPHS longitudinal respondents for Cycle 5 (2002-2003) and for all previous cycles. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DRUG CODE		A11AA03 - Z99AA00		4	8,500
NOT APPLICABLE		9999996		11,291	26,244,000
NOT STATED		9999999		1,251	2,066,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name DGC2G5L **Length** 2 **Position** 7715 - 7716

Question Name

Concept Drug code - health product 12 - (G)

Question

Universe Respondents who answered DGC2_5KA=1

Note Based on DGC2C5L. The codes used are not the actual ATC codes, but are numbers from 1 to 26 that correspond to the first letter of the assigned drug code ranging from A to Z. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALIMENTARY TRACT & METABOLISM	1	3	6,500
UNKNOWN MEDICATIONS OR HEALTH PRODUCTS	26	1	2,000
NOT APPLICABLE	96	11,291	26,244,000
NOT STATED	99	1,251	2,066,000
Total		12,546	28,318,308

Variable Name SMC2_1 **Length** 1 **Position** 7717

Question Name SM_Q101

Concept Household member smokes inside house

Question Does anyone in this household smoke regularly inside the house?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,418	5,715,000
NO	2	8,199	18,877,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	2	12,000
REFUSAL	8	7	16,500
NOT STATED	9	1,210	1,941,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC2_2	Length	1	Position	7718
Question Name	SM_Q102				
Concept	Current smoking status				
Question	At the present time do you smoke cigarettes daily, occasionally or not at all?				
Universe	Respondents aged 12 and over				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
DAILY		1		1,949	4,482,000
OCCASIONALLY		2		480	1,204,500
NOT AT ALL		3		8,329	19,085,000
NOT APPLICABLE		6		567	1,584,500
DON'T KNOW		7		1	3,000
REFUSAL		8		8	15,500
NOT STATED		9		1,212	1,944,500
		Total		12,546	28,318,308

Variable Name	SMC2_3	Length	3	Position	7719 - 7721
Question Name	SM_Q103				
Concept	Age started smoking daily - daily smoker				
Question	At what age did you begin to smoke cigarettes daily?				
Universe	Respondents who answered SMC2_2=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YEARS		5 - 73		1,938	4,459,500
NOT APPLICABLE		996		9,376	21,873,500
DON'T KNOW		997		11	22,500
NOT STATED		999		1,221	1,962,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_4 **Length** 3 **Position** 7722 - 7724
Question Name SM_Q104
Concept Number of cigarettes smoked each day - daily smoker
Question How many cigarettes do you smoke each day now?
Universe Respondents who answered SMC2_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 65	1,943	4,471,000
NOT APPLICABLE	996	9,376	21,873,500
DON'T KNOW	997	5	9,500
REFUSAL	998	1	2,000
NOT STATED	999	1,221	1,962,500
	Total	12,546	28,318,308

Variable Name SMC2_4A **Length** 1 **Position** 7725
Question Name SM_Q104A
Concept Ever smoked cigarettes
Question Have you ever smoked cigarettes at all?
Universe Respondents who answered SMC2_2=3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	4,502	9,971,500
NO	2	3,808	9,082,000
NOT APPLICABLE	6	2,996	7,271,000
DON'T KNOW	7	16	26,500
NOT STATED	9	1,224	1,967,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_4B **Length** 1 **Position** 7726
Question Name SM_Q104B
Concept Ever smoked cigarettes (probe)
Question (Remember, for this survey it's important to measure change.) During our last interview, we recorded that you had previously smoked BUT this time we did not. In fact, have you EVER smoked cigarettes?
Universe Non-proxy respondents who answered SMC0_4A=1 and SMC2_4A=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	92	231,000
NO	2	158	370,500
NOT APPLICABLE	6	11,075	25,753,000
NOT STATED	9	1,221	1,964,000
Total		12,546	28,318,308

Variable Name SMC2_5A **Length** 1 **Position** 7727
Question Name SM_Q105A
Concept Smoked 100 or more cigarettes - former smoker
Question In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?
Universe Respondents who answered SMC2_4A=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,347	7,220,500
NO	2	1,105	2,670,000
NOT APPLICABLE	6	6,861	16,438,000
DON'T KNOW	7	11	22,000
REFUSAL	8	1	4,000
NOT STATED	9	1,221	1,964,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2582

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_5B **Length** 3 **Position** 7728 - 7730
Question Name SM_Q105B
Concept No. of cigarettes smoked - occasional smoker
Question On the days that you do smoke, about how many cigarettes do you usually have?
Universe Respondents who answered SMC2_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 25	478	1,187,500
NOT APPLICABLE	996	10,848	25,155,500
DON'T KNOW	997	1	16,000
NOT STATED	999	1,219	1,959,000
	Total	12,546	28,318,308

Variable Name SMC2_5C **Length** 2 **Position** 7731 - 7732
Question Name SM_Q105C
Concept No. of days smoked 1 or more cigarettes - occasional smoker
Question In the past month, on how many days have you smoked 1 or more cigarettes?
Universe Respondents who answered SMC2_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	0 - 30	476	1,194,000
NOT APPLICABLE	96	10,848	25,155,500
DON'T KNOW	97	3	9,500
NOT STATED	99	1,219	1,959,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_5 **Length** 1 **Position** 7733
Question Name SM_Q105D
Concept Ever smoked daily
Question Have you ever smoked cigarettes daily?
Universe Respondents who answered SMC2_2=2 or SMC2_4A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,770	8,196,000
NO	2	1,180	2,905,500
NOT APPLICABLE	6	6,323	15,146,500
DON'T KNOW	7	2	4,500
NOT STATED	9	1,271	2,065,500
	Total	12,546	28,318,308

Variable Name SMC2_6 **Length** 3 **Position** 7734 - 7736
Question Name SM_Q106
Concept Age started smoking daily - former daily smoker
Question At what age did you begin to smoke (cigarettes) daily?
Universe Respondents who answered SMC2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	5 - 70	2,876	6,197,500
NOT APPLICABLE	996	7,503	18,052,000
DON'T KNOW	997	37	69,000
REFUSAL	998	2	7,500
NOT STATED	999	2,128	3,992,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_7 **Length** 3 **Position** 7737 - 7739

Question Name SM_Q107

Concept No. of cigarettes smoked daily - former daily smoker

Question How many cigarettes did you usually smoke each day?

Universe Respondents who answered SMC2_5=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CIGARETTES	1 - 99	2,844	6,144,500
NOT APPLICABLE	996	7,557	18,132,500
DON'T KNOW	997	38	74,000
REFUSAL	998	4	14,000
NOT STATED	999	2,103	3,953,500
	Total	12,546	28,318,308

Variable Name SMC2_8 **Length** 3 **Position** 7740 - 7742

Question Name SM_Q108

Concept Age stopped smoking daily - former daily smoker

Question At what age did you stop smoking (cigarettes) daily?

Universe Respondents who answered SMC2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	10 - 84	2,883	6,192,500
NOT APPLICABLE	996	7,503	18,052,000
DON'T KNOW	997	29	72,500
REFUSAL	998	2	7,500
NOT STATED	999	2,129	3,993,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC2DTYP	Length	2	Position	7743 - 7744
Question Name					
Concept	Type of smoker - (D)				
Question					
Universe	Respondents aged 12 and over				
Note	Based on SMC2_2, SMC2_4A and SMC2_5. See Derived Variables Documentation.				
Content		Code		Sample	Population
DAILY SMOKER		1		1,949	4,482,000
OCCASIONAL SMOKER (FORMER DAILY SMOKER)		2		390	953,500
ALWAYS AN OCCASIONAL SMOKER		3		89	249,500
FORMER DAILY SMOKER		4		3,380	7,242,500
FORMER OCCASIONAL SMOKER		5		1,091	2,655,500
NEVER SMOKED		6		3,808	9,082,000
NOT APPLICABLE		96		567	1,584,500
NOT STATED		99		1,272	2,068,000
		Total		12,546	28,318,308

Variable Name	SMC2DYRS	Length	3	Position	7745 - 7747
Question Name					
Concept	Number of years that respondent smoked - (D)				
Question					
Universe	Respondents who answered SMC2_2=1 or SMC2_5=1				
Note	Based on SMC2_3, SMC2_6, SMC2_8, Type of smoker (SMC2_2, SMC2_4A, SMC2_5) and DHC2_AGE. Source: General Social Survey - Health, Cycle 6 (1991). See Derived Variables Documentation.				
Content		Code		Sample	Population
NUMBER OF YEARS		0 - 77		4,791	10,595,500
NOT APPLICABLE		996		5,555	13,572,000
NOT STATED		999		2,200	4,150,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2DSTR **Length** 2 **Position** 7748 - 7749

Question Name

Concept Strength of cigarette (descriptor)

Question

Universe Respondents who answered SMC2_2=1 or 2

Note Based on the cigarette brand name processing codes. Brands of cigarettes are classified according to the descriptor found on the label of the package. Source: Health Canada, Population & Public Health Branch Centre for Chronic Disease Prevention and Control. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EXTRA MILD LIGHT	1	17	57,500
ULTRA MILD	2	14	35,000
EXTRA MILD	3	167	436,000
EXTRA LIGHT	4	132	300,500
ULTRA LIGHT	5	495	1,057,000
MILD	6	186	425,500
ULTRA	7	3	5,500
LIGHT	8	313	756,000
REGULAR	9	486	1,112,500
NOT APPLICABLE	96	8,764	20,505,000
NOT STATED	99	1,969	3,627,500
Total		12,546	28,318,308

Variable Name SMC2DTAR **Length** 1 **Position** 7750

Question Name

Concept Tar content of cigarette

Question

Universe Respondents who answered SMC2_2=1 or 2

Note Based on the cigarette brand name processing codes. Brands of cigarettes are classified according to their tar content (in milligrams). Source: Health Canada, Population & Public Health Branch Centre for Chronic Disease Prevention and Control. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TAR RANGE 0-4 MG	1	32	78,000
TAR RANGE 5-9 MG	2	687	1,439,000
TAR RANGE 10-14 MG	3	861	2,125,500
TAR RANGE 15+ MG	4	233	543,500
NOT APPLICABLE	6	8,764	20,505,000
NOT STATED	9	1,969	3,627,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_9 **Length** 2 **Position** 7751 - 7752

Question Name SM_Q109

Concept Reason for quitting smoking

Question Compared to our last interview, you are reporting that you no longer smoke. Why did you quit?

Universe Respondents who answered SMC0_2=1 or SMC0_2=2 and SMC2_2=3 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER SMOKED	1	2	1,500
DIDN'T SMOKE AT LAST INTERVIEW	2	24	63,500
AFFECTED PHYSICAL HEALTH	3	190	444,000
COST	4	68	92,500
SOCIAL / FAMILY PRESSURES	5	25	56,000
ATHLETIC ACTIVITIES	6	3	13,000
PREGNANCY	7	20	51,500
SMOKING RESTRICTIONS	8	6	8,500
DOCTOR'S ADVICE	9	22	50,000
EFFECT OF SECOND-HAND SMOKE ON OTHERS	10	16	38,000
OTHER	11	123	411,500
NOT APPLICABLE	96	10,626	24,528,000
DON'T KNOW	97	2	2,000
NOT STATED	99	1,419	2,558,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_10 **Length** 2 **Position** 7753 - 7754
Question Name SM_Q110
Concept Reason for starting smoking
Question Compared to our last interview, you are reporting that you currently smoke. Why did you start smoking?
Universe Respondents who answered SMC0_2=3 and SMC2_2=1 or SMC2_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SMOKED AT LAST INTERVIEW	1	52	117,000
FAMILY / FRIENDS SMOKE	2	39	82,000
EVERYONE AROUND ME SMOKES	3	32	81,000
TO BE "COOL"	4	9	24,500
CURIOSITY	5	13	37,000
STRESS	6	58	157,000
STARTED AGAIN AFTER TRYING TO QUIT	7	48	118,000
COST	8	1	1,000
TO CONTROL WEIGHT	9	1	21,500
OTHER	10	66	167,500
NOT APPLICABLE	96	10,776	24,853,000
DON'T KNOW	97	8	21,500
NOT STATED	99	1,443	2,637,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_11 **Length** 2 **Position** 7755 - 7756

Question Name SM_Q111

Concept Reason for smoking less

Question Compared to our last interview, you are reporting that you smoke less. Why did you cut down?

Universe Respondents who answered SMC0_2=1 and SMC2_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DID NOT CUT DOWN	1	1	6,500
TRYING TO QUIT	3	61	124,000
AFFECTED PHYSICAL HEALTH	4	31	63,000
COST	5	25	45,500
SOCIAL / FAMILY PRESSURES	6	5	10,500
ATHLETIC ACTIVITIES	7	2	1,000
PREGNANCY	8	3	8,000
SMOKING RESTRICTIONS	9	2	6,000
DOCTOR'S ADVICE	10	5	11,500
EFFECT OF SECOND-HAND SMOKE ON OTHERS	11	2	13,000
OTHER	12	21	49,500
NOT APPLICABLE	96	10,988	25,449,500
DON'T KNOW	97	1	6,000
NOT STATED	99	1,399	2,525,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_12 **Length** 2 **Position** 7757 - 7758
Question Name SM_Q112
Concept Reason for smoking more
Question Compared to our last interview, you are reporting that you smoke more. Why have you increased smoking?
Universe Respondents who answered SMC0_2=2 and SMC2_2=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAVEN'T INCREASED	1	30	58,000
FAMILY / FRIENDS SMOKE	2	4	6,000
EVERYONE AROUND ME SMOKES	3	10	34,000
CURIOSITY	5	2	4,000
STRESS	6	36	80,000
INCREASED AFTER TRYING TO QUIT / REDUCE	7	9	17,500
COST	8	1	1,000
OTHER	10	14	59,000
NOT APPLICABLE	96	11,053	25,614,000
DON'T KNOW	97	6	7,000
NOT STATED	99	1,381	2,437,500
Total		12,546	28,318,308

Variable Name SMC2_201 **Length** 1 **Position** 7759
Question Name SM_Q201
Concept When first cigarette smoked after waking up
Question How soon after you wake up do you smoke your first cigarette?
Universe Respondents who answered SMC2_2=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WITHIN 5 MINUTES	1	370	882,000
6 TO 30 MINUTES AFTER WAKING	2	736	1,623,500
31 TO 60 MINUTES AFTER WAKING	3	390	855,000
MORE THAN 60 MINUTES AFTER WAKING	4	398	988,000
NOT APPLICABLE	6	9,386	21,880,500
DON'T KNOW	7	3	4,500
REFUSAL	8	2	4,000
NOT STATED	9	1,261	2,081,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_202 **Length** 1 **Position** 7760
Question Name SM_Q202
Concept Tried quitting smoking
Question Have you tried quitting smoking in the past 6 months?
Universe Respondents who answered SMC2_2=1 or SMC2_2=2 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	969	2,234,500
NO	2	1,397	3,281,500
NOT APPLICABLE	6	8,907	20,677,000
DON'T KNOW	7	3	13,000
REFUSAL	8	1	3,000
NOT STATED	9	1,269	2,109,500
	Total	12,546	28,318,308

Variable Name SMC2_203 **Length** 2 **Position** 7761 - 7762
Question Name SM_Q203
Concept Number of times tried to quit smoking
Question How many times have you tried quitting (in the past 6 months)?
Universe Respondents who answered SMC2_202=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 25	954	2,181,500
NOT APPLICABLE	96	10,304	23,958,500
DON'T KNOW	97	15	53,000
NOT STATED	99	1,273	2,125,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SMC2_204	Length	1	Position	7763
Question Name	SM_Q204				
Concept	Considering quitting smoking in the next 30 days				
Question	Are you seriously considering quitting smoking within the next 30 days?				
Universe	Respondents who answered SMC2_202=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		583	1,287,500
NO		2		373	906,500
NOT APPLICABLE		6		10,304	23,958,500
DON'T KNOW		7		13	40,500
NOT STATED		9		1,273	2,125,500
		Total		12,546	28,318,308

Variable Name	SMC2_205	Length	1	Position	7764
Question Name	SM_Q205				
Concept	Considering quitting smoking in the next 6 months				
Question	Are you seriously considering quitting smoking within the next 6 months?				
Universe	Respondents who answered SMC2_204=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		254	618,500
NO		2		113	265,500
NOT APPLICABLE		6		10,887	25,245,500
DON'T KNOW		7		18	59,000
REFUSAL		8		1	4,000
NOT STATED		9		1,273	2,125,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SMC2_206 **Length** 1 **Position** 7765
Question Name SM_Q206
Concept Smoking restrictions in work place
Question At your place of work what are the restrictions on smoking?
Universe Respondents aged 15 to 75 who answered SMC2_2=1, 2 or 3, and are currently working

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
RESTRICTED COMPLETELY	1	3,737	9,302,000
ALLOWED IN DESIGNATED AREAS	2	1,394	3,631,500
RESTRICTED ONLY IN CERTAIN PLACES	3	271	662,000
NOT RESTRICTED AT ALL	4	631	1,454,000
NOT APPLICABLE	6	5,140	10,850,500
DON'T KNOW	7	13	34,500
REFUSAL	8	4	10,500
NOT STATED	9	1,356	2,373,500
	Total	12,546	28,318,308

Variable Name ALC2_1A **Length** 1 **Position** 7766
Question Name AL_Q1A
Concept Drank alcohol since last interview
Question Since our last interview, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,360	19,886,500
NO	2	2,254	4,713,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	3	4,500
REFUSAL	8	8	14,000
NOT STATED	9	1,211	1,943,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2_1 **Length** 1 **Position** 7767
Question Name AL_Q1B
Concept Drank alcohol in past 12 months
Question During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
Universe Respondents who answered ALC2_1A=1 or respondents living in an institution

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8,203	19,508,000
NO	2	297	546,500
NOT APPLICABLE	6	2,821	6,298,000
NOT STATED	9	1,225	1,965,500
	Total	12,546	28,318,308

Variable Name ALC2_2 **Length** 2 **Position** 7768 - 7769
Question Name AL_Q2
Concept Frequency of drinking alcohol
Question During the past 12 months, how often did you drink alcoholic beverages?
Universe Respondents who answered ALC2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN ONCE A MONTH	1	2,177	4,563,500
ONCE A MONTH	2	1,046	2,376,000
2 TO 3 TIMES A MONTH	3	1,298	3,012,000
ONCE A WEEK	4	1,439	3,595,000
2 TO 3 TIMES A WEEK	5	1,384	3,689,000
4 TO 6 TIMES A WEEK	6	348	932,000
EVERY DAY	7	500	1,310,000
NOT APPLICABLE	96	3,118	6,844,500
DON'T KNOW	97	6	21,500
REFUSAL	98	2	5,500
NOT STATED	99	1,228	1,969,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2_3 **Length** 2 **Position** 7770 - 7771
Question Name AL_Q3
Concept Frequency of having 5 or more drinks
Question How often in the past 12 months have you had 5 or more drinks on one occasion?
Universe Respondents who answered ALC2_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NEVER	1	4,732	10,788,000
LESS THAN ONCE A MONTH	2	1,958	4,809,000
ONCE A MONTH	3	528	1,377,000
2 TO 3 TIMES A MONTH	4	424	1,025,500
ONCE A WEEK	5	344	896,500
MORE THAN ONCE A WEEK	6	163	492,000
NOT APPLICABLE	96	3,146	6,887,000
DON'T KNOW	97	25	72,000
REFUSAL	98	3	9,000
NOT STATED	99	1,223	1,962,500
	Total	12,546	28,318,308

Variable Name ALC2_DAY **Length** 2 **Position** 7772 - 7773
Question Name
Concept Interview date - day of the week
Question
Universe Respondents who answered ALC2_1=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SUNDAY	1	506	1,374,000
MONDAY	2	1,485	3,530,000
TUESDAY	3	1,562	3,591,000
WEDNESDAY	4	1,519	3,493,000
THURSDAY	5	1,470	3,449,500
FRIDAY	6	1,002	2,473,000
SATURDAY	7	725	1,867,000
NOT APPLICABLE	96	3,146	6,887,000
NOT STATED	99	1,131	1,654,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC2_5	Length	1	Position	7774
Question Name	AL_Q5				
Concept	Drank alcohol in past week				
Question	Thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage?				
Universe	Respondents who answered ALC2_1=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		4,753	11,731,000
NO		2		3,415	7,709,000
NOT APPLICABLE		6		3,146	6,887,000
DON'T KNOW		7		8	26,500
REFUSAL		8		1	3,000
NOT STATED		9		1,223	1,962,500
		Total		12,546	28,318,308

Variable Name	ALC2_5A1	Length	3	Position	7775 - 7777
Question Name	AL_Q5A				
Concept	Number of drinks - Sunday				
Question	Starting with yesterday, that is Sunday, how many drinks did you have?				
Universe	Respondents who answered ALC2_5=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS		0 - 20		4,736	11,699,500
NOT APPLICABLE		996		6,561	14,596,000
DON'T KNOW		997		14	25,000
NOT STATED		999		1,235	1,998,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2_5A2 **Length** 3 **Position** 7778 - 7780
Question Name AL_Q5A
Concept Number of drinks - Monday
Question Starting with yesterday, that is Monday, how many drinks did you have?
Universe Respondents who answered ALC2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 20	4,732	11,688,000
NOT APPLICABLE	996	6,561	14,596,000
DON'T KNOW	997	18	36,500
NOT STATED	999	1,235	1,998,000
	Total	12,546	28,318,308

Variable Name ALC2_5A3 **Length** 3 **Position** 7781 - 7783
Question Name AL_Q5A
Concept Number of drinks - Tuesday
Question Starting with yesterday, that is Tuesday, how many drinks did you have?
Universe Respondents who answered ALC2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 30	4,731	11,684,000
NOT APPLICABLE	996	6,561	14,596,000
DON'T KNOW	997	19	40,500
REFUSAL	998	1	1,000
NOT STATED	999	1,234	1,997,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2_5A4 **Length** 3 **Position** 7784 - 7786
Question Name AL_Q5A
Concept Number of drinks - Wednesday
Question Starting with yesterday, that is Wednesday, how many drinks did you have?
Universe Respondents who answered ALC2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 30	4,721	11,656,000
NOT APPLICABLE	996	6,561	14,596,000
DON'T KNOW	997	29	68,500
REFUSAL	998	1	3,500
NOT STATED	999	1,234	1,994,500
Total		12,546	28,318,308

Variable Name ALC2_5A5 **Length** 3 **Position** 7787 - 7789
Question Name AL_Q5A
Concept Number of drinks - Thursday
Question Starting with yesterday, that is Thursday, how many drinks did you have?
Universe Respondents who answered ALC2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 30	4,721	11,663,500
NOT APPLICABLE	996	6,561	14,596,000
DON'T KNOW	997	29	61,000
NOT STATED	999	1,235	1,998,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2_5A6 **Length** 3 **Position** 7790 - 7792
Question Name AL_Q5A
Concept Number of drinks - Friday
Question Starting with yesterday, that is Friday, how many drinks did you have?
Universe Respondents who answered ALC2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 24	4,728	11,675,500
NOT APPLICABLE	996	6,561	14,596,000
DON'T KNOW	997	21	48,500
REFUSAL	998	1	1,000
NOT STATED	999	1,235	1,998,000
	Total	12,546	28,318,308

Variable Name ALC2_5A7 **Length** 3 **Position** 7793 - 7795
Question Name AL_Q5A
Concept Number of drinks - Saturday
Question Starting with yesterday, that is Saturday, how many drinks did you have?
Universe Respondents who answered ALC2_5=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 44	4,728	11,689,500
NOT APPLICABLE	996	6,561	14,596,000
DON'T KNOW	997	21	34,500
REFUSAL	998	1	1,000
NOT STATED	999	1,235	1,998,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC2_7A	Length	1	Position	7798
Question Name	AL_Q7				
Concept	Reason reduced drinking - dieting				
Question	Why did you reduce or quit drinking altogether? - Dieting				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2	5,500
NO		2		260	429,000
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

Variable Name	ALC2_7B	Length	1	Position	7799
Question Name	AL_Q7				
Concept	Reason reduced drinking - athletic training				
Question	Why did you reduce or quit drinking altogether? - Athletic training				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		262	434,000
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

Variable Name	ALC2_7C	Length	1	Position	7800
Question Name	AL_Q7				
Concept	Reason reduced drinking - pregnancy				
Question	Why did you reduce or quit drinking altogether? - Pregnancy				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO		2		262	434,000
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC2_7D	Length	1	Position	7801
Question Name	AL_Q7				
Concept	Reason reduced drinking - getting older				
Question	Why did you reduce or quit drinking altogether? - Getting older				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		12	16,000
NO		2		250	418,000
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

Variable Name	ALC2_7E	Length	1	Position	7802
Question Name	AL_Q7				
Concept	Reason reduced drinking - drinking too much				
Question	Why did you reduce or quit drinking altogether? - Drinking too much / drinking problem				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		107	167,000
NO		2		155	267,000
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2_7F **Length** 1 **Position** 7803
Question Name AL_Q7
Concept Reason reduced drinking - affected work / studies
Question Why did you reduce or quit drinking altogether? - Affected - work, studies, employment opportunities
Universe Respondents who answered ALC2_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	29	39,500
NO	2	233	395,000
NOT APPLICABLE	6	11,055	25,910,500
NOT STATED	9	1,229	1,974,000
Total		12,546	28,318,308

Variable Name ALC2_7G **Length** 1 **Position** 7804
Question Name AL_Q7
Concept Reason reduced drinking - interfered with family life
Question Why did you reduce or quit drinking altogether? - Interfered with family or home life
Universe Respondents who answered ALC2_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	52	76,500
NO	2	210	357,500
NOT APPLICABLE	6	11,055	25,910,500
NOT STATED	9	1,229	1,974,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC2_7H	Length	1	Position	7805
Question Name	AL_Q7				
Concept	Reason reduced drinking - affected physical health				
Question	Why did you reduce or quit drinking altogether? - Affected - physical health				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		66	100,000
NO		2		196	334,000
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

Variable Name	ALC2_7I	Length	1	Position	7806
Question Name	AL_Q7				
Concept	Reason reduced drinking - affected social relationships				
Question	Why did you reduce or quit drinking altogether? - Affected - friendships or social relationships				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		29	37,500
NO		2		233	396,500
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2_7J **Length** 1 **Position** 7807

Question Name AL_Q7

Concept Reason reduced drinking - affected financial position

Question Why did you reduce or quit drinking altogether? - Affected - financial position

Universe Respondents who answered ALC2_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	28,000
NO	2	241	406,000
NOT APPLICABLE	6	11,055	25,910,500
NOT STATED	9	1,229	1,974,000
Total		12,546	28,318,308

Variable Name ALC2_7K **Length** 1 **Position** 7808

Question Name AL_Q7

Concept Reason reduced drinking - affected happiness

Question Why did you reduce or quit drinking altogether? - Affected - outlook on life, happiness

Universe Respondents who answered ALC2_6=1 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	54,500
NO	2	230	379,500
NOT APPLICABLE	6	11,055	25,910,500
NOT STATED	9	1,229	1,974,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	ALC2_7L	Length	1	Position	7809
Question Name	AL_Q7				
Concept	Reason reduced drinking - influence of family / friends				
Question	Why did you reduce or quit drinking altogether? - Influence of family or friends				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		16	18,500
NO		2		246	415,500
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

Variable Name	ALC2_7M	Length	1	Position	7810
Question Name	AL_Q7				
Concept	Reason reduced drinking - other				
Question	Why did you reduce or quit drinking altogether? - Other				
Universe	Respondents who answered ALC2_6=1 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		59	104,500
NO		2		203	329,500
NOT APPLICABLE		6		11,055	25,910,500
NOT STATED		9		1,229	1,974,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2DTYP **Length** 1 **Position** 7811

Question Name

Concept Type of drinker - (D)

Question

Universe Respondents aged 12 and over

Note Based on ALC2_2 and ALC2_5B. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR DRINKER	1	6,015	14,914,000
OCCASIONAL DRINKER	2	2,177	4,563,500
NON-DRINKER NOW	3	1,311	2,380,000
NEVER DRANK	4	1,038	2,432,000
NOT APPLICABLE	6	749	2,001,500
NOT STATED	9	1,256	2,027,500
Total		12,546	28,318,308

Variable Name ALC2DWKY **Length** 3 **Position** 7812 - 7814

Question Name

Concept Weekly total of alcohol consumed - (D)

Question

Universe Respondents who answered ALC2_1=1 living in a household

Note Based on ALC2_5A1 to ALC2_5A7. Sum of number of drinks consumed, on all days, in the week prior to the interview. Source: General Social Survey - Health, Cycle 6 (1991) . See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DRINKS	0 - 126	8,093	19,268,000
NOT APPLICABLE	996	3,146	6,887,000
NOT STATED	999	1,307	2,163,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name ALC2DDL **Length** 2 **Position** 7815 - 7816

Question Name

Concept Average daily alcohol consumption - (D)

Question

Universe Respondents who answered ALC2_1=1 living in a household

Note Based on ALC2_5, ALC2_5A1 to ALC2_5A7. Weekly total of alcohol consumed divided by 7. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AVERAGE DAILY VOLUME	0 - 18	8,093	19,268,000
NOT APPLICABLE	96	3,146	6,887,000
NOT STATED	99	1,307	2,163,500
	Total	12,546	28,318,308

Variable Name AL_2_1 **Length** 2 **Position** 7817 - 7818

Question Name ALS_Q1

Concept Definition of moderate drinking

Question To start with, how would you define moderate drinking?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO DRINKS	1	143	355,000
LESS THAN 1 DRINK PER WEEK	2	1,102	2,364,000
1 TO 3 DRINKS PER WEEK	3	4,129	9,792,500
4 TO 6 DRINKS PER WEEK	4	1,496	3,667,000
1 OR 2 DRINKS PER DAY	5	1,116	2,830,000
3 DRINKS OR MORE PER DAY	6	88	246,000
NOT APPLICABLE	96	2,964	6,470,000
DON'T KNOW	97	112	185,500
REFUSAL	98	13	32,000
NOT STATED	99	1,383	2,376,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AL_2_2 **Length** 1 **Position** 7819
Question Name ALS_Q2
Concept Moderate drinking can be good for your health
Question Please tell me whether you agree or disagree with the following statements. - Moderate drinking can be good for your health.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	5,152	12,819,000
DISAGREE	2	2,084	4,719,000
NO OPINION	3	828	1,698,500
NOT APPLICABLE	6	2,964	6,470,000
DON'T KNOW	7	10	18,000
NOT STATED	9	1,508	2,594,000
Total		12,546	28,318,308

Variable Name AL_2_3 **Length** 1 **Position** 7820
Question Name ALS_Q3
Concept Alright to get drunk once in a while
Question Please tell me whether you agree or disagree with the following statements. - Most people think it's alright to get drunk once in a while.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	3,274	7,999,000
DISAGREE	2	4,430	10,527,000
NO OPINION	3	367	720,000
NOT APPLICABLE	6	2,964	6,470,000
DON'T KNOW	7	2	4,500
REFUSAL	8	1	4,500
NOT STATED	9	1,508	2,594,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AL_2_4 **Length** 1 **Position** 7821
Question Name ALS_Q4
Concept Rather pay for a taxi than see a friend drive after drinking
Question Please tell me whether you agree or disagree with the following statements. - You would rather pay for a taxi than see a friend drive after drinking.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	7,945	18,926,000
DISAGREE	2	45	128,000
NO OPINION	3	82	194,500
NOT APPLICABLE	6	2,964	6,470,000
DON'T KNOW	7	1	2,500
REFUSAL	8	1	3,500
NOT STATED	9	1,508	2,594,000
Total		12,546	28,318,308

Variable Name AL_2_5 **Length** 1 **Position** 7822
Question Name ALS_Q5
Concept Alright to get drunk once a week if no drinking rest of week
Question Please tell me whether you agree or disagree with the following statements. - It's alright to get drunk once a week as long as you don't drink at all during the rest of the week.
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	858	2,134,500
DISAGREE	2	6,871	16,342,500
NO OPINION	3	341	761,000
NOT APPLICABLE	6	2,964	6,470,000
DON'T KNOW	7	3	13,000
REFUSAL	8	1	3,500
NOT STATED	9	1,508	2,594,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AL_2_6 **Length** 1 **Position** 7823
Question Name ALS_Q6
Concept Pregnant woman should not drink any amount of alcohol
Question Please tell me whether you agree or disagree with the following statements. - A pregnant woman should not drink any amount of alcohol during her pregnancy.
Universe Respondents aged 12 and over living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	7,167	16,905,000
DISAGREE	2	700	1,843,500
NO OPINION	3	204	491,500
NOT APPLICABLE	6	2,964	6,470,000
DON'T KNOW	7	2	10,500
REFUSAL	8	1	3,500
NOT STATED	9	1,508	2,594,000
Total		12,546	28,318,308

Variable Name AL_2_7 **Length** 1 **Position** 7824
Question Name ALS_Q7
Concept Alright for breastfeeding woman to drink occasionally
Question Please tell me whether you agree or disagree with the following statements. - It's alright for a woman who is breastfeeding to drink occasionally.
Universe Respondents aged 12 and over living in a household
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGREE	1	1,130	2,995,000
DISAGREE	2	6,356	14,843,500
NO OPINION	3	574	1,368,500
NOT APPLICABLE	6	2,964	6,470,000
DON'T KNOW	7	13	43,500
REFUSAL	8	1	3,500
NOT STATED	9	1,508	2,594,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_2_1 **Length** 1 **Position** 7825
Question Name AD_Q1
Concept Drunk - at work / school / taking care of child
Question In the past 12 months, have you ever been drunk or hung-over while at work or school or while taking care of children?
Universe Respondents who answered ALC2_3=3, 4, 5 or 6 living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	382	1,053,500
NO	2	1,058	2,673,000
NOT APPLICABLE	6	9,836	22,483,500
DON'T KNOW	7	1	1,000
REFUSAL	8	1	5,000
NOT STATED	9	1,268	2,103,000
Total		12,546	28,318,308

Variable Name AD_2_2 **Length** 1 **Position** 7826
Question Name AD_Q2
Concept Number of times - drunk / hung-over
Question How many times? Was it:
Universe Respondents who answered AD_2_1=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ONCE OR TWICE	1	177	450,500
3 TO 5 TIMES	2	110	319,500
6 TO 10 TIMES	3	52	156,500
11 TO 20 TIMES	4	27	85,500
MORE THAN 20 TIMES	5	16	41,500
NOT APPLICABLE	6	10,894	25,157,000
NOT STATED	9	1,270	2,108,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_2_3 **Length** 1 **Position** 7827
Question Name AD_Q3
Concept Being drunk increased chances of getting hurt
Question In the past 12 months, were you ever in a situation while drunk or hung-over which increased your chances of getting hurt? (For example, driving a boat, using guns, crossing against traffic, or during sports.)
Universe Respondents who answered ALC2_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	177	534,000
NO	2	1,261	3,187,000
NOT APPLICABLE	6	9,836	22,483,500
DON'T KNOW	7	2	5,500
NOT STATED	9	1,270	2,108,000
Total		12,546	28,318,308

Variable Name AD_2_4 **Length** 1 **Position** 7828
Question Name AD_Q4
Concept Emotional or psychological problems due to alcohol
Question In the past 12 months, have you had any emotional or psychological problems because of alcohol use, such as feeling uninterested in things, depressed or suspicious of people?
Universe Respondents who answered ALC2_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	91	242,500
NO	2	1,348	3,483,000
NOT APPLICABLE	6	9,836	22,483,500
REFUSAL	8	1	1,000
NOT STATED	9	1,270	2,108,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_2_5 **Length** 1 **Position** 7829
Question Name AD_Q5
Concept Strong desire or urge to drink
Question In the past 12 months, have you had such a strong desire or urge to drink alcohol that you could not resist it or could not think of anything else?
Universe Respondents who answered ALC2_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	72	214,500
NO	2	1,366	3,510,000
NOT APPLICABLE	6	9,836	22,483,500
DON'T KNOW	7	1	1,000
REFUSAL	8	1	1,000
NOT STATED	9	1,270	2,108,000
Total		12,546	28,318,308

Variable Name AD_2_6 **Length** 1 **Position** 7830
Question Name AD-Q6
Concept Spent month or more getting drunk
Question In the past 12 months, have you had a period of a month or more when you spent a great deal of time getting drunk or being hung-over?
Universe Respondents who answered ALC2_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	106	353,000
NO	2	1,333	3,372,500
NOT APPLICABLE	6	9,836	22,483,500
REFUSAL	8	1	1,000
NOT STATED	9	1,270	2,108,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_2_7 **Length** 1 **Position** 7831
Question Name AD_Q7
Concept Drank much more than intended
Question In the past 12 months, did you ever drink much more or for a longer period of time than you intended?
Universe Respondents who answered ALC2_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	363	984,500
NO	2	1,075	2,737,500
NOT APPLICABLE	6	9,836	22,483,500
DON'T KNOW	7	1	3,500
REFUSAL	8	1	1,000
NOT STATED	9	1,270	2,108,000
	Total	12,546	28,318,308

Variable Name AD_2_8 **Length** 1 **Position** 7832
Question Name AD_Q8
Concept Number of times - drank much more than intended
Question How many times? Was it:
Universe Respondents who answered AD_2_7=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ONCE OR TWICE	1	179	482,000
3 TO 5 TIMES	2	106	290,500
6 TO 10 TIMES	3	41	112,500
11 TO 20 TIMES	4	16	51,500
MORE THAN 20 TIMES	5	20	43,000
NOT APPLICABLE	6	10,911	25,221,000
DON'T KNOW	7	1	5,000
NOT STATED	9	1,272	2,112,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_2_9 **Length** 1 **Position** 7833
Question Name AD_Q9
Concept Had to drink more for the same effect
Question In the past 12 months, did you ever find that you had to drink more alcohol than usual to get the same effect or that the same amount of alcohol had less effect on you than usual?
Universe Respondents who answered ALC2_3=3, 4, 5 or 6

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	206	630,500
NO	2	1,230	3,082,500
NOT APPLICABLE	6	9,836	22,483,500
DON'T KNOW	7	3	13,000
REFUSAL	8	1	1,000
NOT STATED	9	1,270	2,108,000
	Total	12,546	28,318,308

Variable Name AD_2DSF **Length** 2 **Position** 7834 - 7835

Question Name

Concept Alcohol dependence scale - Short Form Score - (D)

Question

Universe Respondents aged 12 and over living in a household

Note

Based on AD_2_1, AD_2_3 to AD_2_7 and AD_2_9. MIN = 0, MAX = 7 (higher values indicate higher dependence). Source: Kessler R.C., G. Andrews and D. Mroczek et al. «The World Health Organisation Composite Diagnostic Interview Short-Form», Psychological Medicine. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALCOHOL DEPENDENCE VALUE	1 - 7	700	1,946,000
NOT A REGULAR DRINKER	0	7,423	17,358,000
NOT APPLICABLE	96	3,146	6,887,000
NOT STATED	99	1,277	2,127,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AD_2DPP **Length** 4.2 **Position** 7836 - 7839

Question Name

Concept Alcohol dependence scale - Predicted Probability - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on AD_2_1, AD_2_3 to AD_2_7 and AD_2_9. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALCOHOL DEPENDENCE - PP	0.00 - 1.00	8,123	19,304,000
NOT APPLICABLE	9.96	3,146	6,887,000
NOT STATED	9.99	1,277	2,127,500
	Total	12,546	28,318,308

Variable Name MHC2_1A **Length** 1 **Position** 7840

Question Name MH_Q01A

Concept Frequency of feeling sad

Question During the past month, about how often did you feel so sad that nothing could cheer you up?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	36	82,500
MOST OF THE TIME	2	181	421,000
SOME OF THE TIME	3	790	1,966,500
A LITTLE OF THE TIME	4	1,838	4,507,000
NONE OF THE TIME	5	7,363	16,678,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	18	20,000
REFUSAL	8	24	45,500
NOT STATED	9	1,586	2,842,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_1B **Length** 1 **Position** 7841
Question Name MH_Q01B
Concept Frequency of feeling nervous
Question During the past month, about how often did you feel nervous?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	93	281,000
MOST OF THE TIME	2	289	772,000
SOME OF THE TIME	3	1,609	4,291,000
A LITTLE OF THE TIME	4	2,497	6,115,500
NONE OF THE TIME	5	5,712	12,169,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	4	15,500
REFUSAL	8	4	9,500
NOT STATED	9	1,628	2,907,000
	Total	12,546	28,318,308

Variable Name MHC2_1C **Length** 1 **Position** 7842
Question Name MH_Q01C
Concept Frequency of feeling restless / fidgety
Question During the past month, about how often did you feel restless or fidgety?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	113	337,000
MOST OF THE TIME	2	283	779,000
SOME OF THE TIME	3	1,544	3,975,000
A LITTLE OF THE TIME	4	2,189	5,176,000
NONE OF THE TIME	5	6,064	13,343,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	6	15,000
NOT STATED	9	1,637	2,936,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_1D **Length** 1 **Position** 7843
Question Name MH_Q01D
Concept Frequency of feeling hopeless
Question During the past month, about how often did you feel hopeless?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	33	66,500
MOST OF THE TIME	2	81	183,500
SOME OF THE TIME	3	406	1,027,000
A LITTLE OF THE TIME	4	703	1,769,500
NONE OF THE TIME	5	8,964	20,557,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	5	4,500
REFUSAL	8	1	2,000
NOT STATED	9	1,643	2,951,500
	Total	12,546	28,318,308

Variable Name MHC2_1E **Length** 1 **Position** 7844
Question Name MH_Q01E
Concept Frequency of feeling worthless
Question During the past month, about how often did you feel worthless?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	22	57,000
MOST OF THE TIME	2	51	97,500
SOME OF THE TIME	3	290	713,000
A LITTLE OF THE TIME	4	465	1,170,500
NONE OF THE TIME	5	9,356	21,561,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	3	4,000
NOT STATED	9	1,649	2,958,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_1F **Length** 1 **Position** 7845
Question Name MH_Q01F
Concept Frequency of feeling everything was an effort
Question During the past month, about how often did you feel that everything was an effort?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL OF THE TIME	1	121	298,000
MOST OF THE TIME	2	273	700,500
SOME OF THE TIME	3	1,086	2,777,000
A LITTLE OF THE TIME	4	1,325	3,230,000
NONE OF THE TIME	5	7,372	16,574,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	5	13,000
REFUSAL	8	2	6,500
NOT STATED	9	1,652	2,961,500
	Total	12,546	28,318,308

Variable Name MHC2_1G **Length** 1 **Position** 7846
Question Name MH_Q01G
Concept Frequency of feelings occurrence
Question Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
Universe Respondents who answered positively to at least one of MHC2_1A to MHC2_1F

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
MORE OFTEN	1	1,220	3,108,000
LESS OFTEN	2	672	1,574,000
ABOUT THE SAME	3	4,445	10,855,000
NEVER HAVE HAD ANY	4	128	323,500
NOT APPLICABLE	6	4,415	9,439,000
DON'T KNOW	7	7	38,000
NOT STATED	9	1,659	2,981,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC2_1H	Length	1	Position	7847
Question Name	MH_Q01H				
Concept	Frequency of feelings occurrence (more)				
Question	Is that a lot more, somewhat more or only a little more often than usual?				
Universe	Respondents who answered MHC2_1G=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
A LOT		1		419	1,050,000
SOMEWHAT		2		383	956,000
A LITTLE		3		415	1,093,000
NOT APPLICABLE		6		9,660	22,191,500
DON'T KNOW		7		3	8,500
NOT STATED		9		1,666	3,019,000
		Total		12,546	28,318,308

Variable Name	MHC2_1I	Length	1	Position	7848
Question Name	MH_Q01I				
Concept	Frequency of feelings occurrence (less)				
Question	Is that a lot less, somewhat less or only a little less often than usual?				
Universe	Respondents who answered MHC2_1G=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
A LOT		1		200	476,500
SOMEWHAT		2		218	493,500
A LITTLE		3		252	598,000
NOT APPLICABLE		6		10,208	23,725,000
DON'T KNOW		7		2	5,500
NOT STATED		9		1,666	3,019,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC2_1J	Length	1	Position	7849
Question Name	MH_Q1J				
Concept	Frequency - experiences interfere with life				
Question	How much do these experiences usually interfere with your life or activities?				
Universe	Respondents who answered MHC2_1G=1, 2 or 3				
Note					
Content		Code		Sample	Population
A LOT		1		298	814,000
SOME		2		733	1,748,000
A LITTLE		3		1,986	5,001,000
NOT AT ALL		4		3,309	7,952,000
NOT APPLICABLE		6		4,543	9,762,500
DON'T KNOW		7		6	7,000
NOT STATED		9		1,671	3,033,500
		Total		12,546	28,318,308

Variable Name	MHC2_1K	Length	1	Position	7850
Question Name	MH_11K				
Concept	Mental health - has consulted with a health professional				
Question	In the past 12 months, have you seen or talked on the telephone with a health professional about your emotional or mental health?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		757	1,835,000
NO		2		9,479	21,852,000
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		3	2,000
REFUSAL		8		8	23,000
NOT STATED		9		1,589	2,850,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_1L **Length** 3 **Position** 7851 - 7853

Question Name MH_Q1L

Concept Mental health - no. of times consulted a health professional

Question How many times (in the past 12 months)?

Universe Respondents who answered MHC2_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF TIMES	1 - 210	750	1,817,500
NOT APPLICABLE	996	10,189	23,608,500
DON'T KNOW	997	6	15,500
REFUSAL	998	1	2,000
NOT STATED	999	1,600	2,875,000
	Total	12,546	28,318,308

Variable Name MHC2_1MA **Length** 1 **Position** 7854

Question Name MH_Q01M

Concept Mental health - consulted family doctor

Question Whom did you see or talk to? - Family doctor or general practitioner

Universe Respondents who answered MHC2_1K=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	355	818,500
NO	2	401	1,014,000
NOT APPLICABLE	6	10,189	23,608,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,600	2,875,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC2_1MB	Length	1	Position	7855
Question Name	MH_Q01M				
Concept	Mental health - consulted psychiatrist				
Question	Whom did you see or talk to? - Psychiatrist				
Universe	Respondents who answered MHC2_1K=1				
Note					
Content		Code		Sample	Population
YES		1		154	351,000
NO		2		602	1,481,500
NOT APPLICABLE		6		10,189	23,608,500
DON'T KNOW		7		1	2,000
NOT STATED		9		1,600	2,875,000
		Total		12,546	28,318,308

Variable Name	MHC2_1MC	Length	1	Position	7856
Question Name	MH_Q01M				
Concept	Mental health - consulted psychologist				
Question	Whom did you see or talk to? - Psychologist				
Universe	Respondents who answered MHC2_1K=1				
Note					
Content		Code		Sample	Population
YES		1		200	515,000
NO		2		556	1,318,000
NOT APPLICABLE		6		10,189	23,608,500
DON'T KNOW		7		1	2,000
NOT STATED		9		1,600	2,875,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC2_1MD	Length	1	Position	7857
Question Name	MH_Q01M				
Concept	Mental health - consulted nurse				
Question	Whom did you see or talk to? - Nurse				
Universe	Respondents who answered MHC2_1K=1				
Note					
Content		Code		Sample	Population
YES		1		30	66,500
NO		2		726	1,766,500
NOT APPLICABLE		6		10,189	23,608,500
DON'T KNOW		7		1	2,000
NOT STATED		9		1,600	2,875,000
		Total		12,546	28,318,308

Variable Name	MHC2_1ME	Length	1	Position	7858
Question Name	MH_Q01M				
Concept	Mental health - consulted social worker or counselor				
Question	Whom did you see or talk to? - Social worker or counselor				
Universe	Respondents who answered MHC2_1K=1				
Note					
Content		Code		Sample	Population
YES		1		151	333,500
NO		2		605	1,499,000
NOT APPLICABLE		6		10,189	23,608,500
DON'T KNOW		7		1	2,000
NOT STATED		9		1,600	2,875,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC2_1MF	Length	1	Position	7859
Question Name	MH_Q01M				
Concept	Mental health - consulted other professional				
Question	Whom did you see or talk to? - Other				
Universe	Respondents who answered MHC2_1K=1				
Note					
Content		Code		Sample	Population
YES		1		37	104,000
NO		2		719	1,728,500
NOT APPLICABLE		6		10,189	23,608,500
DON'T KNOW		7		1	2,000
NOT STATED		9		1,600	2,875,000
		Total		12,546	28,318,308

Variable Name	MHC2_2	Length	1	Position	7860
Question Name	MH_Q02				
Concept	Felt sad, blue, or depressed 2 weeks or more in past year				
Question	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		913	2,313,000
NO		2		9,305	21,327,500
NOT APPLICABLE		6		710	1,756,500
DON'T KNOW		7		18	44,000
REFUSAL		8		9	19,500
NOT STATED		9		1,591	2,857,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_3 **Length** 1 **Position** 7861
Question Name MH_Q03
Concept Depressed - usual duration of feelings
Question Please think of the 2-week period during the past 12 months when these feelings were worst. During that time how long did these feelings usually last?
Universe Respondents who answered MHC2_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	265	656,500
MOST OF THE DAY	2	326	825,000
ABOUT HALF OF THE DAY	3	200	524,000
LESS THAN HALF OF A DAY	4	117	295,500
NOT APPLICABLE	6	10,015	23,084,000
DON'T KNOW	7	4	4,500
REFUSAL	8	1	7,500
NOT STATED	9	1,618	2,921,000
	Total	12,546	28,318,308

Variable Name MHC2_4 **Length** 1 **Position** 7862
Question Name MH_Q04
Concept Depressed - frequency of feelings
Question How often did you feel this way during those 2 weeks?
Universe Respondents who answered MHC2_3=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY DAY	1	329	790,000
ALMOST EVERY DAY	2	235	601,000
LESS OFTEN	3	26	89,000
NOT APPLICABLE	6	10,332	23,903,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,623	2,933,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC2_5	Length	1	Position	7863
Question Name	MH_Q05				
Concept	Depressed - lost interest in most things				
Question	During those 2 weeks, did you lose interest in most things?				
Universe	Respondents who answered MHC2_4=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		448	1,113,000
NO		2		113	272,500
NOT APPLICABLE		6		10,358	23,992,500
DON'T KNOW		7		3	5,000
NOT STATED		9		1,624	2,935,000
		Total		12,546	28,318,308

Variable Name	MHC2_6	Length	1	Position	7864
Question Name	MH_Q06				
Concept	Depressed - felt tired all of the time				
Question	Did you feel tired out or low on energy all of the time?				
Universe	Respondents who answered MHC2_4=1 or 2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		469	1,169,000
NO		2		90	216,000
NOT APPLICABLE		6		10,358	23,992,500
DON'T KNOW		7		2	1,000
NOT STATED		9		1,627	2,940,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_7 **Length** 1 **Position** 7865
Question Name MH_Q07
Concept Depressed - weight change or not
Question Did you gain weight, lose weight or stay about the same?
Universe Respondents who answered MHC2_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
GAINED WEIGHT	1	99	236,500
LOST WEIGHT	2	175	441,000
STAYED ABOUT THE SAME	3	283	705,000
NOT APPLICABLE	6	10,358	23,992,500
DON'T KNOW	7	2	2,500
NOT STATED	9	1,629	2,941,000
	Total	12,546	28,318,308

Variable Name MHC2_8KG **Length** 3 **Position** 7866 - 7868
Question Name MH_Q08B
Concept Depressed - weight change (kg.)
Question About how much did you (gain / lose)? - Kilograms
Universe Respondents who answered MHC2_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	0 - 79	261	651,500
NOT APPLICABLE	996	10,641	24,698,000
NOT STATED	999	1,644	2,969,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_8LB **Length** 3 **Position** 7869 - 7871

Question Name MH_Q08B

Concept Depressed - weight change (lb.)

Question About how much did you (gain / lose)? - Pounds

Universe Respondents who answered MHC2_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	0 - 36	261	651,500
NOT APPLICABLE	996	10,641	24,698,000
NOT STATED	999	1,644	2,969,000
	Total	12,546	28,318,308

Variable Name MHC2_9 **Length** 1 **Position** 7872

Question Name MH_Q09

Concept Depressed - trouble falling asleep

Question Did you have more trouble falling asleep than you usually do?

Universe Respondents who answered MHC2_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	391	980,500
NO	2	165	400,000
NOT APPLICABLE	6	10,358	23,992,500
DON'T KNOW	7	1	2,000
NOT STATED	9	1,631	2,943,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_10 **Length** 1 **Position** 7873

Question Name MH_Q10

Concept Depressed - frequency of trouble falling asleep

Question How often did that happen?

Universe Respondents who answered MHC2_9=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY NIGHT	1	151	396,500
NEARLY EVERY NIGHT	2	199	497,000
LESS OFTEN	3	41	87,000
NOT APPLICABLE	6	10,523	24,392,500
NOT STATED	9	1,632	2,945,500
	Total	12,546	28,318,308

Variable Name MHC2_11 **Length** 1 **Position** 7874

Question Name MH_Q11

Concept Depressed - trouble concentrating

Question Did you have a lot more trouble concentrating than usual?

Universe Respondents who answered MHC2_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	456	1,167,000
NO	2	99	212,000
NOT APPLICABLE	6	10,358	23,992,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,632	2,945,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_12 **Length** 1 **Position** 7875
Question Name MH_Q12
Concept Depressed - felt down on self
Question At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
Universe Respondents who answered MHC2_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	346	851,000
NO	2	208	527,500
NOT APPLICABLE	6	10,358	23,992,500
DON'T KNOW	7	1	1,000
NOT STATED	9	1,633	2,946,500
Total		12,546	28,318,308

Variable Name MHC2_13 **Length** 1 **Position** 7876
Question Name MH_Q13
Concept Depressed - thought a lot about death
Question Did you think a lot about death - either your own, someone else's, or death in general?
Universe Respondents who answered MHC2_4=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	308	773,000
NO	2	245	601,500
NOT APPLICABLE	6	10,358	23,992,500
DON'T KNOW	7	1	4,000
NOT STATED	9	1,634	2,947,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2633

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_14 **Length** 2 **Position** 7877 - 7878

Question Name MH_Q14

Concept Depressed - number of weeks in past 12 months

Question About how many weeks altogether did you feel this way during the past 12 months?

Universe Respondents who answered any one of MHC2_5, _6, _9, _11, _12, _13 =1 or MHC2_7=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 53	535	1,331,000
NOT APPLICABLE	96	10,359	23,993,000
DON'T KNOW	97	16	41,500
REFUSAL	98	1	2,000
NOT STATED	99	1,635	2,951,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_15 **Length** 2 **Position** 7879 - 7880
Question Name MH_Q15
Concept Depressed - month of occurrence
Question Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
Universe Respondents who answered MHC2_14 < 52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	57	126,500
FEBRUARY	2	41	74,500
MARCH	3	47	94,000
APRIL	4	40	103,500
MAY	5	31	62,000
JUNE	6	33	109,000
JULY	7	39	103,500
AUGUST	8	50	146,500
SEPTEMBER	9	53	163,500
OCTOBER	10	37	70,500
NOVEMBER	11	30	88,000
DECEMBER	12	38	105,500
NOT APPLICABLE	96	10,386	24,047,500
DON'T KNOW	97	12	28,500
NOT STATED	99	1,652	2,994,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_16 **Length** 1 **Position** 7881
Question Name MH_Q16
Concept Lost interest in most things that usually give pleasure
Question During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work, or activities that usually give you pleasure?
Universe Respondents who answered MHC2_2=2 or MHC2_3=3 or 4 or MHC2_4=3

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	404	1,013,000
NO	2	9,240	21,208,000
NOT APPLICABLE	6	1,271	3,142,000
DON'T KNOW	7	4	15,000
NOT STATED	9	1,627	2,940,000
	Total	12,546	28,318,308

Variable Name MHC2_17 **Length** 1 **Position** 7882
Question Name MH_Q17
Concept Loss of interest - duration
Question Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?
Universe Respondents who answered MHC2_16=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL DAY LONG	1	82	191,500
MOST OF THE DAY	2	103	319,500
ABOUT HALF OF THE DAY	3	125	299,500
LESS THAN HALF OF A DAY	4	91	200,000
NOT APPLICABLE	6	10,511	24,350,500
DON'T KNOW	7	3	3,000
NOT STATED	9	1,631	2,955,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	MHC2_18	Length	1	Position	7883
Question Name	MH_Q18				
Concept	Loss of interest - frequency				
Question	How often did you feel this way during those 2 weeks?				
Universe	Respondents who answered MHC2_17=1 or 2				
Note					
Content		Code		Sample	Population
EVERY DAY		1		54	128,500
ALMOST EVERY DAY		2		95	274,500
LESS OFTEN		3		36	108,000
NOT APPLICABLE		6		10,727	24,849,500
NOT STATED		9		1,634	2,958,000
		Total		12,546	28,318,308

Variable Name	MHC2_19	Length	1	Position	7884
Question Name	MH_Q19				
Concept	Loss of interest - felt tired all the time				
Question	During those 2 weeks did you feel tired out or low on energy all the time?				
Universe	Respondents who answered MHC2_18=1 or 2				
Note					
Content		Code		Sample	Population
YES		1		126	340,500
NO		2		22	57,000
NOT APPLICABLE		6		10,763	24,958,000
DON'T KNOW		7		1	5,500
NOT STATED		9		1,634	2,958,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_20 **Length** 1 **Position** 7885
Question Name MH_Q20
Concept Loss of interest - weight change or not
Question Did you gain weight, lose weight, or stay about the same?
Universe Respondents who answered MHC2_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
GAINED WEIGHT	1	38	103,000
LOST WEIGHT	2	36	95,000
STAYED ABOUT THE SAME	3	73	198,000
NOT APPLICABLE	6	10,763	24,958,000
DON'T KNOW	7	1	1,500
NOT STATED	9	1,635	2,963,000
	Total	12,546	28,318,308

Variable Name MHC2_21K **Length** 3 **Position** 7886 - 7888
Question Name MH_Q21B
Concept Loss of interest - weight change (kg.)
Question About how much did you (gain / lose)? - Kilograms
Universe Respondents who answered MHC2_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
KILOGRAMS	2 - 60	71	192,000
NOT APPLICABLE	996	10,836	25,156,000
NOT STATED	999	1,639	2,970,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_21L **Length** 3 **Position** 7889 - 7891

Question Name MH_Q21B

Concept Loss of interest - weight change (lb.)

Question About how much did you (gain/lose)? - Pounds

Universe Respondents who answered MHC2_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
POUNDS	1 - 27	71	192,000
NOT APPLICABLE	996	10,836	25,156,000
NOT STATED	999	1,639	2,970,500
Total		12,546	28,318,308

Variable Name MHC2_22 **Length** 1 **Position** 7892

Question Name MH_Q22

Concept Loss of interest - trouble falling asleep

Question Did you have more trouble falling asleep than you usually do?

Universe Respondents who answered MHC2_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	86	210,000
NO	2	61	186,000
NOT APPLICABLE	6	10,763	24,958,000
NOT STATED	9	1,636	2,964,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_23 **Length** 1 **Position** 7893
Question Name MH_Q23
Concept Loss of interest - frequency of trouble falling asleep
Question How often did that happen?
Universe Respondents who answered MHC2_22=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EVERY NIGHT	1	36	102,000
NEARLY EVERY NIGHT	2	36	70,000
LESS OFTEN	3	14	38,500
NOT APPLICABLE	6	10,824	25,144,000
NOT STATED	9	1,636	2,964,500
Total		12,546	28,318,308

Variable Name MHC2_24 **Length** 1 **Position** 7894
Question Name MH_Q24
Concept Loss of interest - trouble concentrating
Question Did you have a lot more trouble concentrating than usual?
Universe Respondents who answered MHC2_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	111	281,500
NO	2	36	115,000
NOT APPLICABLE	6	10,763	24,958,000
NOT STATED	9	1,636	2,964,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_25 **Length** 1 **Position** 7895
Question Name MH_Q25
Concept Loss of interest - felt down on self
Question At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
Universe Respondents who answered MHC2_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	83	219,000
NO	2	64	177,500
NOT APPLICABLE	6	10,763	24,958,000
NOT STATED	9	1,636	2,964,500
	Total	12,546	28,318,308

Variable Name MHC2_26 **Length** 1 **Position** 7896
Question Name MH_Q26
Concept Loss of interest - thought a lot about death
Question Did you think a lot about death - either your own, someone else's, or death in general?
Universe Respondents who answered MHC2_18=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	64	175,000
NO	2	82	218,000
NOT APPLICABLE	6	10,763	24,958,000
REFUSAL	8	1	3,000
NOT STATED	9	1,636	2,964,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2_27 **Length** 2 **Position** 7897 - 7898

Question Name MH_Q27

Concept Loss of interest - number of weeks in past 12 months

Question About how many weeks did you feel this way during the past 12 months?

Universe Respondents who answered any one of MHC2_19, _22, _24, _25, _26 =1 or MHC2_20=1 or 2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 52	139	376,000
NOT APPLICABLE	96	10,766	24,966,000
DON'T KNOW	97	4	9,000
NOT STATED	99	1,637	2,967,500
	Total	12,546	28,318,308

Variable Name MHC2_28 **Length** 2 **Position** 7899 - 7900

Question Name MH_Q28

Concept Loss of interest - month of occurrence

Question Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

Universe Respondents who answered MHC2_27 < 52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	17	43,000
FEBRUARY	2	9	25,000
MARCH	3	5	10,000
APRIL	4	3	14,500
MAY	5	14	23,000
JUNE	6	9	8,000
JULY	7	12	21,500
AUGUST	8	9	22,000
SEPTEMBER	9	18	48,000
OCTOBER	10	11	49,500
NOVEMBER	11	8	29,500
DECEMBER	12	18	63,000
NOT APPLICABLE	96	10,770	24,975,000
DON'T KNOW	97	2	10,000
NOT STATED	99	1,641	2,976,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2DDS **Length** 2 **Position** 7901 - 7902

Question Name

Concept Distress Scale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC2_1A to MHC2_1F. Scores were reversed for those questions. MIN=0, MAX=24 (higher values indicate more distress). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 24	10,177	23,580,500
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,659	2,981,000
	Total	12,546	28,318,308

Variable Name MHC2DCH **Length** 2 **Position** 7903 - 7904

Question Name

Concept Chronicity of Distress Scale - (D)

Question

Universe Respondents who answered positively to at least one of MHC2_1A to MHC2_1F

Note Based on MHC2_1G to MHC2_1I. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
A LOT MORE OFTEN THAN USUAL	1	419	1,050,000
SOMEWHAT MORE OFTEN THAN USUAL	2	383	956,000
A LITTLE MORE OFTEN THAN USUAL	3	415	1,093,000
ABOUT THE SAME AS USUAL	4	4,445	10,855,000
A LITTLE LESS OFTEN THAN USUAL	5	252	598,000
SOMEWHAT LESS OFTEN THAN USUAL	6	218	493,500
A LOT LESS OFTEN THAN USUAL	7	200	476,500
NEVER HAVE HAD ANY	8	128	323,500
NOT APPLICABLE	96	4,415	9,439,000
NOT STATED	99	1,671	3,033,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2DSF **Length** 2 **Position** 7905 - 7906

Question Name

Concept Depression Scale - Short Form Score - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC2_2 to MHC2_6, MHC2_8A, MHC2_8B, MHC2_10 to MHC2_13, MHC2_16 to MHC2_19, MHC2_21A, MHC2_21B and MHC2_23 to MHC2_26. Higher values indicate higher level of depression. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - SF	0 - 8	10,176	23,552,500
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,660	3,009,500
Total		12,546	28,318,308

Variable Name MHC2DPP **Length** 4.2 **Position** 7907 - 7910

Question Name

Concept Depression Scale - Predicted Probability - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on MHC2_2 to MHC2_28. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
DEPRESSION SCALE - PP	0.00 - 0.90	10,176	23,552,500
NOT APPLICABLE	9.96	710	1,756,500
NOT STATED	9.99	1,660	3,009,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name MHC2DWK **Length** 2 **Position** 7911 - 7912

Question Name

Concept Number of weeks felt depressed - (D)

Question

Universe Respondents who answered MHC2_14=2 to 53 or MHC2_27=2 to 53

Note Based on MHC2_14 or MHC2_27. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	2 - 52	662	1,690,000
NOT APPLICABLE	96	10,206	23,580,500
NOT STATED	99	1,678	3,048,000
Total		12,546	28,318,308

Variable Name MHC2DMT **Length** 2 **Position** 7913 - 7914

Question Name

Concept Specific month last felt depressed - (D)

Question

Universe Respondents who answered MHC2_14=2 to 53 or MHC2_27=2 to 53

Note Based on MHC2_15 or MHC2_28. Only one question would have been answered. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
JANUARY	1	74	170,000
FEBRUARY	2	50	99,500
MARCH	3	52	104,000
APRIL	4	43	118,000
MAY	5	45	85,000
JUNE	6	42	117,000
JULY	7	51	124,500
AUGUST	8	59	168,500
SEPTEMBER	9	71	211,500
OCTOBER	10	48	120,000
NOVEMBER	11	38	117,500
DECEMBER	12	56	168,500
NOT APPLICABLE	96	10,206	23,580,500
NOT STATED	99	1,711	3,133,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_101 **Length** 3 **Position** 7915 - 7917

Question Name SS_Q01

Concept Number of close friends and relatives

Question About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF CLOSE FRIENDS AND RELATIVES	0 - 99	10,095	23,393,000
NOT APPLICABLE	996	710	1,756,500
DON'T KNOW	997	125	261,000
REFUSAL	998	25	49,500
NOT STATED	999	1,591	2,858,500
Total		12,546	28,318,308

Variable Name SSC2_102 **Length** 1 **Position** 7918

Question Name SS_Q02

Concept Has someone to give help if confined to bed

Question How often is support available to you if you need someone to help you if you were confined to bed ?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	384	786,000
A LITTLE OF THE TIME	2	530	1,147,000
SOME OF THE TIME	3	1,278	2,938,000
MOST OF THE TIME	4	2,764	6,528,500
ALL OF THE TIME	5	5,057	11,812,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	77	173,500
REFUSAL	8	5	7,500
NOT STATED	9	1,741	3,169,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_103 **Length** 1 **Position** 7919

Question Name SS_Q03

Concept Has someone to count on to listen

Question How often is support available to you if you need someone you can count on to listen to you when you need to talk?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	104	228,000
A LITTLE OF THE TIME	2	210	456,500
SOME OF THE TIME	3	715	1,564,000
MOST OF THE TIME	4	2,720	6,282,500
ALL OF THE TIME	5	6,253	14,659,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	10	20,500
REFUSAL	8	1	1,500
NOT STATED	9	1,823	3,350,000
	Total	12,546	28,318,308

Variable Name SSC2_104 **Length** 1 **Position** 7920

Question Name SS_Q04

Concept Has someone to give advice about a crisis

Question How often is support available to you if you need someone to give you advice about a crisis?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	215	524,500
A LITTLE OF THE TIME	2	263	593,000
SOME OF THE TIME	3	915	2,019,500
MOST OF THE TIME	4	2,731	6,285,500
ALL OF THE TIME	5	5,853	13,702,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	31	68,500
REFUSAL	8	5	18,500
NOT STATED	9	1,823	3,350,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_105 **Length** 1 **Position** 7921

Question Name SS_Q05

Concept Has someone to go to the doctor with

Question How often is support available to you if you need someone to take you to the doctor if you needed it?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	149	320,000
A LITTLE OF THE TIME	2	175	431,000
SOME OF THE TIME	3	620	1,484,500
MOST OF THE TIME	4	2,118	5,105,500
ALL OF THE TIME	5	6,943	15,856,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	7	15,000
NOT STATED	9	1,824	3,350,000
	Total	12,546	28,318,308

Variable Name SSC2_106 **Length** 1 **Position** 7922

Question Name SS_Q06

Concept Has someone who shows love and affection

Question How often is support available to you if you need someone who shows you love and affection?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	108	228,000
A LITTLE OF THE TIME	2	174	344,500
SOME OF THE TIME	3	613	1,364,500
MOST OF THE TIME	4	1,929	4,517,000
ALL OF THE TIME	5	7,175	16,732,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	10	22,000
REFUSAL	8	3	3,000
NOT STATED	9	1,824	3,350,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_107 **Length** 1 **Position** 7923

Question Name SS_Q07

Concept Has someone to have a good time with

Question How often is support available to you if you need someone to have a good time with?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	132	257,500
A LITTLE OF THE TIME	2	236	523,500
SOME OF THE TIME	3	900	1,957,000
MOST OF THE TIME	4	2,538	6,080,500
ALL OF THE TIME	5	6,194	14,367,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	10	22,000
REFUSAL	8	1	1,000
NOT STATED	9	1,825	3,353,000
	Total	12,546	28,318,308

Variable Name SSC2_108 **Length** 1 **Position** 7924

Question Name SS_Q08

Concept Has someone who gives information to understand a situation

Question How often is support available to you if you need someone to give you information in order to help you understand a situation?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	140	285,500
A LITTLE OF THE TIME	2	192	482,500
SOME OF THE TIME	3	1,091	2,675,500
MOST OF THE TIME	4	3,032	7,031,000
ALL OF THE TIME	5	5,529	12,684,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	21	39,000
REFUSAL	8	5	8,000
NOT STATED	9	1,826	3,356,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_109 **Length** 1 **Position** 7925
Question Name SS_Q09
Concept Has someone to confide in
Question How often is support available to you if you need someone to confide in or talk to about yourself or your problems?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	157	316,500
A LITTLE OF THE TIME	2	209	514,000
SOME OF THE TIME	3	833	2,109,500
MOST OF THE TIME	4	2,650	6,032,500
ALL OF THE TIME	5	6,142	14,202,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	11	15,000
REFUSAL	8	7	12,500
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

Variable Name SSC2_110 **Length** 1 **Position** 7926
Question Name SS_Q10
Concept Has someone who gives hugs
Question How often is support available to you if you need someone who hugs you?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	296	684,500
A LITTLE OF THE TIME	2	390	820,000
SOME OF THE TIME	3	973	2,266,500
MOST OF THE TIME	4	2,074	4,914,000
ALL OF THE TIME	5	6,263	14,494,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	9	16,500
REFUSAL	8	4	6,500
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_111 **Length** 1 **Position** 7927

Question Name SS_Q11

Concept Has someone to get together with for relaxation

Question How often is support available to you if you need someone to get together with for relaxation?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	155	348,000
A LITTLE OF THE TIME	2	272	627,500
SOME OF THE TIME	3	1,136	2,586,500
MOST OF THE TIME	4	2,737	6,428,000
ALL OF THE TIME	5	5,699	13,200,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	6	5,000
REFUSAL	8	4	6,500
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

Variable Name SSC2_112 **Length** 1 **Position** 7928

Question Name SS_Q12

Concept Has someone to prepare meals

Question How often is support available to you if you need someone to prepare your meals if you were unable to do it yourself?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	328	647,500
A LITTLE OF THE TIME	2	339	793,500
SOME OF THE TIME	3	1,023	2,227,500
MOST OF THE TIME	4	2,285	5,391,000
ALL OF THE TIME	5	6,001	14,074,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	28	59,500
REFUSAL	8	5	10,000
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_113 **Length** 1 **Position** 7929

Question Name SS_Q13

Concept Has someone to give advice

Question How often is support available to you if you need someone whose advice you really want?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	256	587,000
A LITTLE OF THE TIME	2	303	707,000
SOME OF THE TIME	3	1,323	3,170,500
MOST OF THE TIME	4	2,793	6,521,000
ALL OF THE TIME	5	5,303	12,163,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	24	39,000
REFUSAL	8	7	15,000
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

Variable Name SSC2_114 **Length** 1 **Position** 7930

Question Name SS_Q14

Concept Has someone to do things to get mind off things

Question How often is support available to you if you need someone to do things with to help you get your mind off things?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	177	333,500
A LITTLE OF THE TIME	2	296	651,500
SOME OF THE TIME	3	1,274	3,063,000
MOST OF THE TIME	4	3,021	7,073,500
ALL OF THE TIME	5	5,217	12,033,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	12	15,000
REFUSAL	8	12	33,000
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_115 **Length** 1 **Position** 7931
Question Name SS_Q15
Concept Has someone to help with daily chores if sick
Question How often is support available to you if you need someone to help with daily chores if you were sick?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	310	594,000
A LITTLE OF THE TIME	2	361	826,000
SOME OF THE TIME	3	1,203	2,688,000
MOST OF THE TIME	4	2,506	5,992,500
ALL OF THE TIME	5	5,604	13,052,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	18	40,500
REFUSAL	8	7	9,000
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

Variable Name SSC2_116 **Length** 1 **Position** 7932
Question Name SS_Q16
Concept Has someone to share most private worries and fears with
Question How often is support available to you if you need someone to share your most private worries and fears with?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	306	724,500
A LITTLE OF THE TIME	2	315	747,000
SOME OF THE TIME	3	1,079	2,505,500
MOST OF THE TIME	4	2,527	5,960,500
ALL OF THE TIME	5	5,758	13,222,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	15	28,500
REFUSAL	8	9	14,000
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_117 **Length** 1 **Position** 7933

Question Name SS_Q17

Concept Has someone to turn to for suggestions for personal problems

Question How often is support available to you if you need someone to turn to for suggestions about how to deal with a personal problem?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	180	357,500
A LITTLE OF THE TIME	2	274	690,500
SOME OF THE TIME	3	1,080	2,566,500
MOST OF THE TIME	4	2,753	6,445,000
ALL OF THE TIME	5	5,699	13,106,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	16	25,000
REFUSAL	8	7	11,500
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

Variable Name SSC2_118 **Length** 1 **Position** 7934

Question Name SS_Q18

Concept Has someone to do something enjoyable with

Question How often is support available to you if you need someone to do something enjoyable with?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	114	199,500
A LITTLE OF THE TIME	2	225	504,500
SOME OF THE TIME	3	1,035	2,310,000
MOST OF THE TIME	4	2,857	6,897,500
ALL OF THE TIME	5	5,765	13,276,000
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	8	8,000
REFUSAL	8	5	7,500
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2_119 **Length** 1 **Position** 7935

Question Name SS_Q19

Concept Has someone who understands problems

Question How often is support available to you if you need someone who understands your problems?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	167	323,000
A LITTLE OF THE TIME	2	257	645,500
SOME OF THE TIME	3	1,132	2,694,500
MOST OF THE TIME	4	2,960	7,023,000
ALL OF THE TIME	5	5,471	12,482,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	15	23,000
REFUSAL	8	7	11,500
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

Variable Name SSC2_120 **Length** 1 **Position** 7936

Question Name SS_Q20

Concept Has someone who loves and makes feel wanted

Question How often is support available to you if you need someone to love you and make you feel wanted?

Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NONE OF THE TIME	1	173	373,500
A LITTLE OF THE TIME	2	237	480,000
SOME OF THE TIME	3	771	1,827,000
MOST OF THE TIME	4	2,211	5,256,000
ALL OF THE TIME	5	6,597	15,225,500
NOT APPLICABLE	6	710	1,756,500
DON'T KNOW	7	14	31,500
REFUSAL	8	6	9,000
NOT STATED	9	1,827	3,359,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2DTNG **Length** 2 **Position** 7937 - 7938

Question Name

Concept Tangible social support - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC2_102, SSC2_105, SSC2_112 and SSC2_115. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 16 (higher values indicate higher level of tangible support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 16	9,961	23,098,500
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,875	3,463,500
	Total	12,546	28,318,308

Variable Name SSC2DAFF **Length** 2 **Position** 7939 - 7940

Question Name

Concept Affection - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC2_106, SSC2_110 and SSC2_120. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 12 (higher values indicate higher level of affection support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 12	9,980	23,148,000
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,856	3,414,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SSC2DSOC **Length** 2 **Position** 7941 - 7942

Question Name

Concept Positive social interaction - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC2_107, SSC2_111, SSC2_114 and SSC2_118. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 16 (higher values indicate higher level of positive social interaction). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 16	9,972	23,131,500
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,864	3,430,500
	Total	12,546	28,318,308

Variable Name SSC2DEMO **Length** 2 **Position** 7943 - 7944

Question Name

Concept Emotional or informational support - MOS subscale - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on SSC2_103, SSC2_104, SSC2_108, SSC2_109, SSC2_113, SSC2_116, SSC2_117 and SSC2_119. Source: Sherbourne, C.D. and A.L. Stewart, "The MOS Support survey" (Medical Outcomes Study Social Support Survey), Social Sciences & Medicine; 32 : 705 - 714. MIN = 0, MAX = 32 (higher values indicate more emotional or informational support). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
INDEX VALUE	0 - 32	9,909	23,000,500
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,927	3,561,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2DRES **Length** 3 **Position** 7945 - 7947

Question Name

Concept Length of time in Canada since immigration - (D)

Question

Universe All immigrants

Note Based on DHC2_AGE, AM62_BYI and YOI (year of immigration to Canada). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YEARS	8 - 95	1,209	4,298,000
NOT APPLICABLE	996	10,156	22,222,500
NOT STATED	999	1,181	1,798,000
Total		12,546	28,318,308

Variable Name SDC2_5A **Length** 1 **Position** 7948

Question Name SD_Q5

Concept Can converse - English

Question In which languages can you conduct a conversation? - English

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	9,877	22,397,500
NO	2	1,287	3,748,500
NOT APPLICABLE	6	143	172,000
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5B	Length	1	Position	7949
Question Name	SD_Q5				
Concept	Can converse - French				
Question	In which languages can you conduct a conversation? - French				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		3,280	9,201,500
NO		2		7,884	16,944,500
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5C	Length	1	Position	7950
Question Name	SD_Q5				
Concept	Can converse - Arabic				
Question	In which languages can you conduct a conversation? - Arabic				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		33	186,500
NO		2		11,131	25,960,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5D	Length	1	Position	7951
Question Name	SD_Q5				
Concept	Can converse - Chinese				
Question	In which languages can you conduct a conversation? - Chinese				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		102	463,000
NO		2		11,062	25,683,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5E	Length	1	Position	7952
Question Name	SD_Q5				
Concept	Can converse - Cree				
Question	In which languages can you conduct a conversation? - Cree				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		19	34,000
NO		2		11,145	26,112,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5F	Length	1	Position	7953
Question Name	SD_Q5				
Concept	Can converse - German				
Question	In which languages can you conduct a conversation? - German				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		258	595,500
NO		2		10,906	25,550,500
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5G	Length	1	Position	7954
Question Name	SD_Q5				
Concept	Can converse - Greek				
Question	In which languages can you conduct a conversation? - Greek				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		26	116,000
NO		2		11,138	26,030,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5H	Length	1	Position	7955
Question Name	SD_Q5				
Concept	Can converse - Hungarian				
Question	In which languages can you conduct a conversation? - Hungarian				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		31	77,500
NO		2		11,133	26,068,500
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5I	Length	1	Position	7956
Question Name	SD_Q5				
Concept	Can converse - Italian				
Question	In which languages can you conduct a conversation? - Italian				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		163	670,500
NO		2		11,001	25,475,500
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5J	Length	1	Position	7957
Question Name	SD_Q5				
Concept	Can converse - Korean				
Question	In which languages can you conduct a conversation? - Korean				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		4	19,500
NO		2		11,160	26,126,500
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5K	Length	1	Position	7958
Question Name	SD_Q5				
Concept	Can converse - Persian				
Question	In which languages can you conduct a conversation? - Persian (Farsi)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		18	61,500
NO		2		11,146	26,085,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5L	Length	1	Position	7959
Question Name	SD_Q5				
Concept	Can converse - Polish				
Question	In which languages can you conduct a conversation? - Polish				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		83	261,500
NO		2		11,081	25,885,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5M	Length	1	Position	7960
Question Name	SD_Q5				
Concept	Can converse - Portuguese				
Question	In which languages can you conduct a conversation? - Portuguese				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		56	247,000
NO		2		11,108	25,899,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5N	Length	1	Position	7961
Question Name	SD_Q5				
Concept	Can converse - Punjabi				
Question	In which languages can you conduct a conversation? - Punjabi				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		39	222,500
NO		2		11,125	25,924,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5O	Length	1	Position	7962
Question Name	SD_Q5				
Concept	Can converse - Spanish				
Question	In which languages can you conduct a conversation? - Spanish				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		197	672,000
NO		2		10,967	25,474,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5P	Length	1	Position	7963
Question Name	SD_Q5				
Concept	Can converse - Tagalog				
Question	In which languages can you conduct a conversation? - Tagalog (Filipino)				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		29	132,000
NO		2		11,135	26,014,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5Q	Length	1	Position	7964
Question Name	SD_Q5				
Concept	Can converse - Ukrainian				
Question	In which languages can you conduct a conversation? - Ukrainian				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		92	153,000
NO		2		11,072	25,993,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_5R	Length	1	Position	7965
Question Name	SD_Q5				
Concept	Can converse - Vietnamese				
Question	In which languages can you conduct a conversation? - Vietnamese				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		16	96,000
NO		2		11,148	26,050,000
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_5S	Length	1	Position	7966
Question Name	SD_Q5				
Concept	Can converse - other language				
Question	In which languages can you conduct a conversation? - Other				
Universe	All respondents living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		393	1,507,500
NO		2		10,771	24,638,500
NOT APPLICABLE		6		143	172,000
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2DLNG **Length** 2 **Position** 7967 - 7968

Question Name

Concept Language(s) in which respondent can converse - (D)

Question

Universe All respondents living in a household

Note Based on SDC2_5A to SDC2_5S. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH ONLY	1	6,856	13,463,000
FRENCH ONLY	2	1,194	3,371,000
ENGLISH AND FRENCH ONLY	3	1,743	4,485,000
ENGLISH AND FRENCH AND OTHER	4	316	1,220,500
ENGLISH AND OTHER (NOT FRENCH)	5	962	3,229,000
FRENCH AND OTHER (NOT ENGLISH)	6	27	125,500
NEITHER ENGLISH NOR FRENCH (OTHER)	7	66	252,500
NOT APPLICABLE	96	143	172,000
NOT STATED	99	1,239	2,000,500
	Total	12,546	28,318,308

Variable Name SDC2_6A **Length** 1 **Position** 7969

Question Name SD_Q6

Concept First language learned and still understood - English

Question What is the language that you first learned at home in childhood and can still understand? - English

Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,802	15,909,500
NO	2	3,358	10,206,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2_6B **Length** 1 **Position** 7970
Question Name SD_Q6
Concept First language learned and still understood - French
Question What is the language that you first learned at home in childhood and can still understand? - French
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,333	6,463,500
NO	2	8,827	19,652,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

Variable Name SDC2_6C **Length** 1 **Position** 7971
Question Name SD_Q6
Concept First language learned and still understood - Arabic
Question What is the language that you first learned at home in childhood and can still understand? - Arabic
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	23	144,500
NO	2	11,137	25,971,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2_6D **Length** 1 **Position** 7972
Question Name SD_Q6
Concept First language learned and still understood - Chinese
Question What is the language that you first learned at home in childhood and can still understand? - Chinese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	92	423,500
NO	2	11,068	25,692,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

Variable Name SDC2_6E **Length** 1 **Position** 7973
Question Name SD_Q6
Concept First language learned and still understood - Cree
Question What is the language that you first learned at home in childhood and can still understand? - Cree
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	17	26,500
NO	2	11,143	26,089,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2_6F **Length** 1 **Position** 7974
Question Name SD_Q6
Concept First language learned and still understood - German
Question What is the language that you first learned at home in childhood and can still understand? - German
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	197	390,500
NO	2	10,963	25,725,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

Variable Name SDC2_6G **Length** 1 **Position** 7975
Question Name SD_Q6
Concept First language learned and still understood - Greek
Question What is the language that you first learned at home in childhood and can still understand? - Greek
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	23	102,000
NO	2	11,137	26,014,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2_6H **Length** 1 **Position** 7976
Question Name SD_Q6
Concept First language learned and still understood - Hungarian
Question What is the language that you first learned at home in childhood and can still understand? - Hungarian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	30	71,500
NO	2	11,130	26,044,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

Variable Name SDC2_6I **Length** 1 **Position** 7977
Question Name SD_Q6
Concept First language learned and still understood - Italian
Question What is the language that you first learned at home in childhood and can still understand? - Italian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	126	527,500
NO	2	11,034	25,588,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2_6J **Length** 1 **Position** 7978
Question Name SD_Q6
Concept First language learned and still understood - Korean
Question What is the language that you first learned at home in childhood and can still understand? - Korean
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3	12,000
NO	2	11,157	26,103,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

Variable Name SDC2_6K **Length** 1 **Position** 7979
Question Name SD_Q6
Concept First language learned and still understood - Persian
Question What is the language that you first learned at home in childhood and can still understand? - Persian (Farsi)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	8	36,500
NO	2	11,152	26,079,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	SDC2_6L	Length	1	Position	7980
Question Name	SD_Q6				
Concept	First language learned and still understood - Polish				
Question	What is the language that you first learned at home in childhood and can still understand? - Polish				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		70	241,000
NO		2		11,090	25,875,000
NOT APPLICABLE		6		143	172,000
DON'T KNOW		7		4	30,500
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	SDC2_6M	Length	1	Position	7981
Question Name	SD_Q6				
Concept	First language learned and still understood - Portuguese				
Question	What is the language that you first learned at home in childhood and can still understand? - Portuguese				
Universe	All respondents living in a household				
Note					
Content		Code		Sample	Population
YES		1		46	231,000
NO		2		11,114	25,885,000
NOT APPLICABLE		6		143	172,000
DON'T KNOW		7		4	30,500
REFUSAL		8		4	8,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2_6N **Length** 1 **Position** 7982
Question Name SD_Q6
Concept First language learned and still understood - Punjabi
Question What is the language that you first learned at home in childhood and can still understand? - Punjabi
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	32	178,000
NO	2	11,128	25,937,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

Variable Name SDC2_6O **Length** 1 **Position** 7983
Question Name SD_Q6
Concept First language learned and still understood - Spanish
Question What is the language that you first learned at home in childhood and can still understand? - Spanish
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	51	190,000
NO	2	11,109	25,926,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2_6P **Length** 1 **Position** 7984
Question Name SD_Q6
Concept First language learned and still understood - Tagalog
Question What is the language that you first learned at home in childhood and can still understand? - Tagalog (Filipino)
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	21	98,500
NO	2	11,139	26,017,000
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

Variable Name SDC2_6Q **Length** 1 **Position** 7985
Question Name SD_Q6
Concept First language learned and still understood - Ukrainian
Question What is the language that you first learned at home in childhood and can still understand? - Ukrainian
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	100	177,000
NO	2	11,060	25,938,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name SDC2_6R **Length** 1 **Position** 7986
Question Name SD_Q6
Concept First language learned and still understood - Vietnamese
Question What is the language that you first learned at home in childhood and can still understand? - Vietnamese
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	12	69,000
NO	2	11,148	26,046,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

Variable Name SDC2_6S **Length** 1 **Position** 7987
Question Name SD_Q6
Concept First language learned and still understood - other
Question What is the language that you first learned at home in childhood and can still understand? - Other
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	320	1,264,500
NO	2	10,840	24,851,500
NOT APPLICABLE	6	143	172,000
DON'T KNOW	7	4	30,500
REFUSAL	8	4	8,000
NOT STATED	9	1,235	1,992,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC2_1	Length	1	Position	7988
Question Name	ED_Q1				
Concept	Currently attending a school, college or university				
Question	Are you currently attending a school, college or university?				
Universe	Respondents aged 12 and over living in a household				
Note					
Content		Code		Sample	Population
YES		1		1,542	4,521,000
NO		2		9,054	20,038,000
NOT APPLICABLE		6		710	1,756,500
REFUSAL		8		5	11,000
NOT STATED		9		1,235	1,992,500
		Total		12,546	28,318,308

Variable Name	EDC2_2	Length	1	Position	7989
Question Name	ED_Q2				
Concept	Full-time or part-time student				
Question	Are you enrolled as a full-time student or a part-time student?				
Universe	Respondents who answered EDC2_1=1				
Note					
Content		Code		Sample	Population
FULL-TIME		1		1,283	3,789,000
PART-TIME		2		259	732,000
NOT APPLICABLE		6		9,764	21,794,500
NOT STATED		9		1,240	2,003,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC2_4 **Length** 2 **Position** 7990 - 7991
Question Name ED_Q4
Concept Number of years of elementary and high school completed
Question Excluding kindergarten, how many years of elementary and high school have you successfully completed?
Universe Respondents aged 12 and over living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	19	65,000
1 TO 5 YEARS	2	189	400,000
6 YEARS	3	227	536,000
7 YEARS	4	343	716,000
8 YEARS	5	602	1,199,000
9 YEARS	6	614	1,251,000
10 YEARS	7	1,016	2,116,000
11 YEARS	8	1,513	3,457,500
12 YEARS	9	4,882	10,718,500
13 YEARS	10	1,187	4,078,500
NOT APPLICABLE	96	710	1,756,500
DON'T KNOW	97	3	16,000
NOT STATED	99	1,241	2,008,000
	Total	12,546	28,318,308

Variable Name EDC2_5 **Length** 1 **Position** 7992
Question Name ED_Q5
Concept Graduated from high school
Question Have you graduated from high school?
Universe Respondents aged 15 and over with some schooling living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,749	16,466,000
NO	2	3,420	6,788,000
NOT APPLICABLE	6	1,131	3,043,000
NOT STATED	9	1,246	2,021,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC2_6	Length	1	Position	7993
Question Name	ED_Q6				
Concept	Attended post-secondary institution				
Question	Have you ever attended any other kind of school such as a university, community college, business school, trade or vocational school, CEGEP or other post-secondary institution?				
Universe	Respondents aged 15 and over with some schooling living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		6,304	14,960,000
NO		2		3,865	8,294,000
NOT APPLICABLE		6		1,131	3,043,000
NOT STATED		9		1,246	2,021,000
		Total		12,546	28,318,308

Variable Name	EDC2_7	Length	2	Position	7994 - 7995
Question Name	ED_Q7				
Concept	Highest level of post-secondary education attained				
Question	What is the highest level of education that you have EVER attained?				
Universe	Respondents who answered EDC2_6=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
SOME TRADE, TECHNICAL, BUSINESS COLLEGE		1		1,015	2,158,500
SOME COMM. COLLEGE, CEGEP, NURSING		2		871	2,178,500
SOME UNIVERSITY		3		575	1,312,500
DIPL./CERT.- TRADE, TECHNICAL, BUSINESS		4		1,055	2,260,000
DIPL./CERT.- COMM. COL., CEGEP, NURSING		5		959	2,337,000
BACHELOR DEGREE OR TEACHER'S COLL.		6		1,292	3,275,000
MASTER'S DEGREE		7		244	592,000
MEDICINE DEGREE/DDS/DMD/DVM/OD		8		32	79,000
EARNED DOCTORATE		9		65	197,500
OTHER		10		194	564,000
NOT APPLICABLE		96		4,996	11,337,000
REFUSAL		98		2	5,500
NOT STATED		99		1,246	2,021,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC2D1 **Length** 2 **Position** 7996 - 7997

Question Name

Concept Highest level of education - 14 levels - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on EDC2_4, EDC2_5, EDC2_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	19	65,000
ELEMENTARY SCHOOL	2	704	1,589,500
SOME SECONDARY SCHOOL	3	2,238	4,737,000
SECONDARY SCHOOL GRADUATION	4	1,329	3,192,000
OTHER POST-SECONDARY	5	194	564,000
SOME TRADE SCHOOL	6	1,015	2,158,500
SOME COMMUNITY COLLEGE	7	871	2,178,500
SOME UNIVERSITY	8	575	1,312,500
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,055	2,260,000
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	959	2,337,000
BACHELOR DEGREE	11	1,292	3,275,000
MASTER'S DEGREE	12	244	592,000
DEGREE IN MEDICINE	13	32	79,000
EARNED DOCTORATE	14	65	197,500
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,244	2,024,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name EDC2D2 **Length** 2 **Position** 7998 - 7999

Question Name

Concept Highest level of education - 12 levels - (D)

Question

Universe Respondents aged 12 and over living in a household

Note Based on EDC2_4, EDC2_5, EDC2_7 and DESIGPRV (Design province). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO SCHOOLING	1	19	65,000
ELEMENTARY SCHOOL	2	704	1,589,500
SOME SECONDARY SCHOOL	3	2,238	4,737,000
SECONDARY SCHOOL GRADUATION	4	1,329	3,192,000
OTHER POST-SECONDARY	5	194	564,000
SOME TRADE SCHOOL	6	1,015	2,158,500
SOME COMMUNITY COLLEGE	7	871	2,178,500
SOME UNIVERSITY	8	575	1,312,500
DIPLOMA/CERTIFICATE - TRADE SCHOOL	9	1,055	2,260,000
DIPLOMA/CERTIFICATE - COMM. COL./CEGEP	10	959	2,337,000
BACHELOR DEGREE	11	1,292	3,275,000
MASTER'S/DEGREE IN MEDICINE/DOCTORATE	12	341	868,500
NOT APPLICABLE	96	710	1,756,500
NOT STATED	99	1,244	2,024,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	EDC2D3	Length	1	Position	8000
Question Name					
Concept	Highest level of education - 4 levels - (D)				
Question					
Universe	Respondents aged 12 and over living in a household				
Note	Based on EDC2_4, EDC2_5 and EDC2_7. See Derived Variables Documentation.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
LESS THAN SECONDARY SCHOOL GRADUATION		1		2,961	6,391,500
SECONDARY SCHOOL GRADUATION		2		1,329	3,192,000
SOME POST-SECONDARY		3		2,655	6,214,000
POST-SECONDARY GRADUATION		4		3,647	8,740,500
NOT APPLICABLE		6		710	1,756,500
NOT STATED		9		1,244	2,024,000
		Total		12,546	28,318,308

Variable Name	LSC2_1	Length	1	Position	8001
Question Name	LF_Q01				
Concept	Worked at a job or business last week				
Question	Last week, did you work at a job or a business? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.				
Universe	Respondents aged 15 to 75 living in a household				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,769	14,529,000
NO		2		3,218	6,866,000
PERMANENTLY UNABLE TO WORK		3		282	527,000
NOT APPLICABLE		6		2,057	4,440,500
DON'T KNOW		7		1	2,500
REFUSAL		8		2	3,500
NOT STATED		9		1,217	1,950,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LSC2_2	Length	1	Position	8002
Question Name	LF_Q02				
Concept	Absent from job or business last week				
Question	Last week, did you have a job or business from which you were absent?				
Universe	Respondents who answered LSC2_1=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		436	1,000,500
NO		2		2,781	5,857,500
NOT APPLICABLE		6		8,108	19,496,500
DON'T KNOW		7		1	7,500
NOT STATED		9		1,220	1,956,000
		Total		12,546	28,318,308

Variable Name	LSC2_3	Length	1	Position	8003
Question Name	LF_Q03				
Concept	Had more than one job or business last week				
Question	Did you have more than one job or business last week?				
Universe	Respondents who answered LSC2_1=1 or LSC2_2=1				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		519	1,377,500
NO		2		5,686	14,151,500
NOT APPLICABLE		6		5,120	10,825,000
NOT STATED		9		1,221	1,964,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LSC2_11	Length	1	Position	8004
Question Name	LF_Q11				
Concept	Looked for work in the past 4 weeks				
Question	In the past 4 weeks, did you do anything to find work?				
Universe	Respondents who answered LSC2_2=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		327	724,500
NO		2		2,453	5,132,500
NOT APPLICABLE		6		8,544	20,497,000
REFUSAL		8		1	1,000
NOT STATED		9		1,221	1,964,000
		Total		12,546	28,318,308

Variable Name	LSC2_12	Length	1	Position	8005
Question Name	LF_Q12				
Concept	Had a job to start in future last week				
Question	Last week, did you have a job to start at a definite date in the future?				
Universe	Respondents who answered LSC2_11=2				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		65	112,000
NO		2		2,388	5,020,500
NOT APPLICABLE		6		8,871	21,221,500
NOT STATED		9		1,222	1,964,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_13 **Length** 2 **Position** 8006 - 8007
Question Name LF_Q13
Concept Not currently working - reason
Question What is the main reason that you are not currently working at a job or business?
Universe Respondents who answered LSC2_12=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	204	448,000
CARING FOR - OWN CHILDREN	2	182	374,000
CARING FOR - ELDER RELATIVES	3	11	28,500
PREGNANCY (FEMALES ONLY)	4	9	25,000
OTHER PERSONAL / FAMILY RESPONSIBILITIES	5	98	232,000
VACATION	6	4	10,000
SCHOOL OR EDUCATIONAL LEAVE	7	361	959,500
RETIRED	8	1,396	2,735,500
BELIEVES NO WORK AVAILABLE	9	83	113,000
OTHER	10	39	92,000
NOT APPLICABLE	96	8,936	21,333,500
DON'T KNOW	97	1	2,500
NOT STATED	99	1,222	1,964,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_21 **Length** 1 **Position** 8008
Question Name LF_Q21
Concept Worked at a job or a business in past 12 months
Question Did you work at a job or business at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.
Universe Respondents who answered LSC2_1=3 or LSC2_2=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	790	1,722,500
NO	2	2,271	4,658,000
NOT APPLICABLE	6	8,262	19,970,000
DON'T KNOW	7	1	3,500
REFUSAL	8	1	1,000
NOT STATED	9	1,221	1,964,000
	Total	12,546	28,318,308

Variable Name LSC2_22 **Length** 1 **Position** 8009
Question Name LF_Q22
Concept Looked for work in past 12 months
Question During the past 12 months, did you do anything to find work?
Universe Respondents who answered LSC2_11=2 and LSC2_21=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	34	81,000
NO	2	2,150	4,385,000
NOT APPLICABLE	6	9,139	21,884,500
REFUSAL	8	2	4,000
NOT STATED	9	1,221	1,964,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_23 **Length** 1 **Position** 8010
Question Name LF_Q23
Concept Had more than one job or business - past 12 months
Question During that 12 months, did you work at more than one job or business at the same time?
Universe Respondents who answered LSC2_21=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	60	150,500
NO	2	730	1,572,000
NOT APPLICABLE	6	10,535	24,632,000
NOT STATED	9	1,221	1,964,000
	Total	12,546	28,318,308

Variable Name LSC2_31 **Length** 1 **Position** 8011
Question Name LF_Q31
Concept Status in employment - main job or business
Question Are you an employee or self-employed?
Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
EMPLOYEE	1	5,925	14,527,000
SELF-EMPLOYED	2	1,052	2,680,000
WORKING IN A FAMILY BUSINESS WITHOUT PAY	3	14	32,000
NOT APPLICABLE	6	4,330	9,102,500
DON'T KNOW	7	1	8,000
REFUSAL	8	3	4,500
NOT STATED	9	1,221	1,964,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LSC2F32	Length	1	Position	8012
Question Name	LS_Q32				
Concept	Flag for name of own business				
Question	What is the name of your business?				
Universe	Respondents who answered LSC2_31=2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,049	2,672,000
NOT APPLICABLE		6		10,273	23,674,000
DON'T KNOW		7		2	3,000
REFUSAL		8		1	5,500
NOT STATED		9		1,221	1,964,000
		Total		12,546	28,318,308

Variable Name	LSC2F33	Length	1	Position	8013
Question Name	LS_Q33				
Concept	Flag for name of employer				
Question	For whom do you currently / last work? (For example: name of business, government department or agency, or person)				
Universe	Respondents who answered LSC2_31<>2				
Note	Indicates that a long answer was collected.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		5,921	14,512,500
NOT APPLICABLE		6		5,382	11,782,500
DON'T KNOW		7		11	30,500
REFUSAL		8		11	28,500
NOT STATED		9		1,221	1,964,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2F34 **Length** 1 **Position** 8014
Question Name LS_Q34
Concept Flag for kind of business
Question What kind of business, industry or service is this? (For example: cardboard box manufacturing, road maintenance, retail shoe store, secondary school, dairy farm, municipal government)
Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1
Note Indicates that a long answer was collected. This variable is conceptually the same as LFC4F13 in Cycle 1 (1994), LFC6F13 in Cycle 2 (1996) and LFC8F13 in Cycle 3 (1998).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,988	17,238,500
NOT APPLICABLE	6	4,330	9,102,500
DON'T KNOW	7	4	9,000
REFUSAL	8	3	4,500
NOT STATED	9	1,221	1,964,000
Total		12,546	28,318,308

Variable Name LSC2F35 **Length** 1 **Position** 8015
Question Name LS_Q35
Concept Flag for kind of work
Question What kind of work are you doing? (For example: babysitting in own home, factory worker, forestry technician)
Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1
Note Indicates that a long answer was collected. This variable is conceptually the same as LFC4F14 in Cycle 1 (1994), LFC6F14 in Cycle 2 (1996) and LFC8F14 in Cycle 3 (1998).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,989	17,240,500
NOT APPLICABLE	6	4,330	9,102,500
DON'T KNOW	7	4	9,000
REFUSAL	8	2	3,000
NOT STATED	9	1,221	1,964,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2F36 **Length** 1 **Position** 8016

Question Name LS_Q36

Concept Flag for main activity or duties

Question What are your most important activities or duties? (For example: caring for children, stamp press machine operator, forest examiner)

Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note Indicates that a long answer was collected. This variable is conceptually the same as LFC4F15 in Cycle 1 (1994), LFC6F15 in Cycle 2 (1996) and LFC8F15 in Cycle 3 (1998).

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	6,985	17,232,500
NOT APPLICABLE	6	4,330	9,102,500
DON'T KNOW	7	7	15,000
REFUSAL	8	3	5,000
NOT STATED	9	1,221	1,964,000
	Total	12,546	28,318,308

Variable Name LFC2CI97 **Length** 4 **Position** 8017 - 8020

Question Name

Concept Standard Industry Code (NAICS) for main job

Question

Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note Based on the North American Industry Classification System (NAICS) - 1997.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	1100 - 9191	6,972	17,191,000
NOT APPLICABLE	9996	4,330	9,102,500
DON'T KNOW	9997	4	9,000
REFUSAL	9998	2	3,000
NOT STATED	9999	1,238	2,013,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC2GI16 **Length** 2 **Position** 8021 - 8022

Question Name

Concept Standard Industry Code for main job - 16 groups - (G)

Question

Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note Based on LFC2CI97 (North American Industry Classification System (NAICS) - 1997). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
AGRICULTURE	1	221	435,000
FORESTRY, FISHING, MINING, OIL AND GAS	2	181	286,000
UTILITIES	3	58	168,500
CONSTRUCTION	4	381	926,000
MANUFACTURING	5	773	2,146,500
TRADE	6	1,015	2,654,500
TRANSPORTATION AND WAREHOUSING	7	345	859,500
FINANCE, INSUR., REAL ESTATE AND LEASING	8	384	988,000
PROFESSIONAL, SCIENTIFIC AND TECH. SERV.	9	415	1,215,000
MANAGEMENT, ADMIN. AND OTHER SUPPORT	10	242	567,000
EDUCATIONAL SERVICES	11	576	1,303,000
HEALTH CARE AND SOCIAL ASSISTANCE	12	831	1,839,000
INFORMATION, CULTURE AND RECREATION	13	314	877,500
ACCOMMODATION AND FOOD SERVICES	14	438	1,163,500
OTHER SERVICES (EXCEPT PUBLIC ADMIN.)	15	341	897,500
PUBLIC ADMINISTRATION	16	457	864,000
NOT APPLICABLE	96	4,330	9,102,500
NOT STATED	99	1,244	2,025,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2692

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC2CO91 **Length** 4 **Position** 8023 - 8026

Question Name

Concept Standard Occupation Code (SOC - 91) for main job

Question

Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note Based on the Standard Occupational Classification (SOC) - 1991.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
CODE	A011 - J319	6,969	17,186,000
NOT APPLICABLE	9996	4,330	9,102,500
DON'T KNOW	9997	4	9,000
REFUSAL	9998	2	3,000
NOT STATED	9999	1,241	2,018,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC2GO25 **Length** 2 **Position** 8027 - 8028

Question Name

Concept Standard Occupation Code for main job - 25 groups - (G)

Question

Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note Based on LFC2CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	36	83,500
OTHER MANAGEMENT OCCUPATIONS	2	532	1,389,000
PROF. OCC. IN BUSINESS AND FINANCE	3	168	484,500
FINANCIAL/SECRETARIAL/ADMIN. OCC.	4	374	786,000
CLERICAL OCC. INCL. SUPERVISORS	5	713	1,803,500
NATURAL AND APPLIED SCIENCES	6	418	1,196,000
PROF. OCC. IN HEALTH/NURSE SUPERV.	7	204	466,000
TECHN. / ASSISTING IN HEALTH	8	198	459,000
OCC. IN SOCIAL SC./GOV. SERV./RELIGION	9	243	580,500
TEACHERS AND PROFESSORS	10	368	849,500
OCC. IN ART/CULTURE/RECREATION/SPORT	11	200	578,000
WHOLESALE/TECH/INSUR./REAL ESTATE/SALES	12	208	514,000
RETAIL SALES/CASHIERS	13	422	1,098,000
CHEFS/COOKS/OCCUPATIONS IN FOOD AND BEV.	14	225	606,000
OCCUPATIONS IN PROTECTIVE SERVICES	15	87	203,000
CHILDCARE AND HOME SUPPORT WORKERS	16	237	536,500
SALES/SERVICES OCCUPATIONS N.E.C.	17	616	1,527,000
CONTRACTORS/SUPER IN TRADES AND TRANSP.	18	98	289,500
CONSTRUCTION TRADES	19	125	306,500
OTHER TRADES OCCUPATIONS	20	305	763,500
TRANSPORTATION AND EQUIPMENT OPERATORS	21	265	593,000
TRADES HELPERS/CONST./TRANSP./RELATED	22	137	348,000
OCCUPATIONS UNIQUE TO PRIMARY INDUSTRY	23	371	667,000
MACHINE OPERATORS/ASSEMBLERS/SUPERVISORS	24	339	856,500
LABOURERS IN PROCESSING/MANUF. AND UTIL.	25	80	201,500
NOT APPLICABLE	96	4,330	9,102,500
NOT STATED	99	1,247	2,030,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LFC2GO47 **Length** 2 **Position** 8029 - 8030

Question Name

Concept Standard Occupation Code for main job - 47 groups - (G)

Question

Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note Based on LFC2CO91 (Standard Occupational Classification (SOC) - 1991). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
SENIOR MANAGEMENT OCCUPATIONS	1	36	83,500
SPECIALIST MANAGERS	2	126	323,500
MANAGERS-RETAIL TRADE/FOOD/ACCOMM. SERV.	3	206	522,500
OTHER MANAGERS N.E.C.	4	200	543,000
PROF. OCC. IN BUSINESS AND FINANCE	5	168	484,500
FINANCE AND INSURANCE ADMIN. OCCUPATIONS	6	85	184,000
SECRETARIES	7	159	318,500
ADMIN. AND REGULATORY OCCUPATIONS	8	130	283,500
CLERICAL SUPERVISORS	9	62	159,000
CLERICAL OCCUPATIONS	10	651	1,644,500
PROF. OCC. IN NATURAL / APPLIED SCIENCES	11	241	731,500
TECH. OCC. IN NATURAL / APPLIED SCIENCES	12	177	464,500
PROFESSIONAL OCCUPATIONS IN HEALTH	13	69	184,000
NURSE SUPERVISORS AND REGISTERED NURSES	14	135	282,000
TECH. AND RELATED OCCUPATIONS IN HEALTH	15	91	234,000
ASSIST. OCC. IN SUPPORT OF HEALTH SERV.	16	107	225,500
PROF. IN SOCIAL SCI./GOV. SERV./RELIGION	17	149	369,000
TEACHERS AND PROFESSORS	18	368	849,500
TECH. IN SOCIAL SCI./GOV. SERV./RELIGION	19	94	211,500
PROFESSIONAL OCC. IN ART AND CULTURE	20	96	275,500
TECH. OCC. IN ART/CULTURE/RECR./SPORT	21	104	303,000
SALES AND SERVICE SUPERVISORS	22	108	327,500
WHOLESALE/TECH/INSUR./REAL ESTATE	23	208	514,000
RETAIL SALES AND SALES CLERKS	24	222	604,000
CASHIERS	25	126	301,500
CHEFS AND COOKS	26	91	222,000
OCCUPATIONS IN FOOD AND BEVERAGE SERVICE	27	121	314,500
OCCUPATIONS IN PROTECTIVE SERVICES	28	87	203,000
OCCUPATIONS IN TRAVEL AND ACCOMMODATION	29	69	194,500

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2695

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

CHILDCARE AND HOME SUPPORT WORKERS	30	237	536,500
SALES AND SERVICE OCCUPATIONS N.E.C.	31	526	1,267,000
CONTRACT./SUPERV. IN TRADES AND TRANSP.	32	98	289,500
CONSTRUCTION TRADES	33	125	306,500
STAT. ENG./POWER STAT./ELECTR./TELEC.	34	64	165,500
MACHINISTS/METAL FORM./SHAP./ERECT. OCC.	35	32	85,000
MECHANICS	36	173	418,500
OTHER TRADES N.E.C.	37	36	95,000
HEAVY EQUIPMENT OPER. INCL. DRILLERS	38	59	111,000
TRANSP. EQ. OPER./WORKERS EXCL. LABOUR	39	206	481,500
TRAD. HELP./CONSTR./TRANSP. LABOUR./REL.	40	137	348,000
OCC. UNIQUE TO AGRICULTURE/EXCL. LABOUR	41	211	420,000
OCC. UNIQUE TO EXTRACTION/EXCL. LABOUR	42	108	150,000
PRIMARY PRODUCTION LABOURERS	43	52	97,000
SUPERVISORS IN MANUFACTURING	44	51	127,500
MACHINE OPERATORS IN MANUFACTURING	45	218	527,000
ASSEMBLERS IN MANUFACTURING	46	70	201,500
LABOURERS IN PROCESSING/MANUFACT./UTIL.	47	80	201,500
NOT APPLICABLE	96	4,330	9,102,500
NOT STATED	99	1,247	2,030,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_41 **Length** 2 **Position** 8031 - 8032
Question Name LF_Q41
Concept Absent from job or business last week - reason
Question What was the main reason you were absent from work last week?
Universe Respondents who answered LSC2_2=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	81	186,000
CARING FOR - OWN CHILDREN	2	3	6,500
MATERNITY LEAVE (FEMALES ONLY)	4	45	81,500
OTHER PERSONAL / FAMILY RESPONSIBILITIES	5	7	15,000
VACATION	6	216	534,000
LABOUR DISPUTE	7	1	1,000
TEMP. LAYOFF DUE TO BUSINESS CONDITIONS	8	11	24,000
SEASONAL LAYOFF	9	11	25,500
CASUAL JOB, NO WORK AVAILABLE	10	18	32,000
WORK SCHEDULE	11	1	1,000
SELF-EMPLOYED, NO WORK AVAILABLE	12	6	4,500
SEASONAL BUSINESS	13	5	8,000
SCHOOL OR EDUCATIONAL LEAVE	14	11	26,000
OTHER	15	20	56,000
NOT APPLICABLE	96	10,889	25,354,000
NOT STATED	99	1,221	1,964,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_42 **Length** 3 **Position** 8033 - 8035
Question Name LF_Q42
Concept Usual number of hours worked - main job or business
Question About how many hours a week do you usually work at your job/business? If you usually work extra hours, paid or unpaid, please include these hours.
Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 168	6,951	17,128,000
NOT APPLICABLE	996	4,330	9,102,500
DON'T KNOW	997	39	118,000
REFUSAL	998	5	6,500
NOT STATED	999	1,221	1,964,000
	Total	12,546	28,318,308

Variable Name LSC2_43 **Length** 1 **Position** 8036
Question Name LF_Q43
Concept Preferred number of hours - main job or business
Question Given the choice, at this job would you prefer to work:
Universe Respondents who answered (LSC2_1=1 or LSC2_2=1) and LSC2_31=1
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
FEWER HOURS FOR LESS PAY	1	517	1,322,000
MORE HOURS FOR MORE PAY	2	915	2,390,500
THE SAME HOURS FOR THE SAME PAY	3	3,736	9,158,000
NOT APPLICABLE	6	6,100	13,344,500
DON'T KNOW	7	49	120,500
REFUSAL	8	4	6,500
NOT STATED	9	1,225	1,976,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_44 **Length** 2 **Position** 8037 - 8038

Question Name LF_Q44

Concept Usual work schedule - main job or business

Question Which of the following best describes the hours you usually work at your job/business?

Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REGULAR DAYTIME SCHEDULE OR SHIFT	1	4,977	12,117,500
REGULAR EVENING SHIFT	2	344	987,500
REGULAR NIGHT SHIFT	3	150	382,000
ROTATING SHIFT	4	692	1,562,000
SPLIT SHIFT	5	64	177,000
ON CALL	6	98	198,500
IRREGULAR SCHEDULE	7	605	1,661,000
OTHER	8	61	157,000
NOT APPLICABLE	96	4,330	9,102,500
DON'T KNOW	97	2	5,000
REFUSAL	98	2	4,000
NOT STATED	99	1,221	1,964,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_45 **Length** 2 **Position** 8039 - 8040
Question Name LF_Q45
Concept Usual work schedule - reason
Question What is the main reason that you work this schedule?
Universe Respondents who answered LSC2_44<>1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
REQUIREMENT OF JOB / NO CHOICE	1	1,496	3,583,500
GOING TO SCHOOL	2	213	681,000
CARING FOR - OWN CHILDREN	3	47	121,500
CARING FOR - OTHER RELATIVES	4	3	7,000
TO EARN MORE MONEY	5	29	97,500
LIKES TO WORK THIS SCHEDULE	6	156	399,000
OTHER	7	69	233,500
NOT APPLICABLE	96	9,307	21,220,000
DON'T KNOW	97	1	2,000
NOT STATED	99	1,225	1,973,000
Total		12,546	28,318,308

Variable Name LSC2_46 **Length** 1 **Position** 8041
Question Name LF_Q46
Concept Work on weekends - main job or business
Question Do you usually work on weekends at this job/business?
Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	3,049	7,442,500
NO	2	3,940	9,793,500
NOT APPLICABLE	6	4,330	9,102,500
DON'T KNOW	7	4	12,000
REFUSAL	8	2	4,000
NOT STATED	9	1,221	1,964,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_51 **Length** 2 **Position** 8042 - 8043

Question Name LF_Q51

Concept Worked at more than one job or business - number of weeks

Question You indicated that you have more than one job. For how many weeks in a row have you worked at more than one job (in the past 12 months)?

Universe Respondents who answered LSC2_3=1 or LSC2_23 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	1 - 52	574	1,515,500
NOT APPLICABLE	96	10,746	24,826,500
DON'T KNOW	97	5	12,500
NOT STATED	99	1,221	1,964,000
	Total	12,546	28,318,308

Variable Name LSC2_52 **Length** 2 **Position** 8044 - 8045

Question Name LF_Q52

Concept Worked at more than one job or business - reason

Question What is the main reason that you work at more than one job?

Universe Respondents who answered LSC2_3=1 or LSC2_23 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
TO MEET REGULAR HOUSEHOLD EXPENSES	1	155	362,500
TO PAY OFF DEBTS	2	46	150,500
TO BUY SOMETHING SPECIAL	3	23	51,000
TO SAVE FOR THE FUTURE	4	44	105,000
TO GAIN EXPERIENCE	5	28	74,500
TO BUILD UP A BUSINESS	6	42	97,000
ENJOYS THE WORK OF THE SECOND JOB	7	136	312,000
OTHER	8	103	368,500
NOT APPLICABLE	96	10,746	24,826,500
DON'T KNOW	97	2	7,000
NOT STATED	99	1,221	1,964,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_53 **Length** 3 **Position** 8046 - 8048
Question Name LF_Q53
Concept Usual number of hours worked - other job or business
Question About how many hours a week do you usually work at your other job(s)? If you usually work extra hours, paid or unpaid, please include these hours.
Universe Respondents who answered LSC2_3=1 or LSC2_23 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF HOURS	1 - 168	569	1,508,000
NOT APPLICABLE	996	10,746	24,826,500
DON'T KNOW	997	9	18,000
REFUSAL	998	1	2,000
NOT STATED	999	1,221	1,964,000
	Total	12,546	28,318,308

Variable Name LSC2_54 **Length** 1 **Position** 8049
Question Name LF_Q54
Concept Work on weekends - other job or business
Question Do you usually work on weekends at your other job(s)?
Universe Respondents who answered LSC2_3=1 or LSC2_23 = 1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	370	961,500
NO	2	208	562,000
NOT APPLICABLE	6	10,746	24,826,500
DON'T KNOW	7	1	5,000
NOT STATED	9	1,221	1,964,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_61 **Length** 2 **Position** 8050 - 8051
Question Name LF_Q61
Concept Number of weeks worked in past 12 months
Question During the past 52 weeks, how many weeks did you do any work at a job or a business? (Include paid vacation leave, paid maternity leave, and paid sick leave.)
Universe Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	1 - 52	6,957	17,130,500
NOT APPLICABLE	96	4,330	9,102,500
DON'T KNOW	97	32	109,000
REFUSAL	98	6	12,500
NOT STATED	99	1,221	1,964,000
	Total	12,546	28,318,308

Variable Name LSC2_71 **Length** 2 **Position** 8052 - 8053
Question Name LF_Q71
Concept Number of weeks looked for work in past 12 months
Question During the past 52 weeks, how many weeks were you looking for work?
Universe Respondents who answered LSC2_61<52 or LSC2_22 = 1
Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF WEEKS	0 - 52	2,203	5,272,500
NOT APPLICABLE	96	9,102	21,018,500
DON'T KNOW	97	13	48,000
REFUSAL	98	5	11,500
NOT STATED	99	1,223	1,968,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2703

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_72 **Length** 1 **Position** 8054
Question Name LF_Q72
Concept Not working nor looking - number of weeks (confirm)
Question That leaves "# weeks" during which you were neither working nor looking for work. Is that correct?
Universe Respondents who answered LSC2_61 + LSC2_71 <52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,654	4,078,500
NOT APPLICABLE	6	9,625	22,136,000
NOT STATED	9	1,267	2,104,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_73 **Length** 2 **Position** 8055 - 8056
Question Name LF_Q73
Concept Not looking for work - reason
Question What is the main reason that you were not looking for work?
Universe Respondents who answered (LSC2_1=1 or LSC2_2=1 or LSC2_11=1 or LSC2_12=1) and LSC2_72=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
OWN ILLNESS OR DISABILITY	1	145	340,500
CARING FOR - OWN CHILDREN	2	54	112,000
CARING FOR - ELDER RELATIVES	3	6	21,000
PREGNANCY (FEMALES ONLY)	4	34	75,500
OTHER PERSONAL / FAMILY RESPONSIBILITIES	5	100	245,500
VACATION	6	262	747,500
LABOUR DISPUTE	7	4	6,500
TEMP. LAYOFF DUE TO BUSINESS CONDITIONS	8	51	102,500
SEASONAL LAYOFF	9	82	179,500
CASUAL JOB, NO WORK AVAILABLE	10	26	64,500
WORK SCHEDULE	11	21	32,500
SCHOOL OR EDUCATIONAL LEAVE	12	308	849,500
RETIRED	13	38	84,000
BELIEVES NO WORK AVAILABLE	14	31	46,000
OTHER	15	54	166,000
NOT APPLICABLE	96	10,062	23,140,000
DON'T KNOW	97	1	1,000
NOT STATED	99	1,267	2,104,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2_74 **Length** 1 **Position** 8057
Question Name LF_Q74
Concept Looked for work - number of continous periods
Question Were those weeks when you were without work but looking for work:
Universe Respondents who answered 1<LSC2_71<52

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ALL IN ONE PERIOD	1	152	399,500
IN 2 SEPARATE PERIODS	2	49	130,000
IN 3 OR MORE PERIODS	3	53	133,500
NOT APPLICABLE	6	10,989	25,449,500
NOT STATED	9	1,303	2,205,500
Total		12,546	28,318,308

Variable Name LSC2DCWS **Length** 1 **Position** 8058
Question Name
Concept Current working status - (D)
Question
Universe Respondents aged 15 to 75 living in a household
Note Based on LSC2_1, LSC2_2 and DHC2_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAD A JOB - AT WORK LAST WEEK	1	5,769	14,529,000
HAD A JOB - ABSENT FROM WORK LAST WEEK	2	436	1,000,500
DID NOT HAVE A JOB LAST WEEK	3	2,781	5,857,500
PERMANENTLY UNABLE TO WORK	4	282	527,000
NOT APPLICABLE	6	2,057	4,440,500
NOT STATED	9	1,221	1,964,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2DYWS **Length** 2 **Position** 8059 - 8060

Question Name

Concept Working status in the last 12 months - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LSC2_1, LSC2_2, LSC2_11, LSC2_21, LSC2_22 and DHC2_AGE. This variable is conceptually the same as LFC4DCWS in Cycle 1 (1994), LFC6DCWS in Cycle 2 (1996) and LFC8DCWS in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAD A JOB LAST WEEK	1	6,205	15,529,500
DID NOT HAVE A JOB BUT WORK LAST YR	2	782	1,684,000
NO JOB LAST YR BUT LOOKED LAST 4 WK	3	87	192,000
NO JOB LAST YR BUT LOOKED LAST YR	4	34	81,000
NO JOB LAST YR AND DIDN'T LOOK LAST YR	5	1,879	3,902,500
PERMANENTLY UNABLE TO WORK	6	279	521,000
NOT APPLICABLE	96	2,057	4,440,500
NOT STATED	99	1,223	1,968,000
Total		12,546	28,318,308

Variable Name LSC2DSWS **Length** 1 **Position** 8061

Question Name

Concept Student working status - (D)

Question

Universe Respondents aged 15 to 75 with EDC2_1=1

Note Based on EDC2_1, EDC2_2, DHC2_AGE, LSC2_1, LSC2_2, LSC2_11, LSC2_21 and LSC2_22. This variable is conceptually the same as EDC4DLF in Cycle 1 (1994), EDC6DLF in Cycle 2 (1996) and EDC8DLF in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WORKED - SCHOOL FULL-TIME	1	708	2,078,500
WORKED - SCHOOL PART-TIME	2	233	658,000
DID NOT WORK - SCHOOL FULL-TIME	3	179	500,000
DID NOT WORK - SCHOOL PART-TIME	4	23	71,000
NOT APPLICABLE	6	10,182	23,052,500
NOT STATED	9	1,221	1,958,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2DMJS **Length** 2 **Position** 8062 - 8063

Question Name

Concept Multiple job status - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LSC2_1, LSC2_3, LSC2_21, LSC2_23, LSC2_51 and DHC2_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAS MULT JOBS - HAD THEM ALL PAST YEAR	1	264	678,500
HAS MULT JOBS - DID NOT HAVE PAST YEAR	2	250	687,000
CURRENTLY HAS ONLY ONE JOB	3	5,686	14,151,500
NO JOB - MULT JOBS PAST YEAR	4	60	150,500
NO JOB - ONLY 1 AT A TIME PAST YEAR	5	730	1,572,000
NO JOB - NO JOB PAST YEAR	6	2,271	4,658,000
NOT APPLICABLE	96	2,057	4,440,500
NOT STATED	99	1,228	1,980,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary

Master File: Longitudinal Full Response Subset (Rounded)

Page 2708

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2DRNW **Length** 2 **Position** 8064 - 8065

Question Name

Concept Main reason for not working last week - (D)

Question

Universe Respondents who answered LSC2_1=2 or LSC2_1=3

Note Based on LSC2_1, LSC2_11, LSC2_12, LSC2_13, LSC2_41 and DHC2_AGE. This variable is conceptually the same as LFC6G17A in Cycle 2 (1996) and LFC8G17A in Cycle 3 (1998). See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
PERMANENTLY UNABLE TO WORK	1	282	527,000
OWN ILLNESS OR DISABILITY	2	285	634,000
CARING FOR - OWN CHILDREN	3	185	381,000
CARING FOR - ELDER RELATIVES	4	11	28,500
PREGNANCY / MATERNITY LEAVE	5	54	106,500
OTHER PERSONAL / FAMILY RESPONSIBILITIES	6	105	247,000
VACATION	7	220	543,500
SCHOOL OR EDUCATIONAL LEAVE	8	372	986,000
RETIRED	9	1,396	2,735,500
BELIEVES NO WORK AVAILABLE	10	83	113,000
LABOUR DISPUTE	11	1	1,000
TEMP. LAYOFF DUE TO BUSINESS CONDITIONS	12	11	24,000
SEASONAL LAYOFF	13	11	25,500
CASUAL JOB, NO WORK AVAILABLE	14	18	32,000
SELF-EMPLOYED, NO WORK AVAILABLE	15	6	4,500
SEASONAL BUSINESS	16	5	8,000
LOOKING FOR WORK	17	327	724,500
WORK SCHEDULE	18	1	1,000
JOB TO START IN FUTURE	19	65	112,000
OTHER	20	59	148,000
NOT APPLICABLE	96	7,826	18,969,500
NOT STATED	99	1,223	1,967,000
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	LSC2DHPW	Length	3	Position	8066 - 8068
Question Name					
Concept	Total usual hours worked per week - (D)				
Question					
Universe	Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1				
Note	Based on LSC2_1, LSC2_42, LSC2_53 and DHC2_AGE. See Derived Variables Documentation.				
Content		Code		Sample	Population
NUMBER OF HOURS WORKED PER WEEK		1 - 168		6,943	17,110,000
NOT APPLICABLE		996		4,330	9,102,500
NOT STATED		999		1,273	2,105,500
		Total		12,546	28,318,308

Variable Name	LSC2DPFT	Length	1	Position	8069
Question Name					
Concept	Work status - full time or part time - (D)				
Question					
Universe	Respondents who answered LSC2_1=1 or LSC2_2=1 or LSC2_21=1				
Note	Based on LSC2_1, LSC2_42, LSC2_53 and DHC2_AGE. See Derived Variables Documentation.				
Content		Code		Sample	Population
FULL TIME (30 HOURS OR MORE)		1		5,646	13,691,000
PART TIME (LESS THAN 30 HOURS)		2		1,297	3,419,500
NOT APPLICABLE		6		4,330	9,102,500
NOT STATED		9		1,273	2,105,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name LSC2DJST **Length** 2 **Position** 8070 - 8071

Question Name

Concept Job status over past year - (D)

Question

Universe Respondents aged 15 to 75 living in a household

Note Based on LSC2_1, LSC2_11, LSC2_22, LSC2_61, LSC2_71 and DHC2_AGE. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
HAD A JOB THROUGH PAST YR	1	4,895	12,193,500
WAS W/O JOB - LOOKING PAST YR	2	34	76,500
WAS W/O JOB - NOT LOOKING PAST YR	3	2,150	4,385,000
HAD JOB PART YR - W/O & LOOK PART YR	4	489	1,041,000
HAD JOB PART YR - W/O & N-LOOK PART YR	5	1,275	3,102,000
NO JOB & LOOK PART YR - W/O & N-LOOK	6	87	197,000
HAD JOB - W/O & LOOK - W/O & N-LOOK	7	292	780,000
NOT APPLICABLE	96	2,057	4,440,500
NOT STATED	99	1,267	2,104,000
Total		12,546	28,318,308

Variable Name INC2_1A **Length** 1 **Position** 8072

Question Name IN_Q1

Concept Source of income - wages and salaries

Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Wages and salaries

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	7,964	20,043,500
NO	2	3,072	5,741,500
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_1B **Length** 1 **Position** 8073
Question Name IN_Q1
Concept Source of income - self-employment
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Income from self-employment
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,186	5,502,500
NO	2	8,850	20,282,500
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
	Total	12,546	28,318,308

Variable Name INC2_1C **Length** 1 **Position** 8074
Question Name IN_Q1
Concept Source of income - dividends and interest
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Dividends and interest (e.g., on bonds, savings)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	2,039	5,014,000
NO	2	8,997	20,771,000
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_1D **Length** 1 **Position** 8075
Question Name IN_Q1
Concept Source of income - employment insurance
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Employment insurance
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	1,190	2,351,000
NO	2	9,846	23,434,000
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
	Total	12,546	28,318,308

Variable Name INC2_1E **Length** 1 **Position** 8076
Question Name IN_Q1
Concept Source of income - worker's compensation
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Worker's compensation
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	291	730,500
NO	2	10,745	25,054,500
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC2_1F	Length	1	Position	8077
Question Name	IN_Q1				
Concept	Source of income - benefits from Can. / Que. Pension Plan				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Benefits from Canada or Quebec Pension Plan				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		2,704	5,064,500
NO		2		8,332	20,720,500
DON'T KNOW		7		144	327,000
REFUSAL		8		127	206,500
NOT STATED		9		1,239	1,999,500
		Total		12,546	28,318,308

Variable Name	INC2_1G	Length	1	Position	8078
Question Name	IN_Q1				
Concept	Source of income - pensions, superannuation and annuities				
Question	Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Retirement pensions, superannuation and annuities				
Universe	All respondents				
Note					
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
YES		1		1,926	3,901,500
NO		2		9,110	21,883,500
DON'T KNOW		7		144	327,000
REFUSAL		8		127	206,500
NOT STATED		9		1,239	1,999,500
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_1J **Length** 1 **Position** 8081
Question Name IN_Q1
Concept Source of income - social assistance / welfare
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Provincial or municipal social assistance or welfare
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	423	937,000
NO	2	10,613	24,848,000
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
Total		12,546	28,318,308

Variable Name INC2_1K **Length** 1 **Position** 8082
Question Name IN_Q1
Concept Source of income - child support
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Child Support
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	378	967,500
NO	2	10,658	24,817,500
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_1L **Length** 1 **Position** 8083
Question Name IN_Q1
Concept Source of income - alimony
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Alimony
Universe All respondents living in a household

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	62	153,000
NO	2	10,974	25,632,000
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
Total		12,546	28,318,308

Variable Name INC2_1M **Length** 1 **Position** 8084
Question Name IN_Q1
Concept Source of income - other
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - Other (e.g., rental income, scholarships)
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	708	1,930,000
NO	2	10,328	23,855,000
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2717

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_1N **Length** 1 **Position** 8085
Question Name IN_Q1
Concept Source of income - none
Question Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months? - None
Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	17	53,000
NO	2	11,019	25,732,000
DON'T KNOW	7	144	327,000
REFUSAL	8	127	206,500
NOT STATED	9	1,239	1,999,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_3B **Length** 1 **Position** 8095
Question Name IN_Q3B
Concept Total household income - < \$10,000 or >= \$10,000
Question Was the total household income from all sources less than \$10,000 or \$10,000 or more?
Universe Respondents who answered INC2_3A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$10,000	1	263	514,000
\$10,000 OR MORE	2	1,288	2,195,000
NOT APPLICABLE	6	8,846	21,660,500
DON'T KNOW	7	16	24,500
REFUSAL	8	3	3,500
NOT STATED	9	2,130	3,921,000
	Total	12,546	28,318,308

Variable Name INC2_3C **Length** 1 **Position** 8096
Question Name IN_Q3C
Concept Total household income - < \$5,000 or >= \$5,000
Question Was the total household income from all sources less than \$5,000 or \$5,000 or more?
Universe Respondents who answered INC2_3B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$5,000	1	53	114,000
\$5,000 OR MORE	2	208	399,000
NOT APPLICABLE	6	10,134	23,855,500
DON'T KNOW	7	2	1,500
NOT STATED	9	2,149	3,949,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_3D **Length** 1 **Position** 8097
Question Name IN_Q3D
Concept Total household income - < \$15,000 or >= \$15,000
Question Was the total household income from all sources less than \$15,000 or \$15,000 or more?
Universe Respondents who answered INC2_3B=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$15,000	1	688	1,115,500
\$15,000 OR MORE	2	573	1,027,500
NOT APPLICABLE	6	9,109	22,174,500
DON'T KNOW	7	26	51,500
REFUSAL	8	1	1,000
NOT STATED	9	2,149	3,949,000
	Total	12,546	28,318,308

Variable Name INC2_3E **Length** 1 **Position** 8098
Question Name IN_Q3E
Concept Total household income - < \$40,000 or >= \$40,000
Question Was the total household income from all sources less than \$40,000 or \$40,000 or more?
Universe Respondents who answered INC2_3A=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$40,000	1	2,450	5,123,000
\$40,000 OR MORE	2	6,277	16,217,000
NOT APPLICABLE	6	1,581	2,769,000
DON'T KNOW	7	82	216,000
REFUSAL	8	26	73,000
NOT STATED	9	2,130	3,921,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_3F **Length** 1 **Position** 8099
Question Name IN_Q3F
Concept Total household income - < \$30,000 or >= \$30,000
Question Was the total household income from all sources less than \$30,000 or \$30,000 or more?
Universe Respondents who answered INC2_3E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$30,000	1	1,184	2,330,500
\$30,000 OR MORE	2	1,230	2,714,000
NOT APPLICABLE	6	7,858	18,986,000
DON'T KNOW	7	29	64,000
REFUSAL	8	7	14,500
NOT STATED	9	2,238	4,209,500
	Total	12,546	28,318,308

Variable Name INC2_3G **Length** 1 **Position** 8100
Question Name IN_Q3G
Concept Total household income - >= \$40,000
Question Was the total household income from all sources less than \$50,000, \$50,000 to less than \$60,000, \$60,000 to less than \$80,000 or \$80,000 or more?
Universe Respondents who answered INC2_3E=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$50,000	1	1,093	2,569,500
\$50,000 TO LESS THAN \$60,000	2	1,069	2,420,500
\$60,000 TO LESS THAN \$80,000	3	1,586	4,079,500
\$80,000 OR MORE	4	2,431	6,886,000
NOT APPLICABLE	6	4,031	7,892,000
DON'T KNOW	7	68	175,000
REFUSAL	8	23	78,500
NOT STATED	9	2,245	4,217,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2DHH **Length** 2 **Position** 8101 - 8102

Question Name

Concept Total household income - All sources - (D)

Question

Universe All respondents

Note Based on INC2_3A to INC2_3G. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO INCOME	1	11	31,500
LESS THAN \$5,000	2	53	114,000
\$5,000 TO \$9,999	3	208	399,000
\$10,000 TO \$14,999	4	688	1,115,500
\$15,000 TO \$19,999	5	573	1,027,500
\$20,000 TO \$29,999	6	1,184	2,330,500
\$30,000 TO \$39,999	7	1,230	2,714,000
\$40,000 TO \$49,999	8	1,093	2,569,500
\$50,000 TO \$59,999	9	1,069	2,420,500
\$60,000 TO \$79,999	10	1,586	4,079,500
\$80,000 OR MORE	11	2,431	6,886,000
NOT STATED	99	2,420	4,631,000
	Total	12,546	28,318,308

Variable Name INC2DIA2 **Length** 1 **Position** 8103

Question Name

Concept Income adequacy - 2 groups - (D)

Question

Universe All respondents

Note Based on INC2_3A to INC2_3G and DHC2_MEM. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LOW INCOME	1	1,179	2,251,000
MIDDLE OR HIGH INCOME	2	8,947	21,436,500
NOT STATED	9	2,420	4,631,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	INC2DIA4	Length	1	Position	8104
Question Name					
Concept	Income adequacy - 4 groups - (D)				
Question					
Universe	All respondents				
Note	Based on INC2_3A to INC2_3G and DHC2_MEM. See Derived Variables Documentation.				
Content			Code	Sample	Population
LOWEST INCOME			1	1,179	2,251,000
LOWER MIDDLE INCOME			2	2,319	4,726,500
UPPER MIDDLE INCOME			3	3,618	8,469,500
HIGHEST INCOME			4	3,010	8,241,000
NOT STATED			9	2,420	4,631,000
		Total		12,546	28,318,308

Variable Name	INC2DIA5	Length	1	Position	8105
Question Name					
Concept	Income adequacy - 5 groups - (D)				
Question					
Universe	All respondents				
Note	Based on INC2_3A to INC2_3G and DHC2_MEM. See Derived Variables Documentation.				
Content			Code	Sample	Population
LOWEST INCOME			1	289	589,000
LOWER MIDDLE INCOME			2	890	1,661,500
MIDDLE INCOME			3	2,319	4,726,500
UPPER MIDDLE INCOME			4	3,618	8,469,500
HIGHEST INCOME			5	3,010	8,241,000
NOT STATED			9	2,420	4,631,000
		Total		12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_4B **Length** 1 **Position** 8113
Question Name IN_Q4B
Concept Total personal income - < \$10,000 or >= \$10,000
Question Was your total personal income less than \$10,000 or \$10,000 or more?
Universe Respondents who answered INC2_4A=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$10,000	1	1,379	3,179,000
\$10,000 OR MORE	2	2,081	4,033,000
NOT APPLICABLE	6	6,908	17,083,500
DON'T KNOW	7	17	41,000
REFUSAL	8	2	4,000
NOT STATED	9	2,159	3,978,000
	Total	12,546	28,318,308

Variable Name INC2_4C **Length** 1 **Position** 8114
Question Name IN_Q4C
Concept Total personal income - < \$5,000 or >= \$5,000
Question Was your total personal income less than \$5,000 or \$5,000 or more?
Universe Respondents who answered INC2_4B=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$5,000	1	563	1,352,000
\$5,000 OR MORE	2	806	1,811,000
NOT APPLICABLE	6	8,989	21,116,500
DON'T KNOW	7	8	10,500
REFUSAL	8	2	5,500
NOT STATED	9	2,178	4,022,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2_4F **Length** 1 **Position** 8117
Question Name IN_Q4F
Concept Total personal income - < \$30,000 or >= \$30,000
Question Was your total personal income less than \$30,000 or \$30,000 or more?
Universe Respondents who answered INC2_4E=1

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$30,000	1	1,577	3,402,000
\$30,000 OR MORE	2	1,282	3,096,000
NOT APPLICABLE	6	7,500	17,777,500
DON'T KNOW	7	8	12,500
REFUSAL	8	1	1,000
NOT STATED	9	2,178	4,029,500
	Total	12,546	28,318,308

Variable Name INC2_4G **Length** 1 **Position** 8118
Question Name IN_Q4G
Concept Total personal income - >= \$40,000
Question Was your total personal income less than \$50,000, \$50,000 to less than \$60,000, \$60,000 to less than \$80,000 or \$80,000 or more?
Universe Respondents who answered INC2_4E=2

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
LESS THAN \$50,000	1	898	2,212,500
\$50,000 TO LESS THAN \$60,000	2	671	1,599,500
\$60,000 TO LESS THAN \$80,000	3	625	1,691,500
\$80,000 OR MORE	4	493	1,300,000
NOT APPLICABLE	6	7,669	17,453,000
DON'T KNOW	7	3	18,500
REFUSAL	8	3	7,500
NOT STATED	9	2,184	4,036,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name INC2DPER **Length** 2 **Position** 8119 - 8120

Question Name

Concept Total personal income - All sources - (D)

Question

Universe Respondents aged 15 and over

Note Based on INC2_4A to INC2_4G. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NO INCOME	1	353	878,500
LESS THAN \$5,000	2	563	1,352,000
\$5,000 TO \$9,999	3	806	1,811,000
\$10,000 TO \$14,999	4	1,222	2,259,000
\$15,000 TO \$19,999	5	842	1,725,500
\$20,000 TO \$29,999	6	1,577	3,402,000
\$30,000 TO \$39,999	7	1,282	3,096,000
\$40,000 TO \$49,999	8	898	2,212,500
\$50,000 TO \$59,999	9	671	1,599,500
\$60,000 TO \$79,999	10	625	1,691,500
\$80,000 OR MORE	11	493	1,300,000
NOT APPLICABLE	96	969	2,806,000
NOT STATED	99	2,245	4,184,500
	Total	12,546	28,318,308

Variable Name INC2CCPI **Length** 5.1 **Position** 8121 - 8125

Question Name

Concept Consumer Price Index

Question

Universe All respondents

Note Consumer Price Index - All items, not seasonally adjusted (1992 = 100). 2002 annual average = 119.0. See Derived Variables Documentation.

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM62_LNK **Length** 1 **Position** 8126

Question Name AM_Q01B

Concept Permission to link data

Question Statistics Canada and your provincial ministry of health would like your permission to link information ... as part of this survey ... This linked information will be kept confidential and used only for statistical purposes. Do we have your permission?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	10,980	25,563,000
NO	2	314	735,000
DON'T KNOW	7	7	14,000
REFUSAL	8	3	6,000
NOT STATED	9	1,242	2,000,500
	Total	12,546	28,318,308

Variable Name AM62_SHA **Length** 1 **Position** 8127

Question Name AM_Q04B

Concept Agree to share information

Question Statistics Canada would like your permission to share the information from all interviews conducted as part of this survey with provincial ministries of health and Health Canada. All information will Do you agree to share the information provided?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
YES	1	11,028	25,725,500
NO	2	256	553,000
DON'T KNOW	7	10	26,000
REFUSAL	8	4	9,000
NOT STATED	9	1,248	2,004,500
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM62_TEL **Length** 1 **Position** 8128

Question Name AM_N09

Concept H06 interview by telephone or in person

Question Interviewer: Was this interview conducted on the telephone or in person?

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ON TELEPHONE	1	10,970	25,828,000
IN PERSON	2	188	316,500
BOTH	3	1	1,000
NOT APPLICABLE	6	143	172,000
NOT STATED	9	1,244	2,002,000
	Total	12,546	28,318,308

Variable Name AM62_LNG **Length** 2 **Position** 8129 - 8130

Question Name AM_N12

Concept Interview language - H06

Question Interviewer: Record language of interview.

Universe All respondents

Note

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
ENGLISH	1	9,127	19,855,500
FRENCH	2	2,147	6,357,500
CHINESE	4	15	66,500
GERMAN	6	1	1,000
ITALIAN	9	1	1,500
PERSIAN (FARSI)	11	3	3,500
POLISH	12	2	6,000
PUNJABI	14	3	19,000
SPANISH	15	1	1,000
OTHER	19	2	6,000
NOT STATED	99	1,244	2,002,000
	Total	12,546	28,318,308

NPHS Cycle 5 (2002-2003): Data Dictionary
 Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name AM62LDUR **Length** 4 **Position** 8131 - 8134

Question Name

Concept Duration of time between H06 interviews

Question

Universe All respondents

Note Based on AM60_BDD, AM60_BMM, AM60_BY Y, AM62_BDD, AM62_BMM and AM62_BY Y. See Derived Variables Documentation.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
NUMBER OF DAYS	338 - 1133	11,411	26,662,000
NOT STATED	9999	1,135	1,656,000
Total		12,546	28,318,308

Variable Name WT64LS **Length** 8.2 **Position** 8135 - 8142

Question Name

Concept Weight: Master - Longitudinal Square

Question

Universe All respondents

Note See Longitudinal documentation chapter on weighting.

Variable Name WF62LF **Length** 1 **Position** 8143

Question Name

Concept Flag: Master - Longitudinal Full Response Subset

Question

Universe All respondents

Note See Longitudinal documentation chapter on weighting.

<u>Content</u>	<u>Code</u>	<u>Sample</u>	<u>Population</u>
WEIGHT EXISTS	1	12,546	28,318,500
Total		12,546	28,318,308

Variable Name WT62LF **Length** 8.2 **Position** 8144 - 8151

Question Name

Concept Weight: Master - Longitudinal Full Response Subset

Question

Universe All respondents with WF62LF=1

Note See Longitudinal documentation chapter on weighting.

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	WF62SLF	Length	1	Position	8152
Question Name					
Concept	Flag: Share - Longitudinal Full Response Subset				
Question					
Universe	All respondents				
Note	See Longitudinal documentation chapter on weighting.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
NO WEIGHT		0		320	678,500
WEIGHT EXISTS		1		12,226	27,640,000
		Total		12,546	28,318,308

Variable Name	WT62SLF	Length	8.2	Position	8153 - 8160
Question Name					
Concept	Weight: Share - Longitudinal Full Response Subset				
Question					
Universe	All respondents with WF62SLF=1				
Note	See Longitudinal documentation chapter on weighting.				

Variable Name	WF62LFE	Length	1	Position	8161
Question Name					
Concept	Flag: Master - Longitudinal Full Response C1 and C5 Subset				
Question					
Universe	All respondents				
Note	See Longitudinal documentation chapter on weighting.				
<u>Content</u>		<u>Code</u>		<u>Sample</u>	<u>Population</u>
WEIGHT EXISTS		1		12,546	28,318,500
		Total		12,546	28,318,308

Variable Name	WT62LFE	Length	8.2	Position	8162 - 8169
Question Name					
Concept	Weight: Master - Longitudinal Full Response C1 and C5 Subset				
Question					
Universe	All respondents with WF62LFE=1				
Note	See Longitudinal documentation chapter on weighting.				

NPHS Cycle 5 (2002-2003): Data Dictionary
Master File: Longitudinal Full Response Subset (Rounded)

Page 2734

March 2005

Printed: Wednesday March 9, 2005

(The sum of individual rounded items in the "Population" column may not necessarily equal the total.)

Variable Name	WF62SLS	Length	1	Position	8170
----------------------	---------	---------------	---	-----------------	------

Question Name

Concept Flag: Share - Longitudinal Square

Question

Universe All respondents

Note See Longitudinal documentation chapter on weighting.

Variable Name	WT62SLS	Length	8.2	Position	8171 - 8178
----------------------	---------	---------------	-----	-----------------	-------------

Question Name

Concept Weight: Share - Longitudinal Square

Question

Universe All respondents with WF62SLS=1

Note See Longitudinal documentation chapter on weighting.
