

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 1

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
AD_2_1	Drunk - at work / school / taking care of child	AD	2631
AD_2_2	Number of times - drunk / hung-over	AD	2631
AD_2_3	Being drunk increased chances of getting hurt	AD	2632
AD_2_4	Emotional or psychological problems due to alcohol	AD	2632
AD_2_5	Strong desire or urge to drink	AD	2633
AD_2_6	Spent month or more getting drunk	AD	2633
AD_2_7	Drank much more than intended	AD	2634
AD_2_8	Number of times - drank much more than intended	AD	2634
AD_2_9	Had to drink more for the same effect	AD	2635
AD_2DPP	Alcohol dependence scale - Predicted Probability - (D)	AD	2636
AD_2DSF	Alcohol dependence scale - Short Form Score - (D)	AD	2635
AD_6_1	Drunk - at work / school / taking care of child	AD	1059
AD_6_2	Number of times - drunk / hung-over	AD	1060
AD_6_3	Being drunk increased chances of getting hurt	AD	1060
AD_6_4	Emotional or psychological problems due to alcohol	AD	1061
AD_6_5	Strong desire or urge to drink	AD	1061
AD_6_6	Spent month or more getting drunk	AD	1062
AD_6_7	Drank much more than intended	AD	1062
AD_6_8	Number of times - drank much more than intended	AD	1063
AD_6_9	Had to drink more for the same effect	AD	1063
AD_6DPP	Alcohol dependence scale - Predicted Probability - (D)	AD	1064
AD_6DSF	Alcohol dependence scale - Short Form Score - (D)	AD	1064
AL_2_1	Definition of moderate drinking	AL	2627
AL_2_2	Moderate drinking can be good for your health	AL	2628
AL_2_3	Alright to get drunk once in a while	AL	2628
AL_2_4	Rather pay for a taxi than see a friend drive after drinking	AL	2629
AL_2_5	Alright to get drunk once a week if no drinking rest of week	AL	2629
AL_2_6	Pregnant woman should not drink any amount of alcohol	AL	2630
AL_2_7	Alright for breastfeeding woman to drink occasionally	AL	2630
AL_6_1	Definition of moderate drinking	AL	1056
AL_6_2	Moderate drinking can be good for your health	AL	1056
AL_6_3	Alright to get drunk once in a while	AL	1057
AL_6_4	Rather pay for a taxi than see a friend drive after drinking	AL	1057
AL_6_5	Alright to get drunk once a week if no drinking rest of week	AL	1058
AL_6_6	Pregnant woman should not drink any amount of alcohol	AL	1058
AL_6_7	Alright for breastfeeding woman to drink occasionally	AL	1059

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 2

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ALC0_1	Drank alcohol in past 12 months	AL	2066
ALC0_1A	Drank alcohol since last interview	AL	2065
ALC0_2	Frequency of drinking alcohol	AL	2066
ALC0_3	Frequency of having 5 or more drinks	AL	2067
ALC0_5	Drank alcohol in past week	AL	2068
ALC0_5A1	Number of drinks - Sunday	AL	2068
ALC0_5A2	Number of drinks - Monday	AL	2069
ALC0_5A3	Number of drinks - Tuesday	AL	2069
ALC0_5A4	Number of drinks - Wednesday	AL	2070
ALC0_5A5	Number of drinks - Thursday	AL	2070
ALC0_5A6	Number of drinks - Friday	AL	2071
ALC0_5A7	Number of drinks - Saturday	AL	2071
ALC0_5B	Ever had a drink	AL	2072
ALC0_6	Regularly drank more than 12 drinks a week	AL	2072
ALC0_7A	Reason reduced drinking - dieting	AL	2073
ALC0_7B	Reason reduced drinking - athletic training	AL	2073
ALC0_7C	Reason reduced drinking - pregnancy	AL	2073
ALC0_7D	Reason reduced drinking - getting older	AL	2074
ALC0_7E	Reason reduced drinking - drinking too much	AL	2074
ALC0_7F	Reason reduced drinking - affected work / studies	AL	2075
ALC0_7G	Reason reduced drinking - interfered with family life	AL	2075
ALC0_7H	Reason reduced drinking - affected physical health	AL	2076
ALC0_7I	Reason reduced drinking - affected social relationships	AL	2076
ALC0_7J	Reason reduced drinking - affected financial position	AL	2077
ALC0_7K	Reason reduced drinking - affected happiness	AL	2077
ALC0_7L	Reason reduced drinking - influence of family / friends	AL	2078
ALC0_7M	Reason reduced drinking - other	AL	2078
ALC0_DAY	Interview date - day of the week	AL	2067
ALC0DDL	Average daily alcohol consumption - (D)	AL	2080
ALC0DTYP	Type of drinker - (D)	AL	2079
ALC0DWKY	Weekly alcohol consumption - (D)	AL	2079
ALC2_1	Drank alcohol in past 12 months	AL	2613
ALC2_1A	Drank alcohol since last interview	AL	2612
ALC2_2	Frequency of drinking alcohol	AL	2613
ALC2_3	Frequency of having 5 or more drinks	AL	2614
ALC2_5	Drank alcohol in past week	AL	2615

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 3

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ALC2_5A1	Number of drinks - Sunday	AL	2615
ALC2_5A2	Number of drinks - Monday	AL	2616
ALC2_5A3	Number of drinks - Tuesday	AL	2616
ALC2_5A4	Number of drinks - Wednesday	AL	2617
ALC2_5A5	Number of drinks - Thursday	AL	2617
ALC2_5A6	Number of drinks - Friday	AL	2618
ALC2_5A7	Number of drinks - Saturday	AL	2618
ALC2_5B	Ever had a drink	AL	2619
ALC2_6	Regularly drank more than 12 drinks a week	AL	2619
ALC2_7A	Reason reduced drinking - dieting	AL	2620
ALC2_7B	Reason reduced drinking - athletic training	AL	2620
ALC2_7C	Reason reduced drinking - pregnancy	AL	2620
ALC2_7D	Reason reduced drinking - getting older	AL	2621
ALC2_7E	Reason reduced drinking - drinking too much	AL	2621
ALC2_7F	Reason reduced drinking - affected work / studies	AL	2622
ALC2_7G	Reason reduced drinking - interfered with family life	AL	2622
ALC2_7H	Reason reduced drinking - affected physical health	AL	2623
ALC2_7I	Reason reduced drinking - affected social relationships	AL	2623
ALC2_7J	Reason reduced drinking - affected financial position	AL	2624
ALC2_7K	Reason reduced drinking - affected happiness	AL	2624
ALC2_7L	Reason reduced drinking - influence of family / friends	AL	2625
ALC2_7M	Reason reduced drinking - other	AL	2625
ALC2_DAY	Interview date - day of the week	AL	2614
ALC2DDL	Average daily alcohol consumption - (D)	AL	2627
ALC2DTYP	Type of drinker - (D)	AL	2626
ALC2DWKY	Weekly alcohol consumption - (D)	AL	2626
ALC4_1	Drank alcohol in past 12 months	AL	201
ALC4_2	Frequency of drinking alcohol	AL	202
ALC4_3	Frequency of having 5 or more drinks	AL	202
ALC4_4	Highest number of drinks on one occasion	AL	203
ALC4_5	Drank alcohol in past week	AL	204
ALC4_5A1	Number of drinks - Sunday	AL	204
ALC4_5A2	Number of drinks - Monday	AL	205
ALC4_5A3	Number of drinks - Tuesday	AL	205
ALC4_5A4	Number of drinks - Wednesday	AL	206
ALC4_5A5	Number of drinks - Thursday	AL	206

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 4

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ALC4_5A6	Number of drinks - Friday	AL	207
ALC4_5A7	Number of drinks - Saturday	AL	207
ALC4_5B	Ever had a drink	AL	208
ALC4_6	Regularly drank more than 12 drinks a week	AL	208
ALC4_7A	Reason reduced drinking - dieting	AL	209
ALC4_7B	Reason reduced drinking - athletic training	AL	209
ALC4_7C	Reason reduced drinking - pregnancy	AL	210
ALC4_7D	Reason reduced drinking - getting older	AL	210
ALC4_7E	Reason reduced drinking - drinking too much	AL	211
ALC4_7F	Reason reduced drinking - affected work / studies	AL	211
ALC4_7G	Reason reduced drinking - interfered with family life	AL	212
ALC4_7H	Reason reduced drinking - affected physical health	AL	212
ALC4_7I	Reason reduced drinking - affected social relationships	AL	213
ALC4_7J	Reason reduced drinking - affected financial position	AL	213
ALC4_7K	Reason reduced drinking - affected happiness	AL	214
ALC4_7L	Reason reduced drinking - influence of family / friends	AL	214
ALC4_7M	Reason reduced drinking - other	AL	215
ALC4_DAY	Interview date - day of the week	AL	203
ALC4DDL	Average daily alcohol consumption - (D)	AL	216
ALC4DTYP	Type of drinker - (D)	AL	215
ALC4DWKY	Weekly alcohol consumption - (D)	AL	216
ALC6_1	Drank alcohol in past 12 months	AL	1038
ALC6_2	Frequency of drinking alcohol	AL	1039
ALC6_3	Frequency of having 5 or more drinks	AL	1040
ALC6_5	Drank alcohol in past week	AL	1041
ALC6_5A1	Number of drinks - Sunday	AL	1041
ALC6_5A2	Number of drinks - Monday	AL	1042
ALC6_5A3	Number of drinks - Tuesday	AL	1042
ALC6_5A4	Number of drinks - Wednesday	AL	1043
ALC6_5A5	Number of drinks - Thursday	AL	1043
ALC6_5A6	Number of drinks - Friday	AL	1044
ALC6_5A7	Number of drinks - Saturday	AL	1044
ALC6_5B	Ever had a drink	AL	1045
ALC6_6	Regularly drank more than 12 drinks a week	AL	1045
ALC6_7A	Reason reduced drinking - dieting	AL	1046
ALC6_7B	Reason reduced drinking - athletic training	AL	1046

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 5

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ALC6_7C	Reason reduced drinking - pregnancy	AL	1047
ALC6_7D	Reason reduced drinking - getting older	AL	1047
ALC6_7E	Reason reduced drinking - drinking too much	AL	1048
ALC6_7F	Reason reduced drinking - affected work / studies	AL	1048
ALC6_7G	Reason reduced drinking - interfered with family life	AL	1049
ALC6_7H	Reason reduced drinking - affected physical health	AL	1049
ALC6_7I	Reason reduced drinking - affected social relationships	AL	1050
ALC6_7J	Reason reduced drinking - affected financial position	AL	1050
ALC6_7K	Reason reduced drinking - affected happiness	AL	1051
ALC6_7L	Reason reduced drinking - influence of family / friends	AL	1051
ALC6_7M	Reason reduced drinking - other	AL	1052
ALC6_DAY	Interview date - day of the week	AL	1040
ALC6DDL	Average daily alcohol consumption - (D)	AL	1053
ALC6DTYP	Type of drinker - (D)	AL	1052
ALC6DWKY	Weekly alcohol consumption - (D)	AL	1053
ALC8_1	Drank alcohol in past 12 months	AL	1646
ALC8_2	Frequency of drinking alcohol	AL	1647
ALC8_3	Frequency of having 5 or more drinks	AL	1647
ALC8_5	Drank alcohol in past week	AL	1648
ALC8_5A1	Number of drinks - Sunday	AL	1649
ALC8_5A2	Number of drinks - Monday	AL	1649
ALC8_5A3	Number of drinks - Tuesday	AL	1650
ALC8_5A4	Number of drinks - Wednesday	AL	1650
ALC8_5A5	Number of drinks - Thursday	AL	1651
ALC8_5A6	Number of drinks - Friday	AL	1651
ALC8_5A7	Number of drinks - Saturday	AL	1652
ALC8_5B	Ever had a drink	AL	1652
ALC8_6	Regularly drank more than 12 drinks a week	AL	1653
ALC8_7A	Reason reduced drinking - dieting	AL	1653
ALC8_7B	Reason reduced drinking - athletic training	AL	1654
ALC8_7C	Reason reduced drinking - pregnancy	AL	1654
ALC8_7D	Reason reduced drinking - getting older	AL	1655
ALC8_7E	Reason reduced drinking - drinking too much	AL	1655
ALC8_7F	Reason reduced drinking - affected work / studies	AL	1656
ALC8_7G	Reason reduced drinking - interfered with family life	AL	1656
ALC8_7H	Reason reduced drinking - affected physical health	AL	1657

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 6

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ALC8_7I	Reason reduced drinking - affected social relationships	AL	1657
ALC8_7J	Reason reduced drinking - affected financial position	AL	1658
ALC8_7K	Reason reduced drinking - affected happiness	AL	1658
ALC8_7L	Reason reduced drinking - influence of family / friends	AL	1659
ALC8_7M	Reason reduced drinking - other	AL	1659
ALC8_DAY	Interview date - day of the week	AL	1648
ALC8DDL	Average daily alcohol consumption - (D)	AL	1661
ALC8DTYP	Type of drinker - (D)	AL	1660
ALC8DWKY	Weekly alcohol consumption - (D)	AL	1660
ALCA_1	Drank alcohol in past 12 months	AL	3151
ALCA_1A	Drank alcohol since last interview	AL	3150
ALCA_2	Frequency of drinking alcohol	AL	3151
ALCA_3	Frequency of having 5 or more drinks	AL	3152
ALCA_5	Drank alcohol in past week	AL	3153
ALCA_5A1	Number of drinks - Sunday	AL	3153
ALCA_5A2	Number of drinks - Monday	AL	3154
ALCA_5A3	Number of drinks - Tuesday	AL	3154
ALCA_5A4	Number of drinks - Wednesday	AL	3155
ALCA_5A5	Number of drinks - Thursday	AL	3155
ALCA_5A6	Number of drinks - Friday	AL	3156
ALCA_5A7	Number of drinks - Saturday	AL	3156
ALCA_5B	Ever had a drink	AL	3157
ALCA_6	Regularly drank more than 12 drinks a week	AL	3157
ALCA_7A	Reason reduced drinking - dieting	AL	3158
ALCA_7B	Reason reduced drinking - athletic training	AL	3158
ALCA_7C	Reason reduced drinking - pregnancy	AL	3159
ALCA_7D	Reason reduced drinking - getting older	AL	3159
ALCA_7E	Reason reduced drinking - drinking too much	AL	3160
ALCA_7F	Reason reduced drinking - affected work / studies	AL	3160
ALCA_7G	Reason reduced drinking - interfered with family life	AL	3161
ALCA_7H	Reason reduced drinking - affected physical health	AL	3161
ALCA_7I	Reason reduced drinking - affected social relationships	AL	3162
ALCA_7J	Reason reduced drinking - affected financial position	AL	3162
ALCA_7K	Reason reduced drinking - affected happiness	AL	3163
ALCA_7L	Reason reduced drinking - influence of family / friends	AL	3163
ALCA_7M	Reason reduced drinking - other	AL	3164

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 7

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ALCA_DAY	Interview date - day of the week	AL	3152
ALCADDLY	Average daily alcohol consumption - (D)	AL	3165
ALCADTYP	Type of drinker - (D)	AL	3164
ALCADWKY	Weekly alcohol consumption - (D)	AL	3165
ALCB_1	Drank alcohol in past 12 months	AL	3695
ALCB_1A	Drank alcohol since last interview	AL	3695
ALCB_2	Frequency of drinking alcohol	AL	3696
ALCB_3	Frequency of having 5 or more drinks	AL	3697
ALCB_5	Drank alcohol in past week	AL	3698
ALCB_5A1	Number of drinks - Sunday	AL	3698
ALCB_5A2	Number of drinks - Monday	AL	3699
ALCB_5A3	Number of drinks - Tuesday	AL	3699
ALCB_5A4	Number of drinks - Wednesday	AL	3700
ALCB_5A5	Number of drinks - Thursday	AL	3700
ALCB_5A6	Number of drinks - Friday	AL	3701
ALCB_5A7	Number of drinks - Saturday	AL	3701
ALCB_5B	Ever had a drink	AL	3702
ALCB_6	Regularly drank more than 12 drinks a week	AL	3702
ALCB_7A	Reason reduced drinking - dieting	AL	3703
ALCB_7B	Reason reduced drinking - athletic training	AL	3703
ALCB_7C	Reason reduced drinking - pregnancy	AL	3704
ALCB_7D	Reason reduced drinking - getting older	AL	3704
ALCB_7E	Reason reduced drinking - drinking too much	AL	3705
ALCB_7F	Reason reduced drinking - affected work / studies	AL	3705
ALCB_7G	Reason reduced drinking - interfered with family life	AL	3706
ALCB_7H	Reason reduced drinking - affected physical health	AL	3706
ALCB_7I	Reason reduced drinking - affected social relationships	AL	3707
ALCB_7J	Reason reduced drinking - affected financial position	AL	3707
ALCB_7K	Reason reduced drinking - affected happiness	AL	3708
ALCB_7L	Reason reduced drinking - influence of family / friends	AL	3708
ALCB_7M	Reason reduced drinking - other	AL	3709
ALCB_DAY	Interview date - day of the week	AL	3697
ALCBDDLY	Average daily alcohol consumption - (D)	AL	3710
ALCBDTYP	Type of drinker - (D)	AL	3709
ALCBDWKY	Weekly alcohol consumption - (D)	AL	3710
ALCC_1	Drank alcohol in past 12 months	AL	4244

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 8

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ALCC_1A	Drank alcohol since last interview	AL	4244
ALCC_2	Frequency of drinking alcohol	AL	4245
ALCC_3	Frequency of having 5 or more drinks	AL	4246
ALCC_5	Drank alcohol in past week	AL	4247
ALCC_5A1	Number of drinks - Sunday	AL	4247
ALCC_5A2	Number of drinks - Monday	AL	4248
ALCC_5A3	Number of drinks - Tuesday	AL	4248
ALCC_5A4	Number of drinks - Wednesday	AL	4249
ALCC_5A5	Number of drinks - Thursday	AL	4249
ALCC_5A6	Number of drinks - Friday	AL	4250
ALCC_5A7	Number of drinks - Saturday	AL	4250
ALCC_5B	Ever had a drink	AL	4251
ALCC_6	Regularly drank more than 12 drinks a week	AL	4251
ALCC_7A	Reason reduced drinking - dieting	AL	4252
ALCC_7B	Reason reduced drinking - athletic training	AL	4252
ALCC_7C	Reason reduced drinking - pregnancy	AL	4252
ALCC_7D	Reason reduced drinking - getting older	AL	4253
ALCC_7E	Reason reduced drinking - drinking too much	AL	4253
ALCC_7F	Reason reduced drinking - affected work / studies	AL	4254
ALCC_7G	Reason reduced drinking - interfered with family life	AL	4254
ALCC_7H	Reason reduced drinking - affected physical health	AL	4255
ALCC_7I	Reason reduced drinking - affected social relationships	AL	4255
ALCC_7J	Reason reduced drinking - affected financial position	AL	4256
ALCC_7K	Reason reduced drinking - affected happiness	AL	4256
ALCC_7L	Reason reduced drinking - influence of family / friends	AL	4257
ALCC_7M	Reason reduced drinking - other	AL	4257
ALCC_DAY	Interview date - day of the week	AL	4246
ALCCDDLY	Average daily alcohol consumption - (D)	AL	4259
ALCCDTYP	Type of drinker - (D)	AL	4258
ALCCDWKY	Weekly alcohol consumption - (D)	AL	4258
ALCD_1	Drank alcohol in past 12 months	AL	4742
ALCD_1A	Drank alcohol since last interview	AL	4742
ALCD_2	Frequency of drinking alcohol	AL	4743
ALCD_3	Frequency of having 5 or more drinks	AL	4743
ALCD_5	Drank alcohol in past week	AL	4744
ALCD_5A1	Number of drinks - Sunday	AL	4745



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 9

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ALCD_5A2	Number of drinks - Monday	AL	4745
ALCD_5A3	Number of drinks - Tuesday	AL	4746
ALCD_5A4	Number of drinks - Wednesday	AL	4746
ALCD_5A5	Number of drinks - Thursday	AL	4747
ALCD_5A6	Number of drinks - Friday	AL	4747
ALCD_5A7	Number of drinks - Saturday	AL	4748
ALCD_5B	Ever had a drink	AL	4748
ALCD_6	Regularly drank more than 12 drinks a week	AL	4749
ALCD_7A	Reason reduced drinking - dieting	AL	4749
ALCD_7B	Reason reduced drinking - athletic training	AL	4750
ALCD_7C	Reason reduced drinking - pregnancy	AL	4750
ALCD_7D	Reason reduced drinking - getting older	AL	4751
ALCD_7E	Reason reduced drinking - drinking too much	AL	4751
ALCD_7F	Reason reduced drinking - affected work / studies	AL	4752
ALCD_7G	Reason reduced drinking - interfered with family life	AL	4752
ALCD_7H	Reason reduced drinking - affected physical health	AL	4753
ALCD_7I	Reason reduced drinking - affected social relationships	AL	4753
ALCD_7J	Reason reduced drinking - affected financial position	AL	4754
ALCD_7K	Reason reduced drinking - affected happiness	AL	4754
ALCD_7L	Reason reduced drinking - influence of family / friends	AL	4755
ALCD_7M	Reason reduced drinking - other	AL	4755
ALCD_DAY	Interview date - day of the week	AL	4744
ALCDDDL	Average daily alcohol consumption - (D)	AL	4757
ALCDDTYP	Type of drinker - (D)	AL	4756
ALCDDWKY	Weekly alcohol consumption - (D)	AL	4756
ALP6_1	Drank alcohol during last pregnancy	AL	1054
ALP6_2	Average number of drinks during pregnancy	AL	1054
ALP6_3	Consumed alcohol while breastfeeding	AL	1055
ALP6_4	Average number of drinks while breastfeeding	AL	1055
AM30_PL	Respondent's preferred language	AM	1711
AM30_TEL	Type of contact - H03	AM	1709
AM32_PL	Respondent's preferred language	AM	2218
AM32_TEL	Type of contact - H03	AM	2216
AM34_LNG	Interview language - H03	AM	20
AM34_SRC	Record number of person providing H03 information	AM	20
AM36_LNG	Interview language - H03	AM	478

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 10

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
AM36_SRC	Record number of person providing H03 information	AM	477
AM36_TEL	Type of contact - H03	AM	476
AM38_LNG	Interview language - H03	AM	1168
AM38_LP	Household's preferred language	AM	1165
AM38_SRC	Record number of person providing H03 information	AM	1167
AM38_TEL	Type of contact - H03	AM	1165
AM3A_PL	Respondent's preferred language	AM	2755
AM3A_TEL	Type of contact - H03	AM	2753
AM3B_PL	Respondent's preferred language	AM	3291
AM3B_TEL	Type of contact - H03	AM	3289
AM3C_PL	Respondent's preferred language	AM	3834
AM3C_TEL	Type of contact - H03	AM	3832
AM3D_PL	Respondent's preferred language	AM	4382
AM3D_TEL	Type of contact - H03	AM	4380
AM54_BDD	Day of interview - H05 (start)	AM	28
AM54_BMM	Month of interview - H05 (start)	AM	28
AM54_BY Y	Year of interview - H05 (start)	AM	28
AM54_EDD	Day of interview - H05 (end)	AM	176
AM54_EMM	Month of interview - H05 (end)	AM	176
AM54_EYY	Year of interview - H05 (end)	AM	177
AM54_LNG	Interview language - H05	AM	175
AM54_PXY	H05 completed by proxy	AM	29
AM54_SRC	Record number of person providing H05 information	AM	29
AM54_STA	Status of general form - H05	AM	27
AM54_TEL	H05 interview by telephone or in person	AM	175
AM56_BDD	Day of interview - H05 (start)	AM	485
AM56_BMM	Month of interview - H05 (start)	AM	485
AM56_BY Y	Year of interview - H05 (start)	AM	486
AM56_EDD	Day of interview - H05 (end)	AM	687
AM56_EMM	Month of interview - H05 (end)	AM	688
AM56_EYY	Year of interview - H05 (end)	AM	688
AM56_LNG	Interview language - H05	AM	687
AM56_PXY	H05 completed by proxy	AM	486
AM56_SRC	Record number of person providing H05 information	AM	486
AM56_STA	Status of general form - H05	AM	484
AM56_TEL	H05 interview by telephone or in person	AM	686

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 11

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
AM58_BDD	Day of interview - H05 (start)	AM	1175
AM58_BMM	Month of interview - H05 (start)	AM	1175
AM58_BY Y	Year of interview - H05 (start)	AM	1176
AM58_EDD	Day of interview - H05 (end)	AM	1387
AM58_EMM	Month of interview - H05 (end)	AM	1387
AM58_EYY	Year of interview - H05 (end)	AM	1388
AM58_LNG	Interview language - H05	AM	1386
AM58_PXY	H05 completed by proxy	AM	1176
AM58_SRC	Record number of person providing H05 information	AM	1176
AM58_STA	Status of general form - H05	AM	1174
AM58_TEL	H05 interview by telephone or in person	AM	1386
AM60_BDD	Day of interview - H06 (start)	AM	1719
AM60_BMM	Month of interview - H06 (start)	AM	1719
AM60_BY Y	Year of interview - H06 (start)	AM	1720
AM60_LNG	Interview language - H06	AM	2210
AM60_LNK	Permission to link data	AM	2209
AM60_PXY	H06 completed by proxy	AM	1720
AM60_SHA	Agree to share information	AM	2209
AM60_SRC	Record number of person providing H06 information	AM	1720
AM60_STA	Status of health form - H06	AM	1718
AM60_TEL	H06 interview by telephone or in person	AM	2210
AM60FR	Flag for reason for proxy - H06	AM	1721
AM60LDUR	Duration of time between interviews	AM	2211
AM62_BDD	Day of interview - H06 (start)	AM	2226
AM62_BMM	Month of interview - H06 (start)	AM	2226
AM62_BY Y	Year of interview - H06 (start)	AM	2227
AM62_LNG	Interview language - H06	AM	2747
AM62_LNK	Permission to link data	AM	2746
AM62_PXY	H06 completed by proxy	AM	2227
AM62_SHA	Agree to share information	AM	2746
AM62_SRC	Record number of person providing H06 information	AM	2227
AM62_STA	Status of health form - H06	AM	2225
AM62_TEL	H06 interview by telephone or in person	AM	2747
AM62FR	Flag for reason for proxy - H06	AM	2228
AM62LDUR	Duration of time between interviews	AM	2748
AM64_AFF	Answers affected by presence of another person	AM	465

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 12

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
AM64_ALO	Respondent alone for completion of H06 questionnaire	AM	465
AM64_BDD	Day of interview - H06 (start)	AM	177
AM64_BMM	Month of interview - H06 (start)	AM	178
AM64_BYY	Year of interview - H06 (start)	AM	178
AM64_EDD	Day of interview - H06 (end)	AM	466
AM64_EMM	Month of interview - H06 (end)	AM	467
AM64_EYY	Year of interview - H06 (end)	AM	467
AM64_LNG	Interview language - H06	AM	466
AM64_LNK	Permission to link data	AM	463
AM64_PXY	H06 completed by proxy	AM	179
AM64_SHA	Agree to share information	AM	464
AM64_SRC	Record number of person providing H06 information	AM	178
AM64_STA	Status of health form - H06	AM	177
AM64_TEL	H06 interview by telephone or in person	AM	464
AM64FR	Flag for reason for proxy - H06	AM	179
AM66_AFF	Answers affected by presence of another person	AM	1158
AM66_ALO	Respondent alone for completion of H06 questionnaire	AM	1157
AM66_BDD	Day of interview - H06 (start)	AM	689
AM66_BMM	Month of interview - H06 (start)	AM	690
AM66_BYY	Year of interview - H06 (start)	AM	690
AM66_EDD	Day of interview - H06 (end)	AM	1159
AM66_EMM	Month of interview - H06 (end)	AM	1159
AM66_EYY	Year of interview - H06 (end)	AM	1160
AM66_LNG	Interview language - H06	AM	1158
AM66_LNK	Permission to link data	AM	1156
AM66_PXY	H06 completed by proxy	AM	691
AM66_SHA	Agree to share information	AM	1156
AM66_SRC	Record number of person providing H06 information	AM	691
AM66_STA	Status of health form - H06	AM	689
AM66_TEL	H06 interview by telephone or in person	AM	1157
AM66FR	Flag for reason for proxy - H06	AM	691
AM66LDUR	Duration of time between interviews	AM	1160
AM68_AFF	Answers affected by presence of another person	AM	1702
AM68_ALO	Respondent alone for completion of H06 questionnaire	AM	1701
AM68_BDD	Day of interview - H06 (start)	AM	1388
AM68_BMM	Month of interview - H06 (start)	AM	1389

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 13

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
AM68_BY Y	Year of interview - H06 (start)	AM	1389
AM68_EDD	Day of interview - H06 (end)	AM	1703
AM68_EMM	Month of interview - H06 (end)	AM	1703
AM68_EYY	Year of interview - H06 (end)	AM	1704
AM68_LNG	Interview language - H06	AM	1702
AM68_LNK	Permission to link data	AM	1700
AM68_PXY	H06 completed by proxy	AM	1390
AM68_SHA	Agree to share information	AM	1700
AM68_SRC	Record number of person providing H06 information	AM	1390
AM68_STA	Status of health form - H06	AM	1388
AM68_TEL	H06 interview by telephone or in person	AM	1701
AM68FR	Flag for reason for proxy - H06	AM	1390
AM68LDUR	Duration of time between interviews	AM	1704
AM6A_BDD	Day of interview - H06 (start)	AM	2763
AM6A_BMM	Month of interview - H06 (start)	AM	2763
AM6A_BY Y	Year of interview - H06 (start)	AM	2764
AM6A_LNG	Interview language - H06	AM	3283
AM6A_LNK	Permission to link data	AM	3282
AM6A_PXY	H06 completed by proxy	AM	2764
AM6A_SHA	Agree to share information	AM	3282
AM6A_SRC	Record number of person providing H06 information	AM	2764
AM6A_STA	Status of health form - H06	AM	2762
AM6A_TEL	H06 interview by telephone or in person	AM	3283
AM6AFR	Flag for reason for proxy - H06	AM	2765
AM6ALDUR	Duration of time between interviews	AM	3284
AM6B_BDD	Day of interview - H06 (start)	AM	3298
AM6B_BMM	Month of interview - H06 (start)	AM	3298
AM6B_BY Y	Year of interview - H06 (start)	AM	3299
AM6B_LNG	Interview language - H06	AM	3826
AM6B_LNK	Permission to link data	AM	3825
AM6B_PXY	H06 completed by proxy	AM	3299
AM6B_SHA	Agree to share information	AM	3825
AM6B_SRC	Record number of person providing H06 information	AM	3299
AM6B_STA	Status of health form - H06	AM	3297
AM6B_TEL	H06 interview by telephone or in person	AM	3826
AM6BFR	Flag for reason for proxy - H06	AM	3300

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 14

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
AM6BLDUR	Duration of time between interviews	AM	3827
AM6C_BDD	Day of interview - H06 (start)	AM	3841
AM6C_BMM	Month of interview - H06 (start)	AM	3841
AM6C_BY Y	Year of interview - H06 (start)	AM	3842
AM6C_LNG	Interview language - H06	AM	4374
AM6C_LNK	Permission to link data	AM	4373
AM6C_PXY	H06 completed by proxy	AM	3842
AM6C_SHA	Agree to share information	AM	4373
AM6C_SRC	Record number of person providing H06 information	AM	3842
AM6C_STA	Status of health form - H06	AM	3840
AM6C_TEL	H06 interview by telephone or in person	AM	4374
AM6CFR	Flag for reason for proxy - H06	AM	3843
AM6CLDUR	Duration of time between interviews	AM	4375
AM6D_BDD	Day of interview - H06 (start)	AM	4389
AM6D_BMM	Month of interview - H06 (start)	AM	4389
AM6D_BY Y	Year of interview - H06 (start)	AM	4390
AM6D_LNG	Interview language - H06	AM	4872
AM6D_LNK	Permission to link data	AM	4871
AM6D_PXY	H06 completed by proxy	AM	4390
AM6D_SHA	Agree to share information	AM	4871
AM6D_SRC	Record number of person providing H06 information	AM	4390
AM6D_STA	Status of health form - H06	AM	4388
AM6D_TEL	H06 interview by telephone or in person	AM	4872
AM6DFR	Flag for reason for proxy - H06	AM	4391
AM6DL DUR	Duration of time between interviews	AM	4873
AOI	Age at time of immigration - (D)	SD	9
APP6_1	My parents are strict for my own good	AP	1110
APP6_10	My parents trust me	AP	1115
APP6_2	My parents do not understand me	AP	1111
APP6_3	I have a lot of arguments with my parents	AP	1111
APP6_4	What my parents think of me is important	AP	1112
APP6_5	There are times when I would like to run away from home	AP	1112
APP6_6	I have a happy home life	AP	1113
APP6_7	I would raise my children differently	AP	1113
APP6_8	My parents expect too much of me	AP	1114
APP6_9	I ask my parents for advice on serious matters	AP	1114

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 15

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CC_0_D2	Arthritis / rheum. - had surgery	CC	1794
CC_0_D2A	Arthritis / rheum. surgery - hip replacement	CC	1794
CC_0_D2B	Arthritis / rheum. surgery - knee replacement	CC	1795
CC_0_D2C	Arthritis / rheum. surgery - other joint replacement	CC	1795
CC_0_D2D	Arthritis / rheum. surgery - other joint surgery	CC	1796
CC_0_D3A	Arthritis / rheum. treatment - drug	CC	1797
CC_0_D3B	Arthritis / rheum. treatment - diet	CC	1797
CC_0_D3C	Arthritis / rheum. treatment - exercise	CC	1798
CC_0_D3D	Arthritis / rheum. treatment - physiotherapy	CC	1798
CC_0_D3E	Arthritis / rheum. treatment - heat or ice	CC	1799
CC_0_D3F	Arthritis / rheum. treatment - relaxation techniques	CC	1799
CC_0_D3G	Arthritis / rheum. treatment - splints, supports etc.	CC	1800
CC_0_D3H	Arthritis / rheum. treatment - other	CC	1800
CC_0_D4A	Arthritis / rheum. drug type - prescription medication	CC	1801
CC_0_D4B	Arthritis / rheum. drug type - over-the-counter pain killers	CC	1801
CC_0_D4C	Arthritis / rheum. drug type - herbal or natural remedies	CC	1802
CC_0_J3A	Diabetes - diagnosed when pregnant	CC	1817
CC_0_J3B	Diabetes - diagnosed other than during pregnancy	CC	1817
CC_0_J3C	Diabetes - when started using insulin	CC	1818
CC_0_J4	Diabetes - takes insulin daily	CC	1819
CC_0_J4A	Diabetes - number of times per day use insulin	CC	1819
CC_0_J4B	Diabetes - number of units of insulin per day	CC	1820
CC_0_J5A	Diabetes - has taken course in managing	CC	1823
CC_0_J5B	Diabetes - household member has taken course in managing	CC	1823
CC_0_J5C	Diabetes - health professional gave information on diet	CC	1824
CC_0_J6A	Diabetes - nurse gave info on diet	CC	1824
CC_0_J6B	Diabetes - registered dietitian gave info on diet	CC	1825
CC_0_J6C	Diabetes - family doctor / g.p. gave info on diet	CC	1825
CC_0_J6D	Diabetes - other med. dr. / specialist gave info on diet	CC	1826
CC_0_J6E	Diabetes - other professional gave info on diet	CC	1826
CC_0_J7A	Diabetes - has been taught how to verify blood sugar	CC	1827
CC_0_J7B	Diabetes - hhld member has been taught how to verify sugar	CC	1827
CC_0_J8A	Diabetes - frequency of checking blood sugar levels	CC	1828
CC_0_J8B	Diabetes - frequency of checking feet	CC	1829
CC_0_L1B	Heart disease - number of heart attacks	CC	1833
CC_0_L1C	Heart disease - age at first heart attack	CC	1834

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 16

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CC_0_L1D	Heart disease - age at most recent heart attack	CC	1834
CC_0_L1E	Heart disease - ever been admitted	CC	1835
CC_0_L4A	Heart disease treatment - bypass surgery	CC	1835
CC_0_L4B	Heart disease treatment - angioplasty	CC	1836
CC_0_L4C	Heart disease treatment - drugs	CC	1836
CC_0_L4D	Heart disease treatment - other	CC	1837
CC_0_L4E	Heart disease treatment - no treatment received	CC	1837
CC_0_L5A	Heart disease rehabilitation program - ever been referred	CC	1838
CC_0_L5B	Heart disease rehabilitation program - has attended	CC	1838
CC_0_L5C	Heart disease rehabilitation program - has completed	CC	1839
CCC0_1A	Has food allergies	CC	1786
CCC0_1B	Has allergies other than food allergies	CC	1787
CCC0_1C	Has asthma	CC	1787
CCC0_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	1792
CCC0_1E	Has back problems excluding fibromyalgia and arthritis	CC	1802
CCC0_1F	Has high blood pressure	CC	1803
CCC0_1G	Has migraine headaches	CC	1808
CCC0_1H	Has chronic bronchitis or emphysema	CC	1814
CCC0_1J	Has diabetes	CC	1815
CCC0_1K	Has epilepsy	CC	1829
CCC0_1L	Has heart disease	CC	1832
CCC0_1M	Has cancer	CC	1840
CCC0_1N	Has intestinal or stomach ulcers	CC	1841
CCC0_1O	Suffers from the effects of a stroke	CC	1844
CCC0_1P	Suffers from urinary incontinence	CC	1846
CCC0_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	1847
CCC0_1R	Has Alzheimer's Disease or other dementia	CC	1848
CCC0_1S	Has cataracts	CC	1849
CCC0_1T	Has glaucoma	CC	1850
CCC0_1U	Has a thyroid condition	CC	1851
CCC0_1V	Has other long-term condition	CC	1852
CCC0_1X	Has fibromyalgia	CC	1791
CCC0_A3	Food allergies - age first diagnosed	CC	1786
CCC0_C1	Asthma - condition disappeared	CC	1788
CCC0_C2M	Asthma - month condition disappeared	CC	1789
CCC0_C2Y	Asthma - year condition disappeared	CC	1790



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 17

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC0_C3	Asthma - age first diagnosed	CC	1788
CCC0_C5	Asthma - had symptoms or attacks	CC	1790
CCC0_C6	Asthma - took medication	CC	1791
CCC0_D11	Arthritis / rheum. - kind	CC	1793
CCC0_D3	Arthritis / rheum. - age first diagnosed	CC	1793
CCC0_D5	Arthritis / rheum. - received treatment or medication	CC	1796
CCC0_E3	Back problems - age first diagnosed	CC	1803
CCC0_F1	High blood pressure - condition disappeared	CC	1804
CCC0_F2M	High blood pressure - month condition disappeared	CC	1805
CCC0_F2Y	High blood pressure - year condition disappeared	CC	1805
CCC0_F3	High blood pressure - age first diagnosed	CC	1804
CCC0_F5	High blood pressure - received treatment or medication	CC	1806
CCC0_F6A	High blood pressure treatment - drug	CC	1806
CCC0_F6B	High blood pressure treatment - diet	CC	1807
CCC0_F6C	High blood pressure treatment - other	CC	1808
CCC0_F6D	High blood pressure treatment - exercise / physiotherapy	CC	1807
CCC0_G1	Migraines - condition disappeared	CC	1809
CCC0_G2M	Migraines - month condition disappeared	CC	1810
CCC0_G2Y	Migraines - year condition disappeared	CC	1811
CCC0_G3	Migraine - age first diagnosed	CC	1809
CCC0_G5	Migraines - received treatment or medication	CC	1811
CCC0_G6A	Migraines treatment - drug	CC	1812
CCC0_G6B	Migraines treatment - diet	CC	1812
CCC0_G6C	Migraines treatment - other	CC	1813
CCC0_G6D	Migraines treatment - exercise / physiotherapy	CC	1813
CCC0_H3	Chronic bronchitis or emphysema - age first diagnosed	CC	1814
CCC0_J1	Diabetes - condition disappeared	CC	1816
CCC0_J2M	Diabetes - month condition disappeared	CC	1816
CCC0_J2Y	Diabetes - year condition disappeared	CC	1817
CCC0_J3	Diabetes - age first diagnosed	CC	1815
CCC0_J5	Diabetes - currently takes insulin	CC	1818
CCC0_J6	Diabetes - takes treatment other than insulin	CC	1820
CCC0_J7A	Diabetes treatment - drug	CC	1821
CCC0_J7B	Diabetes treatment - diet	CC	1821
CCC0_J7C	Diabetes treatment - other	CC	1822
CCC0_J7D	Diabetes treatment - exercise / physiotherapy	CC	1822

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 18

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC0_K1	Epilepsy - condition disappeared	CC	1830
CCC0_K2M	Epilepsy - month condition disappeared	CC	1831
CCC0_K2Y	Epilepsy - year condition disappeared	CC	1831
CCC0_K3	Epilepsy - age first diagnosed	CC	1830
CCC0_L1A	Heart disease - ever had a heart attack	CC	1833
CCC0_L3	Heart disease - age first diagnosed	CC	1832
CCC0_L6	Heart disease - has angina	CC	1839
CCC0_L7	Heart disease - has congestive heart failure	CC	1840
CCC0_M3	Cancer - age first diagnosed	CC	1841
CCC0_N1	Ulcers - condition disappeared	CC	1842
CCC0_N2M	Ulcers - month condition disappeared	CC	1843
CCC0_N2Y	Ulcers - year condition disappeared	CC	1843
CCC0_N3	Ulcers - age first diagnosed	CC	1842
CCC0_O1	Effects of stroke - condition disappeared	CC	1845
CCC0_O2M	Effects of stroke - month condition disappeared	CC	1845
CCC0_O2Y	Effects of stroke - year condition disappeared	CC	1846
CCC0_O3	Effects of stroke - age first diagnosed	CC	1844
CCC0_P3	Urinary incontinence - age first diagnosed	CC	1847
CCC0_Q3	Bowel disorder - age first diagnosed	CC	1848
CCC0_R3	Alzheimer's disease / other dementia - age first diagnosed	CC	1849
CCC0_S3	Cataracts - age first diagnosed	CC	1850
CCC0_T3	Glaucoma - age first diagnosed	CC	1851
CCC0_U3	Thyroid condition - age first diagnosed	CC	1852
CCC0_X3	Fibromyalgia - age first diagnosed	CC	1792
CCC0DANY	Has a chronic condition - (D)	CC	1853
CCC0DNUM	Number of chronic conditions - (D)	CC	1853
CCC2_1A	Has food allergies	CC	2350
CCC2_1B	Has allergies other than food allergies	CC	2350
CCC2_1C	Has asthma	CC	2351
CCC2_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	2363
CCC2_1E	Has back problems excluding fibromyalgia and arthritis	CC	2371
CCC2_1F	Has high blood pressure	CC	2371
CCC2_1G	Has migraine headaches	CC	2378
CCC2_1H	Has chronic bronchitis or emphysema	CC	2385
CCC2_1J	Has diabetes	CC	2386
CCC2_1K	Has epilepsy	CC	2392

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 19

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC2_1L	Has heart disease	CC	2396
CCC2_1M	Has cancer	CC	2398
CCC2_1N	Has intestinal or stomach ulcers	CC	2398
CCC2_1O	Suffers from the effects of a stroke	CC	2403
CCC2_1P	Suffers from urinary incontinence	CC	2407
CCC2_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	2407
CCC2_1R	Has Alzheimer's Disease or other dementia	CC	2408
CCC2_1S	Has cataracts	CC	2408
CCC2_1T	Has glaucoma	CC	2409
CCC2_1U	Has a thyroid condition	CC	2409
CCC2_1V	Has other long-term condition	CC	2410
CCC2_1X	Has fibromyalgia	CC	2357
CCC2_C1	Asthma - condition disappeared	CC	2354
CCC2_C2M	Asthma - month condition disappeared	CC	2355
CCC2_C2Y	Asthma - year condition disappeared	CC	2355
CCC2_C3M	Asthma - month diagnosed	CC	2352
CCC2_C3Y	Asthma - year diagnosed	CC	2353
CCC2_C4	Asthma - had prior to last interview	CC	2353
CCC2_C5	Asthma - had symptoms or attacks	CC	2356
CCC2_C6	Asthma - took medication	CC	2356
CCC2_D1	Arthritis / rheum. - condition disappeared	CC	2366
CCC2_D11	Arthritis / rheum. - kind	CC	2368
CCC2_D2M	Arthritis / rheum. - month condition disappeared	CC	2367
CCC2_D2Y	Arthritis / rheum. - year condition disappeared	CC	2367
CCC2_D3M	Arthritis / rheum. - month diagnosed	CC	2364
CCC2_D3Y	Arthritis / rheum. - year diagnosed	CC	2365
CCC2_D4	Arthritis / rheum. - had prior to last interview	CC	2365
CCC2_D5	Arthritis / rheum. - received treatment or medication	CC	2368
CCC2_D6A	Arthritis / rheum. treatment - drug	CC	2369
CCC2_D6B	Arthritis / rheum. treatment - diet	CC	2369
CCC2_D6C	Arthritis / rheum. treatment - other	CC	2370
CCC2_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	2370
CCC2_F1	High blood pressure - condition disappeared	CC	2374
CCC2_F2M	High blood pressure - month condition disappeared	CC	2375
CCC2_F2Y	High blood pressure - year condition disappeared	CC	2375
CCC2_F3M	High blood pressure - month diagnosed	CC	2372

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 20

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC2_F3Y	High blood pressure - year diagnosed	CC	2373
CCC2_F4	High blood pressure - had prior to last interview	CC	2373
CCC2_F5	High blood pressure - received treatment or medication	CC	2376
CCC2_F6A	High blood pressure treatment - drug	CC	2376
CCC2_F6B	High blood pressure treatment - diet	CC	2377
CCC2_F6C	High blood pressure treatment - other	CC	2378
CCC2_F6D	High blood pressure treatment - exercise / physiotherapy	CC	2377
CCC2_G1	Migraines - condition disappeared	CC	2381
CCC2_G2M	Migraines - month condition disappeared	CC	2382
CCC2_G2Y	Migraines - year condition disappeared	CC	2382
CCC2_G3M	Migraines - month diagnosed	CC	2379
CCC2_G3Y	Migraines - year diagnosed	CC	2380
CCC2_G4	Migraines - had prior to last interview	CC	2380
CCC2_G5	Migraines - received treatment or medication	CC	2383
CCC2_G6A	Migraines treatment - drug	CC	2383
CCC2_G6B	Migraines treatment - diet	CC	2384
CCC2_G6C	Migraines treatment - other	CC	2385
CCC2_G6D	Migraines treatment - exercise / physiotherapy	CC	2384
CCC2_J1	Diabetes - condition disappeared	CC	2388
CCC2_J2M	Diabetes - month condition disappeared	CC	2388
CCC2_J2Y	Diabetes - year condition disappeared	CC	2389
CCC2_J3M	Diabetes - month diagnosed	CC	2386
CCC2_J3Y	Diabetes - year diagnosed	CC	2387
CCC2_J4	Diabetes - had prior to last interview	CC	2387
CCC2_J5	Diabetes - currently takes insulin	CC	2389
CCC2_J6	Diabetes - takes treatment other than insulin	CC	2390
CCC2_J7A	Diabetes treatment - drug	CC	2390
CCC2_J7B	Diabetes treatment - diet	CC	2391
CCC2_J7C	Diabetes treatment - other	CC	2391
CCC2_J7D	Diabetes treatment - exercise / physiotherapy	CC	2392
CCC2_K1	Epilepsy - condition disappeared	CC	2394
CCC2_K2M	Epilepsy - month condition disappeared	CC	2395
CCC2_K2Y	Epilepsy - year condition disappeared	CC	2395
CCC2_K3M	Epilepsy - month diagnosed	CC	2393
CCC2_K3Y	Epilepsy - year diagnosed	CC	2393
CCC2_K4	Epilepsy - had prior to last interview	CC	2394

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 21

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC2_L1A	Heart disease - ever had a heart attack	CC	2396
CCC2_L6	Heart disease - has angina	CC	2397
CCC2_L7	Heart disease - has congestive heart failure	CC	2397
CCC2_N1	Ulcers - condition disappeared	CC	2401
CCC2_N2M	Ulcers - month condition disappeared	CC	2402
CCC2_N2Y	Ulcers - year condition disappeared	CC	2402
CCC2_N3M	Ulcers - month diagnosed	CC	2399
CCC2_N3Y	Ulcers - year diagnosed	CC	2400
CCC2_N4	Ulcers - had prior to last interview	CC	2400
CCC2_O1	Effects of stroke - condition disappeared	CC	2405
CCC2_O2M	Effects of stroke - month condition disappeared	CC	2406
CCC2_O2Y	Effects of stroke - year condition disappeared	CC	2406
CCC2_O3M	Effects of stroke - month diagnosed	CC	2404
CCC2_O3Y	Effects of stroke - year diagnosed	CC	2404
CCC2_O4	Effects of stroke - had prior to last interview	CC	2405
CCC2_X1	Fibromyalgia - condition disappeared	CC	2359
CCC2_X2M	Fibromyalgia - month condition disappeared	CC	2359
CCC2_X2Y	Fibromyalgia - year condition disappeared	CC	2360
CCC2_X3M	Fibromyalgia - month diagnosed	CC	2357
CCC2_X3Y	Fibromyalgia - year diagnosed	CC	2358
CCC2_X4	Fibromyalgia - had prior to last interview	CC	2358
CCC2_X5	Fibromyalgia - received treatment or medication	CC	2360
CCC2_X6A	Fibromyalgia treatment - drug	CC	2361
CCC2_X6B	Fibromyalgia treatment - diet	CC	2361
CCC2_X6C	Fibromyalgia treatment - other	CC	2362
CCC2_X6D	Fibromyalgia treatment - exercise / physiotherapy	CC	2362
CCC2DANY	Has a chronic condition - (D)	CC	2410
CCC2DNUM	Number of chronic conditions - (D)	CC	2411
CCC4_1A	Has food allergies	CC	67
CCC4_1B	Has allergies other than food allergies	CC	68
CCC4_1C	Has asthma	CC	69
CCC4_1D	Has arthritis or rheumatism	CC	70
CCC4_1E	Has back problems excluding arthritis	CC	71
CCC4_1F	Has high blood pressure	CC	71
CCC4_1G	Has migraine headaches	CC	72
CCC4_1H	Has chronic bronchitis or emphysema	CC	72

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 22

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC4_1I	Has sinusitis	CC	73
CCC4_1J	Has diabetes	CC	73
CCC4_1K	Has epilepsy	CC	74
CCC4_1L	Has heart disease	CC	74
CCC4_1M	Has cancer	CC	75
CCC4_1N	Has stomach or intestinal ulcers	CC	76
CCC4_1O	Suffers from the effects of a stroke	CC	76
CCC4_1P	Suffers from urinary incontinence	CC	77
CCC4_1R	Has Alzheimer's disease or other dementia	CC	78
CCC4_1S	Has cataracts	CC	78
CCC4_1T	Has glaucoma	CC	79
CCC4_1V	Has other long-term condition	CC	79
CCC4_1W	Has acne	CC	77
CCC4_C7	Asthma - had attack	CC	69
CCC4_C8	Asthma - had wheezing or whistling in chest	CC	70
CCC4_NON	Has no chronic conditions	CC	80
CCC4DANY	Has a chronic condition - (D)	CC	80
CCC4DNUM	Number of chronic conditions - (D)	CC	80
CCC4FM1	Flag for type of cancer	CC	75
CCC6_1A	Has food allergies	CC	539
CCC6_1B	Has allergies other than food allergies	CC	540
CCC6_1C	Has asthma	CC	540
CCC6_1D	Has arthritis or rheumatism	CC	545
CCC6_1E	Has back problems excluding arthritis	CC	550
CCC6_1F	Has high blood pressure	CC	551
CCC6_1G	Has migraine headaches	CC	556
CCC6_1H	Has chronic bronchitis or emphysema	CC	563
CCC6_1I	Has sinusitis	CC	563
CCC6_1J	Has diabetes	CC	564
CCC6_1K	Has epilepsy	CC	570
CCC6_1L	Has heart disease	CC	573
CCC6_1M	Has cancer	CC	574
CCC6_1N	Has intestinal or stomach ulcers	CC	574
CCC6_1O	Suffers from the effects of a stroke	CC	578
CCC6_1P	Suffers from urinary incontinence	CC	582
CCC6_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	582

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 23

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC6_1R	Has Alzheimer's Disease or other dementia	CC	583
CCC6_1S	Has cataracts	CC	583
CCC6_1T	Has glaucoma	CC	584
CCC6_1U	Has a thyroid condition	CC	584
CCC6_1V	Has other long-term condition	CC	585
CCC6_C1	Asthma - condition disappeared	CC	541
CCC6_C2M	Asthma - month condition disappeared	CC	541
CCC6_C2Y	Asthma - year condition disappeared	CC	542
CCC6_C3M	Asthma - month diagnosed	CC	542
CCC6_C3Y	Asthma - year diagnosed	CC	543
CCC6_C4	Asthma - had prior to last interview	CC	543
CCC6_C5	Asthma - had symptoms or attacks	CC	544
CCC6_C6	Asthma - took medication	CC	544
CCC6_D1	Arthritis / rheum. - condition disappeared	CC	545
CCC6_D2M	Arthritis / rheum. - month condition disappeared	CC	546
CCC6_D2Y	Arthritis / rheum. - year condition disappeared	CC	546
CCC6_D3M	Arthritis / rheum. - month diagnosed	CC	547
CCC6_D3Y	Arthritis / rheum. - year diagnosed	CC	547
CCC6_D4	Arthritis / rheum. - had prior to last interview	CC	548
CCC6_D5	Arthritis / rheum. - received treatment or medication	CC	548
CCC6_D6A	Arthritis / rheum. treatment - drug	CC	549
CCC6_D6B	Arthritis / rheum. treatment - diet	CC	549
CCC6_D6C	Arthritis / rheum. treatment - other	CC	550
CCC6_F1	High blood pressure - condition disappeared	CC	551
CCC6_F2M	High blood pressure - month condition disappeared	CC	552
CCC6_F2Y	High blood pressure - year condition disappeared	CC	552
CCC6_F3M	High blood pressure - month diagnosed	CC	553
CCC6_F3Y	High blood pressure - year diagnosed	CC	553
CCC6_F4	High blood pressure - had prior to last interview	CC	554
CCC6_F5	High blood pressure - received treatment or medication	CC	554
CCC6_F6A	High blood pressure treatment - drug	CC	555
CCC6_F6B	High blood pressure treatment - diet	CC	555
CCC6_F6C	High blood pressure treatment - other	CC	556
CCC6_G1	Migraines - condition disappeared	CC	557
CCC6_G2M	Migraines - month condition disappeared	CC	558
CCC6_G2Y	Migraines - year condition disappeared	CC	558

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 24

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC6_G3M	Migraines - month diagnosed	CC	559
CCC6_G3Y	Migraines - year diagnosed	CC	560
CCC6_G4	Migraines - had prior to last interview	CC	560
CCC6_G5	Migraines - received treatment or medication	CC	561
CCC6_G6A	Migraines treatment - drug	CC	561
CCC6_G6B	Migraines treatment - diet	CC	562
CCC6_G6C	Migraines treatment - other	CC	562
CCC6_J1	Diabetes - condition disappeared	CC	564
CCC6_J2M	Diabetes - month condition disappeared	CC	565
CCC6_J2Y	Diabetes - year condition disappeared	CC	565
CCC6_J3M	Diabetes - month diagnosed	CC	566
CCC6_J3Y	Diabetes - year diagnosed	CC	566
CCC6_J4	Diabetes - had prior to last interview	CC	567
CCC6_J5	Diabetes - takes insulin	CC	567
CCC6_J6	Diabetes - takes treatment other than insulin	CC	568
CCC6_J7A	Diabetes treatment - drug	CC	568
CCC6_J7B	Diabetes treatment - diet	CC	569
CCC6_J7C	Diabetes treatment - other	CC	569
CCC6_K1	Epilepsy - condition disappeared	CC	570
CCC6_K2M	Epilepsy - month condition disappeared	CC	571
CCC6_K2Y	Epilepsy - year condition disappeared	CC	571
CCC6_K3M	Epilepsy - month diagnosed	CC	572
CCC6_K3Y	Epilepsy - year diagnosed	CC	572
CCC6_K4	Epilepsy - had prior to last interview	CC	573
CCC6_N1	Ulcers - condition disappeared	CC	575
CCC6_N2M	Ulcers - month condition disappeared	CC	576
CCC6_N2Y	Ulcers - year condition disappeared	CC	576
CCC6_N3M	Ulcers - month diagnosed	CC	577
CCC6_N3Y	Ulcers - year diagnosed	CC	577
CCC6_N4	Ulcers - had prior to last interview	CC	578
CCC6_O1	Effects of stroke - condition disappeared	CC	579
CCC6_O2M	Effects of stroke - month condition disappeared	CC	579
CCC6_O2Y	Effects of stroke - year condition disappeared	CC	580
CCC6_O3M	Effects of stroke - month diagnosed	CC	580
CCC6_O3Y	Effects of stroke - year diagnosed	CC	581
CCC6_O4	Effects of stroke - had prior to last interview	CC	581



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 25

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC6DANY	Has a chronic condition - (D)	CC	585
CCC6DNUM	Number of chronic conditions - (D)	CC	586
CCC8_1A	Has food allergies	CC	1227
CCC8_1B	Has allergies other than food allergies	CC	1228
CCC8_1C	Has asthma	CC	1228
CCC8_1D	Has arthritis or rheumatism	CC	1233
CCC8_1E	Has back problems excluding arthritis	CC	1240
CCC8_1F	Has high blood pressure	CC	1240
CCC8_1G	Has migraine headaches	CC	1247
CCC8_1H	Has chronic bronchitis or emphysema	CC	1253
CCC8_1I	Has sinusitis	CC	1253
CCC8_1J	Has diabetes	CC	1254
CCC8_1K	Has epilepsy	CC	1260
CCC8_1L	Has heart disease	CC	1263
CCC8_1M	Has cancer	CC	1264
CCC8_1N	Has intestinal or stomach ulcers	CC	1264
CCC8_1O	Suffers from the effects of a stroke	CC	1268
CCC8_1P	Suffers from urinary incontinence	CC	1271
CCC8_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	1272
CCC8_1R	Has Alzheimer's Disease or other dementia	CC	1272
CCC8_1S	Has cataracts	CC	1273
CCC8_1T	Has glaucoma	CC	1273
CCC8_1U	Has a thyroid condition	CC	1274
CCC8_1V	Has other long-term condition	CC	1274
CCC8_C1	Asthma - condition disappeared	CC	1229
CCC8_C2M	Asthma - month condition disappeared	CC	1230
CCC8_C2Y	Asthma - year condition disappeared	CC	1230
CCC8_C3M	Asthma - month diagnosed	CC	1231
CCC8_C3Y	Asthma - year diagnosed	CC	1231
CCC8_C4	Asthma - had prior to last interview	CC	1232
CCC8_C5	Asthma - had symptoms or attacks	CC	1232
CCC8_C6	Asthma - took medication	CC	1233
CCC8_D1	Arthritis / rheum. - condition disappeared	CC	1234
CCC8_D2M	Arthritis / rheum. - month condition disappeared	CC	1235
CCC8_D2Y	Arthritis / rheum. - year condition disappeared	CC	1235
CCC8_D3M	Arthritis / rheum. - month diagnosed	CC	1236

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 26

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC8_D3Y	Arthritis / rheum. - year diagnosed	CC	1236
CCC8_D4	Arthritis / rheum. - had prior to last interview	CC	1237
CCC8_D5	Arthritis / rheum. - received treatment or medication	CC	1237
CCC8_D6A	Arthritis / rheum. treatment - drug	CC	1238
CCC8_D6B	Arthritis / rheum. treatment - diet	CC	1238
CCC8_D6C	Arthritis / rheum. treatment - other	CC	1239
CCC8_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	1239
CCC8_F1	High blood pressure - condition disappeared	CC	1241
CCC8_F2M	High blood pressure - month condition disappeared	CC	1242
CCC8_F2Y	High blood pressure - year condition disappeared	CC	1242
CCC8_F3M	High blood pressure - month diagnosed	CC	1243
CCC8_F3Y	High blood pressure - year diagnosed	CC	1243
CCC8_F4	High blood pressure - had prior to last interview	CC	1244
CCC8_F5	High blood pressure - received treatment or medication	CC	1244
CCC8_F6A	High blood pressure treatment - drug	CC	1245
CCC8_F6B	High blood pressure treatment - diet	CC	1245
CCC8_F6C	High blood pressure treatment - other	CC	1246
CCC8_F6D	High blood pressure treatment - exercise / physiotherapy	CC	1246
CCC8_G1	Migraines - condition disappeared	CC	1247
CCC8_G2M	Migraines - month condition disappeared	CC	1248
CCC8_G2Y	Migraines - year condition disappeared	CC	1248
CCC8_G3M	Migraines - month diagnosed	CC	1249
CCC8_G3Y	Migraines - year diagnosed	CC	1249
CCC8_G4	Migraines - had prior to last interview	CC	1250
CCC8_G5	Migraines - received treatment or medication	CC	1250
CCC8_G6A	Migraines treatment - drug	CC	1251
CCC8_G6B	Migraines treatment - diet	CC	1251
CCC8_G6C	Migraines treatment - other	CC	1252
CCC8_G6D	Migraines treatment - exercise / physiotherapy	CC	1252
CCC8_J1	Diabetes - condition disappeared	CC	1254
CCC8_J2M	Diabetes - month condition disappeared	CC	1255
CCC8_J2Y	Diabetes - year condition disappeared	CC	1255
CCC8_J3M	Diabetes - month diagnosed	CC	1256
CCC8_J3Y	Diabetes - year diagnosed	CC	1256
CCC8_J4	Diabetes - had prior to last interview	CC	1257
CCC8_J5	Diabetes - takes insulin	CC	1257

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 27

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCC8_J6	Diabetes - takes treatment other than insulin	CC	1258
CCC8_J7A	Diabetes treatment - drug	CC	1258
CCC8_J7B	Diabetes treatment - diet	CC	1259
CCC8_J7C	Diabetes treatment - other	CC	1260
CCC8_J7D	Diabetes treatment - exercise / physiotherapy	CC	1259
CCC8_K1	Epilepsy - condition disappeared	CC	1261
CCC8_K2M	Epilepsy - month condition disappeared	CC	1261
CCC8_K2Y	Epilepsy - year condition disappeared	CC	1262
CCC8_K3M	Epilepsy - month diagnosed	CC	1262
CCC8_K3Y	Epilepsy - year diagnosed	CC	1263
CCC8_K4	Epilepsy - had prior to last interview	CC	1263
CCC8_N1	Ulcers - condition disappeared	CC	1265
CCC8_N2M	Ulcers - month condition disappeared	CC	1265
CCC8_N2Y	Ulcers - year condition disappeared	CC	1266
CCC8_N3M	Ulcers - month diagnosed	CC	1266
CCC8_N3Y	Ulcers - year diagnosed	CC	1267
CCC8_N4	Ulcers - had prior to last interview	CC	1267
CCC8_O1	Effects of stroke - condition disappeared	CC	1268
CCC8_O2M	Effects of stroke - month condition disappeared	CC	1269
CCC8_O2Y	Effects of stroke - year condition disappeared	CC	1269
CCC8_O3M	Effects of stroke - month diagnosed	CC	1270
CCC8_O3Y	Effects of stroke - year diagnosed	CC	1270
CCC8_O4	Effects of stroke - had prior to last interview	CC	1271
CCC8DANY	Has a chronic condition - (D)	CC	1275
CCC8DNUM	Number of chronic conditions - (D)	CC	1275
CCCA_1A	Has food allergies	CC	2885
CCCA_1B	Has allergies other than food allergies	CC	2886
CCCA_1C	Has asthma	CC	2886
CCCA_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	2898
CCCA_1E	Has back problems excluding fibromyalgia and arthritis	CC	2906
CCCA_1F	Has high blood pressure	CC	2906
CCCA_1G	Has migraine headaches	CC	2913
CCCA_1H	Has chronic bronchitis or emphysema	CC	2919
CCCA_1J	Has diabetes	CC	2920
CCCA_1K	Has epilepsy	CC	2927
CCCA_1L	Has heart disease	CC	2930

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 28

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCA_1M	Has cancer	CC	2932
CCCA_1N	Has intestinal or stomach ulcers	CC	2933
CCCA_1O	Suffers from the effects of a stroke	CC	2937
CCCA_1P	Suffers from urinary incontinence	CC	2941
CCCA_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	2941
CCCA_1R	Has Alzheimer's Disease or other dementia	CC	2942
CCCA_1S	Has cataracts	CC	2942
CCCA_1T	Has glaucoma	CC	2943
CCCA_1U	Has a thyroid condition	CC	2943
CCCA_1V	Has other long-term condition	CC	2944
CCCA_1X	Has fibromyalgia	CC	2892
CCCA_C1	Asthma - condition disappeared	CC	2889
CCCA_C2M	Asthma - month condition disappeared	CC	2890
CCCA_C2Y	Asthma - year condition disappeared	CC	2891
CCCA_C3M	Asthma - month diagnosed	CC	2887
CCCA_C3Y	Asthma - year diagnosed	CC	2888
CCCA_C4	Asthma - had prior to last interview	CC	2888
CCCA_C5	Asthma - had symptoms or attacks	CC	2891
CCCA_C6	Asthma - took medication	CC	2892
CCCA_D1	Arthritis / rheum. - condition disappeared	CC	2901
CCCA_D11	Arthritis / rheum. - kind	CC	2903
CCCA_D2M	Arthritis / rheum. - month condition disappeared	CC	2902
CCCA_D2Y	Arthritis / rheum. - year condition disappeared	CC	2902
CCCA_D3M	Arthritis / rheum. - month diagnosed	CC	2899
CCCA_D3Y	Arthritis / rheum. - year diagnosed	CC	2900
CCCA_D4	Arthritis / rheum. - had prior to last interview	CC	2900
CCCA_D5	Arthritis / rheum. - received treatment or medication	CC	2903
CCCA_D6A	Arthritis / rheum. treatment - drug	CC	2904
CCCA_D6B	Arthritis / rheum. treatment - diet	CC	2904
CCCA_D6C	Arthritis / rheum. treatment - other	CC	2905
CCCA_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	2905
CCCA_F1	High blood pressure - condition disappeared	CC	2909
CCCA_F2M	High blood pressure - month condition disappeared	CC	2910
CCCA_F2Y	High blood pressure - year condition disappeared	CC	2910
CCCA_F3M	High blood pressure - month diagnosed	CC	2907
CCCA_F3Y	High blood pressure - year diagnosed	CC	2908

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 29

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCA_F4	High blood pressure - had prior to last interview	CC	2908
CCCA_F5	High blood pressure - received treatment or medication	CC	2911
CCCA_F6A	High blood pressure treatment - drug	CC	2911
CCCA_F6B	High blood pressure treatment - diet	CC	2912
CCCA_F6C	High blood pressure treatment - other	CC	2912
CCCA_F6D	High blood pressure treatment - exercise / physiotherapy	CC	2913
CCCA_G1	Migraines - condition disappeared	CC	2915
CCCA_G2M	Migraines - month condition disappeared	CC	2916
CCCA_G2Y	Migraines - year condition disappeared	CC	2916
CCCA_G3M	Migraines - month diagnosed	CC	2914
CCCA_G3Y	Migraines - year diagnosed	CC	2914
CCCA_G4	Migraines - had prior to last interview	CC	2915
CCCA_G5	Migraines - received treatment or medication	CC	2917
CCCA_G6A	Migraines treatment - drug	CC	2917
CCCA_G6B	Migraines treatment - diet	CC	2918
CCCA_G6C	Migraines treatment - other	CC	2918
CCCA_G6D	Migraines treatment - exercise / physiotherapy	CC	2919
CCCA_J1	Diabetes - condition disappeared	CC	2922
CCCA_J2M	Diabetes - month condition disappeared	CC	2923
CCCA_J2Y	Diabetes - year condition disappeared	CC	2923
CCCA_J3M	Diabetes - month diagnosed	CC	2921
CCCA_J3Y	Diabetes - year diagnosed	CC	2921
CCCA_J4	Diabetes - had prior to last interview	CC	2922
CCCA_J5	Diabetes - currently takes insulin	CC	2924
CCCA_J6	Diabetes - takes treatment other than insulin	CC	2924
CCCA_J7A	Diabetes treatment - drug	CC	2925
CCCA_J7B	Diabetes treatment - diet	CC	2925
CCCA_J7C	Diabetes treatment - other	CC	2926
CCCA_J7D	Diabetes treatment - exercise / physiotherapy	CC	2926
CCCA_K1	Epilepsy - condition disappeared	CC	2929
CCCA_K2M	Epilepsy - month condition disappeared	CC	2929
CCCA_K2Y	Epilepsy - year condition disappeared	CC	2930
CCCA_K3M	Epilepsy - month diagnosed	CC	2927
CCCA_K3Y	Epilepsy - year diagnosed	CC	2928
CCCA_K4	Epilepsy - had prior to last interview	CC	2928
CCCA_L1A	Heart disease - ever had a heart attack	CC	2931

**Master File: Longitudinal Full Response Subset (Rounded)***September 2012*

<b>Variable Name</b>	<b>Description</b>	<b>Section</b>	<b>Page</b>
CCCA_L6	Heart disease - has angina	CC	2931
CCCA_L7	Heart disease - has congestive heart failure	CC	2932
CCCA_N1	Ulcers - condition disappeared	CC	2935
CCCA_N2M	Ulcers - month condition disappeared	CC	2936
CCCA_N2Y	Ulcers - year condition disappeared	CC	2936
CCCA_N3M	Ulcers - month diagnosed	CC	2934
CCCA_N3Y	Ulcers - year diagnosed	CC	2934
CCCA_N4	Ulcers - had prior to last interview	CC	2935
CCCA_O1	Effects of stroke - condition disappeared	CC	2939
CCCA_O2M	Effects of stroke - month condition disappeared	CC	2940
CCCA_O2Y	Effects of stroke - year condition disappeared	CC	2940
CCCA_O3M	Effects of stroke - month diagnosed	CC	2938
CCCA_O3Y	Effects of stroke - year diagnosed	CC	2938
CCCA_O4	Effects of stroke - had prior to last interview	CC	2939
CCCA_X1	Fibromyalgia - condition disappeared	CC	2894
CCCA_X2M	Fibromyalgia - month condition disappeared	CC	2895
CCCA_X2Y	Fibromyalgia - year condition disappeared	CC	2895
CCCA_X3M	Fibromyalgia - month diagnosed	CC	2893
CCCA_X3Y	Fibromyalgia - year diagnosed	CC	2893
CCCA_X4	Fibromyalgia - had prior to last interview	CC	2894
CCCA_X5	Fibromyalgia - received treatment or medication	CC	2896
CCCA_X6A	Fibromyalgia treatment - drug	CC	2896
CCCA_X6B	Fibromyalgia treatment - diet	CC	2897
CCCA_X6C	Fibromyalgia treatment - other	CC	2897
CCCA_X6D	Fibromyalgia treatment - exercise / physiotherapy	CC	2898
CCCADANY	Has a chronic condition - (D)	CC	2944
CCCADNUM	Number of chronic conditions - (D)	CC	2945
CCCB_1A	Has food allergies	CC	3427
CCCB_1B	Has allergies other than food allergies	CC	3428
CCCB_1C	Has asthma	CC	3428
CCCB_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	3440
CCCB_1E	Has back problems excluding fibromyalgia and arthritis	CC	3448
CCCB_1F	Has high blood pressure	CC	3448
CCCB_1G	Has migraine headaches	CC	3454
CCCB_1H	Has chronic bronchitis or emphysema	CC	3461
CCCB_1J	Has diabetes	CC	3461

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
CCCB_1K	Has epilepsy	CC	3468
CCCB_1L	Has heart disease	CC	3471
CCCB_1M	Has cancer	CC	3473
CCCB_1N	Has intestinal or stomach ulcers	CC	3474
CCCB_1O	Suffers from the effects of a stroke	CC	3478
CCCB_1P	Suffers from urinary incontinence	CC	3482
CCCB_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	3482
CCCB_1R	Has Alzheimer's Disease or other dementia	CC	3483
CCCB_1S	Has cataracts	CC	3483
CCCB_1T	Has glaucoma	CC	3484
CCCB_1U	Has a thyroid condition	CC	3484
CCCB_1V	Has other long-term condition	CC	3485
CCCB_1X	Has fibromyalgia	CC	3434
CCCB_C1	Asthma - condition disappeared	CC	3431
CCCB_C2M	Asthma - month condition disappeared	CC	3432
CCCB_C2Y	Asthma - year condition disappeared	CC	3433
CCCB_C3M	Asthma - month diagnosed	CC	3429
CCCB_C3Y	Asthma - year diagnosed	CC	3430
CCCB_C4	Asthma - had prior to last interview	CC	3430
CCCB_C5	Asthma - had symptoms or attacks	CC	3433
CCCB_C6	Asthma - took medication	CC	3434
CCCB_D1	Arthritis / rheum. - condition disappeared	CC	3443
CCCB_D11	Arthritis / rheum. - kind	CC	3445
CCCB_D2M	Arthritis / rheum. - month condition disappeared	CC	3444
CCCB_D2Y	Arthritis / rheum. - year condition disappeared	CC	3444
CCCB_D3M	Arthritis / rheum. - month diagnosed	CC	3441
CCCB_D3Y	Arthritis / rheum. - year diagnosed	CC	3442
CCCB_D4	Arthritis / rheum. - had prior to last interview	CC	3442
CCCB_D5	Arthritis / rheum. - received treatment or medication	CC	3445
CCCB_D6A	Arthritis / rheum. treatment - drug	CC	3446
CCCB_D6B	Arthritis / rheum. treatment - diet	CC	3446
CCCB_D6C	Arthritis / rheum. treatment - other	CC	3447
CCCB_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	3447
CCCB_F1	High blood pressure - condition disappeared	CC	3450
CCCB_F2M	High blood pressure - month condition disappeared	CC	3451
CCCB_F2Y	High blood pressure - year condition disappeared	CC	3451

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 32

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCB_F3M	High blood pressure - month diagnosed	CC	3449
CCCB_F3Y	High blood pressure - year diagnosed	CC	3449
CCCB_F4	High blood pressure - had prior to last interview	CC	3450
CCCB_F5	High blood pressure - received treatment or medication	CC	3452
CCCB_F6A	High blood pressure treatment - drug	CC	3452
CCCB_F6B	High blood pressure treatment - diet	CC	3453
CCCB_F6C	High blood pressure treatment - other	CC	3453
CCCB_F6D	High blood pressure treatment - exercise / physiotherapy	CC	3454
CCCB_G1	Migraines - condition disappeared	CC	3456
CCCB_G2M	Migraines - month condition disappeared	CC	3457
CCCB_G2Y	Migraines - year condition disappeared	CC	3458
CCCB_G3M	Migraines - month diagnosed	CC	3455
CCCB_G3Y	Migraines - year diagnosed	CC	3455
CCCB_G4	Migraines - had prior to last interview	CC	3456
CCCB_G5	Migraines - received treatment or medication	CC	3458
CCCB_G6A	Migraines treatment - drug	CC	3459
CCCB_G6B	Migraines treatment - diet	CC	3459
CCCB_G6C	Migraines treatment - other	CC	3460
CCCB_G6D	Migraines treatment - exercise / physiotherapy	CC	3460
CCCB_J1	Diabetes - condition disappeared	CC	3463
CCCB_J2M	Diabetes - month condition disappeared	CC	3464
CCCB_J2Y	Diabetes - year condition disappeared	CC	3464
CCCB_J3M	Diabetes - month diagnosed	CC	3462
CCCB_J3Y	Diabetes - year diagnosed	CC	3462
CCCB_J4	Diabetes - had prior to last interview	CC	3463
CCCB_J5	Diabetes - currently takes insulin	CC	3465
CCCB_J6	Diabetes - takes treatment other than insulin	CC	3465
CCCB_J7A	Diabetes treatment - drug	CC	3466
CCCB_J7B	Diabetes treatment - diet	CC	3466
CCCB_J7C	Diabetes treatment - other	CC	3467
CCCB_J7D	Diabetes treatment - exercise / physiotherapy	CC	3467
CCCB_K1	Epilepsy - condition disappeared	CC	3470
CCCB_K2M	Epilepsy - month condition disappeared	CC	3470
CCCB_K2Y	Epilepsy - year condition disappeared	CC	3471
CCCB_K3M	Epilepsy - month diagnosed	CC	3468
CCCB_K3Y	Epilepsy - year diagnosed	CC	3469



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 33

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCB_K4	Epilepsy - had prior to last interview	CC	3469
CCCB_L1A	Heart disease - ever had a heart attack	CC	3472
CCCB_L6	Heart disease - has angina	CC	3472
CCCB_L7	Heart disease - has congestive heart failure	CC	3473
CCCB_N1	Ulcers - condition disappeared	CC	3476
CCCB_N2M	Ulcers - month condition disappeared	CC	3477
CCCB_N2Y	Ulcers - year condition disappeared	CC	3477
CCCB_N3M	Ulcers - month diagnosed	CC	3475
CCCB_N3Y	Ulcers - year diagnosed	CC	3475
CCCB_N4	Ulcers - had prior to last interview	CC	3476
CCCB_O1	Effects of stroke - condition disappeared	CC	3480
CCCB_O2M	Effects of stroke - month condition disappeared	CC	3481
CCCB_O2Y	Effects of stroke - year condition disappeared	CC	3481
CCCB_O3M	Effects of stroke - month diagnosed	CC	3479
CCCB_O3Y	Effects of stroke - year diagnosed	CC	3479
CCCB_O4	Effects of stroke - had prior to last interview	CC	3480
CCCB_X1	Fibromyalgia - condition disappeared	CC	3436
CCCB_X2M	Fibromyalgia - month condition disappeared	CC	3437
CCCB_X2Y	Fibromyalgia - year condition disappeared	CC	3437
CCCB_X3M	Fibromyalgia - month diagnosed	CC	3435
CCCB_X3Y	Fibromyalgia - year diagnosed	CC	3435
CCCB_X4	Fibromyalgia - had prior to last interview	CC	3436
CCCB_X5	Fibromyalgia - received treatment or medication	CC	3438
CCCB_X6A	Fibromyalgia treatment - drug	CC	3438
CCCB_X6B	Fibromyalgia treatment - diet	CC	3439
CCCB_X6C	Fibromyalgia treatment - other	CC	3439
CCCB_X6D	Fibromyalgia treatment - exercise / physiotherapy	CC	3440
CCCBDANY	Has a chronic condition - (D)	CC	3485
CCCBDNUM	Number of chronic conditions - (D)	CC	3486
CCCC_1A	Has food allergies	CC	3963
CCCC_1B	Has allergies other than food allergies	CC	3964
CCCC_1C	Has asthma	CC	3964
CCCC_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	3976
CCCC_1E	Has back problems excluding fibromyalgia and arthritis	CC	3984
CCCC_1F	Has high blood pressure	CC	3985
CCCC_1G	Has migraine headaches	CC	3992

**Master File: Longitudinal Full Response Subset (Rounded)***September 2012*

<b>Variable Name</b>	<b>Description</b>	<b>Section</b>	<b>Page</b>
CCCC_1H	Has chronic bronchitis or emphysema	CC	3999
CCCC_1J	Has diabetes	CC	3999
CCCC_1K	Has epilepsy	CC	4006
CCCC_1L	Has heart disease	CC	4009
CCCC_1M	Has cancer	CC	4011
CCCC_1N	Has intestinal or stomach ulcers	CC	4011
CCCC_1O	Suffers from the effects of a stroke	CC	4015
CCCC_1P	Suffers from urinary incontinence	CC	4018
CCCC_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	4019
CCCC_1R	Has Alzheimer's Disease or other dementia	CC	4019
CCCC_1S	Has cataracts	CC	4020
CCCC_1T	Has glaucoma	CC	4020
CCCC_1U	Has a thyroid condition	CC	4021
CCCC_1V	Has other long-term condition	CC	4021
CCCC_1X	Has fibromyalgia	CC	3970
CCCC_C1	Asthma - condition disappeared	CC	3967
CCCC_C2M	Asthma - month condition disappeared	CC	3968
CCCC_C2Y	Asthma - year condition disappeared	CC	3968
CCCC_C3M	Asthma - month diagnosed	CC	3965
CCCC_C3Y	Asthma - year diagnosed	CC	3966
CCCC_C4	Asthma - had prior to last interview	CC	3966
CCCC_C5	Asthma - had symptoms or attacks	CC	3969
CCCC_C6	Asthma - took medication	CC	3969
CCCC_D1	Arthritis / rheum. - condition disappeared	CC	3979
CCCC_D11	Arthritis / rheum. - kind	CC	3981
CCCC_D2M	Arthritis / rheum. - month condition disappeared	CC	3980
CCCC_D2Y	Arthritis / rheum. - year condition disappeared	CC	3981
CCCC_D3M	Arthritis / rheum. - month diagnosed	CC	3977
CCCC_D3Y	Arthritis / rheum. - year diagnosed	CC	3978
CCCC_D4	Arthritis / rheum. - had prior to last interview	CC	3978
CCCC_D5	Arthritis / rheum. - received treatment or medication	CC	3982
CCCC_D6A	Arthritis / rheum. treatment - drug	CC	3982
CCCC_D6B	Arthritis / rheum. treatment - diet	CC	3983
CCCC_D6C	Arthritis / rheum. treatment - other	CC	3983
CCCC_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	3984
CCCC_F1	High blood pressure - condition disappeared	CC	3988

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 35

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCC_F2M	High blood pressure - month condition disappeared	CC	3989
CCCC_F2Y	High blood pressure - year condition disappeared	CC	3989
CCCC_F3M	High blood pressure - month diagnosed	CC	3986
CCCC_F3Y	High blood pressure - year diagnosed	CC	3987
CCCC_F4	High blood pressure - had prior to last interview	CC	3987
CCCC_F5	High blood pressure - received treatment or medication	CC	3990
CCCC_F6A	High blood pressure treatment - drug	CC	3990
CCCC_F6B	High blood pressure treatment - diet	CC	3991
CCCC_F6C	High blood pressure treatment - other	CC	3991
CCCC_F6D	High blood pressure treatment - exercise / physiotherapy	CC	3992
CCCC_G1	Migraines - condition disappeared	CC	3994
CCCC_G2M	Migraines - month condition disappeared	CC	3995
CCCC_G2Y	Migraines - year condition disappeared	CC	3996
CCCC_G3M	Migraines - month diagnosed	CC	3993
CCCC_G3Y	Migraines - year diagnosed	CC	3993
CCCC_G4	Migraines - had prior to last interview	CC	3994
CCCC_G5	Migraines - received treatment or medication	CC	3996
CCCC_G6A	Migraines treatment - drug	CC	3997
CCCC_G6B	Migraines treatment - diet	CC	3997
CCCC_G6C	Migraines treatment - other	CC	3998
CCCC_G6D	Migraines treatment - exercise / physiotherapy	CC	3998
CCCC_J1	Diabetes - condition disappeared	CC	4001
CCCC_J2M	Diabetes - month condition disappeared	CC	4002
CCCC_J2Y	Diabetes - year condition disappeared	CC	4002
CCCC_J3M	Diabetes - month diagnosed	CC	4000
CCCC_J3Y	Diabetes - year diagnosed	CC	4000
CCCC_J4	Diabetes - had prior to last interview	CC	4001
CCCC_J5	Diabetes - currently takes insulin	CC	4003
CCCC_J6	Diabetes - takes treatment other than insulin	CC	4003
CCCC_J7A	Diabetes treatment - drug	CC	4004
CCCC_J7B	Diabetes treatment - diet	CC	4004
CCCC_J7C	Diabetes treatment - other	CC	4005
CCCC_J7D	Diabetes treatment - exercise / physiotherapy	CC	4005
CCCC_K1	Epilepsy - condition disappeared	CC	4007
CCCC_K2M	Epilepsy - month condition disappeared	CC	4008
CCCC_K2Y	Epilepsy - year condition disappeared	CC	4008

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 36

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCC_K3M	Epilepsy - month diagnosed	CC	4006
CCCC_K3Y	Epilepsy - year diagnosed	CC	4007
CCCC_K4	Epilepsy - had prior to last interview	CC	4007
CCCC_L1A	Heart disease - ever had a heart attack	CC	4009
CCCC_L6	Heart disease - has angina	CC	4010
CCCC_L7	Heart disease - has congestive heart failure	CC	4010
CCCC_N1	Ulcers - condition disappeared	CC	4013
CCCC_N2M	Ulcers - month condition disappeared	CC	4014
CCCC_N2Y	Ulcers - year condition disappeared	CC	4014
CCCC_N3M	Ulcers - month diagnosed	CC	4012
CCCC_N3Y	Ulcers - year diagnosed	CC	4012
CCCC_N4	Ulcers - had prior to last interview	CC	4013
CCCC_O1	Effects of stroke - condition disappeared	CC	4017
CCCC_O2M	Effects of stroke - month condition disappeared	CC	4017
CCCC_O2Y	Effects of stroke - year condition disappeared	CC	4018
CCCC_O3M	Effects of stroke - month diagnosed	CC	4015
CCCC_O3Y	Effects of stroke - year diagnosed	CC	4016
CCCC_O4	Effects of stroke - had prior to last interview	CC	4016
CCCC_X1	Fibromyalgia - condition disappeared	CC	3972
CCCC_X2M	Fibromyalgia - month condition disappeared	CC	3972
CCCC_X2Y	Fibromyalgia - year condition disappeared	CC	3973
CCCC_X3M	Fibromyalgia - month diagnosed	CC	3970
CCCC_X3Y	Fibromyalgia - year diagnosed	CC	3971
CCCC_X4	Fibromyalgia - had prior to last interview	CC	3971
CCCC_X5	Fibromyalgia - received treatment or medication	CC	3973
CCCC_X6A	Fibromyalgia treatment - drug	CC	3974
CCCC_X6B	Fibromyalgia treatment - diet	CC	3974
CCCC_X6C	Fibromyalgia treatment - other	CC	3975
CCCC_X6D	Fibromyalgia treatment - exercise / physiotherapy	CC	3975
CCCCDANY	Has a chronic condition - (D)	CC	4022
CCCCDNUM	Number of chronic conditions - (D)	CC	4022
CCCD_1A	Has food allergies	CC	4505
CCCD_1B	Has allergies other than food allergies	CC	4505
CCCD_1C	Has asthma	CC	4506
CCCD_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	4517
CCCD_1E	Has back problems excluding fibromyalgia and arthritis	CC	4524

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 37

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCD_1F	Has high blood pressure	CC	4524
CCCD_1G	Has migraine headaches	CC	4531
CCCD_1H	Has chronic bronchitis or emphysema	CC	4537
CCCD_1J	Has diabetes	CC	4538
CCCD_1K	Has epilepsy	CC	4545
CCCD_1L	Has heart disease	CC	4547
CCCD_1M	Has cancer	CC	4549
CCCD_1N	Has intestinal or stomach ulcers	CC	4550
CCCD_1O	Suffers from the effects of a stroke	CC	4554
CCCD_1P	Suffers from urinary incontinence	CC	4557
CCCD_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	4558
CCCD_1R	Has Alzheimer's Disease or other dementia	CC	4558
CCCD_1S	Has cataracts	CC	4559
CCCD_1T	Has glaucoma	CC	4559
CCCD_1U	Has a thyroid condition	CC	4560
CCCD_1V	Has other long-term condition	CC	4560
CCCD_1X	Has fibromyalgia	CC	4511
CCCD_2M	Ever diagnosed with cancer	CC	4550
CCCD_C1	Asthma - condition disappeared	CC	4508
CCCD_C2M	Asthma - month condition disappeared	CC	4509
CCCD_C2Y	Asthma - year condition disappeared	CC	4509
CCCD_C3M	Asthma - month diagnosed	CC	4506
CCCD_C3Y	Asthma - year diagnosed	CC	4507
CCCD_C4	Asthma - had prior to last interview	CC	4507
CCCD_C5	Asthma - had symptoms or attacks	CC	4510
CCCD_C6	Asthma - took medication	CC	4510
CCCD_D1	Arthritis / rheum. - condition disappeared	CC	4519
CCCD_D11	Arthritis / rheum. - kind	CC	4521
CCCD_D2M	Arthritis / rheum. - month condition disappeared	CC	4520
CCCD_D2Y	Arthritis / rheum. - year condition disappeared	CC	4520
CCCD_D3M	Arthritis / rheum. - month diagnosed	CC	4517
CCCD_D3Y	Arthritis / rheum. - year diagnosed	CC	4518
CCCD_D4	Arthritis / rheum. - had prior to last interview	CC	4518
CCCD_D5	Arthritis / rheum. - received treatment or medication	CC	4521
CCCD_D6A	Arthritis / rheum. treatment - drug	CC	4522
CCCD_D6B	Arthritis / rheum. treatment - diet	CC	4522

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 38

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCD_D6C	Arthritis / rheum. treatment - other	CC	4523
CCCD_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	4523
CCCD_F1	High blood pressure - condition disappeared	CC	4527
CCCD_F2M	High blood pressure - month condition disappeared	CC	4528
CCCD_F2Y	High blood pressure - year condition disappeared	CC	4528
CCCD_F3M	High blood pressure - month diagnosed	CC	4525
CCCD_F3Y	High blood pressure - year diagnosed	CC	4526
CCCD_F4	High blood pressure - had prior to last interview	CC	4526
CCCD_F5	High blood pressure - received treatment or medication	CC	4529
CCCD_F6A	High blood pressure treatment - drug	CC	4529
CCCD_F6B	High blood pressure treatment - diet	CC	4530
CCCD_F6C	High blood pressure treatment - other	CC	4530
CCCD_F6D	High blood pressure treatment - exercise / physiotherapy	CC	4531
CCCD_G1	Migraines - condition disappeared	CC	4533
CCCD_G2M	Migraines - month condition disappeared	CC	4534
CCCD_G2Y	Migraines - year condition disappeared	CC	4534
CCCD_G3M	Migraines - month diagnosed	CC	4532
CCCD_G3Y	Migraines - year diagnosed	CC	4532
CCCD_G4	Migraines - had prior to last interview	CC	4533
CCCD_G5	Migraines - received treatment or medication	CC	4535
CCCD_G6A	Migraines treatment - drug	CC	4535
CCCD_G6B	Migraines treatment - diet	CC	4536
CCCD_G6C	Migraines treatment - other	CC	4536
CCCD_G6D	Migraines treatment - exercise / physiotherapy	CC	4537
CCCD_J1	Diabetes - condition disappeared	CC	4540
CCCD_J2M	Diabetes - month condition disappeared	CC	4541
CCCD_J2Y	Diabetes - year condition disappeared	CC	4541
CCCD_J3M	Diabetes - month diagnosed	CC	4539
CCCD_J3Y	Diabetes - year diagnosed	CC	4539
CCCD_J4	Diabetes - had prior to last interview	CC	4540
CCCD_J5	Diabetes - currently takes insulin	CC	4542
CCCD_J6	Diabetes - takes treatment other than insulin	CC	4542
CCCD_J7A	Diabetes treatment - drug	CC	4543
CCCD_J7B	Diabetes treatment - diet	CC	4543
CCCD_J7C	Diabetes treatment - other	CC	4544
CCCD_J7D	Diabetes treatment - exercise / physiotherapy	CC	4544

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 39

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCCD_K1	Epilepsy - condition disappeared	CC	4546
CCCD_K2M	Epilepsy - month condition disappeared	CC	4546
CCCD_K2Y	Epilepsy - year condition disappeared	CC	4547
CCCD_K3M	Epilepsy - month diagnosed	CC	4545
CCCD_K3Y	Epilepsy - year diagnosed	CC	4545
CCCD_K4	Epilepsy - had prior to last interview	CC	4546
CCCD_L1A	Heart disease - ever had a heart attack	CC	4548
CCCD_L6	Heart disease - has angina	CC	4548
CCCD_L7	Heart disease - has congestive heart failure	CC	4549
CCCD_N1	Ulcers - condition disappeared	CC	4552
CCCD_N2M	Ulcers - month condition disappeared	CC	4553
CCCD_N2Y	Ulcers - year condition disappeared	CC	4553
CCCD_N3M	Ulcers - month diagnosed	CC	4551
CCCD_N3Y	Ulcers - year diagnosed	CC	4551
CCCD_N4	Ulcers - had prior to last interview	CC	4552
CCCD_O1	Effects of stroke - condition disappeared	CC	4556
CCCD_O2M	Effects of stroke - month condition disappeared	CC	4556
CCCD_O2Y	Effects of stroke - year condition disappeared	CC	4557
CCCD_O3M	Effects of stroke - month diagnosed	CC	4554
CCCD_O3Y	Effects of stroke - year diagnosed	CC	4555
CCCD_O4	Effects of stroke - had prior to last interview	CC	4555
CCCD_X1	Fibromyalgia - condition disappeared	CC	4513
CCCD_X2M	Fibromyalgia - month condition disappeared	CC	4513
CCCD_X2Y	Fibromyalgia - year condition disappeared	CC	4514
CCCD_X3M	Fibromyalgia - month diagnosed	CC	4511
CCCD_X3Y	Fibromyalgia - year diagnosed	CC	4512
CCCD_X4	Fibromyalgia - had prior to last interview	CC	4512
CCCD_X5	Fibromyalgia - received treatment or medication	CC	4514
CCCD_X6A	Fibromyalgia treatment - drug	CC	4515
CCCD_X6B	Fibromyalgia treatment - diet	CC	4515
CCCD_X6C	Fibromyalgia treatment - other	CC	4516
CCCD_X6D	Fibromyalgia treatment - exercise / physiotherapy	CC	4516
CCCDANY	Has a chronic condition - (D)	CC	4561
CCCDNUM	Number of chronic conditions - (D)	CC	4561
CCK4_1	Frequency of infections - nose or throat	CC	66
CCK4_1AB	Has allergies	CC	68

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 40

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
CCK4_2	Has had otitis	CC	66
CCK4_3	Number of times had otitis since birth	CC	67
CCK6_1	Frequency of infections - nose or throat	CC	538
CCK6_2	Has had otitis	CC	538
CCK6_3	Number of times had otitis since birth	CC	539
CCK8_1	Frequency of infections - nose or throat	CC	1226
CCK8_2	Has had otitis	CC	1226
CCK8_3	Number of times had otitis since birth	CC	1227
CO_A_1	Self-perceived ability to handle unexpected problem	ST	3053
CO_A_10	Stress (coping) - frequency - using drugs or medication	ST	3057
CO_A_11	Stress (coping) - frequency - jogging or other exercise	ST	3058
CO_A_12	Stress (coping) - frequency - praying / seeking spir. help	ST	3058
CO_A_13	Stress (coping) - frequency - doing something enjoyable	ST	3059
CO_A_14	Stress (coping) - frequency - looking on the bright side	ST	3059
CO_A_15	Stress (coping) - frequency - blaming oneself	ST	3060
CO_A_16	Stress (coping) - frequency - wishing situation away	ST	3060
CO_A_2	Self-perceived ability to handle day-to-day demands	ST	3053
CO_A_3	Stress (coping) - frequency - problem solving	ST	3054
CO_A_4	Stress (coping) - frequency - talking to others	ST	3054
CO_A_5	Stress (coping) - frequency - avoiding being with people	ST	3055
CO_A_6	Stress (coping) - frequency - sleeping more than usual	ST	3055
CO_A_7	Stress (coping) - frequency - eating more or less than usual	ST	3056
CO_A_8	Stress (coping) - frequency - smoking more than usual	ST	3056
CO_A_9	Stress (coping) - frequency - drinking alcohol	ST	3057
COB	Country of birth	SD	7
COBC	Code for country of birth	SD	7
COBGC	Code for country of birth - (G)	SD	8
COD10	Cause of death code ICD-10	DH	11
COP4_1	Self-perceived ability to handle day-to-day demands	ST	453
COP4_2A	Stress (daily) - try not to think about situation	ST	454
COP4_2B	Stress (daily) - try to see situation differently	ST	454
COP4_2C	Stress (daily) - try to change situation	ST	455
COP4_2D	Stress (daily) - express emotions	ST	455
COP4_2E	Stress (daily) - admit situation is stressful	ST	456
COP4_2F	Stress (daily) - talk to someone about situation	ST	456
COP4_2G	Stress (daily) - do something to relax	ST	457



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 41

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
COP4_2H	Stress (daily) - pray	ST	457
COP4_2I	Stress (daily) - other ways to deal with stress	ST	458
COP4_3	Self-perceived ability to handle unexpected problem	ST	458
COP4_4A	Stress (unexpected) - try not to think about situation	ST	459
COP4_4B	Stress (unexpected) - try to see situation differently	ST	459
COP4_4C	Stress (unexpected) - try to change situation	ST	460
COP4_4D	Stress (unexpected) - express emotions	ST	460
COP4_4E	Stress (unexpected) - admit situation is stressful	ST	461
COP4_4F	Stress (unexpected) - talk to someone about situation	ST	461
COP4_4G	Stress (unexpected) - do something to relax	ST	462
COP4_4H	Stress (unexpected) - pray	ST	462
COP4_4I	Stress (unexpected) - other ways to deal with stress	ST	463
COP6_1	Self-perceived ability to handle day-to-day demands	ST	1155
COP6_2	Self-perceived ability to handle unexpected problem	ST	1155
CYCLE	Cycle in which household joined the survey	SP	2
DESIGPRV	Design province	AM	1
DGC0_1A	Medication - pain relievers	DG	1978
DGC0_1B	Medication - tranquilizers	DG	1979
DGC0_1C	Medication - diet pills	DG	1979
DGC0_1D	Medication - anti-depressants	DG	1980
DGC0_1E	Medication - codeine, Demerol or morphine	DG	1980
DGC0_1F	Medication - allergy	DG	1981
DGC0_1G	Medication - asthma	DG	1981
DGC0_1H	Medication - cough or cold remedies	DG	1982
DGC0_1I	Medication - penicillin or other antibiotics	DG	1982
DGC0_1J	Medication - heart	DG	1983
DGC0_1K	Medication - blood pressure	DG	1983
DGC0_1L	Medication - diuretics	DG	1984
DGC0_1M	Medication - steroids	DG	1984
DGC0_1N	Medication - insulin	DG	1985
DGC0_1O	Medication - pills to control diabetes	DG	1985
DGC0_1P	Medication - sleeping pills	DG	1986
DGC0_1Q	Medication - stomach remedies	DG	1986
DGC0_1R	Medication - laxatives	DG	1987
DGC0_1S	Medication - birth control pills	DG	1987
DGC0_1T	Medication - hormones for menopause	DG	1988

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 42

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC0_1T1	Hormone therapy - type	DG	1988
DGC0_1T2	Hormone therapy - year started	DG	1989
DGC0_1U	Medication - thyroid	DG	1989
DGC0_1V	Medication - other	DG	1990
DGC0_2	Number of different medications in past 2 days	DG	1991
DGC0_3AA	Prescription from doctor / dentist - drug 1	DG	1994
DGC0_3BA	Prescription from doctor / dentist - drug 2	DG	1997
DGC0_3CA	Prescription from doctor / dentist - drug 3	DG	2000
DGC0_3DA	Prescription from doctor / dentist - drug 4	DG	2003
DGC0_3EA	Prescription from doctor / dentist - drug 5	DG	2006
DGC0_3FA	Prescription from doctor / dentist - drug 6	DG	2009
DGC0_3GA	Prescription from doctor / dentist - drug 7	DG	2012
DGC0_3HA	Prescription from doctor / dentist - drug 8	DG	2015
DGC0_3IA	Prescription from doctor / dentist - drug 9	DG	2018
DGC0_3JA	Prescription from doctor / dentist - drug 10	DG	2020
DGC0_3KA	Prescription from doctor / dentist - drug 11	DG	2022
DGC0_3LA	Prescription from doctor / dentist - drug 12	DG	2024
DGC0_4	Medication - use other health product	DG	2025
DGC0_4A	Medication - use other product in past 2 days	DG	2025
DGC0_5AA	Used a 2nd health product	DG	2028
DGC0_5BA	Used a 3rd health product	DG	2031
DGC0_5CA	Used a 4th health product	DG	2034
DGC0_5DA	Used a 5th health product	DG	2036
DGC0_5EA	Used a 6th health product	DG	2038
DGC0_5FA	Used a 7th health product	DG	2040
DGC0_5GA	Used a 8th health product	DG	2042
DGC0_5HA	Used a 9th health product	DG	2044
DGC0_5IA	Used a 10th health product	DG	2046
DGC0_5JA	Used a 11th health product	DG	2048
DGC0_5KA	Used a 12th health product	DG	2050
DGC0C3A	Drug code - drug 1	DG	1992
DGC0C3B	Drug code - drug 2	DG	1995
DGC0C3C	Drug code - drug 3	DG	1998
DGC0C3D	Drug code - drug 4	DG	2001
DGC0C3E	Drug code - drug 5	DG	2004
DGC0C3F	Drug code - drug 6	DG	2007

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 43

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC0C3G	Drug code - drug 7	DG	2010
DGC0C3H	Drug code - drug 8	DG	2013
DGC0C3I	Drug code - drug 9	DG	2016
DGC0C3J	Drug code - drug 10	DG	2019
DGC0C3K	Drug code - drug 11	DG	2021
DGC0C3L	Drug code - drug 12	DG	2023
DGC0C5A	Drug code - health product 1	DG	2026
DGC0C5B	Drug code - health product 2	DG	2029
DGC0C5C	Drug code - health product 3	DG	2032
DGC0C5D	Drug code - health product 4	DG	2035
DGC0C5E	Drug code - health product 5	DG	2037
DGC0C5F	Drug code - health product 6	DG	2039
DGC0C5G	Drug code - health product 7	DG	2041
DGC0C5H	Drug code - health product 8	DG	2043
DGC0C5I	Drug code - health product 9	DG	2045
DGC0C5J	Drug code - health product 10	DG	2047
DGC0C5K	Drug code - health product 11	DG	2049
DGC0C5L	Drug code - health product 12	DG	2051
DGC0F1	Flag for medications use	DG	1990
DGC0F3A	Flag for drug 1	DG	1991
DGC0F3B	Flag for drug 2	DG	1994
DGC0F3C	Flag for drug 3	DG	1997
DGC0F3D	Flag for drug 4	DG	2000
DGC0F3E	Flag for drug 5	DG	2003
DGC0F3F	Flag for drug 6	DG	2006
DGC0F3G	Flag for drug 7	DG	2009
DGC0F3H	Flag for drug 8	DG	2012
DGC0F3I	Flag for drug 9	DG	2015
DGC0F3J	Flag for drug 10	DG	2018
DGC0F3K	Flag for drug 11	DG	2021
DGC0F3L	Flag for drug 12	DG	2023
DGC0F5A	Flag for health product 1	DG	2026
DGC0F5B	Flag for health product 2	DG	2028
DGC0F5C	Flag for health product 3	DG	2031
DGC0F5D	Flag for health product 4	DG	2034
DGC0F5E	Flag for health product 5	DG	2036

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 44

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC0F5F	Flag for health product 6	DG	2038
DGC0F5G	Flag for health product 7	DG	2040
DGC0F5H	Flag for health product 8	DG	2042
DGC0F5I	Flag for health product 9	DG	2044
DGC0F5J	Flag for health product 10	DG	2046
DGC0F5K	Flag for health product 11	DG	2048
DGC0F5L	Flag for health product 12	DG	2050
DGC0G3A	Drug code - drug 1 - (G)	DG	1993
DGC0G3B	Drug code - drug 2 - (G)	DG	1996
DGC0G3C	Drug code - drug 3 - (G)	DG	1999
DGC0G3D	Drug code - drug 4 - (G)	DG	2002
DGC0G3E	Drug code - drug 5 - (G)	DG	2005
DGC0G3F	Drug code - drug 6 - (G)	DG	2008
DGC0G3G	Drug code - drug 7 - (G)	DG	2011
DGC0G3H	Drug code - drug 8 - (G)	DG	2014
DGC0G3I	Drug code - drug 9 - (G)	DG	2017
DGC0G3J	Drug code - drug 10 - (G)	DG	2020
DGC0G3K	Drug code - drug 11 - (G)	DG	2022
DGC0G3L	Drug code - drug 12 - (G)	DG	2024
DGC0G5A	Drug code - health product 1 - (G)	DG	2027
DGC0G5B	Drug code - health product 2 - (G)	DG	2030
DGC0G5C	Drug code - health product 3 - (G)	DG	2033
DGC0G5D	Drug code - health product 4 - (G)	DG	2035
DGC0G5E	Drug code - health product 5 - (G)	DG	2037
DGC0G5F	Drug code - health product 6 - (G)	DG	2039
DGC0G5G	Drug code - health product 7 - (G)	DG	2041
DGC0G5H	Drug code - health product 8 - (G)	DG	2043
DGC0G5I	Drug code - health product 9 - (G)	DG	2045
DGC0G5J	Drug code - health product 10 - (G)	DG	2047
DGC0G5K	Drug code - health product 11 - (G)	DG	2049
DGC0G5L	Drug code - health product 12 - (G)	DG	2051
DGC2_1A	Medication - pain relievers	DG	2526
DGC2_1B	Medication - tranquilizers	DG	2526
DGC2_1C	Medication - diet pills	DG	2527
DGC2_1D	Medication - anti-depressants	DG	2527
DGC2_1E	Medication - codeine, Demerol or morphine	DG	2528

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 45

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC2_1F	Medication - allergy	DG	2528
DGC2_1G	Medication - asthma	DG	2529
DGC2_1H	Medication - cough or cold remedies	DG	2529
DGC2_1I	Medication - penicillin or other antibiotics	DG	2530
DGC2_1J	Medication - heart	DG	2530
DGC2_1K	Medication - blood pressure	DG	2531
DGC2_1L	Medication - diuretics	DG	2531
DGC2_1M	Medication - steroids	DG	2532
DGC2_1N	Medication - insulin	DG	2532
DGC2_1O	Medication - pills to control diabetes	DG	2533
DGC2_1P	Medication - sleeping pills	DG	2533
DGC2_1Q	Medication - stomach remedies	DG	2534
DGC2_1R	Medication - laxatives	DG	2534
DGC2_1S	Medication - birth control pills	DG	2535
DGC2_1T	Medication - hormones for menopause	DG	2535
DGC2_1T1	Hormone therapy - type	DG	2536
DGC2_1T2	Hormone therapy - year started	DG	2536
DGC2_1U	Medication - thyroid	DG	2537
DGC2_1V	Medication - other	DG	2537
DGC2_2	Number of different medications in past 2 days	DG	2538
DGC2_3AA	Prescription from doctor / dentist - drug 1	DG	2541
DGC2_3BA	Prescription from doctor / dentist - drug 2	DG	2544
DGC2_3CA	Prescription from doctor / dentist - drug 3	DG	2547
DGC2_3DA	Prescription from doctor / dentist - drug 4	DG	2550
DGC2_3EA	Prescription from doctor / dentist - drug 5	DG	2553
DGC2_3FA	Prescription from doctor / dentist - drug 6	DG	2556
DGC2_3GA	Prescription from doctor / dentist - drug 7	DG	2559
DGC2_3HA	Prescription from doctor / dentist - drug 8	DG	2562
DGC2_3IA	Prescription from doctor / dentist - drug 9	DG	2564
DGC2_3JA	Prescription from doctor / dentist - drug 10	DG	2566
DGC2_3KA	Prescription from doctor / dentist - drug 11	DG	2568
DGC2_3LA	Prescription from doctor / dentist - drug 12	DG	2570
DGC2_4	Medication - use other health product	DG	2571
DGC2_4A	Medication - use other product in past 2 days	DG	2571
DGC2_5AA	Used a 2nd health product	DG	2574
DGC2_5BA	Used a 3rd health product	DG	2577

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 46

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC2_5CA	Used a 4th health product	DG	2579
DGC2_5DA	Used a 5th health product	DG	2581
DGC2_5EA	Used a 6th health product	DG	2583
DGC2_5FA	Used a 7th health product	DG	2585
DGC2_5GA	Used a 8th health product	DG	2587
DGC2_5HA	Used a 9th health product	DG	2589
DGC2_5IA	Used a 10th health product	DG	2591
DGC2_5JA	Used a 11th health product	DG	2593
DGC2_5KA	Used a 12th health product	DG	2595
DGC2C3A	Drug code - drug 1	DG	2539
DGC2C3B	Drug code - drug 2	DG	2542
DGC2C3C	Drug code - drug 3	DG	2545
DGC2C3D	Drug code - drug 4	DG	2548
DGC2C3E	Drug code - drug 5	DG	2551
DGC2C3F	Drug code - drug 6	DG	2554
DGC2C3G	Drug code - drug 7	DG	2557
DGC2C3H	Drug code - drug 8	DG	2560
DGC2C3I	Drug code - drug 9	DG	2563
DGC2C3J	Drug code - drug 10	DG	2565
DGC2C3K	Drug code - drug 11	DG	2567
DGC2C3L	Drug code - drug 12	DG	2569
DGC2C5A	Drug code - health product 1	DG	2572
DGC2C5B	Drug code - health product 2	DG	2575
DGC2C5C	Drug code - health product 3	DG	2578
DGC2C5D	Drug code - health product 4	DG	2580
DGC2C5E	Drug code - health product 5	DG	2582
DGC2C5F	Drug code - health product 6	DG	2584
DGC2C5G	Drug code - health product 7	DG	2586
DGC2C5H	Drug code - health product 8	DG	2588
DGC2C5I	Drug code - health product 9	DG	2590
DGC2C5J	Drug code - health product 10	DG	2592
DGC2C5K	Drug code - health product 11	DG	2594
DGC2C5L	Drug code - health product 12	DG	2596
DGC2F1	Flag for medications use	DG	2538
DGC2F3A	Flag for drug 1	DG	2539
DGC2F3B	Flag for drug 2	DG	2541

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 47

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC2F3C	Flag for drug 3	DG	2544
DGC2F3D	Flag for drug 4	DG	2547
DGC2F3E	Flag for drug 5	DG	2550
DGC2F3F	Flag for drug 6	DG	2553
DGC2F3G	Flag for drug 7	DG	2556
DGC2F3H	Flag for drug 8	DG	2559
DGC2F3I	Flag for drug 9	DG	2562
DGC2F3J	Flag for drug 10	DG	2565
DGC2F3K	Flag for drug 11	DG	2567
DGC2F3L	Flag for drug 12	DG	2569
DGC2F5A	Flag for health product 1	DG	2572
DGC2F5B	Flag for health product 2	DG	2574
DGC2F5C	Flag for health product 3	DG	2577
DGC2F5D	Flag for health product 4	DG	2579
DGC2F5E	Flag for health product 5	DG	2581
DGC2F5F	Flag for health product 6	DG	2583
DGC2F5G	Flag for health product 7	DG	2585
DGC2F5H	Flag for health product 8	DG	2587
DGC2F5I	Flag for health product 9	DG	2589
DGC2F5J	Flag for health product 10	DG	2591
DGC2F5K	Flag for health product 11	DG	2593
DGC2F5L	Flag for health product 12	DG	2595
DGC2G3A	Drug code - drug 1 - (G)	DG	2540
DGC2G3B	Drug code - drug 2 - (G)	DG	2543
DGC2G3C	Drug code - drug 3 - (G)	DG	2546
DGC2G3D	Drug code - drug 4 - (G)	DG	2549
DGC2G3E	Drug code - drug 5 - (G)	DG	2552
DGC2G3F	Drug code - drug 6 - (G)	DG	2555
DGC2G3G	Drug code - drug 7 - (G)	DG	2558
DGC2G3H	Drug code - drug 8 - (G)	DG	2561
DGC2G3I	Drug code - drug 9 - (G)	DG	2564
DGC2G3J	Drug code - drug 10 - (G)	DG	2566
DGC2G3K	Drug code - drug 11 - (G)	DG	2568
DGC2G3L	Drug code - drug 12 - (G)	DG	2570
DGC2G5A	Drug code - health product 1 - (G)	DG	2573
DGC2G5B	Drug code - health product 2 - (G)	DG	2576

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 48

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC2G5C	Drug code - health product 3 - (G)	DG	2578
DGC2G5D	Drug code - health product 4 - (G)	DG	2580
DGC2G5E	Drug code - health product 5 - (G)	DG	2582
DGC2G5F	Drug code - health product 6 - (G)	DG	2584
DGC2G5G	Drug code - health product 7 - (G)	DG	2586
DGC2G5H	Drug code - health product 8 - (G)	DG	2588
DGC2G5I	Drug code - health product 9 - (G)	DG	2590
DGC2G5J	Drug code - health product 10 - (G)	DG	2592
DGC2G5K	Drug code - health product 11 - (G)	DG	2594
DGC2G5L	Drug code - health product 12 - (G)	DG	2596
DGC4_1A	Medication - pain relievers	DG	343
DGC4_1B	Medication - tranquilizers	DG	343
DGC4_1C	Medication - diet pills	DG	344
DGC4_1D	Medication - anti-depressants	DG	344
DGC4_1E	Medication - codeine, Demerol or morphine	DG	345
DGC4_1F	Medication - allergy	DG	345
DGC4_1G	Medication - asthma	DG	346
DGC4_1H	Medication - cough or cold remedies	DG	346
DGC4_1I	Medication - penicillin or other antibiotics	DG	347
DGC4_1J	Medication - heart	DG	347
DGC4_1K	Medication - blood pressure	DG	348
DGC4_1L	Medication - diuretics	DG	348
DGC4_1M	Medication - steroids	DG	349
DGC4_1N	Medication - insulin	DG	349
DGC4_1O	Medication - pills to control diabetes	DG	350
DGC4_1P	Medication - sleeping pills	DG	350
DGC4_1Q	Medication - stomach remedies	DG	351
DGC4_1R	Medication - laxatives	DG	351
DGC4_1S	Medication - birth control pills	DG	352
DGC4_1T	Medication - hormones for menopause	DG	352
DGC4_1V	Medication - other	DG	353
DGC4_2	Number of different medications in past 2 days	DG	354
DGC4_4	Medication - use other health product	DG	376
DGC4_5AA	Uses a 2nd health product	DG	377
DGC4_5BA	Uses a 3rd health product	DG	378
DGC4_5CA	Uses a 4th health product	DG	379



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 49

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC4_5DA	Uses a 5th health product	DG	380
DGC4_5EA	Uses a 6th health product	DG	381
DGC4_5FA	Uses a 7th health product	DG	382
DGC4_5GA	Uses a 8th health product	DG	383
DGC4_5HA	Uses a 9th health product	DG	384
DGC4_5IA	Uses a 10th health product	DG	385
DGC4_5JA	Uses a 11th health product	DG	386
DGC4_5KA	Uses a 12th health product	DG	387
DGC4_NON	Did not take any drugs in past month	DG	353
DGC4C3A	Drug code - drug 1	DG	355
DGC4C3B	Drug code - drug 2	DG	357
DGC4C3C	Drug code - drug 3	DG	359
DGC4C3D	Drug code - drug 4	DG	361
DGC4C3E	Drug code - drug 5	DG	363
DGC4C3F	Drug code - drug 6	DG	365
DGC4C3G	Drug code - drug 7	DG	367
DGC4C3H	Drug code - drug 8	DG	369
DGC4C3I	Drug code - drug 9	DG	371
DGC4C3J	Drug code - drug 10	DG	372
DGC4C3K	Drug code - drug 11	DG	374
DGC4C3L	Drug code - drug 12	DG	375
DGC4C5A	Drug code - health product 1	DG	388
DGC4C5B	Drug code - health product 2	DG	390
DGC4C5C	Drug code - health product 3	DG	392
DGC4C5D	Drug code - health product 4	DG	393
DGC4C5E	Drug code - health product 5	DG	394
DGC4C5F	Drug code - health product 6	DG	395
DGC4C5G	Drug code - health product 7	DG	396
DGC4C5H	Drug code - health product 8	DG	397
DGC4C5I	Drug code - health product 9	DG	398
DGC4C5J	Drug code - health product 10	DG	399
DGC4C5K	Drug code - health product 11	DG	400
DGC4C5L	Drug code - health product 12	DG	401
DGC4F1	Flag for medications use	DG	354
DGC4F3A	Flag for drug 1	DG	355
DGC4F3B	Flag for drug 2	DG	357

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 50

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC4F3C	Flag for drug 3	DG	359
DGC4F3D	Flag for drug 4	DG	361
DGC4F3E	Flag for drug 5	DG	363
DGC4F3F	Flag for drug 6	DG	365
DGC4F3G	Flag for drug 7	DG	367
DGC4F3H	Flag for drug 8	DG	369
DGC4F3I	Flag for drug 9	DG	370
DGC4F3J	Flag for drug 10	DG	372
DGC4F3K	Flag for drug 11	DG	373
DGC4F3L	Flag for drug 12	DG	375
DGC4F5A	Flag for health product 1	DG	377
DGC4F5B	Flag for health product 2	DG	378
DGC4F5C	Flag for health product 3	DG	379
DGC4F5D	Flag for health product 4	DG	380
DGC4F5E	Flag for health product 5	DG	381
DGC4F5F	Flag for health product 6	DG	381
DGC4F5G	Flag for health product 7	DG	382
DGC4F5H	Flag for health product 8	DG	383
DGC4F5I	Flag for health product 9	DG	384
DGC4F5J	Flag for health product 10	DG	385
DGC4F5K	Flag for health product 11	DG	386
DGC4F5L	Flag for health product 12	DG	387
DGC4G3A	Drug code - drug 1 - (G)	DG	356
DGC4G3B	Drug code - drug 2 - (G)	DG	358
DGC4G3C	Drug code - drug 3 - (G)	DG	360
DGC4G3D	Drug code - drug 4 - (G)	DG	362
DGC4G3E	Drug code - drug 5 - (G)	DG	364
DGC4G3F	Drug code - drug 6 - (G)	DG	366
DGC4G3G	Drug code - drug 7 - (G)	DG	368
DGC4G3H	Drug code - drug 8 - (G)	DG	370
DGC4G3I	Drug code - drug 9 - (G)	DG	371
DGC4G3J	Drug code - drug 10 - (G)	DG	373
DGC4G3K	Drug code - drug 11 - (G)	DG	374
DGC4G3L	Drug code - drug 12 - (G)	DG	376
DGC4G5A	Drug code - health product 1 - (G)	DG	389
DGC4G5B	Drug code - health product 2 - (G)	DG	391

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 51

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC4G5C	Drug code - health product 3 - (G)	DG	392
DGC4G5D	Drug code - health product 4 - (G)	DG	394
DGC4G5E	Drug code - health product 5 - (G)	DG	395
DGC4G5F	Drug code - health product 6 - (G)	DG	396
DGC4G5G	Drug code - health product 7 - (G)	DG	397
DGC4G5H	Drug code - health product 8 - (G)	DG	398
DGC4G5I	Drug code - health product 9 - (G)	DG	399
DGC4G5J	Drug code - health product 10 - (G)	DG	400
DGC4G5K	Drug code - health product 11 - (G)	DG	401
DGC4G5L	Drug code - health product 12 - (G)	DG	402
DGC6_1A	Medication - pain relievers	DG	955
DGC6_1B	Medication - tranquilizers	DG	955
DGC6_1C	Medication - diet pills	DG	956
DGC6_1D	Medication - anti-depressants	DG	956
DGC6_1E	Medication - codeine, Demerol or morphine	DG	957
DGC6_1F	Medication - allergy	DG	957
DGC6_1G	Medication - asthma	DG	958
DGC6_1H	Medication - cough or cold remedies	DG	958
DGC6_1I	Medication - penicillin or other antibiotics	DG	959
DGC6_1J	Medication - heart	DG	959
DGC6_1K	Medication - blood pressure	DG	960
DGC6_1L	Medication - diuretics	DG	960
DGC6_1M	Medication - steroids	DG	961
DGC6_1N	Medication - insulin	DG	961
DGC6_1O	Medication - pills to control diabetes	DG	962
DGC6_1P	Medication - sleeping pills	DG	962
DGC6_1Q	Medication - stomach remedies	DG	963
DGC6_1R	Medication - laxatives	DG	963
DGC6_1S	Medication - birth control pills	DG	964
DGC6_1T	Medication - hormones for menopause	DG	964
DGC6_1T1	Hormone therapy - type	DG	965
DGC6_1T2	Hormone therapy - year started	DG	965
DGC6_1U	Medication - thyroid	DG	966
DGC6_1V	Medication - other	DG	966
DGC6_2	Number of different medications in past 2 days	DG	967
DGC6_4	Medication - use other health product	DG	990

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 52

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC6_5AA	Uses a 2nd health product	DG	993
DGC6_5BA	Uses a 3rd health product	DG	996
DGC6_5CA	Uses a 4th health product	DG	998
DGC6_5DA	Uses a 5th health product	DG	1000
DGC6_5EA	Uses a 6th health product	DG	1002
DGC6_5FA	Uses a 7th health product	DG	1004
DGC6_5GA	Uses a 8th health product	DG	1006
DGC6_5HA	Uses a 9th health product	DG	1008
DGC6_5IA	Uses a 10th health product	DG	1010
DGC6_5JA	Uses a 11th health product	DG	1012
DGC6_5KA	Uses a 12th health product	DG	1014
DGC6C3A	Drug code - drug 1	DG	968
DGC6C3B	Drug code - drug 2	DG	970
DGC6C3C	Drug code - drug 3	DG	972
DGC6C3D	Drug code - drug 4	DG	974
DGC6C3E	Drug code - drug 5	DG	976
DGC6C3F	Drug code - drug 6	DG	978
DGC6C3G	Drug code - drug 7	DG	980
DGC6C3H	Drug code - drug 8	DG	982
DGC6C3I	Drug code - drug 9	DG	984
DGC6C3J	Drug code - drug 10	DG	986
DGC6C3K	Drug code - drug 11	DG	987
DGC6C3L	Drug code - drug 12	DG	989
DGC6C5A	Drug code - health product 1	DG	991
DGC6C5B	Drug code - health product 2	DG	994
DGC6C5C	Drug code - health product 3	DG	997
DGC6C5D	Drug code - health product 4	DG	999
DGC6C5E	Drug code - health product 5	DG	1001
DGC6C5F	Drug code - health product 6	DG	1003
DGC6C5G	Drug code - health product 7	DG	1005
DGC6C5H	Drug code - health product 8	DG	1007
DGC6C5I	Drug code - health product 9	DG	1009
DGC6C5J	Drug code - health product 10	DG	1011
DGC6C5K	Drug code - health product 11	DG	1013
DGC6C5L	Drug code - health product 12	DG	1015
DGC6F1	Flag for medications use	DG	967

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 53

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC6F3A	Flag for drug 1	DG	968
DGC6F3B	Flag for drug 2	DG	970
DGC6F3C	Flag for drug 3	DG	972
DGC6F3D	Flag for drug 4	DG	974
DGC6F3E	Flag for drug 5	DG	976
DGC6F3F	Flag for drug 6	DG	978
DGC6F3G	Flag for drug 7	DG	980
DGC6F3H	Flag for drug 8	DG	982
DGC6F3I	Flag for drug 9	DG	983
DGC6F3J	Flag for drug 10	DG	985
DGC6F3K	Flag for drug 11	DG	987
DGC6F3L	Flag for drug 12	DG	988
DGC6F5A	Flag for health product 1	DG	990
DGC6F5B	Flag for health product 2	DG	993
DGC6F5C	Flag for health product 3	DG	996
DGC6F5D	Flag for health product 4	DG	999
DGC6F5E	Flag for health product 5	DG	1001
DGC6F5F	Flag for health product 6	DG	1003
DGC6F5G	Flag for health product 7	DG	1005
DGC6F5H	Flag for health product 8	DG	1007
DGC6F5I	Flag for health product 9	DG	1009
DGC6F5J	Flag for health product 10	DG	1011
DGC6F5K	Flag for health product 11	DG	1013
DGC6F5L	Flag for health product 12	DG	1015
DGC6G3A	Drug code - drug 1 - (G)	DG	969
DGC6G3B	Drug code - drug 2 - (G)	DG	971
DGC6G3C	Drug code - drug 3 - (G)	DG	973
DGC6G3D	Drug code - drug 4 - (G)	DG	975
DGC6G3E	Drug code - drug 5 - (G)	DG	977
DGC6G3F	Drug code - drug 6 - (G)	DG	979
DGC6G3G	Drug code - drug 7 - (G)	DG	981
DGC6G3H	Drug code - drug 8 - (G)	DG	983
DGC6G3I	Drug code - drug 9 - (G)	DG	985
DGC6G3J	Drug code - drug 10 - (G)	DG	986
DGC6G3K	Drug code - drug 11 - (G)	DG	988
DGC6G3L	Drug code - drug 12 - (G)	DG	989

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 54

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC6G5A	Drug code - health product 1 - (G)	DG	992
DGC6G5B	Drug code - health product 2 - (G)	DG	995
DGC6G5C	Drug code - health product 3 - (G)	DG	998
DGC6G5D	Drug code - health product 4 - (G)	DG	1000
DGC6G5E	Drug code - health product 5 - (G)	DG	1002
DGC6G5F	Drug code - health product 6 - (G)	DG	1004
DGC6G5G	Drug code - health product 7 - (G)	DG	1006
DGC6G5H	Drug code - health product 8 - (G)	DG	1008
DGC6G5I	Drug code - health product 9 - (G)	DG	1010
DGC6G5J	Drug code - health product 10 - (G)	DG	1012
DGC6G5K	Drug code - health product 11 - (G)	DG	1014
DGC6G5L	Drug code - health product 12 - (G)	DG	1016
DGC8_1A	Medication - pain relievers	DG	1559
DGC8_1B	Medication - tranquilizers	DG	1560
DGC8_1C	Medication - diet pills	DG	1560
DGC8_1D	Medication - anti-depressants	DG	1561
DGC8_1E	Medication - codeine, Demerol or morphine	DG	1561
DGC8_1F	Medication - allergy	DG	1562
DGC8_1G	Medication - asthma	DG	1562
DGC8_1H	Medication - cough or cold remedies	DG	1563
DGC8_1I	Medication - penicillin or other antibiotics	DG	1563
DGC8_1J	Medication - heart	DG	1564
DGC8_1K	Medication - blood pressure	DG	1564
DGC8_1L	Medication - diuretics	DG	1565
DGC8_1M	Medication - steroids	DG	1565
DGC8_1N	Medication - insulin	DG	1566
DGC8_1O	Medication - pills to control diabetes	DG	1566
DGC8_1P	Medication - sleeping pills	DG	1567
DGC8_1Q	Medication - stomach remedies	DG	1567
DGC8_1R	Medication - laxatives	DG	1568
DGC8_1S	Medication - birth control pills	DG	1568
DGC8_1T	Medication - hormones for menopause	DG	1569
DGC8_1T1	Hormone therapy - type	DG	1569
DGC8_1T2	Hormone therapy - year started	DG	1570
DGC8_1U	Medication - thyroid	DG	1570
DGC8_1V	Medication - other	DG	1571

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 55

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC8_2	Number of different medications in past 2 days	DG	1572
DGC8_3AA	Prescription from doctor / dentist - drug 1	DG	1575
DGC8_3BA	Prescription from doctor / dentist - drug 2	DG	1578
DGC8_3CA	Prescription from doctor / dentist - drug 3	DG	1581
DGC8_3DA	Prescription from doctor / dentist - drug 4	DG	1584
DGC8_3EA	Prescription from doctor / dentist - drug 5	DG	1587
DGC8_3FA	Prescription from doctor / dentist - drug 6	DG	1590
DGC8_3GA	Prescription from doctor / dentist - drug 7	DG	1593
DGC8_3HA	Prescription from doctor / dentist - drug 8	DG	1596
DGC8_3IA	Prescription from doctor / dentist - drug 9	DG	1598
DGC8_3JA	Prescription from doctor / dentist - drug 10	DG	1600
DGC8_3KA	Prescription from doctor / dentist - drug 11	DG	1602
DGC8_3LA	Prescription from doctor / dentist - drug 12	DG	1604
DGC8_4	Medication - use other health product	DG	1604
DGC8_5AA	Uses a 2nd health product	DG	1607
DGC8_5BA	Uses a 3rd health product	DG	1610
DGC8_5CA	Uses a 4th health product	DG	1613
DGC8_5DA	Uses a 5th health product	DG	1615
DGC8_5EA	Uses a 6th health product	DG	1617
DGC8_5FA	Uses a 7th health product	DG	1619
DGC8_5GA	Uses a 8th health product	DG	1621
DGC8_5HA	Uses a 9th health product	DG	1623
DGC8_5IA	Uses a 10th health product	DG	1625
DGC8_5JA	Uses a 11th health product	DG	1627
DGC8_5KA	Uses a 12th health product	DG	1629
DGC8C3A	Drug code - drug 1	DG	1573
DGC8C3B	Drug code - drug 2	DG	1576
DGC8C3C	Drug code - drug 3	DG	1579
DGC8C3D	Drug code - drug 4	DG	1582
DGC8C3E	Drug code - drug 5	DG	1585
DGC8C3F	Drug code - drug 6	DG	1588
DGC8C3G	Drug code - drug 7	DG	1591
DGC8C3H	Drug code - drug 8	DG	1594
DGC8C3I	Drug code - drug 9	DG	1597
DGC8C3J	Drug code - drug 10	DG	1599
DGC8C3K	Drug code - drug 11	DG	1601

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 56

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC8C3L	Drug code - drug 12	DG	1603
DGC8C5A	Drug code - health product 1	DG	1605
DGC8C5B	Drug code - health product 2	DG	1608
DGC8C5C	Drug code - health product 3	DG	1611
DGC8C5D	Drug code - health product 4	DG	1614
DGC8C5E	Drug code - health product 5	DG	1616
DGC8C5F	Drug code - health product 6	DG	1618
DGC8C5G	Drug code - health product 7	DG	1620
DGC8C5H	Drug code - health product 8	DG	1622
DGC8C5I	Drug code - health product 9	DG	1624
DGC8C5J	Drug code - health product 10	DG	1626
DGC8C5K	Drug code - health product 11	DG	1628
DGC8C5L	Drug code - health product 12	DG	1630
DGC8F1	Flag for medications use	DG	1571
DGC8F3A	Flag for drug 1	DG	1572
DGC8F3B	Flag for drug 2	DG	1575
DGC8F3C	Flag for drug 3	DG	1578
DGC8F3D	Flag for drug 4	DG	1581
DGC8F3E	Flag for drug 5	DG	1584
DGC8F3F	Flag for drug 6	DG	1587
DGC8F3G	Flag for drug 7	DG	1590
DGC8F3H	Flag for drug 8	DG	1593
DGC8F3I	Flag for drug 9	DG	1596
DGC8F3J	Flag for drug 10	DG	1598
DGC8F3K	Flag for drug 11	DG	1600
DGC8F3L	Flag for drug 12	DG	1602
DGC8F5A	Flag for health product 1	DG	1605
DGC8F5B	Flag for health product 2	DG	1607
DGC8F5C	Flag for health product 3	DG	1610
DGC8F5D	Flag for health product 4	DG	1613
DGC8F5E	Flag for health product 5	DG	1615
DGC8F5F	Flag for health product 6	DG	1617
DGC8F5G	Flag for health product 7	DG	1619
DGC8F5H	Flag for health product 8	DG	1621
DGC8F5I	Flag for health product 9	DG	1623
DGC8F5J	Flag for health product 10	DG	1625



# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 57

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGC8F5K	Flag for health product 11	DG	1627
DGC8F5L	Flag for health product 12	DG	1629
DGC8G3A	Drug code - drug 1 - (G)	DG	1574
DGC8G3B	Drug code - drug 2 - (G)	DG	1577
DGC8G3C	Drug code - drug 3 - (G)	DG	1580
DGC8G3D	Drug code - drug 4 - (G)	DG	1583
DGC8G3E	Drug code - drug 5 - (G)	DG	1586
DGC8G3F	Drug code - drug 6 - (G)	DG	1589
DGC8G3G	Drug code - drug 7 - (G)	DG	1592
DGC8G3H	Drug code - drug 8 - (G)	DG	1595
DGC8G3I	Drug code - drug 9 - (G)	DG	1597
DGC8G3J	Drug code - drug 10 - (G)	DG	1599
DGC8G3K	Drug code - drug 11 - (G)	DG	1601
DGC8G3L	Drug code - drug 12 - (G)	DG	1603
DGC8G5A	Drug code - health product 1 - (G)	DG	1606
DGC8G5B	Drug code - health product 2 - (G)	DG	1609
DGC8G5C	Drug code - health product 3 - (G)	DG	1612
DGC8G5D	Drug code - health product 4 - (G)	DG	1614
DGC8G5E	Drug code - health product 5 - (G)	DG	1616
DGC8G5F	Drug code - health product 6 - (G)	DG	1618
DGC8G5G	Drug code - health product 7 - (G)	DG	1620
DGC8G5H	Drug code - health product 8 - (G)	DG	1622
DGC8G5I	Drug code - health product 9 - (G)	DG	1624
DGC8G5J	Drug code - health product 10 - (G)	DG	1626
DGC8G5K	Drug code - health product 11 - (G)	DG	1628
DGC8G5L	Drug code - health product 12 - (G)	DG	1630
DGCA_1A	Medication - pain relievers	DG	3061
DGCA_1B	Medication - tranquilizers	DG	3061
DGCA_1C	Medication - diet pills	DG	3062
DGCA_1D	Medication - anti-depressants	DG	3062
DGCA_1E	Medication - codeine, Demerol or morphine	DG	3063
DGCA_1F	Medication - allergy	DG	3063
DGCA_1G	Medication - asthma	DG	3064
DGCA_1H	Medication - cough or cold remedies	DG	3064
DGCA_1I	Medication - penicillin or other antibiotics	DG	3065
DGCA_1J	Medication - heart	DG	3065

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
DGCA_1K	Medication - blood pressure	DG	3066
DGCA_1L	Medication - diuretics	DG	3066
DGCA_1M	Medication - steroids	DG	3067
DGCA_1N	Medication - insulin	DG	3067
DGCA_1O	Medication - pills to control diabetes	DG	3068
DGCA_1P	Medication - sleeping pills	DG	3068
DGCA_1Q	Medication - stomach remedies	DG	3069
DGCA_1R	Medication - laxatives	DG	3069
DGCA_1S	Medication - birth control pills	DG	3070
DGCA_1T	Medication - hormones for menopause	DG	3070
DGCA_1T1	Hormone therapy - type	DG	3071
DGCA_1T2	Hormone therapy - year started	DG	3071
DGCA_1U	Medication - thyroid	DG	3072
DGCA_1V	Medication - other	DG	3072
DGCA_2	Number of different medications in past 2 days	DG	3073
DGCA_3AA	Prescription from doctor / dentist - drug 1	DG	3076
DGCA_3BA	Prescription from doctor / dentist - drug 2	DG	3079
DGCA_3CA	Prescription from doctor / dentist - drug 3	DG	3082
DGCA_3DA	Prescription from doctor / dentist - drug 4	DG	3085
DGCA_3EA	Prescription from doctor / dentist - drug 5	DG	3088
DGCA_3FA	Prescription from doctor / dentist - drug 6	DG	3091
DGCA_3GA	Prescription from doctor / dentist - drug 7	DG	3094
DGCA_3HA	Prescription from doctor / dentist - drug 8	DG	3097
DGCA_3IA	Prescription from doctor / dentist - drug 9	DG	3099
DGCA_3JA	Prescription from doctor / dentist - drug 10	DG	3101
DGCA_3KA	Prescription from doctor / dentist - drug 11	DG	3103
DGCA_3LA	Prescription from doctor / dentist - drug 12	DG	3105
DGCA_4	Medication - use other health product	DG	3106
DGCA_4A	Medication - use other product in past 2 days	DG	3106
DGCA_5AA	Used a 2nd health product	DG	3109
DGCA_5BA	Used a 3rd health product	DG	3112
DGCA_5CA	Used a 4th health product	DG	3114
DGCA_5DA	Used a 5th health product	DG	3116
DGCA_5EA	Used a 6th health product	DG	3118
DGCA_5FA	Used a 7th health product	DG	3120
DGCA_5GA	Used a 8th health product	DG	3122

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 59

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCA_5HA	Used a 9th health product	DG	3124
DGCA_5IA	Used a 10th health product	DG	3126
DGCA_5JA	Used a 11th health product	DG	3128
DGCA_5KA	Used a 12th health product	DG	3130
DGCAC3A	Drug code - drug 1	DG	3074
DGCAC3B	Drug code - drug 2	DG	3077
DGCAC3C	Drug code - drug 3	DG	3080
DGCAC3D	Drug code - drug 4	DG	3083
DGCAC3E	Drug code - drug 5	DG	3086
DGCAC3F	Drug code - drug 6	DG	3089
DGCAC3G	Drug code - drug 7	DG	3092
DGCAC3H	Drug code - drug 8	DG	3095
DGCAC3I	Drug code - drug 9	DG	3098
DGCAC3J	Drug code - drug 10	DG	3100
DGCAC3K	Drug code - drug 11	DG	3102
DGCAC3L	Drug code - drug 12	DG	3104
DGCAC5A	Drug code - health product 1	DG	3107
DGCAC5B	Drug code - health product 2	DG	3110
DGCAC5C	Drug code - health product 3	DG	3113
DGCAC5D	Drug code - health product 4	DG	3115
DGCAC5E	Drug code - health product 5	DG	3117
DGCAC5F	Drug code - health product 6	DG	3119
DGCAC5G	Drug code - health product 7	DG	3121
DGCAC5H	Drug code - health product 8	DG	3123
DGCAC5I	Drug code - health product 9	DG	3125
DGCAC5J	Drug code - health product 10	DG	3127
DGCAC5K	Drug code - health product 11	DG	3129
DGCAC5L	Drug code - health product 12	DG	3131
DGCAF1	Flag for medications use	DG	3073
DGCAF3A	Flag for drug 1	DG	3074
DGCAF3B	Flag for drug 2	DG	3076
DGCAF3C	Flag for drug 3	DG	3079
DGCAF3D	Flag for drug 4	DG	3082
DGCAF3E	Flag for drug 5	DG	3085
DGCAF3F	Flag for drug 6	DG	3088
DGCAF3G	Flag for drug 7	DG	3091

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 60

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCAF3H	Flag for drug 8	DG	3094
DGCAF3I	Flag for drug 9	DG	3097
DGCAF3J	Flag for drug 10	DG	3100
DGCAF3K	Flag for drug 11	DG	3102
DGCAF3L	Flag for drug 12	DG	3104
DGCAF5A	Flag for health product 1	DG	3107
DGCAF5B	Flag for health product 2	DG	3109
DGCAF5C	Flag for health product 3	DG	3112
DGCAF5D	Flag for health product 4	DG	3115
DGCAF5E	Flag for health product 5	DG	3117
DGCAF5F	Flag for health product 6	DG	3119
DGCAF5G	Flag for health product 7	DG	3121
DGCAF5H	Flag for health product 8	DG	3123
DGCAF5I	Flag for health product 9	DG	3125
DGCAF5J	Flag for health product 10	DG	3127
DGCAF5K	Flag for health product 11	DG	3129
DGCAF5L	Flag for health product 12	DG	3131
DGCAG3A	Drug code - drug 1 - (G)	DG	3075
DGCAG3B	Drug code - drug 2 - (G)	DG	3078
DGCAG3C	Drug code - drug 3 - (G)	DG	3081
DGCAG3D	Drug code - drug 4 - (G)	DG	3084
DGCAG3E	Drug code - drug 5 - (G)	DG	3087
DGCAG3F	Drug code - drug 6 - (G)	DG	3090
DGCAG3G	Drug code - drug 7 - (G)	DG	3093
DGCAG3H	Drug code - drug 8 - (G)	DG	3096
DGCAG3I	Drug code - drug 9 - (G)	DG	3099
DGCAG3J	Drug code - drug 10 - (G)	DG	3101
DGCAG3K	Drug code - drug 11 - (G)	DG	3103
DGCAG3L	Drug code - drug 12 - (G)	DG	3105
DGCAG5A	Drug code - health product 1 - (G)	DG	3108
DGCAG5B	Drug code - health product 2 - (G)	DG	3111
DGCAG5C	Drug code - health product 3 - (G)	DG	3114
DGCAG5D	Drug code - health product 4 - (G)	DG	3116
DGCAG5E	Drug code - health product 5 - (G)	DG	3118
DGCAG5F	Drug code - health product 6 - (G)	DG	3120
DGCAG5G	Drug code - health product 7 - (G)	DG	3122

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 61

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCAG5H	Drug code - health product 8 - (G)	DG	3124
DGCAG5I	Drug code - health product 9 - (G)	DG	3126
DGCAG5J	Drug code - health product 10 - (G)	DG	3128
DGCAG5K	Drug code - health product 11 - (G)	DG	3130
DGCAG5L	Drug code - health product 12 - (G)	DG	3132
DGCB_1A	Medication - pain relievers	DG	3601
DGCB_1B	Medication - tranquilizers	DG	3602
DGCB_1C	Medication - diet pills	DG	3602
DGCB_1D	Medication - anti-depressants	DG	3603
DGCB_1E	Medication - codeine, Demerol or morphine	DG	3603
DGCB_1F	Medication - allergy	DG	3604
DGCB_1G	Medication - asthma	DG	3604
DGCB_1H	Medication - cough or cold remedies	DG	3605
DGCB_1I	Medication - penicillin or other antibiotics	DG	3605
DGCB_1J	Medication - heart	DG	3606
DGCB_1K	Medication - blood pressure	DG	3606
DGCB_1L	Medication - diuretics	DG	3607
DGCB_1M	Medication - steroids	DG	3607
DGCB_1N	Medication - insulin	DG	3608
DGCB_1O	Medication - pills to control diabetes	DG	3608
DGCB_1P	Medication - sleeping pills	DG	3609
DGCB_1Q	Medication - stomach remedies	DG	3609
DGCB_1R	Medication - laxatives	DG	3610
DGCB_1S	Medication - birth control pills	DG	3610
DGCB_1T	Medication - hormones for menopause	DG	3611
DGCB_1T1	Hormone therapy - type	DG	3611
DGCB_1T2	Hormone therapy - year started	DG	3612
DGCB_1U	Medication - thyroid	DG	3612
DGCB_1V	Medication - other	DG	3613
DGCB_2	Number of different medications in past 2 days	DG	3614
DGCB_3AA	Prescription from doctor / dentist - drug 1	DG	3617
DGCB_3BA	Prescription from doctor / dentist - drug 2	DG	3620
DGCB_3CA	Prescription from doctor / dentist - drug 3	DG	3623
DGCB_3DA	Prescription from doctor / dentist - drug 4	DG	3626
DGCB_3EA	Prescription from doctor / dentist - drug 5	DG	3629
DGCB_3FA	Prescription from doctor / dentist - drug 6	DG	3632

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 62

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCB_3GA	Prescription from doctor / dentist - drug 7	DG	3635
DGCB_3HA	Prescription from doctor / dentist - drug 8	DG	3638
DGCB_3IA	Prescription from doctor / dentist - drug 9	DG	3641
DGCB_3JA	Prescription from doctor / dentist - drug 10	DG	3644
DGCB_3KA	Prescription from doctor / dentist - drug 11	DG	3646
DGCB_3LA	Prescription from doctor / dentist - drug 12	DG	3648
DGCB_4	Medication - use other health product	DG	3648
DGCB_4A	Medication - use other product in past 2 days	DG	3649
DGCB_5AA	Used a 2nd health product	DG	3652
DGCB_5BA	Used a 3rd health product	DG	3655
DGCB_5CA	Used a 4th health product	DG	3658
DGCB_5DA	Used a 5th health product	DG	3660
DGCB_5EA	Used a 6th health product	DG	3662
DGCB_5FA	Used a 7th health product	DG	3664
DGCB_5GA	Used a 8th health product	DG	3666
DGCB_5HA	Used a 9th health product	DG	3668
DGCB_5IA	Used a 10th health product	DG	3670
DGCB_5JA	Used a 11th health product	DG	3672
DGCB_5KA	Used a 12th health product	DG	3674
DGCBC3A	Drug code - drug 1	DG	3615
DGCBC3B	Drug code - drug 2	DG	3618
DGCBC3C	Drug code - drug 3	DG	3621
DGCBC3D	Drug code - drug 4	DG	3624
DGCBC3E	Drug code - drug 5	DG	3627
DGCBC3F	Drug code - drug 6	DG	3630
DGCBC3G	Drug code - drug 7	DG	3633
DGCBC3H	Drug code - drug 8	DG	3636
DGCBC3I	Drug code - drug 9	DG	3639
DGCBC3J	Drug code - drug 10	DG	3642
DGCBC3K	Drug code - drug 11	DG	3645
DGCBC3L	Drug code - drug 12	DG	3647
DGCBC5A	Drug code - health product 1	DG	3650
DGCBC5B	Drug code - health product 2	DG	3653
DGCBC5C	Drug code - health product 3	DG	3656
DGCBC5D	Drug code - health product 4	DG	3659
DGCBC5E	Drug code - health product 5	DG	3661

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 63

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCB5F	Drug code - health product 6	DG	3663
DGCB5G	Drug code - health product 7	DG	3665
DGCB5H	Drug code - health product 8	DG	3667
DGCB5I	Drug code - health product 9	DG	3669
DGCB5J	Drug code - health product 10	DG	3671
DGCB5K	Drug code - health product 11	DG	3673
DGCB5L	Drug code - health product 12	DG	3675
DGCBF1	Flag for medications use	DG	3613
DGCBF3A	Flag for drug 1	DG	3614
DGCBF3B	Flag for drug 2	DG	3617
DGCBF3C	Flag for drug 3	DG	3620
DGCBF3D	Flag for drug 4	DG	3623
DGCBF3E	Flag for drug 5	DG	3626
DGCBF3F	Flag for drug 6	DG	3629
DGCBF3G	Flag for drug 7	DG	3632
DGCBF3H	Flag for drug 8	DG	3635
DGCBF3I	Flag for drug 9	DG	3638
DGCBF3J	Flag for drug 10	DG	3641
DGCBF3K	Flag for drug 11	DG	3644
DGCBF3L	Flag for drug 12	DG	3646
DGCBF5A	Flag for health product 1	DG	3649
DGCBF5B	Flag for health product 2	DG	3652
DGCBF5C	Flag for health product 3	DG	3655
DGCBF5D	Flag for health product 4	DG	3658
DGCBF5E	Flag for health product 5	DG	3661
DGCBF5F	Flag for health product 6	DG	3663
DGCBF5G	Flag for health product 7	DG	3665
DGCBF5H	Flag for health product 8	DG	3667
DGCBF5I	Flag for health product 9	DG	3669
DGCBF5J	Flag for health product 10	DG	3671
DGCBF5K	Flag for health product 11	DG	3673
DGCBF5L	Flag for health product 12	DG	3675
DGCBG3A	Drug code - drug 1 - (G)	DG	3616
DGCBG3B	Drug code - drug 2 - (G)	DG	3619
DGCBG3C	Drug code - drug 3 - (G)	DG	3622
DGCBG3D	Drug code - drug 4 - (G)	DG	3625

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 64

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCBG3E	Drug code - drug 5 - (G)	DG	3628
DGCBG3F	Drug code - drug 6 - (G)	DG	3631
DGCBG3G	Drug code - drug 7 - (G)	DG	3634
DGCBG3H	Drug code - drug 8 - (G)	DG	3637
DGCBG3I	Drug code - drug 9 - (G)	DG	3640
DGCBG3J	Drug code - drug 10 - (G)	DG	3643
DGCBG3K	Drug code - drug 11 - (G)	DG	3645
DGCBG3L	Drug code - drug 12 - (G)	DG	3647
DGCBG5A	Drug code - health product 1 - (G)	DG	3651
DGCBG5B	Drug code - health product 2 - (G)	DG	3654
DGCBG5C	Drug code - health product 3 - (G)	DG	3657
DGCBG5D	Drug code - health product 4 - (G)	DG	3660
DGCBG5E	Drug code - health product 5 - (G)	DG	3662
DGCBG5F	Drug code - health product 6 - (G)	DG	3664
DGCBG5G	Drug code - health product 7 - (G)	DG	3666
DGCBG5H	Drug code - health product 8 - (G)	DG	3668
DGCBG5I	Drug code - health product 9 - (G)	DG	3670
DGCBG5J	Drug code - health product 10 - (G)	DG	3672
DGCBG5K	Drug code - health product 11 - (G)	DG	3674
DGCBG5L	Drug code - health product 12 - (G)	DG	3676
DGCC_1A	Medication - pain relievers	DG	4151
DGCC_1B	Medication - tranquilizers	DG	4151
DGCC_1C	Medication - diet pills	DG	4152
DGCC_1D	Medication - anti-depressants	DG	4152
DGCC_1E	Medication - codeine, Demerol or morphine	DG	4153
DGCC_1F	Medication - allergy	DG	4153
DGCC_1G	Medication - asthma	DG	4154
DGCC_1H	Medication - cough or cold remedies	DG	4154
DGCC_1I	Medication - penicillin or other antibiotics	DG	4155
DGCC_1J	Medication - heart	DG	4155
DGCC_1K	Medication - blood pressure	DG	4156
DGCC_1L	Medication - diuretics	DG	4156
DGCC_1M	Medication - steroids	DG	4157
DGCC_1N	Medication - insulin	DG	4157
DGCC_1O	Medication - pills to control diabetes	DG	4158
DGCC_1P	Medication - sleeping pills	DG	4158



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 65

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCC_1Q	Medication - stomach remedies	DG	4159
DGCC_1R	Medication - laxatives	DG	4159
DGCC_1S	Medication - birth control pills	DG	4160
DGCC_1T	Medication - hormones for menopause	DG	4160
DGCC_1T1	Hormone therapy - type	DG	4161
DGCC_1T2	Hormone therapy - year started	DG	4161
DGCC_1U	Medication - thyroid	DG	4162
DGCC_1V	Medication - other	DG	4162
DGCC_2	Number of different medications in past 2 days	DG	4163
DGCC_3AA	Prescription from doctor / dentist - drug 1	DG	4166
DGCC_3BA	Prescription from doctor / dentist - drug 2	DG	4169
DGCC_3CA	Prescription from doctor / dentist - drug 3	DG	4172
DGCC_3DA	Prescription from doctor / dentist - drug 4	DG	4175
DGCC_3EA	Prescription from doctor / dentist - drug 5	DG	4178
DGCC_3FA	Prescription from doctor / dentist - drug 6	DG	4181
DGCC_3GA	Prescription from doctor / dentist - drug 7	DG	4184
DGCC_3HA	Prescription from doctor / dentist - drug 8	DG	4187
DGCC_3IA	Prescription from doctor / dentist - drug 9	DG	4190
DGCC_3JA	Prescription from doctor / dentist - drug 10	DG	4193
DGCC_3KA	Prescription from doctor / dentist - drug 11	DG	4195
DGCC_3LA	Prescription from doctor / dentist - drug 12	DG	4197
DGCC_4	Medication - use other health product	DG	4198
DGCC_4A	Medication - use other product in past 2 days	DG	4198
DGCC_5AA	Used a 2nd health product	DG	4201
DGCC_5BA	Used a 3rd health product	DG	4204
DGCC_5CA	Used a 4th health product	DG	4207
DGCC_5DA	Used a 5th health product	DG	4209
DGCC_5EA	Used a 6th health product	DG	4211
DGCC_5FA	Used a 7th health product	DG	4213
DGCC_5GA	Used a 8th health product	DG	4215
DGCC_5HA	Used a 9th health product	DG	4217
DGCC_5IA	Used a 10th health product	DG	4219
DGCC_5JA	Used a 11th health product	DG	4221
DGCC_5KA	Used a 12th health product	DG	4223
DGCCC3A	Drug code - drug 1	DG	4164
DGCCC3B	Drug code - drug 2	DG	4167

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 66

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCCC3C	Drug code - drug 3	DG	4170
DGCCC3D	Drug code - drug 4	DG	4173
DGCCC3E	Drug code - drug 5	DG	4176
DGCCC3F	Drug code - drug 6	DG	4179
DGCCC3G	Drug code - drug 7	DG	4182
DGCCC3H	Drug code - drug 8	DG	4185
DGCCC3I	Drug code - drug 9	DG	4188
DGCCC3J	Drug code - drug 10	DG	4191
DGCCC3K	Drug code - drug 11	DG	4194
DGCCC3L	Drug code - drug 12	DG	4196
DGCCC5A	Drug code - health product 1	DG	4199
DGCCC5B	Drug code - health product 2	DG	4202
DGCCC5C	Drug code - health product 3	DG	4205
DGCCC5D	Drug code - health product 4	DG	4208
DGCCC5E	Drug code - health product 5	DG	4210
DGCCC5F	Drug code - health product 6	DG	4212
DGCCC5G	Drug code - health product 7	DG	4214
DGCCC5H	Drug code - health product 8	DG	4216
DGCCC5I	Drug code - health product 9	DG	4218
DGCCC5J	Drug code - health product 10	DG	4220
DGCCC5K	Drug code - health product 11	DG	4222
DGCCC5L	Drug code - health product 12	DG	4224
DGCCF1	Flag for medications use	DG	4163
DGCCF3A	Flag for drug 1	DG	4164
DGCCF3B	Flag for drug 2	DG	4166
DGCCF3C	Flag for drug 3	DG	4169
DGCCF3D	Flag for drug 4	DG	4172
DGCCF3E	Flag for drug 5	DG	4175
DGCCF3F	Flag for drug 6	DG	4178
DGCCF3G	Flag for drug 7	DG	4181
DGCCF3H	Flag for drug 8	DG	4184
DGCCF3I	Flag for drug 9	DG	4187
DGCCF3J	Flag for drug 10	DG	4190
DGCCF3K	Flag for drug 11	DG	4193
DGCCF3L	Flag for drug 12	DG	4196
DGCCF5A	Flag for health product 1	DG	4199

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 67

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCCF5B	Flag for health product 2	DG	4201
DGCCF5C	Flag for health product 3	DG	4204
DGCCF5D	Flag for health product 4	DG	4207
DGCCF5E	Flag for health product 5	DG	4209
DGCCF5F	Flag for health product 6	DG	4212
DGCCF5G	Flag for health product 7	DG	4214
DGCCF5H	Flag for health product 8	DG	4216
DGCCF5I	Flag for health product 9	DG	4218
DGCCF5J	Flag for health product 10	DG	4220
DGCCF5K	Flag for health product 11	DG	4222
DGCCF5L	Flag for health product 12	DG	4224
DGCCG3A	Drug code - drug 1 - (G)	DG	4165
DGCCG3B	Drug code - drug 2 - (G)	DG	4168
DGCCG3C	Drug code - drug 3 - (G)	DG	4171
DGCCG3D	Drug code - drug 4 - (G)	DG	4174
DGCCG3E	Drug code - drug 5 - (G)	DG	4177
DGCCG3F	Drug code - drug 6 - (G)	DG	4180
DGCCG3G	Drug code - drug 7 - (G)	DG	4183
DGCCG3H	Drug code - drug 8 - (G)	DG	4186
DGCCG3I	Drug code - drug 9 - (G)	DG	4189
DGCCG3J	Drug code - drug 10 - (G)	DG	4192
DGCCG3K	Drug code - drug 11 - (G)	DG	4195
DGCCG3L	Drug code - drug 12 - (G)	DG	4197
DGCCG5A	Drug code - health product 1 - (G)	DG	4200
DGCCG5B	Drug code - health product 2 - (G)	DG	4203
DGCCG5C	Drug code - health product 3 - (G)	DG	4206
DGCCG5D	Drug code - health product 4 - (G)	DG	4208
DGCCG5E	Drug code - health product 5 - (G)	DG	4211
DGCCG5F	Drug code - health product 6 - (G)	DG	4213
DGCCG5G	Drug code - health product 7 - (G)	DG	4215
DGCCG5H	Drug code - health product 8 - (G)	DG	4217
DGCCG5I	Drug code - health product 9 - (G)	DG	4219
DGCCG5J	Drug code - health product 10 - (G)	DG	4221
DGCCG5K	Drug code - health product 11 - (G)	DG	4223
DGCCG5L	Drug code - health product 12 - (G)	DG	4225
DGCD_1A	Medication - pain relievers	DG	4674

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 68

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCD_1B	Medication - tranquilizers	DG	4675
DGCD_1C	Medication - diet pills	DG	4675
DGCD_1D	Medication - anti-depressants	DG	4676
DGCD_1E	Medication - codeine, Demerol or morphine	DG	4676
DGCD_1F	Medication - allergy	DG	4677
DGCD_1G	Medication - asthma	DG	4677
DGCD_1H	Medication - cough or cold remedies	DG	4678
DGCD_1I	Medication - penicillin or other antibiotics	DG	4678
DGCD_1J	Medication - heart	DG	4679
DGCD_1K	Medication - blood pressure	DG	4679
DGCD_1L	Medication - diuretics	DG	4680
DGCD_1M	Medication - steroids	DG	4680
DGCD_1N	Medication - insulin	DG	4681
DGCD_1O	Medication - pills to control diabetes	DG	4681
DGCD_1P	Medication - sleeping pills	DG	4682
DGCD_1Q	Medication - stomach remedies	DG	4682
DGCD_1R	Medication - laxatives	DG	4683
DGCD_1S	Medication - birth control pills	DG	4683
DGCD_1T	Medication - hormones for menopause	DG	4684
DGCD_1T1	Hormone therapy - type	DG	4684
DGCD_1T2	Hormone therapy - year started	DG	4685
DGCD_1U	Medication - thyroid	DG	4685
DGCD_1V	Medication - other	DG	4686
DGCD_2	Number of different medications in past 2 days	DG	4687
DGCD_3AA	Prescription from doctor / dentist - drug 1	DG	4690
DGCD_3BA	Prescription from doctor / dentist - drug 2	DG	4693
DGCD_3CA	Prescription from doctor / dentist - drug 3	DG	4696
DGCD_3DA	Prescription from doctor / dentist - drug 4	DG	4699
DGCD_3EA	Prescription from doctor / dentist - drug 5	DG	4702
DGCD_3FA	Prescription from doctor / dentist - drug 6	DG	4705
DGCD_3GA	Prescription from doctor / dentist - drug 7	DG	4708
DGCD_3HA	Prescription from doctor / dentist - drug 8	DG	4711
DGCD_3IA	Prescription from doctor / dentist - drug 9	DG	4714
DGCD_3JA	Prescription from doctor / dentist - drug 10	DG	4717
DGCD_3KA	Prescription from doctor / dentist - drug 11	DG	4720
DGCD_3LA	Prescription from doctor / dentist - drug 12	DG	4723

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 69

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DG CDC3A	Drug code - drug 1	DG	4688
DG CDC3B	Drug code - drug 2	DG	4691
DG CDC3C	Drug code - drug 3	DG	4694
DG CDC3D	Drug code - drug 4	DG	4697
DG CDC3E	Drug code - drug 5	DG	4700
DG CDC3F	Drug code - drug 6	DG	4703
DG CDC3G	Drug code - drug 7	DG	4706
DG CDC3H	Drug code - drug 8	DG	4709
DG CDC3I	Drug code - drug 9	DG	4712
DG CDC3J	Drug code - drug 10	DG	4715
DG CDC3K	Drug code - drug 11	DG	4718
DG CDC3L	Drug code - drug 12	DG	4721
DG CDF1	Flag for medications use	DG	4686
DG CDF3A	Flag for drug 1	DG	4687
DG CDF3B	Flag for drug 2	DG	4690
DG CDF3C	Flag for drug 3	DG	4693
DG CDF3D	Flag for drug 4	DG	4696
DG CDF3E	Flag for drug 5	DG	4699
DG CDF3F	Flag for drug 6	DG	4702
DG CDF3G	Flag for drug 7	DG	4705
DG CDF3H	Flag for drug 8	DG	4708
DG CDF3I	Flag for drug 9	DG	4711
DG CDF3J	Flag for drug 10	DG	4714
DG CDF3K	Flag for drug 11	DG	4717
DG CDF3L	Flag for drug 12	DG	4720
DG CDG3A	Drug code - drug 1 - (G)	DG	4689
DG CDG3B	Drug code - drug 2 - (G)	DG	4692
DG CDG3C	Drug code - drug 3 - (G)	DG	4695
DG CDG3D	Drug code - drug 4 - (G)	DG	4698
DG CDG3E	Drug code - drug 5 - (G)	DG	4701
DG CDG3F	Drug code - drug 6 - (G)	DG	4704
DG CDG3G	Drug code - drug 7 - (G)	DG	4707
DG CDG3H	Drug code - drug 8 - (G)	DG	4710
DG CDG3I	Drug code - drug 9 - (G)	DG	4713
DG CDG3J	Drug code - drug 10 - (G)	DG	4716
DG CDG3K	Drug code - drug 11 - (G)	DG	4719

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 70

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DGCDG3L	Drug code - drug 12 - (G)	DG	4722
DH_4_P1	Pet - has one	DH	19
DH_4_P3	Pet - live indoors	DH	20
DH_4DP2	Kind of pet - (D)	DH	19
DHC0_AGE	Age	DH	1716
DHC0_BED	Number of bedrooms	DH	1711
DHC0_DWE	Type of dwelling	DH	1709
DHC0_FID	Family ID code	DH	1718
DHC0_MAR	Marital status	DH	1718
DHC0_MGE	Mortgage on dwelling	DH	1710
DHC0_OWEN	Dwelling owned by a household member	DH	1710
DHC0D611	Number of persons 6 to 11 years old in household - (D)	DH	1715
DHC0DE12	Number of persons 12 years old in household - (D)	DH	1714
DHC0DECF	Type of household (Economic family situation) - (D)	DH	1713
DHC0DHSZ	Household size - (D)	DH	1714
DHC0DL12	Number of persons less than 12 years old in household - (D)	DH	1714
DHC0DLE5	Number of persons 5 years old or less in household - (D)	DH	1715
DHC0DLVG	Living arrangement of the selected respondent - (D)	DH	1712
DHC0GAGE	Age - (G)	DH	1717
DHC2_AGE	Age	DH	2223
DHC2_BED	Number of bedrooms	DH	2218
DHC2_DWE	Type of dwelling	DH	2216
DHC2_FID	Family ID code	DH	2225
DHC2_MAR	Marital status	DH	2225
DHC2_MGE	Mortgage on dwelling	DH	2217
DHC2_OWEN	Dwelling owned by a household member	DH	2217
DHC2D611	Number of persons 6 to 11 years old in household - (D)	DH	2222
DHC2DE12	Number of persons 12 years old in household - (D)	DH	2221
DHC2DECF	Type of household (Economic family situation) - (D)	DH	2220
DHC2DHSZ	Household size - (D)	DH	2221
DHC2DL12	Number of persons less than 12 years old in household - (D)	DH	2221
DHC2DLE5	Number of persons 5 years old or less in household - (D)	DH	2222
DHC2DLVG	Living arrangement of the selected respondent - (D)	DH	2219
DHC2GAGE	Age - (G)	DH	2224
DHC4_AGE	Age	DH	25
DHC4_BED	Number of bedrooms	DH	18

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 71

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DHC4_DWE	Type of dwelling	DH	17
DHC4_FID	Family ID code	DH	27
DHC4_MAR	Marital status	DH	27
DHC4_OWN	Dwelling owned by a household member	DH	18
DHC4D611	Number of persons 6 to 11 years old in household - (D)	DH	24
DHC4DE12	Number of persons 12 years old in household - (D)	DH	23
DHC4DECF	Type of household (Economic family situation) - (D)	DH	21
DHC4DHSZ	Household size - (D)	DH	22
DHC4DL12	Number of persons less than 12 years old in household - (D)	DH	23
DHC4DL25	Number of persons less than 25 years old in household - (D)	DH	23
DHC4DLE5	Number of persons 5 years old or less in household - (D)	DH	24
DHC4DLVG	Living arrangement of the selected respondent - (D)	DH	22
DHC4GAGE	Age - (G)	DH	26
DHC6_AGE	Age	DH	482
DHC6_BED	Number of bedrooms	DH	477
DHC6_DWE	Type of dwelling	DH	476
DHC6_FID	Family ID code	DH	484
DHC6_MAR	Marital status	DH	484
DHC6_OWN	Dwelling owned by a household member	DH	477
DHC6D611	Number of persons 6 to 11 years old in household - (D)	DH	482
DHC6DE12	Number of persons 12 years old in household - (D)	DH	481
DHC6DECF	Type of household (Economic family situation) - (D)	DH	479
DHC6DHSZ	Household size - (D)	DH	480
DHC6DL12	Number of persons less than 12 years old in household - (D)	DH	481
DHC6DLE5	Number of persons 5 years old or less in household - (D)	DH	481
DHC6DLVG	Living arrangement of the selected respondent - (D)	DH	480
DHC6GAGE	Age - (G)	DH	483
DHC8_AGE	Age	DH	1172
DHC8_BED	Number of bedrooms	DH	1167
DHC8_DWE	Type of dwelling	DH	1166
DHC8_FID	Family ID code	DH	1174
DHC8_MAR	Marital status	DH	1174
DHC8_OWN	Dwelling owned by a household member	DH	1166
DHC8D611	Number of persons 6 to 11 years old in household - (D)	DH	1171
DHC8DE12	Number of persons 12 years old in household - (D)	DH	1170
DHC8DECF	Type of household (Economic family situation) - (D)	DH	1169

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 72

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DHC8DHSZ	Household size - (D)	DH	1170
DHC8DL12	Number of persons less than 12 years old in household - (D)	DH	1170
DHC8DLE5	Number of persons 5 years old or less in household - (D)	DH	1171
DHC8DLVG	Living arrangement of the selected respondent - (D)	DH	1168
DHC8GAGE	Age - (G)	DH	1173
DHCA_AGE	Age	DH	2760
DHCA_BED	Number of bedrooms	DH	2755
DHCA_DWE	Type of dwelling	DH	2753
DHCA_MAR	Marital status	DH	2762
DHCA_MGE	Mortgage on dwelling	DH	2754
DHCA_OWN	Dwelling owned by a household member	DH	2754
DHCAD611	Number of persons 6 to 11 years old in household - (D)	DH	2759
DHCADE12	Number of persons 12 years old in household - (D)	DH	2758
DHCADECF	Type of household (Economic family situation) - (D)	DH	2757
DHCADHSZ	Household size - (D)	DH	2758
DHCADL12	Number of persons less than 12 years old in household - (D)	DH	2758
DHCADLE5	Number of persons 5 years old or less in household - (D)	DH	2759
DHCADLVG	Living arrangement of the selected respondent - (D)	DH	2756
DHCAGAGE	Age - (G)	DH	2761
DHCB_AGE	Age	DH	3296
DHCB_BED	Number of bedrooms	DH	3291
DHCB_DWE	Type of dwelling	DH	3289
DHCB_MAR	Marital status	DH	3297
DHCB_MGE	Mortgage on dwelling	DH	3290
DHCB_OWN	Dwelling owned by a household member	DH	3290
DHCB611	Number of persons 6 to 11 years old in household - (D)	DH	3295
DHCBDE12	Number of persons 12 years old in household - (D)	DH	3294
DHCBDECF	Type of household (Economic family situation) - (D)	DH	3293
DHCB6DHSZ	Household size - (D)	DH	3294
DHCBDL12	Number of persons less than 12 years old in household - (D)	DH	3294
DHCB6DLE5	Number of persons 5 years old or less in household - (D)	DH	3295
DHCB6DLVG	Living arrangement of the selected respondent - (D)	DH	3292
DHCB6GAGE	Age - (G)	DH	3296
DHCC_AGE	Age	DH	3839
DHCC_BED	Number of bedrooms	DH	3834
DHCC_DWE	Type of dwelling	DH	3832



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 73

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DHCC_MAR	Marital status	DH	3840
DHCC_MGE	Mortgage on dwelling	DH	3833
DHCC_OWEN	Dwelling owned by a household member	DH	3833
DHCCD611	Number of persons 6 to 11 years old in household - (D)	DH	3838
DHCCDE12	Number of persons 12 years old in household - (D)	DH	3837
DHCCDECF	Type of household (Economic family situation) - (D)	DH	3836
DHCCDHSZ	Household size - (D)	DH	3837
DHCCDL12	Number of persons less than 12 years old in household - (D)	DH	3837
DHCCDLE5	Number of persons 5 years old or less in household - (D)	DH	3838
DHCCDLVG	Living arrangement of the selected respondent - (D)	DH	3835
DHCCGAGE	Age - (G)	DH	3839
DHCD_AGE	Age	DH	4387
DHCD_BED	Number of bedrooms	DH	4382
DHCD_DWE	Type of dwelling	DH	4380
DHCD_MAR	Marital status	DH	4388
DHCD_MGE	Mortgage on dwelling	DH	4381
DHCD_OWEN	Dwelling owned by a household member	DH	4381
DHCDD611	Number of persons 6 to 11 years old in household - (D)	DH	4386
DHCDD12	Number of persons 12 years old in household - (D)	DH	4385
DHCDD1CF	Type of household (Economic family situation) - (D)	DH	4384
DHCDDHSZ	Household size - (D)	DH	4385
DHCDDL12	Number of persons less than 12 years old in household - (D)	DH	4385
DHCDDLE5	Number of persons 5 years old or less in household - (D)	DH	4386
DHCDDLVG	Living arrangement of the selected respondent - (D)	DH	4383
DHCDGAGE	Age - (G)	DH	4387
DOB	Day of birth	DH	3
DOD	Day of death	DH	10
DV_6_60	Visited dentist	DV	823
DV_6_61	Last time visited dentist	DV	823
DV_6_62A	Dental visit - make sure everything is OK	DV	824
DV_6_62B	Dental visit - check-up covered by insurance	DV	824
DV_6_62C	Dental visit - catch problems early	DV	825
DV_6_62D	Dental visit - for good dental health	DV	825
DV_6_62E	Dental visit - care of teeth, gums, dentures	DV	826
DV_6_62F	Dental visit - cleaning, fluoride, maintenance	DV	826
DV_6_62G	Dental visit - to get a filling, extraction	DV	827

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 74

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
DV_6_62H	Dental visit - to check braces	DV	827
DV_6_62I	Dental visit - other reason	DV	828
DV_6_63	Had problems obtaining dental services	DV	828
DV_6_64A	Dental services - not avail. when required	DV	829
DV_6_64B	Dental services - not available in area	DV	829
DV_6_64C	Dental services - waiting time too long	DV	830
DV_6_64D	Dental services - transportation problems	DV	830
DV_6_64E	Dental services - language problem	DV	831
DV_6_64F	Dental services - cost	DV	831
DV_6_64G	Dental services - didn't know where to go	DV	831
DV_6_64H	Dental services - other problem	DV	832
DV_6_65A	No dental visit - have not gotten around to it	DV	832
DV_6_65B	No dental visit - resp. didn't think necessary	DV	833
DV_6_65C	No dental visit - dentist didn't think necessary	DV	833
DV_6_65D	No dental visit - personal / family responsibilities	DV	834
DV_6_65E	No dental visit - not available when required	DV	834
DV_6_65F	No dental visit - not available in area	DV	835
DV_6_65G	No dental visit - waiting time too long	DV	835
DV_6_65H	No dental visit - transportation problems	DV	836
DV_6_65I	No dental visit - language problem	DV	836
DV_6_65J	No dental visit - cost	DV	837
DV_6_65K	No dental visit - did not know where to go	DV	837
DV_6_65L	No dental visit - fear	DV	838
DV_6_65M	No dental visit - wears dentures	DV	838
DV_6_65N	No dental visit - other reason	DV	839
EDC0_1	Currently attending a school, college or university	ED	2156
EDC0_2	Full-time or part-time student	ED	2157
EDC0_4	Number of years of elementary and high school completed	ED	2157
EDC0_5	Graduated from high school	ED	2158
EDC0_6	Attended post-secondary institution	ED	2158
EDC0_7	Respondent highest level of education attained	ED	2159
EDC0D1	Highest level of education - respondent, 14 levels - (D)	ED	2160
EDC0D2	Highest level of education - respondent, 12 levels - (D)	ED	2161
EDC0D3	Highest level of education - respondent, 4 levels - (D)	ED	2162
EDC2_1	Currently attending a school, college or university	ED	2695
EDC2_2	Full-time or part-time student	ED	2695

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 75

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
EDC2_4	Number of years of elementary and high school completed	ED	2696
EDC2_5	Graduated from high school	ED	2696
EDC2_6	Attended post-secondary institution	ED	2697
EDC2_7	Respondent highest level of education attained	ED	2697
EDC2D1	Highest level of education - respondent, 14 levels - (D)	ED	2698
EDC2D2	Highest level of education - respondent, 12 levels - (D)	ED	2699
EDC2D3	Highest level of education - respondent, 4 levels - (D)	ED	2700
EDC4_1	Currently attending a school, college or university	ED	108
EDC4_2	Full-time or part-time student	ED	109
EDC4_4	Number of years of elementary and high school completed	ED	109
EDC4_5	Graduated from high school	ED	110
EDC4_6	Attended post-secondary institution	ED	110
EDC4_7	Respondent highest level of education attained	ED	111
EDC4D1	Highest level of education - respondent, 14 levels - (D)	ED	112
EDC4D2	Highest level of education - respondent, 12 levels - (D)	ED	113
EDC4D3	Highest level of education - respondent, 4 levels - (D)	ED	114
EDC4D4	Highest level of education - household, 4 levels - (D)	ED	114
EDC4DLF	Labour force activity of students - (D)	ED	115
EDC6_1	Currently attending a school, college or university	ED	616
EDC6_2	Full-time or part-time student	ED	617
EDC6_4	Number of years of elementary and high school completed	ED	617
EDC6_5	Graduated from high school	ED	618
EDC6_6	Attended post-secondary institution	ED	618
EDC6_7	Respondent highest level of education attained	ED	619
EDC6D1	Highest level of education - respondent, 14 levels - (D)	ED	620
EDC6D2	Highest level of education - respondent, 12 levels - (D)	ED	621
EDC6D3	Highest level of education - respondent, 4 levels - (D)	ED	622
EDC6D4	Highest level of education - household, 4 levels - (D)	ED	622
EDC6DLF	Labour force activity of students - (D)	ED	623
EDC8_1	Currently attending a school, college or university	ED	1312
EDC8_2	Full-time or part-time student	ED	1313
EDC8_4	Number of years of elementary and high school completed	ED	1313
EDC8_5	Graduated from high school	ED	1314
EDC8_6	Attended post-secondary institution	ED	1314
EDC8_7	Respondent highest level of education attained	ED	1315
EDC8D1	Highest level of education - respondent, 14 levels - (D)	ED	1316

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 76

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
EDC8D2	Highest level of education - respondent, 12 levels - (D)	ED	1317
EDC8D3	Highest level of education - respondent, 4 levels - (D)	ED	1318
EDC8D4	Highest level of education - household, 4 levels - (D)	ED	1318
EDC8DLF	Labour force activity of students - (D)	ED	1319
EDCA_1	Currently attending a school, college or university	ED	3228
EDCA_2	Full-time or part-time student	ED	3229
EDCA_4	Number of years of elementary and high school completed	ED	3229
EDCA_5	Graduated from high school	ED	3230
EDCA_6	Attended post-secondary institution	ED	3230
EDCA_7	Respondent highest level of education attained	ED	3231
EDCA_8	Highest level of education - Household member	ED	3232
EDCAD1	Highest level of education - respondent, 14 levels - (D)	ED	3233
EDCAD2	Highest level of education - respondent, 12 levels - (D)	ED	3234
EDCAD3	Highest level of education - respondent, 4 levels - (D)	ED	3235
EDCAD4	Highest level of education - household, 4 levels - (D)	ED	3235
EDCB_1	Currently attending a school, college or university	ED	3770
EDCB_2	Full-time or part-time student	ED	3770
EDCB_4	Number of years of elementary and high school completed	ED	3771
EDCB_5	Graduated from high school	ED	3771
EDCB_6	Attended post-secondary institution	ED	3772
EDCB_7	Respondent highest level of education attained	ED	3772
EDCB_8	Highest level of education - Household member	ED	3773
EDCBD1	Highest level of education - respondent, 14 levels - (D)	ED	3774
EDCBD2	Highest level of education - respondent, 12 levels - (D)	ED	3775
EDCBD3	Highest level of education - respondent, 4 levels - (D)	ED	3776
EDCBD4	Highest level of education - household, 4 levels - (D)	ED	3776
EDCC_1	Currently attending a school, college or university	ED	4318
EDCC_2	Full-time or part-time student	ED	4318
EDCC_4	Number of years of elementary and high school completed	ED	4319
EDCC_5	Graduated from high school	ED	4319
EDCC_6	Attended post-secondary institution	ED	4320
EDCC_7	Respondent highest level of education attained	ED	4320
EDCC_8	Highest level of education - Household member	ED	4321
EDCCD1	Highest level of education - respondent, 14 levels - (D)	ED	4322
EDCCD2	Highest level of education - respondent, 12 levels - (D)	ED	4323
EDCCD3	Highest level of education - respondent, 4 levels - (D)	ED	4324

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 77

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
EDCCD4	Highest level of education - household, 4 levels - (D)	ED	4324
EDCD_1	Currently attending a school, college or university	ED	4816
EDCD_2	Full-time or part-time student	ED	4816
EDCD_4	Number of years of elementary and high school completed	ED	4817
EDCD_5	Graduated from high school	ED	4817
EDCD_6	Attended post-secondary institution	ED	4818
EDCD_7	Respondent highest level of education attained	ED	4818
EDCD_8	Highest level of education - Household member	ED	4819
EDCDD1	Highest level of education - respondent, 14 levels - (D)	ED	4820
EDCDD2	Highest level of education - respondent, 12 levels - (D)	ED	4821
EDCDD3	Highest level of education - respondent, 4 levels - (D)	ED	4822
EDCDD4	Highest level of education - household, 4 levels - (D)	ED	4822
ES_6_80	Overall quality of emergency services	ES	858
ES_6_81	Used emergency services	ES	858
EX_6_70	Visited optometrist or ophthalmologist	EX	840
EX_6_71	Last eye examination	EX	840
EX_6_72	Frequency of eye examinations	EX	841
EX_6_73A	Had eye exam - make sure everything is OK	EX	841
EX_6_73B	Had eye exam - glaucoma test	EX	842
EX_6_73C	Had eye exam - job requirement	EX	842
EX_6_73D	Had eye exam - check prescription	EX	843
EX_6_73E	Had eye exam - cataracts are developing	EX	843
EX_6_73F	Had eye exam - to get driver's license	EX	844
EX_6_73G	Had eye exam - eye problem / infection	EX	844
EX_6_73H	Had eye exam - diabetes	EX	845
EX_6_73I	Had eye exam - sight deterioration	EX	845
EX_6_73J	Had eye exam - other reason	EX	846
EX_6_74	Had problems obtaining an eye examination	EX	846
EX_6_75A	Eye exam - not available when required	EX	847
EX_6_75B	Eye exam - not available in area	EX	847
EX_6_75C	Eye exam - waiting time too long	EX	848
EX_6_75D	Eye exam - transportation problems	EX	848
EX_6_75E	Eye exam - language problem	EX	849
EX_6_75F	Eye exam - cost	EX	849
EX_6_75G	Eye exam - did not know where to go	EX	850
EX_6_75H	Eye exam - other problem	EX	850

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 78

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
EX_6_76A	No eye exam - have not gotten around to it	EX	851
EX_6_76B	No eye exam - respondent didn't think necessary	EX	851
EX_6_76C	No eye exam - doctor didn't think necessary	EX	852
EX_6_76D	No eye exam - personal or family responsibilities	EX	852
EX_6_76E	No eye exam - not available when required	EX	853
EX_6_76F	No eye exam - not available at all in area	EX	853
EX_6_76G	No eye exam - waiting time too long	EX	854
EX_6_76H	No eye exam - transportation problems	EX	854
EX_6_76I	No eye exam - language problem	EX	855
EX_6_76J	No eye exam - cost	EX	855
EX_6_76K	No eye exam - did not know where to go	EX	856
EX_6_76L	No eye exam - fear	EX	856
EX_6_76M	No eye exam - other reason	EX	857
FH_8_10	Has some knowledge of birth family's health history	FH	1420
FH_8_11	Birth mother ever had heart disease	FH	1421
FH_8_12	Birth mother ever had high blood pressure	FH	1421
FH_8_13	Birth mother ever had stroke	FH	1422
FH_8_14	Birth mother ever had diabetes	FH	1422
FH_8_15	Birth mother ever had cancer	FH	1423
FH_8_161	Mother's age - breast cancer	FH	1429
FH_8_162	Mother's age - ovarian cancer	FH	1430
FH_8_163	Mother's age - cervical cancer	FH	1430
FH_8_164	Mother's age - colorectal cancer	FH	1431
FH_8_165	Mother's age - melanoma cancer	FH	1431
FH_8_166	Mother's age - stomach cancer	FH	1432
FH_8_16A	Mother's type of cancer - breast	FH	1423
FH_8_16B	Mother's type of cancer - ovarian	FH	1424
FH_8_16C	Mother's type of cancer - cervical	FH	1424
FH_8_16D	Mother's type of cancer - colorectal	FH	1425
FH_8_16E	Mother's type of cancer - skin (melanoma)	FH	1425
FH_8_16F	Mother's type of cancer - stomach	FH	1426
FH_8_16G	Mother's type of cancer - uterus	FH	1426
FH_8_16H	Mother's type of cancer - kidney	FH	1427
FH_8_16I	Mother's type of cancer - leukemia / lymphoma	FH	1427
FH_8_16J	Mother's type of cancer - lung	FH	1428
FH_8_16K	Mother's type of cancer - bladder	FH	1428

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 79

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
FH_8_16L	Mother's type of cancer - other	FH	1429
FH_8_17	Birth mother - now living	FH	1432
FH_8_18	Birth mother - age of death	FH	1433
FH_8_19	Birth mother - cause of death	FH	1434
FH_8_21	Birth father ever had heart disease	FH	1435
FH_8_22	Birth father ever had high blood pressure	FH	1435
FH_8_23	Birth father ever had stroke	FH	1436
FH_8_24	Birth father ever had diabetes	FH	1436
FH_8_25	Birth father ever had cancer	FH	1437
FH_8_261	Father's age - prostate cancer	FH	1441
FH_8_262	Father's age - colorectal cancer	FH	1442
FH_8_263	Father's age - stomach cancer	FH	1442
FH_8_26A	Father's type of cancer - prostate	FH	1437
FH_8_26B	Father's type of cancer - colorectal	FH	1438
FH_8_26C	Father's type of cancer - stomach	FH	1438
FH_8_26D	Father's type of cancer - kidney	FH	1439
FH_8_26E	Father's type of cancer - leukemia / lymphoma	FH	1439
FH_8_26F	Father's type of cancer - lung	FH	1440
FH_8_26G	Father's type of cancer - bladder	FH	1440
FH_8_26H	Father's type of cancer - other	FH	1441
FH_8_27	Birth father - now living	FH	1443
FH_8_28	Birth father - age of death	FH	1443
FH_8_29	Birth father - cause of death	FH	1444
FH_8_30	Has / had biological brothers or sisters	FH	1445
FH_8_31	Siblings ever had heart disease	FH	1445
FH_8_32	Siblings ever had high blood pressure	FH	1446
FH_8_33	Siblings ever had stroke	FH	1446
FH_8_34	Siblings ever had diabetes	FH	1447
FH_8_35	Any biological sister ever had cancer	FH	1447
FH_8_36A	Sister's type of cancer - breast	FH	1448
FH_8_36B	Sister's type of cancer - ovarian	FH	1448
FH_8_36C	Sister's type of cancer - cervical	FH	1449
FH_8_36D	Sister's type of cancer - colorectal	FH	1449
FH_8_36E	Sister's type of cancer - skin (melanoma)	FH	1450
FH_8_36F	Sister's type of cancer - stomach	FH	1450
FH_8_36G	Sister's type of cancer - uterus	FH	1451

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 80

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
FH_8_36H	Sister's type of cancer - kidney	FH	1451
FH_8_36I	Sister's type of cancer - leukemia / lymphoma	FH	1452
FH_8_36J	Sister's type of cancer - lung	FH	1452
FH_8_36K	Sister's type of cancer - bladder	FH	1453
FH_8_36L	Sister's type of cancer - other	FH	1453
FH_8_37	Any biological brother ever had cancer	FH	1454
FH_8_38A	Brother's type of cancer - prostate	FH	1454
FH_8_38B	Brother's type of cancer - colorectal	FH	1455
FH_8_38C	Brother's type of cancer - stomach	FH	1455
FH_8_38D	Brother's type of cancer - kidney	FH	1456
FH_8_38E	Brother's type of cancer - leukemia / lymphoma	FH	1456
FH_8_38F	Brother's type of cancer - lung	FH	1457
FH_8_38G	Brother's type of cancer - bladder	FH	1457
FH_8_38H	Brother's type of cancer - other	FH	1458
FH_A_1	Ever had episodes of depression	FH	3192
FH_A_2	Has been diagnosed with depression	FH	3192
FH_A_3	Age of first depression diagnostic	FH	3193
FH_A_4	Has bio. parents and/or siblings diagnosed with depression	FH	3193
FH_A_5	Has close relatives diagnosed with depression	FH	3194
FH_A_6A	Birth mother diagnosed with depression	FH	3194
FH_A_6B	Birth father diagnosed with depression	FH	3195
FH_A_6C	Biological brothers diagnosed with depression	FH	3195
FH_A_6D	Biological sisters diagnosed with depression	FH	3196
FI_8_1	Worried about not enough to eat because of a lack of money	FI	1384
FI_8_2	Not enough to eat because of a lack of money	FI	1384
FI_8_3	Did not eat to satisfaction because of a lack of money	FI	1385
FI_8F1	Flag for food insecurity	FI	1385
FI_B_1	Worried about not enough to eat because of a lack of money	FI	3823
FI_B_2	Not enough to eat because of a lack of money	FI	3823
FI_B_3	Did not eat to satisfaction because of a lack of money	FI	3824
FI_BF1	Flag for food insecurity	FI	3824
FI_C_1	Worried about not enough to eat because of a lack of money	FI	4371
FI_C_2	Not enough to eat because of a lack of money	FI	4371
FI_C_3	Did not eat to satisfaction because of a lack of money	FI	4372
FI_CF1	Flag for food insecurity	FI	4372
FI_D_1	Worried about not enough to eat because of a lack of money	FI	4869



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 81

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
FI_D_2	Not enough to eat because of a lack of money	FI	4869
FI_D_3	Did not eat to satisfaction because of a lack of money	FI	4870
FI_DF1	Flag for food insecurity	FI	4870
FS_6_50	Ever had a flu shot	FS	807
FS_6_52	Last time had flu shot	FS	808
FS_6_53A	Had flu shot - peer pressure	FS	808
FS_6_53B	Had flu shot - job requirement	FS	809
FS_6_53C	Had flu shot - helps prevent the flu	FS	809
FS_6_53D	Had flu shot - to protect others	FS	810
FS_6_53E	Had flu shot - age	FS	810
FS_6_53F	Had flu shot - health problem	FS	811
FS_6_53G	Had flu shot - other reason	FS	811
FS_6_54	Had problems obtaining a flu shot	FS	812
FS_6_55A	Flu shot - not available when required	FS	812
FS_6_55B	Flu shot - not available in area	FS	813
FS_6_55C	Flu shot - waiting time too long	FS	813
FS_6_55D	Flu shot - transportation problems	FS	814
FS_6_55E	Flu shot - language problem	FS	814
FS_6_55F	Flu shot - cost	FS	814
FS_6_55G	Flu shot - did not know where to go	FS	815
FS_6_55H	Flu shot - other problem	FS	815
FS_6_56A	No flu shot - have not gotten around to it	FS	816
FS_6_56B	No flu shot - respondent didn't think necessary	FS	816
FS_6_56C	No flu shot - doctor didn't think necessary	FS	817
FS_6_56D	No flu shot - personal or family responsibilities	FS	817
FS_6_56E	No flu shot - not available when required	FS	818
FS_6_56F	No flu shot - not available in area	FS	818
FS_6_56G	No flu shot - waiting time too long	FS	819
FS_6_56H	No flu shot - transportation problems	FS	819
FS_6_56I	No flu shot - language problem	FS	820
FS_6_56J	No flu shot - cost	FS	820
FS_6_56K	No flu shot - did not know where to go	FS	821
FS_6_56L	No flu shot - fear	FS	821
FS_6_56M	No flu shot - bad reaction to previous shot	FS	822
FS_6_56N	No flu shot - other reason	FS	822
FV_2_1A	Drink fruit juices - frequency	NU	2256

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 82

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
FV_2_1B	Drink fruit juices - reporting period	NU	2256
FV_2_1Y	Drink fruit juices - annual frequency	NU	2257
FV_2_2A	Eat fruit - frequency	NU	2258
FV_2_2B	Eat fruit - reporting period	NU	2258
FV_2_2Y	Eat fruit - annual frequency	NU	2259
FV_2_3A	Eat green salad - frequency	NU	2260
FV_2_3B	Eat green salad - reporting period	NU	2260
FV_2_3Y	Eat green salad - annual frequency	NU	2261
FV_2_4A	Eat potatoes - frequency	NU	2262
FV_2_4B	Eat potatoes - reporting period	NU	2262
FV_2_4Y	Eat potatoes - annual frequency	NU	2263
FV_2_5A	Eat carrots - frequency	NU	2264
FV_2_5B	Eat carrots - reporting period	NU	2264
FV_2_5Y	Eat carrots - annual frequency	NU	2265
FV_2_6A	Eat other vegetables - frequency	NU	2266
FV_2_6B	Eat other vegetables - reporting period	NU	2266
FV_2_6Y	Eat other vegetables - annual frequency	NU	2267
FV_2DCAR	Daily consumption - carrots - (D)	NU	2265
FV_2DFRU	Daily consumption - fruit - (D)	NU	2259
FV_2DJUI	Daily consumption - fruit juice - (D)	NU	2257
FV_2DPOT	Daily consumption - potatoes - (D)	NU	2263
FV_2DSAL	Daily consumption - green salad - (D)	NU	2261
FV_2DTOT	Total daily consumption of fruits and vegetables - (D)	NU	2267
FV_2DVEG	Daily consumption - other vegetables - (D)	NU	2267
FV_A_1A	Drink fruit juices - frequency	NU	2785
FV_A_1B	Drink fruit juices - reporting period	NU	2786
FV_A_1Y	Drink fruit juices - annual frequency	NU	2786
FV_A_2A	Eat fruit - frequency	NU	2787
FV_A_2B	Eat fruit - reporting period	NU	2788
FV_A_2Y	Eat fruit - annual frequency	NU	2788
FV_A_3A	Eat green salad - frequency	NU	2789
FV_A_3B	Eat green salad - reporting period	NU	2790
FV_A_3Y	Eat green salad - annual frequency	NU	2790
FV_A_4A	Eat potatoes - frequency	NU	2791
FV_A_4B	Eat potatoes - reporting period	NU	2792
FV_A_4Y	Eat potatoes - annual frequency	NU	2792

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 83

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
FV_A_5A	Eat carrots - frequency	NU	2793
FV_A_5B	Eat carrots - reporting period	NU	2794
FV_A_5Y	Eat carrots - annual frequency	NU	2794
FV_A_6A	Eat other vegetables - frequency	NU	2795
FV_A_6B	Eat other vegetables - reporting period	NU	2796
FV_A_6Y	Eat other vegetables - annual frequency	NU	2796
FV_ADCAR	Daily consumption - carrots - (D)	NU	2795
FV_ADFRU	Daily consumption - fruit - (D)	NU	2789
FV_ADJUI	Daily consumption - fruit juice - (D)	NU	2787
FV_AD POT	Daily consumption - potatoes - (D)	NU	2793
FV_ADSAL	Daily consumption - green salad - (D)	NU	2791
FV_ADTOT	Total daily consumption of fruits and vegetables - (D)	NU	2797
FV_ADVEG	Daily consumption - other vegetables - (D)	NU	2797
FV_B_1A	Drink fruit juices - frequency	NU	3328
FV_B_1B	Drink fruit juices - reporting period	NU	3328
FV_B_1Y	Drink fruit juices - annual frequency	NU	3329
FV_B_2A	Eat fruit - frequency	NU	3330
FV_B_2B	Eat fruit - reporting period	NU	3330
FV_B_2Y	Eat fruit - annual frequency	NU	3331
FV_B_3A	Eat green salad - frequency	NU	3332
FV_B_3B	Eat green salad - reporting period	NU	3332
FV_B_3Y	Eat green salad - annual frequency	NU	3333
FV_B_4A	Eat potatoes - frequency	NU	3334
FV_B_4B	Eat potatoes - reporting period	NU	3334
FV_B_4Y	Eat potatoes - annual frequency	NU	3335
FV_B_5A	Eat carrots - frequency	NU	3336
FV_B_5B	Eat carrots - reporting period	NU	3336
FV_B_5Y	Eat carrots - annual frequency	NU	3337
FV_B_6A	Eat other vegetables - frequency	NU	3338
FV_B_6B	Eat other vegetables - reporting period	NU	3338
FV_B_6Y	Eat other vegetables - annual frequency	NU	3339
FV_BDCAR	Daily consumption - carrots - (D)	NU	3337
FV_BDFRU	Daily consumption - fruit - (D)	NU	3331
FV_BDJUI	Daily consumption - fruit juice - (D)	NU	3329
FV_BDPOT	Daily consumption - potatoes - (D)	NU	3335
FV_BDSAL	Daily consumption - green salad - (D)	NU	3333

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 84

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
FV_BDTOT	Total daily consumption of fruits and vegetables - (D)	NU	3339
FV_BDVEG	Daily consumption - other vegetables - (D)	NU	3339
FV_C_1A	Drink fruit juices - frequency	NU	3863
FV_C_1B	Drink fruit juices - reporting period	NU	3864
FV_C_1Y	Drink fruit juices - annual frequency	NU	3864
FV_C_2A	Eat fruit - frequency	NU	3865
FV_C_2B	Eat fruit - reporting period	NU	3866
FV_C_2Y	Eat fruit - annual frequency	NU	3866
FV_C_3A	Eat green salad - frequency	NU	3867
FV_C_3B	Eat green salad - reporting period	NU	3868
FV_C_3Y	Eat green salad - annual frequency	NU	3868
FV_C_4A	Eat potatoes - frequency	NU	3869
FV_C_4B	Eat potatoes - reporting period	NU	3870
FV_C_4Y	Eat potatoes - annual frequency	NU	3870
FV_C_5A	Eat carrots - frequency	NU	3871
FV_C_5B	Eat carrots - reporting period	NU	3872
FV_C_5Y	Eat carrots - annual frequency	NU	3872
FV_C_6A	Eat other vegetables - frequency	NU	3873
FV_C_6B	Eat other vegetables - reporting period	NU	3874
FV_C_6Y	Eat other vegetables - annual frequency	NU	3874
FV_CDCAR	Daily consumption - carrots - (D)	NU	3873
FV_CDFRU	Daily consumption - fruit - (D)	NU	3867
FV_CDJUI	Daily consumption - fruit juice - (D)	NU	3865
FV_CDPOT	Daily consumption - potatoes - (D)	NU	3871
FV_CDSAL	Daily consumption - green salad - (D)	NU	3869
FV_CDTOT	Total daily consumption of fruits and vegetables - (D)	NU	3875
FV_CDVEG	Daily consumption - other vegetables - (D)	NU	3875
FV_D_1A	Drink fruit juices - frequency	NU	4409
FV_D_1B	Drink fruit juices - reporting period	NU	4409
FV_D_1Y	Drink fruit juices - annual frequency	NU	4410
FV_D_2A	Eat fruit - frequency	NU	4411
FV_D_2B	Eat fruit - reporting period	NU	4411
FV_D_2Y	Eat fruit - annual frequency	NU	4412
FV_D_3A	Eat green salad - frequency	NU	4413
FV_D_3B	Eat green salad - reporting period	NU	4413
FV_D_3Y	Eat green salad - annual frequency	NU	4414

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 85

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
FV_D_4A	Eat potatoes - frequency	NU	4415
FV_D_4B	Eat potatoes - reporting period	NU	4415
FV_D_4Y	Eat potatoes - annual frequency	NU	4416
FV_D_5A	Eat carrots - frequency	NU	4417
FV_D_5B	Eat carrots - reporting period	NU	4417
FV_D_5Y	Eat carrots - annual frequency	NU	4418
FV_D_6A	Eat other vegetables - frequency	NU	4419
FV_D_6B	Eat other vegetables - reporting period	NU	4419
FV_D_6Y	Eat other vegetables - annual frequency	NU	4420
FV_DDCAR	Daily consumption - carrots - (D)	NU	4418
FV_DDFRU	Daily consumption - fruit - (D)	NU	4412
FV_DDJUI	Daily consumption - fruit juice - (D)	NU	4410
FV_DDPOT	Daily consumption - potatoes - (D)	NU	4416
FV_DDSAL	Daily consumption - green salad - (D)	NU	4414
FV_DDTOT	Total daily consumption of fruits and vegetables - (D)	NU	4420
FV_DDVEG	Daily consumption - other vegetables - (D)	NU	4420
GE30DCD	Census Divisions (CD) - (D)	GE	1705
GE30DCMA	Census Metropolitan Areas - (D)	GE	1706
GE30DCSD	Census Subdivisions (CSD) - (D)	GE	1705
GE30DFED	Federal Electoral Districts (FED) - (D)	GE	1707
GE30DPOP	Population size groups - (D)	GE	1707
GE32DCD	Census Divisions (CD) - (D)	GE	2212
GE32DCMA	Census Metropolitan Areas (CMA) - (D)	GE	2213
GE32DCSD	Census Subdivisions (CSD) - (D)	GE	2212
GE32DFED	Federal Electoral Districts (FED) - (D)	GE	2214
GE32DPOP	Population size groups - (D)	GE	2214
GE34DCD	Census Divisions (CD) - (D)	GE	13
GE34DCMA	Census Metropolitan Areas - (D)	GE	14
GE34DCSD	Census Subdivisions (CSD) - (D)	GE	13
GE34DFED	Federal Electoral Districts (FED) - (D)	GE	15
GE34DHLR	Health regions - (D)	GE	16
GE34DPOP	Population size groups - (D)	GE	15
GE36DCD	Census Divisions (CD) - (D)	GE	468
GE36DCMA	Census Metropolitan Areas - (D)	GE	469
GE36DCSD	Census Subdivisions (CSD) - (D)	GE	468
GE36DFED	Federal Electoral Districts (FED) - (D)	GE	470

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 86

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
GE36DHLR	Health regions - (D)	GE	471
GE36DHRO	Health regions (original sample) - (D)	GE	473
GE36DPOP	Population size groups - (D)	GE	470
GE38DCD	Census Divisions (CD) - (D)	GE	1161
GE38DCMA	Census Metropolitan Areas - (D)	GE	1162
GE38DCSD	Census Subdivisions (CSD) - (D)	GE	1161
GE38DFED	Federal Electoral Districts (FED) - (D)	GE	1163
GE38DPOP	Population size groups - (D)	GE	1163
GE3ADCD	Census Divisions (CD) - (D)	GE	2749
GE3ADCMA	Census Metropolitan Areas (CMA) - (D)	GE	2750
GE3ADCSD	Census Subdivisions (CSD) - (D)	GE	2749
GE3ADFED	Federal Electoral Districts (FED) - (D)	GE	2751
GE3ADPOP	Population size groups - (D)	GE	2751
GE3BDCD	Census Divisions (CD) - (D)	GE	3285
GE3BDCMA	Census Metropolitan Areas (CMA) - (D)	GE	3286
GE3BDCSD	Census Subdivisions (CSD) - (D)	GE	3285
GE3BDFED	Federal Electoral Districts (FED) - (D)	GE	3287
GE3BDPOP	Population size groups - (D)	GE	3287
GE3CDCD	Census Divisions (CD) - (D)	GE	3828
GE3CDCMA	Census Metropolitan Areas (CMA) - (D)	GE	3829
GE3CDCSD	Census Subdivisions (CSD) - (D)	GE	3828
GE3CDFED	Federal Electoral Districts (FED) - (D)	GE	3830
GE3CDPOP	Population size groups - (D)	GE	3830
GE3DDCD	Census Divisions (CD) - (D)	GE	4376
GE3DDCMA	Census Metropolitan Areas (CMA) - (D)	GE	4377
GE3DDCSD	Census Subdivisions (CSD) - (D)	GE	4376
GE3DDFED	Federal Electoral Districts (FED) - (D)	GE	4378
GE3DDPOP	Population size groups - (D)	GE	4378
GHC0_1	Self-perceived health	GH	1721
GHC0_2	Self-perceived stress	GH	1722
GHC0DHI	Health description index - Self-rated health (D)	GH	1722
GHC2_1	Self-perceived health	GH	2228
GHC2_2	Self-perceived stress	GH	2229
GHC2_4	Self-perceived eating habits	GH	2229
GHC2DHI	Health description index - Self-rated health (D)	GH	2230
GHC4_1	Self-perceived health	GH	180

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 87

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
GHC4_3	Planned to use services of doctor or midwife	GH	181
GHC4DHD	Health description index - Self-rated health (D)	GH	181
GHC6_1	Self-perceived health	GH	692
GHC6DHD	Health description index - Self-rated health (D)	GH	692
GHC8_1	Self-perceived health	GH	1391
GHC8DHD	Health description index - Self-rated health (D)	GH	1391
GHCA_1	Self-perceived health	GH	2765
GHCA_2	Self-perceived stress	GH	2766
GHCA_4	Self-perceived eating habits	GH	2766
GHCA_5	Satisfaction with life in general	GH	2767
GHCADHD	Health description index - Self-rated health (D)	GH	2767
GHCBC_1	Self-perceived health	GH	3300
GHCBC_2	Self-perceived stress	GH	3301
GHCBC_4	Self-perceived eating habits	GH	3301
GHCBC_5	Satisfaction with life in general	GH	3302
GHCBDHD	Health description index - Self-rated health (D)	GH	3302
GHCC_1	Self-perceived health	GH	3843
GHCC_2	Self-perceived stress	GH	3844
GHCC_4	Self-perceived eating habits	GH	3844
GHCC_5	Satisfaction with life in general	GH	3845
GHCCDHD	Health description index - Self-rated health (D)	GH	3845
GHCD_1	Self-perceived health	GH	4391
GHCD_2	Self-perceived stress	GH	4392
GHCD_4	Self-perceived eating habits	GH	4392
GHCD_5	Satisfaction with life in general	GH	4393
GHCCDHD	Health description index - Self-rated health (D)	GH	4393
GHC6_2	Level of physical activity - children	GH	693
GHP6_21A	Gave birth in the past 5 years	GH	785
GHP6_25	Still breast-feeding	GH	787
GHP6_26	Duration of breast-feeding last child	GH	788
GHP6_27	Received help / advice about breast-feeding	GH	788
GHP6_28	From whom received breast-feeding advice	GH	789
GHP6_29	Main reason for stopping breast-feeding	GH	790
GHS6_11	Did something to improve health	GH	693
GHS6_12	Most important change to improve health	GH	694
GHS6_13	Thinks something should be done to improve health	GH	694

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 88

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
GHS6_14	Most important thing to be done to improve health	GH	695
GHS6_15	Barrier to improving health	GH	695
GHS6_16A	Reason for no improvement - lack of will power	GH	696
GHS6_16B	Reason for no improvement - lack of time	GH	696
GHS6_16C	Reason for no improvement - too tired	GH	697
GHS6_16D	Reason for no improvement - too difficult	GH	697
GHS6_16E	Reason for no improvement - too costly	GH	698
GHS6_16F	Reason for no improvement - too stressed	GH	698
GHS6_16G	Reason for no improvement - disability / health problem	GH	699
GHS6_16H	Reason for no improvement - other	GH	699
GHS6_17	Intending to improve health over next year	GH	700
GHS6_18A	Health improvement over next year - more exercise	GH	700
GHS6_18B	Health improvement over next year - lose weight	GH	701
GHS6_18C	Health improvement over next year - improve eating habits	GH	701
GHS6_18D	Health improvement over next year - quit smoking	GH	702
GHS6_18E	Health improvement over next year - reduce amount smoked	GH	702
GHS6_18F	Health improvement over next year - manage stress	GH	703
GHS6_18G	Health improvement over next year - reduce stress level	GH	703
GHS6_18H	Health improvement over next year - take vitamins	GH	704
GHS6_18I	Health improvement over next year - other	GH	704
GHS6_22	Gave birth to last baby in hospital	GH	786
GHS6_24	Breast fed child or tried to breast feed	GH	787
GHS6_31	Smoked during last pregnancy	GH	1025
GHS6_32	Average number of cigarettes daily while pregnant	GH	1026
GHS6_33	Smoked while breast-feeding last baby	GH	1026
GHS6_34	Average number of cigarettes daily while breast-feeding	GH	1026
GHS6_35	Regularly exposed second-hand smoke during / after pregnancy	GH	1027
HCC0_1	Overnight patient	HC	1746
HCC0_10A	Home care received - nursing care	HC	1771
HCC0_10B	Home care received - other health care	HC	1772
HCC0_10C	Home care received - personal care	HC	1772
HCC0_10D	Home care received - housework	HC	1773
HCC0_10E	Home care received - meal preparation or delivery	HC	1773
HCC0_10F	Home care received - shopping	HC	1774
HCC0_10G	Home care received - respite care	HC	1774
HCC0_10H	Home care received - other	HC	1775



# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 89

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC0_1A	Number of nights as patient	HC	1746
HCC0_2A	Number of consultations - family doctor / g.p.	HC	1747
HCC0_2B	Number of consultations - eye specialist	HC	1747
HCC0_2C	Number of consultations - other medical doctor	HC	1748
HCC0_2D	Number of consultations - nurse	HC	1748
HCC0_2E	Number of consultations - dentist or orthodontist	HC	1749
HCC0_2F	Number of consultations - chiropractor	HC	1749
HCC0_2G	Number of consultations - physiotherapist	HC	1750
HCC0_2H	Number of consultations - social worker or counsellor	HC	1750
HCC0_2I	Number of consultations - psychologist	HC	1751
HCC0_2J	Number of consultations - speech / audiology / occ. ther.	HC	1751
HCC0_3	Has regular medical doctor	HC	1753
HCC0_4	Consulted alternative health care provider	HC	1754
HCC0_4A	Attended self-help group	HC	1754
HCC0_5A	Alternative health care - massage therapist	HC	1755
HCC0_5B	Alternative health care - acupuncturist	HC	1755
HCC0_5C	Alternative health care - homeopath or naturopath	HC	1756
HCC0_5D	Alternative health care - Feldenkrais or Alexander	HC	1756
HCC0_5E	Alternative health care - relaxation therapist	HC	1757
HCC0_5F	Alternative health care - biofeedback	HC	1757
HCC0_5G	Alternative health care - rolfer	HC	1758
HCC0_5H	Alternative health care - herbalist	HC	1758
HCC0_5I	Alternative health care - reflexologist	HC	1759
HCC0_5J	Alternative health care - spiritual healer	HC	1759
HCC0_5K	Alternative health care - religious healer	HC	1760
HCC0_5L	Alternative health care - other	HC	1760
HCC0_6	Self perceived unmet health care need	HC	1761
HCC0_7A	Care not received - not available in area	HC	1761
HCC0_7B	Care not received - not available when required	HC	1762
HCC0_7C	Care not received - waiting time too long	HC	1762
HCC0_7D	Care not received - felt would be inadequate	HC	1763
HCC0_7E	Care not received - cost	HC	1763
HCC0_7F	Care not received - too busy	HC	1764
HCC0_7G	Care not received - didn't get around to it	HC	1764
HCC0_7H	Care not received - didn't know where to go	HC	1765
HCC0_7I	Care not received - transportation problems	HC	1765

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 90

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC0_7J	Care not received - language problem	HC	1766
HCC0_7K	Care not received - personal or family responsibilities	HC	1766
HCC0_7L	Care not received - dislikes doctors / afraid	HC	1767
HCC0_7M	Care not received - decided not to seek care	HC	1767
HCC0_7N	Care not received - other reason	HC	1768
HCC0_8A	Type of care not received - physical health problem	HC	1768
HCC0_8B	Type of care not received - emot. or mental health problem	HC	1769
HCC0_8C	Type of care not received - regular check-up	HC	1769
HCC0_8D	Type of care not received - injury	HC	1770
HCC0_8E	Type of care not received - other	HC	1770
HCC0_9	Received home care services	HC	1771
HCC0DHPC	Consultations with health professionals - (D)	HC	1752
HCC0DMDC	Number of consultations with medical doctors - (D)	HC	1753
HCC0F1	Flag for any health care service utilization	HC	1752
HCC2_1	Overnight patient	HC	2281
HCC2_10A	Home care received - nursing care	HC	2306
HCC2_10B	Home care received - other health care	HC	2307
HCC2_10C	Home care received - personal care	HC	2307
HCC2_10D	Home care received - housework	HC	2308
HCC2_10E	Home care received - meal preparation or delivery	HC	2308
HCC2_10F	Home care received - shopping	HC	2309
HCC2_10G	Home care received - respite care	HC	2309
HCC2_10H	Home care received - other	HC	2310
HCC2_11A	Received other home care services not covered by government	HC	2310
HCC2_12A	Home care services - nurse from private agency	HC	2311
HCC2_12B	Home care services - homemaker from private agency	HC	2312
HCC2_12C	Home care services - neighbour or friend	HC	2312
HCC2_12D	Home care services - family member	HC	2313
HCC2_12E	Home care services - volunteer	HC	2313
HCC2_12F	Home care services - other	HC	2314
HCC2_1A	Number of nights as patient	HC	2281
HCC2_2A	Number of consultations - family doctor / g.p.	HC	2282
HCC2_2B	Number of consultations - eye specialist	HC	2282
HCC2_2C	Number of consultations - other medical doctor	HC	2283
HCC2_2D	Number of consultations - nurse	HC	2283
HCC2_2E	Number of consultations - dentist or orthodontist	HC	2284

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 91

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC2_2F	Number of consultations - chiropractor	HC	2284
HCC2_2G	Number of consultations - physiotherapist	HC	2285
HCC2_2H	Number of consultations - social worker or counsellor	HC	2285
HCC2_2I	Number of consultations - psychologist	HC	2286
HCC2_2J	Number of consultations - speech / audiology / occ. ther.	HC	2286
HCC2_3	Has regular medical doctor	HC	2288
HCC2_3AA	Service type / nurse - nursing care	HC	2314
HCC2_3AB	Service type / nurse - other health care services	HC	2315
HCC2_3AC	Service type / nurse - personal care	HC	2315
HCC2_3AD	Service type / nurse - housework	HC	2316
HCC2_3AE	Service type / nurse - meal prep. or delivery	HC	2316
HCC2_3AF	Service type / nurse - shopping	HC	2317
HCC2_3AG	Service type / nurse - respite care	HC	2317
HCC2_3AH	Service type / nurse - other service	HC	2318
HCC2_3BA	Service type / homemaker - nursing care	HC	2318
HCC2_3BB	Service type / homemaker - other health care services	HC	2319
HCC2_3BC	Service type / homemaker - personal care	HC	2319
HCC2_3BD	Service type / homemaker - housework	HC	2320
HCC2_3BE	Service type / homemaker - meal prep. or delivery	HC	2320
HCC2_3BF	Service type / homemaker - shopping	HC	2321
HCC2_3BG	Service type / homemaker - respite care	HC	2321
HCC2_3BH	Service type / homemaker - other service	HC	2322
HCC2_3CA	Service type / neighbour or friend - nursing care	HC	2322
HCC2_3CB	Service type / neighbour or friend - other health care serv.	HC	2323
HCC2_3CC	Service type / neighbour or friend - personal care	HC	2323
HCC2_3CD	Service type / neighbour or friend - housework	HC	2324
HCC2_3CE	Service type / neighbour or friend - meal prep. or delivery	HC	2324
HCC2_3CF	Service type / neighbour or friend - shopping	HC	2325
HCC2_3CG	Service type / neighbour or friend - respite care	HC	2325
HCC2_3CH	Service type / neighbour or friend - other service	HC	2326
HCC2_3DA	Service type / family member - nursing care	HC	2326
HCC2_3DB	Service type / family member - other health care services	HC	2327
HCC2_3DC	Service type / family member - personal care	HC	2327
HCC2_3DD	Service type / family member - housework	HC	2328
HCC2_3DE	Service type / family member - meal prep. or delivery	HC	2328
HCC2_3DF	Service type / family member - shopping	HC	2329

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 92

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC2_3DG	Service type / family member - respite care	HC	2329
HCC2_3DH	Service type / family member - other service	HC	2330
HCC2_3EA	Service type / volunteer - nursing care	HC	2330
HCC2_3EB	Service type / volunteer - other health care services	HC	2331
HCC2_3EC	Service type / volunteer - personal care	HC	2331
HCC2_3ED	Service type / volunteer - housework	HC	2332
HCC2_3EE	Service type / volunteer - meal prep. or delivery	HC	2332
HCC2_3EF	Service type / volunteer - shopping	HC	2333
HCC2_3EG	Service type / volunteer - respite care	HC	2333
HCC2_3EH	Service type / volunteer - other service	HC	2334
HCC2_3FA	Service type / other - nursing care	HC	2334
HCC2_3FB	Service type / other - other health care services	HC	2335
HCC2_3FC	Service type / other - personal care	HC	2335
HCC2_3FD	Service type / other - housework	HC	2336
HCC2_3FE	Service type / other - meal prep. or delivery	HC	2336
HCC2_3FF	Service type / other - shopping	HC	2337
HCC2_3FG	Service type / other - respite care	HC	2337
HCC2_3FH	Service type / other - other service	HC	2338
HCC2_4	Consulted alternative health care provider	HC	2289
HCC2_4A	Attended self-help group	HC	2289
HCC2_5A	Alternative health care - massage therapist	HC	2290
HCC2_5B	Alternative health care - acupuncturist	HC	2290
HCC2_5C	Alternative health care - homeopath or naturopath	HC	2291
HCC2_5D	Alternative health care - Feldenkrais or Alexander	HC	2291
HCC2_5E	Alternative health care - relaxation therapist	HC	2292
HCC2_5F	Alternative health care - biofeedback	HC	2292
HCC2_5G	Alternative health care - rolfer	HC	2293
HCC2_5H	Alternative health care - herbalist	HC	2293
HCC2_5I	Alternative health care - reflexologist	HC	2294
HCC2_5J	Alternative health care - spiritual healer	HC	2294
HCC2_5K	Alternative health care - religious healer	HC	2295
HCC2_5L	Alternative health care - other	HC	2295
HCC2_6	Self perceived unmet health care need	HC	2296
HCC2_7A	Care not received - not available in area	HC	2296
HCC2_7B	Care not received - not available when required	HC	2297
HCC2_7C	Care not received - waiting time too long	HC	2297

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 93

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC2_7D	Care not received - felt would be inadequate	HC	2298
HCC2_7E	Care not received - cost	HC	2298
HCC2_7F	Care not received - too busy	HC	2299
HCC2_7G	Care not received - didn't get around to it	HC	2299
HCC2_7H	Care not received - didn't know where to go	HC	2300
HCC2_7I	Care not received - transportation problems	HC	2300
HCC2_7J	Care not received - language problem	HC	2301
HCC2_7K	Care not received - personal or family responsibilities	HC	2301
HCC2_7L	Care not received - dislikes doctors / afraid	HC	2302
HCC2_7M	Care not received - decided not to seek care	HC	2302
HCC2_7N	Care not received - other reason	HC	2303
HCC2_8A	Type of care not received - physical health problem	HC	2303
HCC2_8B	Type of care not received - emot. or mental health problem	HC	2304
HCC2_8C	Type of care not received - regular check-up	HC	2304
HCC2_8D	Type of care not received - injury	HC	2305
HCC2_8E	Type of care not received - other	HC	2305
HCC2_9	Received home care services	HC	2306
HCC2DHPC	Consultations with health professionals - (D)	HC	2287
HCC2DMDC	Number of consultations with medical doctors - (D)	HC	2288
HCC2F1	Flag for any health care service utilization	HC	2287
HCC2FRHC	Received home care - (F)	HC	2311
HCC4_1	Overnight patient	HC	33
HCC4_10A	Home care received - nursing care	HC	53
HCC4_10C	Home care received - personal care	HC	54
HCC4_10D	Home care received - housework	HC	54
HCC4_10E	Home care received - meal preparation or delivery	HC	55
HCC4_10F	Home care received - shopping	HC	55
HCC4_10H	Home care received - other	HC	56
HCC4_1A	Number of nights as patient	HC	34
HCC4_2A	Number of consultations - family doctor / g.p.	HC	34
HCC4_2B	Number of consultations - eye specialist	HC	35
HCC4_2C	Number of consultations - other medical doctor	HC	36
HCC4_2D	Number of consultations - nurse	HC	37
HCC4_2E	Number of consultations - dentist or orthodontist	HC	38
HCC4_2F	Number of consultations - chiropractor	HC	38
HCC4_2G	Number of consultations - physiotherapist	HC	39

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 94

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC4_2H	Number of consultations - social worker or counsellor	HC	39
HCC4_2I	Number of consultations - psychologist	HC	39
HCC4_2J	Number of consultations - speech / audiology / occ. ther.	HC	40
HCC4_3	Has regular medical doctor	HC	32
HCC4_3A	Place of most recent contact - family doctor	HC	35
HCC4_3C	Place of most recent contact - other medical doctor	HC	36
HCC4_3D	Place of most recent contact - nurse	HC	37
HCC4_4	Consulted alternative health care provider	HC	41
HCC4_4A	Attended self-help group	HC	47
HCC4_5A	Alternative health care - massage therapist	HC	42
HCC4_5B	Alternative health care - acupuncturist	HC	42
HCC4_5C	Alternative health care - homeopath or naturopath	HC	43
HCC4_5D	Alternative health care - Feldenkrais or Alexander	HC	43
HCC4_5E	Alternative health care - relaxation therapist	HC	44
HCC4_5F	Alternative health care - biofeedback	HC	44
HCC4_5G	Alternative health care - rolfer	HC	45
HCC4_5H	Alternative health care - herbalist	HC	45
HCC4_5I	Alternative health care - reflexologist	HC	46
HCC4_5J	Alternative health care - spiritual healer	HC	46
HCC4_5K	Alternative health care - religious healer	HC	47
HCC4_5L	Alternative health care - other	HC	48
HCC4_6	Self perceived unmet health care need	HC	48
HCC4_8A	Type of care not received - physical health problem	HC	50
HCC4_8B	Type of care not received - emot. or mental health problem	HC	50
HCC4_8C	Type of care not received - regular check-up	HC	51
HCC4_8D	Type of care not received - injury	HC	51
HCC4_8E	Type of care not received - other	HC	52
HCC4_9	Received home care services	HC	52
HCC4DHPC	Consultations with health professionals - (D)	HC	41
HCC4DMDC	Number of consultations with medical doctors - (D)	HC	40
HCC4F7W	Flag for reason for not getting care	HC	49
HCC4FS	Flag for type of home care service	HC	53
HCC4G7	Reason for not getting care - (G)	HC	49
HCC6_1	Overnight patient	HC	493
HCC6_10A	Home care received - nursing care	HC	522
HCC6_10B	Home care received - other health care	HC	522

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 95

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC6_10C	Home care received - personal care	HC	523
HCC6_10D	Home care received - housework	HC	523
HCC6_10E	Home care received - meal preparation or delivery	HC	524
HCC6_10F	Home care received - shopping	HC	524
HCC6_10G	Home care received - respite care	HC	525
HCC6_10H	Home care received - other	HC	525
HCC6_11	Received health care services in the U.S.	HC	526
HCC6_12	Went to U.S. primarily to receive health care	HC	526
HCC6_1A	Number of nights as patient	HC	493
HCC6_2A	Number of consultations - family doctor / g.p.	HC	496
HCC6_2B	Number of consultations - eye specialist	HC	497
HCC6_2C	Number of consultations - other medical doctor	HC	498
HCC6_2D	Number of consultations - nurse	HC	499
HCC6_2E	Number of consultations - dentist or orthodontist	HC	500
HCC6_2F	Number of consultations - chiropractor	HC	500
HCC6_2G	Number of consultations - physiotherapist	HC	501
HCC6_2H	Number of consultations - social worker or counsellor	HC	501
HCC6_2I	Number of consultations - psychologist	HC	502
HCC6_2J	Number of consultations - speech / audiology / occ. ther.	HC	502
HCC6_3	Has regular medical doctor	HC	491
HCC6_3A	Place of most recent contact - family doctor	HC	497
HCC6_3C	Place of most recent contact - other medical doctor	HC	498
HCC6_3D	Place of most recent contact - nurse	HC	499
HCC6_4	Consulted alternative health care provider	HC	505
HCC6_4A	Attended self-help group	HC	504
HCC6_5A	Alternative health care - massage therapist	HC	505
HCC6_5B	Alternative health care - acupuncturist	HC	506
HCC6_5C	Alternative health care - homeopath or naturopath	HC	506
HCC6_5D	Alternative health care - Feldenkrais or Alexander	HC	507
HCC6_5E	Alternative health care - relaxation therapist	HC	507
HCC6_5F	Alternative health care - biofeedback	HC	508
HCC6_5G	Alternative health care - rolfers	HC	508
HCC6_5H	Alternative health care - herbalist	HC	509
HCC6_5I	Alternative health care - reflexologist	HC	509
HCC6_5J	Alternative health care - spiritual healer	HC	510
HCC6_5K	Alternative health care - religious healer	HC	510

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 96

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC6_5L	Alternative health care - other	HC	511
HCC6_6	Self perceived unmet health care need	HC	511
HCC6_7A	Care not received - not available in area	HC	512
HCC6_7B	Care not received - not available when required	HC	512
HCC6_7C	Care not received - waiting time too long	HC	513
HCC6_7D	Care not received - felt would be inadequate	HC	513
HCC6_7E	Care not received - cost	HC	514
HCC6_7F	Care not received - too busy	HC	514
HCC6_7G	Care not received - didn't get around to it	HC	515
HCC6_7H	Care not received - didn't know where to go	HC	515
HCC6_7I	Care not received - transportation problems	HC	516
HCC6_7J	Care not received - language problem	HC	516
HCC6_7K	Care not received - personal or family responsibilities	HC	517
HCC6_7L	Care not received - dislikes doctors / afraid	HC	517
HCC6_7M	Care not received - decided not to seek care	HC	518
HCC6_7N	Care not received - other reason	HC	518
HCC6_8A	Type of care not received - physical health problem	HC	519
HCC6_8B	Type of care not received - emot. or mental health problem	HC	519
HCC6_8C	Type of care not received - regular check-up	HC	520
HCC6_8D	Type of care not received - injury	HC	520
HCC6_8E	Type of care not received - other	HC	521
HCC6_9	Received home care services	HC	521
HCC6DHPC	Consultations with health professionals - (D)	HC	504
HCC6DMDC	Number of consultations with medical doctors - (D)	HC	503
HCC6F1	Flag for any health care service utilization	HC	503
HCC8_1	Overnight patient	HC	1183
HCC8_10A	Home care received - nursing care	HC	1209
HCC8_10B	Home care received - other health care	HC	1210
HCC8_10C	Home care received - personal care	HC	1210
HCC8_10D	Home care received - housework	HC	1211
HCC8_10E	Home care received - meal preparation or delivery	HC	1211
HCC8_10F	Home care received - shopping	HC	1212
HCC8_10G	Home care received - respite care	HC	1212
HCC8_10H	Home care received - other	HC	1213
HCC8_11	Received health care services in the U.S.	HC	1213
HCC8_12	Went to U.S. primarily to receive health care	HC	1214



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 97

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC8_1A	Number of nights as patient	HC	1183
HCC8_2A	Number of consultations - family doctor / g.p.	HC	1184
HCC8_2B	Number of consultations - eye specialist	HC	1185
HCC8_2C	Number of consultations - other medical doctor	HC	1185
HCC8_2D	Number of consultations - nurse	HC	1186
HCC8_2E	Number of consultations - dentist or orthodontist	HC	1187
HCC8_2F	Number of consultations - chiropractor	HC	1188
HCC8_2G	Number of consultations - physiotherapist	HC	1188
HCC8_2H	Number of consultations - social worker or counsellor	HC	1189
HCC8_2I	Number of consultations - psychologist	HC	1189
HCC8_2J	Number of consultations - speech / audiology / occ. ther.	HC	1190
HCC8_3	Has regular medical doctor	HC	1181
HCC8_3A	Place of most recent contact - family doctor	HC	1184
HCC8_3C	Place of most recent contact - other medical doctor	HC	1186
HCC8_3D	Place of most recent contact - nurse	HC	1187
HCC8_4	Consulted alternative health care provider	HC	1192
HCC8_4A	Attended self-help group	HC	1192
HCC8_5A	Alternative health care - massage therapist	HC	1193
HCC8_5B	Alternative health care - acupuncturist	HC	1193
HCC8_5C	Alternative health care - homeopath or naturopath	HC	1194
HCC8_5D	Alternative health care - Feldenkrais or Alexander	HC	1194
HCC8_5E	Alternative health care - relaxation therapist	HC	1195
HCC8_5F	Alternative health care - biofeedback	HC	1195
HCC8_5G	Alternative health care - rolfer	HC	1196
HCC8_5H	Alternative health care - herbalist	HC	1196
HCC8_5I	Alternative health care - reflexologist	HC	1197
HCC8_5J	Alternative health care - spiritual healer	HC	1197
HCC8_5K	Alternative health care - religious healer	HC	1198
HCC8_5L	Alternative health care - other	HC	1198
HCC8_6	Self perceived unmet health care need	HC	1199
HCC8_7A	Care not received - not available in area	HC	1199
HCC8_7B	Care not received - not available when required	HC	1200
HCC8_7C	Care not received - waiting time too long	HC	1200
HCC8_7D	Care not received - felt would be inadequate	HC	1201
HCC8_7E	Care not received - cost	HC	1201
HCC8_7F	Care not received - too busy	HC	1202

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 98

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCC8_7G	Care not received - didn't get around to it	HC	1202
HCC8_7H	Care not received - didn't know where to go	HC	1203
HCC8_7I	Care not received - transportation problems	HC	1203
HCC8_7J	Care not received - language problem	HC	1204
HCC8_7K	Care not received - personal or family responsibilities	HC	1204
HCC8_7L	Care not received - dislikes doctors / afraid	HC	1205
HCC8_7M	Care not received - decided not to seek care	HC	1205
HCC8_7N	Care not received - other reason	HC	1206
HCC8_8A	Type of care not received - physical health problem	HC	1206
HCC8_8B	Type of care not received - emot. or mental health problem	HC	1207
HCC8_8C	Type of care not received - regular check-up	HC	1207
HCC8_8D	Type of care not received - injury	HC	1208
HCC8_8E	Type of care not received - other	HC	1208
HCC8_9	Received home care services	HC	1209
HCC8DHPC	Consultations with health professionals - (D)	HC	1191
HCC8DMDC	Number of consultations with medical doctors - (D)	HC	1191
HCC8F1	Flag for any health care service utilization	HC	1190
HCC8F13	Flag for sought care in the U.S.	HC	1214
HCCA_1	Overnight patient	HC	2816
HCCA_10A	Home care received - nursing care	HC	2841
HCCA_10B	Home care received - other health care	HC	2842
HCCA_10C	Home care received - personal care	HC	2842
HCCA_10D	Home care received - housework	HC	2843
HCCA_10E	Home care received - meal preparation or delivery	HC	2843
HCCA_10F	Home care received - shopping	HC	2844
HCCA_10G	Home care received - respite care	HC	2844
HCCA_10H	Home care received - other	HC	2845
HCCA_11A	Received other home care services not covered by government	HC	2845
HCCA_12A	Home care services - nurse from private agency	HC	2846
HCCA_12B	Home care services - homemaker from private agency	HC	2847
HCCA_12C	Home care services - neighbour or friend	HC	2847
HCCA_12D	Home care services - family member	HC	2848
HCCA_12E	Home care services - volunteer	HC	2848
HCCA_12F	Home care services - other	HC	2849
HCCA_1A	Number of nights as patient	HC	2816
HCCA_2A	Number of consultations - family doctor / g.p.	HC	2817

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 99

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCA_2B	Number of consultations - eye specialist	HC	2817
HCCA_2C	Number of consultations - other medical doctor	HC	2818
HCCA_2D	Number of consultations - nurse	HC	2818
HCCA_2E	Number of consultations - dentist or orthodontist	HC	2819
HCCA_2F	Number of consultations - chiropractor	HC	2819
HCCA_2G	Number of consultations - physiotherapist	HC	2820
HCCA_2H	Number of consultations - social worker or counsellor	HC	2820
HCCA_2I	Number of consultations - psychologist	HC	2821
HCCA_2J	Number of consultations - speech / audiology / occ. ther.	HC	2821
HCCA_3	Has regular medical doctor	HC	2823
HCCA_3AA	Service type / nurse - nursing care	HC	2849
HCCA_3AB	Service type / nurse - other health care services	HC	2850
HCCA_3AC	Service type / nurse - personal care	HC	2850
HCCA_3AD	Service type / nurse - housework	HC	2851
HCCA_3AE	Service type / nurse - meal prep. or delivery	HC	2851
HCCA_3AF	Service type / nurse - shopping	HC	2852
HCCA_3AG	Service type / nurse - respite care	HC	2852
HCCA_3AH	Service type / nurse - other service	HC	2853
HCCA_3BA	Service type / homemaker - nursing care	HC	2853
HCCA_3BB	Service type / homemaker - other health care services	HC	2854
HCCA_3BC	Service type / homemaker - personal care	HC	2854
HCCA_3BD	Service type / homemaker - housework	HC	2855
HCCA_3BE	Service type / homemaker - meal prep. or delivery	HC	2855
HCCA_3BF	Service type / homemaker - shopping	HC	2856
HCCA_3BG	Service type / homemaker - respite care	HC	2856
HCCA_3BH	Service type / homemaker - other service	HC	2857
HCCA_3CA	Service type / neighbour or friend - nursing care	HC	2857
HCCA_3CB	Service type / neighbour or friend - other health care serv.	HC	2858
HCCA_3CC	Service type / neighbour or friend - personal care	HC	2858
HCCA_3CD	Service type / neighbour or friend - housework	HC	2859
HCCA_3CE	Service type / neighbour or friend - meal prep. or delivery	HC	2859
HCCA_3CF	Service type / neighbour or friend - shopping	HC	2860
HCCA_3CG	Service type / neighbour or friend - respite care	HC	2860
HCCA_3CH	Service type / neighbour or friend - other service	HC	2861
HCCA_3DA	Service type / family member - nursing care	HC	2861
HCCA_3DB	Service type / family member - other health care services	HC	2862

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 100

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCA_3DC	Service type / family member - personal care	HC	2862
HCCA_3DD	Service type / family member - housework	HC	2863
HCCA_3DE	Service type / family member - meal prep. or delivery	HC	2863
HCCA_3DF	Service type / family member - shopping	HC	2864
HCCA_3DG	Service type / family member - respite care	HC	2864
HCCA_3DH	Service type / family member - other service	HC	2865
HCCA_3EA	Service type / volunteer - nursing care	HC	2865
HCCA_3EB	Service type / volunteer - other health care services	HC	2866
HCCA_3EC	Service type / volunteer - personal care	HC	2866
HCCA_3ED	Service type / volunteer - housework	HC	2867
HCCA_3EE	Service type / volunteer - meal prep. or delivery	HC	2867
HCCA_3EF	Service type / volunteer - shopping	HC	2868
HCCA_3EG	Service type / volunteer - respite care	HC	2868
HCCA_3EH	Service type / volunteer - other service	HC	2868
HCCA_3FA	Service type / other - nursing care	HC	2869
HCCA_3FB	Service type / other - other health care services	HC	2869
HCCA_3FC	Service type / other - personal care	HC	2870
HCCA_3FD	Service type / other - housework	HC	2870
HCCA_3FE	Service type / other - meal prep. or delivery	HC	2871
HCCA_3FF	Service type / other - shopping	HC	2871
HCCA_3FG	Service type / other - respite care	HC	2872
HCCA_3FH	Service type / other - other service	HC	2872
HCCA_4	Consulted alternative health care provider	HC	2824
HCCA_4A	Attended self-help group	HC	2824
HCCA_5A	Alternative health care - massage therapist	HC	2825
HCCA_5B	Alternative health care - acupuncturist	HC	2825
HCCA_5C	Alternative health care - homeopath or naturopath	HC	2826
HCCA_5D	Alternative health care - Feldenkrais or Alexander	HC	2826
HCCA_5E	Alternative health care - relaxation therapist	HC	2827
HCCA_5F	Alternative health care - biofeedback	HC	2827
HCCA_5G	Alternative health care - rolfer	HC	2828
HCCA_5H	Alternative health care - herbalist	HC	2828
HCCA_5I	Alternative health care - reflexologist	HC	2829
HCCA_5J	Alternative health care - spiritual healer	HC	2829
HCCA_5K	Alternative health care - religious healer	HC	2830
HCCA_5L	Alternative health care - other	HC	2830

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 101

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCA_6	Self perceived unmet health care need	HC	2831
HCCA_7A	Care not received - not available in area	HC	2831
HCCA_7B	Care not received - not available when required	HC	2832
HCCA_7C	Care not received - waiting time too long	HC	2832
HCCA_7D	Care not received - felt would be inadequate	HC	2833
HCCA_7E	Care not received - cost	HC	2833
HCCA_7F	Care not received - too busy	HC	2834
HCCA_7G	Care not received - didn't get around to it	HC	2834
HCCA_7H	Care not received - didn't know where to go	HC	2835
HCCA_7I	Care not received - transportation problems	HC	2835
HCCA_7J	Care not received - language problem	HC	2836
HCCA_7K	Care not received - personal or family responsibilities	HC	2836
HCCA_7L	Care not received - dislikes doctors / afraid	HC	2837
HCCA_7M	Care not received - decided not to seek care	HC	2837
HCCA_7N	Care not received - other reason	HC	2838
HCCA_8A	Type of care not received - physical health problem	HC	2838
HCCA_8B	Type of care not received - emot. or mental health problem	HC	2839
HCCA_8C	Type of care not received - regular check-up	HC	2839
HCCA_8D	Type of care not received - injury	HC	2840
HCCA_8E	Type of care not received - other	HC	2840
HCCA_9	Received home care services	HC	2841
HCCADHPC	Consultations with health professionals - (D)	HC	2822
HCCADMDC	Number of consultations with medical doctors - (D)	HC	2823
HCCAF1	Flag for any health care service utilization	HC	2822
HCCAFRHC	Received home care - (F)	HC	2846
HCCB_1	Overnight patient	HC	3358
HCCB_10A	Home care received - nursing care	HC	3383
HCCB_10B	Home care received - other health care	HC	3384
HCCB_10C	Home care received - personal care	HC	3384
HCCB_10D	Home care received - housework	HC	3385
HCCB_10E	Home care received - meal preparation or delivery	HC	3385
HCCB_10F	Home care received - shopping	HC	3386
HCCB_10G	Home care received - respite care	HC	3386
HCCB_10H	Home care received - other	HC	3387
HCCB_11A	Received other home care services not covered by government	HC	3387
HCCB_12A	Home care services - nurse from private agency	HC	3388

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 102

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCB_12B	Home care services - homemaker from private agency	HC	3389
HCCB_12C	Home care services - neighbour or friend	HC	3389
HCCB_12D	Home care services - family member	HC	3390
HCCB_12E	Home care services - volunteer	HC	3390
HCCB_12F	Home care services - other	HC	3391
HCCB_1A	Number of nights as patient	HC	3358
HCCB_2A	Number of consultations - family doctor / g.p.	HC	3359
HCCB_2B	Number of consultations - eye specialist	HC	3359
HCCB_2C	Number of consultations - other medical doctor	HC	3360
HCCB_2D	Number of consultations - nurse	HC	3360
HCCB_2E	Number of consultations - dentist or orthodontist	HC	3361
HCCB_2F	Number of consultations - chiropractor	HC	3361
HCCB_2G	Number of consultations - physiotherapist	HC	3362
HCCB_2H	Number of consultations - social worker or counsellor	HC	3362
HCCB_2I	Number of consultations - psychologist	HC	3363
HCCB_2J	Number of consultations - speech / audiology / occ. ther.	HC	3363
HCCB_3	Has regular medical doctor	HC	3365
HCCB_3AA	Service type / nurse - nursing care	HC	3391
HCCB_3AB	Service type / nurse - other health care services	HC	3392
HCCB_3AC	Service type / nurse - personal care	HC	3392
HCCB_3AD	Service type / nurse - housework	HC	3393
HCCB_3AE	Service type / nurse - meal prep. or delivery	HC	3393
HCCB_3AF	Service type / nurse - shopping	HC	3394
HCCB_3AG	Service type / nurse - respite care	HC	3394
HCCB_3AH	Service type / nurse - other service	HC	3395
HCCB_3BA	Service type / homemaker - nursing care	HC	3395
HCCB_3BB	Service type / homemaker - other health care services	HC	3396
HCCB_3BC	Service type / homemaker - personal care	HC	3396
HCCB_3BD	Service type / homemaker - housework	HC	3397
HCCB_3BE	Service type / homemaker - meal prep. or delivery	HC	3397
HCCB_3BF	Service type / homemaker - shopping	HC	3398
HCCB_3BG	Service type / homemaker - respite care	HC	3398
HCCB_3BH	Service type / homemaker - other service	HC	3399
HCCB_3CA	Service type / neighbour or friend - nursing care	HC	3399
HCCB_3CB	Service type / neighbour or friend - other health care serv.	HC	3400
HCCB_3CC	Service type / neighbour or friend - personal care	HC	3400

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 103

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCB_3CD	Service type / neighbour or friend - housework	HC	3401
HCCB_3CE	Service type / neighbour or friend - meal prep. or delivery	HC	3401
HCCB_3CF	Service type / neighbour or friend - shopping	HC	3402
HCCB_3CG	Service type / neighbour or friend - respite care	HC	3402
HCCB_3CH	Service type / neighbour or friend - other service	HC	3403
HCCB_3DA	Service type / family member - nursing care	HC	3403
HCCB_3DB	Service type / family member - other health care services	HC	3404
HCCB_3DC	Service type / family member - personal care	HC	3404
HCCB_3DD	Service type / family member - housework	HC	3405
HCCB_3DE	Service type / family member - meal prep. or delivery	HC	3405
HCCB_3DF	Service type / family member - shopping	HC	3406
HCCB_3DG	Service type / family member - respite care	HC	3406
HCCB_3DH	Service type / family member - other service	HC	3407
HCCB_3EA	Service type / volunteer - nursing care	HC	3407
HCCB_3EB	Service type / volunteer - other health care services	HC	3408
HCCB_3EC	Service type / volunteer - personal care	HC	3408
HCCB_3ED	Service type / volunteer - housework	HC	3409
HCCB_3EE	Service type / volunteer - meal prep. or delivery	HC	3409
HCCB_3EF	Service type / volunteer - shopping	HC	3410
HCCB_3EG	Service type / volunteer - respite care	HC	3410
HCCB_3EH	Service type / volunteer - other service	HC	3410
HCCB_3FA	Service type / other - nursing care	HC	3411
HCCB_3FB	Service type / other - other health care services	HC	3411
HCCB_3FC	Service type / other - personal care	HC	3412
HCCB_3FD	Service type / other - housework	HC	3412
HCCB_3FE	Service type / other - meal prep. or delivery	HC	3413
HCCB_3FF	Service type / other - shopping	HC	3413
HCCB_3FG	Service type / other - respite care	HC	3414
HCCB_3FH	Service type / other - other service	HC	3414
HCCB_4	Consulted alternative health care provider	HC	3366
HCCB_4A	Attended self-help group	HC	3366
HCCB_5A	Alternative health care - massage therapist	HC	3367
HCCB_5B	Alternative health care - acupuncturist	HC	3367
HCCB_5C	Alternative health care - homeopath or naturopath	HC	3368
HCCB_5D	Alternative health care - Feldenkrais or Alexander	HC	3368
HCCB_5E	Alternative health care - relaxation therapist	HC	3369

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 104

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCB_5F	Alternative health care - biofeedback	HC	3369
HCCB_5G	Alternative health care - rolfer	HC	3370
HCCB_5H	Alternative health care - herbalist	HC	3370
HCCB_5I	Alternative health care - reflexologist	HC	3371
HCCB_5J	Alternative health care - spiritual healer	HC	3371
HCCB_5K	Alternative health care - religious healer	HC	3372
HCCB_5L	Alternative health care - other	HC	3372
HCCB_6	Self perceived unmet health care need	HC	3373
HCCB_7A	Care not received - not available in area	HC	3373
HCCB_7B	Care not received - not available when required	HC	3374
HCCB_7C	Care not received - waiting time too long	HC	3374
HCCB_7D	Care not received - felt would be inadequate	HC	3375
HCCB_7E	Care not received - cost	HC	3375
HCCB_7F	Care not received - too busy	HC	3376
HCCB_7G	Care not received - didn't get around to it	HC	3376
HCCB_7H	Care not received - didn't know where to go	HC	3377
HCCB_7I	Care not received - transportation problems	HC	3377
HCCB_7J	Care not received - language problem	HC	3378
HCCB_7K	Care not received - personal or family responsibilities	HC	3378
HCCB_7L	Care not received - dislikes doctors / afraid	HC	3379
HCCB_7M	Care not received - decided not to seek care	HC	3379
HCCB_7N	Care not received - other reason	HC	3380
HCCB_8A	Type of care not received - physical health problem	HC	3380
HCCB_8B	Type of care not received - emot. or mental health problem	HC	3381
HCCB_8C	Type of care not received - regular check-up	HC	3381
HCCB_8D	Type of care not received - injury	HC	3382
HCCB_8E	Type of care not received - other	HC	3382
HCCB_9	Received home care services	HC	3383
HCCBDHPC	Consultations with health professionals - (D)	HC	3364
HCCBDMDC	Number of consultations with medical doctors - (D)	HC	3365
HCCBF1	Flag for any health care service utilization	HC	3364
HCCBFRHC	Received home care - (F)	HC	3388
HCCC_1	Overnight patient	HC	3894
HCCC_10A	Home care received - nursing care	HC	3919
HCCC_10B	Home care received - other health care	HC	3920
HCCC_10C	Home care received - personal care	HC	3920



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 105

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCC_10D	Home care received - housework	HC	3921
HCCC_10E	Home care received - meal preparation or delivery	HC	3921
HCCC_10F	Home care received - shopping	HC	3922
HCCC_10G	Home care received - respite care	HC	3922
HCCC_10H	Home care received - other	HC	3923
HCCC_11A	Received other home care services not covered by government	HC	3923
HCCC_12A	Home care services - nurse from private agency	HC	3924
HCCC_12B	Home care services - homemaker from private agency	HC	3925
HCCC_12C	Home care services - neighbour or friend	HC	3925
HCCC_12D	Home care services - family member	HC	3926
HCCC_12E	Home care services - volunteer	HC	3926
HCCC_12F	Home care services - other	HC	3927
HCCC_1A	Number of nights as patient	HC	3894
HCCC_2A	Number of consultations - family doctor / g.p.	HC	3895
HCCC_2B	Number of consultations - eye specialist	HC	3895
HCCC_2C	Number of consultations - other medical doctor	HC	3896
HCCC_2D	Number of consultations - nurse	HC	3896
HCCC_2E	Number of consultations - dentist or orthodontist	HC	3897
HCCC_2F	Number of consultations - chiropractor	HC	3897
HCCC_2G	Number of consultations - physiotherapist	HC	3898
HCCC_2H	Number of consultations - social worker or counsellor	HC	3898
HCCC_2I	Number of consultations - psychologist	HC	3899
HCCC_2J	Number of consultations - speech / audiology / occ. ther.	HC	3899
HCCC_3	Has regular medical doctor	HC	3901
HCCC_3AA	Service type / nurse - nursing care	HC	3927
HCCC_3AB	Service type / nurse - other health care services	HC	3928
HCCC_3AC	Service type / nurse - personal care	HC	3928
HCCC_3AD	Service type / nurse - housework	HC	3929
HCCC_3AE	Service type / nurse - meal prep. or delivery	HC	3929
HCCC_3AF	Service type / nurse - shopping	HC	3930
HCCC_3AG	Service type / nurse - respite care	HC	3930
HCCC_3AH	Service type / nurse - other service	HC	3931
HCCC_3BA	Service type / homemaker - nursing care	HC	3931
HCCC_3BB	Service type / homemaker - other health care services	HC	3932
HCCC_3BC	Service type / homemaker - personal care	HC	3932
HCCC_3BD	Service type / homemaker - housework	HC	3933

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 106

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCC_3BE	Service type / homemaker - meal prep. or delivery	HC	3933
HCCC_3BF	Service type / homemaker - shopping	HC	3934
HCCC_3BG	Service type / homemaker - respite care	HC	3934
HCCC_3BH	Service type / homemaker - other service	HC	3935
HCCC_3CA	Service type / neighbour or friend - nursing care	HC	3935
HCCC_3CB	Service type / neighbour or friend - other health care serv.	HC	3936
HCCC_3CC	Service type / neighbour or friend - personal care	HC	3936
HCCC_3CD	Service type / neighbour or friend - housework	HC	3937
HCCC_3CE	Service type / neighbour or friend - meal prep. or delivery	HC	3937
HCCC_3CF	Service type / neighbour or friend - shopping	HC	3938
HCCC_3CG	Service type / neighbour or friend - respite care	HC	3938
HCCC_3CH	Service type / neighbour or friend - other service	HC	3939
HCCC_3DA	Service type / family member - nursing care	HC	3939
HCCC_3DB	Service type / family member - other health care services	HC	3940
HCCC_3DC	Service type / family member - personal care	HC	3940
HCCC_3DD	Service type / family member - housework	HC	3941
HCCC_3DE	Service type / family member - meal prep. or delivery	HC	3941
HCCC_3DF	Service type / family member - shopping	HC	3942
HCCC_3DG	Service type / family member - respite care	HC	3942
HCCC_3DH	Service type / family member - other service	HC	3943
HCCC_3EA	Service type / volunteer - nursing care	HC	3943
HCCC_3EB	Service type / volunteer - other health care services	HC	3944
HCCC_3EC	Service type / volunteer - personal care	HC	3944
HCCC_3ED	Service type / volunteer - housework	HC	3945
HCCC_3EE	Service type / volunteer - meal prep. or delivery	HC	3945
HCCC_3EF	Service type / volunteer - shopping	HC	3946
HCCC_3EG	Service type / volunteer - respite care	HC	3946
HCCC_3EH	Service type / volunteer - other service	HC	3947
HCCC_3FA	Service type / other - nursing care	HC	3947
HCCC_3FB	Service type / other - other health care services	HC	3948
HCCC_3FC	Service type / other - personal care	HC	3948
HCCC_3FD	Service type / other - housework	HC	3949
HCCC_3FE	Service type / other - meal prep. or delivery	HC	3949
HCCC_3FF	Service type / other - shopping	HC	3950
HCCC_3FG	Service type / other - respite care	HC	3950
HCCC_3FH	Service type / other - other service	HC	3951

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
HCCC_4	Consulted alternative health care provider	HC	3902
HCCC_4A	Attended self-help group	HC	3902
HCCC_5A	Alternative health care - massage therapist	HC	3903
HCCC_5B	Alternative health care - acupuncturist	HC	3903
HCCC_5C	Alternative health care - homeopath or naturopath	HC	3904
HCCC_5D	Alternative health care - Feldenkrais or Alexander	HC	3904
HCCC_5E	Alternative health care - relaxation therapist	HC	3905
HCCC_5F	Alternative health care - biofeedback	HC	3905
HCCC_5G	Alternative health care - rolfer	HC	3906
HCCC_5H	Alternative health care - herbalist	HC	3906
HCCC_5I	Alternative health care - reflexologist	HC	3907
HCCC_5J	Alternative health care - spiritual healer	HC	3907
HCCC_5K	Alternative health care - religious healer	HC	3908
HCCC_5L	Alternative health care - other	HC	3908
HCCC_6	Self perceived unmet health care need	HC	3909
HCCC_7A	Care not received - not available in area	HC	3909
HCCC_7B	Care not received - not available when required	HC	3910
HCCC_7C	Care not received - waiting time too long	HC	3910
HCCC_7D	Care not received - felt would be inadequate	HC	3911
HCCC_7E	Care not received - cost	HC	3911
HCCC_7F	Care not received - too busy	HC	3912
HCCC_7G	Care not received - didn't get around to it	HC	3912
HCCC_7H	Care not received - didn't know where to go	HC	3913
HCCC_7I	Care not received - transportation problems	HC	3913
HCCC_7J	Care not received - language problem	HC	3914
HCCC_7K	Care not received - personal or family responsibilities	HC	3914
HCCC_7L	Care not received - dislikes doctors / afraid	HC	3915
HCCC_7M	Care not received - decided not to seek care	HC	3915
HCCC_7N	Care not received - other reason	HC	3916
HCCC_8A	Type of care not received - physical health problem	HC	3916
HCCC_8B	Type of care not received - emot. or mental health problem	HC	3917
HCCC_8C	Type of care not received - regular check-up	HC	3917
HCCC_8D	Type of care not received - injury	HC	3918
HCCC_8E	Type of care not received - other	HC	3918
HCCC_9	Received home care services	HC	3919
HCCCDHPC	Consultations with health professionals - (D)	HC	3900

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 108

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCCDMDC	Number of consultations with medical doctors - (D)	HC	3901
HCCCF1	Flag for any health care service utilization	HC	3900
HCCCFRHC	Received home care - (F)	HC	3924
HCCD_1	Overnight patient	HC	4436
HCCD_10A	Home care received - nursing care	HC	4461
HCCD_10B	Home care received - other health care	HC	4462
HCCD_10C	Home care received - personal care	HC	4462
HCCD_10D	Home care received - housework	HC	4463
HCCD_10E	Home care received - meal preparation or delivery	HC	4463
HCCD_10F	Home care received - shopping	HC	4464
HCCD_10G	Home care received - respite care	HC	4464
HCCD_10H	Home care received - other	HC	4465
HCCD_11A	Received other home care services not covered by government	HC	4465
HCCD_12A	Home care services - nurse from private agency	HC	4466
HCCD_12B	Home care services - homemaker from private agency	HC	4467
HCCD_12C	Home care services - neighbour or friend	HC	4467
HCCD_12D	Home care services - family member	HC	4468
HCCD_12E	Home care services - volunteer	HC	4468
HCCD_12F	Home care services - other	HC	4469
HCCD_1A	Number of nights as patient	HC	4436
HCCD_2A	Number of consultations - family doctor / g.p.	HC	4437
HCCD_2B	Number of consultations - eye specialist	HC	4437
HCCD_2C	Number of consultations - other medical doctor	HC	4438
HCCD_2D	Number of consultations - nurse	HC	4438
HCCD_2E	Number of consultations - dentist or orthodontist	HC	4439
HCCD_2F	Number of consultations - chiropractor	HC	4439
HCCD_2G	Number of consultations - physiotherapist	HC	4440
HCCD_2H	Number of consultations - social worker or counsellor	HC	4440
HCCD_2I	Number of consultations - psychologist	HC	4441
HCCD_2J	Number of consultations - speech / audiology / occ. ther.	HC	4441
HCCD_3	Has regular medical doctor	HC	4443
HCCD_3AA	Service type / nurse - nursing care	HC	4469
HCCD_3AB	Service type / nurse - other health care services	HC	4470
HCCD_3AC	Service type / nurse - personal care	HC	4470
HCCD_3AD	Service type / nurse - housework	HC	4471
HCCD_3AE	Service type / nurse - meal prep. or delivery	HC	4471

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 109

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCD_3AF	Service type / nurse - shopping	HC	4471
HCCD_3AG	Service type / nurse - respite care	HC	4472
HCCD_3AH	Service type / nurse - other service	HC	4472
HCCD_3BA	Service type / homemaker - nursing care	HC	4473
HCCD_3BB	Service type / homemaker - other health care services	HC	4473
HCCD_3BC	Service type / homemaker - personal care	HC	4474
HCCD_3BD	Service type / homemaker - housework	HC	4474
HCCD_3BE	Service type / homemaker - meal prep. or delivery	HC	4475
HCCD_3BF	Service type / homemaker - shopping	HC	4475
HCCD_3BG	Service type / homemaker - respite care	HC	4476
HCCD_3BH	Service type / homemaker - other service	HC	4476
HCCD_3CA	Service type / neighbour or friend - nursing care	HC	4477
HCCD_3CB	Service type / neighbour or friend - other health care serv.	HC	4477
HCCD_3CC	Service type / neighbour or friend - personal care	HC	4478
HCCD_3CD	Service type / neighbour or friend - housework	HC	4478
HCCD_3CE	Service type / neighbour or friend - meal prep. or delivery	HC	4479
HCCD_3CF	Service type / neighbour or friend - shopping	HC	4479
HCCD_3CG	Service type / neighbour or friend - respite care	HC	4480
HCCD_3CH	Service type / neighbour or friend - other service	HC	4480
HCCD_3DA	Service type / family member - nursing care	HC	4481
HCCD_3DB	Service type / family member - other health care services	HC	4481
HCCD_3DC	Service type / family member - personal care	HC	4482
HCCD_3DD	Service type / family member - housework	HC	4482
HCCD_3DE	Service type / family member - meal prep. or delivery	HC	4483
HCCD_3DF	Service type / family member - shopping	HC	4483
HCCD_3DG	Service type / family member - respite care	HC	4484
HCCD_3DH	Service type / family member - other service	HC	4484
HCCD_3EA	Service type / volunteer - nursing care	HC	4485
HCCD_3EB	Service type / volunteer - other health care services	HC	4485
HCCD_3EC	Service type / volunteer - personal care	HC	4486
HCCD_3ED	Service type / volunteer - housework	HC	4486
HCCD_3EE	Service type / volunteer - meal prep. or delivery	HC	4487
HCCD_3EF	Service type / volunteer - shopping	HC	4487
HCCD_3EG	Service type / volunteer - respite care	HC	4488
HCCD_3EH	Service type / volunteer - other service	HC	4488
HCCD_3FA	Service type / other - nursing care	HC	4489

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 110

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCD_3FB	Service type / other - other health care services	HC	4489
HCCD_3FC	Service type / other - personal care	HC	4490
HCCD_3FD	Service type / other - housework	HC	4490
HCCD_3FE	Service type / other - meal prep. or delivery	HC	4491
HCCD_3FF	Service type / other - shopping	HC	4491
HCCD_3FG	Service type / other - respite care	HC	4492
HCCD_3FH	Service type / other - other service	HC	4492
HCCD_4	Consulted alternative health care provider	HC	4444
HCCD_4A	Attended self-help group	HC	4444
HCCD_5A	Alternative health care - massage therapist	HC	4445
HCCD_5B	Alternative health care - acupuncturist	HC	4445
HCCD_5C	Alternative health care - homeopath or naturopath	HC	4446
HCCD_5D	Alternative health care - Feldenkrais or Alexander	HC	4446
HCCD_5E	Alternative health care - relaxation therapist	HC	4447
HCCD_5F	Alternative health care - biofeedback	HC	4447
HCCD_5G	Alternative health care - rolfer	HC	4448
HCCD_5H	Alternative health care - herbalist	HC	4448
HCCD_5I	Alternative health care - reflexologist	HC	4449
HCCD_5J	Alternative health care - spiritual healer	HC	4449
HCCD_5K	Alternative health care - religious healer	HC	4450
HCCD_5L	Alternative health care - other	HC	4450
HCCD_6	Self perceived unmet health care need	HC	4451
HCCD_7A	Care not received - not available in area	HC	4451
HCCD_7B	Care not received - not available when required	HC	4452
HCCD_7C	Care not received - waiting time too long	HC	4452
HCCD_7D	Care not received - felt would be inadequate	HC	4453
HCCD_7E	Care not received - cost	HC	4453
HCCD_7F	Care not received - too busy	HC	4454
HCCD_7G	Care not received - didn't get around to it	HC	4454
HCCD_7H	Care not received - didn't know where to go	HC	4455
HCCD_7I	Care not received - transportation problems	HC	4455
HCCD_7J	Care not received - language problem	HC	4456
HCCD_7K	Care not received - personal or family responsibilities	HC	4456
HCCD_7L	Care not received - dislikes doctors / afraid	HC	4457
HCCD_7M	Care not received - decided not to seek care	HC	4457
HCCD_7N	Care not received - other reason	HC	4458

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 111

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HCCD_8A	Type of care not received - physical health problem	HC	4458
HCCD_8B	Type of care not received - emot. or mental health problem	HC	4459
HCCD_8C	Type of care not received - regular check-up	HC	4459
HCCD_8D	Type of care not received - injury	HC	4460
HCCD_8E	Type of care not received - other	HC	4460
HCCD_9	Received home care services	HC	4461
HCCDDHPC	Consultations with health professionals - (D)	HC	4442
HCCDDMDC	Number of consultations with medical doctors - (D)	HC	4443
HCCDF1	Flag for any health care service utilization	HC	4442
HCCDFRHC	Received home care - (F)	HC	4466
HCK4_2OT	Number of consultations - other trained person	HC	40
HCK6_2A	Overnight patient - respiratory problem	HC	494
HCK6_2B	Overnight patient - gastrointestinal problem	HC	494
HCK6_2C	Overnight patient - injuries	HC	495
HCK6_2D	Overnight patient - at birth	HC	495
HCK6_2E	Overnight patient - other reason	HC	496
HIP6_1	Sports injuries - first source of information	HI	864
HIP6_1A	Sports injuries - would look for other source	HI	865
HIP6_1B	Sports injuries - second source of information	HI	865
HIP6_2	AIDS / STD - first source of information	HI	866
HIP6_2A	AIDS / STD - would look for other source	HI	866
HIP6_2B	AIDS / STD - second source of information	HI	867
HIP6_3	Depression - first source of information	HI	867
HIP6_3A	Depression - would look for other source	HI	868
HIP6_3B	Depression - second source of information	HI	868
HIP6_4	Pregnancy - first source of information	HI	869
HIP6_4A	Pregnancy - would look for other source	HI	869
HIP6_4B	Pregnancy - second source of information	HI	870
HIP6_5	Attended school in past 12 months	HI	870
HIP6_6	Rating of information on improving health	HI	871
HIP6_7	Attended sex education classes at school	HI	871
HIP6_8	Rating of sex education classes	HI	872
HSC0_1	Vision - read newsprint without glasses / contact lenses	HS	1856
HSC0_10	Speech - completely understood by strangers	HS	1862
HSC0_11	Speech - partially understood by strangers	HS	1863
HSC0_12	Speech - completely understood by non-strangers	HS	1863

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 112

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSC0_13	Speech - partially understood by non-strangers	HS	1864
HSC0_14	Mobility - walk without difficulty and without support	HS	1865
HSC0_15	Mobility - able to walk	HS	1865
HSC0_16	Mobility - requires support to walk	HS	1866
HSC0_17	Mobility - requires help of person to walk	HS	1866
HSC0_18	Mobility - requires a wheelchair	HS	1867
HSC0_19	Mobility - frequency of wheelchair use	HS	1867
HSC0_2	Vision - read newsprint with glasses / contacts	HS	1857
HSC0_20	Mobility - requires help to move in wheelchair	HS	1868
HSC0_21	Dexterity - able to grasp and handle small objects	HS	1869
HSC0_22	Dexterity - requires help due to limitation in hands	HS	1869
HSC0_23	Dexterity - requires help with tasks	HS	1870
HSC0_24	Dexterity - requires special equipment	HS	1870
HSC0_25	Feelings - self perceived happiness	HS	1871
HSC0_26	Cognition - ability to remember things	HS	1872
HSC0_27	Cognition - ability to think and solve problems	HS	1873
HSC0_28	Pain - usually free of pain	HS	1874
HSC0_29	Pain - usual intensity	HS	1874
HSC0_3	Vision - able to see	HS	1857
HSC0_30	Pain - number of activities prevented	HS	1875
HSC0_4	Vision - recognize a friend without glasses / contact lenses	HS	1858
HSC0_5	Vision - recognize a friend with glasses / contact lenses	HS	1858
HSC0_6	Hearing - in group without hearing aid	HS	1859
HSC0_7	Hearing - in group with hearing aid	HS	1860
HSC0_7A	Hearing - able to hear	HS	1860
HSC0_8	Hearing - in quiet room without hearing aid	HS	1861
HSC0_9	Hearing - in quiet room with hearing aid	HS	1861
HSC0DCOG	Cognition problem - function code - (D)	HS	1873
HSC0DDEX	Dexterity problem - function code - (D)	HS	1871
HSC0DEMO	Emotional problem - function code - (D)	HS	1872
HSC0DHER	Hearing problem - function code - (D)	HS	1862
HSC0DHSI	Health Utility Index (HUI3) - (D)	HS	1876
HSC0DMOB	Mobility problem - function code - (D)	HS	1868
HSC0DPAD	Activities prevented by pain - function code - (D)	HS	1875
HSC0DSPE	Speech problem - function code - (D)	HS	1864
HSC0DVIS	Vision problem - function code - (D)	HS	1859



# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 113

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSC2_1	Vision - read newsprint without glasses / contact lenses	HS	2414
HSC2_10	Speech - completely understood by strangers	HS	2420
HSC2_11	Speech - partially understood by strangers	HS	2420
HSC2_12	Speech - completely understood by non-strangers	HS	2421
HSC2_13	Speech - partially understood by non-strangers	HS	2421
HSC2_14	Mobility - walk without difficulty and without support	HS	2422
HSC2_15	Mobility - able to walk	HS	2423
HSC2_16	Mobility - requires support to walk	HS	2423
HSC2_17	Mobility - requires help of person to walk	HS	2424
HSC2_18	Mobility - requires a wheelchair	HS	2424
HSC2_19	Mobility - frequency of wheelchair use	HS	2425
HSC2_2	Vision - read newsprint with glasses / contacts	HS	2414
HSC2_20	Mobility - requires help to move in wheelchair	HS	2425
HSC2_21	Dexterity - able to grasp and handle small objects	HS	2426
HSC2_22	Dexterity - requires help due to limitation in hands	HS	2427
HSC2_23	Dexterity - requires help with tasks	HS	2427
HSC2_24	Dexterity - requires special equipment	HS	2428
HSC2_25	Feelings - self perceived happiness	HS	2429
HSC2_26	Cognition - ability to remember things	HS	2430
HSC2_27	Cognition - ability to think and solve problems	HS	2430
HSC2_28	Pain - usually free of pain	HS	2431
HSC2_29	Pain - usual intensity	HS	2432
HSC2_3	Vision - able to see	HS	2415
HSC2_30	Pain - number of activities prevented	HS	2432
HSC2_4	Vision - recognize a friend without glasses / contact lenses	HS	2415
HSC2_5	Vision - recognize a friend with glasses / contact lenses	HS	2416
HSC2_6	Hearing - in group without hearing aid	HS	2417
HSC2_7	Hearing - in group with hearing aid	HS	2417
HSC2_7A	Hearing - able to hear	HS	2418
HSC2_8	Hearing - in quiet room without hearing aid	HS	2418
HSC2_9	Hearing - in quiet room with hearing aid	HS	2419
HSC2DCOG	Cognition problem - function code - (D)	HS	2431
HSC2DDEX	Dexterity problem - function code - (D)	HS	2428
HSC2DEMO	Emotional problem - function code - (D)	HS	2429
HSC2DHER	Hearing problem - function code - (D)	HS	2419
HSC2DHSI	Health Utility Index (HUI3) - (D)	HS	2433

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 114

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSC2DMOB	Mobility problem - function code - (D)	HS	2426
HSC2DPAD	Activities prevented by pain - function code - (D)	HS	2433
HSC2DSPE	Speech problem - function code - (D)	HS	2422
HSC2DVIS	Vision problem - function code - (D)	HS	2416
HSC4_1	Vision - read newsprint without glasses / contact lenses	HS	323
HSC4_10	Speech - completely understood by strangers	HS	329
HSC4_11	Speech - partially understood by strangers	HS	329
HSC4_12	Speech - completely understood by non-strangers	HS	330
HSC4_13	Speech - partially understood by non-strangers	HS	330
HSC4_14	Mobility - walk without difficulty and without support	HS	331
HSC4_15	Mobility - able to walk	HS	332
HSC4_16	Mobility - requires support to walk	HS	332
HSC4_17	Mobility - requires help of person to walk	HS	333
HSC4_18	Mobility - requires a wheelchair	HS	333
HSC4_19	Mobility - frequency of wheelchair use	HS	334
HSC4_2	Vision - read newsprint with glasses / contacts	HS	323
HSC4_20	Mobility - requires help to move in wheelchair	HS	334
HSC4_21	Dexterity - able to grasp and handle small objects	HS	335
HSC4_22	Dexterity - requires help due to limitation in hands	HS	336
HSC4_23	Dexterity - requires help with tasks	HS	336
HSC4_24	Dexterity - requires special equipment	HS	337
HSC4_25	Feelings - self perceived happiness	HS	338
HSC4_26	Cognition - ability to remember things	HS	339
HSC4_27	Cognition - ability to think and solve problems	HS	339
HSC4_28	Pain - usually free of pain	HS	340
HSC4_29	Pain - usual intensity	HS	341
HSC4_3	Vision - able to see	HS	324
HSC4_30	Pain - number of activities prevented	HS	341
HSC4_4	Vision - recognize a friend without glasses / contact lenses	HS	324
HSC4_5	Vision - recognize a friend with glasses / contacts	HS	325
HSC4_6	Hearing - in group without hearing aid	HS	326
HSC4_7	Hearing - in group with hearing aid	HS	326
HSC4_7A	Hearing - able to hear	HS	327
HSC4_8	Hearing - in quiet room without hearing aid	HS	327
HSC4_9	Hearing - in quiet room with hearing aid	HS	328
HSC4DCOG	Cognition problem - function code - (D)	HS	340

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 115

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSC4DDEX	Dexterity problem - function code - (D)	HS	337
HSC4DEMO	Emotional problem - function code - (D)	HS	338
HSC4DHER	Hearing problem - function code - (D)	HS	328
HSC4DHSI	Health Utility Index (HUI3) - (D)	HS	342
HSC4DMOB	Mobility problem - function code - (D)	HS	335
HSC4DPAD	Activities prevented by pain - function code - (D)	HS	342
HSC4DSPE	Speech problem - function code - (D)	HS	331
HSC4DVIS	Vision problem - function code - (D)	HS	325
HSC6_1	Vision - read newsprint without glasses / contact lenses	HS	872
HSC6_10	Speech - completely understood by strangers	HS	878
HSC6_11	Speech - partially understood by strangers	HS	879
HSC6_12	Speech - completely understood by non-strangers	HS	879
HSC6_13	Speech - partially understood by non-strangers	HS	880
HSC6_14	Mobility - walk without difficulty and without support	HS	881
HSC6_15	Mobility - able to walk	HS	881
HSC6_16	Mobility - requires support to walk	HS	882
HSC6_17	Mobility - requires help of person to walk	HS	882
HSC6_18	Mobility - requires a wheelchair	HS	883
HSC6_19	Mobility - frequency of wheelchair use	HS	883
HSC6_2	Vision - read newsprint with glasses / contacts	HS	873
HSC6_20	Mobility - requires help to move in wheelchair	HS	884
HSC6_21	Dexterity - able to grasp and handle small objects	HS	885
HSC6_22	Dexterity - requires help due to limitation in hands	HS	885
HSC6_23	Dexterity - requires help with tasks	HS	886
HSC6_24	Dexterity - requires special equipment	HS	886
HSC6_25	Feelings - self perceived happiness	HS	887
HSC6_26	Cognition - ability to remember things	HS	888
HSC6_27	Cognition - ability to think and solve problems	HS	889
HSC6_28	Pain - usually free of pain	HS	890
HSC6_29	Pain - usual intensity	HS	890
HSC6_3	Vision - able to see	HS	873
HSC6_30	Pain - number of activities prevented	HS	891
HSC6_4	Vision - recognize a friend without glasses / contact lenses	HS	874
HSC6_5	Vision - recognize a friend with glasses / contact lenses	HS	874
HSC6_6	Hearing - in group without hearing aid	HS	875
HSC6_7	Hearing - in group with hearing aid	HS	876

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 116

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSC6_7A	Hearing - able to hear	HS	876
HSC6_8	Hearing - in quiet room without hearing aid	HS	877
HSC6_9	Hearing - in quiet room with hearing aid	HS	877
HSC6DCOG	Cognition problem - function code - (D)	HS	889
HSC6DDEX	Dexterity problem - function code - (D)	HS	887
HSC6DEMO	Emotional problem - function code - (D)	HS	888
HSC6DHER	Hearing problem - function code - (D)	HS	878
HSC6DHSI	Health Utility Index (HUI3) - (D)	HS	892
HSC6DMOB	Mobility problem - function code - (D)	HS	884
HSC6DPAD	Activities prevented by pain - function code - (D)	HS	891
HSC6DSPE	Speech problem - function code - (D)	HS	880
HSC6DVIS	Vision problem - function code - (D)	HS	875
HSC8_1	Vision - read newsprint without glasses / contact lenses	HS	1473
HSC8_10	Speech - completely understood by strangers	HS	1479
HSC8_11	Speech - partially understood by strangers	HS	1480
HSC8_12	Speech - completely understood by non-strangers	HS	1480
HSC8_13	Speech - partially understood by non-strangers	HS	1481
HSC8_14	Mobility - walk without difficulty and without support	HS	1482
HSC8_15	Mobility - able to walk	HS	1482
HSC8_16	Mobility - requires support to walk	HS	1483
HSC8_17	Mobility - requires help of person to walk	HS	1483
HSC8_18	Mobility - requires a wheelchair	HS	1484
HSC8_19	Mobility - frequency of wheelchair use	HS	1484
HSC8_2	Vision - read newsprint with glasses / contacts	HS	1474
HSC8_20	Mobility - requires help to move in wheelchair	HS	1485
HSC8_21	Dexterity - able to grasp and handle small objects	HS	1486
HSC8_22	Dexterity - requires help due to limitation in hands	HS	1486
HSC8_23	Dexterity - requires help with tasks	HS	1487
HSC8_24	Dexterity - requires special equipment	HS	1487
HSC8_25	Feelings - self perceived happiness	HS	1488
HSC8_26	Cognition - ability to remember things	HS	1489
HSC8_27	Cognition - ability to think and solve problems	HS	1490
HSC8_28	Pain - usually free of pain	HS	1491
HSC8_29	Pain - usual intensity	HS	1491
HSC8_3	Vision - able to see	HS	1474
HSC8_30	Pain - number of activities prevented	HS	1492

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 117

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSC8_4	Vision - recognize a friend without glasses / contact lenses	HS	1475
HSC8_5	Vision - recognize a friend with glasses / contact lenses	HS	1475
HSC8_6	Hearing - in group without hearing aid	HS	1476
HSC8_7	Hearing - in group with hearing aid	HS	1477
HSC8_7A	Hearing - able to hear	HS	1477
HSC8_8	Hearing - in quiet room without hearing aid	HS	1478
HSC8_9	Hearing - in quiet room with hearing aid	HS	1478
HSC8DCOG	Cognition problem - function code - (D)	HS	1490
HSC8DDEX	Dexterity problem - function code - (D)	HS	1488
HSC8DEMO	Emotional problem - function code - (D)	HS	1489
HSC8DHER	Hearing problem - function code - (D)	HS	1479
HSC8DHSI	Health Utility Index (HUI3) - (D)	HS	1493
HSC8DMOB	Mobility problem - function code - (D)	HS	1485
HSC8DPAD	Activities prevented by pain - function code - (D)	HS	1492
HSC8DSPE	Speech problem - function code - (D)	HS	1481
HSC8DVIS	Vision problem - function code - (D)	HS	1476
HSCA_1	Vision - read newsprint without glasses / contact lenses	HS	2945
HSCA_10	Speech - completely understood by strangers	HS	2951
HSCA_11	Speech - partially understood by strangers	HS	2952
HSCA_12	Speech - completely understood by non-strangers	HS	2952
HSCA_13	Speech - partially understood by non-strangers	HS	2953
HSCA_14	Mobility - walk without difficulty and without support	HS	2954
HSCA_15	Mobility - able to walk	HS	2954
HSCA_16	Mobility - requires support to walk	HS	2955
HSCA_17	Mobility - requires help of person to walk	HS	2955
HSCA_18	Mobility - requires a wheelchair	HS	2956
HSCA_19	Mobility - frequency of wheelchair use	HS	2956
HSCA_2	Vision - read newsprint with glasses / contacts	HS	2946
HSCA_20	Mobility - requires help to move in wheelchair	HS	2957
HSCA_21	Dexterity - able to grasp and handle small objects	HS	2958
HSCA_22	Dexterity - requires help due to limitation in hands	HS	2958
HSCA_23	Dexterity - requires help with tasks	HS	2959
HSCA_24	Dexterity - requires special equipment	HS	2959
HSCA_25	Feelings - self perceived happiness	HS	2960
HSCA_26	Cognition - ability to remember things	HS	2961
HSCA_27	Cognition - ability to think and solve problems	HS	2962

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 118

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSCA_28	Pain - usually free of pain	HS	2963
HSCA_29	Pain - usual intensity	HS	2963
HSCA_3	Vision - able to see	HS	2946
HSCA_30	Pain - number of activities prevented	HS	2964
HSCA_4	Vision - recognize a friend without glasses / contact lenses	HS	2947
HSCA_5	Vision - recognize a friend with glasses / contact lenses	HS	2947
HSCA_6	Hearing - in group without hearing aid	HS	2948
HSCA_7	Hearing - in group with hearing aid	HS	2949
HSCA_7A	Hearing - able to hear	HS	2949
HSCA_8	Hearing - in quiet room without hearing aid	HS	2950
HSCA_9	Hearing - in quiet room with hearing aid	HS	2950
HSCADCOG	Cognition problem - function code - (D)	HS	2962
HSCADDEX	Dexterity problem - function code - (D)	HS	2960
HSCADEMO	Emotional problem - function code - (D)	HS	2961
HSCADHER	Hearing problem - function code - (D)	HS	2951
HSCADHSI	Health Utility Index (HUI3) - (D)	HS	2965
HSCADMOB	Mobility problem - function code - (D)	HS	2957
HSCADPAD	Activities prevented by pain - function code - (D)	HS	2964
HSCADSPE	Speech problem - function code - (D)	HS	2953
HSCADVIS	Vision problem - function code - (D)	HS	2948
HSCB_1	Vision - read newsprint without glasses / contact lenses	HS	3486
HSCB_10	Speech - completely understood by strangers	HS	3492
HSCB_11	Speech - partially understood by strangers	HS	3493
HSCB_12	Speech - completely understood by non-strangers	HS	3493
HSCB_13	Speech - partially understood by non-strangers	HS	3494
HSCB_14	Mobility - walk without difficulty and without support	HS	3495
HSCB_15	Mobility - able to walk	HS	3495
HSCB_16	Mobility - requires support to walk	HS	3496
HSCB_17	Mobility - requires help of person to walk	HS	3496
HSCB_18	Mobility - requires a wheelchair	HS	3497
HSCB_19	Mobility - frequency of wheelchair use	HS	3497
HSCB_2	Vision - read newsprint with glasses / contacts	HS	3487
HSCB_20	Mobility - requires help to move in wheelchair	HS	3498
HSCB_21	Dexterity - able to grasp and handle small objects	HS	3499
HSCB_22	Dexterity - requires help due to limitation in hands	HS	3499
HSCB_23	Dexterity - requires help with tasks	HS	3500

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 119

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSCB_24	Dexterity - requires special equipment	HS	3500
HSCB_25	Feelings - self perceived happiness	HS	3501
HSCB_26	Cognition - ability to remember things	HS	3502
HSCB_27	Cognition - ability to think and solve problems	HS	3503
HSCB_28	Pain - usually free of pain	HS	3504
HSCB_29	Pain - usual intensity	HS	3504
HSCB_3	Vision - able to see	HS	3487
HSCB_30	Pain - number of activities prevented	HS	3505
HSCB_4	Vision - recognize a friend without glasses / contact lenses	HS	3488
HSCB_5	Vision - recognize a friend with glasses / contact lenses	HS	3488
HSCB_6	Hearing - in group without hearing aid	HS	3489
HSCB_7	Hearing - in group with hearing aid	HS	3490
HSCB_7A	Hearing - able to hear	HS	3490
HSCB_8	Hearing - in quiet room without hearing aid	HS	3491
HSCB_9	Hearing - in quiet room with hearing aid	HS	3491
HSCBDCOG	Cognition problem - function code - (D)	HS	3503
HSCBDDEX	Dexterity problem - function code - (D)	HS	3501
HSCBDEMO	Emotional problem - function code - (D)	HS	3502
HSCBDHER	Hearing problem - function code - (D)	HS	3492
HSCBDHSI	Health Utility Index (HUI3) - (D)	HS	3506
HSCBDMOB	Mobility problem - function code - (D)	HS	3498
HSCBDPAD	Activities prevented by pain - function code - (D)	HS	3505
HSCBDSPE	Speech problem - function code - (D)	HS	3494
HSCBDVIS	Vision problem - function code - (D)	HS	3489
HSCC_1	Vision - read newsprint without glasses / contact lenses	HS	4023
HSCC_10	Speech - completely understood by strangers	HS	4029
HSCC_11	Speech - partially understood by strangers	HS	4029
HSCC_12	Speech - completely understood by non-strangers	HS	4030
HSCC_13	Speech - partially understood by non-strangers	HS	4030
HSCC_14	Mobility - walk without difficulty and without support	HS	4031
HSCC_15	Mobility - able to walk	HS	4032
HSCC_16	Mobility - requires support to walk	HS	4032
HSCC_17	Mobility - requires help of person to walk	HS	4033
HSCC_18	Mobility - requires a wheelchair	HS	4033
HSCC_19	Mobility - frequency of wheelchair use	HS	4034
HSCC_2	Vision - read newsprint with glasses / contacts	HS	4023

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
HSCC_20	Mobility - requires help to move in wheelchair	HS	4034
HSCC_21	Dexterity - able to grasp and handle small objects	HS	4035
HSCC_22	Dexterity - requires help due to limitation in hands	HS	4036
HSCC_23	Dexterity - requires help with tasks	HS	4036
HSCC_24	Dexterity - requires special equipment	HS	4037
HSCC_25	Feelings - self perceived happiness	HS	4038
HSCC_26	Cognition - ability to remember things	HS	4039
HSCC_27	Cognition - ability to think and solve problems	HS	4039
HSCC_28	Pain - usually free of pain	HS	4040
HSCC_29	Pain - usual intensity	HS	4041
HSCC_3	Vision - able to see	HS	4024
HSCC_30	Pain - number of activities prevented	HS	4041
HSCC_4	Vision - recognize a friend without glasses / contact lenses	HS	4024
HSCC_5	Vision - recognize a friend with glasses / contact lenses	HS	4025
HSCC_6	Hearing - in group without hearing aid	HS	4026
HSCC_7	Hearing - in group with hearing aid	HS	4026
HSCC_7A	Hearing - able to hear	HS	4027
HSCC_8	Hearing - in quiet room without hearing aid	HS	4027
HSCC_9	Hearing - in quiet room with hearing aid	HS	4028
HSCCDCOG	Cognition problem - function code - (D)	HS	4040
HSCCDDEX	Dexterity problem - function code - (D)	HS	4037
HSCCDEMO	Emotional problem - function code - (D)	HS	4038
HSCCDHER	Hearing problem - function code - (D)	HS	4028
HSCCDHSI	Health Utility Index (HUI3) - (D)	HS	4042
HSCCDMOB	Mobility problem - function code - (D)	HS	4035
HSCCDPAD	Activities prevented by pain - function code - (D)	HS	4042
HSCCDSPE	Speech problem - function code - (D)	HS	4031
HSCCDVIS	Vision problem - function code - (D)	HS	4025
HSCD_1	Vision - read newsprint without glasses / contact lenses	HS	4562
HSCD_10	Speech - completely understood by strangers	HS	4568
HSCD_11	Speech - partially understood by strangers	HS	4568
HSCD_12	Speech - completely understood by non-strangers	HS	4569
HSCD_13	Speech - partially understood by non-strangers	HS	4569
HSCD_14	Mobility - walk without difficulty and without support	HS	4570
HSCD_15	Mobility - able to walk	HS	4571
HSCD_16	Mobility - requires support to walk	HS	4571



# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 121

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSCD_17	Mobility - requires help of person to walk	HS	4572
HSCD_18	Mobility - requires a wheelchair	HS	4572
HSCD_19	Mobility - frequency of wheelchair use	HS	4573
HSCD_2	Vision - read newsprint with glasses / contacts	HS	4562
HSCD_20	Mobility - requires help to move in wheelchair	HS	4573
HSCD_21	Dexterity - able to grasp and handle small objects	HS	4574
HSCD_22	Dexterity - requires help due to limitation in hands	HS	4575
HSCD_23	Dexterity - requires help with tasks	HS	4575
HSCD_24	Dexterity - requires special equipment	HS	4576
HSCD_25	Feelings - self perceived happiness	HS	4577
HSCD_26	Cognition - ability to remember things	HS	4578
HSCD_27	Cognition - ability to think and solve problems	HS	4578
HSCD_28	Pain - usually free of pain	HS	4579
HSCD_29	Pain - usual intensity	HS	4580
HSCD_3	Vision - able to see	HS	4563
HSCD_30	Pain - number of activities prevented	HS	4580
HSCD_4	Vision - recognize a friend without glasses / contact lenses	HS	4563
HSCD_5	Vision - recognize a friend with glasses / contact lenses	HS	4564
HSCD_6	Hearing - in group without hearing aid	HS	4565
HSCD_7	Hearing - in group with hearing aid	HS	4565
HSCD_7A	Hearing - able to hear	HS	4566
HSCD_8	Hearing - in quiet room without hearing aid	HS	4566
HSCD_9	Hearing - in quiet room with hearing aid	HS	4567
HSCDDCOG	Cognition problem - function code - (D)	HS	4579
HSCDDDEX	Dexterity problem - function code - (D)	HS	4576
HSCDDDEMO	Emotional problem - function code - (D)	HS	4577
HSCDDHER	Hearing problem - function code - (D)	HS	4567
HSCDDHSI	Health Utility Index (HUI3) - (D)	HS	4581
HSCDDMOB	Mobility problem - function code - (D)	HS	4574
HSCDDPAD	Activities prevented by pain - function code - (D)	HS	4581
HSCDDSP	Speech problem - function code - (D)	HS	4570
HSCDDVIS	Vision problem - function code - (D)	HS	4564
HSK6_25A	Event causing great amount of worry or unhappiness	HS	892
HSK6_31A	Worry or unhappiness - death in family	HS	893
HSK6_31B	Worry or unhappiness - divorce or separation	HS	893
HSK6_31C	Worry or unhappiness - move	HS	894

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 122

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HSK6_31D	Worry or unhappiness - illness or injury in family	HS	894
HSK6_31E	Worry or unhappiness - conflict between parents	HS	895
HSK6_31F	Worry or unhappiness - other event	HS	895
HVS6_1	Tissue sample given for life insurance	HV	860
HVS6_2	Donated blood at the Red Cross	HV	860
HVS6_3	Year of last blood donation	HV	861
HVS6_4	Test for HIV / AIDS other than for insurance or blood donat.	HV	861
HVS6_5	HIV / AIDS - year of last test	HV	862
HVS6_6	HIV / AIDS - reason for test	HV	862
HVS6_7	Received "clotting factor" between 1978 and 1985	HV	863
HVS6_8	Received a blood transfusion between 1978 and 1985	HV	863
HVS6_9	Has injected non-prescription drugs	HV	864
HWB	Birth weight	GH	5
HWBG1	Birth weight - (G)	HW	6
HWC0_3KG	Weight - kilograms	HW	1725
HWC0_3LB	Weight - pounds	HW	1724
HWC0_FHT	Flag - height (I)	HW	1728
HWC0_HT	Height	HW	1723
HWC0_IHT	Height (I)	HW	1727
HWC0DBMI	Body Mass Index - BMI - (D)	HW	1725
HWC0DCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	1726
HWC0DISW	BMI for 18 years and over (International standard) - (D)	HW	1726
HWC0F3KG	Flag - weight - kilograms (I)	HW	1730
HWC0F3LB	Flag - weight - pounds (I)	HW	1729
HWC0FBMI	Flag - BMI - (I)	HW	1730
HWC0FCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	1731
HWC0FISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	1732
HWC0I3KG	Weight - kilograms (I)	HW	1729
HWC0I3LB	Weight - pounds (I)	HW	1729
HWC0IBMI	Body Mass Index - BMI - (I)	HW	1730
HWC0ICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	1731
HWC0IISW	BMI for 18 years and over (International standard) - (I)	HW	1732
HWC2_3KG	Weight - kilograms	HW	2236
HWC2_3LB	Weight - pounds	HW	2235
HWC2_5	Respondent's opinion of own weight	HW	2243
HWC2_6	Presently trying to lose weight	HW	2244

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 123

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HWC2_7	Presently trying to gain weight	HW	2244
HWC2_8KG	Desired weight - kilograms	HW	2245
HWC2_8LB	Desired weight - pounds	HW	2245
HWC2_FHT	Flag - height (I)	HW	2239
HWC2_HT	Height	HW	2234
HWC2_IHT	Height (I)	HW	2238
HWC2DBMI	Body Mass Index - BMI - (D)	HW	2236
HWC2DCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	2237
HWC2DISW	BMI for 18 years and over (International standard) - (D)	HW	2237
HWC2F3KG	Flag - weight - kilograms (I)	HW	2240
HWC2F3LB	Flag - weight - pounds (I)	HW	2240
HWC2FBMI	Flag - BMI - (I)	HW	2241
HWC2FCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	2242
HWC2FISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	2243
HWC2I3KG	Weight - kilograms (I)	HW	2240
HWC2I3LB	Weight - pounds (I)	HW	2239
HWC2IBMI	Body Mass Index - BMI - (I)	HW	2241
HWC2ICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	2241
HWC2IISW	BMI for 18 years and over (International standard) - (I)	HW	2242
HWC4_3KG	Weight - kilograms	HW	182
HWC4_3LB	Weight - pounds	HW	182
HWC4_FHT	Flag - height (I)	HW	189
HWC4_HT	Height	HW	183
HWC4_IHT	Height (I)	HW	187
HWC4DBMI	Body Mass Index - BMI - (D)	HW	185
HWC4DCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	185
HWC4DISW	BMI for 18 years and over (International standard) - (D)	HW	186
HWC4F3KG	Flag - weight - kilograms (I)	HW	190
HWC4F3LB	Flag - weight - pounds (I)	HW	189
HWC4FBMI	Flag - BMI - (I)	HW	191
HWC4FCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	191
HWC4FISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	192
HWC4I3KG	Weight - kilograms (I)	HW	190
HWC4I3LB	Weight - pounds (I)	HW	189
HWC4IBMI	Body Mass Index - BMI - (I)	HW	190
HWC4ICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	191

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 124

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HWC4IISW	BMI for 18 years and over (International standard) - (I)	HW	192
HWC6_3KG	Weight - kilograms	HW	708
HWC6_3LB	Weight - pounds	HW	708
HWC6_5	Respondent's opinion of own weight	HW	717
HWC6_8KG	Desired weight - kilograms	HW	718
HWC6_8LB	Desired weight - pounds	HW	717
HWC6_FHT	Flag - height (I)	HW	713
HWC6_HT	Height	HW	706
HWC6_IHT	Height (I)	HW	711
HWC6DBMI	Body Mass Index - BMI - (D)	HW	709
HWC6DCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	709
HWC6DISW	BMI for 18 years and over (International standard) - (D)	HW	710
HWC6F3KG	Flag - weight - kilograms (I)	HW	714
HWC6F3LB	Flag - weight - pounds (I)	HW	713
HWC6FBMI	Flag - BMI - (I)	HW	715
HWC6FCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	715
HWC6FISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	716
HWC6I3KG	Weight - kilograms (I)	HW	714
HWC6I3LB	Weight - pounds (I)	HW	713
HWC6IBMI	Body Mass Index - BMI - (I)	HW	714
HWC6ICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	715
HWC6IISW	BMI for 18 years and over (International standard) - (I)	HW	716
HWC8_3KG	Weight - kilograms	HW	1394
HWC8_3LB	Weight - pounds	HW	1393
HWC8_FHT	Flag - height (I)	HW	1397
HWC8_HT	Height	HW	1392
HWC8_IHT	Height (I)	HW	1396
HWC8DBMI	Body Mass Index - BMI - (D)	HW	1394
HWC8DCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	1395
HWC8DISW	BMI for 18 years and over (International standard) - (D)	HW	1395
HWC8F3KG	Flag - weight - kilograms (I)	HW	1399
HWC8F3LB	Flag - weight - pounds (I)	HW	1398
HWC8FBMI	Flag - BMI - (I)	HW	1399
HWC8FCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	1400
HWC8FISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	1401
HWC8I3KG	Weight - kilograms (I)	HW	1398

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 125

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HWC8I3LB	Weight - pounds (I)	HW	1398
HWC8IBMI	Body Mass Index - BMI - (I)	HW	1399
HWC8ICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	1400
HWC8IISW	BMI for 18 years and over (International standard) - (I)	HW	1401
HWCA_3KG	Weight - kilograms	HW	2772
HWCA_3LB	Weight - pounds	HW	2772
HWCA_5	Respondent's opinion of own weight	HW	2780
HWCA_6	Presently trying to lose weight	HW	2781
HWCA_7	Presently trying to gain weight	HW	2781
HWCA_8KG	Desired weight - kilograms	HW	2782
HWCA_8LB	Desired weight - pounds	HW	2782
HWCA_FHT	Flag - height (I)	HW	2776
HWCA_HT	Height	HW	2771
HWCA_IHT	Height (I)	HW	2775
HWCADBMI	Body Mass Index - BMI - (D)	HW	2773
HWCADCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	2773
HWCADISW	BMI for 18 years and over (International standard) - (D)	HW	2774
HWCAF3KG	Flag - weight - kilograms (I)	HW	2777
HWCAF3LB	Flag - weight - pounds (I)	HW	2777
HWCAFBMI	Flag - BMI - (I)	HW	2778
HWCAFCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	2779
HWCAFISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	2780
HWCAI3KG	Weight - kilograms (I)	HW	2777
HWCAI3LB	Weight - pounds (I)	HW	2776
HWCAIBMI	Body Mass Index - BMI - (I)	HW	2778
HWCAICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	2778
HWCAIISW	BMI for 18 years and over (International standard) - (I)	HW	2779
HWCB_3KG	Weight - kilograms	HW	3307
HWCB_3LB	Weight - pounds	HW	3307
HWCB_5	Respondent's opinion of own weight	HW	3315
HWCB_6	Presently trying to lose weight	HW	3316
HWCB_7	Presently trying to gain weight	HW	3316
HWCB_8KG	Desired weight - kilograms	HW	3317
HWCB_8LB	Desired weight - pounds	HW	3317
HWCB_FHT	Flag - height (I)	HW	3311
HWCB_HT	Height	HW	3306

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 126

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HWCB_IHT	Height (I)	HW	3310
HWCBDBMI	Body Mass Index - BMI - (D)	HW	3308
HWCBDCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	3308
HWCBDISW	BMI for 18 years and over (International standard) - (D)	HW	3309
HWCBF3KG	Flag - weight - kilograms (I)	HW	3312
HWCBF3LB	Flag - weight - pounds (I)	HW	3312
HWCBFBMI	Flag - BMI - (I)	HW	3313
HWCBFCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	3314
HWCBFISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	3315
HWCB13KG	Weight - kilograms (I)	HW	3312
HWCB13LB	Weight - pounds (I)	HW	3311
HWCBIBMI	Body Mass Index - BMI - (I)	HW	3313
HWCBICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	3313
HWCBIIISW	BMI for 18 years and over (International standard) - (I)	HW	3314
HWCC_3KG	Weight - kilograms	HW	3850
HWCC_3LB	Weight - pounds	HW	3850
HWCC_5	Respondent's opinion of own weight	HW	3858
HWCC_6	Presently trying to lose weight	HW	3859
HWCC_7	Presently trying to gain weight	HW	3859
HWCC_8KG	Desired weight - kilograms	HW	3860
HWCC_8LB	Desired weight - pounds	HW	3860
HWCC_FHT	Flag - height (I)	HW	3854
HWCC_HT	Height	HW	3849
HWCC_IHT	Height (I)	HW	3853
HWCCDBMI	Body Mass Index - BMI - (D)	HW	3851
HWCCDCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	3851
HWCCDISW	BMI for 18 years and over (International standard) - (D)	HW	3852
HWCCF3KG	Flag - weight - kilograms (I)	HW	3855
HWCCF3LB	Flag - weight - pounds (I)	HW	3855
HWCCFBMI	Flag - BMI - (I)	HW	3856
HWCCFCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	3857
HWCCFISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	3858
HWCC13KG	Weight - kilograms (I)	HW	3855
HWCC13LB	Weight - pounds (I)	HW	3854
HWCCIBMI	Body Mass Index - BMI - (I)	HW	3856
HWCCICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	3856

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 127

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
HWCCIISW	BMI for 18 years and over (International standard) - (I)	HW	3857
HWCD_3KG	Weight - kilograms	HW	4398
HWCD_3LB	Weight - pounds	HW	4398
HWCD_5	Respondent's opinion of own weight	HW	4406
HWCD_6	Presently trying to lose weight	HW	4407
HWCD_7	Presently trying to gain weight	HW	4407
HWCD_8KG	Desired weight - kilograms	HW	4408
HWCD_8LB	Desired weight - pounds	HW	4408
HWCD_FHT	Flag - height (I)	HW	4402
HWCD_HT	Height	HW	4397
HWCD_IHT	Height (I)	HW	4401
HWCDDBMI	Body Mass Index - BMI - (D)	HW	4399
HWCDDCOL	BMI - Children 2 to 17 years (International standard) - (D)	HW	4399
HWCDDISW	BMI for 18 years and over (International standard) - (D)	HW	4400
HWCDF3KG	Flag - weight - kilograms (I)	HW	4403
HWCDF3LB	Flag - weight - pounds (I)	HW	4403
HWCDFBMI	Flag - BMI - (I)	HW	4404
HWCDFCOL	Flag - Imputed data - BMI - children 2-17 years (I)	HW	4405
HWCDFISW	Flag - Imputed data - BMI for 18 years and over (I)	HW	4406
HWCDI3KG	Weight - kilograms (I)	HW	4403
HWCDI3LB	Weight - pounds (I)	HW	4402
HWCDIBMI	Body Mass Index - BMI - (I)	HW	4404
HWCDICOL	BMI - Children 2 to 17 years (International standard) - (I)	HW	4404
HWCDIISW	BMI for 18 years and over (International standard) - (I)	HW	4405
HWS6_4	Most important thing done to follow a healthy diet	HW	718
HWS6_5	Skipping breakfast can control / reduce weight	HW	719
IJC0_1	Injured in the past 12 months	IJ	1923
IJC0_10	Most serious injury - result of a fall	IJ	1927
IJC0_10A	Most serious injury - how fell	IJ	1928
IJC0_10B	Most serious injury - cause	IJ	1929
IJC0_11	Most serious injury - received treatment within 48 hours	IJ	1929
IJC0_12	Most serious injury - where received treatment	IJ	1930
IJC0_13	Most serious injury - admitted to hospital	IJ	1930
IJC0_14	Other injuries - treated but did not limit normal activities	IJ	1931
IJC0_15	Other injuries - number of treated injuries	IJ	1931
IJC0_2	Number of injuries in the past 12 months	IJ	1923

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 128

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
IJC0_3	Most serious injury - type	IJ	1924
IJC0_4	Most serious injury - body part affected	IJ	1925
IJC0_4A	Most serious injury - body part affected (internal injuries)	IJ	1926
IJC0_5	Most serious injury - place of occurrence	IJ	1926
IJC0_9	Most serious injury - activity type when injured	IJ	1927
IJC0DCAU	Cause of injury - (D)	IJ	1932
IJC0DCBP	Cause of injury by place of occurrence - (D)	IJ	1933
IJC0DSTT	Injury Status - (D)	IJ	1933
IJC0DTBS	Type of injury by body site - (D)	IJ	1932
IJC2_1	Injured in the past 12 months	IJ	2481
IJC2_10	Most serious injury - result of a fall	IJ	2485
IJC2_10A	Most serious injury - how fell	IJ	2486
IJC2_10B	Most serious injury - cause	IJ	2487
IJC2_11	Most serious injury - received treatment within 48 hours	IJ	2487
IJC2_12	Most serious injury - where received treatment	IJ	2488
IJC2_13	Most serious injury - admitted to hospital	IJ	2488
IJC2_14	Other injuries - treated but did not limit normal activities	IJ	2489
IJC2_15	Other injuries - number of treated injuries	IJ	2489
IJC2_2	Number of injuries in the past 12 months	IJ	2481
IJC2_3	Most serious injury - type	IJ	2482
IJC2_4	Most serious injury - body part affected	IJ	2483
IJC2_4A	Most serious injury - body part affected (internal injuries)	IJ	2484
IJC2_5	Most serious injury - place of occurrence	IJ	2484
IJC2_9	Most serious injury - activity type when injured	IJ	2485
IJC2DCAU	Cause of injury - (D)	IJ	2490
IJC2DCBP	Cause of injury by place of occurrence - (D)	IJ	2491
IJC2DSTT	Injury Status - (D)	IJ	2491
IJC2DTBS	Type of injury by body site - (D)	IJ	2490
IJC4_1	Injured in the past 12 months	IJ	258
IJC4_2	Number of injuries in the past 12 months	IJ	258
IJC4_3	Most serious injury - type	IJ	259
IJC4_4	Most serious injury - body part affected	IJ	260
IJC4_5	Most serious injury - place of occurrence	IJ	261
IJC4_6	Most serious injury - reason	IJ	262
IJC4_7	Most serious injury - work-related	IJ	263
IJC4_8A	Precaution taken - gave up the activity	IJ	263



# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 129

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
IJC4_8B	Precaution taken - being more careful	IJ	263
IJC4_8C	Precaution taken - safety training	IJ	264
IJC4_8D	Precaution taken - protective gear	IJ	264
IJC4_8E	Precaution taken - changing physical situation	IJ	265
IJC4_8F	Precaution taken - other	IJ	265
IJC4_8G	Precaution taken - none	IJ	266
IJC4_8H	Precaution taken - increase child supervision	IJ	266
IJC4D1	Type of injury by body site - (D)	IJ	260
IJC4D2	Cause of injury by place of occurrence - (D)	IJ	262
IJC6_1	Injured in the past 12 months	IJ	945
IJC6_2	Number of injuries in the past 12 months	IJ	946
IJC6_3	Most serious injury - type	IJ	946
IJC6_4	Most serious injury - body part affected	IJ	947
IJC6_5	Most serious injury - place of occurrence	IJ	948
IJC6_6	Most serious injury - reason	IJ	949
IJC6_7	Most serious injury - work-related	IJ	950
IJC6_8A	Precaution taken - gave up the activity	IJ	950
IJC6_8B	Precaution taken - being more careful	IJ	951
IJC6_8C	Precaution taken - safety training	IJ	951
IJC6_8D	Precaution taken - protective gear	IJ	952
IJC6_8E	Precaution taken - changing physical situation	IJ	952
IJC6_8F	Precaution taken - other	IJ	953
IJC6_8G	Precaution taken - none	IJ	953
IJC6D1	Type of injury by body site - (D)	IJ	954
IJC6D2	Cause of injury by place of occurrence - (D)	IJ	954
IJC8_1	Injured in the past 12 months	IJ	1550
IJC8_2	Number of injuries in the past 12 months	IJ	1551
IJC8_3	Most serious injury - type	IJ	1551
IJC8_4	Most serious injury - body part affected	IJ	1552
IJC8_5	Most serious injury - place of occurrence	IJ	1553
IJC8_6	Most serious injury - reason	IJ	1554
IJC8_7	Most serious injury - work-related	IJ	1554
IJC8_8A	Precaution taken - gave up the activity	IJ	1555
IJC8_8B	Precaution taken - being more careful	IJ	1555
IJC8_8C	Precaution taken - safety training	IJ	1556
IJC8_8D	Precaution taken - protective gear	IJ	1556

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
IJC8_8E	Precaution taken - changing physical situation	IJ	1557
IJC8_8F	Precaution taken - other	IJ	1557
IJC8_8G	Precaution taken - none	IJ	1558
IJC8D1	Type of injury by body site - (D)	IJ	1558
IJC8D2	Cause of injury by place of occurrence - (D)	IJ	1559
IJCA_1	Injured in the past 12 months	IJ	3012
IJCA_10	Most serious injury - result of a fall	IJ	3016
IJCA_10A	Most serious injury - how fell	IJ	3017
IJCA_10B	Most serious injury - cause	IJ	3018
IJCA_11	Most serious injury - received treatment within 48 hours	IJ	3018
IJCA_12	Most serious injury - where received treatment	IJ	3019
IJCA_13	Most serious injury - admitted to hospital	IJ	3019
IJCA_14	Other injuries - treated but did not limit normal activities	IJ	3020
IJCA_15	Other injuries - number of treated injuries	IJ	3020
IJCA_2	Number of injuries in the past 12 months	IJ	3012
IJCA_3	Most serious injury - type	IJ	3013
IJCA_4	Most serious injury - body part affected	IJ	3014
IJCA_4A	Most serious injury - body part affected (internal injuries)	IJ	3015
IJCA_5	Most serious injury - place of occurrence	IJ	3015
IJCA_9	Most serious injury - activity type when injured	IJ	3016
IJCADCAU	Cause of injury - (D)	IJ	3021
IJCADCBP	Cause of injury by place of occurrence - (D)	IJ	3022
IJCADSTT	Injury Status - (D)	IJ	3022
IJCADTBS	Type of injury by body site - (D)	IJ	3021
IJCB_1	Injured in the past 12 months	IJ	3554
IJCB_10	Most serious injury - result of a fall	IJ	3558
IJCB_10A	Most serious injury - how fell	IJ	3559
IJCB_10B	Most serious injury - cause	IJ	3560
IJCB_11	Most serious injury - received treatment within 48 hours	IJ	3560
IJCB_12	Most serious injury - where received treatment	IJ	3561
IJCB_13	Most serious injury - admitted to hospital	IJ	3561
IJCB_14	Other injuries - treated but did not limit normal activities	IJ	3562
IJCB_15	Other injuries - number of treated injuries	IJ	3562
IJCB_2	Number of injuries in the past 12 months	IJ	3554
IJCB_3	Most serious injury - type	IJ	3555
IJCB_4	Most serious injury - body part affected	IJ	3556

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 131

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
IJCB_4A	Most serious injury - body part affected (internal injuries)	IJ	3557
IJCB_5	Most serious injury - place of occurrence	IJ	3557
IJCB_9	Most serious injury - activity type when injured	IJ	3558
IJCBDCAU	Cause of injury - (D)	IJ	3563
IJCBDCBP	Cause of injury by place of occurrence - (D)	IJ	3564
IJCBDSTT	Injury Status - (D)	IJ	3564
IJCBDTBS	Type of injury by body site - (D)	IJ	3563
IJCC_1	Injured in the past 12 months	IJ	4090
IJCC_10	Most serious injury - result of a fall	IJ	4094
IJCC_10A	Most serious injury - how fell	IJ	4095
IJCC_10B	Most serious injury - cause	IJ	4096
IJCC_11	Most serious injury - received treatment within 48 hours	IJ	4096
IJCC_12	Most serious injury - where received treatment	IJ	4097
IJCC_13	Most serious injury - admitted to hospital	IJ	4097
IJCC_14	Other injuries - treated but did not limit normal activities	IJ	4098
IJCC_15	Other injuries - number of treated injuries	IJ	4098
IJCC_2	Number of injuries in the past 12 months	IJ	4090
IJCC_3	Most serious injury - type	IJ	4091
IJCC_4	Most serious injury - body part affected	IJ	4092
IJCC_4A	Most serious injury - body part affected (internal injuries)	IJ	4093
IJCC_5	Most serious injury - place of occurrence	IJ	4093
IJCC_9	Most serious injury - activity type when injured	IJ	4094
IJCCDCAU	Cause of injury - (D)	IJ	4099
IJCCDCBP	Cause of injury by place of occurrence - (D)	IJ	4100
IJCCDSTT	Injury Status - (D)	IJ	4100
IJCCDTBS	Type of injury by body site - (D)	IJ	4099
IJCD_1	Injured in the past 12 months	IJ	4629
IJCD_10	Most serious injury - result of a fall	IJ	4634
IJCD_10A	Most serious injury - how fell	IJ	4635
IJCD_10B	Most serious injury - cause	IJ	4636
IJCD_11	Most serious injury - received treatment within 48 hours	IJ	4636
IJCD_12	Most serious injury - where received treatment	IJ	4637
IJCD_13	Most serious injury - admitted to hospital	IJ	4637
IJCD_14	Other injuries - treated but did not limit normal activities	IJ	4638
IJCD_15	Other injuries - number of treated injuries	IJ	4638
IJCD_2	Number of injuries in the past 12 months	IJ	4629

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 132

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
IJCD_3	Most serious injury - type	IJ	4630
IJCD_4	Most serious injury - body part affected	IJ	4631
IJCD_4A	Most serious injury - body part affected (internal injuries)	IJ	4632
IJCD_5	Most serious injury - place of occurrence	IJ	4633
IJCD_9	Most serious injury - activity type when injured	IJ	4634
IJCDDCAU	Cause of injury - (D)	IJ	4639
IJCDDCBP	Cause of injury by place of occurrence - (D)	IJ	4640
IJCDDSTT	Injury Status - (D)	IJ	4640
IJCDDTBS	Type of injury by body site - (D)	IJ	4639
IMM	Immigrant status	SD	8
INC0_1A	Source of income - wages and salaries	IN	2188
INC0_1B	Source of income - self-employment	IN	2188
INC0_1C	Source of income - dividends and interest	IN	2189
INC0_1D	Source of income - employment insurance	IN	2189
INC0_1E	Source of income - worker's compensation	IN	2190
INC0_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	2190
INC0_1G	Source of income - pensions, superannuation and annuities	IN	2191
INC0_1H	Source of income - Old Age Security / G.I.S.	IN	2191
INC0_1I	Source of income - child tax benefit	IN	2192
INC0_1J	Source of income - social assistance / welfare	IN	2192
INC0_1K	Source of income - child support	IN	2193
INC0_1L	Source of income - alimony	IN	2193
INC0_1M	Source of income - other	IN	2194
INC0_1N	Source of income - none	IN	2194
INC0_2	Total household income - main source	IN	2195
INC0_3	Total household income - best estimate	IN	2196
INC0_3A	Total household income - < \$20,000 or >= \$20,000	IN	2196
INC0_3B	Total household income - < \$10,000 or >= \$10,000	IN	2197
INC0_3C	Total household income - < \$5,000 or >= \$5,000	IN	2197
INC0_3D	Total household income - < \$15,000 or >= \$15,000	IN	2198
INC0_3E	Total household income - < \$40,000 or >= \$40,000	IN	2198
INC0_3F	Total household income - < \$30,000 or >= \$30,000	IN	2199
INC0_3G	Total household income - >= \$40,000	IN	2199
INC0_4	Total personal income - best estimate	IN	2202
INC0_4A	Total personal income - < \$20,000 or >= \$20,000	IN	2202
INC0_4B	Total personal income - < \$10,000 or >= \$10,000	IN	2203

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 133

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
INC0_4C	Total personal income - < \$5,000 or >= \$5,000	IN	2203
INC0_4D	Total personal income - < \$15,000 or >= \$15,000	IN	2204
INC0_4E	Total personal income - < \$40,000 or >= \$40,000	IN	2204
INC0_4F	Total personal income - < \$30,000 or >= \$30,000	IN	2205
INC0_4G	Total personal income - >= \$40,000	IN	2205
INC0CCPI	Consumer Price Index	IN	2206
INC0DHH	Total household income - All sources - (D)	IN	2200
INC0DHIR	Household income ratio (D)	IN	2208
INC0DIA2	Income adequacy - 2 groups - (D)	IN	2200
INC0DIA4	Income adequacy - 4 groups - (D)	IN	2201
INC0DIA5	Income adequacy - 5 groups - (D)	IN	2201
INC0DPER	Total personal income - All sources - (D)	IN	2206
INC0DRCA	Ranking of household income - Canada level (D)	IN	2207
INC0DRPR	Ranking of household income - Provincial level (D)	IN	2208
INC2_1A	Source of income - wages and salaries	IN	2725
INC2_1B	Source of income - self-employment	IN	2725
INC2_1C	Source of income - dividends and interest	IN	2726
INC2_1D	Source of income - employment insurance	IN	2726
INC2_1E	Source of income - worker's compensation	IN	2727
INC2_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	2727
INC2_1G	Source of income - pensions, superannuation and annuities	IN	2728
INC2_1H	Source of income - Old Age Security / G.I.S.	IN	2728
INC2_1I	Source of income - child tax benefit	IN	2729
INC2_1J	Source of income - social assistance / welfare	IN	2729
INC2_1K	Source of income - child support	IN	2730
INC2_1L	Source of income - alimony	IN	2730
INC2_1M	Source of income - other	IN	2731
INC2_1N	Source of income - none	IN	2731
INC2_2	Total household income - main source	IN	2732
INC2_3	Total household income - best estimate	IN	2733
INC2_3A	Total household income - < \$20,000 or >= \$20,000	IN	2733
INC2_3B	Total household income - < \$10,000 or >= \$10,000	IN	2734
INC2_3C	Total household income - < \$5,000 or >= \$5,000	IN	2734
INC2_3D	Total household income - < \$15,000 or >= \$15,000	IN	2735
INC2_3E	Total household income - < \$40,000 or >= \$40,000	IN	2735
INC2_3F	Total household income - < \$30,000 or >= \$30,000	IN	2736

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 134

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
INC2_3G	Total household income - >= \$40,000	IN	2736
INC2_4	Total personal income - best estimate	IN	2739
INC2_4A	Total personal income - < \$20,000 or >= \$20,000	IN	2739
INC2_4B	Total personal income - < \$10,000 or >= \$10,000	IN	2740
INC2_4C	Total personal income - < \$5,000 or >= \$5,000	IN	2740
INC2_4D	Total personal income - < \$15,000 or >= \$15,000	IN	2741
INC2_4E	Total personal income - < \$40,000 or >= \$40,000	IN	2741
INC2_4F	Total personal income - < \$30,000 or >= \$30,000	IN	2742
INC2_4G	Total personal income - >= \$40,000	IN	2742
INC2CCPI	Consumer Price Index	IN	2743
INC2DHH	Total household income - All sources - (D)	IN	2737
INC2DHIR	Household income ratio (D)	IN	2745
INC2DIA2	Income adequacy - 2 groups - (D)	IN	2737
INC2DIA4	Income adequacy - 4 groups - (D)	IN	2738
INC2DIA5	Income adequacy - 5 groups - (D)	IN	2738
INC2DPER	Total personal income - All sources - (D)	IN	2743
INC2DRCA	Ranking of household income - Canada level (D)	IN	2744
INC2DRPR	Ranking of household income - Provincial level (D)	IN	2745
INC4_1A	Source of income - wages and salaries	IN	158
INC4_1B	Source of income - self-employment	IN	159
INC4_1C	Source of income - dividends and interest	IN	159
INC4_1D	Source of income - unemployment insurance	IN	160
INC4_1E	Source of income - worker's compensation	IN	160
INC4_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	161
INC4_1G	Source of income - pensions, superannuation and annuities	IN	161
INC4_1H	Source of income - Old Age Security / G.I.S.	IN	162
INC4_1I	Source of income - child tax benefit	IN	162
INC4_1J	Source of income - social assistance / welfare	IN	163
INC4_1K	Source of income - child support	IN	163
INC4_1L	Source of income - alimony	IN	164
INC4_1M	Source of income - other	IN	164
INC4_1N	Source of income - none	IN	165
INC4_2	Total household income - main source	IN	166
INC4_3A	Total household income - < \$20,000 or >= \$20,000	IN	167
INC4_3B	Total household income - < \$10,000 or >= \$10,000	IN	167
INC4_3C	Total household income - < \$5,000 or >= \$5,000	IN	168

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 135

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
INC4_3D	Total household income - < \$15,000 or >= \$15,000	IN	168
INC4_3E	Total household income - < \$40,000 or >= \$40,000	IN	169
INC4_3F	Total household income - < \$30,000 or >= \$30,000	IN	169
INC4_3G	Total household income - >= \$40,000	IN	170
INC4CCPI	Consumer Price Index	IN	172
INC4DHH	Total household income - All sources - (D)	IN	172
INC4DHIR	Household income ratio (D)	IN	174
INC4DIA2	Income adequacy - 2 groups - (D)	IN	170
INC4DIA4	Income adequacy - 4 groups - (D)	IN	171
INC4DIA5	Income adequacy - 5 groups - (D)	IN	171
INC4DRCA	Ranking of household income - Canada level (D)	IN	173
INC4DRPR	Ranking of household income - Provincial level (D)	IN	174
INC4F1	Income questions asked of this H05 respondent	IN	158
INC6_1A	Source of income - wages and salaries	IN	669
INC6_1B	Source of income - self-employment	IN	669
INC6_1C	Source of income - dividends and interest	IN	670
INC6_1D	Source of income - unemployment insurance	IN	670
INC6_1E	Source of income - worker's compensation	IN	671
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	671
INC6_1G	Source of income - pensions, superannuation and annuities	IN	672
INC6_1H	Source of income - Old Age Security / G.I.S.	IN	672
INC6_1I	Source of income - child tax benefit	IN	673
INC6_1J	Source of income - social assistance / welfare	IN	673
INC6_1K	Source of income - child support	IN	674
INC6_1L	Source of income - alimony	IN	674
INC6_1M	Source of income - other	IN	675
INC6_1N	Source of income - none	IN	675
INC6_2	Total household income - main source	IN	676
INC6_3A	Total household income - < \$20,000 or >= \$20,000	IN	677
INC6_3B	Total household income - < \$10,000 or >= \$10,000	IN	677
INC6_3C	Total household income - < \$5,000 or >= \$5,000	IN	678
INC6_3D	Total household income - < \$15,000 or >= \$15,000	IN	678
INC6_3E	Total household income - < \$40,000 or >= \$40,000	IN	679
INC6_3F	Total household income - < \$30,000 or >= \$30,000	IN	679
INC6_3G	Total household income - >= \$40,000	IN	680
INC6CCPI	Consumer Price Index	IN	682

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 136

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
INC6DHH	Total household income - All sources - (D)	IN	682
INC6DHIR	Household income ratio (D)	IN	684
INC6DIA2	Income adequacy - 2 groups - (D)	IN	680
INC6DIA4	Income adequacy - 4 groups - (D)	IN	681
INC6DIA5	Income adequacy - 5 groups - (D)	IN	681
INC6DRCA	Ranking of household income - Canada level (D)	IN	683
INC6DRPR	Ranking of household income - Provincial level (D)	IN	684
INC6F1	Income questions asked of this H05 respondent	IN	668
INC8_1A	Source of income - wages and salaries	IN	1362
INC8_1B	Source of income - self-employment	IN	1363
INC8_1C	Source of income - dividends and interest	IN	1363
INC8_1D	Source of income - employment insurance	IN	1364
INC8_1E	Source of income - worker's compensation	IN	1364
INC8_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	1365
INC8_1G	Source of income - pensions, superannuation and annuities	IN	1365
INC8_1H	Source of income - Old Age Security / G.I.S.	IN	1366
INC8_1I	Source of income - child tax benefit	IN	1366
INC8_1J	Source of income - social assistance / welfare	IN	1367
INC8_1K	Source of income - child support	IN	1367
INC8_1L	Source of income - alimony	IN	1368
INC8_1M	Source of income - other	IN	1368
INC8_1N	Source of income - none	IN	1369
INC8_2	Total household income - main source	IN	1370
INC8_3	Total household income - best estimate	IN	1371
INC8_3A	Total household income - < \$20,000 or >= \$20,000	IN	1371
INC8_3B	Total household income - < \$10,000 or >= \$10,000	IN	1372
INC8_3C	Total household income - < \$5,000 or >= \$5,000	IN	1372
INC8_3D	Total household income - < \$15,000 or >= \$15,000	IN	1373
INC8_3E	Total household income - < \$40,000 or >= \$40,000	IN	1373
INC8_3F	Total household income - < \$30,000 or >= \$30,000	IN	1374
INC8_3G	Total household income - >= \$40,000	IN	1374
INC8_4	Total personal income - best estimate	IN	1377
INC8_4A	Total personal income - < \$20,000 or >= \$20,000	IN	1377
INC8_4B	Total personal income - < \$10,000 or >= \$10,000	IN	1378
INC8_4C	Total personal income - < \$5,000 or >= \$5,000	IN	1378
INC8_4D	Total personal income - < \$15,000 or >= \$15,000	IN	1379



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 137

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
INC8_4E	Total personal income - < \$40,000 or >= \$40,000	IN	1379
INC8_4F	Total personal income - < \$30,000 or >= \$30,000	IN	1380
INC8_4G	Total personal income - >= \$40,000	IN	1380
INC8CCPI	Consumer Price Index	IN	1381
INC8DHH	Total household income - All sources - (D)	IN	1375
INC8DHIR	Household income ratio (D)	IN	1383
INC8DIA2	Income adequacy - 2 groups - (D)	IN	1375
INC8DIA4	Income adequacy - 4 groups - (D)	IN	1376
INC8DIA5	Income adequacy - 5 groups - (D)	IN	1376
INC8DPER	Total personal income - All sources - (D)	IN	1381
INC8DRCA	Ranking of household income - Canada level (D)	IN	1382
INC8DRPR	Ranking of household income - Provincial level (D)	IN	1383
INC8F1	Income questions asked of this H05 respondent	IN	1362
INCA_1A	Source of income - wages and salaries	IN	3261
INCA_1B	Source of income - self-employment	IN	3261
INCA_1C	Source of income - dividends and interest	IN	3262
INCA_1D	Source of income - employment insurance	IN	3262
INCA_1E	Source of income - worker's compensation	IN	3263
INCA_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	3263
INCA_1G	Source of income - pensions, superannuation and annuities	IN	3264
INCA_1H	Source of income - Old Age Security / G.I.S.	IN	3264
INCA_1I	Source of income - child tax benefit	IN	3265
INCA_1J	Source of income - social assistance / welfare	IN	3265
INCA_1K	Source of income - child support	IN	3266
INCA_1L	Source of income - alimony	IN	3266
INCA_1M	Source of income - other	IN	3267
INCA_1N	Source of income - none	IN	3267
INCA_2	Total household income - main source	IN	3268
INCA_3	Total household income - best estimate	IN	3269
INCA_3A	Total household income - < \$20,000 or >= \$20,000	IN	3269
INCA_3B	Total household income - < \$10,000 or >= \$10,000	IN	3270
INCA_3C	Total household income - < \$5,000 or >= \$5,000	IN	3270
INCA_3D	Total household income - < \$15,000 or >= \$15,000	IN	3271
INCA_3E	Total household income - < \$40,000 or >= \$40,000	IN	3271
INCA_3F	Total household income - < \$30,000 or >= \$30,000	IN	3272
INCA_3G	Total household income - >= \$40,000	IN	3272

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
INCA_4	Total personal income - best estimate	IN	3275
INCA_4A	Total personal income - < \$20,000 or >= \$20,000	IN	3275
INCA_4B	Total personal income - < \$10,000 or >= \$10,000	IN	3276
INCA_4C	Total personal income - < \$5,000 or >= \$5,000	IN	3276
INCA_4D	Total personal income - < \$15,000 or >= \$15,000	IN	3277
INCA_4E	Total personal income - < \$40,000 or >= \$40,000	IN	3277
INCA_4F	Total personal income - < \$30,000 or >= \$30,000	IN	3278
INCA_4G	Total personal income - >= \$40,000	IN	3278
INACCPPI	Consumer Price Index	IN	3279
INCADHH	Total household income - All sources - (D)	IN	3273
INCADHIR	Household income ratio (D)	IN	3281
INCADIA2	Income adequacy - 2 groups - (D)	IN	3273
INCADIA4	Income adequacy - 4 groups - (D)	IN	3274
INCADIA5	Income adequacy - 5 groups - (D)	IN	3274
INCADPER	Total personal income - All sources - (D)	IN	3279
INCADRCA	Ranking of household income - Canada level (D)	IN	3280
INCADRPR	Ranking of household income - Provincial level (D)	IN	3281
INCB_1A	Source of income - wages and salaries	IN	3802
INCB_1B	Source of income - self-employment	IN	3802
INCB_1C	Source of income - dividends and interest	IN	3803
INCB_1D	Source of income - employment insurance	IN	3803
INCB_1E	Source of income - worker's compensation	IN	3804
INCB_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	3804
INCB_1G	Source of income - pensions, superannuation and annuities	IN	3805
INCB_1H	Source of income - Old Age Security / G.I.S.	IN	3805
INCB_1I	Source of income - child tax benefit	IN	3806
INCB_1J	Source of income - social assistance / welfare	IN	3806
INCB_1K	Source of income - child support	IN	3807
INCB_1L	Source of income - alimony	IN	3807
INCB_1M	Source of income - other	IN	3808
INCB_1N	Source of income - none	IN	3808
INCB_2	Total household income - main source	IN	3809
INCB_3	Total household income - best estimate	IN	3810
INCB_3A	Total household income - < \$20,000 or >= \$20,000	IN	3810
INCB_3B	Total household income - < \$10,000 or >= \$10,000	IN	3811
INCB_3C	Total household income - < \$5,000 or >= \$5,000	IN	3811

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 139

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
INCB_3D	Total household income - < \$15,000 or >= \$15,000	IN	3812
INCB_3E	Total household income - < \$40,000 or >= \$40,000	IN	3812
INCB_3F	Total household income - < \$30,000 or >= \$30,000	IN	3813
INCB_3G	Total household income - >= \$40,000	IN	3813
INCB_4	Total personal income - best estimate	IN	3816
INCB_4A	Total personal income - < \$20,000 or >= \$20,000	IN	3816
INCB_4B	Total personal income - < \$10,000 or >= \$10,000	IN	3817
INCB_4C	Total personal income - < \$5,000 or >= \$5,000	IN	3817
INCB_4D	Total personal income - < \$15,000 or >= \$15,000	IN	3818
INCB_4E	Total personal income - < \$40,000 or >= \$40,000	IN	3818
INCB_4F	Total personal income - < \$30,000 or >= \$30,000	IN	3819
INCB_4G	Total personal income - >= \$40,000	IN	3819
INCBCCPI	Consumer Price Index	IN	3820
INCBDDHH	Total household income - All sources - (D)	IN	3814
INCBDDHR	Household income ratio (D)	IN	3822
INCBDDIA2	Income adequacy - 2 groups - (D)	IN	3814
INCBDDIA4	Income adequacy - 4 groups - (D)	IN	3815
INCBDDIA5	Income adequacy - 5 groups - (D)	IN	3815
INCBDDPER	Total personal income - All sources - (D)	IN	3820
INCBDRCA	Ranking of household income - Canada level (D)	IN	3821
INCBDRPR	Ranking of household income - Provincial level (D)	IN	3822
INCC_1A	Source of income - wages and salaries	IN	4350
INCC_1B	Source of income - self-employment	IN	4350
INCC_1C	Source of income - dividends and interest	IN	4351
INCC_1D	Source of income - employment insurance	IN	4351
INCC_1E	Source of income - worker's compensation	IN	4352
INCC_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	4352
INCC_1G	Source of income - pensions, superannuation and annuities	IN	4353
INCC_1H	Source of income - Old Age Security / G.I.S.	IN	4353
INCC_1I	Source of income - child tax benefit	IN	4354
INCC_1J	Source of income - social assistance / welfare	IN	4354
INCC_1K	Source of income - child support	IN	4355
INCC_1L	Source of income - alimony	IN	4355
INCC_1M	Source of income - other	IN	4356
INCC_1N	Source of income - none	IN	4356
INCC_2	Total household income - main source	IN	4357

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 140

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
INCC_3	Total household income - best estimate	IN	4358
INCC_3A	Total household income - < \$20,000 or >= \$20,000	IN	4358
INCC_3B	Total household income - < \$10,000 or >= \$10,000	IN	4359
INCC_3C	Total household income - < \$5,000 or >= \$5,000	IN	4359
INCC_3D	Total household income - < \$15,000 or >= \$15,000	IN	4360
INCC_3E	Total household income - < \$40,000 or >= \$40,000	IN	4360
INCC_3F	Total household income - < \$30,000 or >= \$30,000	IN	4361
INCC_3G	Total household income - >= \$40,000	IN	4361
INCC_4	Total personal income - best estimate	IN	4364
INCC_4A	Total personal income - < \$20,000 or >= \$20,000	IN	4364
INCC_4B	Total personal income - < \$10,000 or >= \$10,000	IN	4365
INCC_4C	Total personal income - < \$5,000 or >= \$5,000	IN	4365
INCC_4D	Total personal income - < \$15,000 or >= \$15,000	IN	4366
INCC_4E	Total personal income - < \$40,000 or >= \$40,000	IN	4366
INCC_4F	Total personal income - < \$30,000 or >= \$30,000	IN	4367
INCC_4G	Total personal income - >= \$40,000	IN	4367
INCCCCPI	Consumer Price Index	IN	4368
INCCDHH	Total household income - All sources - (D)	IN	4362
INCCDHIR	Household income ratio (D)	IN	4370
INCCDIA2	Income adequacy - 2 groups - (D)	IN	4362
INCCDIA4	Income adequacy - 4 groups - (D)	IN	4363
INCCDIA5	Income adequacy - 5 groups - (D)	IN	4363
INCCDPER	Total personal income - All sources - (D)	IN	4368
INCCDRCA	Ranking of household income - Canada level (D)	IN	4369
INCCDRPR	Ranking of household income - Provincial level (D)	IN	4370
INCD_1A	Source of income - wages and salaries	IN	4848
INCD_1B	Source of income - self-employment	IN	4848
INCD_1C	Source of income - dividends and interest	IN	4849
INCD_1D	Source of income - employment insurance	IN	4849
INCD_1E	Source of income - worker's compensation	IN	4850
INCD_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	4850
INCD_1G	Source of income - pensions, superannuation and annuities	IN	4851
INCD_1H	Source of income - Old Age Security / G.I.S.	IN	4851
INCD_1I	Source of income - child tax benefit	IN	4852
INCD_1J	Source of income - social assistance / welfare	IN	4852
INCD_1K	Source of income - child support	IN	4853

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 141

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
INCD_1L	Source of income - alimony	IN	4853
INCD_1M	Source of income - other	IN	4854
INCD_1N	Source of income - none	IN	4854
INCD_2	Total household income - main source	IN	4855
INCD_3	Total household income - best estimate	IN	4856
INCD_3A	Total household income - < \$20,000 or >= \$20,000	IN	4856
INCD_3B	Total household income - < \$10,000 or >= \$10,000	IN	4857
INCD_3C	Total household income - < \$5,000 or >= \$5,000	IN	4857
INCD_3D	Total household income - < \$15,000 or >= \$15,000	IN	4858
INCD_3E	Total household income - < \$40,000 or >= \$40,000	IN	4858
INCD_3F	Total household income - < \$30,000 or >= \$30,000	IN	4859
INCD_3G	Total household income - >= \$40,000	IN	4859
INCD_4	Total personal income - best estimate	IN	4862
INCD_4A	Total personal income - < \$20,000 or >= \$20,000	IN	4862
INCD_4B	Total personal income - < \$10,000 or >= \$10,000	IN	4863
INCD_4C	Total personal income - < \$5,000 or >= \$5,000	IN	4863
INCD_4D	Total personal income - < \$15,000 or >= \$15,000	IN	4864
INCD_4E	Total personal income - < \$40,000 or >= \$40,000	IN	4864
INCD_4F	Total personal income - < \$30,000 or >= \$30,000	IN	4865
INCD_4G	Total personal income - >= \$40,000	IN	4865
INCDCCPI	Consumer Price Index	IN	4866
INCDDHH	Total household income - All sources - (D)	IN	4860
INCDDHIR	Household income ratio (D)	IN	4868
INCDDIA2	Income adequacy - 2 groups - (D)	IN	4860
INCDDIA4	Income adequacy - 4 groups - (D)	IN	4861
INCDDIA5	Income adequacy - 5 groups - (D)	IN	4861
INCDDPER	Total personal income - All sources - (D)	IN	4866
INCDDRCA	Ranking of household income - Canada level (D)	IN	4867
INCDDRPR	Ranking of household income - Provincial level (D)	IN	4868
INS6_4	Household ran out of money to buy food	IN	685
INS6_5	Received food from a charity	IN	685
INS6_6	Description of food situation	IN	686
ISC0_1	Insurance - prescription medications	IS	1854
ISC0_2	Insurance - dental expenses	IS	1854
ISC0_3	Insurance - eye glasses / contact lenses	IS	1855
ISC0_4	Insurance - hospital charges	IS	1855

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 142

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ISC0D1	Number of types of medical insurance - (D)	IS	1856
ISC2_1	Insurance - prescription medications	IS	2411
ISC2_2	Insurance - dental expenses	IS	2412
ISC2_3	Insurance - eye glasses / contact lenses	IS	2412
ISC2_4	Insurance - hospital charges	IS	2413
ISC2D1	Number of types of medical insurance - (D)	IS	2413
ISC6_1	Insurance - prescription medications	IS	1016
ISC6_2	Insurance - dental expenses	IS	839
ISC6_3	Insurance - eye glasses / contact lenses	IS	857
ISC6_4	Insurance - hospital charges	IS	859
ISC6D1	Number of types of medical insurance - (D)	IS	859
ISC8_1	Insurance - prescription medications	IS	1418
ISC8_2	Insurance - dental expenses	IS	1418
ISC8_3	Insurance - eye glasses / contact lenses	IS	1419
ISC8_4	Insurance - hospital charges	IS	1419
ISC8D1	Number of types of medical insurance - (D)	IS	1420
LFC0CI07	Standard Industry Code (NAICS) for main job	LF	2170
LFC0CO06	Standard Occupation Code (NOC-S) for main job	LF	2172
LFC0GI20	Industry Codes for main job - 20 groups - (G)	LF	2171
LFC0GO10	Occupation Codes for main job - 10 groups - (G)	LF	2172
LFC2CI07	Standard Industry Code (NAICS) for main job	LF	2708
LFC2CO06	Standard Occupation Code (NOC-S) for main job	LF	2710
LFC2GI20	Industry Codes for main job - 20 groups - (G)	LF	2709
LFC2GO10	Occupation Codes for main job - 10 groups - (G)	LF	2710
LFC4_1	Current main activity	LF	115
LFC4_101	Usually works weekends - job 1	LF	123
LFC4_102	Usually works weekends - job 2	LF	129
LFC4_103	Usually works weekends - job 3	LF	135
LFC4_111	Worked other than job 1	LF	123
LFC4_112	Worked other than job 1 and job 2	LF	130
LFC4_16	Worked for others or in own business - main job	LF	138
LFC4_17A	Reason for not working - most recent period	LF	139
LFC4_2	Worked for pay or profit	LF	116
LFC4_41	Had job one year ago without break - job 1	LF	117
LFC4_42	Had job one year ago without break - job 2	LF	124
LFC4_43	Had job one year ago without break - job 3	LF	131

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 143

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LFC4_51D	Day started - job 1	LF	119
LFC4_51M	Month started - job 1	LF	118
LFC4_51Y	Year started - job 1	LF	119
LFC4_52D	Day started - job 2	LF	125
LFC4_52M	Month started - job 2	LF	125
LFC4_52Y	Year started - job 2	LF	126
LFC4_53D	Day started - job 3	LF	132
LFC4_53M	Month started - job 3	LF	131
LFC4_53Y	Year started - job 3	LF	132
LFC4_61	Has job now - job 1	LF	120
LFC4_62	Has job now - job 2	LF	126
LFC4_63	Has job now - job 3	LF	132
LFC4_71D	Day stopped - job 1	LF	121
LFC4_71M	Month stopped - job 1	LF	120
LFC4_71Y	Year stopped - job 1	LF	121
LFC4_72D	Day stopped - job 2	LF	127
LFC4_72M	Month stopped - job 2	LF	127
LFC4_72Y	Year stopped - job 2	LF	128
LFC4_73D	Day stopped - job 3	LF	133
LFC4_73M	Month stopped - job 3	LF	133
LFC4_73Y	Year stopped - job 3	LF	134
LFC4_81	Hours usually worked per week - job 1	LF	122
LFC4_82	Hours usually worked per week - job 2	LF	128
LFC4_83	Hours usually worked per week - job 3	LF	134
LFC4_91	Type of working hours - job 1	LF	122
LFC4_92	Type of working hours - job 2	LF	129
LFC4_93	Type of working hours - job 3	LF	135
LFC4CI07	Industry Code (NAICS) for main job	LF	140
LFC4CO06	Occupational Code (NOC-S) for main job	LF	142
LFC4DCMN	Main job is the current job - (D)	LF	148
LFC4DCWS	Working status - last 12 months - (D)	LF	144
LFC4DD1	Work duration - job 1 - (D)	LF	151
LFC4DD2	Work duration - job 2 - (D)	LF	152
LFC4DD3	Work duration - job 3 - (D)	LF	153
LFC4DDA	Duration of work without break greater than 30 days - (D)	LF	145
LFC4DDMN	Work duration - main job - (D)	LF	149

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 144

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LFC4DGA	Number of gaps of 30 days or more - (D)	LF	147
LFC4DH1	Hours of work - job 1 - (D)	LF	154
LFC4DH2	Hours of work - job 2 - (D)	LF	154
LFC4DH3	Hours of work - job 3 - (D)	LF	155
LFC4DHA	Pattern of working hours of all jobs - (D)	LF	146
LFC4DHMN	Hours of work - main job - (D)	LF	150
LFC4DJA	Number of jobs - (D)	LF	146
LFC4DJGA	Pattern of number of jobs - (D)	LF	147
LFC4DOMN	Job number of old main job - (D)	LF	157
LFC4DT1	Type of working hours - job 1 - (D)	LF	155
LFC4DT2	Type of working hours - job 2 - (D)	LF	156
LFC4DT3	Type of working hours - job 3 - (D)	LF	156
LFC4DTMN	Type of working hours - main job - (D)	LF	150
LFC4F13	Flag for main job industry	LF	136
LFC4F14	Flag for main job occupation	LF	137
LFC4F15	Flag for main job duties	LF	137
LFC4FE1	Flag for employer - job 1	LF	116
LFC4FE2	Flag for employer - job 2	LF	124
LFC4FE3	Flag for employer - job 3	LF	130
LFC4FGAP	Flag for jobless gap greater than 30 days	LF	143
LFC4FMN	Job number of main job	LF	136
LFC4FWK	Work flag (used for processing only)	LF	143
LFC4G17B	Reason for not currently working - (G)	LF	140
LFC4GI20	Industry Codes for main job - 20 groups - (G)	LF	141
LFC4GO10	Occupation Codes for main job - 10 groups - (G)	LF	142
LFC6_101	Usually works weekends - job 1	LF	631
LFC6_102	Usually works weekends - job 2	LF	639
LFC6_103	Usually works weekends - job 3	LF	645
LFC6_111	Worked other than job 1	LF	632
LFC6_112	Worked other than job 1 and job 2	LF	639
LFC6_16	Worked for others or in own business - main job	LF	648
LFC6_17A	Reason for not working - most recent period	LF	649
LFC6_17B	Reason for not working - currently	LF	650
LFC6_2	Worked for pay or profit	LF	623
LFC6_2B	Worked for same employer as in last interview	LF	624
LFC6_41	Had job one year ago without break - job 1	LF	625



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 145

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LFC6_42	Had job one year ago without break - job 2	LF	633
LFC6_43	Had job one year ago without break - job 3	LF	640
LFC6_51D	Day started - job 1	LF	627
LFC6_51M	Month started - job 1	LF	626
LFC6_51Y	Year started - job 1	LF	627
LFC6_52D	Day started - job 2	LF	635
LFC6_52M	Month started - job 2	LF	634
LFC6_52Y	Year started - job 2	LF	635
LFC6_53D	Day started - job 3	LF	641
LFC6_53M	Month started - job 3	LF	641
LFC6_53Y	Year started - job 3	LF	642
LFC6_61	Has job now - job 1	LF	628
LFC6_62	Has job now - job 2	LF	636
LFC6_63	Has job now - job 3	LF	642
LFC6_71D	Day stopped - job 1	LF	629
LFC6_71M	Month stopped - job 1	LF	629
LFC6_71Y	Year stopped - job 1	LF	630
LFC6_72D	Day stopped - job 2	LF	637
LFC6_72M	Month stopped - job 2	LF	636
LFC6_72Y	Year stopped - job 2	LF	637
LFC6_73D	Day stopped - job 3	LF	643
LFC6_73M	Month stopped - job 3	LF	643
LFC6_73Y	Year stopped - job 3	LF	644
LFC6_81	Hours usually worked per week - job 1	LF	630
LFC6_82	Hours usually worked per week - job 2	LF	638
LFC6_83	Hours usually worked per week - job 3	LF	644
LFC6_91	Type of working hours - job 1	LF	631
LFC6_92	Type of working hours - job 2	LF	638
LFC6_93	Type of working hours - job 3	LF	645
LFC6CI07	Standard Industry Code (NAICS) for main job	LF	651
LFC6CO06	Standard Occupation Code (NOC-S) for main job	LF	653
LFC6DCMN	Main job is the current job - (D)	LF	659
LFC6DCWS	Working status - last 12 months - (D)	LF	655
LFC6DD1	Work duration - job 1 - (D)	LF	662
LFC6DD2	Work duration - job 2 - (D)	LF	663
LFC6DD3	Work duration - job 3 - (D)	LF	664

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 146

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LFC6DDA	Duration of work without break greater than 30 days - (D)	LF	656
LFC6DDMN	Work duration - main job - (D)	LF	660
LFC6DGA	Number of gaps of 30 days or more - (D)	LF	658
LFC6DH1	Hours of work - job 1 - (D)	LF	665
LFC6DH2	Hours of work - job 2 - (D)	LF	665
LFC6DH3	Hours of work - job 3 - (D)	LF	666
LFC6DHA	Pattern of working hours of all jobs - (D)	LF	657
LFC6DHMN	Hours of work - main job - (D)	LF	661
LFC6DJA	Number of jobs - (D)	LF	657
LFC6DJGA	Pattern of number of jobs - (D)	LF	658
LFC6DT1	Type of working hours - job 1 - (D)	LF	666
LFC6DT2	Type of working hours - job 2 - (D)	LF	667
LFC6DT3	Type of working hours - job 3 - (D)	LF	667
LFC6DTMN	Type of working hours - main job - (D)	LF	661
LFC6F13	Flag for main job industry	LF	646
LFC6F14	Flag for main job occupation	LF	647
LFC6F15	Flag for main job duties	LF	647
LFC6FE1	Flag for employer - job 1	LF	624
LFC6FE2	Flag for employer - job 2	LF	632
LFC6FE3	Flag for employer - job 3	LF	640
LFC6FGAP	Flag for jobless gap greater than 30 days	LF	654
LFC6FMN	Job number of main job	LF	646
LFC6FWK	Work flag (used for processing only)	LF	654
LFC6GI20	Industry Codes for main job - 20 groups - (G)	LF	652
LFC6GO10	Occupation Codes for main job - 10 groups - (G)	LF	653
LFC8_101	Usually works weekends - job 1	LF	1326
LFC8_102	Usually works weekends - job 2	LF	1332
LFC8_103	Usually works weekends - job 3	LF	1338
LFC8_111	Worked other than job 1	LF	1326
LFC8_112	Worked other than job 1 and job 2	LF	1333
LFC8_16	Worked for others or in own business - main job	LF	1341
LFC8_17A	Reason for not working - most recent period	LF	1342
LFC8_17B	Reason for not working - currently	LF	1343
LFC8_2	Worked for pay or profit	LF	1319
LFC8_2B	Worked for same employer as in last interview	LF	1320
LFC8_41	Had job one year ago without break - job 1	LF	1321

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 147

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LFC8_42	Had job one year ago without break - job 2	LF	1327
LFC8_43	Had job one year ago without break - job 3	LF	1334
LFC8_51D	Day started - job 1	LF	1322
LFC8_51M	Month started - job 1	LF	1321
LFC8_51Y	Year started - job 1	LF	1322
LFC8_52D	Day started - job 2	LF	1328
LFC8_52M	Month started - job 2	LF	1328
LFC8_52Y	Year started - job 2	LF	1329
LFC8_53D	Day started - job 3	LF	1335
LFC8_53M	Month started - job 3	LF	1334
LFC8_53Y	Year started - job 3	LF	1335
LFC8_61	Has job now - job 1	LF	1323
LFC8_62	Has job now - job 2	LF	1329
LFC8_63	Has job now - job 3	LF	1335
LFC8_71D	Day stopped - job 1	LF	1324
LFC8_71M	Month stopped - job 1	LF	1323
LFC8_71Y	Year stopped - job 1	LF	1324
LFC8_72D	Day stopped - job 2	LF	1330
LFC8_72M	Month stopped - job 2	LF	1330
LFC8_72Y	Year stopped - job 2	LF	1331
LFC8_73D	Day stopped - job 3	LF	1336
LFC8_73M	Month stopped - job 3	LF	1336
LFC8_73Y	Year stopped - job 3	LF	1337
LFC8_81	Hours usually worked per week - job 1	LF	1325
LFC8_82	Hours usually worked per week - job 2	LF	1331
LFC8_83	Hours usually worked per week - job 3	LF	1337
LFC8_91	Type of working hours - job 1	LF	1325
LFC8_92	Type of working hours - job 2	LF	1332
LFC8_93	Type of working hours - job 3	LF	1338
LFC8CI07	Standard Industry Code (NAICS) for main job	LF	1344
LFC8CO06	Standard Occupation Code (NOC-S) for main job	LF	1346
LFC8DCMN	Main job is the current job - (D)	LF	1352
LFC8DCWS	Working status - last 12 months - (D)	LF	1348
LFC8DD1	Work duration - job 1 - (D)	LF	1355
LFC8DD2	Work duration - job 2 - (D)	LF	1356
LFC8DD3	Work duration - job 3 - (D)	LF	1357

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 148

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LFC8DDA	Duration of work without break greater than 30 days - (D)	LF	1349
LFC8DDMN	Work duration - main job - (D)	LF	1353
LFC8DGA	Number of gaps of 30 days or more - (D)	LF	1351
LFC8DH1	Hours of work - job 1 - (D)	LF	1357
LFC8DH2	Hours of work - job 2 - (D)	LF	1358
LFC8DH3	Hours of work - job 3 - (D)	LF	1358
LFC8DHA	Pattern of working hours of all jobs - (D)	LF	1350
LFC8DHMN	Hours of work - main job - (D)	LF	1354
LFC8DJA	Number of jobs - (D)	LF	1350
LFC8DJGA	Pattern of number of jobs - (D)	LF	1351
LFC8DT1	Type of working hours - job 1 - (D)	LF	1359
LFC8DT2	Type of working hours - job 2 - (D)	LF	1360
LFC8DT3	Type of working hours - job 3 - (D)	LF	1361
LFC8DTMN	Type of working hours - main job - (D)	LF	1354
LFC8F13	Flag for main job industry	LF	1339
LFC8F14	Flag for main job occupation	LF	1340
LFC8F15	Flag for main job duties	LF	1340
LFC8FE1	Flag for employer - job 1	LF	1320
LFC8FE2	Flag for employer - job 2	LF	1327
LFC8FE3	Flag for employer - job 3	LF	1333
LFC8FGAP	Flag for jobless gap greater than 30 days	LF	1347
LFC8FMN	Job number of main job	LF	1339
LFC8FWK	Work flag (used for processing only)	LF	1347
LFC8GI20	Industry Codes for main job - 20 groups - (G)	LF	1345
LFC8GO10	Occupation Codes for main job - 10 groups - (G)	LF	1346
LFCACI07	Standard Industry Code (NAICS) for main job	LF	3243
LFCACO06	Standard Occupation Code (NOC-S) for main job	LF	3245
LFCAGI20	Industry Codes for main job - 20 groups - (G)	LF	3244
LFCAGO10	Occupation Codes for main job - 10 groups - (G)	LF	3245
LFCBCI07	Standard Industry Code (NAICS) for main job	LF	3784
LFCBCO06	Standard Occupation Code (NOC-S) for main job	LF	3786
LFCBGI20	Industry Codes for main job - 20 groups - (G)	LF	3785
LFCBGO10	Occupation Codes for main job - 10 groups - (G)	LF	3786
LFCCCI07	Standard Industry Code (NAICS) for main job	LF	4332
LFCCCO06	Standard Occupation Code (NOC-S) for main job	LF	4334
LFCCGI20	Industry Codes for main job - 20 groups - (G)	LF	4333

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 149

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LFCCGO10	Occupation Codes for main job - 10 groups - (G)	LF	4334
LFCDCI07	Standard Industry Code (NAICS) for main job	LF	4830
LFCDCO06	Standard Occupation Code (NOC-S) for main job	LF	4832
LFCDGI20	Industry Codes for main job - 20 groups - (G)	LF	4831
LFCDGO10	Occupation Codes for main job - 10 groups - (G)	LF	4832
LINK	Agree to link information	AM	3
LONGPAT	Longitudinal response pattern	AM	2
LSC0_1	Worked at a job or business last week	LS	2162
LSC0_11	Looked for work in the past 4 weeks	LS	2164
LSC0_12	Had a job to start in future last week	LS	2164
LSC0_13	Not currently working - reason	LS	2165
LSC0_2	Absent from job or business last week	LS	2163
LSC0_21	Worked at a job or a business in past 12 months	LS	2165
LSC0_22	Looked for work in past 12 months	LS	2166
LSC0_23	Had more than one job or business - past 12 months	LS	2166
LSC0_3	Had more than one job or business last week	LS	2163
LSC0_31	Status in employment - main job or business	LS	2167
LSC0_41	Absent from job or business last week - reason	LS	2173
LSC0_42	Usual number of hours worked - main job or business	LS	2174
LSC0_43	Preferred number of hours - main job or business	LS	2174
LSC0_44	Usual work schedule - main job or business	LS	2175
LSC0_45	Usual work schedule - reason	LS	2176
LSC0_46	Work on weekends - main job or business	LS	2176
LSC0_51	Worked at more than one job or business - number of weeks	LS	2177
LSC0_52	Worked at more than one job or business - reason	LS	2177
LSC0_53	Usual number of hours worked - other job or business	LS	2178
LSC0_54	Work on weekends - other job or business	LS	2178
LSC0_61	Number of weeks worked in past 12 months	LS	2179
LSC0_71	Number of weeks looked for work in past 12 months	LS	2179
LSC0_72	Not working nor looking - number of weeks (confirm)	LS	2180
LSC0_73	Not looking for work - reason	LS	2181
LSC0_74	Looked for work - number of continuous periods	LS	2182
LSC0DCWS	Current working status - (D)	LS	2182
LSC0DHPW	Total usual hours worked per week - (D)	LS	2186
LSC0DJST	Job status over past year - (D)	LS	2187
LSC0DLFS	Current labour force status- LFS - (D)	LS	2187

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 150

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LSC0DMJS	Multiple job status - (D)	LS	2184
LSC0DPFT	Work status - full time or part time - (D)	LS	2186
LSC0DRNW	Main reason for not working last week - (D)	LS	2185
LSC0DSWS	Student working status in the last 12 months - (D)	LS	2183
LSC0DYWS	Working status in the last 12 months - (D)	LS	2183
LSC0F32	Flag for name of own business	LS	2167
LSC0F33	Flag for name of employer	LS	2168
LSC0F34	Flag for kind of business	LS	2168
LSC0F35	Flag for kind of work	LS	2169
LSC0F36	Flag for main activity or duties	LS	2169
LSC2_1	Worked at a job or business last week	LS	2700
LSC2_11	Looked for work in the past 4 weeks	LS	2702
LSC2_12	Had a job to start in future last week	LS	2702
LSC2_13	Not currently working - reason	LS	2703
LSC2_2	Absent from job or business last week	LS	2701
LSC2_21	Worked at a job or a business in past 12 months	LS	2703
LSC2_22	Looked for work in past 12 months	LS	2704
LSC2_23	Had more than one job or business - past 12 months	LS	2704
LSC2_3	Had more than one job or business last week	LS	2701
LSC2_31	Status in employment - main job or business	LS	2705
LSC2_41	Absent from job or business last week - reason	LS	2711
LSC2_42	Usual number of hours worked - main job or business	LS	2711
LSC2_43	Preferred number of hours - main job or business	LS	2712
LSC2_44	Usual work schedule - main job or business	LS	2712
LSC2_45	Usual work schedule - reason	LS	2713
LSC2_46	Work on weekends - main job or business	LS	2713
LSC2_51	Worked at more than one job or business - number of weeks	LS	2714
LSC2_52	Worked at more than one job or business - reason	LS	2714
LSC2_53	Usual number of hours worked - other job or business	LS	2715
LSC2_54	Work on weekends - other job or business	LS	2715
LSC2_61	Number of weeks worked in past 12 months	LS	2716
LSC2_71	Number of weeks looked for work in past 12 months	LS	2716
LSC2_72	Not working nor looking - number of weeks (confirm)	LS	2717
LSC2_73	Not looking for work - reason	LS	2718
LSC2_74	Looked for work - number of continuous periods	LS	2719
LSC2DCWS	Current working status - (D)	LS	2719

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 151

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LSC2DHPW	Total usual hours worked per week - (D)	LS	2723
LSC2DJST	Job status over past year - (D)	LS	2724
LSC2DLFS	Current labour force status- LFS - (D)	LS	2724
LSC2DMJS	Multiple job status - (D)	LS	2721
LSC2DPFT	Work status - full time or part time - (D)	LS	2723
LSC2DRNW	Main reason for not working last week - (D)	LS	2722
LSC2DSWS	Student working status in the last 12 months - (D)	LS	2720
LSC2DYWS	Working status in the last 12 months - (D)	LS	2720
LSC2F32	Flag for name of own business	LS	2705
LSC2F33	Flag for name of employer	LS	2706
LSC2F34	Flag for kind of business	LS	2706
LSC2F35	Flag for kind of work	LS	2707
LSC2F36	Flag for main activity or duties	LS	2707
LSC4DLFS	Current labour force status- LFS - (D)	LS	157
LSC6DLFS	Current labour force status- LFS - (D)	LS	668
LSC8DLFS	Current labour force status- LFS - (D)	LS	1361
LSCA_1	Worked at a job or business last week	LS	3236
LSCA_11	Looked for work in the past 4 weeks	LS	3237
LSCA_12	Had a job to start in future last week	LS	3238
LSCA_13	Not currently working - reason	LS	3238
LSCA_2	Absent from job or business last week	LS	3236
LSCA_21	Worked at a job or a business in past 12 months	LS	3239
LSCA_22	Looked for work in past 12 months	LS	3239
LSCA_23	Had more than one job or business - past 12 months	LS	3240
LSCA_3	Had more than one job or business last week	LS	3237
LSCA_31	Status in employment - main job or business	LS	3240
LSCA_41	Absent from job or business last week - reason	LS	3246
LSCA_42	Usual number of hours worked - main job or business	LS	3247
LSCA_43	Preferred number of hours - main job or business	LS	3247
LSCA_44	Usual work schedule - main job or business	LS	3248
LSCA_45	Usual work schedule - reason	LS	3249
LSCA_46	Work on weekends - main job or business	LS	3249
LSCA_51	Worked at more than one job or business - number of weeks	LS	3250
LSCA_52	Worked at more than one job or business - reason	LS	3250
LSCA_53	Usual number of hours worked - other job or business	LS	3251
LSCA_54	Work on weekends - other job or business	LS	3251

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 152

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LSCA_61	Number of weeks worked in past 12 months	LS	3252
LSCA_71	Number of weeks looked for work in past 12 months	LS	3252
LSCA_72	Not working nor looking - number of weeks (confirm)	LS	3253
LSCA_73	Not looking for work - reason	LS	3254
LSCA_74	Looked for work - number of continuous periods	LS	3255
LSCADCWS	Current working status - (D)	LS	3255
LSCADHPW	Total usual hours worked per week - (D)	LS	3259
LSCADJST	Job status over past year - (D)	LS	3260
LSCADLFS	Current labour force status- LFS - (D)	LS	3260
LSCADMJS	Multiple job status - (D)	LS	3257
LSCADPFT	Work status - full time or part time - (D)	LS	3259
LSCADRNW	Main reason for not working last week - (D)	LS	3258
LSCADSWWS	Student working status in the last 12 months - (D)	LS	3256
LSCADYWS	Working status in the last 12 months - (D)	LS	3256
LSCAF32	Flag for name of own business	LS	3241
LSCAF33	Flag for name of employer	LS	3241
LSCAF34	Flag for kind of business	LS	3242
LSCAF35	Flag for kind of work	LS	3242
LSCAF36	Flag for main activity or duties	LS	3243
LSCB_1	Worked at a job or business last week	LS	3777
LSCB_11	Looked for work in the past 4 weeks	LS	3778
LSCB_12	Had a job to start in future last week	LS	3779
LSCB_13	Not currently working - reason	LS	3779
LSCB_2	Absent from job or business last week	LS	3777
LSCB_21	Worked at a job or a business in past 12 months	LS	3780
LSCB_22	Looked for work in past 12 months	LS	3780
LSCB_23	Had more than one job or business - past 12 months	LS	3781
LSCB_3	Had more than one job or business last week	LS	3778
LSCB_31	Status in employment - main job or business	LS	3781
LSCB_41	Absent from job or business last week - reason	LS	3787
LSCB_42	Usual number of hours worked - main job or business	LS	3788
LSCB_43	Preferred number of hours - main job or business	LS	3788
LSCB_44	Usual work schedule - main job or business	LS	3789
LSCB_45	Usual work schedule - reason	LS	3790
LSCB_46	Work on weekends - main job or business	LS	3790
LSCB_51	Worked at more than one job or business - number of weeks	LS	3791



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 153

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LSCB_52	Worked at more than one job or business - reason	LS	3791
LSCB_53	Usual number of hours worked - other job or business	LS	3792
LSCB_54	Work on weekends - other job or business	LS	3792
LSCB_61	Number of weeks worked in past 12 months	LS	3793
LSCB_71	Number of weeks looked for work in past 12 months	LS	3793
LSCB_72	Not working nor looking - number of weeks (confirm)	LS	3794
LSCB_73	Not looking for work - reason	LS	3795
LSCB_74	Looked for work - number of continuous periods	LS	3796
LSCBDCWS	Current working status - (D)	LS	3796
LSCBDHPW	Total usual hours worked per week - (D)	LS	3800
LSCBDJST	Job status over past year - (D)	LS	3801
LSCBDLFS	Current labour force status- LFS - (D)	LS	3801
LSCBDMJS	Multiple job status - (D)	LS	3798
LSCBDPFT	Work status - full time or part time - (D)	LS	3800
LSCBDRNW	Main reason for not working last week - (D)	LS	3799
LSCBDSWS	Student working status in the last 12 months - (D)	LS	3797
LSCBDYWS	Working status in the last 12 months - (D)	LS	3797
LSCBF32	Flag for name of own business	LS	3782
LSCBF33	Flag for name of employer	LS	3782
LSCBF34	Flag for kind of business	LS	3783
LSCBF35	Flag for kind of work	LS	3783
LSCBF36	Flag for main activity or duties	LS	3784
LSCC_1	Worked at a job or business last week	LS	4325
LSCC_11	Looked for work in the past 4 weeks	LS	4326
LSCC_12	Had a job to start in future last week	LS	4327
LSCC_13	Not currently working - reason	LS	4327
LSCC_2	Absent from job or business last week	LS	4325
LSCC_21	Worked at a job or a business in past 12 months	LS	4328
LSCC_22	Looked for work in past 12 months	LS	4328
LSCC_23	Had more than one job or business - past 12 months	LS	4329
LSCC_3	Had more than one job or business last week	LS	4326
LSCC_31	Status in employment - main job or business	LS	4329
LSCC_41	Absent from job or business last week - reason	LS	4335
LSCC_42	Usual number of hours worked - main job or business	LS	4336
LSCC_43	Preferred number of hours - main job or business	LS	4336
LSCC_44	Usual work schedule - main job or business	LS	4337

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 154

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LSCC_45	Usual work schedule - reason	LS	4338
LSCC_46	Work on weekends - main job or business	LS	4338
LSCC_51	Worked at more than one job or business - number of weeks	LS	4339
LSCC_52	Worked at more than one job or business - reason	LS	4339
LSCC_53	Usual number of hours worked - other job or business	LS	4340
LSCC_54	Work on weekends - other job or business	LS	4340
LSCC_61	Number of weeks worked in past 12 months	LS	4341
LSCC_71	Number of weeks looked for work in past 12 months	LS	4341
LSCC_72	Not working nor looking - number of weeks (confirm)	LS	4342
LSCC_73	Not looking for work - reason	LS	4343
LSCC_74	Looked for work - number of continuous periods	LS	4344
LSCCDCWS	Current working status - (D)	LS	4344
LSCCDHPW	Total usual hours worked per week - (D)	LS	4348
LSCCDJST	Job status over past year - (D)	LS	4349
LSCCDLFS	Current labour force status- LFS - (D)	LS	4349
LSCCDMJS	Multiple job status - (D)	LS	4346
LSCCDPFT	Work status - full time or part time - (D)	LS	4348
LSCCDRNW	Main reason for not working last week - (D)	LS	4347
LSCCDSWS	Student working status in the last 12 months - (D)	LS	4345
LSCCDYWS	Working status in the last 12 months - (D)	LS	4345
LSCCF32	Flag for name of own business	LS	4330
LSCCF33	Flag for name of employer	LS	4330
LSCCF34	Flag for kind of business	LS	4331
LSCCF35	Flag for kind of work	LS	4331
LSCCF36	Flag for main activity or duties	LS	4332
LSCD_1	Worked at a job or business last week	LS	4823
LSCD_11	Looked for work in the past 4 weeks	LS	4824
LSCD_12	Had a job to start in future last week	LS	4825
LSCD_13	Not currently working - reason	LS	4825
LSCD_2	Absent from job or business last week	LS	4823
LSCD_21	Worked at a job or a business in past 12 months	LS	4826
LSCD_22	Looked for work in past 12 months	LS	4826
LSCD_23	Had more than one job or business - past 12 months	LS	4827
LSCD_3	Had more than one job or business last week	LS	4824
LSCD_31	Status in employment - main job or business	LS	4827
LSCD_41	Absent from job or business last week - reason	LS	4833

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 155

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
LSCD_42	Usual number of hours worked - main job or business	LS	4834
LSCD_43	Preferred number of hours - main job or business	LS	4834
LSCD_44	Usual work schedule - main job or business	LS	4835
LSCD_45	Usual work schedule - reason	LS	4836
LSCD_46	Work on weekends - main job or business	LS	4836
LSCD_51	Worked at more than one job or business - number of weeks	LS	4837
LSCD_52	Worked at more than one job or business - reason	LS	4837
LSCD_53	Usual number of hours worked - other job or business	LS	4838
LSCD_54	Work on weekends - other job or business	LS	4838
LSCD_61	Number of weeks worked in past 12 months	LS	4839
LSCD_71	Number of weeks looked for work in past 12 months	LS	4839
LSCD_72	Not working nor looking - number of weeks (confirm)	LS	4840
LSCD_73	Not looking for work - reason	LS	4841
LSCD_74	Looked for work - number of continuous periods	LS	4842
LSCDDCWS	Current working status - (D)	LS	4842
LSCDDHPW	Total usual hours worked per week - (D)	LS	4846
LSCDDJST	Job status over past year - (D)	LS	4847
LSCDDLFS	Current labour force status- LFS - (D)	LS	4847
LSCDDMJS	Multiple job status - (D)	LS	4844
LSCDDPFT	Work status - full time or part time - (D)	LS	4846
LSCDDRNW	Main reason for not working last week - (D)	LS	4845
LSCDDSWWS	Student working status in the last 12 months - (D)	LS	4843
LSCDDYWS	Working status in the last 12 months - (D)	LS	4843
LSCDF32	Flag for name of own business	LS	4828
LSCDF33	Flag for name of employer	LS	4828
LSCDF34	Flag for kind of business	LS	4829
LSCDF35	Flag for kind of work	LS	4829
LSCDF36	Flag for main activity or duties	LS	4830
MHC0_10	Depressed - frequency of trouble falling asleep	MH	2094
MHC0_11	Depressed - trouble concentrating	MH	2094
MHC0_12	Depressed - felt down on self	MH	2095
MHC0_13	Depressed - thought a lot about death	MH	2095
MHC0_14	Depressed - number of weeks in past 12 months	MH	2096
MHC0_15	Depressed - month of occurrence	MH	2097
MHC0_16	Lost interest in most things that usually give pleasure	MH	2098
MHC0_17	Loss of interest - duration	MH	2098

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 156

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHC0_18	Loss of interest - frequency	MH	2099
MHC0_19	Loss of interest - felt tired all the time	MH	2099
MHC0_1A	Frequency of feeling sad	MH	2080
MHC0_1B	Frequency of feeling nervous	MH	2081
MHC0_1C	Frequency of feeling restless / fidgety	MH	2081
MHC0_1D	Frequency of feeling hopeless	MH	2082
MHC0_1E	Frequency of feeling worthless	MH	2082
MHC0_1F	Frequency of feeling everything was an effort	MH	2083
MHC0_1G	Frequency of feelings occurrence	MH	2083
MHC0_1H	Frequency of feelings occurrence (more)	MH	2084
MHC0_1I	Frequency of feelings occurrence (less)	MH	2084
MHC0_1J	Frequency - experiences interfere with life	MH	2085
MHC0_1K	Mental health - has consulted with a health professional	MH	2085
MHC0_1L	Mental health - no. of times consulted a health professional	MH	2086
MHC0_1MA	Mental health - consulted family doctor	MH	2086
MHC0_1MB	Mental health - consulted psychiatrist	MH	2087
MHC0_1MC	Mental health - consulted psychologist	MH	2087
MHC0_1MD	Mental health - consulted nurse	MH	2088
MHC0_1ME	Mental health - consulted social worker or counselor	MH	2088
MHC0_1MF	Mental health - consulted other professional	MH	2089
MHC0_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	2089
MHC0_20	Loss of interest - weight change or not	MH	2100
MHC0_21K	Loss of interest - weight change (kg.)	MH	2100
MHC0_21L	Loss of interest - weight change (lb.)	MH	2101
MHC0_22	Loss of interest - trouble falling asleep	MH	2101
MHC0_23	Loss of interest - frequency of trouble falling asleep	MH	2102
MHC0_24	Loss of interest - trouble concentrating	MH	2102
MHC0_25	Loss of interest - felt down on self	MH	2103
MHC0_26	Loss of interest - thought a lot about death	MH	2103
MHC0_27	Loss of interest - number of weeks in past 12 months	MH	2104
MHC0_28	Loss of interest - month of occurrence	MH	2104
MHC0_3	Depressed - usual duration of feelings	MH	2090
MHC0_4	Depressed - frequency of feelings	MH	2090
MHC0_5	Depressed - lost interest in most things	MH	2091
MHC0_6	Depressed - felt tired all of the time	MH	2091
MHC0_7	Depressed - weight change or not	MH	2092

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 157

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHC0_8KG	Depressed - weight change (kg.)	MH	2092
MHC0_8LB	Depressed - weight change (lb.)	MH	2093
MHC0_9	Depressed - trouble falling asleep	MH	2093
MHC0DCH	Chronicity of Distress Scale - (D)	MH	2105
MHC0DDS	Distress Scale - (D)	MH	2105
MHC0DMT	Specific month last felt depressed - (D)	MH	2107
MHC0DPP	Depression Scale - Predicted Probability - (D)	MH	2106
MHC0DSF	Depression Scale - Short Form Score - (D)	MH	2106
MHC0DWK	Number of weeks felt depressed - (D)	MH	2107
MHC2_10	Depressed - frequency of trouble falling asleep	MH	2650
MHC2_11	Depressed - trouble concentrating	MH	2650
MHC2_12	Depressed - felt down on self	MH	2651
MHC2_13	Depressed - thought a lot about death	MH	2651
MHC2_14	Depressed - number of weeks in past 12 months	MH	2652
MHC2_15	Depressed - month of occurrence	MH	2652
MHC2_16	Lost interest in most things that usually give pleasure	MH	2653
MHC2_17	Loss of interest - duration	MH	2653
MHC2_18	Loss of interest - frequency	MH	2654
MHC2_19	Loss of interest - felt tired all the time	MH	2654
MHC2_1A	Frequency of feeling sad	MH	2636
MHC2_1B	Frequency of feeling nervous	MH	2637
MHC2_1C	Frequency of feeling restless / fidgety	MH	2637
MHC2_1D	Frequency of feeling hopeless	MH	2638
MHC2_1E	Frequency of feeling worthless	MH	2638
MHC2_1F	Frequency of feeling everything was an effort	MH	2639
MHC2_1G	Frequency of feelings occurrence	MH	2639
MHC2_1H	Frequency of feelings occurrence (more)	MH	2640
MHC2_1I	Frequency of feelings occurrence (less)	MH	2640
MHC2_1J	Frequency - experiences interfere with life	MH	2641
MHC2_1K	Mental health - has consulted with a health professional	MH	2641
MHC2_1L	Mental health - no. of times consulted a health professional	MH	2642
MHC2_1MA	Mental health - consulted family doctor	MH	2642
MHC2_1MB	Mental health - consulted psychiatrist	MH	2643
MHC2_1MC	Mental health - consulted psychologist	MH	2643
MHC2_1MD	Mental health - consulted nurse	MH	2644
MHC2_1ME	Mental health - consulted social worker or counselor	MH	2644

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 158

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHC2_1MF	Mental health - consulted other professional	MH	2645
MHC2_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	2645
MHC2_20	Loss of interest - weight change or not	MH	2655
MHC2_21K	Loss of interest - weight change (kg.)	MH	2655
MHC2_21L	Loss of interest - weight change (lb.)	MH	2656
MHC2_22	Loss of interest - trouble falling asleep	MH	2656
MHC2_23	Loss of interest - frequency of trouble falling asleep	MH	2657
MHC2_24	Loss of interest - trouble concentrating	MH	2657
MHC2_25	Loss of interest - felt down on self	MH	2658
MHC2_26	Loss of interest - thought a lot about death	MH	2658
MHC2_27	Loss of interest - number of weeks in past 12 months	MH	2659
MHC2_28	Loss of interest - month of occurrence	MH	2659
MHC2_3	Depressed - usual duration of feelings	MH	2646
MHC2_4	Depressed - frequency of feelings	MH	2646
MHC2_5	Depressed - lost interest in most things	MH	2647
MHC2_6	Depressed - felt tired all of the time	MH	2647
MHC2_7	Depressed - weight change or not	MH	2648
MHC2_8KG	Depressed - weight change (kg.)	MH	2648
MHC2_8LB	Depressed - weight change (lb.)	MH	2649
MHC2_9	Depressed - trouble falling asleep	MH	2649
MHC2DCH	Chronicity of Distress Scale - (D)	MH	2660
MHC2DDDS	Distress Scale - (D)	MH	2660
MHC2DMT	Specific month last felt depressed - (D)	MH	2662
MHC2DPP	Depression Scale - Predicted Probability - (D)	MH	2661
MHC2DSF	Depression Scale - Short Form Score - (D)	MH	2661
MHC2DWK	Number of weeks felt depressed - (D)	MH	2662
MHC4_10	Depressed - frequency of trouble falling asleep	MH	413
MHC4_11	Depressed - trouble concentrating	MH	413
MHC4_12	Depressed - felt down on self	MH	414
MHC4_13	Depressed - thought a lot about death	MH	414
MHC4_14	Depressed - number of weeks in past 12 months	MH	415
MHC4_15	Depressed - month of occurrence	MH	416
MHC4_16	Lost interest in most things that usually give pleasure	MH	417
MHC4_17	Loss of interest - duration	MH	417
MHC4_18	Loss of interest - frequency	MH	418
MHC4_19	Loss of interest - felt tired all the time	MH	418

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 159

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHC4_1A	Frequency of feeling sad	MH	402
MHC4_1B	Frequency of feeling nervous	MH	403
MHC4_1C	Frequency of feeling restless / fidgety	MH	403
MHC4_1D	Frequency of feeling hopeless	MH	404
MHC4_1E	Frequency of feeling worthless	MH	404
MHC4_1F	Frequency of feeling everything was an effort	MH	405
MHC4_1G	Frequency of feelings occurrence	MH	405
MHC4_1H	Frequency of feelings occurrence (more)	MH	406
MHC4_1I	Frequency of feelings occurrence (less)	MH	406
MHC4_1J	Frequency - experiences interfere with life	MH	407
MHC4_1K	Mental health - has consulted with a health professional	MH	407
MHC4_1L	Mental health - no. of times consulted a health professional	MH	408
MHC4_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	408
MHC4_20	Loss of interest - weight change or not	MH	419
MHC4_21K	Loss of interest - weight change (kg.)	MH	420
MHC4_21L	Loss of interest - weight change (lb.)	MH	419
MHC4_22	Loss of interest - trouble falling asleep	MH	420
MHC4_23	Loss of interest - frequency of trouble falling asleep	MH	421
MHC4_24	Loss of interest - trouble concentrating	MH	421
MHC4_25	Loss of interest - felt down on self	MH	422
MHC4_26	Loss of interest - thought a lot about death	MH	422
MHC4_27	Loss of interest - number of weeks in past 12 months	MH	423
MHC4_28	Loss of interest - month of occurrence	MH	423
MHC4_3	Depressed - usual duration of feelings	MH	409
MHC4_4	Depressed - frequency of feelings	MH	409
MHC4_5	Depressed - lost interest in most things	MH	410
MHC4_6	Depressed - felt tired all of the time	MH	410
MHC4_7	Depressed - weight change or not	MH	411
MHC4_8KG	Depressed - weight change (kg.)	MH	412
MHC4_8LB	Depressed - weight change (lb.)	MH	411
MHC4_9	Depressed - trouble falling asleep	MH	412
MHC4DCH	Chronicity of Distress Scale - (D)	MH	424
MHC4DDS	Distress Scale - (D)	MH	424
MHC4DMT	Specific month last felt depressed - (D)	MH	426
MHC4DPP	Depression Scale - Predicted Probability - (D)	MH	425
MHC4DSF	Depression Scale - Short Form Score - (D)	MH	425

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 160

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHC4DWK	Number of weeks felt depressed - (D)	MH	426
MHC6_10	Depressed - frequency of trouble falling asleep	MH	1078
MHC6_11	Depressed - trouble concentrating	MH	1079
MHC6_12	Depressed - felt down on self	MH	1079
MHC6_13	Depressed - thought a lot about death	MH	1080
MHC6_14	Depressed - number of weeks in past 12 months	MH	1080
MHC6_15	Depressed - month of occurrence	MH	1081
MHC6_16	Lost interest in most things that usually give pleasure	MH	1082
MHC6_17	Loss of interest - duration	MH	1082
MHC6_18	Loss of interest - frequency	MH	1083
MHC6_19	Loss of interest - felt tired all the time	MH	1083
MHC6_1A	Frequency of feeling sad	MH	1065
MHC6_1B	Frequency of feeling nervous	MH	1065
MHC6_1C	Frequency of feeling restless / fidgety	MH	1066
MHC6_1D	Frequency of feeling hopeless	MH	1066
MHC6_1E	Frequency of feeling worthless	MH	1067
MHC6_1F	Frequency of feeling everything was an effort	MH	1067
MHC6_1G	Frequency of feelings occurrence	MH	1068
MHC6_1H	Frequency of feelings occurrence (more)	MH	1068
MHC6_1I	Frequency of feelings occurrence (less)	MH	1069
MHC6_1J	Frequency - experiences interfere with life	MH	1069
MHC6_1K	Mental health - has consulted with a health professional	MH	1070
MHC6_1L	Mental health - no. of times consulted a health professional	MH	1070
MHC6_1MA	Mental health - consulted family doctor	MH	1071
MHC6_1MB	Mental health - consulted psychiatrist	MH	1071
MHC6_1MC	Mental health - consulted psychologist	MH	1072
MHC6_1MD	Mental health - consulted nurse	MH	1072
MHC6_1ME	Mental health - consulted social worker or counselor	MH	1073
MHC6_1MF	Mental health - consulted other professional	MH	1073
MHC6_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	1074
MHC6_20	Loss of interest - weight change or not	MH	1084
MHC6_21K	Loss of interest - weight change (kg.)	MH	1084
MHC6_21L	Loss of interest - weight change (lb.)	MH	1085
MHC6_22	Loss of interest - trouble falling asleep	MH	1085
MHC6_23	Loss of interest - frequency of trouble falling asleep	MH	1086
MHC6_24	Loss of interest - trouble concentrating	MH	1086



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 161

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHC6_25	Loss of interest - felt down on self	MH	1087
MHC6_26	Loss of interest - thought a lot about death	MH	1087
MHC6_27	Loss of interest - number of weeks in past 12 months	MH	1088
MHC6_28	Loss of interest - month of occurrence	MH	1088
MHC6_3	Depressed - usual duration of feelings	MH	1074
MHC6_4	Depressed - frequency of feelings	MH	1075
MHC6_5	Depressed - lost interest in most things	MH	1075
MHC6_6	Depressed - felt tired all of the time	MH	1076
MHC6_7	Depressed - weight change or not	MH	1076
MHC6_8KG	Depressed - weight change (kg.)	MH	1077
MHC6_8LB	Depressed - weight change (lb.)	MH	1077
MHC6_9	Depressed - trouble falling asleep	MH	1078
MHC6DCH	Chronicity of Distress Scale - (D)	MH	1089
MHC6DDS	Distress Scale - (D)	MH	1089
MHC6DMT	Specific month last felt depressed - (D)	MH	1091
MHC6DPP	Depression Scale - Predicted Probability - (D)	MH	1090
MHC6DSF	Depression Scale - Short Form Score - (D)	MH	1090
MHC6DWK	Number of weeks felt depressed - (D)	MH	1091
MHC8_10	Depressed - frequency of trouble falling asleep	MH	1675
MHC8_11	Depressed - trouble concentrating	MH	1675
MHC8_12	Depressed - felt down on self	MH	1676
MHC8_13	Depressed - thought a lot about death	MH	1676
MHC8_14	Depressed - number of weeks in past 12 months	MH	1677
MHC8_15	Depressed - month of occurrence	MH	1677
MHC8_16	Lost interest in most things that usually give pleasure	MH	1678
MHC8_17	Loss of interest - duration	MH	1678
MHC8_18	Loss of interest - frequency	MH	1679
MHC8_19	Loss of interest - felt tired all the time	MH	1679
MHC8_1A	Frequency of feeling sad	MH	1661
MHC8_1B	Frequency of feeling nervous	MH	1662
MHC8_1C	Frequency of feeling restless / fidgety	MH	1662
MHC8_1D	Frequency of feeling hopeless	MH	1663
MHC8_1E	Frequency of feeling worthless	MH	1663
MHC8_1F	Frequency of feeling everything was an effort	MH	1664
MHC8_1G	Frequency of feelings occurrence	MH	1664
MHC8_1H	Frequency of feelings occurrence (more)	MH	1665

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 162

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHC8_1I	Frequency of feelings occurrence (less)	MH	1665
MHC8_1J	Frequency - experiences interfere with life	MH	1666
MHC8_1K	Mental health - has consulted with a health professional	MH	1666
MHC8_1L	Mental health - no. of times consulted a health professional	MH	1667
MHC8_1MA	Mental health - consulted family doctor	MH	1667
MHC8_1MB	Mental health - consulted psychiatrist	MH	1668
MHC8_1MC	Mental health - consulted psychologist	MH	1668
MHC8_1MD	Mental health - consulted nurse	MH	1669
MHC8_1ME	Mental health - consulted social worker or counselor	MH	1669
MHC8_1MF	Mental health - consulted other professional	MH	1670
MHC8_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	1670
MHC8_20	Loss of interest - weight change or not	MH	1680
MHC8_21K	Loss of interest - weight change (kg.)	MH	1680
MHC8_21L	Loss of interest - weight change (lb.)	MH	1681
MHC8_22	Loss of interest - trouble falling asleep	MH	1681
MHC8_23	Loss of interest - frequency of trouble falling asleep	MH	1682
MHC8_24	Loss of interest - trouble concentrating	MH	1682
MHC8_25	Loss of interest - felt down on self	MH	1683
MHC8_26	Loss of interest - thought a lot about death	MH	1683
MHC8_27	Loss of interest - number of weeks in past 12 months	MH	1684
MHC8_28	Loss of interest - month of occurrence	MH	1684
MHC8_3	Depressed - usual duration of feelings	MH	1671
MHC8_4	Depressed - frequency of feelings	MH	1671
MHC8_5	Depressed - lost interest in most things	MH	1672
MHC8_6	Depressed - felt tired all of the time	MH	1672
MHC8_7	Depressed - weight change or not	MH	1673
MHC8_8KG	Depressed - weight change (kg.)	MH	1673
MHC8_8LB	Depressed - weight change (lb.)	MH	1674
MHC8_9	Depressed - trouble falling asleep	MH	1674
MHC8DCH	Chronicity of Distress Scale - (D)	MH	1685
MHC8DDS	Distress Scale - (D)	MH	1685
MHC8DMT	Specific month last felt depressed - (D)	MH	1687
MHC8DPP	Depression Scale - Predicted Probability - (D)	MH	1686
MHC8DSF	Depression Scale - Short Form Score - (D)	MH	1686
MHC8DWK	Number of weeks felt depressed - (D)	MH	1687
MHCA_10	Depressed - frequency of trouble falling asleep	MH	3179

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
MHCA_11	Depressed - trouble concentrating	MH	3179
MHCA_12	Depressed - felt down on self	MH	3180
MHCA_13	Depressed - thought a lot about death	MH	3180
MHCA_14	Depressed - number of weeks in past 12 months	MH	3181
MHCA_15	Depressed - month of occurrence	MH	3181
MHCA_16	Lost interest in most things that usually give pleasure	MH	3182
MHCA_17	Loss of interest - duration	MH	3182
MHCA_18	Loss of interest - frequency	MH	3183
MHCA_19	Loss of interest - felt tired all the time	MH	3183
MHCA_1A	Frequency of feeling sad	MH	3166
MHCA_1B	Frequency of feeling nervous	MH	3166
MHCA_1C	Frequency of feeling restless / fidgety	MH	3167
MHCA_1D	Frequency of feeling hopeless	MH	3167
MHCA_1E	Frequency of feeling worthless	MH	3168
MHCA_1F	Frequency of feeling everything was an effort	MH	3168
MHCA_1G	Frequency of feelings occurrence	MH	3169
MHCA_1H	Frequency of feelings occurrence (more)	MH	3169
MHCA_1I	Frequency of feelings occurrence (less)	MH	3170
MHCA_1J	Frequency - experiences interfere with life	MH	3170
MHCA_1K	Mental health - has consulted with a health professional	MH	3171
MHCA_1L	Mental health - no. of times consulted a health professional	MH	3171
MHCA_1MA	Mental health - consulted family doctor	MH	3172
MHCA_1MB	Mental health - consulted psychiatrist	MH	3172
MHCA_1MC	Mental health - consulted psychologist	MH	3173
MHCA_1MD	Mental health - consulted nurse	MH	3173
MHCA_1ME	Mental health - consulted social worker or counselor	MH	3174
MHCA_1MF	Mental health - consulted other professional	MH	3174
MHCA_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	3175
MHCA_20	Loss of interest - weight change or not	MH	3184
MHCA_21K	Loss of interest - weight change (kg.)	MH	3184
MHCA_21L	Loss of interest - weight change (lb.)	MH	3185
MHCA_22	Loss of interest - trouble falling asleep	MH	3185
MHCA_23	Loss of interest - frequency of trouble falling asleep	MH	3186
MHCA_24	Loss of interest - trouble concentrating	MH	3186
MHCA_25	Loss of interest - felt down on self	MH	3187
MHCA_26	Loss of interest - thought a lot about death	MH	3187

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 164

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHCA_27	Loss of interest - number of weeks in past 12 months	MH	3188
MHCA_28	Loss of interest - month of occurrence	MH	3188
MHCA_3	Depressed - usual duration of feelings	MH	3175
MHCA_4	Depressed - frequency of feelings	MH	3176
MHCA_5	Depressed - lost interest in most things	MH	3176
MHCA_6	Depressed - felt tired all of the time	MH	3177
MHCA_7	Depressed - weight change or not	MH	3177
MHCA_8KG	Depressed - weight change (kg.)	MH	3178
MHCA_8LB	Depressed - weight change (lb.)	MH	3178
MHCA_9	Depressed - trouble falling asleep	MH	3178
MHCADCH	Chronicity of Distress Scale - (D)	MH	3189
MHCADDS	Distress Scale - (D)	MH	3189
MHCADMT	Specific month last felt depressed - (D)	MH	3191
MHCADPP	Depression Scale - Predicted Probability - (D)	MH	3190
MHCADSF	Depression Scale - Short Form Score - (D)	MH	3190
MHCADWK	Number of weeks felt depressed - (D)	MH	3191
MHCB_10	Depressed - frequency of trouble falling asleep	MH	3724
MHCB_11	Depressed - trouble concentrating	MH	3725
MHCB_12	Depressed - felt down on self	MH	3725
MHCB_13	Depressed - thought a lot about death	MH	3726
MHCB_14	Depressed - number of weeks in past 12 months	MH	3726
MHCB_15	Depressed - month of occurrence	MH	3727
MHCB_16	Lost interest in most things that usually give pleasure	MH	3728
MHCB_17	Loss of interest - duration	MH	3728
MHCB_18	Loss of interest - frequency	MH	3729
MHCB_19	Loss of interest - felt tired all the time	MH	3729
MHCB_1A	Frequency of feeling sad	MH	3711
MHCB_1B	Frequency of feeling nervous	MH	3711
MHCB_1C	Frequency of feeling restless / fidgety	MH	3712
MHCB_1D	Frequency of feeling hopeless	MH	3712
MHCB_1E	Frequency of feeling worthless	MH	3713
MHCB_1F	Frequency of feeling everything was an effort	MH	3713
MHCB_1G	Frequency of feelings occurrence	MH	3714
MHCB_1H	Frequency of feelings occurrence (more)	MH	3714
MHCB_1I	Frequency of feelings occurrence (less)	MH	3715
MHCB_1J	Frequency - experiences interfere with life	MH	3715

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 165

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHCB_1K	Mental health - has consulted with a health professional	MH	3716
MHCB_1L	Mental health - no. of times consulted a health professional	MH	3716
MHCB_1MA	Mental health - consulted family doctor	MH	3717
MHCB_1MB	Mental health - consulted psychiatrist	MH	3717
MHCB_1MC	Mental health - consulted psychologist	MH	3718
MHCB_1MD	Mental health - consulted nurse	MH	3718
MHCB_1ME	Mental health - consulted social worker or counselor	MH	3719
MHCB_1MF	Mental health - consulted other professional	MH	3719
MHCB_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	3720
MHCB_20	Loss of interest - weight change or not	MH	3730
MHCB_21K	Loss of interest - weight change (kg.)	MH	3730
MHCB_21L	Loss of interest - weight change (lb.)	MH	3731
MHCB_22	Loss of interest - trouble falling asleep	MH	3731
MHCB_23	Loss of interest - frequency of trouble falling asleep	MH	3732
MHCB_24	Loss of interest - trouble concentrating	MH	3732
MHCB_25	Loss of interest - felt down on self	MH	3733
MHCB_26	Loss of interest - thought a lot about death	MH	3733
MHCB_27	Loss of interest - number of weeks in past 12 months	MH	3734
MHCB_28	Loss of interest - month of occurrence	MH	3734
MHCB_3	Depressed - usual duration of feelings	MH	3720
MHCB_4	Depressed - frequency of feelings	MH	3721
MHCB_5	Depressed - lost interest in most things	MH	3721
MHCB_6	Depressed - felt tired all of the time	MH	3722
MHCB_7	Depressed - weight change or not	MH	3722
MHCB_8KG	Depressed - weight change (kg.)	MH	3723
MHCB_8LB	Depressed - weight change (lb.)	MH	3723
MHCB_9	Depressed - trouble falling asleep	MH	3724
MHCB DCH	Chronicity of Distress Scale - (D)	MH	3735
MHCB DDS	Distress Scale - (D)	MH	3735
MHCB DMT	Specific month last felt depressed - (D)	MH	3737
MHCB DPP	Depression Scale - Predicted Probability - (D)	MH	3736
MHCB DSF	Depression Scale - Short Form Score - (D)	MH	3736
MHCB DWK	Number of weeks felt depressed - (D)	MH	3737
MHCC_10	Depressed - frequency of trouble falling asleep	MH	4273
MHCC_11	Depressed - trouble concentrating	MH	4273
MHCC_12	Depressed - felt down on self	MH	4274

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 166

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHCC_13	Depressed - thought a lot about death	MH	4274
MHCC_14	Depressed - number of weeks in past 12 months	MH	4275
MHCC_15	Depressed - month of occurrence	MH	4275
MHCC_16	Lost interest in most things that usually give pleasure	MH	4276
MHCC_17	Loss of interest - duration	MH	4276
MHCC_18	Loss of interest - frequency	MH	4277
MHCC_19	Loss of interest - felt tired all the time	MH	4277
MHCC_1A	Frequency of feeling sad	MH	4259
MHCC_1B	Frequency of feeling nervous	MH	4260
MHCC_1C	Frequency of feeling restless / fidgety	MH	4260
MHCC_1D	Frequency of feeling hopeless	MH	4261
MHCC_1E	Frequency of feeling worthless	MH	4261
MHCC_1F	Frequency of feeling everything was an effort	MH	4262
MHCC_1G	Frequency of feelings occurrence	MH	4262
MHCC_1H	Frequency of feelings occurrence (more)	MH	4263
MHCC_1I	Frequency of feelings occurrence (less)	MH	4263
MHCC_1J	Frequency - experiences interfere with life	MH	4264
MHCC_1K	Mental health - has consulted with a health professional	MH	4264
MHCC_1L	Mental health - no. of times consulted a health professional	MH	4265
MHCC_1MA	Mental health - consulted family doctor	MH	4265
MHCC_1MB	Mental health - consulted psychiatrist	MH	4266
MHCC_1MC	Mental health - consulted psychologist	MH	4266
MHCC_1MD	Mental health - consulted nurse	MH	4267
MHCC_1ME	Mental health - consulted social worker or counselor	MH	4267
MHCC_1MF	Mental health - consulted other professional	MH	4268
MHCC_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	4268
MHCC_20	Loss of interest - weight change or not	MH	4278
MHCC_21K	Loss of interest - weight change (kg.)	MH	4278
MHCC_21L	Loss of interest - weight change (lb.)	MH	4279
MHCC_22	Loss of interest - trouble falling asleep	MH	4279
MHCC_23	Loss of interest - frequency of trouble falling asleep	MH	4280
MHCC_24	Loss of interest - trouble concentrating	MH	4280
MHCC_25	Loss of interest - felt down on self	MH	4281
MHCC_26	Loss of interest - thought a lot about death	MH	4281
MHCC_27	Loss of interest - number of weeks in past 12 months	MH	4282
MHCC_28	Loss of interest - month of occurrence	MH	4282

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 167

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHCC_3	Depressed - usual duration of feelings	MH	4269
MHCC_4	Depressed - frequency of feelings	MH	4269
MHCC_5	Depressed - lost interest in most things	MH	4270
MHCC_6	Depressed - felt tired all of the time	MH	4270
MHCC_7	Depressed - weight change or not	MH	4271
MHCC_8KG	Depressed - weight change (kg.)	MH	4271
MHCC_8LB	Depressed - weight change (lb.)	MH	4272
MHCC_9	Depressed - trouble falling asleep	MH	4272
MHCCDCH	Chronicity of Distress Scale - (D)	MH	4283
MHCCDDS	Distress Scale - (D)	MH	4283
MHCCDMT	Specific month last felt depressed - (D)	MH	4285
MHCCDPP	Depression Scale - Predicted Probability - (D)	MH	4284
MHCCDSF	Depression Scale - Short Form Score - (D)	MH	4284
MHCCDWK	Number of weeks felt depressed - (D)	MH	4285
MHCD_10	Depressed - frequency of trouble falling asleep	MH	4771
MHCD_11	Depressed - trouble concentrating	MH	4771
MHCD_12	Depressed - felt down on self	MH	4772
MHCD_13	Depressed - thought a lot about death	MH	4772
MHCD_14	Depressed - number of weeks in past 12 months	MH	4773
MHCD_15	Depressed - month of occurrence	MH	4773
MHCD_16	Lost interest in most things that usually give pleasure	MH	4774
MHCD_17	Loss of interest - duration	MH	4774
MHCD_18	Loss of interest - frequency	MH	4775
MHCD_19	Loss of interest - felt tired all the time	MH	4775
MHCD_1A	Frequency of feeling sad	MH	4757
MHCD_1B	Frequency of feeling nervous	MH	4758
MHCD_1C	Frequency of feeling restless / fidgety	MH	4758
MHCD_1D	Frequency of feeling hopeless	MH	4759
MHCD_1E	Frequency of feeling worthless	MH	4759
MHCD_1F	Frequency of feeling everything was an effort	MH	4760
MHCD_1G	Frequency of feelings occurrence	MH	4760
MHCD_1H	Frequency of feelings occurrence (more)	MH	4761
MHCD_1I	Frequency of feelings occurrence (less)	MH	4761
MHCD_1J	Frequency - experiences interfere with life	MH	4762
MHCD_1K	Mental health - has consulted with a health professional	MH	4762
MHCD_1L	Mental health - no. of times consulted a health professional	MH	4763

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 168

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MHCD_1MA	Mental health - consulted family doctor	MH	4763
MHCD_1MB	Mental health - consulted psychiatrist	MH	4764
MHCD_1MC	Mental health - consulted psychologist	MH	4764
MHCD_1MD	Mental health - consulted nurse	MH	4765
MHCD_1ME	Mental health - consulted social worker or counselor	MH	4765
MHCD_1MF	Mental health - consulted other professional	MH	4766
MHCD_2	Felt sad, blue, or depressed 2 weeks or more in past year	MH	4766
MHCD_20	Loss of interest - weight change or not	MH	4776
MHCD_21K	Loss of interest - weight change (kg.)	MH	4776
MHCD_21L	Loss of interest - weight change (lb.)	MH	4777
MHCD_22	Loss of interest - trouble falling asleep	MH	4777
MHCD_23	Loss of interest - frequency of trouble falling asleep	MH	4778
MHCD_24	Loss of interest - trouble concentrating	MH	4778
MHCD_25	Loss of interest - felt down on self	MH	4779
MHCD_26	Loss of interest - thought a lot about death	MH	4779
MHCD_27	Loss of interest - number of weeks in past 12 months	MH	4780
MHCD_28	Loss of interest - month of occurrence	MH	4780
MHCD_3	Depressed - usual duration of feelings	MH	4767
MHCD_4	Depressed - frequency of feelings	MH	4767
MHCD_5	Depressed - lost interest in most things	MH	4768
MHCD_6	Depressed - felt tired all of the time	MH	4768
MHCD_7	Depressed - weight change or not	MH	4769
MHCD_8KG	Depressed - weight change (kg.)	MH	4769
MHCD_8LB	Depressed - weight change (lb.)	MH	4770
MHCD_9	Depressed - trouble falling asleep	MH	4770
MHCDDCH	Chronicity of Distress Scale - (D)	MH	4781
MHCDDDS	Distress Scale - (D)	MH	4781
MHCDDMT	Specific month last felt depressed - (D)	MH	4783
MHCDDPP	Depression Scale - Predicted Probability - (D)	MH	4782
MHCDDSF	Depression Scale - Short Form Score - (D)	MH	4782
MHCDDWK	Number of weeks felt depressed - (D)	MH	4783
MK_A_1A	Drink milk - frequency	NU	2801
MK_A_1B	Drink milk - reporting period	NU	2801
MK_A_1Y	Drink milk - annual frequency	NU	2802
MK_A_2	Type of milk	NU	2802
MK_B_1A	Drink milk - frequency	NU	3343



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 169

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
MK_B_1B	Drink milk - reporting period	NU	3343
MK_B_1Y	Drink milk - annual frequency	NU	3344
MK_B_2	Type of milk	NU	3344
MK_C_1A	Drink milk - frequency	NU	3879
MK_C_1B	Drink milk - reporting period	NU	3879
MK_C_1Y	Drink milk - annual frequency	NU	3880
MK_C_2	Type of milk	NU	3880
MK_D_1A	Drink milk - frequency	NU	4421
MK_D_1B	Drink milk - reporting period	NU	4421
MK_D_1Y	Drink milk - annual frequency	NU	4422
MK_D_2	Type of milk	NU	4422
MOB	Month of birth	DH	4
MOD	Month of death	DH	10
NU_2_1A	Choose or avoid foods - concerned about body weight	NU	2246
NU_2_1C	Choose or avoid foods - concerned about heart disease	NU	2246
NU_2_1D	Choose or avoid foods - concerned about cancer	NU	2247
NU_2_1E	Choose or avoid foods - concerned about osteoporosis	NU	2247
NU_2_2A	Reason to choose foods - lower fat content	NU	2248
NU_2_2B	Reason to choose foods - fibre content	NU	2248
NU_2_2C	Reason to choose foods - calcium content	NU	2249
NU_2_3A	Reason to avoid foods - fat content	NU	2249
NU_2_3B	Reason to avoid foods - type of fat	NU	2250
NU_2_3C	Reason to avoid foods - salt content	NU	2250
NU_2_3D	Reason to avoid foods - cholesterol content	NU	2251
NU_2_3G	Reason to avoid foods - calorie content	NU	2251
NU_2_4A	Took supplements - past 4 weeks	NU	2252
NU_2_4B	Took supplements - at least once a week	NU	2252
NU_2_4C	Took supplements - number of days in last week	NU	2253
NU_2_4D	Took supplements - number of days in past 4 weeks	NU	2253
NU_2D4	Number of reasons - choosing / avoiding foods (S. V.) - (D)	NU	2254
NU_2D5	Number of reasons for choosing foods (S. V.) - (D)	NU	2254
NU_2D6	Number of reasons for avoiding foods (S. V.) - (D)	NU	2255
NU_2DCON	Frequency of supplements consumption - (D)	NU	2255
NU_8_1A	Choose or avoid foods - concerned about body weight	NU	1458
NU_8_1B	Choose or avoid foods - maintain or improve health	NU	1459
NU_8_1C	Choose or avoid foods - concerned about heart disease	NU	1459

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 170

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
NU_8_1D	Choose or avoid foods - concerned about cancer	NU	1460
NU_8_1E	Choose or avoid foods - concerned about osteoporosis	NU	1460
NU_8_1F	Choose or avoid foods - concerned about high blood pressure	NU	1461
NU_8_1G	Choose or avoid foods - concerned about diabetes	NU	1461
NU_8_2A	Reason to choose foods - lower fat content	NU	1462
NU_8_2B	Reason to choose foods - fibre content	NU	1463
NU_8_2C	Reason to choose foods - calcium content	NU	1463
NU_8_2D	Reason to choose foods - iron content	NU	1464
NU_8_2E	Reason to choose foods - other vitamins or minerals	NU	1464
NU_8_3A	Reason to avoid foods - fat content	NU	1465
NU_8_3B	Reason to avoid foods - type of fat	NU	1466
NU_8_3C	Reason to avoid foods - salt content	NU	1466
NU_8_3D	Reason to avoid foods - cholesterol content	NU	1467
NU_8_3E	Reason to avoid foods - sugar content	NU	1467
NU_8_3F	Reason to avoid foods - iron content	NU	1468
NU_8_3G	Reason to avoid foods - calorie content	NU	1468
NU_8_4A	Took supplements - past 4 weeks	NU	1469
NU_8_4B	Took supplements - at least once a week	NU	1470
NU_8_4C	Took supplements - number of days in last week	NU	1470
NU_8_4D	Took supplements - number of days in past 4 weeks	NU	1471
NU_8D1	Number of reasons for choosing or avoiding foods - (D)	NU	1462
NU_8D2	Number of reasons for choosing foods - (D)	NU	1465
NU_8D3	Number of reasons for avoiding foods - (D)	NU	1469
NU_8D4	Number of reasons - choosing / avoiding foods (S. V.) - (D)	NU	1471
NU_8D5	Number of reasons for choosing foods (S. V.) - (D)	NU	1472
NU_8D6	Number of reasons for avoiding foods (S. V.) - (D)	NU	1472
NU_8DCON	Frequency of supplements consumption - (D)	NU	1473
NU_A_4A	Took supplements - past 4 weeks	NU	2783
NU_A_4B	Took supplements - at least once a week	NU	2783
NU_A_4C	Took supplements - number of days in last week	NU	2784
NU_A_4D	Took supplements - number of days in past 4 weeks	NU	2784
NU_ADCON	Frequency of supplements consumption - (D)	NU	2785
NU_B_1A	Choose or avoid foods - concerned about body weight	NU	3318
NU_B_1C	Choose or avoid foods - concerned about heart disease	NU	3318
NU_B_1D	Choose or avoid foods - concerned about cancer	NU	3319
NU_B_1E	Choose or avoid foods - concerned about osteoporosis	NU	3319

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 171

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
NU_B_2A	Reason to choose foods - lower fat content	NU	3320
NU_B_2B	Reason to choose foods - fibre content	NU	3321
NU_B_2C	Reason to choose foods - calcium content	NU	3321
NU_B_3A	Reason to avoid foods - fat content	NU	3322
NU_B_3B	Reason to avoid foods - type of fat	NU	3323
NU_B_3C	Reason to avoid foods - salt content	NU	3323
NU_B_3D	Reason to avoid foods - cholesterol content	NU	3324
NU_B_3G	Reason to avoid foods - calorie content	NU	3324
NU_B_4A	Took supplements - past 4 weeks	NU	3325
NU_B_4B	Took supplements - at least once a week	NU	3326
NU_B_4C	Took supplements - number of days in last week	NU	3326
NU_B_4D	Took supplements - number of days in past 4 weeks	NU	3327
NU_BD4	Number of reasons - choosing / avoiding foods (S. V.) - (D)	NU	3320
NU_BD5	Number of reasons for choosing foods (S. V.) - (D)	NU	3322
NU_BD6	Number of reasons for avoiding foods (S. V.) - (D)	NU	3325
NU_BDCON	Frequency of supplements consumption - (D)	NU	3327
NU_C_4A	Took supplements - past 4 weeks	NU	3861
NU_C_4B	Took supplements - at least once a week	NU	3861
NU_C_4C	Took supplements - number of days in last week	NU	3862
NU_C_4D	Took supplements - number of days in past 4 weeks	NU	3862
NU_CDCON	Frequency of supplements consumption - (D)	NU	3863
PAC0_1A	Activity in last 3 months - walking for exercise	PA	1876
PAC0_1B	Activity in last 3 months - gardening or yard work	PA	1877
PAC0_1C	Activity in last 3 months - swimming	PA	1877
PAC0_1D	Activity in last 3 months - bicycling	PA	1878
PAC0_1E	Activity in last 3 months - popular or social dance	PA	1878
PAC0_1F	Activity in last 3 months - home exercises	PA	1879
PAC0_1G	Activity in last 3 months - ice hockey	PA	1879
PAC0_1H	Activity in last 3 months - ice skating	PA	1880
PAC0_1I	Activity in last 3 months - downhill skiing	PA	1882
PAC0_1J	Activity in last 3 months - jogging or running	PA	1881
PAC0_1K	Activity in last 3 months - golfing	PA	1881
PAC0_1L	Activity in last 3 months - exercise class or aerobics	PA	1882
PAC0_1N	Activity in last 3 months - bowling	PA	1883
PAC0_1O	Activity in last 3 months - baseball or softball	PA	1883
PAC0_1P	Activity in last 3 months - tennis	PA	1884

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 172

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC0_1Q	Activity in last 3 months - weight-training	PA	1884
PAC0_1R	Activity in last 3 months - fishing	PA	1885
PAC0_1S	Activity in last 3 months - volleyball	PA	1885
PAC0_1T	Activity in last 3 months - basketball	PA	1886
PAC0_1U	Activity in last 3 months - other (#1)	PA	1886
PAC0_1V	Activity in last 3 months - no physical activity	PA	1887
PAC0_1W	Activity in last 3 months - other other activity (#2)	PA	1888
PAC0_1X	Activity in last 3 months - other activity (#3)	PA	1889
PAC0_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	1880
PAC0_2A	No. of times participated - walking for exercise	PA	1890
PAC0_2B	No. of times participated - gardening or yard work	PA	1891
PAC0_2C	No. of times participated - swimming	PA	1892
PAC0_2D	No. of times participated - bicycling	PA	1893
PAC0_2E	No. of times participated - popular or social dance	PA	1894
PAC0_2F	No. of times participated - home exercises	PA	1895
PAC0_2G	No. of times participated - ice hockey	PA	1896
PAC0_2H	No. of times participated - ice skating	PA	1897
PAC0_2I	No. of times participated - downhill skiing	PA	1902
PAC0_2J	No. of times participated - jogging or running	PA	1899
PAC0_2K	No. of times participated - golfing	PA	1900
PAC0_2L	No. of times participated - exercise class or aerobics	PA	1901
PAC0_2N	No. of times participated - bowling	PA	1903
PAC0_2O	No. of times participated - baseball or softball	PA	1904
PAC0_2P	No. of times participated - tennis	PA	1905
PAC0_2Q	No. of times participated - weight-training	PA	1906
PAC0_2R	No. of times participated - fishing	PA	1907
PAC0_2S	No. of times participated - volleyball	PA	1908
PAC0_2T	No. of times participated - basketball	PA	1909
PAC0_2U	No. of times participated - other activity (#1)	PA	1910
PAC0_2W	No. of times participated - other activity (#2)	PA	1911
PAC0_2X	No. of times participated - other activity (#3)	PA	1912
PAC0_2Y	No. of times participated - in-line skating or rollerblading	PA	1898
PAC0_3A	Time spent - walking for exercise	PA	1890
PAC0_3B	Time spent - gardening or yard work	PA	1891
PAC0_3C	Time spent - swimming	PA	1892
PAC0_3D	Time spent - bicycling	PA	1893

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 173

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC0_3E	Time spent - popular or social dance	PA	1894
PAC0_3F	Time spent - home exercises	PA	1895
PAC0_3G	Time spent - ice hockey	PA	1896
PAC0_3H	Time spent - ice skating	PA	1897
PAC0_3I	Time spent - downhill skiing	PA	1902
PAC0_3J	Time spent - jogging or running	PA	1899
PAC0_3K	Time spent - golfing	PA	1900
PAC0_3L	Time spent - exercise class or aerobics	PA	1901
PAC0_3N	Time spent - bowling	PA	1903
PAC0_3O	Time spent - baseball or softball	PA	1904
PAC0_3P	Time spent - tennis	PA	1905
PAC0_3Q	Time spent - weight-training	PA	1906
PAC0_3R	Time spent - fishing	PA	1907
PAC0_3S	Time spent - volleyball	PA	1908
PAC0_3T	Time spent - basketball	PA	1909
PAC0_3U	Time spent - other activity (#1)	PA	1910
PAC0_3W	Time spent - other activity (#2)	PA	1911
PAC0_3X	Time spent - other activity (#3)	PA	1912
PAC0_3Y	Time spent - in-line skating or rollerblading	PA	1898
PAC0_4A	Number of hours walking - to work or to school	PA	1913
PAC0_4B	Number of hours biking - to work or to school	PA	1913
PAC0_5	Frequency of bike helmet use	PA	1914
PAC0_6	Level of physical activity for usual day	PA	1914
PAC0DEE	Energy expenditure - (D)	PA	1917
PAC0DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	1916
PAC0DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	1915
PAC0DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	1916
PAC0DLEI	Participant in leisure physical activity - (D)	PA	1915
PAC0DPAI	Physical activity index - (D)	PA	1917
PAC0FC1	Flag for other physical activity (#1)	PA	1887
PAC0FC2	Flag for other physical activity (#2)	PA	1888
PAC0FC3	Flag for other physical activity (#3)	PA	1889
PAC2_1A	Activity in last 3 months - walking for exercise	PA	2434
PAC2_1B	Activity in last 3 months - gardening or yard work	PA	2434
PAC2_1C	Activity in last 3 months - swimming	PA	2435
PAC2_1D	Activity in last 3 months - bicycling	PA	2435

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 174

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC2_1E	Activity in last 3 months - popular or social dance	PA	2436
PAC2_1F	Activity in last 3 months - home exercises	PA	2436
PAC2_1G	Activity in last 3 months - ice hockey	PA	2437
PAC2_1H	Activity in last 3 months - ice skating	PA	2437
PAC2_1I	Activity in last 3 months - downhill skiing or snowboarding	PA	2440
PAC2_1J	Activity in last 3 months - jogging or running	PA	2438
PAC2_1K	Activity in last 3 months - golfing	PA	2439
PAC2_1L	Activity in last 3 months - exercise class or aerobics	PA	2439
PAC2_1N	Activity in last 3 months - bowling	PA	2440
PAC2_1O	Activity in last 3 months - baseball or softball	PA	2441
PAC2_1P	Activity in last 3 months - tennis	PA	2441
PAC2_1Q	Activity in last 3 months - weight-training	PA	2442
PAC2_1R	Activity in last 3 months - fishing	PA	2442
PAC2_1S	Activity in last 3 months - volleyball	PA	2443
PAC2_1T	Activity in last 3 months - basketball	PA	2443
PAC2_1U	Activity in last 3 months - other (#1)	PA	2444
PAC2_1V	Activity in last 3 months - no physical activity	PA	2444
PAC2_1W	Activity in last 3 months - other other activity (#2)	PA	2445
PAC2_1X	Activity in last 3 months - other activity (#3)	PA	2446
PAC2_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	2438
PAC2_2A	No. of times participated - walking for exercise	PA	2447
PAC2_2B	No. of times participated - gardening or yard work	PA	2448
PAC2_2C	No. of times participated - swimming	PA	2449
PAC2_2D	No. of times participated - bicycling	PA	2450
PAC2_2E	No. of times participated - popular or social dance	PA	2451
PAC2_2F	No. of times participated - home exercises	PA	2452
PAC2_2G	No. of times participated - ice hockey	PA	2453
PAC2_2H	No. of times participated - ice skating	PA	2454
PAC2_2I	No. of times participated - downhill skiing or snowboarding	PA	2459
PAC2_2J	No. of times participated - jogging or running	PA	2456
PAC2_2K	No. of times participated - golfing	PA	2457
PAC2_2L	No. of times participated - exercise class or aerobics	PA	2458
PAC2_2N	No. of times participated - bowling	PA	2460
PAC2_2O	No. of times participated - baseball or softball	PA	2461
PAC2_2P	No. of times participated - tennis	PA	2462
PAC2_2Q	No. of times participated - weight-training	PA	2463

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 175

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC2_2R	No. of times participated - fishing	PA	2464
PAC2_2S	No. of times participated - volleyball	PA	2465
PAC2_2T	No. of times participated - basketball	PA	2466
PAC2_2U	No. of times participated - other activity (#1)	PA	2467
PAC2_2W	No. of times participated - other activity (#2)	PA	2468
PAC2_2X	No. of times participated - other activity (#3)	PA	2469
PAC2_2Y	No. of times participated - in-line skating or rollerblading	PA	2455
PAC2_3A	Time spent - walking for exercise	PA	2448
PAC2_3B	Time spent - gardening or yard work	PA	2449
PAC2_3C	Time spent - swimming	PA	2450
PAC2_3D	Time spent - bicycling	PA	2451
PAC2_3E	Time spent - popular or social dance	PA	2452
PAC2_3F	Time spent - home exercises	PA	2453
PAC2_3G	Time spent - ice hockey	PA	2454
PAC2_3H	Time spent - ice skating	PA	2455
PAC2_3I	Time spent - downhill skiing or snowboarding	PA	2460
PAC2_3J	Time spent - jogging or running	PA	2457
PAC2_3K	Time spent - golfing	PA	2458
PAC2_3L	Time spent - exercise class or aerobics	PA	2459
PAC2_3N	Time spent - bowling	PA	2461
PAC2_3O	Time spent - baseball or softball	PA	2462
PAC2_3P	Time spent - tennis	PA	2463
PAC2_3Q	Time spent - weight-training	PA	2464
PAC2_3R	Time spent - fishing	PA	2465
PAC2_3S	Time spent - volleyball	PA	2466
PAC2_3T	Time spent - basketball	PA	2467
PAC2_3U	Time spent - other activity (#1)	PA	2468
PAC2_3W	Time spent - other activity (#2)	PA	2469
PAC2_3X	Time spent - other activity (#3)	PA	2470
PAC2_3Y	Time spent - in-line skating or rollerblading	PA	2456
PAC2_4A	Number of hours walking - to work or to school	PA	2470
PAC2_4B	Number of hours biking - to work or to school	PA	2471
PAC2_5	Frequency of bike helmet use	PA	2471
PAC2_6	Level of physical activity for usual day	PA	2472
PAC2DEE	Energy expenditure - (D)	PA	2474
PAC2DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	2474

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 176

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC2DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	2473
PAC2DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	2473
PAC2DLEI	Participant in leisure physical activity - (D)	PA	2472
PAC2DPAI	Physical activity index - (D)	PA	2475
PAC2FC1	Flag for other physical activity (#1)	PA	2445
PAC2FC2	Flag for other physical activity (#2)	PA	2446
PAC2FC3	Flag for other physical activity (#3)	PA	2447
PAC4_1A	Activity in last 3 months - walking for exercise	PA	217
PAC4_1B	Activity in last 3 months - gardening or yard work	PA	217
PAC4_1C	Activity in last 3 months - swimming	PA	218
PAC4_1D	Activity in last 3 months - bicycling	PA	218
PAC4_1E	Activity in last 3 months - popular or social dance	PA	219
PAC4_1F	Activity in last 3 months - home exercises	PA	219
PAC4_1G	Activity in last 3 months - ice hockey	PA	220
PAC4_1H	Activity in last 3 months - skating	PA	220
PAC4_1I	Activity in last 3 months - downhill skiing	PA	221
PAC4_1J	Activity in last 3 months - jogging or running	PA	221
PAC4_1K	Activity in last 3 months - golfing	PA	222
PAC4_1L	Activity in last 3 months - exercise class or aerobics	PA	222
PAC4_1M	Activity in last 3 months - cross-country skiing	PA	223
PAC4_1N	Activity in last 3 months - bowling	PA	223
PAC4_1O	Activity in last 3 months - baseball or softball	PA	224
PAC4_1P	Activity in last 3 months - tennis	PA	224
PAC4_1Q	Activity in last 3 months - weight-training	PA	225
PAC4_1R	Activity in last 3 months - fishing	PA	225
PAC4_1S	Activity in last 3 months - volleyball	PA	226
PAC4_1U	Activity in last 3 months - other activity (#1)	PA	227
PAC4_1V	Activity in last 3 months - no physical activity	PA	227
PAC4_1W	Activity in last 3 months - other activity (#2)	PA	228
PAC4_1X	Activity in last 3 months - other activity (#3)	PA	229
PAC4_1Z	Activity in last 3 months - yoga or tai-chi	PA	226
PAC4_2A	No. of times participated - walking for exercise	PA	230
PAC4_2B	No. of times participated - gardening or yard work	PA	231
PAC4_2C	No. of times participated - swimming	PA	232
PAC4_2D	No. of times participated - bicycling	PA	233
PAC4_2E	No. of times participated - popular or social dance	PA	234



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 177

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC4_2F	No. of times participated - home exercises	PA	235
PAC4_2G	No. of times participated - ice hockey	PA	236
PAC4_2H	No. of times participated - skating	PA	237
PAC4_2I	No. of times participated - downhill skiing	PA	238
PAC4_2J	No. of times participated - jogging or running	PA	239
PAC4_2K	No. of times participated - golfing	PA	240
PAC4_2L	No. of times participated - exercise class or aerobics	PA	241
PAC4_2M	No. of times participated - cross-country skiing	PA	242
PAC4_2N	No. of times participated - bowling	PA	243
PAC4_2O	No. of times participated - baseball or softball	PA	244
PAC4_2P	No. of times participated - tennis	PA	245
PAC4_2Q	No. of times participated - weight-training	PA	246
PAC4_2R	No. of times participated - fishing	PA	247
PAC4_2S	No. of times participated - volleyball	PA	248
PAC4_2U	No. of times participated - other activity (#1)	PA	250
PAC4_2W	No. of times participated - other activity (#2)	PA	251
PAC4_2X	No. of times participated - other activity (#3)	PA	252
PAC4_2Z	No. of times participated - yoga or tai-chi	PA	249
PAC4_3A	Time spent - walking for exercise	PA	230
PAC4_3B	Time spent - gardening or yard work	PA	231
PAC4_3C	Time spent - swimming	PA	232
PAC4_3D	Time spent - bicycling	PA	233
PAC4_3E	Time spent - popular or social dance	PA	234
PAC4_3F	Time spent - home exercises	PA	235
PAC4_3G	Time spent - ice hockey	PA	236
PAC4_3H	Time spent - skating	PA	237
PAC4_3I	Time spent - downhill skiing	PA	238
PAC4_3J	Time spent - jogging or running	PA	239
PAC4_3K	Time spent - golfing	PA	240
PAC4_3L	Time spent - exercise class or aerobics	PA	241
PAC4_3M	Time spent - cross-country skiing	PA	242
PAC4_3N	Time spent - bowling	PA	243
PAC4_3O	Time spent - baseball or softball	PA	244
PAC4_3P	Time spent - tennis	PA	245
PAC4_3Q	Time spent - weight-training	PA	246
PAC4_3R	Time spent - fishing	PA	247

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 178

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC4_3S	Time spent - volleyball	PA	248
PAC4_3U	Time spent - other activity (#1)	PA	250
PAC4_3W	Time spent - other activity (#2)	PA	251
PAC4_3X	Time spent - other activity (#3)	PA	252
PAC4_3Z	Time spent - yoga or tai-chi	PA	249
PAC4_4A	Number of hours walking - to work or to school	PA	253
PAC4_4B	Number of hours biking - to work or to school	PA	254
PAC4_5	Frequency of bike helmet use	PA	254
PAC4_6	Level of physical activity for usual day	PA	255
PAC4DEE	Energy expenditure - (D)	PA	255
PAC4DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	257
PAC4DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	256
PAC4DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	257
PAC4DLEI	Participant in leisure physical activity - (D)	PA	256
PAC4DPAI	Physical activity index - (D)	PA	258
PAC4FC1	Flag for other physical activity (#1)	PA	228
PAC4FC2	Flag for other physical activity (#2)	PA	228
PAC4FC3	Flag for other physical activity (#3)	PA	229
PAC6_1A	Activity in last 3 months - walking for exercise	PA	896
PAC6_1B	Activity in last 3 months - gardening or yard work	PA	896
PAC6_1C	Activity in last 3 months - swimming	PA	897
PAC6_1D	Activity in last 3 months - bicycling	PA	897
PAC6_1E	Activity in last 3 months - popular or social dance	PA	898
PAC6_1F	Activity in last 3 months - home exercises	PA	898
PAC6_1G	Activity in last 3 months - ice hockey	PA	899
PAC6_1H	Activity in last 3 months - ice skating	PA	899
PAC6_1I	Activity in last 3 months - downhill skiing	PA	900
PAC6_1J	Activity in last 3 months - jogging or running	PA	900
PAC6_1K	Activity in last 3 months - golfing	PA	901
PAC6_1L	Activity in last 3 months - exercise class or aerobics	PA	901
PAC6_1M	Activity in last 3 months - cross-country skiing	PA	902
PAC6_1N	Activity in last 3 months - bowling	PA	902
PAC6_1O	Activity in last 3 months - baseball or softball	PA	903
PAC6_1P	Activity in last 3 months - tennis	PA	903
PAC6_1Q	Activity in last 3 months - weight-training	PA	904
PAC6_1R	Activity in last 3 months - fishing	PA	904

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 179

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC6_1S	Activity in last 3 months - volleyball	PA	905
PAC6_1T	Activity in last 3 months - basketball	PA	905
PAC6_1U	Activity in last 3 months - other activity (#1)	PA	906
PAC6_1V	Activity in last 3 months - no physical activity	PA	906
PAC6_1W	Activity in last 3 months - other activity (#2)	PA	907
PAC6_1X	Activity in last 3 months - other activity (#3)	PA	908
PAC6_2A	No. of times participated - walking for exercise	PA	909
PAC6_2B	No. of times participated - gardening or yard work	PA	910
PAC6_2C	No. of times participated - swimming	PA	911
PAC6_2D	No. of times participated - bicycling	PA	912
PAC6_2E	No. of times participated - popular or social dance	PA	913
PAC6_2F	No. of times participated - home exercises	PA	914
PAC6_2G	No. of times participated - ice hockey	PA	915
PAC6_2H	No. of times participated - ice skating	PA	916
PAC6_2I	No. of times participated - downhill skiing	PA	917
PAC6_2J	No. of times participated - jogging or running	PA	918
PAC6_2K	No. of times participated - golfing	PA	919
PAC6_2L	No. of times participated - exercise class or aerobics	PA	920
PAC6_2M	No. of times participated - cross-country skiing	PA	921
PAC6_2N	No. of times participated - bowling	PA	922
PAC6_2O	No. of times participated - baseball or softball	PA	923
PAC6_2P	No. of times participated - tennis	PA	924
PAC6_2Q	No. of times participated - weight-training	PA	925
PAC6_2R	No. of times participated - fishing	PA	926
PAC6_2S	No. of times participated - volleyball	PA	927
PAC6_2T	No. of times participated - basketball	PA	928
PAC6_2U	No. of times participated - other activity (#1)	PA	929
PAC6_2W	No. of times participated - other activity (#2)	PA	930
PAC6_2X	No. of times participated - other activity (#3)	PA	931
PAC6_3A	Time spent - walking for exercise	PA	909
PAC6_3B	Time spent - gardening or yard work	PA	910
PAC6_3C	Time spent - swimming	PA	911
PAC6_3D	Time spent - bicycling	PA	912
PAC6_3E	Time spent - popular or social dance	PA	913
PAC6_3F	Time spent - home exercises	PA	914
PAC6_3G	Time spent - ice hockey	PA	915

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
PAC6_3H	Time spent - ice skating	PA	916
PAC6_3I	Time spent - downhill skiing	PA	917
PAC6_3J	Time spent - jogging or running	PA	918
PAC6_3K	Time spent - golfing	PA	919
PAC6_3L	Time spent - exercise class or aerobics	PA	920
PAC6_3M	Time spent - cross-country skiing	PA	921
PAC6_3N	Time spent - bowling	PA	922
PAC6_3O	Time spent - baseball or softball	PA	923
PAC6_3P	Time spent - tennis	PA	924
PAC6_3Q	Time spent - weight-training	PA	925
PAC6_3R	Time spent - fishing	PA	926
PAC6_3S	Time spent - volleyball	PA	927
PAC6_3T	Time spent - basketball	PA	928
PAC6_3U	Time spent - other activity (#1)	PA	929
PAC6_3W	Time spent - other activity (#2)	PA	930
PAC6_3X	Time spent - other activity (#3)	PA	931
PAC6_4A	Number of hours walking - to work or to school	PA	932
PAC6_4B	Number of hours biking - to work or to school	PA	932
PAC6_5	Frequency of bike helmet use	PA	933
PAC6_6	Level of physical activity for usual day	PA	933
PAC6DEE	Energy expenditure - (D)	PA	934
PAC6DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	936
PAC6DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	935
PAC6DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	935
PAC6DLEI	Participant in leisure physical activity - (D)	PA	934
PAC6DPAI	Physical activity index - (D)	PA	936
PAC6FC1	Flag for other physical activity (#1)	PA	907
PAC6FC2	Flag for other physical activity (#2)	PA	907
PAC6FC3	Flag for other physical activity (#3)	PA	908
PAC8_1A	Activity in last 3 months - walking for exercise	PA	1506
PAC8_1B	Activity in last 3 months - gardening or yard work	PA	1506
PAC8_1C	Activity in last 3 months - swimming	PA	1507
PAC8_1D	Activity in last 3 months - bicycling	PA	1507
PAC8_1E	Activity in last 3 months - popular or social dance	PA	1508
PAC8_1F	Activity in last 3 months - home exercises	PA	1508
PAC8_1G	Activity in last 3 months - ice hockey	PA	1509

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 181

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC8_1H	Activity in last 3 months - ice skating	PA	1509
PAC8_1I	Activity in last 3 months - downhill skiing	PA	1512
PAC8_1J	Activity in last 3 months - jogging or running	PA	1510
PAC8_1K	Activity in last 3 months - golfing	PA	1511
PAC8_1L	Activity in last 3 months - exercise class or aerobics	PA	1511
PAC8_1N	Activity in last 3 months - bowling	PA	1512
PAC8_1O	Activity in last 3 months - baseball or softball	PA	1513
PAC8_1P	Activity in last 3 months - tennis	PA	1513
PAC8_1Q	Activity in last 3 months - weight-training	PA	1514
PAC8_1R	Activity in last 3 months - fishing	PA	1514
PAC8_1S	Activity in last 3 months - volleyball	PA	1515
PAC8_1T	Activity in last 3 months - basketball	PA	1515
PAC8_1U	Activity in last 3 months - other activity (#1)	PA	1516
PAC8_1V	Activity in last 3 months - no physical activity	PA	1516
PAC8_1W	Activity in last 3 months - other activity (#2)	PA	1517
PAC8_1X	Activity in last 3 months - other activity (#3)	PA	1518
PAC8_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	1510
PAC8_2A	No. of times participated - walking for exercise	PA	1519
PAC8_2B	No. of times participated - gardening or yard work	PA	1520
PAC8_2C	No. of times participated - swimming	PA	1521
PAC8_2D	No. of times participated - bicycling	PA	1522
PAC8_2E	No. of times participated - popular or social dance	PA	1523
PAC8_2F	No. of times participated - home exercises	PA	1524
PAC8_2G	No. of times participated - ice hockey	PA	1525
PAC8_2H	No. of times participated - ice skating	PA	1526
PAC8_2I	No. of times participated - downhill skiing	PA	1531
PAC8_2J	No. of times participated - jogging or running	PA	1528
PAC8_2K	No. of times participated - golfing	PA	1529
PAC8_2L	No. of times participated - exercise class or aerobics	PA	1530
PAC8_2N	No. of times participated - bowling	PA	1532
PAC8_2O	No. of times participated - baseball or softball	PA	1533
PAC8_2P	No. of times participated - tennis	PA	1534
PAC8_2Q	No. of times participated - weight-training	PA	1535
PAC8_2R	No. of times participated - fishing	PA	1536
PAC8_2S	No. of times participated - volleyball	PA	1537
PAC8_2T	No. of times participated - basketball	PA	1538

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 182

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC8_2U	No. of times participated - other activity (#1)	PA	1539
PAC8_2W	No. of times participated - other activity (#2)	PA	1540
PAC8_2X	No. of times participated - other activity (#3)	PA	1541
PAC8_2Y	No. of times participated - in-line skating or rollerblading	PA	1527
PAC8_3A	Time spent - walking for exercise	PA	1519
PAC8_3B	Time spent - gardening or yard work	PA	1520
PAC8_3C	Time spent - swimming	PA	1521
PAC8_3D	Time spent - bicycling	PA	1522
PAC8_3E	Time spent - popular or social dance	PA	1523
PAC8_3F	Time spent - home exercises	PA	1524
PAC8_3G	Time spent - ice hockey	PA	1525
PAC8_3H	Time spent - ice skating	PA	1526
PAC8_3I	Time spent - downhill skiing	PA	1531
PAC8_3J	Time spent - jogging or running	PA	1528
PAC8_3K	Time spent - golfing	PA	1529
PAC8_3L	Time spent - exercise class or aerobics	PA	1530
PAC8_3N	Time spent - bowling	PA	1532
PAC8_3O	Time spent - baseball or softball	PA	1533
PAC8_3P	Time spent - tennis	PA	1534
PAC8_3Q	Time spent - weight-training	PA	1535
PAC8_3R	Time spent - fishing	PA	1536
PAC8_3S	Time spent - volleyball	PA	1537
PAC8_3T	Time spent - basketball	PA	1538
PAC8_3U	Time spent - other activity (#1)	PA	1539
PAC8_3W	Time spent - other activity (#2)	PA	1540
PAC8_3X	Time spent - other activity (#3)	PA	1541
PAC8_3Y	Time spent - in-line skating or rollerblading	PA	1527
PAC8_4A	Number of hours walking - to work or to school	PA	1542
PAC8_4B	Number of hours biking - to work or to school	PA	1542
PAC8_5	Frequency of bike helmet use	PA	1543
PAC8_6	Level of physical activity for usual day	PA	1543
PAC8DEE	Energy expenditure - (D)	PA	1546
PAC8DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	1545
PAC8DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	1544
PAC8DFR	Freq. of all physical activity lasting >15 min. - (D)	PA	1545
PAC8DLEI	Participant in leisure physical activity - (D)	PA	1544

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 183

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PAC8DPAI	Physical activity index - (D)	PA	1546
PAC8FC1	Flag for other physical activity (#1)	PA	1517
PAC8FC2	Flag for other physical activity (#2)	PA	1517
PAC8FC3	Flag for other physical activity (#3)	PA	1518
PACA_1A	Activity in last 3 months - walking for exercise	PA	2965
PACA_1B	Activity in last 3 months - gardening or yard work	PA	2966
PACA_1C	Activity in last 3 months - swimming	PA	2966
PACA_1D	Activity in last 3 months - bicycling	PA	2967
PACA_1E	Activity in last 3 months - popular or social dance	PA	2967
PACA_1F	Activity in last 3 months - home exercises	PA	2968
PACA_1G	Activity in last 3 months - ice hockey	PA	2968
PACA_1H	Activity in last 3 months - ice skating	PA	2969
PACA_1I	Activity in last 3 months - downhill skiing or snowboarding	PA	2971
PACA_1J	Activity in last 3 months - jogging or running	PA	2970
PACA_1K	Activity in last 3 months - golfing	PA	2970
PACA_1L	Activity in last 3 months - exercise class or aerobics	PA	2971
PACA_1N	Activity in last 3 months - bowling	PA	2972
PACA_1O	Activity in last 3 months - baseball or softball	PA	2972
PACA_1P	Activity in last 3 months - tennis	PA	2973
PACA_1Q	Activity in last 3 months - weight-training	PA	2973
PACA_1R	Activity in last 3 months - fishing	PA	2974
PACA_1S	Activity in last 3 months - volleyball	PA	2974
PACA_1T	Activity in last 3 months - basketball	PA	2975
PACA_1U	Activity in last 3 months - other (#1)	PA	2975
PACA_1V	Activity in last 3 months - no physical activity	PA	2976
PACA_1W	Activity in last 3 months - other other activity (#2)	PA	2977
PACA_1X	Activity in last 3 months - other activity (#3)	PA	2978
PACA_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	2969
PACA_2A	No. of times participated - walking for exercise	PA	2979
PACA_2B	No. of times participated - gardening or yard work	PA	2980
PACA_2C	No. of times participated - swimming	PA	2981
PACA_2D	No. of times participated - bicycling	PA	2982
PACA_2E	No. of times participated - popular or social dance	PA	2983
PACA_2F	No. of times participated - home exercises	PA	2984
PACA_2G	No. of times participated - ice hockey	PA	2985
PACA_2H	No. of times participated - ice skating	PA	2986

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 184

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACA_2I	No. of times participated - downhill skiing or snowboarding	PA	2991
PACA_2J	No. of times participated - jogging or running	PA	2988
PACA_2K	No. of times participated - golfing	PA	2989
PACA_2L	No. of times participated - exercise class or aerobics	PA	2990
PACA_2N	No. of times participated - bowling	PA	2992
PACA_2O	No. of times participated - baseball or softball	PA	2993
PACA_2P	No. of times participated - tennis	PA	2994
PACA_2Q	No. of times participated - weight-training	PA	2995
PACA_2R	No. of times participated - fishing	PA	2996
PACA_2S	No. of times participated - volleyball	PA	2997
PACA_2T	No. of times participated - basketball	PA	2998
PACA_2U	No. of times participated - other activity (#1)	PA	2999
PACA_2W	No. of times participated - other activity (#2)	PA	3000
PACA_2X	No. of times participated - other activity (#3)	PA	3001
PACA_2Y	No. of times participated - in-line skating or rollerblading	PA	2987
PACA_3A	Time spent - walking for exercise	PA	2979
PACA_3B	Time spent - gardening or yard work	PA	2980
PACA_3C	Time spent - swimming	PA	2981
PACA_3D	Time spent - bicycling	PA	2982
PACA_3E	Time spent - popular or social dance	PA	2983
PACA_3F	Time spent - home exercises	PA	2984
PACA_3G	Time spent - ice hockey	PA	2985
PACA_3H	Time spent - ice skating	PA	2986
PACA_3I	Time spent - downhill skiing or snowboarding	PA	2991
PACA_3J	Time spent - jogging or running	PA	2988
PACA_3K	Time spent - golfing	PA	2989
PACA_3L	Time spent - exercise class or aerobics	PA	2990
PACA_3N	Time spent - bowling	PA	2992
PACA_3O	Time spent - baseball or softball	PA	2993
PACA_3P	Time spent - tennis	PA	2994
PACA_3Q	Time spent - weight-training	PA	2995
PACA_3R	Time spent - fishing	PA	2996
PACA_3S	Time spent - volleyball	PA	2997
PACA_3T	Time spent - basketball	PA	2998
PACA_3U	Time spent - other activity (#1)	PA	2999
PACA_3W	Time spent - other activity (#2)	PA	3000



# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 185

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACA_3X	Time spent - other activity (#3)	PA	3001
PACA_3Y	Time spent - in-line skating or rollerblading	PA	2987
PACA_4A	Number of hours walking - to work or to school	PA	3002
PACA_4B	Number of hours biking - to work or to school	PA	3002
PACA_5	Frequency of bike helmet use	PA	3003
PACA_6	Level of physical activity for usual day	PA	3003
PACADEE	Energy expenditure - (D)	PA	3006
PACADFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	3005
PACADFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	3004
PACADFR	Freq. of all physical activity lasting >15 min. - (D)	PA	3005
PACADLEI	Participant in leisure physical activity - (D)	PA	3004
PACADPAI	Physical activity index - (D)	PA	3006
PACAFC1	Flag for other physical activity (#1)	PA	2976
PACAFC2	Flag for other physical activity (#2)	PA	2977
PACAFC3	Flag for other physical activity (#3)	PA	2978
PACB_1A	Activity in last 3 months - walking for exercise	PA	3506
PACB_1B	Activity in last 3 months - gardening or yard work	PA	3507
PACB_1C	Activity in last 3 months - swimming	PA	3507
PACB_1D	Activity in last 3 months - bicycling	PA	3508
PACB_1E	Activity in last 3 months - popular or social dance	PA	3508
PACB_1F	Activity in last 3 months - home exercises	PA	3509
PACB_1G	Activity in last 3 months - ice hockey	PA	3509
PACB_1H	Activity in last 3 months - ice skating	PA	3510
PACB_1I	Activity in last 3 months - downhill skiing or snowboarding	PA	3512
PACB_1J	Activity in last 3 months - jogging or running	PA	3511
PACB_1K	Activity in last 3 months - golfing	PA	3511
PACB_1L	Activity in last 3 months - exercise class or aerobics	PA	3512
PACB_1N	Activity in last 3 months - bowling	PA	3513
PACB_1O	Activity in last 3 months - baseball or softball	PA	3513
PACB_1P	Activity in last 3 months - tennis	PA	3514
PACB_1Q	Activity in last 3 months - weight-training	PA	3514
PACB_1R	Activity in last 3 months - fishing	PA	3515
PACB_1S	Activity in last 3 months - volleyball	PA	3515
PACB_1T	Activity in last 3 months - basketball	PA	3516
PACB_1U	Activity in last 3 months - other (#1)	PA	3516
PACB_1V	Activity in last 3 months - no physical activity	PA	3517

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 186

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACB_1W	Activity in last 3 months - other other activity (#2)	PA	3518
PACB_1X	Activity in last 3 months - other activity (#3)	PA	3519
PACB_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	3510
PACB_2A	No. of times participated - walking for exercise	PA	3520
PACB_2B	No. of times participated - gardening or yard work	PA	3521
PACB_2C	No. of times participated - swimming	PA	3522
PACB_2D	No. of times participated - bicycling	PA	3523
PACB_2E	No. of times participated - popular or social dance	PA	3524
PACB_2F	No. of times participated - home exercises	PA	3525
PACB_2G	No. of times participated - ice hockey	PA	3526
PACB_2H	No. of times participated - ice skating	PA	3527
PACB_2I	No. of times participated - downhill skiing or snowboarding	PA	3532
PACB_2J	No. of times participated - jogging or running	PA	3529
PACB_2K	No. of times participated - golfing	PA	3530
PACB_2L	No. of times participated - exercise class or aerobics	PA	3531
PACB_2N	No. of times participated - bowling	PA	3533
PACB_2O	No. of times participated - baseball or softball	PA	3534
PACB_2P	No. of times participated - tennis	PA	3535
PACB_2Q	No. of times participated - weight-training	PA	3536
PACB_2R	No. of times participated - fishing	PA	3537
PACB_2S	No. of times participated - volleyball	PA	3538
PACB_2T	No. of times participated - basketball	PA	3539
PACB_2U	No. of times participated - other activity (#1)	PA	3540
PACB_2W	No. of times participated - other activity (#2)	PA	3541
PACB_2X	No. of times participated - other activity (#3)	PA	3542
PACB_2Y	No. of times participated - in-line skating or rollerblading	PA	3528
PACB_3A	Time spent - walking for exercise	PA	3520
PACB_3B	Time spent - gardening or yard work	PA	3521
PACB_3C	Time spent - swimming	PA	3522
PACB_3D	Time spent - bicycling	PA	3523
PACB_3E	Time spent - popular or social dance	PA	3524
PACB_3F	Time spent - home exercises	PA	3525
PACB_3G	Time spent - ice hockey	PA	3526
PACB_3H	Time spent - ice skating	PA	3527
PACB_3I	Time spent - downhill skiing or snowboarding	PA	3532
PACB_3J	Time spent - jogging or running	PA	3529

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 187

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACB_3K	Time spent - golfing	PA	3530
PACB_3L	Time spent - exercise class or aerobics	PA	3531
PACB_3N	Time spent - bowling	PA	3533
PACB_3O	Time spent - baseball or softball	PA	3534
PACB_3P	Time spent - tennis	PA	3535
PACB_3Q	Time spent - weight-training	PA	3536
PACB_3R	Time spent - fishing	PA	3537
PACB_3S	Time spent - volleyball	PA	3538
PACB_3T	Time spent - basketball	PA	3539
PACB_3U	Time spent - other activity (#1)	PA	3540
PACB_3W	Time spent - other activity (#2)	PA	3541
PACB_3X	Time spent - other activity (#3)	PA	3542
PACB_3Y	Time spent - in-line skating or rollerblading	PA	3528
PACB_4A	Number of hours walking - to work or to school	PA	3543
PACB_4B	Number of hours biking - to work or to school	PA	3544
PACB_5	Frequency of bike helmet use	PA	3544
PACB_6	Level of physical activity for usual day	PA	3545
PACBDEE	Energy expenditure - (D)	PA	3547
PACBDFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	3547
PACBDFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	3546
PACBDFR	Freq. of all physical activity lasting >15 min. - (D)	PA	3546
PACBDLEI	Participant in leisure physical activity - (D)	PA	3545
PACBDPAI	Physical activity index - (D)	PA	3548
PACBFC1	Flag for other physical activity (#1)	PA	3517
PACBFC2	Flag for other physical activity (#2)	PA	3518
PACBFC3	Flag for other physical activity (#3)	PA	3519
PACC_1A	Activity in last 3 months - walking for exercise	PA	4043
PACC_1B	Activity in last 3 months - gardening or yard work	PA	4043
PACC_1C	Activity in last 3 months - swimming	PA	4044
PACC_1D	Activity in last 3 months - bicycling	PA	4044
PACC_1E	Activity in last 3 months - popular or social dance	PA	4045
PACC_1F	Activity in last 3 months - home exercises	PA	4045
PACC_1G	Activity in last 3 months - ice hockey	PA	4046
PACC_1H	Activity in last 3 months - ice skating	PA	4046
PACC_1I	Activity in last 3 months - downhill skiing or snowboarding	PA	4049
PACC_1J	Activity in last 3 months - jogging or running	PA	4047

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 188

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACC_1K	Activity in last 3 months - golfing	PA	4048
PACC_1L	Activity in last 3 months - exercise class or aerobics	PA	4048
PACC_1N	Activity in last 3 months - bowling	PA	4049
PACC_1O	Activity in last 3 months - baseball or softball	PA	4050
PACC_1P	Activity in last 3 months - tennis	PA	4050
PACC_1Q	Activity in last 3 months - weight-training	PA	4051
PACC_1R	Activity in last 3 months - fishing	PA	4051
PACC_1S	Activity in last 3 months - volleyball	PA	4052
PACC_1T	Activity in last 3 months - basketball	PA	4052
PACC_1U	Activity in last 3 months - other (#1)	PA	4053
PACC_1V	Activity in last 3 months - no physical activity	PA	4053
PACC_1W	Activity in last 3 months - other other activity (#2)	PA	4054
PACC_1X	Activity in last 3 months - other activity (#3)	PA	4055
PACC_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	4047
PACC_2A	No. of times participated - walking for exercise	PA	4056
PACC_2B	No. of times participated - gardening or yard work	PA	4057
PACC_2C	No. of times participated - swimming	PA	4058
PACC_2D	No. of times participated - bicycling	PA	4059
PACC_2E	No. of times participated - popular or social dance	PA	4060
PACC_2F	No. of times participated - home exercises	PA	4061
PACC_2G	No. of times participated - ice hockey	PA	4062
PACC_2H	No. of times participated - ice skating	PA	4063
PACC_2I	No. of times participated - downhill skiing or snowboarding	PA	4068
PACC_2J	No. of times participated - jogging or running	PA	4065
PACC_2K	No. of times participated - golfing	PA	4066
PACC_2L	No. of times participated - exercise class or aerobics	PA	4067
PACC_2N	No. of times participated - bowling	PA	4069
PACC_2O	No. of times participated - baseball or softball	PA	4070
PACC_2P	No. of times participated - tennis	PA	4071
PACC_2Q	No. of times participated - weight-training	PA	4072
PACC_2R	No. of times participated - fishing	PA	4073
PACC_2S	No. of times participated - volleyball	PA	4074
PACC_2T	No. of times participated - basketball	PA	4075
PACC_2U	No. of times participated - other activity (#1)	PA	4076
PACC_2W	No. of times participated - other activity (#2)	PA	4077
PACC_2X	No. of times participated - other activity (#3)	PA	4078

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 189

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACC_2Y	No. of times participated - in-line skating or rollerblading	PA	4064
PACC_3A	Time spent - walking for exercise	PA	4056
PACC_3B	Time spent - gardening or yard work	PA	4057
PACC_3C	Time spent - swimming	PA	4058
PACC_3D	Time spent - bicycling	PA	4059
PACC_3E	Time spent - popular or social dance	PA	4060
PACC_3F	Time spent - home exercises	PA	4061
PACC_3G	Time spent - ice hockey	PA	4062
PACC_3H	Time spent - ice skating	PA	4063
PACC_3I	Time spent - downhill skiing or snowboarding	PA	4068
PACC_3J	Time spent - jogging or running	PA	4065
PACC_3K	Time spent - golfing	PA	4066
PACC_3L	Time spent - exercise class or aerobics	PA	4067
PACC_3N	Time spent - bowling	PA	4069
PACC_3O	Time spent - baseball or softball	PA	4070
PACC_3P	Time spent - tennis	PA	4071
PACC_3Q	Time spent - weight-training	PA	4072
PACC_3R	Time spent - fishing	PA	4073
PACC_3S	Time spent - volleyball	PA	4074
PACC_3T	Time spent - basketball	PA	4075
PACC_3U	Time spent - other activity (#1)	PA	4076
PACC_3W	Time spent - other activity (#2)	PA	4077
PACC_3X	Time spent - other activity (#3)	PA	4078
PACC_3Y	Time spent - in-line skating or rollerblading	PA	4064
PACC_4A	Number of hours walking - to work or to school	PA	4079
PACC_4B	Number of hours biking - to work or to school	PA	4080
PACC_5	Frequency of bike helmet use	PA	4080
PACC_6	Level of physical activity for usual day	PA	4081
PACCDDEE	Energy expenditure - (D)	PA	4083
PACCDDFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	4083
PACCDDFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	4082
PACCDDFR	Freq. of all physical activity lasting >15 min. - (D)	PA	4082
PACCDLEI	Participant in leisure physical activity - (D)	PA	4081
PACCDPAI	Physical activity index - (D)	PA	4084
PACCFC1	Flag for other physical activity (#1)	PA	4054
PACCFC2	Flag for other physical activity (#2)	PA	4055

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 190

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACCF3	Flag for other physical activity (#3)	PA	4055
PACD_1A	Activity in last 3 months - walking for exercise	PA	4582
PACD_1B	Activity in last 3 months - gardening or yard work	PA	4582
PACD_1C	Activity in last 3 months - swimming	PA	4583
PACD_1D	Activity in last 3 months - bicycling	PA	4583
PACD_1E	Activity in last 3 months - popular or social dance	PA	4584
PACD_1F	Activity in last 3 months - home exercises	PA	4584
PACD_1G	Activity in last 3 months - ice hockey	PA	4585
PACD_1H	Activity in last 3 months - ice skating	PA	4585
PACD_1I	Activity in last 3 months - downhill skiing or snowboarding	PA	4588
PACD_1J	Activity in last 3 months - jogging or running	PA	4586
PACD_1K	Activity in last 3 months - golfing	PA	4587
PACD_1L	Activity in last 3 months - exercise class or aerobics	PA	4587
PACD_1N	Activity in last 3 months - bowling	PA	4588
PACD_1O	Activity in last 3 months - baseball or softball	PA	4589
PACD_1P	Activity in last 3 months - tennis	PA	4589
PACD_1Q	Activity in last 3 months - weight-training	PA	4590
PACD_1R	Activity in last 3 months - fishing	PA	4590
PACD_1S	Activity in last 3 months - volleyball	PA	4591
PACD_1T	Activity in last 3 months - basketball	PA	4591
PACD_1U	Activity in last 3 months - other (#1)	PA	4592
PACD_1V	Activity in last 3 months - no physical activity	PA	4592
PACD_1W	Activity in last 3 months - other other activity (#2)	PA	4593
PACD_1X	Activity in last 3 months - other activity (#3)	PA	4594
PACD_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	4586
PACD_2A	No. of times participated - walking for exercise	PA	4595
PACD_2B	No. of times participated - gardening or yard work	PA	4596
PACD_2C	No. of times participated - swimming	PA	4597
PACD_2D	No. of times participated - bicycling	PA	4598
PACD_2E	No. of times participated - popular or social dance	PA	4599
PACD_2F	No. of times participated - home exercises	PA	4600
PACD_2G	No. of times participated - ice hockey	PA	4601
PACD_2H	No. of times participated - ice skating	PA	4602
PACD_2I	No. of times participated - downhill skiing or snowboarding	PA	4607
PACD_2J	No. of times participated - jogging or running	PA	4604
PACD_2K	No. of times participated - golfing	PA	4605

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 191

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACD_2L	No. of times participated - exercise class or aerobics	PA	4606
PACD_2N	No. of times participated - bowling	PA	4608
PACD_2O	No. of times participated - baseball or softball	PA	4609
PACD_2P	No. of times participated - tennis	PA	4610
PACD_2Q	No. of times participated - weight-training	PA	4611
PACD_2R	No. of times participated - fishing	PA	4612
PACD_2S	No. of times participated - volleyball	PA	4613
PACD_2T	No. of times participated - basketball	PA	4614
PACD_2U	No. of times participated - other activity (#1)	PA	4615
PACD_2W	No. of times participated - other activity (#2)	PA	4616
PACD_2X	No. of times participated - other activity (#3)	PA	4617
PACD_2Y	No. of times participated - in-line skating or rollerblading	PA	4603
PACD_3A	Time spent - walking for exercise	PA	4595
PACD_3B	Time spent - gardening or yard work	PA	4596
PACD_3C	Time spent - swimming	PA	4597
PACD_3D	Time spent - bicycling	PA	4598
PACD_3E	Time spent - popular or social dance	PA	4599
PACD_3F	Time spent - home exercises	PA	4600
PACD_3G	Time spent - ice hockey	PA	4601
PACD_3H	Time spent - ice skating	PA	4602
PACD_3I	Time spent - downhill skiing or snowboarding	PA	4607
PACD_3J	Time spent - jogging or running	PA	4604
PACD_3K	Time spent - golfing	PA	4605
PACD_3L	Time spent - exercise class or aerobics	PA	4606
PACD_3N	Time spent - bowling	PA	4608
PACD_3O	Time spent - baseball or softball	PA	4609
PACD_3P	Time spent - tennis	PA	4610
PACD_3Q	Time spent - weight-training	PA	4611
PACD_3R	Time spent - fishing	PA	4612
PACD_3S	Time spent - volleyball	PA	4613
PACD_3T	Time spent - basketball	PA	4614
PACD_3U	Time spent - other activity (#1)	PA	4615
PACD_3W	Time spent - other activity (#2)	PA	4616
PACD_3X	Time spent - other activity (#3)	PA	4617
PACD_3Y	Time spent - in-line skating or rollerblading	PA	4603
PACD_4A	Number of hours walking - to work or to school	PA	4618

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 192

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PACD_4B	Number of hours biking - to work or to school	PA	4619
PACD_5	Frequency of bike helmet use	PA	4619
PACD_6	Level of physical activity for usual day	PA	4620
PACDDEE	Energy expenditure - (D)	PA	4622
PACDDFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	4622
PACDDFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	4621
PACDDFR	Freq. of all physical activity lasting >15 min. - (D)	PA	4621
PACDDLEI	Participant in leisure physical activity - (D)	PA	4620
PACDDPAI	Physical activity index - (D)	PA	4623
PACDFC1	Flag for other physical activity (#1)	PA	4593
PACDFC2	Flag for other physical activity (#2)	PA	4594
PACDFC3	Flag for other physical activity (#3)	PA	4594
PC_6_40	Physical check-up - without a health problem	PC	790
PC_6_41	Physical check-up - during visit for health problem	PC	791
PC_6_42	Physical check up - last time	PC	791
PC_6_42A	Frequency of physical check-ups	PC	792
PC_6_43A	Gets physical check-up - family history	PC	792
PC_6_43B	Gets physical check-up - testing	PC	793
PC_6_43C	Gets physical check-up - required for job, etc.	PC	793
PC_6_43D	Gets physical check-up - make sure everything OK	PC	794
PC_6_43E	Gets physical check-up - catch problems early	PC	794
PC_6_43F	Gets physical check-up - for prevention	PC	795
PC_6_43G	Gets physical check-up - for health reasons	PC	795
PC_6_43H	Gets physical check-up - other reason	PC	796
PC_6_44	Had problems obtaining physical check-up	PC	796
PC_6_45A	Phys. check-up - not available when required	PC	797
PC_6_45B	Phys. check-up - not available in area	PC	797
PC_6_45C	Phys. check-up - waiting time too long	PC	798
PC_6_45D	Phys. check-up - transportation problems	PC	798
PC_6_45E	Phys. check-up - language problem	PC	799
PC_6_45F	Phys. check-up - cost	PC	799
PC_6_45G	Phys. check-up - did not know where to go	PC	800
PC_6_45H	Phys. check-up - other problem	PC	800
PC_6_46A	No phys. check-up - have not gotten around to it	PC	801
PC_6_46B	No phys. check-up - respondent didn't think necessary	PC	801
PC_6_46C	No phys. check-up - doctor didn't think necessary	PC	802



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 193

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PC_6_46D	No phys. check-up - personal or family responsibilities	PC	802
PC_6_46E	No phys. check-up - not available when required	PC	803
PC_6_46F	No phys. check-up - not available in area	PC	803
PC_6_46G	No phys. check-up - waiting time too long	PC	804
PC_6_46H	No phys. check-up - transportation problems	PC	804
PC_6_46I	No phys. check-up - language problem	PC	805
PC_6_46J	No phys. check-up - cost	PC	805
PC_6_46K	No phys. check-up - did not know where to go	PC	806
PC_6_46L	No phys. check-up - fear	PC	806
PC_6_46M	No phys. check-up - other reason	PC	807
PERSONID	Number identifying the person in the household	AM	1
PHC0_1	Ever had blood pressure taken	PH	1733
PHC0_1B	Last time blood pressure was taken	PH	1733
PHC0_2	Ever had PAP smear test	PH	1734
PHC0_2B	Last time had PAP smear test	PH	1734
PHC0_3	Ever had mammogram	PH	1735
PHC0_3B	Last time mammogram was done	PH	1735
PHC0_3CA	Had mammogram - family history	PH	1736
PHC0_3CB	Had mammogram - regular check-up	PH	1736
PHC0_3CC	Had mammogram - age	PH	1737
PHC0_3CD	Had mammogram - previously detected lump	PH	1737
PHC0_3CE	Had mammogram - follow-up treatment	PH	1738
PHC0_3CF	Had mammogram - on hormone replacement therapy	PH	1738
PHC0_3CG	Had mammogram - breast problem	PH	1739
PHC0_3CH	Had mammogram - other reason	PH	1739
PHC0_4	Gave birth since last interview	PH	1740
PHC0_4A	Used services of a doctor or midwife	PH	1740
PHC0_4B	Currently pregnant	PH	1741
PHC0_5	Had a hysterectomy	PH	1741
PHC0_5B	Age had a hysterectomy	PH	1742
PHC0_5CA	Reason had a hysterectomy - cancer treatment	PH	1742
PHC0_5CB	Reason had a hysterectomy - cancer prevention	PH	1743
PHC0_5CC	Reason had a hysterectomy - endometriosis	PH	1743
PHC0_5CD	Reason had a hysterectomy - tubal pregnancy	PH	1744
PHC0_5CE	Reason had a hysterectomy - benign tumors	PH	1744
PHC0_5CF	Reason had a hysterectomy - menstrual problems	PH	1745

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 194

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHC0_5CG	Reason had a hysterectomy - other reason	PH	1745
PHC2_1	Ever had blood pressure taken	PH	2268
PHC2_1B	Last time blood pressure was taken	PH	2268
PHC2_2	Ever had PAP smear test	PH	2269
PHC2_2B	Last time had PAP smear test	PH	2269
PHC2_3	Ever had mammogram	PH	2270
PHC2_3B	Last time mammogram was done	PH	2270
PHC2_3CA	Had mammogram - family history	PH	2271
PHC2_3CB	Had mammogram - regular check-up	PH	2271
PHC2_3CC	Had mammogram - age	PH	2272
PHC2_3CD	Had mammogram - previously detected lump	PH	2272
PHC2_3CE	Had mammogram - follow-up treatment	PH	2273
PHC2_3CF	Had mammogram - on hormone replacement therapy	PH	2273
PHC2_3CG	Had mammogram - breast problem	PH	2274
PHC2_3CH	Had mammogram - other reason	PH	2274
PHC2_4	Gave birth since last interview	PH	2275
PHC2_4A	Used services of a doctor or midwife	PH	2275
PHC2_4B	Currently pregnant	PH	2276
PHC2_5	Had a hysterectomy	PH	2276
PHC2_5B	Age had a hysterectomy	PH	2277
PHC2_5CA	Reason had a hysterectomy - cancer treatment	PH	2277
PHC2_5CB	Reason had a hysterectomy - cancer prevention	PH	2278
PHC2_5CC	Reason had a hysterectomy - endometriosis	PH	2278
PHC2_5CD	Reason had a hysterectomy - tubal pregnancy	PH	2279
PHC2_5CE	Reason had a hysterectomy - benign tumors	PH	2279
PHC2_5CF	Reason had a hysterectomy - menstrual problems	PH	2280
PHC2_5CG	Reason had a hysterectomy - other reason	PH	2280
PHC4_1B	Last time blood pressure was checked	PH	193
PHC4_2	Ever had PAP smear test	PH	195
PHC4_2B	Last time had PAP smear test	PH	195
PHC4_3	Ever had mammogram	PH	193
PHC4_33	Reason for last mammogram	PH	194
PHC4_3B	Last time mammogram was done	PH	194
PHC4_4B	Currently pregnant	PH	180
PHC6_1	Ever had blood pressure taken	PH	719
PHC6_1B	Last time blood pressure was taken	PH	720

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 195

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHC6_1CA	Blood pressure taken - regular check-up	PH	720
PHC6_1CB	Blood pressure taken - high b.p. / heart disease	PH	721
PHC6_1CC	Blood pressure taken - doctor always does it	PH	721
PHC6_1CD	Blood pressure taken - health problem	PH	722
PHC6_1CE	Blood pressure taken - age	PH	722
PHC6_1CF	Blood pressure taken - job requirement	PH	723
PHC6_1CG	Blood pressure taken - pregnant	PH	723
PHC6_1CH	Blood pressure taken - in hospital for other reason	PH	724
PHC6_1CI	Blood pressure taken - when donating blood	PH	724
PHC6_1CJ	Blood pressure taken - just for the "fun" of it	PH	725
PHC6_1CK	Blood pressure taken - other reason	PH	725
PHC6_1D	Had problems getting blood pressure test	PH	726
PHC6_1EA	Blood pressure test - not available when required	PH	726
PHC6_1EB	Blood pressure test - not available in area	PH	727
PHC6_1EC	Blood pressure test - waiting time too long	PH	727
PHC6_1ED	Blood pressure test - transportation problems	PH	727
PHC6_1EE	Blood pressure test - language problem	PH	728
PHC6_1EF	Blood pressure test - cost	PH	728
PHC6_1EG	Blood pressure test - did not know where to go	PH	728
PHC6_1EH	Blood pressure test - other problem	PH	729
PHC6_1FA	Blood pressure not taken - have not gotten around to it	PH	729
PHC6_1FB	Blood pressure not taken - respondent didn't think necessary	PH	730
PHC6_1FC	Blood pressure not taken - doctor didn't think necessary	PH	730
PHC6_1FD	Blood pressure not taken - personal / fam. responsibilities	PH	731
PHC6_1FE	Blood pressure not taken - not available when required	PH	731
PHC6_1FF	Blood pressure not taken - not available in area	PH	732
PHC6_1FG	Blood pressure not taken - waiting time too long	PH	732
PHC6_1FH	Blood pressure not taken - transportation problems	PH	733
PHC6_1FI	Blood pressure not taken - language problem	PH	733
PHC6_1FJ	Blood pressure not taken - cost	PH	734
PHC6_1FK	Blood pressure not taken - did not know where to go	PH	734
PHC6_1FL	Blood pressure not taken - fear	PH	735
PHC6_1FM	Blood pressure not taken - other reason	PH	735
PHC6_2	Ever had PAP smear test	PH	736
PHC6_2B	Last time had PAP smear test	PH	736
PHC6_2CA	Had PAP smear - part of check-up	PH	737

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 196

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHC6_2CB	Had PAP smear - high risk group	PH	737
PHC6_2CC	Had PAP smear - follow-up of previous problem	PH	738
PHC6_2CD	Had PAP smear - abnormal bleeding / other symptoms	PH	738
PHC6_2CE	Had PAP smear - sexually active	PH	739
PHC6_2CF	Had PAP smear - on birth control pill	PH	739
PHC6_2CG	Had PAP smear - pregnant / after delivery	PH	740
PHC6_2CH	Had PAP smear - on hormone replacement therapy	PH	740
PHC6_2CI	Had PAP smear - other reason	PH	741
PHC6_2D	Had problems getting a PAP smear test	PH	741
PHC6_2EA	PAP smear - not available when required	PH	742
PHC6_2EB	PAP smear - not available in area	PH	742
PHC6_2EC	PAP smear - waiting time too long	PH	743
PHC6_2ED	PAP smear - transportation problems	PH	743
PHC6_2EE	PAP smear - language problem	PH	743
PHC6_2EF	PAP smear - cost	PH	744
PHC6_2EG	PAP smear - did not know where to go	PH	744
PHC6_2EH	PAP smear - other problem	PH	745
PHC6_2FA	No PAP smear - have not gotten around to it	PH	745
PHC6_2FB	No PAP smear - respondent didn't think necessary	PH	746
PHC6_2FC	No PAP smear - doctor didn't think necessary	PH	746
PHC6_2FD	No PAP smear - personal / family responsibilities	PH	747
PHC6_2FE	No PAP smear - not available when required	PH	747
PHC6_2FF	No PAP smear - not available in area	PH	748
PHC6_2FG	No PAP smear - waiting time too long	PH	748
PHC6_2FH	No PAP smear - transportation problems	PH	749
PHC6_2FI	No PAP smear - language problem	PH	749
PHC6_2FJ	No PAP smear - cost	PH	750
PHC6_2FK	No PAP smear - did not know where to go	PH	750
PHC6_2FL	No PAP smear - fear	PH	751
PHC6_2FM	No PAP smear - hysterectomy	PH	751
PHC6_2FN	No PAP smear - hate / dislike having one done	PH	752
PHC6_2FO	No PAP smear - other reason	PH	752
PHC6_3	Ever had mammogram	PH	753
PHC6_3B	Last time mammogram was done	PH	753
PHC6_3CA	Had mammogram - family history	PH	754
PHC6_3CB	Had mammogram - regular check-up	PH	754

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 197

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHC6_3CC	Had mammogram - age	PH	755
PHC6_3CD	Had mammogram - previously detected lump	PH	755
PHC6_3CE	Had mammogram - follow-up treatment	PH	756
PHC6_3CF	Had mammogram - on hormone replacement therapy	PH	756
PHC6_3CH	Had mammogram - other reason	PH	757
PHC6_3D	Had problems getting a mammogram	PH	757
PHC6_3EA	Mammogram - not available when required	PH	758
PHC6_3EB	Mammogram - not available in area	PH	758
PHC6_3EC	Mammogram - waiting time too long	PH	759
PHC6_3ED	Mammogram - transportation problems	PH	759
PHC6_3EE	Mammogram - language problem	PH	759
PHC6_3EF	Mammogram - cost	PH	760
PHC6_3EG	Mammogram - did not know where to go	PH	760
PHC6_3EH	Mammogram - other problem	PH	761
PHC6_3FA	No mammogram - have not gotten around to it	PH	761
PHC6_3FB	No mammogram - resp. didn't think necessary	PH	762
PHC6_3FC	No mammogram - doctor didn't think necessary	PH	762
PHC6_3FD	No mammogram - pers. / family responsibilities	PH	763
PHC6_3FE	No mammogram - not available when required	PH	763
PHC6_3FF	No mammogram - not available in the area	PH	764
PHC6_3FG	No mammogram - waiting time was too long	PH	764
PHC6_3FH	No mammogram - transportation problems	PH	765
PHC6_3FI	No mammogram - language problem	PH	765
PHC6_3FJ	No mammogram - cost	PH	766
PHC6_3FK	No mammogram - did not know where to go	PH	766
PHC6_3FL	No mammogram - fear	PH	767
PHC6_3FM	No mammogram - other reason	PH	767
PHC6_4	Gave birth since last interview	PH	785
PHC6_4A	Used services of a doctor or midwife	PH	786
PHC6_4B	Currently pregnant	PH	705
PHC6_9	Had breasts examined by health professional	PH	768
PHC6_9B	Last time breasts examined for lumps	PH	769
PHC6_9CA	Had breast exam - family history	PH	769
PHC6_9CB	Had breast exam - regular check-up	PH	770
PHC6_9CC	Had breast exam - age	PH	770
PHC6_9CD	Had breast exam - previously detected lump	PH	771

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 198

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHC6_9CE	Had breast exam - follow-up treatment	PH	771
PHC6_9CF	Had breast exam - on hormone replacement therapy	PH	772
PHC6_9CG	Had breast exam - other reason	PH	772
PHC6_9D	Had problems getting a breast exam	PH	773
PHC6_9EA	Breast exam - not available when required	PH	773
PHC6_9EB	Breast exam - not available in area	PH	774
PHC6_9EC	Breast exam - waiting time too long	PH	774
PHC6_9ED	Breast exam - transportation problems	PH	775
PHC6_9EE	Breast exam - language problem	PH	775
PHC6_9EF	Breast exam - cost	PH	775
PHC6_9EG	Breast exam - did not know where to go	PH	776
PHC6_9EH	Breast exam - other problem	PH	776
PHC6_9FA	No breast exam - have not gotten around to it	PH	777
PHC6_9FB	No breast exam - respondent didn't think necessary	PH	777
PHC6_9FC	No breast exam - doctor didn't think necessary	PH	778
PHC6_9FD	No breast exam - personal / family responsibilities	PH	778
PHC6_9FE	No breast exam - not available when required	PH	779
PHC6_9FF	No breast exam - not available in area	PH	779
PHC6_9FG	No breast exam - waiting time too long	PH	780
PHC6_9FH	No breast exam - transportation problems	PH	780
PHC6_9FI	No breast exam - language problem	PH	781
PHC6_9FJ	No breast exam - cost	PH	781
PHC6_9FK	No breast exam - did not know where to go	PH	782
PHC6_9FL	No breast exam - fear	PH	782
PHC6_9FM	No breast exam - other reason	PH	783
PHC8_1	Ever had blood pressure taken	PH	1402
PHC8_1A	Ever had blood pressure taken (probe)	PH	1402
PHC8_1B	Last time blood pressure was taken	PH	1403
PHC8_2	Ever had PAP smear test	PH	1403
PHC8_2A	Ever had PAP smear test (probe)	PH	1404
PHC8_2B	Last time had PAP smear test	PH	1404
PHC8_3	Ever had mammogram	PH	1405
PHC8_3A	Ever had mammogram (probe)	PH	1405
PHC8_3B	Last time mammogram was done	PH	1406
PHC8_4	Gave birth since last interview	PH	1406
PHC8_4A	Used services of a doctor or midwife	PH	1407

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 199

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHC8_4B	Currently pregnant	PH	1407
PHC8_5	Had a hysterectomy	PH	1408
PHC8_5B	Age had a hysterectomy	PH	1408
PHC8_5C	Reason had a hysterectomy	PH	1409
PHCA_1	Ever had blood pressure taken	PH	2803
PHCA_1B	Last time blood pressure was taken	PH	2803
PHCA_2	Ever had PAP smear test	PH	2804
PHCA_2B	Last time had PAP smear test	PH	2804
PHCA_3	Ever had mammogram	PH	2805
PHCA_3B	Last time mammogram was done	PH	2805
PHCA_3CA	Had mammogram - family history	PH	2806
PHCA_3CB	Had mammogram - regular check-up	PH	2806
PHCA_3CC	Had mammogram - age	PH	2807
PHCA_3CD	Had mammogram - previously detected lump	PH	2807
PHCA_3CE	Had mammogram - follow-up treatment	PH	2808
PHCA_3CF	Had mammogram - on hormone replacement therapy	PH	2808
PHCA_3CG	Had mammogram - breast problem	PH	2809
PHCA_3CH	Had mammogram - other reason	PH	2809
PHCA_4	Gave birth since last interview	PH	2810
PHCA_4A	Used services of a doctor or midwife	PH	2810
PHCA_4B	Currently pregnant	PH	2811
PHCA_5	Had a hysterectomy	PH	2811
PHCA_5B	Age had a hysterectomy	PH	2812
PHCA_5CA	Reason had a hysterectomy - cancer treatment	PH	2812
PHCA_5CB	Reason had a hysterectomy - cancer prevention	PH	2813
PHCA_5CC	Reason had a hysterectomy - endometriosis	PH	2813
PHCA_5CD	Reason had a hysterectomy - tubal pregnancy	PH	2814
PHCA_5CE	Reason had a hysterectomy - benign tumors	PH	2814
PHCA_5CF	Reason had a hysterectomy - menstrual problems	PH	2815
PHCA_5CG	Reason had a hysterectomy - other reason	PH	2815
PHCB_1	Ever had blood pressure taken	PH	3345
PHCB_1B	Last time blood pressure was taken	PH	3345
PHCB_2	Ever had PAP smear test	PH	3346
PHCB_2B	Last time had PAP smear test	PH	3346
PHCB_3	Ever had mammogram	PH	3347
PHCB_3B	Last time mammogram was done	PH	3347

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 200

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHCB_3CA	Had mammogram - family history	PH	3348
PHCB_3CB	Had mammogram - regular check-up	PH	3348
PHCB_3CC	Had mammogram - age	PH	3349
PHCB_3CD	Had mammogram - previously detected lump	PH	3349
PHCB_3CE	Had mammogram - follow-up treatment	PH	3350
PHCB_3CF	Had mammogram - on hormone replacement therapy	PH	3350
PHCB_3CG	Had mammogram - breast problem	PH	3351
PHCB_3CH	Had mammogram - other reason	PH	3351
PHCB_4	Gave birth since last interview	PH	3352
PHCB_4A	Used services of a doctor or midwife	PH	3352
PHCB_4B	Currently pregnant	PH	3353
PHCB_5	Had a hysterectomy	PH	3353
PHCB_5B	Age had a hysterectomy	PH	3354
PHCB_5CA	Reason had a hysterectomy - cancer treatment	PH	3354
PHCB_5CB	Reason had a hysterectomy - cancer prevention	PH	3355
PHCB_5CC	Reason had a hysterectomy - endometriosis	PH	3355
PHCB_5CD	Reason had a hysterectomy - tubal pregnancy	PH	3356
PHCB_5CE	Reason had a hysterectomy - benign tumors	PH	3356
PHCB_5CF	Reason had a hysterectomy - menstrual problems	PH	3357
PHCB_5CG	Reason had a hysterectomy - other reason	PH	3357
PHCC_1	Ever had blood pressure taken	PH	3881
PHCC_1B	Last time blood pressure was taken	PH	3881
PHCC_2	Ever had PAP smear test	PH	3882
PHCC_2B	Last time had PAP smear test	PH	3882
PHCC_3	Ever had mammogram	PH	3883
PHCC_3B	Last time mammogram was done	PH	3883
PHCC_3CA	Had mammogram - family history	PH	3884
PHCC_3CB	Had mammogram - regular check-up	PH	3884
PHCC_3CC	Had mammogram - age	PH	3885
PHCC_3CD	Had mammogram - previously detected lump	PH	3885
PHCC_3CE	Had mammogram - follow-up treatment	PH	3886
PHCC_3CF	Had mammogram - on hormone replacement therapy	PH	3886
PHCC_3CG	Had mammogram - breast problem	PH	3887
PHCC_3CH	Had mammogram - other reason	PH	3887
PHCC_4	Gave birth since last interview	PH	3888
PHCC_4A	Used services of a doctor or midwife	PH	3888



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 201

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHCC_4B	Currently pregnant	PH	3889
PHCC_5	Had a hysterectomy	PH	3889
PHCC_5B	Age had a hysterectomy	PH	3890
PHCC_5CA	Reason had a hysterectomy - cancer treatment	PH	3890
PHCC_5CB	Reason had a hysterectomy - cancer prevention	PH	3891
PHCC_5CC	Reason had a hysterectomy - endometriosis	PH	3891
PHCC_5CD	Reason had a hysterectomy - tubal pregnancy	PH	3892
PHCC_5CE	Reason had a hysterectomy - benign tumors	PH	3892
PHCC_5CF	Reason had a hysterectomy - menstrual problems	PH	3893
PHCC_5CG	Reason had a hysterectomy - other reason	PH	3893
PHCD_1	Ever had blood pressure taken	PH	4423
PHCD_1B	Last time blood pressure was taken	PH	4423
PHCD_2	Ever had PAP smear test	PH	4424
PHCD_2B	Last time had PAP smear test	PH	4424
PHCD_3	Ever had mammogram	PH	4425
PHCD_3B	Last time mammogram was done	PH	4425
PHCD_3CA	Had mammogram - family history	PH	4426
PHCD_3CB	Had mammogram - regular check-up	PH	4426
PHCD_3CC	Had mammogram - age	PH	4427
PHCD_3CD	Had mammogram - previously detected lump	PH	4427
PHCD_3CE	Had mammogram - follow-up treatment	PH	4428
PHCD_3CF	Had mammogram - on hormone replacement therapy	PH	4428
PHCD_3CG	Had mammogram - breast problem	PH	4429
PHCD_3CH	Had mammogram - other reason	PH	4429
PHCD_4	Gave birth since last interview	PH	4430
PHCD_4A	Used services of a doctor or midwife	PH	4430
PHCD_4B	Currently pregnant	PH	4431
PHCD_5	Had a hysterectomy	PH	4431
PHCD_5B	Age had a hysterectomy	PH	4432
PHCD_5CA	Reason had a hysterectomy - cancer treatment	PH	4432
PHCD_5CB	Reason had a hysterectomy - cancer prevention	PH	4433
PHCD_5CC	Reason had a hysterectomy - endometriosis	PH	4433
PHCD_5CD	Reason had a hysterectomy - tubal pregnancy	PH	4434
PHCD_5CE	Reason had a hysterectomy - benign tumors	PH	4434
PHCD_5CF	Reason had a hysterectomy - menstrual problems	PH	4435
PHCD_5CG	Reason had a hysterectomy - other reason	PH	4435

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 202

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
PHS6_3G	Intend to have a mammogram in the next 2 years	PH	768
PHS6_9X	Self-examined breasts for lumps	PH	783
PHS6_9Y	Frequency of breast self-examination	PH	784
PHS6_9Z	How breast self-exam was learned	PH	784
PRC0_CUR	Province of residence	GE	1705
PRC2_CUR	Province of residence	GE	2211
PRC4_CUR	Province of residence	GE	13
PRC6_CUR	Province of residence	GE	468
PRC8_CUR	Province of residence	GE	1161
PRCA_CUR	Province of residence	GE	2748
PRCB_CUR	Province of residence	GE	3284
PRCC_CUR	Province of residence	GE	3827
PRCD_CUR	Province of residence	GE	4375
RAC0_1A	Limited in kind / amount of activities - at home	RA	1775
RAC0_1B	Limited in kind / amount of activities - at school	RA	1776
RAC0_1C	Limited in kind / amount of activities - at work	RA	1776
RAC0_1D	Limited in kind / amount of activities - other	RA	1777
RAC0_2	Has long-term disabilities or handicaps	RA	1777
RAC0_2A	New activity restriction or worsening of old one	RA	1781
RAC0_2B	Disappearance or improvement of activity restriction	RA	1781
RAC0_5	Cause of health problem	RA	1782
RAC0_6A	Needs help for - preparing meals	RA	1782
RAC0_6B	Needs help for - shopping for necessities	RA	1783
RAC0_6C	Needs help for - housework	RA	1783
RAC0_6D	Needs help for - heavy household chores	RA	1784
RAC0_6E	Needs help for - personal care	RA	1784
RAC0_6F	Needs help for - moving about inside the house	RA	1785
RAC0CCD	ICD-10 code - main health problem causing limitations	RA	1779
RAC0F1	Flag for restriction of activity	RA	1778
RAC0F2	Flag - Restriction of activity (excl. long-term disability)	RA	1778
RAC0F3	Flag for problem causing limitation or handicap	RA	1779
RAC0F6	Flag for need for help in series of tasks (indoors)	RA	1785
RAC0GC22	Main health problem - 22 groups - (D,G)	RA	1780
RAC2_1A	Limited in kind / amount of activities - at home	RA	2338
RAC2_1B	Limited in kind / amount of activities - at school	RA	2339
RAC2_1C	Limited in kind / amount of activities - at work	RA	2339

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 203

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
RAC2_1D	Limited in kind / amount of activities - other	RA	2340
RAC2_2	Has long-term disabilities or handicaps	RA	2340
RAC2_2A	New activity restriction or worsening of old one	RA	2344
RAC2_2B	Disappearance or improvement of activity restriction	RA	2344
RAC2_5	Cause of health problem	RA	2345
RAC2_6A	Needs help for - preparing meals	RA	2345
RAC2_6B	Needs help for - shopping for necessities	RA	2346
RAC2_6C	Needs help for - housework	RA	2346
RAC2_6D	Needs help for - heavy household chores	RA	2347
RAC2_6E	Needs help for - personal care	RA	2347
RAC2_6F	Needs help for - moving about inside the house	RA	2348
RAC2_6G	Needs help for - going outdoors	RA	2348
RAC2CCD	ICD-10 code - main health problem causing limitations	RA	2342
RAC2F1	Flag for restriction of activity	RA	2341
RAC2F2	Flag - Restriction of activity (excl. long-term disability)	RA	2341
RAC2F3	Flag for problem causing limitation or handicap	RA	2342
RAC2F6	Flag for need for help in series of tasks (indoors)	RA	2349
RAC2F6X	Flag - need for help in series of tasks indoors and outdoors	RA	2349
RAC2GC22	Main health problem - 22 groups - (D,G)	RA	2343
RAC4_1A	Limited in kind / amount of activities - at home	RA	56
RAC4_1B	Limited in kind / amount of activities - at school	RA	57
RAC4_1C	Limited in kind / amount of activities - at work	RA	57
RAC4_1D	Limited in kind / amount of activities - other	RA	58
RAC4_2	Has long-term disabilities or handicaps	RA	58
RAC4_5	Cause of health problem	RA	62
RAC4_6A	Needs help for - preparing meals	RA	62
RAC4_6B	Needs help for - shopping for necessities	RA	63
RAC4_6C	Needs help for - housework	RA	63
RAC4_6D	Needs help for - heavy household chores	RA	64
RAC4_6E	Needs help for - personal care	RA	64
RAC4_6F	Needs help for - moving about inside the house	RA	65
RAC4_6H	Needs help for - no tasks	RA	65
RAC4CCD	ICD-10 code - main health problem causing limitations	RA	60
RAC4F1	Flag for restriction of activity	RA	59
RAC4F2	Flag - Restriction of activity (excl. long-term disability)	RA	59
RAC4F3	Flag for problem causing limitation or handicap	RA	60

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 204

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
RAC4GC22	Main health problem - 22 groups - (D,G)	RA	61
RAC6_1A	Limited in kind / amount of activities - at home	RA	527
RAC6_1B	Limited in kind / amount of activities - at school	RA	527
RAC6_1C	Limited in kind / amount of activities - at work	RA	528
RAC6_1D	Limited in kind / amount of activities - other	RA	528
RAC6_2	Has long-term disabilities or handicaps	RA	529
RAC6_2A	New activity restriction or worsening of old one	RA	533
RAC6_2B	Disappearance or improvement of activity restriction	RA	533
RAC6_5	Cause of health problem	RA	534
RAC6_6A	Needs help for - preparing meals	RA	534
RAC6_6B	Needs help for - shopping for necessities	RA	535
RAC6_6C	Needs help for - housework	RA	535
RAC6_6D	Needs help for - heavy household chores	RA	536
RAC6_6E	Needs help for - personal care	RA	536
RAC6_6F	Needs help for - moving about inside the house	RA	537
RAC6CCD	ICD-10 code - main health problem causing limitations	RA	531
RAC6F1	Flag for restriction of activity	RA	529
RAC6F2	Flag - Restriction of activity (excl. long-term disability)	RA	530
RAC6F3	Flag for problem causing limitation or handicap	RA	530
RAC6F6	Flag for need for help in series of tasks (indoors)	RA	537
RAC6GC22	Main health problem - 22 groups - (D,G)	RA	532
RAC8_1A	Limited in kind / amount of activities - at home	RA	1215
RAC8_1B	Limited in kind / amount of activities - at school	RA	1215
RAC8_1C	Limited in kind / amount of activities - at work	RA	1216
RAC8_1D	Limited in kind / amount of activities - other	RA	1216
RAC8_2	Has long-term disabilities or handicaps	RA	1217
RAC8_2A	New activity restriction or worsening of old one	RA	1221
RAC8_2B	Disappearance or improvement of activity restriction	RA	1221
RAC8_5	Cause of health problem	RA	1222
RAC8_6A	Needs help for - preparing meals	RA	1222
RAC8_6B	Needs help for - shopping for necessities	RA	1223
RAC8_6C	Needs help for - housework	RA	1223
RAC8_6D	Needs help for - heavy household chores	RA	1224
RAC8_6E	Needs help for - personal care	RA	1224
RAC8_6F	Needs help for - moving about inside the house	RA	1225
RAC8CCD	ICD-10 code - main health problem causing limitations	RA	1219

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 205

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
RAC8F1	Flag for restriction of activity	RA	1217
RAC8F2	Flag - Restriction of activity (excl. long-term disability)	RA	1218
RAC8F3	Flag for problem causing limitation or handicap	RA	1218
RAC8F6	Flag for need for help in series of tasks (indoors)	RA	1225
RAC8GC22	Main health problem - 22 groups - (D,G)	RA	1220
RACA_1A	Limited in kind / amount of activities - at home	RA	2873
RACA_1B	Limited in kind / amount of activities - at school	RA	2873
RACA_1C	Limited in kind / amount of activities - at work	RA	2874
RACA_1D	Limited in kind / amount of activities - other	RA	2874
RACA_2	Has long-term disabilities or handicaps	RA	2875
RACA_2A	New activity restriction or worsening of old one	RA	2879
RACA_2B	Disappearance or improvement of activity restriction	RA	2879
RACA_5	Cause of health problem	RA	2880
RACA_6A	Needs help for - preparing meals	RA	2881
RACA_6B	Needs help for - shopping for necessities	RA	2881
RACA_6C	Needs help for - housework	RA	2882
RACA_6D	Needs help for - heavy household chores	RA	2882
RACA_6E	Needs help for - personal care	RA	2883
RACA_6F	Needs help for - moving about inside the house	RA	2883
RACA_6G	Needs help for - going outdoors	RA	2884
RACACCD	ICD-10 code - main health problem causing limitations	RA	2877
RACAF1	Flag for restriction of activity	RA	2875
RACAF2	Flag - Restriction of activity (excl. long-term disability)	RA	2876
RACAF3	Flag for problem causing limitation or handicap	RA	2876
RACAF6	Flag for need for help in series of tasks (indoors)	RA	2884
RACAF6X	Flag - need for help in series of tasks indoors and outdoors	RA	2885
RACAGC22	Main health problem - 22 groups - (D,G)	RA	2878
RACB_1A	Limited in kind / amount of activities - at home	RA	3415
RACB_1B	Limited in kind / amount of activities - at school	RA	3415
RACB_1C	Limited in kind / amount of activities - at work	RA	3416
RACB_1D	Limited in kind / amount of activities - other	RA	3416
RACB_2	Has long-term disabilities or handicaps	RA	3417
RACB_2A	New activity restriction or worsening of old one	RA	3421
RACB_2B	Disappearance or improvement of activity restriction	RA	3421
RACB_5	Cause of health problem	RA	3422
RACB_6A	Needs help for - preparing meals	RA	3423

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 206

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
RACB_6B	Needs help for - shopping for necessities	RA	3423
RACB_6C	Needs help for - housework	RA	3424
RACB_6D	Needs help for - heavy household chores	RA	3424
RACB_6E	Needs help for - personal care	RA	3425
RACB_6F	Needs help for - moving about inside the house	RA	3425
RACB_6G	Needs help for - going outdoors	RA	3426
RACBCCD	ICD-10 code - main health problem causing limitations	RA	3419
RACBF1	Flag for restriction of activity	RA	3417
RACBF2	Flag - Restriction of activity (excl. long-term disability)	RA	3418
RACBF3	Flag for problem causing limitation or handicap	RA	3418
RACBF6	Flag for need for help in series of tasks (indoors)	RA	3426
RACBF6X	Flag - need for help in series of tasks indoors and outdoors	RA	3427
RACBGC22	Main health problem - 22 groups - (D,G)	RA	3420
RACC_1A	Limited in kind / amount of activities - at home	RA	3951
RACC_1B	Limited in kind / amount of activities - at school	RA	3952
RACC_1C	Limited in kind / amount of activities - at work	RA	3952
RACC_1D	Limited in kind / amount of activities - other	RA	3953
RACC_2	Has long-term disabilities or handicaps	RA	3953
RACC_2A	New activity restriction or worsening of old one	RA	3957
RACC_2B	Disappearance or improvement of activity restriction	RA	3957
RACC_5	Cause of health problem	RA	3958
RACC_6A	Needs help for - preparing meals	RA	3959
RACC_6B	Needs help for - shopping for necessities	RA	3959
RACC_6C	Needs help for - housework	RA	3960
RACC_6D	Needs help for - heavy household chores	RA	3960
RACC_6E	Needs help for - personal care	RA	3961
RACC_6F	Needs help for - moving about inside the house	RA	3961
RACC_6G	Needs help for - going outdoors	RA	3962
RACCCCD	ICD-10 code - main health problem causing limitations	RA	3955
RACCF1	Flag for restriction of activity	RA	3954
RACCF2	Flag - Restriction of activity (excl. long-term disability)	RA	3954
RACCF3	Flag for problem causing limitation or handicap	RA	3955
RACCF6	Flag for need for help in series of tasks (indoors)	RA	3962
RACCF6X	Flag - need for help in series of tasks indoors and outdoors	RA	3963
RACCGC22	Main health problem - 22 groups - (D,G)	RA	3956
RACD_1A	Limited in kind / amount of activities - at home	RA	4493

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 207

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
RACD_1B	Limited in kind / amount of activities - at school	RA	4493
RACD_1C	Limited in kind / amount of activities - at work	RA	4494
RACD_1D	Limited in kind / amount of activities - other	RA	4494
RACD_2	Has long-term disabilities or handicaps	RA	4495
RACD_2A	New activity restriction or worsening of old one	RA	4499
RACD_2B	Disappearance or improvement of activity restriction	RA	4499
RACD_5	Cause of health problem	RA	4500
RACD_6A	Needs help for - preparing meals	RA	4500
RACD_6B	Needs help for - shopping for necessities	RA	4501
RACD_6C	Needs help for - housework	RA	4501
RACD_6D	Needs help for - heavy household chores	RA	4502
RACD_6E	Needs help for - personal care	RA	4502
RACD_6F	Needs help for - moving about inside the house	RA	4503
RACD_6G	Needs help for - going outdoors	RA	4503
RACDCCD	ICD-10 code - main health problem causing limitations	RA	4497
RACDF1	Flag for restriction of activity	RA	4495
RACDF2	Flag - Restriction of activity (excl. long-term disability)	RA	4496
RACDF3	Flag for problem causing limitation or handicap	RA	4496
RACDF6	Flag for need for help in series of tasks (indoors)	RA	4504
RACDF6X	Flag - need for help in series of tasks indoors and outdoors	RA	4504
RACDGC22	Main health problem - 22 groups - (D,G)	RA	4498
REALUKEY	Record identifier for the household	AM	1
REPLICAT	Sample indicator	SP	12
RPC0_1	Had repetitive strain injuries	RP	1918
RPC0_3	Body part affected by repetitive strain	RP	1919
RPC0_5A	Repetitive strain activity - sports or physical exercise	RP	1920
RPC0_5B	Repetitive strain activity - leisure or hobby	RP	1920
RPC0_5C	Repetitive strain activity - working at a job or business	RP	1921
RPC0_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	1921
RPC0_5E	Repetitive strain activity - sleeping, eating, personal care	RP	1922
RPC0_5F	Repetitive strain activity - other	RP	1922
RPC2_1	Had repetitive strain injuries	RP	2476
RPC2_3	Body part affected by repetitive strain	RP	2477
RPC2_5A	Repetitive strain activity - sports or physical exercise	RP	2478
RPC2_5B	Repetitive strain activity - leisure or hobby	RP	2478
RPC2_5C	Repetitive strain activity - working at a job or business	RP	2479

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 208

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
RPC2_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	2479
RPC2_5E	Repetitive strain activity - sleeping, eating, personal care	RP	2480
RPC2_5F	Repetitive strain activity - other	RP	2480
RPC6_1	Had repetitive strain injuries	RP	942
RPC6_2	Number of repetitive strain injuries	RP	942
RPC6_3	Body part affected by repetitive strain	RP	943
RPC6_4A	Cause of repetitive strain - activity at home	RP	943
RPC6_4B	Cause of repetitive strain - activity at work or school	RP	944
RPC6_4C	Cause of repetitive strain - leisure activities	RP	944
RPC6_4D	Cause of repetitive strain - other activity	RP	945
RPC8_1	Had repetitive strain injuries	RP	1547
RPC8_2	Number of repetitive strain injuries	RP	1547
RPC8_3	Body part affected by repetitive strain	RP	1548
RPC8_4A	Cause of repetitive strain - activity at home	RP	1548
RPC8_4B	Cause of repetitive strain - activity at work or school	RP	1549
RPC8_4C	Cause of repetitive strain - leisure activities	RP	1549
RPC8_4D	Cause of repetitive strain - other activity	RP	1550
RPCA_1	Had repetitive strain injuries	RP	3007
RPCA_3	Body part affected by repetitive strain	RP	3008
RPCA_5A	Repetitive strain activity - sports or physical exercise	RP	3009
RPCA_5B	Repetitive strain activity - leisure or hobby	RP	3009
RPCA_5C	Repetitive strain activity - working at a job or business	RP	3010
RPCA_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	3010
RPCA_5E	Repetitive strain activity - sleeping, eating, personal care	RP	3011
RPCA_5F	Repetitive strain activity - other	RP	3011
RPCB_1	Had repetitive strain injuries	RP	3549
RPCB_3	Body part affected by repetitive strain	RP	3550
RPCB_5A	Repetitive strain activity - sports or physical exercise	RP	3551
RPCB_5B	Repetitive strain activity - leisure or hobby	RP	3551
RPCB_5C	Repetitive strain activity - working at a job or business	RP	3552
RPCB_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	3552
RPCB_5E	Repetitive strain activity - sleeping, eating, personal care	RP	3553
RPCB_5F	Repetitive strain activity - other	RP	3553
RPCC_1	Had repetitive strain injuries	RP	4085
RPCC_3	Body part affected by repetitive strain	RP	4086
RPCC_5A	Repetitive strain activity - sports or physical exercise	RP	4087



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 209

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
RPCC_5B	Repetitive strain activity - leisure or hobby	RP	4087
RPCC_5C	Repetitive strain activity - working at a job or business	RP	4088
RPCC_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	4088
RPCC_5E	Repetitive strain activity - sleeping, eating, personal care	RP	4089
RPCC_5F	Repetitive strain activity - other	RP	4089
RPCD_1	Had repetitive strain injuries	RP	4624
RPCD_3	Body part affected by repetitive strain	RP	4625
RPCD_5A	Repetitive strain activity - sports or physical exercise	RP	4626
RPCD_5B	Repetitive strain activity - leisure or hobby	RP	4626
RPCD_5C	Repetitive strain activity - working at a job or business	RP	4627
RPCD_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	4627
RPCD_5E	Repetitive strain activity - sleeping, eating, personal care	RP	4628
RPCD_5F	Repetitive strain activity - other	RP	4628
RSS6_1	Been passenger / driver who had too much to drink	RS	1142
RSS6_10	Frequency of having a designated driver	RS	1150
RSS6_2	Driver intoxicated - tried to prevent from driving	RS	1143
RSS6_3A	Driver intoxicated - drove person home yourself	RS	1143
RSS6_3B	Driver intoxicated - asked someone else to drive	RS	1144
RSS6_3C	Driver intoxicated - asked person to take a taxi	RS	1144
RSS6_3D	Driver intoxicated - hid car keys	RS	1145
RSS6_3E	Driver intoxicated - served coffee to person	RS	1145
RSS6_3F	Driver intoxicated - kept the person at home	RS	1146
RSS6_3G	Driver intoxicated - other	RS	1146
RSS6_4	Has valid driver's license for a motor vehicle	RS	1147
RSS6_5	Frequency of insist that passengers wear seatbelt	RS	1147
RSS6_6	Frequency of obeying speed limits	RS	1148
RSS6_7	Frequency of drinking and driving	RS	1148
RSS6_8	Go out with friends / family to consume alcohol	RS	1149
RSS6_9	Has a designated driver	RS	1149
RTP4_1	Rationality - try to be reasonable and logical	RT	439
RTP4_10	Rationality - when you don't like person	RT	443
RTP4_11	Rationality - prevents verb. attacking or criticize others	RT	444
RTP4_12A	Overcome fear of dentist - quiz dentist	RT	444
RTP4_12B	Overcome fear of dentist - take a tranquilizer or drink	RT	445
RTP4_12C	Overcome fear of dentist - try to think about other things	RT	445
RTP4_12D	Overcome fear of dentist - be told when will feel pain	RT	446

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 210

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
RTP4_12E	Overcome fear of dentist - try to sleep	RT	446
RTP4_12F	Overcome fear of dentist - watch dentist's movements	RT	447
RTP4_12G	Overcome fear of dentist - watch for blood	RT	447
RTP4_12H	Overcome fear of dentist - do mental puzzles	RT	448
RTP4_12I	Overcome fear of dentist - do other activity	RT	448
RTP4_13A	Layoffs rumoured - find out evaluation by supervisor	RT	449
RTP4_13B	Layoffs rumoured - review accomplishments	RT	449
RTP4_13C	Layoffs rumoured - watch TV	RT	450
RTP4_13D	Layoffs rumoured - remember disagreements with supervisor	RT	450
RTP4_13E	Layoffs rumoured - try not to think about it	RT	451
RTP4_13F	Layoffs rumoured - try not to discuss it	RT	451
RTP4_13G	Layoffs rumoured - try to rank other employees	RT	452
RTP4_13H	Layoffs rumoured - continue working	RT	452
RTP4_13I	Layoffs rumoured - do other activity	RT	453
RTP4_2	Rationality - try to understand people	RT	439
RTP4_3	Rationality - try to act rationally	RT	440
RTP4_4	Rationality - try to resolve conflicts without emotion	RT	440
RTP4_5	Rationality - try to treat people rationally despite hurt	RT	441
RTP4_6	Rationality - rely on logic	RT	441
RTP4_7	Rationality - when someone acts against your wishes	RT	442
RTP4_8	Rationality - rarely influenced by emotions	RT	442
RTP4_9	Rationality - very influenced by emotions	RT	443
SC_8_1	Had sore throat, cold or a flu	SC	1409
SC_8_10	Cold - used home remedies	SC	1414
SC_8_11	Cold - cut down on activities and got more rest	SC	1414
SC_8_12	Prefer doctors that let me decide what to do	SC	1415
SC_8_13	Patients should never challenge the authority of the doctor	SC	1415
SC_8_14	Prefer that the doctor assume all of the responsibility	SC	1416
SC_8_15	Better to take care of own health than go to a doctor	SC	1416
SC_8_16	Better to go to a doctor than to try to treat yourself	SC	1417
SC_8_2	Sore throat, cold or a flu - solution (#1)	SC	1410
SC_8_3	Sore throat, cold or a flu - other (#1)	SC	1410
SC_8_4	Sore throat, cold or a flu - solution (#2)	SC	1411
SC_8_5	Sore throat, cold or a flu - other (#2)	SC	1411
SC_8_6	Sore throat, cold or a flu - solution (#3)	SC	1412
SC_8_7	Cold - took over-the-counter medication	SC	1412

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SC_8_8	Cold - used herbal / vitamin supplements	SC	1413
SC_8_9	Cold - old prescription / someone else's	SC	1413
SC_8DFCT	Attitude toward self-care	SC	1417
SDC0_4A	Ethnic origin - Canadian	SD	2120
SDC0_4B	Ethnic origin - French	SD	2121
SDC0_4C	Ethnic origin - English	SD	2121
SDC0_4D	Ethnic origin - German	SD	2122
SDC0_4E	Ethnic origin - Scottish	SD	2122
SDC0_4F	Ethnic origin - Irish	SD	2123
SDC0_4G	Ethnic origin - Italian	SD	2123
SDC0_4H	Ethnic origin - Ukrainian	SD	2124
SDC0_4I	Ethnic origin - Dutch (Netherlands)	SD	2124
SDC0_4J	Ethnic origin - Chinese	SD	2125
SDC0_4K	Ethnic origin - Jewish	SD	2125
SDC0_4L	Ethnic origin - Polish	SD	2126
SDC0_4M	Ethnic origin - Portuguese	SD	2126
SDC0_4N	Ethnic origin - South Asian	SD	2127
SDC0_4O	Ethnic origin - Black	SD	2127
SDC0_4P	Ethnic origin - North American Indian	SD	2128
SDC0_4Q	Ethnic origin - Métis	SD	2128
SDC0_4R	Ethnic origin - Inuit / Eskimo	SD	2129
SDC0_4S	Ethnic origin - other	SD	2129
SDC0_5A	Can converse - English	SD	2130
SDC0_5B	Can converse - French	SD	2130
SDC0_5C	Can converse - Arabic	SD	2131
SDC0_5D	Can converse - Chinese	SD	2131
SDC0_5E	Can converse - Cree	SD	2132
SDC0_5F	Can converse - German	SD	2132
SDC0_5G	Can converse - Greek	SD	2133
SDC0_5H	Can converse - Hungarian	SD	2133
SDC0_5I	Can converse - Italian	SD	2134
SDC0_5J	Can converse - Korean	SD	2134
SDC0_5K	Can converse - Persian	SD	2135
SDC0_5L	Can converse - Polish	SD	2135
SDC0_5M	Can converse - Portuguese	SD	2136
SDC0_5N	Can converse - Punjabi	SD	2136

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 212

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SDC0_5O	Can converse - Spanish	SD	2137
SDC0_5P	Can converse - Tagalog	SD	2137
SDC0_5Q	Can converse - Ukrainian	SD	2138
SDC0_5R	Can converse - Vietnamese	SD	2138
SDC0_5S	Can converse - other language	SD	2139
SDC0_6A	First language learned and still understood - English	SD	2140
SDC0_6B	First language learned and still understood - French	SD	2140
SDC0_6C	First language learned and still understood - Arabic	SD	2141
SDC0_6D	First language learned and still understood - Chinese	SD	2141
SDC0_6E	First language learned and still understood - Cree	SD	2142
SDC0_6F	First language learned and still understood - German	SD	2142
SDC0_6G	First language learned and still understood - Greek	SD	2143
SDC0_6H	First language learned and still understood - Hungarian	SD	2143
SDC0_6I	First language learned and still understood - Italian	SD	2144
SDC0_6J	First language learned and still understood - Korean	SD	2144
SDC0_6K	First language learned and still understood - Persian	SD	2145
SDC0_6L	First language learned and still understood - Polish	SD	2145
SDC0_6M	First language learned and still understood - Portuguese	SD	2146
SDC0_6N	First language learned and still understood - Punjabi	SD	2146
SDC0_6O	First language learned and still understood - Spanish	SD	2147
SDC0_6P	First language learned and still understood - Tagalog	SD	2147
SDC0_6Q	First language learned and still understood - Ukrainian	SD	2148
SDC0_6R	First language learned and still understood - Vietnamese	SD	2148
SDC0_6S	First language learned and still understood - other	SD	2149
SDC0_7A	Race or colour - White	SD	2149
SDC0_7B	Race or colour - Chinese	SD	2150
SDC0_7C	Race or colour - South Asian	SD	2150
SDC0_7D	Race or colour - Black	SD	2151
SDC0_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	2151
SDC0_7F	Race or colour - Arab / West Asian	SD	2152
SDC0_7G	Race or colour - Filipino	SD	2152
SDC0_7H	Race or colour - South East Asian	SD	2153
SDC0_7I	Race or colour - Latin American	SD	2153
SDC0_7J	Race or colour - Japanese	SD	2154
SDC0_7K	Race or colour - Korean	SD	2154
SDC0_7L	Race or colour - other	SD	2155

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SDC0DLNG	Language(s) in which respondent can converse - (D)	SD	2139
SDC0DRAC	Cultural or racial origin - (D)	SD	2156
SDC0DRES	Length of time in Canada since immigration - (D)	SD	2120
SDC2_5A	Can converse - English	SD	2675
SDC2_5B	Can converse - French	SD	2676
SDC2_5C	Can converse - Arabic	SD	2676
SDC2_5D	Can converse - Chinese	SD	2677
SDC2_5E	Can converse - Cree	SD	2677
SDC2_5F	Can converse - German	SD	2678
SDC2_5G	Can converse - Greek	SD	2678
SDC2_5H	Can converse - Hungarian	SD	2679
SDC2_5I	Can converse - Italian	SD	2679
SDC2_5J	Can converse - Korean	SD	2680
SDC2_5K	Can converse - Persian	SD	2680
SDC2_5L	Can converse - Polish	SD	2681
SDC2_5M	Can converse - Portuguese	SD	2681
SDC2_5N	Can converse - Punjabi	SD	2682
SDC2_5O	Can converse - Spanish	SD	2682
SDC2_5P	Can converse - Tagalog	SD	2683
SDC2_5Q	Can converse - Ukrainian	SD	2683
SDC2_5R	Can converse - Vietnamese	SD	2684
SDC2_5S	Can converse - other language	SD	2684
SDC2_6A	First language learned and still understood - English	SD	2685
SDC2_6B	First language learned and still understood - French	SD	2686
SDC2_6C	First language learned and still understood - Arabic	SD	2686
SDC2_6D	First language learned and still understood - Chinese	SD	2687
SDC2_6E	First language learned and still understood - Cree	SD	2687
SDC2_6F	First language learned and still understood - German	SD	2688
SDC2_6G	First language learned and still understood - Greek	SD	2688
SDC2_6H	First language learned and still understood - Hungarian	SD	2689
SDC2_6I	First language learned and still understood - Italian	SD	2689
SDC2_6J	First language learned and still understood - Korean	SD	2690
SDC2_6K	First language learned and still understood - Persian	SD	2690
SDC2_6L	First language learned and still understood - Polish	SD	2691
SDC2_6M	First language learned and still understood - Portuguese	SD	2691
SDC2_6N	First language learned and still understood - Punjabi	SD	2692

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SDC2_6O	First language learned and still understood - Spanish	SD	2692
SDC2_6P	First language learned and still understood - Tagalog	SD	2693
SDC2_6Q	First language learned and still understood - Ukrainian	SD	2693
SDC2_6R	First language learned and still understood - Vietnamese	SD	2694
SDC2_6S	First language learned and still understood - other	SD	2694
SDC2DLNG	Language(s) in which respondent can converse - (D)	SD	2685
SDC2DRES	Length of time in Canada since immigration - (D)	SD	2675
SDC4_4A	Ethnic origin - Canadian	SD	81
SDC4_4B	Ethnic origin - French	SD	82
SDC4_4C	Ethnic origin - English	SD	82
SDC4_4D	Ethnic origin - German	SD	83
SDC4_4E	Ethnic origin - Scottish	SD	83
SDC4_4F	Ethnic origin - Irish	SD	84
SDC4_4G	Ethnic origin - Italian	SD	84
SDC4_4H	Ethnic origin - Ukrainian	SD	85
SDC4_4I	Ethnic origin - Dutch (Netherlands)	SD	85
SDC4_4J	Ethnic origin - Chinese	SD	86
SDC4_4K	Ethnic origin - Jewish	SD	86
SDC4_4L	Ethnic origin - Polish	SD	87
SDC4_4M	Ethnic origin - Portuguese	SD	87
SDC4_4N	Ethnic origin - South Asian	SD	88
SDC4_4O	Ethnic origin - Black	SD	88
SDC4_4P	Ethnic origin - North American Indian	SD	89
SDC4_4Q	Ethnic origin - Métis	SD	89
SDC4_4R	Ethnic origin - Inuit / Eskimo	SD	90
SDC4_4S	Ethnic origin - other	SD	90
SDC4_5A	Can converse - English	SD	91
SDC4_5B	Can converse - French	SD	91
SDC4_5C	Can converse - Arabic	SD	91
SDC4_5D	Can converse - Chinese	SD	92
SDC4_5E	Can converse - Cree	SD	92
SDC4_5F	Can converse - German	SD	92
SDC4_5G	Can converse - Greek	SD	93
SDC4_5H	Can converse - Hungarian	SD	93
SDC4_5I	Can converse - Italian	SD	93
SDC4_5J	Can converse - Korean	SD	94

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 215

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SDC4_5K	Can converse - Persian	SD	94
SDC4_5L	Can converse - Polish	SD	94
SDC4_5M	Can converse - Portuguese	SD	95
SDC4_5N	Can converse - Punjabi	SD	95
SDC4_5O	Can converse - Spanish	SD	95
SDC4_5P	Can converse - Tagalog	SD	96
SDC4_5Q	Can converse - Ukrainian	SD	96
SDC4_5R	Can converse - Vietnamese	SD	96
SDC4_5S	Can converse - other language	SD	97
SDC4_6A	First language learned and still understood - English	SD	98
SDC4_6B	First language learned and still understood - French	SD	98
SDC4_6C	First language learned and still understood - Arabic	SD	98
SDC4_6D	First language learned and still understood - Chinese	SD	99
SDC4_6E	First language learned and still understood - Cree	SD	99
SDC4_6F	First language learned and still understood - German	SD	99
SDC4_6G	First language learned and still understood - Greek	SD	100
SDC4_6H	First language learned and still understood - Hungarian	SD	100
SDC4_6I	First language learned and still understood - Italian	SD	100
SDC4_6J	First language learned and still understood - Korean	SD	101
SDC4_6K	First language learned and still understood - Persian	SD	101
SDC4_6L	First language learned and still understood - Polish	SD	101
SDC4_6M	First language learned and still understood - Portuguese	SD	102
SDC4_6N	First language learned and still understood - Punjabi	SD	102
SDC4_6O	First language learned and still understood - Spanish	SD	102
SDC4_6P	First language learned and still understood - Tagalog	SD	103
SDC4_6Q	First language learned and still understood - Ukrainian	SD	103
SDC4_6R	First language learned and still understood - Vietnamese	SD	103
SDC4_6S	First language learned and still understood - other	SD	104
SDC4_7A	Race or colour - White	SD	104
SDC4_7B	Race or colour - Chinese	SD	104
SDC4_7C	Race or colour - South Asian	SD	105
SDC4_7D	Race or colour - Black	SD	105
SDC4_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	105
SDC4_7F	Race or colour - Arab / West Asian	SD	106
SDC4_7G	Race or colour - Filipino	SD	106
SDC4_7H	Race or colour - South East Asian	SD	106

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SDC4_7J	Race or colour - Japanese	SD	107
SDC4_7K	Race or colour - Korean	SD	107
SDC4_7L	Race or colour - other	SD	107
SDC4DLNG	Language(s) in which respondent can converse - (D)	SD	97
SDC4DRAC	Cultural or racial origin - (D)	SD	108
SDC4DRES	Length of time in Canada since immigration - (D)	SD	81
SDC6_4A	Ethnic origin - Canadian	SD	587
SDC6_4B	Ethnic origin - French	SD	587
SDC6_4C	Ethnic origin - English	SD	588
SDC6_4D	Ethnic origin - German	SD	588
SDC6_4E	Ethnic origin - Scottish	SD	589
SDC6_4F	Ethnic origin - Irish	SD	589
SDC6_4G	Ethnic origin - Italian	SD	590
SDC6_4H	Ethnic origin - Ukrainian	SD	590
SDC6_4I	Ethnic origin - Dutch (Netherlands)	SD	591
SDC6_4J	Ethnic origin - Chinese	SD	591
SDC6_4K	Ethnic origin - Jewish	SD	592
SDC6_4L	Ethnic origin - Polish	SD	592
SDC6_4M	Ethnic origin - Portuguese	SD	593
SDC6_4N	Ethnic origin - South Asian	SD	593
SDC6_4O	Ethnic origin - Black	SD	594
SDC6_4P	Ethnic origin - North American Indian	SD	594
SDC6_4Q	Ethnic origin - Métis	SD	595
SDC6_4R	Ethnic origin - Inuit / Eskimo	SD	595
SDC6_4S	Ethnic origin - other	SD	596
SDC6_5A	Can converse - English	SD	596
SDC6_5B	Can converse - French	SD	597
SDC6_5C	Can converse - Arabic	SD	597
SDC6_5D	Can converse - Chinese	SD	597
SDC6_5E	Can converse - Cree	SD	598
SDC6_5F	Can converse - German	SD	598
SDC6_5G	Can converse - Greek	SD	598
SDC6_5H	Can converse - Hungarian	SD	599
SDC6_5I	Can converse - Italian	SD	599
SDC6_5J	Can converse - Korean	SD	599
SDC6_5K	Can converse - Persian	SD	600



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 217

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SDC6_5L	Can converse - Polish	SD	600
SDC6_5M	Can converse - Portuguese	SD	600
SDC6_5N	Can converse - Punjabi	SD	601
SDC6_5O	Can converse - Spanish	SD	601
SDC6_5P	Can converse - Tagalog	SD	601
SDC6_5Q	Can converse - Ukrainian	SD	602
SDC6_5R	Can converse - Vietnamese	SD	602
SDC6_5S	Can converse - other language	SD	602
SDC6_6A	First language learned and still understood - English	SD	603
SDC6_6B	First language learned and still understood - French	SD	604
SDC6_6C	First language learned and still understood - Arabic	SD	604
SDC6_6D	First language learned and still understood - Chinese	SD	604
SDC6_6E	First language learned and still understood - Cree	SD	605
SDC6_6F	First language learned and still understood - German	SD	605
SDC6_6G	First language learned and still understood - Greek	SD	605
SDC6_6H	First language learned and still understood - Hungarian	SD	606
SDC6_6I	First language learned and still understood - Italian	SD	606
SDC6_6J	First language learned and still understood - Korean	SD	606
SDC6_6K	First language learned and still understood - Persian	SD	607
SDC6_6L	First language learned and still understood - Polish	SD	607
SDC6_6M	First language learned and still understood - Portuguese	SD	607
SDC6_6N	First language learned and still understood - Punjabi	SD	608
SDC6_6O	First language learned and still understood - Spanish	SD	608
SDC6_6P	First language learned and still understood - Tagalog	SD	608
SDC6_6Q	First language learned and still understood - Ukrainian	SD	609
SDC6_6R	First language learned and still understood - Vietnamese	SD	609
SDC6_6S	First language learned and still understood - other	SD	609
SDC6_7A	Race or colour - White	SD	610
SDC6_7B	Race or colour - Chinese	SD	610
SDC6_7C	Race or colour - South Asian	SD	611
SDC6_7D	Race or colour - Black	SD	611
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	612
SDC6_7F	Race or colour - Arab / West Asian	SD	612
SDC6_7G	Race or colour - Filipino	SD	613
SDC6_7H	Race or colour - South East Asian	SD	613
SDC6_7I	Race or colour - Latin American	SD	614

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SDC6_7J	Race or colour - Japanese	SD	614
SDC6_7K	Race or colour - Korean	SD	615
SDC6_7L	Race or colour - other	SD	615
SDC6DLNG	Language(s) in which respondent can converse - (D)	SD	603
SDC6DRAC	Cultural or racial origin - (D)	SD	616
SDC6DRES	Length of time in Canada since immigration - (D)	SD	586
SDC8_4A	Ethnic origin - Canadian	SD	1276
SDC8_4B	Ethnic origin - French	SD	1277
SDC8_4C	Ethnic origin - English	SD	1277
SDC8_4D	Ethnic origin - German	SD	1278
SDC8_4E	Ethnic origin - Scottish	SD	1278
SDC8_4F	Ethnic origin - Irish	SD	1279
SDC8_4G	Ethnic origin - Italian	SD	1279
SDC8_4H	Ethnic origin - Ukrainian	SD	1280
SDC8_4I	Ethnic origin - Dutch (Netherlands)	SD	1280
SDC8_4J	Ethnic origin - Chinese	SD	1281
SDC8_4K	Ethnic origin - Jewish	SD	1281
SDC8_4L	Ethnic origin - Polish	SD	1282
SDC8_4M	Ethnic origin - Portuguese	SD	1282
SDC8_4N	Ethnic origin - South Asian	SD	1283
SDC8_4O	Ethnic origin - Black	SD	1283
SDC8_4P	Ethnic origin - North American Indian	SD	1284
SDC8_4Q	Ethnic origin - Métis	SD	1284
SDC8_4R	Ethnic origin - Inuit / Eskimo	SD	1285
SDC8_4S	Ethnic origin - other	SD	1285
SDC8_5A	Can converse - English	SD	1286
SDC8_5B	Can converse - French	SD	1286
SDC8_5C	Can converse - Arabic	SD	1287
SDC8_5D	Can converse - Chinese	SD	1287
SDC8_5E	Can converse - Cree	SD	1288
SDC8_5F	Can converse - German	SD	1288
SDC8_5G	Can converse - Greek	SD	1289
SDC8_5H	Can converse - Hungarian	SD	1289
SDC8_5I	Can converse - Italian	SD	1290
SDC8_5J	Can converse - Korean	SD	1290
SDC8_5K	Can converse - Persian	SD	1291

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 219

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SDC8_5L	Can converse - Polish	SD	1291
SDC8_5M	Can converse - Portuguese	SD	1292
SDC8_5N	Can converse - Punjabi	SD	1292
SDC8_5O	Can converse - Spanish	SD	1293
SDC8_5P	Can converse - Tagalog	SD	1293
SDC8_5Q	Can converse - Ukrainian	SD	1294
SDC8_5R	Can converse - Vietnamese	SD	1294
SDC8_5S	Can converse - other language	SD	1295
SDC8_6A	First language learned and still understood - English	SD	1296
SDC8_6B	First language learned and still understood - French	SD	1296
SDC8_6C	First language learned and still understood - Arabic	SD	1297
SDC8_6D	First language learned and still understood - Chinese	SD	1297
SDC8_6E	First language learned and still understood - Cree	SD	1298
SDC8_6F	First language learned and still understood - German	SD	1298
SDC8_6G	First language learned and still understood - Greek	SD	1299
SDC8_6H	First language learned and still understood - Hungarian	SD	1299
SDC8_6I	First language learned and still understood - Italian	SD	1300
SDC8_6J	First language learned and still understood - Korean	SD	1300
SDC8_6K	First language learned and still understood - Persian	SD	1301
SDC8_6L	First language learned and still understood - Polish	SD	1301
SDC8_6M	First language learned and still understood - Portuguese	SD	1302
SDC8_6N	First language learned and still understood - Punjabi	SD	1302
SDC8_6O	First language learned and still understood - Spanish	SD	1303
SDC8_6P	First language learned and still understood - Tagalog	SD	1303
SDC8_6Q	First language learned and still understood - Ukrainian	SD	1304
SDC8_6R	First language learned and still understood - Vietnamese	SD	1304
SDC8_6S	First language learned and still understood - other	SD	1305
SDC8_7A	Race or colour - White	SD	1305
SDC8_7B	Race or colour - Chinese	SD	1306
SDC8_7C	Race or colour - South Asian	SD	1306
SDC8_7D	Race or colour - Black	SD	1307
SDC8_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	1307
SDC8_7F	Race or colour - Arab / West Asian	SD	1308
SDC8_7G	Race or colour - Filipino	SD	1308
SDC8_7H	Race or colour - South East Asian	SD	1309
SDC8_7I	Race or colour - Latin American	SD	1309

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SDC8_7J	Race or colour - Japanese	SD	1310
SDC8_7K	Race or colour - Korean	SD	1310
SDC8_7L	Race or colour - other	SD	1311
SDC8DLNG	Language(s) in which respondent can converse - (D)	SD	1295
SDC8DRAC	Cultural or racial origin - (D)	SD	1312
SDC8DRES	Length of time in Canada since immigration - (D)	SD	1276
SDCA_5A	Can converse - English	SD	3209
SDCA_5B	Can converse - French	SD	3209
SDCA_5C	Can converse - Arabic	SD	3210
SDCA_5D	Can converse - Chinese	SD	3210
SDCA_5E	Can converse - Cree	SD	3211
SDCA_5F	Can converse - German	SD	3211
SDCA_5G	Can converse - Greek	SD	3212
SDCA_5H	Can converse - Hungarian	SD	3212
SDCA_5I	Can converse - Italian	SD	3213
SDCA_5J	Can converse - Korean	SD	3213
SDCA_5K	Can converse - Persian	SD	3214
SDCA_5L	Can converse - Polish	SD	3214
SDCA_5M	Can converse - Portuguese	SD	3215
SDCA_5N	Can converse - Punjabi	SD	3215
SDCA_5O	Can converse - Spanish	SD	3216
SDCA_5P	Can converse - Tagalog	SD	3216
SDCA_5Q	Can converse - Ukrainian	SD	3217
SDCA_5R	Can converse - Vietnamese	SD	3217
SDCA_5S	Can converse - other language	SD	3218
SDCA_6A	First language learned and still understood - English	SD	3219
SDCA_6B	First language learned and still understood - French	SD	3219
SDCA_6C	First language learned and still understood - Arabic	SD	3220
SDCA_6D	First language learned and still understood - Chinese	SD	3220
SDCA_6E	First language learned and still understood - Cree	SD	3221
SDCA_6F	First language learned and still understood - German	SD	3221
SDCA_6G	First language learned and still understood - Greek	SD	3222
SDCA_6H	First language learned and still understood - Hungarian	SD	3222
SDCA_6I	First language learned and still understood - Italian	SD	3223
SDCA_6J	First language learned and still understood - Korean	SD	3223
SDCA_6K	First language learned and still understood - Persian	SD	3224

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 221

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SDCA_6L	First language learned and still understood - Polish	SD	3224
SDCA_6M	First language learned and still understood - Portuguese	SD	3225
SDCA_6N	First language learned and still understood - Punjabi	SD	3225
SDCA_6O	First language learned and still understood - Spanish	SD	3226
SDCA_6P	First language learned and still understood - Tagalog	SD	3226
SDCA_6Q	First language learned and still understood - Ukrainian	SD	3227
SDCA_6R	First language learned and still understood - Vietnamese	SD	3227
SDCA_6S	First language learned and still understood - other	SD	3228
SDCADLNG	Language(s) in which respondent can converse - (D)	SD	3218
SDCADRES	Length of time in Canada since immigration - (D)	SD	3208
SDCB_5A	Can converse - English	SD	3750
SDCB_5B	Can converse - French	SD	3751
SDCB_5C	Can converse - Arabic	SD	3751
SDCB_5D	Can converse - Chinese	SD	3752
SDCB_5E	Can converse - Cree	SD	3752
SDCB_5F	Can converse - German	SD	3753
SDCB_5G	Can converse - Greek	SD	3753
SDCB_5H	Can converse - Hungarian	SD	3754
SDCB_5I	Can converse - Italian	SD	3754
SDCB_5J	Can converse - Korean	SD	3755
SDCB_5K	Can converse - Persian	SD	3755
SDCB_5L	Can converse - Polish	SD	3756
SDCB_5M	Can converse - Portuguese	SD	3756
SDCB_5N	Can converse - Punjabi	SD	3757
SDCB_5O	Can converse - Spanish	SD	3757
SDCB_5P	Can converse - Tagalog	SD	3758
SDCB_5Q	Can converse - Ukrainian	SD	3758
SDCB_5R	Can converse - Vietnamese	SD	3759
SDCB_5S	Can converse - other language	SD	3759
SDCB_6A	First language learned and still understood - English	SD	3760
SDCB_6B	First language learned and still understood - French	SD	3761
SDCB_6C	First language learned and still understood - Arabic	SD	3761
SDCB_6D	First language learned and still understood - Chinese	SD	3762
SDCB_6E	First language learned and still understood - Cree	SD	3762
SDCB_6F	First language learned and still understood - German	SD	3763
SDCB_6G	First language learned and still understood - Greek	SD	3763

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 222

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SDCB_6H	First language learned and still understood - Hungarian	SD	3764
SDCB_6I	First language learned and still understood - Italian	SD	3764
SDCB_6J	First language learned and still understood - Korean	SD	3765
SDCB_6K	First language learned and still understood - Persian	SD	3765
SDCB_6L	First language learned and still understood - Polish	SD	3766
SDCB_6M	First language learned and still understood - Portuguese	SD	3766
SDCB_6N	First language learned and still understood - Punjabi	SD	3767
SDCB_6O	First language learned and still understood - Spanish	SD	3767
SDCB_6P	First language learned and still understood - Tagalog	SD	3768
SDCB_6Q	First language learned and still understood - Ukrainian	SD	3768
SDCB_6R	First language learned and still understood - Vietnamese	SD	3769
SDCB_6S	First language learned and still understood - other	SD	3769
SDCBDLNG	Language(s) in which respondent can converse - (D)	SD	3760
SDCBDRES	Length of time in Canada since immigration - (D)	SD	3750
SDCC_5A	Can converse - English	SD	4298
SDCC_5B	Can converse - French	SD	4299
SDCC_5C	Can converse - Arabic	SD	4299
SDCC_5D	Can converse - Chinese	SD	4300
SDCC_5E	Can converse - Cree	SD	4300
SDCC_5F	Can converse - German	SD	4301
SDCC_5G	Can converse - Greek	SD	4301
SDCC_5H	Can converse - Hungarian	SD	4302
SDCC_5I	Can converse - Italian	SD	4302
SDCC_5J	Can converse - Korean	SD	4303
SDCC_5K	Can converse - Persian	SD	4303
SDCC_5L	Can converse - Polish	SD	4304
SDCC_5M	Can converse - Portuguese	SD	4304
SDCC_5N	Can converse - Punjabi	SD	4305
SDCC_5O	Can converse - Spanish	SD	4305
SDCC_5P	Can converse - Tagalog	SD	4306
SDCC_5Q	Can converse - Ukrainian	SD	4306
SDCC_5R	Can converse - Vietnamese	SD	4307
SDCC_5S	Can converse - other language	SD	4307
SDCC_6A	First language learned and still understood - English	SD	4308
SDCC_6B	First language learned and still understood - French	SD	4309
SDCC_6C	First language learned and still understood - Arabic	SD	4309

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 223

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SDCC_6D	First language learned and still understood - Chinese	SD	4310
SDCC_6E	First language learned and still understood - Cree	SD	4310
SDCC_6F	First language learned and still understood - German	SD	4311
SDCC_6G	First language learned and still understood - Greek	SD	4311
SDCC_6H	First language learned and still understood - Hungarian	SD	4312
SDCC_6I	First language learned and still understood - Italian	SD	4312
SDCC_6J	First language learned and still understood - Korean	SD	4313
SDCC_6K	First language learned and still understood - Persian	SD	4313
SDCC_6L	First language learned and still understood - Polish	SD	4314
SDCC_6M	First language learned and still understood - Portuguese	SD	4314
SDCC_6N	First language learned and still understood - Punjabi	SD	4315
SDCC_6O	First language learned and still understood - Spanish	SD	4315
SDCC_6P	First language learned and still understood - Tagalog	SD	4316
SDCC_6Q	First language learned and still understood - Ukrainian	SD	4316
SDCC_6R	First language learned and still understood - Vietnamese	SD	4317
SDCC_6S	First language learned and still understood - other	SD	4317
SDCCDLNG	Language(s) in which respondent can converse - (D)	SD	4308
SDCCDRES	Length of time in Canada since immigration - (D)	SD	4298
SDCD_5A	Can converse - English	SD	4796
SDCD_5B	Can converse - French	SD	4797
SDCD_5C	Can converse - Arabic	SD	4797
SDCD_5D	Can converse - Chinese	SD	4798
SDCD_5E	Can converse - Cree	SD	4798
SDCD_5F	Can converse - German	SD	4799
SDCD_5G	Can converse - Greek	SD	4799
SDCD_5H	Can converse - Hungarian	SD	4800
SDCD_5I	Can converse - Italian	SD	4800
SDCD_5J	Can converse - Korean	SD	4801
SDCD_5K	Can converse - Persian	SD	4801
SDCD_5L	Can converse - Polish	SD	4802
SDCD_5M	Can converse - Portuguese	SD	4802
SDCD_5N	Can converse - Punjabi	SD	4803
SDCD_5O	Can converse - Spanish	SD	4803
SDCD_5P	Can converse - Tagalog	SD	4804
SDCD_5Q	Can converse - Ukrainian	SD	4804
SDCD_5R	Can converse - Vietnamese	SD	4805

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 224

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SDCD_5S	Can converse - other language	SD	4805
SDCD_6A	First language learned and still understood - English	SD	4806
SDCD_6B	First language learned and still understood - French	SD	4807
SDCD_6C	First language learned and still understood - Arabic	SD	4807
SDCD_6D	First language learned and still understood - Chinese	SD	4808
SDCD_6E	First language learned and still understood - Cree	SD	4808
SDCD_6F	First language learned and still understood - German	SD	4809
SDCD_6G	First language learned and still understood - Greek	SD	4809
SDCD_6H	First language learned and still understood - Hungarian	SD	4810
SDCD_6I	First language learned and still understood - Italian	SD	4810
SDCD_6J	First language learned and still understood - Korean	SD	4811
SDCD_6K	First language learned and still understood - Persian	SD	4811
SDCD_6L	First language learned and still understood - Polish	SD	4812
SDCD_6M	First language learned and still understood - Portuguese	SD	4812
SDCD_6N	First language learned and still understood - Punjabi	SD	4813
SDCD_6O	First language learned and still understood - Spanish	SD	4813
SDCD_6P	First language learned and still understood - Tagalog	SD	4814
SDCD_6Q	First language learned and still understood - Ukrainian	SD	4814
SDCD_6R	First language learned and still understood - Vietnamese	SD	4815
SDCD_6S	First language learned and still understood - other	SD	4815
SDCDDLNG	Language(s) in which respondent can converse - (D)	SD	4806
SDCDDRES	Length of time in Canada since immigration - (D)	SD	4796
SEX	Sex	DH	5
SHARE	Agree to share information	AM	3
SHP6_1	Effective in preventing STD - using condom	SH	1128
SHP6_10	Chance of getting an STD	SH	1137
SHP6_11	To prevent STD - changed sexual behaviour	SH	1138
SHP6_12	To prevent STD - sex with only 1 partner	SH	1138
SHP6_13	To prevent STD - using condoms	SH	1139
SHP6_14	To prevent STD - using jellies / foams	SH	1139
SHP6_15	To prevent STD - more careful selecting partner	SH	1140
SHP6_16	To prevent STD - started being tested	SH	1140
SHP6_17	To prevent STD - insisting that partner be tested	SH	1141
SHP6_18	To prevent STD - abstaining	SH	1141
SHP6_19	To prevent STD - other measures	SH	1142
SHP6_2	Effective in preventing STD - birth control pill	SH	1128



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 225

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SHP6_3	Effective in preventing STD - diaphragm / sponge	SH	1129
SHP6_4	Effective in preventing STD - jelly / foam	SH	1129
SHP6_5	Effective in preventing STD - ask if partner has STD	SH	1130
SHP6_6	Effective in preventing STD - regular partner	SH	1130
SHP6_7	Effective in preventing STD - ask partner to be tested	SH	1131
SHP6_8	STD prevention - has sources of information	SH	1131
SHP6_9A	STD main source of info. - parents	SH	1132
SHP6_9B	STD main source of info. - medical professionals	SH	1132
SHP6_9C	STD main source of info. - friends	SH	1133
SHP6_9D	STD main source of info. - school	SH	1133
SHP6_9E	STD main source of info. - church	SH	1134
SHP6_9F	STD main source of info. - youth club	SH	1134
SHP6_9G	STD main source of info. - TV / radio	SH	1135
SHP6_9H	STD main source of info. - magazines / papers	SH	1135
SHP6_9I	STD main source of info. - pamphlets	SH	1136
SHP6_9J	STD main source of info. - books	SH	1136
SHP6_9K	STD main source of info. - other	SH	1137
SHS6_1	Ever had sexual intercourse	SH	1119
SHS6_10	Had / has - syphilis	SH	1124
SHS6_11	Had / has - genital warts	SH	1124
SHS6_12	Had / has - genital herpes	SH	1125
SHS6_13	Had / has - hepatitis B	SH	1125
SHS6_14	Has HIV / AIDS	SH	1126
SHS6_15	Had / has - pelvic inflammatory disease	SH	1126
SHS6_16	Had / has - other STD	SH	1127
SHS6_2	Age at first sexual intercourse	SH	1119
SHS6_3	Had sexual intercourse in past 12 months	SH	1120
SHS6_4	Number of partners (sexual intercourse)	SH	1120
SHS6_5	Relationship lasted 12 months or longer	SH	1121
SHS6_6	Relationships lasted less than 12 months	SH	1121
SHS6_7	Frequency of condom use in relationship(s)	SH	1122
SHS6_7A	Used a condom the last time	SH	1122
SHS6_8	Had / has - chlamydia	SH	1123
SHS6_9	Had / has - gonorrhea	SH	1123
SHS6D1	Had at least 1 STD - (D)	SH	1127
SK_A_1A	Drink diet soft drinks - frequency	NU	2798

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 226

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SK_A_1B	Drink diet soft drinks - reporting period	NU	2798
SK_A_1Y	Drink diet soft drinks - annual frequency	NU	2799
SK_A_2A	Drink regular soft drinks - frequency	NU	2799
SK_A_2B	Drink regular soft drinks - reporting period	NU	2800
SK_A_2Y	Drink regular soft drinks - annual frequency	NU	2800
SK_B_1A	Drink diet soft drinks - frequency	NU	3340
SK_B_1B	Drink diet soft drinks - reporting period	NU	3340
SK_B_1Y	Drink diet soft drinks - annual frequency	NU	3341
SK_B_2A	Drink regular soft drinks - frequency	NU	3341
SK_B_2B	Drink regular soft drinks - reporting period	NU	3342
SK_B_2Y	Drink regular soft drinks - annual frequency	NU	3342
SK_C_1A	Drink diet soft drinks - frequency	NU	3876
SK_C_1B	Drink diet soft drinks - reporting period	NU	3876
SK_C_1Y	Drink diet soft drinks - annual frequency	NU	3877
SK_C_2A	Drink regular soft drinks - frequency	NU	3877
SK_C_2B	Drink regular soft drinks - reporting period	NU	3878
SK_C_2Y	Drink regular soft drinks - annual frequency	NU	3878
SLC2_1	Number of hours spent sleeping per night	SL	2231
SLC2_2	Frequency - trouble sleeping	SL	2232
SLC2_3	Frequency - find sleep refreshing	SL	2232
SLC2_4	Frequency - find it difficult to stay awake	SL	2233
SLCA_1	Number of hours spent sleeping per night	SL	2768
SLCA_2	Frequency - trouble sleeping	SL	2769
SLCA_3	Frequency - find sleep refreshing	SL	2769
SLCA_4	Frequency - find it difficult to stay awake	SL	2770
SLCB_1	Number of hours spent sleeping per night	SL	3303
SLCB_2	Frequency - trouble sleeping	SL	3304
SLCB_3	Frequency - find sleep refreshing	SL	3304
SLCB_4	Frequency - find it difficult to stay awake	SL	3305
SLCC_1	Number of hours spent sleeping per night	SL	3846
SLCC_2	Frequency - trouble sleeping	SL	3847
SLCC_3	Frequency - find sleep refreshing	SL	3847
SLCC_4	Frequency - find it difficult to stay awake	SL	3848
SLCD_1	Number of hours spent sleeping per night	SL	4394
SLCD_2	Frequency - trouble sleeping	SL	4395
SLCD_3	Frequency - find sleep refreshing	SL	4395

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SLCD_4	Frequency - find it difficult to stay awake	SL	4396
SMC0_1	Household member smokes inside house	SM	2052
SMC0_10	Reason for starting smoking	SM	2060
SMC0_11	Reason for smoking less	SM	2061
SMC0_12	Reason for smoking more	SM	2062
SMC0_2	Current smoking status	SM	2052
SMC0_201	When first cigarette smoked after waking up	SM	2062
SMC0_202	Tried quitting smoking	SM	2063
SMC0_203	Number of times tried to quit smoking	SM	2063
SMC0_204	Considering quitting smoking in the next 30 days	SM	2064
SMC0_205	Considering quitting smoking in the next 6 months	SM	2064
SMC0_206	Smoking restrictions in work place	SM	2065
SMC0_3	Age started smoking daily - daily smoker	SM	2053
SMC0_4	Number of cigarettes smoked each day - daily smoker	SM	2053
SMC0_4A	Ever smoked cigarettes	SM	2054
SMC0_4B	Ever smoked cigarettes (probe)	SM	2054
SMC0_5	Ever smoked daily	SM	2056
SMC0_5A	Smoked 100 or more cigarettes - former smoker	SM	2055
SMC0_5B	No. of cigarettes smoked - occasional smoker	SM	2055
SMC0_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	2056
SMC0_6	Age started smoking daily - former daily smoker	SM	2057
SMC0_7	No. of cigarettes smoked daily - former daily smoker	SM	2057
SMC0_8	Age stopped smoking daily - former daily smoker	SM	2058
SMC0_9	Reason for quitting smoking	SM	2059
SMC0DTYP	Type of smoker - (D)	SM	2058
SMC0DYRS	Number of years that respondent smoked - (D)	SM	2059
SMC2_1	Household member smokes inside house	SM	2597
SMC2_10	Reason for starting smoking	SM	2607
SMC2_11	Reason for smoking less	SM	2608
SMC2_12	Reason for smoking more	SM	2609
SMC2_2	Current smoking status	SM	2597
SMC2_201	When first cigarette smoked after waking up	SM	2609
SMC2_202	Tried quitting smoking	SM	2610
SMC2_203	Number of times tried to quit smoking	SM	2610
SMC2_204	Considering quitting smoking in the next 30 days	SM	2611
SMC2_205	Considering quitting smoking in the next 6 months	SM	2611

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 228

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SMC2_206	Smoking restrictions in work place	SM	2612
SMC2_3	Age started smoking daily - daily smoker	SM	2598
SMC2_4	Number of cigarettes smoked each day - daily smoker	SM	2598
SMC2_4A	Ever smoked cigarettes	SM	2599
SMC2_4B	Ever smoked cigarettes (probe)	SM	2599
SMC2_5	Ever smoked daily	SM	2601
SMC2_5A	Smoked 100 or more cigarettes - former smoker	SM	2600
SMC2_5B	No. of cigarettes smoked - occasional smoker	SM	2600
SMC2_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	2601
SMC2_6	Age started smoking daily - former daily smoker	SM	2602
SMC2_7	No. of cigarettes smoked daily - former daily smoker	SM	2602
SMC2_8	Age stopped smoking daily - former daily smoker	SM	2603
SMC2_9	Reason for quitting smoking	SM	2606
SMC2DSTR	Strength of cigarette (descriptor) - (D)	SM	2604
SMC2DTAR	Tar content of cigarette - (D)	SM	2605
SMC2DTYP	Type of smoker - (D)	SM	2603
SMC2DYRS	Number of years that respondent smoked - (D)	SM	2604
SMC4_1	Household member smokes inside house	SM	196
SMC4_2	Current smoking status	SM	196
SMC4_3	Age started smoking daily - daily smoker	SM	197
SMC4_4	Number of cigarettes smoked each day - daily smoker	SM	197
SMC4_4A	Ever smoked cigarettes	SM	198
SMC4_5	Ever smoked daily	SM	198
SMC4_6	Age started smoking daily - former daily smoker	SM	199
SMC4_7	No. of cigarettes smoked daily - former daily smoker	SM	199
SMC4_8	Age stopped smoking daily - former daily smoker	SM	200
SMC4DTYP	Type of smoker - (D)	SM	200
SMC4DYRS	Number of years that respondent smoked - (D)	SM	201
SMC6_1	Household member smokes inside house	SM	1017
SMC6_10	Reason for starting smoking	SM	1022
SMC6_11	Reason for smoking less	SM	1023
SMC6_12	Reason for smoking more	SM	1024
SMC6_2	Current smoking status	SM	1017
SMC6_201	When first cigarette smoked after waking up	SM	1027
SMC6_205	Considering quitting smoking in the next 6 months	SM	1028
SMC6_206	Smoking restrictions in work place	SM	1028

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 229

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SMC6_3	Age started smoking daily - daily smoker	SM	1018
SMC6_4	Number of cigarettes smoked each day - daily smoker	SM	1018
SMC6_4A	Ever smoked cigarettes	SM	1019
SMC6_5	Ever smoked daily	SM	1019
SMC6_6	Age started smoking daily - former daily smoker	SM	1020
SMC6_7	No. of cigarettes smoked daily - former daily smoker	SM	1020
SMC6_8	Age stopped smoking daily - former daily smoker	SM	1021
SMC6_9	Reason for quitting smoking	SM	1021
SMC6DTYP	Type of smoker - (D)	SM	1024
SMC6DYRS	Number of years that respondent smoked - (D)	SM	1025
SMC8_1	Household member smokes inside house	SM	1631
SMC8_10	Reason for starting smoking	SM	1639
SMC8_11	Reason for smoking less	SM	1640
SMC8_12	Reason for smoking more	SM	1641
SMC8_2	Current smoking status	SM	1631
SMC8_201	When first cigarette smoked after waking up	SM	1641
SMC8_202	Tried quitting smoking	SM	1642
SMC8_203	Number of times tried to quit smoking	SM	1642
SMC8_204	Considering quitting smoking in the next 30 days	SM	1643
SMC8_205	Considering quitting smoking in the next 6 months	SM	1643
SMC8_206	Smoking restrictions in work place	SM	1644
SMC8_3	Age started smoking daily - daily smoker	SM	1632
SMC8_4	Number of cigarettes smoked each day - daily smoker	SM	1632
SMC8_4A	Ever smoked cigarettes	SM	1633
SMC8_4B	Ever smoked cigarettes (probe)	SM	1633
SMC8_5	Ever smoked daily	SM	1635
SMC8_5A	Smoked 100 or more cigarettes - former smoker	SM	1634
SMC8_5B	No. of cigarettes smoked - occasional smoker	SM	1634
SMC8_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	1635
SMC8_6	Age started smoking daily - former daily smoker	SM	1636
SMC8_7	No. of cigarettes smoked daily - former daily smoker	SM	1636
SMC8_8	Age stopped smoking daily - former daily smoker	SM	1637
SMC8_9	Reason for quitting smoking	SM	1638
SMC8DTYP	Type of smoker - (D)	SM	1637
SMC8DYRS	Number of years that respondent smoked - (D)	SM	1638
SMCA_1	Household member smokes inside house	SM	3132

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SMCA_10	Reason for starting smoking	SM	3142
SMCA_11	Reason for smoking less	SM	3143
SMCA_12	Reason for smoking more	SM	3143
SMCA_13	Ever smoke whole cigarette	SM	3144
SMCA_14	Age smoked first whole cigarette	SM	3144
SMCA_2	Current smoking status	SM	3133
SMCA_201	When first cigarette smoked after waking up	SM	3145
SMCA_202	Tried quitting smoking	SM	3148
SMCA_203	Number of times tried to quit smoking	SM	3148
SMCA_204	Considering quitting smoking in the next 30 days	SM	3149
SMCA_205	Considering quitting smoking in the next 6 months	SM	3149
SMCA_206	Smoking restrictions in work place	SM	3150
SMCA_21A	Difficult to not smoke where forbidden	SM	3145
SMCA_21B	Cigarette most hates to give up	SM	3146
SMCA_21C	Smokes more frequently after waking	SM	3146
SMCA_21D	Smokes even if sick	SM	3147
SMCA_3	Age started smoking daily - daily smoker	SM	3133
SMCA_4	Number of cigarettes smoked each day - daily smoker	SM	3134
SMCA_4A	Ever smoked cigarettes	SM	3134
SMCA_4B	Ever smoked cigarettes (probe)	SM	3135
SMCA_5	Ever smoked daily	SM	3137
SMCA_5A	Smoked 100 or more cigarettes - former smoker	SM	3135
SMCA_5B	No. of cigarettes smoked - occasional smoker	SM	3136
SMCA_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	3136
SMCA_6	Age started smoking daily - former daily smoker	SM	3137
SMCA_7	No. of cigarettes smoked daily - former daily smoker	SM	3138
SMCA_8	Age stopped smoking daily - former daily smoker	SM	3138
SMCA_9	Reason for quitting smoking	SM	3141
SMCADFTT	Nicotine dependence - Fagerström tolerance score	SM	3147
SMCADSTR	Strength of cigarette (descriptor) - (D)	SM	3140
SMCADTAR	Tar content of cigarette - (D)	SM	3140
SMCADTYP	Type of smoker - (D)	SM	3139
SMCAYRS	Number of years that respondent smoked - (D)	SM	3139
SMCB_1	Household member smokes inside house	SM	3676
SMCB_10	Reason for starting smoking	SM	3686
SMCB_11	Reason for smoking less	SM	3687

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 231

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SMCB_12	Reason for smoking more	SM	3688
SMCB_13	Ever smoke whole cigarette	SM	3688
SMCB_14	Age smoked first whole cigarette	SM	3689
SMCB_2	Current smoking status	SM	3677
SMCB_201	When first cigarette smoked after waking up	SM	3689
SMCB_202	Tried quitting smoking	SM	3692
SMCB_203	Number of times tried to quit smoking	SM	3693
SMCB_204	Considering quitting smoking in the next 30 days	SM	3693
SMCB_205	Considering quitting smoking in the next 6 months	SM	3694
SMCB_206	Smoking restrictions in work place	SM	3694
SMCB_21A	Difficult to not smoke where forbidden	SM	3690
SMCB_21B	Cigarette most hates to give up	SM	3690
SMCB_21C	Smokes more frequently after waking	SM	3691
SMCB_21D	Smokes even if sick	SM	3691
SMCB_3	Age started smoking daily - daily smoker	SM	3677
SMCB_4	Number of cigarettes smoked each day - daily smoker	SM	3678
SMCB_4A	Ever smoked cigarettes	SM	3678
SMCB_4B	Ever smoked cigarettes (probe)	SM	3679
SMCB_5	Ever smoked daily	SM	3681
SMCB_5A	Smoked 100 or more cigarettes - former smoker	SM	3679
SMCB_5B	No. of cigarettes smoked - occasional smoker	SM	3680
SMCB_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	3680
SMCB_6	Age started smoking daily - former daily smoker	SM	3681
SMCB_7	No. of cigarettes smoked daily - former daily smoker	SM	3682
SMCB_8	Age stopped smoking daily - former daily smoker	SM	3682
SMCB_9	Reason for quitting smoking	SM	3685
SMCBDFTT	Nicotine dependence - Fagerström tolerance score	SM	3692
SMCBDSTR	Strength of cigarette (descriptor) - (D)	SM	3684
SMCBDTAR	Tar content of cigarette - (D)	SM	3684
SMCBDTYP	Type of smoker - (D)	SM	3683
SMCBDYRS	Number of years that respondent smoked - (D)	SM	3683
SMCC_1	Household member smokes inside house	SM	4225
SMCC_10	Reason for starting smoking	SM	4235
SMCC_11	Reason for smoking less	SM	4236
SMCC_12	Reason for smoking more	SM	4237
SMCC_13	Ever smoke whole cigarette	SM	4237

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 232

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SMCC_14	Age smoked first whole cigarette	SM	4238
SMCC_2	Current smoking status	SM	4226
SMCC_201	When first cigarette smoked after waking up	SM	4238
SMCC_202	Tried quitting smoking	SM	4241
SMCC_203	Number of times tried to quit smoking	SM	4242
SMCC_204	Considering quitting smoking in the next 30 days	SM	4242
SMCC_205	Considering quitting smoking in the next 6 months	SM	4243
SMCC_206	Smoking restrictions in work place	SM	4243
SMCC_21A	Difficult to not smoke where forbidden	SM	4239
SMCC_21B	Cigarette most hates to give up	SM	4239
SMCC_21C	Smokes more frequently after waking	SM	4240
SMCC_21D	Smokes even if sick	SM	4240
SMCC_3	Age started smoking daily - daily smoker	SM	4226
SMCC_4	Number of cigarettes smoked each day - daily smoker	SM	4227
SMCC_4A	Ever smoked cigarettes	SM	4227
SMCC_4B	Ever smoked cigarettes (probe)	SM	4228
SMCC_5	Ever smoked daily	SM	4230
SMCC_5A	Smoked 100 or more cigarettes - former smoker	SM	4228
SMCC_5B	No. of cigarettes smoked - occasional smoker	SM	4229
SMCC_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	4229
SMCC_6	Age started smoking daily - former daily smoker	SM	4230
SMCC_7	No. of cigarettes smoked daily - former daily smoker	SM	4231
SMCC_8	Age stopped smoking daily - former daily smoker	SM	4231
SMCC_9	Reason for quitting smoking	SM	4234
SMCCDFTT	Nicotine dependence - Fagerström tolerance score	SM	4241
SMCCDTAR	Tar content of cigarette - (D)	SM	4233
SMCCDTYP	Type of smoker - (D)	SM	4232
SMCCDYRS	Number of years that respondent smoked - (D)	SM	4232
SMCD_1	Household member smokes inside house	SM	4723
SMCD_10	Reason for starting smoking	SM	4733
SMCD_11	Reason for smoking less	SM	4734
SMCD_12	Reason for smoking more	SM	4735
SMCD_13	Ever smoke whole cigarette	SM	4735
SMCD_14	Age smoked first whole cigarette	SM	4736
SMCD_2	Current smoking status	SM	4724
SMCD_201	When first cigarette smoked after waking up	SM	4736



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 233

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SMCD_202	Tried quitting smoking	SM	4739
SMCD_203	Number of times tried to quit smoking	SM	4740
SMCD_204	Considering quitting smoking in the next 30 days	SM	4740
SMCD_205	Considering quitting smoking in the next 6 months	SM	4741
SMCD_206	Smoking restrictions in work place	SM	4741
SMCD_21A	Difficult to not smoke where forbidden	SM	4737
SMCD_21B	Cigarette most hates to give up	SM	4737
SMCD_21C	Smokes more frequently after waking	SM	4738
SMCD_21D	Smokes even if sick	SM	4738
SMCD_3	Age started smoking daily - daily smoker	SM	4724
SMCD_4	Number of cigarettes smoked each day - daily smoker	SM	4725
SMCD_4A	Ever smoked cigarettes	SM	4725
SMCD_4B	Ever smoked cigarettes (probe)	SM	4726
SMCD_5	Ever smoked daily	SM	4728
SMCD_5A	Smoked 100 or more cigarettes - former smoker	SM	4726
SMCD_5B	No. of cigarettes smoked - occasional smoker	SM	4727
SMCD_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	4727
SMCD_6	Age started smoking daily - former daily smoker	SM	4728
SMCD_7	No. of cigarettes smoked daily - former daily smoker	SM	4729
SMCD_8	Age stopped smoking daily - former daily smoker	SM	4729
SMCD_9	Reason for quitting smoking	SM	4732
SMCDDFTT	Nicotine dependence - Fagerström tolerance score	SM	4739
SMCDDTAR	Tar content of cigarette - (D)	SM	4731
SMCDDTYP	Type of smoker - (D)	SM	4730
SMCDDYRS	Number of years that respondent smoked - (D)	SM	4730
SMS6_13A	Children more likely to start smoking if their parents smoke	SM	1029
SMS6_13B	People too concerned about second-hand smoke	SM	1029
SMS6_13C	Non-smokers mind when people smoke in their presence	SM	1030
SMS6_13D	Children more likely have ill health from second-hand smoke	SM	1030
SMS6_13E	Should not smoke while pregnant nor others living with	SM	1031
SMS6_13F	Provide non-smokers with a smoke-free environment at work	SM	1031
SMS6_13G	Ask permission to smoke in the presence of others	SM	1032
SMS6_13H	Lower cigarette prices lead to increased smoking	SM	1032
SMS6_14	Feels unpleasant effects from second-hand smoke	SM	1033
SMS6_15	Second-hand smoke can cause health problems in non-smoker	SM	1033
SMS6_16A	Second-hand smoke can cause lung cancer in non-smoker	SM	1034

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 234

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	SM	1034
SMS6_16C	Second-hand smoke can cause a stroke in non-smoker	SM	1035
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	SM	1035
SMS6_17	Smoking cigarettes can cause health problems in a smoker	SM	1036
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	SM	1036
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	SM	1037
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	SM	1037
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	SM	1038
SP30_CPA	Actual collection period	SP	1708
SP30_STA	Status code after processing	SP	1715
SP30DPC	Postal code - (D)	SP	1707
SP30FOUT	Flag for record sent for field collection	SP	1708
SP32_CPA	Actual collection period	SP	2215
SP32_STA	Status code after processing	SP	2222
SP32DPC	Postal code - (D)	SP	2214
SP32FOUT	Flag for record sent for field collection	SP	2215
SP34_CPA	Actual collection period	SP	17
SP34_CPS	Sampled collection period	SP	12
SP34_MET	Selection method	SP	12
SP34_STA	Status code after processing	SP	24
SP34DPC	Postal code - (D)	SP	16
SP36_CPA	Actual collection period	SP	475
SP36_STA	Status code after processing	SP	482
SP36DPC	Postal code - (D)	SP	474
SP36FOUT	Flag for record sent for field collection	SP	475
SP38_CPA	Actual collection period	SP	1164
SP38_STA	Status code after processing	SP	1171
SP38DPC	Postal code - (D)	SP	1163
SP38FOUT	Flag for record sent for field collection	SP	1164
SP3A_CPA	Actual collection period	SP	2752
SP3A_STA	Status code after processing	SP	2759
SP3ADPC	Postal code - (D)	SP	2751
SP3AFOUT	Flag for record sent for field collection	SP	2752
SP3B_CPA	Actual collection period	SP	3288
SP3B_STA	Status code after processing	SP	3295
SP3BDPC	Postal code - (D)	SP	3287

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SP3BFOUT	Flag for record sent for field collection	SP	3288
SP3C_CPA	Actual collection period	SP	3831
SP3C_STA	Status code after processing	SP	3838
SP3CDPC	Postal code - (D)	SP	3830
SP3CFOUT	Flag for record sent for field collection	SP	3831
SP3D_CPA	Actual collection period	SP	4379
SP3D_STA	Status code after processing	SP	4386
SP3DDPC	Postal code - (D)	SP	4378
SP3DFOUT	Flag for record sent for field collection	SP	4379
SSC0_101	Number of close friends and relatives	SS	2108
SSC0_102	Has someone to give help if confined to bed	SS	2108
SSC0_103	Has someone to count on to listen	SS	2109
SSC0_104	Has someone to give advice about a crisis	SS	2109
SSC0_105	Has someone to go to the doctor with	SS	2110
SSC0_106	Has someone who shows love and affection	SS	2110
SSC0_107	Has someone to have a good time with	SS	2111
SSC0_108	Has someone who gives information to understand a situation	SS	2111
SSC0_109	Has someone to confide in	SS	2112
SSC0_110	Has someone who gives hugs	SS	2112
SSC0_111	Has someone to get together with for relaxation	SS	2113
SSC0_112	Has someone to prepare meals	SS	2113
SSC0_113	Has someone to give advice	SS	2114
SSC0_114	Has someone to do things to get mind off things	SS	2114
SSC0_115	Has someone to help with daily chores if sick	SS	2115
SSC0_116	Has someone to share most private worries and fears with	SS	2115
SSC0_117	Has someone to turn to for suggestions for personal problems	SS	2116
SSC0_118	Has someone to do something enjoyable with	SS	2116
SSC0_119	Has someone who understands problems	SS	2117
SSC0_120	Has someone who loves and makes feel wanted	SS	2117
SSC0DAFF	Affection - MOS subscale - (D)	SS	2118
SSC0DEMO	Emotional or informational support - MOS subscale - (D)	SS	2119
SSC0DSOC	Positive social interaction - MOS subscale - (D)	SS	2119
SSC0DTNG	Tangible social support - MOS subscale - (D)	SS	2118
SSC2_101	Number of close friends and relatives	SS	2663
SSC2_102	Has someone to give help if confined to bed	SS	2663
SSC2_103	Has someone to count on to listen	SS	2664

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SSC2_104	Has someone to give advice about a crisis	SS	2664
SSC2_105	Has someone to go to the doctor with	SS	2665
SSC2_106	Has someone who shows love and affection	SS	2665
SSC2_107	Has someone to have a good time with	SS	2666
SSC2_108	Has someone who gives information to understand a situation	SS	2666
SSC2_109	Has someone to confide in	SS	2667
SSC2_110	Has someone who gives hugs	SS	2667
SSC2_111	Has someone to get together with for relaxation	SS	2668
SSC2_112	Has someone to prepare meals	SS	2668
SSC2_113	Has someone to give advice	SS	2669
SSC2_114	Has someone to do things to get mind off things	SS	2669
SSC2_115	Has someone to help with daily chores if sick	SS	2670
SSC2_116	Has someone to share most private worries and fears with	SS	2670
SSC2_117	Has someone to turn to for suggestions for personal problems	SS	2671
SSC2_118	Has someone to do something enjoyable with	SS	2671
SSC2_119	Has someone who understands problems	SS	2672
SSC2_120	Has someone who loves and makes feel wanted	SS	2672
SSC2DAFF	Affection - MOS subscale - (D)	SS	2673
SSC2DEMO	Emotional or informational support - MOS subscale - (D)	SS	2674
SSC2DSOC	Positive social interaction - MOS subscale - (D)	SS	2674
SSC2DTNG	Tangible social support - MOS subscale - (D)	SS	2673
SSC4_1	Member of organization or association	SS	427
SSC4_2	Frequency of participation in organizations	SS	427
SSC4_2A	Frequency of attending religious services	SS	428
SSC4_3	Has someone to confide in	SS	428
SSC4_4	Has someone to count on in crisis situation	SS	429
SSC4_5	Has someone can count on for advice	SS	429
SSC4_6	Has someone to make feel loved and cared for	SS	430
SSC4_7A	Frequency of contact - parents / in-laws	SS	430
SSC4_7B	Frequency of contact - grandparents	SS	431
SSC4_7C	Frequency of contact - daughters / daughters-in-law	SS	432
SSC4_7D	Frequency of contact - sons / sons-in-law	SS	433
SSC4_7E	Frequency of contact - brothers / sisters	SS	434
SSC4_7F	Frequency of contact - other relatives	SS	435
SSC4_7G	Frequency of contact - close friends	SS	436
SSC4_7H	Frequency of contact - neighbours	SS	437

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 237

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
SSC4D1	Perceived social support index - (D)	SS	437
SSC4D2	Social involvement dimension - (D)	SS	438
SSC4D3	Average frequency of contact index - (D)	SS	438
SSC6_1	Member of organization or association	SS	1092
SSC6_2	Frequency of participation in organizations	SS	1092
SSC6_2A	Frequency of attending religious services	SS	1093
SSC6_3	Has someone to confide in	SS	1094
SSC6_4	Has someone to count on in crisis situation	SS	1095
SSC6_5	Has someone can count on for advice	SS	1095
SSC6_6	Has someone to make feel loved and cared for	SS	1096
SSC6_7A	Frequency of contact - parents / in-laws	SS	1096
SSC6_7B	Frequency of contact - grandparents	SS	1097
SSC6_7C	Frequency of contact - daughters / daughters-in-law	SS	1098
SSC6_7D	Frequency of contact - sons / sons-in-law	SS	1099
SSC6_7E	Frequency of contact - brothers / sisters	SS	1100
SSC6_7F	Frequency of contact - other relatives	SS	1101
SSC6_7G	Frequency of contact - close friends	SS	1102
SSC6_7H	Frequency of contact - neighbours	SS	1103
SSC6D1	Perceived social support index - (D)	SS	1103
SSC6D2	Social involvement dimension - (D)	SS	1104
SSC6D3	Average frequency of contact index - (D)	SS	1104
SSC8_101	Number of close friends and relatives	SS	1688
SSC8_102	Has someone to give help if confined to bed	SS	1688
SSC8_103	Has someone to count on to listen	SS	1689
SSC8_104	Has someone to give advice about a crisis	SS	1689
SSC8_105	Has someone to go to the doctor with	SS	1690
SSC8_106	Has someone who shows love and affection	SS	1690
SSC8_107	Has someone to have a good time with	SS	1691
SSC8_108	Has someone who gives information to understand a situation	SS	1691
SSC8_109	Has someone to confide in	SS	1692
SSC8_110	Has someone who gives hugs	SS	1692
SSC8_111	Has someone to get together with for relaxation	SS	1693
SSC8_112	Has someone to prepare meals	SS	1693
SSC8_113	Has someone to give advice	SS	1694
SSC8_114	Has someone to do things to get mind off things	SS	1694
SSC8_115	Has someone to help with daily chores if sick	SS	1695

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SSC8_116	Has someone to share most private worries and fears with	SS	1695
SSC8_117	Has someone to turn to for suggestions for personal problems	SS	1696
SSC8_118	Has someone to do something enjoyable with	SS	1696
SSC8_119	Has someone who understands problems	SS	1697
SSC8_120	Has someone who loves and makes feel wanted	SS	1697
SSC8DAFF	Affection - MOS subscale - (D)	SS	1698
SSC8DEMO	Emotional or informational support - MOS subscale - (D)	SS	1699
SSC8DSOC	Positive social interaction - MOS subscale - (D)	SS	1699
SSC8DTNG	Tangible social support - MOS subscale - (D)	SS	1698
SSCA_101	Number of close friends and relatives	SS	3196
SSCA_102	Has someone to give help if confined to bed	SS	3197
SSCA_103	Has someone to count on to listen	SS	3197
SSCA_104	Has someone to give advice about a crisis	SS	3198
SSCA_105	Has someone to go to the doctor with	SS	3198
SSCA_106	Has someone who shows love and affection	SS	3199
SSCA_107	Has someone to have a good time with	SS	3199
SSCA_108	Has someone who gives information to understand a situation	SS	3200
SSCA_109	Has someone to confide in	SS	3200
SSCA_110	Has someone who gives hugs	SS	3201
SSCA_111	Has someone to get together with for relaxation	SS	3201
SSCA_112	Has someone to prepare meals	SS	3202
SSCA_113	Has someone to give advice	SS	3202
SSCA_114	Has someone to do things to get mind off things	SS	3203
SSCA_115	Has someone to help with daily chores if sick	SS	3203
SSCA_116	Has someone to share most private worries and fears with	SS	3204
SSCA_117	Has someone to turn to for suggestions for personal problems	SS	3204
SSCA_118	Has someone to do something enjoyable with	SS	3205
SSCA_119	Has someone who understands problems	SS	3205
SSCA_120	Has someone who loves and makes feel wanted	SS	3206
SSCADAFF	Affection - MOS subscale - (D)	SS	3207
SSCADEMO	Emotional or informational support - MOS subscale - (D)	SS	3208
SSCADSOC	Positive social interaction - MOS subscale - (D)	SS	3207
SSCADTNG	Tangible social support - MOS subscale - (D)	SS	3206
SSCB_101	Number of close friends and relatives	SS	3738
SSCB_102	Has someone to give help if confined to bed	SS	3738
SSCB_103	Has someone to count on to listen	SS	3739

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SSCB_104	Has someone to give advice about a crisis	SS	3739
SSCB_105	Has someone to go to the doctor with	SS	3740
SSCB_106	Has someone who shows love and affection	SS	3740
SSCB_107	Has someone to have a good time with	SS	3741
SSCB_108	Has someone who gives information to understand a situation	SS	3741
SSCB_109	Has someone to confide in	SS	3742
SSCB_110	Has someone who gives hugs	SS	3742
SSCB_111	Has someone to get together with for relaxation	SS	3743
SSCB_112	Has someone to prepare meals	SS	3743
SSCB_113	Has someone to give advice	SS	3744
SSCB_114	Has someone to do things to get mind off things	SS	3744
SSCB_115	Has someone to help with daily chores if sick	SS	3745
SSCB_116	Has someone to share most private worries and fears with	SS	3745
SSCB_117	Has someone to turn to for suggestions for personal problems	SS	3746
SSCB_118	Has someone to do something enjoyable with	SS	3746
SSCB_119	Has someone who understands problems	SS	3747
SSCB_120	Has someone who loves and makes feel wanted	SS	3747
SSCBDAFF	Affection - MOS subscale - (D)	SS	3748
SSCBDEMO	Emotional or informational support - MOS subscale - (D)	SS	3749
SSCBDSOC	Positive social interaction - MOS subscale - (D)	SS	3749
SSCBDTNG	Tangible social support - MOS subscale - (D)	SS	3748
SSCC_101	Number of close friends and relatives	SS	4286
SSCC_102	Has someone to give help if confined to bed	SS	4286
SSCC_103	Has someone to count on to listen	SS	4287
SSCC_104	Has someone to give advice about a crisis	SS	4287
SSCC_105	Has someone to go to the doctor with	SS	4288
SSCC_106	Has someone who shows love and affection	SS	4288
SSCC_107	Has someone to have a good time with	SS	4289
SSCC_108	Has someone who gives information to understand a situation	SS	4289
SSCC_109	Has someone to confide in	SS	4290
SSCC_110	Has someone who gives hugs	SS	4290
SSCC_111	Has someone to get together with for relaxation	SS	4291
SSCC_112	Has someone to prepare meals	SS	4291
SSCC_113	Has someone to give advice	SS	4292
SSCC_114	Has someone to do things to get mind off things	SS	4292
SSCC_115	Has someone to help with daily chores if sick	SS	4293

**Master File: Longitudinal Full Response Subset (Rounded)***September 2012*

<b>Variable Name</b>	<b>Description</b>	<b>Section</b>	<b>Page</b>
SSCC_116	Has someone to share most private worries and fears with	SS	4293
SSCC_117	Has someone to turn to for suggestions for personal problems	SS	4294
SSCC_118	Has someone to do something enjoyable with	SS	4294
SSCC_119	Has someone who understands problems	SS	4295
SSCC_120	Has someone who loves and makes feel wanted	SS	4295
SSCCDAFF	Affection - MOS subscale - (D)	SS	4296
SSCCDEMO	Emotional or informational support - MOS subscale - (D)	SS	4297
SSCCDSOC	Positive social interaction - MOS subscale - (D)	SS	4297
SSCCDTNG	Tangible social support - MOS subscale - (D)	SS	4296
SSCD_101	Number of close friends and relatives	SS	4784
SSCD_102	Has someone to give help if confined to bed	SS	4784
SSCD_103	Has someone to count on to listen	SS	4785
SSCD_104	Has someone to give advice about a crisis	SS	4785
SSCD_105	Has someone to go to the doctor with	SS	4786
SSCD_106	Has someone who shows love and affection	SS	4786
SSCD_107	Has someone to have a good time with	SS	4787
SSCD_108	Has someone who gives information to understand a situation	SS	4787
SSCD_109	Has someone to confide in	SS	4788
SSCD_110	Has someone who gives hugs	SS	4788
SSCD_111	Has someone to get together with for relaxation	SS	4789
SSCD_112	Has someone to prepare meals	SS	4789
SSCD_113	Has someone to give advice	SS	4790
SSCD_114	Has someone to do things to get mind off things	SS	4790
SSCD_115	Has someone to help with daily chores if sick	SS	4791
SSCD_116	Has someone to share most private worries and fears with	SS	4791
SSCD_117	Has someone to turn to for suggestions for personal problems	SS	4792
SSCD_118	Has someone to do something enjoyable with	SS	4792
SSCD_119	Has someone who understands problems	SS	4793
SSCD_120	Has someone who loves and makes feel wanted	SS	4793
SSCDDAFF	Affection - MOS subscale - (D)	SS	4794
SSCCDEMO	Emotional or informational support - MOS subscale - (D)	SS	4795
SSCCDSOC	Positive social interaction - MOS subscale - (D)	SS	4795
SSCCDTNG	Tangible social support - MOS subscale - (D)	SS	4794
SSP6_1	Received care from friend / relative past 12 months	SS	1108
SSP6_2	Received care from friend / relative last month	SS	1109
SSP6_3	Level of support from family / friends	SS	1109



**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
SSP6_4	Helped relative / friend with health problem	SS	1110
SSS6_1	Spiritual values or faith have important role in life	SS	1093
SSS6_2	Self-perception of religiousness / spirituality	SS	1094
SSS6_3	Number of people seen socially who smoke	SS	1105
SSS6_4	Number of people seen socially who drink too much	SS	1105
SSS6_5A	Partner smokes cigarettes	SS	1106
SSS6_5B	Partner exercises regularly	SS	1106
SSS6_5C	Partner drinks too much	SS	1107
SSS6_5D	Partner overeats	SS	1107
SSS6_5E	Partner uses tranquilizers	SS	1108
ST_0_E1A	Stress (self-esteem) - feel have good qualities	ST	1971
ST_0_E1B	Stress (self-esteem) - worthy person	ST	1971
ST_0_E1C	Stress (self-esteem) - able to do things	ST	1972
ST_0_E1D	Stress (self-esteem) - positive attitude toward self	ST	1972
ST_0_E1E	Stress (self-esteem) - satisfied with self	ST	1973
ST_0_E1F	Stress (self-esteem) - feel is a failure	ST	1973
ST_0_R1	Stress (recent) - physically attacked	ST	1948
ST_0_R10	Stress (recent) - child moved back	ST	1952
ST_0_R2	Stress (recent) - unwanted pregnancy	ST	1948
ST_0_R3	Stress (recent) - abortion or miscarriage	ST	1949
ST_0_R4	Stress (recent) - major financial crisis	ST	1949
ST_0_R5	Stress (recent) - failed school	ST	1950
ST_0_R6	Stress (recent) - a change of job for a worse one	ST	1950
ST_0_R7	Stress (recent) - demotion or cut in pay	ST	1951
ST_0_R8	Stress (recent) - argues with partner	ST	1951
ST_0_R9	Stress (recent) - went on welfare	ST	1952
ST_0_T1	Stress (trauma) - 2 weeks or more in hospital	ST	1954
ST_0_T2	Stress (trauma) - parents divorced	ST	1955
ST_0_T3	Stress (trauma) - parents unemployed for a long time	ST	1955
ST_0_T4	Stress (trauma) - traumatised for years	ST	1956
ST_0_T5	Stress (trauma) - sent away from home	ST	1956
ST_0_T6	Stress (trauma) - parents abused alcohol or drugs	ST	1957
ST_0_T7	Stress (trauma) - was ever physically abused	ST	1957
ST_0DE1	Self-esteem scale - (D)	ST	1974
ST_0DR1	Recent life events score - All items - (D)	ST	1953
ST_0DR2	Recent life events score - All valid items - (D)	ST	1953

# NPBS Cycle 9 (2010/2011): Alphabetic Index

Page 242

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
ST_0DR3	Adjusted recent life events index - (D)	ST	1954
ST_0DT1	Childhood and adult stress index - (D)	ST	1958
ST_4_E1A	Stress (self-esteem) - feel have good qualities	ST	303
ST_4_E1B	Stress (self-esteem) - worthy person	ST	303
ST_4_E1C	Stress (self-esteem) - able to do things	ST	304
ST_4_E1D	Stress (self-esteem) - positive attitude toward self	ST	304
ST_4_E1E	Stress (self-esteem) - satisfied with self	ST	305
ST_4_E1F	Stress (self-esteem) - feel is a failure	ST	305
ST_4_H1	Stress (coherence) - don't care about surroundings	ST	310
ST_4_H10	Stress (coherence) - can't keep feelings under control	ST	319
ST_4_H11	Stress (coherence) - clear goals and purpose	ST	320
ST_4_H12	Stress (coherence) - keep things in proportion	ST	321
ST_4_H13	Stress (coherence) - bored / satisfied with everyday act.	ST	322
ST_4_H2	Stress (coherence) - surprised by other's behaviour	ST	311
ST_4_H3	Stress (coherence) - disappointed with people counted on	ST	312
ST_4_H4	Stress (coherence) - treated unfairly	ST	313
ST_4_H5	Stress (coherence) - in unfamiliar situations	ST	314
ST_4_H6	Stress (coherence) - mixed-up feelings	ST	315
ST_4_H7	Stress (coherence) - uncomfortable feelings	ST	316
ST_4_H8	Stress (coherence) - losers	ST	317
ST_4_H9	Stress (coherence) - little meaning in life	ST	318
ST_4_R1	Stress (recent) - physically attacked	ST	281
ST_4_R10	Stress (recent) - child moved back	ST	285
ST_4_R2	Stress (recent) - unwanted pregnancy	ST	281
ST_4_R3	Stress (recent) - abortion or miscarriage	ST	282
ST_4_R4	Stress (recent) - major financial crisis	ST	282
ST_4_R5	Stress (recent) - failed school	ST	283
ST_4_R6	Stress (recent) - a change of job for a worse one	ST	283
ST_4_R7	Stress (recent) - demotion or cut in pay	ST	284
ST_4_R8	Stress (recent) - argues with partner	ST	284
ST_4_R9	Stress (recent) - went on welfare	ST	285
ST_4_T1	Stress (trauma) - 2 weeks or more in hospital	ST	287
ST_4_T2	Stress (trauma) - parents divorced	ST	288
ST_4_T3	Stress (trauma) - parents unemployed for a long time	ST	288
ST_4_T4	Stress (trauma) - traumatised for years	ST	289
ST_4_T5	Stress (trauma) - sent away from home	ST	289

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
ST_4_T6	Stress (trauma) - parents abused alcohol or drugs	ST	290
ST_4_T7	Stress (trauma) - was ever physically abused	ST	290
ST_4DE1	Self-esteem scale - (D)	ST	306
ST_4DH1	Sense of coherence scale - (D)	ST	322
ST_4DR1	Recent life events score - All items - (D)	ST	286
ST_4DR2	Recent life events score - All valid items - (D)	ST	286
ST_4DR3	Adjusted recent life events index - (D)	ST	287
ST_4DT1	Childhood and adult stress index - (D)	ST	291
ST_8_H1	Stress (coherence) - don't care about surroundings	ST	1493
ST_8_H10	Stress (coherence) - can't keep feelings under control	ST	1502
ST_8_H11	Stress (coherence) - clear goals and purpose	ST	1503
ST_8_H12	Stress (coherence) - keep things in proportion	ST	1504
ST_8_H13	Stress (coherence) - bored or satisfied with everyday act.	ST	1505
ST_8_H2	Stress (coherence) - surprised by other's behaviour	ST	1494
ST_8_H3	Stress (coherence) - disappointed with people counted on	ST	1495
ST_8_H4	Stress (coherence) - treated unfairly	ST	1496
ST_8_H5	Stress (coherence) - in unfamiliar situations	ST	1497
ST_8_H6	Stress (coherence) - mixed-up feelings	ST	1498
ST_8_H7	Stress (coherence) - uncomfortable feelings	ST	1499
ST_8_H8	Stress (coherence) - losers	ST	1500
ST_8_H9	Stress (coherence) - little meaning in life	ST	1501
ST_8DH1	Sense of coherence scale - (D)	ST	1505
ST_B_T1	Stress (trauma) - 2 weeks or more in hospital	ST	3579
ST_B_T2	Stress (trauma) - parents divorced	ST	3579
ST_B_T3	Stress (trauma) - parents unemployed for a long time	ST	3580
ST_B_T4	Stress (trauma) - traumatised for years	ST	3580
ST_B_T5	Stress (trauma) - sent away from home	ST	3581
ST_B_T6	Stress (trauma) - parents abused alcohol or drugs	ST	3581
ST_B_T7	Stress (trauma) - was ever physically abused	ST	3582
ST_BDT1	Childhood and adult stress index - (D)	ST	3582
ST_C_E1A	Stress (self-esteem) - feel have good qualities	ST	4131
ST_C_E1B	Stress (self-esteem) - worthy person	ST	4131
ST_C_E1C	Stress (self-esteem) - able to do things	ST	4132
ST_C_E1D	Stress (self-esteem) - positive attitude toward self	ST	4132
ST_C_E1E	Stress (self-esteem) - satisfied with self	ST	4133
ST_C_E1F	Stress (self-esteem) - feel is a failure	ST	4133

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
ST_C_H1	Stress (coherence) - don't care about surroundings	ST	4138
ST_C_H10	Stress (coherence) - can't keep feelings under control	ST	4147
ST_C_H11	Stress (coherence) - clear goals and purpose	ST	4148
ST_C_H12	Stress (coherence) - keep things in proportion	ST	4149
ST_C_H13	Stress (coherence) - bored or satisfied with everyday act.	ST	4150
ST_C_H2	Stress (coherence) - surprised by other's behaviour	ST	4139
ST_C_H3	Stress (coherence) - disappointed with people counted on	ST	4140
ST_C_H4	Stress (coherence) - treated unfairly	ST	4141
ST_C_H5	Stress (coherence) - in unfamiliar situations	ST	4142
ST_C_H6	Stress (coherence) - mixed-up feelings	ST	4143
ST_C_H7	Stress (coherence) - uncomfortable feelings	ST	4144
ST_C_H8	Stress (coherence) - losers	ST	4145
ST_C_H9	Stress (coherence) - little meaning in life	ST	4146
ST_C_T1	Stress (trauma) - 2 weeks or more in hospital	ST	4115
ST_C_T2	Stress (trauma) - parents divorced	ST	4115
ST_C_T3	Stress (trauma) - parents unemployed for a long time	ST	4116
ST_C_T4	Stress (trauma) - traumatised for years	ST	4116
ST_C_T5	Stress (trauma) - sent away from home	ST	4117
ST_C_T6	Stress (trauma) - parents abused alcohol or drugs	ST	4117
ST_C_T7	Stress (trauma) - was ever physically abused	ST	4118
ST_CDE1	Self-esteem scale - (D)	ST	4134
ST_CDH1	Sense of coherence scale - (D)	ST	4150
ST_CDT1	Childhood and adult stress index - (D)	ST	4118
ST_D_E1A	Stress (self-esteem) - feel have good qualities	ST	4667
ST_D_E1B	Stress (self-esteem) - worthy person	ST	4667
ST_D_E1C	Stress (self-esteem) - able to do things	ST	4668
ST_D_E1D	Stress (self-esteem) - positive attitude toward self	ST	4668
ST_D_E1E	Stress (self-esteem) - satisfied with self	ST	4669
ST_D_E1F	Stress (self-esteem) - feel is a failure	ST	4669
ST_DDE1	Self-esteem scale - (D)	ST	4670
STC0_C1	Stress (ongoing) - trying to take on too many things	ST	1934
STC0_C10	Stress (ongoing) - child seems unhappy	ST	1938
STC0_C11	Stress (ongoing) - child's behaviour is a concern	ST	1939
STC0_C12	Stress (ongoing) - work around home not appreciated	ST	1939
STC0_C13	Stress (ongoing) - friends are a bad influence	ST	1940
STC0_C14	Stress (ongoing) - would like to move	ST	1940

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 245

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
STC0_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	1941
STC0_C16	Stress (ongoing) - family member in very bad health	ST	1941
STC0_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	1942
STC0_C18	Stress (ongoing) - people are too critical	ST	1942
STC0_C2	Stress (ongoing) - pressure to conform	ST	1934
STC0_C3	Stress (ongoing) - others expect too much from you	ST	1935
STC0_C4	Stress (ongoing) - lack of money	ST	1935
STC0_C5	Stress (ongoing) - partner doesn't understand you	ST	1936
STC0_C6	Stress (ongoing) - partner is not affectionate enough	ST	1936
STC0_C7	Stress (ongoing) - partner is not committed to relationship	ST	1937
STC0_C8	Stress (ongoing) - difficult to find someone compatible	ST	1937
STC0_C9	Stress (ongoing) - has children	ST	1938
STC0_M1A	Stress (mastery) - lack of control over things	ST	1974
STC0_M1B	Stress (mastery) - cannot solve problems	ST	1975
STC0_M1C	Stress (mastery) - cannot change things	ST	1975
STC0_M1D	Stress (mastery) - helpless in dealing with life problems	ST	1976
STC0_M1E	Stress (mastery) - pushed around in life	ST	1976
STC0_M1F	Stress (mastery) - fate depends upon self	ST	1977
STC0_M1G	Stress (mastery) - can do anything	ST	1977
STC0_W1	Stress (work) - currently work at a job	ST	1958
STC0_W1A	Stress (work) - must learn new things	ST	1959
STC0_W1B	Stress (work) - high level of skill	ST	1960
STC0_W1C	Stress (work) - freedom to decide	ST	1960
STC0_W1D	Stress (work) - repetitive tasks	ST	1961
STC0_W1E	Stress (work) - hectic job	ST	1961
STC0_W1F	Stress (work) - free from conflicting demands	ST	1962
STC0_W1G	Stress (work) - good job security	ST	1962
STC0_W1H	Stress (work) - requires a lot of physical effort	ST	1963
STC0_W1I	Stress (work) - has own job input	ST	1963
STC0_W1J	Stress (work) - hostility or conflict with others	ST	1964
STC0_W1K	Stress (work) - supervisor helpful	ST	1965
STC0_W1L	Stress (work) - co-workers helpful	ST	1966
STC0_W2	Stress (work) - job satisfaction	ST	1966
STC0DC1	General chronic stress index - (D)	ST	1943
STC0DC10	Family health stress index - (D)	ST	1947
STC0DC2	Specific chronic stress index - (D)	ST	1943

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 246

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
STC0DC3	Adjusted specific chronic stress index - (D)	ST	1944
STC0DC4	Personal stress index - (D)	ST	1944
STC0DC5	Financial problems stress index - (D)	ST	1945
STC0DC6	Relationship problems (with partner) stress index - (D)	ST	1945
STC0DC7	Relationship problems (no partner) stress index - (D)	ST	1946
STC0DC8	Child problems stress index - (D)	ST	1946
STC0DC9	Environmental problems stress index - (D)	ST	1947
STC0DM1	Mastery scale - (D)	ST	1978
STC0DW1	Work stress index - all items - (D)	ST	1967
STC0DW2	Decision latitude - skill discretion - (D)	ST	1967
STC0DW3	Decision latitude - decision authority - (D)	ST	1968
STC0DW4	Psychological demands - (D)	ST	1968
STC0DW5	Job insecurity - (D)	ST	1969
STC0DW6	Physical exertion - (D)	ST	1969
STC0DW7	Social support - (D)	ST	1970
STC0DW8	Job strain - (D)	ST	1970
STC2_C1	Stress (ongoing) - trying to take on too many things	ST	2492
STC2_C10	Stress (ongoing) - child seems unhappy	ST	2496
STC2_C11	Stress (ongoing) - child's behaviour is a concern	ST	2497
STC2_C12	Stress (ongoing) - work around home not appreciated	ST	2497
STC2_C13	Stress (ongoing) - friends are a bad influence	ST	2498
STC2_C14	Stress (ongoing) - would like to move	ST	2498
STC2_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	2499
STC2_C16	Stress (ongoing) - family member in very bad health	ST	2499
STC2_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	2500
STC2_C18	Stress (ongoing) - people are too critical	ST	2500
STC2_C2	Stress (ongoing) - pressure to conform	ST	2492
STC2_C3	Stress (ongoing) - others expect too much from you	ST	2493
STC2_C4	Stress (ongoing) - lack of money	ST	2493
STC2_C5	Stress (ongoing) - partner doesn't understand you	ST	2494
STC2_C6	Stress (ongoing) - partner is not affectionate enough	ST	2494
STC2_C7	Stress (ongoing) - partner is not committed to relationship	ST	2495
STC2_C8	Stress (ongoing) - difficult to find someone compatible	ST	2495
STC2_C9	Stress (ongoing) - has children	ST	2496
STC2_M1A	Stress (mastery) - lack of control over things	ST	2522
STC2_M1B	Stress (mastery) - cannot solve problems	ST	2522

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
STC2_M1C	Stress (mastery) - cannot change things	ST	2523
STC2_M1D	Stress (mastery) - helpless in dealing with life problems	ST	2523
STC2_M1E	Stress (mastery) - pushed around in life	ST	2524
STC2_M1F	Stress (mastery) - fate depends upon self	ST	2524
STC2_M1G	Stress (mastery) - can do anything	ST	2525
STC2_W1	Stress (work) - currently work at a job	ST	2506
STC2_W1A	Stress (work) - must learn new things	ST	2506
STC2_W1B	Stress (work) - high level of skill	ST	2507
STC2_W1C	Stress (work) - freedom to decide	ST	2508
STC2_W1D	Stress (work) - repetitive tasks	ST	2509
STC2_W1E	Stress (work) - hectic job	ST	2510
STC2_W1F	Stress (work) - free from conflicting demands	ST	2511
STC2_W1G	Stress (work) - good job security	ST	2512
STC2_W1H	Stress (work) - requires a lot of physical effort	ST	2513
STC2_W1I	Stress (work) - has own job input	ST	2514
STC2_W1J	Stress (work) - hostility or conflict with others	ST	2515
STC2_W1K	Stress (work) - supervisor helpful	ST	2516
STC2_W1L	Stress (work) - co-workers helpful	ST	2517
STC2_W2	Stress (work) - job satisfaction	ST	2517
STC2DC1	General chronic stress index - (D)	ST	2501
STC2DC10	Family health stress index - (D)	ST	2505
STC2DC2	Specific chronic stress index - (D)	ST	2501
STC2DC3	Adjusted specific chronic stress index - (D)	ST	2502
STC2DC4	Personal stress index - (D)	ST	2502
STC2DC5	Financial problems stress index - (D)	ST	2503
STC2DC6	Relationship problems (with partner) stress index - (D)	ST	2503
STC2DC7	Relationship problems (no partner) stress index - (D)	ST	2504
STC2DC8	Child problems stress index - (D)	ST	2504
STC2DC9	Environmental problems stress index - (D)	ST	2505
STC2DM1	Mastery scale - (D)	ST	2525
STC2DW1	Work stress index - all items - (D)	ST	2518
STC2DW2	Decision latitude - skill discretion - (D)	ST	2518
STC2DW3	Decision latitude - decision authority - (D)	ST	2519
STC2DW4	Psychological demands - (D)	ST	2519
STC2DW5	Job insecurity - (D)	ST	2520
STC2DW6	Physical exertion - (D)	ST	2520

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
STC2DW7	Social support - (D)	ST	2521
STC2DW8	Job strain - (D)	ST	2521
STC4_C1	Stress (ongoing) - trying to take on too many things	ST	267
STC4_C10	Stress (ongoing) - child seems unhappy	ST	271
STC4_C11	Stress (ongoing) - child's behaviour is a concern	ST	272
STC4_C12	Stress (ongoing) - work around home not appreciated	ST	272
STC4_C13	Stress (ongoing) - friends are a bad influence	ST	273
STC4_C14	Stress (ongoing) - would like to move	ST	273
STC4_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	274
STC4_C16	Stress (ongoing) - family member in very bad health	ST	274
STC4_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	275
STC4_C18	Stress (ongoing) - people are too critical	ST	275
STC4_C2	Stress (ongoing) - pressure to conform	ST	267
STC4_C3	Stress (ongoing) - others expect too much from you	ST	268
STC4_C4	Stress (ongoing) - lack of money	ST	268
STC4_C5	Stress (ongoing) - partner doesn't understand you	ST	269
STC4_C6	Stress (ongoing) - partner is not affectionate enough	ST	269
STC4_C7	Stress (ongoing) - partner is not committed to relationship	ST	270
STC4_C8	Stress (ongoing) - difficult to find someone compatible	ST	270
STC4_C9	Stress (ongoing) - has children	ST	271
STC4_M1A	Stress (mastery) - lack of control over things	ST	306
STC4_M1B	Stress (mastery) - cannot solve problems	ST	307
STC4_M1C	Stress (mastery) - cannot change things	ST	307
STC4_M1D	Stress (mastery) - helpless in dealing with life problems	ST	308
STC4_M1E	Stress (mastery) - pushed around in life	ST	308
STC4_M1F	Stress (mastery) - fate depends upon self	ST	309
STC4_M1G	Stress (mastery) - can do anything	ST	309
STC4_W1A	Stress (work) - must learn new things	ST	291
STC4_W1B	Stress (work) - high level of skill	ST	292
STC4_W1C	Stress (work) - freedom to decide	ST	292
STC4_W1D	Stress (work) - repetitive tasks	ST	293
STC4_W1E	Stress (work) - hectic job	ST	293
STC4_W1F	Stress (work) - free from conflicting demands	ST	294
STC4_W1G	Stress (work) - good job security	ST	294
STC4_W1H	Stress (work) - requires a lot of physical effort	ST	295
STC4_W1I	Stress (work) - has own job input	ST	295



# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 249

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
STC4_W1J	Stress (work) - hostility or conflict with others	ST	296
STC4_W1K	Stress (work) - supervisor helpful	ST	297
STC4_W1L	Stress (work) - co-workers helpful	ST	298
STC4_W2	Stress (work) - job satisfaction	ST	298
STC4DC1	General chronic stress index - (D)	ST	276
STC4DC10	Family health stress index - (D)	ST	280
STC4DC2	Specific chronic stress index - (D)	ST	276
STC4DC3	Adjusted specific chronic stress index - (D)	ST	277
STC4DC4	Personal stress index - (D)	ST	277
STC4DC5	Financial problems stress index - (D)	ST	278
STC4DC6	Relationship problems (with partner) stress index - (D)	ST	278
STC4DC7	Relationship problems (no partner) stress index - (D)	ST	279
STC4DC8	Child problems stress index - (D)	ST	279
STC4DC9	Environmental problems stress index - (D)	ST	280
STC4DM1	Mastery scale - (D)	ST	310
STC4DW1	Work stress index - all items - (D)	ST	299
STC4DW2	Decision latitude - skill discretion - (D)	ST	299
STC4DW3	Decision latitude - decision authority - (D)	ST	300
STC4DW4	Psychological demands - (D)	ST	300
STC4DW5	Job insecurity - (D)	ST	301
STC4DW6	Physical exertion - (D)	ST	301
STC4DW7	Social support - (D)	ST	302
STC4DW8	Job strain - (D)	ST	302
STCA_C1	Stress (ongoing) - trying to take on too many things	ST	3023
STCA_C10	Stress (ongoing) - child seems unhappy	ST	3027
STCA_C11	Stress (ongoing) - child's behaviour is a concern	ST	3028
STCA_C12	Stress (ongoing) - work around home not appreciated	ST	3028
STCA_C13	Stress (ongoing) - friends are a bad influence	ST	3029
STCA_C14	Stress (ongoing) - would like to move	ST	3029
STCA_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	3030
STCA_C16	Stress (ongoing) - family member in very bad health	ST	3030
STCA_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	3031
STCA_C18	Stress (ongoing) - people are too critical	ST	3031
STCA_C2	Stress (ongoing) - pressure to conform	ST	3023
STCA_C3	Stress (ongoing) - others expect too much from you	ST	3024
STCA_C4	Stress (ongoing) - lack of money	ST	3024

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 250

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
STCA_C5	Stress (ongoing) - partner doesn't understand you	ST	3025
STCA_C6	Stress (ongoing) - partner is not affectionate enough	ST	3025
STCA_C7	Stress (ongoing) - partner is not committed to relationship	ST	3026
STCA_C8	Stress (ongoing) - difficult to find someone compatible	ST	3026
STCA_C9	Stress (ongoing) - has children	ST	3027
STCA_M1A	Stress (mastery) - lack of control over things	ST	3049
STCA_M1B	Stress (mastery) - cannot solve problems	ST	3049
STCA_M1C	Stress (mastery) - cannot change things	ST	3050
STCA_M1D	Stress (mastery) - helpless in dealing with life problems	ST	3050
STCA_M1E	Stress (mastery) - pushed around in life	ST	3051
STCA_M1F	Stress (mastery) - fate depends upon self	ST	3051
STCA_M1G	Stress (mastery) - can do anything	ST	3052
STCA_W1	Stress (work) - currently work at a job	ST	3037
STCA_W1A	Stress (work) - must learn new things	ST	3037
STCA_W1B	Stress (work) - high level of skill	ST	3038
STCA_W1C	Stress (work) - freedom to decide	ST	3038
STCA_W1D	Stress (work) - repetitive tasks	ST	3039
STCA_W1E	Stress (work) - hectic job	ST	3039
STCA_W1F	Stress (work) - free from conflicting demands	ST	3040
STCA_W1G	Stress (work) - good job security	ST	3040
STCA_W1H	Stress (work) - requires a lot of physical effort	ST	3041
STCA_W1I	Stress (work) - has own job input	ST	3041
STCA_W1J	Stress (work) - hostility or conflict with others	ST	3042
STCA_W1K	Stress (work) - supervisor helpful	ST	3043
STCA_W1L	Stress (work) - co-workers helpful	ST	3044
STCA_W2	Stress (work) - job satisfaction	ST	3044
STCADC1	General chronic stress index - (D)	ST	3032
STCADC10	Family health stress index - (D)	ST	3036
STCADC2	Specific chronic stress index - (D)	ST	3032
STCADC3	Adjusted specific chronic stress index - (D)	ST	3033
STCADC4	Personal stress index - (D)	ST	3033
STCADC5	Financial problems stress index - (D)	ST	3034
STCADC6	Relationship problems (with partner) stress index - (D)	ST	3034
STCADC7	Relationship problems (no partner) stress index - (D)	ST	3035
STCADC8	Child problems stress index - (D)	ST	3035
STCADC9	Environmental problems stress index - (D)	ST	3036

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 251

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
STCADM1	Mastery scale - (D)	ST	3052
STCADW1	Work stress index - all items - (D)	ST	3045
STCADW2	Decision latitude - skill discretion - (D)	ST	3045
STCADW3	Decision latitude - decision authority - (D)	ST	3046
STCADW4	Psychological demands - (D)	ST	3046
STCADW5	Job insecurity - (D)	ST	3047
STCADW6	Physical exertion - (D)	ST	3047
STCADW7	Social support - (D)	ST	3048
STCADW8	Job strain - (D)	ST	3048
STCB_C1	Stress (ongoing) - trying to take on too many things	ST	3565
STCB_C10	Stress (ongoing) - child seems unhappy	ST	3569
STCB_C11	Stress (ongoing) - child's behaviour is a concern	ST	3570
STCB_C12	Stress (ongoing) - work around home not appreciated	ST	3570
STCB_C13	Stress (ongoing) - friends are a bad influence	ST	3571
STCB_C14	Stress (ongoing) - would like to move	ST	3571
STCB_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	3572
STCB_C16	Stress (ongoing) - family member in very bad health	ST	3572
STCB_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	3573
STCB_C18	Stress (ongoing) - people are too critical	ST	3573
STCB_C2	Stress (ongoing) - pressure to conform	ST	3565
STCB_C3	Stress (ongoing) - others expect too much from you	ST	3566
STCB_C4	Stress (ongoing) - lack of money	ST	3566
STCB_C5	Stress (ongoing) - partner doesn't understand you	ST	3567
STCB_C6	Stress (ongoing) - partner is not affectionate enough	ST	3567
STCB_C7	Stress (ongoing) - partner is not committed to relationship	ST	3568
STCB_C8	Stress (ongoing) - difficult to find someone compatible	ST	3568
STCB_C9	Stress (ongoing) - has children	ST	3569
STCB_M1A	Stress (mastery) - lack of control over things	ST	3597
STCB_M1B	Stress (mastery) - cannot solve problems	ST	3598
STCB_M1C	Stress (mastery) - cannot change things	ST	3598
STCB_M1D	Stress (mastery) - helpless in dealing with life problems	ST	3599
STCB_M1E	Stress (mastery) - pushed around in life	ST	3599
STCB_M1F	Stress (mastery) - fate depends upon self	ST	3600
STCB_M1G	Stress (mastery) - can do anything	ST	3600
STCB_W1	Stress (work) - currently work at a job	ST	3583
STCB_W1A	Stress (work) - must learn new things	ST	3583

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
STCB_W1B	Stress (work) - high level of skill	ST	3584
STCB_W1C	Stress (work) - freedom to decide	ST	3584
STCB_W1D	Stress (work) - repetitive tasks	ST	3585
STCB_W1E	Stress (work) - hectic job	ST	3585
STCB_W1F	Stress (work) - free from conflicting demands	ST	3586
STCB_W1G	Stress (work) - good job security	ST	3587
STCB_W1H	Stress (work) - requires a lot of physical effort	ST	3588
STCB_W1I	Stress (work) - has own job input	ST	3589
STCB_W1J	Stress (work) - hostility or conflict with others	ST	3590
STCB_W1K	Stress (work) - supervisor helpful	ST	3591
STCB_W1L	Stress (work) - co-workers helpful	ST	3592
STCB_W2	Stress (work) - job satisfaction	ST	3593
STCBDC1	General chronic stress index - (D)	ST	3574
STCBDC10	Family health stress index - (D)	ST	3578
STCBDC2	Specific chronic stress index - (D)	ST	3574
STCBDC3	Adjusted specific chronic stress index - (D)	ST	3575
STCBDC4	Personal stress index - (D)	ST	3575
STCBDC5	Financial problems stress index - (D)	ST	3576
STCBDC6	Relationship problems (with partner) stress index - (D)	ST	3576
STCBDC7	Relationship problems (no partner) stress index - (D)	ST	3577
STCBDC8	Child problems stress index - (D)	ST	3577
STCBDC9	Environmental problems stress index - (D)	ST	3578
STCBDM1	Mastery scale - (D)	ST	3601
STCBDW1	Work stress index - all items - (D)	ST	3593
STCBDW2	Decision latitude - skill discretion - (D)	ST	3594
STCBDW3	Decision latitude - decision authority - (D)	ST	3594
STCBDW4	Psychological demands - (D)	ST	3595
STCBDW5	Job insecurity - (D)	ST	3595
STCBDW6	Physical exertion - (D)	ST	3596
STCBDW7	Social support - (D)	ST	3596
STCBDW8	Job strain - (D)	ST	3597
STCC_C1	Stress (ongoing) - trying to take on too many things	ST	4101
STCC_C10	Stress (ongoing) - child seems unhappy	ST	4105
STCC_C11	Stress (ongoing) - child's behaviour is a concern	ST	4106
STCC_C12	Stress (ongoing) - work around home not appreciated	ST	4106
STCC_C13	Stress (ongoing) - friends are a bad influence	ST	4107

**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
STCC_C14	Stress (ongoing) - would like to move	ST	4107
STCC_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	4108
STCC_C16	Stress (ongoing) - family member in very bad health	ST	4108
STCC_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	4109
STCC_C18	Stress (ongoing) - people are too critical	ST	4109
STCC_C2	Stress (ongoing) - pressure to conform	ST	4101
STCC_C3	Stress (ongoing) - others expect too much from you	ST	4102
STCC_C4	Stress (ongoing) - lack of money	ST	4102
STCC_C5	Stress (ongoing) - partner doesn't understand you	ST	4103
STCC_C6	Stress (ongoing) - partner is not affectionate enough	ST	4103
STCC_C7	Stress (ongoing) - partner is not committed to relationship	ST	4104
STCC_C8	Stress (ongoing) - difficult to find someone compatible	ST	4104
STCC_C9	Stress (ongoing) - has children	ST	4105
STCC_M1A	Stress (mastery) - lack of control over things	ST	4134
STCC_M1B	Stress (mastery) - cannot solve problems	ST	4135
STCC_M1C	Stress (mastery) - cannot change things	ST	4135
STCC_M1D	Stress (mastery) - helpless in dealing with life problems	ST	4136
STCC_M1E	Stress (mastery) - pushed around in life	ST	4136
STCC_M1F	Stress (mastery) - fate depends upon self	ST	4137
STCC_M1G	Stress (mastery) - can do anything	ST	4137
STCC_W1	Stress (work) - currently work at a job	ST	4119
STCC_W1A	Stress (work) - must learn new things	ST	4119
STCC_W1B	Stress (work) - high level of skill	ST	4120
STCC_W1C	Stress (work) - freedom to decide	ST	4120
STCC_W1D	Stress (work) - repetitive tasks	ST	4121
STCC_W1E	Stress (work) - hectic job	ST	4121
STCC_W1F	Stress (work) - free from conflicting demands	ST	4122
STCC_W1G	Stress (work) - good job security	ST	4123
STCC_W1H	Stress (work) - requires a lot of physical effort	ST	4123
STCC_W1I	Stress (work) - has own job input	ST	4124
STCC_W1J	Stress (work) - hostility or conflict with others	ST	4124
STCC_W1K	Stress (work) - supervisor helpful	ST	4125
STCC_W1L	Stress (work) - co-workers helpful	ST	4126
STCC_W2	Stress (work) - job satisfaction	ST	4126
STCCDC1	General chronic stress index - (D)	ST	4110
STCCDC10	Family health stress index - (D)	ST	4114

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 254

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
STCCDC2	Specific chronic stress index - (D)	ST	4110
STCCDC3	Adjusted specific chronic stress index - (D)	ST	4111
STCCDC4	Personal stress index - (D)	ST	4111
STCCDC5	Financial problems stress index - (D)	ST	4112
STCCDC6	Relationship problems (with partner) stress index - (D)	ST	4112
STCCDC7	Relationship problems (no partner) stress index - (D)	ST	4113
STCCDC8	Child problems stress index - (D)	ST	4113
STCCDC9	Environmental problems stress index - (D)	ST	4114
STCCDM1	Mastery scale - (D)	ST	4138
STCCDW1	Work stress index - all items - (D)	ST	4127
STCCDW2	Decision latitude - skill discretion - (D)	ST	4127
STCCDW3	Decision latitude - decision authority - (D)	ST	4128
STCCDW4	Psychological demands - (D)	ST	4128
STCCDW5	Job insecurity - (D)	ST	4129
STCCDW6	Physical exertion - (D)	ST	4129
STCCDW7	Social support - (D)	ST	4130
STCCDW8	Job strain - (D)	ST	4130
STCD_C1	Stress (ongoing) - trying to take on too many things	ST	4641
STCD_C10	Stress (ongoing) - child seems unhappy	ST	4645
STCD_C11	Stress (ongoing) - child's behaviour is a concern	ST	4646
STCD_C12	Stress (ongoing) - work around home not appreciated	ST	4646
STCD_C13	Stress (ongoing) - friends are a bad influence	ST	4647
STCD_C14	Stress (ongoing) - would like to move	ST	4647
STCD_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	4648
STCD_C16	Stress (ongoing) - family member in very bad health	ST	4648
STCD_C17	Stress (ongoing) - family member has alcohol or drug problem	ST	4649
STCD_C18	Stress (ongoing) - people are too critical	ST	4649
STCD_C2	Stress (ongoing) - pressure to conform	ST	4641
STCD_C3	Stress (ongoing) - others expect too much from you	ST	4642
STCD_C4	Stress (ongoing) - lack of money	ST	4642
STCD_C5	Stress (ongoing) - partner doesn't understand you	ST	4643
STCD_C6	Stress (ongoing) - partner is not affectionate enough	ST	4643
STCD_C7	Stress (ongoing) - partner is not committed to relationship	ST	4644
STCD_C8	Stress (ongoing) - difficult to find someone compatible	ST	4644
STCD_C9	Stress (ongoing) - has children	ST	4645
STCD_M1A	Stress (mastery) - lack of control over things	ST	4670

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 255

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
STCD_M1B	Stress (mastery) - cannot solve problems	ST	4671
STCD_M1C	Stress (mastery) - cannot change things	ST	4671
STCD_M1D	Stress (mastery) - helpless in dealing with life problems	ST	4672
STCD_M1E	Stress (mastery) - pushed around in life	ST	4672
STCD_M1F	Stress (mastery) - fate depends upon self	ST	4673
STCD_M1G	Stress (mastery) - can do anything	ST	4673
STCD_W1	Stress (work) - currently work at a job	ST	4655
STCD_W1A	Stress (work) - must learn new things	ST	4655
STCD_W1B	Stress (work) - high level of skill	ST	4656
STCD_W1C	Stress (work) - freedom to decide	ST	4656
STCD_W1D	Stress (work) - repetitive tasks	ST	4657
STCD_W1E	Stress (work) - hectic job	ST	4657
STCD_W1F	Stress (work) - free from conflicting demands	ST	4658
STCD_W1G	Stress (work) - good job security	ST	4658
STCD_W1H	Stress (work) - requires a lot of physical effort	ST	4659
STCD_W1I	Stress (work) - has own job input	ST	4659
STCD_W1J	Stress (work) - hostility or conflict with others	ST	4660
STCD_W1K	Stress (work) - supervisor helpful	ST	4661
STCD_W1L	Stress (work) - co-workers helpful	ST	4662
STCD_W2	Stress (work) - job satisfaction	ST	4662
STCDDC1	General chronic stress index - (D)	ST	4650
STCDDC10	Family health stress index - (D)	ST	4654
STCDDC2	Specific chronic stress index - (D)	ST	4650
STCDDC3	Adjusted specific chronic stress index - (D)	ST	4651
STCDDC4	Personal stress index - (D)	ST	4651
STCDDC5	Financial problems stress index - (D)	ST	4652
STCDDC6	Relationship problems (with partner) stress index - (D)	ST	4652
STCDDC7	Relationship problems (no partner) stress index - (D)	ST	4653
STCDDC8	Child problems stress index - (D)	ST	4653
STCDDC9	Environmental problems stress index - (D)	ST	4654
STCDDM1	Mastery scale - (D)	ST	4674
STCDDW1	Work stress index - all items - (D)	ST	4663
STCDDW2	Decision latitude - skill discretion - (D)	ST	4663
STCDDW3	Decision latitude - decision authority - (D)	ST	4664
STCDDW4	Psychological demands - (D)	ST	4664
STCDDW5	Job insecurity - (D)	ST	4665

# NPHS Cycle 9 (2010/2011): Alphabetic Index

Page 256

## Master File: Longitudinal Full Response Subset (Rounded)

September 2012

Variable Name	Description	Section	Page
STCDDW6	Physical exertion - (D)	ST	4665
STCDDW7	Social support - (D)	ST	4666
STCDDW8	Job strain - (D)	ST	4666
STRATUM	Sample indicator - stratum	SP	12
SUBCYCLE	Sample indicator	SP	2
SVP6_1	Overall rating of health care system	SV	1115
SVP6_2	Availability of community health care	SV	1116
SVP6_3	Quality of community health care	SV	1116
SVP6_4	Overall availability of health care in community	SV	1117
SVP6_5	Overall quality of health care in community	SV	1117
SVP6_6	Difficulty getting health care services needed	SV	1118
SVP6_7	Quality of health care received in past 12 months	SV	1118
TAS8_1	Smoked cigars	SM	1644
TAS8_2	Smoked a pipe	SM	1645
TAS8_3	Used snuff	SM	1645
TAS8_4	Used chewing tobacco	SM	1646
TUC0_3	UV - has been sunburnt	TU	1918
TUC2_3	UV - has been sunburnt	TU	2475
TUC6_3	UV - got sunburnt	TU	938
TUCA_3	UV - has been sunburnt	TU	3007
TUCB_3	UV - has been sunburnt	TU	3548
TUCC_3	UV - has been sunburnt	TU	4084
TUCD_3	UV - has been sunburnt	TU	4623
TUP6_1	UV - tried to get a suntan (sun or artificial)	TU	937
TUP6_10	UV - frequency of wearing protective clothing in sun	TU	941
TUP6_2	UV - deepness of suntan	TU	937
TUP6_4	UV - number of times sunburned	TU	938
TUP6_5	UV - description of worst sunburn	TU	939
TUP6_6	UV - frequency of using sunscreen in summer	TU	939
TUP6_7	UV - frequency of avoiding sun from 11am to 4pm	TU	940
TUP6_8	UV - frequency of avoiding long periods in the sun	TU	940
TUP6_9	UV - frequency of wearing sunglasses with UV protection	TU	941
TWC4_1	Stayed in bed / hospital due to illness / injury	TW	29
TWC4_2	Number of days spent in bed	TW	30
TWC4_3	Cut down on things done due to illness / injury	TW	31
TWC4_4	Number of days cut down on things	TW	32



**Master File: Longitudinal Full Response Subset (Rounded)**

September 2012

Variable Name	Description	Section	Page
TWC4DDDY	Total number of disability days - (D)	TW	33
TWC6_1	Stayed in bed / hospital due to illness / injury	TW	487
TWC6_2	Number of days spent in bed	TW	488
TWC6_3	Cut down on things done due to illness / injury	TW	489
TWC6_4	Number of days cut down on things	TW	490
TWC6DDDY	Total number of disability days - (D)	TW	492
TWC8_1	Stayed in bed / hospital due to illness / injury	TW	1177
TWC8_2	Number of days spent in bed	TW	1178
TWC8_3	Cut down on things done due to illness / injury	TW	1179
TWC8_4	Number of days cut down on things	TW	1180
TWC8DDDY	Total number of disability days - (D)	TW	1182
VSP6_1	Frequency of feeling safe in community	VS	1150
VSP6_10	Number of times attacked outside of school	VS	1154
VSP6_2	Frequency of feeling safe at home	VS	1151
VSP6_4	Frequency of feeling safe at school	VS	1151
VSP6_5	No. of times - verbal abuse at school / school bus	VS	1152
VSP6_6	No. of times - verbal threats at school / school bus	VS	1152
VSP6_7	No. of times - attacks at school / school bus	VS	1153
VSP6_8	No. of times - verbal abuse outside of school	VS	1153
VSP6_9	No. of times - verbal threats outside of school	VS	1154
WF6DLF	Flag: Master - Longitudinal Full Response Subset	WT	4873
WF6DSLFL	Flag: Share - Longitudinal Full Response Subset	WT	4874
WF6DSLS	Flag: Share - Longitudinal Square	WT	4874
WT64LS	Weight: Master - Longitudinal Square	WT	4873
WT6DLF	Weight: Master - Longitudinal full response subset	WT	4873
WT6DSLFL	Weight: Share - Longitudinal full response subset	WT	4874
WT6DSLS	Weight: Share - Longitudinal Square	WT	4874
YOB	Year of birth	DH	4
YOD	Year of death	DH	11
YOI	Year of immigration to Canada	SD	9