

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 1

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
AD_6_1	Drunk - at work / school / taking care of child	AD	1045
AD_6_2	Number of times - drunk / hung-over	AD	1046
AD_6_3	Being drunk increased chances of getting hurt	AD	1046
AD_6_4	Emotional or psychological problems due to alcohol	AD	1047
AD_6_5	Strong desire or urge to drink	AD	1047
AD_6_6	Spent month or more getting drunk	AD	1048
AD_6_7	Drank much more than intended	AD	1048
AD_6_8	Number of times - drank much more than intended	AD	1049
AD_6_9	Had to drink more for the same effect	AD	1049
AD_6DPP	Alcohol dependence - Predicted Probability - (D)	AD	1050
AD_6DSF	Alcohol dependence - Short Form Score - (D)	AD	1050
ALC0_1	Drank alcohol in past 12 months	AL	2029
ALC0_1A	Drank alcohol since last interview	AL	2028
ALC0_2	Frequency of drinking alcohol	AL	2029
ALC0_3	Frequency of having 5 or more drinks	AL	2030
ALC0_5	Drank alcohol in past week	AL	2031
ALC0_5A1	Number of drinks - Sunday	AL	2031
ALC0_5A2	Number of drinks - Monday	AL	2032
ALC0_5A3	Number of drinks - Tuesday	AL	2032
ALC0_5A4	Number of drinks - Wednesday	AL	2033
ALC0_5A5	Number of drinks - Thursday	AL	2033
ALC0_5A6	Number of drinks - Friday	AL	2034
ALC0_5A7	Number of drinks - Saturday	AL	2034
ALC0_5B	Ever had a drink	AL	2035
ALC0_6	Regularly drank more than 12 drinks a week	AL	2035
ALC0_7A	Reason reduced drinking - dieting	AL	2036
ALC0_7B	Reason reduced drinking - athletic training	AL	2036
ALC0_7C	Reason reduced drinking - pregnancy	AL	2037
ALC0_7D	Reason reduced drinking - getting older	AL	2037
ALC0_7E	Reason reduced drinking - drinking too much	AL	2038
ALC0_7F	Reason reduced drinking - affected work / studies	AL	2038
ALC0_7G	Reason reduced drinking - interfered with family life	AL	2039
ALC0_7H	Reason reduced drinking - affected physical health	AL	2039
ALC0_7I	Reason reduced drinking - affected social relationships	AL	2040
ALC0_7J	Reason reduced drinking - affected financial position	AL	2040
ALC0_7K	Reason reduced drinking - affected happiness	AL	2041

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 2

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
ALC0_7L	Reason reduced drinking - influence of family / friends	AL	2041
ALC0_7M	Reason reduced drinking - other	AL	2042
ALC0_DAY	Interview date - day of the week	AL	2030
ALC0DDL	Average daily alcohol consumption - (D)	AL	2043
ALC0DTYP	Type of drinker - (D)	AL	2042
ALC0DWKY	Weekly total of alcohol consumed - (D)	AL	2043
ALC4_1	Drank alcohol in past 12 months	AL	205
ALC4_2	Frequency of drinking alcohol	AL	206
ALC4_3	Frequency of having 5 or more drinks	AL	206
ALC4_4	Highest number of drinks on one occasion	AL	207
ALC4_5	Drank alcohol in past week	AL	208
ALC4_5A1	Number of drinks - Sunday	AL	208
ALC4_5A2	Number of drinks - Monday	AL	209
ALC4_5A3	Number of drinks - Tuesday	AL	209
ALC4_5A4	Number of drinks - Wednesday	AL	210
ALC4_5A5	Number of drinks - Thursday	AL	210
ALC4_5A6	Number of drinks - Friday	AL	211
ALC4_5A7	Number of drinks - Saturday	AL	211
ALC4_5B	Ever had a drink	AL	212
ALC4_6	Regularly drank more than 12 drinks a week	AL	212
ALC4_7A	Reason reduced drinking - dieting	AL	213
ALC4_7B	Reason reduced drinking - athletic training	AL	213
ALC4_7C	Reason reduced drinking - pregnancy	AL	214
ALC4_7D	Reason reduced drinking - getting older	AL	214
ALC4_7E	Reason reduced drinking - drinking too much	AL	215
ALC4_7F	Reason reduced drinking - affected work / studies	AL	215
ALC4_7G	Reason reduced drinking - interfered with family life	AL	216
ALC4_7H	Reason reduced drinking - affected physical health	AL	216
ALC4_7I	Reason reduced drinking - affected social relationships	AL	217
ALC4_7J	Reason reduced drinking - affected financial position	AL	217
ALC4_7K	Reason reduced drinking - affected happiness	AL	218
ALC4_7L	Reason reduced drinking - influence of family / friends	AL	218
ALC4_7M	Reason reduced drinking - other	AL	219
ALC4_DAY	Interview date - day of the week	AL	207
ALC4DDL	Average daily alcohol consumption - (D)	AL	220
ALC4DTYP	Type of drinker - (D)	AL	219

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 3

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
ALC4DWKY	Weekly total of alcohol consumed - (D)	AL	220
ALC6_1	Drank alcohol in past 12 months	AL	1024
ALC6_2	Frequency of drinking alcohol	AL	1025
ALC6_3	Frequency of having 5 or more drinks	AL	1026
ALC6_5	Drank alcohol in past week	AL	1027
ALC6_5A1	Number of drinks - Sunday	AL	1027
ALC6_5A2	Number of drinks - Monday	AL	1028
ALC6_5A3	Number of drinks - Tuesday	AL	1028
ALC6_5A4	Number of drinks - Wednesday	AL	1029
ALC6_5A5	Number of drinks - Thursday	AL	1029
ALC6_5A6	Number of drinks - Friday	AL	1030
ALC6_5A7	Number of drinks - Saturday	AL	1030
ALC6_5B	Ever had a drink	AL	1031
ALC6_6	Regularly drank more than 12 drinks a week	AL	1031
ALC6_7A	Reason reduced drinking - dieting	AL	1032
ALC6_7B	Reason reduced drinking - athletic training	AL	1032
ALC6_7C	Reason reduced drinking - pregnancy	AL	1033
ALC6_7D	Reason reduced drinking - getting older	AL	1033
ALC6_7E	Reason reduced drinking - drinking too much	AL	1034
ALC6_7F	Reason reduced drinking - affected work / studies	AL	1034
ALC6_7G	Reason reduced drinking - interfered with family life	AL	1035
ALC6_7H	Reason reduced drinking - affected physical health	AL	1035
ALC6_7I	Reason reduced drinking - affected social relationships	AL	1036
ALC6_7J	Reason reduced drinking - affected financial position	AL	1036
ALC6_7K	Reason reduced drinking - affected happiness	AL	1037
ALC6_7L	Reason reduced drinking - influence of family / friends	AL	1037
ALC6_7M	Reason reduced drinking - other	AL	1038
ALC6_DAY	Interview date - day of the week	AL	1026
ALC6DDLTY	Average daily alcohol consumption - (D)	AL	1039
ALC6DTYP	Type of drinker - (D)	AL	1038
ALC6DWKY	Weekly total of alcohol consumed - (D)	AL	1039
ALC8_1	Drank alcohol in past 12 months	AL	1623
ALC8_2	Frequency of drinking alcohol	AL	1624
ALC8_3	Frequency of having 5 or more drinks	AL	1625
ALC8_5	Drank alcohol in past week	AL	1626
ALC8_5A1	Number of drinks - Sunday	AL	1626

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 4

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
ALC8_5A2	Number of drinks - Monday	AL	1627
ALC8_5A3	Number of drinks - Tuesday	AL	1627
ALC8_5A4	Number of drinks - Wednesday	AL	1628
ALC8_5A5	Number of drinks - Thursday	AL	1628
ALC8_5A6	Number of drinks - Friday	AL	1629
ALC8_5A7	Number of drinks - Saturday	AL	1629
ALC8_5B	Ever had a drink	AL	1630
ALC8_6	Regularly drank more than 12 drinks a week	AL	1630
ALC8_7A	Reason reduced drinking - dieting	AL	1631
ALC8_7B	Reason reduced drinking - athletic training	AL	1631
ALC8_7C	Reason reduced drinking - pregnancy	AL	1632
ALC8_7D	Reason reduced drinking - getting older	AL	1632
ALC8_7E	Reason reduced drinking - drinking too much	AL	1633
ALC8_7F	Reason reduced drinking - affected work / studies	AL	1633
ALC8_7G	Reason reduced drinking - interfered with family life	AL	1634
ALC8_7H	Reason reduced drinking - affected physical health	AL	1634
ALC8_7I	Reason reduced drinking - affected social relationships	AL	1635
ALC8_7J	Reason reduced drinking - affected financial position	AL	1635
ALC8_7K	Reason reduced drinking - affected happiness	AL	1636
ALC8_7L	Reason reduced drinking - influence of family / friends	AL	1636
ALC8_7M	Reason reduced drinking - other	AL	1637
ALC8_DAY	Interview date - day of the week	AL	1625
ALC8DDL	Average daily alcohol consumption - (D)	AL	1638
ALC8DTYP	Type of drinker - (D)	AL	1637
ALC8DWKY	Weekly total of alcohol consumed - (D)	AL	1638
ALP6_1	Drank alcohol during last pregnancy	AL	1040
ALP6_2	Average number of drinks during pregnancy	AL	1040
ALP6_3	Consumed alcohol while breastfeeding	AL	1041
ALP6_4	Average number of drinks while breastfeeding	AL	1041
ALS6_1	Definition of moderate drinking	AL	1042
ALS6_2	Moderate drinking can be good for your health	AL	1042
ALS6_3	Alright to get drunk once in a while	AL	1043
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	AL	1043
ALS6_5	Alright to get drunk once a week if no drinking rest of week	AL	1044
ALS6_6	Pregnant woman should not drink any amount of alcohol	AL	1044
ALS6_7	Alright for breastfeeding woman to drink occasionally	AL	1045

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 5

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
AM30_PL	Preferred language of household	AM	1690
AM30_TEL	H03 interview by telephone or in person	AM	1687
AM34_LNG	Interview language - H03	AM	21
AM34_SRC	Record number of person providing H03 information	AM	21
AM36_LNG	Interview language - H03	AM	464
AM36_SRC	Record number of person providing H03 information	AM	463
AM36_TEL	H03 interview by telephone or in person	AM	462
AM38_LNG	Interview language - H03	AM	1154
AM38_LP	Language preference of household	AM	1152
AM38_SRC	Record number of person providing H03 information	AM	1153
AM38_TEL	H03 interview by telephone or in person	AM	1151
AM54_BDD	Day of interview - H05 (start)	AM	29
AM54_BMM	Month of interview - H05 (start)	AM	29
AM54_BYY	Year of interview - H05 (start)	AM	30
AM54_EDD	Day of interview - H05 (end)	AM	187
AM54_EMM	Month of interview - H05 (end)	AM	187
AM54_EYY	Year of interview - H05 (end)	AM	188
AM54_LNG	Interview language - H05	AM	186
AM54_PXY	H05 completed by proxy	AM	30
AM54_SRC	Record number of person providing H05 information	AM	30
AM54_STA	Status of general form - H05	AM	28
AM54_TEL	H05 interview by telephone or in person	AM	186
AM56_BDD	Day of interview - H05 (start)	AM	473
AM56_BMM	Month of interview - H05 (start)	AM	473
AM56_BYY	Year of interview - H05 (start)	AM	474
AM56_EDD	Day of interview - H05 (end)	AM	680
AM56_EMM	Month of interview - H05 (end)	AM	681
AM56_EYY	Year of interview - H05 (end)	AM	681
AM56_LNG	Interview language - H05	AM	680
AM56_PXY	H05 completed by proxy	AM	474
AM56_SRC	Record number of person providing H05 information	AM	474
AM56_STA	Status of general form - H05	AM	472
AM56_TEL	H05 interview by telephone or in person	AM	679
AM58_BDD	Day of interview - H05 (start)	AM	1163
AM58_BMM	Month of interview - H05 (start)	AM	1163
AM58_BYY	Year of interview - H05 (start)	AM	1164

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 6

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
AM58_EDD	Day of interview - H05 (end)	AM	1374
AM58_EMM	Month of interview - H05 (end)	AM	1374
AM58_EYY	Year of interview - H05 (end)	AM	1375
AM58_LNG	Interview language - H05	AM	1373
AM58_PXY	H05 completed by proxy	AM	1164
AM58_SRC	Record number of person providing H05 information	AM	1164
AM58_STA	Status of general form - H05	AM	1162
AM58_TEL	H05 interview by telephone or in person	AM	1373
AM60_BDD	Day of interview - H06 (start)	AM	1699
AM60_BMM	Month of interview - H06 (start)	AM	1699
AM60_BYY	Year of interview - H06 (start)	AM	1700
AM60_LNG	Interview language - H06	AM	2174
AM60_LNK	Permission to link data	AM	2173
AM60_PXY	H06 completed by proxy	AM	1700
AM60_SHA	Agree to share information	AM	2173
AM60_SRC	Record number of person providing H06 information	AM	1700
AM60_STA	Status of health form - H06	AM	1698
AM60_TEL	H06 interview by telephone or in person	AM	2174
AM60FR	Flag for reason for proxy - H06	AM	1701
AM60LDUR	Duration of time between H06 interviews	AM	2175
AM64_AFF	Answers affected by presence of another person	AM	450
AM64_ALO	Respondent alone for completion of H06 questionnaire	AM	450
AM64_BDD	Day of interview - H06 (start)	AM	188
AM64_BMM	Month of interview - H06 (start)	AM	189
AM64_BYY	Year of interview - H06 (start)	AM	189
AM64_EDD	Day of interview - H06 (end)	AM	451
AM64_EMM	Month of interview - H06 (end)	AM	452
AM64_EYY	Year of interview - H06 (end)	AM	452
AM64_LNG	Interview language - H06	AM	451
AM64_LNK	Permission to link data	AM	448
AM64_PXY	H06 completed by proxy	AM	190
AM64_SHA	Agree to share information - H06	AM	449
AM64_SRC	Record number of person providing H06 information	AM	189
AM64_STA	Status of health form - H06	AM	188
AM64_TEL	H06 interview by telephone or in person	AM	449
AM64FR	Flag for reason for proxy - H06	AM	190

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 7

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
AM66_AFF	Answers affected by presence of another person	AM	1144
AM66_ALO	Respondent alone for completion of H06 questionnaire	AM	1143
AM66_BDD	Day of interview - H06 (start)	AM	682
AM66_BMM	Month of interview - H06 (start)	AM	683
AM66_BY Y	Year of interview - H06 (start)	AM	683
AM66_EDD	Day of interview - H06 (end)	AM	1145
AM66_EMM	Month of interview - H06 (end)	AM	1145
AM66_EY Y	Year of interview - H06 (end)	AM	1146
AM66_LNG	Interview language - H06	AM	1144
AM66_LNK	Permission to link data	AM	1142
AM66_PXY	H06 completed by proxy	AM	684
AM66_SHA	Agree to share information - H06	AM	1142
AM66_SRC	Record number of person providing H06 information	AM	684
AM66_STA	Status of health form - H06	AM	682
AM66_TEL	H06 interview by telephone or in person	AM	1143
AM66FR	Flag for reason for proxy - H06	AM	684
AM66LDUR	Duration of time between H06 interviews	AM	1146
AM68_AFF	Answers affected by presence of another person	AM	1680
AM68_ALO	Respondent alone for completion of H06 questionnaire	AM	1679
AM68_BDD	Day of interview - H06 (start)	AM	1375
AM68_BMM	Month of interview - H06 (start)	AM	1376
AM68_BY Y	Year of interview - H06 (start)	AM	1376
AM68_EDD	Day of interview - H06 (end)	AM	1681
AM68_EMM	Month of interview - H06 (end)	AM	1681
AM68_EY Y	Year of interview - H06 (end)	AM	1682
AM68_LNG	Interview language - H06	AM	1680
AM68_LNK	Permission to link data	AM	1678
AM68_PXY	H06 completed by proxy	AM	1377
AM68_SHA	Agree to share information	AM	1678
AM68_SRC	Record number of person providing H06 information	AM	1377
AM68_STA	Status of health form - H06	AM	1375
AM68_TEL	H06 interview by telephone or in person	AM	1679
AM68FR	Flag for reason for proxy - H06	AM	1377
AM68LDUR	Duration of time between H06 interviews	AM	1682
AOI	Age at time of immigration - (D)	SD	10
APP6_1	My parents are strict for my own good	AP	1096

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 8

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
APP6_10	My parents trust me	AP	1101
APP6_2	My parents do not understand me	AP	1097
APP6_3	I have a lot of arguments with my parents	AP	1097
APP6_4	What my parents think of me is important	AP	1098
APP6_5	There are times when I would like to run away from home	AP	1098
APP6_6	I have a happy home life	AP	1099
APP6_7	I would raise my children differently	AP	1099
APP6_8	My parents expect too much of me	AP	1100
APP6_9	I ask my parents for advice on serious matters	AP	1100
BPC0_10	Ever had blood pressure taken	PH	1706
BPC0_12	Last time blood pressure was taken	PH	1707
BPC4_1	Last time blood pressure was checked	PH	197
BPC6_10	Ever had blood pressure taken	BP	705
BPC6_12	Last time blood pressure was taken	PH	706
BPC6_13A	Blood pressure taken - regular check-up	BP	706
BPC6_13B	Blood pressure taken - high b.p. / heart disease	BP	707
BPC6_13C	Blood pressure taken - doctor always does it	BP	707
BPC6_13D	Blood pressure taken - health problem	BP	708
BPC6_13E	Blood pressure taken - age	BP	708
BPC6_13F	Blood pressure taken - job requirement	BP	709
BPC6_13G	Blood pressure taken - pregnant	BP	709
BPC6_13H	Blood pressure taken - in hospital for other reason	BP	710
BPC6_13I	Blood pressure taken - when donating blood	BP	710
BPC6_13J	Blood pressure taken - just for the "fun" of it	BP	711
BPC6_13K	Blood pressure taken - other reason	BP	711
BPC6_14	Had problems getting blood pressure test	BP	712
BPC6_15A	Blood pressure test - not available when required	BP	712
BPC6_15B	Blood pressure test - not available in area	BP	713
BPC6_15C	Blood pressure test - waiting time too long	BP	713
BPC6_15D	Blood pressure test - transportation problems	BP	714
BPC6_15E	Blood pressure test - language problem	BP	714
BPC6_15F	Blood pressure test - cost	BP	714
BPC6_15G	Blood pressure test - did not know where to go	BP	715
BPC6_15H	Blood pressure test - other problem	BP	715
BPC6_16A	Blood pressure not taken - have not gotten around to it	BP	716
BPC6_16B	Blood pressure not taken - respondent didn't think necessary	BP	716

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 9

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
BPC6_16C	Blood pressure not taken - doctor didn't think necessary	BP	717
BPC6_16D	Blood pressure not taken - personal / fam. responsibilities	BP	717
BPC6_16E	Blood pressure not taken - not available when required	BP	718
BPC6_16F	Blood pressure not taken - not available in area	BP	718
BPC6_16G	Blood pressure not taken - waiting time too long	BP	719
BPC6_16H	Blood pressure not taken - transportation problems	BP	719
BPC6_16I	Blood pressure not taken - language problem	BP	720
BPC6_16J	Blood pressure not taken - cost	BP	720
BPC6_16K	Blood pressure not taken - did not know where to go	BP	721
BPC6_16L	Blood pressure not taken - fear	BP	721
BPC6_16M	Blood pressure not taken - other reason	BP	722
BPC8_10	Ever had blood pressure taken	PH	1382
BPC8_10A	Ever had blood pressure taken (probe)	PH	1383
BPC8_12	Last time blood pressure was taken	PH	1383
CC_0_D1	Arthritis / rheum. - kind	CC	1767
CC_0_D2	Arthritis / rheum. - had surgery	CC	1768
CC_0_D2A	Arthritis / rheum. surgery - hip replacement	CC	1768
CC_0_D2B	Arthritis / rheum. surgery - knee replacement	CC	1769
CC_0_D2C	Arthritis / rheum. surgery - other joint replacement	CC	1769
CC_0_D2D	Arthritis / rheum. surgery - other joint surgery	CC	1770
CC_0_D3	Arthritis / rheum. - received treatment or medication	CC	1770
CC_0_D3A	Arthritis / rheum. treatment - drug	CC	1771
CC_0_D3B	Arthritis / rheum. treatment - diet	CC	1771
CC_0_D3C	Arthritis / rheum. treatment - exercise	CC	1772
CC_0_D3D	Arthritis / rheum. treatment - physiotherapy	CC	1772
CC_0_D3E	Arthritis / rheum. treatment - heat or ice	CC	1773
CC_0_D3F	Arthritis / rheum. treatment - relaxation techniques	CC	1773
CC_0_D3G	Arthritis / rheum. treatment - splints, supports etc.	CC	1774
CC_0_D3H	Arthritis / rheum. treatment - other	CC	1774
CC_0_D4A	Arthritis / rheum. drug type - prescription medication	CC	1775
CC_0_D4B	Arthritis / rheum. drug type - over-the-counter pain killers	CC	1775
CC_0_D4C	Arthritis / rheum. drug type - herbal or natural remedies	CC	1776
CC_0_J3A	Diabetes - diagnosed when pregnant	CC	1791
CC_0_J3B	Diabetes - diagnosed other than during pregnancy	CC	1792
CC_0_J3C	Diabetes - when started using insulin	CC	1792
CC_0_J4	Diabetes - daily use of insulin	CC	1793

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 10

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CC_0_J4A	Diabetes - number of times per day use insulin	CC	1794
CC_0_J4B	Diabetes - number of units of insulin per day	CC	1794
CC_0_J5A	Diabetes - has taken course in managing	CC	1797
CC_0_J5B	Diabetes - household member has taken course in managing	CC	1798
CC_0_J5C	Diabetes - health professional gave information on diet	CC	1798
CC_0_J6A	Diabetes - nurse gave info on diet	CC	1799
CC_0_J6B	Diabetes - registered dietitian gave info on diet	CC	1799
CC_0_J6C	Diabetes - family doctor / g.p. gave info on diet	CC	1800
CC_0_J6D	Diabetes - other med. dr. / specialist gave info on diet	CC	1800
CC_0_J6E	Diabetes - other professional gave info on diet	CC	1801
CC_0_J7A	Diabetes - has been taught how to verify blood sugar	CC	1801
CC_0_J7B	Diabetes - hhld member has been taught how to verify sugar	CC	1802
CC_0_J8A	Diabetes - frequency of checking blood sugar levels	CC	1802
CC_0_J8B	Diabetes - frequency of checking feet	CC	1803
CC_0_L1A	Heart disease - ever had a heart attack	CC	1807
CC_0_L1B	Heart disease - number of heart attacks	CC	1807
CC_0_L1C	Heart disease - age at first heart attack	CC	1808
CC_0_L1D	Heart disease - age at most recent heart attack	CC	1808
CC_0_L1E	Heart disease - ever been admitted	CC	1809
CC_0_L4A	Heart disease treatment - bypass surgery	CC	1809
CC_0_L4B	Heart disease treatment - angioplasty	CC	1810
CC_0_L4C	Heart disease treatment - drugs	CC	1810
CC_0_L4D	Heart disease treatment - other	CC	1811
CC_0_L4E	Heart disease treatment - no treatment received	CC	1811
CC_0_L5A	Heart disease rehabilitation program - ever been referred	CC	1812
CC_0_L5B	Heart disease rehabilitation program - has attended	CC	1812
CC_0_L5C	Heart disease rehabilitation program - has completed	CC	1813
CC_0_L6	Heart disease - has angina	CC	1813
CC_0_L7	Heart disease - has congestive heart failure	CC	1814
CCC0_1A	Has food allergies	CC	1760
CCC0_1B	Has allergies other than food allergies	CC	1761
CCC0_1C	Has asthma	CC	1761
CCC0_1D	Has arthritis or rheumatism excluding fibromyalgia	CC	1766
CCC0_1E	Has back problems excluding fibromyalgia and arthritis	CC	1776
CCC0_1F	Has high blood pressure	CC	1777
CCC0_1G	Has migraine headaches	CC	1782

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 11

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC0_1H	Has chronic bronchitis or emphysema	CC	1788
CCC0_1J	Has diabetes	CC	1789
CCC0_1K	Has epilepsy	CC	1803
CCC0_1L	Has heart disease	CC	1806
CCC0_1M	Has cancer	CC	1814
CCC0_1N	Has stomach or intestinal ulcers	CC	1815
CCC0_1O	Suffers from the effects of a stroke	CC	1818
CCC0_1P	Suffers from urinary incontinence	CC	1820
CCC0_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	1821
CCC0_1R	Has Alzheimer's disease / other dementia	CC	1822
CCC0_1S	Has cataracts	CC	1823
CCC0_1T	Has glaucoma	CC	1824
CCC0_1U	Has a thyroid condition	CC	1825
CCC0_1V	Has other long-term condition	CC	1826
CCC0_1X	Has fibromyalgia	CC	1765
CCC0_A3	Food allergies - age first diagnosed	CC	1760
CCC0_C1	Asthma - condition disappeared	CC	1762
CCC0_C2M	Asthma - month condition disappeared	CC	1763
CCC0_C2Y	Asthma - year condition disappeared	CC	1764
CCC0_C3	Asthma - age first diagnosed	CC	1762
CCC0_C5	Asthma - had symptoms or attacks	CC	1764
CCC0_C6	Asthma - took medication	CC	1765
CCC0_D3	Arthritis / rheum. - age first diagnosed	CC	1767
CCC0_E3	Back problems - age first diagnosed	CC	1777
CCC0_F1	High blood pressure - condition disappeared	CC	1778
CCC0_F2M	High blood pressure - month condition disappeared	CC	1779
CCC0_F2Y	High blood pressure - year condition disappeared	CC	1779
CCC0_F3	High blood pressure - age first diagnosed	CC	1778
CCC0_F5	High blood pressure - received treatment or medication	CC	1780
CCC0_F6A	High blood pressure treatment - drug	CC	1780
CCC0_F6B	High blood pressure treatment - diet	CC	1781
CCC0_F6C	High blood pressure treatment - other	CC	1782
CCC0_F6D	High blood pressure treatment - exercise / physiotherapy	CC	1781
CCC0_G1	Migraines - condition disappeared	CC	1783
CCC0_G2M	Migraines - month condition disappeared	CC	1784
CCC0_G2Y	Migraines - year condition disappeared	CC	1785

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 12

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC0_G3	Migraine - age first diagnosed	CC	1783
CCC0_G5	Migraines - received treatment or medication	CC	1785
CCC0_G6A	Migraines treatment - drug	CC	1786
CCC0_G6B	Migraines treatment - diet	CC	1786
CCC0_G6C	Migraines treatment - other	CC	1787
CCC0_G6D	Migraines treatment - exercise / physiotherapy	CC	1787
CCC0_H3	Chronic bronchitis or emphysema - age first diagnosed	CC	1788
CCC0_J1	Diabetes - condition disappeared	CC	1790
CCC0_J2M	Diabetes - month condition disappeared	CC	1790
CCC0_J2Y	Diabetes - year condition disappeared	CC	1791
CCC0_J3	Diabetes - age first diagnosed	CC	1789
CCC0_J5	Diabetes - currently takes insulin	CC	1793
CCC0_J6	Diabetes - takes treatment other than insulin	CC	1795
CCC0_J7A	Diabetes treatment - drug	CC	1795
CCC0_J7B	Diabetes treatment - diet	CC	1796
CCC0_J7C	Diabetes treatment - other	CC	1797
CCC0_J7D	Diabetes treatment - exercise / physiotherapy	CC	1796
CCC0_K1	Epilepsy - condition disappeared	CC	1804
CCC0_K2M	Epilepsy - month condition disappeared	CC	1805
CCC0_K2Y	Epilepsy - year condition disappeared	CC	1805
CCC0_K3	Epilepsy - age first diagnosed	CC	1804
CCC0_L3	Heart disease - age first diagnosed	CC	1806
CCC0_M3	Cancer - age first diagnosed	CC	1815
CCC0_N1	Ulcers - condition disappeared	CC	1816
CCC0_N2M	Ulcers - month condition disappeared	CC	1817
CCC0_N2Y	Ulcers - year condition disappeared	CC	1817
CCC0_N3	Ulcers - age first diagnosed	CC	1816
CCC0_O1	Effects of stroke - condition disappeared	CC	1819
CCC0_O2M	Effects of stroke - month condition disappeared	CC	1819
CCC0_O2Y	Effects of stroke - year condition disappeared	CC	1820
CCC0_O3	Effects of stroke - age first diagnosed	CC	1818
CCC0_P3	Urinary incontinence - age first diagnosed	CC	1821
CCC0_Q3	Crohn's Disease or colitis - age first diagnosed	CC	1822
CCC0_R3	Alzheimer's disease / other dementia - age first diagnosed	CC	1823
CCC0_S3	Cataracts - age first diagnosed	CC	1824
CCC0_T3	Glaucoma - age first diagnosed	CC	1825

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 13

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC0_U3	Thyroid condition - age first diagnosed	CC	1826
CCC0_X3	Fibromyalgia - age first diagnosed	CC	1766
CCC0DANY	Has a chronic condition - (D)	CC	1827
CCC0DNUM	Number of chronic conditions - (D)	CC	1827
CCC4_1A	Has food allergies	CC	70
CCC4_1B	Has allergies other than food allergies	CC	71
CCC4_1C	Has asthma	CC	72
CCC4_1D	Has arthritis or rheumatism	CC	73
CCC4_1E	Has back problems excluding arthritis	CC	74
CCC4_1F	Has high blood pressure	CC	74
CCC4_1G	Has migraine headaches	CC	75
CCC4_1H	Has chronic bronchitis or emphysema	CC	75
CCC4_1I	Has sinusitis	CC	76
CCC4_1J	Has diabetes	CC	76
CCC4_1K	Has epilepsy	CC	77
CCC4_1L	Has heart disease	CC	77
CCC4_1M	Has cancer	CC	78
CCC4_1N	Has stomach or intestinal ulcers	CC	79
CCC4_1O	Suffers from the effects of a stroke	CC	79
CCC4_1P	Has urinary incontinence	CC	80
CCC4_1R	Has Alzheimer's disease / other dementia	CC	81
CCC4_1S	Has cataracts	CC	81
CCC4_1T	Has glaucoma	CC	82
CCC4_1V	Has other chronic condition	CC	82
CCC4_1W	Has acne	CC	80
CCC4_C7	Asthma - had attack	CC	72
CCC4_C8	Asthma - had wheezing or whistling in chest	CC	73
CCC4_NON	Has no chronic conditions	CC	83
CCC4DANY	Has a chronic condition - (D)	CC	83
CCC4DNUM	Number of chronic conditions - (D)	CC	83
CCC4FM1	Flag for type of cancer	CC	78
CCC6_1A	Has food allergies	CC	527
CCC6_1B	Has allergies other than food allergies	CC	528
CCC6_1C	Has asthma	CC	528
CCC6_1D	Has arthritis or rheumatism	CC	533
CCC6_1E	Has back problems excluding arthritis	CC	538

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 14

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC6_1F	Has high blood pressure	CC	539
CCC6_1G	Has migraine headaches	CC	545
CCC6_1H	Has chronic bronchitis or emphysema	CC	552
CCC6_1I	Has sinusitis	CC	552
CCC6_1J	Has diabetes	CC	553
CCC6_1K	Has epilepsy	CC	559
CCC6_1L	Has heart disease	CC	562
CCC6_1M	Has cancer	CC	563
CCC6_1N	Has stomach or intestinal ulcers	CC	563
CCC6_1O	Suffers from the effects of a stroke	CC	568
CCC6_1P	Suffers from urinary incontinence	CC	571
CCC6_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	572
CCC6_1R	Has Alzheimer's disease / other dementia	CC	572
CCC6_1S	Has cataracts	CC	573
CCC6_1T	Has glaucoma	CC	573
CCC6_1U	Has a thyroid condition	CC	574
CCC6_1V	Has other long-term condition	CC	574
CCC6_C1	Asthma - condition disappeared	CC	529
CCC6_C2M	Asthma - month condition disappeared	CC	529
CCC6_C2Y	Asthma - year condition disappeared	CC	530
CCC6_C3M	Asthma - month diagnosed	CC	530
CCC6_C3Y	Asthma - year diagnosed	CC	531
CCC6_C4	Asthma - had prior to last interview	CC	531
CCC6_C5	Asthma - had symptoms or attacks	CC	532
CCC6_C6	Asthma - took medication	CC	532
CCC6_D1	Arthritis / rheum. - condition disappeared	CC	533
CCC6_D2M	Arthritis / rheum. - month condition disappeared	CC	534
CCC6_D2Y	Arthritis / rheum. - year condition disappeared	CC	534
CCC6_D3M	Arthritis / rheum. - month diagnosed	CC	535
CCC6_D3Y	Arthritis / rheum. - year diagnosed	CC	535
CCC6_D4	Arthritis / rheum. - had prior to last interview	CC	536
CCC6_D5	Arthritis / rheum. - received treatment or medication	CC	536
CCC6_D6A	Arthritis / rheum. treatment - drug	CC	537
CCC6_D6B	Arthritis / rheum. treatment - diet	CC	537
CCC6_D6C	Arthritis / rheum. treatment - other	CC	538
CCC6_F1	High blood pressure - condition disappeared	CC	539

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 15

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC6_F2M	High blood pressure - month condition disappeared	CC	540
CCC6_F2Y	High blood pressure - year condition disappeared	CC	540
CCC6_F3M	High blood pressure - month diagnosed	CC	541
CCC6_F3Y	High blood pressure - year diagnosed	CC	542
CCC6_F4	High blood pressure - had prior to last interview	CC	542
CCC6_F5	High blood pressure - received treatment or medication	CC	543
CCC6_F6A	High blood pressure treatment - drug	CC	543
CCC6_F6B	High blood pressure treatment - diet	CC	544
CCC6_F6C	High blood pressure treatment - other	CC	544
CCC6_G1	Migraines - condition disappeared	CC	545
CCC6_G2M	Migraines - month condition disappeared	CC	546
CCC6_G2Y	Migraines - year condition disappeared	CC	547
CCC6_G3M	Migraines - month diagnosed	CC	548
CCC6_G3Y	Migraines - year diagnosed	CC	549
CCC6_G4	Migraines - had prior to last interview	CC	549
CCC6_G5	Migraines - received treatment or medication	CC	550
CCC6_G6A	Migraines treatment - drug	CC	550
CCC6_G6B	Migraines treatment - diet	CC	551
CCC6_G6C	Migraines treatment - other	CC	551
CCC6_J1	Diabetes - condition disappeared	CC	553
CCC6_J2M	Diabetes - month condition disappeared	CC	554
CCC6_J2Y	Diabetes - year condition disappeared	CC	554
CCC6_J3M	Diabetes - month diagnosed	CC	555
CCC6_J3Y	Diabetes - year diagnosed	CC	555
CCC6_J4	Diabetes - had prior to last interview	CC	556
CCC6_J5	Diabetes - takes insulin	CC	556
CCC6_J6	Diabetes - takes treatment other than insulin	CC	557
CCC6_J7A	Diabetes treatment - drug	CC	557
CCC6_J7B	Diabetes treatment - diet	CC	558
CCC6_J7C	Diabetes treatment - other	CC	558
CCC6_K1	Epilepsy - condition disappeared	CC	559
CCC6_K2M	Epilepsy - month condition disappeared	CC	560
CCC6_K2Y	Epilepsy - year condition disappeared	CC	560
CCC6_K3M	Epilepsy - month diagnosed	CC	561
CCC6_K3Y	Epilepsy - year diagnosed	CC	561
CCC6_K4	Epilepsy - had prior to last interview	CC	562

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 16

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC6_N1	Ulcers - condition disappeared	CC	564
CCC6_N2M	Ulcers - month condition disappeared	CC	565
CCC6_N2Y	Ulcers - year condition disappeared	CC	565
CCC6_N3M	Ulcers - month diagnosed	CC	566
CCC6_N3Y	Ulcers - year diagnosed	CC	567
CCC6_N4	Ulcers - had prior to last interview	CC	567
CCC6_O1	Effects of stroke - condition disappeared	CC	568
CCC6_O2M	Effects of stroke - month condition disappeared	CC	569
CCC6_O2Y	Effects of stroke - year condition disappeared	CC	569
CCC6_O3M	Effects of stroke - month diagnosed	CC	570
CCC6_O3Y	Effects of stroke - year diagnosed	CC	570
CCC6_O4	Effects of stroke - had prior to last interview	CC	571
CCC6DANY	Has a chronic condition - (D)	CC	575
CCC6DNUM	Number of chronic conditions - (D)	CC	575
CCC8_1A	Has food allergies	CC	1215
CCC8_1B	Has allergies other than food allergies	CC	1216
CCC8_1C	Has asthma	CC	1216
CCC8_1D	Has arthritis or rheumatism	CC	1221
CCC8_1E	Has back problems excluding arthritis	CC	1229
CCC8_1F	Has high blood pressure	CC	1229
CCC8_1G	Has migraine headaches	CC	1236
CCC8_1H	Has chronic bronchitis or emphysema	CC	1243
CCC8_1I	Has sinusitis	CC	1243
CCC8_1J	Has diabetes	CC	1244
CCC8_1K	Has epilepsy	CC	1250
CCC8_1L	Has heart disease	CC	1254
CCC8_1M	Has cancer	CC	1254
CCC8_1N	Has stomach or intestinal ulcers	CC	1255
CCC8_1O	Suffers from the effects of a stroke	CC	1258
CCC8_1P	Suffers from urinary incontinence	CC	1262
CCC8_1Q	Has a bowel disorder (Crohn's Disease or colitis)	CC	1262
CCC8_1R	Has Alzheimer's disease / other dementia	CC	1263
CCC8_1S	Has cataracts	CC	1263
CCC8_1T	Has glaucoma	CC	1264
CCC8_1U	Has a thyroid condition	CC	1264
CCC8_1V	Has other long-term condition	CC	1265

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 17

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC8_C1	Asthma - condition disappeared	CC	1217
CCC8_C2M	Asthma - month condition disappeared	CC	1218
CCC8_C2Y	Asthma - year condition disappeared	CC	1218
CCC8_C3M	Asthma - month diagnosed	CC	1219
CCC8_C3Y	Asthma - year diagnosed	CC	1219
CCC8_C4	Asthma - had prior to last interview	CC	1220
CCC8_C5	Asthma - had symptoms or attacks	CC	1220
CCC8_C6	Asthma - took medication	CC	1221
CCC8_D1	Arthritis / rheum. - condition disappeared	CC	1222
CCC8_D2M	Arthritis / rheum. - month condition disappeared	CC	1223
CCC8_D2Y	Arthritis / rheum. - year condition disappeared	CC	1224
CCC8_D3M	Arthritis / rheum. - month diagnosed	CC	1225
CCC8_D3Y	Arthritis / rheum. - year diagnosed	CC	1225
CCC8_D4	Arthritis / rheum. - had prior to last interview	CC	1226
CCC8_D5	Arthritis / rheum. - received treatment or medication	CC	1226
CCC8_D6A	Arthritis / rheum. treatment - drug	CC	1227
CCC8_D6B	Arthritis / rheum. treatment - diet	CC	1227
CCC8_D6C	Arthritis / rheum. treatment - other	CC	1228
CCC8_D6D	Arthritis / rheum. treatment - exercise / physiotherapy	CC	1228
CCC8_F1	High blood pressure - condition disappeared	CC	1230
CCC8_F2M	High blood pressure - month condition disappeared	CC	1231
CCC8_F2Y	High blood pressure - year condition disappeared	CC	1231
CCC8_F3M	High blood pressure - month diagnosed	CC	1232
CCC8_F3Y	High blood pressure - year diagnosed	CC	1233
CCC8_F4	High blood pressure - had prior to last interview	CC	1233
CCC8_F5	High blood pressure - received treatment or medication	CC	1234
CCC8_F6A	High blood pressure treatment - drug	CC	1234
CCC8_F6B	High blood pressure treatment - diet	CC	1235
CCC8_F6C	High blood pressure treatment - other	CC	1236
CCC8_F6D	High blood pressure treatment - exercise / physiotherapy	CC	1235
CCC8_G1	Migraines - condition disappeared	CC	1237
CCC8_G2M	Migraines - month condition disappeared	CC	1238
CCC8_G2Y	Migraines - year condition disappeared	CC	1238
CCC8_G3M	Migraines - month diagnosed	CC	1239
CCC8_G3Y	Migraines - year diagnosed	CC	1239
CCC8_G4	Migraines - had prior to last interview	CC	1240

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 18

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC8_G5	Migraines - received treatment or medication	CC	1240
CCC8_G6A	Migraines treatment - drug	CC	1241
CCC8_G6B	Migraines treatment - diet	CC	1241
CCC8_G6C	Migraines treatment - other	CC	1242
CCC8_G6D	Migraines treatment - exercise / physiotherapy	CC	1242
CCC8_J1	Diabetes - condition disappeared	CC	1244
CCC8_J2M	Diabetes - month condition disappeared	CC	1245
CCC8_J2Y	Diabetes - year condition disappeared	CC	1245
CCC8_J3M	Diabetes - month diagnosed	CC	1246
CCC8_J3Y	Diabetes - year diagnosed	CC	1246
CCC8_J4	Diabetes - had prior to last interview	CC	1247
CCC8_J5	Diabetes - takes insulin	CC	1247
CCC8_J6	Diabetes - takes treatment other than insulin	CC	1248
CCC8_J7A	Diabetes treatment - drug	CC	1248
CCC8_J7B	Diabetes treatment - diet	CC	1249
CCC8_J7C	Diabetes treatment - other	CC	1250
CCC8_J7D	Diabetes treatment - exercise / physiotherapy	CC	1249
CCC8_K1	Epilepsy - condition disappeared	CC	1251
CCC8_K2M	Epilepsy - month condition disappeared	CC	1251
CCC8_K2Y	Epilepsy - year condition disappeared	CC	1252
CCC8_K3M	Epilepsy - month diagnosed	CC	1252
CCC8_K3Y	Epilepsy - year diagnosed	CC	1253
CCC8_K4	Epilepsy - had prior to last interview	CC	1253
CCC8_N1	Ulcers - condition disappeared	CC	1255
CCC8_N2M	Ulcers - month condition disappeared	CC	1256
CCC8_N2Y	Ulcers - year condition disappeared	CC	1256
CCC8_N3M	Ulcers - month diagnosed	CC	1257
CCC8_N3Y	Ulcers - year diagnosed	CC	1257
CCC8_N4	Ulcers - had prior to last interview	CC	1258
CCC8_O1	Effects of stroke - condition disappeared	CC	1259
CCC8_O2M	Effects of stroke - month condition disappeared	CC	1259
CCC8_O2Y	Effects of stroke - year condition disappeared	CC	1260
CCC8_O3M	Effects of stroke - month diagnosed	CC	1260
CCC8_O3Y	Effects of stroke - year diagnosed	CC	1261
CCC8_O4	Effects of stroke - had prior to last interview	CC	1261
CCC8DANY	Has a chronic condition - (D)	CC	1265

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 19

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
CCC8DNUM	Number of chronic conditions - (D)	CC	1266
CCK4_1	Frequency of infections - nose or throat	CC	69
CCK4_1AB	Has allergies	CC	71
CCK4_2	Has had otitis	CC	69
CCK4_3	Number of times had otitis since birth	CC	70
CCK6_1	Frequency of infections - nose or throat	CC	526
CCK6_2	Has had otitis	CC	526
CCK6_3	Number of times had otitis since birth	CC	527
CCK8_1	Frequency of infections - nose or throat	CC	1214
CCK8_2	Has had otitis	CC	1214
CCK8_3	Number of times had otitis since birth	CC	1215
COB	Country of birth	SD	8
COBC	Code of country of birth	SD	8
COBGC	Country of birth - (G)	SD	9
COD	Cause of death code	DH	12
COP4_1	Ability to handle day-to-day demands	CO	438
COP4_2A	Daily stress - try not to think about situation	CO	439
COP4_2B	Daily stress - try to see situation differently	CO	439
COP4_2C	Daily stress - try to change situation	CO	440
COP4_2D	Daily stress - express emotions	CO	440
COP4_2E	Daily stress - admit situation is stressful	CO	441
COP4_2F	Daily stress - talk to someone about situation	CO	441
COP4_2G	Daily stress - do something to relax	CO	442
COP4_2H	Daily stress - pray	CO	442
COP4_2I	Daily stress - other ways to deal with stress	CO	443
COP4_3	Ability to handle unexpected / difficult problems	CO	443
COP4_4A	Unexpected stress - try not to think about situation	CO	444
COP4_4B	Unexpected stress - try to see situation differently	CO	444
COP4_4C	Unexpected stress - try to change situation	CO	445
COP4_4D	Unexpected stress - express emotions	CO	445
COP4_4E	Unexpected stress - admit situation is stressful	CO	446
COP4_4F	Unexpected stress - talk to someone about situation	CO	446
COP4_4G	Unexpected stress - do something to relax	CO	447
COP4_4H	Unexpected stress - pray	CO	447
COP4_4I	Unexpected stress - other ways to deal with stress	CO	448
COP6_1	Ability to handle day-to-day demands	CO	1141

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 20

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
COP6_2	Ability to handle unexpected / difficult problems	CO	1141
CYCLE	Cycle in which household joined the survey	SP	2
DESIGPRV	Design province	PR	1
DGC0_1A	Medication - pain relievers	DG	1947
DGC0_1B	Medication - tranquilizers	DG	1947
DGC0_1C	Medication - diet pills	DG	1948
DGC0_1D	Medication - antidepressants	DG	1948
DGC0_1E	Medication - codeine, Demerol or morphine	DG	1949
DGC0_1F	Medication - allergy	DG	1949
DGC0_1G	Medication - asthma	DG	1950
DGC0_1H	Medication - cough or cold remedies	DG	1950
DGC0_1I	Medication - penicillin or other antibiotics	DG	1951
DGC0_1J	Medication - heart	DG	1951
DGC0_1K	Medication - blood pressure	DG	1952
DGC0_1L	Medication - diuretics	DG	1952
DGC0_1M	Medication - steroids	DG	1953
DGC0_1N	Medication - insulin	DG	1953
DGC0_1O	Medication - pills to control diabetes	DG	1954
DGC0_1P	Medication - sleeping pills	DG	1954
DGC0_1Q	Medication - stomach remedies	DG	1955
DGC0_1R	Medication - laxatives	DG	1955
DGC0_1S	Medication - birth control pills	DG	1956
DGC0_1T	Medication - hormones for menopause	DG	1956
DGC0_1T1	Hormone therapy - type	DG	1957
DGC0_1T2	Hormone therapy - year started	DG	1957
DGC0_1U	Medication - thyroid	DG	1958
DGC0_1V	Medication - other	DG	1958
DGC0_2	Number of different medications in past 2 days	DG	1959
DGC0_3AA	Prescription from doctor / dentist - drug 1	DG	1962
DGC0_3BA	Prescription from doctor / dentist - drug 2	DG	1965
DGC0_3CA	Prescription from doctor / dentist - drug 3	DG	1968
DGC0_3DA	Prescription from doctor / dentist - drug 4	DG	1971
DGC0_3EA	Prescription from doctor / dentist - drug 5	DG	1974
DGC0_3FA	Prescription from doctor / dentist - drug 6	DG	1977
DGC0_3GA	Prescription from doctor / dentist - drug 7	DG	1980
DGC0_3HA	Prescription from doctor / dentist - drug 8	DG	1983

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 21

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC0_3IA	Prescription from doctor / dentist - drug 9	DG	1985
DGC0_3JA	Prescription from doctor / dentist - drug 10	DG	1987
DGC0_3KA	Prescription from doctor / dentist - drug 11	DG	1989
DGC0_3LA	Prescription from doctor / dentist - drug 12	DG	1991
DGC0_4	Medication - use other health product	DG	1991
DGC0_4A	Medication - use other product in past 2 days	DG	1992
DGC0_5AA	Used a 2nd health product	DG	1995
DGC0_5BA	Used a 3rd health product	DG	1996
DGC0_5CA	Used a 4th health product	DG	1998
DGC0_5DA	Used a 5th health product	DG	2000
DGC0_5EA	Used a 6th health product	DG	2002
DGC0_5FA	Used a 7th health product	DG	2004
DGC0_5GA	Used a 8th health product	DG	2006
DGC0_5HA	Used a 9th health product	DG	2008
DGC0_5IA	Used a 10th health product	DG	2010
DGC0_5JA	Used a 11th health product	DG	2011
DGC0_5KA	Used a 12th health product	DG	2013
DGC0C3A	Drug code - drug 1	DG	1960
DGC0C3B	Drug code - drug 2	DG	1963
DGC0C3C	Drug code - drug 3	DG	1966
DGC0C3D	Drug code - drug 4	DG	1969
DGC0C3E	Drug code - drug 5	DG	1972
DGC0C3F	Drug code - drug 6	DG	1975
DGC0C3G	Drug code - drug 7	DG	1978
DGC0C3H	Drug code - drug 8	DG	1981
DGC0C3I	Drug code - drug 9	DG	1984
DGC0C3J	Drug code - drug 10	DG	1986
DGC0C3K	Drug code - drug 11	DG	1988
DGC0C3L	Drug code - drug 12	DG	1990
DGC0C5A	Drug code - health product 1	DG	1993
DGC0C5B	Drug code - health product 2	DG	1995
DGC0C5C	Drug code - health product 3	DG	1997
DGC0C5D	Drug code - health product 4	DG	1999
DGC0C5E	Drug code - health product 5	DG	2001
DGC0C5F	Drug code - health product 6	DG	2003
DGC0C5G	Drug code - health product 7	DG	2005

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 22

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC0C5H	Drug code - health product 8	DG	2007
DGC0C5I	Drug code - health product 9	DG	2009
DGC0C5J	Drug code - health product 10	DG	2010
DGC0C5K	Drug code - health product 11	DG	2012
DGC0C5L	Drug code - health product 12	DG	2014
DGC0F1	Flag for medications taken	DG	1959
DGC0F3A	Flag for drug 1	DG	1960
DGC0F3B	Flag for drug 2	DG	1962
DGC0F3C	Flag for drug 3	DG	1965
DGC0F3D	Flag for drug 4	DG	1968
DGC0F3E	Flag for drug 5	DG	1971
DGC0F3F	Flag for drug 6	DG	1974
DGC0F3G	Flag for drug 7	DG	1977
DGC0F3H	Flag for drug 8	DG	1980
DGC0F3I	Flag for drug 9	DG	1983
DGC0F3J	Flag for drug 10	DG	1985
DGC0F3K	Flag for drug 11	DG	1987
DGC0F3L	Flag for drug 12	DG	1989
DGC0F5A	Flag for health product 1	DG	1992
DGC0F5B	Flag for health product 2	DG	1995
DGC0F5C	Flag for health product 3	DG	1997
DGC0F5D	Flag for health product 4	DG	1999
DGC0F5E	Flag for health product 5	DG	2001
DGC0F5F	Flag for health product 6	DG	2003
DGC0F5G	Flag for health product 7	DG	2005
DGC0F5H	Flag for health product 8	DG	2007
DGC0F5I	Flag for health product 9	DG	2009
DGC0F5J	Flag for health product 10	DG	2010
DGC0F5K	Flag for health product 11	DG	2012
DGC0F5L	Flag for health product 12	DG	2014
DGC0G3A	Drug code - drug 1 - (G)	DG	1961
DGC0G3B	Drug code - drug 2 - (G)	DG	1964
DGC0G3C	Drug code - drug 3 - (G)	DG	1967
DGC0G3D	Drug code - drug 4 - (G)	DG	1970
DGC0G3E	Drug code - drug 5 - (G)	DG	1973
DGC0G3F	Drug code - drug 6 - (G)	DG	1976

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 23

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC0G3G	Drug code - drug 7 - (G)	DG	1979
DGC0G3H	Drug code - drug 8 - (G)	DG	1982
DGC0G3I	Drug code - drug 9 - (G)	DG	1984
DGC0G3J	Drug code - drug 10 - (G)	DG	1986
DGC0G3K	Drug code - drug 11 - (G)	DG	1988
DGC0G3L	Drug code - drug 12 - (G)	DG	1990
DGC0G5A	Drug code - health product 1 - (G)	DG	1994
DGC0G5B	Drug code - health product 2 - (G)	DG	1996
DGC0G5C	Drug code - health product 3 - (G)	DG	1998
DGC0G5D	Drug code - health product 4 - (G)	DG	2000
DGC0G5E	Drug code - health product 5 - (G)	DG	2002
DGC0G5F	Drug code - health product 6 - (G)	DG	2004
DGC0G5G	Drug code - health product 7 - (G)	DG	2006
DGC0G5H	Drug code - health product 8 - (G)	DG	2008
DGC0G5I	Drug code - health product 9 - (G)	DG	2009
DGC0G5J	Drug code - health product 10 - (G)	DG	2011
DGC0G5K	Drug code - health product 11 - (G)	DG	2013
DGC0G5L	Drug code - health product 12 - (G)	DG	2014
DGC4_1A	Medication - pain relievers	DG	348
DGC4_1B	Medication - tranquilizers	DG	348
DGC4_1C	Medication - diet pills	DG	349
DGC4_1D	Medication - antidepressants	DG	349
DGC4_1E	Medication - codeine, Demerol or morphine	DG	350
DGC4_1F	Medication - allergy	DG	350
DGC4_1G	Medication - asthma	DG	351
DGC4_1H	Medication - cough or cold remedies	DG	351
DGC4_1I	Medication - penicillin or other antibiotics	DG	352
DGC4_1J	Medication - heart	DG	352
DGC4_1K	Medication - blood pressure	DG	353
DGC4_1L	Medication - diuretics	DG	353
DGC4_1M	Medication - steroids	DG	354
DGC4_1N	Medication - insulin	DG	354
DGC4_1O	Medication - pills to control diabetes	DG	355
DGC4_1P	Medication - sleeping pills	DG	355
DGC4_1Q	Medication - stomach remedies	DG	356
DGC4_1R	Medication - laxatives	DG	356

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 24

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC4_1S	Medication - birth control pills	DG	357
DGC4_1T	Medication - hormones for menopause	DG	357
DGC4_1V	Medication - other	DG	358
DGC4_2	Number of different medications in past 2 days	DG	359
DGC4_4	Medication - use other health product	DG	371
DGC4_5AA	Uses a 2nd health product	DG	372
DGC4_5BA	Uses a 3rd health product	DG	373
DGC4_5CA	Uses a 4th health product	DG	374
DGC4_5DA	Uses a 5th health product	DG	375
DGC4_5EA	Uses a 6th health product	DG	376
DGC4_5FA	Uses a 7th health product	DG	377
DGC4_5GA	Uses a 8th health product	DG	378
DGC4_5HA	Uses a 9th health product	DG	379
DGC4_5IA	Uses a 10th health product	DG	380
DGC4_5JA	Uses a 11th health product	DG	381
DGC4_5KA	Uses a 12th health product	DG	382
DGC4_NON	Did not take any drugs in past month	DG	358
DGC4C3A	Drug code - drug 1	DG	360
DGC4C3B	Drug code - drug 2	DG	361
DGC4C3C	Drug code - drug 3	DG	362
DGC4C3D	Drug code - drug 4	DG	363
DGC4C3E	Drug code - drug 5	DG	364
DGC4C3F	Drug code - drug 6	DG	365
DGC4C3G	Drug code - drug 7	DG	366
DGC4C3H	Drug code - drug 8	DG	367
DGC4C3I	Drug code - drug 9	DG	368
DGC4C3J	Drug code - drug 10	DG	369
DGC4C3K	Drug code - drug 11	DG	369
DGC4C3L	Drug code - drug 12	DG	370
DGC4C5A	Drug code - health product 1	DG	383
DGC4C5B	Drug code - health product 2	DG	383
DGC4C5C	Drug code - health product 3	DG	384
DGC4C5D	Drug code - health product 4	DG	384
DGC4C5E	Drug code - health product 5	DG	385
DGC4C5F	Drug code - health product 6	DG	385
DGC4C5G	Drug code - health product 7	DG	385

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 25

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC4C5H	Drug code - health product 8	DG	386
DGC4C5I	Drug code - health product 9	DG	386
DGC4C5J	Drug code - health product 10	DG	386
DGC4C5K	Drug code - health product 11	DG	387
DGC4C5L	Drug code - health product 12	DG	387
DGC4F1	Flag for medications taken	DG	359
DGC4F3A	Flag for drug 1	DG	360
DGC4F3B	Flag for drug 2	DG	361
DGC4F3C	Flag for drug 3	DG	362
DGC4F3D	Flag for drug 4	DG	363
DGC4F3E	Flag for drug 5	DG	364
DGC4F3F	Flag for drug 6	DG	365
DGC4F3G	Flag for drug 7	DG	366
DGC4F3H	Flag for drug 8	DG	367
DGC4F3I	Flag for drug 9	DG	368
DGC4F3J	Flag for drug 10	DG	368
DGC4F3K	Flag for drug 11	DG	369
DGC4F3L	Flag for drug 12	DG	370
DGC4F5A	Flag for health product 1	DG	371
DGC4F5B	Flag for health product 2	DG	372
DGC4F5C	Flag for health product 3	DG	373
DGC4F5D	Flag for health product 4	DG	374
DGC4F5E	Flag for health product 5	DG	375
DGC4F5F	Flag for health product 6	DG	376
DGC4F5G	Flag for health product 7	DG	377
DGC4F5H	Flag for health product 8	DG	378
DGC4F5I	Flag for health product 9	DG	379
DGC4F5J	Flag for health product 10	DG	380
DGC4F5K	Flag for health product 11	DG	381
DGC4F5L	Flag for health product 12	DG	382
DGC6_1A	Medication - pain relievers	DG	944
DGC6_1B	Medication - tranquilizers	DG	944
DGC6_1C	Medication - diet pills	DG	945
DGC6_1D	Medication - antidepressants	DG	945
DGC6_1E	Medication - codeine, Demerol or morphine	DG	946
DGC6_1F	Medication - allergy	DG	946

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 26

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC6_1G	Medication - asthma	DG	947
DGC6_1H	Medication - cough or cold remedies	DG	947
DGC6_1I	Medication - penicillin or other antibiotics	DG	948
DGC6_1J	Medication - heart	DG	948
DGC6_1K	Medication - blood pressure	DG	949
DGC6_1L	Medication - diuretics	DG	949
DGC6_1M	Medication - steroids	DG	950
DGC6_1N	Medication - insulin	DG	950
DGC6_1O	Medication - pills to control diabetes	DG	951
DGC6_1P	Medication - sleeping pills	DG	951
DGC6_1Q	Medication - stomach remedies	DG	952
DGC6_1R	Medication - laxatives	DG	952
DGC6_1S	Medication - birth control pills	DG	953
DGC6_1T	Medication - hormones for menopause	DG	953
DGC6_1T1	Hormone therapy - type	DG	954
DGC6_1T2	Hormone therapy - year started	DG	954
DGC6_1U	Medication - thyroid	DG	955
DGC6_1V	Medication - other	DG	955
DGC6_2	Number of different medications in past 2 days	DG	956
DGC6_4	Medication - use other health product	DG	978
DGC6_5AA	Uses a 2nd health product	DG	980
DGC6_5BA	Uses a 3rd health product	DG	983
DGC6_5CA	Uses a 4th health product	DG	984
DGC6_5DA	Uses a 5th health product	DG	986
DGC6_5EA	Uses a 6th health product	DG	988
DGC6_5FA	Uses a 7th health product	DG	990
DGC6_5GA	Uses a 8th health product	DG	992
DGC6_5HA	Uses a 9th health product	DG	994
DGC6_5IA	Uses a 10th health product	DG	996
DGC6_5JA	Uses a 11th health product	DG	997
DGC6_5KA	Uses a 12th health product	DG	999
DGC6_6	Insurance - prescription medications	DG	1001
DGC6C3A	Drug code - drug 1	DG	957
DGC6C3B	Drug code - drug 2	DG	959
DGC6C3C	Drug code - drug 3	DG	961
DGC6C3D	Drug code - drug 4	DG	963

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 27

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC6C3E	Drug code - drug 5	DG	965
DGC6C3F	Drug code - drug 6	DG	967
DGC6C3G	Drug code - drug 7	DG	969
DGC6C3H	Drug code - drug 8	DG	971
DGC6C3I	Drug code - drug 9	DG	973
DGC6C3J	Drug code - drug 10	DG	974
DGC6C3K	Drug code - drug 11	DG	976
DGC6C3L	Drug code - drug 12	DG	977
DGC6C5A	Drug code - health product 1	DG	979
DGC6C5B	Drug code - health product 2	DG	981
DGC6C5C	Drug code - health product 3	DG	983
DGC6C5D	Drug code - health product 4	DG	985
DGC6C5E	Drug code - health product 5	DG	987
DGC6C5F	Drug code - health product 6	DG	989
DGC6C5G	Drug code - health product 7	DG	991
DGC6C5H	Drug code - health product 8	DG	993
DGC6C5I	Drug code - health product 9	DG	995
DGC6C5J	Drug code - health product 10	DG	996
DGC6C5K	Drug code - health product 11	DG	998
DGC6C5L	Drug code - health product 12	DG	1000
DGC6F1	Flag for medications taken	DG	956
DGC6F3A	Flag for drug 1	DG	957
DGC6F3B	Flag for drug 2	DG	959
DGC6F3C	Flag for drug 3	DG	961
DGC6F3D	Flag for drug 4	DG	963
DGC6F3E	Flag for drug 5	DG	965
DGC6F3F	Flag for drug 6	DG	967
DGC6F3G	Flag for drug 7	DG	969
DGC6F3H	Flag for drug 8	DG	971
DGC6F3I	Flag for drug 9	DG	972
DGC6F3J	Flag for drug 10	DG	974
DGC6F3K	Flag for drug 11	DG	975
DGC6F3L	Flag for drug 12	DG	977
DGC6F5A	Flag for health product 1	DG	979
DGC6F5B	Flag for health product 2	DG	981
DGC6F5C	Flag for health product 3	DG	983

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 28

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC6F5D	Flag for health product 4	DG	985
DGC6F5E	Flag for health product 5	DG	987
DGC6F5F	Flag for health product 6	DG	989
DGC6F5G	Flag for health product 7	DG	991
DGC6F5H	Flag for health product 8	DG	993
DGC6F5I	Flag for health product 9	DG	995
DGC6F5J	Flag for health product 10	DG	996
DGC6F5K	Flag for health product 11	DG	998
DGC6F5L	Flag for health product 12	DG	1000
DGC6G3A	Drug code - drug 1 - (G)	DG	958
DGC6G3B	Drug code - drug 2 - (G)	DG	960
DGC6G3C	Drug code - drug 3 - (G)	DG	962
DGC6G3D	Drug code - drug 4 - (G)	DG	964
DGC6G3E	Drug code - drug 5 - (G)	DG	966
DGC6G3F	Drug code - drug 6 - (G)	DG	968
DGC6G3G	Drug code - drug 7 - (G)	DG	970
DGC6G3H	Drug code - drug 8 - (G)	DG	972
DGC6G3I	Drug code - drug 9 - (G)	DG	973
DGC6G3J	Drug code - drug 10 - (G)	DG	975
DGC6G3K	Drug code - drug 11 - (G)	DG	976
DGC6G3L	Drug code - drug 12 - (G)	DG	978
DGC6G5A	Drug code - health product 1 - (G)	DG	980
DGC6G5B	Drug code - health product 2 - (G)	DG	982
DGC6G5C	Drug code - health product 3 - (G)	DG	984
DGC6G5D	Drug code - health product 4 - (G)	DG	986
DGC6G5E	Drug code - health product 5 - (G)	DG	988
DGC6G5F	Drug code - health product 6 - (G)	DG	990
DGC6G5G	Drug code - health product 7 - (G)	DG	992
DGC6G5H	Drug code - health product 8 - (G)	DG	994
DGC6G5I	Drug code - health product 9 - (G)	DG	995
DGC6G5J	Drug code - health product 10 - (G)	DG	997
DGC6G5K	Drug code - health product 11 - (G)	DG	999
DGC6G5L	Drug code - health product 12 - (G)	DG	1001
DGC8_1A	Medication - pain relievers	DG	1540
DGC8_1B	Medication - tranquilizers	DG	1540
DGC8_1C	Medication - diet pills	DG	1541

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 29

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC8_1D	Medication - antidepressants	DG	1541
DGC8_1E	Medication - codeine, Demerol or morphine	DG	1542
DGC8_1F	Medication - allergy	DG	1542
DGC8_1G	Medication - asthma	DG	1543
DGC8_1H	Medication - cough or cold remedies	DG	1543
DGC8_1I	Medication - penicillin or other antibiotics	DG	1544
DGC8_1J	Medication - heart	DG	1544
DGC8_1K	Medication - blood pressure	DG	1545
DGC8_1L	Medication - diuretics	DG	1545
DGC8_1M	Medication - steroids	DG	1546
DGC8_1N	Medication - insulin	DG	1546
DGC8_1O	Medication - pills to control diabetes	DG	1547
DGC8_1P	Medication - sleeping pills	DG	1547
DGC8_1Q	Medication - stomach remedies	DG	1548
DGC8_1R	Medication - laxatives	DG	1548
DGC8_1S	Medication - birth control pills	DG	1549
DGC8_1T	Medication - hormones for menopause	DG	1549
DGC8_1T1	Hormone therapy - type	DG	1550
DGC8_1T2	Hormone therapy - year started	DG	1550
DGC8_1U	Medication - thyroid	DG	1551
DGC8_1V	Medication - other	DG	1551
DGC8_2	Number of different medications in past 2 days	DG	1552
DGC8_3AA	Prescription from doctor / dentist - drug 1	DG	1555
DGC8_3BA	Prescription from doctor / dentist - drug 2	DG	1558
DGC8_3CA	Prescription from doctor / dentist - drug 3	DG	1561
DGC8_3DA	Prescription from doctor / dentist - drug 4	DG	1564
DGC8_3EA	Prescription from doctor / dentist - drug 5	DG	1567
DGC8_3FA	Prescription from doctor / dentist - drug 6	DG	1570
DGC8_3GA	Prescription from doctor / dentist - drug 7	DG	1573
DGC8_3HA	Prescription from doctor / dentist - drug 8	DG	1575
DGC8_3IA	Prescription from doctor / dentist - drug 9	DG	1577
DGC8_3JA	Prescription from doctor / dentist - drug 10	DG	1579
DGC8_3KA	Prescription from doctor / dentist - drug 11	DG	1581
DGC8_3LA	Prescription from doctor / dentist - drug 12	DG	1583
DGC8_4	Medication - use other health product	DG	1583
DGC8_5AA	Uses a 2nd health product	DG	1586

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 30

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC8_5BA	Uses a 3rd health product	DG	1588
DGC8_5CA	Uses a 4th health product	DG	1590
DGC8_5DA	Uses a 5th health product	DG	1592
DGC8_5EA	Uses a 6th health product	DG	1593
DGC8_5FA	Uses a 7th health product	DG	1595
DGC8_5GA	Uses a 8th health product	DG	1597
DGC8_5HA	Uses a 9th health product	DG	1599
DGC8_5IA	Uses a 10th health product	DG	1601
DGC8_5JA	Uses a 11th health product	DG	1603
DGC8_5KA	Uses a 12th health product	DG	1605
DGC8C3A	Drug code - drug 1	DG	1553
DGC8C3B	Drug code - drug 2	DG	1556
DGC8C3C	Drug code - drug 3	DG	1559
DGC8C3D	Drug code - drug 4	DG	1562
DGC8C3E	Drug code - drug 5	DG	1565
DGC8C3F	Drug code - drug 6	DG	1568
DGC8C3G	Drug code - drug 7	DG	1571
DGC8C3H	Drug code - drug 8	DG	1574
DGC8C3I	Drug code - drug 9	DG	1576
DGC8C3J	Drug code - drug 10	DG	1578
DGC8C3K	Drug code - drug 11	DG	1580
DGC8C3L	Drug code - drug 12	DG	1582
DGC8C5A	Drug code - health product 1	DG	1584
DGC8C5B	Drug code - health product 2	DG	1587
DGC8C5C	Drug code - health product 3	DG	1588
DGC8C5D	Drug code - health product 4	DG	1591
DGC8C5E	Drug code - health product 5	DG	1592
DGC8C5F	Drug code - health product 6	DG	1594
DGC8C5G	Drug code - health product 7	DG	1596
DGC8C5H	Drug code - health product 8	DG	1598
DGC8C5I	Drug code - health product 9	DG	1600
DGC8C5J	Drug code - health product 10	DG	1602
DGC8C5K	Drug code - health product 11	DG	1604
DGC8C5L	Drug code - health product 12	DG	1606
DGC8F1	Flag for medications taken	DG	1552
DGC8F3A	Flag for drug 1	DG	1553

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 31

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC8F3B	Flag for drug 2	DG	1555
DGC8F3C	Flag for drug 3	DG	1558
DGC8F3D	Flag for drug 4	DG	1561
DGC8F3E	Flag for drug 5	DG	1564
DGC8F3F	Flag for drug 6	DG	1567
DGC8F3G	Flag for drug 7	DG	1570
DGC8F3H	Flag for drug 8	DG	1573
DGC8F3I	Flag for drug 9	DG	1575
DGC8F3J	Flag for drug 10	DG	1577
DGC8F3K	Flag for drug 11	DG	1579
DGC8F3L	Flag for drug 12	DG	1581
DGC8F5A	Flag for health product 1	DG	1584
DGC8F5B	Flag for health product 2	DG	1586
DGC8F5C	Flag for health product 3	DG	1588
DGC8F5D	Flag for health product 4	DG	1590
DGC8F5E	Flag for health product 5	DG	1592
DGC8F5F	Flag for health product 6	DG	1594
DGC8F5G	Flag for health product 7	DG	1596
DGC8F5H	Flag for health product 8	DG	1598
DGC8F5I	Flag for health product 9	DG	1600
DGC8F5J	Flag for health product 10	DG	1602
DGC8F5K	Flag for health product 11	DG	1604
DGC8F5L	Flag for health product 12	DG	1606
DGC8G3A	Drug code - drug 1 - (G)	DG	1554
DGC8G3B	Drug code - drug 2 - (G)	DG	1557
DGC8G3C	Drug code - drug 3 - (G)	DG	1560
DGC8G3D	Drug code - drug 4 - (G)	DG	1563
DGC8G3E	Drug code - drug 5 - (G)	DG	1566
DGC8G3F	Drug code - drug 6 - (G)	DG	1569
DGC8G3G	Drug code - drug 7 - (G)	DG	1572
DGC8G3H	Drug code - drug 8 - (G)	DG	1574
DGC8G3I	Drug code - drug 9 - (G)	DG	1576
DGC8G3J	Drug code - drug 10 - (G)	DG	1578
DGC8G3K	Drug code - drug 11 - (G)	DG	1580
DGC8G3L	Drug code - drug 12 - (G)	DG	1582
DGC8G5A	Drug code - health product 1 - (G)	DG	1585

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 32

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DGC8G5B	Drug code - health product 2 - (G)	DG	1587
DGC8G5C	Drug code - health product 3 - (G)	DG	1589
DGC8G5D	Drug code - health product 4 - (G)	DG	1591
DGC8G5E	Drug code - health product 5 - (G)	DG	1593
DGC8G5F	Drug code - health product 6 - (G)	DG	1595
DGC8G5G	Drug code - health product 7 - (G)	DG	1597
DGC8G5H	Drug code - health product 8 - (G)	DG	1599
DGC8G5I	Drug code - health product 9 - (G)	DG	1601
DGC8G5J	Drug code - health product 10 - (G)	DG	1603
DGC8G5K	Drug code - health product 11 - (G)	DG	1605
DGC8G5L	Drug code - health product 12 - (G)	DG	1607
DH_4_P1	Pet - has one	DH	20
DH_4_P3	Pet - live indoors	DH	21
DH_4DP2	Pet - kind (D)	DH	20
DHC0_AGE	Age	DH	1696
DHC0_BED	Number of bedrooms	DH	1689
DHC0_DWE	Type of dwelling	DH	1688
DHC0_FID	Family identifier	DH	1698
DHC0_MAR	Marital status	DH	1698
DHC0_OWEN	Dwelling owned by a household member	DH	1689
DHC0D611	Number of persons 6 to 11 years old in household - (D)	DH	1694
DHC0DE12	Number of persons 12 years old in household - (D)	DH	1693
DHC0DECF	Type of household - (D)	DH	1692
DHC0DHSZ	Household size - (D)	DH	1693
DHC0DL12	Number of persons less than 12 years old in household - (D)	DH	1693
DHC0DLE5	Number of persons 5 years old or less in household - (D)	DH	1694
DHC0DLVG	Living arrangements of selected respondent - (D)	DH	1691
DHC0GAGE	Age - (G)	DH	1697
DHC4_AGE	Age	DH	26
DHC4_BED	Number of bedrooms	DH	19
DHC4_DWE	Type of dwelling	DH	18
DHC4_FID	Family identifier	DH	28
DHC4_MAR	Marital status	DH	28
DHC4_OWEN	Dwelling owned by a household member	DH	19
DHC4D611	Number of persons 6 to 11 years old in household - (D)	DH	25
DHC4DE12	Number of persons 12 years old in household - (D)	DH	24

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 33

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DHC4DECF	Type of household - (D)	DH	22
DHC4DHSZ	Household size - (D)	DH	23
DHC4DL12	Number of persons less than 12 years old in household - (D)	DH	24
DHC4DL25	Number of persons less than 25 years old in household - (D)	DH	24
DHC4DLE5	Number of persons 5 years old or less in household - (D)	DH	25
DHC4DLVG	Living arrangements of selected respondent - (D)	DH	23
DHC4GAGE	Age - (G)	DH	27
DHC6_AGE	Age	DH	470
DHC6_BED	Number of bedrooms	DH	463
DHC6_DWE	Type of dwelling	DH	462
DHC6_FID	Family identifier	DH	472
DHC6_MAR	Marital status	DH	472
DHC6_OWN	Dwelling owned by a household member	DH	463
DHC6D611	Number of persons 6 to 11 years old in household - (D)	DH	468
DHC6DE12	Number of persons 12 years old in household - (D)	DH	467
DHC6DECF	Type of household - (D)	DH	465
DHC6DHSZ	Household size - (D)	DH	466
DHC6DL12	Number of persons less than 12 years old in household - (D)	DH	467
DHC6DLE5	Number of persons 5 years old or less in household - (D)	DH	467
DHC6DLVG	Living arrangements of selected respondent - (D)	DH	466
DHC6GAGE	Age - (G)	DH	471
DHC8_AGE	Age	DH	1160
DHC8_BED	Number of bedrooms	DH	1153
DHC8_DWE	Type of dwelling	DH	1152
DHC8_FID	Family identifier	DH	1162
DHC8_MAR	Marital status	DH	1162
DHC8_OWN	Dwelling owned by a household member	DH	1153
DHC8D611	Number of persons 6 to 11 years old in household - (D)	DH	1158
DHC8DE12	Number of persons 12 years old in household - (D)	DH	1157
DHC8DECF	Type of household - (D)	DH	1156
DHC8DHSZ	Household size - (D)	DH	1157
DHC8DL12	Number of persons less than 12 years old in household - (D)	DH	1157
DHC8DLE5	Number of persons 5 years old or less in household - (D)	DH	1158
DHC8DLVG	Living arrangements of selected respondent - (D)	DH	1155
DHC8GAGE	Age - (G)	DH	1161
DOB	Day of birth	DH	3

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 34

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
DOD	Day of death	DH	11
DV_6_60	Visited dentist	DV	809
DV_6_61	Last time visited dentist	DV	809
DV_6_62A	Dental visit - make sure everything is OK	DV	810
DV_6_62B	Dental visit - check-up covered by insurance	DV	810
DV_6_62C	Dental visit - catch problems early	DV	811
DV_6_62D	Dental visit - for good dental health	DV	811
DV_6_62E	Dental visit - care of teeth, gums, dentures	DV	812
DV_6_62F	Dental visit - cleaning, fluoride, maintenance	DV	812
DV_6_62G	Dental visit - to get a filling, extraction	DV	813
DV_6_62H	Dental visit - to check braces	DV	813
DV_6_62I	Dental visit - other reason	DV	814
DV_6_63	Had problems obtaining dental services	DV	814
DV_6_64A	Dental services - not avail. when required	DV	815
DV_6_64B	Dental services - not available in area	DV	815
DV_6_64C	Dental services - waiting time too long	DV	816
DV_6_64D	Dental services - transportation problems	DV	816
DV_6_64E	Dental services - language problem	DV	817
DV_6_64F	Dental services - cost	DV	817
DV_6_64G	Dental services - didn't know where to go	DV	818
DV_6_64H	Dental services - other problem	DV	818
DV_6_65A	No dental visit - have not gotten around to it	DV	819
DV_6_65B	No dental visit - resp. didn't think necessary	DV	819
DV_6_65C	No dental visit - dentist didn't think necessary	DV	820
DV_6_65D	No dental visit - personal / family responsibilities	DV	820
DV_6_65E	No dental visit - not available when required	DV	821
DV_6_65F	No dental visit - not available in area	DV	821
DV_6_65G	No dental visit - waiting time too long	DV	822
DV_6_65H	No dental visit - transportation problems	DV	822
DV_6_65I	No dental visit - language problem	DV	823
DV_6_65J	No dental visit - cost	DV	823
DV_6_65K	No dental visit - did not know where to go	DV	824
DV_6_65L	No dental visit - fear	DV	824
DV_6_65M	No dental visit - wears dentures	DV	825
DV_6_65N	No dental visit - other reason	DV	825
DV_6_66	Has dental insurance	DV	826

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 35

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
EDC0_1	Currently attending a school, college or university	ED	2120
EDC0_2	Full-time or part-time student	ED	2120
EDC0_4	Number of years of elementary and high school completed	ED	2121
EDC0_5	Graduated from high school	ED	2121
EDC0_6	Attended post-secondary institution	ED	2122
EDC0_7	Highest level of post-secondary education attained	ED	2122
EDC0D1	Highest level of education - 14 levels - (D)	ED	2123
EDC0D2	Highest level of education - 12 levels - (D)	ED	2124
EDC0D3	Highest level of education - 4 levels - (D)	ED	2125
EDC4_1	Currently attending a school, college or university	ED	122
EDC4_2	Full-time or part-time student	ED	122
EDC4_4	Number of years of elementary and high school completed	ED	120
EDC4_5	Graduated from high school	ED	120
EDC4_6	Attended post-secondary institution	ED	121
EDC4_7	Highest level of post-secondary education attained	ED	121
EDC4D1	Highest level of education - 14 levels - (D)	ED	123
EDC4D2	Highest level of education - 12 levels - (D)	ED	124
EDC4D3	Highest level of education - 4 levels - (D)	ED	125
EDC4DLF	Labour force activity of students - (D)	ED	125
EDC6_1	Currently attending a school, college or university	ED	611
EDC6_2	Full-time or part-time student	ED	612
EDC6_4	Number of years of elementary and high school completed	ED	612
EDC6_5	Graduated from high school	ED	613
EDC6_6	Attended post-secondary institution	ED	613
EDC6_7	Highest level of post-secondary education attained	ED	614
EDC6D1	Highest level of education - 14 levels - (D)	ED	615
EDC6D2	Highest level of education - 12 levels - (D)	ED	616
EDC6D3	Highest level of education - 4 levels - (D)	ED	617
EDC6DLF	Labour force activity of students - (D)	ED	617
EDC8_1	Currently attending a school, college or university	ED	1302
EDC8_2	Full-time or part-time student	ED	1303
EDC8_4	Number of years of elementary and high school completed	ED	1303
EDC8_5	Graduated from high school	ED	1304
EDC8_6	Attended post-secondary institution	ED	1304
EDC8_7	Highest level of post-secondary education attained	ED	1305
EDC8D1	Highest level of education - 14 levels - (D)	ED	1306

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 36

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
EDC8D2	Highest level of education - 12 levels - (D)	ED	1307
EDC8D3	Highest level of education - 4 levels - (D)	ED	1308
EDC8DLF	Labour force activity of students - (D)	ED	1308
ES_6_80	Overall quality of emergency services	ES	844
ES_6_81	Used emergency services	ES	845
ES_6_82	Has health insurance covering hospital charges	ES	845
EX_6_70	Visited optometrist or ophthalmologist	EX	826
EX_6_71	Last eye examination	EX	827
EX_6_72	Frequency of eye examinations	EX	827
EX_6_73A	Had eye exam - make sure everything is OK	EX	828
EX_6_73B	Had eye exam - glaucoma test	EX	828
EX_6_73C	Had eye exam - job requirement	EX	829
EX_6_73D	Had eye exam - check prescription	EX	829
EX_6_73E	Had eye exam - cataracts are developing	EX	830
EX_6_73F	Had eye exam - to get driver's license	EX	830
EX_6_73G	Had eye exam - eye problem / infection	EX	831
EX_6_73H	Had eye exam - diabetes	EX	831
EX_6_73I	Had eye exam - sight deterioration	EX	832
EX_6_73J	Had eye exam - other reason	EX	832
EX_6_74	Had problems obtaining an eye examination	EX	833
EX_6_75A	Eye exam - not available when required	EX	833
EX_6_75B	Eye exam - not available in area	EX	834
EX_6_75C	Eye exam - waiting time too long	EX	834
EX_6_75D	Eye exam - transportation problems	EX	835
EX_6_75E	Eye exam - language problem	EX	835
EX_6_75F	Eye exam - cost	EX	836
EX_6_75G	Eye exam - did not know where to go	EX	836
EX_6_75H	Eye exam - other problem	EX	837
EX_6_76A	No eye exam - have not gotten around to it	EX	837
EX_6_76B	No eye exam - respondent didn't think necessary	EX	838
EX_6_76C	No eye exam - doctor didn't think necessary	EX	838
EX_6_76D	No eye exam - personal or family responsibilities	EX	839
EX_6_76E	No eye exam - not available when required	EX	839
EX_6_76F	No eye exam - not available at all in area	EX	840
EX_6_76G	No eye exam - waiting time too long	EX	840
EX_6_76H	No eye exam - transportation problems	EX	841

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 37

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
EX_6_76I	No eye exam - language problem	EX	841
EX_6_76J	No eye exam - cost	EX	842
EX_6_76K	No eye exam - did not know where to go	EX	842
EX_6_76L	No eye exam - fear	EX	843
EX_6_76M	No eye exam - other reason	EX	843
EX_6_77	Has insurance for eye glasses, contacts	EX	844
FH_8_10	Has some knowledge of birth family's health history	FH	1401
FH_8_11	Birth mother ever had heart disease	FH	1401
FH_8_12	Birth mother ever had high blood pressure	FH	1402
FH_8_13	Birth mother ever had stroke	FH	1402
FH_8_14	Birth mother ever had diabetes	FH	1403
FH_8_15	Birth mother ever had cancer	FH	1403
FH_8_161	Mother's age - breast cancer	FH	1410
FH_8_162	Mother's age - ovarian cancer	FH	1410
FH_8_163	Mother's age - cervical cancer	FH	1411
FH_8_164	Mother's age - colorectal cancer	FH	1411
FH_8_165	Mother's age - melanoma cancer	FH	1412
FH_8_166	Mother's age - stomach cancer	FH	1412
FH_8_16A	Mother's type of cancer - breast	FH	1404
FH_8_16B	Mother's type of cancer - ovarian	FH	1404
FH_8_16C	Mother's type of cancer - cervical	FH	1405
FH_8_16D	Mother's type of cancer - colorectal	FH	1405
FH_8_16E	Mother's type of cancer - skin (melanoma)	FH	1406
FH_8_16F	Mother's type of cancer - stomach	FH	1406
FH_8_16G	Mother's type of cancer - uterus	FH	1407
FH_8_16H	Mother's type of cancer - kidney	FH	1407
FH_8_16I	Mother's type of cancer - leukemia / lymphoma	FH	1408
FH_8_16J	Mother's type of cancer - lung	FH	1408
FH_8_16K	Mother's type of cancer - bladder	FH	1409
FH_8_16L	Mother's type of cancer - other	FH	1409
FH_8_17	Birth mother - now living	FH	1413
FH_8_18	Birth mother - age of death	FH	1413
FH_8_19	Birth mother - cause of death	FH	1414
FH_8_21	Birth father ever had heart disease	FH	1415
FH_8_22	Birth father ever had high blood pressure	FH	1415
FH_8_23	Birth father ever had stroke	FH	1416

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 38

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
FH_8_24	Birth father ever had diabetes	FH	1416
FH_8_25	Birth father ever had cancer	FH	1417
FH_8_261	Father's age - prostate cancer	FH	1421
FH_8_262	Father's age - colorectal cancer	FH	1422
FH_8_263	Father's age - stomach cancer	FH	1422
FH_8_26A	Father's type of cancer - prostate	FH	1417
FH_8_26B	Father's type of cancer - colorectal	FH	1418
FH_8_26C	Father's type of cancer - stomach	FH	1418
FH_8_26D	Father's type of cancer - kidney	FH	1419
FH_8_26E	Father's type of cancer - leukemia / lymphoma	FH	1419
FH_8_26F	Father's type of cancer - lung	FH	1420
FH_8_26G	Father's type of cancer - bladder	FH	1420
FH_8_26H	Father's type of cancer - other	FH	1421
FH_8_27	Birth father - now living	FH	1423
FH_8_28	Birth father - age of death	FH	1423
FH_8_29	Birth father - cause of death	FH	1424
FH_8_30	Has / had biological brothers or sisters	FH	1425
FH_8_31	Siblings ever had heart disease	FH	1425
FH_8_32	Siblings ever had high blood pressure	FH	1426
FH_8_33	Siblings ever had stroke	FH	1426
FH_8_34	Siblings ever had diabetes	FH	1427
FH_8_35	Any biological sister ever had cancer	FH	1427
FH_8_36A	Sister's type of cancer - breast	FH	1428
FH_8_36B	Sister's type of cancer - ovarian	FH	1428
FH_8_36C	Sister's type of cancer - cervical	FH	1429
FH_8_36D	Sister's type of cancer - colorectal	FH	1429
FH_8_36E	Sister's type of cancer - skin (melanoma)	FH	1430
FH_8_36F	Sister's type of cancer - stomach	FH	1430
FH_8_36G	Sister's type of cancer - uterus	FH	1431
FH_8_36H	Sister's type of cancer - kidney	FH	1431
FH_8_36I	Sister's type of cancer - leukemia / lymphoma	FH	1432
FH_8_36J	Sister's type of cancer - lung	FH	1432
FH_8_36K	Sister's type of cancer - bladder	FH	1433
FH_8_36L	Sister's type of cancer - other	FH	1433
FH_8_37	Any biological brother ever had cancer	FH	1434
FH_8_38A	Brother's type of cancer - prostate	FH	1434

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 39

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
FH_8_38B	Brother's type of cancer - colorectal	FH	1435
FH_8_38C	Brother's type of cancer - stomach	FH	1435
FH_8_38D	Brother's type of cancer - kidney	FH	1436
FH_8_38E	Brother's type of cancer - leukemia / lymphoma	FH	1436
FH_8_38F	Brother's type of cancer - lung	FH	1437
FH_8_38G	Brother's type of cancer - bladder	FH	1437
FH_8_38H	Brother's type of cancer - other	FH	1438
FIC8_1	Worried about a lack of money to eat	FI	1371
FIC8_2	Not enough to eat because of a lack of money	FI	1371
FIC8_3	Did not eat to satisfaction because of a lack of money	FI	1372
FIC8F1	Flag for food insecurity	FI	1372
FS_6_50	Ever had a flu shot	FS	793
FS_6_52	Last time had flu shot	FS	794
FS_6_53A	Had flu shot - peer pressure	FS	794
FS_6_53B	Had flu shot - job requirement	FS	795
FS_6_53C	Had flu shot - helps prevent the flu	FS	795
FS_6_53D	Had flu shot - to protect others	FS	796
FS_6_53E	Had flu shot - age	FS	796
FS_6_53F	Had flu shot - health problem	FS	797
FS_6_53G	Had flu shot - other reason	FS	797
FS_6_54	Had problems obtaining a flu shot	FS	798
FS_6_55A	Flu shot - not available when required	FS	798
FS_6_55B	Flu shot - not available in area	FS	799
FS_6_55C	Flu shot - waiting time too long	FS	799
FS_6_55D	Flu shot - transportation problems	FS	800
FS_6_55E	Flu shot - language problem	FS	800
FS_6_55F	Flu shot - cost	FS	800
FS_6_55G	Flu shot - did not know where to go	FS	801
FS_6_55H	Flu shot - other problem	FS	801
FS_6_56A	No flu shot - have not gotten around to it	FS	802
FS_6_56B	No flu shot - respondent didn't think necessary	FS	802
FS_6_56C	No flu shot - doctor didn't think necessary	FS	803
FS_6_56D	No flu shot - personal or family responsibilities	FS	803
FS_6_56E	No flu shot - not available when required	FS	804
FS_6_56F	No flu shot - not available in area	FS	804
FS_6_56G	No flu shot - waiting time too long	FS	805

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 40

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
FS_6_56H	No flu shot - transportation problems	FS	805
FS_6_56I	No flu shot - language problem	FS	806
FS_6_56J	No flu shot - cost	FS	806
FS_6_56K	No flu shot - did not know where to go	FS	807
FS_6_56L	No flu shot - fear	FS	807
FS_6_56M	No flu shot - bad reaction to previous shot	FS	808
FS_6_56N	No flu shot - other reason	FS	808
GE30DCD	Census Division - (D)	GE	1684
GE30DCMA	Census Metropolitan Area - (D)	GE	1685
GE30DCSD	Census Sub-Division - (D)	GE	1684
GE30DFED	Federal Electoral District - (D)	GE	1686
GE30DURB	Rural / urban area - (D)	GE	1683
GE34DCD	Census Division - (D)	GE	14
GE34DCMA	Census Metropolitan Area - (D)	GE	16
GE34DCSD	Census Sub-Division - (D)	GE	15
GE34DFED	Federal Electoral District - (D)	GE	17
GE34DHLR	Health region - (D)	GE	17
GE34DURB	Rural / urban area - (D)	GE	14
GE36DCD	Census Division - (D)	GE	454
GE36DCMA	Census Metropolitan Area - (D)	GE	455
GE36DCSD	Census Sub-Division - (D)	GE	454
GE36DFED	Federal Electoral District - (D)	GE	456
GE36DHLR	Health region - (D)	GE	457
GE36DHRO	Health region (original sample) - (D)	GE	459
GE36DURB	Rural / urban area - (D)	GE	453
GE38DCD	Census Division - (D)	GE	1148
GE38DCMA	Census Metropolitan Area - (D)	GE	1149
GE38DCSD	Census Sub-Division - (D)	GE	1148
GE38DFED	Federal Electoral District - (D)	GE	1150
GE38DURB	Rural / urban area - (D)	GE	1147
GHC0_1	Respondent's self perceived general health	GH	1701
GHC0_21	Gave birth since last interview	PH	1713
GHC0_23	Used services of a doctor or midwife	PH	1714
GHC0DHI	Health description index - (D)	GH	1702
GHC4_1	Respondent's self perceived general health	GH	191
GHC4_3	Planned to use services of doctor or midwife	GH	192

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 41

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
GHC4DHD1	Health description index - (D)	GH	192
GHC6_1	Respondent's self perceived general health	GH	685
GHC6_21	Gave birth since last interview	GH	771
GHC6DHD1	Health description index - (D)	GH	685
GHC8_1	Respondent's self perceived general health	GH	1378
GHC8_21	Gave birth since last interview	PH	1387
GHC8_23	Used services of a doctor or midwife	PH	1387
GHC8DHD1	Health description index - (D)	GH	1378
GHK6_2	Level of physical activity - children	GH	686
GHP6_21A	Gave birth in the past 5 years	GH	771
GHP6_25	Still breast-feeding	GH	773
GHP6_26	Duration of breast-feeding last child	GH	774
GHP6_27	Received help / advice about breast-feeding	GH	774
GHP6_28	From whom received breast-feeding advice	GH	775
GHP6_29	Main reason for stopping breast-feeding	GH	776
GHS6_11	Did something to improve health	GH	686
GHS6_12	Most important change to improve health	GH	687
GHS6_13	Thinks something should be done to improve health	GH	687
GHS6_14	Most important thing to be done to improve health	GH	688
GHS6_15	Barrier to improving health	GH	688
GHS6_16A	Reason for no improvement - lack of will power	GH	689
GHS6_16B	Reason for no improvement - lack of time	GH	689
GHS6_16C	Reason for no improvement - too tired	GH	690
GHS6_16D	Reason for no improvement - too difficult	GH	690
GHS6_16E	Reason for no improvement - too costly	GH	691
GHS6_16F	Reason for no improvement - too stressed	GH	691
GHS6_16G	Reason for no improvement - disability / health problem	GH	692
GHS6_16H	Reason for no improvement - other	GH	692
GHS6_17	Intending to improve health over next year	GH	693
GHS6_18A	Health improvement over next year - more exercise	GH	693
GHS6_18B	Health improvement over next year - lose weight	GH	694
GHS6_18C	Health improvement over next year - improve eating habits	GH	694
GHS6_18D	Health improvement over next year - quit smoking	GH	695
GHS6_18E	Health improvement over next year - reduce amount smoked	GH	695
GHS6_18F	Health improvement over next year - manage stress	GH	696
GHS6_18G	Health improvement over next year - reduce stress level	GH	696

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 42

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
GHS6_18H	Health improvement over next year - take vitamins	GH	697
GHS6_18I	Health improvement over next year - other	GH	697
GHS6_22	Gave birth to last baby in hospital	GH	772
GHS6_23	Used services of a doctor or midwife	GH	772
GHS6_24	Breast fed child or tried to breast feed	GH	773
GHS6_31	Smoked during last pregnancy	GH	1011
GHS6_32	Average number of cigarettes daily while pregnant	GH	1011
GHS6_33	Smoked while breast-feeding last baby	GH	1012
GHS6_34	Average number of cigarettes daily while breast-feeding	GH	1012
GHS6_35	Regularly exposed second-hand smoke during / after pregnancy	GH	1013
HCC0_1	Overnight patient	HC	1719
HCC0_10A	Home care received - nursing care	HC	1745
HCC0_10B	Home care received - other health care	HC	1745
HCC0_10C	Home care received - personal care	HC	1746
HCC0_10D	Home care received - housework	HC	1746
HCC0_10E	Home care received - meal preparation or delivery	HC	1747
HCC0_10F	Home care received - shopping	HC	1747
HCC0_10G	Home care received - respite care	HC	1748
HCC0_10H	Home care received - other	HC	1748
HCC0_1A	Number of nights as patient	HC	1720
HCC0_2A	Number of consultations - family doctor / g.p.	HC	1720
HCC0_2B	Number of consultations - eye specialist	HC	1721
HCC0_2C	Number of consultations - other medical doctor	HC	1721
HCC0_2D	Number of consultations - nurse	HC	1722
HCC0_2E	Number of consultations - dentist or orthodontist	HC	1722
HCC0_2F	Number of consultations - chiropractor	HC	1723
HCC0_2G	Number of consultations - physiotherapist	HC	1723
HCC0_2H	Number of consultations - social worker or counsellor	HC	1724
HCC0_2I	Number of consultations - psychologist	HC	1724
HCC0_2J	Number of consultations - speech / audiology / occ. ther.	HC	1725
HCC0_4	Consulted alternative health care provider	HC	1728
HCC0_4A	Attended self-help group	HC	1727
HCC0_5A	Alternative health care - massage therapist	HC	1728
HCC0_5B	Alternative health care - acupuncturist	HC	1729
HCC0_5C	Alternative health care - homeopath or naturopath	HC	1729
HCC0_5D	Alternative health care - Feldenkrais or Alexander	HC	1730

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 43

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HCC0_5E	Alternative health care - relaxation therapist	HC	1730
HCC0_5F	Alternative health care - biofeedback	HC	1731
HCC0_5G	Alternative health care - rolfer	HC	1731
HCC0_5H	Alternative health care - herbalist	HC	1732
HCC0_5I	Alternative health care - reflexologist	HC	1732
HCC0_5J	Alternative health care - spiritual healer	HC	1733
HCC0_5K	Alternative health care - religious healer	HC	1733
HCC0_5L	Alternative health care - other	HC	1734
HCC0_6	Health care needed but not received	HC	1734
HCC0_7A	Care not received - not available in area	HC	1735
HCC0_7B	Care not received - not available when required	HC	1735
HCC0_7C	Care not received - waiting time too long	HC	1736
HCC0_7D	Care not received - felt would be inadequate	HC	1736
HCC0_7E	Care not received - cost	HC	1737
HCC0_7F	Care not received - too busy	HC	1737
HCC0_7G	Care not received - didn't get around to it	HC	1738
HCC0_7H	Care not received - didn't know where to go	HC	1738
HCC0_7I	Care not received - transportation problems	HC	1739
HCC0_7J	Care not received - language problem	HC	1739
HCC0_7K	Care not received - personal or family responsibilities	HC	1740
HCC0_7L	Care not received - dislikes doctors / afraid	HC	1740
HCC0_7M	Care not received - decided not to seek care	HC	1741
HCC0_7N	Care not received - other reason	HC	1741
HCC0_8A	Type of care not received - physical health problem	HC	1742
HCC0_8B	Type of care not received - emot. or mental health problem	HC	1742
HCC0_8C	Type of care not received - regular check-up	HC	1743
HCC0_8D	Type of care not received - injury	HC	1743
HCC0_8E	Type of care not received - other	HC	1744
HCC0_9	Received home care services	HC	1744
HCC0DHPC	Consultations with health professionals - (D)	HC	1726
HCC0DMDC	Number of consultations with medical doctors - (D)	HC	1726
HCC0F1	Flag for any health care service utilization	HC	1725
HCC4_1	Overnight patient	HC	35
HCC4_10A	Home care received - nursing care	HC	56
HCC4_10C	Home care received - personal care	HC	56
HCC4_10D	Home care received - housework	HC	57

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 44

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HCC4_10E	Home care received - meal preparation or delivery	HC	57
HCC4_10F	Home care received - shopping	HC	58
HCC4_10H	Home care received - other	HC	58
HCC4_1A	Number of nights as patient	HC	35
HCC4_2A	Number of consultations - family doctor / g.p.	HC	36
HCC4_2B	Number of consultations - eye specialist	HC	37
HCC4_2C	Number of consultations - other medical doctor	HC	37
HCC4_2D	Number of consultations - nurse	HC	38
HCC4_2E	Number of consultations - dentist or orthodontist	HC	39
HCC4_2F	Number of consultations - chiropractor	HC	40
HCC4_2G	Number of consultations - physiotherapist	HC	40
HCC4_2H	Number of consultations - social worker or counsellor	HC	41
HCC4_2I	Number of consultations - psychologist	HC	41
HCC4_2J	Number of consultations - speech / audiology / occ. ther.	HC	42
HCC4_3A	Place of most recent contact - family doctor	HC	36
HCC4_3C	Place of most recent contact - other medical doctor	HC	38
HCC4_3D	Place of most recent contact - nurse	HC	39
HCC4_4	Consulted alternative health care provider	HC	44
HCC4_4A	Attended self-help group	HC	50
HCC4_5A	Alternative health care - massage therapist	HC	44
HCC4_5B	Alternative health care - acupuncturist	HC	45
HCC4_5C	Alternative health care - homeopath or naturopath	HC	45
HCC4_5D	Alternative health care - Feldenkrais or Alexander	HC	46
HCC4_5E	Alternative health care - relaxation therapist	HC	46
HCC4_5F	Alternative health care - biofeedback	HC	47
HCC4_5G	Alternative health care - rolfers	HC	47
HCC4_5H	Alternative health care - herbalist	HC	48
HCC4_5I	Alternative health care - reflexologist	HC	48
HCC4_5J	Alternative health care - spiritual healer	HC	49
HCC4_5K	Alternative health care - religious healer	HC	49
HCC4_5L	Alternative health care - other	HC	50
HCC4_6	Health care needed but not received	HC	51
HCC4_8A	Type of care not received - physical health problem	HC	52
HCC4_8B	Type of care not received - emot. or mental health problem	HC	53
HCC4_8C	Type of care not received - regular check-up	HC	53
HCC4_8D	Type of care not received - injury	HC	54

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 45

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HCC4_8E	Type of care not received - other	HC	54
HCC4_9	Received home care services	HC	55
HCC4DHPC	Consultations with health professionals - (D)	HC	43
HCC4DMDC	Number of consultations with medical doctors - (D)	HC	43
HCC4F7W	Flag for reason for not getting care	HC	51
HCC4FS	Flag for type of home care service	HC	55
HCC4G7	Reason for not getting care - (G)	HC	52
HCC6_1	Overnight patient	HC	481
HCC6_10A	Home care received - nursing care	HC	510
HCC6_10B	Home care received - other health care	HC	511
HCC6_10C	Home care received - personal care	HC	511
HCC6_10D	Home care received - housework	HC	512
HCC6_10E	Home care received - meal preparation or delivery	HC	512
HCC6_10F	Home care received - shopping	HC	513
HCC6_10G	Home care received - respite care	HC	513
HCC6_10H	Home care received - other	HC	514
HCC6_11	Received health care services in the U.S.	HC	514
HCC6_12	Went to U.S. primarily to receive health care	HC	515
HCC6_1A	Number of nights as patient	HC	481
HCC6_2A	Number of consultations - family doctor / g.p.	HC	484
HCC6_2B	Number of consultations - eye specialist	HC	486
HCC6_2C	Number of consultations - other medical doctor	HC	486
HCC6_2D	Number of consultations - nurse	HC	487
HCC6_2E	Number of consultations - dentist or orthodontist	HC	488
HCC6_2F	Number of consultations - chiropractor	HC	489
HCC6_2G	Number of consultations - physiotherapist	HC	489
HCC6_2H	Number of consultations - social worker or counsellor	HC	490
HCC6_2I	Number of consultations - psychologist	HC	490
HCC6_2J	Number of consultations - speech / audiology / occ. ther.	HC	491
HCC6_3A	Place of most recent contact - family doctor	HC	485
HCC6_3C	Place of most recent contact - other medical doctor	HC	487
HCC6_3D	Place of most recent contact - nurse	HC	488
HCC6_4	Consulted alternative health care provider	HC	493
HCC6_4A	Attended self-help group	HC	493
HCC6_5A	Alternative health care - massage therapist	HC	494
HCC6_5B	Alternative health care - acupuncturist	HC	494

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 46

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HCC6_5C	Alternative health care - homeopath or naturopath	HC	495
HCC6_5D	Alternative health care - Feldenkrais or Alexander	HC	495
HCC6_5E	Alternative health care - relaxation therapist	HC	496
HCC6_5F	Alternative health care - biofeedback	HC	496
HCC6_5G	Alternative health care - rolfers	HC	497
HCC6_5H	Alternative health care - herbalist	HC	497
HCC6_5I	Alternative health care - reflexologist	HC	498
HCC6_5J	Alternative health care - spiritual healer	HC	498
HCC6_5K	Alternative health care - religious healer	HC	499
HCC6_5L	Alternative health care - other	HC	499
HCC6_6	Health care needed but not received	HC	500
HCC6_7A	Care not received - not available in area	HC	500
HCC6_7B	Care not received - not available when required	HC	501
HCC6_7C	Care not received - waiting time too long	HC	501
HCC6_7D	Care not received - felt would be inadequate	HC	502
HCC6_7E	Care not received - cost	HC	502
HCC6_7F	Care not received - too busy	HC	503
HCC6_7G	Care not received - didn't get around to it	HC	503
HCC6_7H	Care not received - didn't know where to go	HC	504
HCC6_7I	Care not received - transportation problems	HC	504
HCC6_7J	Care not received - language problem	HC	505
HCC6_7K	Care not received - personal or family responsibilities	HC	505
HCC6_7L	Care not received - dislikes doctors / afraid	HC	506
HCC6_7M	Care not received - decided not to seek care	HC	506
HCC6_7N	Care not received - other reason	HC	507
HCC6_8A	Type of care not received - physical health problem	HC	507
HCC6_8B	Type of care not received - emot. or mental health problem	HC	508
HCC6_8C	Type of care not received - regular check-up	HC	508
HCC6_8D	Type of care not received - injury	HC	509
HCC6_8E	Type of care not received - other	HC	509
HCC6_9	Received home care services	HC	510
HCC6DHPC	Consultations with health professionals - (D)	HC	492
HCC6DMDC	Number of consultations with medical doctors - (D)	HC	492
HCC6F1	Flag for any health care service utilization	HC	491
HCC8_1	Overnight patient	HC	1171
HCC8_10A	Home care received - nursing care	HC	1197

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 47

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HCC8_10B	Home care received - other health care	HC	1198
HCC8_10C	Home care received - personal care	HC	1198
HCC8_10D	Home care received - housework	HC	1199
HCC8_10E	Home care received - meal preparation or delivery	HC	1199
HCC8_10F	Home care received - shopping	HC	1200
HCC8_10G	Home care received - respite care	HC	1200
HCC8_10H	Home care received - other	HC	1201
HCC8_11	Received health care services in the U.S.	HC	1201
HCC8_12	Went to U.S. primarily to receive health care	HC	1202
HCC8_1A	Number of nights as patient	HC	1171
HCC8_2A	Number of consultations - family doctor / g.p.	HC	1172
HCC8_2B	Number of consultations - eye specialist	HC	1173
HCC8_2C	Number of consultations - other medical doctor	HC	1173
HCC8_2D	Number of consultations - nurse	HC	1174
HCC8_2E	Number of consultations - dentist or orthodontist	HC	1175
HCC8_2F	Number of consultations - chiropractor	HC	1176
HCC8_2G	Number of consultations - physiotherapist	HC	1176
HCC8_2H	Number of consultations - social worker or counsellor	HC	1177
HCC8_2I	Number of consultations - psychologist	HC	1177
HCC8_2J	Number of consultations - speech / audiology / occ. ther.	HC	1178
HCC8_3A	Place of most recent contact - family doctor	HC	1172
HCC8_3C	Place of most recent contact - other medical doctor	HC	1174
HCC8_3D	Place of most recent contact - nurse	HC	1175
HCC8_4	Consulted alternative health care provider	HC	1180
HCC8_4A	Attended self-help group	HC	1180
HCC8_5A	Alternative health care - massage therapist	HC	1181
HCC8_5B	Alternative health care - acupuncturist	HC	1181
HCC8_5C	Alternative health care - homeopath or naturopath	HC	1182
HCC8_5D	Alternative health care - Feldenkrais or Alexander	HC	1182
HCC8_5E	Alternative health care - relaxation therapist	HC	1183
HCC8_5F	Alternative health care - biofeedback	HC	1183
HCC8_5G	Alternative health care - rolfers	HC	1184
HCC8_5H	Alternative health care - herbalist	HC	1184
HCC8_5I	Alternative health care - reflexologist	HC	1185
HCC8_5J	Alternative health care - spiritual healer	HC	1185
HCC8_5K	Alternative health care - religious healer	HC	1186

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 48

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HCC8_5L	Alternative health care - other	HC	1186
HCC8_6	Health care needed but not received	HC	1187
HCC8_7A	Care not received - not available in area	HC	1187
HCC8_7B	Care not received - not available when required	HC	1188
HCC8_7C	Care not received - waiting time too long	HC	1188
HCC8_7D	Care not received - felt would be inadequate	HC	1189
HCC8_7E	Care not received - cost	HC	1189
HCC8_7F	Care not received - too busy	HC	1190
HCC8_7G	Care not received - didn't get around to it	HC	1190
HCC8_7H	Care not received - didn't know where to go	HC	1191
HCC8_7I	Care not received - transportation problems	HC	1191
HCC8_7J	Care not received - language problem	HC	1192
HCC8_7K	Care not received - personal or family responsibilities	HC	1192
HCC8_7L	Care not received - dislikes doctors / afraid	HC	1193
HCC8_7M	Care not received - decided not to seek care	HC	1193
HCC8_7N	Care not received - other reason	HC	1194
HCC8_8A	Type of care not received - physical health problem	HC	1194
HCC8_8B	Type of care not received - emot. or mental health problem	HC	1195
HCC8_8C	Type of care not received - regular check-up	HC	1195
HCC8_8D	Type of care not received - injury	HC	1196
HCC8_8E	Type of care not received - other	HC	1196
HCC8_9	Received home care services	HC	1197
HCC8DHPC	Consultations with health professionals - (D)	HC	1179
HCC8DMDC	Number of consultations with medical doctors - (D)	HC	1179
HCC8F1	Flag for any health care service utilization	HC	1178
HCC8F13	Flag for reason sought care in the U.S.	HC	1202
HCK4_2OT	Number of consultations - other trained person	HC	42
HCK6_2A	Overnight patient - respiratory problem	HC	482
HCK6_2B	Overnight patient - gastrointestinal problem	HC	482
HCK6_2C	Overnight patient - injuries	HC	483
HCK6_2D	Overnight patient - at birth	HC	483
HCK6_2E	Overnight patient - other reason	HC	484
HIP6_1	Sports injuries - first source of information	HI	851
HIP6_1A	Sports injuries - would look for other source	HI	851
HIP6_1B	Sports injuries - second source of information	HI	852
HIP6_2	AIDS / STD - first source of information	HI	853

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 49

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HIP6_2A	AIDS / STD - would look for other source	HI	853
HIP6_2B	AIDS / STD - second source of information	HI	854
HIP6_3	Depression - first source of information	HI	855
HIP6_3A	Depression - would look for other source	HI	855
HIP6_3B	Depression - second source of information	HI	856
HIP6_4	Pregnancy - first source of information	HI	857
HIP6_4A	Pregnancy - would look for other source	HI	857
HIP6_4B	Pregnancy - second source of information	HI	858
HIP6_5	Attended school in past 12 months	HI	858
HIP6_6	Rating of information on improving health	HI	859
HIP6_7	Attended sex education classes at school	HI	859
HIP6_8	Rating of sex education classes	HI	860
HSC0_1	Vision - read newsprint without glasses / contacts	HS	1830
HSC0_10	Speech - completely understood by strangers	HS	1836
HSC0_11	Speech - partially understood by strangers	HS	1837
HSC0_12	Speech - completely understood by non-strangers	HS	1837
HSC0_13	Speech - partially understood by non-strangers	HS	1838
HSC0_14	Mobility - walk without difficulty and without support	HS	1839
HSC0_15	Mobility - able to walk	HS	1839
HSC0_16	Mobility - requires support to walk	HS	1840
HSC0_17	Mobility - requires help of person to walk	HS	1840
HSC0_18	Mobility - requires a wheelchair	HS	1841
HSC0_19	Mobility - frequency of wheelchair use	HS	1841
HSC0_2	Vision - read newsprint with glasses / contacts	HS	1831
HSC0_20	Mobility - requires help to move in wheelchair	HS	1842
HSC0_21	Dexterity - able to grasp and handle small objects	HS	1843
HSC0_22	Dexterity - requires help due to limitation in hands	HS	1843
HSC0_23	Dexterity - requires help with tasks	HS	1844
HSC0_24	Dexterity - requires special equipment	HS	1844
HSC0_25	Feelings - self perceived happiness	HS	1845
HSC0_26	Cognition - ability to remember things	HS	1846
HSC0_27	Cognition - ability to think and solve problems	HS	1847
HSC0_28	Pain - usually free of pain	HS	1848
HSC0_29	Pain - usual intensity	HS	1848
HSC0_3	Vision - able to see	HS	1831
HSC0_30	Pain - number of activities prevented	HS	1849

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 50

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HSC0_4	Vision - recognize a friend without glasses / contacts	HS	1832
HSC0_5	Vision - recognize a friend with glasses / contacts	HS	1832
HSC0_6	Hearing - in group without hearing aid	HS	1833
HSC0_7	Hearing - in group with hearing aid	HS	1834
HSC0_7A	Hearing - able to hear	HS	1834
HSC0_8	Hearing - in quiet room without hearing aid	HS	1835
HSC0_9	Hearing - in quiet room with hearing aid	HS	1835
HSC0DCOG	Cognition problem - function code - (D)	HS	1847
HSC0DDEX	Dexterity problem - function code - (D)	HS	1845
HSC0DEMO	Emotional problem - function code - (D)	HS	1846
HSC0DHER	Hearing problem - function code - (D)	HS	1836
HSC0DHSI	Health Utility Index (HUI3) - (D)	HS	1850
HSC0DMOB	Mobility problem - function code - (D)	HS	1842
HSC0DPAD	Activities prevented by pain - function code - (D)	HS	1849
HSC0DSPE	Speech problem - function code - (D)	HS	1838
HSC0DVIS	Vision problem - function code - (D)	HS	1833
HSC4_1	Vision - read newsprint without glasses / contacts	HS	328
HSC4_10	Speech - completely understood by strangers	HS	334
HSC4_11	Speech - partially understood by strangers	HS	334
HSC4_12	Speech - completely understood by non-strangers	HS	335
HSC4_13	Speech - partially understood by non-strangers	HS	335
HSC4_14	Mobility - walk without difficulty and without support	HS	336
HSC4_15	Mobility - able to walk	HS	337
HSC4_16	Mobility - requires support to walk	HS	337
HSC4_17	Mobility - requires help of person to walk	HS	338
HSC4_18	Mobility - requires a wheelchair	HS	338
HSC4_19	Mobility - frequency of wheelchair use	HS	339
HSC4_2	Vision - read newsprint with glasses / contacts	HS	328
HSC4_20	Mobility - requires help to move in wheelchair	HS	339
HSC4_21	Dexterity - able to grasp and handle small objects	HS	340
HSC4_22	Dexterity - requires help due to limitation in hands	HS	341
HSC4_23	Dexterity - requires help with tasks	HS	341
HSC4_24	Dexterity - requires special equipment	HS	342
HSC4_25	Feelings - self perceived happiness	HS	343
HSC4_26	Cognition - ability to remember things	HS	344
HSC4_27	Cognition - ability to think and solve problems	HS	344

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 51

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HSC4_28	Pain - usually free of pain	HS	345
HSC4_29	Pain - usual intensity	HS	346
HSC4_3	Vision - able to see	HS	329
HSC4_30	Pain - number of activities prevented	HS	346
HSC4_4	Vision - recognize a friend without glasses / contacts	HS	329
HSC4_5	Vision - recognize a friend with glasses / contacts	HS	330
HSC4_6	Hearing - in group without hearing aid	HS	331
HSC4_7	Hearing - in group with hearing aid	HS	331
HSC4_7A	Hearing - able to hear	HS	332
HSC4_8	Hearing - in quiet room without hearing aid	HS	332
HSC4_9	Hearing - in quiet room with hearing aid	HS	333
HSC4DCOG	Cognition problem - function code - (D)	HS	345
HSC4DDEX	Dexterity problem - function code - (D)	HS	342
HSC4DEMO	Emotional problem - function code - (D)	HS	343
HSC4DHER	Hearing problem - function code - (D)	HS	333
HSC4DHSI	Health Utility Index (HUI3) - (D)	HS	347
HSC4DMOB	Mobility problem - function code - (D)	HS	340
HSC4DPAD	Activities prevented by pain - function code - (D)	HS	347
HSC4DSPE	Speech problem - function code - (D)	HS	336
HSC4DVIS	Vision problem - function code - (D)	HS	330
HSC6_1	Vision - read newsprint without glasses / contacts	HS	860
HSC6_10	Speech - completely understood by strangers	HS	866
HSC6_11	Speech - partially understood by strangers	HS	867
HSC6_12	Speech - completely understood by non-strangers	HS	867
HSC6_13	Speech - partially understood by non-strangers	HS	868
HSC6_14	Mobility - walk without difficulty and without support	HS	869
HSC6_15	Mobility - able to walk	HS	869
HSC6_16	Mobility - requires support to walk	HS	870
HSC6_17	Mobility - requires help of person to walk	HS	870
HSC6_18	Mobility - requires a wheelchair	HS	871
HSC6_19	Mobility - frequency of wheelchair use	HS	871
HSC6_2	Vision - read newsprint with glasses / contacts	HS	861
HSC6_20	Mobility - requires help to move in wheelchair	HS	872
HSC6_21	Dexterity - able to grasp and handle small objects	HS	873
HSC6_22	Dexterity - requires help due to limitation in hands	HS	873
HSC6_23	Dexterity - requires help with tasks	HS	874

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 52

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HSC6_24	Dexterity - requires special equipment	HS	874
HSC6_25	Feelings - self perceived happiness	HS	875
HSC6_26	Cognition - ability to remember things	HS	876
HSC6_27	Cognition - ability to think and solve problems	HS	877
HSC6_28	Pain - usually free of pain	HS	878
HSC6_29	Pain - usual intensity	HS	878
HSC6_3	Vision - able to see	HS	861
HSC6_30	Pain - number of activities prevented	HS	879
HSC6_4	Vision - recognize a friend without glasses / contacts	HS	862
HSC6_5	Vision - recognize a friend with glasses / contacts	HS	862
HSC6_6	Hearing - in group without hearing aid	HS	863
HSC6_7	Hearing - in group with hearing aid	HS	864
HSC6_7A	Hearing - able to hear	HS	864
HSC6_8	Hearing - in quiet room without hearing aid	HS	865
HSC6_9	Hearing - in quiet room with hearing aid	HS	865
HSC6DCOG	Cognition problem - function code - (D)	HS	877
HSC6DDEX	Dexterity problem - function code - (D)	HS	875
HSC6DEMO	Emotional problem - function code - (D)	HS	876
HSC6DHER	Hearing problem - function code - (D)	HS	866
HSC6DHSI	Health Utility Index (HUI3) - (D)	HS	880
HSC6DMOB	Mobility problem - function code - (D)	HS	872
HSC6DPAD	Activities prevented by pain - function code - (D)	HS	879
HSC6DSPE	Speech problem - function code - (D)	HS	868
HSC6DVIS	Vision problem - function code - (D)	HS	863
HSC8_1	Vision - read newsprint without glasses / contacts	HS	1452
HSC8_10	Speech - completely understood by strangers	HS	1458
HSC8_11	Speech - partially understood by strangers	HS	1458
HSC8_12	Speech - completely understood by non-strangers	HS	1459
HSC8_13	Speech - partially understood by non-strangers	HS	1459
HSC8_14	Mobility - walk without difficulty and without support	HS	1460
HSC8_15	Mobility - able to walk	HS	1461
HSC8_16	Mobility - requires support to walk	HS	1461
HSC8_17	Mobility - requires help of person to walk	HS	1462
HSC8_18	Mobility - requires a wheelchair	HS	1462
HSC8_19	Mobility - frequency of wheelchair use	HS	1463
HSC8_2	Vision - read newsprint with glasses / contacts	HS	1452

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 53

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HSC8_20	Mobility - requires help to move in wheelchair	HS	1463
HSC8_21	Dexterity - able to grasp and handle small objects	HS	1464
HSC8_22	Dexterity - requires help due to limitation in hands	HS	1465
HSC8_23	Dexterity - requires help with tasks	HS	1465
HSC8_24	Dexterity - requires special equipment	HS	1466
HSC8_25	Feelings - self perceived happiness	HS	1467
HSC8_26	Cognition - ability to remember things	HS	1468
HSC8_27	Cognition - ability to think and solve problems	HS	1468
HSC8_28	Pain - usually free of pain	HS	1469
HSC8_29	Pain - usual intensity	HS	1470
HSC8_3	Vision - able to see	HS	1453
HSC8_30	Pain - number of activities prevented	HS	1470
HSC8_4	Vision - recognize a friend without glasses / contacts	HS	1453
HSC8_5	Vision - recognize a friend with glasses / contacts	HS	1454
HSC8_6	Hearing - in group without hearing aid	HS	1455
HSC8_7	Hearing - in group with hearing aid	HS	1455
HSC8_7A	Hearing - able to hear	HS	1456
HSC8_8	Hearing - in quiet room without hearing aid	HS	1456
HSC8_9	Hearing - in quiet room with hearing aid	HS	1457
HSC8DCOG	Cognition problem - function code - (D)	HS	1469
HSC8DDEX	Dexterity problem - function code - (D)	HS	1466
HSC8DEMO	Emotional problem - function code - (D)	HS	1467
HSC8DHER	Hearing problem - function code - (D)	HS	1457
HSC8DHSI	Health Utility Index (HUI3) - (D)	HS	1471
HSC8DMOB	Mobility problem - function code - (D)	HS	1464
HSC8DPAD	Activities prevented by pain - function code - (D)	HS	1471
HSC8DSPE	Speech problem - function code - (D)	HS	1460
HSC8DVIS	Vision problem - function code - (D)	HS	1454
HSK6_25A	Event causing great amount of worry or unhappiness	HS	880
HSK6_31A	Worry or unhappiness - death in family	HS	881
HSK6_31B	Worry or unhappiness - divorce or separation	HS	881
HSK6_31C	Worry or unhappiness - move	HS	882
HSK6_31D	Worry or unhappiness - illness or injury in family	HS	882
HSK6_31E	Worry or unhappiness - conflict between parents	HS	883
HSK6_31F	Worry or unhappiness - other event	HS	883
HVS6_1	Tissue sample given for life insurance	HV	846

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 54

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HVS6_2	Donated blood at the Red Cross	HV	847
HVS6_3	Year of last blood donation	HV	847
HVS6_4	Test for HIV / AIDS other than for insurance or blood donat.	HV	848
HVS6_5	HIV / AIDS - year of last test	HV	848
HVS6_6	HIV / AIDS - reason for test	HV	849
HVS6_7	Received "clotting factor" between 1978 and 1985	HV	849
HVS6_8	Received a blood transfusion between 1978 and 1985	HV	850
HVS6_9	Has injected non-prescription drugs	HV	850
HWB	Birth weight	GH	6
HWBG1	Birth weight - (G)	HW	7
HWC0_1	Currently pregnant	PH	1714
HWC0_3KG	Weight - kilograms	HW	1705
HWC0_3LB	Weight - pounds	HW	1704
HWC0_HT	Height	HW	1703
HWC0DBMI	Body Mass Index - (D)	HW	1705
HWC0DSW	Standard weight - (D)	HW	1706
HWC4_1	Currently pregnant	HW	191
HWC4_3KG	Weight - kilograms	HW	193
HWC4_3LB	Weight - pounds	HW	193
HWC4_HT	Height	HW	194
HWC4DBMI	Body Mass Index - (D)	HW	196
HWC4DSW	Standard weight - (D)	HW	196
HWC6_1	Currently pregnant	HW	698
HWC6_3KG	Weight - kilograms	HW	701
HWC6_3LB	Weight - pounds	HW	701
HWC6_HT	Height	HW	699
HWC6DBMI	Body Mass Index - (D)	HW	702
HWC6DSW	Standard weight - (D)	HW	702
HWC8_1	Currently pregnant	PH	1388
HWC8_3KG	Weight - kilograms	HW	1381
HWC8_3LB	Weight - pounds	HW	1380
HWC8_HT	Height	HW	1379
HWC8DBMI	Body Mass Index - (D)	HW	1381
HWC8DSW	Standard weight - (D)	HW	1382
HWS6_1	Respondent's opinion of own weight	HW	703
HWS6_2KG	Desired weight - kilograms	HW	704

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 55

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
HWS6_2LB	Desired weight - pounds	HW	703
HWS6_4	Most important thing done to follow a healthy diet	HW	704
HWS6_5	Skipping breakfast can control / reduce weight	HW	705
IJC0_1	Injured in the past 12 months	IJ	1897
IJC0_10	Most serious injury - result of a fall	IJ	1901
IJC0_10A	Most serious injury - how fell	IJ	1902
IJC0_10B	Most serious injury - cause	IJ	1903
IJC0_11	Most serious injury - received treatment within 48 hours	IJ	1903
IJC0_12	Most serious injury - where received treatment	IJ	1904
IJC0_13	Most serious injury - admitted to hospital	IJ	1904
IJC0_14	Other injuries - treated but did not limit normal activities	IJ	1905
IJC0_15	Other injuries - number of treated injuries	IJ	1905
IJC0_2	Number of injuries in the past 12 months	IJ	1897
IJC0_3	Most serious injury - type	IJ	1898
IJC0_4	Most serious injury - body part affected	IJ	1899
IJC0_4A	Most serious injury - body part affected (internal injuries)	IJ	1900
IJC0_5	Most serious injury - place of occurrence	IJ	1900
IJC0_9	Most serious injury - activity type when injured	IJ	1901
IJC0DCAU	Cause of injury - (D)	IJ	1906
IJC0DCBP	Cause of injury by place of occurrence - (D)	IJ	1907
IJC0DTBS	Type of injury by body site - (D)	IJ	1906
IJC4_1	Injured in the past 12 months	IJ	262
IJC4_2	Number of injuries in the past 12 months	IJ	263
IJC4_3	Most serious injury - type	IJ	263
IJC4_4	Most serious injury - body part affected	IJ	264
IJC4_5	Most serious injury - place of occurrence	IJ	265
IJC4_6	Most serious injury - reason	IJ	266
IJC4_7	Most serious injury - work-related	IJ	267
IJC4_8A	Precaution taken - gave up the activity	IJ	267
IJC4_8B	Precaution taken - being more careful	IJ	268
IJC4_8C	Precaution taken - safety training	IJ	268
IJC4_8D	Precaution taken - protective gear	IJ	269
IJC4_8E	Precaution taken - changing physical situation	IJ	269
IJC4_8F	Precaution taken - other	IJ	270
IJC4_8G	Precaution taken - none	IJ	270
IJC4_8H	Precaution taken - increase child supervision	IJ	271

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 56

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
IJC4D1	Type of injury by body site - (D)	IJ	264
IJC4D2	Cause of injury by place of occurrence - (D)	IJ	266
IJC6_1	Injured in the past 12 months	IJ	934
IJC6_2	Number of injuries in the past 12 months	IJ	934
IJC6_3	Most serious injury - type	IJ	935
IJC6_4	Most serious injury - body part affected	IJ	936
IJC6_5	Most serious injury - place of occurrence	IJ	937
IJC6_6	Most serious injury - reason	IJ	938
IJC6_7	Most serious injury - work-related	IJ	939
IJC6_8A	Precaution taken - gave up the activity	IJ	939
IJC6_8B	Precaution taken - being more careful	IJ	940
IJC6_8C	Precaution taken - safety training	IJ	940
IJC6_8D	Precaution taken - protective gear	IJ	941
IJC6_8E	Precaution taken - changing physical situation	IJ	941
IJC6_8F	Precaution taken - other	IJ	942
IJC6_8G	Precaution taken - none	IJ	942
IJC6D1	Type of injury by body site - (D)	IJ	943
IJC6D2	Cause of injury by place of occurrence - (D)	IJ	943
IJC8_1	Injured in the past 12 months	IJ	1530
IJC8_2	Number of injuries in the past 12 months	IJ	1530
IJC8_3	Most serious injury - type	IJ	1531
IJC8_4	Most serious injury - body part affected	IJ	1532
IJC8_5	Most serious injury - place of occurrence	IJ	1533
IJC8_6	Most serious injury - reason	IJ	1534
IJC8_7	Most serious injury - work-related	IJ	1535
IJC8_8A	Precaution taken - gave up the activity	IJ	1535
IJC8_8B	Precaution taken - being more careful	IJ	1536
IJC8_8C	Precaution taken - safety training	IJ	1536
IJC8_8D	Precaution taken - protective gear	IJ	1537
IJC8_8E	Precaution taken - changing physical situation	IJ	1537
IJC8_8F	Precaution taken - other	IJ	1538
IJC8_8G	Precaution taken - none	IJ	1538
IJC8D1	Type of injury by body site - (D)	IJ	1539
IJC8D2	Cause of injury by place of occurrence - (D)	IJ	1539
IMM	Flag that the respondent is an immigrant	SD	9
INC0_1A	Source of income - wages and salaries	IN	2153

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 57

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
INC0_1B	Source of income - self-employment	IN	2154
INC0_1C	Source of income - dividends and interest	IN	2154
INC0_1D	Source of income - employment insurance	IN	2155
INC0_1E	Source of income - worker's compensation	IN	2155
INC0_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	2156
INC0_1G	Source of income - pensions, superannuation and annuities	IN	2156
INC0_1H	Source of income - Old Age Security / G.I.S.	IN	2157
INC0_1I	Source of income - child tax benefit	IN	2157
INC0_1J	Source of income - social assistance / welfare	IN	2158
INC0_1K	Source of income - child support	IN	2158
INC0_1L	Source of income - alimony	IN	2159
INC0_1M	Source of income - other	IN	2159
INC0_1N	Source of income - none	IN	2160
INC0_2	Total household income - main source	IN	2161
INC0_3	Total household income - best estimate	IN	2162
INC0_3A	Total household income - < \$20,000 or >= \$20,000	IN	2162
INC0_3B	Total household income - < \$10,000 or >= \$10,000	IN	2163
INC0_3C	Total household income - < \$5,000 or >= \$5,000	IN	2163
INC0_3D	Total household income - < \$15,000 or >= \$15,000	IN	2164
INC0_3E	Total household income - < \$40,000 or >= \$40,000	IN	2164
INC0_3F	Total household income - < \$30,000 or >= \$30,000	IN	2165
INC0_3G	Total household income - >= \$50,000	IN	2165
INC0_4	Total personal income - best estimate	IN	2168
INC0_4A	Total personal income - < \$20,000 or >= \$20,000	IN	2168
INC0_4B	Total personal income - < \$10,000 or >= \$10,000	IN	2169
INC0_4C	Total personal income - < \$5,000 or >= \$5,000	IN	2169
INC0_4D	Total personal income - < \$15,000 or >= \$15,000	IN	2170
INC0_4E	Total personal income - < \$40,000 or >= \$40,000	IN	2170
INC0_4F	Total personal income - < \$30,000 or >= \$30,000	IN	2171
INC0_4G	Total personal income - >= \$50,000	IN	2171
INC0CCPI	Consumer Price Index	IN	2172
INC0DHH	Total household income from all sources - (D)	IN	2166
INC0DIA2	Income adequacy - 2 groups - (D)	IN	2166
INC0DIA4	Income adequacy - 4 groups - (D)	IN	2167
INC0DIA5	Income adequacy - 5 groups - (D)	IN	2167
INC0DPER	Total personal income from all sources - (D)	IN	2172

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 58

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
INC4_1A	Source of income - wages and salaries	IN	171
INC4_1B	Source of income - self-employment	IN	172
INC4_1C	Source of income - dividends and interest	IN	172
INC4_1D	Source of income - unemployment insurance	IN	173
INC4_1E	Source of income - worker's compensation	IN	173
INC4_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	174
INC4_1G	Source of income - pensions, superannuation and annuities	IN	174
INC4_1H	Source of income - Old Age Security / G.I.S.	IN	175
INC4_1I	Source of income - child tax benefit	IN	175
INC4_1J	Source of income - social assistance / welfare	IN	176
INC4_1K	Source of income - child support	IN	176
INC4_1L	Source of income - alimony	IN	177
INC4_1M	Source of income - other	IN	177
INC4_1N	Source of income - none	IN	178
INC4_2	Total household income - main source	IN	179
INC4_3A	Total household income - < \$20,000 or >= \$20,000	IN	180
INC4_3B	Total household income - < \$10,000 or >= \$10,000	IN	180
INC4_3C	Total household income - < \$5,000 or >= \$5,000	IN	181
INC4_3D	Total household income - < \$15,000 or >= \$15,000	IN	181
INC4_3E	Total household income - < \$40,000 or >= \$40,000	IN	182
INC4_3F	Total household income - < \$30,000 or >= \$30,000	IN	182
INC4_3G	Total household income - >= \$50,000	IN	183
INC4CCPI	Consumer Price Index	IN	185
INC4DHH	Total household income from all sources - (D)	IN	185
INC4DIA2	Income adequacy - 2 groups - (D)	IN	183
INC4DIA4	Income adequacy - 4 groups - (D)	IN	184
INC4DIA5	Income adequacy - 5 groups - (D)	IN	184
INC4F1	Income questions asked of this H05 respondent	IN	171
INC6_1A	Source of income - wages and salaries	IN	664
INC6_1B	Source of income - self-employment	IN	664
INC6_1C	Source of income - dividends and interest	IN	665
INC6_1D	Source of income - unemployment insurance	IN	665
INC6_1E	Source of income - worker's compensation	IN	666
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	666
INC6_1G	Source of income - pensions, superannuation and annuities	IN	667
INC6_1H	Source of income - Old Age Security / G.I.S.	IN	667

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 59

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
INC6_1I	Source of income - child tax benefit	IN	668
INC6_1J	Source of income - social assistance / welfare	IN	668
INC6_1K	Source of income - child support	IN	669
INC6_1L	Source of income - alimony	IN	669
INC6_1M	Source of income - other	IN	670
INC6_1N	Source of income - none	IN	670
INC6_2	Total household income - main source	IN	671
INC6_3A	Total household income - < \$20,000 or >= \$20,000	IN	672
INC6_3B	Total household income - < \$10,000 or >= \$10,000	IN	672
INC6_3C	Total household income - < \$5,000 or >= \$5,000	IN	673
INC6_3D	Total household income - < \$15,000 or >= \$15,000	IN	673
INC6_3E	Total household income - < \$40,000 or >= \$40,000	IN	674
INC6_3F	Total household income - < \$30,000 or >= \$30,000	IN	674
INC6_3G	Total household income - >= \$50,000	IN	675
INC6CCPI	Consumer Price Index	IN	677
INC6DHH	Total household income from all sources - (D)	IN	677
INC6DIA2	Income adequacy - 2 groups - (D)	IN	675
INC6DIA4	Income adequacy - 4 groups - (D)	IN	676
INC6DIA5	Income adequacy - 5 groups - (D)	IN	676
INC6F1	Income questions asked of this H05 respondent	IN	663
INC8_1A	Source of income - wages and salaries	IN	1352
INC8_1B	Source of income - self-employment	IN	1352
INC8_1C	Source of income - dividends and interest	IN	1353
INC8_1D	Source of income - employment insurance	IN	1353
INC8_1E	Source of income - worker's compensation	IN	1354
INC8_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	1354
INC8_1G	Source of income - pensions, superannuation and annuities	IN	1355
INC8_1H	Source of income - Old Age Security / G.I.S.	IN	1355
INC8_1I	Source of income - child tax benefit	IN	1356
INC8_1J	Source of income - social assistance / welfare	IN	1356
INC8_1K	Source of income - child support	IN	1357
INC8_1L	Source of income - alimony	IN	1357
INC8_1M	Source of income - other	IN	1358
INC8_1N	Source of income - none	IN	1358
INC8_2	Total household income - main source	IN	1359
INC8_3	Total household income - best estimate	IN	1360

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 60

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
INC8_3A	Total household income - < \$20,000 or >= \$20,000	IN	1360
INC8_3B	Total household income - < \$10,000 or >= \$10,000	IN	1361
INC8_3C	Total household income - < \$5,000 or >= \$5,000	IN	1361
INC8_3D	Total household income - < \$15,000 or >= \$15,000	IN	1362
INC8_3E	Total household income - < \$40,000 or >= \$40,000	IN	1362
INC8_3F	Total household income - < \$30,000 or >= \$30,000	IN	1363
INC8_3G	Total household income - >= \$50,000	IN	1363
INC8_4	Total personal income - best estimate	IN	1366
INC8_4A	Total personal income - < \$20,000 or >= \$20,000	IN	1366
INC8_4B	Total personal income - < \$10,000 or >= \$10,000	IN	1367
INC8_4C	Total personal income - < \$5,000 or >= \$5,000	IN	1367
INC8_4D	Total personal income - < \$15,000 or >= \$15,000	IN	1368
INC8_4E	Total personal income - < \$40,000 or >= \$40,000	IN	1368
INC8_4F	Total personal income - < \$30,000 or >= \$30,000	IN	1369
INC8_4G	Total personal income - >= \$50,000	IN	1369
INC8CCPI	Consumer Price Index	IN	1370
INC8DHH	Total household income from all sources - (D)	IN	1364
INC8DIA2	Income adequacy - 2 groups - (D)	IN	1364
INC8DIA4	Income adequacy - 4 groups - (D)	IN	1365
INC8DIA5	Income adequacy - 5 groups - (D)	IN	1365
INC8DPER	Total personal income from all sources - (D)	IN	1370
INC8F1	Income questions asked of this H05 respondent	IN	1351
INS6_4	Household ran out of money to buy food	IN	678
INS6_5	Received food from a charity	IN	678
INS6_6	Description of food situation	IN	679
ISC0_1	Insurance - prescription medications	IS	1828
ISC0_2	Insurance - dental expenses	IS	1828
ISC0_3	Insurance - eye glasses / contact lenses	IS	1829
ISC0_4	Insurance - hospital charges	IS	1829
ISC0D1	Number of types of medical insurance - (D)	IS	1830
ISC6D1	Number of types of medical insurance - (D)	IS	846
ISC8_1	Insurance - prescription medications	IS	1398
ISC8_2	Insurance - dental expenses	IS	1399
ISC8_3	Insurance - eye glasses / contact lenses	IS	1399
ISC8_4	Insurance - hospital charges	IS	1400
ISC8D1	Number of types of medical insurance - (D)	IS	1400

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 61

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
LFC0CI97	Standard Industry Code (NAICS) for main job	LF	2133
LFC0CO91	Standard Occupation Code (SOC - 91) for main job	LF	2135
LFC0GI16	Standard Industry Code for main job - 16 groups - (G)	LF	2134
LFC0GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	2136
LFC0GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	2137
LFC4_1	Current main activity	LF	126
LFC4_101	Usually works weekends - job 1	LF	133
LFC4_102	Usually works weekends - job 2	LF	140
LFC4_103	Usually works weekends - job 3	LF	146
LFC4_111	Worked other than job 1	LF	134
LFC4_112	Worked other than job 1 and job 2	LF	140
LFC4_16	Worked for others or in own business - main job	LF	149
LFC4_17A	Reason for not working - most recent period	LF	150
LFC4_2	Worked for pay or profit	LF	126
LFC4_41	Had job one year ago without break - job 1	LF	127
LFC4_42	Had job one year ago without break - job 2	LF	135
LFC4_43	Had job one year ago without break - job 3	LF	141
LFC4_51D	Day started - job 1	LF	129
LFC4_51M	Month started - job 1	LF	128
LFC4_51Y	Year started - job 1	LF	129
LFC4_52D	Day started - job 2	LF	136
LFC4_52M	Month started - job 2	LF	135
LFC4_52Y	Year started - job 2	LF	136
LFC4_53D	Day started - job 3	LF	142
LFC4_53M	Month started - job 3	LF	142
LFC4_53Y	Year started - job 3	LF	143
LFC4_61	Has job now - job 1	LF	130
LFC4_62	Has job now - job 2	LF	137
LFC4_63	Has job now - job 3	LF	143
LFC4_71D	Day stopped - job 1	LF	131
LFC4_71M	Month stopped - job 1	LF	131
LFC4_71Y	Year stopped - job 1	LF	132
LFC4_72D	Day stopped - job 2	LF	138
LFC4_72M	Month stopped - job 2	LF	137
LFC4_72Y	Year stopped - job 2	LF	138
LFC4_73D	Day stopped - job 3	LF	144

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 62

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
LFC4_73M	Month stopped - job 3	LF	144
LFC4_73Y	Year stopped - job 3	LF	145
LFC4_81	Hours usually worked per week - job 1	LF	132
LFC4_82	Hours usually worked per week - job 2	LF	139
LFC4_83	Hours usually worked per week - job 3	LF	145
LFC4_91	Type of working hours - job 1	LF	133
LFC4_92	Type of working hours - job 2	LF	139
LFC4_93	Type of working hours - job 3	LF	146
LFC4CI97	Standard Industry Code (NAICS) for main job	LF	151
LFC4CO91	Standard Occupation Code (SOC - 91) for main job	LF	153
LFC4DCMN	Main job is the current job - (D)	LF	161
LFC4DCWS	Working status in last 12 months - (D)	LF	157
LFC4DD1	Work duration - job 1 - (D)	LF	164
LFC4DD2	Work duration - job 2 - (D)	LF	165
LFC4DD3	Work duration - job 3 - (D)	LF	166
LFC4DDA	Duration of work without break > 30 days - (D)	LF	158
LFC4DDMN	Work duration - main job - (D)	LF	162
LFC4DGA	Number of gaps of 30 days or more - (D)	LF	160
LFC4DH1	Hours of work - job 1 - (D)	LF	167
LFC4DH2	Hours of work - job 2 - (D)	LF	167
LFC4DH3	Hours of work - job 3 - (D)	LF	168
LFC4DHA	Pattern of working hours of all jobs - (D)	LF	159
LFC4DHMN	Hours of work - main job - (D)	LF	163
LFC4DJA	Number of jobs - (D)	LF	159
LFC4DJGA	Pattern of number of jobs - (D)	LF	160
LFC4DOMN	Job number of old main job - (D)	LF	170
LFC4DT1	Type of working hours - job 1 - (D)	LF	168
LFC4DT2	Type of working hours - job 2 - (D)	LF	169
LFC4DT3	Type of working hours - job 3 - (D)	LF	170
LFC4DTMN	Type of working hours - main job - (D)	LF	163
LFC4F13	Flag for main job industry	LF	147
LFC4F14	Flag for main job occupation	LF	148
LFC4F15	Flag for main job duties	LF	148
LFC4FE1	Flag for employer - job 1	LF	127
LFC4FE2	Flag for employer - job 2	LF	134
LFC4FE3	Flag for employer - job 3	LF	141

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 63

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
LFC4FGAP	Flag for jobless gap greater than 30 days	LF	157
LFC4FMN	Job number of main job	LF	147
LFC4FWK	Work flag (used for processing only)	LF	156
LFC4G17B	Reasons not working - currently (G)	LF	151
LFC4GI16	Standard Industry Code for main job - 16 groups - (G)	LF	152
LFC4GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	154
LFC4GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	155
LFC6_101	Usually works weekends - job 1	LF	626
LFC6_102	Usually works weekends - job 2	LF	633
LFC6_103	Usually works weekends - job 3	LF	639
LFC6_111	Worked other than job 1	LF	626
LFC6_112	Worked other than job 1 and job 2	LF	633
LFC6_16	Worked for others or in own business - main job	LF	642
LFC6_17A	Reason for not working - most recent period	LF	643
LFC6_17B	Reason for not working - currently	LF	644
LFC6_2	Worked for pay or profit	LF	618
LFC6_2B	Worked for same employer as in last interview	LF	618
LFC6_41	Had job one year ago without break - job 1	LF	619
LFC6_42	Had job one year ago without break - job 2	LF	627
LFC6_43	Had job one year ago without break - job 3	LF	634
LFC6_51D	Day started - job 1	LF	621
LFC6_51M	Month started - job 1	LF	620
LFC6_51Y	Year started - job 1	LF	621
LFC6_52D	Day started - job 2	LF	629
LFC6_52M	Month started - job 2	LF	628
LFC6_52Y	Year started - job 2	LF	629
LFC6_53D	Day started - job 3	LF	635
LFC6_53M	Month started - job 3	LF	635
LFC6_53Y	Year started - job 3	LF	636
LFC6_61	Has job now - job 1	LF	622
LFC6_62	Has job now - job 2	LF	630
LFC6_63	Has job now - job 3	LF	636
LFC6_71D	Day stopped - job 1	LF	624
LFC6_71M	Month stopped - job 1	LF	623
LFC6_71Y	Year stopped - job 1	LF	624
LFC6_72D	Day stopped - job 2	LF	631

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 64

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
LFC6_72M	Month stopped - job 2	LF	630
LFC6_72Y	Year stopped - job 2	LF	631
LFC6_73D	Day stopped - job 3	LF	637
LFC6_73M	Month stopped - job 3	LF	637
LFC6_73Y	Year stopped - job 3	LF	638
LFC6_81	Hours usually worked per week - job 1	LF	625
LFC6_82	Hours usually worked per week - job 2	LF	632
LFC6_83	Hours usually worked per week - job 3	LF	638
LFC6_91	Type of working hours - job 1	LF	625
LFC6_92	Type of working hours - job 2	LF	632
LFC6_93	Type of working hours - job 3	LF	639
LFC6CI97	Standard Industry Code (NAICS) for main job	LF	645
LFC6CO91	Standard Occupation Code (SOC - 91) for main job	LF	647
LFC6DCMN	Main job is the current job - (D)	LF	655
LFC6DCWS	Working status in last 12 months - (D)	LF	651
LFC6DD1	Work duration - job 1 - (D)	LF	657
LFC6DD2	Work duration - job 2 - (D)	LF	658
LFC6DD3	Work duration - job 3 - (D)	LF	659
LFC6DDA	Duration of work without break > 30 days - (D)	LF	652
LFC6DDMN	Work duration - main job - (D)	LF	655
LFC6DGA	Number of gaps of 30 days or more - (D)	LF	654
LFC6DH1	Hours of work - job 1 - (D)	LF	659
LFC6DH2	Hours of work - job 2 - (D)	LF	660
LFC6DH3	Hours of work - job 3 - (D)	LF	660
LFC6DHA	Pattern of working hours of all jobs - (D)	LF	653
LFC6DHMN	Hours of work - main job - (D)	LF	656
LFC6DJA	Number of jobs - (D)	LF	653
LFC6DJGA	Pattern of number of jobs - (D)	LF	654
LFC6DT1	Type of working hours - job 1 - (D)	LF	661
LFC6DT2	Type of working hours - job 2 - (D)	LF	662
LFC6DT3	Type of working hours - job 3 - (D)	LF	663
LFC6DTMN	Type of working hours - main job - (D)	LF	656
LFC6F13	Flag for main job industry	LF	640
LFC6F14	Flag for main job occupation	LF	641
LFC6F15	Flag for main job duties	LF	641
LFC6FE1	Flag for employer - job 1	LF	619

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 65

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
LFC6FE2	Flag for employer - job 2	LF	627
LFC6FE3	Flag for employer - job 3	LF	634
LFC6FGAP	Flag for jobless gap greater than 30 days	LF	651
LFC6FMN	Job number of main job	LF	640
LFC6FWK	Work flag (used for processing only)	LF	650
LFC6GI16	Standard Industry Code for main job - 16 groups - (G)	LF	646
LFC6GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	648
LFC6GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	649
LFC8_101	Usually works weekends - job 1	LF	1315
LFC8_102	Usually works weekends - job 2	LF	1321
LFC8_103	Usually works weekends - job 3	LF	1327
LFC8_111	Worked other than job 1	LF	1316
LFC8_112	Worked other than job 1 and job 2	LF	1322
LFC8_16	Worked for others or in own business - main job	LF	1330
LFC8_17A	Reason for not working - most recent period	LF	1331
LFC8_17B	Reason for not working - currently	LF	1332
LFC8_2	Worked for pay or profit	LF	1309
LFC8_2B	Worked for same employer as in last interview	LF	1309
LFC8_41	Had job one year ago without break - job 1	LF	1310
LFC8_42	Had job one year ago without break - job 2	LF	1317
LFC8_43	Had job one year ago without break - job 3	LF	1323
LFC8_51D	Day started - job 1	LF	1311
LFC8_51M	Month started - job 1	LF	1311
LFC8_51Y	Year started - job 1	LF	1312
LFC8_52D	Day started - job 2	LF	1318
LFC8_52M	Month started - job 2	LF	1317
LFC8_52Y	Year started - job 2	LF	1318
LFC8_53D	Day started - job 3	LF	1324
LFC8_53M	Month started - job 3	LF	1323
LFC8_53Y	Year started - job 3	LF	1324
LFC8_61	Has job now - job 1	LF	1312
LFC8_62	Has job now - job 2	LF	1319
LFC8_63	Has job now - job 3	LF	1325
LFC8_71D	Day stopped - job 1	LF	1313
LFC8_71M	Month stopped - job 1	LF	1313
LFC8_71Y	Year stopped - job 1	LF	1314

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 66

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
LFC8_72D	Day stopped - job 2	LF	1320
LFC8_72M	Month stopped - job 2	LF	1319
LFC8_72Y	Year stopped - job 2	LF	1320
LFC8_73D	Day stopped - job 3	LF	1326
LFC8_73M	Month stopped - job 3	LF	1325
LFC8_73Y	Year stopped - job 3	LF	1326
LFC8_81	Hours usually worked per week - job 1	LF	1314
LFC8_82	Hours usually worked per week - job 2	LF	1320
LFC8_83	Hours usually worked per week - job 3	LF	1326
LFC8_91	Type of working hours - job 1	LF	1315
LFC8_92	Type of working hours - job 2	LF	1321
LFC8_93	Type of working hours - job 3	LF	1327
LFC8CI97	Standard Industry Code (NAICS) for main job	LF	1333
LFC8CO91	Standard Occupation Code (SOC - 91) for main job	LF	1335
LFC8DCMN	Main job is the current job - (D)	LF	1343
LFC8DCWS	Working status in last 12 months - (D)	LF	1339
LFC8DD1	Work duration - job 1 - (D)	LF	1345
LFC8DD2	Work duration - job 2 - (D)	LF	1346
LFC8DD3	Work duration - job 3 - (D)	LF	1347
LFC8DDA	Duration of work without break > 30 days - (D)	LF	1340
LFC8DDMN	Work duration - main job - (D)	LF	1343
LFC8DGA	Number of gaps of 30 days or more - (D)	LF	1342
LFC8DH1	Hours of work - job 1 - (D)	LF	1347
LFC8DH2	Hours of work - job 2 - (D)	LF	1348
LFC8DH3	Hours of work - job 3 - (D)	LF	1348
LFC8DHA	Pattern of working hours of all jobs - (D)	LF	1341
LFC8DHMN	Hours of work - main job - (D)	LF	1344
LFC8DJA	Number of jobs - (D)	LF	1341
LFC8DJGA	Pattern of number of jobs - (D)	LF	1342
LFC8DT1	Type of working hours - job 1 - (D)	LF	1349
LFC8DT2	Type of working hours - job 2 - (D)	LF	1350
LFC8DT3	Type of working hours - job 3 - (D)	LF	1351
LFC8DTMN	Type of working hours - main job - (D)	LF	1344
LFC8F13	Flag for main job industry	LF	1328
LFC8F14	Flag for main job occupation	LF	1329
LFC8F15	Flag for main job duties	LF	1329

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 67

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
LFC8FE1	Flag for employer - job 1	LF	1310
LFC8FE2	Flag for employer - job 2	LF	1316
LFC8FE3	Flag for employer - job 3	LF	1322
LFC8FGAP	Flag for jobless gap greater than 30 days	LF	1339
LFC8FMN	Job number of main job	LF	1328
LFC8FWK	Work flag (used for processing only)	LF	1338
LFC8GI16	Standard Industry Code for main job - 16 groups - (G)	LF	1334
LFC8GO25	Standard Occupation Code for main job - 25 groups - (G)	LF	1336
LFC8GO47	Standard Occupation Code for main job - 47 groups - (G)	LF	1337
LONGPAT	Longitudinal response pattern	SP	2
LSC0_1	Worked at a job or business last week	LS	2125
LSC0_11	Looked for work in the past 4 weeks	LS	2127
LSC0_12	Had a job to start in future last week	LS	2127
LSC0_13	Not currently working - reason	LS	2128
LSC0_2	Absent from job or business last week	LS	2126
LSC0_21	Worked at a job or a business in past 12 months	LS	2129
LSC0_22	Looked for work in past 12 months	LS	2129
LSC0_23	Had more than one job or business - past 12 months	LS	2130
LSC0_3	Had more than one job or business last week	LS	2126
LSC0_31	Status in employment - main job or business	LS	2130
LSC0_41	Absent from job or business last week - reason	LS	2139
LSC0_42	Usual number of hours worked - main job or business	LS	2140
LSC0_43	Preferred number of hours - main job or business	LS	2140
LSC0_44	Usual work schedule - main job or business	LS	2141
LSC0_45	Usual work schedule - reason	LS	2142
LSC0_46	Work on weekends - main job or business	LS	2142
LSC0_51	Worked at more than one job or business - number of weeks	LS	2143
LSC0_52	Worked at more than one job or business - reason	LS	2143
LSC0_53	Usual number of hours worked - other job or business	LS	2144
LSC0_54	Work on weekends - other job or business	LS	2144
LSC0_61	Number of weeks worked in past 12 months	LS	2145
LSC0_71	Number of weeks looked for work in past 12 months	LS	2145
LSC0_72	Not working nor looking - number of weeks (confirm)	LS	2146
LSC0_73	Not looking for work - reason	LS	2147
LSC0_74	Looked for work - number of continuous periods	LS	2148
LSC0DCWS	Current working status - (D)	LS	2148

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 68

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
LSC0DHPW	Total usual hours worked per week - (D)	LS	2152
LSC0DJST	Job status over past year - (D)	LS	2153
LSC0DMJS	Multiple job status - (D)	LS	2150
LSC0DPFT	Work status - full time or part time - (D)	LS	2152
LSC0DRNW	Main reason for not working last week - (D)	LS	2151
LSC0DSWS	Student working status - (D)	LS	2149
LSC0DYWS	Working status in last 12 months - (D)	LS	2149
LSC0F32	Flag for name of own business	LS	2131
LSC0F33	Flag for name of employer	LS	2131
LSC0F34	Flag for kind of business	LS	2132
LSC0F35	Flag for kind of work	LS	2132
LSC0F36	Flag for main activity or duties	LS	2133
MHC0_10	Depressed - frequency of trouble falling asleep	MH	2057
MHC0_11	Depressed - trouble concentrating	MH	2058
MHC0_12	Depressed - felt down on self	MH	2058
MHC0_13	Depressed - thought a lot about death	MH	2059
MHC0_14	Depressed - number of weeks in past 12 months	MH	2059
MHC0_15	Depressed - month of occurrence	MH	2060
MHC0_16	Lost interest in most things that usually give pleasure	MH	2061
MHC0_17	Loss of interest - duration	MH	2061
MHC0_18	Loss of interest - frequency	MH	2062
MHC0_19	Loss of interest - felt tired all the time	MH	2062
MHC0_1A	Frequency - felt sad	MH	2044
MHC0_1B	Frequency - felt nervous	MH	2044
MHC0_1C	Frequency - felt restless / fidgety	MH	2045
MHC0_1D	Frequency - felt hopeless	MH	2045
MHC0_1E	Frequency - felt worthless	MH	2046
MHC0_1F	Frequency - felt everything was an effort	MH	2046
MHC0_1G	Frequency - feelings occurrence	MH	2047
MHC0_1H	Frequency - feelings occurrence (more)	MH	2047
MHC0_1I	Frequency - feelings occurrence (less)	MH	2048
MHC0_1J	Frequency - experiences interfere with life	MH	2048
MHC0_1K	Mental health - has consulted with a health professional	MH	2049
MHC0_1L	Mental health - no. of times consulted a health professional	MH	2049
MHC0_1MA	Mental health - consulted family doctor	MH	2050
MHC0_1MB	Mental health - consulted psychiatrist	MH	2050

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 69

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
MHC0_1MC	Mental health - consulted psychologist	MH	2051
MHC0_1MD	Mental health - consulted nurse	MH	2051
MHC0_1ME	Mental health - consulted social worker or counselor	MH	2052
MHC0_1MF	Mental health - consulted other professional	MH	2052
MHC0_2	Felt depressed for 2 weeks or more in past year	MH	2053
MHC0_20	Loss of interest - weight change or not	MH	2063
MHC0_21K	Loss of interest - weight change (kg.)	MH	2063
MHC0_21L	Loss of interest - weight change (lb.)	MH	2064
MHC0_22	Loss of interest - trouble falling asleep	MH	2064
MHC0_23	Loss of interest - frequency of trouble falling asleep	MH	2065
MHC0_24	Loss of interest - trouble concentrating	MH	2065
MHC0_25	Loss of interest - felt down on self	MH	2066
MHC0_26	Loss of interest - thought a lot about death	MH	2066
MHC0_27	Loss of interest - number of weeks in past 12 months	MH	2067
MHC0_28	Loss of interest - month of occurrence	MH	2067
MHC0_3	Depressed - usual duration	MH	2053
MHC0_4	Depressed - frequency	MH	2054
MHC0_5	Depressed - lost interest in most things	MH	2054
MHC0_6	Depressed - felt tired all of the time	MH	2055
MHC0_7	Depressed - weight change or not	MH	2055
MHC0_8KG	Depressed - weight change (kg.)	MH	2056
MHC0_8LB	Depressed - weight change (lb.)	MH	2056
MHC0_9	Depressed - trouble falling asleep	MH	2057
MHC0DCH	Chronicity of Distress Scale - (D)	MH	2068
MHC0DDS	Distress Scale - (D)	MH	2068
MHC0DMT	Specific month when felt depressed - (D)	MH	2070
MHC0DPP	Depression Scale - Predicted Probability - (D)	MH	2069
MHC0DSF	Depression Scale - Short Form Score - (D)	MH	2069
MHC0DWK	Number of weeks felt depressed - (D)	MH	2069
MHC4_10	Depressed - frequency of trouble falling asleep	MH	398
MHC4_11	Depressed - trouble concentrating	MH	399
MHC4_12	Depressed - felt down on self	MH	399
MHC4_13	Depressed - thought a lot about death	MH	400
MHC4_14	Depressed - number of weeks in past 12 months	MH	400
MHC4_15	Depressed - month of occurrence	MH	401
MHC4_16	Lost interest in most things that usually give pleasure	MH	402

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 70

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
MHC4_17	Loss of interest - duration	MH	402
MHC4_18	Loss of interest - frequency	MH	403
MHC4_19	Loss of interest - felt tired all the time	MH	403
MHC4_1A	Frequency - felt sad	MH	388
MHC4_1B	Frequency - felt nervous	MH	388
MHC4_1C	Frequency - felt restless / fidgety	MH	389
MHC4_1D	Frequency - felt hopeless	MH	389
MHC4_1E	Frequency - felt worthless	MH	390
MHC4_1F	Frequency - felt everything was an effort	MH	390
MHC4_1G	Frequency - feelings occurrence	MH	391
MHC4_1H	Frequency - feelings occurrence (more)	MH	391
MHC4_1I	Frequency - feelings occurrence (less)	MH	392
MHC4_1J	Frequency - experiences interfere with life	MH	392
MHC4_1K	Mental health - has consulted with a health professional	MH	393
MHC4_1L	Mental health - no. of times consulted a health professional	MH	393
MHC4_2	Felt depressed for 2 weeks or more in past year	MH	394
MHC4_20	Loss of interest - weight change or not	MH	404
MHC4_21K	Loss of interest - weight change (kg.)	MH	405
MHC4_21L	Loss of interest - weight change (lb.)	MH	404
MHC4_22	Loss of interest - trouble falling asleep	MH	405
MHC4_23	Loss of interest - frequency of trouble falling asleep	MH	406
MHC4_24	Loss of interest - trouble concentrating	MH	406
MHC4_25	Loss of interest - felt down on self	MH	407
MHC4_26	Loss of interest - thought a lot about death	MH	407
MHC4_27	Loss of interest - number of weeks in past 12 months	MH	408
MHC4_28	Loss of interest - month of occurrence	MH	408
MHC4_3	Depressed - usual duration	MH	394
MHC4_4	Depressed - frequency	MH	395
MHC4_5	Depressed - lost interest in most things	MH	395
MHC4_6	Depressed - felt tired all of the time	MH	396
MHC4_7	Depressed - weight change or not	MH	396
MHC4_8KG	Depressed - weight change (kg.)	MH	397
MHC4_8LB	Depressed - weight change (lb.)	MH	397
MHC4_9	Depressed - trouble falling asleep	MH	398
MHC4DCH	Chronicity of Distress Scale - (D)	MH	409
MHC4DDS	Distress Scale - (D)	MH	409

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 71

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
MHC4DMT	Specific month when felt depressed - (D)	MH	411
MHC4DPP	Depression Scale - Predicted Probability - (D)	MH	410
MHC4DSF	Depression Scale - Short Form Score - (D)	MH	410
MHC4DWK	Number of weeks felt depressed - (D)	MH	410
MHC6_10	Depressed - frequency of trouble falling asleep	MH	1064
MHC6_11	Depressed - trouble concentrating	MH	1065
MHC6_12	Depressed - felt down on self	MH	1065
MHC6_13	Depressed - thought a lot about death	MH	1066
MHC6_14	Depressed - number of weeks in past 12 months	MH	1066
MHC6_15	Depressed - month of occurrence	MH	1067
MHC6_16	Lost interest in most things that usually give pleasure	MH	1068
MHC6_17	Loss of interest - duration	MH	1068
MHC6_18	Loss of interest - frequency	MH	1069
MHC6_19	Loss of interest - felt tired all the time	MH	1069
MHC6_1A	Frequency - felt sad	MH	1051
MHC6_1B	Frequency - felt nervous	MH	1051
MHC6_1C	Frequency - felt restless / fidgety	MH	1052
MHC6_1D	Frequency - felt hopeless	MH	1052
MHC6_1E	Frequency - felt worthless	MH	1053
MHC6_1F	Frequency - felt everything was an effort	MH	1053
MHC6_1G	Frequency - feelings occurrence	MH	1054
MHC6_1H	Frequency - feelings occurrence (more)	MH	1054
MHC6_1I	Frequency - feelings occurrence (less)	MH	1055
MHC6_1J	Frequency - experiences interfere with life	MH	1055
MHC6_1K	Mental health - has consulted with a health professional	MH	1056
MHC6_1L	Mental health - no. of times consulted a health professional	MH	1056
MHC6_1MA	Mental health - consulted family doctor	MH	1057
MHC6_1MB	Mental health - consulted psychiatrist	MH	1057
MHC6_1MC	Mental health - consulted psychologist	MH	1058
MHC6_1MD	Mental health - consulted nurse	MH	1058
MHC6_1ME	Mental health - consulted social worker or counselor	MH	1059
MHC6_1MF	Mental health - consulted other professional	MH	1059
MHC6_2	Felt depressed for 2 weeks or more in past year	MH	1060
MHC6_20	Loss of interest - weight change or not	MH	1070
MHC6_21K	Loss of interest - weight change (kg.)	MH	1070
MHC6_21L	Loss of interest - weight change (lb.)	MH	1071

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 72

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
MHC6_22	Loss of interest - trouble falling asleep	MH	1071
MHC6_23	Loss of interest - frequency of trouble falling asleep	MH	1072
MHC6_24	Loss of interest - trouble concentrating	MH	1072
MHC6_25	Loss of interest - felt down on self	MH	1073
MHC6_26	Loss of interest - thought a lot about death	MH	1073
MHC6_27	Loss of interest - number of weeks in past 12 months	MH	1074
MHC6_28	Loss of interest - month of occurrence	MH	1074
MHC6_3	Depressed - usual duration	MH	1060
MHC6_4	Depressed - frequency	MH	1061
MHC6_5	Depressed - lost interest in most things	MH	1061
MHC6_6	Depressed - felt tired all of the time	MH	1062
MHC6_7	Depressed - weight change or not	MH	1062
MHC6_8KG	Depressed - weight change (kg.)	MH	1063
MHC6_8LB	Depressed - weight change (lb.)	MH	1063
MHC6_9	Depressed - trouble falling asleep	MH	1064
MHC6DCH	Chronicity of Distress Scale - (D)	MH	1075
MHC6DDDS	Distress Scale - (D)	MH	1075
MHC6DMT	Specific month when felt depressed - (D)	MH	1077
MHC6DPP	Depression Scale - Predicted Probability - (D)	MH	1076
MHC6DSF	Depression Scale - Short Form Score - (D)	MH	1076
MHC6DWK	Number of weeks felt depressed - (D)	MH	1076
MHC8_10	Depressed - frequency of trouble falling asleep	MH	1652
MHC8_11	Depressed - trouble concentrating	MH	1653
MHC8_12	Depressed - felt down on self	MH	1653
MHC8_13	Depressed - thought a lot about death	MH	1654
MHC8_14	Depressed - number of weeks in past 12 months	MH	1654
MHC8_15	Depressed - month of occurrence	MH	1655
MHC8_16	Lost interest in most things that usually give pleasure	MH	1656
MHC8_17	Loss of interest - duration	MH	1656
MHC8_18	Loss of interest - frequency	MH	1657
MHC8_19	Loss of interest - felt tired all the time	MH	1657
MHC8_1A	Frequency - felt sad	MH	1639
MHC8_1B	Frequency - felt nervous	MH	1639
MHC8_1C	Frequency - felt restless / fidgety	MH	1640
MHC8_1D	Frequency - felt hopeless	MH	1640
MHC8_1E	Frequency - felt worthless	MH	1641

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 73

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
MHC8_1F	Frequency - felt everything was an effort	MH	1641
MHC8_1G	Frequency - feelings occurrence	MH	1642
MHC8_1H	Frequency - feelings occurrence (more)	MH	1642
MHC8_1I	Frequency - feelings occurrence (less)	MH	1643
MHC8_1J	Frequency - experiences interfere with life	MH	1643
MHC8_1K	Mental health - has consulted with a health professional	MH	1644
MHC8_1L	Mental health - no. of times consulted a health professional	MH	1644
MHC8_1MA	Mental health - consulted family doctor	MH	1645
MHC8_1MB	Mental health - consulted psychiatrist	MH	1645
MHC8_1MC	Mental health - consulted psychologist	MH	1646
MHC8_1MD	Mental health - consulted nurse	MH	1646
MHC8_1ME	Mental health - consulted social worker or counselor	MH	1647
MHC8_1MF	Mental health - consulted other professional	MH	1647
MHC8_2	Felt depressed for 2 weeks or more in past year	MH	1648
MHC8_20	Loss of interest - weight change or not	MH	1658
MHC8_21K	Loss of interest - weight change (kg.)	MH	1658
MHC8_21L	Loss of interest - weight change (lb.)	MH	1659
MHC8_22	Loss of interest - trouble falling asleep	MH	1659
MHC8_23	Loss of interest - frequency of trouble falling asleep	MH	1660
MHC8_24	Loss of interest - trouble concentrating	MH	1660
MHC8_25	Loss of interest - felt down on self	MH	1661
MHC8_26	Loss of interest - thought a lot about death	MH	1661
MHC8_27	Loss of interest - number of weeks in past 12 months	MH	1662
MHC8_28	Loss of interest - month of occurrence	MH	1662
MHC8_3	Depressed - usual duration	MH	1648
MHC8_4	Depressed - frequency	MH	1649
MHC8_5	Depressed - lost interest in most things	MH	1649
MHC8_6	Depressed - felt tired all of the time	MH	1650
MHC8_7	Depressed - weight change or not	MH	1650
MHC8_8KG	Depressed - weight change (kg.)	MH	1651
MHC8_8LB	Depressed - weight change (lb.)	MH	1651
MHC8_9	Depressed - trouble falling asleep	MH	1652
MHC8DCH	Chronicity of Distress Scale - (D)	MH	1663
MHC8DDS	Distress Scale - (D)	MH	1663
MHC8DMT	Specific month when felt depressed - (D)	MH	1665
MHC8DPP	Depression Scale - Predicted Probability - (D)	MH	1664

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 74

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
MHC8DSF	Depression Scale - Short Form Score - (D)	MH	1664
MHC8DWK	Number of weeks felt depressed - (D)	MH	1664
MOB	Month of birth	DH	4
MOD	Month of death	DH	11
NU_8_1A	Choose or avoid foods - concerned about body weight	NU	1438
NU_8_1B	Choose or avoid foods - maintain or improve health	NU	1439
NU_8_1C	Choose or avoid foods - concerned about heart disease	NU	1439
NU_8_1D	Choose or avoid foods - concerned about cancer	NU	1440
NU_8_1E	Choose or avoid foods - concerned about osteoporosis	NU	1440
NU_8_1F	Choose or avoid foods - concerned about high blood pressure	NU	1441
NU_8_1G	Choose or avoid foods - concerned about diabetes	NU	1441
NU_8_2A	Reason to choose foods - lower fat content	NU	1442
NU_8_2B	Reason to choose foods - fibre content	NU	1443
NU_8_2C	Reason to choose foods - calcium content	NU	1443
NU_8_2D	Reason to choose foods - iron content	NU	1444
NU_8_2E	Reason to choose foods - other vitamins or minerals	NU	1444
NU_8_3A	Reason to avoid foods - fat content	NU	1445
NU_8_3B	Reason to avoid foods - type of fat	NU	1446
NU_8_3C	Reason to avoid foods - salt content	NU	1446
NU_8_3D	Reason to avoid foods - cholesterol content	NU	1447
NU_8_3E	Reason to avoid foods - sugar content	NU	1447
NU_8_3F	Reason to avoid foods - iron content	NU	1448
NU_8_3G	Reason to avoid foods - calorie content	NU	1448
NU_8_4A	Took supplements - past 4 weeks	NU	1449
NU_8_4B	Took supplements - at least once a week	NU	1450
NU_8_4C	Took supplements - number of days in last week	NU	1450
NU_8_4D	Took supplements - number of days in past 4 weeks	NU	1451
NU_8D1	Number of medical reasons - choosing / avoiding foods - (D)	NU	1442
NU_8D2	Number of content reasons for choosing foods - (D)	NU	1445
NU_8D3	Number of content reasons for avoiding foods - (D)	NU	1449
NU_8DCON	Freq. of consumption of vitamin / mineral supplements - (D)	NU	1451
PAC0_1A	Activity in last 3 months - walking	PA	1850
PAC0_1B	Activity in last 3 months - gardening / yard work	PA	1851
PAC0_1C	Activity in last 3 months - swimming	PA	1851
PAC0_1D	Activity in last 3 months - bicycling	PA	1852
PAC0_1E	Activity in last 3 months - popular or social dance	PA	1852

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 75

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC0_1F	Activity in last 3 months - home exercises	PA	1853
PAC0_1G	Activity in last 3 months - ice hockey	PA	1853
PAC0_1H	Activity in last 3 months - ice skating	PA	1854
PAC0_1I	Activity in last 3 months - downhill skiing	PA	1856
PAC0_1J	Activity in last 3 months - jogging or running	PA	1855
PAC0_1K	Activity in last 3 months - golfing	PA	1855
PAC0_1L	Activity in last 3 months - exercise class or aerobics	PA	1856
PAC0_1N	Activity in last 3 months - bowling	PA	1857
PAC0_1O	Activity in last 3 months - baseball or softball	PA	1857
PAC0_1P	Activity in last 3 months - tennis	PA	1858
PAC0_1Q	Activity in last 3 months - weight-training	PA	1858
PAC0_1R	Activity in last 3 months - fishing	PA	1859
PAC0_1S	Activity in last 3 months - volleyball	PA	1859
PAC0_1T	Activity in last 3 months - basketball	PA	1860
PAC0_1U	Activity in last 3 months - other (#1)	PA	1860
PAC0_1V	Activity in last 3 months - no physical activity	PA	1861
PAC0_1W	Activity in last 3 months - other (#2)	PA	1862
PAC0_1X	Activity in last 3 months - other (#3)	PA	1863
PAC0_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	1854
PAC0_2A	No. of times participated - walking for exercise	PA	1864
PAC0_2B	No. of times participated - gardening or yard work	PA	1865
PAC0_2C	No. of times participated - swimming	PA	1866
PAC0_2D	No. of times participated - bicycling	PA	1867
PAC0_2E	No. of times participated - popular / social dance	PA	1868
PAC0_2F	No. of times participated - home exercises	PA	1869
PAC0_2G	No. of times participated - ice hockey	PA	1870
PAC0_2H	No. of times participated - ice skating	PA	1871
PAC0_2I	No. of times participated - downhill skiing	PA	1876
PAC0_2J	No. of times participated - jogging or running	PA	1873
PAC0_2K	No. of times participated - golfing	PA	1874
PAC0_2L	No. of times participated - exercise class / aerobics	PA	1875
PAC0_2N	No. of times participated - bowling	PA	1877
PAC0_2O	No. of times participated - baseball or softball	PA	1878
PAC0_2P	No. of times participated - tennis	PA	1879
PAC0_2Q	No. of times participated - weight training	PA	1880
PAC0_2R	No. of times participated - fishing	PA	1881

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 76

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC0_2S	No. of times participated - volleyball	PA	1882
PAC0_2T	No. of times participated - basketball	PA	1883
PAC0_2U	No. of times participated - other activity (#1)	PA	1884
PAC0_2W	No. of times participated - other activity (#2)	PA	1885
PAC0_2X	No. of times participated - other activity (#3)	PA	1886
PAC0_2Y	No. of times participated - in-line skating / rolleblading	PA	1872
PAC0_3A	Time spent - walking for exercise	PA	1864
PAC0_3B	Time spent - gardening or yard work	PA	1865
PAC0_3C	Time spent - swimming	PA	1866
PAC0_3D	Time spent - bicycling	PA	1867
PAC0_3E	Time spent - popular / social dance	PA	1868
PAC0_3F	Time spent - home exercises	PA	1869
PAC0_3G	Time spent - ice hockey	PA	1870
PAC0_3H	Time spent - ice skating	PA	1871
PAC0_3I	Time spent - downhill skiing	PA	1876
PAC0_3J	Time spent - jogging or running	PA	1873
PAC0_3K	Time spent - golfing	PA	1874
PAC0_3L	Time spent - exercise class / aerobics	PA	1875
PAC0_3N	Time spent - bowling	PA	1877
PAC0_3O	Time spent - baseball or softball	PA	1878
PAC0_3P	Time spent - tennis	PA	1879
PAC0_3Q	Time spent - weight training	PA	1880
PAC0_3R	Time spent - fishing	PA	1881
PAC0_3S	Time spent - volleyball	PA	1882
PAC0_3T	Time spent - basketball	PA	1883
PAC0_3U	Time spent - other activity (#1)	PA	1884
PAC0_3W	Time spent - other activity (#2)	PA	1885
PAC0_3X	Time spent - other activity (#3)	PA	1886
PAC0_3Y	Time spent - in-line skating or rolleblading	PA	1872
PAC0_4A	Number of hours walking - to work or to school	PA	1887
PAC0_4B	Number of hours biking - to work or to school	PA	1887
PAC0_5	Frequency of bike helmet use	PA	1888
PAC0_6	Level of physical activity for usual day	PA	1888
PAC0DEE	Energy expenditure - (D)	PA	1891
PAC0DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	1890
PAC0DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	1889

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 77

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC0DFR	Frequency of all physical activity - (D)	PA	1890
PAC0DLEI	Participant in leisure physical activity - (D)	PA	1889
PAC0DPAI	Physical activity index - (D)	PA	1891
PAC0FC1	Flag for other physical activity (#1)	PA	1861
PAC0FC2	Flag for other physical activity (#2)	PA	1862
PAC0FC3	Flag for other physical activity (#3)	PA	1863
PAC4_1A	Activity in last 3 months - walking	PA	221
PAC4_1B	Activity in last 3 months - gardening / yard work	PA	221
PAC4_1C	Activity in last 3 months - swimming	PA	222
PAC4_1D	Activity in last 3 months - bicycling	PA	222
PAC4_1E	Activity in last 3 months - popular or social dance	PA	223
PAC4_1F	Activity in last 3 months - home exercises	PA	223
PAC4_1G	Activity in last 3 months - ice hockey	PA	224
PAC4_1H	Activity in last 3 months - skating	PA	224
PAC4_1I	Activity in last 3 months - downhill skiing	PA	225
PAC4_1J	Activity in last 3 months - jogging or running	PA	225
PAC4_1K	Activity in last 3 months - golfing	PA	226
PAC4_1L	Activity in last 3 months - exercise class or aerobics	PA	226
PAC4_1M	Activity in last 3 months - cross-country skiing	PA	227
PAC4_1N	Activity in last 3 months - bowling	PA	227
PAC4_1O	Activity in last 3 months - baseball or softball	PA	228
PAC4_1P	Activity in last 3 months - tennis	PA	228
PAC4_1Q	Activity in last 3 months - weight-training	PA	229
PAC4_1R	Activity in last 3 months - fishing	PA	229
PAC4_1S	Activity in last 3 months - volleyball	PA	230
PAC4_1U	Activity in last 3 months - other (#1)	PA	231
PAC4_1V	Activity in last 3 months - none	PA	231
PAC4_1W	Activity in last 3 months - other (#2)	PA	232
PAC4_1X	Activity in last 3 months - other (#3)	PA	233
PAC4_1Z	Activity in last 3 months - yoga or tai-chi	PA	230
PAC4_2A	No. of times participated - walking for exercise	PA	234
PAC4_2B	No. of times participated - gardening or yard work	PA	235
PAC4_2C	No. of times participated - swimming	PA	236
PAC4_2D	No. of times participated - bicycling	PA	237
PAC4_2E	No. of times participated - popular / social dance	PA	238
PAC4_2F	No. of times participated - home exercises	PA	239

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 78

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC4_2G	No. of times participated - ice hockey	PA	240
PAC4_2H	No. of times participated - skating	PA	241
PAC4_2I	No. of times participated - downhill skiing	PA	242
PAC4_2J	No. of times participated - jogging or running	PA	243
PAC4_2K	No. of times participated - golfing	PA	244
PAC4_2L	No. of times participated - exercise class / aerobics	PA	245
PAC4_2M	No. of times participated - cross-country skiing	PA	246
PAC4_2N	No. of times participated - bowling	PA	247
PAC4_2O	No. of times participated - baseball or softball	PA	248
PAC4_2P	No. of times participated - tennis	PA	249
PAC4_2Q	No. of times participated - weight training	PA	250
PAC4_2R	No. of times participated - fishing	PA	251
PAC4_2S	No. of times participated - volleyball	PA	252
PAC4_2U	No. of times participated - other activity (#1)	PA	254
PAC4_2W	No. of times participated - other activity (#2)	PA	255
PAC4_2X	No. of times participated - other activity (#3)	PA	256
PAC4_2Z	No. of times participated - yoga or tai-chi	PA	253
PAC4_3A	Time spent - walking for exercise	PA	235
PAC4_3B	Time spent - gardening or yard work	PA	236
PAC4_3C	Time spent - swimming	PA	237
PAC4_3D	Time spent - bicycling	PA	238
PAC4_3E	Time spent - popular / social dance	PA	239
PAC4_3F	Time spent - home exercises	PA	240
PAC4_3G	Time spent - ice hockey	PA	241
PAC4_3H	Time spent - skating	PA	242
PAC4_3I	Time spent - downhill skiing	PA	243
PAC4_3J	Time spent - jogging or running	PA	244
PAC4_3K	Time spent - golfing	PA	245
PAC4_3L	Time spent - exercise class / aerobics	PA	246
PAC4_3M	Time spent - cross-country skiing	PA	247
PAC4_3N	Time spent - bowling	PA	248
PAC4_3O	Time spent - baseball or softball	PA	249
PAC4_3P	Time spent - tennis	PA	250
PAC4_3Q	Time spent - weight training	PA	251
PAC4_3R	Time spent - fishing	PA	252
PAC4_3S	Time spent - volleyball	PA	253

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 79

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC4_3U	Time spent - other activity (#1)	PA	255
PAC4_3W	Time spent - other activity (#2)	PA	256
PAC4_3X	Time spent - other activity (#3)	PA	257
PAC4_3Z	Time spent - yoga or tai-chi	PA	254
PAC4_4A	Number of hours walking - to work or to school	PA	257
PAC4_4B	Number of hours biking - to work or to school	PA	258
PAC4_5	Frequency of bike helmet use	PA	258
PAC4_6	Level of physical activity for usual day	PA	259
PAC4DEE	Energy expenditure - (D)	PA	259
PAC4DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	261
PAC4DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	260
PAC4DFR	Frequency of all physical activity - (D)	PA	261
PAC4DLEI	Participant in leisure physical activity - (D)	PA	260
PAC4DPAI	Physical activity index - (D)	PA	262
PAC4FC1	Flag for other physical activity (#1)	PA	232
PAC4FC2	Flag for other physical activity (#2)	PA	233
PAC4FC3	Flag for other physical activity (#3)	PA	234
PAC6_1A	Activity in last 3 months - walking	PA	884
PAC6_1B	Activity in last 3 months - gardening / yard work	PA	884
PAC6_1C	Activity in last 3 months - swimming	PA	885
PAC6_1D	Activity in last 3 months - bicycling	PA	885
PAC6_1E	Activity in last 3 months - popular or social dance	PA	886
PAC6_1F	Activity in last 3 months - home exercises	PA	886
PAC6_1G	Activity in last 3 months - ice hockey	PA	887
PAC6_1H	Activity in last 3 months - ice skating	PA	887
PAC6_1I	Activity in last 3 months - downhill skiing	PA	888
PAC6_1J	Activity in last 3 months - jogging or running	PA	888
PAC6_1K	Activity in last 3 months - golfing	PA	889
PAC6_1L	Activity in last 3 months - exercise class or aerobics	PA	889
PAC6_1M	Activity in last 3 months - cross-country skiing	PA	890
PAC6_1N	Activity in last 3 months - bowling	PA	890
PAC6_1O	Activity in last 3 months - baseball or softball	PA	891
PAC6_1P	Activity in last 3 months - tennis	PA	891
PAC6_1Q	Activity in last 3 months - weight-training	PA	892
PAC6_1R	Activity in last 3 months - fishing	PA	892
PAC6_1S	Activity in last 3 months - volleyball	PA	893

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 80

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC6_1T	Activity in last 3 months - basketball	PA	893
PAC6_1U	Activity in last 3 months - other (#1)	PA	894
PAC6_1V	Activity in last 3 months - none	PA	894
PAC6_1W	Activity in last 3 months - other (#2)	PA	895
PAC6_1X	Activity in last 3 months - other (#3)	PA	896
PAC6_2A	No. of times participated - walking for exercise	PA	897
PAC6_2B	No. of times participated - gardening or yard work	PA	898
PAC6_2C	No. of times participated - swimming	PA	899
PAC6_2D	No. of times participated - bicycling	PA	900
PAC6_2E	No. of times participated - popular / social dance	PA	901
PAC6_2F	No. of times participated - home exercises	PA	902
PAC6_2G	No. of times participated - ice hockey	PA	903
PAC6_2H	No. of times participated - ice skating	PA	904
PAC6_2I	No. of times participated - downhill skiing	PA	905
PAC6_2J	No. of times participated - jogging or running	PA	906
PAC6_2K	No. of times participated - golfing	PA	907
PAC6_2L	No. of times participated - exercise class / aerobics	PA	908
PAC6_2M	No. of times participated - cross-country skiing	PA	909
PAC6_2N	No. of times participated - bowling	PA	910
PAC6_2O	No. of times participated - baseball or softball	PA	911
PAC6_2P	No. of times participated - tennis	PA	912
PAC6_2Q	No. of times participated - weight training	PA	913
PAC6_2R	No. of times participated - fishing	PA	914
PAC6_2S	No. of times participated - volleyball	PA	915
PAC6_2T	No. of times participated - basketball	PA	916
PAC6_2U	No. of times participated - other activity (#1)	PA	917
PAC6_2W	No. of times participated - other activity (#2)	PA	918
PAC6_2X	No. of times participated - other activity (#3)	PA	919
PAC6_3A	Time spent - walking for exercise	PA	897
PAC6_3B	Time spent - gardening or yard work	PA	898
PAC6_3C	Time spent - swimming	PA	899
PAC6_3D	Time spent - bicycling	PA	900
PAC6_3E	Time spent - popular / social dance	PA	901
PAC6_3F	Time spent - home exercises	PA	902
PAC6_3G	Time spent - ice hockey	PA	903
PAC6_3H	Time spent - ice skating	PA	904

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 81

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC6_3I	Time spent - downhill skiing	PA	905
PAC6_3J	Time spent - jogging or running	PA	906
PAC6_3K	Time spent - golfing	PA	907
PAC6_3L	Time spent - exercise class / aerobics	PA	908
PAC6_3M	Time spent - cross-country skiing	PA	909
PAC6_3N	Time spent - bowling	PA	910
PAC6_3O	Time spent - baseball or softball	PA	911
PAC6_3P	Time spent - tennis	PA	912
PAC6_3Q	Time spent - weight training	PA	913
PAC6_3R	Time spent - fishing	PA	914
PAC6_3S	Time spent - volleyball	PA	915
PAC6_3T	Time spent - basketball	PA	916
PAC6_3U	Time spent - other activity (#1)	PA	917
PAC6_3W	Time spent - other activity (#2)	PA	918
PAC6_3X	Time spent - other activity (#3)	PA	919
PAC6_4A	Number of hours walking - to work or to school	PA	920
PAC6_4B	Number of hours biking - to work or to school	PA	921
PAC6_5	Frequency of bike helmet use	PA	921
PAC6_6	Level of physical activity for usual day	PA	922
PAC6DEE	Energy expenditure - (D)	PA	922
PAC6DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	924
PAC6DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	923
PAC6DFR	Frequency of all physical activity - (D)	PA	924
PAC6DLEI	Participant in leisure physical activity - (D)	PA	923
PAC6DPAI	Physical activity index - (D)	PA	925
PAC6FC1	Flag for other physical activity (#1)	PA	895
PAC6FC2	Flag for other physical activity (#2)	PA	895
PAC6FC3	Flag for other physical activity (#3)	PA	896
PAC8_1A	Activity in last 3 months - walking	PA	1485
PAC8_1B	Activity in last 3 months - gardening / yard work	PA	1485
PAC8_1C	Activity in last 3 months - swimming	PA	1486
PAC8_1D	Activity in last 3 months - bicycling	PA	1486
PAC8_1E	Activity in last 3 months - popular or social dance	PA	1487
PAC8_1F	Activity in last 3 months - home exercises	PA	1487
PAC8_1G	Activity in last 3 months - ice hockey	PA	1488
PAC8_1H	Activity in last 3 months - ice skating	PA	1488

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 82

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC8_1I	Activity in last 3 months - downhill skiing	PA	1491
PAC8_1J	Activity in last 3 months - jogging or running	PA	1489
PAC8_1K	Activity in last 3 months - golfing	PA	1490
PAC8_1L	Activity in last 3 months - exercise class or aerobics	PA	1490
PAC8_1N	Activity in last 3 months - bowling	PA	1491
PAC8_1O	Activity in last 3 months - baseball or softball	PA	1492
PAC8_1P	Activity in last 3 months - tennis	PA	1492
PAC8_1Q	Activity in last 3 months - weight-training	PA	1493
PAC8_1R	Activity in last 3 months - fishing	PA	1493
PAC8_1S	Activity in last 3 months - volleyball	PA	1494
PAC8_1T	Activity in last 3 months - basketball	PA	1494
PAC8_1U	Activity in last 3 months - other (#1)	PA	1495
PAC8_1V	Activity in last 3 months - no physical activity	PA	1495
PAC8_1W	Activity in last 3 months - other (#2)	PA	1496
PAC8_1X	Activity in last 3 months - other (#3)	PA	1497
PAC8_1Y	Activity in last 3 months - in-line skating or rollerblading	PA	1489
PAC8_2A	No. of times participated - walking for exercise	PA	1498
PAC8_2B	No. of times participated - gardening or yard work	PA	1499
PAC8_2C	No. of times participated - swimming	PA	1500
PAC8_2D	No. of times participated - bicycling	PA	1501
PAC8_2E	No. of times participated - popular / social dance	PA	1502
PAC8_2F	No. of times participated - home exercises	PA	1503
PAC8_2G	No. of times participated - ice hockey	PA	1504
PAC8_2H	No. of times participated - ice skating	PA	1505
PAC8_2I	No. of times participated - downhill skiing	PA	1510
PAC8_2J	No. of times participated - jogging or running	PA	1507
PAC8_2K	No. of times participated - golfing	PA	1508
PAC8_2L	No. of times participated - exercise class / aerobics	PA	1509
PAC8_2N	No. of times participated - bowling	PA	1511
PAC8_2O	No. of times participated - baseball or softball	PA	1512
PAC8_2P	No. of times participated - tennis	PA	1513
PAC8_2Q	No. of times participated - weight training	PA	1514
PAC8_2R	No. of times participated - fishing	PA	1515
PAC8_2S	No. of times participated - volleyball	PA	1516
PAC8_2T	No. of times participated - basketball	PA	1517
PAC8_2U	No. of times participated - other activity (#1)	PA	1518

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 83

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC8_2W	No. of times participated - other activity (#2)	PA	1519
PAC8_2X	No. of times participated - other activity (#3)	PA	1520
PAC8_2Y	No. of times participated - in-line skating / rolleblading	PA	1506
PAC8_3A	Time spent - walking for exercise	PA	1498
PAC8_3B	Time spent - gardening or yard work	PA	1499
PAC8_3C	Time spent - swimming	PA	1500
PAC8_3D	Time spent - bicycling	PA	1501
PAC8_3E	Time spent - popular / social dance	PA	1502
PAC8_3F	Time spent - home exercises	PA	1503
PAC8_3G	Time spent - ice hockey	PA	1504
PAC8_3H	Time spent - ice skating	PA	1505
PAC8_3I	Time spent - downhill skiing	PA	1510
PAC8_3J	Time spent - jogging or running	PA	1507
PAC8_3K	Time spent - golfing	PA	1508
PAC8_3L	Time spent - exercise class / aerobics	PA	1509
PAC8_3N	Time spent - bowling	PA	1511
PAC8_3O	Time spent - baseball or softball	PA	1512
PAC8_3P	Time spent - tennis	PA	1513
PAC8_3Q	Time spent - weight training	PA	1514
PAC8_3R	Time spent - fishing	PA	1515
PAC8_3S	Time spent - volleyball	PA	1516
PAC8_3T	Time spent - basketball	PA	1517
PAC8_3U	Time spent - other activity (#1)	PA	1518
PAC8_3W	Time spent - other activity (#2)	PA	1519
PAC8_3X	Time spent - other activity (#3)	PA	1520
PAC8_3Y	Time spent - in-line skating or rolleblading	PA	1506
PAC8_4A	Number of hours walking - to work or to school	PA	1521
PAC8_4B	Number of hours biking - to work or to school	PA	1522
PAC8_5	Frequency of bike helmet use	PA	1522
PAC8_6	Level of physical activity for usual day	PA	1523
PAC8DEE	Energy expenditure - (D)	PA	1525
PAC8DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	1525
PAC8DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	1524
PAC8DFR	Frequency of all physical activity - (D)	PA	1524
PAC8DLEI	Participant in leisure physical activity - (D)	PA	1523
PAC8DPAI	Physical activity index - (D)	PA	1526

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 84

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PAC8FC1	Flag for other physical activity (#1)	PA	1496
PAC8FC2	Flag for other physical activity (#2)	PA	1496
PAC8FC3	Flag for other physical activity (#3)	PA	1497
PC_6_40	Physical check-up - without a health problem	PC	776
PC_6_41	Physical check-up - during visit for health problem	PC	777
PC_6_42	Physical check up - last time	PC	777
PC_6_42A	Frequency of physical check-ups	PC	778
PC_6_43A	Gets physical check-up - family history	PC	778
PC_6_43B	Gets physical check-up - testing	PC	779
PC_6_43C	Gets physical check-up - required for job, etc.	PC	779
PC_6_43D	Gets physical check-up - make sure everything OK	PC	780
PC_6_43E	Gets physical check-up - catch problems early	PC	780
PC_6_43F	Gets physical check-up - for prevention	PC	781
PC_6_43G	Gets physical check-up - for health reasons	PC	781
PC_6_43H	Gets physical check-up - other reason	PC	782
PC_6_44	Had problems obtaining physical check-up	PC	782
PC_6_45A	Phys. check-up - not available when required	PC	783
PC_6_45B	Phys. check-up - not available in area	PC	783
PC_6_45C	Phys. check-up - waiting time too long	PC	784
PC_6_45D	Phys. check-up - transportation problems	PC	784
PC_6_45E	Phys. check-up - language problem	PC	785
PC_6_45F	Phys. check-up - cost	PC	785
PC_6_45G	Phys. check-up - did not know where to go	PC	786
PC_6_45H	Phys. check-up - other problem	PC	786
PC_6_46A	No phys. check-up - have not gotten around to it	PC	787
PC_6_46B	No phys. check-up - respondent didn't think necessary	PC	787
PC_6_46C	No phys. check-up - doctor didn't think necessary	PC	788
PC_6_46D	No phys. check-up - personal or family responsibilities	PC	788
PC_6_46E	No phys. check-up - not available when required	PC	789
PC_6_46F	No phys. check-up - not available in area	PC	789
PC_6_46G	No phys. check-up - waiting time too long	PC	790
PC_6_46H	No phys. check-up - transportation problems	PC	790
PC_6_46I	No phys. check-up - language problem	PC	791
PC_6_46J	No phys. check-up - cost	PC	791
PC_6_46K	No phys. check-up - did not know where to go	PC	792
PC_6_46L	No phys. check-up - fear	PC	792

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 85

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PC_6_46M	No phys. check-up - other reason	PC	793
PERSONID	Number identifying the person in the household	AM	1
PRC0_CUR	Province of residence	PR	1683
PRC4_CUR	Province of residence	PR	14
PRC6_CUR	Province of residence	PR	453
PRC8_CUR	Province of residence	PR	1147
PY_0_E1A	Stress (self-esteem) - feel have good qualities	ST	1939
PY_0_E1B	Stress (self-esteem) - worthy person	ST	1940
PY_0_E1C	Stress (self-esteem) - able to do things	ST	1940
PY_0_E1D	Stress (self-esteem) - positive attitude toward self	ST	1941
PY_0_E1E	Stress (self-esteem) - satisfied with self	ST	1941
PY_0_E1F	Stress (self-esteem) - feel is a failure	ST	1942
PY_0_M1A	Stress (mastery) - lack of control over things	ST	1943
PY_0_M1B	Stress (mastery) - cannot solve problems	ST	1943
PY_0_M1C	Stress (mastery) - cannot change things	ST	1944
PY_0_M1D	Stress (mastery) - helpless in dealing with life problems	ST	1944
PY_0_M1E	Stress (mastery) - pushed around in life	ST	1945
PY_0_M1F	Stress (mastery) - fate depends upon self	ST	1945
PY_0_M1G	Stress (mastery) - can do anything	ST	1946
PY_0DE1	Stress (self-esteem) scale - (D)	PY	1942
PY_0DM1	Stress (mastery) scale - (D)	PY	1946
PY_4_E1A	Stress (self-esteem) - feel have good qualities	ST	307
PY_4_E1B	Stress (self-esteem) - worthy person	ST	308
PY_4_E1C	Stress (self-esteem) - able to do things	ST	308
PY_4_E1D	Stress (self-esteem) - positive attitude toward self	ST	309
PY_4_E1E	Stress (self-esteem) - satisfied with self	ST	309
PY_4_E1F	Stress (self-esteem) - feel is a failure	ST	310
PY_4_H1	Stress (coherence) - don't care about surroundings	PY	315
PY_4_H10	Stress (coherence) - can't keep feelings under control	PY	324
PY_4_H11	Stress (coherence) - clear goals and purpose	PY	325
PY_4_H12	Stress (coherence) - keep things in proportion	PY	326
PY_4_H13	Stress (coherence) - bored / satisfied with everyday act.	PY	327
PY_4_H2	Stress (coherence) - surprised by other's behaviour	PY	316
PY_4_H3	Stress (coherence) - disappointed with people counted on	PY	317
PY_4_H4	Stress (coherence) - treated unfairly	PY	318
PY_4_H5	Stress (coherence) - in unfamiliar situations	PY	319

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 86

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
PY_4_H6	Stress (coherence) - mixed-up feelings	PY	320
PY_4_H7	Stress (coherence) - uncomfortable feelings	PY	321
PY_4_H8	Stress (coherence) - losers	PY	322
PY_4_H9	Stress (coherence) - little meaning in life	PY	323
PY_4_M1A	Stress (mastery) - lack of control over things	ST	311
PY_4_M1B	Stress (mastery) - cannot solve problems	ST	311
PY_4_M1C	Stress (mastery) - cannot change things	ST	312
PY_4_M1D	Stress (mastery) - helpless in dealing with life problems	ST	312
PY_4_M1E	Stress (mastery) - pushed around in life	ST	313
PY_4_M1F	Stress (mastery) - fate depends upon self	ST	313
PY_4_M1G	Stress (mastery) - can do anything	ST	314
PY_4DE1	Stress (self-esteem) scale - (D)	PY	310
PY_4DH1	Stress (sense of coherence) scale - (D)	PY	327
PY_4DM1	Stress (mastery) scale - (D)	PY	314
PY_8_H1	Stress (coherence) - don't care about surroundings	PY	1472
PY_8_H10	Stress (coherence) - can't keep feelings under control	PY	1481
PY_8_H11	Stress (coherence) - clear goals and purpose	PY	1482
PY_8_H12	Stress (coherence) - keep things in proportion	PY	1483
PY_8_H13	Stress (coherence) - bored or satisfied with everyday act.	PY	1484
PY_8_H2	Stress (coherence) - surprised by other's behaviour	PY	1473
PY_8_H3	Stress (coherence) - disappointed with people counted on	PY	1474
PY_8_H4	Stress (coherence) - treated unfairly	PY	1475
PY_8_H5	Stress (coherence) - in unfamiliar situations	PY	1476
PY_8_H6	Stress (coherence) - mixed-up feelings	PY	1477
PY_8_H7	Stress (coherence) - uncomfortable feelings	PY	1478
PY_8_H8	Stress (coherence) - losers	PY	1479
PY_8_H9	Stress (coherence) - little meaning in life	PY	1480
PY_8DH1	Stress (sense of coherence) scale - (D)	PY	1484
RAC0_1A	Limited in kind / amount of activities - at home	RA	1749
RAC0_1B	Limited in kind / amount of activities - at school	RA	1749
RAC0_1C	Limited in kind / amount of activities - at work	RA	1750
RAC0_1D	Limited in kind / amount of activities - other	RA	1750
RAC0_2	Has long-term disabilities or handicaps	RA	1751
RAC0_2A	New activity restriction or worsening of old one	RA	1755
RAC0_2B	Disappearance or improvement of activity restriction	RA	1755
RAC0_5	Cause of health problem	RA	1756

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 87

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
RAC0_6A	Needs help for - preparing meals	RA	1756
RAC0_6B	Needs help for - shopping for necessities	RA	1757
RAC0_6C	Needs help for - housework	RA	1757
RAC0_6D	Needs help for - heavy household chores	RA	1758
RAC0_6E	Needs help for - personal care	RA	1758
RAC0_6F	Needs help for - moving about inside the house	RA	1759
RAC0CIC	ICD-9 code - main health problem causing limitations	RA	1752
RAC0F1	Flag for restriction of activity	RA	1751
RAC0F3	Flag for problem causing limitation	RA	1752
RAC0F6	Flag for need for help in series of tasks - (D)	RA	1759
RAC0GC12	Main health problem - 12 groups - (D,G)	RA	1753
RAC0GC25	Main health problem - 25 groups - (D,G)	RA	1754
RAC4_1A	Limited in kind / amount of activities - at home	RA	59
RAC4_1B	Limited in kind / amount of activities - at school	RA	59
RAC4_1C	Limited in kind / amount of activities - at work	RA	60
RAC4_1D	Limited in kind / amount of activities - other	RA	60
RAC4_2	Has long-term disabilities or handicaps	RA	61
RAC4_5	Cause of health problem	RA	65
RAC4_6A	Needs help for - preparing meals	RA	65
RAC4_6B	Needs help for - shopping for necessities	RA	66
RAC4_6C	Needs help for - housework	RA	66
RAC4_6D	Needs help for - heavy household chores	RA	67
RAC4_6E	Needs help for - personal care	RA	67
RAC4_6F	Needs help for - moving about inside the house	RA	68
RAC4_6G	Needs help for - no tasks	RA	68
RAC4CIC	ICD-9 code - main health problem causing limitations	RA	62
RAC4F1	Flag for restriction of activity	RA	61
RAC4F3	Flag for problem causing limitation	RA	62
RAC4GC12	Main health problem - 12 groups - (D,G)	RA	63
RAC4GC25	Main health problem - 25 groups - (D,G)	RA	64
RAC6_1A	Limited in kind / amount of activities - at home	RA	515
RAC6_1B	Limited in kind / amount of activities - at school	RA	516
RAC6_1C	Limited in kind / amount of activities - at work	RA	516
RAC6_1D	Limited in kind / amount of activities - other	RA	517
RAC6_2	Has long-term disabilities or handicaps	RA	517
RAC6_2A	New activity restriction or worsening of old one	RA	518

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 88

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
RAC6_2B	Disappearance or improvement of activity restriction	RA	519
RAC6_5	Cause of health problem	RA	522
RAC6_6A	Needs help for - preparing meals	RA	522
RAC6_6B	Needs help for - shopping for necessities	RA	523
RAC6_6C	Needs help for - housework	RA	523
RAC6_6D	Needs help for - heavy household chores	RA	524
RAC6_6E	Needs help for - personal care	RA	524
RAC6_6F	Needs help for - moving about inside the house	RA	525
RAC6CIC	ICD-9 code - main health problem causing limitations	RA	520
RAC6F1	Flag for restriction of activity	RA	518
RAC6F3	Flag for problem causing limitation	RA	519
RAC6F6	Flag for need for help in series of tasks - (D)	RA	525
RAC6GC12	Main health problem - 12 groups - (D,G)	RA	520
RAC6GC25	Main health problem - 25 groups - (D,G)	RA	521
RAC8_1A	Limited in kind / amount of activities - at home	RA	1203
RAC8_1B	Limited in kind / amount of activities - at school	RA	1203
RAC8_1C	Limited in kind / amount of activities - at work	RA	1204
RAC8_1D	Limited in kind / amount of activities - other	RA	1204
RAC8_2	Has long-term disabilities or handicaps	RA	1205
RAC8_2A	New activity restriction or worsening of old one	RA	1209
RAC8_2B	Disappearance or improvement of activity restriction	RA	1209
RAC8_5	Cause of health problem	RA	1210
RAC8_6A	Needs help for - preparing meals	RA	1210
RAC8_6B	Needs help for - shopping for necessities	RA	1211
RAC8_6C	Needs help for - housework	RA	1211
RAC8_6D	Needs help for - heavy household chores	RA	1212
RAC8_6E	Needs help for - personal care	RA	1212
RAC8_6F	Needs help for - moving about inside the house	RA	1213
RAC8CIC	ICD-9 code - main health problem causing limitations	RA	1206
RAC8F1	Flag for restriction of activity	RA	1205
RAC8F3	Flag for problem causing limitation	RA	1206
RAC8F6	Flag for need for help in series of tasks - (D)	RA	1213
RAC8GC12	Main health problem - 12 groups - (D,G)	RA	1207
RAC8GC25	Main health problem - 25 groups - (D,G)	RA	1208
REALUKEY	Record identifier for the household	AM	1
REPLICAT	Sample indicator	SP	13

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 89

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
RPC0_1	Had repetitive strain injuries	RP	1892
RPC0_3	Body part affected by repetitive strain	RP	1893
RPC0_5A	Repetitive strain activity - sports or physical exercise	RP	1894
RPC0_5B	Repetitive strain activity - leisure or hobby	RP	1894
RPC0_5C	Repetitive strain activity - working at a job or business	RP	1895
RPC0_5D	Repetitive strain activity - hhld chores, other work / educ.	RP	1895
RPC0_5E	Repetitive strain activity - sleeping, eating, personal care	RP	1896
RPC0_5F	Repetitive strain activity - other	RP	1896
RPC6_1	Had repetitive strain injuries	RP	930
RPC6_2	Number of repetitive strain injuries	RP	931
RPC6_3	Body part affected by repetitive strain	RP	931
RPC6_4A	Cause of repetitive strain - activity at home	RP	932
RPC6_4B	Cause of repetitive strain - activity at work or school	RP	932
RPC6_4C	Cause of repetitive strain - leisure activities	RP	933
RPC6_4D	Cause of repetitive strain - other activity	RP	933
RPC8_1	Had repetitive strain injuries	RP	1526
RPC8_2	Number of repetitive strain injuries	RP	1527
RPC8_3	Body part affected by repetitive strain	RP	1527
RPC8_4A	Cause of repetitive strain - activity at home	RP	1528
RPC8_4B	Cause of repetitive strain - activity at work or school	RP	1528
RPC8_4C	Cause of repetitive strain - leisure activities	RP	1529
RPC8_4D	Cause of repetitive strain - other activity	RP	1529
RSS6_1	Been passenger / driver who had too much to drink	RS	1128
RSS6_10	Frequency - designated driver	RS	1136
RSS6_2	Driver intoxicated - tried to prevent from driving	RS	1129
RSS6_3A	Driver intoxicated - drove person home yourself	RS	1129
RSS6_3B	Driver intoxicated - asked someone else to drive	RS	1130
RSS6_3C	Driver intoxicated - asked person to take a taxi	RS	1130
RSS6_3D	Driver intoxicated - hid car keys	RS	1131
RSS6_3E	Driver intoxicated - served coffee to person	RS	1131
RSS6_3F	Driver intoxicated - kept the person at home	RS	1132
RSS6_3G	Driver intoxicated - other	RS	1132
RSS6_4	Has valid driver's license for a motor vehicle	RS	1133
RSS6_5	Frequency - insist that passengers wear seatbelt	RS	1133
RSS6_6	Frequency - obey speed limits	RS	1134
RSS6_7	Number of times drank too much and drove	RS	1134

NPBS Cycle 4 (2000-2001): Alphabetic Index

Page 90

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
RSS6_8	Go out with friends / family to consume alcohol	RS	1135
RSS6_9	Has a designated driver	RS	1135
RTP4_1	Rationality - try to be reasonable and logical	RT	424
RTP4_10	Rationality - when you don't like person	RT	428
RTP4_11	Rationality - prevents verb. attacking or criticize others	RT	429
RTP4_12A	Overcome fear of dentist - quiz dentist	RT	429
RTP4_12B	Overcome fear of dentist - take a tranquilizer or drink	RT	430
RTP4_12C	Overcome fear of dentist - try to think about other things	RT	430
RTP4_12D	Overcome fear of dentist - be told when will feel pain	RT	431
RTP4_12E	Overcome fear of dentist - try to sleep	RT	431
RTP4_12F	Overcome fear of dentist - watch dentist's movements	RT	432
RTP4_12G	Overcome fear of dentist - watch for blood	RT	432
RTP4_12H	Overcome fear of dentist - do mental puzzles	RT	433
RTP4_12I	Overcome fear of dentist - do other activity	RT	433
RTP4_13A	Layoffs rumoured - find out evaluation by supervisor	RT	434
RTP4_13B	Layoffs rumoured - review accomplishments	RT	434
RTP4_13C	Layoffs rumoured - watch TV	RT	435
RTP4_13D	Layoffs rumoured - remember disagreements with supervisor	RT	435
RTP4_13E	Layoffs rumoured - try not to think about it	RT	436
RTP4_13F	Layoffs rumoured - try not to discuss it	RT	436
RTP4_13G	Layoffs rumoured - try to rank other employees	RT	437
RTP4_13H	Layoffs rumoured - continue working	RT	437
RTP4_13I	Layoffs rumoured - do other activity	RT	438
RTP4_2	Rationality - try to understand people	RT	424
RTP4_3	Rationality - try to act rationally	RT	425
RTP4_4	Rationality - try to resolve conflicts without emotion	RT	425
RTP4_5	Rationality - try to treat people rationally despite hurt	RT	426
RTP4_6	Rationality - rely on logic	RT	426
RTP4_7	Rationality - when someone acts against your wishes	RT	427
RTP4_8	Rationality - rarely influenced by emotions	RT	427
RTP4_9	Rationality - very influenced by emotions	RT	428
SC_8_1	Had sore throat, cold or a flu	SC	1390
SC_8_10	Cold - used home remedies	SC	1394
SC_8_11	Cold - cut down on activities and got more rest	SC	1395
SC_8_12	Prefer doctors who let me decide what to do	SC	1395
SC_8_13	Patients should never challenge the authority of the doctor	SC	1396

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 91

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SC_8_14	Prefer that the doctor assume all of the responsibility	SC	1396
SC_8_15	Better to take care of own health than go to a doctor	SC	1397
SC_8_16	Better to go to a doctor than to try to treat yourself	SC	1397
SC_8_2	Sore throat, cold or a flu - solution (#1)	SC	1390
SC_8_3	Sore throat, cold or a flu - other (#1)	SC	1391
SC_8_4	Sore throat, cold or a flu - solution (#2)	SC	1391
SC_8_5	Sore throat, cold or a flu - other (#2)	SC	1392
SC_8_6	Sore throat, cold or a flu - solution (#3)	SC	1392
SC_8_7	Cold - took over-the-counter medication	SC	1393
SC_8_8	Cold - used herbal / vitamin supplements	SC	1393
SC_8_9	Cold - old prescription / someone else's	SC	1394
SC_8DFCT	Attitude toward self-care	SC	1398
SDC0_4A	Ethnic origin - Canadian	SD	2083
SDC0_4B	Ethnic origin - French	SD	2084
SDC0_4C	Ethnic origin - English	SD	2084
SDC0_4D	Ethnic origin - German	SD	2085
SDC0_4E	Ethnic origin - Scottish	SD	2085
SDC0_4F	Ethnic origin - Irish	SD	2086
SDC0_4G	Ethnic origin - Italian	SD	2086
SDC0_4H	Ethnic origin - Ukrainian	SD	2087
SDC0_4I	Ethnic origin - Dutch (Netherlands)	SD	2087
SDC0_4J	Ethnic origin - Chinese	SD	2088
SDC0_4K	Ethnic origin - Jewish	SD	2088
SDC0_4L	Ethnic origin - Polish	SD	2089
SDC0_4M	Ethnic origin - Portuguese	SD	2089
SDC0_4N	Ethnic origin - South Asian	SD	2090
SDC0_4O	Ethnic origin - Black	SD	2090
SDC0_4P	Ethnic origin - North American Indian	SD	2091
SDC0_4Q	Ethnic origin - Métis	SD	2091
SDC0_4R	Ethnic origin - Inuit / Eskimo	SD	2092
SDC0_4S	Ethnic origin - other	SD	2092
SDC0_5A	Can converse - English	SD	2093
SDC0_5B	Can converse - French	SD	2093
SDC0_5C	Can converse - Arabic	SD	2094
SDC0_5D	Can converse - Chinese	SD	2094
SDC0_5E	Can converse - Cree	SD	2095

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 92

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SDC0_5F	Can converse - German	SD	2095
SDC0_5G	Can converse - Greek	SD	2096
SDC0_5H	Can converse - Hungarian	SD	2096
SDC0_5I	Can converse - Italian	SD	2097
SDC0_5J	Can converse - Korean	SD	2097
SDC0_5K	Can converse - Persian	SD	2098
SDC0_5L	Can converse - Polish	SD	2098
SDC0_5M	Can converse - Portuguese	SD	2099
SDC0_5N	Can converse - Punjabi	SD	2099
SDC0_5O	Can converse - Spanish	SD	2100
SDC0_5P	Can converse - Tagalog	SD	2100
SDC0_5Q	Can converse - Ukrainian	SD	2101
SDC0_5R	Can converse - Vietnamese	SD	2101
SDC0_5S	Can converse - other language	SD	2102
SDC0_6A	First language learned and still understood - English	SD	2103
SDC0_6B	First language learned and still understood - French	SD	2103
SDC0_6C	First language learned and still understood - Arabic	SD	2104
SDC0_6D	First language learned and still understood - Chinese	SD	2104
SDC0_6E	First language learned and still understood - Cree	SD	2105
SDC0_6F	First language learned and still understood - German	SD	2105
SDC0_6G	First language learned and still understood - Greek	SD	2106
SDC0_6H	First language learned and still understood - Hungarian	SD	2106
SDC0_6I	First language learned and still understood - Italian	SD	2107
SDC0_6J	First language learned and still understood - Korean	SD	2107
SDC0_6K	First language learned and still understood - Persian	SD	2108
SDC0_6L	First language learned and still understood - Polish	SD	2108
SDC0_6M	First language learned and still understood - Portuguese	SD	2109
SDC0_6N	First language learned and still understood - Punjabi	SD	2109
SDC0_6O	First language learned and still understood - Spanish	SD	2110
SDC0_6P	First language learned and still understood - Tagalog	SD	2110
SDC0_6Q	First language learned and still understood - Ukrainian	SD	2111
SDC0_6R	First language learned and still understood - Vietnamese	SD	2111
SDC0_6S	First language learned and still understood - other	SD	2112
SDC0_7A	Race or colour - White	SD	2112
SDC0_7B	Race or colour - Chinese	SD	2113
SDC0_7C	Race or colour - South Asian	SD	2113

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 93

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SDC0_7D	Race or colour - Black	SD	2114
SDC0_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	2114
SDC0_7F	Race or colour - Arab / West Asian	SD	2115
SDC0_7G	Race or colour - Filipino	SD	2115
SDC0_7H	Race or colour - South East Asian	SD	2116
SDC0_7I	Race or colour - Latin American	SD	2116
SDC0_7J	Race or colour - Japanese	SD	2117
SDC0_7K	Race or colour - Korean	SD	2117
SDC0_7L	Race or colour - other	SD	2118
SDC0DLNG	Language in which respondent can converse - (D)	SD	2102
SDC0DRAC	Race or colour - (D)	SD	2119
SDC0DRES	Length of time in Canada since immigration - (D)	SD	2083
SDC4_4A	Ethnic origin - Canadian	SD	84
SDC4_4B	Ethnic origin - French	SD	85
SDC4_4C	Ethnic origin - English	SD	85
SDC4_4D	Ethnic origin - German	SD	86
SDC4_4E	Ethnic origin - Scottish	SD	86
SDC4_4F	Ethnic origin - Irish	SD	87
SDC4_4G	Ethnic origin - Italian	SD	87
SDC4_4H	Ethnic origin - Ukrainian	SD	88
SDC4_4I	Ethnic origin - Dutch (Netherlands)	SD	88
SDC4_4J	Ethnic origin - Chinese	SD	89
SDC4_4K	Ethnic origin - Jewish	SD	89
SDC4_4L	Ethnic origin - Polish	SD	90
SDC4_4M	Ethnic origin - Portuguese	SD	90
SDC4_4N	Ethnic origin - South Asian	SD	91
SDC4_4O	Ethnic origin - Black	SD	91
SDC4_4P	Ethnic origin - North American Indian	SD	92
SDC4_4Q	Ethnic origin - Métis	SD	92
SDC4_4R	Ethnic origin - Inuit / Eskimo	SD	93
SDC4_4S	Ethnic origin - other	SD	93
SDC4_5A	Can converse - English	SD	94
SDC4_5B	Can converse - French	SD	94
SDC4_5C	Can converse - Arabic	SD	95
SDC4_5D	Can converse - Chinese	SD	95
SDC4_5E	Can converse - Cree	SD	96

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 94

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SDC4_5F	Can converse - German	SD	96
SDC4_5G	Can converse - Greek	SD	97
SDC4_5H	Can converse - Hungarian	SD	97
SDC4_5I	Can converse - Italian	SD	98
SDC4_5J	Can converse - Korean	SD	98
SDC4_5K	Can converse - Persian	SD	99
SDC4_5L	Can converse - Polish	SD	99
SDC4_5M	Can converse - Portuguese	SD	100
SDC4_5N	Can converse - Punjabi	SD	100
SDC4_5O	Can converse - Spanish	SD	101
SDC4_5P	Can converse - Tagalog	SD	101
SDC4_5Q	Can converse - Ukrainian	SD	102
SDC4_5R	Can converse - Vietnamese	SD	102
SDC4_5S	Can converse - other language	SD	103
SDC4_6A	First language learned and still understood - English	SD	104
SDC4_6B	First language learned and still understood - French	SD	104
SDC4_6C	First language learned and still understood - Arabic	SD	105
SDC4_6D	First language learned and still understood - Chinese	SD	105
SDC4_6E	First language learned and still understood - Cree	SD	106
SDC4_6F	First language learned and still understood - German	SD	106
SDC4_6G	First language learned and still understood - Greek	SD	107
SDC4_6H	First language learned and still understood - Hungarian	SD	107
SDC4_6I	First language learned and still understood - Italian	SD	108
SDC4_6J	First language learned and still understood - Korean	SD	108
SDC4_6K	First language learned and still understood - Persian	SD	109
SDC4_6L	First language learned and still understood - Polish	SD	109
SDC4_6M	First language learned and still understood - Portuguese	SD	110
SDC4_6N	First language learned and still understood - Punjabi	SD	110
SDC4_6O	First language learned and still understood - Spanish	SD	111
SDC4_6P	First language learned and still understood - Tagalog	SD	111
SDC4_6Q	First language learned and still understood - Ukrainian	SD	112
SDC4_6R	First language learned and still understood - Vietnamese	SD	112
SDC4_6S	First language learned and still understood - other	SD	113
SDC4_7A	Race or colour - White	SD	113
SDC4_7B	Race or colour - Chinese	SD	114
SDC4_7C	Race or colour - South Asian	SD	114

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 95

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SDC4_7D	Race or colour - Black	SD	115
SDC4_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	115
SDC4_7F	Race or colour - Arab / West Asian	SD	116
SDC4_7G	Race or colour - Filipino	SD	116
SDC4_7H	Race or colour - South East Asian	SD	117
SDC4_7J	Race or colour - Japanese	SD	117
SDC4_7K	Race or colour - Korean	SD	118
SDC4_7L	Race or colour - other	SD	118
SDC4DLNG	Language in which respondent can converse - (D)	SD	103
SDC4DRAC	Race or colour - (D)	SD	119
SDC4DRES	Length of time in Canada since immigration - (D)	SD	84
SDC6_4A	Ethnic origin - Canadian	SD	576
SDC6_4B	Ethnic origin - French	SD	576
SDC6_4C	Ethnic origin - English	SD	577
SDC6_4D	Ethnic origin - German	SD	577
SDC6_4E	Ethnic origin - Scottish	SD	578
SDC6_4F	Ethnic origin - Irish	SD	578
SDC6_4G	Ethnic origin - Italian	SD	579
SDC6_4H	Ethnic origin - Ukrainian	SD	579
SDC6_4I	Ethnic origin - Dutch (Netherlands)	SD	580
SDC6_4J	Ethnic origin - Chinese	SD	580
SDC6_4K	Ethnic origin - Jewish	SD	581
SDC6_4L	Ethnic origin - Polish	SD	581
SDC6_4M	Ethnic origin - Portuguese	SD	582
SDC6_4N	Ethnic origin - South Asian	SD	582
SDC6_4O	Ethnic origin - Black	SD	583
SDC6_4P	Ethnic origin - North American Indian	SD	583
SDC6_4Q	Ethnic origin - Métis	SD	584
SDC6_4R	Ethnic origin - Inuit / Eskimo	SD	584
SDC6_4S	Ethnic origin - other	SD	585
SDC6_5A	Can converse - English	SD	585
SDC6_5B	Can converse - French	SD	586
SDC6_5C	Can converse - Arabic	SD	586
SDC6_5D	Can converse - Chinese	SD	587
SDC6_5E	Can converse - Cree	SD	587
SDC6_5F	Can converse - German	SD	588

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 96

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SDC6_5G	Can converse - Greek	SD	588
SDC6_5H	Can converse - Hungarian	SD	589
SDC6_5I	Can converse - Italian	SD	589
SDC6_5J	Can converse - Korean	SD	590
SDC6_5K	Can converse - Persian	SD	590
SDC6_5L	Can converse - Polish	SD	591
SDC6_5M	Can converse - Portuguese	SD	591
SDC6_5N	Can converse - Punjabi	SD	592
SDC6_5O	Can converse - Spanish	SD	592
SDC6_5P	Can converse - Tagalog	SD	593
SDC6_5Q	Can converse - Ukrainian	SD	593
SDC6_5R	Can converse - Vietnamese	SD	594
SDC6_5S	Can converse - other language	SD	594
SDC6_6A	First language learned and still understood - English	SD	595
SDC6_6B	First language learned and still understood - French	SD	596
SDC6_6C	First language learned and still understood - Arabic	SD	596
SDC6_6D	First language learned and still understood - Chinese	SD	597
SDC6_6E	First language learned and still understood - Cree	SD	597
SDC6_6F	First language learned and still understood - German	SD	598
SDC6_6G	First language learned and still understood - Greek	SD	598
SDC6_6H	First language learned and still understood - Hungarian	SD	599
SDC6_6I	First language learned and still understood - Italian	SD	599
SDC6_6J	First language learned and still understood - Korean	SD	600
SDC6_6K	First language learned and still understood - Persian	SD	600
SDC6_6L	First language learned and still understood - Polish	SD	601
SDC6_6M	First language learned and still understood - Portuguese	SD	601
SDC6_6N	First language learned and still understood - Punjabi	SD	602
SDC6_6O	First language learned and still understood - Spanish	SD	602
SDC6_6P	First language learned and still understood - Tagalog	SD	603
SDC6_6Q	First language learned and still understood - Ukrainian	SD	603
SDC6_6R	First language learned and still understood - Vietnamese	SD	604
SDC6_6S	First language learned and still understood - other	SD	604
SDC6_7A	Race or colour - White	SD	605
SDC6_7B	Race or colour - Chinese	SD	605
SDC6_7C	Race or colour - South Asian	SD	606
SDC6_7D	Race or colour - Black	SD	606

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 97

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	607
SDC6_7F	Race or colour - Arab / West Asian	SD	607
SDC6_7G	Race or colour - Filipino	SD	608
SDC6_7H	Race or colour - South East Asian	SD	608
SDC6_7I	Race or colour - Latin American	SD	609
SDC6_7J	Race or colour - Japanese	SD	609
SDC6_7K	Race or colour - Korean	SD	610
SDC6_7L	Race or colour - other	SD	610
SDC6DLNG	Language in which respondent can converse - (D)	SD	595
SDC6DRAC	Race or colour - (D)	SD	611
SDC6DRES	Length of time in Canada since immigration - (D)	SD	575
SDC8_4A	Ethnic origin - Canadian	SD	1267
SDC8_4B	Ethnic origin - French	SD	1267
SDC8_4C	Ethnic origin - English	SD	1268
SDC8_4D	Ethnic origin - German	SD	1268
SDC8_4E	Ethnic origin - Scottish	SD	1269
SDC8_4F	Ethnic origin - Irish	SD	1269
SDC8_4G	Ethnic origin - Italian	SD	1270
SDC8_4H	Ethnic origin - Ukrainian	SD	1270
SDC8_4I	Ethnic origin - Dutch (Netherlands)	SD	1271
SDC8_4J	Ethnic origin - Chinese	SD	1271
SDC8_4K	Ethnic origin - Jewish	SD	1272
SDC8_4L	Ethnic origin - Polish	SD	1272
SDC8_4M	Ethnic origin - Portuguese	SD	1273
SDC8_4N	Ethnic origin - South Asian	SD	1273
SDC8_4O	Ethnic origin - Black	SD	1274
SDC8_4P	Ethnic origin - North American Indian	SD	1274
SDC8_4Q	Ethnic origin - Métis	SD	1275
SDC8_4R	Ethnic origin - Inuit / Eskimo	SD	1275
SDC8_4S	Ethnic origin - other	SD	1276
SDC8_5A	Can converse - English	SD	1276
SDC8_5B	Can converse - French	SD	1277
SDC8_5C	Can converse - Arabic	SD	1277
SDC8_5D	Can converse - Chinese	SD	1278
SDC8_5E	Can converse - Cree	SD	1278
SDC8_5F	Can converse - German	SD	1279

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 98

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SDC8_5G	Can converse - Greek	SD	1279
SDC8_5H	Can converse - Hungarian	SD	1280
SDC8_5I	Can converse - Italian	SD	1280
SDC8_5J	Can converse - Korean	SD	1281
SDC8_5K	Can converse - Persian	SD	1281
SDC8_5L	Can converse - Polish	SD	1282
SDC8_5M	Can converse - Portuguese	SD	1282
SDC8_5N	Can converse - Punjabi	SD	1283
SDC8_5O	Can converse - Spanish	SD	1283
SDC8_5P	Can converse - Tagalog	SD	1284
SDC8_5Q	Can converse - Ukrainian	SD	1284
SDC8_5R	Can converse - Vietnamese	SD	1285
SDC8_5S	Can converse - other language	SD	1285
SDC8_6A	First language learned and still understood - English	SD	1286
SDC8_6B	First language learned and still understood - French	SD	1287
SDC8_6C	First language learned and still understood - Arabic	SD	1287
SDC8_6D	First language learned and still understood - Chinese	SD	1288
SDC8_6E	First language learned and still understood - Cree	SD	1288
SDC8_6F	First language learned and still understood - German	SD	1289
SDC8_6G	First language learned and still understood - Greek	SD	1289
SDC8_6H	First language learned and still understood - Hungarian	SD	1290
SDC8_6I	First language learned and still understood - Italian	SD	1290
SDC8_6J	First language learned and still understood - Korean	SD	1291
SDC8_6K	First language learned and still understood - Persian	SD	1291
SDC8_6L	First language learned and still understood - Polish	SD	1292
SDC8_6M	First language learned and still understood - Portuguese	SD	1292
SDC8_6N	First language learned and still understood - Punjabi	SD	1293
SDC8_6O	First language learned and still understood - Spanish	SD	1293
SDC8_6P	First language learned and still understood - Tagalog	SD	1294
SDC8_6Q	First language learned and still understood - Ukrainian	SD	1294
SDC8_6R	First language learned and still understood - Vietnamese	SD	1295
SDC8_6S	First language learned and still understood - other	SD	1295
SDC8_7A	Race or colour - White	SD	1296
SDC8_7B	Race or colour - Chinese	SD	1296
SDC8_7C	Race or colour - South Asian	SD	1297
SDC8_7D	Race or colour - Black	SD	1297

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 99

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SDC8_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	1298
SDC8_7F	Race or colour - Arab / West Asian	SD	1298
SDC8_7G	Race or colour - Filipino	SD	1299
SDC8_7H	Race or colour - South East Asian	SD	1299
SDC8_7I	Race or colour - Latin American	SD	1300
SDC8_7J	Race or colour - Japanese	SD	1300
SDC8_7K	Race or colour - Korean	SD	1301
SDC8_7L	Race or colour - other	SD	1301
SDC8DLNG	Language in which respondent can converse - (D)	SD	1286
SDC8DRAC	Race or colour - (D)	SD	1302
SDC8DRES	Length of time in Canada since immigration - (D)	SD	1266
SEX	Sex	DH	5
SHARE	Agree to share information	AM	3
SHP6_1	Effective in preventing STD - using condom	SH	1114
SHP6_10	Chance of getting an STD	SH	1123
SHP6_11	To prevent STD - changed sexual behaviour	SH	1124
SHP6_12	To prevent STD - sex with only 1 partner	SH	1124
SHP6_13	To prevent STD - using condoms	SH	1125
SHP6_14	To prevent STD - using jellies / foams	SH	1125
SHP6_15	To prevent STD - more careful selecting partner	SH	1126
SHP6_16	To prevent STD - started being tested	SH	1126
SHP6_17	To prevent STD - insisting that partner be tested	SH	1127
SHP6_18	To prevent STD - abstaining	SH	1127
SHP6_19	To prevent STD - other measures	SH	1128
SHP6_2	Effective in preventing STD - birth control pill	SH	1114
SHP6_3	Effective in preventing STD - diaphragm / sponge	SH	1115
SHP6_4	Effective in preventing STD - jelly / foam	SH	1115
SHP6_5	Effective in preventing STD - ask if partner has STD	SH	1116
SHP6_6	Effective in preventing STD - regular partner	SH	1116
SHP6_7	Effective in preventing STD - ask partner to be tested	SH	1117
SHP6_8	STD prevention - has sources of information	SH	1117
SHP6_9A	STD main source of info. - parents	SH	1118
SHP6_9B	STD main source of info. - medical professionals	SH	1118
SHP6_9C	STD main source of info. - friends	SH	1119
SHP6_9D	STD main source of info. - school	SH	1119
SHP6_9E	STD main source of info. - church	SH	1120

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 100

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SHP6_9F	STD main source of info. - youth club	SH	1120
SHP6_9G	STD main source of info. - TV / radio	SH	1121
SHP6_9H	STD main source of info. - magazines / papers	SH	1121
SHP6_9I	STD main source of info. - pamphlets	SH	1122
SHP6_9J	STD main source of info. - books	SH	1122
SHP6_9K	STD main source of info. - other	SH	1123
SHS6_1	Ever had sexual intercourse	SH	1105
SHS6_10	Had / has - syphilis	SH	1110
SHS6_11	Had / has - genital warts	SH	1110
SHS6_12	Had / has - genital herpes	SH	1111
SHS6_13	Had / has - hepatitis B	SH	1111
SHS6_14	Has HIV / AIDS	SH	1112
SHS6_15	Had / has - pelvic inflammatory disease	SH	1112
SHS6_16	Had / has - other STD	SH	1113
SHS6_2	Age at first sexual intercourse	SH	1105
SHS6_3	Had sexual intercourse in past 12 months	SH	1106
SHS6_4	Number of partners (sexual intercourse)	SH	1106
SHS6_5	Relationship lasted 12 months or longer	SH	1107
SHS6_6	Relationships lasted less than 12 months	SH	1107
SHS6_7	Condom use in relationship(s) lasting less than 12 months	SH	1108
SHS6_7A	Used a condom the last time	SH	1108
SHS6_8	Had / has - chlamydia	SH	1109
SHS6_9	Had / has - gonorrhea	SH	1109
SHS6D1	Had at least 1 STD - (D)	SH	1113
SMC0_1	Household member smokes inside house	SM	2015
SMC0_10	Reason for starting smoking	SM	2023
SMC0_11	Reason for smoking less	SM	2024
SMC0_12	Reason for smoking more	SM	2025
SMC0_2	Type of smoker	SM	2015
SMC0_2_1	When first cigarette smoked after waking up	SM	2025
SMC0_2_2	Tried quitting smoking	SM	2026
SMC0_2_3	Number of times tried to quit smoking	SM	2026
SMC0_2_4	Considering quitting smoking in the next 30 days	SM	2027
SMC0_2_5	Considering quitting smoking in the next 6 months	SM	2027
SMC0_2_6	Smoking restrictions in work place	SM	2028
SMC0_3	Age started smoking daily - daily smoker	SM	2016

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 101

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SMC0_4	Number of cigarettes smoked each day - daily smoker	SM	2016
SMC0_4A	Ever smoked cigarettes	SM	2017
SMC0_4B	Ever smoked cigarettes (probe)	SM	2017
SMC0_5	Ever smoked daily	SM	2019
SMC0_5A	Smoked 100 or more cigarettes - former smoker	SM	2018
SMC0_5B	No. of cigarettes smoked - occasional smoker	SM	2018
SMC0_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	2019
SMC0_6	Age started smoking daily - former daily smoker	SM	2020
SMC0_7	No. of cigarettes smoked daily - former daily smoker	SM	2020
SMC0_8	Age stopped smoking daily - former daily smoker	SM	2021
SMC0_9	Reason for quitting smoking	SM	2022
SMC0DTYP	Type of smoker - (D)	SM	2021
SMC0DYRS	Number of years that respondent smoked - (D)	SM	2022
SMC4_1	Household member smokes inside house	SM	200
SMC4_2	Type of smoker	SM	200
SMC4_3	Age started smoking daily - daily smoker	SM	201
SMC4_4	Number of cigarettes smoked each day - daily smoker	SM	201
SMC4_4A	Ever smoked cigarettes	SM	202
SMC4_5	Ever smoked daily	SM	202
SMC4_6	Age started smoking daily - former daily smoker	SM	203
SMC4_7	No. of cigarettes smoked daily - former daily smoker	SM	203
SMC4_8	Age stopped smoking daily - former daily smoker	SM	204
SMC4DTYP	Type of smoker - (D)	SM	204
SMC4DYRS	Number of years that respondent smoked - (D)	SM	205
SMC6_1	Household member smokes inside house	SM	1002
SMC6_10	Reason for starting smoking	SM	1007
SMC6_11	Reason for smoking less	SM	1008
SMC6_12	Reason for smoking more	SM	1009
SMC6_2	Type of smoker	SM	1002
SMC6_3	Age started smoking daily - daily smoker	SM	1003
SMC6_4	Number of cigarettes smoked each day - daily smoker	SM	1003
SMC6_4A	Ever smoked cigarettes	SM	1004
SMC6_5	Ever smoked daily	SM	1004
SMC6_6	Age started smoking daily - former daily smoker	SM	1005
SMC6_7	No. of cigarettes smoked daily - former daily smoker	SM	1005
SMC6_8	Age stopped smoking daily - former daily smoker	SM	1006

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 102

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SMC6_9	Reason for quitting smoking	SM	1006
SMC6DTYP	Type of smoker - (D)	SM	1010
SMC6DYRS	Number of years that respondent smoked - (D)	SM	1010
SMC8_1	Household member smokes inside house	SM	1607
SMC8_10	Reason for starting smoking	SM	1616
SMC8_11	Reason for smoking less	SM	1617
SMC8_12	Reason for smoking more	SM	1618
SMC8_2	Type of smoker	SM	1608
SMC8_2_1	When first cigarette smoked after waking up	SM	1618
SMC8_2_2	Tried quitting smoking	SM	1619
SMC8_2_3	Number of times tried to quit smoking	SM	1619
SMC8_2_4	Considering quitting smoking in the next 30 days	SM	1620
SMC8_2_5	Considering quitting smoking in the next 6 months	SM	1620
SMC8_2_6	Smoking restrictions in work place	SM	1621
SMC8_3	Age started smoking daily - daily smoker	SM	1608
SMC8_4	Number of cigarettes smoked each day - daily smoker	SM	1609
SMC8_4A	Ever smoked cigarettes	SM	1609
SMC8_4B	Ever smoked cigarettes (probe)	SM	1610
SMC8_5	Ever smoked daily	SM	1612
SMC8_5A	Smoked 100 or more cigarettes - former smoker	SM	1610
SMC8_5B	No. of cigarettes smoked - occasional smoker	SM	1611
SMC8_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	1611
SMC8_6	Age started smoking daily - former daily smoker	SM	1612
SMC8_7	No. of cigarettes smoked daily - former daily smoker	SM	1613
SMC8_8	Age stopped smoking daily - former daily smoker	SM	1613
SMC8_9	Reason for quitting smoking	SM	1615
SMC8DTYP	Type of smoker - (D)	SM	1614
SMC8DYRS	Number of years that respondent smoked - (D)	SM	1614
SMS6_12	Smoking restrictions in work place	SM	1014
SMS6_13A	Children more likely to start smoking if their parents smoke	SM	1015
SMS6_13B	People too concerned about second-hand smoke	SM	1015
SMS6_13C	Non-smokers mind when people smoke in their presence	SM	1016
SMS6_13D	Children more likely have ill health from second-hand smoke	SM	1016
SMS6_13E	Should not smoke while pregnant nor others living with	SM	1017
SMS6_13F	Provide non-smokers with a smoke-free environment at work	SM	1017
SMS6_13G	Ask permission to smoke in the presence of others	SM	1018

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 103

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SMS6_13H	Lower cigarette prices lead to increased smoking	SM	1018
SMS6_14	Feels unpleasant effects from second-hand smoke	SM	1019
SMS6_15	Second-hand smoke can cause health problems in non-smoker	SM	1019
SMS6_16A	Second-hand smoke can cause lung cancer in non-smoker	SM	1020
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	SM	1020
SMS6_16C	Second-hand smoke can cause a stroke in non-smoker	SM	1021
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	SM	1021
SMS6_17	Smoking cigarettes can cause health problems in a smoker	SM	1022
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	SM	1022
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	SM	1023
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	SM	1023
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	SM	1024
SMS6_8	When first cigarette smoked after waking up	SM	1013
SMS6_9	Considering quitting smoking in the next 6 months	SM	1014
SP30_CPA	Actual collection period	SP	1687
SP30_STA	Status code after processing	SP	1695
SP30DPC	Postal code - (D)	SP	1686
SP30FOUT	Flag for record sent for field collection	SP	1686
SP34_CPA	Actual collection period	SP	18
SP34_CPS	Sampled collection period	SP	12
SP34_MET	Selection method	SP	13
SP34_STA	Status code after processing	SP	25
SP34DPC	Postal code - (D)	SP	17
SP36_CPA	Actual collection period	SP	461
SP36_STA	Status code after processing	SP	469
SP36DPC	Postal code - (D)	SP	460
SP36FOUT	Flag for record sent for field collection	SP	461
SP38_CPA	Actual collection period	SP	1151
SP38_STA	Status code after processing	SP	1159
SP38DPC	Postal code - (D)	SP	1150
SP38FOUT	Flag for record sent for field collection	SP	1150
SSC0_101	No. of close friends and relatives	SS	2071
SSC0_102	Has someone to give help if confined to bed	SS	2071
SSC0_103	Has someone to count on to listen	SS	2072
SSC0_104	Has someone to give advice about a crisis	SS	2072
SSC0_105	Has someone to go to the doctor with	SS	2073

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 104

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SSC0_106	Has someone who shows love and affection	SS	2073
SSC0_107	Has someone to have a good time with	SS	2074
SSC0_108	Has someone who gives information to understand a situation	SS	2074
SSC0_109	Has someone to confide in	SS	2075
SSC0_110	Has someone who gives hugs	SS	2075
SSC0_111	Has someone to get together with for relaxation	SS	2076
SSC0_112	Has someone to prepare meals	SS	2076
SSC0_113	Has someone to give advice	SS	2077
SSC0_114	Has someone to do things to get mind off things	SS	2077
SSC0_115	Has someone to help with daily chores if sick	SS	2078
SSC0_116	Has someone to share most private worries and fears with	SS	2078
SSC0_117	Has someone to turn to for suggestions for personal problems	SS	2079
SSC0_118	Has someone to do something enjoyable with	SS	2079
SSC0_119	Has someone who understands problems	SS	2080
SSC0_120	Has someone who loves and makes feel wanted	SS	2080
SSC0DAFF	Affection - MOS subscale - (D)	SS	2081
SSC0DEMO	Emotional or informational support - MOS subscale - (D)	SS	2082
SSC0DSOC	Positive social interaction - MOS subscale - (D)	SS	2082
SSC0DTNG	Tangible social support - MOS subscale - (D)	SS	2081
SSC4_1	Member of organization or association	SS	412
SSC4_2	Frequency of participation in organizations	SS	412
SSC4_2A	Frequency of attending religious services	SS	413
SSC4_3	Has someone to confide in	SS	413
SSC4_4	Has someone to count on in crisis situation	SS	414
SSC4_5	Has someone can count on for advice	SS	414
SSC4_6	Has someone to make feel loved and cared for	SS	415
SSC4_7A	Frequency of contact - parents / in-laws	SS	415
SSC4_7B	Frequency of contact - grandparents	SS	416
SSC4_7C	Frequency of contact - daughters / daughters-in-law	SS	417
SSC4_7D	Frequency of contact - sons / sons-in-law	SS	418
SSC4_7E	Frequency of contact - brothers / sisters	SS	419
SSC4_7F	Frequency of contact - other relatives	SS	420
SSC4_7G	Frequency of contact - close friends	SS	421
SSC4_7H	Frequency of contact - neighbours	SS	422
SSC4D1	Social support index - (D)	SS	422
SSC4D2	Social involvement score - (D)	SS	423

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 105

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SSC4D3	Average frequency of contacts - (D)	SS	423
SSC6_1	Member of organization or association	SS	1078
SSC6_2	Frequency of participation in organizations	SS	1078
SSC6_2A	Frequency of attending religious services	SS	1079
SSC6_3	Has someone to confide in	SS	1080
SSC6_4	Has someone to count on in crisis situation	SS	1081
SSC6_5	Has someone can count on for advice	SS	1081
SSC6_6	Has someone to make feel loved and cared for	SS	1082
SSC6_7A	Frequency of contact - parents / in-laws	SS	1082
SSC6_7B	Frequency of contact - grandparents	SS	1083
SSC6_7C	Frequency of contact - daughters / daughters-in-law	SS	1084
SSC6_7D	Frequency of contact - sons / sons-in-law	SS	1085
SSC6_7E	Frequency of contact - brothers / sisters	SS	1086
SSC6_7F	Frequency of contact - other relatives	SS	1087
SSC6_7G	Frequency of contact - close friends	SS	1088
SSC6_7H	Frequency of contact - neighbours	SS	1089
SSC6D1	Social support index - (D)	SS	1089
SSC6D2	Social involvement score - (D)	SS	1090
SSC6D3	Average frequency of contacts - (D)	SS	1090
SSC8_101	No. of close friends and relatives	SS	1666
SSC8_102	Has someone to give help if confined to bed	SS	1666
SSC8_103	Has someone to count on to listen	SS	1667
SSC8_104	Has someone to give advice about a crisis	SS	1667
SSC8_105	Has someone to go to the doctor with	SS	1668
SSC8_106	Has someone who shows love and affection	SS	1668
SSC8_107	Has someone to have a good time with	SS	1669
SSC8_108	Has someone who gives information to understand a situation	SS	1669
SSC8_109	Has someone to confide in	SS	1670
SSC8_110	Has someone who gives hugs	SS	1670
SSC8_111	Has someone to get together with for relaxation	SS	1671
SSC8_112	Has someone to prepare meals	SS	1671
SSC8_113	Has someone to give advice	SS	1672
SSC8_114	Has someone to do things to get mind off things	SS	1672
SSC8_115	Has someone to help with daily chores if sick	SS	1673
SSC8_116	Has someone to share most private worries and fears with	SS	1673
SSC8_117	Has someone to turn to for suggestions for personal problems	SS	1674

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 106

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
SSC8_118	Has someone to do something enjoyable with	SS	1674
SSC8_119	Has someone who understands problems	SS	1675
SSC8_120	Has someone who loves and makes feel wanted	SS	1675
SSC8DAFF	Affection - MOS subscale - (D)	SS	1676
SSC8DEMO	Emotional or informational support - MOS subscale - (D)	SS	1677
SSC8DSOC	Positive social interaction - MOS subscale - (D)	SS	1677
SSC8DTNG	Tangible social support - MOS subscale - (D)	SS	1676
SSP6_1	Received care from friend / relative past 12 months	SS	1094
SSP6_2	Received care from friend / relative last month	SS	1095
SSP6_3	Level of support from family / friends	SS	1095
SSP6_4	Helped relative / friend with health problem	SS	1096
SSS6_1	Spiritual values or faith have important role in life	SS	1079
SSS6_2	Self-perception of religiousness / spirituality	SS	1080
SSS6_3	Number of people seen socially who smoke	SS	1091
SSS6_4	Number of people seen socially who drink too much	SS	1091
SSS6_5A	Partner smokes cigarettes	SS	1092
SSS6_5B	Partner exercises regularly	SS	1092
SSS6_5C	Partner drinks too much	SS	1093
SSS6_5D	Partner overeats	SS	1093
SSS6_5E	Partner uses tranquilizers	SS	1094
ST_0_C1	Stress (ongoing) - trying to take on too many things	ST	1907
ST_0_C10	Stress (ongoing) - child seems unhappy	ST	1912
ST_0_C11	Stress (ongoing) - child's behaviour is a concern	ST	1912
ST_0_C12	Stress (ongoing) - work around home not appreciated	ST	1913
ST_0_C13	Stress (ongoing) - friends are a bad influence	ST	1913
ST_0_C14	Stress (ongoing) - would like to move	ST	1914
ST_0_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	1914
ST_0_C16	Stress (ongoing) - close relative in very bad health	ST	1915
ST_0_C17	Stress (ongoing) - relative has alcohol or drug problem	ST	1915
ST_0_C18	Stress (ongoing) - people are too critical	ST	1916
ST_0_C2	Stress (ongoing) - pressure to conform	ST	1908
ST_0_C3	Stress (ongoing) - others expect too much from you	ST	1908
ST_0_C4	Stress (ongoing) - lack of money	ST	1909
ST_0_C5	Stress (ongoing) - partner doesn't understand you	ST	1909
ST_0_C6	Stress (ongoing) - partner is not affectionate enough	ST	1910
ST_0_C7	Stress (ongoing) - partner is not committed to relationship	ST	1910

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 107

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
ST_0_C8	Stress (ongoing) - difficult to find someone compatible	ST	1911
ST_0_C9	Stress (ongoing) - has children	ST	1911
ST_0_R1	Stress (recent) - physically attacked	ST	1920
ST_0_R10	Stress (recent) - child moved back	ST	1924
ST_0_R2	Stress (recent) - unwanted pregnancy	ST	1920
ST_0_R3	Stress (recent) - abortion or miscarriage	ST	1921
ST_0_R4	Stress (recent) - major financial crisis	ST	1921
ST_0_R5	Stress (recent) - failed school	ST	1922
ST_0_R6	Stress (recent) - a change of job for a worse one	ST	1922
ST_0_R7	Stress (recent) - demotion or cut in pay	ST	1923
ST_0_R8	Stress (recent) - argues with partner	ST	1923
ST_0_R9	Stress (recent) - went on welfare	ST	1924
ST_0_T1	Stress (trauma) - 2 weeks or more in hospital	ST	1926
ST_0_T2	Stress (trauma) - parents divorced	ST	1926
ST_0_T3	Stress (trauma) - parents unemployed for a long time	ST	1927
ST_0_T4	Stress (trauma) - traumatised for years	ST	1927
ST_0_T5	Stress (trauma) - sent away from home	ST	1928
ST_0_T6	Stress (trauma) - parents abused alcohol or drugs	ST	1928
ST_0_T7	Stress (trauma) - was ever physically abused	ST	1929
ST_0_W1	Stress (work) - currently work at a job	ST	1930
ST_0_W1A	Stress (work) - must learn new things	ST	1930
ST_0_W1B	Stress (work) - high level of skill	ST	1931
ST_0_W1C	Stress (work) - freedom to decide	ST	1931
ST_0_W1D	Stress (work) - repetitive tasks	ST	1932
ST_0_W1E	Stress (work) - job hectic	ST	1932
ST_0_W1F	Stress (work) - free from conflicting demands	ST	1933
ST_0_W1G	Stress (work) - good job security	ST	1933
ST_0_W1H	Stress (work) - requires a lot of physical effort	ST	1934
ST_0_W1I	Stress (work) - has own job input	ST	1934
ST_0_W1J	Stress (work) - hostility or conflict with others	ST	1935
ST_0_W1K	Stress (work) - supervisor helpful	ST	1935
ST_0_W1L	Stress (work) - co-workers helpful	ST	1936
ST_0_W2	Stress (work) - job satisfaction	ST	1936
ST_0DC1	General chronic stress index - (D)	ST	1916
ST_0DC10	Family health stress index - (D)	ST	1919
ST_0DC2	Specific chronic stress index - (D)	ST	1917

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 108

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
ST_0DC3	Adjusted specific chronic stress index - (D)	ST	1917
ST_0DC4	Personal stress index - (D)	ST	1917
ST_0DC5	Financial problems stress index - (D)	ST	1918
ST_0DC6	Relationship problems (with partner) stress index - (D)	ST	1918
ST_0DC7	Relationship problems (no partner) stress index - (D)	ST	1918
ST_0DC8	Child problems stress index - (D)	ST	1919
ST_0DC9	Environmental problems stress index - (D)	ST	1919
ST_0DR1	Recent life events score - all items - (D)	ST	1925
ST_0DR2	Recent life events score - all valid items - (D)	ST	1925
ST_0DR3	Adjusted recent life events index - (D)	ST	1925
ST_0DT1	Childhood and adult stress index - (D)	ST	1929
ST_0DW1	Stress (work) - all items - (D)	ST	1937
ST_0DW2	Stress (work) - Decision latitude - Skill discretion - (D)	ST	1937
ST_0DW3	Stress (work) - Decision latitude - Decision authority - (D)	ST	1937
ST_0DW4	Stress (work) - Psychological demands - (D)	ST	1938
ST_0DW5	Stress (work) - Job insecurity - (D)	ST	1938
ST_0DW6	Stress (work) - Physical exertion - (D)	ST	1938
ST_0DW7	Stress (work) - Social support - (D)	ST	1939
ST_4_C1	Stress (ongoing) - trying to take on too many things	ST	271
ST_4_C10	Stress (ongoing) - child seems unhappy	ST	276
ST_4_C11	Stress (ongoing) - child's behaviour is a concern	ST	276
ST_4_C12	Stress (ongoing) - work around home not appreciated	ST	277
ST_4_C13	Stress (ongoing) - friends are a bad influence	ST	277
ST_4_C14	Stress (ongoing) - would like to move	ST	278
ST_4_C15	Stress (ongoing) - neighbourhood too noisy or polluted	ST	278
ST_4_C16	Stress (ongoing) - close relative in very bad health	ST	279
ST_4_C17	Stress (ongoing) - relative has alcohol or drug problem	ST	279
ST_4_C18	Stress (ongoing) - people are too critical	ST	280
ST_4_C2	Stress (ongoing) - pressure to conform	ST	272
ST_4_C3	Stress (ongoing) - others expect too much from you	ST	272
ST_4_C4	Stress (ongoing) - lack of money	ST	273
ST_4_C5	Stress (ongoing) - partner doesn't understand you	ST	273
ST_4_C6	Stress (ongoing) - partner is not affectionate enough	ST	274
ST_4_C7	Stress (ongoing) - partner is not committed to relationship	ST	274
ST_4_C8	Stress (ongoing) - difficult to find someone compatible	ST	275
ST_4_C9	Stress (ongoing) - has children	ST	275

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 109

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
ST_4_R1	Stress (recent) - physically attacked	ST	285
ST_4_R10	Stress (recent) - child moved back	ST	290
ST_4_R2	Stress (recent) - unwanted pregnancy	ST	286
ST_4_R3	Stress (recent) - abortion or miscarriage	ST	286
ST_4_R4	Stress (recent) - major financial crisis	ST	287
ST_4_R5	Stress (recent) - failed school	ST	287
ST_4_R6	Stress (recent) - a change of job for a worse one	ST	288
ST_4_R7	Stress (recent) - demotion or cut in pay	ST	288
ST_4_R8	Stress (recent) - argues with partner	ST	289
ST_4_R9	Stress (recent) - went on welfare	ST	289
ST_4_T1	Stress (trauma) - 2 weeks or more in hospital	ST	292
ST_4_T2	Stress (trauma) - parents divorced	ST	292
ST_4_T3	Stress (trauma) - parents unemployed for a long time	ST	293
ST_4_T4	Stress (trauma) - traumatised for years	ST	293
ST_4_T5	Stress (trauma) - sent away from home	ST	294
ST_4_T6	Stress (trauma) - parents abused alcohol or drugs	ST	294
ST_4_T7	Stress (trauma) - was ever physically abused	ST	295
ST_4_W1A	Stress (work) - must learn new things	ST	296
ST_4_W1B	Stress (work) - high level of skill	ST	297
ST_4_W1C	Stress (work) - freedom to decide	ST	297
ST_4_W1D	Stress (work) - repetitive tasks	ST	298
ST_4_W1E	Stress (work) - job hectic	ST	298
ST_4_W1F	Stress (work) - free from conflicting demands	ST	299
ST_4_W1G	Stress (work) - good job security	ST	299
ST_4_W1H	Stress (work) - requires a lot of physical effort	ST	300
ST_4_W1I	Stress (work) - has own job input	ST	300
ST_4_W1J	Stress (work) - hostility or conflict with others	ST	301
ST_4_W1K	Stress (work) - supervisor helpful	ST	302
ST_4_W1L	Stress (work) - co-workers helpful	ST	303
ST_4_W2	Stress (work) - job satisfaction	ST	303
ST_4DC1	General chronic stress index - (D)	ST	280
ST_4DC10	Family health stress index - (D)	ST	285
ST_4DC2	Specific chronic stress index - (D)	ST	281
ST_4DC3	Adjusted specific chronic stress index - (D)	ST	281
ST_4DC4	Personal stress index - (D)	ST	282
ST_4DC5	Financial problems stress index - (D)	ST	282

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 110

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
ST_4DC6	Relationship problems (with partner) stress index - (D)	ST	283
ST_4DC7	Relationship problems (no partner) stress index - (D)	ST	283
ST_4DC8	Child problems stress index - (D)	ST	284
ST_4DC9	Environmental problems stress index - (D)	ST	284
ST_4DR1	Recent life events score - all items - (D)	ST	290
ST_4DR2	Recent life events score - all valid items - (D)	ST	291
ST_4DR3	Adjusted recent life events index - (D)	ST	291
ST_4DT1	Childhood and adult stress index - (D)	ST	295
ST_4DW1	Stress (work) - all items - (D)	ST	304
ST_4DW2	Stress (work) - Decision latitude - Skill discretion - (D)	ST	304
ST_4DW3	Stress (work) - Decision latitude - Decision authority - (D)	ST	305
ST_4DW4	Stress (work) - Psychological demands - (D)	ST	305
ST_4DW5	Stress (work) - Job insecurity - (D)	ST	306
ST_4DW6	Stress (work) - Physical exertion - (D)	ST	306
ST_4DW7	Stress (work) - Social support - (D)	ST	307
STC0_1	Respondent's self perceived stress level	GH	1702
STRATUM	Sample indicator - stratum	SP	13
SUBCYCLE	Sample indicator	SP	2
SVP6_1	Overall rating of health care system	SV	1101
SVP6_2	Availability of community health care	SV	1102
SVP6_3	Quality of community health care	SV	1102
SVP6_4	Overall availability of health care in community	SV	1103
SVP6_5	Overall quality of health care in community	SV	1103
SVP6_6	Difficulty getting health care services needed	SV	1104
SVP6_7	Quality of health care received in past 12 months	SV	1104
TAS8_1	Smoked cigars	SM	1621
TAS8_2	Smoked a pipe	SM	1622
TAS8_3	Used snuff	SM	1622
TAS8_4	Used chewing tobacco	SM	1623
TUC0_3	UV - has been sunburnt	TU	1892
TUP6_1	UV - tried to get a suntan (sun or artificial)	TU	925
TUP6_10	UV - frequency of wearing protective clothing in sun	TU	930
TUP6_2	UV - deepness of suntan	TU	926
TUP6_3	UV - got sunburnt	TU	926
TUP6_4	UV - number of times sunburned	TU	927
TUP6_5	UV - description of worst sunburn	TU	927

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 111

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
TUP6_6	UV - frequency of using sunscreen in summer	TU	928
TUP6_7	UV - frequency of avoiding sun from 11am to 4pm	TU	928
TUP6_8	UV - frequency of avoiding long periods in the sun	TU	929
TUP6_9	UV - frequency of wearing sunglasses with UV protection	TU	929
TWC0_5	Has regular medical doctor	HC	1727
TWC4_1	Stayed in bed / hospital due to illness / injury	TW	31
TWC4_2	Number of days spent in bed	TW	31
TWC4_3	Cut down on things done due to illness / injury	TW	32
TWC4_4	Number of days cut down on things	TW	33
TWC4_5	Has regular medical doctor	HC	34
TWC4DDDY	Total number of disability days - (D)	TW	34
TWC6_1	Stayed in bed / hospital due to illness / injury	TW	475
TWC6_2	Number of days spent in bed	TW	476
TWC6_3	Cut down on things done due to illness / injury	TW	477
TWC6_4	Number of days cut down on things	TW	478
TWC6_5	Has regular medical doctor	HC	479
TWC6DDDY	Total number of disability days - (D)	TW	480
TWC8_1	Stayed in bed / hospital due to illness / injury	TW	1165
TWC8_2	Number of days spent in bed	TW	1166
TWC8_3	Cut down on things done due to illness / injury	TW	1167
TWC8_4	Number of days cut down on things	TW	1168
TWC8_5	Has regular medical doctor	HC	1169
TWC8DDDY	Total number of disability days - (D)	TW	1170
VSP6_1	Frequency of feeling safe in community	VS	1136
VSP6_10	Number of times attacked outside of school	VS	1140
VSP6_2	Frequency of feeling safe at home	VS	1137
VSP6_4	Frequency of feeling safe at school	VS	1137
VSP6_5	No. of times - verbal abuse at school / school bus	VS	1138
VSP6_6	No. of times - verbal threats at school / school bus	VS	1138
VSP6_7	No. of times - attacks at school / school bus	VS	1139
VSP6_8	No. of times - verbal abuse outside of school	VS	1139
VSP6_9	No. of times - verbal threats outside of school	VS	1140
WF60LF	Subset flag - Longitudinal full response	WT	2175
WF60LFE	Subset flag - Cycle 1 and Cycle 4 full response	WT	2176
WF60SLF	Subset flag - Share longitudinal full response	WT	2176
WHC0_20	Ever had PAP smear test	PH	1707

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 112

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
WHC0_22	Last time had PAP smear test	PH	1708
WHC0_30	Ever had mammogram	PH	1708
WHC0_32	Last time mammogram was done	PH	1709
WHC0_33A	Had mammogram - family history	PH	1709
WHC0_33B	Had mammogram - regular check-up	PH	1710
WHC0_33C	Had mammogram - age	PH	1710
WHC0_33D	Had mammogram - previously detected lump	PH	1711
WHC0_33E	Had mammogram - follow-up treatment	PH	1711
WHC0_33F	Had mammogram - on hormone replacement therapy	PH	1712
WHC0_33G	Had mammogram - other reason	PH	1712
WHC0_33H	Had mammogram - breast problem	PH	1713
WHC0_5	Had a hysterectomy	PH	1715
WHC0_5A	Age had a hysterectomy	PH	1715
WHC0_5BA	Reason had a hysterectomy - cancer treatment	PH	1716
WHC0_5BB	Reason had a hysterectomy - cancer prevention	PH	1716
WHC0_5BC	Reason had a hysterectomy - endometriosis	PH	1717
WHC0_5BD	Reason had a hysterectomy - tubal pregnancy	PH	1717
WHC0_5BE	Reason had a hysterectomy - benign tumors	PH	1718
WHC0_5BF	Reason had a hysterectomy - menstrual problems	PH	1718
WHC0_5BG	Reason had a hysterectomy - other reason	PH	1719
WHC4_20	Ever had PAP smear test	PH	199
WHC4_22	Last time had PAP smear test	PH	199
WHC4_30	Ever had mammogram	PH	197
WHC4_32	Last time mammogram was done	PH	198
WHC4_33	Reason for last mammogram	WH	198
WHC6_20	Ever had PAP smear test	WH	722
WHC6_22	Last time had PAP smear test	WH	723
WHC6_23A	Had PAP smear - part of check-up	WH	723
WHC6_23B	Had PAP smear - high risk group	WH	724
WHC6_23C	Had PAP smear - follow-up of previous problem	WH	724
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	WH	725
WHC6_23E	Had PAP smear - sexually active	WH	725
WHC6_23F	Had PAP smear - on birth control pill	WH	726
WHC6_23G	Had PAP smear - pregnant / after delivery	WH	726
WHC6_23H	Had PAP smear - on hormone replacement therapy	WH	727
WHC6_23I	Had PAP smear - other reason	WH	727

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 113

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
WHC6_24	Had problems getting a PAP smear test	WH	728
WHC6_25A	PAP smear - not available when required	WH	728
WHC6_25B	PAP smear - not available in area	WH	729
WHC6_25C	PAP smear - waiting time too long	WH	729
WHC6_25D	PAP smear - transportation problems	WH	729
WHC6_25E	PAP smear - language problem	WH	730
WHC6_25F	PAP smear - cost	WH	730
WHC6_25G	PAP smear - did not know where to go	WH	730
WHC6_25H	PAP smear - other problem	WH	731
WHC6_26A	No PAP smear - have not gotten around to it	WH	731
WHC6_26B	No PAP smear - respondent didn't think necessary	WH	732
WHC6_26C	No PAP smear - doctor didn't think necessary	WH	732
WHC6_26D	No PAP smear - personal / family responsibilities	WH	733
WHC6_26E	No PAP smear - not available when required	WH	733
WHC6_26F	No PAP smear - not available in area	WH	734
WHC6_26G	No PAP smear - waiting time too long	WH	734
WHC6_26H	No PAP smear - transportation problems	WH	735
WHC6_26I	No PAP smear - language problem	WH	735
WHC6_26J	No PAP smear - cost	WH	736
WHC6_26K	No PAP smear - did not know where to go	WH	736
WHC6_26L	No PAP smear - fear	WH	737
WHC6_26M	No PAP smear - hysterectomy	WH	737
WHC6_26N	No PAP smear - hate / dislike having one done	WH	738
WHC6_26O	No PAP smear - other reason	WH	738
WHC6_30	Ever had mammogram	WH	739
WHC6_32	Last time mammogram was done	WH	739
WHC6_33A	Had mammogram - family history	WH	740
WHC6_33B	Had mammogram - regular check-up	WH	740
WHC6_33C	Had mammogram - age	WH	741
WHC6_33D	Had mammogram - previously detected lump	WH	741
WHC6_33E	Had mammogram - follow-up treatment	WH	742
WHC6_33F	Had mammogram - on hormone replacement therapy	WH	742
WHC6_33G	Had mammogram - other reason	WH	743
WHC6_34	Had problems getting a mammogram	WH	743
WHC6_35A	Mammogram - not available when required	WH	744
WHC6_35B	Mammogram - not available in area	WH	744

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 114

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
WHC6_35C	Mammogram - waiting time too long	WH	745
WHC6_35D	Mammogram - transportation problems	WH	745
WHC6_35E	Mammogram - language problem	WH	745
WHC6_35F	Mammogram - cost	WH	746
WHC6_35G	Mammogram - did not know where to go	WH	746
WHC6_35H	Mammogram - other problem	WH	747
WHC6_36A	No mammogram - have not gotten around to it	WH	747
WHC6_36B	No mammogram - resp. didn't think necessary	WH	748
WHC6_36C	No mammogram - doctor didn't think necessary	WH	748
WHC6_36D	No mammogram - pers. / family responsibilities	WH	749
WHC6_36E	No mammogram - not available when required	WH	749
WHC6_36F	No mammogram - not available in the area	WH	750
WHC6_36G	No mammogram - waiting time was too long	WH	750
WHC6_36H	No mammogram - transportation problems	WH	751
WHC6_36I	No mammogram - language problem	WH	751
WHC6_36J	No mammogram - cost	WH	752
WHC6_36K	No mammogram - did not know where to go	WH	752
WHC6_36L	No mammogram - fear	WH	753
WHC6_36M	No mammogram - other reason	WH	753
WHC6_90	Had breasts examined by health professional	WH	754
WHC6_92	Last time breasts examined for lumps	WH	755
WHC6_93A	Had breast exam - family history	WH	755
WHC6_93B	Had breast exam - regular check-up	WH	756
WHC6_93C	Had breast exam - age	WH	756
WHC6_93D	Had breast exam - previously detected lump	WH	757
WHC6_93E	Had breast exam - follow-up treatment	WH	757
WHC6_93F	Had breast exam - on hormone replacement therapy	WH	758
WHC6_93G	Had breast exam - other reason	WH	758
WHC6_94	Had problems getting a breast exam	WH	759
WHC6_95A	Breast exam - not available when required	WH	759
WHC6_95B	Breast exam - not available in area	WH	760
WHC6_95C	Breast exam - waiting time too long	WH	760
WHC6_95D	Breast exam - transportation problems	WH	761
WHC6_95E	Breast exam - language problem	WH	761
WHC6_95F	Breast exam - cost	WH	761
WHC6_95G	Breast exam - did not know where to go	WH	762

NPHS Cycle 4 (2000-2001): Alphabetic Index

Page 115

Master File - Longitudinal

April 2002

Printed: Wednesday April 24, 2002

Variable Name	Description	Section	Page
WHC6_95H	Breast exam - other problem	WH	762
WHC6_96A	No breast exam - have not gotten around to it	WH	763
WHC6_96B	No breast exam - respondent didn't think necessary	WH	763
WHC6_96C	No breast exam - doctor didn't think necessary	WH	764
WHC6_96D	No breast exam - personal / family responsibilities	WH	764
WHC6_96E	No breast exam - not available when required	WH	765
WHC6_96F	No breast exam - not available in area	WH	765
WHC6_96G	No breast exam - waiting time too long	WH	766
WHC6_96H	No breast exam - transportation problems	WH	766
WHC6_96I	No breast exam - language problem	WH	767
WHC6_96J	No breast exam - cost	WH	767
WHC6_96K	No breast exam - did not know where to go	WH	768
WHC6_96L	No breast exam - fear	WH	768
WHC6_96M	No breast exam - other reason	WH	769
WHC8_20	Ever had PAP smear test	PH	1384
WHC8_20A	Ever had PAP smear test (probe)	PH	1384
WHC8_22	Last time had PAP smear test	PH	1385
WHC8_30	Ever had mammogram	PH	1385
WHC8_30A	Ever had mammogram (probe)	PH	1386
WHC8_32	Last time mammogram was done	PH	1386
WHC8_5	Had a hysterectomy	PH	1388
WHC8_5A	Age had a hysterectomy	PH	1389
WHC8_5B	Reason had a hysterectomy	PH	1389
WHS6_37	Intend to have a mammogram in the next 2 years	WH	754
WHS6_90	Self-examined breasts for lumps	WH	769
WHS6_91	Frequency of breast self-examination	WH	770
WHS6_92	How breast self-exam was learned	WH	770
WT60LF	Master weight - Longitudinal full response	WT	2175
WT60LFE	Master weight - Cycle 1 and Cycle 4 full response	WT	2176
WT60SLF	Share weight - Longitudinal full response	WT	2176
WT64LS	Master weight - Longitudinal	WT	2175
YOB	Year of birth	DH	4
YOD	Year of death	DH	12
YOI	Year of immigration to Canada	SD	10