

---

## 1996-97 NPHS: Master File - Health

Page 1

### Alphabetic Index

*June, 1998*

---

Variable Name	Description	Section	Page
AD_6_1	Drunk / at work / school / taking care of child	AD	600
AD_6_2	Number of times drunk / hung-over	AD	600
AD_6_3	Being drunk increased chances of getting hurt	AD	601
AD_6_4	Emotional / psychological problems due to alcohol	AD	601
AD_6_5	Strong desire or urge to drink	AD	602
AD_6_6	Spent month or more getting drunk	AD	602
AD_6_7	Drank much more than intended	AD	603
AD_6_8	Number of times drank much more than intended	AD	603
AD_6_9	Had to drink more for the same effect	AD	604
AD_6DPP	Derived alcohol dependence - short probability of CIDI	AD	605
AD_6DSF	Derived alcohol dependence - short form score	AD	604
ALC6_1	Drank alcohol in past 12 months	AL	578
ALC6_2	Frequency of drinking alcohol	AL	578
ALC6_3	Frequency of having 5 or more drinks	AL	579
ALC6_5	Drank alcohol in past week	AL	580
ALC6_5A1	Number of drinks - Monday	AL	580
ALC6_5A2	Number of drinks - Tuesday	AL	581
ALC6_5A3	Number of drinks - Wednesday	AL	581
ALC6_5A4	Number of drinks - Thursday	AL	582
ALC6_5A5	Number of drinks - Friday	AL	582
ALC6_5A6	Number of drinks - Saturday	AL	583
ALC6_5A7	Number of drinks - Sunday	AL	583
ALC6_5B	Has ever had a drink	AL	584
ALC6_6	Regularly drank more than 12 drinks a week	AL	584
ALC6_7A	Reason reduced drinking - dieting	AL	585
ALC6_7B	Reason reduced drinking - athletic training	AL	585
ALC6_7C	Reason reduced drinking - pregnancy	AL	586
ALC6_7D	Reason reduced drinking - getting older	AL	586
ALC6_7E	Reason reduced drinking - drinking too much	AL	587
ALC6_7F	Reason reduced drinking - affected work / studies	AL	587
ALC6_7G	Reason reduced drinking - interfered with family life	AL	588
ALC6_7H	Reason reduced drinking - affected physical health	AL	588
ALC6_7I	Reason reduced drinking - affected social relationships	AL	589
ALC6_7J	Reason reduced drinking - affected financial position	AL	589
ALC6_7K	Reason reduced drinking - affected happiness	AL	590
ALC6_7L	Reason reduced drinking - influence of family / friends	AL	590

---

---

## 1996-97 NPHS: Master File - Health

Page 2

### Alphabetic Index

*June, 1998*

---

Variable Name	Description	Section	Page
ALC6_7M	Reason reduced drinking - other	AL	591
ALC6_DAY	Day of the week that interview took place	AL	579
ALC6D7	Derived single reason for reducing or quitting drinking	AL	592
ALC6DDL	Derived average daily consumption	AL	594
ALC6DTYP	Derived type of drinker	AL	593
ALC6DWKY	Derived weekly total of alcohol consumed	AL	594
ALC6G7	Single reason for reducing or quitting drinking - grouped	AL	593
ALP6_1	Drank alcohol during last pregnancy	AL	594
ALP6_2	Average number of drinks during pregnancy	AL	595
ALP6_3	Consumed alcohol while breastfeeding	AL	595
ALP6_4	Average number of drinks while breastfeeding	AL	596
ALS6_1	Definition of moderate drinking	AL	596
ALS6_2	Moderate drinking can be good for your health	AL	597
ALS6_3	It's alright to get drunk once in a while	AL	597
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	AL	598
ALS6_5	Alright to get drunk once a week if no drinking rest of week	AL	598
ALS6_6	Pregnant woman should not drink any amount of alcohol	AL	599
ALS6_7	Alright for breastfeeding woman to drink occasionally	AL	599
AM36_LNG	Language of H03 interview	AM	35
AM36_LP	Language preference of household	AM	16
AM36_PAR	CASEID of household record	AM	14
AM36_SRC	Record number of person providing H03 information	AM	34
AM36_TEL	H03 interview by telephone or in person	AM	15
AM56_BDD	Day of interview - H05 (start)	AM	46
AM56_BMM	Month of interview - H05 (start)	AM	46
AM56_BY	Year of interview - H05 (start)	AM	47
AM56_CAS	CASEID on H05 file	AM	47
AM56_EDD	Day of interview - H05 (end)	AM	217
AM56_EMM	Month of interview - H05 (end)	AM	217
AM56_EY	Year of interview - H05 (end)	AM	218
AM56_LNG	Language of H05 interview	AM	216
AM56_PXY	H05 completed by proxy	AM	47
AM56_SHA	Agree to share information (H05)	AM	35
AM56_SRC	Record number of person providing information for H05	AM	47
AM56_TEL	H05 interview by telephone or in person	AM	215
AM66_5	Respondent gives contact information (H06)	AM	701

---

# 1996-97 NPHS: Master File - Health

Page 3

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
AM66_AFF	Answers affected by someone else being there	AM	702
AM66_ALO	Respondent alone for health questionnaire	AM	702
AM66_BDD	Day of interview - H06 (start)	AM	219
AM66_BMM	Month of interview - H06 (start)	AM	218
AM66_BY Y	Year of interview - H06 (start)	AM	219
AM66_CAS	CASEID on H06 file	AM	220
AM66_EDD	Day of interview - H06 (end)	AM	704
AM66_EMM	Month of interview - H06 (end)	AM	704
AM66_EYY	Year of interview - H06 (end)	AM	705
AM66_HNC	Flag for health number (used for processing only)	AM	700
AM66_LNG	Language of H06 interview	AM	703
AM66_LNK	Permission to link data	AM	700
AM66_PXY	H06 completed by proxy	AM	219
AM66_RC	Long answer collected - reason for proxy (H06)	AM	220
AM66_RNO	Record number on Health Microdata file	AM	1
AM66_SHA	Agree to share information (H06)	AM	36
AM66_SRC	Record number of person providing information for H06	AM	219
AM66_TEL	H06 interview by telephone or in person	AM	701
APP6_1	My parents are strict for my own good	AP	651
APP6_10	My parents trust me	AP	656
APP6_2	My parents do not understand me	AP	652
APP6_3	I have a lot of arguments with my parents	AP	652
APP6_4	What my parents think of me is important	AP	653
APP6_5	Are times when I would like to run away from home	AP	653
APP6_6	I have a happy home life	AP	654
APP6_7	I would raise my children differently	AP	654
APP6_8	My parents expect too much of me	AP	655
APP6_9	I ask my parents for advice on serious matters	AP	655
BPC6_10	Ever had blood pressure taken	BP	249
BPC6_12	Last time blood pressure was taken	BP	249
BPC6_13A	Blood pressure taken - regular check-up	BP	250
BPC6_13B	Blood pressure taken - high blood pressure / heart disease	BP	250
BPC6_13C	Blood pressure taken - doctor always does it	BP	251
BPC6_13D	Blood pressure taken - health problem	BP	251
BPC6_13E	Blood pressure taken - age	BP	252
BPC6_13F	Blood pressure taken - job requirement	BP	252

# 1996-97 NPHS: Master File - Health

Page 4

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
BPC6_13G	Blood pressure taken - pregnant	BP	253
BPC6_13H	Blood pressure taken - in hospital for other reason	BP	253
BPC6_13I	Blood pressure taken - when donating blood	BP	254
BPC6_13J	Blood pressure taken - just for the "fun" of it	BP	254
BPC6_13K	Blood pressure taken - other reason	BP	255
BPC6_14	Had problems getting blood pressure test	BP	255
BPC6_15A	Problem getting b.p. test - not available when required	BP	256
BPC6_15B	Problem getting b.p. test - not available in area	BP	256
BPC6_15C	Problem getting b.p. test - waiting time too long	BP	256
BPC6_15D	Problem getting b.p. test - transportation	BP	257
BPC6_15E	Problem getting b.p. test - language	BP	257
BPC6_15F	Problem getting b.p. test - cost	BP	257
BPC6_15G	Problem getting b.p. test - did not know where to go	BP	258
BPC6_15H	Problem getting b.p. test - other	BP	258
BPC6_16A	Blood pressure not taken - have not gotten around to it	BP	259
BPC6_16B	Blood pressure not taken - resp. did not think it was neces.	BP	259
BPC6_16C	Blood pressure not taken - dr. did not think it was neces.	BP	260
BPC6_16D	Blood pressure not taken - personal / family resp.	BP	260
BPC6_16E	Blood pressure not taken - not available when required	BP	261
BPC6_16F	Blood pressure not taken - not available in area	BP	261
BPC6_16G	Blood pressure not taken - waiting time too long	BP	262
BPC6_16H	Blood pressure not taken - transportation problems	BP	262
BPC6_16I	Blood pressure not taken - language problem	BP	263
BPC6_16J	Blood pressure not taken - cost	BP	263
BPC6_16K	Blood pressure not taken - did not know where to go	BP	264
BPC6_16L	Blood pressure not taken - fear	BP	264
BPC6_16M	Blood pressure not taken - other reason	BP	265
CCC6_1A	Has food allergies	CC	107
CCC6_1B	Has allergies other than food allergies	CC	107
CCC6_1C	Has asthma	CC	108
CCC6_1D	Has arthritis or rheumatism	CC	109
CCC6_1E	Has back problems excluding arthritis	CC	112
CCC6_1F	Has high blood pressure	CC	112
CCC6_1G	Has migraine headaches	CC	115
CCC6_1H	Has chronic bronchitis or emphysema	CC	117
CCC6_1I	Has sinusitis	CC	118

---

## 1996-97 NPHS: Master File - Health

Page 5

### Alphabetic Index

*June, 1998*

---

Variable Name	Description	Section	Page
CCC6_1J	Has diabetes	CC	118
CCC6_1K	Has epilepsy	CC	121
CCC6_1L	Has heart disease	CC	122
CCC6_1M	Has cancer	CC	122
CCC6_1N	Has stomach or intestinal ulcers	CC	123
CCC6_1O	Suffers from the effects of a stroke	CC	123
CCC6_1P	Has urinary incontinence	CC	124
CCC6_1Q	Has a bowel disorder such as Crohn's Disease or colitis	CC	124
CCC6_1R	Has Alzheimer's disease or other dementia	CC	125
CCC6_1S	Has cataracts	CC	125
CCC6_1T	Has glaucoma	CC	126
CCC6_1U	Has a thyroid condition	CC	126
CCC6_1V	Has other chronic condition	CC	127
CCC6_C5	Asthma - had symptoms or attacks	CC	108
CCC6_C6	Asthma - took medication	CC	109
CCC6_D5	Arthritis / rheumatism - receives treatment or medication	CC	110
CCC6_D6A	Arthritis / rheumatism - treatment - drug	CC	110
CCC6_D6B	Arthritis / rheumatism - treatment - diet	CC	111
CCC6_D6C	Arthritis / rheumatism - treatment - other kind	CC	111
CCC6_F5	High blood pressure - receives treatment or medication	CC	113
CCC6_F6A	High blood pressure - treatment - drug	CC	113
CCC6_F6B	High blood pressure - treatment - diet	CC	114
CCC6_F6C	High blood pressure - treatment - other kind	CC	114
CCC6_G5	Migraines - receives treatment or medication	CC	115
CCC6_G6A	Migraines - treatment - drug	CC	116
CCC6_G6B	Migraines - treatment - diet	CC	116
CCC6_G6C	Migraines - treatment - other kind	CC	117
CCC6_J5	Diabetes - takes insulin	CC	119
CCC6_J6	Diabetes - takes treatment other than insulin	CC	119
CCC6_J7A	Diabetes - treatment - drug	CC	120
CCC6_J7B	Diabetes - treatment - diet	CC	120
CCC6_J7C	Diabetes - treatment - other kind	CC	121
CCC6DANY	Derived - has a chronic condition	CC	127
CCC6DNUM	Derived number of chronic conditions	CC	127
CCC6GNUM	Derived number of chronic conditions - grouped	CC	128
CCK6_1	Frequency of nose or throat infections	CC	105

---

---

## 1996-97 NPHS: Master File - Health

Page 6

### Alphabetic Index

June, 1998

---

Variable Name	Description	Section	Page
CCK6_2	Has had otitis	CC	106
CCK6_3	Number of times had otitis since birth	CC	106
COP6_1	Ability to handle day-to-day demands	CO	699
COP6_2	Ability to handle unexpected / difficult problems	CO	699
CYCLE	Survey cycle that household joined	SP	12
DGC6_1A	Took pain relievers	DG	494
DGC6_1B	Took tranquilizers	DG	495
DGC6_1C	Took diet pills	DG	495
DGC6_1D	Took anti-depressants	DG	496
DGC6_1E	Took codeine, Demerol or morphine	DG	496
DGC6_1F	Took allergy medicine	DG	497
DGC6_1G	Took asthma medications	DG	497
DGC6_1H	Took cough or cold remedies	DG	498
DGC6_1I	Took penicillin or other antibiotics	DG	498
DGC6_1J	Took medicine for the heart	DG	499
DGC6_1K	Took medicine for blood pressure	DG	499
DGC6_1L	Took diuretics	DG	500
DGC6_1M	Took steroids	DG	500
DGC6_1N	Took insulin	DG	501
DGC6_1O	Took pills to control diabetes	DG	501
DGC6_1P	Took sleeping pills	DG	502
DGC6_1Q	Took stomach remedies	DG	502
DGC6_1R	Took laxatives	DG	503
DGC6_1S	Took birth control pills	DG	503
DGC6_1T	Took hormones for menopause	DG	504
DGC6_1T1	Hormone therapy - type	DG	504
DGC6_1T2	Hormone therapy - year started	DG	505
DGC6_1U	Took thyroid medication	DG	505
DGC6_1V	Took other medication	DG	506
DGC6_2	Number of different medications taken in past 2 days	DG	508
DGC6_3AC	Long answer collected - drug 1	DG	509
DGC6_3BC	Long answer collected - drug 2	DG	511
DGC6_3CC	Long answer collected - drug 3	DG	513
DGC6_3DC	Long answer collected - drug 4	DG	515
DGC6_3EC	Long answer collected - drug 5	DG	517
DGC6_3FC	Long answer collected - drug 6	DG	519

---

---

## 1996-97 NPHS: Master File - Health

Page 7

### Alphabetic Index

June, 1998

---

Variable Name	Description	Section	Page
DGC6_3GC	Long answer collected - drug 7	DG	521
DGC6_3HC	Long answer collected - drug 8	DG	523
DGC6_3IC	Long answer collected - drug 9	DG	525
DGC6_3JC	Long answer collected - drug 10	DG	526
DGC6_3KC	Long answer collected - drug 11	DG	528
DGC6_3LC	Long answer collected - drug 12	DG	529
DGC6_4	Uses other health products	DG	531
DGC6_5AA	Uses a 2nd health product	DG	534
DGC6_5AC	Long answer collected - health product 1	DG	531
DGC6_5BA	Uses a 3rd health product	DG	537
DGC6_5BC	Long answer collected - health product 2	DG	534
DGC6_5CA	Uses a 4th health product	DG	539
DGC6_5CC	Long answer collected - health product 3	DG	537
DGC6_5DA	Uses a 5th health product	DG	541
DGC6_5DC	Long answer collected - health product 4	DG	539
DGC6_5EA	Uses a 6th health product	DG	542
DGC6_5EC	Long answer collected - health product 5	DG	541
DGC6_5FA	Uses a 7th health product	DG	544
DGC6_5FC	Long answer collected - health product 6	DG	543
DGC6_5GA	Uses an 8th health product	DG	546
DGC6_5GC	Long answer collected - health product 7	DG	545
DGC6_5HA	Uses a 9th health product	DG	548
DGC6_5HC	Long answer collected - health product 8	DG	547
DGC6_5IA	Uses a 10th health product	DG	550
DGC6_5IC	Long answer collected - health product 9	DG	549
DGC6_5JA	Uses an 11th health product	DG	552
DGC6_5JC	Long answer collected - health product 10	DG	551
DGC6_5KA	Uses a 12th health product	DG	554
DGC6_5KC	Long answer collected - health product 11	DG	553
DGC6_5LC	Long answer collected - health product 12	DG	555
DGC6_6	Insurance covering prescription medication	DG	556
DGC6C3A	Drug code - drug 1	DG	509
DGC6C3B	Drug code - drug 2	DG	511
DGC6C3C	Drug code - drug 3	DG	513
DGC6C3D	Drug code - drug 4	DG	515
DGC6C3E	Drug code - drug 5	DG	517

---

---

## 1996-97 NPHS: Master File - Health

### Alphabetic Index

Page 8

*June, 1998*

---

Variable Name	Description	Section	Page
DGC6C3F	Drug code - drug 6	DG	519
DGC6C3G	Drug code - drug 7	DG	521
DGC6C3H	Drug code - drug 8	DG	523
DGC6C3I	Drug code - drug 9	DG	525
DGC6C3J	Drug code - drug 10	DG	527
DGC6C3K	Drug code - drug 11	DG	528
DGC6C3L	Drug code - drug 12	DG	530
DGC6C5A	Code for health product - product 1	DG	532
DGC6C5B	Code for health product - product 2	DG	535
DGC6C5C	Code for health product - product 3	DG	538
DGC6C5D	Code for health product - product 4	DG	540
DGC6C5E	Code for health product - product 5	DG	541
DGC6C5F	Code for health product - product 6	DG	543
DGC6C5G	Code for health product - product 7	DG	545
DGC6C5H	Code for health product - product 8	DG	547
DGC6C5I	Code for health product - product 9	DG	549
DGC6C5J	Code for health product - product 10	DG	551
DGC6C5K	Code for health product - product 11	DG	553
DGC6C5L	Code for health product - product 12	DG	555
DGC6F1	Took medications	DG	506
DGC6G3A	Drug code - drug 1 - grouped	DG	510
DGC6G3B	Drug code - drug 2 - grouped	DG	512
DGC6G3C	Drug code - drug 3 - grouped	DG	514
DGC6G3D	Drug code - drug 4 - grouped	DG	516
DGC6G3E	Drug code - drug 5 - grouped	DG	518
DGC6G3F	Drug code - drug 6 - grouped	DG	520
DGC6G3G	Drug code - drug 7 - grouped	DG	522
DGC6G3H	Drug code - drug 8 - grouped	DG	524
DGC6G3I	Drug code - drug 9 - grouped	DG	526
DGC6G3J	Drug code - drug 10 - grouped	DG	527
DGC6G3K	Drug code - drug 11 - grouped	DG	529
DGC6G3L	Drug code - drug 12 - grouped	DG	530
DGC6G5A	Code for health product - product 1 - grouped	DG	533
DGC6G5B	Code for health product - product 2 - grouped	DG	536
DGC6G5C	Code for health product - product 3 - grouped	DG	538
DGC6G5D	Code for health product - product 4 - grouped	DG	540

---



---

## 1996-97 NPHS: Master File - Health

Page 9

### Alphabetic Index

*June, 1998*

---

Variable Name	Description	Section	Page
DGC6G5E	Code for health product - product 5 - grouped	DG	542
DGC6G5F	Code for health product - product 6 - grouped	DG	544
DGC6G5G	Code for health product - product 7 - grouped	DG	546
DGC6G5H	Code for health product - product 8 - grouped	DG	548
DGC6G5I	Code for health product - product 9 - grouped	DG	550
DGC6G5J	Code for health product - product 10 - grouped	DG	552
DGC6G5K	Code for health product - product 11 - grouped	DG	554
DGC6G5L	Code for health product - product 12 - grouped	DG	556
DGK6_1	Takes ventolin or other inhalants	DG	507
DGK6_3	Takes tranquilizers or nerve pills	DG	507
DGK6_4	Takes anti-convulsants or anti-epileptic pills	DG	508
DHC6_AGE	Age	DH	38
DHC6_BED	Number of bedrooms	DH	17
DHC6_DOB	Day of birth	DH	36
DHC6_DWE	Type of dwelling	DH	16
DHC6_FID	Family ID code	DH	40
DHC6_MAR	Marital status	DH	39
DHC6_MOB	Month of birth	DH	37
DHC6_OWNI	Dwelling owned by household member	DH	17
DHC6_PK	Selected respondent to answer the H06 questionnaire	DH	45
DHC6_PKC	Selected RDD child to answer the H06 questionnaire	DH	45
DHC6_SEX	Sex	DH	39
DHC6_YOB	Year of birth	DH	37
DHC6D611	Derived number of persons 6 to 11 years old in household	DH	42
DHC6DECF	Derived type of household	DH	43
DHC6DHSZ	Derived household size	DH	40
DHC6DL12	Derived number of persons < 12 years old in household	DH	41
DHC6DLE5	Derived number of persons <= 5 years old in household	DH	41
DHC6DLVG	Derived living arrangements of the selected respondent	DH	44
DHC6G611	Derived persons 6 to 11 years old in hhld - grouped	DH	42
DHC6GAGE	Age - grouped	DH	38
DHC6GBED	Derived number of bedrooms in dwelling - grouped	DH	18
DHC6GECF	Derived household type - grouped	DH	44
DHC6GHSZ	Derived household size - grouped	DH	41
DHC6GLE5	Derived persons <= 5 years old in household - grouped	DH	42
DHC6GMAR	Marital status - grouped	DH	40

---

# 1996-97 NPHS: Master File - Health

Page 10

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DV_6_60	Visited dentist	DV	351
DV_6_61	Last time visited dentist	DV	352
DV_6_62A	Visits dentist - make sure everything is OK	DV	352
DV_6_62B	Visits dentist - check-up covered by insurance	DV	353
DV_6_62C	Visits dentist - catch problems early	DV	353
DV_6_62D	Visits dentist - for good dental health	DV	354
DV_6_62E	Visits dentist - care of teeth / gums / dentures	DV	354
DV_6_62F	Visits dentist - for cleaning / fluoride / maintenance	DV	355
DV_6_62G	Visits dentist - to get a filling / extraction	DV	355
DV_6_62H	Visits dentist - to check braces	DV	356
DV_6_62I	Visits dentist - other reason	DV	356
DV_6_63	Had problems obtaining dental services	DV	357
DV_6_64A	Problem getting dental services - not avail. when required	DV	357
DV_6_64B	Problem getting dental services - not available in area	DV	358
DV_6_64C	Problem getting dental services - waiting time too long	DV	358
DV_6_64D	Problem getting dental services - transportation	DV	359
DV_6_64E	Problem getting dental services - language	DV	359
DV_6_64F	Problem getting dental services - cost	DV	360
DV_6_64G	Problem getting dental services - did not know where to go	DV	360
DV_6_64H	Problem getting dental services - other	DV	361
DV_6_65A	No dental visit - have not gotten around to it	DV	361
DV_6_65B	No dental visit - respondent did not think it was necessary	DV	362
DV_6_65C	No dental visit - dentist did not think it was necessary	DV	362
DV_6_65D	No dental visit - personal or family responsibilities	DV	363
DV_6_65E	No dental visit - not available when required	DV	363
DV_6_65F	No dental visit - not available at all in area	DV	364
DV_6_65G	No dental visit - waiting time too long	DV	364
DV_6_65H	No dental visit - transportation problems	DV	365
DV_6_65I	No dental visit - language problem	DV	365
DV_6_65J	No dental visit - cost	DV	366
DV_6_65K	No dental visit - did not know where to go	DV	366
DV_6_65L	No dental visit - fear	DV	367
DV_6_65M	No dental visit - wears dentures	DV	367
DV_6_65N	No dental visit - other reason	DV	368
DV_6_66	Has dental insurance	DV	368
EDC6_1	Currently attending a school, college or university	ED	163

# 1996-97 NPHS: Master File - Health

Page 11

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
EDC6_2	Full-time student or part-time student	ED	163
EDC6_3	Attended school since last interview	ED	164
EDC6_4	Number of years of elementary / high school completed	ED	164
EDC6_5	Graduated from high school	ED	165
EDC6_6	Attended post-secondary institution	ED	165
EDC6_7	Highest level of post-secondary education attained	ED	166
EDC6D1	Derived highest level of education - 14 levels	ED	168
EDC6D2	Derived highest level of education - 12 levels	ED	169
EDC6D3	Derived highest level of education - 4 levels	ED	169
EDC6DLF	Derived labour force activity of students	ED	170
EDC6G7	Derived highest level of education - 7 levels - grouped	ED	167
ES_6_80	Overall quality of emergency services	ES	387
ES_6_81	Used emergency services	ES	387
ES_6_82	Has health insurance covering hospital charges	ES	388
EX_6_70	Visited optometrist or ophthalmologist	EX	369
EX_6_71	Last eye examination	EX	369
EX_6_72	Frequency of eye examinations	EX	370
EX_6_73A	Has eye exam - make sure everything is OK	EX	370
EX_6_73B	Has eye exam - glaucoma test	EX	371
EX_6_73C	Has eye exam - job requirement	EX	371
EX_6_73D	Has eye exam - check prescription	EX	372
EX_6_73E	Has eye exam - cataracts are developing	EX	372
EX_6_73F	Has eye exam - to get driver's license	EX	373
EX_6_73G	Has eye exam - eye problem / infection	EX	373
EX_6_73H	Has eye exam - diabetes	EX	374
EX_6_73I	Has eye exam - sight deterioration	EX	374
EX_6_73J	Has eye exam - other reason	EX	375
EX_6_74	Had problems obtaining an eye examination	EX	375
EX_6_75A	Problem getting eye exam - not available when required	EX	376
EX_6_75B	Problem getting eye exam - not available at all in area	EX	376
EX_6_75C	Problem getting eye exam - waiting time too long	EX	377
EX_6_75D	Problem getting eye exam - transportation	EX	377
EX_6_75E	Problem getting eye exam - language	EX	378
EX_6_75F	Problem getting eye exam - cost	EX	378
EX_6_75G	Problem getting eye exam - did not know where to go	EX	379
EX_6_75H	Problem getting eye exam - other	EX	379

# 1996-97 NPHS: Master File - Health

Page 12

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
EX_6_76A	No eye exam - have not gotten around to it	EX	380
EX_6_76B	No eye exam - respondent did not think it was neces.	EX	380
EX_6_76C	No eye exam - doctor did not think it was necessary	EX	381
EX_6_76D	No eye exam - personal or family responsibilities	EX	381
EX_6_76E	No eye exam - not available when required	EX	382
EX_6_76F	No eye exam - not available at all in area	EX	382
EX_6_76G	No eye exam - waiting time too long	EX	383
EX_6_76H	No eye exam - transportation problems	EX	383
EX_6_76I	No eye exam - language problem	EX	384
EX_6_76J	No eye exam - cost	EX	384
EX_6_76K	No eye exam - did not know where to go	EX	385
EX_6_76L	No eye exam - fear	EX	385
EX_6_76M	No eye exam - other reason	EX	386
EX_6_77	Has insurance covering cost of eye glasses / contact lenses	EX	386
FS_6_50	Ever had a flu shot	FS	336
FS_6_52	Last time had flu shot	FS	337
FS_6_53A	Had flu shot - peer pressure	FS	337
FS_6_53B	Had flu shot - job requirement	FS	338
FS_6_53C	Had flu shot - helps prevent the flu	FS	338
FS_6_53D	Had flu shot - to protect others	FS	339
FS_6_53E	Had flu shot - recommended because of age	FS	339
FS_6_53F	Had flu shot - health problem	FS	340
FS_6_53G	Had flu shot - other reason	FS	340
FS_6_54	Had problems obtaining a flu shot	FS	341
FS_6_55A	Problem getting flu shot - not available when required	FS	341
FS_6_55B	Problem getting flu shot - not available in area	FS	342
FS_6_55C	Problem getting flu shot - waiting time too long	FS	342
FS_6_55D	Problem getting flu shot - transportation	FS	342
FS_6_55E	Problem getting flu shot - language	FS	343
FS_6_55F	Problem getting flu shot - cost	FS	343
FS_6_55G	Problem getting flu shot - did not know where to go	FS	343
FS_6_55H	Problem getting flu shot - other	FS	344
FS_6_56A	No flu shot - have not gotten around to it	FS	344
FS_6_56B	No flu shot - respondent did not think it was necessary	FS	345
FS_6_56C	No flu shot - doctor did not think it was necessary	FS	345
FS_6_56D	No flu shot - personal or family responsibilities	FS	346

# 1996-97 NPHS: Master File - Health

## Alphabetic Index

Page 13

June, 1998

Variable Name	Description	Section	Page
FS_6_56E	No flu shot - not available when required	FS	346
FS_6_56F	No flu shot - not available in area	FS	347
FS_6_56G	No flu shot - waiting time too long	FS	347
FS_6_56H	No flu shot - transportation problems	FS	348
FS_6_56I	No flu shot - language problem	FS	348
FS_6_56J	No flu shot - cost	FS	349
FS_6_56K	No flu shot - did not know where to go	FS	349
FS_6_56L	No flu shot - fear	FS	350
FS_6_56M	No flu shot - bad reaction to previous shot	FS	350
FS_6_56N	No flu shot - other reason	FS	351
GE36DCD	Derived 1991 Census Division	GE	3
GE36DCMA	Derived 1991 Census Metropolitan Area	GE	4
GE36DCSD	Derived 1991 Census Sub-Division	GE	3
GE36DFED	Derived 1991 Federal Electoral District	GE	5
GE36DHLR	Derived health regions	GE	6
GE36DHRO	Derived health regions (original sample)	GE	9
GE36DURB	Derived rural and urban area	GE	3
GE36GCMA	Derived 1991 Census Metropolitan Area - grouped	GE	5
GE36GHLR	Derived health areas - 26 groups - grouped	GE	8
GE36GHRO	Derived health areas - 33 groups - grouped	GE	11
GE36GURB	Derived rural and urban area - grouped	GE	3
GHC6_1	Respondent's general health	GH	220
GHC6_21	Gave birth since last interview	GH	314
GHC6DHD	Derived health description index	GH	221
GHK6_2	Level of physical activity - children	GH	221
GHK6_4HT	Height - children	GH	242
GHK6_6	Birth weight	GH	244
GHP6_21A	Gave birth in the past 5 years	GH	314
GHP6_25	Still breast-feeding	GH	316
GHP6_26	Duration of breast-feeding last child	GH	317
GHP6_27	Received help / advice about breast-feeding	GH	317
GHP6_28	From whom received breast-feeding advice	GH	318
GHP6_29	Main reason for stopping breast-feeding	GH	319
GHS6_11	Did something to improve health	GH	222
GHS6_12	Most important change to improve health	GH	222
GHS6_13	Thinks something should be done to improve health	GH	223

# 1996-97 NPHS: Master File - Health

Page 14

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
GHS6_14	Most important thing to be done to improve health	GH	223
GHS6_15	Barrier to improving health	GH	224
GHS6_16A	Reason for no improvement - lack of will power	GH	224
GHS6_16B	Reason for no improvement - lack of time	GH	225
GHS6_16C	Reason for no improvement - too tired	GH	225
GHS6_16D	Reason for no improvement - too difficult	GH	226
GHS6_16E	Reason for no improvement - too costly	GH	226
GHS6_16F	Reason for no improvement - too stressed	GH	227
GHS6_16G	Reason for no improvement - disability / health problem	GH	227
GHS6_16H	Reason for no improvement - other	GH	228
GHS6_17	Intending to improve health over next year	GH	228
GHS6_18A	Health improvement over next year - more exercise	GH	229
GHS6_18B	Health improvement over next year - lose weight	GH	229
GHS6_18C	Health improvement over next year - improve eating habits	GH	230
GHS6_18D	Health improvement over next year - quit smoking	GH	230
GHS6_18E	Health improvement over next year - reduce amount smoked	GH	231
GHS6_18F	Health improvement over next year - manage stress	GH	231
GHS6_18G	Health improvement over next year - reduce stress level	GH	232
GHS6_18H	Health improvement over next year - take vitamins	GH	232
GHS6_18I	Health improvement over next year - other	GH	233
GHS6_22	Gave birth to last baby in hospital	GH	315
GHS6_23	Used services of doctor, midwife or both	GH	315
GHS6_24	Breast fed child or tried to breast feed	GH	316
GHS6_31	Smoked during last pregnancy	GH	565
GHS6_32	Average number of cigarettes smoked daily during pregnancy	GH	565
GHS6_33	Smoked while breast-feeding last baby	GH	566
GHS6_34	Average no. of cigarettes smoked daily during breast-feeding	GH	566
GHS6_35	Someone smoked reg. in presence during / after pregnancy	GH	566
HCC6_1	Overnight patient	HC	53
HCC6_10A	Home care received - nursing care	HC	89
HCC6_10B	Home care received - other health care	HC	90
HCC6_10C	Home care received - personal care	HC	90
HCC6_10D	Home care received - housework	HC	91
HCC6_10E	Home care received - meal preparation or delivery	HC	91
HCC6_10F	Home care received - shopping	HC	91
HCC6_10G	Home care received - respite care	HC	92

# 1996-97 NPHS: Master File - Health

Page 15

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HCC6_10H	Home care received - other type	HC	92
HCC6_11	Received health care services in the United States	HC	93
HCC6_12	Went to United States primarily to receive health care	HC	93
HCC6_1A	Number of nights as patient	HC	53
HCC6_2A	Number of consultations - family doctor / g.p.	HC	56
HCC6_2B	Number of consultations - eye specialist	HC	58
HCC6_2C	Number of consultations - other medical doctor	HC	59
HCC6_2D	Number of consultations - nurse	HC	62
HCC6_2E	Number of consultations - dentist or orthodontist	HC	64
HCC6_2F	Number of consultations - chiropractor	HC	65
HCC6_2G	Number of consultations - physiotherapist	HC	66
HCC6_2H	Number of consultations - social worker / counselor	HC	67
HCC6_2I	Number of consultations - psychologist	HC	68
HCC6_2J	No. of consul. - speech / audiology / occupational therapist	HC	69
HCC6_3A	Place of most recent contact - family doctor	HC	57
HCC6_3C	Place of most recent contact - other medical doctor	HC	61
HCC6_3D	Place of most recent contact - nurse	HC	64
HCC6_4	Consulted alternative health care provider	HC	72
HCC6_4A	Attended self-help group	HC	71
HCC6_5A	Alternative health care - massage therapist	HC	72
HCC6_5B	Alternative health care - acupuncturist	HC	73
HCC6_5C	Alternative health care - homeopath / naturopath	HC	73
HCC6_5D	Alternative health care - Feldenkrais / Alexander	HC	74
HCC6_5E	Alternative health care - relaxation therapist	HC	74
HCC6_5F	Alternative health care - biofeedback	HC	75
HCC6_5G	Alternative health care - rolfer	HC	75
HCC6_5H	Alternative health care - herbalist	HC	76
HCC6_5I	Alternative health care - reflexologist	HC	76
HCC6_5J	Alternative health care - spiritual healer	HC	77
HCC6_5K	Alternative health care - religious healer	HC	77
HCC6_5L	Alternative health care - other	HC	78
HCC6_6	Felt that health care was needed but didn't receive it	HC	79
HCC6_7A	Health care not received - not available in area	HC	79
HCC6_7B	Health care not received - not available when required	HC	80
HCC6_7C	Health care not received - waiting time too long	HC	80
HCC6_7D	Health care not received - felt would be inadequate	HC	81

# 1996-97 NPHS: Master File - Health

Page 16

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HCC6_7E	Health care not received - cost	HC	81
HCC6_7F	Health care not received - too busy to get care	HC	82
HCC6_7G	Health care not received - didn't get around to it	HC	82
HCC6_7H	Health care not received - didn't know where to go	HC	83
HCC6_7I	Health care not received - transportation problems	HC	83
HCC6_7J	Health care not received - language problem	HC	84
HCC6_7K	Health care not received - personal or family resp.	HC	84
HCC6_7L	Health care not received - dislikes doctors / afraid	HC	85
HCC6_7M	Health care not received - decided not to seek care	HC	85
HCC6_7N	Health care not received - other reason	HC	86
HCC6_8A	Health care not received - treat. of physical health problem	HC	86
HCC6_8B	Health care not received - treat. of mental health problem	HC	87
HCC6_8C	Health care not received - a regular check-up	HC	87
HCC6_8D	Health care not received - care of injury	HC	88
HCC6_8E	Health care not received - other type	HC	88
HCC6_9	Received home care services	HC	89
HCC6DHPC	Derived consultations with health professionals	HC	71
HCC6DMDC	Derived number of consultations with medical doctors	HC	70
HCC6F1	Used any health care service	HC	70
HCC6G1A	No. of nights as patient - grouped	HC	54
HCC6G2A	No. of consultations - family doctor / g.p. - grouped	HC	56
HCC6G2B	No. of consultations - eye specialist - grouped	HC	59
HCC6G2C	No. of consultations - other medical doctor - grouped	HC	60
HCC6G2D	No. of consultations - nurse - grouped	HC	63
HCC6G2E	No. of consultations - dentist / orthodontist - grouped	HC	65
HCC6G2F	No. of consultations - chiropractor - grouped	HC	66
HCC6G2G	No. of consultations - physiotherapist - grouped	HC	66
HCC6G2H	No. of consultations - social worker / counsellor - grouped	HC	67
HCC6G2I	No. of consultations - psychologist - grouped	HC	68
HCC6G2J	No. of consultat. - speech/ audio/ occup. therapist-grouped	HC	69
HCC6G3A	Place / most recent contact - family doctor - grouped	HC	58
HCC6G3C	Place / most recent contact - other medical doctor - grouped	HC	62
HCC6G5L	Alternative health care - other - grouped	HC	78
HCC6GMDC	Derived no. of consultations with medical doctors - grouped	HC	70
HCK6_2A	Overnight patient - respiratory problem	HC	54
HCK6_2B	Overnight patient - gastrointestinal problem	HC	54



# 1996-97 NPHS: Master File - Health

## Alphabetic Index

Page 17

June, 1998

Variable Name	Description	Section	Page
HCK6_2C	Overnight patient - injuries	HC	55
HCK6_2D	Overnight patient - at birth	HC	55
HCK6_2E	Overnight patient - other reason	HC	55
HIP6_1	First source of information - sports injuries	HI	394
HIP6_1A	Look for other source - sports injuries	HI	394
HIP6_1B	Second source of information - sports injuries	HI	395
HIP6_2	First source of information - AIDS / STD	HI	396
HIP6_2A	Look for other source - AIDS / STD	HI	396
HIP6_2B	Second source of information - AIDS / STD	HI	397
HIP6_3	First source of information - depression	HI	398
HIP6_3A	Look for other source - depression	HI	398
HIP6_3B	Second source of information - depression	HI	399
HIP6_4	First source of information - pregnancy	HI	400
HIP6_4A	Look for other source - pregnancy	HI	400
HIP6_4B	Second source of information - pregnancy	HI	401
HIP6_5	Attended school in past 12 months	HI	401
HIP6_6	Rating of information received at school on improving health	HI	402
HIP6_7	Attended sex education classes at school	HI	402
HIP6_8	Rating of sex education classes	HI	403
HSC6_1	Sees well enough to read newsprint without glasses /contacts	HS	403
HSC6_10	Understood by strangers in own language	HS	410
HSC6_11	Understood partially by strangers in own language	HS	411
HSC6_12	Understood by non-strangers in own language	HS	411
HSC6_13	Understood partially by non-strangers in own language	HS	412
HSC6_14	Able to walk without difficulty without support	HS	413
HSC6_15	Able to walk	HS	414
HSC6_16	Requires support to walk	HS	414
HSC6_17	Requires help of person to walk	HS	415
HSC6_18	Requires a wheelchair	HS	415
HSC6_19	Frequency of wheelchair use	HS	416
HSC6_2	Sees well enough to read newsprint with glasses / contacts	HS	404
HSC6_20	Requires help to move in wheelchair	HS	416
HSC6_21	Able to grasp and handle small objects	HS	418
HSC6_22	Requires help due to limitation in hands	HS	418
HSC6_23	Requires help with tasks	HS	419
HSC6_24	Requires special equipment due to limitation in hands	HS	419

# 1996-97 NPHS: Master File - Health

Page 18

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HSC6_25	Description of feelings	HS	421
HSC6_26	Ability to remember things	HS	422
HSC6_27	Ability to think and solve problems	HS	422
HSC6_28	Free of pain or discomfort	HS	424
HSC6_29	Intensity of pain or discomfort	HS	424
HSC6_3	Able to see	HS	404
HSC6_30	Number of activities prevented by pain / discomfort	HS	425
HSC6_4	Sees well enough to recognize friend without glasses	HS	405
HSC6_5	Sees well enough to recognize friend with glasses	HS	405
HSC6_6	Hears in group of people without hearing aid	HS	407
HSC6_7	Hears in group of people with hearing aid	HS	407
HSC6_7A	Able to hear	HS	408
HSC6_8	Hears in quiet room without hearing aid	HS	408
HSC6_9	Hears in quiet room with hearing aid	HS	409
HSC6DCOG	Derived cognition - function code	HS	423
HSC6DDEX	Derived dexterity trouble - function code	HS	420
HSC6DEMO	Derived emotional problems - function code	HS	421
HSC6DHER	Derived hearing problems - function code	HS	409
HSC6DHSI	Derived Health Status Index (3 decimal places)	HS	426
HSC6DMOB	Derived mobility trouble - function code	HS	417
HSC6DPAD	Derived activities prevented-pain/discomfort - function code	HS	425
HSC6DSEV	Derived severity of pain - function code	HS	426
HSC6DSPE	Derived speech trouble - function code	HS	412
HSC6DVIS	Derived vision trouble - function code	HS	406
HSC6GCOG	Derived cognition - function code - grouped	HS	423
HSC6GDEX	Derived dexterity trouble - function code - grouped	HS	420
HSC6GHER	Derived hearing problems - function code - grouped	HS	410
HSC6GMOB	Derived mobility trouble - function code - grouped	HS	417
HSC6GSPE	Derived speech trouble - function code - grouped	HS	413
HSC6GVIS	Derived vision trouble - function code - grouped	HS	406
HSK6_25A	Event causing great amount of worry or unhappiness	HS	427
HSK6_31A	Worry or unhappiness - death in family	HS	427
HSK6_31B	Worry or unhappiness - divorce / separation	HS	428
HSK6_31C	Worry or unhappiness - move	HS	428
HSK6_31D	Worry or unhappiness - illness / injury of family member	HS	429
HSK6_31E	Worry or unhappiness - conflict between parents	HS	429

# 1996-97 NPHS: Master File - Health

Page 19

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HSK6_31F	Worry or unhappiness - other event	HS	430
HVS6_1	Tissue sample given for life insurance	HV	389
HVS6_2	Donated blood at the Red Cross	HV	389
HVS6_3	Year of last blood donation	HV	390
HVS6_4	Test for HIV or AIDS other than for insurance / blood donat.	HV	390
HVS6_5	Year of last HIV / AIDS test	HV	391
HVS6_6	Reason for HIV / AIDS test	HV	391
HVS6_7	Received "clotting factor" between 1978 and 1985	HV	392
HVS6_8	Received a blood transfusion between 1978 and 1985	HV	392
HVS6_9	Has injected non-prescription drugs	HV	393
HWC6_1	Currently pregnant	HW	233
HWC6_2HT	Height - adults	HW	234
HWC6_3KG	Weight - kilograms	HW	241
HWC6_3LB	Weight - pounds	HW	241
HWC6_HT	Height - adults and children	HW	236
HWC6DBMI	Derived Body Mass Index (1 decimal place)	HW	244
HWC6DSW	Derived standard weight	HW	245
HWC6G3KG	Weight in kilograms - grouped	HW	241
HWC6GBMI	Derived Body Mass Index (1 decimal place) - grouped	HW	245
HWC6GHT	Height - adults and children - grouped	HW	239
HWC6GSW	Derived standard weight - grouped	HW	246
HWS6_1	Respondent's opinion of own weight	HW	246
HWS6_2KG	Desired weight - kilograms	HW	247
HWS6_2LB	Desired weight - pounds	HW	247
HWS6_4	Most important thing done to follow a healthy diet	HW	248
HWS6_5	Skipping breakfast can control / reduce weight	HW	248
IJC6_1	Had an injury limiting normal activities	IJ	480
IJC6_2	Number of times injured	IJ	480
IJC6_3	Type of injury	IJ	481
IJC6_4	Body part affected by injury	IJ	482
IJC6_5	Place where injury happened	IJ	483
IJC6_6	Reason for injury	IJ	485
IJC6_7	Injury occurred at work	IJ	486
IJC6_8A	To avoid the injury recurring - gave up the activity	IJ	487
IJC6_8B	To avoid the injury recurring - being more careful	IJ	487
IJC6_8C	To avoid the injury recurring - safety training	IJ	488

# 1996-97 NPHS: Master File - Health

Page 20

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
IJC6_8D	To avoid the injury recurring - protective gear	IJ	488
IJC6_8E	To avoid the injury recurring - changing physical situation	IJ	489
IJC6_8F	To avoid the injury recurring - other precaution	IJ	489
IJC6_8G	To avoid the injury recurring - no precautions taken	IJ	490
IJC6D1	Derived type of injury by body site	IJ	490
IJC6D2	Derived cause of injury by place of occurrence	IJ	491
IJC6G5	Place of injury - grouped	IJ	484
IJC6G6	Reason for injury - grouped	IJ	486
IJC6GD2	Derived cause of injury by place of occurrence - grouped	IJ	492
INC6_1A	Source of income - wages and salaries	IN	19
INC6_1B	Source of income - income from self-employment	IN	19
INC6_1C	Source of income - dividends and interest	IN	20
INC6_1D	Source of income - unemployment insurance	IN	20
INC6_1E	Source of income - worker's compensation	IN	21
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	21
INC6_1G	Source - retirement pensions, superannuation and annuities	IN	22
INC6_1H	Source of income - Old Age Security	IN	22
INC6_1I	Source of income - child tax benefit	IN	23
INC6_1J	Source of income - social assistance	IN	23
INC6_1K	Source of income - child support	IN	24
INC6_1L	Source of income - alimony	IN	24
INC6_1M	Source of income - other	IN	25
INC6_1N	Source of income - none	IN	25
INC6_2	Main source of household income	IN	26
INC6_3A	Total household income: < \$20,000 or >= \$20,000	IN	27
INC6_3B	Total household income: < \$10,000 or >= \$10,000	IN	28
INC6_3C	Total household income: < \$5,000 or >= \$5,000	IN	28
INC6_3D	Total household income: < \$15,000 or >= \$15,000	IN	29
INC6_3E	Total household income: < \$40,000 or >= \$40,000	IN	29
INC6_3F	Total household income: < \$30,000 or >= \$30,000	IN	30
INC6_3G	Total household income: >= \$50,000	IN	30
INC6CCPI	1996 Consumer Price Index (All items 1986=100)	IN	33
INC6DHH	Derived total household income from all sources	IN	32
INC6DIA2	Derived income adequacy - 2 groups	IN	31
INC6DIA4	Derived income adequacy - 4 groups	IN	31
INC6DIA5	Derived income adequacy - 5 groups	IN	32

# 1996-97 NPHS: Master File - Health

Page 21

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
INC6F1	Household questions asked of this H05 respondent	IN	18
INC6G2	Main source of household income - grouped	IN	27
INS6_4	Household ran out of money to buy food	IN	33
INS6_5	Received food from a charity	IN	33
INS6_6	Description of food situation	IN	34
IS_6D1	Derived number of types of medical insurance	IS	388
LFC6_101	Usually works weekends - job 1	LF	177
LFC6_102	Usually works weekends - job 2	LF	184
LFC6_103	Usually works weekends - job 3	LF	191
LFC6_111	Worked - other than job 1	LF	178
LFC6_112	Worked - other than job 1 and job 2	LF	185
LFC6_13C	Long answer collected - main job industry	LF	192
LFC6_14C	Long answer collected - main job kind of work	LF	192
LFC6_15C	Long answer collected - main job duties	LF	193
LFC6_16	Worked for others or in own business - main job	LF	193
LFC6_17A	Reason for not working - most recent period	LF	194
LFC6_17B	Reason for not working - currently	LF	196
LFC6_2	Worked for pay or profit	LF	170
LFC6_2B	Worked for same employer as in last interview	LF	171
LFC6_41	Had job one year ago without break - job 1	LF	172
LFC6_42	Had job one year ago without break - job 2	LF	179
LFC6_43	Had job one year ago without break - job 3	LF	186
LFC6_51D	Day started - job 1	LF	173
LFC6_51M	Month started - job 1	LF	173
LFC6_51Y	Year started - job 1	LF	174
LFC6_52D	Day started - job 2	LF	180
LFC6_52M	Month started - job 2	LF	180
LFC6_52Y	Year started - job 2	LF	181
LFC6_53D	Day started - job 3	LF	187
LFC6_53M	Month started - job 3	LF	186
LFC6_53Y	Year started - job 3	LF	187
LFC6_61	Has job now - job 1	LF	174
LFC6_62	Has job now - job 2	LF	181
LFC6_63	Has job now - job 3	LF	188
LFC6_71D	Day stopped - job 1	LF	175
LFC6_71M	Month stopped - job 1	LF	175

---

## 1996-97 NPHS: Master File - Health

Page 22

### Alphabetic Index

*June, 1998*

---

Variable Name	Description	Section	Page
LFC6_71Y	Year stopped - job 1	LF	176
LFC6_72D	Day stopped - job 2	LF	182
LFC6_72M	Month stopped - job 2	LF	182
LFC6_72Y	Year stopped - job 2	LF	183
LFC6_73D	Day stopped - job 3	LF	189
LFC6_73M	Month stopped - job 3	LF	188
LFC6_73Y	Year stopped - job 3	LF	189
LFC6_81	Hours usually worked per week - job 1	LF	176
LFC6_82	Hours usually worked per week - job 2	LF	183
LFC6_83	Hours usually worked per week - job 3	LF	190
LFC6_91	Type of working hours - job 1	LF	177
LFC6_92	Type of working hours - job 2	LF	184
LFC6_93	Type of working hours - job 3	LF	190
LFC6_E1C	Long answer collected - employer - job 1	LF	171
LFC6_E2C	Long answer collected - employer - job 2	LF	178
LFC6_E3C	Long answer collected - employer - job 3	LF	185
LFC6CSIC	Standard Industrial Codes for main job	LF	202
LFC6CSOC	Standard Occupation Codes for main job	LF	199
LFC6DBLI	Derived Blishen socio-economic index for main job	LF	203
LFC6DCMN	Derived main job is the current job	LF	206
LFC6DCWS	Derived working status in last 12 months	LF	204
LFC6DD1	Derived work duration - job 1	LF	209
LFC6DD2	Derived work duration - job 2	LF	210
LFC6DD3	Derived work duration - job 3	LF	211
LFC6DDA	Derived duration of work without a break > 30 days	LF	204
LFC6DDMN	Derived work duration - main job	LF	207
LFC6DGA	Derived number of gaps of 30 days or more	LF	198
LFC6DH1	Derived hours of work - job 1	LF	211
LFC6DH2	Derived hours of work - job 2	LF	212
LFC6DH3	Derived hours of work - job 3	LF	212
LFC6DHA	Derived pattern of working hours of all jobs reported	LF	205
LFC6DHMN	Derived hours of work - main job	LF	207
LFC6DHW1	Derived household labour force status - current	LF	214
LFC6DHW2	Derived household labour force status - during year	LF	215
LFC6DJA	Derived number of jobs	LF	205
LFC6DJGA	Derived pattern of number of jobs	LF	206

---

# 1996-97 NPHS: Master File - Health

Page 23

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC6DPIN	Derived Pineo socio-econ. class. for main occupation	LF	203
LFC6DT1	Derived type of working hours - job 1	LF	213
LFC6DT2	Derived type of working hours - job 2	LF	213
LFC6DT3	Derived type of working hours - job 3	LF	214
LFC6DTMN	Derived type of working hours - main job	LF	208
LFC6FGAP	Jobless spell (gap) greater than 6 days	LF	198
LFC6FMN	Job number of main job	LF	191
LFC6FWK	Work flag used for processing only	LF	197
LFC6G17A	Reason for not working - most recent period - grouped	LF	195
LFC6G17B	Reasons for not currently working - grouped	LF	197
LFC6GI13	Industry Codes for main job - 13 groups - grouped	LF	202
LFC6GO21	Occupation Codes for main job - 21 groups - grouped	LF	201
LFC6GO34	Occupation Codes for main job - 34 groups - grouped	LF	200
MEMCYCLE	Cycle in which respondent joined the survey	SP	36
MHC6_10	Depressed - frequency of trouble falling asleep	MH	619
MHC6_11	Depressed - trouble concentrating	MH	620
MHC6_12	Depressed - felt down on self	MH	620
MHC6_13	Depressed - thought a lot about death	MH	621
MHC6_14	Depressed - number of weeks in past 12 months	MH	621
MHC6_15	Month in which depression occurred	MH	622
MHC6_16	Lost interest in most things that usually give pleasure	MH	623
MHC6_17	Loss of interest - duration	MH	623
MHC6_18	Loss of interest - frequency	MH	624
MHC6_19	Loss of interest - felt tired all the time	MH	624
MHC6_1A	Number of times - felt nothing could cheer you up	MH	605
MHC6_1B	Number of times - felt nervous	MH	606
MHC6_1C	Number of times - felt restless / fidgety	MH	606
MHC6_1D	Number of times - felt hopeless	MH	607
MHC6_1E	Number of times - felt worthless	MH	607
MHC6_1F	Number of times - felt everything was an effort	MH	608
MHC6_1G	Feelings occurred more or less often than usual	MH	608
MHC6_1H	Feelings occurred how much more often	MH	609
MHC6_1I	Feelings occurred how much less often	MH	609
MHC6_1J	How much these experiences interfere with life / activities	MH	610
MHC6_1K	Consulted health professional about mental health	MH	610
MHC6_1L	No. of times consulted health professional for mental health	MH	611

# 1996-97 NPHS: Master File - Health

Page 24

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
MHC6_1MA	Mental health, consulted - family doctor	MH	612
MHC6_1MB	Mental health, consulted - psychiatrist	MH	612
MHC6_1MC	Mental health, consulted - psychologist	MH	613
MHC6_1MD	Mental health, consulted - nurse	MH	613
MHC6_1ME	Mental health, consulted - social worker or counselor	MH	614
MHC6_1MF	Mental health, consulted - other person	MH	614
MHC6_2	Felt depressed for 2 weeks or more in past year	MH	615
MHC6_20	Loss of interest - weight change	MH	625
MHC6_21K	Loss of interest - weight change (kg.)	MH	625
MHC6_21L	Loss of interest - weight change (lb.)	MH	626
MHC6_22	Loss of interest - trouble falling asleep	MH	626
MHC6_23	Loss of interest - frequency of sleep problem	MH	627
MHC6_24	Loss of interest - trouble concentrating	MH	627
MHC6_25	Loss of interest - felt down on self	MH	628
MHC6_26	Loss of interest - thought a lot about death	MH	628
MHC6_27	Number of weeks feeling loss of interest	MH	629
MHC6_28	Month in which loss of interest occurred	MH	629
MHC6_3	Depressed - length of time feelings usually last	MH	615
MHC6_4	Depressed - number of times felt this way	MH	616
MHC6_5	Depressed - lost interest in most things	MH	616
MHC6_6	Depressed - felt tired all of the time	MH	617
MHC6_7	Depressed - weight change	MH	617
MHC6_8KG	Depressed - weight change (kg.)	MH	618
MHC6_8LB	Depressed - weight change (lb.)	MH	618
MHC6_9	Depressed - trouble falling asleep	MH	619
MHC6DCH	Derived Chronicity of Distress and Impairment Scale	MH	630
MHC6DDS	Derived Distress Scale	MH	630
MHC6DMT	Derived specific month when felt depressed	MH	632
MHC6DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	MH	631
MHC6DSF	Derived Depression Scale - Short Form Score	MH	631
MHC6DWK	Derived number of weeks felt depressed	MH	631
MHC6G1L	No. of consult. / health profes. / mental health - grouped	MH	611
PAC6_1A	Walked for exercise in last 3 months	PA	430
PAC6_1B	Gardening / yard work in last 3 months	PA	431
PAC6_1C	Swam in last 3 months	PA	431
PAC6_1D	Bicycled in last 3 months	PA	432



---

## 1996-97 NPHS: Master File - Health

Page 25

### Alphabetic Index

June, 1998

---

Variable Name	Description	Section	Page
PAC6_1E	Popular or social dance in last 3 months	PA	432
PAC6_1F	Home exercises in last 3 months	PA	433
PAC6_1G	Played ice hockey in last 3 months	PA	433
PAC6_1H	Ice skated in last 3 months	PA	434
PAC6_1I	Downhill skied in last 3 months	PA	434
PAC6_1J	Jogged or ran in last 3 months	PA	435
PAC6_1K	Golfed in last 3 months	PA	435
PAC6_1L	Had exercise class or did aerobics in last 3 months	PA	436
PAC6_1M	Cross-country skied in last 3 months	PA	436
PAC6_1N	Bowled in last 3 months	PA	437
PAC6_1O	Played baseball or softball in last 3 months	PA	437
PAC6_1P	Played tennis in last 3 months	PA	438
PAC6_1Q	Weight-trained in last 3 months	PA	438
PAC6_1R	Fished in last 3 months	PA	439
PAC6_1S	Played volleyball in last 3 months	PA	439
PAC6_1T	Played basketball in last 3 months	PA	440
PAC6_1U	Did other physical activity in last 3 months - (#1)	PA	440
PAC6_1V	Did no physical activity in last 3 months	PA	441
PAC6_1W	Did other physical activity in last 3 months - (#2)	PA	442
PAC6_1X	Did other physical activity in last 3 months - (#3)	PA	443
PAC6_2A	Number of times participated - walking for exercise	PA	444
PAC6_2B	Number of times participated - gardening or yard work	PA	445
PAC6_2C	Number of times participated - swimming	PA	446
PAC6_2D	Number of times participated - bicycling	PA	447
PAC6_2E	Number of times participated - popular or social dance	PA	448
PAC6_2F	Number of times participated - home exercises	PA	449
PAC6_2G	Number of times participated - ice hockey	PA	450
PAC6_2H	Number of times participated - ice skating	PA	451
PAC6_2I	Number of times participated - downhill skiing	PA	452
PAC6_2J	Number of times participated - jogging or running	PA	453
PAC6_2K	Number of times participated - golfing	PA	454
PAC6_2L	Number of times participated - exercise class or aerobics	PA	455
PAC6_2M	Number of times participated - cross-country skiing	PA	456
PAC6_2N	Number of times participated - bowling	PA	457
PAC6_2O	Number of times participated - baseball or softball	PA	458
PAC6_2P	Number of times participated - tennis	PA	459

---

# 1996-97 NPHS: Master File - Health

Page 26

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC6_2Q	Number of times participated - weight training	PA	460
PAC6_2R	Number of times participated - fishing	PA	461
PAC6_2S	Number of times participated - volleyball	PA	462
PAC6_2T	Number of times participated - basketball	PA	463
PAC6_2U	Number of times participated - other physical activity (#1)	PA	464
PAC6_2W	Number of times participated - other physical activity (#2)	PA	465
PAC6_2X	Number of times participated - other physical activity (#3)	PA	466
PAC6_3A	Time spent - walking for exercise	PA	444
PAC6_3B	Time spent - gardening or yard work	PA	445
PAC6_3C	Time spent - swimming	PA	446
PAC6_3D	Time spent - bicycling	PA	447
PAC6_3E	Time spent - popular or social dance	PA	448
PAC6_3F	Time spent - home exercises	PA	449
PAC6_3G	Time spent - ice hockey	PA	450
PAC6_3H	Time spent - ice skating	PA	451
PAC6_3I	Time spent - downhill skiing	PA	452
PAC6_3J	Time spent - jogging or running	PA	453
PAC6_3K	Time spent - golfing	PA	454
PAC6_3L	Time spent - exercise class or aerobics	PA	455
PAC6_3M	Time spent - cross-country skiing	PA	456
PAC6_3N	Time spent - bowling	PA	457
PAC6_3O	Time spent - baseball or softball	PA	458
PAC6_3P	Time spent - tennis	PA	459
PAC6_3Q	Time spent - weight training	PA	460
PAC6_3R	Time spent - fishing	PA	461
PAC6_3S	Time spent - volleyball	PA	462
PAC6_3T	Time spent - basketball	PA	463
PAC6_3U	Time spent - other physical activity (#1)	PA	464
PAC6_3W	Time spent - other physical activity (#2)	PA	465
PAC6_3X	Time spent - other physical activity (#3)	PA	466
PAC6_4A	Number of hours walking to work / school	PA	467
PAC6_4B	Number of hours biking to work / school	PA	467
PAC6_5	Frequency of bike helmet use	PA	468
PAC6_6	Level of physical activity for usual day	PA	468
PAC6_C1C	Long answer collected - other physical activity (#1)	PA	441
PAC6_C2C	Long answer collected - other physical activity (#2)	PA	442

# 1996-97 NPHS: Master File - Health

Page 27

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC6_C3C	Long answer collected - other physical activity (#3)	PA	443
PAC6DEE	Derived energy expenditure (1 decimal point)	PA	469
PAC6DFD	Derived participation / daily phys. activities > 15 min.	PA	470
PAC6DFM	Derived monthly freq. of physical activity lasting > 15 min.	PA	469
PAC6DFR	Derived frequency of all physical activity	PA	470
PAC6DLEI	Derived participant in leisure physical activity	PA	469
PAC6DPAI	Derived physical activity index	PA	471
PC_6_40	Had physical check-up without having a health problem	PC	319
PC_6_41	Had physical check-up during visit for health problem	PC	320
PC_6_42	Last time had physical check up	PC	320
PC_6_42A	Frequency of physical check-ups	PC	321
PC_6_43A	Gets physical check-up - family history of health problems	PC	321
PC_6_43B	Gets physical check-up - testing	PC	322
PC_6_43C	Gets physical check-up - required for job, etc.	PC	322
PC_6_43D	Gets physical check-up - make sure everything is OK	PC	323
PC_6_43E	Gets physical check-up - catch problems early	PC	323
PC_6_43F	Gets physical check-up - for prevention	PC	324
PC_6_43G	Gets physical check-up - for health reasons	PC	324
PC_6_43H	Gets physical check-up - other reason	PC	325
PC_6_44	Had problems obtaining physical check-up	PC	325
PC_6_45A	Prob. getting phys. check-up - not available when required	PC	326
PC_6_45B	Prob. getting phys. check-up - not available in area	PC	326
PC_6_45C	Prob. getting phys. check-up - waiting time too long	PC	327
PC_6_45D	Prob. getting phys. check-up - transportation	PC	327
PC_6_45E	Prob. getting phys. check-up - language	PC	328
PC_6_45F	Prob. getting phys. check-up - cost	PC	328
PC_6_45G	Prob. getting phys. check-up - did not know where to go	PC	329
PC_6_45H	Prob. getting phys. check-up - other	PC	329
PC_6_46A	No physical check-up - have not gotten around to it	PC	330
PC_6_46B	No physical check-up - resp. didn't think it was neces.	PC	330
PC_6_46C	No physical check-up - doctor didn't think it was neces.	PC	331
PC_6_46D	No physical check-up - personal or family respons.	PC	331
PC_6_46E	No physical check-up - not available / time required	PC	332
PC_6_46F	No physical check-up - not available at all in area	PC	332
PC_6_46G	No physical check-up - waiting time too long	PC	333
PC_6_46H	No physical check-up - transportation problems	PC	333

# 1996-97 NPHS: Master File - Health

## Alphabetic Index

Page 28

June, 1998

Variable Name	Description	Section	Page
PC_6_46I	No physical check-up - language problem	PC	334
PC_6_46J	No physical check-up - cost	PC	334
PC_6_46K	No physical check-up - did not know where to go	PC	335
PC_6_46L	No physical check-up - fear	PC	335
PC_6_46M	No physical check-up - other reason	PC	336
PERSONID	Record identifier for person in the household	AM	1
PRC6_CUR	Province of residence	PR	2
PRC6_DES	Design province	PR	2
RAC6_1A	Limited in kind or amount of activities - at home	RA	94
RAC6_1B	Limited in kind or amount of activities - at school	RA	94
RAC6_1C	Limited in kind or amount of activities - at work	RA	95
RAC6_1D	Limited in kind or amount of activities - other	RA	95
RAC6_2	Has long-term disabilities or handicaps	RA	96
RAC6_3C	Long answer collected - problem causing limitation	RA	96
RAC6_5	Cause of condition	RA	101
RAC6_6A	Needs help - preparing meals	RA	102
RAC6_6B	Needs help - shopping for groceries or other necessities	RA	102
RAC6_6C	Needs help - housework	RA	103
RAC6_6D	Needs help - heavy household chores	RA	103
RAC6_6E	Needs help - personal care	RA	104
RAC6_6F	Needs help - moving about in the house	RA	104
RAC6CIC	ICD-9 code for main health problem causing limitations	RA	97
RAC6D6G	Derived need for help in series of tasks	RA	105
RAC6F1	Restriction of activity flag	RA	97
RAC6G5	Cause of health problem - grouped	RA	101
RAC6GC12	Derived main health problem - 12 groups - grouped	RA	99
RAC6GC25	Derived main health problem - 25 groups - grouped	RA	98
RAC6GC7	Derived main health problem - 7 groups - grouped	RA	100
REALUKEY	Record identifier for the household	AM	1
RPC6_1	Had repetitive strain injuries	RP	476
RPC6_2	Number of repetitive strain injuries	RP	477
RPC6_3	Body part affected by repetitive strain injury	RP	477
RPC6_4A	Injury caused by activity at home	RP	478
RPC6_4B	Injury caused by activity at school	RP	478
RPC6_4C	Injury caused by leisure activities	RP	479
RPC6_4D	Injury caused by other activity	RP	479

# 1996-97 NPHS: Master File - Health

Page 29

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
RSS6_1	Been passenger with driver who had too much to drink	RS	686
RSS6_10	Frequency - designated driver	RS	694
RSS6_2	Driver intoxicated - tried to prevent person from driving	RS	687
RSS6_3A	Driver intoxicated - drove person home yourself	RS	687
RSS6_3B	Driver intoxicated - asked someone to drive person home	RS	688
RSS6_3C	Driver intoxicated - asked person to take a taxi	RS	688
RSS6_3D	Driver intoxicated - hid person's car keys	RS	689
RSS6_3E	Driver intoxicated - served coffee to person	RS	689
RSS6_3F	Driver intoxicated - kept the person at home	RS	690
RSS6_3G	Driver intoxicated - other action to prevent driving	RS	690
RSS6_4	Has valid driver's license for a motor vehicle	RS	691
RSS6_5	Frequency - insisting that passengers wear their seatbelt	RS	691
RSS6_6	Frequency - obey speed limits	RS	692
RSS6_7	Number of times drank too much and drove	RS	692
RSS6_8	Go out with friends / family to consume alcohol	RS	693
RSS6_9	Have designated driver when going out	RS	693
SDC6_1	Country of birth	SD	129
SDC6_3	Year came to Canada	SD	130
SDC6_4A	Ethnic origin - Canadian	SD	132
SDC6_4B	Ethnic origin - French	SD	133
SDC6_4C	Ethnic origin - English	SD	133
SDC6_4D	Ethnic origin - German	SD	134
SDC6_4E	Ethnic origin - Scottish	SD	134
SDC6_4F	Ethnic origin - Irish	SD	135
SDC6_4G	Ethnic origin - Italian	SD	135
SDC6_4H	Ethnic origin - Ukrainian	SD	136
SDC6_4I	Ethnic origin - Dutch (Netherlands)	SD	136
SDC6_4J	Ethnic origin - Chinese	SD	137
SDC6_4K	Ethnic origin - Jewish	SD	137
SDC6_4L	Ethnic origin - Polish	SD	138
SDC6_4M	Ethnic origin - Portuguese	SD	138
SDC6_4N	Ethnic origin - South Asian	SD	139
SDC6_4O	Ethnic origin - Black	SD	139
SDC6_4P	Ethnic origin - North American Indian	SD	140
SDC6_4Q	Ethnic origin - Métis	SD	140
SDC6_4R	Ethnic origin - Inuit / Eskimo	SD	141

# 1996-97 NPHS: Master File - Health

Page 30

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC6_4S	Ethnic origin - other	SD	141
SDC6_5A	Can conduct a conversation - English	SD	142
SDC6_5B	Can conduct a conversation - French	SD	142
SDC6_5C	Can conduct a conversation - Arabic	SD	142
SDC6_5D	Can conduct a conversation - Chinese	SD	143
SDC6_5E	Can conduct a conversation - Cree	SD	143
SDC6_5F	Can conduct a conversation - German	SD	143
SDC6_5G	Can conduct a conversation - Greek	SD	144
SDC6_5H	Can conduct a conversation - Hungarian	SD	144
SDC6_5I	Can conduct a conversation - Italian	SD	144
SDC6_5J	Can conduct a conversation - Korean	SD	145
SDC6_5K	Can conduct a conversation - Persian	SD	145
SDC6_5L	Can conduct a conversation - Polish	SD	145
SDC6_5M	Can conduct a conversation - Portuguese	SD	146
SDC6_5N	Can conduct a conversation - Punjabi	SD	146
SDC6_5O	Can conduct a conversation - Spanish	SD	146
SDC6_5P	Can conduct a conversation - Tagalog	SD	147
SDC6_5Q	Can conduct a conversation - Ukrainian	SD	147
SDC6_5R	Can conduct a conversation - Vietnamese	SD	147
SDC6_5S	Can conduct a conversation - other language	SD	148
SDC6_6A	First language learned and still understood - English	SD	149
SDC6_6B	First language learned and still understood - French	SD	150
SDC6_6C	First language learned and still understood - Arabic	SD	150
SDC6_6D	First language learned and still understood - Chinese	SD	150
SDC6_6E	First language learned and still understood - Cree	SD	151
SDC6_6F	First language learned and still understood - German	SD	151
SDC6_6G	First language learned and still understood - Greek	SD	151
SDC6_6H	First language learned and still understood - Hungarian	SD	152
SDC6_6I	First language learned and still understood - Italian	SD	152
SDC6_6J	First language learned and still understood - Korean	SD	152
SDC6_6K	First language learned and still understood - Persian	SD	153
SDC6_6L	First language learned and still understood - Polish	SD	153
SDC6_6M	First language learned and still understood - Portuguese	SD	153
SDC6_6N	First language learned and still understood - Punjabi	SD	154
SDC6_6O	First language learned and still understood - Spanish	SD	154
SDC6_6P	First language learned and still understood - Tagalog	SD	155

# 1996-97 NPHS: Master File - Health

Page 31

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC6_6Q	First language learned and still understood - Ukrainian	SD	155
SDC6_6R	First language learned and still understood - Vietnamese	SD	156
SDC6_6S	First language learned and still understood - other	SD	156
SDC6_7A	Race or colour - White	SD	156
SDC6_7B	Race or colour - Chinese	SD	157
SDC6_7C	Race or colour - South Asian	SD	157
SDC6_7D	Race or colour - Black	SD	158
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	158
SDC6_7F	Race or colour - Arab / West Asian	SD	159
SDC6_7G	Race or colour - Filipino	SD	159
SDC6_7H	Race or colour - South East Asian	SD	160
SDC6_7I	Race or colour - Latin American	SD	160
SDC6_7J	Race or colour - Japanese	SD	161
SDC6_7K	Race or colour - Korean	SD	161
SDC6_7L	Race or colour - other	SD	161
SDC6CB	Code of country of birth	SD	129
SDC6DAIM	Derived age at time of immigration	SD	131
SDC6DLNG	Derived language resp. can conduct conversation in	SD	148
SDC6DRAC	Derived race or colour	SD	162
SDC6DRES	Derived length of time in Canada since immigration	SD	131
SDC6FIMM	Flag indicating that the respondent is an immigrant	SD	131
SDC6GCB	Country of birth - grouped	SD	130
SDC6GLG4	Derived language resp. can conduct conversation in - grouped	SD	149
SDC6GRAC	Derived race or colour - grouped	SD	162
SDC6GRES	Derived length of time in Canada - grouped	SD	132
SHP6_1	Effective in preventing STD - using condom	SH	672
SHP6_10	Chance of getting an STD	SH	681
SHP6_11	To prevent STD - changed sexual behaviour	SH	682
SHP6_12	To prevent STD - sex with only 1 partner	SH	682
SHP6_13	To prevent STD - using condoms	SH	683
SHP6_14	To prevent STD - using spermicidal jellies and foams	SH	683
SHP6_15	To prevent STD - more careful in selecting partners	SH	684
SHP6_16	To prevent STD - started being tested for STD	SH	684
SHP6_17	To prevent STD - insisting that partner be tested for STD	SH	685
SHP6_18	To prevent STD - abstaining from sexual intercourse	SH	685
SHP6_19	To prevent STD - other measures	SH	686

# 1996-97 NPHS: Master File - Health

Page 32

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SHP6_2	Effective in preventing STD - birth control pill	SH	672
SHP6_3	Effective in preventing STD - diaphragm / sponge	SH	673
SHP6_4	Effective in preventing STD - spermicidal jelly / foam	SH	673
SHP6_5	Effective in preventing STD - asking if a partner has one	SH	674
SHP6_6	Effective in preventing STD - having regular partner	SH	674
SHP6_7	Effective in preventing STD - asking partner to go for test	SH	675
SHP6_8	Has sources of information on preventing STD	SH	675
SHP6_9A	Main source of information on STD - parents	SH	676
SHP6_9B	Main source of information on STD - medical professional	SH	676
SHP6_9C	Main source of information on STD - friends	SH	677
SHP6_9D	Main source of information on STD - school	SH	677
SHP6_9E	Main source of information on STD - church	SH	678
SHP6_9F	Main source of information on STD - youth club	SH	678
SHP6_9G	Main source of information on STD - TV / radio	SH	679
SHP6_9H	Main source of information on STD - magazines / newspaper	SH	679
SHP6_9I	Main source of information on STD - information pamphlets	SH	680
SHP6_9J	Main source of information on STD - books	SH	680
SHP6_9K	Main source of information on STD - other	SH	681
SHS6_1	Ever had sexual intercourse	SH	662
SHS6_10	Had / has - syphilis	SH	668
SHS6_11	Had / has - genital warts	SH	668
SHS6_12	Had / has - genital herpes	SH	669
SHS6_13	Had / has - hepatitis B	SH	669
SHS6_14	Has - HIV / AIDS	SH	670
SHS6_15	Had / has - pelvic inflammatory disease	SH	670
SHS6_16	Had / has - other STD	SH	671
SHS6_2	Age at first sexual intercourse	SH	663
SHS6_3	Had sexual intercourse in past 12 months	SH	664
SHS6_4	Number of partners (sexual intercourse)	SH	664
SHS6_5	Relationship lasted 12 months or longer	SH	665
SHS6_6	Relationships lasted less than 12 months	SH	665
SHS6_7	Condom use in relationship(s) lasting less than 12 months	SH	666
SHS6_7A	Used a condom the last time	SH	666
SHS6_8	Had / has - chlamydia	SH	667
SHS6_9	Had / has - gonorrhea	SH	667
SHS6D1	Derived - had at least 1 sexually-transmitted disease	SH	671



# 1996-97 NPHS: Master File - Health

Page 33

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SHS6G2	Age at first sexual intercourse - grouped	SH	663
SMC6_1	Household member smokes regularly inside house	SM	557
SMC6_2	Type of smoker	SM	557
SMC6_3	Age started smoking daily - daily smoker	SM	558
SMC6_4	Number of cigarettes smoked each day - daily smoker	SM	559
SMC6_4A	Ever smoked cigarettes	SM	559
SMC6_5	Ever smoked daily	SM	560
SMC6_6	Age started smoking daily - former daily smoker	SM	560
SMC6_7	Number of cigarettes smoked each day - former daily smoker	SM	561
SMC6_8	Age stopped smoking daily - former daily smoker	SM	562
SMC6DTYP	Derived type of smoker	SM	564
SMC6DYRS	Derived number of years smoked	SM	564
SMC6G3	Age started smoking daily - daily smoker - grouped	SM	558
SMC6G6	Age started smoking daily - former daily smoker - grouped	SM	561
SMC6G8	Age stopped smoking daily - former daily smoker - grouped	SM	563
SMS6_12	Restrictions on smoking in work place	SM	568
SMS6_13A	Children more likely to start smoking if their parents smoke	SM	568
SMS6_13B	People too concerned about second-hand smoke	SM	569
SMS6_13C	Non-smokers mind when people smoke in their presence	SM	569
SMS6_13D	Children/ second-hand smoke / more likely to have ill health	SM	570
SMS6_13E	Pregnant women / others living with / should not smoke	SM	570
SMS6_13F	Provide non-smokers with a smoke-free environment at work	SM	571
SMS6_13G	Ask permission to smoke in the presence of others	SM	571
SMS6_13H	Lower cigarette prices lead to increased smoking	SM	572
SMS6_14	Feels unpleasant effects from second-hand smoke	SM	572
SMS6_15	Second-hand smoke can cause health problems in non-smoker	SM	573
SMS6_16A	Second-hand smoke can cause lung cancer in a non-smoker	SM	573
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	SM	574
SMS6_16C	Second-hand smoke can cause a stroke in a non-smoker	SM	574
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	SM	575
SMS6_17	Smoking cigarettes can cause health problems in smoker	SM	575
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	SM	576
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	SM	576
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	SM	577
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	SM	577
SMS6_8	Time until first cigarette after waking up	SM	567

# 1996-97 NPHS: Master File - Health

Page 34

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SMS6_9	Considering quitting smoking in next 6 months	SM	567
SP36_CPA	Actual collection period	SP	14
SP36_CPS	Sampled collection period	SP	13
SP36DPC	Derived postal code	SP	15
SPC6_TYP	Type of sample	SP	15
SSC6_1	Member of organization / association	SS	632
SSC6_2	Frequency of participation in organizations / associations	SS	633
SSC6_2A	Frequency of attending religious services	SS	633
SSC6_3	Has someone to confide in	SS	635
SSC6_4	Has someone to count on in crisis situation	SS	635
SSC6_5	Has someone who gives advice when making important decisions	SS	636
SSC6_6	Has someone to make feel loved and cared for	SS	636
SSC6_7A	Frequency of contact with parents / in-laws	SS	637
SSC6_7B	Frequency of contact with grandparents	SS	638
SSC6_7C	Frequency of contact with daughters / daughters-in-law	SS	639
SSC6_7D	Frequency of contact with sons / sons-in-law	SS	640
SSC6_7E	Frequency of contact with brothers / sisters	SS	641
SSC6_7F	Frequency of contact with other relatives	SS	642
SSC6_7G	Frequency of contact with close friends	SS	643
SSC6_7H	Frequency of contact with neighbours	SS	644
SSC6D1	Derived social support index	SS	644
SSC6D2	Derived social involvement score	SS	645
SSC6D3	Derived average frequency of contacts	SS	645
SSP6_1	Received care from friend / relative in the past 12 months	SS	649
SSP6_2	Received care from friend / relative in last month	SS	650
SSP6_3	Level of support from family / friends	SS	650
SSP6_4	Helped relative / friend with health problem	SS	651
SSS6_1	Spiritual values / faith play important role in life	SS	634
SSS6_2	Self-perception of religiousness / spirituality	SS	634
SSS6_3	Number of people seen socially who smoke	SS	646
SSS6_4	Number of people seen socially who drink too much	SS	646
SSS6_5A	Partner smokes cigarettes	SS	647
SSS6_5B	Partner exercises regularly	SS	647
SSS6_5C	Partner drinks too much	SS	648
SSS6_5D	Partner overeats	SS	648
SSS6_5E	Partner uses tranquilizers	SS	649

# 1996-97 NPHS: Master File - Health

Page 35

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SUBCYCLE	1996 sample indicator	SP	12
SVB6_1	Overall quality of the health care system for children	SV	660
SVB6_2	Quality of children's health care services in community	SV	660
SVB6_3	Availability of children's health care services in community	SV	661
SVB6_4	Difficulty of getting health care services	SV	661
SVB6_5	Overall quality of health care in past 12 months	SV	662
SVP6_1	Overall rating of health care system	SV	656
SVP6_2	Availability of community health care	SV	657
SVP6_3	Overall quality of health care in community	SV	657
SVP6_4	Overall availability of health care in community	SV	658
SVP6_5	Quality of health care in community	SV	658
SVP6_6	Difficulty getting health care services needed	SV	659
SVP6_7	Quality of health care received in past 12 months	SV	659
TUP6_1	Tried to get a suntan (sun or artificial)	TU	471
TUP6_10	Frequency of wearing protective clothing in the sun	TU	476
TUP6_2	Deepness of suntan	TU	472
TUP6_3	Got sunburnt	TU	472
TUP6_4	Number of times sunburned	TU	473
TUP6_5	Description of worst sunburn	TU	473
TUP6_6	Frequency of using sunscreen in summer	TU	474
TUP6_7	Frequency of avoiding sun from 11am to 4pm	TU	474
TUP6_8	Frequency of avoiding long periods in the sun	TU	475
TUP6_9	Frequency of wearing sunglasses with UV protection	TU	475
TWC6_1	Stayed in bed / hospital due to illness / injury	TW	48
TWC6_2	Number of days spent in bed	TW	49
TWC6_3	Cut down on things normally done due to illness / injury	TW	50
TWC6_4	Number of days cut down on things	TW	51
TWC6_5	Has regular medical doctor	TW	52
TWC6DDDY	Derived total number of disability days	TW	52
VSP6_1	Frequency of feeling safe in community	VS	694
VSP6_10	Number of times attacked outside of school	VS	698
VSP6_2	Frequency of feeling safe at home	VS	695
VSP6_4	Frequency of feeling safe at school	VS	695
VSP6_5	Number of times verbally abused at school / school bus	VS	696
VSP6_6	Number of times verbally threatened at school / school bus	VS	696
VSP6_7	Number of times attacked at school / school bus	VS	697

# 1996-97 NPHS: Master File - Health

Page 36

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
VSP6_8	Number of times verbally abused outside of school	VS	697
VSP6_9	Number of times verbally threatened outside of school	VS	698
WHC6_20	Had PAP smear test	WH	265
WHC6_22	Last time PAP smear test was done	WH	266
WHC6_23A	Had PAP smear - part of check-up	WH	266
WHC6_23B	Had PAP smear - high risk group	WH	267
WHC6_23C	Had PAP smear - follow-up of previous problem	WH	267
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	WH	268
WHC6_23E	Had PAP smear - sexually active	WH	268
WHC6_23F	Had PAP smear - on birth control pill	WH	269
WHC6_23G	Had PAP smear - pregnant / after delivery	WH	269
WHC6_23H	Had PAP smear - on hormone replacement therapy	WH	270
WHC6_23I	Had PAP smear - other reason	WH	270
WHC6_24	Had problems getting a PAP smear test	WH	271
WHC6_25A	Problem getting PAP smear - not available when required	WH	271
WHC6_25B	Problem getting PAP smear - not available in area	WH	272
WHC6_25C	Problem getting PAP smear - waiting time too long	WH	272
WHC6_25D	Problem getting PAP smear - transportation	WH	273
WHC6_25E	Problem getting PAP smear - language	WH	273
WHC6_25F	Problem getting PAP smear - cost	WH	274
WHC6_25G	Problem getting PAP smear - did not know where to go	WH	274
WHC6_25H	Problem getting PAP smear - other	WH	275
WHC6_26A	No PAP smear - have not gotten around to it	WH	275
WHC6_26B	No PAP smear - respondent did not think it was necessary	WH	276
WHC6_26C	No PAP smear - doctor did not think it was necessary	WH	276
WHC6_26D	No PAP smear - personal or family responsibilities	WH	277
WHC6_26E	No PAP smear - not available when required	WH	277
WHC6_26F	No PAP smear - not available at all in area	WH	278
WHC6_26G	No PAP smear - waiting time too long	WH	278
WHC6_26H	No PAP smear - transportation problems	WH	279
WHC6_26I	No PAP smear - language problem	WH	279
WHC6_26J	No PAP smear - cost	WH	280
WHC6_26K	No PAP smear - did not know where to go	WH	280
WHC6_26L	No PAP smear - fear	WH	281
WHC6_26M	No PAP smear - hysterectomy	WH	281
WHC6_26N	No PAP smear - hate / dislike having one done	WH	282

# 1996-97 NPHS: Master File - Health

Page 37

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
WHC6_26O	No PAP smear - other reason	WH	282
WHC6_30	Ever had mammogram	WH	283
WHC6_32	Last time mammogram was done	WH	283
WHC6_33A	Had mammogram - family history	WH	284
WHC6_33B	Had mammogram - regular check-up	WH	284
WHC6_33C	Had mammogram - age	WH	285
WHC6_33D	Had mammogram - previously detected lump	WH	285
WHC6_33E	Had mammogram - follow-up treatment	WH	286
WHC6_33F	Had mammogram - on hormone replacement therapy	WH	286
WHC6_33G	Had mammogram - other reason	WH	287
WHC6_34	Had problems getting a mammogram	WH	287
WHC6_35A	Problem getting mammogram - not available when required	WH	288
WHC6_35B	Problem getting mammogram - not available at all in area	WH	288
WHC6_35C	Problem getting mammogram - waiting time too long	WH	288
WHC6_35D	Problem getting mammogram - transportation	WH	289
WHC6_35E	Problem getting mammogram - language	WH	289
WHC6_35F	Problem getting mammogram - cost	WH	289
WHC6_35G	Problem getting mammogram - did not know where to go	WH	290
WHC6_35H	Problem getting mammogram - other	WH	290
WHC6_36A	No mammogram - have not gotten around to it	WH	291
WHC6_36B	No mammogram - resp. did not think it was neces.	WH	291
WHC6_36C	No mammogram - doctor did not think it was neces.	WH	292
WHC6_36D	No mammogram - pers. or family responsibilities	WH	292
WHC6_36E	No mammogram - not available when required	WH	293
WHC6_36F	No mammogram - not available at all in the area	WH	293
WHC6_36G	No mammogram - waiting time was too long	WH	294
WHC6_36H	No mammogram - transportation problems	WH	294
WHC6_36I	No mammogram - language problem	WH	295
WHC6_36J	No mammogram - cost	WH	295
WHC6_36K	No mammogram - did not know where to go	WH	296
WHC6_36L	No mammogram - fear	WH	296
WHC6_36M	No mammogram - other reason	WH	297
WHC6_90	Had breasts examined for lumps by health professional	WH	298
WHC6_92	Last time breasts examined for lumps	WH	298
WHC6_93A	Had breast exam - family history	WH	299
WHC6_93B	Had breast exam - regular check-up	WH	299

# 1996-97 NPHS: Master File - Health

Page 38

## Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
WHC6_93C	Had breast exam - age	WH	300
WHC6_93D	Had breast exam - previously detected lump	WH	300
WHC6_93E	Had breast exam - follow-up treatment	WH	301
WHC6_93F	Had breast exam - on hormone replacement therapy	WH	301
WHC6_93G	Had breast exam - other reason	WH	302
WHC6_94	Had problems getting a breast exam	WH	302
WHC6_95A	Problem getting breast exam - not available when required	WH	303
WHC6_95B	Problem getting breast exam - not available in area	WH	303
WHC6_95C	Problem getting breast exam - waiting time too long	WH	303
WHC6_95D	Problem getting breast exam - transportation	WH	304
WHC6_95E	Problem getting breast exam - language	WH	304
WHC6_95F	Problem getting breast exam - cost	WH	304
WHC6_95G	Problem getting breast exam - did not know where to go	WH	305
WHC6_95H	Problem getting breast exam - other	WH	305
WHC6_96A	No breast exam - have not gotten around to it	WH	306
WHC6_96B	No breast exam - respondent did not think it was necessary	WH	306
WHC6_96C	No breast exam - doctor did not think it was necessary	WH	307
WHC6_96D	No breast exam - personal or family responsibilities	WH	307
WHC6_96E	No breast exam - not available when required	WH	308
WHC6_96F	No breast exam - not available at all in area	WH	308
WHC6_96G	No breast exam - waiting time too long	WH	309
WHC6_96H	No breast exam - transportation problems	WH	309
WHC6_96I	No breast exam - language problem	WH	310
WHC6_96J	No breast exam - cost	WH	310
WHC6_96K	No breast exam - did not know where to go	WH	311
WHC6_96L	No breast exam - fear	WH	311
WHC6_96M	No breast exam - other reason	WH	312
WHS6_37	Intend to have a mammogram in the next 2 years	WH	297
WHS6_90	Self-examined breasts for lumps	WH	312
WHS6_91	Frequency of breast self-examination	WH	313
WHS6_92	How breast self-exam was learned	WH	313
WT66	Sampling weight for selected respondent	WT	705
WT66_C	Core - Analysis purposes only.	WT	705
WT66_N	Sampling weight for selected resp. for non-common content	WT	705
WT66_NR	RDD - Analysis purposes only for non-common content	WT	706
WT66_R	RDD - Analysis purposes only for common content	WT	705