

# 1996-97 NPHS: Master File - Health Record Layout

Page 1

June, 1998

Variable	Length	Position	Concept
REALUKEY	15	1 - 15	Record identifier for the household
PERSONID	2	16 - 17	Record identifier for person in the household
AM66_RNO	6	18 - 23	Record number on Health Microdata file
PRC6_DES	2	24 - 25	Design province
PRC6_CUR	2	26 - 27	Province of residence
GE36DURB	1	28 - 28	Derived rural and urban area
GE36GURB	1	29 - 29	Derived rural and urban area - grouped
GE36DCD	2	30 - 31	Derived 1991 Census Division
GE36DCSD	3	32 - 34	Derived 1991 Census Sub-Division
GE36DCMA	3	35 - 37	Derived 1991 Census Metropolitan Area
GE36GCMA	3	38 - 40	Derived 1991 Census Metropolitan Area - grouped
GE36DFED	3	41 - 43	Derived 1991 Federal Electoral District
GE36DHLR	4	44 - 47	Derived health regions
GE36GHLR	4	48 - 51	Derived health areas - 26 groups - grouped
GE36DHRO	4	52 - 55	Derived health regions (original sample)
GE36GHRO	4	56 - 59	Derived health areas - 33 groups - grouped
CYCLE	2	60 - 61	Survey cycle that household joined
SUBCYCLE	2	62 - 63	1996 sample indicator
SP36_CPS	2	64 - 65	Sampled collection period
SP36_CPA	2	66 - 67	Actual collection period
AM36_PAR	8	68 - 75	CASEID of household record
SPC6_TYP	1	76 - 76	Type of sample
SP36DPC	6	77 - 82	Derived postal code
AM36_TEL	1	83 - 83	H03 interview by telephone or in person
AM36_LP	1	84 - 84	Language preference of household
DHC6_DWE	2	85 - 86	Type of dwelling
DHC6_OWN	1	87 - 87	Dwelling owned by household member
DHC6_BED	2	88 - 89	Number of bedrooms
DHC6GBED	2	90 - 91	Derived number of bedrooms in dwelling - grouped
INC6F1	1	92 - 92	Household questions asked of this H05 respondent
INC6_1A	1	93 - 93	Source of income - wages and salaries
INC6_1B	1	94 - 94	Source of income - income from self-employment
INC6_1C	1	95 - 95	Source of income - dividends and interest
INC6_1D	1	96 - 96	Source of income - unemployment insurance
INC6_1E	1	97 - 97	Source of income - worker's compensation
INC6_1F	1	98 - 98	Source of income - benefits from Can. / Que. Pension Plan

# 1996-97 NPHS: Master File - Health Record Layout

Page 2

June, 1998

Variable	Length	Position	Concept
INC6_1G	1	99 - 99	Source - retirement pensions, superannuation and annuities
INC6_1H	1	100 - 100	Source of income - Old Age Security
INC6_1I	1	101 - 101	Source of income - child tax benefit
INC6_1J	1	102 - 102	Source of income - social assistance
INC6_1K	1	103 - 103	Source of income - child support
INC6_1L	1	104 - 104	Source of income - alimony
INC6_1M	1	105 - 105	Source of income - other
INC6_1N	1	106 - 106	Source of income - none
INC6_2	2	107 - 108	Main source of household income
INC6G2	2	109 - 110	Main source of household income - grouped
INC6_3A	1	111 - 111	Total household income: < \$20,000 or >= \$20,000
INC6_3B	1	112 - 112	Total household income: < \$10,000 or >= \$10,000
INC6_3C	1	113 - 113	Total household income: < \$5,000 or >= \$5,000
INC6_3D	1	114 - 114	Total household income: < \$15,000 or >= \$15,000
INC6_3E	1	115 - 115	Total household income: < \$40,000 or >= \$40,000
INC6_3F	1	116 - 116	Total household income: < \$30,000 or >= \$30,000
INC6_3G	1	117 - 117	Total household income: >= \$50,000
INC6DIA2	1	118 - 118	Derived income adequacy - 2 groups
INC6DIA4	1	119 - 119	Derived income adequacy - 4 groups
INC6DIA5	1	120 - 120	Derived income adequacy - 5 groups
INC6DHH	2	121 - 122	Derived total household income from all sources
INC6CCPI	5.1	123 - 127	1996 Consumer Price Index (All items 1986=100)
INS6_4	1	128 - 128	Household ran out of money to buy food
INS6_5	1	129 - 129	Received food from a charity
INS6_6	1	130 - 130	Description of food situation
AM36_SRC	2	131 - 132	Record number of person providing H03 information
AM36_LNG	2	133 - 134	Language of H03 interview
AM56_SHA	1	135 - 135	Agree to share information (H05)
AM66_SHA	1	136 - 136	Agree to share information (H06)
MEMCYCLE	2	137 - 138	Cycle in which respondent joined the survey
DHC6_DOB	2	139 - 140	Day of birth
DHC6_MOB	2	141 - 142	Month of birth
DHC6_YOB	4	143 - 146	Year of birth
DHC6_AGE	3	147 - 149	Age
DHC6GAGE	2	150 - 151	Age - grouped
DHC6_SEX	1	152 - 152	Sex

# 1996-97 NPHS: Master File - Health Record Layout

Page 3

June, 1998

Variable	Length	Position	Concept
DHC6_MAR	2	153 - 154	Marital status
DHC6GMAR	1	155 - 155	Marital status - grouped
DHC6_FID	1	156 - 156	Family ID code
DHC6DHSZ	2	157 - 158	Derived household size
DHC6GHSZ	1	159 - 159	Derived household size - grouped
DHC6DL12	2	160 - 161	Derived number of persons < 12 years old in household
DHC6DLE5	2	162 - 163	Derived number of persons <= 5 years old in household
DHC6GLE5	1	164 - 164	Derived persons <= 5 years old in household - grouped
DHC6D611	2	165 - 166	Derived number of persons 6 to 11 years old in household
DHC6G611	1	167 - 167	Derived persons 6 to 11 years old in hhld - grouped
DHC6DECF	2	168 - 169	Derived type of household
DHC6GECF	2	170 - 171	Derived household type - grouped
DHC6DLVG	2	172 - 173	Derived living arrangements of the selected respondent
DHC6_PK	1	174 - 174	Selected respondent to answer the H06 questionnaire
DHC6_PKC	1	175 - 175	Selected RDD child to answer the H06 questionnaire
AM56_BMM	2	176 - 177	Month of interview - H05 (start)
AM56_BDD	2	178 - 179	Day of interview - H05 (start)
AM56_BYY	4	180 - 183	Year of interview - H05 (start)
AM56_SRC	2	184 - 185	Record number of person providing information for H05
AM56_PXY	1	186 - 186	H05 completed by proxy
AM56_CAS	8	187 - 194	CASEID on H05 file
TWC6_1	1	195 - 195	Stayed in bed / hospital due to illness / injury
TWC6_2	2	196 - 197	Number of days spent in bed
TWC6_3	1	198 - 198	Cut down on things normally done due to illness / injury
TWC6_4	2	199 - 200	Number of days cut down on things
TWC6_5	1	201 - 201	Has regular medical doctor
TWC6DDDY	2	202 - 203	Derived total number of disability days
HCC6_1	1	204 - 204	Overnight patient
HCC6_1A	3	205 - 207	Number of nights as patient
HCC6G1A	3	208 - 210	No. of nights as patient - grouped
HCK6_2A	1	211 - 211	Overnight patient - respiratory problem
HCK6_2B	1	212 - 212	Overnight patient - gastrointestinal problem
HCK6_2C	1	213 - 213	Overnight patient - injuries
HCK6_2D	1	214 - 214	Overnight patient - at birth
HCK6_2E	1	215 - 215	Overnight patient - other reason
HCC6_2A	3	216 - 218	Number of consultations - family doctor / g.p.

# 1996-97 NPHS: Master File - Health Record Layout

Page 4

June, 1998

Variable	Length	Position	Concept
HCC6G2A	3	219 - 221	No. of consultations - family doctor / g.p. - grouped
HCC6_3A	2	222 - 223	Place of most recent contact - family doctor
HCC6G3A	2	224 - 225	Place / most recent contact - family doctor - grouped
HCC6_2B	2	226 - 227	Number of consultations - eye specialist
HCC6G2B	3	228 - 230	No. of consultations - eye specialist - grouped
HCC6_2C	3	231 - 233	Number of consultations - other medical doctor
HCC6G2C	3	234 - 236	No. of consultations - other medical doctor - grouped
HCC6_3C	2	237 - 238	Place of most recent contact - other medical doctor
HCC6G3C	2	239 - 240	Place / most recent contact - other medical doctor - grouped
HCC6_2D	3	241 - 243	Number of consultations - nurse
HCC6G2D	3	244 - 246	No. of consultations - nurse - grouped
HCC6_3D	2	247 - 248	Place of most recent contact - nurse
HCC6_2E	3	249 - 251	Number of consultations - dentist or orthodontist
HCC6G2E	3	252 - 254	No. of consultations - dentist / orthodontist - grouped
HCC6_2F	3	255 - 257	Number of consultations - chiropractor
HCC6G2F	3	258 - 260	No. of consultations - chiropractor - grouped
HCC6_2G	3	261 - 263	Number of consultations - physiotherapist
HCC6G2G	3	264 - 266	No. of consultations - physiotherapist - grouped
HCC6_2H	3	267 - 269	Number of consultations - social worker / counselor
HCC6G2H	3	270 - 272	No. of consultations - social worker / counsellor - grouped
HCC6_2I	3	273 - 275	Number of consultations - psychologist
HCC6G2I	3	276 - 278	No. of consultations - psychologist - grouped
HCC6_2J	3	279 - 281	No. of consul. - speech / audiology / occupational therapist
HCC6G2J	3	282 - 284	No. of consultat. - speech/ audio./ occup. therapist-grouped
HCC6F1	1	285 - 285	Used any health care service
HCC6DMDC	3	286 - 288	Derived number of consultations with medical doctors
HCC6GMDC	3	289 - 291	Derived no. of consultations with medical doctors - grouped
HCC6DHPC	1	292 - 292	Derived consultations with health professionals
HCC6_4A	1	293 - 293	Attended self-help group
HCC6_4	1	294 - 294	Consulted alternative health care provider
HCC6_5A	1	295 - 295	Alternative health care - massage therapist
HCC6_5B	1	296 - 296	Alternative health care - acupuncturist
HCC6_5C	1	297 - 297	Alternative health care - homeopath / naturopath
HCC6_5D	1	298 - 298	Alternative health care - Feldenkrais / Alexander
HCC6_5E	1	299 - 299	Alternative health care - relaxation therapist
HCC6_5F	1	300 - 300	Alternative health care - biofeedback

# 1996-97 NPHS: Master File - Health Record Layout

Page 5

June, 1998

Variable	Length	Position	Concept
HCC6_5G	1	301 - 301	Alternative health care - rolfer
HCC6_5H	1	302 - 302	Alternative health care - herbalist
HCC6_5I	1	303 - 303	Alternative health care - reflexologist
HCC6_5J	1	304 - 304	Alternative health care - spiritual healer
HCC6_5K	1	305 - 305	Alternative health care - religious healer
HCC6_5L	1	306 - 306	Alternative health care - other
HCC6G5L	1	307 - 307	Alternative health care - other - grouped
HCC6_6	1	308 - 308	Felt that health care was needed but didn't receive it
HCC6_7A	1	309 - 309	Health care not received - not available in area
HCC6_7B	1	310 - 310	Health care not received - not available when required
HCC6_7C	1	311 - 311	Health care not received - waiting time too long
HCC6_7D	1	312 - 312	Health care not received - felt would be inadequate
HCC6_7E	1	313 - 313	Health care not received - cost
HCC6_7F	1	314 - 314	Health care not received - too busy to get care
HCC6_7G	1	315 - 315	Health care not received - didn't get around to it
HCC6_7H	1	316 - 316	Health care not received - didn't know where to go
HCC6_7I	1	317 - 317	Health care not received - transportation problems
HCC6_7J	1	318 - 318	Health care not received - language problem
HCC6_7K	1	319 - 319	Health care not received - personal or family resp.
HCC6_7L	1	320 - 320	Health care not received - dislikes doctors / afraid
HCC6_7M	1	321 - 321	Health care not received - decided not to seek care
HCC6_7N	1	322 - 322	Health care not received - other reason
HCC6_8A	1	323 - 323	Health care not received - treat. of physical health problem
HCC6_8B	1	324 - 324	Health care not received - treat. of mental health problem
HCC6_8C	1	325 - 325	Health care not received - a regular check-up
HCC6_8D	1	326 - 326	Health care not received - care of injury
HCC6_8E	1	327 - 327	Health care not received - other type
HCC6_9	1	328 - 328	Received home care services
HCC6_10A	1	329 - 329	Home care received - nursing care
HCC6_10B	1	330 - 330	Home care received - other health care
HCC6_10C	1	331 - 331	Home care received - personal care
HCC6_10D	1	332 - 332	Home care received - housework
HCC6_10E	1	333 - 333	Home care received - meal preparation or delivery
HCC6_10F	1	334 - 334	Home care received - shopping
HCC6_10G	1	335 - 335	Home care received - respite care
HCC6_10H	1	336 - 336	Home care received - other type

# 1996-97 NPHS: Master File - Health Record Layout

Page 6

June, 1998

Variable	Length	Position	Concept
HCC6_11	1	337 - 337	Received health care services in the United States
HCC6_12	1	338 - 338	Went to United States primarily to receive health care
RAC6_1A	1	339 - 339	Limited in kind or amount of activities - at home
RAC6_1B	1	340 - 340	Limited in kind or amount of activities - at school
RAC6_1C	1	341 - 341	Limited in kind or amount of activities - at work
RAC6_1D	1	342 - 342	Limited in kind or amount of activities - other
RAC6_2	1	343 - 343	Has long-term disabilities or handicaps
RAC6_3C	1	344 - 344	Long answer collected - problem causing limitation
RAC6F1	1	345 - 345	Restriction of activity flag
RAC6CIC	5	346 - 350	ICD-9 code for main health problem causing limitations
RAC6GC25	2	351 - 352	Derived main health problem - 25 groups - grouped
RAC6GC12	2	353 - 354	Derived main health problem - 12 groups - grouped
RAC6GC7	2	355 - 356	Derived main health problem - 7 groups - grouped
RAC6_5	2	357 - 358	Cause of condition
RAC6G5	2	359 - 360	Cause of health problem - grouped
RAC6_6A	1	361 - 361	Needs help - preparing meals
RAC6_6B	1	362 - 362	Needs help - shopping for groceries or other necessities
RAC6_6C	1	363 - 363	Needs help - housework
RAC6_6D	1	364 - 364	Needs help - heavy household chores
RAC6_6E	1	365 - 365	Needs help - personal care
RAC6_6F	1	366 - 366	Needs help - moving about in the house
RAC6D6G	1	367 - 367	Derived need for help in series of tasks
CCK6_1	1	368 - 368	Frequency of nose or throat infections
CCK6_2	1	369 - 369	Has had otitis
CCK6_3	1	370 - 370	Number of times had otitis since birth
CCC6_1A	1	371 - 371	Has food allergies
CCC6_1B	1	372 - 372	Has allergies other than food allergies
CCC6_1C	1	373 - 373	Has asthma
CCC6_C5	1	374 - 374	Asthma - had symptoms or attacks
CCC6_C6	1	375 - 375	Asthma - took medication
CCC6_1D	1	376 - 376	Has arthritis or rheumatism
CCC6_D5	1	377 - 377	Arthritis / rheumatism - receives treatment or medication
CCC6_D6A	1	378 - 378	Arthritis / rheumatism - treatment - drug
CCC6_D6B	1	379 - 379	Arthritis / rheumatism - treatment - diet
CCC6_D6C	1	380 - 380	Arthritis / rheumatism - treatment - other kind
CCC6_1E	1	381 - 381	Has back problems excluding arthritis

# 1996-97 NPHS: Master File - Health Record Layout

Page 7

June, 1998

Variable	Length	Position	Concept
CCC6_1F	1	382 - 382	Has high blood pressure
CCC6_F5	1	383 - 383	High blood pressure - receives treatment or medication
CCC6_F6A	1	384 - 384	High blood pressure - treatment - drug
CCC6_F6B	1	385 - 385	High blood pressure - treatment - diet
CCC6_F6C	1	386 - 386	High blood pressure - treatment - other kind
CCC6_1G	1	387 - 387	Has migraine headaches
CCC6_G5	1	388 - 388	Migraines - receives treatment or medication
CCC6_G6A	1	389 - 389	Migraines - treatment - drug
CCC6_G6B	1	390 - 390	Migraines - treatment - diet
CCC6_G6C	1	391 - 391	Migraines - treatment - other kind
CCC6_1H	1	392 - 392	Has chronic bronchitis or emphysema
CCC6_1I	1	393 - 393	Has sinusitis
CCC6_1J	1	394 - 394	Has diabetes
CCC6_J5	1	395 - 395	Diabetes - takes insulin
CCC6_J6	1	396 - 396	Diabetes - takes treatment other than insulin
CCC6_J7A	1	397 - 397	Diabetes - treatment - drug
CCC6_J7B	1	398 - 398	Diabetes - treatment - diet
CCC6_J7C	1	399 - 399	Diabetes - treatment - other kind
CCC6_1K	1	400 - 400	Has epilepsy
CCC6_1L	1	401 - 401	Has heart disease
CCC6_1M	1	402 - 402	Has cancer
CCC6_1N	1	403 - 403	Has stomach or intestinal ulcers
CCC6_1O	1	404 - 404	Suffers from the effects of a stroke
CCC6_1P	1	405 - 405	Has urinary incontinence
CCC6_1Q	1	406 - 406	Has a bowel disorder such as Crohn's Disease or colitis
CCC6_1R	1	407 - 407	Has Alzheimer's disease or other dementia
CCC6_1S	1	408 - 408	Has cataracts
CCC6_1T	1	409 - 409	Has glaucoma
CCC6_1U	1	410 - 410	Has a thyroid condition
CCC6_1V	1	411 - 411	Has other chronic condition
CCC6DANY	1	412 - 412	Derived - has a chronic condition
CCC6DNUM	2	413 - 414	Derived number of chronic conditions
CCC6GNUM	2	415 - 416	Derived number of chronic conditions - grouped
SDC6_1	2	417 - 418	Country of birth
SDC6CB	4	419 - 422	Code of country of birth
SDC6GCB	2	423 - 424	Country of birth - grouped

# 1996-97 NPHS: Master File - Health Record Layout

Page 8

June, 1998

Variable	Length	Position	Concept
SDC6_3	4	425 - 428	Year came to Canada
SDC6FIMM	1	429 - 429	Flag indicating that the respondent is an immigrant
SDC6DAIM	3	430 - 432	Derived age at time of immigration
SDC6DRES	3	433 - 435	Derived length of time in Canada since immigration
SDC6GRES	1	436 - 436	Derived length of time in Canada - grouped
SDC6_4A	1	437 - 437	Ethnic origin - Canadian
SDC6_4B	1	438 - 438	Ethnic origin - French
SDC6_4C	1	439 - 439	Ethnic origin - English
SDC6_4D	1	440 - 440	Ethnic origin - German
SDC6_4E	1	441 - 441	Ethnic origin - Scottish
SDC6_4F	1	442 - 442	Ethnic origin - Irish
SDC6_4G	1	443 - 443	Ethnic origin - Italian
SDC6_4H	1	444 - 444	Ethnic origin - Ukrainian
SDC6_4I	1	445 - 445	Ethnic origin - Dutch (Netherlands)
SDC6_4J	1	446 - 446	Ethnic origin - Chinese
SDC6_4K	1	447 - 447	Ethnic origin - Jewish
SDC6_4L	1	448 - 448	Ethnic origin - Polish
SDC6_4M	1	449 - 449	Ethnic origin - Portuguese
SDC6_4N	1	450 - 450	Ethnic origin - South Asian
SDC6_4O	1	451 - 451	Ethnic origin - Black
SDC6_4P	1	452 - 452	Ethnic origin - North American Indian
SDC6_4Q	1	453 - 453	Ethnic origin - Métis
SDC6_4R	1	454 - 454	Ethnic origin - Inuit / Eskimo
SDC6_4S	1	455 - 455	Ethnic origin - other
SDC6_5A	1	456 - 456	Can conduct a conversation - English
SDC6_5B	1	457 - 457	Can conduct a conversation - French
SDC6_5C	1	458 - 458	Can conduct a conversation - Arabic
SDC6_5D	1	459 - 459	Can conduct a conversation - Chinese
SDC6_5E	1	460 - 460	Can conduct a conversation - Cree
SDC6_5F	1	461 - 461	Can conduct a conversation - German
SDC6_5G	1	462 - 462	Can conduct a conversation - Greek
SDC6_5H	1	463 - 463	Can conduct a conversation - Hungarian
SDC6_5I	1	464 - 464	Can conduct a conversation - Italian
SDC6_5J	1	465 - 465	Can conduct a conversation - Korean
SDC6_5K	1	466 - 466	Can conduct a conversation - Persian
SDC6_5L	1	467 - 467	Can conduct a conversation - Polish



# 1996-97 NPHS: Master File - Health Record Layout

Page 9

June, 1998

Variable	Length	Position	Concept
SDC6_5M	1	468 - 468	Can conduct a conversation - Portuguese
SDC6_5N	1	469 - 469	Can conduct a conversation - Punjabi
SDC6_5O	1	470 - 470	Can conduct a conversation - Spanish
SDC6_5P	1	471 - 471	Can conduct a conversation - Tagalog
SDC6_5Q	1	472 - 472	Can conduct a conversation - Ukrainian
SDC6_5R	1	473 - 473	Can conduct a conversation - Vietnamese
SDC6_5S	1	474 - 474	Can conduct a conversation - other language
SDC6DLNG	2	475 - 476	Derived language resp. can conduct conversation in
SDC6GLG4	2	477 - 478	Derived language resp. can conduct conversation in - grouped
SDC6_6A	1	479 - 479	First language learned and still understood - English
SDC6_6B	1	480 - 480	First language learned and still understood - French
SDC6_6C	1	481 - 481	First language learned and still understood - Arabic
SDC6_6D	1	482 - 482	First language learned and still understood - Chinese
SDC6_6E	1	483 - 483	First language learned and still understood - Cree
SDC6_6F	1	484 - 484	First language learned and still understood - German
SDC6_6G	1	485 - 485	First language learned and still understood - Greek
SDC6_6H	1	486 - 486	First language learned and still understood - Hungarian
SDC6_6I	1	487 - 487	First language learned and still understood - Italian
SDC6_6J	1	488 - 488	First language learned and still understood - Korean
SDC6_6K	1	489 - 489	First language learned and still understood - Persian
SDC6_6L	1	490 - 490	First language learned and still understood - Polish
SDC6_6M	1	491 - 491	First language learned and still understood - Portuguese
SDC6_6N	1	492 - 492	First language learned and still understood - Punjabi
SDC6_6O	1	493 - 493	First language learned and still understood - Spanish
SDC6_6P	1	494 - 494	First language learned and still understood - Tagalog
SDC6_6Q	1	495 - 495	First language learned and still understood - Ukrainian
SDC6_6R	1	496 - 496	First language learned and still understood - Vietnamese
SDC6_6S	1	497 - 497	First language learned and still understood - other
SDC6_7A	1	498 - 498	Race or colour - White
SDC6_7B	1	499 - 499	Race or colour - Chinese
SDC6_7C	1	500 - 500	Race or colour - South Asian
SDC6_7D	1	501 - 501	Race or colour - Black
SDC6_7E	1	502 - 502	Race or colour - Native / Aboriginal peoples of N. America
SDC6_7F	1	503 - 503	Race or colour - Arab / West Asian
SDC6_7G	1	504 - 504	Race or colour - Filipino
SDC6_7H	1	505 - 505	Race or colour - South East Asian

# 1996-97 NPHS: Master File - Health Record Layout

Page 10

June, 1998

Variable	Length	Position	Concept
SDC6_7I	1	506 - 506	Race or colour - Latin American
SDC6_7J	1	507 - 507	Race or colour - Japanese
SDC6_7K	1	508 - 508	Race or colour - Korean
SDC6_7L	1	509 - 509	Race or colour - other
SDC6DRAC	2	510 - 511	Derived race or colour
SDC6GRAC	2	512 - 513	Derived race or colour - grouped
EDC6_1	1	514 - 514	Currently attending a school, college or university
EDC6_2	1	515 - 515	Full-time student or part-time student
EDC6_3	1	516 - 516	Attended school since last interview
EDC6_4	2	517 - 518	Number of years of elementary / high school completed
EDC6_5	1	519 - 519	Graduated from high school
EDC6_6	1	520 - 520	Attended post-secondary institution
EDC6_7	2	521 - 522	Highest level of post-secondary education attained
EDC6G7	2	523 - 524	Derived highest level of education - 7 levels - grouped
EDC6D1	2	525 - 526	Derived highest level of education - 14 levels
EDC6D2	2	527 - 528	Derived highest level of education - 12 levels
EDC6D3	1	529 - 529	Derived highest level of education - 4 levels
EDC6DLF	1	530 - 530	Derived labour force activity of students
LFC6_2	1	531 - 531	Worked for pay or profit
LFC6_2B	1	532 - 532	Worked for same employer as in last interview
LFC6_E1C	1	533 - 533	Long answer collected - employer - job 1
LFC6_41	1	534 - 534	Had job one year ago without break - job 1
LFC6_51M	2	535 - 536	Month started - job 1
LFC6_51D	2	537 - 538	Day started - job 1
LFC6_51Y	4	539 - 542	Year started - job 1
LFC6_61	1	543 - 543	Has job now - job 1
LFC6_71M	2	544 - 545	Month stopped - job 1
LFC6_71D	2	546 - 547	Day stopped - job 1
LFC6_71Y	4	548 - 551	Year stopped - job 1
LFC6_81	3	552 - 554	Hours usually worked per week - job 1
LFC6_91	2	555 - 556	Type of working hours - job 1
LFC6_101	1	557 - 557	Usually works weekends - job 1
LFC6_111	1	558 - 558	Worked - other than job 1
LFC6_E2C	1	559 - 559	Long answer collected -employer - job 2
LFC6_42	1	560 - 560	Had job one year ago without break - job 2
LFC6_52M	2	561 - 562	Month started - job 2

# 1996-97 NPHS: Master File - Health Record Layout

Page 11

June, 1998

Variable	Length	Position	Concept
LFC6_52D	2	563 - 564	Day started - job 2
LFC6_52Y	4	565 - 568	Year started - job 2
LFC6_62	1	569 - 569	Has job now - job 2
LFC6_72M	2	570 - 571	Month stopped - job 2
LFC6_72D	2	572 - 573	Day stopped - job 2
LFC6_72Y	4	574 - 577	Year stopped - job 2
LFC6_82	3	578 - 580	Hours usually worked per week - job 2
LFC6_92	2	581 - 582	Type of working hours - job 2
LFC6_102	1	583 - 583	Usually works weekends - job 2
LFC6_112	1	584 - 584	Worked - other than job 1 and job 2
LFC6_E3C	1	585 - 585	Long answer collected - employer - job 3
LFC6_43	1	586 - 586	Had job one year ago without break - job 3
LFC6_53M	2	587 - 588	Month started - job 3
LFC6_53D	2	589 - 590	Day started - job 3
LFC6_53Y	4	591 - 594	Year started - job 3
LFC6_63	1	595 - 595	Has job now - job 3
LFC6_73M	2	596 - 597	Month stopped - job 3
LFC6_73D	2	598 - 599	Day stopped - job 3
LFC6_73Y	4	600 - 603	Year stopped - job 3
LFC6_83	3	604 - 606	Hours usually worked per week - job 3
LFC6_93	2	607 - 608	Type of working hours - job 3
LFC6_103	1	609 - 609	Usually works weekends - job 3
LFC6FMN	1	610 - 610	Job number of main job
LFC6_13C	1	611 - 611	Long answer collected - main job industry
LFC6_14C	1	612 - 612	Long answer collected - main job kind of work
LFC6_15C	1	613 - 613	Long answer collected - main job duties
LFC6_16	1	614 - 614	Worked for others or in own business - main job
LFC6_17A	2	615 - 616	Reason for not working - most recent period
LFC6G17A	2	617 - 618	Reason for not working - most recent period - grouped
LFC6_17B	2	619 - 620	Reason for not working - currently
LFC6G17B	2	621 - 622	Reasons for not currently working - grouped
LFC6FWK	1	623 - 623	Work flag used for processing only
LFC6FGAP	1	624 - 624	Jobless spell (gap) greater than 6 days
LFC6DGA	1	625 - 625	Derived number of gaps of 30 days or more
LFC6CSOC	4	626 - 629	Standard Occupation Codes for main job
LFC6GO34	2	630 - 631	Occupation Codes for main job - 34 groups - grouped

# 1996-97 NPHS: Master File - Health Record Layout

Page 12

June, 1998

Variable	Length	Position	Concept
LFC6GO21	2	632 - 633	Occupation Codes for main job - 21 groups - grouped
LFC6CSIC	4	634 - 637	Standard Industrial Codes for main job
LFC6GI13	2	638 - 639	Industry Codes for main job - 13 groups - grouped
LFC6DBLI	6.2	640 - 645	Derived Blishen socio-economic index for main job
LFC6DPIN	2	646 - 647	Derived Pineo socio-econ. class. for main occupation
LFC6DCWS	1	648 - 648	Derived working status in last 12 months
LFC6DDA	2	649 - 650	Derived duration of work without a break > 30 days
LFC6DHA	1	651 - 651	Derived pattern of working hours of all jobs reported
LFC6DJA	1	652 - 652	Derived number of jobs
LFC6DJGA	2	653 - 654	Derived pattern of number of jobs
LFC6DCMN	1	655 - 655	Derived main job is the current job
LFC6DDMN	2	656 - 657	Derived work duration - main job
LFC6DHMN	1	658 - 658	Derived hours of work - main job
LFC6DTMN	2	659 - 660	Derived type of working hours - main job
LFC6DD1	2	661 - 662	Derived work duration - job 1
LFC6DD2	2	663 - 664	Derived work duration - job 2
LFC6DD3	2	665 - 666	Derived work duration - job 3
LFC6DH1	1	667 - 667	Derived hours of work - job 1
LFC6DH2	1	668 - 668	Derived hours of work - job 2
LFC6DH3	1	669 - 669	Derived hours of work - job 3
LFC6DT1	2	670 - 671	Derived type of working hours - job 1
LFC6DT2	2	672 - 673	Derived type of working hours - job 2
LFC6DT3	2	674 - 675	Derived type of working hours - job 3
LFC6DHW1	2	676 - 677	Derived household labour force status - current
LFC6DHW2	2	678 - 679	Derived household labour force status - during year
AM56_TEL	1	680 - 680	H05 interview by telephone or in person
AM56_LNG	2	681 - 682	Language of H05 interview
AM56_EMM	2	683 - 684	Month of interview - H05 (end)
AM56_EDD	2	685 - 686	Day of interview - H05 (end)
AM56_EYY	4	687 - 690	Year of interview - H05 (end)
AM66_BMM	2	691 - 692	Month of interview - H06 (start)
AM66_BDD	2	693 - 694	Day of interview - H06 (start)
AM66_BYY	4	695 - 698	Year of interview - H06 (start)
AM66_SRC	2	699 - 700	Record number of person providing information for H06
AM66_PXY	1	701 - 701	H06 completed by proxy
AM66_RC	1	702 - 702	Long answer collected - reason for proxy (H06)

# 1996-97 NPHS: Master File - Health Record Layout

Page 13

June, 1998

Variable	Length	Position	Concept
AM66_CAS	8	703 - 710	CASEID on H06 file
GHC6_1	1	711 - 711	Respondent's general health
GHC6DHD1	1	712 - 712	Derived health description index
GHK6_2	1	713 - 713	Level of physical activity - children
GHS6_11	1	714 - 714	Did something to improve health
GHS6_12	2	715 - 716	Most important change to improve health
GHS6_13	1	717 - 717	Thinks something should be done to improve health
GHS6_14	2	718 - 719	Most important thing to be done to improve health
GHS6_15	1	720 - 720	Barrier to improving health
GHS6_16A	1	721 - 721	Reason for no improvement - lack of will power
GHS6_16B	1	722 - 722	Reason for no improvement - lack of time
GHS6_16C	1	723 - 723	Reason for no improvement - too tired
GHS6_16D	1	724 - 724	Reason for no improvement - too difficult
GHS6_16E	1	725 - 725	Reason for no improvement - too costly
GHS6_16F	1	726 - 726	Reason for no improvement - too stressed
GHS6_16G	1	727 - 727	Reason for no improvement - disability / health problem
GHS6_16H	1	728 - 728	Reason for no improvement - other
GHS6_17	1	729 - 729	Intending to improve health over next year
GHS6_18A	1	730 - 730	Health improvement over next year - more exercise
GHS6_18B	1	731 - 731	Health improvement over next year - lose weight
GHS6_18C	1	732 - 732	Health improvement over next year - improve eating habits
GHS6_18D	1	733 - 733	Health improvement over next year - quit smoking
GHS6_18E	1	734 - 734	Health improvement over next year - reduce amount smoked
GHS6_18F	1	735 - 735	Health improvement over next year - manage stress
GHS6_18G	1	736 - 736	Health improvement over next year - reduce stress level
GHS6_18H	1	737 - 737	Health improvement over next year - take vitamins
GHS6_18I	1	738 - 738	Health improvement over next year - other
HWC6_1	1	739 - 739	Currently pregnant
HWC6_2HT	2	740 - 741	Height - adults
HWC6_HT	2	742 - 743	Height - adults and children
HWC6GHT	2	744 - 745	Height - adults and children - grouped
HWC6_3LB	4	746 - 749	Weight - pounds
HWC6_3KG	4	750 - 753	Weight - kilograms
HWC6G3KG	4	754 - 757	Weight in kilograms - grouped
GHK6_4HT	2	758 - 759	Height - children
GHK6_6	2	760 - 761	Birth weight

# 1996-97 NPHS: Master File - Health Record Layout

Page 14

June, 1998

Variable	Length	Position	Concept
HWC6DBMI	4.1	762 - 765	Derived Body Mass Index (1 decimal place)
HWC6GBMI	4.1	766 - 769	Derived Body Mass Index (1 decimal place) - grouped
HWC6DSW	1	770 - 770	Derived standard weight
HWC6GSW	1	771 - 771	Derived standard weight - grouped
HWS6_1	1	772 - 772	Respondent's opinion of own weight
HWS6_2LB	4	773 - 776	Desired weight - pounds
HWS6_2KG	4	777 - 780	Desired weight - kilograms
HWS6_4	2	781 - 782	Most important thing done to follow a healthy diet
HWS6_5	1	783 - 783	Skipping breakfast can control / reduce weight
BPC6_10	1	784 - 784	Ever had blood pressure taken
BPC6_12	1	785 - 785	Last time blood pressure was taken
BPC6_13A	1	786 - 786	Blood pressure taken - regular check-up
BPC6_13B	1	787 - 787	Blood pressure taken - high blood pressure / heart disease
BPC6_13C	1	788 - 788	Blood pressure taken - doctor always does it
BPC6_13D	1	789 - 789	Blood pressure taken - health problem
BPC6_13E	1	790 - 790	Blood pressure taken - age
BPC6_13F	1	791 - 791	Blood pressure taken - job requirement
BPC6_13G	1	792 - 792	Blood pressure taken - pregnant
BPC6_13H	1	793 - 793	Blood pressure taken - in hospital for other reason
BPC6_13I	1	794 - 794	Blood pressure taken - when donating blood
BPC6_13J	1	795 - 795	Blood pressure taken - just for the "fun" of it
BPC6_13K	1	796 - 796	Blood pressure taken - other reason
BPC6_14	1	797 - 797	Had problems getting blood pressure test
BPC6_15A	1	798 - 798	Problem getting b.p. test - not available when required
BPC6_15B	1	799 - 799	Problem getting b.p. test - not available in area
BPC6_15C	1	800 - 800	Problem getting b.p. test - waiting time too long
BPC6_15D	1	801 - 801	Problem getting b.p. test - transportation
BPC6_15E	1	802 - 802	Problem getting b.p. test - language
BPC6_15F	1	803 - 803	Problem getting b.p. test - cost
BPC6_15G	1	804 - 804	Problem getting b.p. test - did not know where to go
BPC6_15H	1	805 - 805	Problem getting b.p. test - other
BPC6_16A	1	806 - 806	Blood pressure not taken - have not gotten around to it
BPC6_16B	1	807 - 807	Blood pressure not taken - resp. did not think it was neces.
BPC6_16C	1	808 - 808	Blood pressure not taken - dr. did not think it was neces.
BPC6_16D	1	809 - 809	Blood pressure not taken - personal / family resp.
BPC6_16E	1	810 - 810	Blood pressure not taken - not available when required

# 1996-97 NPHS: Master File - Health Record Layout

Page 15

June, 1998

Variable	Length	Position	Concept
BPC6_16F	1	811 - 811	Blood pressure not taken - not available in area
BPC6_16G	1	812 - 812	Blood pressure not taken - waiting time too long
BPC6_16H	1	813 - 813	Blood pressure not taken - transportation problems
BPC6_16I	1	814 - 814	Blood pressure not taken - language problem
BPC6_16J	1	815 - 815	Blood pressure not taken - cost
BPC6_16K	1	816 - 816	Blood pressure not taken - did not know where to go
BPC6_16L	1	817 - 817	Blood pressure not taken - fear
BPC6_16M	1	818 - 818	Blood pressure not taken - other reason
WHC6_20	1	819 - 819	Had PAP smear test
WHC6_22	1	820 - 820	Last time PAP smear test was done
WHC6_23A	1	821 - 821	Had PAP smear - part of check-up
WHC6_23B	1	822 - 822	Had PAP smear - high risk group
WHC6_23C	1	823 - 823	Had PAP smear - follow-up of previous problem
WHC6_23D	1	824 - 824	Had PAP smear - abnormal bleeding / other symptoms
WHC6_23E	1	825 - 825	Had PAP smear - sexually active
WHC6_23F	1	826 - 826	Had PAP smear - on birth control pill
WHC6_23G	1	827 - 827	Had PAP smear - pregnant / after delivery
WHC6_23H	1	828 - 828	Had PAP smear - on hormone replacement therapy
WHC6_23I	1	829 - 829	Had PAP smear - other reason
WHC6_24	1	830 - 830	Had problems getting a PAP smear test
WHC6_25A	1	831 - 831	Problem getting PAP smear - not available when required
WHC6_25B	1	832 - 832	Problem getting PAP smear - not available in area
WHC6_25C	1	833 - 833	Problem getting PAP smear - waiting time too long
WHC6_25D	1	834 - 834	Problem getting PAP smear - transportation
WHC6_25E	1	835 - 835	Problem getting PAP smear - language
WHC6_25F	1	836 - 836	Problem getting PAP smear - cost
WHC6_25G	1	837 - 837	Problem getting PAP smear - did not know where to go
WHC6_25H	1	838 - 838	Problem getting PAP smear - other
WHC6_26A	1	839 - 839	No PAP smear - have not gotten around to it
WHC6_26B	1	840 - 840	No PAP smear - respondent did not think it was necessary
WHC6_26C	1	841 - 841	No PAP smear - doctor did not think it was necessary
WHC6_26D	1	842 - 842	No PAP smear - personal or family responsibilities
WHC6_26E	1	843 - 843	No PAP smear - not available when required
WHC6_26F	1	844 - 844	No PAP smear - not available at all in area
WHC6_26G	1	845 - 845	No PAP smear - waiting time too long
WHC6_26H	1	846 - 846	No PAP smear - transportation problems

# 1996-97 NPHS: Master File - Health Record Layout

Page 16

June, 1998

Variable	Length	Position	Concept
WHC6_26I	1	847 - 847	No PAP smear - language problem
WHC6_26J	1	848 - 848	No PAP smear - cost
WHC6_26K	1	849 - 849	No PAP smear - did not know where to go
WHC6_26L	1	850 - 850	No PAP smear - fear
WHC6_26M	1	851 - 851	No PAP smear - hysterectomy
WHC6_26N	1	852 - 852	No PAP smear - hate / dislike having one done
WHC6_26O	1	853 - 853	No PAP smear - other reason
WHC6_30	1	854 - 854	Ever had mammogram
WHC6_32	1	855 - 855	Last time mammogram was done
WHC6_33A	1	856 - 856	Had mammogram - family history
WHC6_33B	1	857 - 857	Had mammogram - regular check-up
WHC6_33C	1	858 - 858	Had mammogram - age
WHC6_33D	1	859 - 859	Had mammogram - previously detected lump
WHC6_33E	1	860 - 860	Had mammogram - follow-up treatment
WHC6_33F	1	861 - 861	Had mammogram - on hormone replacement therapy
WHC6_33G	1	862 - 862	Had mammogram - other reason
WHC6_34	1	863 - 863	Had problems getting a mammogram
WHC6_35A	1	864 - 864	Problem getting mammogram - not available when required
WHC6_35B	1	865 - 865	Problem getting mammogram - not available at all in area
WHC6_35C	1	866 - 866	Problem getting mammogram - waiting time too long
WHC6_35D	1	867 - 867	Problem getting mammogram - transportation
WHC6_35E	1	868 - 868	Problem getting mammogram - language
WHC6_35F	1	869 - 869	Problem getting mammogram - cost
WHC6_35G	1	870 - 870	Problem getting mammogram - did not know where to go
WHC6_35H	1	871 - 871	Problem getting mammogram - other
WHC6_36A	1	872 - 872	No mammogram - have not gotten around to it
WHC6_36B	1	873 - 873	No mammogram - resp. did not think it was neces.
WHC6_36C	1	874 - 874	No mammogram - doctor did not think it was neces.
WHC6_36D	1	875 - 875	No mammogram - pers. or family responsibilities
WHC6_36E	1	876 - 876	No mammogram - not available when required
WHC6_36F	1	877 - 877	No mammogram - not available at all in the area
WHC6_36G	1	878 - 878	No mammogram - waiting time was too long
WHC6_36H	1	879 - 879	No mammogram - transportation problems
WHC6_36I	1	880 - 880	No mammogram - language problem
WHC6_36J	1	881 - 881	No mammogram - cost
WHC6_36K	1	882 - 882	No mammogram - did not know where to go



# 1996-97 NPHS: Master File - Health Record Layout

Page 17

June, 1998

Variable	Length	Position	Concept
WHC6_36L	1	883 - 883	No mammogram - fear
WHC6_36M	1	884 - 884	No mammogram - other reason
WHS6_37	1	885 - 885	Intend to have a mammogram in the next 2 years
WHC6_90	1	886 - 886	Had breasts examined for lumps by health professional
WHC6_92	1	887 - 887	Last time breasts examined for lumps
WHC6_93A	1	888 - 888	Had breast exam - family history
WHC6_93B	1	889 - 889	Had breast exam - regular check-up
WHC6_93C	1	890 - 890	Had breast exam - age
WHC6_93D	1	891 - 891	Had breast exam - previously detected lump
WHC6_93E	1	892 - 892	Had breast exam - follow-up treatment
WHC6_93F	1	893 - 893	Had breast exam - on hormone replacement therapy
WHC6_93G	1	894 - 894	Had breast exam - other reason
WHC6_94	1	895 - 895	Had problems getting a breast exam
WHC6_95A	1	896 - 896	Problem getting breast exam - not available when required
WHC6_95B	1	897 - 897	Problem getting breast exam - not available in area
WHC6_95C	1	898 - 898	Problem getting breast exam - waiting time too long
WHC6_95D	1	899 - 899	Problem getting breast exam - transportation
WHC6_95E	1	900 - 900	Problem getting breast exam - language
WHC6_95F	1	901 - 901	Problem getting breast exam - cost
WHC6_95G	1	902 - 902	Problem getting breast exam - did not know where to go
WHC6_95H	1	903 - 903	Problem getting breast exam - other
WHC6_96A	1	904 - 904	No breast exam - have not gotten around to it
WHC6_96B	1	905 - 905	No breast exam - respondent did not think it was necessary
WHC6_96C	1	906 - 906	No breast exam - doctor did not think it was necessary
WHC6_96D	1	907 - 907	No breast exam - personal or family responsibilities
WHC6_96E	1	908 - 908	No breast exam - not available when required
WHC6_96F	1	909 - 909	No breast exam - not available at all in area
WHC6_96G	1	910 - 910	No breast exam - waiting time too long
WHC6_96H	1	911 - 911	No breast exam - transportation problems
WHC6_96I	1	912 - 912	No breast exam - language problem
WHC6_96J	1	913 - 913	No breast exam - cost
WHC6_96K	1	914 - 914	No breast exam - did not know where to go
WHC6_96L	1	915 - 915	No breast exam - fear
WHC6_96M	1	916 - 916	No breast exam - other reason
WHS6_90	1	917 - 917	Self-examined breasts for lumps
WHS6_91	1	918 - 918	Frequency of breast self-examination

# 1996-97 NPHS: Master File - Health Record Layout

Page 18

June, 1998

Variable	Length	Position	Concept
WHS6_92	2	919 - 920	How breast self-exam was learned
GHC6_21	1	921 - 921	Gave birth since last interview
GHP6_21A	1	922 - 922	Gave birth in the past 5 years
GHS6_22	1	923 - 923	Gave birth to last baby in hospital
GHS6_23	1	924 - 924	Used services of doctor, midwife or both
GHS6_24	1	925 - 925	Breast fed child or tried to breast feed
GHP6_25	1	926 - 926	Still breast-feeding
GHP6_26	2	927 - 928	Duration of breast-feeding last child
GHP6_27	1	929 - 929	Received help / advice about breast-feeding
GHP6_28	2	930 - 931	From whom received breast-feeding advice
GHP6_29	2	932 - 933	Main reason for stopping breast-feeding
PC_6_40	1	934 - 934	Had physical check-up without having a health problem
PC_6_41	1	935 - 935	Had physical check-up during visit for health problem
PC_6_42	2	936 - 937	Last time had physical check up
PC_6_42A	2	938 - 939	Frequency of physical check-ups
PC_6_43A	1	940 - 940	Gets physical check-up - family history of health problems
PC_6_43B	1	941 - 941	Gets physical check-up - testing
PC_6_43C	1	942 - 942	Gets physical check-up - required for job, etc.
PC_6_43D	1	943 - 943	Gets physical check-up - make sure everything is OK
PC_6_43E	1	944 - 944	Gets physical check-up - catch problems early
PC_6_43F	1	945 - 945	Gets physical check-up - for prevention
PC_6_43G	1	946 - 946	Gets physical check-up - for health reasons
PC_6_43H	1	947 - 947	Gets physical check-up - other reason
PC_6_44	1	948 - 948	Had problems obtaining physical check-up
PC_6_45A	1	949 - 949	Prob. getting phys. check-up - not available when required
PC_6_45B	1	950 - 950	Prob. getting phys. check-up - not available in area
PC_6_45C	1	951 - 951	Prob. getting phys. check-up - waiting time too long
PC_6_45D	1	952 - 952	Prob. getting phys. check-up - transportation
PC_6_45E	1	953 - 953	Prob. getting phys. check-up - language
PC_6_45F	1	954 - 954	Prob. getting phys. check-up - cost
PC_6_45G	1	955 - 955	Prob. getting phys. check-up - did not know where to go
PC_6_45H	1	956 - 956	Prob. getting phys. check-up - other
PC_6_46A	1	957 - 957	No physical check-up - have not gotten around to it
PC_6_46B	1	958 - 958	No physical check-up - resp. didn't think it was neces.
PC_6_46C	1	959 - 959	No physical check-up - doctor didn't think it was neces.
PC_6_46D	1	960 - 960	No physical check-up - personal or family respons.

# 1996-97 NPHS: Master File - Health Record Layout

Page 19

June, 1998

Variable	Length	Position	Concept
PC_6_46E	1	961 - 961	No physical check-up - not available / time required
PC_6_46F	1	962 - 962	No physical check-up - not available at all in area
PC_6_46G	1	963 - 963	No physical check-up - waiting time too long
PC_6_46H	1	964 - 964	No physical check-up - transportation problems
PC_6_46I	1	965 - 965	No physical check-up - language problem
PC_6_46J	1	966 - 966	No physical check-up - cost
PC_6_46K	1	967 - 967	No physical check-up - did not know where to go
PC_6_46L	1	968 - 968	No physical check-up - fear
PC_6_46M	1	969 - 969	No physical check-up - other reason
FS_6_50	1	970 - 970	Ever had a flu shot
FS_6_52	1	971 - 971	Last time had flu shot
FS_6_53A	1	972 - 972	Had flu shot - peer pressure
FS_6_53B	1	973 - 973	Had flu shot - job requirement
FS_6_53C	1	974 - 974	Had flu shot - helps prevent the flu
FS_6_53D	1	975 - 975	Had flu shot - to protect others
FS_6_53E	1	976 - 976	Had flu shot - recommended because of age
FS_6_53F	1	977 - 977	Had flu shot - health problem
FS_6_53G	1	978 - 978	Had flu shot - other reason
FS_6_54	1	979 - 979	Had problems obtaining a flu shot
FS_6_55A	1	980 - 980	Problem getting flu shot - not available when required
FS_6_55B	1	981 - 981	Problem getting flu shot - not available in area
FS_6_55C	1	982 - 982	Problem getting flu shot - waiting time too long
FS_6_55D	1	983 - 983	Problem getting flu shot - transportation
FS_6_55E	1	984 - 984	Problem getting flu shot - language
FS_6_55F	1	985 - 985	Problem getting flu shot - cost
FS_6_55G	1	986 - 986	Problem getting flu shot - did not know where to go
FS_6_55H	1	987 - 987	Problem getting flu shot - other
FS_6_56A	1	988 - 988	No flu shot - have not gotten around to it
FS_6_56B	1	989 - 989	No flu shot - respondent did not think it was necessary
FS_6_56C	1	990 - 990	No flu shot - doctor did not think it was necessary
FS_6_56D	1	991 - 991	No flu shot - personal or family responsibilities
FS_6_56E	1	992 - 992	No flu shot - not available when required
FS_6_56F	1	993 - 993	No flu shot - not available in area
FS_6_56G	1	994 - 994	No flu shot - waiting time too long
FS_6_56H	1	995 - 995	No flu shot - transportation problems
FS_6_56I	1	996 - 996	No flu shot - language problem

# 1996-97 NPHS: Master File - Health Record Layout

Page 20

June, 1998

Variable	Length	Position	Concept
FS_6_56J	1	997 - 997	No flu shot - cost
FS_6_56K	1	998 - 998	No flu shot - did not know where to go
FS_6_56L	1	999 - 999	No flu shot - fear
FS_6_56M	1	1000 - 1000	No flu shot - bad reaction to previous shot
FS_6_56N	1	1001 - 1001	No flu shot - other reason
DV_6_60	1	1002 - 1002	Visited dentist
DV_6_61	2	1003 - 1004	Last time visited dentist
DV_6_62A	1	1005 - 1005	Visits dentist - make sure everything is OK
DV_6_62B	1	1006 - 1006	Visits dentist - check-up covered by insurance
DV_6_62C	1	1007 - 1007	Visits dentist - catch problems early
DV_6_62D	1	1008 - 1008	Visits dentist - for good dental health
DV_6_62E	1	1009 - 1009	Visits dentist - care of teeth / gums / dentures
DV_6_62F	1	1010 - 1010	Visits dentist - for cleaning / fluoride / maintenance
DV_6_62G	1	1011 - 1011	Visits dentist - to get a filling / extraction
DV_6_62H	1	1012 - 1012	Visits dentist - to check braces
DV_6_62I	1	1013 - 1013	Visits dentist - other reason
DV_6_63	1	1014 - 1014	Had problems obtaining dental services
DV_6_64A	1	1015 - 1015	Problem getting dental services - not avail. when required
DV_6_64B	1	1016 - 1016	Problem getting dental services - not available in area
DV_6_64C	1	1017 - 1017	Problem getting dental services - waiting time too long
DV_6_64D	1	1018 - 1018	Problem getting dental services - transportation
DV_6_64E	1	1019 - 1019	Problem getting dental services - language
DV_6_64F	1	1020 - 1020	Problem getting dental services - cost
DV_6_64G	1	1021 - 1021	Problem getting dental services - did not know where to go
DV_6_64H	1	1022 - 1022	Problem getting dental services - other
DV_6_65A	1	1023 - 1023	No dental visit - have not gotten around to it
DV_6_65B	1	1024 - 1024	No dental visit - respondent did not think it was necessary
DV_6_65C	1	1025 - 1025	No dental visit - dentist did not think it was necessary
DV_6_65D	1	1026 - 1026	No dental visit - personal or family responsibilities
DV_6_65E	1	1027 - 1027	No dental visit - not available when required
DV_6_65F	1	1028 - 1028	No dental visit - not available at all in area
DV_6_65G	1	1029 - 1029	No dental visit - waiting time too long
DV_6_65H	1	1030 - 1030	No dental visit - transportation problems
DV_6_65I	1	1031 - 1031	No dental visit - language problem
DV_6_65J	1	1032 - 1032	No dental visit - cost
DV_6_65K	1	1033 - 1033	No dental visit - did not know where to go

# 1996-97 NPHS: Master File - Health Record Layout

Page 21

June, 1998

Variable	Length	Position	Concept
DV_6_65L	1	1034 - 1034	No dental visit - fear
DV_6_65M	1	1035 - 1035	No dental visit - wears dentures
DV_6_65N	1	1036 - 1036	No dental visit - other reason
DV_6_66	1	1037 - 1037	Has dental insurance
EX_6_70	1	1038 - 1038	Visited optometrist or ophthalmologist
EX_6_71	1	1039 - 1039	Last eye examination
EX_6_72	1	1040 - 1040	Frequency of eye examinations
EX_6_73A	1	1041 - 1041	Has eye exam - make sure everything is OK
EX_6_73B	1	1042 - 1042	Has eye exam - glaucoma test
EX_6_73C	1	1043 - 1043	Has eye exam - job requirement
EX_6_73D	1	1044 - 1044	Has eye exam - check prescription
EX_6_73E	1	1045 - 1045	Has eye exam - cataracts are developing
EX_6_73F	1	1046 - 1046	Has eye exam - to get driver's license
EX_6_73G	1	1047 - 1047	Has eye exam - eye problem / infection
EX_6_73H	1	1048 - 1048	Has eye exam - diabetes
EX_6_73I	1	1049 - 1049	Has eye exam - sight deterioration
EX_6_73J	1	1050 - 1050	Has eye exam - other reason
EX_6_74	1	1051 - 1051	Had problems obtaining an eye examination
EX_6_75A	1	1052 - 1052	Problem getting eye exam - not available when required
EX_6_75B	1	1053 - 1053	Problem getting eye exam - not available at all in area
EX_6_75C	1	1054 - 1054	Problem getting eye exam - waiting time too long
EX_6_75D	1	1055 - 1055	Problem getting eye exam - transportation
EX_6_75E	1	1056 - 1056	Problem getting eye exam - language
EX_6_75F	1	1057 - 1057	Problem getting eye exam - cost
EX_6_75G	1	1058 - 1058	Problem getting eye exam - did not know where to go
EX_6_75H	1	1059 - 1059	Problem getting eye exam - other
EX_6_76A	1	1060 - 1060	No eye exam - have not gotten around to it
EX_6_76B	1	1061 - 1061	No eye exam - respondent did not think it was neces.
EX_6_76C	1	1062 - 1062	No eye exam - doctor did not think it was necessary
EX_6_76D	1	1063 - 1063	No eye exam - personal or family responsibilities
EX_6_76E	1	1064 - 1064	No eye exam - not available when required
EX_6_76F	1	1065 - 1065	No eye exam - not available at all in area
EX_6_76G	1	1066 - 1066	No eye exam - waiting time too long
EX_6_76H	1	1067 - 1067	No eye exam - transportation problems
EX_6_76I	1	1068 - 1068	No eye exam - language problem
EX_6_76J	1	1069 - 1069	No eye exam - cost

# 1996-97 NPHS: Master File - Health Record Layout

Page 22

June, 1998

Variable	Length	Position	Concept
EX_6_76K	1	1070 - 1070	No eye exam - did not know where to go
EX_6_76L	1	1071 - 1071	No eye exam - fear
EX_6_76M	1	1072 - 1072	No eye exam - other reason
EX_6_77	1	1073 - 1073	Has insurance covering cost of eye glasses / contact lenses
ES_6_80	1	1074 - 1074	Overall quality of emergency services
ES_6_81	1	1075 - 1075	Used emergency services
ES_6_82	1	1076 - 1076	Has health insurance covering hospital charges
IS_6D1	1	1077 - 1077	Derived number of types of medical insurance
HVS6_1	1	1078 - 1078	Tissue sample given for life insurance
HVS6_2	1	1079 - 1079	Donated blood at the Red Cross
HVS6_3	4	1080 - 1083	Year of last blood donation
HVS6_4	1	1084 - 1084	Test for HIV or AIDS other than for insurance / blood donat.
HVS6_5	4	1085 - 1088	Year of last HIV / AIDS test
HVS6_6	2	1089 - 1090	Reason for HIV / AIDS test
HVS6_7	1	1091 - 1091	Received "clotting factor" between 1978 and 1985
HVS6_8	1	1092 - 1092	Received a blood transfusion between 1978 and 1985
HVS6_9	1	1093 - 1093	Has injected non-prescription drugs
HIP6_1	2	1094 - 1095	First source of information - sports injuries
HIP6_1A	1	1096 - 1096	Look for other source - sports injuries
HIP6_1B	2	1097 - 1098	Second source of information - sports injuries
HIP6_2	2	1099 - 1100	First source of information - AIDS / STD
HIP6_2A	1	1101 - 1101	Look for other source - AIDS / STD
HIP6_2B	2	1102 - 1103	Second source of information - AIDS / STD
HIP6_3	2	1104 - 1105	First source of information - depression
HIP6_3A	1	1106 - 1106	Look for other source - depression
HIP6_3B	2	1107 - 1108	Second source of information - depression
HIP6_4	2	1109 - 1110	First source of information - pregnancy
HIP6_4A	1	1111 - 1111	Look for other source - pregnancy
HIP6_4B	2	1112 - 1113	Second source of information - pregnancy
HIP6_5	1	1114 - 1114	Attended school in past 12 months
HIP6_6	1	1115 - 1115	Rating of information received at school on improving health
HIP6_7	1	1116 - 1116	Attended sex education classes at school
HIP6_8	1	1117 - 1117	Rating of sex education classes
HSC6_1	1	1118 - 1118	Sees well enough to read newsprint without glasses /contacts
HSC6_2	1	1119 - 1119	Sees well enough to read newsprint with glasses / contacts
HSC6_3	1	1120 - 1120	Able to see

# 1996-97 NPHS: Master File - Health Record Layout

Page 23

June, 1998

Variable	Length	Position	Concept
HSC6_4	1	1121 - 1121	Sees well enough to recognize friend without glasses
HSC6_5	1	1122 - 1122	Sees well enough to recognize friend with glasses
HSC6DVIS	2	1123 - 1124	Derived vision trouble - function code
HSC6GVIS	2	1125 - 1126	Derived vision trouble - function code - grouped
HSC6_6	1	1127 - 1127	Hears in group of people without hearing aid
HSC6_7	1	1128 - 1128	Hears in group of people with hearing aid
HSC6_7A	1	1129 - 1129	Able to hear
HSC6_8	1	1130 - 1130	Hears in quiet room without hearing aid
HSC6_9	1	1131 - 1131	Hears in quiet room with hearing aid
HSC6DHER	2	1132 - 1133	Derived hearing problems - function code
HSC6GHER	2	1134 - 1135	Derived hearing problems - function code - grouped
HSC6_10	1	1136 - 1136	Understood by strangers in own language
HSC6_11	1	1137 - 1137	Understood partially by strangers in own language
HSC6_12	1	1138 - 1138	Understood by non-strangers in own language
HSC6_13	1	1139 - 1139	Understood partially by non-strangers in own language
HSC6DSPE	1	1140 - 1140	Derived speech trouble - function code
HSC6GSPE	1	1141 - 1141	Derived speech trouble - function code - grouped
HSC6_14	1	1142 - 1142	Able to walk without difficulty without support
HSC6_15	1	1143 - 1143	Able to walk
HSC6_16	1	1144 - 1144	Requires support to walk
HSC6_17	1	1145 - 1145	Requires help of person to walk
HSC6_18	1	1146 - 1146	Requires a wheelchair
HSC6_19	1	1147 - 1147	Frequency of wheelchair use
HSC6_20	1	1148 - 1148	Requires help to move in wheelchair
HSC6DMOB	2	1149 - 1150	Derived mobility trouble - function code
HSC6GMOB	2	1151 - 1152	Derived mobility trouble - function code - grouped
HSC6_21	1	1153 - 1153	Able to grasp and handle small objects
HSC6_22	1	1154 - 1154	Requires help due to limitation in hands
HSC6_23	1	1155 - 1155	Requires help with tasks
HSC6_24	1	1156 - 1156	Requires special equipment due to limitation in hands
HSC6DDEX	2	1157 - 1158	Derived dexterity trouble - function code
HSC6GDEX	2	1159 - 1160	Derived dexterity trouble - function code - grouped
HSC6_25	1	1161 - 1161	Description of feelings
HSC6DEMO	2	1162 - 1163	Derived emotional problems - function code
HSC6_26	1	1164 - 1164	Ability to remember things
HSC6_27	1	1165 - 1165	Ability to think and solve problems

# 1996-97 NPHS: Master File - Health Record Layout

Page 24

June, 1998

Variable	Length	Position	Concept
HSC6DCOG	2	1166 - 1167	Derived cognition - function code
HSC6GCOG	2	1168 - 1169	Derived cognition - function code - grouped
HSC6_28	1	1170 - 1170	Free of pain or discomfort
HSC6_29	1	1171 - 1171	Intensity of pain or discomfort
HSC6_30	1	1172 - 1172	Number of activities prevented by pain / discomfort
HSC6DPAD	1	1173 - 1173	Derived activities prevented-pain/discomfort - function code
HSC6DSEV	1	1174 - 1174	Derived severity of pain - function code
HSC6DHSI	5.3	1175 - 1179	Derived Health Status Index (3 decimal places)
HSK6_25A	1	1180 - 1180	Event causing great amount of worry or unhappiness
HSK6_31A	1	1181 - 1181	Worry or unhappiness - death in family
HSK6_31B	1	1182 - 1182	Worry or unhappiness - divorce / separation
HSK6_31C	1	1183 - 1183	Worry or unhappiness - move
HSK6_31D	1	1184 - 1184	Worry or unhappiness - illness / injury of family member
HSK6_31E	1	1185 - 1185	Worry or unhappiness - conflict between parents
HSK6_31F	1	1186 - 1186	Worry or unhappiness - other event
PAC6_1A	1	1187 - 1187	Walked for exercise in last 3 months
PAC6_1B	1	1188 - 1188	Gardening / yard work in last 3 months
PAC6_1C	1	1189 - 1189	Swam in last 3 months
PAC6_1D	1	1190 - 1190	Bicycled in last 3 months
PAC6_1E	1	1191 - 1191	Popular or social dance in last 3 months
PAC6_1F	1	1192 - 1192	Home exercises in last 3 months
PAC6_1G	1	1193 - 1193	Played ice hockey in last 3 months
PAC6_1H	1	1194 - 1194	Ice skated in last 3 months
PAC6_1I	1	1195 - 1195	Downhill skied in last 3 months
PAC6_1J	1	1196 - 1196	Jogged or ran in last 3 months
PAC6_1K	1	1197 - 1197	Golfed in last 3 months
PAC6_1L	1	1198 - 1198	Had exercise class or did aerobics in last 3 months
PAC6_1M	1	1199 - 1199	Cross-country skied in last 3 months
PAC6_1N	1	1200 - 1200	Bowled in last 3 months
PAC6_1O	1	1201 - 1201	Played baseball or softball in last 3 months
PAC6_1P	1	1202 - 1202	Played tennis in last 3 months
PAC6_1Q	1	1203 - 1203	Weight-trained in last 3 months
PAC6_1R	1	1204 - 1204	Fished in last 3 months
PAC6_1S	1	1205 - 1205	Played volleyball in last 3 months
PAC6_1T	1	1206 - 1206	Played basketball in last 3 months
PAC6_1U	1	1207 - 1207	Did other physical activity in last 3 months - (#1)



# 1996-97 NPHS: Master File - Health Record Layout

Page 25

June, 1998

Variable	Length	Position	Concept
PAC6_1V	1	1208 - 1208	Did no physical activity in last 3 months
PAC6_C1C	1	1209 - 1209	Long answer collected - other physical activity (#1)
PAC6_1W	1	1210 - 1210	Did other physical activity in last 3 months - (#2)
PAC6_C2C	1	1211 - 1211	Long answer collected - other physical activity (#2)
PAC6_1X	1	1212 - 1212	Did other physical activity in last 3 months - (#3)
PAC6_C3C	1	1213 - 1213	Long answer collected - other physical activity (#3)
PAC6_2A	3	1214 - 1216	Number of times participated - walking for exercise
PAC6_3A	1	1217 - 1217	Time spent - walking for exercise
PAC6_2B	3	1218 - 1220	Number of times participated - gardening or yard work
PAC6_3B	1	1221 - 1221	Time spent - gardening or yard work
PAC6_2C	3	1222 - 1224	Number of times participated - swimming
PAC6_3C	1	1225 - 1225	Time spent - swimming
PAC6_2D	3	1226 - 1228	Number of times participated - bicycling
PAC6_3D	1	1229 - 1229	Time spent - bicycling
PAC6_2E	3	1230 - 1232	Number of times participated - popular or social dance
PAC6_3E	1	1233 - 1233	Time spent - popular or social dance
PAC6_2F	3	1234 - 1236	Number of times participated - home exercises
PAC6_3F	1	1237 - 1237	Time spent - home exercises
PAC6_2G	3	1238 - 1240	Number of times participated - ice hockey
PAC6_3G	1	1241 - 1241	Time spent - ice hockey
PAC6_2H	3	1242 - 1244	Number of times participated - ice skating
PAC6_3H	1	1245 - 1245	Time spent - ice skating
PAC6_2I	3	1246 - 1248	Number of times participated - downhill skiing
PAC6_3I	1	1249 - 1249	Time spent - downhill skiing
PAC6_2J	3	1250 - 1252	Number of times participated - jogging or running
PAC6_3J	1	1253 - 1253	Time spent - jogging or running
PAC6_2K	3	1254 - 1256	Number of times participated - golfing
PAC6_3K	1	1257 - 1257	Time spent - golfing
PAC6_2L	3	1258 - 1260	Number of times participated - exercise class or aerobics
PAC6_3L	1	1261 - 1261	Time spent - exercise class or aerobics
PAC6_2M	3	1262 - 1264	Number of times participated - cross-country skiing
PAC6_3M	1	1265 - 1265	Time spent - cross-country skiing
PAC6_2N	3	1266 - 1268	Number of times participated - bowling
PAC6_3N	1	1269 - 1269	Time spent - bowling
PAC6_2O	3	1270 - 1272	Number of times participated - baseball or softball
PAC6_3O	1	1273 - 1273	Time spent - baseball or softball

# 1996-97 NPHS: Master File - Health Record Layout

Page 26

June, 1998

Variable	Length	Position	Concept
PAC6_2P	3	1274 - 1276	Number of times participated - tennis
PAC6_3P	1	1277 - 1277	Time spent - tennis
PAC6_2Q	3	1278 - 1280	Number of times participated - weight training
PAC6_3Q	1	1281 - 1281	Time spent - weight training
PAC6_2R	3	1282 - 1284	Number of times participated - fishing
PAC6_3R	1	1285 - 1285	Time spent - fishing
PAC6_2S	3	1286 - 1288	Number of times participated - volleyball
PAC6_3S	1	1289 - 1289	Time spent - volleyball
PAC6_2T	3	1290 - 1292	Number of times participated - basketball
PAC6_3T	1	1293 - 1293	Time spent - basketball
PAC6_2U	3	1294 - 1296	Number of times participated - other physical activity (#1)
PAC6_3U	1	1297 - 1297	Time spent - other physical activity (#1)
PAC6_2W	3	1298 - 1300	Number of times participated - other physical activity (#2)
PAC6_3W	1	1301 - 1301	Time spent - other physical activity (#2)
PAC6_2X	3	1302 - 1304	Number of times participated - other physical activity (#3)
PAC6_3X	1	1305 - 1305	Time spent - other physical activity (#3)
PAC6_4A	2	1306 - 1307	Number of hours walking to work / school
PAC6_4B	2	1308 - 1309	Number of hours biking to work / school
PAC6_5	1	1310 - 1310	Frequency of bike helmet use
PAC6_6	1	1311 - 1311	Level of physical activity for usual day
PAC6DEE	4.1	1312 - 1315	Derived energy expenditure (1 decimal point)
PAC6DLEI	1	1316 - 1316	Derived participant in leisure physical activity
PAC6DFM	3	1317 - 1319	Derived monthly freq. of physical activity lasting > 15 min.
PAC6DFR	1	1320 - 1320	Derived frequency of all physical activity
PAC6DFD	1	1321 - 1321	Derived participation / daily phys. activities > 15 min.
PAC6DPAI	1	1322 - 1322	Derived physical activity index
TUP6_1	1	1323 - 1323	Tried to get a suntan (sun or artificial)
TUP6_2	1	1324 - 1324	Deepness of suntan
TUP6_3	1	1325 - 1325	Got sunburnt
TUP6_4	1	1326 - 1326	Number of times sunburned
TUP6_5	1	1327 - 1327	Description of worst sunburn
TUP6_6	1	1328 - 1328	Frequency of using sunscreen in summer
TUP6_7	1	1329 - 1329	Frequency of avoiding sun from 11am to 4pm
TUP6_8	1	1330 - 1330	Frequency of avoiding long periods in the sun
TUP6_9	1	1331 - 1331	Frequency of wearing sunglasses with UV protection
TUP6_10	1	1332 - 1332	Frequency of wearing protective clothing in the sun

# 1996-97 NPHS: Master File - Health Record Layout

Page 27

June, 1998

Variable	Length	Position	Concept
RPC6_1	1	1333 - 1333	Had repetitive strain injuries
RPC6_2	2	1334 - 1335	Number of repetitive strain injuries
RPC6_3	2	1336 - 1337	Body part affected by repetitive strain injury
RPC6_4A	1	1338 - 1338	Injury caused by activity at home
RPC6_4B	1	1339 - 1339	Injury caused by activity at school
RPC6_4C	1	1340 - 1340	Injury caused by leisure activities
RPC6_4D	1	1341 - 1341	Injury caused by other activity
IJC6_1	1	1342 - 1342	Had an injury limiting normal activities
IJC6_2	2	1343 - 1344	Number of times injured
IJC6_3	2	1345 - 1346	Type of injury
IJC6_4	2	1347 - 1348	Body part affected by injury
IJC6_5	2	1349 - 1350	Place where injury happened
IJC6G5	2	1351 - 1352	Place of injury - grouped
IJC6_6	2	1353 - 1354	Reason for injury
IJC6G6	2	1355 - 1356	Reason for injury - grouped
IJC6_7	1	1357 - 1357	Injury occurred at work
IJC6_8A	1	1358 - 1358	To avoid the injury recurring - gave up the activity
IJC6_8B	1	1359 - 1359	To avoid the injury recurring - being more careful
IJC6_8C	1	1360 - 1360	To avoid the injury recurring - safety training
IJC6_8D	1	1361 - 1361	To avoid the injury recurring - protective gear
IJC6_8E	1	1362 - 1362	To avoid the injury recurring - changing physical situation
IJC6_8F	1	1363 - 1363	To avoid the injury recurring - other precaution
IJC6_8G	1	1364 - 1364	To avoid the injury recurring - no precautions taken
IJC6D1	3	1365 - 1367	Derived type of injury by body site
IJC6D2	3	1368 - 1370	Derived cause of injury by place of occurrence
IJC6GD2	3	1371 - 1373	Derived cause of injury by place of occurrence - grouped
DGC6_1A	1	1374 - 1374	Took pain relievers
DGC6_1B	1	1375 - 1375	Took tranquilizers
DGC6_1C	1	1376 - 1376	Took diet pills
DGC6_1D	1	1377 - 1377	Took anti-depressants
DGC6_1E	1	1378 - 1378	Took codeine, Demerol or morphine
DGC6_1F	1	1379 - 1379	Took allergy medicine
DGC6_1G	1	1380 - 1380	Took asthma medications
DGC6_1H	1	1381 - 1381	Took cough or cold remedies
DGC6_1I	1	1382 - 1382	Took penicillin or other antibiotics
DGC6_1J	1	1383 - 1383	Took medicine for the heart

# 1996-97 NPHS: Master File - Health Record Layout

Page 28

June, 1998

Variable	Length	Position	Concept
DGC6_1K	1	1384 - 1384	Took medicine for blood pressure
DGC6_1L	1	1385 - 1385	Took diuretics
DGC6_1M	1	1386 - 1386	Took steroids
DGC6_1N	1	1387 - 1387	Took insulin
DGC6_1O	1	1388 - 1388	Took pills to control diabetes
DGC6_1P	1	1389 - 1389	Took sleeping pills
DGC6_1Q	1	1390 - 1390	Took stomach remedies
DGC6_1R	1	1391 - 1391	Took laxatives
DGC6_1S	1	1392 - 1392	Took birth control pills
DGC6_1T	1	1393 - 1393	Took hormones for menopause
DGC6_1T1	1	1394 - 1394	Hormone therapy - type
DGC6_1T2	4	1395 - 1398	Hormone therapy - year started
DGC6_1U	1	1399 - 1399	Took thyroid medication
DGC6_1V	1	1400 - 1400	Took other medication
DGC6F1	1	1401 - 1401	Took medications
DGK6_1	1	1402 - 1402	Takes ventolin or other inhalants
DGK6_3	1	1403 - 1403	Takes tranquilizers or nerve pills
DGK6_4	1	1404 - 1404	Takes anti-convulsants or anti-epileptic pills
DGC6_2	3	1405 - 1407	Number of different medications taken in past 2 days
DGC6_3AC	1	1408 - 1408	Long answer collected - drug 1
DGC6C3A	7	1409 - 1415	Drug code - drug 1
DGC6G3A	2	1416 - 1417	Drug code - drug 1 - grouped
DGC6_3BC	1	1418 - 1418	Long answer collected - drug 2
DGC6C3B	7	1419 - 1425	Drug code - drug 2
DGC6G3B	2	1426 - 1427	Drug code - drug 2 - grouped
DGC6_3CC	1	1428 - 1428	Long answer collected - drug 3
DGC6C3C	7	1429 - 1435	Drug code - drug 3
DGC6G3C	2	1436 - 1437	Drug code - drug 3 - grouped
DGC6_3DC	1	1438 - 1438	Long answer collected - drug 4
DGC6C3D	7	1439 - 1445	Drug code - drug 4
DGC6G3D	2	1446 - 1447	Drug code - drug 4 - grouped
DGC6_3EC	1	1448 - 1448	Long answer collected - drug 5
DGC6C3E	7	1449 - 1455	Drug code - drug 5
DGC6G3E	2	1456 - 1457	Drug code - drug 5 - grouped
DGC6_3FC	1	1458 - 1458	Long answer collected - drug 6
DGC6C3F	7	1459 - 1465	Drug code - drug 6

# 1996-97 NPHS: Master File - Health Record Layout

Page 29

June, 1998

Variable	Length	Position	Concept
DGC6G3F	2	1466 - 1467	Drug code - drug 6 - grouped
DGC6_3GC	1	1468 - 1468	Long answer collected - drug 7
DGC6C3G	7	1469 - 1475	Drug code - drug 7
DGC6G3G	2	1476 - 1477	Drug code - drug 7 - grouped
DGC6_3HC	1	1478 - 1478	Long answer collected - drug 8
DGC6C3H	7	1479 - 1485	Drug code - drug 8
DGC6G3H	2	1486 - 1487	Drug code - drug 8 - grouped
DGC6_3IC	1	1488 - 1488	Long answer collected - drug 9
DGC6C3I	7	1489 - 1495	Drug code - drug 9
DGC6G3I	2	1496 - 1497	Drug code - drug 9 - grouped
DGC6_3JC	1	1498 - 1498	Long answer collected - drug 10
DGC6C3J	7	1499 - 1505	Drug code - drug 10
DGC6G3J	2	1506 - 1507	Drug code - drug 10 - grouped
DGC6_3KC	1	1508 - 1508	Long answer collected - drug 11
DGC6C3K	7	1509 - 1515	Drug code - drug 11
DGC6G3K	2	1516 - 1517	Drug code - drug 11 - grouped
DGC6_3LC	1	1518 - 1518	Long answer collected - drug 12
DGC6C3L	7	1519 - 1525	Drug code - drug 12
DGC6G3L	2	1526 - 1527	Drug code - drug 12 - grouped
DGC6_4	1	1528 - 1528	Uses other health products
DGC6_5AC	1	1529 - 1529	Long answer collected - health product 1
DGC6C5A	7	1530 - 1536	Code for health product - product 1
DGC6G5A	2	1537 - 1538	Code for health product - product 1 - grouped
DGC6_5AA	1	1539 - 1539	Uses a 2nd health product
DGC6_5BC	1	1540 - 1540	Long answer collected - health product 2
DGC6C5B	7	1541 - 1547	Code for health product - product 2
DGC6G5B	2	1548 - 1549	Code for health product - product 2 - grouped
DGC6_5BA	1	1550 - 1550	Uses a 3rd health product
DGC6_5CC	1	1551 - 1551	Long answer collected - health product 3
DGC6C5C	7	1552 - 1558	Code for health product - product 3
DGC6G5C	2	1559 - 1560	Code for health product - product 3 - grouped
DGC6_5CA	1	1561 - 1561	Uses a 4th health product
DGC6_5DC	1	1562 - 1562	Long answer collected - health product 4
DGC6C5D	7	1563 - 1569	Code for health product - product 4
DGC6G5D	2	1570 - 1571	Code for health product - product 4 - grouped
DGC6_5DA	1	1572 - 1572	Uses a 5th health product

# 1996-97 NPHS: Master File - Health Record Layout

Page 30

June, 1998

Variable	Length	Position	Concept
DGC6_5EC	1	1573 - 1573	Long answer collected - health product 5
DGC6C5E	7	1574 - 1580	Code for health product - product 5
DGC6G5E	2	1581 - 1582	Code for health product - product 5 - grouped
DGC6_5EA	1	1583 - 1583	Uses a 6th health product
DGC6_5FC	1	1584 - 1584	Long answer collected - health product 6
DGC6C5F	7	1585 - 1591	Code for health product - product 6
DGC6G5F	2	1592 - 1593	Code for health product - product 6 - grouped
DGC6_5FA	1	1594 - 1594	Uses a 7th health product
DGC6_5GC	1	1595 - 1595	Long answer collected - health product 7
DGC6C5G	7	1596 - 1602	Code for health product - product 7
DGC6G5G	2	1603 - 1604	Code for health product - product 7 - grouped
DGC6_5GA	1	1605 - 1605	Uses an 8th health product
DGC6_5HC	1	1606 - 1606	Long answer collected - health product 8
DGC6C5H	7	1607 - 1613	Code for health product - product 8
DGC6G5H	2	1614 - 1615	Code for health product - product 8 - grouped
DGC6_5HA	1	1616 - 1616	Uses a 9th health product
DGC6_5IC	1	1617 - 1617	Long answer collected - health product 9
DGC6C5I	7	1618 - 1624	Code for health product - product 9
DGC6G5I	2	1625 - 1626	Code for health product - product 9 - grouped
DGC6_5IA	1	1627 - 1627	Uses a 10th health product
DGC6_5JC	1	1628 - 1628	Long answer collected - health product 10
DGC6C5J	7	1629 - 1635	Code for health product - product 10
DGC6G5J	2	1636 - 1637	Code for health product - product 10 - grouped
DGC6_5JA	1	1638 - 1638	Uses an 11th health product
DGC6_5KC	1	1639 - 1639	Long answer collected - health product 11
DGC6C5K	7	1640 - 1646	Code for health product - product 11
DGC6G5K	2	1647 - 1648	Code for health product - product 11 - grouped
DGC6_5KA	1	1649 - 1649	Uses a 12th health product
DGC6_5LC	1	1650 - 1650	Long answer collected - health product 12
DGC6C5L	7	1651 - 1657	Code for health product - product 12
DGC6G5L	2	1658 - 1659	Code for health product - product 12 - grouped
DGC6_6	1	1660 - 1660	Insurance covering prescription medication
SMC6_1	1	1661 - 1661	Household member smokes regularly inside house
SMC6_2	1	1662 - 1662	Type of smoker
SMC6_3	3	1663 - 1665	Age started smoking daily - daily smoker
SMC6G3	3	1666 - 1668	Age started smoking daily - daily smoker - grouped

# 1996-97 NPHS: Master File - Health Record Layout

Page 31

June, 1998

Variable	Length	Position	Concept
SMC6_4	3	1669 - 1671	Number of cigarettes smoked each day - daily smoker
SMC6_4A	1	1672 - 1672	Ever smoked cigarettes
SMC6_5	1	1673 - 1673	Ever smoked daily
SMC6_6	3	1674 - 1676	Age started smoking daily - former daily smoker
SMC6G6	3	1677 - 1679	Age started smoking daily - former daily smoker - grouped
SMC6_7	3	1680 - 1682	Number of cigarettes smoked each day - former daily smoker
SMC6_8	3	1683 - 1685	Age stopped smoking daily - former daily smoker
SMC6G8	3	1686 - 1688	Age stopped smoking daily - former daily smoker - grouped
SMC6DTYP	2	1689 - 1690	Derived type of smoker
SMC6DYRS	3	1691 - 1693	Derived number of years smoked
GHS6_31	1	1694 - 1694	Smoked during last pregnancy
GHS6_32	3	1695 - 1697	Average number of cigarettes smoked daily during pregnancy
GHS6_33	1	1698 - 1698	Smoked while breast-feeding last baby
GHS6_34	3	1699 - 1701	Average no. of cigarettes smoked daily during breast-feeding
GHS6_35	1	1702 - 1702	Someone smoked reg. in presence during / after pregnancy
SMS6_8	1	1703 - 1703	Time until first cigarette after waking up
SMS6_9	1	1704 - 1704	Considering quitting smoking in next 6 months
SMS6_12	1	1705 - 1705	Restrictions on smoking in work place
SMS6_13A	1	1706 - 1706	Children more likely to start smoking if their parents smoke
SMS6_13B	1	1707 - 1707	People too concerned about second-hand smoke
SMS6_13C	1	1708 - 1708	Non-smokers mind when people smoke in their presence
SMS6_13D	1	1709 - 1709	Children/ second-hand smoke / more likely to have ill health
SMS6_13E	1	1710 - 1710	Pregnant women / others living with / should not smoke
SMS6_13F	1	1711 - 1711	Provide non-smokers with a smoke-free environment at work
SMS6_13G	1	1712 - 1712	Ask permission to smoke in the presence of others
SMS6_13H	1	1713 - 1713	Lower cigarette prices lead to increased smoking
SMS6_14	1	1714 - 1714	Feels unpleasant effects from second-hand smoke
SMS6_15	1	1715 - 1715	Second-hand smoke can cause health problems in non-smoker
SMS6_16A	1	1716 - 1716	Second-hand smoke can cause lung cancer in a non-smoker
SMS6_16B	1	1717 - 1717	Second-hand smoke can cause heart problems in non-smoker
SMS6_16C	1	1718 - 1718	Second-hand smoke can cause a stroke in a non-smoker
SMS6_16D	1	1719 - 1719	Second-hand smoke can cause breathing problems in non-smoker
SMS6_17	1	1720 - 1720	Smoking cigarettes can cause health problems in smoker
SMS6_18A	1	1721 - 1721	Smoking cigarettes can cause lung cancer in a smoker
SMS6_18B	1	1722 - 1722	Smoking cigarettes can cause heart disease in a smoker
SMS6_18C	1	1723 - 1723	Smoking cigarettes can cause a stroke in a smoker

# 1996-97 NPHS: Master File - Health Record Layout

Page 32

June, 1998

Variable	Length	Position	Concept
SMS6_18D	1	1724 - 1724	Smoking cigarettes can cause breathing problems in a smoker
ALC6_1	1	1725 - 1725	Drank alcohol in past 12 months
ALC6_2	2	1726 - 1727	Frequency of drinking alcohol
ALC6_3	2	1728 - 1729	Frequency of having 5 or more drinks
ALC6_DAY	2	1730 - 1731	Day of the week that interview took place
ALC6_5	1	1732 - 1732	Drank alcohol in past week
ALC6_5A1	3	1733 - 1735	Number of drinks - Monday
ALC6_5A2	3	1736 - 1738	Number of drinks - Tuesday
ALC6_5A3	3	1739 - 1741	Number of drinks - Wednesday
ALC6_5A4	3	1742 - 1744	Number of drinks - Thursday
ALC6_5A5	3	1745 - 1747	Number of drinks - Friday
ALC6_5A6	3	1748 - 1750	Number of drinks - Saturday
ALC6_5A7	3	1751 - 1753	Number of drinks - Sunday
ALC6_5B	1	1754 - 1754	Has ever had a drink
ALC6_6	1	1755 - 1755	Regularly drank more than 12 drinks a week
ALC6_7A	1	1756 - 1756	Reason reduced drinking - dieting
ALC6_7B	1	1757 - 1757	Reason reduced drinking - athletic training
ALC6_7C	1	1758 - 1758	Reason reduced drinking - pregnancy
ALC6_7D	1	1759 - 1759	Reason reduced drinking - getting older
ALC6_7E	1	1760 - 1760	Reason reduced drinking - drinking too much
ALC6_7F	1	1761 - 1761	Reason reduced drinking - affected work / studies
ALC6_7G	1	1762 - 1762	Reason reduced drinking - interfered with family life
ALC6_7H	1	1763 - 1763	Reason reduced drinking - affected physical health
ALC6_7I	1	1764 - 1764	Reason reduced drinking - affected social relationships
ALC6_7J	1	1765 - 1765	Reason reduced drinking - affected financial position
ALC6_7K	1	1766 - 1766	Reason reduced drinking - affected happiness
ALC6_7L	1	1767 - 1767	Reason reduced drinking - influence of family / friends
ALC6_7M	1	1768 - 1768	Reason reduced drinking - other
ALC6D7	2	1769 - 1770	Derived single reason for reducing or quitting drinking
ALC6G7	2	1771 - 1772	Single reason for reducing or quitting drinking - grouped
ALC6DTYP	1	1773 - 1773	Derived type of drinker
ALC6DWKY	3	1774 - 1776	Derived weekly total of alcohol consumed
ALC6DDL Y	2	1777 - 1778	Derived average daily consumption
ALP6_1	1	1779 - 1779	Drank alcohol during last pregnancy
ALP6_2	2	1780 - 1781	Average number of drinks during pregnancy
ALP6_3	1	1782 - 1782	Consumed alcohol while breastfeeding



# 1996-97 NPHS: Master File - Health Record Layout

Page 33

June, 1998

Variable	Length	Position	Concept
ALP6_4	2	1783 - 1784	Average number of drinks while breastfeeding
ALS6_1	2	1785 - 1786	Definition of moderate drinking
ALS6_2	1	1787 - 1787	Moderate drinking can be good for your health
ALS6_3	1	1788 - 1788	It's alright to get drunk once in a while
ALS6_4	1	1789 - 1789	Rather pay for a taxi than see a friend drive after drinking
ALS6_5	1	1790 - 1790	Alright to get drunk once a week if no drinking rest of week
ALS6_6	1	1791 - 1791	Pregnant woman should not drink any amount of alcohol
ALS6_7	1	1792 - 1792	Alright for breastfeeding woman to drink occasionally
AD_6_1	1	1793 - 1793	Drunk / at work / school / taking care of child
AD_6_2	1	1794 - 1794	Number of times drunk / hung-over
AD_6_3	1	1795 - 1795	Being drunk increased chances of getting hurt
AD_6_4	1	1796 - 1796	Emotional / psychological problems due to alcohol
AD_6_5	1	1797 - 1797	Strong desire or urge to drink
AD_6_6	1	1798 - 1798	Spent month or more getting drunk
AD_6_7	1	1799 - 1799	Drank much more than intended
AD_6_8	1	1800 - 1800	Number of times drank much more than intended
AD_6_9	1	1801 - 1801	Had to drink more for the same effect
AD_6DSF	2	1802 - 1803	Derived alcohol dependence - short form score
AD_6DPP	4.2	1804 - 1807	Derived alcohol dependence - short probability of CIDI
MHC6_1A	1	1808 - 1808	Number of times - felt nothing could cheer you up
MHC6_1B	1	1809 - 1809	Number of times - felt nervous
MHC6_1C	1	1810 - 1810	Number of times - felt restless / fidgety
MHC6_1D	1	1811 - 1811	Number of times - felt hopeless
MHC6_1E	1	1812 - 1812	Number of times - felt worthless
MHC6_1F	1	1813 - 1813	Number of times - felt everything was an effort
MHC6_1G	1	1814 - 1814	Feelings occurred more or less often than usual
MHC6_1H	1	1815 - 1815	Feelings occurred how much more often
MHC6_1I	1	1816 - 1816	Feelings occurred how much less often
MHC6_1J	1	1817 - 1817	How much these experiences interfere with life / activities
MHC6_1K	1	1818 - 1818	Consulted health professional about mental health
MHC6_1L	3	1819 - 1821	No. of times consulted health professional for mental health
MHC6G1L	2	1822 - 1823	No. of consult. / health profes. / mental health - grouped
MHC6_1MA	1	1824 - 1824	Mental health, consulted - family doctor
MHC6_1MB	1	1825 - 1825	Mental health, consulted - psychiatrist
MHC6_1MC	1	1826 - 1826	Mental health, consulted - psychologist
MHC6_1MD	1	1827 - 1827	Mental health, consulted - nurse

# 1996-97 NPHS: Master File - Health Record Layout

Page 34

June, 1998

Variable	Length	Position	Concept
MHC6_1ME	1	1828 - 1828	Mental health, consulted - social worker or counselor
MHC6_1MF	1	1829 - 1829	Mental health, consulted - other person
MHC6_2	1	1830 - 1830	Felt depressed for 2 weeks or more in past year
MHC6_3	1	1831 - 1831	Depressed - length of time feelings usually last
MHC6_4	1	1832 - 1832	Depressed - number of times felt this way
MHC6_5	1	1833 - 1833	Depressed - lost interest in most things
MHC6_6	1	1834 - 1834	Depressed - felt tired all of the time
MHC6_7	1	1835 - 1835	Depressed - weight change
MHC6_8KG	3	1836 - 1838	Depressed - weight change (kg.)
MHC6_8LB	3	1839 - 1841	Depressed - weight change (lb.)
MHC6_9	1	1842 - 1842	Depressed - trouble falling asleep
MHC6_10	1	1843 - 1843	Depressed - frequency of trouble falling asleep
MHC6_11	1	1844 - 1844	Depressed - trouble concentrating
MHC6_12	1	1845 - 1845	Depressed - felt down on self
MHC6_13	1	1846 - 1846	Depressed - thought a lot about death
MHC6_14	2	1847 - 1848	Depressed - number of weeks in past 12 months
MHC6_15	2	1849 - 1850	Month in which depression occurred
MHC6_16	1	1851 - 1851	Lost interest in most things that usually give pleasure
MHC6_17	1	1852 - 1852	Loss of interest - duration
MHC6_18	1	1853 - 1853	Loss of interest - frequency
MHC6_19	1	1854 - 1854	Loss of interest - felt tired all the time
MHC6_20	1	1855 - 1855	Loss of interest - weight change
MHC6_21K	3	1856 - 1858	Loss of interest - weight change (kg.)
MHC6_21L	3	1859 - 1861	Loss of interest - weight change (lb.)
MHC6_22	1	1862 - 1862	Loss of interest - trouble falling asleep
MHC6_23	1	1863 - 1863	Loss of interest - frequency of sleep problem
MHC6_24	1	1864 - 1864	Loss of interest - trouble concentrating
MHC6_25	1	1865 - 1865	Loss of interest - felt down on self
MHC6_26	1	1866 - 1866	Loss of interest - thought a lot about death
MHC6_27	2	1867 - 1868	Number of weeks feeling loss of interest
MHC6_28	2	1869 - 1870	Month in which loss of interest occurred
MHC6DDS	2	1871 - 1872	Derived Distress Scale
MHC6DCH	2	1873 - 1874	Derived Chronicity of Distress and Impairment Scale
MHC6DSF	2	1875 - 1876	Derived Depression Scale - Short Form Score
MHC6DPP	4.2	1877 - 1880	Derived Depression Scale - Predicted Probability (2 dec pts)
MHC6DWK	2	1881 - 1882	Derived number of weeks felt depressed

# 1996-97 NPHS: Master File - Health Record Layout

Page 35

June, 1998

Variable	Length	Position	Concept
MHC6DMT	2	1883 - 1884	Derived specific month when felt depressed
SSC6_1	1	1885 - 1885	Member of organization / association
SSC6_2	1	1886 - 1886	Frequency of participation in organizations / associations
SSC6_2A	1	1887 - 1887	Frequency of attending religious services
SSS6_1	1	1888 - 1888	Spiritual values / faith play important role in life
SSS6_2	1	1889 - 1889	Self-perception of religiousness / spirituality
SSC6_3	1	1890 - 1890	Has someone to confide in
SSC6_4	1	1891 - 1891	Has someone to count on in crisis situation
SSC6_5	1	1892 - 1892	Has someone who gives advice when making important decisions
SSC6_6	1	1893 - 1893	Has someone to make feel loved and cared for
SSC6_7A	2	1894 - 1895	Frequency of contact with parents / in-laws
SSC6_7B	2	1896 - 1897	Frequency of contact with grandparents
SSC6_7C	2	1898 - 1899	Frequency of contact with daughters / daughters-in-law
SSC6_7D	2	1900 - 1901	Frequency of contact with sons / sons-in-law
SSC6_7E	2	1902 - 1903	Frequency of contact with brothers / sisters
SSC6_7F	2	1904 - 1905	Frequency of contact with other relatives
SSC6_7G	2	1906 - 1907	Frequency of contact with close friends
SSC6_7H	2	1908 - 1909	Frequency of contact with neighbours
SSC6D1	1	1910 - 1910	Derived social support index
SSC6D2	2	1911 - 1912	Derived social involvement score
SSC6D3	2	1913 - 1914	Derived average frequency of contacts
SSS6_3	1	1915 - 1915	Number of people seen socially who smoke
SSS6_4	1	1916 - 1916	Number of people seen socially who drink too much
SSS6_5A	1	1917 - 1917	Partner smokes cigarettes
SSS6_5B	1	1918 - 1918	Partner exercises regularly
SSS6_5C	1	1919 - 1919	Partner drinks too much
SSS6_5D	1	1920 - 1920	Partner overeats
SSS6_5E	1	1921 - 1921	Partner uses tranquilizers
SSP6_1	1	1922 - 1922	Received care from friend / relative in the past 12 months
SSP6_2	1	1923 - 1923	Received care from friend / relative in last month
SSP6_3	1	1924 - 1924	Level of support from family / friends
SSP6_4	1	1925 - 1925	Helped relative / friend with health problem
APP6_1	1	1926 - 1926	My parents are strict for my own good
APP6_2	1	1927 - 1927	My parents do not understand me
APP6_3	1	1928 - 1928	I have a lot of arguments with my parents
APP6_4	1	1929 - 1929	What my parents think of me is important

# 1996-97 NPHS: Master File - Health Record Layout

Page 36

June, 1998

Variable	Length	Position	Concept
APP6_5	1	1930 - 1930	Are times when I would like to run away from home
APP6_6	1	1931 - 1931	I have a happy home life
APP6_7	1	1932 - 1932	I would raise my children differently
APP6_8	1	1933 - 1933	My parents expect too much of me
APP6_9	1	1934 - 1934	I ask my parents for advice on serious matters
APP6_10	1	1935 - 1935	My parents trust me
SVP6_1	1	1936 - 1936	Overall rating of health care system
SVP6_2	1	1937 - 1937	Availability of community health care
SVP6_3	1	1938 - 1938	Overall quality of health care in community
SVP6_4	1	1939 - 1939	Overall availability of health care in community
SVP6_5	1	1940 - 1940	Quality of health care in community
SVP6_6	1	1941 - 1941	Difficulty getting health care services needed
SVP6_7	1	1942 - 1942	Quality of health care received in past 12 months
SVB6_1	1	1943 - 1943	Overall quality of the health care system for children
SVB6_2	1	1944 - 1944	Quality of children's health care services in community
SVB6_3	1	1945 - 1945	Availability of children's health care services in community
SVB6_4	1	1946 - 1946	Difficulty of getting health care services
SVB6_5	1	1947 - 1947	Overall quality of health care in past 12 months
SHS6_1	1	1948 - 1948	Ever had sexual intercourse
SHS6_2	2	1949 - 1950	Age at first sexual intercourse
SHS6G2	2	1951 - 1952	Age at first sexual intercourse - grouped
SHS6_3	1	1953 - 1953	Had sexual intercourse in past 12 months
SHS6_4	1	1954 - 1954	Number of partners (sexual intercourse)
SHS6_5	1	1955 - 1955	Relationship lasted 12 months or longer
SHS6_6	1	1956 - 1956	Relationships lasted less than 12 months
SHS6_7	1	1957 - 1957	Condom use in relationship(s) lasting less than 12 months
SHS6_7A	1	1958 - 1958	Used a condom the last time
SHS6_8	1	1959 - 1959	Had / has - chlamydia
SHS6_9	1	1960 - 1960	Had / has - gonorrhea
SHS6_10	1	1961 - 1961	Had / has - syphilis
SHS6_11	1	1962 - 1962	Had / has - genital warts
SHS6_12	1	1963 - 1963	Had / has - genital herpes
SHS6_13	1	1964 - 1964	Had / has - hepatitis B
SHS6_14	1	1965 - 1965	Has - HIV / AIDS
SHS6_15	1	1966 - 1966	Had / has - pelvic inflammatory disease
SHS6_16	1	1967 - 1967	Had / has - other STD

# 1996-97 NPHS: Master File - Health Record Layout

Page 37

June, 1998

Variable	Length	Position	Concept
SHS6D1	1	1968 - 1968	Derived - had at least 1 sexually-transmitted disease
SHP6_1	1	1969 - 1969	Effective in preventing STD - using condom
SHP6_2	1	1970 - 1970	Effective in preventing STD - birth control pill
SHP6_3	1	1971 - 1971	Effective in preventing STD - diaphragm / sponge
SHP6_4	1	1972 - 1972	Effective in preventing STD - spermicidal jelly / foam
SHP6_5	1	1973 - 1973	Effective in preventing STD - asking if a partner has one
SHP6_6	1	1974 - 1974	Effective in preventing STD - having regular partner
SHP6_7	1	1975 - 1975	Effective in preventing STD - asking partner to go for test
SHP6_8	1	1976 - 1976	Has sources of information on preventing STD
SHP6_9A	1	1977 - 1977	Main source of information on STD - parents
SHP6_9B	1	1978 - 1978	Main source of information on STD - medical professional
SHP6_9C	1	1979 - 1979	Main source of information on STD - friends
SHP6_9D	1	1980 - 1980	Main source of information on STD - school
SHP6_9E	1	1981 - 1981	Main source of information on STD - church
SHP6_9F	1	1982 - 1982	Main source of information on STD - youth club
SHP6_9G	1	1983 - 1983	Main source of information on STD - TV / radio
SHP6_9H	1	1984 - 1984	Main source of information on STD - magazines / newspaper
SHP6_9I	1	1985 - 1985	Main source of information on STD - information pamphlets
SHP6_9J	1	1986 - 1986	Main source of information on STD - books
SHP6_9K	1	1987 - 1987	Main source of information on STD - other
SHP6_10	1	1988 - 1988	Chance of getting an STD
SHP6_11	1	1989 - 1989	To prevent STD - changed sexual behaviour
SHP6_12	1	1990 - 1990	To prevent STD - sex with only 1 partner
SHP6_13	1	1991 - 1991	To prevent STD - using condoms
SHP6_14	1	1992 - 1992	To prevent STD - using spermicidal jellies and foams
SHP6_15	1	1993 - 1993	To prevent STD - more careful in selecting partners
SHP6_16	1	1994 - 1994	To prevent STD - started being tested for STD
SHP6_17	1	1995 - 1995	To prevent STD - insisting that partner be tested for STD
SHP6_18	1	1996 - 1996	To prevent STD - abstaining from sexual intercourse
SHP6_19	1	1997 - 1997	To prevent STD - other measures
RSS6_1	1	1998 - 1998	Been passenger with driver who had too much to drink
RSS6_2	1	1999 - 1999	Driver intoxicated - tried to prevent person from driving
RSS6_3A	1	2000 - 2000	Driver intoxicated - drove person home yourself
RSS6_3B	1	2001 - 2001	Driver intoxicated - asked someone to drive person home
RSS6_3C	1	2002 - 2002	Driver intoxicated - asked person to take a taxi
RSS6_3D	1	2003 - 2003	Driver intoxicated - hid person's car keys

# 1996-97 NPHS: Master File - Health Record Layout

Page 38

June, 1998

Variable	Length	Position	Concept
RSS6_3E	1	2004 - 2004	Driver intoxicated - served coffee to person
RSS6_3F	1	2005 - 2005	Driver intoxicated - kept the person at home
RSS6_3G	1	2006 - 2006	Driver intoxicated - other action to prevent driving
RSS6_4	1	2007 - 2007	Has valid driver's license for a motor vehicle
RSS6_5	1	2008 - 2008	Frequency - insisting that passengers wear their seatbelt
RSS6_6	1	2009 - 2009	Frequency - obey speed limits
RSS6_7	3	2010 - 2012	Number of times drank too much and drove
RSS6_8	1	2013 - 2013	Go out with friends / family to consume alcohol
RSS6_9	1	2014 - 2014	Have designated driver when going out
RSS6_10	1	2015 - 2015	Frequency - designated driver
VSP6_1	1	2016 - 2016	Frequency of feeling safe in community
VSP6_2	1	2017 - 2017	Frequency of feeling safe at home
VSP6_4	1	2018 - 2018	Frequency of feeling safe at school
VSP6_5	1	2019 - 2019	Number of times verbally abused at school / school bus
VSP6_6	1	2020 - 2020	Number of times verbally threatened at school / school bus
VSP6_7	1	2021 - 2021	Number of times attacked at school / school bus
VSP6_8	1	2022 - 2022	Number of times verbally abused outside of school
VSP6_9	1	2023 - 2023	Number of times verbally threatened outside of school
VSP6_10	1	2024 - 2024	Number of times attacked outside of school
COP6_1	1	2025 - 2025	Ability to handle day-to-day demands
COP6_2	1	2026 - 2026	Ability to handle unexpected / difficult problems
AM66_LNK	1	2027 - 2027	Permission to link data
AM66_HNC	1	2028 - 2028	Flag for health number (used for processing only)
AM66_5	1	2029 - 2029	Respondent gives contact information (H06)
AM66_TEL	1	2030 - 2030	H06 interview by telephone or in person
AM66_ALO	1	2031 - 2031	Respondent alone for health questionnaire
AM66_AFF	1	2032 - 2032	Answers affected by someone else being there
AM66_LNG	2	2033 - 2034	Language of H06 interview
AM66_EMM	2	2035 - 2036	Month of interview - H06 (end)
AM66_EDD	2	2037 - 2038	Day of interview - H06 (end)
AM66_EYY	4	2039 - 2042	Year of interview - H06 (end)
WT66	8.2	2043 - 2050	Sampling weight for selected respondent
WT66_N	8.2	2051 - 2058	Sampling weight for selected resp. for non-common content
WT66_C	8.2	2059 - 2066	Core - Analysis purposes only.
WT66_R	8.2	2067 - 2074	RDD - Analysis purposes only for common content
WT66_NR	8.2	2075 - 2082	RDD - Analysis purposes only for non-common content