

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 1

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
AD_6_1	Drunk / at work / school / taking care of child	AD	994
AD_6_2	Number of times drunk / hung-over	AD	995
AD_6_3	Being drunk increased chances of getting hurt	AD	995
AD_6_4	Emotional / psychological problems due to alcohol	AD	996
AD_6_5	Strong desire or urge to drink	AD	996
AD_6_6	Spent month or more getting drunk	AD	997
AD_6_7	Drank much more than intended	AD	997
AD_6_8	Number of times drank much more than intended	AD	998
AD_6_9	Had to drink more for the same effect	AD	998
AD_6DPP	Derived alcohol dependence - short probability of CIDI	AD	999
AD_6DSF	Derived alcohol dependence - short form score	AD	999
ALC4_1	Drank alcohol	AL	179
ALC4_2	Frequency of drinking alcohol	AL	180
ALC4_3	Frequency of having 5 or more drinks	AL	180
ALC4_4	Highest number of drinks on one occasion	AL	181
ALC4_5	Drank alcohol in past week	AL	182
ALC4_5A1	Number of drinks - Monday	AL	182
ALC4_5A2	Number of drinks - Tuesday	AL	183
ALC4_5A3	Number of drinks - Wednesday	AL	183
ALC4_5A4	Number of drinks - Thursday	AL	184
ALC4_5A5	Number of drinks - Friday	AL	184
ALC4_5A6	Number of drinks - Saturday	AL	185
ALC4_5A7	Number of drinks - Sunday	AL	185
ALC4_5B	Has ever had a drink	AL	186
ALC4_6	Regularly drank more than 12 drinks a week	AL	186
ALC4_7A	Reason reduced drinking - dieting	AL	187
ALC4_7B	Reason reduced drinking - athletic training	AL	187
ALC4_7C	Reason reduced drinking - pregnancy	AL	188
ALC4_7D	Reason reduced drinking - getting older	AL	188
ALC4_7E	Reason reduced drinking - drinking too much	AL	189
ALC4_7F	Reason reduced drinking - affected work / studies	AL	189
ALC4_7G	Reason reduced drinking - interfered with family life	AL	190
ALC4_7H	Reason reduced drinking - affected physical health	AL	190
ALC4_7I	Reason reduced drinking - affected social relationships	AL	191
ALC4_7J	Reason reduced drinking - affected financial position	AL	191
ALC4_7K	Reason reduced drinking - affected happiness	AL	192

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 2

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
ALC4_7L	Reason reduced drinking - influence of family / friends	AL	192
ALC4_7M	Reason reduced drinking - other	AL	193
ALC4_DAY	Day of the week that interview took place	AL	181
ALC4DDLY	Derived average daily consumption	AL	194
ALC4DTYP	Derived type of drinker	AL	193
ALC4DWKY	Derived weekly total of alcohol consumed	AL	194
ALC6_1	Drank alcohol in past 12 months	AL	973
ALC6_2	Frequency of drinking alcohol	AL	973
ALC6_3	Frequency of having 5 or more drinks	AL	974
ALC6_5	Drank alcohol in past week	AL	975
ALC6_5A1	Number of drinks - Monday	AL	975
ALC6_5A2	Number of drinks - Tuesday	AL	976
ALC6_5A3	Number of drinks - Wednesday	AL	976
ALC6_5A4	Number of drinks - Thursday	AL	977
ALC6_5A5	Number of drinks - Friday	AL	977
ALC6_5A6	Number of drinks - Saturday	AL	978
ALC6_5A7	Number of drinks - Sunday	AL	978
ALC6_5B	Has ever had a drink	AL	979
ALC6_6	Regularly drank more than 12 drinks a week	AL	979
ALC6_7A	Reason reduced drinking - dieting	AL	980
ALC6_7B	Reason reduced drinking - athletic training	AL	980
ALC6_7C	Reason reduced drinking - pregnancy	AL	981
ALC6_7D	Reason reduced drinking - getting older	AL	981
ALC6_7E	Reason reduced drinking - drinking too much	AL	982
ALC6_7F	Reason reduced drinking - affected work / studies	AL	982
ALC6_7G	Reason reduced drinking - interfered with family life	AL	983
ALC6_7H	Reason reduced drinking - affected physical health	AL	983
ALC6_7I	Reason reduced drinking - affected social relationships	AL	984
ALC6_7J	Reason reduced drinking - affected financial position	AL	984
ALC6_7K	Reason reduced drinking - affected happiness	AL	985
ALC6_7L	Reason reduced drinking - influence of family / friends	AL	985
ALC6_7M	Reason reduced drinking - other	AL	986
ALC6_DAY	Day of the week that interview took place	AL	974
ALC6D7	Derived single reason for reducing or quitting drinking	AL	987
ALC6DDLY	Derived average daily consumption	AL	988
ALC6DTYP	Derived type of drinker	AL	988

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 3

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
ALC6DWKY	Derived weekly total of alcohol consumed	AL	988
ALP6_1	Drank alcohol during last pregnancy	AL	989
ALP6_2	Average number of drinks during pregnancy	AL	989
ALP6_3	Consumed alcohol while breastfeeding	AL	990
ALP6_4	Average number of drinks while breastfeeding	AL	990
ALS6_1	Definition of moderate drinking	AL	991
ALS6_2	Moderate drinking can be good for your health	AL	991
ALS6_3	It's alright to get drunk once in a while	AL	992
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	AL	992
ALS6_5	Alright to get drunk once a week if no drinking rest of week	AL	993
ALS6_6	Pregnant woman should not drink any amount of alcohol	AL	993
ALS6_7	Alright for breastfeeding woman to drink occasionally	AL	994
AM34_LNG	Language of H03 interview	AM	13
AM34_LP	Language preference of household	AM	8
AM34_SRC	Record number of person providing H03 information	AM	12
AM36_LNG	Language of H03 interview	AM	446
AM36_LP	Language preference of household	AM	427
AM36_SRC	Record number of person providing H03 information	AM	445
AM36_TEL	H03 interview by telephone or in person	AM	427
AM54_BDD	Day of interview H05 (start)	AM	35
AM54_BMM	Month of interview H05 (start)	AM	35
AM54_BY Y	Year of interview H05 (start)	AM	35
AM54_EDD	Day of interview H05 (end)	AM	158
AM54_EMM	Month of interview H05 (end)	AM	157
AM54_EYY	Year of interview H05 (end)	AM	158
AM54_LNG	Language of H05 interview	AM	157
AM54_PXY	H05 completed by proxy	AM	36
AM54_SRC	Record number of person providing information for H05	AM	36
AM54_TEL	H05 interview by telephone or in person	AM	156
AM56_BDD	Day of interview - H05 (start)	AM	456
AM56_BMM	Month of interview - H05 (start)	AM	456
AM56_BY Y	Year of interview - H05 (start)	AM	457
AM56_EDD	Day of interview - H05 (end)	AM	636
AM56_EMM	Month of interview - H05 (end)	AM	636
AM56_EYY	Year of interview - H05 (end)	AM	637
AM56_LNG	Language of H05 interview	AM	635

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 4

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
AM56_PXY	H05 completed by proxy	AM	457
AM56_SHA	Agree to share information (H05)	AM	446
AM56_SRC	Record number of person providing information for H05	AM	457
AM56_STA	Status of general form (H05)	AM	455
AM56_TEL	H05 interview by telephone or in person	AM	635
AM64_AFF	Answers affected by someone else being there	AM	411
AM64_ALO	Respondent alone for health questionnaire	AM	410
AM64_BDD	Day of interview H06 (start)	AM	159
AM64_BMM	Month of interview H06 (start)	AM	159
AM64_BYY	Year of interview H06 (start)	AM	160
AM64_EDD	Day of interview H06 (end)	AM	412
AM64_EMM	Month of interview H06 (end)	AM	412
AM64_EYY	Year of interview H06 (end)	AM	413
AM64_LNG	Language of H06 interview	AM	411
AM64_LNK	Permission to link data	AM	34
AM64_PXY	H06 completed by proxy	AM	160
AM64_RC	Long answer collected - reason for proxy (H06)	AM	161
AM64_SRC	Record number of person providing information for H06	AM	160
AM64_STA	Status of health form (H06)	AM	158
AM64_TEL	H06 interview by telephone or in person	AM	410
AM66_5	Respondent gives contact information (H06)	AM	1091
AM66_AFF	Answers affected by someone else being there	AM	1093
AM66_ALO	Respondent alone for health questionnaire	AM	1092
AM66_BDD	Day of interview - H06 (start)	AM	638
AM66_BMM	Month of interview - H06 (start)	AM	638
AM66_BYY	Year of interview - H06 (start)	AM	639
AM66_EDD	Day of interview - H06 (end)	AM	1094
AM66_EMM	Month of interview - H06 (end)	AM	1094
AM66_EYY	Year of interview - H06 (end)	AM	1095
AM66_HN	Provincial health number changed (used for processing only)	AM	1090
AM66_HNC	Flag for health number (used for processing only)	AM	1091
AM66_LNG	Language of H06 interview	AM	1093
AM66_LNK	Permission to link data	AM	1090
AM66_PXY	H06 completed by proxy	AM	639
AM66_RC	Long answer collected - reason for proxy (H06)	AM	640
AM66_SHA	Agree to share information (H06)	AM	447

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 5

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
AM66_SRC	Record number of person providing information for H06	AM	639
AM66_STA	Status of health form (H06)	AM	637
AM66_TEL	H06 interview by telephone or in person	AM	1092
AM66LDUR	Duration / days between 1994 H06 and 1996 H06 interviews	AM	637
APP6_1	My parents are strict for my own good	AP	1045
APP6_10	My parents trust me	AP	1050
APP6_2	My parents do not understand me	AP	1046
APP6_3	I have a lot of arguments with my parents	AP	1046
APP6_4	What my parents think of me is important	AP	1047
APP6_5	Are times when I would like to run away from home	AP	1047
APP6_6	I have a happy home life	AP	1048
APP6_7	I would raise my children differently	AP	1048
APP6_8	My parents expect too much of me	AP	1049
APP6_9	I ask my parents for advice on serious matters	AP	1049
BPC4_1	Last time blood pressure was taken	BP	171
BPC6_10	Ever had blood pressure taken	BP	664
BPC6_12	Last time blood pressure was taken	BP	664
BPC6_13A	Blood pressure taken - regular check-up	BP	665
BPC6_13B	Blood pressure taken - high blood pressure / heart disease	BP	665
BPC6_13C	Blood pressure taken - doctor always does it	BP	666
BPC6_13D	Blood pressure taken - health problem	BP	666
BPC6_13E	Blood pressure taken - age	BP	667
BPC6_13F	Blood pressure taken - job requirement	BP	667
BPC6_13G	Blood pressure taken - pregnant	BP	668
BPC6_13H	Blood pressure taken - in hospital for other reason	BP	668
BPC6_13I	Blood pressure taken - when donating blood	BP	669
BPC6_13J	Blood pressure taken - just for the "fun" of it	BP	669
BPC6_13K	Blood pressure taken - other reason	BP	670
BPC6_14	Had problems getting blood pressure test	BP	670
BPC6_15A	Problem getting b.p. test - not available when required	BP	671
BPC6_15B	Problem getting b.p. test - not available in area	BP	671
BPC6_15C	Problem getting b.p. test - waiting time too long	BP	671
BPC6_15D	Problem getting b.p. test - transportation	BP	672
BPC6_15E	Problem getting b.p. test - language	BP	672
BPC6_15F	Problem getting b.p. test - cost	BP	672
BPC6_15G	Problem getting b.p. test - did not know where to go	BP	673

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
BPC6_15H	Problem getting b.p. test - other	BP	673
BPC6_16A	Blood pressure not taken - have not gotten around to it	BP	674
BPC6_16B	Blood pressure not taken - resp. did not think it was neces.	BP	674
BPC6_16C	Blood pressure not taken - dr. did not think it was neces.	BP	675
BPC6_16D	Blood pressure not taken - personal / family resp.	BP	675
BPC6_16E	Blood pressure not taken - not available when required	BP	676
BPC6_16F	Blood pressure not taken - not available in area	BP	676
BPC6_16G	Blood pressure not taken - waiting time too long	BP	677
BPC6_16H	Blood pressure not taken - transportation problems	BP	677
BPC6_16I	Blood pressure not taken - language problem	BP	678
BPC6_16J	Blood pressure not taken - cost	BP	678
BPC6_16K	Blood pressure not taken - did not know where to go	BP	679
BPC6_16L	Blood pressure not taken - fear	BP	679
BPC6_16M	Blood pressure not taken - other reason	BP	680
CCC4_1A	Has food allergies	CC	71
CCC4_1B	Has allergies other than food allergies	CC	72
CCC4_1C	Has asthma	CC	73
CCC4_1D	Has arthritis or rheumatism	CC	74
CCC4_1E	Has back problems excluding arthritis	CC	75
CCC4_1F	Has high blood pressure	CC	75
CCC4_1G	Has migraine headaches	CC	76
CCC4_1H	Has chronic bronchitis or emphysema	CC	76
CCC4_1I	Has sinusitis	CC	77
CCC4_1J	Has diabetes	CC	77
CCC4_1K	Has epilepsy	CC	78
CCC4_1L	Has heart disease	CC	78
CCC4_1M	Has cancer	CC	79
CCC4_1N	Has stomach or intestinal ulcers	CC	80
CCC4_1O	Suffers from the effects of a stroke	CC	80
CCC4_1P	Has urinary incontinence	CC	81
CCC4_1R	Has Alzheimer's disease or other dementia	CC	82
CCC4_1S	Has cataracts	CC	82
CCC4_1T	Has glaucoma	CC	83
CCC4_1V	Has other chronic condition	CC	83
CCC4_1W	Has acne	CC	81
CCC4_C7	Asthma - had attack	CC	73

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
CCC4_C8	Asthma - had wheezing or whistling in chest	CC	74
CCC4_M1	Long answer collected - type of cancer	CC	79
CCC4_NON	Has no chronic conditions	CC	84
CCC4DANY	Derived - has a chronic condition	CC	84
CCC6_1A	Has food allergies	CC	506
CCC6_1B	Has allergies other than food allergies	CC	507
CCC6_1C	Has asthma	CC	507
CCC6_1D	Has arthritis or rheumatism	CC	512
CCC6_1E	Has back problems excluding arthritis	CC	517
CCC6_1F	Has high blood pressure	CC	518
CCC6_1G	Has migraine headaches	CC	523
CCC6_1H	Has chronic bronchitis or emphysema	CC	529
CCC6_1I	Has sinusitis	CC	529
CCC6_1J	Has diabetes	CC	530
CCC6_1K	Has epilepsy	CC	535
CCC6_1L	Has heart disease	CC	538
CCC6_1M	Has cancer	CC	538
CCC6_1N	Has stomach or intestinal ulcers	CC	539
CCC6_1O	Suffers from the effects of a stroke	CC	542
CCC6_1P	Has urinary incontinence	CC	545
CCC6_1Q	Has a bowel disorder such as Crohn's Disease or colitis	CC	546
CCC6_1R	Has Alzheimer's disease or other dementia	CC	546
CCC6_1S	Has cataracts	CC	547
CCC6_1T	Has glaucoma	CC	547
CCC6_1U	Has a thyroid condition	CC	548
CCC6_1V	Has other chronic condition	CC	548
CCC6_C1	Asthma - condition disappeared	CC	508
CCC6_C2M	Asthma - month disappeared	CC	508
CCC6_C2Y	Asthma - year disappeared	CC	509
CCC6_C3M	Asthma - month diagnosed	CC	509
CCC6_C3Y	Asthma - year diagnosed	CC	510
CCC6_C4	Asthma - had prior to last interview	CC	510
CCC6_C5	Asthma - had symptoms or attacks	CC	511
CCC6_C6	Asthma - took medication	CC	511
CCC6_D1	Arthritis / rheumatism - condition disappeared	CC	512
CCC6_D2M	Arthritis / rheumatism - month disappeared	CC	513

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 8

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
CCC6_D2Y	Arthritis / rheumatism - year disappeared	CC	513
CCC6_D3M	Arthritis / rheumatism - month diagnosed	CC	514
CCC6_D3Y	Arthritis / rheumatism - year diagnosed	CC	514
CCC6_D4	Arthritis / rheumatism - had prior to last interview	CC	515
CCC6_D5	Arthritis / rheumatism - receives treatment or medication	CC	515
CCC6_D6A	Arthritis / rheumatism - treatment - drug	CC	516
CCC6_D6B	Arthritis / rheumatism - treatment - diet	CC	516
CCC6_D6C	Arthritis / rheumatism - treatment - other kind	CC	517
CCC6_F1	High blood pressure - condition disappeared	CC	518
CCC6_F2M	High blood pressure - month disappeared	CC	519
CCC6_F2Y	High blood pressure - year disappeared	CC	519
CCC6_F3M	High blood pressure - month diagnosed	CC	520
CCC6_F3Y	High blood pressure - year diagnosed	CC	520
CCC6_F4	High blood pressure - had prior to last interview	CC	521
CCC6_F5	High blood pressure - receives treatment or medication	CC	521
CCC6_F6A	High blood pressure - treatment - drug	CC	522
CCC6_F6B	High blood pressure - treatment - diet	CC	522
CCC6_F6C	High blood pressure - treatment - other kind	CC	523
CCC6_G1	Migraines - condition disappeared	CC	524
CCC6_G2M	Migraines - month disappeared	CC	525
CCC6_G2Y	Migraines - year disappeared	CC	525
CCC6_G3M	Migraines - month diagnosed	CC	526
CCC6_G3Y	Migraines - year diagnosed	CC	526
CCC6_G4	Migraines - had prior to last interview	CC	527
CCC6_G5	Migraines - receives treatment or medication	CC	527
CCC6_G6A	Migraines - treatment - drug	CC	528
CCC6_G6B	Migraines - treatment - diet	CC	528
CCC6_G6C	Migraines - treatment - other kind	CC	528
CCC6_J1	Diabetes - condition disappeared	CC	530
CCC6_J2M	Diabetes - month disappeared	CC	531
CCC6_J2Y	Diabetes - year disappeared	CC	531
CCC6_J3M	Diabetes - month diagnosed	CC	532
CCC6_J3Y	Diabetes - year diagnosed	CC	532
CCC6_J4	Diabetes - had prior to last interview	CC	533
CCC6_J5	Diabetes - takes insulin	CC	533
CCC6_J6	Diabetes - takes treatment other than insulin	CC	533

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 9

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
CCC6_J7A	Diabetes - treatment - drug	CC	534
CCC6_J7B	Diabetes - treatment - diet	CC	534
CCC6_J7C	Diabetes - treatment - other kind	CC	534
CCC6_K1	Epilepsy - condition disappeared	CC	535
CCC6_K2M	Epilepsy - month disappeared	CC	536
CCC6_K2Y	Epilepsy - year disappeared	CC	536
CCC6_K3M	Epilepsy - month diagnosed	CC	537
CCC6_K3Y	Epilepsy - year diagnosed	CC	537
CCC6_K4	Epilepsy - had prior to last interview	CC	538
CCC6_N1	Ulcers - condition disappeared	CC	539
CCC6_N2M	Ulcers - month disappeared	CC	540
CCC6_N2Y	Ulcers - year disappeared	CC	540
CCC6_N3M	Ulcers - month diagnosed	CC	541
CCC6_N3Y	Ulcers - year diagnosed	CC	541
CCC6_N4	Ulcers - had prior to last interview	CC	542
CCC6_O1	Stroke - condition disappeared	CC	543
CCC6_O2M	Stroke - month disappeared	CC	543
CCC6_O2Y	Stroke - year disappeared	CC	544
CCC6_O3M	Stroke - month diagnosed	CC	544
CCC6_O3Y	Stroke - year diagnosed	CC	545
CCC6_O4	Stroke - had prior to last interview	CC	545
CCC6DANY	Derived - has a chronic condition	CC	549
CCC6DNUM	Derived number of chronic conditions	CC	549
CCK4_1	Frequency of nose or throat infections	CC	70
CCK4_1AB	Has allergies	CC	72
CCK4_2	Has had otitis	CC	70
CCK4_3	Number of times had otitis since birth	CC	71
CCK6_1	Frequency of nose or throat infections	CC	505
CCK6_2	Has had otitis	CC	505
CCK6_3	Number of times had otitis since birth	CC	506
CE36_DMM	Month of death - survey data	CE	451
CE36_DYY	Year of death - survey data	CE	451
COP4_1	Ability to handle day-to-day demands	CO	400
COP4_2A	Daily stress - try not to think about situation	CO	400
COP4_2B	Daily stress - try to see situation differently	CO	401
COP4_2C	Daily stress - try to change situation	CO	401

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 10

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
COP4_2D	Daily stress - express emotions	CO	402
COP4_2E	Daily stress - admit situation is stressful	CO	402
COP4_2F	Daily stress - talk to someone about situation	CO	403
COP4_2G	Daily stress - do something to relax	CO	403
COP4_2H	Daily stress - pray	CO	404
COP4_2I	Daily stress - other ways to deal with stress	CO	404
COP4_3	Ability to handle unexpected / difficult problems	CO	405
COP4_4A	Unexpected stress - try not to think about situation	CO	405
COP4_4B	Unexpected stress - try to see situation differently	CO	406
COP4_4C	Unexpected stress - try to change situation	CO	406
COP4_4D	Unexpected stress - express emotions	CO	407
COP4_4E	Unexpected stress - admit situation is stressful	CO	407
COP4_4F	Unexpected stress - talk to someone about situation	CO	408
COP4_4G	Unexpected stress - do something to relax	CO	408
COP4_4H	Unexpected stress - pray	CO	409
COP4_4I	Unexpected stress - other ways to deal with stress	CO	409
COP6_1	Ability to handle day-to-day demands	CO	1089
COP6_2	Ability to handle unexpected / difficult problems	CO	1089
CYCLE	Survey cycle that household joined	SP	424
DGC4_1A	Took pain relievers	DG	317
DGC4_1B	Took tranquilizers	DG	318
DGC4_1C	Took diet pills	DG	318
DGC4_1D	Took anti-depressants	DG	319
DGC4_1E	Took codeine, Demerol or morphine	DG	319
DGC4_1F	Took allergy medicine	DG	320
DGC4_1G	Took asthma medications	DG	320
DGC4_1H	Took cough or cold remedies	DG	321
DGC4_1I	Took penicillin or other antibiotics	DG	321
DGC4_1J	Took medicine for the heart	DG	322
DGC4_1K	Took medicine for blood pressure	DG	322
DGC4_1L	Took diuretics	DG	323
DGC4_1M	Took steroids	DG	323
DGC4_1N	Took insulin	DG	324
DGC4_1O	Took pills to control diabetes	DG	324
DGC4_1P	Took sleeping pills	DG	325
DGC4_1Q	Took stomach remedies	DG	325

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 11

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC4_1R	Took laxatives	DG	326
DGC4_1S	Took birth control pills	DG	327
DGC4_1T	Took hormones for menopause	DG	326
DGC4_1V	Took other medication	DG	327
DGC4_2	Number of different medications taken in past 2 days	DG	329
DGC4_3AC	Long answer collected - drug 1	DG	329
DGC4_3BC	Long answer collected - drug 2	DG	330
DGC4_3CC	Long answer collected - drug 3	DG	330
DGC4_3DC	Long answer collected - drug 4	DG	331
DGC4_3EC	Long answer collected - drug 5	DG	331
DGC4_3FC	Long answer collected - drug 6	DG	331
DGC4_3GC	Long answer collected - drug 7	DG	332
DGC4_3HC	Long answer collected - drug 8	DG	332
DGC4_3IC	Long answer collected - drug 9	DG	332
DGC4_3JC	Long answer collected - drug 10	DG	333
DGC4_3KC	Long answer collected - drug 11	DG	333
DGC4_3LC	Long answer collected - drug 12	DG	333
DGC4_4	Uses other health products	DG	338
DGC4_5AA	Uses a 2nd health product	DG	339
DGC4_5AC	Long answer collected - health product 1	DG	339
DGC4_5BA	Uses a 3rd health product	DG	340
DGC4_5BC	Long answer collected - health product 2	DG	339
DGC4_5CA	Uses a 4th health product	DG	340
DGC4_5CC	Long answer collected - health product 3	DG	340
DGC4_5DA	Uses a 5th health product	DG	341
DGC4_5DC	Long answer collected - health product 4	DG	341
DGC4_5EA	Uses a 6th health product	DG	342
DGC4_5EC	Long answer collected - health product 5	DG	341
DGC4_5FA	Uses a 7th health product	DG	342
DGC4_5FC	Long answer collected - health product 6	DG	342
DGC4_5GA	Uses an 8th health product	DG	343
DGC4_5GC	Long answer collected - health product 7	DG	343
DGC4_5HA	Uses a 9th health product	DG	344
DGC4_5HC	Long answer collected - health product 8	DG	343
DGC4_5IA	Uses a 10th health product	DG	344
DGC4_5IC	Long answer collected - health product 9	DG	344

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 12

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC4_5JA	Uses an 11th health product	DG	345
DGC4_5JC	Long answer collected - health product 10	DG	345
DGC4_5KA	Uses a 12th health product	DG	346
DGC4_5KC	Long answer collected - health product 11	DG	345
DGC4_5LC	Long answer collected - health product 12	DG	346
DGC4_NON	Did not take any drugs in past month	DG	328
DGC4C3A	Code - drug 1	DG	334
DGC4C3B	Code - drug 2	DG	334
DGC4C3C	Code - drug 3	DG	335
DGC4C3D	Code - drug 4	DG	335
DGC4C3E	Code - drug 5	DG	336
DGC4C3F	Code - drug 6	DG	336
DGC4C3G	Code - drug 7	DG	336
DGC4C3H	Code - drug 8	DG	337
DGC4C3I	Code - drug 9	DG	337
DGC4C3J	Code - drug 10	DG	337
DGC4C3K	Code - drug 11	DG	338
DGC4C3L	Code - drug 12	DG	338
DGC4C5A	Code for health product - product 1	DG	346
DGC4C5B	Code for health product - product 2	DG	347
DGC4C5C	Code for health product - product 3	DG	347
DGC4C5D	Code for health product - product 4	DG	347
DGC4C5E	Code for health product - product 5	DG	348
DGC4C5F	Code for health product - product 6	DG	348
DGC4C5G	Code for health product - product 7	DG	348
DGC4C5H	Code for health product - product 8	DG	349
DGC4C5I	Code for health product - product 9	DG	349
DGC4C5J	Code for health product - product 10	DG	349
DGC4C5K	Code for health product - product 11	DG	350
DGC4C5L	Code for health product - product 12	DG	350
DGC4F1	Took medications	DG	328
DGC6_1A	Took pain relievers	DG	894
DGC6_1B	Took tranquilizers	DG	894
DGC6_1C	Took diet pills	DG	895
DGC6_1D	Took anti-depressants	DG	895
DGC6_1E	Took codeine, Demerol or morphine	DG	896

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 13

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC6_1F	Took allergy medicine	DG	896
DGC6_1G	Took asthma medications	DG	897
DGC6_1H	Took cough or cold remedies	DG	897
DGC6_1I	Took penicillin or other antibiotics	DG	898
DGC6_1J	Took medicine for the heart	DG	898
DGC6_1K	Took medicine for blood pressure	DG	899
DGC6_1L	Took diuretics	DG	899
DGC6_1M	Took steroids	DG	900
DGC6_1N	Took insulin	DG	900
DGC6_1O	Took pills to control diabetes	DG	901
DGC6_1P	Took sleeping pills	DG	901
DGC6_1Q	Took stomach remedies	DG	902
DGC6_1R	Took laxatives	DG	902
DGC6_1S	Took birth control pills	DG	903
DGC6_1T	Took hormones for menopause	DG	903
DGC6_1T1	Hormone therapy - type	DG	904
DGC6_1T2	Hormone therapy - year started	DG	904
DGC6_1U	Took thyroid medication	DG	905
DGC6_1V	Took other medication	DG	905
DGC6_2	Number of different medications taken in past 2 days	DG	906
DGC6_3AC	Long answer collected - drug 1	DG	907
DGC6_3BC	Long answer collected - drug 2	DG	909
DGC6_3CC	Long answer collected - drug 3	DG	911
DGC6_3DC	Long answer collected - drug 4	DG	913
DGC6_3EC	Long answer collected - drug 5	DG	915
DGC6_3FC	Long answer collected - drug 6	DG	917
DGC6_3GC	Long answer collected - drug 7	DG	918
DGC6_3HC	Long answer collected - drug 8	DG	921
DGC6_3IC	Long answer collected - drug 9	DG	922
DGC6_3JC	Long answer collected - drug 10	DG	924
DGC6_3KC	Long answer collected - drug 11	DG	925
DGC6_3LC	Long answer collected - drug 12	DG	927
DGC6_4	Uses other health products	DG	928
DGC6_5AA	Uses a 2nd health product	DG	930
DGC6_5AC	Long answer collected - health product 1	DG	929
DGC6_5BA	Uses a 3rd health product	DG	932

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 14

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC6_5BC	Long answer collected - health product 2	DG	931
DGC6_5CA	Uses a 4th health product	DG	934
DGC6_5CC	Long answer collected - health product 3	DG	933
DGC6_5DA	Uses a 5th health product	DG	936
DGC6_5DC	Long answer collected - health product 4	DG	935
DGC6_5EA	Uses a 6th health product	DG	938
DGC6_5EC	Long answer collected - health product 5	DG	937
DGC6_5FA	Uses a 7th health product	DG	940
DGC6_5FC	Long answer collected - health product 6	DG	939
DGC6_5GA	Uses an 8th health product	DG	942
DGC6_5GC	Long answer collected - health product 7	DG	941
DGC6_5HA	Uses a 9th health product	DG	943
DGC6_5HC	Long answer collected - health product 8	DG	942
DGC6_5IA	Uses a 10th health product	DG	945
DGC6_5IC	Long answer collected - health product 9	DG	944
DGC6_5JA	Uses an 11th health product	DG	946
DGC6_5JC	Long answer collected - health product 10	DG	945
DGC6_5KA	Uses a 12th health product	DG	947
DGC6_5KC	Long answer collected - health product 11	DG	946
DGC6_5LC	Long answer collected - health product 12	DG	948
DGC6_6	Insurance covering prescription medication	DG	949
DGC6C3A	Drug code - drug 1	DG	907
DGC6C3B	Drug code - drug 2	DG	909
DGC6C3C	Drug code - drug 3	DG	911
DGC6C3D	Drug code - drug 4	DG	913
DGC6C3E	Drug code - drug 5	DG	915
DGC6C3F	Drug code - drug 6	DG	917
DGC6C3G	Drug code - drug 7	DG	919
DGC6C3H	Drug code - drug 8	DG	921
DGC6C3I	Drug code - drug 9	DG	923
DGC6C3J	Drug code - drug 10	DG	924
DGC6C3K	Drug code - drug 11	DG	926
DGC6C3L	Drug code - drug 12	DG	927
DGC6C5A	Code for health product - product 1	DG	929
DGC6C5B	Code for health product - product 2	DG	931
DGC6C5C	Code for health product - product 3	DG	933

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 15

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC6C5D	Code for health product - product 4	DG	935
DGC6C5E	Code for health product - product 5	DG	937
DGC6C5F	Code for health product - product 6	DG	939
DGC6C5G	Code for health product - product 7	DG	941
DGC6C5H	Code for health product - product 8	DG	942
DGC6C5I	Code for health product - product 9	DG	944
DGC6C5J	Code for health product - product 10	DG	945
DGC6C5K	Code for health product - product 11	DG	947
DGC6C5L	Code for health product - product 12	DG	948
DGC6F1	Took medications	DG	906
DGC6G3A	Drug code - drug 1 - grouped	DG	908
DGC6G3B	Drug code - drug 2 - grouped	DG	910
DGC6G3C	Drug code - drug 3 - grouped	DG	912
DGC6G3D	Drug code - drug 4 - grouped	DG	914
DGC6G3E	Drug code - drug 5 - grouped	DG	916
DGC6G3F	Drug code - drug 6 - grouped	DG	918
DGC6G3G	Drug code - drug 7 - grouped	DG	920
DGC6G3H	Drug code - drug 8 - grouped	DG	922
DGC6G3I	Drug code - drug 9 - grouped	DG	923
DGC6G3J	Drug code - drug 10 - grouped	DG	925
DGC6G3K	Drug code - drug 11 - grouped	DG	926
DGC6G3L	Drug code - drug 12 - grouped	DG	928
DGC6G5A	Code for health product - product 1 - grouped	DG	930
DGC6G5B	Code for health product - product 2 - grouped	DG	932
DGC6G5C	Code for health product - product 3 - grouped	DG	934
DGC6G5D	Code for health product - product 4 - grouped	DG	936
DGC6G5E	Code for health product - product 5 - grouped	DG	938
DGC6G5F	Code for health product - product 6 - grouped	DG	940
DGC6G5G	Code for health product - product 7 - grouped	DG	941
DGC6G5H	Code for health product - product 8 - grouped	DG	943
DGC6G5I	Code for health product - product 9 - grouped	DG	944
DGC6G5J	Code for health product - product 10 - grouped	DG	946
DGC6G5K	Code for health product - product 11 - grouped	DG	947
DGC6G5L	Code for health product - product 12 - grouped	DG	948
DH_4_P1	Pet	DH	10
DH_4_P3	Pet - lives indoors	DH	11

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 16

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DH_4DP2	Derived kind of pet	DH	11
DHC4_3A	Persons away from household	DH	9
DHC4_3B	Other persons living in dwelling	DH	9
DHC4_AGE	Cycle 1 age	DH	33
DHC4_BED	Number of bedrooms	DH	10
DHC4_DWE	Type of dwelling	DH	12
DHC4_FID	Family ID code	DH	34
DHC4_MAR	Marital status	DH	34
DHC4_OWN	Dwelling owned by household member	DH	9
DHC4D611	Derived number of persons 6 to 11 years old in household	DH	32
DHC4DE12	Derived number of persons 12 years old in household	DH	32
DHC4DECF	Derived type of household	DH	14
DHC4DHSZ	Derived household size	DH	31
DHC4DL12	Derived number of persons < 12 years old in household	DH	31
DHC4DL25	Derived number of persons < 25 years old in household	DH	31
DHC4DLE5	Derived number of persons <= 5 years old in household	DH	32
DHC4DLVG	Derived living arrangements of the selected respondent	DH	15
DHC4GAGE	Age - grouped	DH	33
DHC6_AGE	Age	DH	447
DHC6_BED	Number of bedrooms	DH	429
DHC6_DWE	Type of dwelling	DH	428
DHC6_FID	Family ID code	DH	452
DHC6_MAR	Marital status	DH	452
DHC6_OWN	Dwelling owned by household member	DH	428
DHC6ADOD	Day of death - administrative data	DH	449
DHC6AMOD	Month of death - administrative data	DH	449
DHC6AYOD	Year of death - administrative data	DH	450
DHC6CD	Cause of death code	DH	450
DHC6D611	Derived number of persons 6 to 11 years old in household	DH	453
DHC6DECF	Derived type of household	DH	454
DHC6DHSZ	Derived household size	DH	452
DHC6DL12	Derived number of persons < 12 years old in household	DH	453
DHC6DLE5	Derived number of persons <= 5 years old in household	DH	453
DHC6DLVG	Derived living arrangements of the selected respondent	DH	455
DHC6GAGE	Age - grouped	DH	448
DOB	Day of birth	DH	1

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 17

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DV_6_60	Visited dentist	DV	763
DV_6_61	Last time visited dentist	DV	764
DV_6_62A	Visits dentist - make sure everything is OK	DV	764
DV_6_62B	Visits dentist - check-up covered by insurance	DV	765
DV_6_62C	Visits dentist - catch problems early	DV	765
DV_6_62D	Visits dentist - for good dental health	DV	766
DV_6_62E	Visits dentist - care of teeth / gums / dentures	DV	766
DV_6_62F	Visits dentist - for cleaning / fluoride / maintenance	DV	767
DV_6_62G	Visits dentist - to get a filling / extraction	DV	767
DV_6_62H	Visits dentist - to check braces	DV	768
DV_6_62I	Visits dentist - other reason	DV	768
DV_6_63	Had problems obtaining dental services	DV	769
DV_6_64A	Problem getting dental services - not avail. when required	DV	769
DV_6_64B	Problem getting dental services - not available in area	DV	770
DV_6_64C	Problem getting dental services - waiting time too long	DV	770
DV_6_64D	Problem getting dental services - transportation	DV	770
DV_6_64E	Problem getting dental services - language	DV	771
DV_6_64F	Problem getting dental services - cost	DV	771
DV_6_64G	Problem getting dental services - did not know where to go	DV	771
DV_6_64H	Problem getting dental services - other	DV	772
DV_6_65A	No dental visit - have not gotten around to it	DV	772
DV_6_65B	No dental visit - respondent did not think it was necessary	DV	773
DV_6_65C	No dental visit - dentist did not think it was necessary	DV	773
DV_6_65D	No dental visit - personal or family responsibilities	DV	774
DV_6_65E	No dental visit - not available when required	DV	774
DV_6_65F	No dental visit - not available at all in area	DV	775
DV_6_65G	No dental visit - waiting time too long	DV	775
DV_6_65H	No dental visit - transportation problems	DV	776
DV_6_65I	No dental visit - language problem	DV	776
DV_6_65J	No dental visit - cost	DV	777
DV_6_65K	No dental visit - did not know where to go	DV	777
DV_6_65L	No dental visit - fear	DV	778
DV_6_65M	No dental visit - wears dentures	DV	778
DV_6_65N	No dental visit - other reason	DV	779
DV_6_66	Has dental insurance	DV	779
EDC4_1	Currently attending a school, college or university	ED	120

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 18

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
EDC4_2	Full-time student or part-time student	ED	120
EDC4_4	Number of years of elementary / high school completed	ED	118
EDC4_5	Graduated from high school	ED	118
EDC4_6	Attended post-secondary institution	ED	119
EDC4_7	Highest level of post-secondary education attained	ED	119
EDC4D1	Derived highest level of education - 14 levels	ED	121
EDC4D2	Derived highest level of education - 12 levels	ED	122
EDC4D3	Derived highest level of education - 4 levels	ED	122
EDC4DLF	Derived labour force activity of students	ED	144
EDC6_1	Currently attending a school, college or university	ED	586
EDC6_2	Full-time student or part-time student	ED	587
EDC6_3	Attended school since last interview	ED	587
EDC6_4	Number of years of elementary / high school completed	ED	588
EDC6_5	Graduated from high school	ED	588
EDC6_6	Attended post-secondary institution	ED	589
EDC6_7	Highest level of post-secondary education attained	ED	589
EDC6D1	Derived highest level of education - 14 levels	ED	590
EDC6D2	Derived highest level of education - 12 levels	ED	591
EDC6D3	Derived highest level of education - 4 levels	ED	591
EDC6DLF	Derived labour force activity of students	ED	592
ES_6_80	Overall quality of emergency services	ES	797
ES_6_81	Used emergency services	ES	797
ES_6_82	Has health insurance covering hospital charges	ES	798
EX_6_70	Visited optometrist or ophthalmologist	EX	780
EX_6_71	Last eye examination	EX	780
EX_6_72	Frequency of eye examinations	EX	781
EX_6_73A	Has eye exam - make sure everything is OK	EX	781
EX_6_73B	Has eye exam - glaucoma test	EX	782
EX_6_73C	Has eye exam - job requirement	EX	782
EX_6_73D	Has eye exam - check prescription	EX	783
EX_6_73E	Has eye exam - cataracts are developing	EX	783
EX_6_73F	Has eye exam - to get driver's license	EX	784
EX_6_73G	Has eye exam - eye problem / infection	EX	784
EX_6_73H	Has eye exam - diabetes	EX	785
EX_6_73I	Has eye exam - sight deterioration	EX	785
EX_6_73J	Has eye exam - other reason	EX	786

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 19

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
EX_6_74	Had problems obtaining an eye examination	EX	786
EX_6_75A	Problem getting eye exam - not available when required	EX	787
EX_6_75B	Problem getting eye exam - not available at all in area	EX	787
EX_6_75C	Problem getting eye exam - waiting time too long	EX	787
EX_6_75D	Problem getting eye exam - transportation	EX	788
EX_6_75E	Problem getting eye exam - language	EX	788
EX_6_75F	Problem getting eye exam - cost	EX	788
EX_6_75G	Problem getting eye exam - did not know where to go	EX	789
EX_6_75H	Problem getting eye exam - other	EX	789
EX_6_76A	No eye exam - have not gotten around to it	EX	790
EX_6_76B	No eye exam - respondent did not think it was neces.	EX	790
EX_6_76C	No eye exam - doctor did not think it was necessary	EX	791
EX_6_76D	No eye exam - personal or family responsibilities	EX	791
EX_6_76E	No eye exam - not available when required	EX	792
EX_6_76F	No eye exam - not available at all in area	EX	792
EX_6_76G	No eye exam - waiting time too long	EX	793
EX_6_76H	No eye exam - transportation problems	EX	793
EX_6_76I	No eye exam - language problem	EX	794
EX_6_76J	No eye exam - cost	EX	794
EX_6_76K	No eye exam - did not know where to go	EX	795
EX_6_76L	No eye exam - fear	EX	795
EX_6_76M	No eye exam - other reason	EX	796
EX_6_77	Has insurance covering cost of eye glasses / contact lenses	EX	796
FS_6_50	Ever had a flu shot	FS	748
FS_6_52	Last time had flu shot	FS	749
FS_6_53A	Had flu shot - peer pressure	FS	749
FS_6_53B	Had flu shot - job requirement	FS	750
FS_6_53C	Had flu shot - helps prevent the flu	FS	750
FS_6_53D	Had flu shot - to protect others	FS	751
FS_6_53E	Had flu shot - recommended because of age	FS	751
FS_6_53F	Had flu shot - health problem	FS	752
FS_6_53G	Had flu shot - other reason	FS	752
FS_6_54	Had problems obtaining a flu shot	FS	753
FS_6_55A	Problem getting flu shot - not available when required	FS	753
FS_6_55B	Problem getting flu shot - not available in area	FS	754
FS_6_55C	Problem getting flu shot - waiting time too long	FS	754

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 20

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
FS_6_55D	Problem getting flu shot - transportation	FS	754
FS_6_55E	Problem getting flu shot - language	FS	755
FS_6_55F	Problem getting flu shot - cost	FS	755
FS_6_55G	Problem getting flu shot - did not know where to go	FS	755
FS_6_55H	Problem getting flu shot - other	FS	756
FS_6_56A	No flu shot - have not gotten around to it	FS	756
FS_6_56B	No flu shot - respondent did not think it was necessary	FS	757
FS_6_56C	No flu shot - doctor did not think it was necessary	FS	757
FS_6_56D	No flu shot - personal or family responsibilities	FS	758
FS_6_56E	No flu shot - not available when required	FS	758
FS_6_56F	No flu shot - not available in area	FS	759
FS_6_56G	No flu shot - waiting time too long	FS	759
FS_6_56H	No flu shot - transportation problems	FS	760
FS_6_56I	No flu shot - language problem	FS	760
FS_6_56J	No flu shot - cost	FS	761
FS_6_56K	No flu shot - did not know where to go	FS	761
FS_6_56L	No flu shot - fear	FS	762
FS_6_56M	No flu shot - bad reaction to previous shot	FS	762
FS_6_56N	No flu shot - other reason	FS	763
GE34DCD	Derived 1991 Census Division	GE	4
GE34DCMA	Derived 1991 Census Metropolitan Area	GE	6
GE34DCSD	Derived 1991 Census Sub-Division	GE	5
GE34DFED	Derived 1991 Federal Electoral District	GE	7
GE34DHLR	Derived health regions	GE	7
GE34DURB	Derived rural and urban area	GE	4
GE36DCD	Derived 1991 Census Division	GE	416
GE36DCMA	Derived 1991 Census Metropolitan Area	GE	418
GE36DCSD	Derived 1991 Census Sub-Division	GE	417
GE36DFED	Derived 1991 Federal Electoral District	GE	419
GE36DHLR	Derived health regions	GE	420
GE36DHRO	Derived health regions (original sample)	GE	422
GE36DURB	Derived rural and urban area	GE	416
GE36LMOV	Respondent moved	GE	423
GHC4_1	Respondent's general health	GH	161
GHC4_3	Planned to use services of doctor or midwife	GH	162
GHC4DHDI	Derived health description index	GH	163

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 21

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
GHC6_1	Respondent's general health	GH	640
GHC6_21	Gave birth since last interview	GH	727
GHC6DHD1	Derived health description index	GH	641
GHK4_4HT	Height - children	GH	166
GHK6_2	Level of physical activity - children	GH	641
GHK6_4HT	Height - children	GH	658
GHK6_6	Birth weight	GH	660
GHP6_21A	Gave birth in the past 5 years	GH	727
GHP6_25	Still breast-feeding	GH	729
GHP6_26	Duration of breast-feeding last child	GH	730
GHP6_27	Received help / advice about breast-feeding	GH	730
GHP6_28	From whom received breast-feeding advice	GH	731
GHP6_29	Main reason for stopping breast-feeding	GH	732
GHS6_11	Did something to improve health	GH	642
GHS6_12	Most important change to improve health	GH	642
GHS6_13	Thinks something should be done to improve health	GH	643
GHS6_14	Most important thing to be done to improve health	GH	643
GHS6_15	Barrier to improving health	GH	644
GHS6_16A	Reason for no improvement - lack of will power	GH	644
GHS6_16B	Reason for no improvement - lack of time	GH	645
GHS6_16C	Reason for no improvement - too tired	GH	645
GHS6_16D	Reason for no improvement - too difficult	GH	645
GHS6_16E	Reason for no improvement - too costly	GH	646
GHS6_16F	Reason for no improvement - too stressed	GH	646
GHS6_16G	Reason for no improvement - disability / health problem	GH	646
GHS6_16H	Reason for no improvement - other	GH	647
GHS6_17	Intending to improve health over next year	GH	647
GHS6_18A	Health improvement over next year - more exercise	GH	648
GHS6_18B	Health improvement over next year - lose weight	GH	648
GHS6_18C	Health improvement over next year - improve eating habits	GH	649
GHS6_18D	Health improvement over next year - quit smoking	GH	649
GHS6_18E	Health improvement over next year - reduce amount smoked	GH	650
GHS6_18F	Health improvement over next year - manage stress	GH	650
GHS6_18G	Health improvement over next year - reduce stress level	GH	651
GHS6_18H	Health improvement over next year - take vitamins	GH	651
GHS6_18I	Health improvement over next year - other	GH	652

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 22

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
GHS6_22	Gave birth to last baby in hospital	GH	728
GHS6_23	Used services of doctor, midwife or both	GH	728
GHS6_24	Breast fed child or tried to breast feed	GH	729
GHS6_31	Smoked during last pregnancy	GH	960
GHS6_32	Average number of cigarettes smoked daily during pregnancy	GH	960
GHS6_33	Smoked while breast-feeding last baby	GH	961
GHS6_34	Average no. of cigarettes smoked daily during breast-feeding	GH	961
GHS6_35	Someone smoked reg. in presence during / after pregnancy	GH	961
HCC4_1	Overnight patient	HC	39
HCC4_10A	Home care received - nursing care	HC	58
HCC4_10C	Home care received - personal care	HC	58
HCC4_10D	Home care received - housework	HC	58
HCC4_10E	Home care received - meal preparation or delivery	HC	59
HCC4_10F	Home care received - shopping	HC	59
HCC4_10H	Home care received - other type	HC	59
HCC4_1A	Number of nights as patient	HC	40
HCC4_2A	Number of consultations - family doctor / g.p.	HC	40
HCC4_2B	Number of consultations - eye specialist	HC	41
HCC4_2C	Number of consultations - other medical doctor	HC	42
HCC4_2D	Number of consultations - nurse	HC	43
HCC4_2E	Number of consultations - dentist or orthodontist	HC	44
HCC4_2F	Number of consultations - chiropractor	HC	44
HCC4_2G	Number of consultations - physiotherapist	HC	45
HCC4_2H	Number of consultations - social worker / counsellor	HC	45
HCC4_2I	Number of consultations - psychologist	HC	46
HCC4_2J	No. of consul. - speech / audiology / occupational therapist	HC	46
HCC4_3A	Place of most recent contact - family doctor	HC	41
HCC4_3C	Place of most recent contact - other medical doctor	HC	42
HCC4_3D	Place of most recent contact - nurse	HC	43
HCC4_4	Consulted alternative health care provider	HC	48
HCC4_4A	Attended self-help group	HC	52
HCC4_5A	Alternative health care - massage therapist	HC	48
HCC4_5B	Alternative health care - acupuncturist	HC	49
HCC4_5C	Alternative health care - homeopath / naturopath	HC	49
HCC4_5D	Alternative health care - Feldenkrais / Alexander	HC	49
HCC4_5E	Alternative health care - relaxation therapist	HC	50

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 23

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HCC4_5F	Alternative health care - biofeedback	HC	50
HCC4_5G	Alternative health care - rolfer	HC	50
HCC4_5H	Alternative health care - herbalist	HC	51
HCC4_5I	Alternative health care - reflexologist	HC	51
HCC4_5J	Alternative health care - spiritual healer	HC	51
HCC4_5K	Alternative health care - religious healer	HC	52
HCC4_5L	Alternative health care - other	HC	52
HCC4_6	Felt that health care was needed but didn't receive it	HC	53
HCC4_7WC	Long answer collected - reason for not getting care	HC	53
HCC4_8A	Health care not received - treat. of physical health problem	HC	54
HCC4_8B	Health care not received - treat. of mental health problem	HC	55
HCC4_8C	Health care not received - a regular check-up	HC	55
HCC4_8D	Health care not received - care of injury	HC	56
HCC4_8E	Health care not received - other type	HC	56
HCC4_9	Received home care services	HC	57
HCC4_SC	Long answer collected - type of home care service	HC	57
HCC4DHPC	Derived consultations with health professionals	HC	47
HCC4DMDC	Derived number of consultations with medical doctors	HC	47
HCC4G7	Type of home care service - grouped	HC	54
HCC6_1	Overnight patient	HC	464
HCC6_10A	Home care received - nursing care	HC	489
HCC6_10B	Home care received - other health care	HC	490
HCC6_10C	Home care received - personal care	HC	490
HCC6_10D	Home care received - housework	HC	491
HCC6_10E	Home care received - meal preparation or delivery	HC	491
HCC6_10F	Home care received - shopping	HC	491
HCC6_10G	Home care received - respite care	HC	492
HCC6_10H	Home care received - other type	HC	492
HCC6_11	Received health care services in the United States	HC	493
HCC6_12	Went to United States primarily to receive health care	HC	493
HCC6_1A	Number of nights as patient	HC	464
HCC6_2A	Number of consultations - family doctor / g.p.	HC	466
HCC6_2B	Number of consultations - eye specialist	HC	467
HCC6_2C	Number of consultations - other medical doctor	HC	468
HCC6_2D	Number of consultations - nurse	HC	469
HCC6_2E	Number of consultations - dentist or orthodontist	HC	470

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 24

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HCC6_2F	Number of consultations - chiropractor	HC	470
HCC6_2G	Number of consultations - physiotherapist	HC	471
HCC6_2H	Number of consultations - social worker / counselor	HC	471
HCC6_2I	Number of consultations - psychologist	HC	472
HCC6_2J	No. of consul. - speech / audiology / occupational therapist	HC	472
HCC6_3A	Place of most recent contact - family doctor	HC	467
HCC6_3C	Place of most recent contact - other medical doctor	HC	468
HCC6_3D	Place of most recent contact - nurse	HC	469
HCC6_4	Consulted alternative health care provider	HC	474
HCC6_4A	Attended self-help group	HC	474
HCC6_5A	Alternative health care - massage therapist	HC	475
HCC6_5B	Alternative health care - acupuncturist	HC	475
HCC6_5C	Alternative health care - homeopath / naturopath	HC	475
HCC6_5D	Alternative health care - Feldenkrais / Alexander	HC	476
HCC6_5E	Alternative health care - relaxation therapist	HC	476
HCC6_5F	Alternative health care - biofeedback	HC	476
HCC6_5G	Alternative health care - rolfers	HC	477
HCC6_5H	Alternative health care - herbalist	HC	477
HCC6_5I	Alternative health care - reflexologist	HC	477
HCC6_5J	Alternative health care - spiritual healer	HC	478
HCC6_5K	Alternative health care - religious healer	HC	478
HCC6_5L	Alternative health care - other	HC	478
HCC6_6	Felt that health care was needed but didn't receive it	HC	479
HCC6_7A	Health care not received - not available in area	HC	479
HCC6_7B	Health care not received - not available when required	HC	480
HCC6_7C	Health care not received - waiting time too long	HC	480
HCC6_7D	Health care not received - felt would be inadequate	HC	481
HCC6_7E	Health care not received - cost	HC	481
HCC6_7F	Health care not received - too busy to get care	HC	482
HCC6_7G	Health care not received - didn't get around to it	HC	482
HCC6_7H	Health care not received - didn't know where to go	HC	483
HCC6_7I	Health care not received - transportation problems	HC	483
HCC6_7J	Health care not received - language problem	HC	484
HCC6_7K	Health care not received - personal or family resp.	HC	484
HCC6_7L	Health care not received - dislikes doctors / afraid	HC	485
HCC6_7M	Health care not received - decided not to seek care	HC	485

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 25

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HCC6_7N	Health care not received - other reason	HC	486
HCC6_8A	Health care not received - treat. of physical health problem	HC	486
HCC6_8B	Health care not received - treat. of mental health problem	HC	487
HCC6_8C	Health care not received - a regular check-up	HC	487
HCC6_8D	Health care not received - care of injury	HC	488
HCC6_8E	Health care not received - other type	HC	488
HCC6_9	Received home care services	HC	489
HCC6DHPC	Derived consultations with health professionals	HC	473
HCC6DMDC	Derived number of consultations with medical doctors	HC	473
HCC6F1	Used any health care service	HC	473
HCK4_2OT	Number of consultations - other trained person	HC	47
HCK6_2A	Overnight patient - respiratory problem	HC	465
HCK6_2B	Overnight patient - gastrointestinal problem	HC	465
HCK6_2C	Overnight patient - injuries	HC	465
HCK6_2D	Overnight patient - at birth	HC	466
HCK6_2E	Overnight patient - other reason	HC	466
HIP6_1	First source of information - sports injuries	HI	803
HIP6_1A	Look for other source - sports injuries	HI	804
HIP6_1B	Second source of information - sports injuries	HI	804
HIP6_2	First source of information - AIDS / STD	HI	805
HIP6_2A	Look for other source - AIDS / STD	HI	805
HIP6_2B	Second source of information - AIDS / STD	HI	806
HIP6_3	First source of information - depression	HI	807
HIP6_3A	Look for other source - depression	HI	807
HIP6_3B	Second source of information - depression	HI	808
HIP6_4	First source of information - pregnancy	HI	809
HIP6_4A	Look for other source - pregnancy	HI	809
HIP6_4B	Second source of information - pregnancy	HI	810
HIP6_5	Attended school in past 12 months	HI	810
HIP6_6	Rating of information received at school on improving health	HI	811
HIP6_7	Attended sex education classes at school	HI	811
HIP6_8	Rating of sex education classes	HI	812
HSC4_1	Sees well enough to read newsprint without glasses /contacts	HS	297
HSC4_10	Understood by strangers in own language	HS	302
HSC4_11	Understood partially by strangers in own language	HS	302
HSC4_12	Understood by non-strangers in own language	HS	303

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 26

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HSC4_13	Understood partially by non-strangers in own language	HS	303
HSC4_14	Able to walk without difficulty without support	HS	304
HSC4_15	Able to walk	HS	304
HSC4_16	Requires support to walk	HS	305
HSC4_17	Requires help of person to walk	HS	305
HSC4_18	Requires a wheelchair	HS	306
HSC4_19	Frequency of wheelchair use	HS	306
HSC4_2	Sees well enough to read newsprint with glasses / contacts	HS	297
HSC4_20	Requires help to move in wheelchair	HS	307
HSC4_21	Able to grasp and handle small objects	HS	307
HSC4_22	Requires help due to limitation in hands	HS	308
HSC4_23	Requires help with tasks	HS	308
HSC4_24	Requires special equipment due to limitation in hands	HS	309
HSC4_25	Description of feelings	HS	309
HSC4_26	Ability to remember things	HS	310
HSC4_27	Ability to think and solve problems	HS	310
HSC4_28	Free of pain or discomfort	HS	311
HSC4_29	Intensity of pain or discomfort	HS	311
HSC4_3	Able to see	HS	298
HSC4_30	Number of activities prevented by pain / discomfort	HS	312
HSC4_4	Sees well enough to recognize friend without glasses	HS	298
HSC4_5	Sees well enough to recognize friend with glasses	HS	299
HSC4_6	Hears in group of people without hearing aid	HS	299
HSC4_7	Hears in group of people with hearing aid	HS	300
HSC4_7A	Able to hear	HS	300
HSC4_8	Hears in quiet room without hearing aid	HS	301
HSC4_9	Hears in quiet room with hearing aid	HS	301
HSC4DCOG	Derived Cognition - function code	HS	315
HSC4DDEX	Derived Dexterity trouble - function code	HS	314
HSC4DEMO	Derived Emotional problems - function code	HS	315
HSC4DHER	Derived Hearing problems - function code	HS	313
HSC4DHSI	Derived Health Status Index (3 decimal places)	HS	317
HSC4DMOB	Derived Mobility trouble - function code	HS	314
HSC4DPAD	Derived activities prevented-pain/discomfort - function code	HS	316
HSC4DSEV	Derived Severity of pain - function code	HS	316
HSC4DSPE	Derived Speech trouble - function code	HS	313

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 27

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HSC4DVIS	Derived Vision trouble - function code	HS	312
HSC6_1	Sees well enough to read newsprint without glasses /contacts	HS	812
HSC6_10	Understood by strangers in own language	HS	818
HSC6_11	Understood partially by strangers in own language	HS	819
HSC6_12	Understood by non-strangers in own language	HS	819
HSC6_13	Understood partially by non-strangers in own language	HS	819
HSC6_14	Able to walk without difficulty without support	HS	820
HSC6_15	Able to walk	HS	821
HSC6_16	Requires support to walk	HS	821
HSC6_17	Requires help of person to walk	HS	822
HSC6_18	Requires a wheelchair	HS	822
HSC6_19	Frequency of wheelchair use	HS	823
HSC6_2	Sees well enough to read newsprint with glasses / contacts	HS	813
HSC6_20	Requires help to move in wheelchair	HS	823
HSC6_21	Able to grasp and handle small objects	HS	824
HSC6_22	Requires help due to limitation in hands	HS	825
HSC6_23	Requires help with tasks	HS	825
HSC6_24	Requires special equipment due to limitation in hands	HS	826
HSC6_25	Description of feelings	HS	827
HSC6_26	Ability to remember things	HS	828
HSC6_27	Ability to think and solve problems	HS	828
HSC6_28	Free of pain or discomfort	HS	829
HSC6_29	Intensity of pain or discomfort	HS	830
HSC6_3	Able to see	HS	813
HSC6_30	Number of activities prevented by pain / discomfort	HS	830
HSC6_4	Sees well enough to recognize friend without glasses	HS	814
HSC6_5	Sees well enough to recognize friend with glasses	HS	814
HSC6_6	Hears in group of people without hearing aid	HS	815
HSC6_7	Hears in group of people with hearing aid	HS	816
HSC6_7A	Able to hear	HS	816
HSC6_8	Hears in quiet room without hearing aid	HS	817
HSC6_9	Hears in quiet room with hearing aid	HS	817
HSC6DCOG	Derived cognition - function code	HS	829
HSC6DDEX	Derived dexterity trouble - function code	HS	826
HSC6DEMO	Derived emotional problems - function code	HS	827
HSC6DHER	Derived hearing problems - function code	HS	818

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 28

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HSC6DHSI	Derived Health Status Index (3 decimal places)	HS	832
HSC6DMOB	Derived mobility trouble - function code	HS	824
HSC6DPAD	Derived activities prevented-pain/discomfort - function code	HS	831
HSC6DSEV	Derived severity of pain - function code	HS	831
HSC6DSPE	Derived speech trouble - function code	HS	820
HSC6DVIS	Derived vision trouble - function code	HS	815
HSK6_25A	Event causing great amount of worry or unhappiness	HS	832
HSK6_31A	Worry or unhappiness - death in family	HS	833
HSK6_31B	Worry or unhappiness - divorce / separation	HS	833
HSK6_31C	Worry or unhappiness - move	HS	834
HSK6_31D	Worry or unhappiness - illness / injury of family member	HS	834
HSK6_31E	Worry or unhappiness - conflict between parents	HS	835
HSK6_31F	Worry or unhappiness - other event	HS	835
HVS6_1	Tissue sample given for life insurance	HV	799
HVS6_2	Donated blood at the Red Cross	HV	799
HVS6_3	Year of last blood donation	HV	800
HVS6_4	Test for HIV or AIDS other than for insurance / blood donat.	HV	800
HVS6_5	Year of last HIV / AIDS test	HV	801
HVS6_6	Reason for HIV / AIDS test	HV	801
HVS6_7	Received "clotting factor" between 1978 and 1985	HV	802
HVS6_8	Received a blood transfusion between 1978 and 1985	HV	802
HVS6_9	Has injected non-prescription drugs	HV	803
HWC4_1	Currently pregnant	HW	162
HWC4_2HT	Height - adults	HW	164
HWC4_3KG	Weight - kilograms	HW	165
HWC4_3LB	Weight - pounds	HW	165
HWC4_HT	Height - adults and children	HW	168
HWC4DBMI	Derived Body Mass Index (1 decimal place)	HW	170
HWC4DSW	Derived standard weight	HW	170
HWC6_1	Currently pregnant	HW	652
HWC6_2HT	Height - adults	HW	653
HWC6_3KG	Weight - kilograms	HW	657
HWC6_3LB	Weight - pounds	HW	657
HWC6_HT	Height - adults and children	HW	655
HWC6DBMI	Derived Body Mass Index (1 decimal place)	HW	660
HWC6DSW	Derived standard weight	HW	661

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 29

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HWS6_1	Respondent's opinion of own weight	HW	661
HWS6_2KG	Desired weight - kilograms	HW	662
HWS6_2LB	Desired weight - pounds	HW	662
HWS6_4	Most important thing done to follow a healthy diet	HW	663
HWS6_5	Skipping breakfast can control / reduce weight	HW	663
IJC4_1	Had an injury limiting normal activities	IJ	234
IJC4_2	Number of times injured	IJ	235
IJC4_3	Type of injury	IJ	235
IJC4_4	Body part affected by injury	IJ	236
IJC4_5	Place where injury happened	IJ	237
IJC4_6	Reason for injury	IJ	238
IJC4_7	Injury occurred at work	IJ	239
IJC4_8A	To avoid the injury recurring - gave up the activity	IJ	239
IJC4_8B	To avoid the injury recurring - being more careful	IJ	240
IJC4_8C	To avoid the injury recurring - safety training	IJ	240
IJC4_8D	To avoid the injury recurring - protective gear	IJ	241
IJC4_8E	To avoid the injury recurring - changing physical situation	IJ	241
IJC4_8F	To avoid the injury recurring - other precaution	IJ	242
IJC4_8G	To avoid the injury recurring - no precautions taken	IJ	242
IJC4_8H	To avoid the injury recurring - increased child supervision	IJ	243
IJC4D1	Derived type of injury by body site	IJ	236
IJC4D2	Derived cause of injury by place of occurrence	IJ	238
IJC6_1	Had an injury limiting normal activities	IJ	884
IJC6_2	Number of times injured	IJ	885
IJC6_3	Type of injury	IJ	885
IJC6_4	Body part affected by injury	IJ	886
IJC6_5	Place where injury happened	IJ	887
IJC6_6	Reason for injury	IJ	888
IJC6_7	Injury occurred at work	IJ	889
IJC6_8A	To avoid the injury recurring - gave up the activity	IJ	889
IJC6_8B	To avoid the injury recurring - being more careful	IJ	890
IJC6_8C	To avoid the injury recurring - safety training	IJ	890
IJC6_8D	To avoid the injury recurring - protective gear	IJ	891
IJC6_8E	To avoid the injury recurring - changing physical situation	IJ	891
IJC6_8F	To avoid the injury recurring - other precaution	IJ	892
IJC6_8G	To avoid the injury recurring - no precautions taken	IJ	892

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 30

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
IJC6D1	Derived type of injury by body site	IJ	893
IJC6D2	Derived cause of injury by place of occurrence	IJ	893
INC4_1A	Source of income - wages and salaries	IN	15
INC4_1B	Source of income - income from self-employment	IN	16
INC4_1C	Source of income - dividends and interest	IN	16
INC4_1D	Source of income - unemployment insurance	IN	17
INC4_1E	Source of income - worker's compensation	IN	17
INC4_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	18
INC4_1G	Source - retirement pensions, superannuation and annuities	IN	18
INC4_1H	Source of income - Old Age Security	IN	19
INC4_1I	Source of income - child tax benefit	IN	19
INC4_1J	Source of income - social assistance	IN	20
INC4_1K	Source of income - child support	IN	20
INC4_1L	Source of income - alimony	IN	21
INC4_1M	Source of income - other	IN	21
INC4_1N	Source of income - none	IN	22
INC4_2	Main source of household income	IN	23
INC4_3A	Total household income: < \$20,000 or >= \$20,000	IN	24
INC4_3B	Total household income: < \$10,000 or >= \$10,000	IN	24
INC4_3C	Total household income: < \$5,000 or >= \$5,000	IN	25
INC4_3D	Total household income: < \$15,000 or >= \$15,000	IN	25
INC4_3E	Total household income: < \$40,000 or >= \$40,000	IN	26
INC4_3F	Total household income: < \$30,000 or >= \$30,000	IN	26
INC4_3G	Total household income: >= \$50,000	IN	27
INC4CCPI	1994 Consumer Price Index (All items 1986=100)	IN	29
INC4DHH	Derived total household income from all sources	IN	29
INC4DIA2	Derived income adequacy - 2 groups	IN	27
INC4DIA4	Derived income adequacy - 4 groups	IN	28
INC4DIA5	Derived income adequacy - 5 groups	IN	28
INC4F1	Household questions asked of this H05 respondent	IN	156
INC6_1A	Source of income - wages and salaries	IN	430
INC6_1B	Source of income - income from self-employment	IN	430
INC6_1C	Source of income - dividends and interest	IN	431
INC6_1D	Source of income - unemployment insurance	IN	431
INC6_1E	Source of income - worker's compensation	IN	432
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	432

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 31

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
INC6_1G	Source - retirement pensions, superannuation and annuities	IN	433
INC6_1H	Source of income - Old Age Security	IN	433
INC6_1I	Source of income - child tax benefit	IN	434
INC6_1J	Source of income - social assistance	IN	434
INC6_1K	Source of income - child support	IN	435
INC6_1L	Source of income - alimony	IN	435
INC6_1M	Source of income - other	IN	436
INC6_1N	Source of income - none	IN	436
INC6_2	Main source of household income	IN	437
INC6_3A	Total household income: < \$20,000 or >= \$20,000	IN	438
INC6_3B	Total household income: < \$10,000 or >= \$10,000	IN	438
INC6_3C	Total household income: < \$5,000 or >= \$5,000	IN	439
INC6_3D	Total household income: < \$15,000 or >= \$15,000	IN	439
INC6_3E	Total household income: < \$40,000 or >= \$40,000	IN	440
INC6_3F	Total household income: < \$30,000 or >= \$30,000	IN	440
INC6_3G	Total household income: >= \$50,000	IN	441
INC6CCPI	1996 Consumer Price Index (All items 1986=100)	IN	443
INC6DHH	Derived total household income from all sources	IN	443
INC6DIA2	Derived income adequacy - 2 groups	IN	441
INC6DIA4	Derived income adequacy - 4 groups	IN	442
INC6DIA5	Derived income adequacy - 5 groups	IN	442
INC6F1	Household questions asked of this H05 respondent	IN	429
INS6_4	Household ran out of money to buy food	IN	444
INS6_5	Received food from a charity	IN	444
INS6_6	Description of food situation	IN	445
IS_6D1	Derived number of types of medical insurance	IS	798
LFC4_1	Current main activity	LF	123
LFC4_101	Usually works weekends - job 1	LF	126
LFC4_102	Usually works weekends - job 2	LF	130
LFC4_103	Usually works weekends - job 3	LF	133
LFC4_111	Worked - other than job 1	LF	127
LFC4_112	Worked - other than job 1 and job 2	LF	130
LFC4_13C	Long answer collected - main job industry	LF	134
LFC4_14C	Long answer collected - main job kind of work	LF	135
LFC4_15C	Long answer collected - main job duties	LF	135
LFC4_16	Worked for others or in own business - main job	LF	136

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 32

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC4_17A	Reason for not working - most recent period	LF	143
LFC4_2	Worked for pay or profit	LF	123
LFC4_41	Had job one year ago without break - job 1	LF	124
LFC4_42	Had job one year ago without break - job 2	LF	128
LFC4_43	Had job one year ago without break - job 3	LF	131
LFC4_51	Date started - job 1 (MM/DD/YY)	LF	124
LFC4_52	Date started - job 2 (MM/DD/YY)	LF	128
LFC4_53	Date started - job 3 (MM/DD/YY)	LF	131
LFC4_61	Has job now - job 1	LF	125
LFC4_62	Has job now - job 2	LF	128
LFC4_63	Has job now - job 3	LF	131
LFC4_71	Date stopped - job 1 (MM/DD/YY)	LF	125
LFC4_72	Date stopped - job 2 (MM/DD/YY)	LF	129
LFC4_73	Date stopped - job 3 (MM/DD/YY)	LF	132
LFC4_81	Hours usually worked per week - job 1	LF	125
LFC4_82	Hours usually worked per week - job 2	LF	129
LFC4_83	Hours usually worked per week - job 3	LF	132
LFC4_91	Type of working hours - job 1	LF	126
LFC4_92	Type of working hours - job 2	LF	129
LFC4_93	Type of working hours - job 3	LF	133
LFC4_E1C	Long answer collected - employer - job 1	LF	124
LFC4_E2C	Long answer collected -employer - job 2	LF	127
LFC4_E3C	Long answer collected - employer - job 3	LF	130
LFC4CSIC	Standard Industrial Codes for main job	LF	139
LFC4CSOC	Standard Occupation Codes for main job	LF	136
LFC4DBLI	Derived Blishen socio-economic index for main job	LF	140
LFC4DCMN	Derived main job is the current job	LF	148
LFC4DCWS	Derived working status in last 12 months	LF	145
LFC4DD1	Derived work duration - job 1	LF	150
LFC4DD2	Derived work duration - job 2	LF	151
LFC4DD3	Derived work duration - job 3	LF	152
LFC4DDA	Derived duration of work without a break > 30 days	LF	145
LFC4DDMN	Derived work duration - main job	LF	148
LFC4DGA	Derived number of gaps of 30 days or more	LF	147
LFC4DH1	Derived hours of work - job 1	LF	152
LFC4DH2	Derived hours of work - job 2	LF	153

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 33

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC4DH3	Derived hours of work - job 3	LF	153
LFC4DHA	Derived pattern of working hours of all jobs reported	LF	146
LFC4DHMN	Derived hours of work - main job	LF	149
LFC4DJA	Derived number of jobs	LF	146
LFC4DJGA	Derived pattern of number of jobs	LF	147
LFC4DOMN	Derived job number of old main job	LF	155
LFC4DPIN	Derived Pineo socio-econ. class. for main occupation	LF	141
LFC4DT1	Derived type of working hours - job 1	LF	154
LFC4DT2	Derived type of working hours - job 2	LF	154
LFC4DT3	Derived type of working hours - job 3	LF	155
LFC4DTMN	Derived type of working hours - main job	LF	149
LFC4FGAP	Jobless spell (gap) greater than 6 days	LF	142
LFC4FMN	Job number of main job	LF	134
LFC4FWK	Work flag used for processing only	LF	144
LFC4G17B	Reasons for not currently working - grouped	LF	140
LFC4GI13	Industry Codes for main job - 13 groups - grouped	LF	139
LFC4GO21	Occupation Codes for main job - 21 groups - grouped	LF	138
LFC4GO34	Occupation Codes for main job - 34 groups - grouped	LF	137
LFC6_101	Usually works weekends - job 1	LF	599
LFC6_102	Usually works weekends - job 2	LF	605
LFC6_103	Usually works weekends - job 3	LF	611
LFC6_111	Worked - other than job 1	LF	600
LFC6_112	Worked - other than job 1 and job 2	LF	606
LFC6_13C	Long answer collected - main job industry	LF	612
LFC6_14C	Long answer collected - main job kind of work	LF	613
LFC6_15C	Long answer collected - main job duties	LF	613
LFC6_16	Worked for others or in own business - main job	LF	614
LFC6_17A	Reason for not working - most recent period	LF	615
LFC6_17B	Reason for not working - currently	LF	616
LFC6_2	Worked for pay or profit	LF	592
LFC6_2B	Worked for same employer as in last interview	LF	593
LFC6_41	Had job one year ago without break - job 1	LF	594
LFC6_42	Had job one year ago without break - job 2	LF	600
LFC6_43	Had job one year ago without break - job 3	LF	606
LFC6_51D	Day started - job 1	LF	595
LFC6_51M	Month started - job 1	LF	595

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 34

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC6_51Y	Year started - job 1	LF	596
LFC6_52D	Day started - job 2	LF	601
LFC6_52M	Month started - job 2	LF	601
LFC6_52Y	Year started - job 2	LF	602
LFC6_53D	Day started - job 3	LF	607
LFC6_53M	Month started - job 3	LF	607
LFC6_53Y	Year started - job 3	LF	608
LFC6_61	Has job now - job 1	LF	596
LFC6_62	Has job now - job 2	LF	602
LFC6_63	Has job now - job 3	LF	608
LFC6_71D	Day stopped - job 1	LF	597
LFC6_71M	Month stopped - job 1	LF	597
LFC6_71Y	Year stopped - job 1	LF	598
LFC6_72D	Day stopped - job 2	LF	603
LFC6_72M	Month stopped - job 2	LF	603
LFC6_72Y	Year stopped - job 2	LF	604
LFC6_73D	Day stopped - job 3	LF	609
LFC6_73M	Month stopped - job 3	LF	609
LFC6_73Y	Year stopped - job 3	LF	610
LFC6_81	Hours usually worked per week - job 1	LF	598
LFC6_82	Hours usually worked per week - job 2	LF	604
LFC6_83	Hours usually worked per week - job 3	LF	610
LFC6_91	Type of working hours - job 1	LF	599
LFC6_92	Type of working hours - job 2	LF	605
LFC6_93	Type of working hours - job 3	LF	611
LFC6_E1C	Long answer collected - employer - job 1	LF	593
LFC6_E2C	Long answer collected - employer - job 2	LF	600
LFC6_E3C	Long answer collected - employer - job 3	LF	606
LFC6CSIC	Standard Industrial Codes for main job	LF	621
LFC6CSOC	Standard Occupation Codes for main job	LF	618
LFC6DBLI	Derived Blishen socio-economic index for main job	LF	622
LFC6DCMN	Derived main job is the current job	LF	626
LFC6DCWS	Derived working status in last 12 months	LF	623
LFC6DD1	Derived work duration - job 1	LF	628
LFC6DD2	Derived work duration - job 2	LF	629
LFC6DD3	Derived work duration - job 3	LF	630

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 35

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC6DDA	Derived duration of work without a break > 30 days	LF	623
LFC6DDMN	Derived work duration - main job	LF	626
LFC6DGA	Derived number of gaps of 30 days or more	LF	625
LFC6DH1	Derived hours of work - job 1	LF	630
LFC6DH2	Derived hours of work - job 2	LF	631
LFC6DH3	Derived hours of work - job 3	LF	631
LFC6DHA	Derived pattern of working hours of all jobs reported	LF	624
LFC6DHMN	Derived hours of work - main job	LF	627
LFC6DHW1	Derived household labour force status - current	LF	633
LFC6DHW2	Derived household labour force status - during year	LF	634
LFC6DJA	Derived number of jobs	LF	624
LFC6DJGA	Derived pattern of number of jobs	LF	625
LFC6DPIN	Derived Pineo socio-econ. class. for main occupation	LF	622
LFC6DT1	Derived type of working hours - job 1	LF	632
LFC6DT2	Derived type of working hours - job 2	LF	632
LFC6DT3	Derived type of working hours - job 3	LF	633
LFC6DTMN	Derived type of working hours - main job	LF	627
LFC6FGAP	Jobless spell (gap) greater than 6 days	LF	617
LFC6FMN	Job number of main job	LF	612
LFC6FWK	Work flag used for processing only	LF	617
LFC6GI13	Industry Codes for main job - 13 groups - grouped	LF	621
LFC6GO21	Occupation Codes for main job - 21 groups - grouped	LF	620
LFC6GO34	Occupation Codes for main job - 34 groups - grouped	LF	619
LFC6LEMP	Change in employment between 1994 and 1996	LF	634
MBRCYCLE	Cycle in which respondent joined the survey	SP	447
MHC4_10	Depressed - frequency of trouble falling asleep	MH	361
MHC4_11	Depressed - trouble concentrating	MH	362
MHC4_12	Depressed - felt down on self	MH	362
MHC4_13	Depressed - thought a lot about death	MH	363
MHC4_14	Depressed - number of weeks in past 12 months	MH	363
MHC4_15	Month in which depression occurred	MH	364
MHC4_16	Lost interest in most things that usually give pleasure	MH	364
MHC4_17	Loss of interest - duration	MH	365
MHC4_18	Loss of interest - frequency	MH	365
MHC4_19	Loss of interest - felt tired all the time	MH	366
MHC4_1A	Number of times - felt nothing could cheer you up	MH	351

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 36

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
MHC4_1B	Number of times - felt nervous	MH	351
MHC4_1C	Number of times - felt restless / fidgety	MH	352
MHC4_1D	Number of times - felt hopeless	MH	352
MHC4_1E	Number of times - felt worthless	MH	353
MHC4_1F	Number of times - felt everything was an effort	MH	353
MHC4_1G	Feelings occurred more or less often than usual	MH	354
MHC4_1H	Feelings occurred how much more often	MH	354
MHC4_1I	Feelings occurred how much less often	MH	355
MHC4_1J	How much these experiences interfere with life / activities	MH	355
MHC4_1K	Consulted health professional about mental health	MH	356
MHC4_1L	No. of times consulted health professional for mental health	MH	356
MHC4_2	Felt depressed for 2 weeks or more in past year	MH	357
MHC4_20	Loss of interest - any weight change	MH	366
MHC4_21K	Loss of interest - weight change (kg)	MH	367
MHC4_21L	Loss of interest - weight change (lb)	MH	367
MHC4_22	Loss of interest - trouble falling asleep	MH	367
MHC4_23	Loss of interest - frequency of sleep problem	MH	368
MHC4_24	Loss of interest - trouble concentrating	MH	368
MHC4_25	Loss of interest - felt down on self	MH	369
MHC4_26	Loss of interest - thought a lot about death	MH	369
MHC4_27	Number of weeks feeling loss of interest	MH	370
MHC4_28	Month in which loss of interest occurred	MH	370
MHC4_3	Depressed - length of time feelings usually last	MH	357
MHC4_4	Depressed - number of times felt this way	MH	358
MHC4_5	Depressed - lost interest in most things	MH	358
MHC4_6	Depressed - felt tired all of the time	MH	359
MHC4_7	Depressed - any weight change	MH	359
MHC4_8KG	Depressed - weight change (kg)	MH	360
MHC4_8LB	Depressed - weight change (lb)	MH	360
MHC4_9	Depressed - trouble falling asleep	MH	361
MHC4DCH	Derived Chronicity of Distress and Impairment Scale	MH	371
MHC4DDS	Derived Distress Scale	MH	371
MHC4DMT	Derived specific month when felt depressed	MH	373
MHC4DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	MH	372
MHC4DSF	Derived Depression Scale - Short Form Score	MH	372
MHC4DWK	Derived number of weeks felt depressed	MH	372

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 37

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
MHC6_10	Depressed - frequency of trouble falling asleep	MH	1013
MHC6_11	Depressed - trouble concentrating	MH	1014
MHC6_12	Depressed - felt down on self	MH	1014
MHC6_13	Depressed - thought a lot about death	MH	1015
MHC6_14	Depressed - number of weeks in past 12 months	MH	1015
MHC6_15	Month in which depression occurred	MH	1016
MHC6_16	Lost interest in most things that usually give pleasure	MH	1016
MHC6_17	Loss of interest - duration	MH	1017
MHC6_18	Loss of interest - frequency	MH	1017
MHC6_19	Loss of interest - felt tired all the time	MH	1018
MHC6_1A	Number of times - felt nothing could cheer you up	MH	1000
MHC6_1B	Number of times - felt nervous	MH	1000
MHC6_1C	Number of times - felt restless / fidgety	MH	1001
MHC6_1D	Number of times - felt hopeless	MH	1001
MHC6_1E	Number of times - felt worthless	MH	1002
MHC6_1F	Number of times - felt everything was an effort	MH	1002
MHC6_1G	Feelings occurred more or less often than usual	MH	1003
MHC6_1H	Feelings occurred how much more often	MH	1003
MHC6_1I	Feelings occurred how much less often	MH	1004
MHC6_1J	How much these experiences interfere with life / activities	MH	1004
MHC6_1K	Consulted health professional about mental health	MH	1005
MHC6_1L	No. of times consulted health professional for mental health	MH	1005
MHC6_1MA	Mental health, consulted - family doctor	MH	1006
MHC6_1MB	Mental health, consulted - psychiatrist	MH	1006
MHC6_1MC	Mental health, consulted - psychologist	MH	1007
MHC6_1MD	Mental health, consulted - nurse	MH	1007
MHC6_1ME	Mental health, consulted - social worker or counselor	MH	1008
MHC6_1MF	Mental health, consulted - other person	MH	1008
MHC6_2	Felt depressed for 2 weeks or more in past year	MH	1009
MHC6_20	Loss of interest - weight change	MH	1018
MHC6_21K	Loss of interest - weight change (kg.)	MH	1019
MHC6_21L	Loss of interest - weight change (lb.)	MH	1019
MHC6_22	Loss of interest - trouble falling asleep	MH	1020
MHC6_23	Loss of interest - frequency of sleep problem	MH	1020
MHC6_24	Loss of interest - trouble concentrating	MH	1021
MHC6_25	Loss of interest - felt down on self	MH	1021

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 38

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
MHC6_26	Loss of interest - thought a lot about death	MH	1022
MHC6_27	Number of weeks feeling loss of interest	MH	1022
MHC6_28	Month in which loss of interest occurred	MH	1023
MHC6_3	Depressed - length of time feelings usually last	MH	1009
MHC6_4	Depressed - number of times felt this way	MH	1010
MHC6_5	Depressed - lost interest in most things	MH	1010
MHC6_6	Depressed - felt tired all of the time	MH	1011
MHC6_7	Depressed - weight change	MH	1011
MHC6_8KG	Depressed - weight change (kg.)	MH	1012
MHC6_8LB	Depressed - weight change (lb.)	MH	1012
MHC6_9	Depressed - trouble falling asleep	MH	1013
MHC6DCH	Derived Chronicity of Distress and Impairment Scale	MH	1024
MHC6DDS	Derived Distress Scale	MH	1023
MHC6DMT	Derived specific month when felt depressed	MH	1026
MHC6DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	MH	1025
MHC6DSF	Derived Depression Scale - Short Form Score	MH	1024
MHC6DWK	Derived number of weeks felt depressed	MH	1025
MOB	Month of birth	DH	2
PAC4_1A	Walked for exercise in last 3 months	PA	194
PAC4_1B	Gardening / yard work in last 3 months	PA	195
PAC4_1C	Swam in last 3 months	PA	195
PAC4_1D	Bicycled in last 3 months	PA	196
PAC4_1E	Popular or social dance in last 3 months	PA	196
PAC4_1F	Home exercises in last 3 months	PA	197
PAC4_1G	Played ice hockey in last 3 months	PA	197
PAC4_1H	Ice skated in last 3 months	PA	198
PAC4_1I	Downhill skied in last 3 months	PA	198
PAC4_1J	Jogged or ran in last 3 months	PA	199
PAC4_1K	Golfed in last 3 months	PA	199
PAC4_1L	Had exercise class or did aerobics in last 3 months	PA	200
PAC4_1M	Cross-country skied in last 3 months	PA	200
PAC4_1N	Bowled in last 3 months	PA	201
PAC4_1O	Played baseball or softball in last 3 months	PA	201
PAC4_1P	Played tennis in last 3 months	PA	202
PAC4_1Q	Weight-trained in last 3 months	PA	202
PAC4_1R	Fished in last 3 months	PA	203

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 39

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC4_1S	Played volleyball in last 3 months	PA	203
PAC4_1U	Did other physical activity in last 3 months - (#1)	PA	204
PAC4_1V	Did no physical activity in last 3 months	PA	205
PAC4_1W	Did other physical activity in last 3 months - (#2)	PA	206
PAC4_1X	Did other physical activity in last 3 months - (#3)	PA	206
PAC4_1Z	Did yoga or tai-chi in last 3 months	PA	204
PAC4_2A	Number of times participated - walking for exercise	PA	207
PAC4_2B	Number of times participated - gardening or yard work	PA	208
PAC4_2C	Number of times participated - swimming	PA	209
PAC4_2D	Number of times participated - bicycling	PA	210
PAC4_2E	Number of times participated - popular or social dance	PA	211
PAC4_2F	Number of times participated - home exercises	PA	212
PAC4_2G	Number of times participated - ice hockey	PA	213
PAC4_2H	Number of times participated - ice skating	PA	214
PAC4_2I	Number of times participated - downhill skiing	PA	215
PAC4_2J	Number of times participated - jogging or running	PA	216
PAC4_2K	Number of times participated - golfing	PA	217
PAC4_2L	Number of times participated - exercise class or aerobics	PA	218
PAC4_2M	Number of times participated - cross-country skiing	PA	219
PAC4_2N	Number of times participated - bowling	PA	220
PAC4_2O	Number of times participated - baseball or softball	PA	221
PAC4_2P	Number of times participated - tennis	PA	222
PAC4_2Q	Number of times participated - weight training	PA	223
PAC4_2R	Number of times participated - fishing	PA	224
PAC4_2S	Number of times participated - volleyball	PA	225
PAC4_2U	Number of times participated - other physical activity (#1)	PA	227
PAC4_2W	Number of times participated - other physical activity (#2)	PA	228
PAC4_2X	Number of times participated - other physical activity (#3)	PA	229
PAC4_2Z	Number of times participated - yoga or tai-chi	PA	226
PAC4_3A	Time spent - walking for exercise	PA	208
PAC4_3B	Time spent - gardening or yard work	PA	209
PAC4_3C	Time spent - swimming	PA	210
PAC4_3D	Time spent - bicycling	PA	211
PAC4_3E	Time spent - popular or social dance	PA	212
PAC4_3F	Time spent - home exercises	PA	213
PAC4_3G	Time spent - ice hockey	PA	214

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 40

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC4_3H	Time spent - ice skating	PA	215
PAC4_3I	Time spent - downhill skiing	PA	216
PAC4_3J	Time spent - jogging or running	PA	217
PAC4_3K	Time spent - golfing	PA	218
PAC4_3L	Time spent - exercise class or aerobics	PA	219
PAC4_3M	Time spent - cross-country skiing	PA	220
PAC4_3N	Time spent - bowling	PA	221
PAC4_3O	Time spent - baseball or softball	PA	222
PAC4_3P	Time spent - tennis	PA	223
PAC4_3Q	Time spent - weight training	PA	224
PAC4_3R	Time spent - fishing	PA	225
PAC4_3S	Time spent - volleyball	PA	226
PAC4_3U	Time spent - other physical activity (#1)	PA	228
PAC4_3W	Time spent - other physical activity (#2)	PA	229
PAC4_3X	Time spent - other physical activity (#3)	PA	230
PAC4_3Z	Time spent - yoga or tai-chi	PA	227
PAC4_4A	Number of hours walking to work / school	PA	230
PAC4_4B	Number of hours biking to work / school	PA	231
PAC4_5	Frequency of bike helmet use	PA	231
PAC4_6	Level of physical activity for usual day	PA	232
PAC4_C1C	Long answer collected - other physical activity (#1)	PA	205
PAC4_C2C	Long answer collected - other physical activity (#2)	PA	206
PAC4_C3C	Long answer collected - other physical activity (#3)	PA	207
PAC4DEE	Derived energy expenditure (1 decimal point)	PA	232
PAC4DFD	Derived participation / daily phys. activities > 15 min.	PA	234
PAC4DFM	Derived monthly freq. of physical activity lasting > 15 min.	PA	233
PAC4DFR	Derived frequency of all physical activity	PA	233
PAC4DLEI	Derived participation in leisure physical activity	PA	233
PAC4DPAI	Derived physical activity index	PA	234
PAC6_1A	Walked for exercise in last 3 months	PA	836
PAC6_1B	Gardening / yard work in last 3 months	PA	836
PAC6_1C	Swam in last 3 months	PA	837
PAC6_1D	Bicycled in last 3 months	PA	837
PAC6_1E	Popular or social dance in last 3 months	PA	838
PAC6_1F	Home exercises in last 3 months	PA	838
PAC6_1G	Played ice hockey in last 3 months	PA	839

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 41

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC6_1H	Ice skated in last 3 months	PA	839
PAC6_1I	Downhill skied in last 3 months	PA	840
PAC6_1J	Jogged or ran in last 3 months	PA	840
PAC6_1K	Golfed in last 3 months	PA	841
PAC6_1L	Had exercise class or did aerobics in last 3 months	PA	841
PAC6_1M	Cross-country skied in last 3 months	PA	842
PAC6_1N	Bowled in last 3 months	PA	842
PAC6_1O	Played baseball or softball in last 3 months	PA	843
PAC6_1P	Played tennis in last 3 months	PA	843
PAC6_1Q	Weight-trained in last 3 months	PA	844
PAC6_1R	Fished in last 3 months	PA	844
PAC6_1S	Played volleyball in last 3 months	PA	845
PAC6_1T	Played basketball in last 3 months	PA	845
PAC6_1U	Did other physical activity in last 3 months - (#1)	PA	846
PAC6_1V	Did no physical activity in last 3 months	PA	846
PAC6_1W	Did other physical activity in last 3 months - (#2)	PA	847
PAC6_1X	Did other physical activity in last 3 months - (#3)	PA	848
PAC6_2A	Number of times participated - walking for exercise	PA	848
PAC6_2B	Number of times participated - gardening or yard work	PA	849
PAC6_2C	Number of times participated - swimming	PA	850
PAC6_2D	Number of times participated - bicycling	PA	851
PAC6_2E	Number of times participated - popular or social dance	PA	852
PAC6_2F	Number of times participated - home exercises	PA	853
PAC6_2G	Number of times participated - ice hockey	PA	854
PAC6_2H	Number of times participated - ice skating	PA	855
PAC6_2I	Number of times participated - downhill skiing	PA	856
PAC6_2J	Number of times participated - jogging or running	PA	857
PAC6_2K	Number of times participated - golfing	PA	858
PAC6_2L	Number of times participated - exercise class or aerobics	PA	859
PAC6_2M	Number of times participated - cross-country skiing	PA	860
PAC6_2N	Number of times participated - bowling	PA	861
PAC6_2O	Number of times participated - baseball or softball	PA	862
PAC6_2P	Number of times participated - tennis	PA	863
PAC6_2Q	Number of times participated - weight training	PA	864
PAC6_2R	Number of times participated - fishing	PA	865
PAC6_2S	Number of times participated - volleyball	PA	866

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 42

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC6_2T	Number of times participated - basketball	PA	867
PAC6_2U	Number of times participated - other physical activity (#1)	PA	868
PAC6_2W	Number of times participated - other physical activity (#2)	PA	869
PAC6_2X	Number of times participated - other physical activity (#3)	PA	870
PAC6_3A	Time spent - walking for exercise	PA	849
PAC6_3B	Time spent - gardening or yard work	PA	850
PAC6_3C	Time spent - swimming	PA	851
PAC6_3D	Time spent - bicycling	PA	852
PAC6_3E	Time spent - popular or social dance	PA	853
PAC6_3F	Time spent - home exercises	PA	854
PAC6_3G	Time spent - ice hockey	PA	855
PAC6_3H	Time spent - ice skating	PA	856
PAC6_3I	Time spent - downhill skiing	PA	857
PAC6_3J	Time spent - jogging or running	PA	858
PAC6_3K	Time spent - golfing	PA	859
PAC6_3L	Time spent - exercise class or aerobics	PA	860
PAC6_3M	Time spent - cross-country skiing	PA	861
PAC6_3N	Time spent - bowling	PA	862
PAC6_3O	Time spent - baseball or softball	PA	863
PAC6_3P	Time spent - tennis	PA	864
PAC6_3Q	Time spent - weight training	PA	865
PAC6_3R	Time spent - fishing	PA	866
PAC6_3S	Time spent - volleyball	PA	867
PAC6_3T	Time spent - basketball	PA	868
PAC6_3U	Time spent - other physical activity (#1)	PA	869
PAC6_3W	Time spent - other physical activity (#2)	PA	870
PAC6_3X	Time spent - other physical activity (#3)	PA	871
PAC6_4A	Number of hours walking to work / school	PA	871
PAC6_4B	Number of hours biking to work / school	PA	872
PAC6_5	Frequency of bike helmet use	PA	872
PAC6_6	Level of physical activity for usual day	PA	873
PAC6_C1C	Long answer collected - other physical activity (#1)	PA	847
PAC6_C2C	Long answer collected - other physical activity (#2)	PA	847
PAC6_C3C	Long answer collected - other physical activity (#3)	PA	848
PAC6DEE	Derived energy expenditure (1 decimal point)	PA	873
PAC6DFD	Derived participation / daily phys. activities > 15 min.	PA	875

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 43

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC6DFM	Derived monthly freq. of physical activity lasting > 15 min.	PA	874
PAC6DFR	Derived frequency of all physical activity	PA	874
PAC6DLEI	Derived participant in leisure physical activity	PA	874
PAC6DPAI	Derived physical activity index	PA	875
PC_6_40	Had physical check-up without having a health problem	PC	732
PC_6_41	Had physical check-up during visit for health problem	PC	733
PC_6_42	Last time had physical check up	PC	733
PC_6_42A	Frequency of physical check-ups	PC	734
PC_6_43A	Gets physical check-up - family history of health problems	PC	734
PC_6_43B	Gets physical check-up - testing	PC	735
PC_6_43C	Gets physical check-up - required for job, etc.	PC	735
PC_6_43D	Gets physical check-up - make sure everything is OK	PC	736
PC_6_43E	Gets physical check-up - catch problems early	PC	736
PC_6_43F	Gets physical check-up - for prevention	PC	737
PC_6_43G	Gets physical check-up - for health reasons	PC	737
PC_6_43H	Gets physical check-up - other reason	PC	738
PC_6_44	Had problems obtaining physical check-up	PC	738
PC_6_45A	Prob. getting phys. check-up - not available when required	PC	739
PC_6_45B	Prob. getting phys. check-up - not available in area	PC	739
PC_6_45C	Prob. getting phys. check-up - waiting time too long	PC	739
PC_6_45D	Prob. getting phys. check-up - transportation	PC	740
PC_6_45E	Prob. getting phys. check-up - language	PC	740
PC_6_45F	Prob. getting phys. check-up - cost	PC	740
PC_6_45G	Prob. getting phys. check-up - did not know where to go	PC	741
PC_6_45H	Prob. getting phys. check-up - other	PC	741
PC_6_46A	No physical check-up - have not gotten around to it	PC	742
PC_6_46B	No physical check-up - resp. didn't think it was neces.	PC	742
PC_6_46C	No physical check-up - doctor didn't think it was neces.	PC	743
PC_6_46D	No physical check-up - personal or family respons.	PC	743
PC_6_46E	No physical check-up - not available / time required	PC	744
PC_6_46F	No physical check-up - not available at all in area	PC	744
PC_6_46G	No physical check-up - waiting time too long	PC	745
PC_6_46H	No physical check-up - transportation problems	PC	745
PC_6_46I	No physical check-up - language problem	PC	746
PC_6_46J	No physical check-up - cost	PC	746
PC_6_46K	No physical check-up - did not know where to go	PC	747

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 44

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PC_6_46L	No physical check-up - fear	PC	747
PC_6_46M	No physical check-up - other reason	PC	748
PERSONID	Record identifier for person in the household	AM	1
PRC4_CUR	Province of residence	PR	4
PRC6_CUR	Province of residence	PR	416
PRC6_DES	Design province	PR	415
PY_4_E1A	Self-esteem - good	PY	277
PY_4_E1B	Self-esteem - worthy	PY	277
PY_4_E1C	Self-esteem - able	PY	278
PY_4_E1D	Self-esteem - positive	PY	278
PY_4_E1E	Self-esteem - satisfied	PY	279
PY_4_E1F	Self-esteem - failure	PY	279
PY_4_H1	Coherence - don't care about surroundings	PY	284
PY_4_H10	Coherence - can't keep feelings under control	PY	293
PY_4_H11	Coherence - clear goals and purpose	PY	294
PY_4_H12	Coherence - keep things in proportion	PY	295
PY_4_H13	Coherence - bored or satisfied with everyday activities	PY	296
PY_4_H2	Coherence - surprised by other's behaviour	PY	285
PY_4_H3	Coherence - disappointed on people he counted on	PY	286
PY_4_H4	Coherence - treated unfairly	PY	287
PY_4_H5	Coherence - in unfamiliar situations	PY	288
PY_4_H6	Coherence - mixed-up feelings	PY	289
PY_4_H7	Coherence - uncomfortable feelings	PY	290
PY_4_H8	Coherence - loser	PY	291
PY_4_H9	Coherence - little meaning in life	PY	292
PY_4_M1A	Mastery - lack of control	PY	280
PY_4_M1B	Mastery - can't solve problems	PY	281
PY_4_M1C	Mastery - can't change things	PY	281
PY_4_M1D	Mastery - helpless	PY	282
PY_4_M1E	Mastery - pushed around	PY	282
PY_4_M1F	Mastery - fate depends upon self	PY	283
PY_4_M1G	Mastery - can do anything	PY	283
PY_4DE1	Derived self-esteem scale	PY	280
PY_4DH1	Derived sense of coherence scale	PY	296
PY_4DM1	Derived mastery scale	PY	284
RAC4_1A	Limited in kind or amount of activities - at home	RA	60

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 45

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
RAC4_1B	Limited in kind or amount of activities - at school	RA	60
RAC4_1C	Limited in kind or amount of activities - at work	RA	61
RAC4_1D	Limited in kind or amount of activities - other	RA	61
RAC4_2	Has long-term disabilities or handicaps	RA	62
RAC4_3C	Long answer collected - problem causing limitation	RA	62
RAC4_5	Cause of condition	RA	66
RAC4_6A	Needs help - preparing meals	RA	66
RAC4_6B	Needs help - shopping for groceries or other necessities	RA	67
RAC4_6C	Needs help - housework	RA	67
RAC4_6D	Needs help - heavy household chores	RA	68
RAC4_6E	Needs help - personal care	RA	68
RAC4_6F	Needs help - moving about in the house	RA	69
RAC4_6G	Needs help - no tasks	RA	69
RAC4CIC	ICD-9 code for main health problem causing limitations	RA	63
RAC4F1	Restriction of activity flag	RA	63
RAC4GC12	Derived main health problem - 12 groups - grouped	RA	65
RAC4GC25	Derived main health problem - 25 groups - grouped	RA	64
RAC6_1A	Limited in kind or amount of activities - at home	RA	494
RAC6_1B	Limited in kind or amount of activities - at school	RA	494
RAC6_1C	Limited in kind or amount of activities - at work	RA	495
RAC6_1D	Limited in kind or amount of activities - other	RA	495
RAC6_2	Has long-term disabilities or handicaps	RA	496
RAC6_2A	New activity restriction or worsening of old one	RA	496
RAC6_2B	Disappearance or improvement of activity restriction	RA	497
RAC6_3C	Long answer collected - problem causing limitation	RA	497
RAC6_5	Cause of condition	RA	501
RAC6_6A	Needs help - preparing meals	RA	501
RAC6_6B	Needs help - shopping for groceries or other necessities	RA	502
RAC6_6C	Needs help - housework	RA	502
RAC6_6D	Needs help - heavy household chores	RA	503
RAC6_6E	Needs help - personal care	RA	503
RAC6_6F	Needs help - moving about in the house	RA	504
RAC6CIC	ICD-9 code for main health problem causing limitations	RA	498
RAC6D6G	Derived need for help in series of tasks	RA	504
RAC6F1	Restriction of activity flag	RA	498
RAC6GC12	Derived main health problem - 12 groups - grouped	RA	500

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 46

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
RAC6GC25	Derived main health problem - 25 groups - grouped	RA	499
REALUKEY	Record identifier for the household	AM	1
RPC6_1	Had repetitive strain injuries	RP	881
RPC6_2	Number of repetitive strain injuries	RP	881
RPC6_3	Body part affected by repetitive strain injury	RP	882
RPC6_4A	Injury caused by activity at home	RP	882
RPC6_4B	Injury caused by activity at school	RP	883
RPC6_4C	Injury caused by leisure activities	RP	883
RPC6_4D	Injury caused by other activity	RP	884
RSS6_1	Been passenger with driver who had too much to drink	RS	1076
RSS6_10	Frequency - designated driver	RS	1084
RSS6_2	Driver intoxicated - tried to prevent person from driving	RS	1077
RSS6_3A	Driver intoxicated - drove person home yourself	RS	1077
RSS6_3B	Driver intoxicated - asked someone to drive person home	RS	1078
RSS6_3C	Driver intoxicated - asked person to take a taxi	RS	1078
RSS6_3D	Driver intoxicated - hid person's car keys	RS	1079
RSS6_3E	Driver intoxicated - served coffee to person	RS	1079
RSS6_3F	Driver intoxicated - kept the person at home	RS	1080
RSS6_3G	Driver intoxicated - other action to prevent driving	RS	1080
RSS6_4	Has valid driver's license for a motor vehicle	RS	1081
RSS6_5	Frequency - insisting that passengers wear their seatbelt	RS	1081
RSS6_6	Frequency - obey speed limits	RS	1082
RSS6_7	Number of times drank too much and drove	RS	1082
RSS6_8	Go out with friends / family to consume alcohol	RS	1083
RSS6_9	Have designated driver when going out	RS	1083
RTP4_1	Rationality - try to be reasonable and logical	RT	385
RTP4_10	Rationality - when you don't like person	RT	390
RTP4_11	Rationality - prevents verb. attacking / criticize others	RT	390
RTP4_12A	Overcome fear of dentist - quiz dentist	RT	391
RTP4_12B	Overcome fear of dentist - take a tranquilizer or drink	RT	391
RTP4_12C	Overcome fear of dentist - try to think about other things	RT	392
RTP4_12D	Overcome fear of dentist - be told when will feel pain	RT	392
RTP4_12E	Overcome fear of dentist - try to sleep	RT	393
RTP4_12F	Overcome fear of dentist - watch dentist's movements	RT	393
RTP4_12G	Overcome fear of dentist - watch for blood	RT	394
RTP4_12H	Overcome fear of dentist - do mental puzzles	RT	394

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 47

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
RTP4_12I	Overcome fear of dentist - do other activity	RT	395
RTP4_13A	Layoffs rumoured - find out evaluation by supervisor	RT	395
RTP4_13B	Layoffs rumoured - review accomplishments	RT	396
RTP4_13C	Layoffs rumoured - watch TV	RT	396
RTP4_13D	Layoffs rumoured - remember disagreements with supervisor	RT	397
RTP4_13E	Layoffs rumoured - try not to think about it	RT	397
RTP4_13F	Layoffs rumoured - try not to discuss it	RT	398
RTP4_13G	Layoffs rumoured - try to rank other employees	RT	398
RTP4_13H	Layoffs rumoured - continue working	RT	399
RTP4_13I	Layoffs rumoured - do other activity	RT	399
RTP4_2	Rationality - try to understand people	RT	386
RTP4_3	Rationality - try to act rationally	RT	386
RTP4_4	Rationality - try to resolve conflicts without emotion	RT	387
RTP4_5	Rationality - try to treat people rationally despite hurt	RT	387
RTP4_6	Rationality - rely on logic	RT	388
RTP4_7	Rationality - when someone acts against your wishes	RT	388
RTP4_8	Rationality - rarely influenced by emotions	RT	389
RTP4_9	Rationality - very influenced by emotions	RT	389
SDC4_1	Country of birth	SD	85
SDC4_3	Year came to Canada	SD	86
SDC4_4A	Ethnic origin - Canadian	SD	88
SDC4_4B	Ethnic origin - French	SD	88
SDC4_4C	Ethnic origin - English	SD	89
SDC4_4D	Ethnic origin - German	SD	89
SDC4_4E	Ethnic origin - Scottish	SD	90
SDC4_4F	Ethnic origin - Irish	SD	90
SDC4_4G	Ethnic origin - Italian	SD	91
SDC4_4H	Ethnic origin - Ukrainian	SD	91
SDC4_4I	Ethnic origin - Dutch (Netherlands)	SD	92
SDC4_4J	Ethnic origin - Chinese	SD	92
SDC4_4K	Ethnic origin - Jewish	SD	93
SDC4_4L	Ethnic origin - Polish	SD	93
SDC4_4M	Ethnic origin - Portuguese	SD	94
SDC4_4N	Ethnic origin - South Asian	SD	94
SDC4_4O	Ethnic origin - Black	SD	95
SDC4_4P	Ethnic origin - North American Indian	SD	95

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 48

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC4_4Q	Ethnic origin - Métis	SD	96
SDC4_4R	Ethnic origin - Inuit / Eskimo	SD	96
SDC4_4S	Ethnic origin - other	SD	97
SDC4_5A	Can conduct a conversation - English	SD	97
SDC4_5B	Can conduct a conversation - French	SD	98
SDC4_5C	Can conduct a conversation - Arabic	SD	98
SDC4_5D	Can conduct a conversation - Chinese	SD	98
SDC4_5E	Can conduct a conversation - Cree	SD	99
SDC4_5F	Can conduct a conversation - German	SD	99
SDC4_5G	Can conduct a conversation - Greek	SD	99
SDC4_5H	Can conduct a conversation - Hungarian	SD	100
SDC4_5I	Can conduct a conversation - Italian	SD	100
SDC4_5J	Can conduct a conversation - Korean	SD	100
SDC4_5K	Can conduct a conversation - Persian	SD	101
SDC4_5L	Can conduct a conversation - Polish	SD	101
SDC4_5M	Can conduct a conversation - Portuguese	SD	101
SDC4_5N	Can conduct a conversation - Punjabi	SD	102
SDC4_5O	Can conduct a conversation - Spanish	SD	102
SDC4_5P	Can conduct a conversation - Tagalog	SD	102
SDC4_5Q	Can conduct a conversation - Ukrainian	SD	103
SDC4_5R	Can conduct a conversation - Vietnamese	SD	103
SDC4_5S	Can conduct a conversation - other language	SD	103
SDC4_6A	First language learned and still understood - English	SD	104
SDC4_6B	First language learned and still understood - French	SD	105
SDC4_6C	First language learned and still understood - Arabic	SD	105
SDC4_6D	First language learned and still understood - Chinese	SD	105
SDC4_6E	First language learned and still understood - Cree	SD	106
SDC4_6F	First language learned and still understood - German	SD	106
SDC4_6G	First language learned and still understood - Greek	SD	106
SDC4_6H	First language learned and still understood - Hungarian	SD	107
SDC4_6I	First language learned and still understood - Italian	SD	107
SDC4_6J	First language learned and still understood - Korean	SD	107
SDC4_6K	First language learned and still understood - Persian	SD	108
SDC4_6L	First language learned and still understood - Polish	SD	108
SDC4_6M	First language learned and still understood - Portuguese	SD	108
SDC4_6N	First language learned and still understood - Punjabi	SD	109

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 49

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC4_6O	First language learned and still understood - Spanish	SD	109
SDC4_6P	First language learned and still understood - Tagalog	SD	110
SDC4_6Q	First language learned and still understood - Ukrainian	SD	110
SDC4_6R	First language learned and still understood - Vietnamese	SD	111
SDC4_6S	First language learned and still understood - other	SD	111
SDC4_7A	Race or colour - White	SD	112
SDC4_7B	Race or colour - Chinese	SD	112
SDC4_7C	Race or colour - South Asian	SD	113
SDC4_7D	Race or colour - Black	SD	113
SDC4_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	114
SDC4_7F	Race or colour - Arab / West Asian	SD	114
SDC4_7G	Race or colour - Filipino	SD	115
SDC4_7H	Race or colour - South East Asian	SD	115
SDC4_7J	Race or colour - Japanese	SD	116
SDC4_7K	Race or colour - Korean	SD	116
SDC4_7L	Race or colour - other	SD	117
SDC4DAIM	Derived age at time of immigration	SD	87
SDC4DLNG	Derived language resp. can conduct conversation in	SD	104
SDC4DRAC	Derived race or colour	SD	117
SDC4DRES	Derived length of time in Canada since immigration	SD	87
SDC4FIMM	Flag indicating that the respondent is an immigrant	SD	87
SDC4GCB7	Country of birth - 7 groups - grouped	SD	86
SDC6_1	Country of birth	SD	550
SDC6_3	Year came to Canada	SD	551
SDC6_4A	Ethnic origin - Canadian	SD	553
SDC6_4B	Ethnic origin - French	SD	553
SDC6_4C	Ethnic origin - English	SD	554
SDC6_4D	Ethnic origin - German	SD	554
SDC6_4E	Ethnic origin - Scottish	SD	555
SDC6_4F	Ethnic origin - Irish	SD	555
SDC6_4G	Ethnic origin - Italian	SD	556
SDC6_4H	Ethnic origin - Ukrainian	SD	556
SDC6_4I	Ethnic origin - Dutch (Netherlands)	SD	557
SDC6_4J	Ethnic origin - Chinese	SD	557
SDC6_4K	Ethnic origin - Jewish	SD	558
SDC6_4L	Ethnic origin - Polish	SD	558

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 50

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC6_4M	Ethnic origin - Portuguese	SD	559
SDC6_4N	Ethnic origin - South Asian	SD	559
SDC6_4O	Ethnic origin - Black	SD	560
SDC6_4P	Ethnic origin - North American Indian	SD	560
SDC6_4Q	Ethnic origin - Métis	SD	561
SDC6_4R	Ethnic origin - Inuit / Eskimo	SD	561
SDC6_4S	Ethnic origin - other	SD	562
SDC6_5A	Can conduct a conversation - English	SD	562
SDC6_5B	Can conduct a conversation - French	SD	563
SDC6_5C	Can conduct a conversation - Arabic	SD	563
SDC6_5D	Can conduct a conversation - Chinese	SD	564
SDC6_5E	Can conduct a conversation - Cree	SD	564
SDC6_5F	Can conduct a conversation - German	SD	565
SDC6_5G	Can conduct a conversation - Greek	SD	565
SDC6_5H	Can conduct a conversation - Hungarian	SD	566
SDC6_5I	Can conduct a conversation - Italian	SD	566
SDC6_5J	Can conduct a conversation - Korean	SD	567
SDC6_5K	Can conduct a conversation - Persian	SD	567
SDC6_5L	Can conduct a conversation - Polish	SD	568
SDC6_5M	Can conduct a conversation - Portuguese	SD	568
SDC6_5N	Can conduct a conversation - Punjabi	SD	569
SDC6_5O	Can conduct a conversation - Spanish	SD	569
SDC6_5P	Can conduct a conversation - Tagalog	SD	570
SDC6_5Q	Can conduct a conversation - Ukrainian	SD	570
SDC6_5R	Can conduct a conversation - Vietnamese	SD	571
SDC6_5S	Can conduct a conversation - other language	SD	571
SDC6_6A	First language learned and still understood - English	SD	572
SDC6_6B	First language learned and still understood - French	SD	573
SDC6_6C	First language learned and still understood - Arabic	SD	573
SDC6_6D	First language learned and still understood - Chinese	SD	573
SDC6_6E	First language learned and still understood - Cree	SD	574
SDC6_6F	First language learned and still understood - German	SD	574
SDC6_6G	First language learned and still understood - Greek	SD	574
SDC6_6H	First language learned and still understood - Hungarian	SD	575
SDC6_6I	First language learned and still understood - Italian	SD	575
SDC6_6J	First language learned and still understood - Korean	SD	575

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 51

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC6_6K	First language learned and still understood - Persian	SD	576
SDC6_6L	First language learned and still understood - Polish	SD	576
SDC6_6M	First language learned and still understood - Portuguese	SD	576
SDC6_6N	First language learned and still understood - Punjabi	SD	577
SDC6_6O	First language learned and still understood - Spanish	SD	577
SDC6_6P	First language learned and still understood - Tagalog	SD	578
SDC6_6Q	First language learned and still understood - Ukrainian	SD	578
SDC6_6R	First language learned and still understood - Vietnamese	SD	579
SDC6_6S	First language learned and still understood - other	SD	579
SDC6_7A	Race or colour - White	SD	580
SDC6_7B	Race or colour - Chinese	SD	580
SDC6_7C	Race or colour - South Asian	SD	581
SDC6_7D	Race or colour - Black	SD	581
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	582
SDC6_7F	Race or colour - Arab / West Asian	SD	582
SDC6_7G	Race or colour - Filipino	SD	583
SDC6_7H	Race or colour - South East Asian	SD	583
SDC6_7I	Race or colour - Latin American	SD	584
SDC6_7J	Race or colour - Japanese	SD	584
SDC6_7K	Race or colour - Korean	SD	585
SDC6_7L	Race or colour - other	SD	585
SDC6CB	Code of country of birth	SD	550
SDC6DAIM	Derived age at time of immigration	SD	552
SDC6DLNG	Derived language resp. can conduct conversation in	SD	572
SDC6DRAC	Derived race or colour	SD	586
SDC6DRES	Derived length of time in Canada since immigration	SD	552
SDC6FIMM	Flag indicating that the respondent is an immigrant	SD	552
SDC6GCB	Country of birth - grouped	SD	551
SEX	Sex	DH	3
SHP6_1	Effective in preventing STD - using condom	SH	1063
SHP6_10	Chance of getting an STD	SH	1072
SHP6_11	To prevent STD - changed sexual behaviour	SH	1073
SHP6_12	To prevent STD - sex with only 1 partner	SH	1073
SHP6_13	To prevent STD - using condoms	SH	1074
SHP6_14	To prevent STD - using spermicidal jellies and foams	SH	1074
SHP6_15	To prevent STD - more careful in selecting partners	SH	1074

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 52

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SHP6_16	To prevent STD - started being tested for STD	SH	1075
SHP6_17	To prevent STD - insisting that partner be tested for STD	SH	1075
SHP6_18	To prevent STD - abstaining from sexual intercourse	SH	1075
SHP6_19	To prevent STD - other measures	SH	1076
SHP6_2	Effective in preventing STD - birth control pill	SH	1063
SHP6_3	Effective in preventing STD - diaphragm / sponge	SH	1064
SHP6_4	Effective in preventing STD - spermicidal jelly / foam	SH	1064
SHP6_5	Effective in preventing STD - asking if a partner has one	SH	1065
SHP6_6	Effective in preventing STD - having regular partner	SH	1065
SHP6_7	Effective in preventing STD - asking partner to go for test	SH	1066
SHP6_8	Has sources of information on preventing STD	SH	1066
SHP6_9A	Main source of information on STD - parents	SH	1067
SHP6_9B	Main source of information on STD - medical professional	SH	1067
SHP6_9C	Main source of information on STD - friends	SH	1068
SHP6_9D	Main source of information on STD - school	SH	1068
SHP6_9E	Main source of information on STD - church	SH	1069
SHP6_9F	Main source of information on STD - youth club	SH	1069
SHP6_9G	Main source of information on STD - TV / radio	SH	1070
SHP6_9H	Main source of information on STD - magazines / newspaper	SH	1070
SHP6_9I	Main source of information on STD - information pamphlets	SH	1071
SHP6_9J	Main source of information on STD - books	SH	1071
SHP6_9K	Main source of information on STD - other	SH	1072
SHS6_1	Ever had sexual intercourse	SH	1054
SHS6_10	Had / has - syphilis	SH	1059
SHS6_11	Had / has - genital warts	SH	1059
SHS6_12	Had / has - genital herpes	SH	1060
SHS6_13	Had / has - hepatitis B	SH	1060
SHS6_14	Has - HIV / AIDS	SH	1061
SHS6_15	Had / has - pelvic inflammatory disease	SH	1061
SHS6_16	Had / has - other STD	SH	1062
SHS6_2	Age at first sexual intercourse	SH	1054
SHS6_3	Had sexual intercourse in past 12 months	SH	1055
SHS6_4	Number of partners (sexual intercourse)	SH	1055
SHS6_5	Relationship lasted 12 months or longer	SH	1056
SHS6_6	Relationships lasted less than 12 months	SH	1056
SHS6_7	Condom use in relationship(s) lasting less than 12 months	SH	1057

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 53

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SHS6_7A	Used a condom the last time	SH	1057
SHS6_8	Had / has - chlamydia	SH	1058
SHS6_9	Had / has - gonorrhea	SH	1058
SHS6D1	Derived - had at least 1 sexually-transmitted disease	SH	1062
SMC4_1	Household member smokes regularly inside house	SM	174
SMC4_2	Type of smoker	SM	174
SMC4_3	Age started smoking daily - daily smoker	SM	175
SMC4_4	Number of cigarettes smoked each day - daily smoker	SM	175
SMC4_4A	Ever smoked cigarettes	SM	176
SMC4_5	Ever smoked daily	SM	176
SMC4_6	Age started smoking daily - former daily smoker	SM	177
SMC4_7	Number of cigarettes smoked each day - former daily smoker	SM	177
SMC4_8	Age stopped smoking daily - former daily smoker	SM	178
SMC4DTYP	Derived type of smoker	SM	178
SMC4DYRS	Derived number of years smoked	SM	179
SMC6_1	Household member smokes regularly inside house	SM	949
SMC6_10	Reason for starting smoking	SM	957
SMC6_11	Reason for smoking less	SM	958
SMC6_12	Reason for smoking more	SM	959
SMC6_2	Type of smoker	SM	950
SMC6_3	Age started smoking daily - daily smoker	SM	950
SMC6_4	Number of cigarettes smoked each day - daily smoker	SM	951
SMC6_4A	Ever smoked cigarettes	SM	952
SMC6_5	Ever smoked daily	SM	952
SMC6_6	Age started smoking daily - former daily smoker	SM	953
SMC6_7	Number of cigarettes smoked each day - former daily smoker	SM	954
SMC6_8	Age stopped smoking daily - former daily smoker	SM	954
SMC6_9	Reason for quitting smoking	SM	956
SMC6DTYP	Derived type of smoker	SM	959
SMC6DYRS	Derived number of years smoked	SM	960
SMC6G3	Age started smoking daily - daily smoker - grouped	SM	951
SMC6G6	Age started smoking daily - former daily smoker - grouped	SM	953
SMC6G8	Age stopped smoking daily - former daily smoker - grouped	SM	955
SMS6_12	Restrictions on smoking in work place	SM	963
SMS6_13A	Children more likely to start smoking if their parents smoke	SM	963
SMS6_13B	People too concerned about second-hand smoke	SM	964

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 54

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SMS6_13C	Non-smokers mind when people smoke in their presence	SM	964
SMS6_13D	Children/ second-hand smoke / more likely to have ill health	SM	965
SMS6_13E	Pregnant women / others living with / should not smoke	SM	965
SMS6_13F	Provide non-smokers with a smoke-free environment at work	SM	966
SMS6_13G	Ask permission to smoke in the presence of others	SM	966
SMS6_13H	Lower cigarette prices lead to increased smoking	SM	967
SMS6_14	Feels unpleasant effects from second-hand smoke	SM	967
SMS6_15	Second-hand smoke can cause health problems in non-smoker	SM	968
SMS6_16A	Second-hand smoke can cause lung cancer in a non-smoker	SM	968
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	SM	969
SMS6_16C	Second-hand smoke can cause a stroke in a non-smoker	SM	969
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	SM	970
SMS6_17	Smoking cigarettes can cause health problems in smoker	SM	970
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	SM	971
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	SM	971
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	SM	972
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	SM	972
SMS6_8	Time until first cigarette after waking up	SM	962
SMS6_9	Considering quitting smoking in next 6 months	SM	962
SP34_CPA	Actual collection period	SP	30
SP34_CPS	Sampled collection period	SP	30
SP34_MET	Selection method	SP	31
SP34_RO	Regional office code	SP	3
SP34_TYP	Type of sample	SP	30
SP34DCLS	Derived Cluster number	SP	8
SP34DLFS	Derived LFS stratum number	SP	8
SP34DNPS	Derived NPHS stratum number	SP	7
SP34DPC	Derived postal code	SP	8
SP36_CPA	Actual collection period	SP	425
SP36_CPS	Sampled collection period	SP	425
SP36_STA	Status code after processing	SP	426
SP36DPC	Derived postal code	SP	426
SP36FOUT	Record sent for field collection	SP	424
SPC4LSUR	Type of questionnaire in 1994	SP	413
SPC6_TYP	Type of sample	SP	426
SPC6LPAT	Longitudinal response pattern	SP	414

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 55

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SPC6LSUR	Type of questionnaire in 1996	SP	414
SPC6LYR	Year household selected as part of sample	SP	413
SSC4_1	Member of organisation / association	SS	373
SSC4_2	Frequency of participation in organisations / associations	SS	374
SSC4_2A	Frequency of attending religious services	SS	374
SSC4_3	Has someone to confide in	SS	375
SSC4_4	Has someone to count on in crisis situation	SS	375
SSC4_5	Has someone who gives advice when making important decisions	SS	376
SSC4_6	Has someone to make feel loved and cared for	SS	376
SSC4_7A	Frequency of contact with parents / in-laws	SS	377
SSC4_7B	Frequency of contact with grandparents	SS	378
SSC4_7C	Frequency of contact with daughters / daughters-in-law	SS	379
SSC4_7D	Frequency of contact with sons / sons-in-law	SS	380
SSC4_7E	Frequency of contact with brothers / sisters	SS	381
SSC4_7F	Frequency of contact with other relatives	SS	382
SSC4_7G	Frequency of contact with close friends	SS	383
SSC4_7H	Frequency of contact with neighbours	SS	384
SSC4D1	Derived social support index	SS	384
SSC4D2	Derived social involvement score	SS	385
SSC4D3	Derived average frequency of contacts	SS	385
SSC6_1	Member of organization / association	SS	1026
SSC6_2	Frequency of participation in organizations / associations	SS	1027
SSC6_2A	Frequency of attending religious services	SS	1027
SSC6_3	Has someone to confide in	SS	1029
SSC6_4	Has someone to count on in crisis situation	SS	1029
SSC6_5	Has someone who gives advice when making important decisions	SS	1030
SSC6_6	Has someone to make feel loved and cared for	SS	1030
SSC6_7A	Frequency of contact with parents / in-laws	SS	1031
SSC6_7B	Frequency of contact with grandparents	SS	1032
SSC6_7C	Frequency of contact with daughters / daughters-in-law	SS	1033
SSC6_7D	Frequency of contact with sons / sons-in-law	SS	1034
SSC6_7E	Frequency of contact with brothers / sisters	SS	1035
SSC6_7F	Frequency of contact with other relatives	SS	1036
SSC6_7G	Frequency of contact with close friends	SS	1037
SSC6_7H	Frequency of contact with neighbours	SS	1038
SSC6D1	Derived social support index	SS	1038

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 56

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SSC6D2	Derived social involvement score	SS	1039
SSC6D3	Derived average frequency of contacts	SS	1039
SSP6_1	Received care from friend / relative in the past 12 months	SS	1043
SSP6_2	Received care from friend / relative in last month	SS	1044
SSP6_3	Level of support from family / friends	SS	1044
SSP6_4	Helped relative / friend with health problem	SS	1045
SSS6_1	Spiritual values / faith play important role in life	SS	1028
SSS6_2	Self-perception of religiousness / spirituality	SS	1028
SSS6_3	Number of people seen socially who smoke	SS	1040
SSS6_4	Number of people seen socially who drink too much	SS	1040
SSS6_5A	Partner smokes cigarettes	SS	1041
SSS6_5B	Partner exercises regularly	SS	1041
SSS6_5C	Partner drinks too much	SS	1042
SSS6_5D	Partner overeats	SS	1042
SSS6_5E	Partner uses tranquilizers	SS	1043
ST_4_C1	Current stress - trying to take on too many things	ST	243
ST_4_C10	Current stress - child seems unhappy	ST	248
ST_4_C11	Current stress - child's behaviour is source of concern	ST	248
ST_4_C12	Current stress - work around home not appreciated	ST	249
ST_4_C13	Current stress - friends are a bad influence	ST	249
ST_4_C14	Current stress - would like to move but cannot	ST	250
ST_4_C15	Current stress - neighbourhood too noisy or polluted	ST	250
ST_4_C16	Current stress - close relative in very bad health	ST	251
ST_4_C17	Current stress - relative has alcohol or drug problem	ST	251
ST_4_C18	Current stress - people are too critical	ST	252
ST_4_C2	Current stress - pressure to conform	ST	244
ST_4_C3	Current stress - too much expected by others	ST	244
ST_4_C4	Current stress - lack of money	ST	245
ST_4_C5	Current stress - partner doesn't understand you	ST	245
ST_4_C6	Current stress - partner not affectionate	ST	246
ST_4_C7	Current stress - partner not committed to relationship	ST	246
ST_4_C8	Current stress - can't find someone compatible	ST	247
ST_4_C9	Current stress - has children	ST	247
ST_4_R1	Recent stress - attacked	ST	257
ST_4_R10	Recent stress - child moved back	ST	262
ST_4_R2	Recent stress - unwanted pregnancy	ST	258

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 57

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
ST_4_R3	Recent stress - abortion or miscarriage	ST	258
ST_4_R4	Recent stress - major financial crisis	ST	259
ST_4_R5	Recent stress - failed school	ST	259
ST_4_R6	Recent stress - experienced a change of job for a worse one	ST	260
ST_4_R7	Recent stress - demotion or cut in pay	ST	260
ST_4_R8	Recent stress - argues with partner	ST	261
ST_4_R9	Recent stress - went on welfare	ST	261
ST_4_T1	Trauma - 2 weeks or more in hospital	ST	263
ST_4_T2	Trauma - parents divorced	ST	264
ST_4_T3	Trauma - parents unemployed for a long time	ST	264
ST_4_T4	Trauma - very scared	ST	265
ST_4_T5	Trauma - sent away from home	ST	265
ST_4_T6	Trauma - parents abused alcohol or drugs	ST	266
ST_4_T7	Trauma - physically abused	ST	266
ST_4_W1A	Work stress - must learn new things	ST	267
ST_4_W1B	Work stress - high level of skill	ST	268
ST_4_W1C	Work stress - freedom to decide	ST	268
ST_4_W1D	Work stress - repetitive tasks	ST	269
ST_4_W1E	Work stress - job hectic	ST	269
ST_4_W1F	Work stress - free from conflicting demands	ST	270
ST_4_W1G	Work stress - good job security	ST	270
ST_4_W1H	Work stress - requires a lot of physical effort	ST	271
ST_4_W1I	Work stress - has input	ST	271
ST_4_W1J	Work stress - hostility or conflict with others	ST	272
ST_4_W1K	Work stress - supervisor helpful	ST	272
ST_4_W1L	Work stress - co-workers helpful	ST	273
ST_4_W2	Work stress - job satisfaction	ST	273
ST_4DC1	Derived general chronic stress index	ST	252
ST_4DC10	Derived stress index based on family health	ST	257
ST_4DC2	Derived specific chronic stress index	ST	253
ST_4DC3	Derived adjusted specific chronic stress index	ST	253
ST_4DC4	Derived personal stress index	ST	254
ST_4DC5	Derived stress index based on financial situation	ST	254
ST_4DC6	Derived stress index based on relationship (with partner)	ST	255
ST_4DC7	Derived stress index based on relationship (without partner)	ST	255
ST_4DC8	Derived stress index based on childs problems	ST	256

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 58

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
ST_4DC9	Derived stress index based on environmental problems	ST	256
ST_4DR1	Derived recent life events score - all items	ST	262
ST_4DR2	Derived recent life events score - all valid items	ST	262
ST_4DR3	Derived adjusted recent life events	ST	263
ST_4DT1	Derived childhood and adult stress score	ST	267
ST_4DW1	Derived work stress - all items	ST	274
ST_4DW2	Derived WStress Scale: Decision latitude - Skill discretion	ST	274
ST_4DW3	Derived WStress Scale: Decision latitude - Decision auth.	ST	274
ST_4DW4	Derived WStress Scale: Psychological Demands	ST	275
ST_4DW5	Derived WStress Scale: Job Insecurity	ST	275
ST_4DW6	Derived WStress Scale: Physical Exertion	ST	276
ST_4DW7	Derived WStress Scale: Social Support	ST	276
SUBCYCLE	1996 sample indicator	SP	424
SVP6_1	Overall rating of health care system	SV	1050
SVP6_2	Availability of community health care	SV	1051
SVP6_3	Overall quality of health care in community	SV	1051
SVP6_4	Overall availability of health care in community	SV	1052
SVP6_5	Quality of health care in community	SV	1052
SVP6_6	Difficulty getting health care services needed	SV	1053
SVP6_7	Quality of health care received in past 12 months	SV	1053
TUP6_1	Tried to get a suntan (sun or artificial)	TU	876
TUP6_10	Frequency of wearing protective clothing in the sun	TU	880
TUP6_2	Deepness of suntan	TU	876
TUP6_3	Got sunburnt	TU	877
TUP6_4	Number of times sunburned	TU	877
TUP6_5	Description of worst sunburn	TU	878
TUP6_6	Frequency of using sunscreen in summer	TU	878
TUP6_7	Frequency of avoiding sun from 11am to 4pm	TU	879
TUP6_8	Frequency of avoiding long periods in the sun	TU	879
TUP6_9	Frequency of wearing sunglasses with UV protection	TU	880
TWC4_1	Stayed in bed / hospital due to illness / injury	TW	36
TWC4_2	Number of days spent in bed	TW	37
TWC4_3	Cut down on things normally done due to illness / injury	TW	37
TWC4_4	Number of days cut down on things	TW	38
TWC4_5	Has regular medical doctor	TW	38
TWC4DDDY	Derived total number of disability days	TW	39

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 59

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
TWC6_1	Stayed in bed / hospital due to illness / injury	TW	458
TWC6_2	Number of days spent in bed	TW	459
TWC6_3	Cut down on things normally done due to illness / injury	TW	460
TWC6_4	Number of days cut down on things	TW	461
TWC6_5	Has regular medical doctor	TW	462
TWC6DDDY	Derived total number of disability days	TW	463
VSP6_1	Frequency of feeling safe in community	VS	1084
VSP6_10	Number of times attacked outside of school	VS	1088
VSP6_2	Frequency of feeling safe at home	VS	1085
VSP6_4	Frequency of feeling safe at school	VS	1085
VSP6_5	Number of times verbally abused at school / school bus	VS	1086
VSP6_6	Number of times verbally threatened at school / school bus	VS	1086
VSP6_7	Number of times attacked at school / school bus	VS	1087
VSP6_8	Number of times verbally abused outside of school	VS	1087
VSP6_9	Number of times verbally threatened outside of school	VS	1088
WHC4_20	Had PAP smear test	WH	173
WHC4_22	Last time PAP smear test was done	WH	173
WHC4_30	Ever had mammogram	WH	171
WHC4_32	Last time mammogram was done	WH	172
WHC4_33	Reason for last mammogram	WH	172
WHC6_20	Had PAP smear test	WH	680
WHC6_22	Last time PAP smear test was done	WH	681
WHC6_23A	Had PAP smear - part of check-up	WH	681
WHC6_23B	Had PAP smear - high risk group	WH	682
WHC6_23C	Had PAP smear - follow-up of previous problem	WH	682
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	WH	683
WHC6_23E	Had PAP smear - sexually active	WH	683
WHC6_23F	Had PAP smear - on birth control pill	WH	684
WHC6_23G	Had PAP smear - pregnant / after delivery	WH	684
WHC6_23H	Had PAP smear - on hormone replacement therapy	WH	685
WHC6_23I	Had PAP smear - other reason	WH	685
WHC6_24	Had problems getting a PAP smear test	WH	686
WHC6_25A	Problem getting PAP smear - not available when required	WH	686
WHC6_25B	Problem getting PAP smear - not available in area	WH	686
WHC6_25C	Problem getting PAP smear - waiting time too long	WH	687
WHC6_25D	Problem getting PAP smear - transportation	WH	687

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 60

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
WHC6_25E	Problem getting PAP smear - language	WH	687
WHC6_25F	Problem getting PAP smear - cost	WH	688
WHC6_25G	Problem getting PAP smear - did not know where to go	WH	688
WHC6_25H	Problem getting PAP smear - other	WH	688
WHC6_26A	No PAP smear - have not gotten around to it	WH	689
WHC6_26B	No PAP smear - respondent did not think it was necessary	WH	689
WHC6_26C	No PAP smear - doctor did not think it was necessary	WH	690
WHC6_26D	No PAP smear - personal or family responsibilities	WH	690
WHC6_26E	No PAP smear - not available when required	WH	691
WHC6_26F	No PAP smear - not available at all in area	WH	691
WHC6_26G	No PAP smear - waiting time too long	WH	692
WHC6_26H	No PAP smear - transportation problems	WH	692
WHC6_26I	No PAP smear - language problem	WH	693
WHC6_26J	No PAP smear - cost	WH	693
WHC6_26K	No PAP smear - did not know where to go	WH	694
WHC6_26L	No PAP smear - fear	WH	694
WHC6_26M	No PAP smear - hysterectomy	WH	695
WHC6_26N	No PAP smear - hate / dislike having one done	WH	695
WHC6_26O	No PAP smear - other reason	WH	696
WHC6_30	Ever had mammogram	WH	696
WHC6_32	Last time mammogram was done	WH	697
WHC6_33A	Had mammogram - family history	WH	697
WHC6_33B	Had mammogram - regular check-up	WH	698
WHC6_33C	Had mammogram - age	WH	698
WHC6_33D	Had mammogram - previously detected lump	WH	699
WHC6_33E	Had mammogram - follow-up treatment	WH	699
WHC6_33F	Had mammogram - on hormone replacement therapy	WH	700
WHC6_33G	Had mammogram - other reason	WH	700
WHC6_34	Had problems getting a mammogram	WH	701
WHC6_35A	Problem getting mammogram - not available when required	WH	701
WHC6_35B	Problem getting mammogram - not available at all in area	WH	701
WHC6_35C	Problem getting mammogram - waiting time too long	WH	702
WHC6_35D	Problem getting mammogram - transportation	WH	702
WHC6_35E	Problem getting mammogram - language	WH	702
WHC6_35F	Problem getting mammogram - cost	WH	703
WHC6_35G	Problem getting mammogram - did not know where to go	WH	703

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 61

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
WHC6_35H	Problem getting mammogram - other	WH	703
WHC6_36A	No mammogram - have not gotten around to it	WH	704
WHC6_36B	No mammogram - resp. did not think it was neces.	WH	704
WHC6_36C	No mammogram - doctor did not think it was neces.	WH	705
WHC6_36D	No mammogram - pers. or family responsibilities	WH	705
WHC6_36E	No mammogram - not available when required	WH	706
WHC6_36F	No mammogram - not available at all in the area	WH	706
WHC6_36G	No mammogram - waiting time was too long	WH	707
WHC6_36H	No mammogram - transportation problems	WH	707
WHC6_36I	No mammogram - language problem	WH	708
WHC6_36J	No mammogram - cost	WH	708
WHC6_36K	No mammogram - did not know where to go	WH	709
WHC6_36L	No mammogram - fear	WH	709
WHC6_36M	No mammogram - other reason	WH	710
WHC6_90	Had breasts examined for lumps by health professional	WH	711
WHC6_92	Last time breasts examined for lumps	WH	711
WHC6_93A	Had breast exam - family history	WH	712
WHC6_93B	Had breast exam - regular check-up	WH	712
WHC6_93C	Had breast exam - age	WH	713
WHC6_93D	Had breast exam - previously detected lump	WH	713
WHC6_93E	Had breast exam - follow-up treatment	WH	714
WHC6_93F	Had breast exam - on hormone replacement therapy	WH	714
WHC6_93G	Had breast exam - other reason	WH	715
WHC6_94	Had problems getting a breast exam	WH	715
WHC6_95A	Problem getting breast exam - not available when required	WH	716
WHC6_95B	Problem getting breast exam - not available in area	WH	716
WHC6_95C	Problem getting breast exam - waiting time too long	WH	716
WHC6_95D	Problem getting breast exam - transportation	WH	717
WHC6_95E	Problem getting breast exam - language	WH	717
WHC6_95F	Problem getting breast exam - cost	WH	717
WHC6_95G	Problem getting breast exam - did not know where to go	WH	718
WHC6_95H	Problem getting breast exam - other	WH	718
WHC6_96A	No breast exam - have not gotten around to it	WH	719
WHC6_96B	No breast exam - respondent did not think it was necessary	WH	719
WHC6_96C	No breast exam - doctor did not think it was necessary	WH	720
WHC6_96D	No breast exam - personal or family responsibilities	WH	720

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 62

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
WHC6_96E	No breast exam - not available when required	WH	721
WHC6_96F	No breast exam - not available at all in area	WH	721
WHC6_96G	No breast exam - waiting time too long	WH	722
WHC6_96H	No breast exam - transportation problems	WH	722
WHC6_96I	No breast exam - language problem	WH	723
WHC6_96J	No breast exam - cost	WH	723
WHC6_96K	No breast exam - did not know where to go	WH	724
WHC6_96L	No breast exam - fear	WH	724
WHC6_96M	No breast exam - other reason	WH	725
WHS6_37	Intend to have a mammogram in the next 2 years	WH	710
WHS6_90	Self-examined breasts for lumps	WH	725
WHS6_91	Frequency of breast self-examination	WH	726
WHS6_92	How breast self-exam was learned	WH	726
WT66LP	Sampling weight - Longitudinal full and partial response	WT	1095
YOB	Year of birth	DH	2
