

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 1

Topical Index

June, 1998

Variable Name	Description	Page
AD : Alcohol dependence		
AD_6_1	Drunk / at work / school / taking care of child	986
AD_6_2	Number of times drunk / hung-over	987
AD_6_3	Being drunk increased chances of getting hurt	987
AD_6_4	Emotional / psychological problems due to alcohol	988
AD_6_5	Strong desire or urge to drink	988
AD_6_6	Spent month or more getting drunk	989
AD_6_7	Drank much more than intended	989
AD_6_8	Number of times drank much more than intended	990
AD_6_9	Had to drink more for the same effect	990
AD_6DPP	Derived alcohol dependence - short probability of CIDI	991
AD_6DSF	Derived alcohol dependence - short form score	991
AL : Alcohol		
ALC4_1	Drank alcohol	175
ALC4_2	Frequency of drinking alcohol	176
ALC4_3	Frequency of having 5 or more drinks	176
ALC4_4	Highest number of drinks on one occasion	177
ALC4_5	Drank alcohol in past week	178
ALC4_5A1	Number of drinks - Monday	178
ALC4_5A2	Number of drinks - Tuesday	179
ALC4_5A3	Number of drinks - Wednesday	179
ALC4_5A4	Number of drinks - Thursday	180
ALC4_5A5	Number of drinks - Friday	180
ALC4_5A6	Number of drinks - Saturday	181
ALC4_5A7	Number of drinks - Sunday	181
ALC4_5B	Has ever had a drink	182
ALC4_6	Regularly drank more than 12 drinks a week	182
ALC4_7A	Reason reduced drinking - dieting	183
ALC4_7B	Reason reduced drinking - athletic training	183
ALC4_7C	Reason reduced drinking - pregnancy	184
ALC4_7D	Reason reduced drinking - getting older	184
ALC4_7E	Reason reduced drinking - drinking too much	185
ALC4_7F	Reason reduced drinking - affected work / studies	185
ALC4_7G	Reason reduced drinking - interfered with family life	186

Topical Index

June, 1998

Variable Name	Description	Page
ALC4_7H	Reason reduced drinking - affected physical health	186
ALC4_7I	Reason reduced drinking - affected social relationships	187
ALC4_7J	Reason reduced drinking - affected financial position	187
ALC4_7K	Reason reduced drinking - affected happiness	188
ALC4_7L	Reason reduced drinking - influence of family / friends	188
ALC4_7M	Reason reduced drinking - other	189
ALC4_DAY	Day of the week that interview took place	177
ALC4DDL	Derived average daily consumption	190
ALC4DTYP	Derived type of drinker	189
ALC4DWKY	Derived weekly total of alcohol consumed	190
ALC6_1	Drank alcohol in past 12 months	965
ALC6_2	Frequency of drinking alcohol	965
ALC6_3	Frequency of having 5 or more drinks	966
ALC6_5	Drank alcohol in past week	967
ALC6_5A1	Number of drinks - Monday	967
ALC6_5A2	Number of drinks - Tuesday	968
ALC6_5A3	Number of drinks - Wednesday	968
ALC6_5A4	Number of drinks - Thursday	969
ALC6_5A5	Number of drinks - Friday	969
ALC6_5A6	Number of drinks - Saturday	970
ALC6_5A7	Number of drinks - Sunday	970
ALC6_5B	Has ever had a drink	971
ALC6_6	Regularly drank more than 12 drinks a week	971
ALC6_7A	Reason reduced drinking - dieting	972
ALC6_7B	Reason reduced drinking - athletic training	972
ALC6_7C	Reason reduced drinking - pregnancy	973
ALC6_7D	Reason reduced drinking - getting older	973
ALC6_7E	Reason reduced drinking - drinking too much	974
ALC6_7F	Reason reduced drinking - affected work / studies	974
ALC6_7G	Reason reduced drinking - interfered with family life	975
ALC6_7H	Reason reduced drinking - affected physical health	975
ALC6_7I	Reason reduced drinking - affected social relationships	976
ALC6_7J	Reason reduced drinking - affected financial position	976
ALC6_7K	Reason reduced drinking - affected happiness	977
ALC6_7L	Reason reduced drinking - influence of family / friends	977
ALC6_7M	Reason reduced drinking - other	978

Topical Index

June, 1998

Variable Name	Description	Page
ALC6_DAY	Day of the week that interview took place	966
ALC6D7	Derived single reason for reducing or quitting drinking	979
ALC6DDL	Derived average daily consumption	980
ALC6DTYP	Derived type of drinker	980
ALC6DWKY	Derived weekly total of alcohol consumed	980
ALP6_1	Drank alcohol during last pregnancy	981
ALP6_2	Average number of drinks during pregnancy	981
ALP6_3	Consumed alcohol while breastfeeding	982
ALP6_4	Average number of drinks while breastfeeding	982
ALS6_1	Definition of moderate drinking	983
ALS6_2	Moderate drinking can be good for your health	983
ALS6_3	It's alright to get drunk once in a while	984
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	984
ALS6_5	Alright to get drunk once a week if no drinking rest of week	985
ALS6_6	Pregnant woman should not drink any amount of alcohol	985
ALS6_7	Alright for breastfeeding woman to drink occasionally	986

AM : Administration of the survey

AM34_LNG	Language of H03 interview	13
AM34_LP	Language preference of household	8
AM34_SRC	Record number of person providing H03 information	12
AM36_LNG	Language of H03 interview	440
AM36_LP	Language preference of household	421
AM36_SRC	Record number of person providing H03 information	439
AM36_TEL	H03 interview by telephone or in person	421
AM54_BDD	Day of interview H05 (start)	35
AM54_BMM	Month of interview H05 (start)	35
AM54_BY	Year of interview H05 (start)	35
AM54_EDD	Day of interview H05 (end)	155
AM54_EMM	Month of interview H05 (end)	154
AM54_EY	Year of interview H05 (end)	155
AM54_LNG	Language of H05 interview	154
AM54_PXY	H05 completed by proxy	36
AM54_SRC	Record number of person providing information for H05	36
AM54_TEL	H05 interview by telephone or in person	153
AM56_BDD	Day of interview - H05 (start)	450

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 4

Topical Index

June, 1998

Variable Name	Description	Page
AM56_BMM	Month of interview - H05 (start)	450
AM56_BYY	Year of interview - H05 (start)	451
AM56_EDD	Day of interview - H05 (end)	628
AM56_EMM	Month of interview - H05 (end)	628
AM56_EYY	Year of interview - H05 (end)	629
AM56_LNG	Language of H05 interview	627
AM56_PXY	H05 completed by proxy	451
AM56_SHA	Agree to share information (H05)	440
AM56_SRC	Record number of person providing information for H05	451
AM56_STA	Status of general form (H05)	449
AM56_TEL	H05 interview by telephone or in person	627
AM64_AFF	Answers affected by someone else being there	405
AM64_ALO	Respondent alone for health questionnaire	404
AM64_BDD	Day of interview H06 (start)	156
AM64_BMM	Month of interview H06 (start)	156
AM64_BYY	Year of interview H06 (start)	156
AM64_EDD	Day of interview H06 (end)	406
AM64_EMM	Month of interview H06 (end)	406
AM64_EYY	Year of interview H06 (end)	407
AM64_LNG	Language of H06 interview	405
AM64_LNK	Permission to link data	34
AM64_PXY	H06 completed by proxy	157
AM64_RC	Long answer collected - reason for proxy (H06)	157
AM64_SRC	Record number of person providing information for H06	157
AM64_STA	Status of health form (H06)	155
AM64_TEL	H06 interview by telephone or in person	404
AM66_5	Respondent gives contact information (H06)	1083
AM66_AFF	Answers affected by someone else being there	1085
AM66_ALO	Respondent alone for health questionnaire	1084
AM66_BDD	Day of interview - H06 (start)	630
AM66_BMM	Month of interview - H06 (start)	630
AM66_BYY	Year of interview - H06 (start)	631
AM66_EDD	Day of interview - H06 (end)	1086
AM66_EMM	Month of interview - H06 (end)	1086
AM66_EYY	Year of interview - H06 (end)	1087
AM66_HN	Provincial health number changed (used for processing only)	1082

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 5

Topical Index

June, 1998

Variable Name	Description	Page
AM66_HNC	Flag for health number (used for processing only)	1083
AM66_LNG	Language of H06 interview	1085
AM66_LNK	Permission to link data	1082
AM66_PXY	H06 completed by proxy	631
AM66_RC	Long answer collected - reason for proxy (H06)	632
AM66_SHA	Agree to share information (H06)	441
AM66_SRC	Record number of person providing information for H06	631
AM66_STA	Status of health form (H06)	629
AM66_TEL	H06 interview by telephone or in person	1084
AM66LDUR	Duration / days between 1994 H06 and 1996 H06 interviews	629
PERSONID	Record identifier for person in the household	1
REALUKEY	Record identifier for the household	1

AP : Attitudes towards parents

APP6_1	My parents are strict for my own good	1037
APP6_10	My parents trust me	1042
APP6_2	My parents do not understand me	1038
APP6_3	I have a lot of arguments with my parents	1038
APP6_4	What my parents think of me is important	1039
APP6_5	Are times when I would like to run away from home	1039
APP6_6	I have a happy home life	1040
APP6_7	I would raise my children differently	1040
APP6_8	My parents expect too much of me	1041
APP6_9	I ask my parents for advice on serious matters	1041

BP : Blood pressure

BPC4_1	Last time blood pressure was taken	167
BPC6_10	Ever had blood pressure taken	656
BPC6_12	Last time blood pressure was taken	656
BPC6_13A	Blood pressure taken - regular check-up	657
BPC6_13B	Blood pressure taken - high blood pressure / heart disease	657
BPC6_13C	Blood pressure taken - doctor always does it	658
BPC6_13D	Blood pressure taken - health problem	658
BPC6_13E	Blood pressure taken - age	659
BPC6_13F	Blood pressure taken - job requirement	659
BPC6_13G	Blood pressure taken - pregnant	660

Topical Index

June, 1998

Variable Name	Description	Page
BPC6_13H	Blood pressure taken - in hospital for other reason	660
BPC6_13I	Blood pressure taken - when donating blood	661
BPC6_13J	Blood pressure taken - just for the "fun" of it	661
BPC6_13K	Blood pressure taken - other reason	662
BPC6_14	Had problems getting blood pressure test	662
BPC6_15A	Problem getting b.p. test - not available when required	663
BPC6_15B	Problem getting b.p. test - not available in area	663
BPC6_15C	Problem getting b.p. test - waiting time too long	663
BPC6_15D	Problem getting b.p. test - transportation	664
BPC6_15E	Problem getting b.p. test - language	664
BPC6_15F	Problem getting b.p. test - cost	664
BPC6_15G	Problem getting b.p. test - did not know where to go	665
BPC6_15H	Problem getting b.p. test - other	665
BPC6_16A	Blood pressure not taken - have not gotten around to it	666
BPC6_16B	Blood pressure not taken - resp. did not think it was neces.	666
BPC6_16C	Blood pressure not taken - dr. did not think it was neces.	667
BPC6_16D	Blood pressure not taken - personal / family resp.	667
BPC6_16E	Blood pressure not taken - not available when required	668
BPC6_16F	Blood pressure not taken - not available in area	668
BPC6_16G	Blood pressure not taken - waiting time too long	669
BPC6_16H	Blood pressure not taken - transportation problems	669
BPC6_16I	Blood pressure not taken - language problem	670
BPC6_16J	Blood pressure not taken - cost	670
BPC6_16K	Blood pressure not taken - did not know where to go	671
BPC6_16L	Blood pressure not taken - fear	671
BPC6_16M	Blood pressure not taken - other reason	672

CC : Chronic conditions

CCC4_1A	Has food allergies	70
CCC4_1B	Has allergies other than food allergies	71
CCC4_1C	Has asthma	71
CCC4_1D	Has arthritis or rheumatism	73
CCC4_1E	Has back problems excluding arthritis	73
CCC4_1F	Has high blood pressure	74
CCC4_1G	Has migraine headaches	74
CCC4_1H	Has chronic bronchitis or emphysema	75

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 7

Topical Index

June, 1998

Variable Name	Description	Page
CCC4_1I	Has sinusitis	75
CCC4_1J	Has diabetes	76
CCC4_1K	Has epilepsy	76
CCC4_1L	Has heart disease	77
CCC4_1M	Has cancer	77
CCC4_1N	Has stomach or intestinal ulcers	78
CCC4_1O	Suffers from the effects of a stroke	79
CCC4_1P	Has urinary incontinence	79
CCC4_1R	Has Alzheimer's disease or other dementia	80
CCC4_1S	Has cataracts	81
CCC4_1T	Has glaucoma	81
CCC4_1V	Has other chronic condition	82
CCC4_1W	Has acne	80
CCC4_C7	Asthma - had attack	72
CCC4_C8	Asthma - had wheezing or whistling in chest	72
CCC4_M1	Long answer collected - type of cancer	78
CCC4_NON	Has no chronic conditions	82
CCC4DANY	Derived - has a chronic condition	82
CCC6_1A	Has food allergies	498
CCC6_1B	Has allergies other than food allergies	499
CCC6_1C	Has asthma	499
CCC6_1D	Has arthritis or rheumatism	504
CCC6_1E	Has back problems excluding arthritis	509
CCC6_1F	Has high blood pressure	510
CCC6_1G	Has migraine headaches	515
CCC6_1H	Has chronic bronchitis or emphysema	520
CCC6_1I	Has sinusitis	521
CCC6_1J	Has diabetes	521
CCC6_1K	Has epilepsy	526
CCC6_1L	Has heart disease	529
CCC6_1M	Has cancer	530
CCC6_1N	Has stomach or intestinal ulcers	530
CCC6_1O	Suffers from the effects of a stroke	534
CCC6_1P	Has urinary incontinence	537
CCC6_1Q	Has a bowel disorder such as Crohn's Disease or colitis	538
CCC6_1R	Has Alzheimer's disease or other dementia	538

Topical Index

June, 1998

Variable Name	Description	Page
CCC6_1S	Has cataracts	539
CCC6_1T	Has glaucoma	539
CCC6_1U	Has a thyroid condition	540
CCC6_1V	Has other chronic condition	540
CCC6_C1	Asthma - condition disappeared	500
CCC6_C2M	Asthma - month disappeared	500
CCC6_C2Y	Asthma - year disappeared	501
CCC6_C3M	Asthma - month diagnosed	501
CCC6_C3Y	Asthma - year diagnosed	502
CCC6_C4	Asthma - had prior to last interview	502
CCC6_C5	Asthma - had symptoms or attacks	503
CCC6_C6	Asthma - took medication	503
CCC6_D1	Arthritis / rheumatism - condition disappeared	504
CCC6_D2M	Arthritis / rheumatism - month disappeared	505
CCC6_D2Y	Arthritis / rheumatism - year disappeared	505
CCC6_D3M	Arthritis / rheumatism - month diagnosed	506
CCC6_D3Y	Arthritis / rheumatism - year diagnosed	506
CCC6_D4	Arthritis / rheumatism - had prior to last interview	507
CCC6_D5	Arthritis / rheumatism - receives treatment or medication	507
CCC6_D6A	Arthritis / rheumatism - treatment - drug	508
CCC6_D6B	Arthritis / rheumatism - treatment - diet	508
CCC6_D6C	Arthritis / rheumatism - treatment - other kind	509
CCC6_F1	High blood pressure - condition disappeared	510
CCC6_F2M	High blood pressure - month disappeared	511
CCC6_F2Y	High blood pressure - year disappeared	511
CCC6_F3M	High blood pressure - month diagnosed	512
CCC6_F3Y	High blood pressure - year diagnosed	512
CCC6_F4	High blood pressure - had prior to last interview	513
CCC6_F5	High blood pressure - receives treatment or medication	513
CCC6_F6A	High blood pressure - treatment - drug	514
CCC6_F6B	High blood pressure - treatment - diet	514
CCC6_F6C	High blood pressure - treatment - other kind	515
CCC6_G1	Migraines - condition disappeared	516
CCC6_G2M	Migraines - month disappeared	516
CCC6_G2Y	Migraines - year disappeared	517
CCC6_G3M	Migraines - month diagnosed	517

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 9

Topical Index

June, 1998

Variable Name	Description	Page
CCC6_G3Y	Migraines - year diagnosed	518
CCC6_G4	Migraines - had prior to last interview	518
CCC6_G5	Migraines - receives treatment or medication	519
CCC6_G6A	Migraines - treatment - drug	519
CCC6_G6B	Migraines - treatment - diet	520
CCC6_G6C	Migraines - treatment - other kind	520
CCC6_J1	Diabetes - condition disappeared	522
CCC6_J2M	Diabetes - month disappeared	522
CCC6_J2Y	Diabetes - year disappeared	523
CCC6_J3M	Diabetes - month diagnosed	523
CCC6_J3Y	Diabetes - year diagnosed	524
CCC6_J4	Diabetes - had prior to last interview	524
CCC6_J5	Diabetes - takes insulin	524
CCC6_J6	Diabetes - takes treatment other than insulin	525
CCC6_J7A	Diabetes - treatment - drug	525
CCC6_J7B	Diabetes - treatment - diet	525
CCC6_J7C	Diabetes - treatment - other kind	526
CCC6_K1	Epilepsy - condition disappeared	527
CCC6_K2M	Epilepsy - month disappeared	527
CCC6_K2Y	Epilepsy - year disappeared	528
CCC6_K3M	Epilepsy - month diagnosed	528
CCC6_K3Y	Epilepsy - year diagnosed	529
CCC6_K4	Epilepsy - had prior to last interview	529
CCC6_N1	Ulcers - condition disappeared	531
CCC6_N2M	Ulcers - month disappeared	531
CCC6_N2Y	Ulcers - year disappeared	532
CCC6_N3M	Ulcers - month diagnosed	532
CCC6_N3Y	Ulcers - year diagnosed	533
CCC6_N4	Ulcers - had prior to last interview	533
CCC6_O1	Stroke - condition disappeared	534
CCC6_O2M	Stroke - month disappeared	535
CCC6_O2Y	Stroke - year disappeared	535
CCC6_O3M	Stroke - month diagnosed	536
CCC6_O3Y	Stroke - year diagnosed	536
CCC6_O4	Stroke - had prior to last interview	537
CCC6DANY	Derived - has a chronic condition	541

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 10

Topical Index

June, 1998

Variable Name	Description	Page
CCC6DNUM	Derived number of chronic conditions	541
CCK4_1	Frequency of nose or throat infections	69
CCK4_1AB	Has allergies	71
CCK4_2	Has had otitis	69
CCK4_3	Number of times had otitis since birth	70
CCK6_1	Frequency of nose or throat infections	497
CCK6_2	Has had otitis	497
CCK6_3	Number of times had otitis since birth	498
CE : Contact and exit		
CE36_DMM	Month of death - survey data	445
CE36_DYY	Year of death - survey data	445
CO : Coping		
COP4_1	Ability to handle day-to-day demands	394
COP4_2A	Daily stress - try not to think about situation	394
COP4_2B	Daily stress - try to see situation differently	395
COP4_2C	Daily stress - try to change situation	395
COP4_2D	Daily stress - express emotions	396
COP4_2E	Daily stress - admit situation is stressful	396
COP4_2F	Daily stress - talk to someone about situation	397
COP4_2G	Daily stress - do something to relax	397
COP4_2H	Daily stress - pray	398
COP4_2I	Daily stress - other ways to deal with stress	398
COP4_3	Ability to handle unexpected / difficult problems	399
COP4_4A	Unexpected stress - try not to think about situation	399
COP4_4B	Unexpected stress - try to see situation differently	400
COP4_4C	Unexpected stress - try to change situation	400
COP4_4D	Unexpected stress - express emotions	401
COP4_4E	Unexpected stress - admit situation is stressful	401
COP4_4F	Unexpected stress - talk to someone about situation	402
COP4_4G	Unexpected stress - do something to relax	402
COP4_4H	Unexpected stress - pray	403
COP4_4I	Unexpected stress - other ways to deal with stress	403
COP6_1	Ability to handle day-to-day demands	1081
COP6_2	Ability to handle unexpected / difficult problems	1081

Topical Index

June, 1998

Variable Name	Description	Page
DG : Drug use		
DGC4_1A	Took pain relievers	311
DGC4_1B	Took tranquilizers	312
DGC4_1C	Took diet pills	312
DGC4_1D	Took anti-depressants	313
DGC4_1E	Took codeine, Demerol or morphine	313
DGC4_1F	Took allergy medicine	314
DGC4_1G	Took asthma medications	314
DGC4_1H	Took cough or cold remedies	315
DGC4_1I	Took penicillin or other antibiotics	315
DGC4_1J	Took medicine for the heart	316
DGC4_1K	Took medicine for blood pressure	316
DGC4_1L	Took diuretics	317
DGC4_1M	Took steroids	317
DGC4_1N	Took insulin	318
DGC4_1O	Took pills to control diabetes	318
DGC4_1P	Took sleeping pills	319
DGC4_1Q	Took stomach remedies	319
DGC4_1R	Took laxatives	320
DGC4_1S	Took birth control pills	321
DGC4_1T	Took hormones for menopause	320
DGC4_1V	Took other medication	321
DGC4_2	Number of different medications taken in past 2 days	323
DGC4_3AC	Long answer collected - drug 1	323
DGC4_3BC	Long answer collected - drug 2	324
DGC4_3CC	Long answer collected - drug 3	324
DGC4_3DC	Long answer collected - drug 4	325
DGC4_3EC	Long answer collected - drug 5	325
DGC4_3FC	Long answer collected - drug 6	325
DGC4_3GC	Long answer collected - drug 7	326
DGC4_3HC	Long answer collected - drug 8	326
DGC4_3IC	Long answer collected - drug 9	326
DGC4_3JC	Long answer collected - drug 10	327
DGC4_3KC	Long answer collected - drug 11	327
DGC4_3LC	Long answer collected - drug 12	327

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 12

Topical Index

June, 1998

Variable Name	Description	Page
DGC4_4	Uses other health products	332
DGC4_5AA	Uses a 2nd health product	333
DGC4_5AC	Long answer collected - health product 1	333
DGC4_5BA	Uses a 3rd health product	334
DGC4_5BC	Long answer collected - health product 2	333
DGC4_5CA	Uses a 4th health product	334
DGC4_5CC	Long answer collected - health product 3	334
DGC4_5DA	Uses a 5th health product	335
DGC4_5DC	Long answer collected - health product 4	335
DGC4_5EA	Uses a 6th health product	336
DGC4_5EC	Long answer collected - health product 5	335
DGC4_5FA	Uses a 7th health product	336
DGC4_5FC	Long answer collected - health product 6	336
DGC4_5GA	Uses an 8th health product	337
DGC4_5GC	Long answer collected - health product 7	337
DGC4_5HA	Uses a 9th health product	338
DGC4_5HC	Long answer collected - health product 8	337
DGC4_5IA	Uses a 10th health product	338
DGC4_5IC	Long answer collected - health product 9	338
DGC4_5JA	Uses an 11th health product	339
DGC4_5JC	Long answer collected - health product 10	339
DGC4_5KA	Uses a 12th health product	340
DGC4_5KC	Long answer collected - health product 11	339
DGC4_5LC	Long answer collected - health product 12	340
DGC4_NON	Did not take any drugs in past month	322
DGC4C3A	Code - drug 1	328
DGC4C3B	Code - drug 2	328
DGC4C3C	Code - drug 3	329
DGC4C3D	Code - drug 4	329
DGC4C3E	Code - drug 5	330
DGC4C3F	Code - drug 6	330
DGC4C3G	Code - drug 7	330
DGC4C3H	Code - drug 8	331
DGC4C3I	Code - drug 9	331
DGC4C3J	Code - drug 10	331
DGC4C3K	Code - drug 11	332

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 13

Topical Index

June, 1998

Variable Name	Description	Page
DGC4C3L	Code - drug 12	332
DGC4C5A	Code for health product - product 1	340
DGC4C5B	Code for health product - product 2	341
DGC4C5C	Code for health product - product 3	341
DGC4C5D	Code for health product - product 4	341
DGC4C5E	Code for health product - product 5	342
DGC4C5F	Code for health product - product 6	342
DGC4C5G	Code for health product - product 7	342
DGC4C5H	Code for health product - product 8	343
DGC4C5I	Code for health product - product 9	343
DGC4C5J	Code for health product - product 10	343
DGC4C5K	Code for health product - product 11	344
DGC4C5L	Code for health product - product 12	344
DGC4F1	Took medications	322
DGC6_1A	Took pain relievers	886
DGC6_1B	Took tranquilizers	886
DGC6_1C	Took diet pills	887
DGC6_1D	Took anti-depressants	887
DGC6_1E	Took codeine, Demerol or morphine	888
DGC6_1F	Took allergy medicine	888
DGC6_1G	Took asthma medications	889
DGC6_1H	Took cough or cold remedies	889
DGC6_1I	Took penicillin or other antibiotics	890
DGC6_1J	Took medicine for the heart	890
DGC6_1K	Took medicine for blood pressure	891
DGC6_1L	Took diuretics	891
DGC6_1M	Took steroids	892
DGC6_1N	Took insulin	892
DGC6_1O	Took pills to control diabetes	893
DGC6_1P	Took sleeping pills	893
DGC6_1Q	Took stomach remedies	894
DGC6_1R	Took laxatives	894
DGC6_1S	Took birth control pills	895
DGC6_1T	Took hormones for menopause	895
DGC6_1T1	Hormone therapy - type	896
DGC6_1T2	Hormone therapy - year started	896

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 14

Topical Index

June, 1998

Variable Name	Description	Page
DGC6_1U	Took thyroid medication	897
DGC6_1V	Took other medication	897
DGC6_2	Number of different medications taken in past 2 days	898
DGC6_3AC	Long answer collected - drug 1	899
DGC6_3BC	Long answer collected - drug 2	901
DGC6_3CC	Long answer collected - drug 3	903
DGC6_3DC	Long answer collected - drug 4	905
DGC6_3EC	Long answer collected - drug 5	907
DGC6_3FC	Long answer collected - drug 6	909
DGC6_3GC	Long answer collected - drug 7	910
DGC6_3HC	Long answer collected - drug 8	913
DGC6_3IC	Long answer collected - drug 9	914
DGC6_3JC	Long answer collected - drug 10	916
DGC6_3KC	Long answer collected - drug 11	917
DGC6_3LC	Long answer collected - drug 12	919
DGC6_4	Uses other health products	920
DGC6_5AA	Uses a 2nd health product	922
DGC6_5AC	Long answer collected - health product 1	921
DGC6_5BA	Uses a 3rd health product	924
DGC6_5BC	Long answer collected - health product 2	923
DGC6_5CA	Uses a 4th health product	926
DGC6_5CC	Long answer collected - health product 3	925
DGC6_5DA	Uses a 5th health product	928
DGC6_5DC	Long answer collected - health product 4	927
DGC6_5EA	Uses a 6th health product	930
DGC6_5EC	Long answer collected - health product 5	929
DGC6_5FA	Uses a 7th health product	932
DGC6_5FC	Long answer collected - health product 6	931
DGC6_5GA	Uses an 8th health product	934
DGC6_5GC	Long answer collected - health product 7	933
DGC6_5HA	Uses a 9th health product	935
DGC6_5HC	Long answer collected - health product 8	934
DGC6_5IA	Uses a 10th health product	937
DGC6_5IC	Long answer collected - health product 9	936
DGC6_5JA	Uses an 11th health product	938
DGC6_5JC	Long answer collected - health product 10	937

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 15

Topical Index

June, 1998

Variable Name	Description	Page
DGC6_5KA	Uses a 12th health product	939
DGC6_5KC	Long answer collected - health product 11	938
DGC6_5LC	Long answer collected - health product 12	940
DGC6_6	Insurance covering prescription medication	941
DGC6C3A	Drug code - drug 1	899
DGC6C3B	Drug code - drug 2	901
DGC6C3C	Drug code - drug 3	903
DGC6C3D	Drug code - drug 4	905
DGC6C3E	Drug code - drug 5	907
DGC6C3F	Drug code - drug 6	909
DGC6C3G	Drug code - drug 7	911
DGC6C3H	Drug code - drug 8	913
DGC6C3I	Drug code - drug 9	915
DGC6C3J	Drug code - drug 10	916
DGC6C3K	Drug code - drug 11	918
DGC6C3L	Drug code - drug 12	919
DGC6C5A	Code for health product - product 1	921
DGC6C5B	Code for health product - product 2	923
DGC6C5C	Code for health product - product 3	925
DGC6C5D	Code for health product - product 4	927
DGC6C5E	Code for health product - product 5	929
DGC6C5F	Code for health product - product 6	931
DGC6C5G	Code for health product - product 7	933
DGC6C5H	Code for health product - product 8	934
DGC6C5I	Code for health product - product 9	936
DGC6C5J	Code for health product - product 10	937
DGC6C5K	Code for health product - product 11	939
DGC6C5L	Code for health product - product 12	940
DGC6F1	Took medications	898
DGC6G3A	Drug code - drug 1 - grouped	900
DGC6G3B	Drug code - drug 2 - grouped	902
DGC6G3C	Drug code - drug 3 - grouped	904
DGC6G3D	Drug code - drug 4 - grouped	906
DGC6G3E	Drug code - drug 5 - grouped	908
DGC6G3F	Drug code - drug 6 - grouped	910
DGC6G3G	Drug code - drug 7 - grouped	912

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 16

Topical Index

June, 1998

Variable Name	Description	Page
DGC6G3H	Drug code - drug 8 - grouped	914
DGC6G3I	Drug code - drug 9 - grouped	915
DGC6G3J	Drug code - drug 10 - grouped	917
DGC6G3K	Drug code - drug 11 - grouped	918
DGC6G3L	Drug code - drug 12 - grouped	920
DGC6G5A	Code for health product - product 1 - grouped	922
DGC6G5B	Code for health product - product 2 - grouped	924
DGC6G5C	Code for health product - product 3 - grouped	926
DGC6G5D	Code for health product - product 4 - grouped	928
DGC6G5E	Code for health product - product 5 - grouped	930
DGC6G5F	Code for health product - product 6 - grouped	932
DGC6G5G	Code for health product - product 7 - grouped	933
DGC6G5H	Code for health product - product 8 - grouped	935
DGC6G5I	Code for health product - product 9 - grouped	936
DGC6G5J	Code for health product - product 10 - grouped	938
DGC6G5K	Code for health product - product 11 - grouped	939
DGC6G5L	Code for health product - product 12 - grouped	940

DH : Demographic and household variables

DH_4_P1	Pet	10
DH_4_P3	Pet - lives indoors	11
DH_4DP2	Derived kind of pet	11
DHC4_3A	Persons away from household	9
DHC4_3B	Other persons living in dwelling	9
DHC4_AGE	Cycle 1 age	33
DHC4_BED	Number of bedrooms	10
DHC4_DWE	Type of dwelling	12
DHC4_FID	Family ID code	34
DHC4_MAR	Marital status	34
DHC4_OWN	Dwelling owned by household member	9
DHC4D611	Derived number of persons 6 to 11 years old in household	32
DHC4DE12	Derived number of persons 12 years old in household	32
DHC4DECF	Derived type of household	14
DHC4DHSZ	Derived household size	31
DHC4DL12	Derived number of persons < 12 years old in household	31
DHC4DL25	Derived number of persons < 25 years old in household	31

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 17

Topical Index

June, 1998

Variable Name	Description	Page
DHC4DLE5	Derived number of persons <= 5 years old in household	32
DHC4DLVG	Derived living arrangements of the selected respondent	15
DHC4GAGE	Age - grouped	33
DHC6_AGE	Age	441
DHC6_BED	Number of bedrooms	423
DHC6_DWE	Type of dwelling	422
DHC6_FID	Family ID code	446
DHC6_MAR	Marital status	446
DHC6_OWN	Dwelling owned by household member	422
DHC6ADOD	Day of death - administrative data	443
DHC6AMOD	Month of death - administrative data	443
DHC6AYOD	Year of death - administrative data	444
DHC6CD	Cause of death code	444
DHC6D611	Derived number of persons 6 to 11 years old in household	447
DHC6DECF	Derived type of household	448
DHC6DHSZ	Derived household size	446
DHC6DL12	Derived number of persons < 12 years old in household	447
DHC6DLE5	Derived number of persons <= 5 years old in household	447
DHC6DLVG	Derived living arrangements of the selected respondent	449
DHC6GAGE	Age - grouped	442
DOB	Day of birth	1
MOB	Month of birth	2
SEX	Sex	3
YOB	Year of birth	2
DV : Dental visits		
DV_6_60	Visited dentist	755
DV_6_61	Last time visited dentist	756
DV_6_62A	Visits dentist - make sure everything is OK	756
DV_6_62B	Visits dentist - check-up covered by insurance	757
DV_6_62C	Visits dentist - catch problems early	757
DV_6_62D	Visits dentist - for good dental health	758
DV_6_62E	Visits dentist - care of teeth / gums / dentures	758
DV_6_62F	Visits dentist - for cleaning / fluoride / maintenance	759
DV_6_62G	Visits dentist - to get a filling / extraction	759
DV_6_62H	Visits dentist - to check braces	760

Topical Index

June, 1998

Variable Name	Description	Page
DV_6_62I	Visits dentist - other reason	760
DV_6_63	Had problems obtaining dental services	761
DV_6_64A	Problem getting dental services - not avail. when required	761
DV_6_64B	Problem getting dental services - not available in area	762
DV_6_64C	Problem getting dental services - waiting time too long	762
DV_6_64D	Problem getting dental services - transportation	762
DV_6_64E	Problem getting dental services - language	763
DV_6_64F	Problem getting dental services - cost	763
DV_6_64G	Problem getting dental services - did not know where to go	763
DV_6_64H	Problem getting dental services - other	764
DV_6_65A	No dental visit - have not gotten around to it	764
DV_6_65B	No dental visit - respondent did not think it was necessary	765
DV_6_65C	No dental visit - dentist did not think it was necessary	765
DV_6_65D	No dental visit - personal or family responsibilities	766
DV_6_65E	No dental visit - not available when required	766
DV_6_65F	No dental visit - not available at all in area	767
DV_6_65G	No dental visit - waiting time too long	767
DV_6_65H	No dental visit - transportation problems	768
DV_6_65I	No dental visit - language problem	768
DV_6_65J	No dental visit - cost	769
DV_6_65K	No dental visit - did not know where to go	769
DV_6_65L	No dental visit - fear	770
DV_6_65M	No dental visit - wears dentures	770
DV_6_65N	No dental visit - other reason	771
DV_6_66	Has dental insurance	771

ED : Education

EDC4_1	Currently attending a school, college or university	117
EDC4_2	Full-time student or part-time student	117
EDC4_4	Number of years of elementary / high school completed	115
EDC4_5	Graduated from high school	115
EDC4_6	Attended post-secondary institution	116
EDC4_7	Highest level of post-secondary education attained	116
EDC4D1	Derived highest level of education - 14 levels	118
EDC4D2	Derived highest level of education - 12 levels	119
EDC4D3	Derived highest level of education - 4 levels	119

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 19

Topical Index

June, 1998

Variable Name	Description	Page
EDC4DLF	Derived labour force activity of students	141
EDC6_1	Currently attending a school, college or university	578
EDC6_2	Full-time student or part-time student	579
EDC6_3	Attended school since last interview	579
EDC6_4	Number of years of elementary / high school completed	580
EDC6_5	Graduated from high school	580
EDC6_6	Attended post-secondary institution	581
EDC6_7	Highest level of post-secondary education attained	581
EDC6D1	Derived highest level of education - 14 levels	582
EDC6D2	Derived highest level of education - 12 levels	583
EDC6D3	Derived highest level of education - 4 levels	583
EDC6DLF	Derived labour force activity of students	584
ES : Emergency services		
ES_6_80	Overall quality of emergency services	789
ES_6_81	Used emergency services	789
ES_6_82	Has health insurance covering hospital charges	790
EX : Eye examination		
EX_6_70	Visited optometrist or ophthalmologist	772
EX_6_71	Last eye examination	772
EX_6_72	Frequency of eye examinations	773
EX_6_73A	Has eye exam - make sure everything is OK	773
EX_6_73B	Has eye exam - glaucoma test	774
EX_6_73C	Has eye exam - job requirement	774
EX_6_73D	Has eye exam - check prescription	775
EX_6_73E	Has eye exam - cataracts are developing	775
EX_6_73F	Has eye exam - to get driver's license	776
EX_6_73G	Has eye exam - eye problem / infection	776
EX_6_73H	Has eye exam - diabetes	777
EX_6_73I	Has eye exam - sight deterioration	777
EX_6_73J	Has eye exam - other reason	778
EX_6_74	Had problems obtaining an eye examination	778
EX_6_75A	Problem getting eye exam - not available when required	779
EX_6_75B	Problem getting eye exam - not available at all in area	779
EX_6_75C	Problem getting eye exam - waiting time too long	779

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 20

Topical Index

June, 1998

Variable Name	Description	Page
EX_6_75D	Problem getting eye exam - transportation	780
EX_6_75E	Problem getting eye exam - language	780
EX_6_75F	Problem getting eye exam - cost	780
EX_6_75G	Problem getting eye exam - did not know where to go	781
EX_6_75H	Problem getting eye exam - other	781
EX_6_76A	No eye exam - have not gotten around to it	782
EX_6_76B	No eye exam - respondent did not think it was neces.	782
EX_6_76C	No eye exam - doctor did not think it was necessary	783
EX_6_76D	No eye exam - personal or family responsibilities	783
EX_6_76E	No eye exam - not available when required	784
EX_6_76F	No eye exam - not available at all in area	784
EX_6_76G	No eye exam - waiting time too long	785
EX_6_76H	No eye exam - transportation problems	785
EX_6_76I	No eye exam - language problem	786
EX_6_76J	No eye exam - cost	786
EX_6_76K	No eye exam - did not know where to go	787
EX_6_76L	No eye exam - fear	787
EX_6_76M	No eye exam - other reason	788
EX_6_77	Has insurance covering cost of eye glasses / contact lenses	788

FS : Flu shots

FS_6_50	Ever had a flu shot	740
FS_6_52	Last time had flu shot	741
FS_6_53A	Had flu shot - peer pressure	741
FS_6_53B	Had flu shot - job requirement	742
FS_6_53C	Had flu shot - helps prevent the flu	742
FS_6_53D	Had flu shot - to protect others	743
FS_6_53E	Had flu shot - recommended because of age	743
FS_6_53F	Had flu shot - health problem	744
FS_6_53G	Had flu shot - other reason	744
FS_6_54	Had problems obtaining a flu shot	745
FS_6_55A	Problem getting flu shot - not available when required	745
FS_6_55B	Problem getting flu shot - not available in area	746
FS_6_55C	Problem getting flu shot - waiting time too long	746
FS_6_55D	Problem getting flu shot - transportation	746
FS_6_55E	Problem getting flu shot - language	747

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 21

Topical Index

June, 1998

Variable Name	Description	Page
FS_6_55F	Problem getting flu shot - cost	747
FS_6_55G	Problem getting flu shot - did not know where to go	747
FS_6_55H	Problem getting flu shot - other	748
FS_6_56A	No flu shot - have not gotten around to it	748
FS_6_56B	No flu shot - respondent did not think it was necessary	749
FS_6_56C	No flu shot - doctor did not think it was necessary	749
FS_6_56D	No flu shot - personal or family responsibilities	750
FS_6_56E	No flu shot - not available when required	750
FS_6_56F	No flu shot - not available in area	751
FS_6_56G	No flu shot - waiting time too long	751
FS_6_56H	No flu shot - transportation problems	752
FS_6_56I	No flu shot - language problem	752
FS_6_56J	No flu shot - cost	753
FS_6_56K	No flu shot - did not know where to go	753
FS_6_56L	No flu shot - fear	754
FS_6_56M	No flu shot - bad reaction to previous shot	754
FS_6_56N	No flu shot - other reason	755

GE : Geographic identifiers

GE34DCD	Derived 1991 Census Division	4
GE34DCMA	Derived 1991 Census Metropolitan Area	6
GE34DCSD	Derived 1991 Census Sub-Division	5
GE34DFED	Derived 1991 Federal Electoral District	7
GE34DHLR	Derived health regions	7
GE34DURB	Derived rural and urban area	4
GE36DCD	Derived 1991 Census Division	410
GE36DCMA	Derived 1991 Census Metropolitan Area	412
GE36DCSD	Derived 1991 Census Sub-Division	411
GE36DFED	Derived 1991 Federal Electoral District	413
GE36DHLR	Derived health regions	414
GE36DHRO	Derived health regions (original sample)	416
GE36DURB	Derived rural and urban area	410
GE36LMOV	Respondent moved	417

GH : General health

GHC4_1	Respondent's general health	158
--------	-----------------------------	-----

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 22

Topical Index

June, 1998

Variable Name	Description	Page
GHC4_3	Planned to use services of doctor or midwife	159
GHC4DHDl	Derived health description index	159
GHC6_1	Respondent's general health	632
GHC6_21	Gave birth since last interview	719
GHC6DHDl	Derived health description index	633
GHK4_4HT	Height - children	162
GHK6_2	Level of physical activity - children	633
GHK6_4HT	Height - children	650
GHK6_6	Birth weight	652
GHP6_21A	Gave birth in the past 5 years	719
GHP6_25	Still breast-feeding	721
GHP6_26	Duration of breast-feeding last child	722
GHP6_27	Received help / advice about breast-feeding	722
GHP6_28	From whom received breast-feeding advice	723
GHP6_29	Main reason for stopping breast-feeding	724
GHS6_11	Did something to improve health	634
GHS6_12	Most important change to improve health	634
GHS6_13	Thinks something should be done to improve health	635
GHS6_14	Most important thing to be done to improve health	635
GHS6_15	Barrier to improving health	636
GHS6_16A	Reason for no improvement - lack of will power	636
GHS6_16B	Reason for no improvement - lack of time	637
GHS6_16C	Reason for no improvement - too tired	637
GHS6_16D	Reason for no improvement - too difficult	637
GHS6_16E	Reason for no improvement - too costly	638
GHS6_16F	Reason for no improvement - too stressed	638
GHS6_16G	Reason for no improvement - disability / health problem	638
GHS6_16H	Reason for no improvement - other	639
GHS6_17	Intending to improve health over next year	639
GHS6_18A	Health improvement over next year - more exercise	640
GHS6_18B	Health improvement over next year - lose weight	640
GHS6_18C	Health improvement over next year - improve eating habits	641
GHS6_18D	Health improvement over next year - quit smoking	641
GHS6_18E	Health improvement over next year - reduce amount smoked	642
GHS6_18F	Health improvement over next year - manage stress	642
GHS6_18G	Health improvement over next year - reduce stress level	643

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 23

Topical Index

June, 1998

Variable Name	Description	Page
GHS6_18H	Health improvement over next year - take vitamins	643
GHS6_18I	Health improvement over next year - other	644
GHS6_22	Gave birth to last baby in hospital	720
GHS6_23	Used services of doctor, midwife or both	720
GHS6_24	Breast fed child or tried to breast feed	721
GHS6_31	Smoked during last pregnancy	952
GHS6_32	Average number of cigarettes smoked daily during pregnancy	952
GHS6_33	Smoked while breast-feeding last baby	953
GHS6_34	Average no. of cigarettes smoked daily during breast-feeding	953
GHS6_35	Someone smoked reg. in presence during / after pregnancy	953
HC : Health care utilization		
HCC4_1	Overnight patient	39
HCC4_10A	Home care received - nursing care	56
HCC4_10C	Home care received - personal care	57
HCC4_10D	Home care received - housework	57
HCC4_10E	Home care received - meal preparation or delivery	57
HCC4_10F	Home care received - shopping	58
HCC4_10H	Home care received - other type	58
HCC4_1A	Number of nights as patient	40
HCC4_2A	Number of consultations - family doctor / g.p.	40
HCC4_2B	Number of consultations - eye specialist	41
HCC4_2C	Number of consultations - other medical doctor	42
HCC4_2D	Number of consultations - nurse	43
HCC4_2E	Number of consultations - dentist or orthodontist	44
HCC4_2F	Number of consultations - chiropractor	44
HCC4_2G	Number of consultations - physiotherapist	44
HCC4_2H	Number of consultations - social worker / counsellor	45
HCC4_2I	Number of consultations - psychologist	45
HCC4_2J	No. of consul. - speech / audiology / occupational therapist	45
HCC4_3A	Place of most recent contact - family doctor	41
HCC4_3C	Place of most recent contact - other medical doctor	42
HCC4_3D	Place of most recent contact - nurse	43
HCC4_4	Consulted alternative health care provider	47
HCC4_4A	Attended self-help group	51
HCC4_5A	Alternative health care - massage therapist	47

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 24

Topical Index

June, 1998

Variable Name	Description	Page
HCC4_5B	Alternative health care - acupuncturist	48
HCC4_5C	Alternative health care - homeopath / naturopath	48
HCC4_5D	Alternative health care - Feldenkrais / Alexander	48
HCC4_5E	Alternative health care - relaxation therapist	49
HCC4_5F	Alternative health care - biofeedback	49
HCC4_5G	Alternative health care - rolfer	49
HCC4_5H	Alternative health care - herbalist	50
HCC4_5I	Alternative health care - reflexologist	50
HCC4_5J	Alternative health care - spiritual healer	50
HCC4_5K	Alternative health care - religious healer	51
HCC4_5L	Alternative health care - other	51
HCC4_6	Felt that health care was needed but didn't receive it	52
HCC4_7WC	Long answer collected - reason for not getting care	52
HCC4_8A	Health care not received - treat. of physical health problem	53
HCC4_8B	Health care not received - treat. of mental health problem	54
HCC4_8C	Health care not received - a regular check-up	54
HCC4_8D	Health care not received - care of injury	55
HCC4_8E	Health care not received - other type	55
HCC4_9	Received home care services	56
HCC4_SC	Long answer collected - type of home care service	56
HCC4DHPC	Derived consultations with health professionals	46
HCC4DMDC	Derived number of consultations with medical doctors	46
HCC4G7	Type of home care service - grouped	53
HCC6_1	Overnight patient	456
HCC6_10A	Home care received - nursing care	481
HCC6_10B	Home care received - other health care	482
HCC6_10C	Home care received - personal care	482
HCC6_10D	Home care received - housework	483
HCC6_10E	Home care received - meal preparation or delivery	483
HCC6_10F	Home care received - shopping	483
HCC6_10G	Home care received - respite care	484
HCC6_10H	Home care received - other type	484
HCC6_11	Received health care services in the United States	485
HCC6_12	Went to United States primarily to receive health care	485
HCC6_1A	Number of nights as patient	456
HCC6_2A	Number of consultations - family doctor / g.p.	458

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 25

Topical Index

June, 1998

Variable Name	Description	Page
HCC6_2B	Number of consultations - eye specialist	459
HCC6_2C	Number of consultations - other medical doctor	460
HCC6_2D	Number of consultations - nurse	461
HCC6_2E	Number of consultations - dentist or orthodontist	462
HCC6_2F	Number of consultations - chiropractor	462
HCC6_2G	Number of consultations - physiotherapist	463
HCC6_2H	Number of consultations - social worker / counselor	463
HCC6_2I	Number of consultations - psychologist	464
HCC6_2J	No. of consul. - speech / audiology / occupational therapist	464
HCC6_3A	Place of most recent contact - family doctor	459
HCC6_3C	Place of most recent contact - other medical doctor	460
HCC6_3D	Place of most recent contact - nurse	461
HCC6_4	Consulted alternative health care provider	466
HCC6_4A	Attended self-help group	466
HCC6_5A	Alternative health care - massage therapist	467
HCC6_5B	Alternative health care - acupuncturist	467
HCC6_5C	Alternative health care - homeopath / naturopath	467
HCC6_5D	Alternative health care - Feldenkrais / Alexander	468
HCC6_5E	Alternative health care - relaxation therapist	468
HCC6_5F	Alternative health care - biofeedback	468
HCC6_5G	Alternative health care - rolfers	469
HCC6_5H	Alternative health care - herbalist	469
HCC6_5I	Alternative health care - reflexologist	469
HCC6_5J	Alternative health care - spiritual healer	470
HCC6_5K	Alternative health care - religious healer	470
HCC6_5L	Alternative health care - other	470
HCC6_6	Felt that health care was needed but didn't receive it	471
HCC6_7A	Health care not received - not available in area	471
HCC6_7B	Health care not received - not available when required	472
HCC6_7C	Health care not received - waiting time too long	472
HCC6_7D	Health care not received - felt would be inadequate	473
HCC6_7E	Health care not received - cost	473
HCC6_7F	Health care not received - too busy to get care	474
HCC6_7G	Health care not received - didn't get around to it	474
HCC6_7H	Health care not received - didn't know where to go	475
HCC6_7I	Health care not received - transportation problems	475

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 26

Topical Index

June, 1998

Variable Name	Description	Page
HCC6_7J	Health care not received - language problem	476
HCC6_7K	Health care not received - personal or family resp.	476
HCC6_7L	Health care not received - dislikes doctors / afraid	477
HCC6_7M	Health care not received - decided not to seek care	477
HCC6_7N	Health care not received - other reason	478
HCC6_8A	Health care not received - treat. of physical health problem	478
HCC6_8B	Health care not received - treat. of mental health problem	479
HCC6_8C	Health care not received - a regular check-up	479
HCC6_8D	Health care not received - care of injury	480
HCC6_8E	Health care not received - other type	480
HCC6_9	Received home care services	481
HCC6DHPC	Derived consultations with health professionals	465
HCC6DMDC	Derived number of consultations with medical doctors	465
HCC6F1	Used any health care service	465
HCK4_2OT	Number of consultations - other trained person	46
HCK6_2A	Overnight patient - respiratory problem	457
HCK6_2B	Overnight patient - gastrointestinal problem	457
HCK6_2C	Overnight patient - injuries	457
HCK6_2D	Overnight patient - at birth	458
HCK6_2E	Overnight patient - other reason	458
HI : Health information		
HIP6_1	First source of information - sports injuries	795
HIP6_1A	Look for other source - sports injuries	796
HIP6_1B	Second source of information - sports injuries	796
HIP6_2	First source of information - AIDS / STD	797
HIP6_2A	Look for other source - AIDS / STD	797
HIP6_2B	Second source of information - AIDS / STD	798
HIP6_3	First source of information - depression	799
HIP6_3A	Look for other source - depression	799
HIP6_3B	Second source of information - depression	800
HIP6_4	First source of information - pregnancy	801
HIP6_4A	Look for other source - pregnancy	801
HIP6_4B	Second source of information - pregnancy	802
HIP6_5	Attended school in past 12 months	802
HIP6_6	Rating of information received at school on improving health	803

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 27

Topical Index

June, 1998

Variable Name	Description	Page
HIP6_7	Attended sex education classes at school	803
HIP6_8	Rating of sex education classes	804
HS : Health status		
HSC4_1	Sees well enough to read newsprint without glasses /contacts	291
HSC4_10	Understood by strangers in own language	296
HSC4_11	Understood partially by strangers in own language	296
HSC4_12	Understood by non-strangers in own language	297
HSC4_13	Understood partially by non-strangers in own language	297
HSC4_14	Able to walk without difficulty without support	298
HSC4_15	Able to walk	298
HSC4_16	Requires support to walk	299
HSC4_17	Requires help of person to walk	299
HSC4_18	Requires a wheelchair	300
HSC4_19	Frequency of wheelchair use	300
HSC4_2	Sees well enough to read newsprint with glasses / contacts	291
HSC4_20	Requires help to move in wheelchair	301
HSC4_21	Able to grasp and handle small objects	301
HSC4_22	Requires help due to limitation in hands	302
HSC4_23	Requires help with tasks	302
HSC4_24	Requires special equipment due to limitation in hands	303
HSC4_25	Description of feelings	303
HSC4_26	Ability to remember things	304
HSC4_27	Ability to think and solve problems	304
HSC4_28	Free of pain or discomfort	305
HSC4_29	Intensity of pain or discomfort	305
HSC4_3	Able to see	292
HSC4_30	Number of activities prevented by pain / discomfort	306
HSC4_4	Sees well enough to recognize friend without glasses	292
HSC4_5	Sees well enough to recognize friend with glasses	293
HSC4_6	Hears in group of people without hearing aid	293
HSC4_7	Hears in group of people with hearing aid	294
HSC4_7A	Able to hear	294
HSC4_8	Hears in quiet room without hearing aid	295
HSC4_9	Hears in quiet room with hearing aid	295
HSC4DCOG	Derived Cognition - function code	309

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 28

Topical Index

June, 1998

Variable Name	Description	Page
HSC4DDEX	Derived Dexterity trouble - function code	308
HSC4DEMO	Derived Emotional problems - function code	309
HSC4DHER	Derived Hearing problems - function code	307
HSC4DHSI	Derived Health Status Index (3 decimal places)	311
HSC4DMOB	Derived Mobility trouble - function code	308
HSC4DPAD	Derived activities prevented-pain/discomfort - function code	310
HSC4DSEV	Derived Severity of pain - function code	310
HSC4DSPE	Derived Speech trouble - function code	307
HSC4DVIS	Derived Vision trouble - function code	306
HSC6_1	Sees well enough to read newsprint without glasses /contacts	804
HSC6_10	Understood by strangers in own language	810
HSC6_11	Understood partially by strangers in own language	811
HSC6_12	Understood by non-strangers in own language	811
HSC6_13	Understood partially by non-strangers in own language	811
HSC6_14	Able to walk without difficulty without support	812
HSC6_15	Able to walk	813
HSC6_16	Requires support to walk	813
HSC6_17	Requires help of person to walk	814
HSC6_18	Requires a wheelchair	814
HSC6_19	Frequency of wheelchair use	815
HSC6_2	Sees well enough to read newsprint with glasses / contacts	805
HSC6_20	Requires help to move in wheelchair	815
HSC6_21	Able to grasp and handle small objects	816
HSC6_22	Requires help due to limitation in hands	817
HSC6_23	Requires help with tasks	817
HSC6_24	Requires special equipment due to limitation in hands	818
HSC6_25	Description of feelings	819
HSC6_26	Ability to remember things	820
HSC6_27	Ability to think and solve problems	820
HSC6_28	Free of pain or discomfort	821
HSC6_29	Intensity of pain or discomfort	822
HSC6_3	Able to see	805
HSC6_30	Number of activities prevented by pain / discomfort	822
HSC6_4	Sees well enough to recognize friend without glasses	806
HSC6_5	Sees well enough to recognize friend with glasses	806
HSC6_6	Hears in group of people without hearing aid	807

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 29

Topical Index

June, 1998

Variable Name	Description	Page
HSC6_7	Hears in group of people with hearing aid	808
HSC6_7A	Able to hear	808
HSC6_8	Hears in quiet room without hearing aid	809
HSC6_9	Hears in quiet room with hearing aid	809
HSC6DCOG	Derived cognition - function code	821
HSC6DDEX	Derived dexterity trouble - function code	818
HSC6DEMO	Derived emotional problems - function code	819
HSC6DHER	Derived hearing problems - function code	810
HSC6DHSI	Derived Health Status Index (3 decimal places)	824
HSC6DMOB	Derived mobility trouble - function code	816
HSC6DPAD	Derived activities prevented-pain/discomfort - function code	823
HSC6DSEV	Derived severity of pain - function code	823
HSC6DSPE	Derived speech trouble - function code	812
HSC6DVIS	Derived vision trouble - function code	807
HSK6_25A	Event causing great amount of worry or unhappiness	824
HSK6_31A	Worry or unhappiness - death in family	825
HSK6_31B	Worry or unhappiness - divorce / separation	825
HSK6_31C	Worry or unhappiness - move	826
HSK6_31D	Worry or unhappiness - illness / injury of family member	826
HSK6_31E	Worry or unhappiness - conflict between parents	827
HSK6_31F	Worry or unhappiness - other event	827
HV : HIV		
HVS6_1	Tissue sample given for life insurance	791
HVS6_2	Donated blood at the Red Cross	791
HVS6_3	Year of last blood donation	792
HVS6_4	Test for HIV or AIDS other than for insurance / blood donat.	792
HVS6_5	Year of last HIV / AIDS test	793
HVS6_6	Reason for HIV / AIDS test	793
HVS6_7	Received "clotting factor" between 1978 and 1985	794
HVS6_8	Received a blood transfusion between 1978 and 1985	794
HVS6_9	Has injected non-prescription drugs	795
H : Height and weight		
HWC4_1	Currently pregnant	158
HWC4_2HT	Height - adults	160

Topical Index

June, 1998

Variable Name	Description	Page
HWC4_3KG	Weight - kilograms	161
HWC4_3LB	Weight - pounds	161
HWC4_HT	Height - adults and children	164
HWC4DBMI	Derived Body Mass Index (1 decimal place)	166
HWC4DSW	Derived standard weight	166
HWC6_1	Currently pregnant	644
HWC6_2HT	Height - adults	645
HWC6_3KG	Weight - kilograms	649
HWC6_3LB	Weight - pounds	649
HWC6_HT	Height - adults and children	647
HWC6DBMI	Derived Body Mass Index (1 decimal place)	652
HWC6DSW	Derived standard weight	653
HWS6_1	Respondent's opinion of own weight	653
HWS6_2KG	Desired weight - kilograms	654
HWS6_2LB	Desired weight - pounds	654
HWS6_4	Most important thing done to follow a healthy diet	655
HWS6_5	Skipping breakfast can control / reduce weight	655
IJ : Injury		
IJC4_1	Had an injury limiting normal activities	230
IJC4_2	Number of times injured	231
IJC4_3	Type of injury	231
IJC4_4	Body part affected by injury	232
IJC4_5	Place where injury happened	233
IJC4_6	Reason for injury	234
IJC4_7	Injury occurred at work	235
IJC4_8A	To avoid the injury recurring - gave up the activity	235
IJC4_8B	To avoid the injury recurring - being more careful	235
IJC4_8C	To avoid the injury recurring - safety training	236
IJC4_8D	To avoid the injury recurring - protective gear	236
IJC4_8E	To avoid the injury recurring - changing physical situation	236
IJC4_8F	To avoid the injury recurring - other precaution	237
IJC4_8G	To avoid the injury recurring - no precautions taken	237
IJC4_8H	To avoid the injury recurring - increased child supervision	237
IJC4D1	Derived type of injury by body site	232
IJC4D2	Derived cause of injury by place of occurrence	234

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 31

Topical Index

June, 1998

Variable Name	Description	Page
IJC6_1	Had an injury limiting normal activities	876
IJC6_2	Number of times injured	877
IJC6_3	Type of injury	877
IJC6_4	Body part affected by injury	878
IJC6_5	Place where injury happened	879
IJC6_6	Reason for injury	880
IJC6_7	Injury occurred at work	881
IJC6_8A	To avoid the injury recurring - gave up the activity	881
IJC6_8B	To avoid the injury recurring - being more careful	882
IJC6_8C	To avoid the injury recurring - safety training	882
IJC6_8D	To avoid the injury recurring - protective gear	883
IJC6_8E	To avoid the injury recurring - changing physical situation	883
IJC6_8F	To avoid the injury recurring - other precaution	884
IJC6_8G	To avoid the injury recurring - no precautions taken	884
IJC6D1	Derived type of injury by body site	885
IJC6D2	Derived cause of injury by place of occurrence	885

IN : Income

INC4_1A	Source of income - wages and salaries	15
INC4_1B	Source of income - income from self-employment	16
INC4_1C	Source of income - dividends and interest	16
INC4_1D	Source of income - unemployment insurance	17
INC4_1E	Source of income - worker's compensation	17
INC4_1F	Source of income - benefits from Can. / Que. Pension Plan	18
INC4_1G	Source - retirement pensions, superannuation and annuities	18
INC4_1H	Source of income - Old Age Security	19
INC4_1I	Source of income - child tax benefit	19
INC4_1J	Source of income - social assistance	20
INC4_1K	Source of income - child support	20
INC4_1L	Source of income - alimony	21
INC4_1M	Source of income - other	21
INC4_1N	Source of income - none	22
INC4_2	Main source of household income	23
INC4_3A	Total household income: < \$20,000 or >= \$20,000	24
INC4_3B	Total household income: < \$10,000 or >= \$10,000	24
INC4_3C	Total household income: < \$5,000 or >= \$5,000	25

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 32

Topical Index

June, 1998

Variable Name	Description	Page
INC4_3D	Total household income: < \$15,000 or >= \$15,000	25
INC4_3E	Total household income: < \$40,000 or >= \$40,000	26
INC4_3F	Total household income: < \$30,000 or >= \$30,000	26
INC4_3G	Total household income: >= \$50,000	27
INC4CCPI	1994 Consumer Price Index (All items 1986=100)	29
INC4DHH	Derived total household income from all sources	29
INC4DIA2	Derived income adequacy - 2 groups	27
INC4DIA4	Derived income adequacy - 4 groups	28
INC4DIA5	Derived income adequacy - 5 groups	28
INC4F1	Household questions asked of this H05 respondent	153
INC6_1A	Source of income - wages and salaries	424
INC6_1B	Source of income - income from self-employment	424
INC6_1C	Source of income - dividends and interest	425
INC6_1D	Source of income - unemployment insurance	425
INC6_1E	Source of income - worker's compensation	426
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	426
INC6_1G	Source - retirement pensions, superannuation and annuities	427
INC6_1H	Source of income - Old Age Security	427
INC6_1I	Source of income - child tax benefit	428
INC6_1J	Source of income - social assistance	428
INC6_1K	Source of income - child support	429
INC6_1L	Source of income - alimony	429
INC6_1M	Source of income - other	430
INC6_1N	Source of income - none	430
INC6_2	Main source of household income	431
INC6_3A	Total household income: < \$20,000 or >= \$20,000	432
INC6_3B	Total household income: < \$10,000 or >= \$10,000	432
INC6_3C	Total household income: < \$5,000 or >= \$5,000	433
INC6_3D	Total household income: < \$15,000 or >= \$15,000	433
INC6_3E	Total household income: < \$40,000 or >= \$40,000	434
INC6_3F	Total household income: < \$30,000 or >= \$30,000	434
INC6_3G	Total household income: >= \$50,000	435
INC6CCPI	1996 Consumer Price Index (All items 1986=100)	437
INC6DHH	Derived total household income from all sources	437
INC6DIA2	Derived income adequacy - 2 groups	435
INC6DIA4	Derived income adequacy - 4 groups	436

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 33

Topical Index

June, 1998

Variable Name	Description	Page
INC6DIA5	Derived income adequacy - 5 groups	436
INC6F1	Household questions asked of this H05 respondent	423
INS6_4	Household ran out of money to buy food	438
INS6_5	Received food from a charity	438
INS6_6	Description of food situation	439
IS : Insurance		
IS_6D1	Derived number of types of medical insurance	790
LF : Labour force		
LFC4_1	Current main activity	120
LFC4_101	Usually works weekends - job 1	123
LFC4_102	Usually works weekends - job 2	127
LFC4_103	Usually works weekends - job 3	130
LFC4_111	Worked - other than job 1	124
LFC4_112	Worked - other than job 1 and job 2	127
LFC4_13C	Long answer collected - main job industry	131
LFC4_14C	Long answer collected - main job kind of work	132
LFC4_15C	Long answer collected - main job duties	132
LFC4_16	Worked for others or in own business - main job	133
LFC4_17A	Reason for not working - most recent period	140
LFC4_2	Worked for pay or profit	120
LFC4_41	Had job one year ago without break - job 1	121
LFC4_42	Had job one year ago without break - job 2	125
LFC4_43	Had job one year ago without break - job 3	128
LFC4_51	Date started - job 1 (MM/DD/YY)	121
LFC4_52	Date started - job 2 (MM/DD/YY)	125
LFC4_53	Date started - job 3 (MM/DD/YY)	128
LFC4_61	Has job now - job 1	122
LFC4_62	Has job now - job 2	125
LFC4_63	Has job now - job 3	128
LFC4_71	Date stopped - job 1 (MM/DD/YY)	122
LFC4_72	Date stopped - job 2 (MM/DD/YY)	126
LFC4_73	Date stopped - job 3 (MM/DD/YY)	129
LFC4_81	Hours usually worked per week - job 1	122
LFC4_82	Hours usually worked per week - job 2	126

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 34

Topical Index

June, 1998

Variable Name	Description	Page
LFC4_83	Hours usually worked per week - job 3	129
LFC4_91	Type of working hours - job 1	123
LFC4_92	Type of working hours - job 2	126
LFC4_93	Type of working hours - job 3	130
LFC4_E1C	Long answer collected - employer - job 1	121
LFC4_E2C	Long answer collected - employer - job 2	124
LFC4_E3C	Long answer collected - employer - job 3	127
LFC4CSIC	Standard Industrial Codes for main job	136
LFC4CSOC	Standard Occupation Codes for main job	133
LFC4DBLI	Derived Blishen socio-economic index for main job	137
LFC4DCMN	Derived main job is the current job	145
LFC4DCWS	Derived working status in last 12 months	141
LFC4DD1	Derived work duration - job 1	147
LFC4DD2	Derived work duration - job 2	148
LFC4DD3	Derived work duration - job 3	149
LFC4DDA	Derived duration of work without a break > 30 days	142
LFC4DDMN	Derived work duration - main job	145
LFC4DGA	Derived number of gaps of 30 days or more	144
LFC4DH1	Derived hours of work - job 1	149
LFC4DH2	Derived hours of work - job 2	150
LFC4DH3	Derived hours of work - job 3	150
LFC4DHA	Derived pattern of working hours of all jobs reported	143
LFC4DHMN	Derived hours of work - main job	146
LFC4DJA	Derived number of jobs	143
LFC4DJGA	Derived pattern of number of jobs	144
LFC4DOMN	Derived job number of old main job	152
LFC4DPIN	Derived Pineo socio-econ. class. for main occupation	138
LFC4DT1	Derived type of working hours - job 1	151
LFC4DT2	Derived type of working hours - job 2	151
LFC4DT3	Derived type of working hours - job 3	152
LFC4DTMN	Derived type of working hours - main job	146
LFC4FGAP	Jobless spell (gap) greater than 6 days	139
LFC4FMN	Job number of main job	131
LFC4FWK	Work flag used for processing only	140
LFC4G17B	Reasons for not currently working - grouped	137
LFC4GI13	Industry Codes for main job - 13 groups - grouped	136

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 35

Topical Index

June, 1998

Variable Name	Description	Page
LFC4GO21	Occupation Codes for main job - 21 groups - grouped	135
LFC4GO34	Occupation Codes for main job - 34 groups - grouped	134
LFC6_101	Usually works weekends - job 1	591
LFC6_102	Usually works weekends - job 2	597
LFC6_103	Usually works weekends - job 3	603
LFC6_111	Worked - other than job 1	592
LFC6_112	Worked - other than job 1 and job 2	598
LFC6_13C	Long answer collected - main job industry	604
LFC6_14C	Long answer collected - main job kind of work	605
LFC6_15C	Long answer collected - main job duties	605
LFC6_16	Worked for others or in own business - main job	606
LFC6_17A	Reason for not working - most recent period	607
LFC6_17B	Reason for not working - currently	608
LFC6_2	Worked for pay or profit	584
LFC6_2B	Worked for same employer as in last interview	585
LFC6_41	Had job one year ago without break - job 1	586
LFC6_42	Had job one year ago without break - job 2	592
LFC6_43	Had job one year ago without break - job 3	598
LFC6_51D	Day started - job 1	587
LFC6_51M	Month started - job 1	587
LFC6_51Y	Year started - job 1	588
LFC6_52D	Day started - job 2	593
LFC6_52M	Month started - job 2	593
LFC6_52Y	Year started - job 2	594
LFC6_53D	Day started - job 3	599
LFC6_53M	Month started - job 3	599
LFC6_53Y	Year started - job 3	600
LFC6_61	Has job now - job 1	588
LFC6_62	Has job now - job 2	594
LFC6_63	Has job now - job 3	600
LFC6_71D	Day stopped - job 1	589
LFC6_71M	Month stopped - job 1	589
LFC6_71Y	Year stopped - job 1	590
LFC6_72D	Day stopped - job 2	595
LFC6_72M	Month stopped - job 2	595
LFC6_72Y	Year stopped - job 2	596

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 36

Topical Index

June, 1998

Variable Name	Description	Page
LFC6_73D	Day stopped - job 3	601
LFC6_73M	Month stopped - job 3	601
LFC6_73Y	Year stopped - job 3	602
LFC6_81	Hours usually worked per week - job 1	590
LFC6_82	Hours usually worked per week - job 2	596
LFC6_83	Hours usually worked per week - job 3	602
LFC6_91	Type of working hours - job 1	591
LFC6_92	Type of working hours - job 2	597
LFC6_93	Type of working hours - job 3	603
LFC6_E1C	Long answer collected - employer - job 1	585
LFC6_E2C	Long answer collected - employer - job 2	592
LFC6_E3C	Long answer collected - employer - job 3	598
LFC6CSIC	Standard Industrial Codes for main job	613
LFC6CSOC	Standard Occupation Codes for main job	610
LFC6DBLI	Derived Blishen socio-economic index for main job	614
LFC6DCMN	Derived main job is the current job	618
LFC6DCWS	Derived working status in last 12 months	615
LFC6DD1	Derived work duration - job 1	620
LFC6DD2	Derived work duration - job 2	621
LFC6DD3	Derived work duration - job 3	622
LFC6DDA	Derived duration of work without a break > 30 days	615
LFC6DDMN	Derived work duration - main job	618
LFC6DGA	Derived number of gaps of 30 days or more	617
LFC6DH1	Derived hours of work - job 1	622
LFC6DH2	Derived hours of work - job 2	623
LFC6DH3	Derived hours of work - job 3	623
LFC6DHA	Derived pattern of working hours of all jobs reported	616
LFC6DHMN	Derived hours of work - main job	619
LFC6DHW1	Derived household labour force status - current	625
LFC6DHW2	Derived household labour force status - during year	626
LFC6DJA	Derived number of jobs	616
LFC6DJGA	Derived pattern of number of jobs	617
LFC6DPIN	Derived Pineo socio-econ. class. for main occupation	614
LFC6DT1	Derived type of working hours - job 1	624
LFC6DT2	Derived type of working hours - job 2	624
LFC6DT3	Derived type of working hours - job 3	625

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 37

Topical Index

June, 1998

Variable Name	Description	Page
LFC6DTMN	Derived type of working hours - main job	619
LFC6FGAP	Jobless spell (gap) greater than 6 days	609
LFC6FMN	Job number of main job	604
LFC6FWK	Work flag used for processing only	609
LFC6GI13	Industry Codes for main job - 13 groups - grouped	613
LFC6GO21	Occupation Codes for main job - 21 groups - grouped	612
LFC6GO34	Occupation Codes for main job - 34 groups - grouped	611
LFC6LEMP	Change in employment between 1994 and 1996	626
MH : Mental health		
MHC4_10	Depressed - frequency of trouble falling asleep	355
MHC4_11	Depressed - trouble concentrating	356
MHC4_12	Depressed - felt down on self	356
MHC4_13	Depressed - thought a lot about death	357
MHC4_14	Depressed - number of weeks in past 12 months	357
MHC4_15	Month in which depression occurred	358
MHC4_16	Lost interest in most things that usually give pleasure	358
MHC4_17	Loss of interest - duration	359
MHC4_18	Loss of interest - frequency	359
MHC4_19	Loss of interest - felt tired all the time	360
MHC4_1A	Number of times - felt nothing could cheer you up	345
MHC4_1B	Number of times - felt nervous	345
MHC4_1C	Number of times - felt restless / fidgety	346
MHC4_1D	Number of times - felt hopeless	346
MHC4_1E	Number of times - felt worthless	347
MHC4_1F	Number of times - felt everything was an effort	347
MHC4_1G	Feelings occurred more or less often than usual	348
MHC4_1H	Feelings occurred how much more often	348
MHC4_1I	Feelings occurred how much less often	349
MHC4_1J	How much these experiences interfere with life / activities	349
MHC4_1K	Consulted health professional about mental health	350
MHC4_1L	No. of times consulted health professional for mental health	350
MHC4_2	Felt depressed for 2 weeks or more in past year	351
MHC4_20	Loss of interest - any weight change	360
MHC4_21K	Loss of interest - weight change (kg)	361
MHC4_21L	Loss of interest - weight change (lb)	361

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 38

Topical Index

June, 1998

Variable Name	Description	Page
MHC4_22	Loss of interest - trouble falling asleep	361
MHC4_23	Loss of interest - frequency of sleep problem	362
MHC4_24	Loss of interest - trouble concentrating	362
MHC4_25	Loss of interest - felt down on self	363
MHC4_26	Loss of interest - thought a lot about death	363
MHC4_27	Number of weeks feeling loss of interest	364
MHC4_28	Month in which loss of interest occurred	364
MHC4_3	Depressed - length of time feelings usually last	351
MHC4_4	Depressed - number of times felt this way	352
MHC4_5	Depressed - lost interest in most things	352
MHC4_6	Depressed - felt tired all of the time	353
MHC4_7	Depressed - any weight change	353
MHC4_8KG	Depressed - weight change (kg)	354
MHC4_8LB	Depressed - weight change (lb)	354
MHC4_9	Depressed - trouble falling asleep	355
MHC4DCH	Derived Chronicity of Distress and Impairment Scale	365
MHC4DDS	Derived Distress Scale	365
MHC4DMT	Derived specific month when felt depressed	367
MHC4DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	366
MHC4DSF	Derived Depression Scale - Short Form Score	366
MHC4DWK	Derived number of weeks felt depressed	366
MHC6_10	Depressed - frequency of trouble falling asleep	1005
MHC6_11	Depressed - trouble concentrating	1006
MHC6_12	Depressed - felt down on self	1006
MHC6_13	Depressed - thought a lot about death	1007
MHC6_14	Depressed - number of weeks in past 12 months	1007
MHC6_15	Month in which depression occurred	1008
MHC6_16	Lost interest in most things that usually give pleasure	1008
MHC6_17	Loss of interest - duration	1009
MHC6_18	Loss of interest - frequency	1009
MHC6_19	Loss of interest - felt tired all the time	1010
MHC6_1A	Number of times - felt nothing could cheer you up	992
MHC6_1B	Number of times - felt nervous	992
MHC6_1C	Number of times - felt restless / fidgety	993
MHC6_1D	Number of times - felt hopeless	993
MHC6_1E	Number of times - felt worthless	994

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 39

Topical Index

June, 1998

Variable Name	Description	Page
MHC6_1F	Number of times - felt everything was an effort	994
MHC6_1G	Feelings occurred more or less often than usual	995
MHC6_1H	Feelings occurred how much more often	995
MHC6_1I	Feelings occurred how much less often	996
MHC6_1J	How much these experiences interfere with life / activities	996
MHC6_1K	Consulted health professional about mental health	997
MHC6_1L	No. of times consulted health professional for mental health	997
MHC6_1MA	Mental health, consulted - family doctor	998
MHC6_1MB	Mental health, consulted - psychiatrist	998
MHC6_1MC	Mental health, consulted - psychologist	999
MHC6_1MD	Mental health, consulted - nurse	999
MHC6_1ME	Mental health, consulted - social worker or counselor	1000
MHC6_1MF	Mental health, consulted - other person	1000
MHC6_2	Felt depressed for 2 weeks or more in past year	1001
MHC6_20	Loss of interest - weight change	1010
MHC6_21K	Loss of interest - weight change (kg.)	1011
MHC6_21L	Loss of interest - weight change (lb.)	1011
MHC6_22	Loss of interest - trouble falling asleep	1012
MHC6_23	Loss of interest - frequency of sleep problem	1012
MHC6_24	Loss of interest - trouble concentrating	1013
MHC6_25	Loss of interest - felt down on self	1013
MHC6_26	Loss of interest - thought a lot about death	1014
MHC6_27	Number of weeks feeling loss of interest	1014
MHC6_28	Month in which loss of interest occurred	1015
MHC6_3	Depressed - length of time feelings usually last	1001
MHC6_4	Depressed - number of times felt this way	1002
MHC6_5	Depressed - lost interest in most things	1002
MHC6_6	Depressed - felt tired all of the time	1003
MHC6_7	Depressed - weight change	1003
MHC6_8KG	Depressed - weight change (kg.)	1004
MHC6_8LB	Depressed - weight change (lb.)	1004
MHC6_9	Depressed - trouble falling asleep	1005
MHC6DCH	Derived Chronicity of Distress and Impairment Scale	1016
MHC6DDS	Derived Distress Scale	1015
MHC6DMT	Derived specific month when felt depressed	1018
MHC6DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	1017

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 40

Topical Index

June, 1998

Variable Name	Description	Page
MHC6DSF	Derived Depression Scale - Short Form Score	1016
MHC6DWK	Derived number of weeks felt depressed	1017
PA : Physical activity		
PAC4_1A	Walked for exercise in last 3 months	190
PAC4_1B	Gardening / yard work in last 3 months	191
PAC4_1C	Swam in last 3 months	191
PAC4_1D	Bicycled in last 3 months	192
PAC4_1E	Popular or social dance in last 3 months	192
PAC4_1F	Home exercises in last 3 months	193
PAC4_1G	Played ice hockey in last 3 months	193
PAC4_1H	Ice skated in last 3 months	194
PAC4_1I	Downhill skied in last 3 months	194
PAC4_1J	Jogged or ran in last 3 months	195
PAC4_1K	Golfed in last 3 months	195
PAC4_1L	Had exercise class or did aerobics in last 3 months	196
PAC4_1M	Cross-country skied in last 3 months	196
PAC4_1N	Bowled in last 3 months	197
PAC4_1O	Played baseball or softball in last 3 months	197
PAC4_1P	Played tennis in last 3 months	198
PAC4_1Q	Weight-trained in last 3 months	198
PAC4_1R	Fished in last 3 months	199
PAC4_1S	Played volleyball in last 3 months	199
PAC4_1U	Did other physical activity in last 3 months - (#1)	200
PAC4_1V	Did no physical activity in last 3 months	201
PAC4_1W	Did other physical activity in last 3 months - (#2)	202
PAC4_1X	Did other physical activity in last 3 months - (#3)	202
PAC4_1Z	Did yoga or tai-chi in last 3 months	200
PAC4_2A	Number of times participated - walking for exercise	203
PAC4_2B	Number of times participated - gardening or yard work	204
PAC4_2C	Number of times participated - swimming	205
PAC4_2D	Number of times participated - bicycling	206
PAC4_2E	Number of times participated - popular or social dance	207
PAC4_2F	Number of times participated - home exercises	208
PAC4_2G	Number of times participated - ice hockey	209
PAC4_2H	Number of times participated - ice skating	210

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 41

Topical Index

June, 1998

Variable Name	Description	Page
PAC4_2I	Number of times participated - downhill skiing	211
PAC4_2J	Number of times participated - jogging or running	212
PAC4_2K	Number of times participated - golfing	213
PAC4_2L	Number of times participated - exercise class or aerobics	214
PAC4_2M	Number of times participated - cross-country skiing	215
PAC4_2N	Number of times participated - bowling	216
PAC4_2O	Number of times participated - baseball or softball	217
PAC4_2P	Number of times participated - tennis	218
PAC4_2Q	Number of times participated - weight training	219
PAC4_2R	Number of times participated - fishing	220
PAC4_2S	Number of times participated - volleyball	221
PAC4_2U	Number of times participated - other physical activity (#1)	223
PAC4_2W	Number of times participated - other physical activity (#2)	224
PAC4_2X	Number of times participated - other physical activity (#3)	225
PAC4_2Z	Number of times participated - yoga or tai-chi	222
PAC4_3A	Time spent - walking for exercise	204
PAC4_3B	Time spent - gardening or yard work	205
PAC4_3C	Time spent - swimming	206
PAC4_3D	Time spent - bicycling	207
PAC4_3E	Time spent - popular or social dance	208
PAC4_3F	Time spent - home exercises	209
PAC4_3G	Time spent - ice hockey	210
PAC4_3H	Time spent - ice skating	211
PAC4_3I	Time spent - downhill skiing	212
PAC4_3J	Time spent - jogging or running	213
PAC4_3K	Time spent - golfing	214
PAC4_3L	Time spent - exercise class or aerobics	215
PAC4_3M	Time spent - cross-country skiing	216
PAC4_3N	Time spent - bowling	217
PAC4_3O	Time spent - baseball or softball	218
PAC4_3P	Time spent - tennis	219
PAC4_3Q	Time spent - weight training	220
PAC4_3R	Time spent - fishing	221
PAC4_3S	Time spent - volleyball	222
PAC4_3U	Time spent - other physical activity (#1)	224
PAC4_3W	Time spent - other physical activity (#2)	225

Topical Index

June, 1998

Variable Name	Description	Page
PAC4_3X	Time spent - other physical activity (#3)	226
PAC4_3Z	Time spent - yoga or tai-chi	223
PAC4_4A	Number of hours walking to work / school	226
PAC4_4B	Number of hours biking to work / school	227
PAC4_5	Frequency of bike helmet use	227
PAC4_6	Level of physical activity for usual day	228
PAC4_C1C	Long answer collected - other physical activity (#1)	201
PAC4_C2C	Long answer collected - other physical activity (#2)	202
PAC4_C3C	Long answer collected - other physical activity (#3)	203
PAC4DEE	Derived energy expenditure (1 decimal point)	228
PAC4DFD	Derived participation / daily phys. activities > 15 min.	230
PAC4DFM	Derived monthly freq. of physical activity lasting > 15 min.	229
PAC4DFR	Derived frequency of all physical activity	229
PAC4DLEI	Derived participation in leisure physical activity	229
PAC4DPAI	Derived physical activity index	230
PAC6_1A	Walked for exercise in last 3 months	828
PAC6_1B	Gardening / yard work in last 3 months	828
PAC6_1C	Swam in last 3 months	829
PAC6_1D	Bicycled in last 3 months	829
PAC6_1E	Popular or social dance in last 3 months	830
PAC6_1F	Home exercises in last 3 months	830
PAC6_1G	Played ice hockey in last 3 months	831
PAC6_1H	Ice skated in last 3 months	831
PAC6_1I	Downhill skied in last 3 months	832
PAC6_1J	Jogged or ran in last 3 months	832
PAC6_1K	Golfed in last 3 months	833
PAC6_1L	Had exercise class or did aerobics in last 3 months	833
PAC6_1M	Cross-country skied in last 3 months	834
PAC6_1N	Bowled in last 3 months	834
PAC6_1O	Played baseball or softball in last 3 months	835
PAC6_1P	Played tennis in last 3 months	835
PAC6_1Q	Weight-trained in last 3 months	836
PAC6_1R	Fished in last 3 months	836
PAC6_1S	Played volleyball in last 3 months	837
PAC6_1T	Played basketball in last 3 months	837
PAC6_1U	Did other physical activity in last 3 months - (#1)	838

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 43

Topical Index

June, 1998

Variable Name	Description	Page
PAC6_1V	Did no physical activity in last 3 months	838
PAC6_1W	Did other physical activity in last 3 months - (#2)	839
PAC6_1X	Did other physical activity in last 3 months - (#3)	840
PAC6_2A	Number of times participated - walking for exercise	840
PAC6_2B	Number of times participated - gardening or yard work	841
PAC6_2C	Number of times participated - swimming	842
PAC6_2D	Number of times participated - bicycling	843
PAC6_2E	Number of times participated - popular or social dance	844
PAC6_2F	Number of times participated - home exercises	845
PAC6_2G	Number of times participated - ice hockey	846
PAC6_2H	Number of times participated - ice skating	847
PAC6_2I	Number of times participated - downhill skiing	848
PAC6_2J	Number of times participated - jogging or running	849
PAC6_2K	Number of times participated - golfing	850
PAC6_2L	Number of times participated - exercise class or aerobics	851
PAC6_2M	Number of times participated - cross-country skiing	852
PAC6_2N	Number of times participated - bowling	853
PAC6_2O	Number of times participated - baseball or softball	854
PAC6_2P	Number of times participated - tennis	855
PAC6_2Q	Number of times participated - weight training	856
PAC6_2R	Number of times participated - fishing	857
PAC6_2S	Number of times participated - volleyball	858
PAC6_2T	Number of times participated - basketball	859
PAC6_2U	Number of times participated - other physical activity (#1)	860
PAC6_2W	Number of times participated - other physical activity (#2)	861
PAC6_2X	Number of times participated - other physical activity (#3)	862
PAC6_3A	Time spent - walking for exercise	841
PAC6_3B	Time spent - gardening or yard work	842
PAC6_3C	Time spent - swimming	843
PAC6_3D	Time spent - bicycling	844
PAC6_3E	Time spent - popular or social dance	845
PAC6_3F	Time spent - home exercises	846
PAC6_3G	Time spent - ice hockey	847
PAC6_3H	Time spent - ice skating	848
PAC6_3I	Time spent - downhill skiing	849
PAC6_3J	Time spent - jogging or running	850

Topical Index

June, 1998

Variable Name	Description	Page
PAC6_3K	Time spent - golfing	851
PAC6_3L	Time spent - exercise class or aerobics	852
PAC6_3M	Time spent - cross-country skiing	853
PAC6_3N	Time spent - bowling	854
PAC6_3O	Time spent - baseball or softball	855
PAC6_3P	Time spent - tennis	856
PAC6_3Q	Time spent - weight training	857
PAC6_3R	Time spent - fishing	858
PAC6_3S	Time spent - volleyball	859
PAC6_3T	Time spent - basketball	860
PAC6_3U	Time spent - other physical activity (#1)	861
PAC6_3W	Time spent - other physical activity (#2)	862
PAC6_3X	Time spent - other physical activity (#3)	863
PAC6_4A	Number of hours walking to work / school	863
PAC6_4B	Number of hours biking to work / school	864
PAC6_5	Frequency of bike helmet use	864
PAC6_6	Level of physical activity for usual day	865
PAC6_C1C	Long answer collected - other physical activity (#1)	839
PAC6_C2C	Long answer collected - other physical activity (#2)	839
PAC6_C3C	Long answer collected - other physical activity (#3)	840
PAC6DEE	Derived energy expenditure (1 decimal point)	865
PAC6DFD	Derived participation / daily phys. activities > 15 min.	867
PAC6DFM	Derived monthly freq. of physical activity lasting > 15 min.	866
PAC6DFR	Derived frequency of all physical activity	866
PAC6DLEI	Derived participant in leisure physical activity	866
PAC6DPAI	Derived physical activity index	867

PC : Physical check-up

PC_6_40	Had physical check-up without having a health problem	724
PC_6_41	Had physical check-up during visit for health problem	725
PC_6_42	Last time had physical check up	725
PC_6_42A	Frequency of physical check-ups	726
PC_6_43A	Gets physical check-up - family history of health problems	726
PC_6_43B	Gets physical check-up - testing	727
PC_6_43C	Gets physical check-up - required for job, etc.	727
PC_6_43D	Gets physical check-up - make sure everything is OK	728

Topical Index

June, 1998

Variable Name	Description	Page
PC_6_43E	Gets physical check-up - catch problems early	728
PC_6_43F	Gets physical check-up - for prevention	729
PC_6_43G	Gets physical check-up - for health reasons	729
PC_6_43H	Gets physical check-up - other reason	730
PC_6_44	Had problems obtaining physical check-up	730
PC_6_45A	Prob. getting phys. check-up - not available when required	731
PC_6_45B	Prob. getting phys. check-up - not available in area	731
PC_6_45C	Prob. getting phys. check-up - waiting time too long	731
PC_6_45D	Prob. getting phys. check-up - transportation	732
PC_6_45E	Prob. getting phys. check-up - language	732
PC_6_45F	Prob. getting phys. check-up - cost	732
PC_6_45G	Prob. getting phys. check-up - did not know where to go	733
PC_6_45H	Prob. getting phys. check-up - other	733
PC_6_46A	No physical check-up - have not gotten around to it	734
PC_6_46B	No physical check-up - resp. didn't think it was neces.	734
PC_6_46C	No physical check-up - doctor didn't think it was neces.	735
PC_6_46D	No physical check-up - personal or family respons.	735
PC_6_46E	No physical check-up - not available / time required	736
PC_6_46F	No physical check-up - not available at all in area	736
PC_6_46G	No physical check-up - waiting time too long	737
PC_6_46H	No physical check-up - transportation problems	737
PC_6_46I	No physical check-up - language problem	738
PC_6_46J	No physical check-up - cost	738
PC_6_46K	No physical check-up - did not know where to go	739
PC_6_46L	No physical check-up - fear	739
PC_6_46M	No physical check-up - other reason	740
PR : Province		
PRC4_CUR	Province of residence	4
PRC6_CUR	Province of residence	410
PRC6_DES	Design province	409
PY : Psychological resources		
PY_4_E1A	Self-esteem - good	271
PY_4_E1B	Self-esteem - worthy	271
PY_4_E1C	Self-esteem - able	272

Topical Index

June, 1998

Variable Name	Description	Page
PY_4_E1D	Self-esteem - positive	272
PY_4_E1E	Self-esteem - satisfied	273
PY_4_E1F	Self-esteem - failure	273
PY_4_H1	Coherence - don't care about surroundings	278
PY_4_H10	Coherence - can't keep feelings under control	287
PY_4_H11	Coherence - clear goals and purpose	288
PY_4_H12	Coherence - keep things in proportion	289
PY_4_H13	Coherence - bored or satisfied with everyday activities	290
PY_4_H2	Coherence - surprised by other's behaviour	279
PY_4_H3	Coherence - disappointed on people he counted on	280
PY_4_H4	Coherence - treated unfairly	281
PY_4_H5	Coherence - in unfamiliar situations	282
PY_4_H6	Coherence - mixed-up feelings	283
PY_4_H7	Coherence - uncomfortable feelings	284
PY_4_H8	Coherence - loser	285
PY_4_H9	Coherence - little meaning in life	286
PY_4_M1A	Mastery - lack of control	274
PY_4_M1B	Mastery - can't solve problems	275
PY_4_M1C	Mastery - can't change things	275
PY_4_M1D	Mastery - helpless	276
PY_4_M1E	Mastery - pushed around	276
PY_4_M1F	Mastery - fate depends upon self	277
PY_4_M1G	Mastery - can do anything	277
PY_4DE1	Derived self-esteem scale	274
PY_4DH1	Derived sense of coherence scale	290
PY_4DM1	Derived mastery scale	278

RA : Restriction of activity

RAC4_1A	Limited in kind or amount of activities - at home	59
RAC4_1B	Limited in kind or amount of activities - at school	59
RAC4_1C	Limited in kind or amount of activities - at work	60
RAC4_1D	Limited in kind or amount of activities - other	60
RAC4_2	Has long-term disabilities or handicaps	61
RAC4_3C	Long answer collected - problem causing limitation	61
RAC4_5	Cause of condition	65
RAC4_6A	Needs help - preparing meals	65

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 47

Topical Index

June, 1998

Variable Name	Description	Page
RAC4_6B	Needs help - shopping for groceries or other necessities	66
RAC4_6C	Needs help - housework	66
RAC4_6D	Needs help - heavy household chores	67
RAC4_6E	Needs help - personal care	67
RAC4_6F	Needs help - moving about in the house	68
RAC4_6G	Needs help - no tasks	68
RAC4CIC	ICD-9 code for main health problem causing limitations	62
RAC4F1	Restriction of activity flag	62
RAC4GC12	Derived main health problem - 12 groups - grouped	64
RAC4GC25	Derived main health problem - 25 groups - grouped	63
RAC6_1A	Limited in kind or amount of activities - at home	486
RAC6_1B	Limited in kind or amount of activities - at school	486
RAC6_1C	Limited in kind or amount of activities - at work	487
RAC6_1D	Limited in kind or amount of activities - other	487
RAC6_2	Has long-term disabilities or handicaps	488
RAC6_2A	New activity restriction or worsening of old one	488
RAC6_2B	Disappearance or improvement of activity restriction	489
RAC6_3C	Long answer collected - problem causing limitation	489
RAC6_5	Cause of condition	493
RAC6_6A	Needs help - preparing meals	493
RAC6_6B	Needs help - shopping for groceries or other necessities	494
RAC6_6C	Needs help - housework	494
RAC6_6D	Needs help - heavy household chores	495
RAC6_6E	Needs help - personal care	495
RAC6_6F	Needs help - moving about in the house	496
RAC6CIC	ICD-9 code for main health problem causing limitations	490
RAC6D6G	Derived need for help in series of tasks	496
RAC6F1	Restriction of activity flag	490
RAC6GC12	Derived main health problem - 12 groups - grouped	492
RAC6GC25	Derived main health problem - 25 groups - grouped	491
RP : Repetitive strain		
RPC6_1	Had repetitive strain injuries	873
RPC6_2	Number of repetitive strain injuries	873
RPC6_3	Body part affected by repetitive strain injury	874
RPC6_4A	Injury caused by activity at home	874

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 48

Topical Index

June, 1998

Variable Name	Description	Page
RPC6_4B	Injury caused by activity at school	875
RPC6_4C	Injury caused by leisure activities	875
RPC6_4D	Injury caused by other activity	876
RS : Road safety		
RSS6_1	Been passenger with driver who had too much to drink	1068
RSS6_10	Frequency - designated driver	1076
RSS6_2	Driver intoxicated - tried to prevent person from driving	1069
RSS6_3A	Driver intoxicated - drove person home yourself	1069
RSS6_3B	Driver intoxicated - asked someone to drive person home	1070
RSS6_3C	Driver intoxicated - asked person to take a taxi	1070
RSS6_3D	Driver intoxicated - hid person's car keys	1071
RSS6_3E	Driver intoxicated - served coffee to person	1071
RSS6_3F	Driver intoxicated - kept the person at home	1072
RSS6_3G	Driver intoxicated - other action to prevent driving	1072
RSS6_4	Has valid driver's license for a motor vehicle	1073
RSS6_5	Frequency - insisting that passengers wear their seatbelt	1073
RSS6_6	Frequency - obey speed limits	1074
RSS6_7	Number of times drank too much and drove	1074
RSS6_8	Go out with friends / family to consume alcohol	1075
RSS6_9	Have designated driver when going out	1075
RT : Rationality		
RTP4_1	Rationality - try to be reasonable and logical	379
RTP4_10	Rationality - when you don't like person	384
RTP4_11	Rationality - prevents verb. attacking / criticize others	384
RTP4_12A	Overcome fear of dentist - quiz dentist	385
RTP4_12B	Overcome fear of dentist - take a tranquilizer or drink	385
RTP4_12C	Overcome fear of dentist - try to think about other things	386
RTP4_12D	Overcome fear of dentist - be told when will feel pain	386
RTP4_12E	Overcome fear of dentist - try to sleep	387
RTP4_12F	Overcome fear of dentist - watch dentist's movements	387
RTP4_12G	Overcome fear of dentist - watch for blood	388
RTP4_12H	Overcome fear of dentist - do mental puzzles	388
RTP4_12I	Overcome fear of dentist - do other activity	389
RTP4_13A	Layoffs rumoured - find out evaluation by supervisor	389

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 49

Topical Index

June, 1998

Variable Name	Description	Page
RTP4_13B	Layoffs rumoured - review accomplishments	390
RTP4_13C	Layoffs rumoured - watch TV	390
RTP4_13D	Layoffs rumoured - remember disagreements with supervisor	391
RTP4_13E	Layoffs rumoured - try not to think about it	391
RTP4_13F	Layoffs rumoured - try not to discuss it	392
RTP4_13G	Layoffs rumoured - try to rank other employees	392
RTP4_13H	Layoffs rumoured - continue working	393
RTP4_13I	Layoffs rumoured - do other activity	393
RTP4_2	Rationality - try to understand people	380
RTP4_3	Rationality - try to act rationally	380
RTP4_4	Rationality - try to resolve conflicts without emotion	381
RTP4_5	Rationality - try to treat people rationally despite hurt	381
RTP4_6	Rationality - rely on logic	382
RTP4_7	Rationality - when someone acts against your wishes	382
RTP4_8	Rationality - rarely influenced by emotions	383
RTP4_9	Rationality - very influenced by emotions	383

SD : Socio-demographics

SDC4_1	Country of birth	83
SDC4_3	Year came to Canada	84
SDC4_4A	Ethnic origin - Canadian	86
SDC4_4B	Ethnic origin - French	86
SDC4_4C	Ethnic origin - English	87
SDC4_4D	Ethnic origin - German	87
SDC4_4E	Ethnic origin - Scottish	88
SDC4_4F	Ethnic origin - Irish	88
SDC4_4G	Ethnic origin - Italian	89
SDC4_4H	Ethnic origin - Ukrainian	89
SDC4_4I	Ethnic origin - Dutch (Netherlands)	90
SDC4_4J	Ethnic origin - Chinese	90
SDC4_4K	Ethnic origin - Jewish	91
SDC4_4L	Ethnic origin - Polish	91
SDC4_4M	Ethnic origin - Portuguese	92
SDC4_4N	Ethnic origin - South Asian	92
SDC4_4O	Ethnic origin - Black	93
SDC4_4P	Ethnic origin - North American Indian	93

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 50

Topical Index

June, 1998

Variable Name	Description	Page
SDC4_4Q	Ethnic origin - Métis	94
SDC4_4R	Ethnic origin - Inuit / Eskimo	94
SDC4_4S	Ethnic origin - other	95
SDC4_5A	Can conduct a conversation - English	95
SDC4_5B	Can conduct a conversation - French	95
SDC4_5C	Can conduct a conversation - Arabic	96
SDC4_5D	Can conduct a conversation - Chinese	96
SDC4_5E	Can conduct a conversation - Cree	96
SDC4_5F	Can conduct a conversation - German	97
SDC4_5G	Can conduct a conversation - Greek	97
SDC4_5H	Can conduct a conversation - Hungarian	97
SDC4_5I	Can conduct a conversation - Italian	98
SDC4_5J	Can conduct a conversation - Korean	98
SDC4_5K	Can conduct a conversation - Persian	98
SDC4_5L	Can conduct a conversation - Polish	99
SDC4_5M	Can conduct a conversation - Portuguese	99
SDC4_5N	Can conduct a conversation - Punjabi	99
SDC4_5O	Can conduct a conversation - Spanish	100
SDC4_5P	Can conduct a conversation - Tagalog	100
SDC4_5Q	Can conduct a conversation - Ukrainian	100
SDC4_5R	Can conduct a conversation - Vietnamese	101
SDC4_5S	Can conduct a conversation - other language	101
SDC4_6A	First language learned and still understood - English	102
SDC4_6B	First language learned and still understood - French	103
SDC4_6C	First language learned and still understood - Arabic	103
SDC4_6D	First language learned and still understood - Chinese	103
SDC4_6E	First language learned and still understood - Cree	104
SDC4_6F	First language learned and still understood - German	104
SDC4_6G	First language learned and still understood - Greek	104
SDC4_6H	First language learned and still understood - Hungarian	105
SDC4_6I	First language learned and still understood - Italian	105
SDC4_6J	First language learned and still understood - Korean	105
SDC4_6K	First language learned and still understood - Persian	106
SDC4_6L	First language learned and still understood - Polish	106
SDC4_6M	First language learned and still understood - Portuguese	106
SDC4_6N	First language learned and still understood - Punjabi	107

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 51

Topical Index

June, 1998

Variable Name	Description	Page
SDC4_6O	First language learned and still understood - Spanish	107
SDC4_6P	First language learned and still understood - Tagalog	107
SDC4_6Q	First language learned and still understood - Ukrainian	108
SDC4_6R	First language learned and still understood - Vietnamese	108
SDC4_6S	First language learned and still understood - other	108
SDC4_7A	Race or colour - White	109
SDC4_7B	Race or colour - Chinese	109
SDC4_7C	Race or colour - South Asian	110
SDC4_7D	Race or colour - Black	110
SDC4_7E	Race or colour - Native / Aboriginal peoples of N. America	111
SDC4_7F	Race or colour - Arab / West Asian	111
SDC4_7G	Race or colour - Filipino	112
SDC4_7H	Race or colour - South East Asian	112
SDC4_7J	Race or colour - Japanese	112
SDC4_7K	Race or colour - Korean	113
SDC4_7L	Race or colour - other	113
SDC4DAIM	Derived age at time of immigration	85
SDC4DLNG	Derived language resp. can conduct conversation in	102
SDC4DRAC	Derived race or colour	114
SDC4DRES	Derived length of time in Canada since immigration	85
SDC4FIMM	Flag indicating that the respondent is an immigrant	85
SDC4GCB7	Country of birth - 7 groups - grouped	84
SDC6_1	Country of birth	542
SDC6_3	Year came to Canada	543
SDC6_4A	Ethnic origin - Canadian	545
SDC6_4B	Ethnic origin - French	545
SDC6_4C	Ethnic origin - English	546
SDC6_4D	Ethnic origin - German	546
SDC6_4E	Ethnic origin - Scottish	547
SDC6_4F	Ethnic origin - Irish	547
SDC6_4G	Ethnic origin - Italian	548
SDC6_4H	Ethnic origin - Ukrainian	548
SDC6_4I	Ethnic origin - Dutch (Netherlands)	549
SDC6_4J	Ethnic origin - Chinese	549
SDC6_4K	Ethnic origin - Jewish	550
SDC6_4L	Ethnic origin - Polish	550

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 52

Topical Index

June, 1998

Variable Name	Description	Page
SDC6_4M	Ethnic origin - Portuguese	551
SDC6_4N	Ethnic origin - South Asian	551
SDC6_4O	Ethnic origin - Black	552
SDC6_4P	Ethnic origin - North American Indian	552
SDC6_4Q	Ethnic origin - Métis	553
SDC6_4R	Ethnic origin - Inuit / Eskimo	553
SDC6_4S	Ethnic origin - other	554
SDC6_5A	Can conduct a conversation - English	554
SDC6_5B	Can conduct a conversation - French	555
SDC6_5C	Can conduct a conversation - Arabic	555
SDC6_5D	Can conduct a conversation - Chinese	556
SDC6_5E	Can conduct a conversation - Cree	556
SDC6_5F	Can conduct a conversation - German	557
SDC6_5G	Can conduct a conversation - Greek	557
SDC6_5H	Can conduct a conversation - Hungarian	558
SDC6_5I	Can conduct a conversation - Italian	558
SDC6_5J	Can conduct a conversation - Korean	559
SDC6_5K	Can conduct a conversation - Persian	559
SDC6_5L	Can conduct a conversation - Polish	560
SDC6_5M	Can conduct a conversation - Portuguese	560
SDC6_5N	Can conduct a conversation - Punjabi	561
SDC6_5O	Can conduct a conversation - Spanish	561
SDC6_5P	Can conduct a conversation - Tagalog	562
SDC6_5Q	Can conduct a conversation - Ukrainian	562
SDC6_5R	Can conduct a conversation - Vietnamese	563
SDC6_5S	Can conduct a conversation - other language	563
SDC6_6A	First language learned and still understood - English	564
SDC6_6B	First language learned and still understood - French	565
SDC6_6C	First language learned and still understood - Arabic	565
SDC6_6D	First language learned and still understood - Chinese	565
SDC6_6E	First language learned and still understood - Cree	566
SDC6_6F	First language learned and still understood - German	566
SDC6_6G	First language learned and still understood - Greek	566
SDC6_6H	First language learned and still understood - Hungarian	567
SDC6_6I	First language learned and still understood - Italian	567
SDC6_6J	First language learned and still understood - Korean	567

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 53

Topical Index

June, 1998

Variable Name	Description	Page
SDC6_6K	First language learned and still understood - Persian	568
SDC6_6L	First language learned and still understood - Polish	568
SDC6_6M	First language learned and still understood - Portuguese	568
SDC6_6N	First language learned and still understood - Punjabi	569
SDC6_6O	First language learned and still understood - Spanish	569
SDC6_6P	First language learned and still understood - Tagalog	570
SDC6_6Q	First language learned and still understood - Ukrainian	570
SDC6_6R	First language learned and still understood - Vietnamese	571
SDC6_6S	First language learned and still understood - other	571
SDC6_7A	Race or colour - White	572
SDC6_7B	Race or colour - Chinese	572
SDC6_7C	Race or colour - South Asian	573
SDC6_7D	Race or colour - Black	573
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	574
SDC6_7F	Race or colour - Arab / West Asian	574
SDC6_7G	Race or colour - Filipino	575
SDC6_7H	Race or colour - South East Asian	575
SDC6_7I	Race or colour - Latin American	576
SDC6_7J	Race or colour - Japanese	576
SDC6_7K	Race or colour - Korean	577
SDC6_7L	Race or colour - other	577
SDC6CB	Code of country of birth	542
SDC6DAIM	Derived age at time of immigration	544
SDC6DLNG	Derived language resp. can conduct conversation in	564
SDC6DRAC	Derived race or colour	578
SDC6DRES	Derived length of time in Canada since immigration	544
SDC6FIMM	Flag indicating that the respondent is an immigrant	544
SDC6GCB	Country of birth - grouped	543

SH : Sexual health

SHP6_1	Effective in preventing STD - using condom	1055
SHP6_10	Chance of getting an STD	1064
SHP6_11	To prevent STD - changed sexual behaviour	1065
SHP6_12	To prevent STD - sex with only 1 partner	1065
SHP6_13	To prevent STD - using condoms	1066
SHP6_14	To prevent STD - using spermicidal jellies and foams	1066

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 54

Topical Index

June, 1998

Variable Name	Description	Page
SHP6_15	To prevent STD - more careful in selecting partners	1066
SHP6_16	To prevent STD - started being tested for STD	1067
SHP6_17	To prevent STD - insisting that partner be tested for STD	1067
SHP6_18	To prevent STD - abstaining from sexual intercourse	1067
SHP6_19	To prevent STD - other measures	1068
SHP6_2	Effective in preventing STD - birth control pill	1055
SHP6_3	Effective in preventing STD - diaphragm / sponge	1056
SHP6_4	Effective in preventing STD - spermicidal jelly / foam	1056
SHP6_5	Effective in preventing STD - asking if a partner has one	1057
SHP6_6	Effective in preventing STD - having regular partner	1057
SHP6_7	Effective in preventing STD - asking partner to go for test	1058
SHP6_8	Has sources of information on preventing STD	1058
SHP6_9A	Main source of information on STD - parents	1059
SHP6_9B	Main source of information on STD - medical professional	1059
SHP6_9C	Main source of information on STD - friends	1060
SHP6_9D	Main source of information on STD - school	1060
SHP6_9E	Main source of information on STD - church	1061
SHP6_9F	Main source of information on STD - youth club	1061
SHP6_9G	Main source of information on STD - TV / radio	1062
SHP6_9H	Main source of information on STD - magazines / newspaper	1062
SHP6_9I	Main source of information on STD - information pamphlets	1063
SHP6_9J	Main source of information on STD - books	1063
SHP6_9K	Main source of information on STD - other	1064
SHS6_1	Ever had sexual intercourse	1046
SHS6_10	Had / has - syphilis	1051
SHS6_11	Had / has - genital warts	1051
SHS6_12	Had / has - genital herpes	1052
SHS6_13	Had / has - hepatitis B	1052
SHS6_14	Has - HIV / AIDS	1053
SHS6_15	Had / has - pelvic inflammatory disease	1053
SHS6_16	Had / has - other STD	1054
SHS6_2	Age at first sexual intercourse	1046
SHS6_3	Had sexual intercourse in past 12 months	1047
SHS6_4	Number of partners (sexual intercourse)	1047
SHS6_5	Relationship lasted 12 months or longer	1048
SHS6_6	Relationships lasted less than 12 months	1048

Topical Index

June, 1998

Variable Name	Description	Page
SHS6_7	Condom use in relationship(s) lasting less than 12 months	1049
SHS6_7A	Used a condom the last time	1049
SHS6_8	Had / has - chlamydia	1050
SHS6_9	Had / has - gonorrhea	1050
SHS6D1	Derived - had at least 1 sexually-transmitted disease	1054
SM : Smoking		
SMC4_1	Household member smokes regularly inside house	170
SMC4_2	Type of smoker	170
SMC4_3	Age started smoking daily - daily smoker	171
SMC4_4	Number of cigarettes smoked each day - daily smoker	171
SMC4_4A	Ever smoked cigarettes	172
SMC4_5	Ever smoked daily	172
SMC4_6	Age started smoking daily - former daily smoker	173
SMC4_7	Number of cigarettes smoked each day - former daily smoker	173
SMC4_8	Age stopped smoking daily - former daily smoker	174
SMC4DTYP	Derived type of smoker	174
SMC4DYRS	Derived number of years smoked	175
SMC6_1	Household member smokes regularly inside house	941
SMC6_10	Reason for starting smoking	949
SMC6_11	Reason for smoking less	950
SMC6_12	Reason for smoking more	951
SMC6_2	Type of smoker	942
SMC6_3	Age started smoking daily - daily smoker	942
SMC6_4	Number of cigarettes smoked each day - daily smoker	943
SMC6_4A	Ever smoked cigarettes	944
SMC6_5	Ever smoked daily	944
SMC6_6	Age started smoking daily - former daily smoker	945
SMC6_7	Number of cigarettes smoked each day - former daily smoker	946
SMC6_8	Age stopped smoking daily - former daily smoker	946
SMC6_9	Reason for quitting smoking	948
SMC6DTYP	Derived type of smoker	951
SMC6DYRS	Derived number of years smoked	952
SMC6G3	Age started smoking daily - daily smoker - grouped	943
SMC6G6	Age started smoking daily - former daily smoker - grouped	945
SMC6G8	Age stopped smoking daily - former daily smoker - grouped	947

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 56

Topical Index

June, 1998

Variable Name	Description	Page
SMS6_12	Restrictions on smoking in work place	955
SMS6_13A	Children more likely to start smoking if their parents smoke	955
SMS6_13B	People too concerned about second-hand smoke	956
SMS6_13C	Non-smokers mind when people smoke in their presence	956
SMS6_13D	Children/ second-hand smoke / more likely to have ill health	957
SMS6_13E	Pregnant women / others living with / should not smoke	957
SMS6_13F	Provide non-smokers with a smoke-free environment at work	958
SMS6_13G	Ask permission to smoke in the presence of others	958
SMS6_13H	Lower cigarette prices lead to increased smoking	959
SMS6_14	Feels unpleasant effects from second-hand smoke	959
SMS6_15	Second-hand smoke can cause health problems in non-smoker	960
SMS6_16A	Second-hand smoke can cause lung cancer in a non-smoker	960
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	961
SMS6_16C	Second-hand smoke can cause a stroke in a non-smoker	961
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	962
SMS6_17	Smoking cigarettes can cause health problems in smoker	962
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	963
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	963
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	964
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	964
SMS6_8	Time until first cigarette after waking up	954
SMS6_9	Considering quitting smoking in next 6 months	954

SP : Sample identifiers

CYCLE	Survey cycle that household joined	418
MBRCYCLE	Cycle in which respondent joined the survey	441
SP34_CPA	Actual collection period	30
SP34_CPS	Sampled collection period	30
SP34_MET	Selection method	31
SP34_RO	Regional office code	3
SP34_TYP	Type of sample	30
SP34DCLS	Derived Cluster number	8
SP34DLFS	Derived LFS stratum number	8
SP34DNPS	Derived NPHS stratum number	7
SP34DPC	Derived postal code	8
SP36_CPA	Actual collection period	419

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 57

Topical Index

June, 1998

Variable Name	Description	Page
SP36_CPS	Sampled collection period	419
SP36_STA	Status code after processing	420
SP36DPC	Derived postal code	420
SP36FOUT	Record sent for field collection	418
SPC4LSUR	Type of questionnaire in 1994	407
SPC6_TYP	Type of sample	420
SPC6LPAT	Longitudinal response pattern	408
SPC6LSUR	Type of questionnaire in 1996	408
SPC6LYR	Year household selected as part of sample	407
SUBCYCLE	1996 sample indicator	418
SS : Social support		
SSC4_1	Member of organisation / association	367
SSC4_2	Frequency of participation in organisations / associations	368
SSC4_2A	Frequency of attending religious services	368
SSC4_3	Has someone to confide in	369
SSC4_4	Has someone to count on in crisis situation	369
SSC4_5	Has someone who gives advice when making important decisions	370
SSC4_6	Has someone to make feel loved and cared for	370
SSC4_7A	Frequency of contact with parents / in-laws	371
SSC4_7B	Frequency of contact with grandparents	372
SSC4_7C	Frequency of contact with daughters / daughters-in-law	373
SSC4_7D	Frequency of contact with sons / sons-in-law	374
SSC4_7E	Frequency of contact with brothers / sisters	375
SSC4_7F	Frequency of contact with other relatives	376
SSC4_7G	Frequency of contact with close friends	377
SSC4_7H	Frequency of contact with neighbours	378
SSC4D1	Derived social support index	378
SSC4D2	Derived social involvement score	379
SSC4D3	Derived average frequency of contacts	379
SSC6_1	Member of organization / association	1018
SSC6_2	Frequency of participation in organizations / associations	1019
SSC6_2A	Frequency of attending religious services	1019
SSC6_3	Has someone to confide in	1021
SSC6_4	Has someone to count on in crisis situation	1021
SSC6_5	Has someone who gives advice when making important decisions	1022

Topical Index

June, 1998

Variable Name	Description	Page
SSC6_6	Has someone to make feel loved and cared for	1022
SSC6_7A	Frequency of contact with parents / in-laws	1023
SSC6_7B	Frequency of contact with grandparents	1024
SSC6_7C	Frequency of contact with daughters / daughters-in-law	1025
SSC6_7D	Frequency of contact with sons / sons-in-law	1026
SSC6_7E	Frequency of contact with brothers / sisters	1027
SSC6_7F	Frequency of contact with other relatives	1028
SSC6_7G	Frequency of contact with close friends	1029
SSC6_7H	Frequency of contact with neighbours	1030
SSC6D1	Derived social support index	1030
SSC6D2	Derived social involvement score	1031
SSC6D3	Derived average frequency of contacts	1031
SSP6_1	Received care from friend / relative in the past 12 months	1035
SSP6_2	Received care from friend / relative in last month	1036
SSP6_3	Level of support from family / friends	1036
SSP6_4	Helped relative / friend with health problem	1037
SSS6_1	Spiritual values / faith play important role in life	1020
SSS6_2	Self-perception of religiousness / spirituality	1020
SSS6_3	Number of people seen socially who smoke	1032
SSS6_4	Number of people seen socially who drink too much	1032
SSS6_5A	Partner smokes cigarettes	1033
SSS6_5B	Partner exercises regularly	1033
SSS6_5C	Partner drinks too much	1034
SSS6_5D	Partner overeats	1034
SSS6_5E	Partner uses tranquilizers	1035

ST : Stress

ST_4_C1	Current stress - trying to take on too many things	238
ST_4_C10	Current stress - child seems unhappy	242
ST_4_C11	Current stress - child's behaviour is source of concern	243
ST_4_C12	Current stress - work around home not appreciated	243
ST_4_C13	Current stress - friends are a bad influence	244
ST_4_C14	Current stress - would like to move but cannot	244
ST_4_C15	Current stress - neighbourhood too noisy or polluted	245
ST_4_C16	Current stress - close relative in very bad health	245
ST_4_C17	Current stress - relative has alcohol or drug problem	246

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 59

Topical Index

June, 1998

Variable Name	Description	Page
ST_4_C18	Current stress - people are too critical	246
ST_4_C2	Current stress - pressure to conform	238
ST_4_C3	Current stress - too much expected by others	239
ST_4_C4	Current stress - lack of money	239
ST_4_C5	Current stress - partner doesn't understand you	240
ST_4_C6	Current stress - partner not affectionate	240
ST_4_C7	Current stress - partner not committed to relationship	241
ST_4_C8	Current stress - can't find someone compatible	241
ST_4_C9	Current stress - has children	242
ST_4_R1	Recent stress - attacked	251
ST_4_R10	Recent stress - child moved back	256
ST_4_R2	Recent stress - unwanted pregnancy	252
ST_4_R3	Recent stress - abortion or miscarriage	252
ST_4_R4	Recent stress - major financial crisis	253
ST_4_R5	Recent stress - failed school	253
ST_4_R6	Recent stress - experienced a change of job for a worse one	254
ST_4_R7	Recent stress - demotion or cut in pay	254
ST_4_R8	Recent stress - argues with partner	255
ST_4_R9	Recent stress - went on welfare	255
ST_4_T1	Trauma - 2 weeks or more in hospital	257
ST_4_T2	Trauma - parents divorced	258
ST_4_T3	Trauma - parents unemployed for a long time	258
ST_4_T4	Trauma - very scared	259
ST_4_T5	Trauma - sent away from home	259
ST_4_T6	Trauma - parents abused alcohol or drugs	260
ST_4_T7	Trauma - physically abused	260
ST_4_W1A	Work stress - must learn new things	261
ST_4_W1B	Work stress - high level of skill	262
ST_4_W1C	Work stress - freedom to decide	262
ST_4_W1D	Work stress - repetitive tasks	263
ST_4_W1E	Work stress - job hectic	263
ST_4_W1F	Work stress - free from conflicting demands	264
ST_4_W1G	Work stress - good job security	264
ST_4_W1H	Work stress - requires a lot of physical effort	265
ST_4_W1I	Work stress - has input	265
ST_4_W1J	Work stress - hostility or conflict with others	266

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 60

Topical Index

June, 1998

Variable Name	Description	Page
ST_4_W1K	Work stress - supervisor helpful	266
ST_4_W1L	Work stress - co-workers helpful	267
ST_4_W2	Work stress - job satisfaction	267
ST_4DC1	Derived general chronic stress index	247
ST_4DC10	Derived stress index based on family health	251
ST_4DC2	Derived specific chronic stress index	247
ST_4DC3	Derived adjusted specific chronic stress index	247
ST_4DC4	Derived personal stress index	248
ST_4DC5	Derived stress index based on financial situation	248
ST_4DC6	Derived stress index based on relationship (with partner)	249
ST_4DC7	Derived stress index based on relationship (without partner)	249
ST_4DC8	Derived stress index based on childs problems	250
ST_4DC9	Derived stress index based on environmental problems	250
ST_4DR1	Derived recent life events score - all items	256
ST_4DR2	Derived recent life events score - all valid items	256
ST_4DR3	Derived adjusted recent life events	257
ST_4DT1	Derived childhood and adult stress score	261
ST_4DW1	Derived work stress - all items	268
ST_4DW2	Derived WStress Scale: Decision latitude - Skill discretion	268
ST_4DW3	Derived WStress Scale: Decision latitude - Decision auth.	268
ST_4DW4	Derived WStress Scale: Psychological Demands	269
ST_4DW5	Derived WStress Scale: Job Insecurity	269
ST_4DW6	Derived WStress Scale: Physical Exertion	270
ST_4DW7	Derived WStress Scale: Social Support	270

SV : Health services

SVP6_1	Overall rating of health care system	1042
SVP6_2	Availability of community health care	1043
SVP6_3	Overall quality of health care in community	1043
SVP6_4	Overall availability of health care in community	1044
SVP6_5	Quality of health care in community	1044
SVP6_6	Difficulty getting health care services needed	1045
SVP6_7	Quality of health care received in past 12 months	1045

TU : Tanning and UV exposure

TUP6_1	Tried to get a suntan (sun or artificial)	868
--------	---	-----

Topical Index

June, 1998

Variable Name	Description	Page
TUP6_10	Frequency of wearing protective clothing in the sun	872
TUP6_2	Deepness of suntan	868
TUP6_3	Got sunburnt	869
TUP6_4	Number of times sunburned	869
TUP6_5	Description of worst sunburn	870
TUP6_6	Frequency of using sunscreen in summer	870
TUP6_7	Frequency of avoiding sun from 11am to 4pm	871
TUP6_8	Frequency of avoiding long periods in the sun	871
TUP6_9	Frequency of wearing sunglasses with UV protection	872
TW : Two-week disability		
TWC4_1	Stayed in bed / hospital due to illness / injury	36
TWC4_2	Number of days spent in bed	37
TWC4_3	Cut down on things normally done due to illness / injury	37
TWC4_4	Number of days cut down on things	38
TWC4_5	Has regular medical doctor	38
TWC4DDDY	Derived total number of disability days	39
TWC6_1	Stayed in bed / hospital due to illness / injury	452
TWC6_2	Number of days spent in bed	453
TWC6_3	Cut down on things normally done due to illness / injury	453
TWC6_4	Number of days cut down on things	454
TWC6_5	Has regular medical doctor	455
TWC6DDDY	Derived total number of disability days	455
VS : Violence and personal safety		
VSP6_1	Frequency of feeling safe in community	1076
VSP6_10	Number of times attacked outside of school	1080
VSP6_2	Frequency of feeling safe at home	1077
VSP6_4	Frequency of feeling safe at school	1077
VSP6_5	Number of times verbally abused at school / school bus	1078
VSP6_6	Number of times verbally threatened at school / school bus	1078
VSP6_7	Number of times attacked at school / school bus	1079
VSP6_8	Number of times verbally abused outside of school	1079
VSP6_9	Number of times verbally threatened outside of school	1080

W : Women's health

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 62

Topical Index

June, 1998

Variable Name	Description	Page
WHC4_20	Had PAP smear test	169
WHC4_22	Last time PAP smear test was done	169
WHC4_30	Ever had mammogram	167
WHC4_32	Last time mammogram was done	168
WHC4_33	Reason for last mammogram	168
WHC6_20	Had PAP smear test	672
WHC6_22	Last time PAP smear test was done	673
WHC6_23A	Had PAP smear - part of check-up	673
WHC6_23B	Had PAP smear - high risk group	674
WHC6_23C	Had PAP smear - follow-up of previous problem	674
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	675
WHC6_23E	Had PAP smear - sexually active	675
WHC6_23F	Had PAP smear - on birth control pill	676
WHC6_23G	Had PAP smear - pregnant / after delivery	676
WHC6_23H	Had PAP smear - on hormone replacement therapy	677
WHC6_23I	Had PAP smear - other reason	677
WHC6_24	Had problems getting a PAP smear test	678
WHC6_25A	Problem getting PAP smear - not available when required	678
WHC6_25B	Problem getting PAP smear - not available in area	678
WHC6_25C	Problem getting PAP smear - waiting time too long	679
WHC6_25D	Problem getting PAP smear - transportation	679
WHC6_25E	Problem getting PAP smear - language	679
WHC6_25F	Problem getting PAP smear - cost	680
WHC6_25G	Problem getting PAP smear - did not know where to go	680
WHC6_25H	Problem getting PAP smear - other	680
WHC6_26A	No PAP smear - have not gotten around to it	681
WHC6_26B	No PAP smear - respondent did not think it was necessary	681
WHC6_26C	No PAP smear - doctor did not think it was necessary	682
WHC6_26D	No PAP smear - personal or family responsibilities	682
WHC6_26E	No PAP smear - not available when required	683
WHC6_26F	No PAP smear - not available at all in area	683
WHC6_26G	No PAP smear - waiting time too long	684
WHC6_26H	No PAP smear - transportation problems	684
WHC6_26I	No PAP smear - language problem	685
WHC6_26J	No PAP smear - cost	685
WHC6_26K	No PAP smear - did not know where to go	686

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 63

Topical Index

June, 1998

Variable Name	Description	Page
WHC6_26L	No PAP smear - fear	686
WHC6_26M	No PAP smear - hysterectomy	687
WHC6_26N	No PAP smear - hate / dislike having one done	687
WHC6_26O	No PAP smear - other reason	688
WHC6_30	Ever had mammogram	688
WHC6_32	Last time mammogram was done	689
WHC6_33A	Had mammogram - family history	689
WHC6_33B	Had mammogram - regular check-up	690
WHC6_33C	Had mammogram - age	690
WHC6_33D	Had mammogram - previously detected lump	691
WHC6_33E	Had mammogram - follow-up treatment	691
WHC6_33F	Had mammogram - on hormone replacement therapy	692
WHC6_33G	Had mammogram - other reason	692
WHC6_34	Had problems getting a mammogram	693
WHC6_35A	Problem getting mammogram - not available when required	693
WHC6_35B	Problem getting mammogram - not available at all in area	693
WHC6_35C	Problem getting mammogram - waiting time too long	694
WHC6_35D	Problem getting mammogram - transportation	694
WHC6_35E	Problem getting mammogram - language	694
WHC6_35F	Problem getting mammogram - cost	695
WHC6_35G	Problem getting mammogram - did not know where to go	695
WHC6_35H	Problem getting mammogram - other	695
WHC6_36A	No mammogram - have not gotten around to it	696
WHC6_36B	No mammogram - resp. did not think it was neces.	696
WHC6_36C	No mammogram - doctor did not think it was neces.	697
WHC6_36D	No mammogram - pers. or family responsibilities	697
WHC6_36E	No mammogram - not available when required	698
WHC6_36F	No mammogram - not available at all in the area	698
WHC6_36G	No mammogram - waiting time was too long	699
WHC6_36H	No mammogram - transportation problems	699
WHC6_36I	No mammogram - language problem	700
WHC6_36J	No mammogram - cost	700
WHC6_36K	No mammogram - did not know where to go	701
WHC6_36L	No mammogram - fear	701
WHC6_36M	No mammogram - other reason	702
WHC6_90	Had breasts examined for lumps by health professional	703

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 64

Topical Index

June, 1998

Variable Name	Description	Page
WHC6_92	Last time breasts examined for lumps	703
WHC6_93A	Had breast exam - family history	704
WHC6_93B	Had breast exam - regular check-up	704
WHC6_93C	Had breast exam - age	705
WHC6_93D	Had breast exam - previously detected lump	705
WHC6_93E	Had breast exam - follow-up treatment	706
WHC6_93F	Had breast exam - on hormone replacement therapy	706
WHC6_93G	Had breast exam - other reason	707
WHC6_94	Had problems getting a breast exam	707
WHC6_95A	Problem getting breast exam - not available when required	708
WHC6_95B	Problem getting breast exam - not available in area	708
WHC6_95C	Problem getting breast exam - waiting time too long	708
WHC6_95D	Problem getting breast exam - transportation	709
WHC6_95E	Problem getting breast exam - language	709
WHC6_95F	Problem getting breast exam - cost	709
WHC6_95G	Problem getting breast exam - did not know where to go	710
WHC6_95H	Problem getting breast exam - other	710
WHC6_96A	No breast exam - have not gotten around to it	711
WHC6_96B	No breast exam - respondent did not think it was necessary	711
WHC6_96C	No breast exam - doctor did not think it was necessary	712
WHC6_96D	No breast exam - personal or family responsibilities	712
WHC6_96E	No breast exam - not available when required	713
WHC6_96F	No breast exam - not available at all in area	713
WHC6_96G	No breast exam - waiting time too long	714
WHC6_96H	No breast exam - transportation problems	714
WHC6_96I	No breast exam - language problem	715
WHC6_96J	No breast exam - cost	715
WHC6_96K	No breast exam - did not know where to go	716
WHC6_96L	No breast exam - fear	716
WHC6_96M	No breast exam - other reason	717
WHS6_37	Intend to have a mammogram in the next 2 years	702
WHS6_90	Self-examined breasts for lumps	717
WHS6_91	Frequency of breast self-examination	718
WHS6_92	How breast self-exam was learned	718

WT : Sample weights

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 65

Topical Index

June, 1998

Variable Name	Description	Page
WT66LF	Sampling weight - Longitudinal full response	1087
