

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 1

June, 1998

Variable	Length	Position	Concept
REALUKEY	15	1 - 15	Record identifier for the household
PERSONID	2	16 - 17	Record identifier for person in the household
DOB	2	18 - 19	Day of birth
MOB	2	20 - 21	Month of birth
YOB	4	22 - 25	Year of birth
SEX	1	26 - 26	Sex
SP34_RO	2	27 - 28	Regional office code
PRC4_CUR	2	29 - 30	Province of residence
GE34DURB	1	31 - 31	Derived rural and urban area
GE34DCD	2	32 - 33	Derived 1991 Census Division
GE34DCSD	3	34 - 36	Derived 1991 Census Sub-Division
GE34DCMA	3	37 - 39	Derived 1991 Census Metropolitan Area
GE34DFED	3	40 - 42	Derived 1991 Federal Electoral District
GE34DHLR	2	43 - 44	Derived health regions
SP34DNPS	5	45 - 49	Derived NPHS stratum number
SP34DLFS	5	50 - 54	Derived LFS stratum number
SP34DCLS	10	55 - 64	Derived Cluster number
SP34DPC	6	65 - 70	Derived postal code
AM34_LP	1	71 - 71	Language preference of household
DHC4_3A	1	72 - 72	Persons away from household
DHC4_3B	1	73 - 73	Other persons living in dwelling
DHC4_OWN	1	74 - 74	Dwelling owned by household member
DHC4_BED	2	75 - 76	Number of bedrooms
DH_4_P1	1	77 - 77	Pet
DH_4DP2	2	78 - 79	Derived kind of pet
DH_4_P3	1	80 - 80	Pet - lives indoors
DHC4_DWE	2	81 - 82	Type of dwelling
AM34_SRC	2	83 - 84	Record number of person providing H03 information
AM34_LNG	2	85 - 86	Language of H03 interview
DHC4DECF	2	87 - 88	Derived type of household
DHC4DLVG	2	89 - 90	Derived living arrangements of the selected respondent
INC4_1A	1	91 - 91	Source of income - wages and salaries
INC4_1B	1	92 - 92	Source of income - income from self-employment
INC4_1C	1	93 - 93	Source of income - dividends and interest
INC4_1D	1	94 - 94	Source of income - unemployment insurance
INC4_1E	1	95 - 95	Source of income - worker's compensation

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 2

June, 1998

Variable	Length	Position	Concept
INC4_1F	1	96 - 96	Source of income - benefits from Can. / Que. Pension Plan
INC4_1G	1	97 - 97	Source - retirement pensions, superannuation and annuities
INC4_1H	1	98 - 98	Source of income - Old Age Security
INC4_1I	1	99 - 99	Source of income - child tax benefit
INC4_1J	1	100 - 100	Source of income - social assistance
INC4_1K	1	101 - 101	Source of income - child support
INC4_1L	1	102 - 102	Source of income - alimony
INC4_1M	1	103 - 103	Source of income - other
INC4_1N	1	104 - 104	Source of income - none
INC4_2	2	105 - 106	Main source of household income
INC4_3A	1	107 - 107	Total household income: < \$20,000 or >= \$20,000
INC4_3B	1	108 - 108	Total household income: < \$10,000 or >= \$10,000
INC4_3C	1	109 - 109	Total household income: < \$5,000 or >= \$5,000
INC4_3D	1	110 - 110	Total household income: < \$15,000 or >= \$15,000
INC4_3E	1	111 - 111	Total household income: < \$40,000 or >= \$40,000
INC4_3F	1	112 - 112	Total household income: < \$30,000 or >= \$30,000
INC4_3G	1	113 - 113	Total household income: >= \$50,000
INC4DIA2	1	114 - 114	Derived income adequacy - 2 groups
INC4DIA4	1	115 - 115	Derived income adequacy - 4 groups
INC4DIA5	1	116 - 116	Derived income adequacy - 5 groups
INC4DHH	2	117 - 118	Derived total household income from all sources
INC4CCPI	5.1	119 - 123	1994 Consumer Price Index (All items 1986=100)
SP34_CPS	1	124 - 124	Sampled collection period
SP34_CPA	1	125 - 125	Actual collection period
SP34_TYP	1	126 - 126	Type of sample
SP34_MET	1	127 - 127	Selection method
DHC4DHSZ	2	128 - 129	Derived household size
DHC4DL25	2	130 - 131	Derived number of persons < 25 years old in household
DHC4DL12	2	132 - 133	Derived number of persons < 12 years old in household
DHC4DE12	2	134 - 135	Derived number of persons 12 years old in household
DHC4DLE5	2	136 - 137	Derived number of persons <= 5 years old in household
DHC4D611	2	138 - 139	Derived number of persons 6 to 11 years old in household
DHC4_AGE	3	140 - 142	Cycle 1 age
DHC4GAGE	2	143 - 144	Age - grouped
DHC4_MAR	2	145 - 146	Marital status
DHC4_FID	1	147 - 147	Family ID code

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 3

June, 1998

Variable	Length	Position	Concept
AM64_LNK	1	148 - 148	Permission to link data
AM54_BMM	2	149 - 150	Month of interview H05 (start)
AM54_BDD	2	151 - 152	Day of interview H05 (start)
AM54_BYY	4	153 - 156	Year of interview H05 (start)
AM54_SRC	2	157 - 158	Record number of person providing information for H05
AM54_PXY	1	159 - 159	H05 completed by proxy
TWC4_1	1	160 - 160	Stayed in bed / hospital due to illness / injury
TWC4_2	2	161 - 162	Number of days spent in bed
TWC4_3	1	163 - 163	Cut down on things normally done due to illness / injury
TWC4_4	2	164 - 165	Number of days cut down on things
TWC4_5	1	166 - 166	Has regular medical doctor
TWC4DDDY	2	167 - 168	Derived total number of disability days
HCC4_1	1	169 - 169	Overnight patient
HCC4_1A	3	170 - 172	Number of nights as patient
HCC4_2A	3	173 - 175	Number of consultations - family doctor / g.p.
HCC4_3A	2	176 - 177	Place of most recent contact - family doctor
HCC4_2B	3	178 - 180	Number of consultations - eye specialist
HCC4_2C	3	181 - 183	Number of consultations - other medical doctor
HCC4_3C	2	184 - 185	Place of most recent contact - other medical doctor
HCC4_2D	3	186 - 188	Number of consultations - nurse
HCC4_3D	2	189 - 190	Place of most recent contact - nurse
HCC4_2E	3	191 - 193	Number of consultations - dentist or orthodontist
HCC4_2F	3	194 - 196	Number of consultations - chiropractor
HCC4_2G	3	197 - 199	Number of consultations - physiotherapist
HCC4_2H	3	200 - 202	Number of consultations - social worker / counsellor
HCC4_2I	3	203 - 205	Number of consultations - psychologist
HCC4_2J	3	206 - 208	No. of consul. - speech / audiology / occupational therapist
HCK4_2OT	3	209 - 211	Number of consultations - other trained person
HCC4DMDC	3	212 - 214	Derived number of consultations with medical doctors
HCC4DHPC	1	215 - 215	Derived consultations with health professionals
HCC4_4	1	216 - 216	Consulted alternative health care provider
HCC4_5A	1	217 - 217	Alternative health care - massage therapist
HCC4_5B	1	218 - 218	Alternative health care - acupuncturist
HCC4_5C	1	219 - 219	Alternative health care - homeopath / naturopath
HCC4_5D	1	220 - 220	Alternative health care - Feldenkrais / Alexander
HCC4_5E	1	221 - 221	Alternative health care - relaxation therapist

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 4

June, 1998

Variable	Length	Position	Concept
HCC4_5F	1	222 - 222	Alternative health care - biofeedback
HCC4_5G	1	223 - 223	Alternative health care - rolfer
HCC4_5H	1	224 - 224	Alternative health care - herbalist
HCC4_5I	1	225 - 225	Alternative health care - reflexologist
HCC4_5J	1	226 - 226	Alternative health care - spiritual healer
HCC4_5K	1	227 - 227	Alternative health care - religious healer
HCC4_4A	1	228 - 228	Attended self-help group
HCC4_5L	1	229 - 229	Alternative health care - other
HCC4_6	1	230 - 230	Felt that health care was needed but didn't receive it
HCC4_7WC	1	231 - 231	Long answer collected - reason for not getting care
HCC4G7	1	232 - 232	Type of home care service - grouped
HCC4_8A	1	233 - 233	Health care not received - treat. of physical health problem
HCC4_8B	1	234 - 234	Health care not received - treat. of mental health problem
HCC4_8C	1	235 - 235	Health care not received - a regular check-up
HCC4_8D	1	236 - 236	Health care not received - care of injury
HCC4_8E	1	237 - 237	Health care not received - other type
HCC4_9	1	238 - 238	Received home care services
HCC4_SC	1	239 - 239	Long answer collected - type of home care service
HCC4_10A	1	240 - 240	Home care received - nursing care
HCC4_10C	1	241 - 241	Home care received - personal care
HCC4_10D	1	242 - 242	Home care received - housework
HCC4_10E	1	243 - 243	Home care received - meal preparation or delivery
HCC4_10F	1	244 - 244	Home care received - shopping
HCC4_10H	1	245 - 245	Home care received - other type
RAC4_1A	1	246 - 246	Limited in kind or amount of activities - at home
RAC4_1B	1	247 - 247	Limited in kind or amount of activities - at school
RAC4_1C	1	248 - 248	Limited in kind or amount of activities - at work
RAC4_1D	1	249 - 249	Limited in kind or amount of activities - other
RAC4_2	1	250 - 250	Has long-term disabilities or handicaps
RAC4_3C	1	251 - 251	Long answer collected - problem causing limitation
RAC4F1	1	252 - 252	Restriction of activity flag
RAC4CIC	5	253 - 257	ICD-9 code for main health problem causing limitations
RAC4GC25	2	258 - 259	Derived main health problem - 25 groups - grouped
RAC4GC12	2	260 - 261	Derived main health problem - 12 groups - grouped
RAC4_5	2	262 - 263	Cause of condition
RAC4_6A	1	264 - 264	Needs help - preparing meals

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 5

June, 1998

Variable	Length	Position	Concept
RAC4_6B	1	265 - 265	Needs help - shopping for groceries or other necessities
RAC4_6C	1	266 - 266	Needs help - housework
RAC4_6D	1	267 - 267	Needs help - heavy household chores
RAC4_6E	1	268 - 268	Needs help - personal care
RAC4_6F	1	269 - 269	Needs help - moving about in the house
RAC4_6G	1	270 - 270	Needs help - no tasks
CCK4_1	1	271 - 271	Frequency of nose or throat infections
CCK4_2	1	272 - 272	Has had otitis
CCK4_3	1	273 - 273	Number of times had otitis since birth
CCC4_1A	1	274 - 274	Has food allergies
CCC4_1B	1	275 - 275	Has allergies other than food allergies
CCK4_1AB	1	276 - 276	Has allergies
CCC4_1C	1	277 - 277	Has asthma
CCC4_C7	1	278 - 278	Asthma - had attack
CCC4_C8	1	279 - 279	Asthma - had wheezing or whistling in chest
CCC4_1D	1	280 - 280	Has arthritis or rheumatism
CCC4_1E	1	281 - 281	Has back problems excluding arthritis
CCC4_1F	1	282 - 282	Has high blood pressure
CCC4_1G	1	283 - 283	Has migraine headaches
CCC4_1H	1	284 - 284	Has chronic bronchitis or emphysema
CCC4_1I	1	285 - 285	Has sinusitis
CCC4_1J	1	286 - 286	Has diabetes
CCC4_1K	1	287 - 287	Has epilepsy
CCC4_1L	1	288 - 288	Has heart disease
CCC4_1M	1	289 - 289	Has cancer
CCC4_M1	1	290 - 290	Long answer collected - type of cancer
CCC4_1N	1	291 - 291	Has stomach or intestinal ulcers
CCC4_1O	1	292 - 292	Suffers from the effects of a stroke
CCC4_1P	1	293 - 293	Has urinary incontinence
CCC4_1W	1	294 - 294	Has acne
CCC4_1R	1	295 - 295	Has Alzheimer's disease or other dementia
CCC4_1S	1	296 - 296	Has cataracts
CCC4_1T	1	297 - 297	Has glaucoma
CCC4_1V	1	298 - 298	Has other chronic condition
CCC4_NON	1	299 - 299	Has no chronic conditions
CCC4DANY	1	300 - 300	Derived - has a chronic condition

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 6

June, 1998

Variable	Length	Position	Concept
SDC4_1	2	301 - 302	Country of birth
SDC4GCB7	2	303 - 304	Country of birth - 7 groups - grouped
SDC4_3	4	305 - 308	Year came to Canada
SDC4FIMM	1	309 - 309	Flag indicating that the respondent is an immigrant
SDC4DAIM	3	310 - 312	Derived age at time of immigration
SDC4DRES	3	313 - 315	Derived length of time in Canada since immigration
SDC4_4A	1	316 - 316	Ethnic origin - Canadian
SDC4_4B	1	317 - 317	Ethnic origin - French
SDC4_4C	1	318 - 318	Ethnic origin - English
SDC4_4D	1	319 - 319	Ethnic origin - German
SDC4_4E	1	320 - 320	Ethnic origin - Scottish
SDC4_4F	1	321 - 321	Ethnic origin - Irish
SDC4_4G	1	322 - 322	Ethnic origin - Italian
SDC4_4H	1	323 - 323	Ethnic origin - Ukrainian
SDC4_4I	1	324 - 324	Ethnic origin - Dutch (Netherlands)
SDC4_4J	1	325 - 325	Ethnic origin - Chinese
SDC4_4K	1	326 - 326	Ethnic origin - Jewish
SDC4_4L	1	327 - 327	Ethnic origin - Polish
SDC4_4M	1	328 - 328	Ethnic origin - Portuguese
SDC4_4N	1	329 - 329	Ethnic origin - South Asian
SDC4_4O	1	330 - 330	Ethnic origin - Black
SDC4_4P	1	331 - 331	Ethnic origin - North American Indian
SDC4_4Q	1	332 - 332	Ethnic origin - Métis
SDC4_4R	1	333 - 333	Ethnic origin - Inuit / Eskimo
SDC4_4S	1	334 - 334	Ethnic origin - other
SDC4_5A	1	335 - 335	Can conduct a conversation - English
SDC4_5B	1	336 - 336	Can conduct a conversation - French
SDC4_5C	1	337 - 337	Can conduct a conversation - Arabic
SDC4_5D	1	338 - 338	Can conduct a conversation - Chinese
SDC4_5E	1	339 - 339	Can conduct a conversation - Cree
SDC4_5F	1	340 - 340	Can conduct a conversation - German
SDC4_5G	1	341 - 341	Can conduct a conversation - Greek
SDC4_5H	1	342 - 342	Can conduct a conversation - Hungarian
SDC4_5I	1	343 - 343	Can conduct a conversation - Italian
SDC4_5J	1	344 - 344	Can conduct a conversation - Korean
SDC4_5K	1	345 - 345	Can conduct a conversation - Persian

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 7

June, 1998

Variable	Length	Position	Concept
SDC4_5L	1	346 - 346	Can conduct a conversation - Polish
SDC4_5M	1	347 - 347	Can conduct a conversation - Portuguese
SDC4_5N	1	348 - 348	Can conduct a conversation - Punjabi
SDC4_5O	1	349 - 349	Can conduct a conversation - Spanish
SDC4_5P	1	350 - 350	Can conduct a conversation - Tagalog
SDC4_5Q	1	351 - 351	Can conduct a conversation - Ukrainian
SDC4_5R	1	352 - 352	Can conduct a conversation - Vietnamese
SDC4_5S	1	353 - 353	Can conduct a conversation - other language
SDC4DLNG	2	354 - 355	Derived language resp. can conduct conversation in
SDC4_6A	1	356 - 356	First language learned and still understood - English
SDC4_6B	1	357 - 357	First language learned and still understood - French
SDC4_6C	1	358 - 358	First language learned and still understood - Arabic
SDC4_6D	1	359 - 359	First language learned and still understood - Chinese
SDC4_6E	1	360 - 360	First language learned and still understood - Cree
SDC4_6F	1	361 - 361	First language learned and still understood - German
SDC4_6G	1	362 - 362	First language learned and still understood - Greek
SDC4_6H	1	363 - 363	First language learned and still understood - Hungarian
SDC4_6I	1	364 - 364	First language learned and still understood - Italian
SDC4_6J	1	365 - 365	First language learned and still understood - Korean
SDC4_6K	1	366 - 366	First language learned and still understood - Persian
SDC4_6L	1	367 - 367	First language learned and still understood - Polish
SDC4_6M	1	368 - 368	First language learned and still understood - Portuguese
SDC4_6N	1	369 - 369	First language learned and still understood - Punjabi
SDC4_6O	1	370 - 370	First language learned and still understood - Spanish
SDC4_6P	1	371 - 371	First language learned and still understood - Tagalog
SDC4_6Q	1	372 - 372	First language learned and still understood - Ukrainian
SDC4_6R	1	373 - 373	First language learned and still understood - Vietnamese
SDC4_6S	1	374 - 374	First language learned and still understood - other
SDC4_7A	1	375 - 375	Race or colour - White
SDC4_7B	1	376 - 376	Race or colour - Chinese
SDC4_7C	1	377 - 377	Race or colour - South Asian
SDC4_7D	1	378 - 378	Race or colour - Black
SDC4_7E	1	379 - 379	Race or colour - Native / Aboriginal peoples of N. America
SDC4_7F	1	380 - 380	Race or colour - Arab / West Asian
SDC4_7G	1	381 - 381	Race or colour - Filipino
SDC4_7H	1	382 - 382	Race or colour - South East Asian

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 8

June, 1998

Variable	Length	Position	Concept
SDC4_7J	1	383 - 383	Race or colour - Japanese
SDC4_7K	1	384 - 384	Race or colour - Korean
SDC4_7L	1	385 - 385	Race or colour - other
SDC4DRAC	2	386 - 387	Derived race or colour
EDC4_4	2	388 - 389	Number of years of elementary / high school completed
EDC4_5	1	390 - 390	Graduated from high school
EDC4_6	1	391 - 391	Attended post-secondary institution
EDC4_7	2	392 - 393	Highest level of post-secondary education attained
EDC4_1	1	394 - 394	Currently attending a school, college or university
EDC4_2	1	395 - 395	Full-time student or part-time student
EDC4D1	2	396 - 397	Derived highest level of education - 14 levels
EDC4D2	2	398 - 399	Derived highest level of education - 12 levels
EDC4D3	1	400 - 400	Derived highest level of education - 4 levels
LFC4_1	2	401 - 402	Current main activity
LFC4_2	1	403 - 403	Worked for pay or profit
LFC4_E1C	1	404 - 404	Long answer collected - employer - job 1
LFC4_41	1	405 - 405	Had job one year ago without break - job 1
LFC4_51	6	406 - 411	Date started - job 1 (MM/DD/YY)
LFC4_61	1	412 - 412	Has job now - job 1
LFC4_71	6	413 - 418	Date stopped - job 1 (MM/DD/YY)
LFC4_81	3	419 - 421	Hours usually worked per week - job 1
LFC4_91	2	422 - 423	Type of working hours - job 1
LFC4_101	1	424 - 424	Usually works weekends - job 1
LFC4_111	1	425 - 425	Worked - other than job 1
LFC4_E2C	1	426 - 426	Long answer collected -employer - job 2
LFC4_42	1	427 - 427	Had job one year ago without break - job 2
LFC4_52	6	428 - 433	Date started - job 2 (MM/DD/YY)
LFC4_62	1	434 - 434	Has job now - job 2
LFC4_72	6	435 - 440	Date stopped - job 2 (MM/DD/YY)
LFC4_82	3	441 - 443	Hours usually worked per week - job 2
LFC4_92	2	444 - 445	Type of working hours - job 2
LFC4_102	1	446 - 446	Usually works weekends - job 2
LFC4_112	1	447 - 447	Worked - other than job 1 and job 2
LFC4_E3C	1	448 - 448	Long answer collected - employer - job 3
LFC4_43	1	449 - 449	Had job one year ago without break - job 3
LFC4_53	6	450 - 455	Date started - job 3 (MM/DD/YY)

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 9

June, 1998

Variable	Length	Position	Concept
LFC4_63	1	456 - 456	Has job now - job 3
LFC4_73	6	457 - 462	Date stopped - job 3 (MM/DD/YY)
LFC4_83	3	463 - 465	Hours usually worked per week - job 3
LFC4_93	2	466 - 467	Type of working hours - job 3
LFC4_103	1	468 - 468	Usually works weekends - job 3
LFC4FMN	2	469 - 470	Job number of main job
LFC4_13C	1	471 - 471	Long answer collected - main job industry
LFC4_14C	1	472 - 472	Long answer collected - main job kind of work
LFC4_15C	1	473 - 473	Long answer collected - main job duties
LFC4_16	1	474 - 474	Worked for others or in own business - main job
LFC4CSOC	4	475 - 478	Standard Occupation Codes for main job
LFC4GO34	2	479 - 480	Occupation Codes for main job - 34 groups - grouped
LFC4GO21	2	481 - 482	Occupation Codes for main job - 21 groups - grouped
LFC4CSIC	4	483 - 486	Standard Industrial Codes for main job
LFC4GI13	2	487 - 488	Industry Codes for main job - 13 groups - grouped
LFC4G17B	2	489 - 490	Reasons for not currently working - grouped
LFC4DBLI	6.2	491 - 496	Derived Blishen socio-economic index for main job
LFC4DPIN	2	497 - 498	Derived Pineo socio-econ. class. for main occupation
LFC4FGAP	1	499 - 499	Jobless spell (gap) greater than 6 days
LFC4_17A	2	500 - 501	Reason for not working - most recent period
LFC4FWK	1	502 - 502	Work flag used for processing only
EDC4DLF	1	503 - 503	Derived labour force activity of students
LFC4DCWS	1	504 - 504	Derived working status in last 12 months
LFC4DDA	2	505 - 506	Derived duration of work without a break > 30 days
LFC4DHA	1	507 - 507	Derived pattern of working hours of all jobs reported
LFC4DJA	2	508 - 509	Derived number of jobs
LFC4DJGA	2	510 - 511	Derived pattern of number of jobs
LFC4DGA	1	512 - 512	Derived number of gaps of 30 days or more
LFC4DCMN	1	513 - 513	Derived main job is the current job
LFC4DDMN	2	514 - 515	Derived work duration - main job
LFC4DHMN	1	516 - 516	Derived hours of work - main job
LFC4DTMN	2	517 - 518	Derived type of working hours - main job
LFC4DD1	2	519 - 520	Derived work duration - job 1
LFC4DD2	2	521 - 522	Derived work duration - job 2
LFC4DD3	2	523 - 524	Derived work duration - job 3
LFC4DH1	1	525 - 525	Derived hours of work - job 1

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 10

June, 1998

Variable	Length	Position	Concept
LFC4DH2	1	526 - 526	Derived hours of work - job 2
LFC4DH3	1	527 - 527	Derived hours of work - job 3
LFC4DT1	2	528 - 529	Derived type of working hours - job 1
LFC4DT2	2	530 - 531	Derived type of working hours - job 2
LFC4DT3	2	532 - 533	Derived type of working hours - job 3
LFC4DOMN	2	534 - 535	Derived job number of old main job
INC4F1	1	536 - 536	Household questions asked of this H05 respondent
AM54_TEL	1	537 - 537	H05 interview by telephone or in person
AM54_LNG	2	538 - 539	Language of H05 interview
AM54_EMM	2	540 - 541	Month of interview H05 (end)
AM54_EDD	2	542 - 543	Day of interview H05 (end)
AM54_EYY	4	544 - 547	Year of interview H05 (end)
AM64_STA	1	548 - 548	Status of health form (H06)
AM64_BMM	2	549 - 550	Month of interview H06 (start)
AM64_BDD	2	551 - 552	Day of interview H06 (start)
AM64_BYY	4	553 - 556	Year of interview H06 (start)
AM64_SRC	2	557 - 558	Record number of person providing information for H06
AM64_PXY	1	559 - 559	H06 completed by proxy
AM64_RC	1	560 - 560	Long answer collected - reason for proxy (H06)
GHC4_1	1	561 - 561	Respondent's general health
HWC4_1	1	562 - 562	Currently pregnant
GHC4_3	1	563 - 563	Planned to use services of doctor or midwife
GHC4DHDI	1	564 - 564	Derived health description index
HWC4_2HT	2	565 - 566	Height - adults
HWC4_3LB	4	567 - 570	Weight - pounds
HWC4_3KG	4	571 - 574	Weight - kilograms
GHC4_4HT	3	575 - 577	Height - children
HWC4_HT	2	578 - 579	Height - adults and children
HWC4DBMI	4.1	580 - 583	Derived Body Mass Index (1 decimal place)
HWC4DSW	1	584 - 584	Derived standard weight
BPC4_1	2	585 - 586	Last time blood pressure was taken
WHC4_30	1	587 - 587	Ever had mammogram
WHC4_32	1	588 - 588	Last time mammogram was done
WHC4_33	1	589 - 589	Reason for last mammogram
WHC4_20	1	590 - 590	Had PAP smear test
WHC4_22	1	591 - 591	Last time PAP smear test was done

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 11

June, 1998

Variable	Length	Position	Concept
SMC4_1	1	592 - 592	Household member smokes regularly inside house
SMC4_2	1	593 - 593	Type of smoker
SMC4_3	3	594 - 596	Age started smoking daily - daily smoker
SMC4_4	3	597 - 599	Number of cigarettes smoked each day - daily smoker
SMC4_4A	1	600 - 600	Ever smoked cigarettes
SMC4_5	1	601 - 601	Ever smoked daily
SMC4_6	2	602 - 603	Age started smoking daily - former daily smoker
SMC4_7	3	604 - 606	Number of cigarettes smoked each day - former daily smoker
SMC4_8	3	607 - 609	Age stopped smoking daily - former daily smoker
SMC4DTYP	2	610 - 611	Derived type of smoker
SMC4DYRS	3	612 - 614	Derived number of years smoked
ALC4_1	1	615 - 615	Drank alcohol
ALC4_2	2	616 - 617	Frequency of drinking alcohol
ALC4_3	3	618 - 620	Frequency of having 5 or more drinks
ALC4_4	3	621 - 623	Highest number of drinks on one occasion
ALC4_DAY	2	624 - 625	Day of the week that interview took place
ALC4_5	1	626 - 626	Drank alcohol in past week
ALC4_5A1	3	627 - 629	Number of drinks - Monday
ALC4_5A2	3	630 - 632	Number of drinks - Tuesday
ALC4_5A3	3	633 - 635	Number of drinks - Wednesday
ALC4_5A4	3	636 - 638	Number of drinks - Thursday
ALC4_5A5	3	639 - 641	Number of drinks - Friday
ALC4_5A6	3	642 - 644	Number of drinks - Saturday
ALC4_5A7	3	645 - 647	Number of drinks - Sunday
ALC4_5B	1	648 - 648	Has ever had a drink
ALC4_6	1	649 - 649	Regularly drank more than 12 drinks a week
ALC4_7A	1	650 - 650	Reason reduced drinking - dieting
ALC4_7B	1	651 - 651	Reason reduced drinking - athletic training
ALC4_7C	1	652 - 652	Reason reduced drinking - pregnancy
ALC4_7D	1	653 - 653	Reason reduced drinking - getting older
ALC4_7E	1	654 - 654	Reason reduced drinking - drinking too much
ALC4_7F	1	655 - 655	Reason reduced drinking - affected work / studies
ALC4_7G	1	656 - 656	Reason reduced drinking - interfered with family life
ALC4_7H	1	657 - 657	Reason reduced drinking - affected physical health
ALC4_7I	1	658 - 658	Reason reduced drinking - affected social relationships
ALC4_7J	1	659 - 659	Reason reduced drinking - affected financial position

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 12

June, 1998

Variable	Length	Position	Concept
ALC4_7K	1	660 - 660	Reason reduced drinking - affected happiness
ALC4_7L	1	661 - 661	Reason reduced drinking - influence of family / friends
ALC4_7M	1	662 - 662	Reason reduced drinking - other
ALC4DTYP	1	663 - 663	Derived type of drinker
ALC4DWKY	3	664 - 666	Derived weekly total of alcohol consumed
ALC4DDLX	2	667 - 668	Derived average daily consumption
PAC4_1A	1	669 - 669	Walked for exercise in last 3 months
PAC4_1B	1	670 - 670	Gardening / yard work in last 3 months
PAC4_1C	1	671 - 671	Swam in last 3 months
PAC4_1D	1	672 - 672	Bicycled in last 3 months
PAC4_1E	1	673 - 673	Popular or social dance in last 3 months
PAC4_1F	1	674 - 674	Home exercises in last 3 months
PAC4_1G	1	675 - 675	Played ice hockey in last 3 months
PAC4_1H	1	676 - 676	Ice skated in last 3 months
PAC4_1I	1	677 - 677	Downhill skied in last 3 months
PAC4_1J	1	678 - 678	Jogged or ran in last 3 months
PAC4_1K	1	679 - 679	Golfed in last 3 months
PAC4_1L	1	680 - 680	Had exercise class or did aerobics in last 3 months
PAC4_1M	1	681 - 681	Cross-country skied in last 3 months
PAC4_1N	1	682 - 682	Bowled in last 3 months
PAC4_1O	1	683 - 683	Played baseball or softball in last 3 months
PAC4_1P	1	684 - 684	Played tennis in last 3 months
PAC4_1Q	1	685 - 685	Weight-trained in last 3 months
PAC4_1R	1	686 - 686	Fished in last 3 months
PAC4_1S	1	687 - 687	Played volleyball in last 3 months
PAC4_1Z	1	688 - 688	Did yoga or tai-chi in last 3 months
PAC4_1U	1	689 - 689	Did other physical activity in last 3 months - (#1)
PAC4_1V	1	690 - 690	Did no physical activity in last 3 months
PAC4_C1C	1	691 - 691	Long answer collected - other physical activity (#1)
PAC4_1W	1	692 - 692	Did other physical activity in last 3 months - (#2)
PAC4_C2C	1	693 - 693	Long answer collected - other physical activity (#2)
PAC4_1X	1	694 - 694	Did other physical activity in last 3 months - (#3)
PAC4_C3C	1	695 - 695	Long answer collected - other physical activity (#3)
PAC4_2A	3	696 - 698	Number of times participated - walking for exercise
PAC4_3A	1	699 - 699	Time spent - walking for exercise
PAC4_2B	3	700 - 702	Number of times participated - gardening or yard work

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 13

June, 1998

Variable	Length	Position	Concept
PAC4_3B	1	703 - 703	Time spent - gardening or yard work
PAC4_2C	3	704 - 706	Number of times participated - swimming
PAC4_3C	1	707 - 707	Time spent - swimming
PAC4_2D	3	708 - 710	Number of times participated - bicycling
PAC4_3D	1	711 - 711	Time spent - bicycling
PAC4_2E	3	712 - 714	Number of times participated - popular or social dance
PAC4_3E	1	715 - 715	Time spent - popular or social dance
PAC4_2F	3	716 - 718	Number of times participated - home exercises
PAC4_3F	1	719 - 719	Time spent - home exercises
PAC4_2G	3	720 - 722	Number of times participated - ice hockey
PAC4_3G	1	723 - 723	Time spent - ice hockey
PAC4_2H	3	724 - 726	Number of times participated - ice skating
PAC4_3H	1	727 - 727	Time spent - ice skating
PAC4_2I	3	728 - 730	Number of times participated - downhill skiing
PAC4_3I	1	731 - 731	Time spent - downhill skiing
PAC4_2J	3	732 - 734	Number of times participated - jogging or running
PAC4_3J	1	735 - 735	Time spent - jogging or running
PAC4_2K	3	736 - 738	Number of times participated - golfing
PAC4_3K	1	739 - 739	Time spent - golfing
PAC4_2L	3	740 - 742	Number of times participated - exercise class or aerobics
PAC4_3L	1	743 - 743	Time spent - exercise class or aerobics
PAC4_2M	3	744 - 746	Number of times participated - cross-country skiing
PAC4_3M	1	747 - 747	Time spent - cross-country skiing
PAC4_2N	3	748 - 750	Number of times participated - bowling
PAC4_3N	1	751 - 751	Time spent - bowling
PAC4_2O	3	752 - 754	Number of times participated - baseball or softball
PAC4_3O	1	755 - 755	Time spent - baseball or softball
PAC4_2P	3	756 - 758	Number of times participated - tennis
PAC4_3P	1	759 - 759	Time spent - tennis
PAC4_2Q	3	760 - 762	Number of times participated - weight training
PAC4_3Q	1	763 - 763	Time spent - weight training
PAC4_2R	3	764 - 766	Number of times participated - fishing
PAC4_3R	1	767 - 767	Time spent - fishing
PAC4_2S	3	768 - 770	Number of times participated - volleyball
PAC4_3S	1	771 - 771	Time spent - volleyball
PAC4_2Z	3	772 - 774	Number of times participated - yoga or tai-chi

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 14

June, 1998

Variable	Length	Position	Concept
PAC4_3Z	1	775 - 775	Time spent - yoga or tai-chi
PAC4_2U	3	776 - 778	Number of times participated - other physical activity (#1)
PAC4_3U	1	779 - 779	Time spent - other physical activity (#1)
PAC4_2W	3	780 - 782	Number of times participated - other physical activity (#2)
PAC4_3W	1	783 - 783	Time spent - other physical activity (#2)
PAC4_2X	2	784 - 785	Number of times participated - other physical activity (#3)
PAC4_3X	1	786 - 786	Time spent - other physical activity (#3)
PAC4_4A	2	787 - 788	Number of hours walking to work / school
PAC4_4B	2	789 - 790	Number of hours biking to work / school
PAC4_5	1	791 - 791	Frequency of bike helmet use
PAC4_6	1	792 - 792	Level of physical activity for usual day
PAC4DEE	4.1	793 - 796	Derived energy expenditure (1 decimal point)
PAC4LEI	1	797 - 797	Derived participation in leisure physical activity
PAC4DFM	3	798 - 800	Derived monthly freq. of physical activity lasting > 15 min.
PAC4DFR	1	801 - 801	Derived frequency of all physical activity
PAC4DFD	1	802 - 802	Derived participation / daily phys. activities > 15 min.
PAC4DPAI	1	803 - 803	Derived physical activity index
IJC4_1	1	804 - 804	Had an injury limiting normal activities
IJC4_2	2	805 - 806	Number of times injured
IJC4_3	2	807 - 808	Type of injury
IJC4_4	2	809 - 810	Body part affected by injury
IJC4D1	3	811 - 813	Derived type of injury by body site
IJC4_5	2	814 - 815	Place where injury happened
IJC4_6	2	816 - 817	Reason for injury
IJC4D2	3	818 - 820	Derived cause of injury by place of occurrence
IJC4_7	1	821 - 821	Injury occurred at work
IJC4_8A	1	822 - 822	To avoid the injury recurring - gave up the activity
IJC4_8B	1	823 - 823	To avoid the injury recurring - being more careful
IJC4_8C	1	824 - 824	To avoid the injury recurring - safety training
IJC4_8D	1	825 - 825	To avoid the injury recurring - protective gear
IJC4_8E	1	826 - 826	To avoid the injury recurring - changing physical situation
IJC4_8F	1	827 - 827	To avoid the injury recurring - other precaution
IJC4_8G	1	828 - 828	To avoid the injury recurring - no precautions taken
IJC4_8H	1	829 - 829	To avoid the injury recurring - increased child supervision
ST_4_C1	1	830 - 830	Current stress - trying to take on too many things
ST_4_C2	1	831 - 831	Current stress - pressure to conform

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 15

June, 1998

Variable	Length	Position	Concept
ST_4_C3	1	832 - 832	Current stress - too much expected by others
ST_4_C4	1	833 - 833	Current stress - lack of money
ST_4_C5	1	834 - 834	Current stress - partner doesn't understand you
ST_4_C6	1	835 - 835	Current stress - partner not affectionate
ST_4_C7	1	836 - 836	Current stress - partner not committed to relationship
ST_4_C8	1	837 - 837	Current stress - can't find someone compatible
ST_4_C9	1	838 - 838	Current stress - has children
ST_4_C10	1	839 - 839	Current stress - child seems unhappy
ST_4_C11	1	840 - 840	Current stress - child's behaviour is source of concern
ST_4_C12	1	841 - 841	Current stress - work around home not appreciated
ST_4_C13	1	842 - 842	Current stress - friends are a bad influence
ST_4_C14	1	843 - 843	Current stress - would like to move but cannot
ST_4_C15	1	844 - 844	Current stress - neighbourhood too noisy or polluted
ST_4_C16	1	845 - 845	Current stress - close relative in very bad health
ST_4_C17	1	846 - 846	Current stress - relative has alcohol or drug problem
ST_4_C18	1	847 - 847	Current stress - people are too critical
ST_4DC1	2	848 - 849	Derived general chronic stress index
ST_4DC2	2	850 - 851	Derived specific chronic stress index
ST_4DC3	2	852 - 853	Derived adjusted specific chronic stress index
ST_4DC4	1	854 - 854	Derived personal stress index
ST_4DC5	1	855 - 855	Derived stress index based on financial situation
ST_4DC6	1	856 - 856	Derived stress index based on relationship (with partner)
ST_4DC7	1	857 - 857	Derived stress index based on relationship (without partner)
ST_4DC8	1	858 - 858	Derived stress index based on child's problems
ST_4DC9	1	859 - 859	Derived stress index based on environmental problems
ST_4DC10	1	860 - 860	Derived stress index based on family health
ST_4_R1	1	861 - 861	Recent stress - attacked
ST_4_R2	1	862 - 862	Recent stress - unwanted pregnancy
ST_4_R3	1	863 - 863	Recent stress - abortion or miscarriage
ST_4_R4	1	864 - 864	Recent stress - major financial crisis
ST_4_R5	1	865 - 865	Recent stress - failed school
ST_4_R6	1	866 - 866	Recent stress - experienced a change of job for a worse one
ST_4_R7	1	867 - 867	Recent stress - demotion or cut in pay
ST_4_R8	1	868 - 868	Recent stress - argues with partner
ST_4_R9	1	869 - 869	Recent stress - went on welfare
ST_4_R10	1	870 - 870	Recent stress - child moved back

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 16

June, 1998

Variable	Length	Position	Concept
ST_4DR1	2	871 - 872	Derived recent life events score - all items
ST_4DR2	2	873 - 874	Derived recent life events score - all valid items
ST_4DR3	2	875 - 876	Derived adjusted recent life events
ST_4_T1	1	877 - 877	Trauma - 2 weeks or more in hospital
ST_4_T2	1	878 - 878	Trauma - parents divorced
ST_4_T3	1	879 - 879	Trauma - parents unemployed for a long time
ST_4_T4	1	880 - 880	Trauma - very scared
ST_4_T5	1	881 - 881	Trauma - sent away from home
ST_4_T6	1	882 - 882	Trauma - parents abused alcohol or drugs
ST_4_T7	1	883 - 883	Trauma - physically abused
ST_4DT1	2	884 - 885	Derived childhood and adult stress score
ST_4_W1A	1	886 - 886	Work stress - must learn new things
ST_4_W1B	1	887 - 887	Work stress - high level of skill
ST_4_W1C	1	888 - 888	Work stress - freedom to decide
ST_4_W1D	1	889 - 889	Work stress - repetitive tasks
ST_4_W1E	1	890 - 890	Work stress - job hectic
ST_4_W1F	1	891 - 891	Work stress - free from conflicting demands
ST_4_W1G	1	892 - 892	Work stress - good job security
ST_4_W1H	1	893 - 893	Work stress - requires a lot of physical effort
ST_4_W1I	1	894 - 894	Work stress - has input
ST_4_W1J	1	895 - 895	Work stress - hostility or conflict with others
ST_4_W1K	1	896 - 896	Work stress - supervisor helpful
ST_4_W1L	1	897 - 897	Work stress - co-workers helpful
ST_4_W2	1	898 - 898	Work stress - job satisfaction
ST_4DW1	2	899 - 900	Derived work stress - all items
ST_4DW2	2	901 - 902	Derived WStress Scale: Decision latitude - Skill discretion
ST_4DW3	2	903 - 904	Derived WStress Scale: Decision latitude - Decision auth.
ST_4DW4	2	905 - 906	Derived WStress Scale: Psychological Demands
ST_4DW5	1	907 - 907	Derived WStress Scale: Job Insecurity
ST_4DW6	1	908 - 908	Derived WStress Scale: Physical Exertion
ST_4DW7	2	909 - 910	Derived WStress Scale: Social Support
PY_4_E1A	1	911 - 911	Self-esteem - good
PY_4_E1B	1	912 - 912	Self-esteem - worthy
PY_4_E1C	1	913 - 913	Self-esteem - able
PY_4_E1D	1	914 - 914	Self-esteem - positive
PY_4_E1E	1	915 - 915	Self-esteem - satisfied

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 17

June, 1998

Variable	Length	Position	Concept
PY_4_E1F	1	916 - 916	Self-esteem - failure
PY_4DE1	2	917 - 918	Derived self-esteem scale
PY_4_M1A	1	919 - 919	Mastery - lack of control
PY_4_M1B	1	920 - 920	Mastery - can't solve problems
PY_4_M1C	1	921 - 921	Mastery - can't change things
PY_4_M1D	1	922 - 922	Mastery - helpless
PY_4_M1E	1	923 - 923	Mastery - pushed around
PY_4_M1F	1	924 - 924	Mastery - fate depends upon self
PY_4_M1G	1	925 - 925	Mastery - can do anything
PY_4DM1	2	926 - 927	Derived mastery scale
PY_4_H1	2	928 - 929	Coherence - don't care about surroundings
PY_4_H2	2	930 - 931	Coherence - surprised by other's behaviour
PY_4_H3	2	932 - 933	Coherence - disappointed on people he counted on
PY_4_H4	2	934 - 935	Coherence - treated unfairly
PY_4_H5	2	936 - 937	Coherence - in unfamiliar situations
PY_4_H6	2	938 - 939	Coherence - mixed-up feelings
PY_4_H7	2	940 - 941	Coherence - uncomfortable feelings
PY_4_H8	2	942 - 943	Coherence - loser
PY_4_H9	2	944 - 945	Coherence - little meaning in life
PY_4_H10	2	946 - 947	Coherence - can't keep feelings under control
PY_4_H11	2	948 - 949	Coherence - clear goals and purpose
PY_4_H12	2	950 - 951	Coherence - keep things in proportion
PY_4_H13	2	952 - 953	Coherence - bored or satisfied with everyday activities
PY_4DH1	2	954 - 955	Derived sense of coherence scale
HSC4_1	1	956 - 956	Sees well enough to read newsprint without glasses /contacts
HSC4_2	1	957 - 957	Sees well enough to read newsprint with glasses / contacts
HSC4_3	1	958 - 958	Able to see
HSC4_4	1	959 - 959	Sees well enough to recognize friend without glasses
HSC4_5	1	960 - 960	Sees well enough to recognize friend with glasses
HSC4_6	1	961 - 961	Hears in group of people without hearing aid
HSC4_7	1	962 - 962	Hears in group of people with hearing aid
HSC4_7A	1	963 - 963	Able to hear
HSC4_8	1	964 - 964	Hears in quiet room without hearing aid
HSC4_9	1	965 - 965	Hears in quiet room with hearing aid
HSC4_10	1	966 - 966	Understood by strangers in own language
HSC4_11	1	967 - 967	Understood partially by strangers in own language

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 18

June, 1998

Variable	Length	Position	Concept
HSC4_12	1	968 - 968	Understood by non-strangers in own language
HSC4_13	1	969 - 969	Understood partially by non-strangers in own language
HSC4_14	1	970 - 970	Able to walk without difficulty without support
HSC4_15	1	971 - 971	Able to walk
HSC4_16	1	972 - 972	Requires support to walk
HSC4_17	1	973 - 973	Requires help of person to walk
HSC4_18	1	974 - 974	Requires a wheelchair
HSC4_19	1	975 - 975	Frequency of wheelchair use
HSC4_20	1	976 - 976	Requires help to move in wheelchair
HSC4_21	1	977 - 977	Able to grasp and handle small objects
HSC4_22	1	978 - 978	Requires help due to limitation in hands
HSC4_23	1	979 - 979	Requires help with tasks
HSC4_24	1	980 - 980	Requires special equipment due to limitation in hands
HSC4_25	1	981 - 981	Description of feelings
HSC4_26	1	982 - 982	Ability to remember things
HSC4_27	1	983 - 983	Ability to think and solve problems
HSC4_28	1	984 - 984	Free of pain or discomfort
HSC4_29	1	985 - 985	Intensity of pain or discomfort
HSC4_30	1	986 - 986	Number of activities prevented by pain / discomfort
HSC4DVIS	2	987 - 988	Derived Vision trouble - function code
HSC4DHER	2	989 - 990	Derived Hearing problems - function code
HSC4DSPE	1	991 - 991	Derived Speech trouble - function code
HSC4DMOB	2	992 - 993	Derived Mobility trouble - function code
HSC4DDEX	2	994 - 995	Derived Dexterity trouble - function code
HSC4DEMO	1	996 - 996	Derived Emotional problems - function code
HSC4DCOG	2	997 - 998	Derived Cognition - function code
HSC4DPAD	1	999 - 999	Derived activities prevented-pain/discomfort - function code
HSC4DSEV	1	1000 - 1000	Derived Severity of pain - function code
HSC4DHSI	5.3	1001 - 1005	Derived Health Status Index (3 decimal places)
DGC4_1A	1	1006 - 1006	Took pain relievers
DGC4_1B	1	1007 - 1007	Took tranquilizers
DGC4_1C	1	1008 - 1008	Took diet pills
DGC4_1D	1	1009 - 1009	Took anti-depressants
DGC4_1E	1	1010 - 1010	Took codeine, Demerol or morphine
DGC4_1F	1	1011 - 1011	Took allergy medicine
DGC4_1G	1	1012 - 1012	Took asthma medications

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 19

June, 1998

Variable	Length	Position	Concept
DGC4_1H	1	1013 - 1013	Took cough or cold remedies
DGC4_1I	1	1014 - 1014	Took penicillin or other antibiotics
DGC4_1J	1	1015 - 1015	Took medicine for the heart
DGC4_1K	1	1016 - 1016	Took medicine for blood pressure
DGC4_1L	1	1017 - 1017	Took diuretics
DGC4_1M	1	1018 - 1018	Took steroids
DGC4_1N	1	1019 - 1019	Took insulin
DGC4_1O	1	1020 - 1020	Took pills to control diabetes
DGC4_1P	1	1021 - 1021	Took sleeping pills
DGC4_1Q	1	1022 - 1022	Took stomach remedies
DGC4_1R	1	1023 - 1023	Took laxatives
DGC4_1T	1	1024 - 1024	Took hormones for menopause
DGC4_1S	1	1025 - 1025	Took birth control pills
DGC4_1V	1	1026 - 1026	Took other medication
DGC4_NON	1	1027 - 1027	Did not take any drugs in past month
DGC4F1	1	1028 - 1028	Took medications
DGC4_2	3	1029 - 1031	Number of different medications taken in past 2 days
DGC4_3AC	1	1032 - 1032	Long answer collected - drug 1
DGC4_3BC	1	1033 - 1033	Long answer collected - drug 2
DGC4_3CC	1	1034 - 1034	Long answer collected - drug 3
DGC4_3DC	1	1035 - 1035	Long answer collected - drug 4
DGC4_3EC	1	1036 - 1036	Long answer collected - drug 5
DGC4_3FC	1	1037 - 1037	Long answer collected - drug 6
DGC4_3GC	1	1038 - 1038	Long answer collected - drug 7
DGC4_3HC	1	1039 - 1039	Long answer collected - drug 8
DGC4_3IC	1	1040 - 1040	Long answer collected - drug 9
DGC4_3JC	1	1041 - 1041	Long answer collected - drug 10
DGC4_3KC	1	1042 - 1042	Long answer collected - drug 11
DGC4_3LC	1	1043 - 1043	Long answer collected - drug 12
DGC4C3A	7	1044 - 1050	Code - drug 1
DGC4C3B	7	1051 - 1057	Code - drug 2
DGC4C3C	7	1058 - 1064	Code - drug 3
DGC4C3D	7	1065 - 1071	Code - drug 4
DGC4C3E	7	1072 - 1078	Code - drug 5
DGC4C3F	7	1079 - 1085	Code - drug 6
DGC4C3G	7	1086 - 1092	Code - drug 7

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 20

June, 1998

Variable	Length	Position	Concept
DGC4C3H	7	1093 - 1099	Code - drug 8
DGC4C3I	7	1100 - 1106	Code - drug 9
DGC4C3J	7	1107 - 1113	Code - drug 10
DGC4C3K	7	1114 - 1120	Code - drug 11
DGC4C3L	7	1121 - 1127	Code - drug 12
DGC4_4	1	1128 - 1128	Uses other health products
DGC4_5AC	1	1129 - 1129	Long answer collected - health product 1
DGC4_5AA	1	1130 - 1130	Uses a 2nd health product
DGC4_5BC	1	1131 - 1131	Long answer collected - health product 2
DGC4_5BA	1	1132 - 1132	Uses a 3rd health product
DGC4_5CC	1	1133 - 1133	Long answer collected - health product 3
DGC4_5CA	1	1134 - 1134	Uses a 4th health product
DGC4_5DC	1	1135 - 1135	Long answer collected - health product 4
DGC4_5DA	1	1136 - 1136	Uses a 5th health product
DGC4_5EC	1	1137 - 1137	Long answer collected - health product 5
DGC4_5EA	1	1138 - 1138	Uses a 6th health product
DGC4_5FC	1	1139 - 1139	Long answer collected - health product 6
DGC4_5FA	1	1140 - 1140	Uses a 7th health product
DGC4_5GC	1	1141 - 1141	Long answer collected - health product 7
DGC4_5GA	1	1142 - 1142	Uses an 8th health product
DGC4_5HC	1	1143 - 1143	Long answer collected - health product 8
DGC4_5HA	1	1144 - 1144	Uses a 9th health product
DGC4_5IC	1	1145 - 1145	Long answer collected - health product 9
DGC4_5IA	1	1146 - 1146	Uses a 10th health product
DGC4_5JC	1	1147 - 1147	Long answer collected - health product 10
DGC4_5JA	1	1148 - 1148	Uses an 11th health product
DGC4_5KC	1	1149 - 1149	Long answer collected - health product 11
DGC4_5KA	1	1150 - 1150	Uses a 12th health product
DGC4_5LC	1	1151 - 1151	Long answer collected - health product 12
DGC4C5A	7	1152 - 1158	Code for health product - product 1
DGC4C5B	7	1159 - 1165	Code for health product - product 2
DGC4C5C	7	1166 - 1172	Code for health product - product 3
DGC4C5D	7	1173 - 1179	Code for health product - product 4
DGC4C5E	7	1180 - 1186	Code for health product - product 5
DGC4C5F	7	1187 - 1193	Code for health product - product 6
DGC4C5G	7	1194 - 1200	Code for health product - product 7

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 21

June, 1998

Variable	Length	Position	Concept
DGC4C5H	7	1201 - 1207	Code for health product - product 8
DGC4C5I	7	1208 - 1214	Code for health product - product 9
DGC4C5J	7	1215 - 1221	Code for health product - product 10
DGC4C5K	7	1222 - 1228	Code for health product - product 11
DGC4C5L	7	1229 - 1235	Code for health product - product 12
MHC4_1A	1	1236 - 1236	Number of times - felt nothing could cheer you up
MHC4_1B	1	1237 - 1237	Number of times - felt nervous
MHC4_1C	1	1238 - 1238	Number of times - felt restless / fidgety
MHC4_1D	1	1239 - 1239	Number of times - felt hopeless
MHC4_1E	1	1240 - 1240	Number of times - felt worthless
MHC4_1F	1	1241 - 1241	Number of times - felt everything was an effort
MHC4_1G	1	1242 - 1242	Feelings occurred more or less often than usual
MHC4_1H	1	1243 - 1243	Feelings occurred how much more often
MHC4_1I	1	1244 - 1244	Feelings occurred how much less often
MHC4_1J	1	1245 - 1245	How much these experiences interfere with life / activities
MHC4_1K	1	1246 - 1246	Consulted health professional about mental health
MHC4_1L	3	1247 - 1249	No. of times consulted health professional for mental health
MHC4_2	1	1250 - 1250	Felt depressed for 2 weeks or more in past year
MHC4_3	1	1251 - 1251	Depressed - length of time feelings usually last
MHC4_4	1	1252 - 1252	Depressed - number of times felt this way
MHC4_5	1	1253 - 1253	Depressed - lost interest in most things
MHC4_6	1	1254 - 1254	Depressed - felt tired all of the time
MHC4_7	1	1255 - 1255	Depressed - any weight change
MHC4_8LB	3	1256 - 1258	Depressed - weight change (lb)
MHC4_8KG	3	1259 - 1261	Depressed - weight change (kg)
MHC4_9	1	1262 - 1262	Depressed - trouble falling asleep
MHC4_10	1	1263 - 1263	Depressed - frequency of trouble falling asleep
MHC4_11	1	1264 - 1264	Depressed - trouble concentrating
MHC4_12	1	1265 - 1265	Depressed - felt down on self
MHC4_13	1	1266 - 1266	Depressed - thought a lot about death
MHC4_14	2	1267 - 1268	Depressed - number of weeks in past 12 months
MHC4_15	2	1269 - 1270	Month in which depression occurred
MHC4_16	1	1271 - 1271	Lost interest in most things that usually give pleasure
MHC4_17	1	1272 - 1272	Loss of interest - duration
MHC4_18	1	1273 - 1273	Loss of interest - frequency
MHC4_19	1	1274 - 1274	Loss of interest - felt tired all the time

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 22

June, 1998

Variable	Length	Position	Concept
MHC4_20	1	1275 - 1275	Loss of interest - any weight change
MHC4_21L	3	1276 - 1278	Loss of interest - weight change (lb)
MHC4_21K	3	1279 - 1281	Loss of interest - weight change (kg)
MHC4_22	1	1282 - 1282	Loss of interest - trouble falling asleep
MHC4_23	1	1283 - 1283	Loss of interest - frequency of sleep problem
MHC4_24	1	1284 - 1284	Loss of interest - trouble concentrating
MHC4_25	1	1285 - 1285	Loss of interest - felt down on self
MHC4_26	1	1286 - 1286	Loss of interest - thought a lot about death
MHC4_27	2	1287 - 1288	Number of weeks feeling loss of interest
MHC4_28	2	1289 - 1290	Month in which loss of interest occurred
MHC4DDS	2	1291 - 1292	Derived Distress Scale
MHC4DCH	2	1293 - 1294	Derived Chronicity of Distress and Impairment Scale
MHC4DSF	2	1295 - 1296	Derived Depression Scale - Short Form Score
MHC4DPP	4.2	1297 - 1300	Derived Depression Scale - Predicted Probability (2 dec pts)
MHC4DWK	2	1301 - 1302	Derived number of weeks felt depressed
MHC4DMT	2	1303 - 1304	Derived specific month when felt depressed
SSC4_1	1	1305 - 1305	Member of organisation / association
SSC4_2	1	1306 - 1306	Frequency of participation in organisations / associations
SSC4_2A	1	1307 - 1307	Frequency of attending religious services
SSC4_3	1	1308 - 1308	Has someone to confide in
SSC4_4	1	1309 - 1309	Has someone to count on in crisis situation
SSC4_5	1	1310 - 1310	Has someone who gives advice when making important decisions
SSC4_6	1	1311 - 1311	Has someone to make feel loved and cared for
SSC4_7A	2	1312 - 1313	Frequency of contact with parents / in-laws
SSC4_7B	2	1314 - 1315	Frequency of contact with grandparents
SSC4_7C	2	1316 - 1317	Frequency of contact with daughters / daughters-in-law
SSC4_7D	2	1318 - 1319	Frequency of contact with sons / sons-in-law
SSC4_7E	2	1320 - 1321	Frequency of contact with brothers / sisters
SSC4_7F	2	1322 - 1323	Frequency of contact with other relatives
SSC4_7G	2	1324 - 1325	Frequency of contact with close friends
SSC4_7H	2	1326 - 1327	Frequency of contact with neighbours
SSC4D1	1	1328 - 1328	Derived social support index
SSC4D2	2	1329 - 1330	Derived social involvement score
SSC4D3	2	1331 - 1332	Derived average frequency of contacts
RTP4_1	1	1333 - 1333	Rationality - try to be reasonable and logical
RTP4_2	1	1334 - 1334	Rationality - try to understand people

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 23

June, 1998

Variable	Length	Position	Concept
RTP4_3	1	1335 - 1335	Rationality - try to act rationally
RTP4_4	1	1336 - 1336	Rationality - try to resolve conflicts without emotion
RTP4_5	1	1337 - 1337	Rationality - try to treat people rationally despite hurt
RTP4_6	1	1338 - 1338	Rationality - rely on logic
RTP4_7	1	1339 - 1339	Rationality - when someone acts against your wishes
RTP4_8	1	1340 - 1340	Rationality - rarely influenced by emotions
RTP4_9	1	1341 - 1341	Rationality - very influenced by emotions
RTP4_10	1	1342 - 1342	Rationality - when you don't like person
RTP4_11	1	1343 - 1343	Rationality - prevents verb. attacking / criticize others
RTP4_12A	1	1344 - 1344	Overcome fear of dentist - quiz dentist
RTP4_12B	1	1345 - 1345	Overcome fear of dentist - take a tranquilizer or drink
RTP4_12C	1	1346 - 1346	Overcome fear of dentist - try to think about other things
RTP4_12D	1	1347 - 1347	Overcome fear of dentist - be told when will feel pain
RTP4_12E	1	1348 - 1348	Overcome fear of dentist - try to sleep
RTP4_12F	1	1349 - 1349	Overcome fear of dentist - watch dentist's movements
RTP4_12G	1	1350 - 1350	Overcome fear of dentist - watch for blood
RTP4_12H	1	1351 - 1351	Overcome fear of dentist - do mental puzzles
RTP4_12I	1	1352 - 1352	Overcome fear of dentist - do other activity
RTP4_13A	1	1353 - 1353	Layoffs rumoured - find out evaluation by supervisor
RTP4_13B	1	1354 - 1354	Layoffs rumoured - review accomplishments
RTP4_13C	1	1355 - 1355	Layoffs rumoured - watch TV
RTP4_13D	1	1356 - 1356	Layoffs rumoured - remember disagreements with supervisor
RTP4_13E	1	1357 - 1357	Layoffs rumoured - try not to think about it
RTP4_13F	1	1358 - 1358	Layoffs rumoured - try not to discuss it
RTP4_13G	1	1359 - 1359	Layoffs rumoured - try to rank other employees
RTP4_13H	1	1360 - 1360	Layoffs rumoured - continue working
RTP4_13I	1	1361 - 1361	Layoffs rumoured - do other activity
COP4_1	1	1362 - 1362	Ability to handle day-to-day demands
COP4_2A	1	1363 - 1363	Daily stress - try not to think about situation
COP4_2B	1	1364 - 1364	Daily stress - try to see situation differently
COP4_2C	1	1365 - 1365	Daily stress - try to change situation
COP4_2D	1	1366 - 1366	Daily stress - express emotions
COP4_2E	1	1367 - 1367	Daily stress - admit situation is stressful
COP4_2F	1	1368 - 1368	Daily stress - talk to someone about situation
COP4_2G	1	1369 - 1369	Daily stress - do something to relax
COP4_2H	1	1370 - 1370	Daily stress - pray

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 24

June, 1998

Variable	Length	Position	Concept
COP4_2I	1	1371 - 1371	Daily stress - other ways to deal with stress
COP4_3	1	1372 - 1372	Ability to handle unexpected / difficult problems
COP4_4A	1	1373 - 1373	Unexpected stress - try not to think about situation
COP4_4B	1	1374 - 1374	Unexpected stress - try to see situation differently
COP4_4C	1	1375 - 1375	Unexpected stress - try to change situation
COP4_4D	1	1376 - 1376	Unexpected stress - express emotions
COP4_4E	1	1377 - 1377	Unexpected stress - admit situation is stressful
COP4_4F	1	1378 - 1378	Unexpected stress - talk to someone about situation
COP4_4G	1	1379 - 1379	Unexpected stress - do something to relax
COP4_4H	1	1380 - 1380	Unexpected stress - pray
COP4_4I	1	1381 - 1381	Unexpected stress - other ways to deal with stress
AM64_TEL	1	1382 - 1382	H06 interview by telephone or in person
AM64_ALO	1	1383 - 1383	Respondent alone for health questionnaire
AM64_AFF	1	1384 - 1384	Answers affected by someone else being there
AM64_LNG	2	1385 - 1386	Language of H06 interview
AM64_EMM	2	1387 - 1388	Month of interview H06 (end)
AM64_EDD	2	1389 - 1390	Day of interview H06 (end)
AM64_EYY	4	1391 - 1394	Year of interview H06 (end)
SPC4LSUR	1	1395 - 1395	Type of questionnaire in 1994
SPC6LYR	4	1396 - 1399	Year household selected as part of sample
SPC6LSUR	1	1400 - 1400	Type of questionnaire in 1996
SPC6LPAT	2	1401 - 1402	Longitudinal response pattern
PRC6_DES	2	1403 - 1404	Design province
PRC6_CUR	2	1405 - 1406	Province of residence
GE36DURB	1	1407 - 1407	Derived rural and urban area
GE36DCD	2	1408 - 1409	Derived 1991 Census Division
GE36DCSD	3	1410 - 1412	Derived 1991 Census Sub-Division
GE36DCMA	3	1413 - 1415	Derived 1991 Census Metropolitan Area
GE36DFED	3	1416 - 1418	Derived 1991 Federal Electoral District
GE36DHLR	4	1419 - 1422	Derived health regions
GE36DHRO	4	1423 - 1426	Derived health regions (original sample)
GE36LMOV	2	1427 - 1428	Respondent moved
CYCLE	2	1429 - 1430	Survey cycle that household joined
SUBCYCLE	2	1431 - 1432	1996 sample indicator
SP36FOUT	1	1433 - 1433	Record sent for field collection
SP36_CPS	2	1434 - 1435	Sampled collection period

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 25

June, 1998

Variable	Length	Position	Concept
SP36_CPA	2	1436 - 1437	Actual collection period
SP36_STA	3	1438 - 1440	Status code after processing
SPC6_TYP	1	1441 - 1441	Type of sample
SP36DPC	6	1442 - 1447	Derived postal code
AM36_TEL	1	1448 - 1448	H03 interview by telephone or in person
AM36_LP	1	1449 - 1449	Language preference of household
DHC6_DWE	2	1450 - 1451	Type of dwelling
DHC6_OWN	1	1452 - 1452	Dwelling owned by household member
DHC6_BED	2	1453 - 1454	Number of bedrooms
INC6F1	1	1455 - 1455	Household questions asked of this H05 respondent
INC6_1A	1	1456 - 1456	Source of income - wages and salaries
INC6_1B	1	1457 - 1457	Source of income - income from self-employment
INC6_1C	1	1458 - 1458	Source of income - dividends and interest
INC6_1D	1	1459 - 1459	Source of income - unemployment insurance
INC6_1E	1	1460 - 1460	Source of income - worker's compensation
INC6_1F	1	1461 - 1461	Source of income - benefits from Can. / Que. Pension Plan
INC6_1G	1	1462 - 1462	Source - retirement pensions, superannuation and annuities
INC6_1H	1	1463 - 1463	Source of income - Old Age Security
INC6_1I	1	1464 - 1464	Source of income - child tax benefit
INC6_1J	1	1465 - 1465	Source of income - social assistance
INC6_1K	1	1466 - 1466	Source of income - child support
INC6_1L	1	1467 - 1467	Source of income - alimony
INC6_1M	1	1468 - 1468	Source of income - other
INC6_1N	1	1469 - 1469	Source of income - none
INC6_2	2	1470 - 1471	Main source of household income
INC6_3A	1	1472 - 1472	Total household income: < \$20,000 or >= \$20,000
INC6_3B	1	1473 - 1473	Total household income: < \$10,000 or >= \$10,000
INC6_3C	1	1474 - 1474	Total household income: < \$5,000 or >= \$5,000
INC6_3D	1	1475 - 1475	Total household income: < \$15,000 or >= \$15,000
INC6_3E	1	1476 - 1476	Total household income: < \$40,000 or >= \$40,000
INC6_3F	1	1477 - 1477	Total household income: < \$30,000 or >= \$30,000
INC6_3G	1	1478 - 1478	Total household income: >= \$50,000
INC6DIA2	1	1479 - 1479	Derived income adequacy - 2 groups
INC6DIA4	1	1480 - 1480	Derived income adequacy - 4 groups
INC6DIA5	1	1481 - 1481	Derived income adequacy - 5 groups
INC6DHH	2	1482 - 1483	Derived total household income from all sources

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 26

June, 1998

Variable	Length	Position	Concept
INC6CCPI	5.1	1484 - 1488	1996 Consumer Price Index (All items 1986=100)
INS6_4	1	1489 - 1489	Household ran out of money to buy food
INS6_5	1	1490 - 1490	Received food from a charity
INS6_6	1	1491 - 1491	Description of food situation
AM36_SRC	2	1492 - 1493	Record number of person providing H03 information
AM36_LNG	2	1494 - 1495	Language of H03 interview
AM56_SHA	1	1496 - 1496	Agree to share information (H05)
AM66_SHA	1	1497 - 1497	Agree to share information (H06)
MBRCYCLE	1	1498 - 1498	Cycle in which respondent joined the survey
DHC6_AGE	3	1499 - 1501	Age
DHC6GAGE	2	1502 - 1503	Age - grouped
DHC6ADOD	2	1504 - 1505	Day of death - administrative data
DHC6AMOD	2	1506 - 1507	Month of death - administrative data
DHC6AYOD	4	1508 - 1511	Year of death - administrative data
DHC6CD	5	1512 - 1516	Cause of death code
CE36_DMM	2	1517 - 1518	Month of death - survey data
CE36_DYY	4	1519 - 1522	Year of death - survey data
DHC6_MAR	2	1523 - 1524	Marital status
DHC6_FID	1	1525 - 1525	Family ID code
DHC6DHSZ	2	1526 - 1527	Derived household size
DHC6DL12	2	1528 - 1529	Derived number of persons < 12 years old in household
DHC6DLE5	2	1530 - 1531	Derived number of persons <= 5 years old in household
DHC6D611	2	1532 - 1533	Derived number of persons 6 to 11 years old in household
DHC6DECF	2	1534 - 1535	Derived type of household
DHC6DLVG	2	1536 - 1537	Derived living arrangements of the selected respondent
AM56_STA	1	1538 - 1538	Status of general form (H05)
AM56_BMM	2	1539 - 1540	Month of interview - H05 (start)
AM56_BDD	2	1541 - 1542	Day of interview - H05 (start)
AM56_BYYY	4	1543 - 1546	Year of interview - H05 (start)
AM56_SRC	2	1547 - 1548	Record number of person providing information for H05
AM56_PXY	1	1549 - 1549	H05 completed by proxy
TWC6_1	1	1550 - 1550	Stayed in bed / hospital due to illness / injury
TWC6_2	2	1551 - 1552	Number of days spent in bed
TWC6_3	1	1553 - 1553	Cut down on things normally done due to illness / injury
TWC6_4	2	1554 - 1555	Number of days cut down on things
TWC6_5	1	1556 - 1556	Has regular medical doctor

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 27

June, 1998

Variable	Length	Position	Concept
TWC6DDDY	2	1557 - 1558	Derived total number of disability days
HCC6_1	1	1559 - 1559	Overnight patient
HCC6_1A	3	1560 - 1562	Number of nights as patient
HCK6_2A	1	1563 - 1563	Overnight patient - respiratory problem
HCK6_2B	1	1564 - 1564	Overnight patient - gastrointestinal problem
HCK6_2C	1	1565 - 1565	Overnight patient - injuries
HCK6_2D	1	1566 - 1566	Overnight patient - at birth
HCK6_2E	1	1567 - 1567	Overnight patient - other reason
HCC6_2A	3	1568 - 1570	Number of consultations - family doctor / g.p.
HCC6_3A	2	1571 - 1572	Place of most recent contact - family doctor
HCC6_2B	2	1573 - 1574	Number of consultations - eye specialist
HCC6_2C	3	1575 - 1577	Number of consultations - other medical doctor
HCC6_3C	2	1578 - 1579	Place of most recent contact - other medical doctor
HCC6_2D	3	1580 - 1582	Number of consultations - nurse
HCC6_3D	2	1583 - 1584	Place of most recent contact - nurse
HCC6_2E	3	1585 - 1587	Number of consultations - dentist or orthodontist
HCC6_2F	3	1588 - 1590	Number of consultations - chiropractor
HCC6_2G	3	1591 - 1593	Number of consultations - physiotherapist
HCC6_2H	3	1594 - 1596	Number of consultations - social worker / counselor
HCC6_2I	3	1597 - 1599	Number of consultations - psychologist
HCC6_2J	3	1600 - 1602	No. of consul. - speech / audiology / occupational therapist
HCC6F1	1	1603 - 1603	Used any health care service
HCC6DMDC	3	1604 - 1606	Derived number of consultations with medical doctors
HCC6DHPC	1	1607 - 1607	Derived consultations with health professionals
HCC6_4A	1	1608 - 1608	Attended self-help group
HCC6_4	1	1609 - 1609	Consulted alternative health care provider
HCC6_5A	1	1610 - 1610	Alternative health care - massage therapist
HCC6_5B	1	1611 - 1611	Alternative health care - acupuncturist
HCC6_5C	1	1612 - 1612	Alternative health care - homeopath / naturopath
HCC6_5D	1	1613 - 1613	Alternative health care - Feldenkrais / Alexander
HCC6_5E	1	1614 - 1614	Alternative health care - relaxation therapist
HCC6_5F	1	1615 - 1615	Alternative health care - biofeedback
HCC6_5G	1	1616 - 1616	Alternative health care - rolfers
HCC6_5H	1	1617 - 1617	Alternative health care - herbalist
HCC6_5I	1	1618 - 1618	Alternative health care - reflexologist
HCC6_5J	1	1619 - 1619	Alternative health care - spiritual healer

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 28

June, 1998

Variable	Length	Position	Concept
HCC6_5K	1	1620 - 1620	Alternative health care - religious healer
HCC6_5L	1	1621 - 1621	Alternative health care - other
HCC6_6	1	1622 - 1622	Felt that health care was needed but didn't receive it
HCC6_7A	1	1623 - 1623	Health care not received - not available in area
HCC6_7B	1	1624 - 1624	Health care not received - not available when required
HCC6_7C	1	1625 - 1625	Health care not received - waiting time too long
HCC6_7D	1	1626 - 1626	Health care not received - felt would be inadequate
HCC6_7E	1	1627 - 1627	Health care not received - cost
HCC6_7F	1	1628 - 1628	Health care not received - too busy to get care
HCC6_7G	1	1629 - 1629	Health care not received - didn't get around to it
HCC6_7H	1	1630 - 1630	Health care not received - didn't know where to go
HCC6_7I	1	1631 - 1631	Health care not received - transportation problems
HCC6_7J	1	1632 - 1632	Health care not received - language problem
HCC6_7K	1	1633 - 1633	Health care not received - personal or family resp.
HCC6_7L	1	1634 - 1634	Health care not received - dislikes doctors / afraid
HCC6_7M	1	1635 - 1635	Health care not received - decided not to seek care
HCC6_7N	1	1636 - 1636	Health care not received - other reason
HCC6_8A	1	1637 - 1637	Health care not received - treat. of physical health problem
HCC6_8B	1	1638 - 1638	Health care not received - treat. of mental health problem
HCC6_8C	1	1639 - 1639	Health care not received - a regular check-up
HCC6_8D	1	1640 - 1640	Health care not received - care of injury
HCC6_8E	1	1641 - 1641	Health care not received - other type
HCC6_9	1	1642 - 1642	Received home care services
HCC6_10A	1	1643 - 1643	Home care received - nursing care
HCC6_10B	1	1644 - 1644	Home care received - other health care
HCC6_10C	1	1645 - 1645	Home care received - personal care
HCC6_10D	1	1646 - 1646	Home care received - housework
HCC6_10E	1	1647 - 1647	Home care received - meal preparation or delivery
HCC6_10F	1	1648 - 1648	Home care received - shopping
HCC6_10G	1	1649 - 1649	Home care received - respite care
HCC6_10H	1	1650 - 1650	Home care received - other type
HCC6_11	1	1651 - 1651	Received health care services in the United States
HCC6_12	1	1652 - 1652	Went to United States primarily to receive health care
RAC6_1A	1	1653 - 1653	Limited in kind or amount of activities - at home
RAC6_1B	1	1654 - 1654	Limited in kind or amount of activities - at school
RAC6_1C	1	1655 - 1655	Limited in kind or amount of activities - at work

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 29

June, 1998

Variable	Length	Position	Concept
RAC6_1D	1	1656 - 1656	Limited in kind or amount of activities - other
RAC6_2	1	1657 - 1657	Has long-term disabilities or handicaps
RAC6_2A	1	1658 - 1658	New activity restriction or worsening of old one
RAC6_2B	2	1659 - 1660	Disappearance or improvement of activity restriction
RAC6_3C	1	1661 - 1661	Long answer collected - problem causing limitation
RAC6F1	1	1662 - 1662	Restriction of activity flag
RAC6CIC	5	1663 - 1667	ICD-9 code for main health problem causing limitations
RAC6GC25	2	1668 - 1669	Derived main health problem - 25 groups - grouped
RAC6GC12	2	1670 - 1671	Derived main health problem - 12 groups - grouped
RAC6_5	2	1672 - 1673	Cause of condition
RAC6_6A	1	1674 - 1674	Needs help - preparing meals
RAC6_6B	1	1675 - 1675	Needs help - shopping for groceries or other necessities
RAC6_6C	1	1676 - 1676	Needs help - housework
RAC6_6D	1	1677 - 1677	Needs help - heavy household chores
RAC6_6E	1	1678 - 1678	Needs help - personal care
RAC6_6F	1	1679 - 1679	Needs help - moving about in the house
RAC6D6G	1	1680 - 1680	Derived need for help in series of tasks
CCK6_1	1	1681 - 1681	Frequency of nose or throat infections
CCK6_2	1	1682 - 1682	Has had otitis
CCK6_3	1	1683 - 1683	Number of times had otitis since birth
CCC6_1A	1	1684 - 1684	Has food allergies
CCC6_1B	1	1685 - 1685	Has allergies other than food allergies
CCC6_1C	1	1686 - 1686	Has asthma
CCC6_C1	1	1687 - 1687	Asthma - condition disappeared
CCC6_C2M	2	1688 - 1689	Asthma - month disappeared
CCC6_C2Y	4	1690 - 1693	Asthma - year disappeared
CCC6_C3M	2	1694 - 1695	Asthma - month diagnosed
CCC6_C3Y	4	1696 - 1699	Asthma - year diagnosed
CCC6_C4	1	1700 - 1700	Asthma - had prior to last interview
CCC6_C5	1	1701 - 1701	Asthma - had symptoms or attacks
CCC6_C6	1	1702 - 1702	Asthma - took medication
CCC6_1D	1	1703 - 1703	Has arthritis or rheumatism
CCC6_D1	1	1704 - 1704	Arthritis / rheumatism - condition disappeared
CCC6_D2M	2	1705 - 1706	Arthritis / rheumatism - month disappeared
CCC6_D2Y	4	1707 - 1710	Arthritis / rheumatism - year disappeared
CCC6_D3M	2	1711 - 1712	Arthritis / rheumatism - month diagnosed

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 30

June, 1998

Variable	Length	Position	Concept
CCC6_D3Y	4	1713 - 1716	Arthritis / rheumatism - year diagnosed
CCC6_D4	1	1717 - 1717	Arthritis / rheumatism - had prior to last interview
CCC6_D5	1	1718 - 1718	Arthritis / rheumatism - receives treatment or medication
CCC6_D6A	1	1719 - 1719	Arthritis / rheumatism - treatment - drug
CCC6_D6B	1	1720 - 1720	Arthritis / rheumatism - treatment - diet
CCC6_D6C	1	1721 - 1721	Arthritis / rheumatism - treatment - other kind
CCC6_1E	1	1722 - 1722	Has back problems excluding arthritis
CCC6_1F	1	1723 - 1723	Has high blood pressure
CCC6_F1	1	1724 - 1724	High blood pressure - condition disappeared
CCC6_F2M	2	1725 - 1726	High blood pressure - month disappeared
CCC6_F2Y	4	1727 - 1730	High blood pressure - year disappeared
CCC6_F3M	2	1731 - 1732	High blood pressure - month diagnosed
CCC6_F3Y	4	1733 - 1736	High blood pressure - year diagnosed
CCC6_F4	1	1737 - 1737	High blood pressure - had prior to last interview
CCC6_F5	1	1738 - 1738	High blood pressure - receives treatment or medication
CCC6_F6A	1	1739 - 1739	High blood pressure - treatment - drug
CCC6_F6B	1	1740 - 1740	High blood pressure - treatment - diet
CCC6_F6C	1	1741 - 1741	High blood pressure - treatment - other kind
CCC6_1G	1	1742 - 1742	Has migraine headaches
CCC6_G1	1	1743 - 1743	Migraines - condition disappeared
CCC6_G2M	2	1744 - 1745	Migraines - month disappeared
CCC6_G2Y	4	1746 - 1749	Migraines - year disappeared
CCC6_G3M	2	1750 - 1751	Migraines - month diagnosed
CCC6_G3Y	4	1752 - 1755	Migraines - year diagnosed
CCC6_G4	1	1756 - 1756	Migraines - had prior to last interview
CCC6_G5	1	1757 - 1757	Migraines - receives treatment or medication
CCC6_G6A	1	1758 - 1758	Migraines - treatment - drug
CCC6_G6B	1	1759 - 1759	Migraines - treatment - diet
CCC6_G6C	1	1760 - 1760	Migraines - treatment - other kind
CCC6_1H	1	1761 - 1761	Has chronic bronchitis or emphysema
CCC6_1I	1	1762 - 1762	Has sinusitis
CCC6_1J	1	1763 - 1763	Has diabetes
CCC6_J1	1	1764 - 1764	Diabetes - condition disappeared
CCC6_J2M	2	1765 - 1766	Diabetes - month disappeared
CCC6_J2Y	4	1767 - 1770	Diabetes - year disappeared
CCC6_J3M	2	1771 - 1772	Diabetes - month diagnosed

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 31

June, 1998

Variable	Length	Position	Concept
CCC6_J3Y	4	1773 - 1776	Diabetes - year diagnosed
CCC6_J4	1	1777 - 1777	Diabetes - had prior to last interview
CCC6_J5	1	1778 - 1778	Diabetes - takes insulin
CCC6_J6	1	1779 - 1779	Diabetes - takes treatment other than insulin
CCC6_J7A	1	1780 - 1780	Diabetes - treatment - drug
CCC6_J7B	1	1781 - 1781	Diabetes - treatment - diet
CCC6_J7C	1	1782 - 1782	Diabetes - treatment - other kind
CCC6_1K	1	1783 - 1783	Has epilepsy
CCC6_K1	1	1784 - 1784	Epilepsy - condition disappeared
CCC6_K2M	2	1785 - 1786	Epilepsy - month disappeared
CCC6_K2Y	4	1787 - 1790	Epilepsy - year disappeared
CCC6_K3M	2	1791 - 1792	Epilepsy - month diagnosed
CCC6_K3Y	4	1793 - 1796	Epilepsy - year diagnosed
CCC6_K4	1	1797 - 1797	Epilepsy - had prior to last interview
CCC6_1L	1	1798 - 1798	Has heart disease
CCC6_1M	1	1799 - 1799	Has cancer
CCC6_1N	1	1800 - 1800	Has stomach or intestinal ulcers
CCC6_N1	1	1801 - 1801	Ulcers - condition disappeared
CCC6_N2M	2	1802 - 1803	Ulcers - month disappeared
CCC6_N2Y	4	1804 - 1807	Ulcers - year disappeared
CCC6_N3M	2	1808 - 1809	Ulcers - month diagnosed
CCC6_N3Y	4	1810 - 1813	Ulcers - year diagnosed
CCC6_N4	1	1814 - 1814	Ulcers - had prior to last interview
CCC6_1O	1	1815 - 1815	Suffers from the effects of a stroke
CCC6_O1	1	1816 - 1816	Stroke - condition disappeared
CCC6_O2M	2	1817 - 1818	Stroke - month disappeared
CCC6_O2Y	4	1819 - 1822	Stroke - year disappeared
CCC6_O3M	2	1823 - 1824	Stroke - month diagnosed
CCC6_O3Y	4	1825 - 1828	Stroke - year diagnosed
CCC6_O4	1	1829 - 1829	Stroke - had prior to last interview
CCC6_1P	1	1830 - 1830	Has urinary incontinence
CCC6_1Q	1	1831 - 1831	Has a bowel disorder such as Crohn's Disease or colitis
CCC6_1R	1	1832 - 1832	Has Alzheimer's disease or other dementia
CCC6_1S	1	1833 - 1833	Has cataracts
CCC6_1T	1	1834 - 1834	Has glaucoma
CCC6_1U	1	1835 - 1835	Has a thyroid condition

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 32

June, 1998

Variable	Length	Position	Concept
CCC6_1V	1	1836 - 1836	Has other chronic condition
CCC6DANY	1	1837 - 1837	Derived - has a chronic condition
CCC6DNUM	2	1838 - 1839	Derived number of chronic conditions
SDC6_1	2	1840 - 1841	Country of birth
SDC6CB	4	1842 - 1845	Code of country of birth
SDC6GCB	2	1846 - 1847	Country of birth - grouped
SDC6_3	4	1848 - 1851	Year came to Canada
SDC6FIMM	1	1852 - 1852	Flag indicating that the respondent is an immigrant
SDC6DAIM	3	1853 - 1855	Derived age at time of immigration
SDC6DRES	3	1856 - 1858	Derived length of time in Canada since immigration
SDC6_4A	1	1859 - 1859	Ethnic origin - Canadian
SDC6_4B	1	1860 - 1860	Ethnic origin - French
SDC6_4C	1	1861 - 1861	Ethnic origin - English
SDC6_4D	1	1862 - 1862	Ethnic origin - German
SDC6_4E	1	1863 - 1863	Ethnic origin - Scottish
SDC6_4F	1	1864 - 1864	Ethnic origin - Irish
SDC6_4G	1	1865 - 1865	Ethnic origin - Italian
SDC6_4H	1	1866 - 1866	Ethnic origin - Ukrainian
SDC6_4I	1	1867 - 1867	Ethnic origin - Dutch (Netherlands)
SDC6_4J	1	1868 - 1868	Ethnic origin - Chinese
SDC6_4K	1	1869 - 1869	Ethnic origin - Jewish
SDC6_4L	1	1870 - 1870	Ethnic origin - Polish
SDC6_4M	1	1871 - 1871	Ethnic origin - Portuguese
SDC6_4N	1	1872 - 1872	Ethnic origin - South Asian
SDC6_4O	1	1873 - 1873	Ethnic origin - Black
SDC6_4P	1	1874 - 1874	Ethnic origin - North American Indian
SDC6_4Q	1	1875 - 1875	Ethnic origin - Métis
SDC6_4R	1	1876 - 1876	Ethnic origin - Inuit / Eskimo
SDC6_4S	1	1877 - 1877	Ethnic origin - other
SDC6_5A	1	1878 - 1878	Can conduct a conversation - English
SDC6_5B	1	1879 - 1879	Can conduct a conversation - French
SDC6_5C	1	1880 - 1880	Can conduct a conversation - Arabic
SDC6_5D	1	1881 - 1881	Can conduct a conversation - Chinese
SDC6_5E	1	1882 - 1882	Can conduct a conversation - Cree
SDC6_5F	1	1883 - 1883	Can conduct a conversation - German
SDC6_5G	1	1884 - 1884	Can conduct a conversation - Greek

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 33

June, 1998

Variable	Length	Position	Concept
SDC6_5H	1	1885 - 1885	Can conduct a conversation - Hungarian
SDC6_5I	1	1886 - 1886	Can conduct a conversation - Italian
SDC6_5J	1	1887 - 1887	Can conduct a conversation - Korean
SDC6_5K	1	1888 - 1888	Can conduct a conversation - Persian
SDC6_5L	1	1889 - 1889	Can conduct a conversation - Polish
SDC6_5M	1	1890 - 1890	Can conduct a conversation - Portuguese
SDC6_5N	1	1891 - 1891	Can conduct a conversation - Punjabi
SDC6_5O	1	1892 - 1892	Can conduct a conversation - Spanish
SDC6_5P	1	1893 - 1893	Can conduct a conversation - Tagalog
SDC6_5Q	1	1894 - 1894	Can conduct a conversation - Ukrainian
SDC6_5R	1	1895 - 1895	Can conduct a conversation - Vietnamese
SDC6_5S	1	1896 - 1896	Can conduct a conversation - other language
SDC6DLNG	2	1897 - 1898	Derived language resp. can conduct conversation in
SDC6_6A	1	1899 - 1899	First language learned and still understood - English
SDC6_6B	1	1900 - 1900	First language learned and still understood - French
SDC6_6C	1	1901 - 1901	First language learned and still understood - Arabic
SDC6_6D	1	1902 - 1902	First language learned and still understood - Chinese
SDC6_6E	1	1903 - 1903	First language learned and still understood - Cree
SDC6_6F	1	1904 - 1904	First language learned and still understood - German
SDC6_6G	1	1905 - 1905	First language learned and still understood - Greek
SDC6_6H	1	1906 - 1906	First language learned and still understood - Hungarian
SDC6_6I	1	1907 - 1907	First language learned and still understood - Italian
SDC6_6J	1	1908 - 1908	First language learned and still understood - Korean
SDC6_6K	1	1909 - 1909	First language learned and still understood - Persian
SDC6_6L	1	1910 - 1910	First language learned and still understood - Polish
SDC6_6M	1	1911 - 1911	First language learned and still understood - Portuguese
SDC6_6N	1	1912 - 1912	First language learned and still understood - Punjabi
SDC6_6O	1	1913 - 1913	First language learned and still understood - Spanish
SDC6_6P	1	1914 - 1914	First language learned and still understood - Tagalog
SDC6_6Q	1	1915 - 1915	First language learned and still understood - Ukrainian
SDC6_6R	1	1916 - 1916	First language learned and still understood - Vietnamese
SDC6_6S	1	1917 - 1917	First language learned and still understood - other
SDC6_7A	1	1918 - 1918	Race or colour - White
SDC6_7B	1	1919 - 1919	Race or colour - Chinese
SDC6_7C	1	1920 - 1920	Race or colour - South Asian
SDC6_7D	1	1921 - 1921	Race or colour - Black

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 34

June, 1998

Variable	Length	Position	Concept
SDC6_7E	1	1922 - 1922	Race or colour - Native / Aboriginal peoples of N. America
SDC6_7F	1	1923 - 1923	Race or colour - Arab / West Asian
SDC6_7G	1	1924 - 1924	Race or colour - Filipino
SDC6_7H	1	1925 - 1925	Race or colour - South East Asian
SDC6_7I	1	1926 - 1926	Race or colour - Latin American
SDC6_7J	1	1927 - 1927	Race or colour - Japanese
SDC6_7K	1	1928 - 1928	Race or colour - Korean
SDC6_7L	1	1929 - 1929	Race or colour - other
SDC6DRAC	2	1930 - 1931	Derived race or colour
EDC6_1	1	1932 - 1932	Currently attending a school, college or university
EDC6_2	1	1933 - 1933	Full-time student or part-time student
EDC6_3	1	1934 - 1934	Attended school since last interview
EDC6_4	2	1935 - 1936	Number of years of elementary / high school completed
EDC6_5	1	1937 - 1937	Graduated from high school
EDC6_6	1	1938 - 1938	Attended post-secondary institution
EDC6_7	2	1939 - 1940	Highest level of post-secondary education attained
EDC6D1	2	1941 - 1942	Derived highest level of education - 14 levels
EDC6D2	2	1943 - 1944	Derived highest level of education - 12 levels
EDC6D3	1	1945 - 1945	Derived highest level of education - 4 levels
EDC6DLF	1	1946 - 1946	Derived labour force activity of students
LFC6_2	1	1947 - 1947	Worked for pay or profit
LFC6_2B	1	1948 - 1948	Worked for same employer as in last interview
LFC6_E1C	1	1949 - 1949	Long answer collected - employer - job 1
LFC6_41	1	1950 - 1950	Had job one year ago without break - job 1
LFC6_51M	2	1951 - 1952	Month started - job 1
LFC6_51D	2	1953 - 1954	Day started - job 1
LFC6_51Y	4	1955 - 1958	Year started - job 1
LFC6_61	1	1959 - 1959	Has job now - job 1
LFC6_71M	2	1960 - 1961	Month stopped - job 1
LFC6_71D	2	1962 - 1963	Day stopped - job 1
LFC6_71Y	4	1964 - 1967	Year stopped - job 1
LFC6_81	3	1968 - 1970	Hours usually worked per week - job 1
LFC6_91	2	1971 - 1972	Type of working hours - job 1
LFC6_101	1	1973 - 1973	Usually works weekends - job 1
LFC6_111	1	1974 - 1974	Worked - other than job 1
LFC6_E2C	1	1975 - 1975	Long answer collected -employer - job 2

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 35

June, 1998

Variable	Length	Position	Concept
LFC6_42	1	1976 - 1976	Had job one year ago without break - job 2
LFC6_52M	2	1977 - 1978	Month started - job 2
LFC6_52D	2	1979 - 1980	Day started - job 2
LFC6_52Y	4	1981 - 1984	Year started - job 2
LFC6_62	1	1985 - 1985	Has job now - job 2
LFC6_72M	2	1986 - 1987	Month stopped - job 2
LFC6_72D	2	1988 - 1989	Day stopped - job 2
LFC6_72Y	4	1990 - 1993	Year stopped - job 2
LFC6_82	3	1994 - 1996	Hours usually worked per week - job 2
LFC6_92	2	1997 - 1998	Type of working hours - job 2
LFC6_102	1	1999 - 1999	Usually works weekends - job 2
LFC6_112	1	2000 - 2000	Worked - other than job 1 and job 2
LFC6_E3C	1	2001 - 2001	Long answer collected - employer - job 3
LFC6_43	1	2002 - 2002	Had job one year ago without break - job 3
LFC6_53M	2	2003 - 2004	Month started - job 3
LFC6_53D	2	2005 - 2006	Day started - job 3
LFC6_53Y	4	2007 - 2010	Year started - job 3
LFC6_63	1	2011 - 2011	Has job now - job 3
LFC6_73M	2	2012 - 2013	Month stopped - job 3
LFC6_73D	2	2014 - 2015	Day stopped - job 3
LFC6_73Y	4	2016 - 2019	Year stopped - job 3
LFC6_83	3	2020 - 2022	Hours usually worked per week - job 3
LFC6_93	2	2023 - 2024	Type of working hours - job 3
LFC6_103	1	2025 - 2025	Usually works weekends - job 3
LFC6FMN	1	2026 - 2026	Job number of main job
LFC6_13C	1	2027 - 2027	Long answer collected - main job industry
LFC6_14C	1	2028 - 2028	Long answer collected - main job kind of work
LFC6_15C	1	2029 - 2029	Long answer collected - main job duties
LFC6_16	1	2030 - 2030	Worked for others or in own business - main job
LFC6_17A	2	2031 - 2032	Reason for not working - most recent period
LFC6_17B	2	2033 - 2034	Reason for not working - currently
LFC6FWK	1	2035 - 2035	Work flag used for processing only
LFC6FGAP	1	2036 - 2036	Jobless spell (gap) greater than 6 days
LFC6CSOC	4	2037 - 2040	Standard Occupation Codes for main job
LFC6GO34	2	2041 - 2042	Occupation Codes for main job - 34 groups - grouped
LFC6GO21	2	2043 - 2044	Occupation Codes for main job - 21 groups - grouped

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 36

June, 1998

Variable	Length	Position	Concept
LFC6CSIC	4	2045 - 2048	Standard Industrial Codes for main job
LFC6GI13	2	2049 - 2050	Industry Codes for main job - 13 groups - grouped
LFC6DBLI	6.2	2051 - 2056	Derived Blishen socio-economic index for main job
LFC6DPIN	2	2057 - 2058	Derived Pineo socio-econ. class. for main occupation
LFC6DCWS	1	2059 - 2059	Derived working status in last 12 months
LFC6DDA	2	2060 - 2061	Derived duration of work without a break > 30 days
LFC6DHA	1	2062 - 2062	Derived pattern of working hours of all jobs reported
LFC6DJA	1	2063 - 2063	Derived number of jobs
LFC6DGA	1	2064 - 2064	Derived number of gaps of 30 days or more
LFC6DJGA	2	2065 - 2066	Derived pattern of number of jobs
LFC6DCMN	1	2067 - 2067	Derived main job is the current job
LFC6DDMN	2	2068 - 2069	Derived work duration - main job
LFC6DHMN	1	2070 - 2070	Derived hours of work - main job
LFC6DTMN	2	2071 - 2072	Derived type of working hours - main job
LFC6DD1	2	2073 - 2074	Derived work duration - job 1
LFC6DD2	2	2075 - 2076	Derived work duration - job 2
LFC6DD3	2	2077 - 2078	Derived work duration - job 3
LFC6DH1	1	2079 - 2079	Derived hours of work - job 1
LFC6DH2	1	2080 - 2080	Derived hours of work - job 2
LFC6DH3	1	2081 - 2081	Derived hours of work - job 3
LFC6DT1	2	2082 - 2083	Derived type of working hours - job 1
LFC6DT2	2	2084 - 2085	Derived type of working hours - job 2
LFC6DT3	2	2086 - 2087	Derived type of working hours - job 3
LFC6DHW1	2	2088 - 2089	Derived household labour force status - current
LFC6DHW2	2	2090 - 2091	Derived household labour force status - during year
LFC6LEMP	2	2092 - 2093	Change in employment between 1994 and 1996
AM56_TEL	1	2094 - 2094	H05 interview by telephone or in person
AM56_LNG	2	2095 - 2096	Language of H05 interview
AM56_EMM	2	2097 - 2098	Month of interview - H05 (end)
AM56_EDD	2	2099 - 2100	Day of interview - H05 (end)
AM56_EYY	4	2101 - 2104	Year of interview - H05 (end)
AM66LDUR	4	2105 - 2108	Duration / days between 1994 H06 and 1996 H06 interviews
AM66_STA	1	2109 - 2109	Status of health form (H06)
AM66_BMM	2	2110 - 2111	Month of interview - H06 (start)
AM66_BDD	2	2112 - 2113	Day of interview - H06 (start)
AM66_BYY	4	2114 - 2117	Year of interview - H06 (start)

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 37

June, 1998

Variable	Length	Position	Concept
AM66_SRC	2	2118 - 2119	Record number of person providing information for H06
AM66_PXY	1	2120 - 2120	H06 completed by proxy
AM66_RC	1	2121 - 2121	Long answer collected - reason for proxy (H06)
GHC6_1	1	2122 - 2122	Respondent's general health
GHC6DHD1	1	2123 - 2123	Derived health description index
GHK6_2	1	2124 - 2124	Level of physical activity - children
GHS6_11	1	2125 - 2125	Did something to improve health
GHS6_12	2	2126 - 2127	Most important change to improve health
GHS6_13	1	2128 - 2128	Thinks something should be done to improve health
GHS6_14	2	2129 - 2130	Most important thing to be done to improve health
GHS6_15	1	2131 - 2131	Barrier to improving health
GHS6_16A	1	2132 - 2132	Reason for no improvement - lack of will power
GHS6_16B	1	2133 - 2133	Reason for no improvement - lack of time
GHS6_16C	1	2134 - 2134	Reason for no improvement - too tired
GHS6_16D	1	2135 - 2135	Reason for no improvement - too difficult
GHS6_16E	1	2136 - 2136	Reason for no improvement - too costly
GHS6_16F	1	2137 - 2137	Reason for no improvement - too stressed
GHS6_16G	1	2138 - 2138	Reason for no improvement - disability / health problem
GHS6_16H	1	2139 - 2139	Reason for no improvement - other
GHS6_17	1	2140 - 2140	Intending to improve health over next year
GHS6_18A	1	2141 - 2141	Health improvement over next year - more exercise
GHS6_18B	1	2142 - 2142	Health improvement over next year - lose weight
GHS6_18C	1	2143 - 2143	Health improvement over next year - improve eating habits
GHS6_18D	1	2144 - 2144	Health improvement over next year - quit smoking
GHS6_18E	1	2145 - 2145	Health improvement over next year - reduce amount smoked
GHS6_18F	1	2146 - 2146	Health improvement over next year - manage stress
GHS6_18G	1	2147 - 2147	Health improvement over next year - reduce stress level
GHS6_18H	1	2148 - 2148	Health improvement over next year - take vitamins
GHS6_18I	1	2149 - 2149	Health improvement over next year - other
HWC6_1	1	2150 - 2150	Currently pregnant
HWC6_2HT	2	2151 - 2152	Height - adults
HWC6_HT	2	2153 - 2154	Height - adults and children
HWC6_3LB	4	2155 - 2158	Weight - pounds
HWC6_3KG	4	2159 - 2162	Weight - kilograms
GHK6_4HT	2	2163 - 2164	Height - children
GHK6_6	2	2165 - 2166	Birth weight

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 38

June, 1998

Variable	Length	Position	Concept
HWC6DBMI	4.1	2167 - 2170	Derived Body Mass Index (1 decimal place)
HWC6DSW	1	2171 - 2171	Derived standard weight
HWS6_1	1	2172 - 2172	Respondent's opinion of own weight
HWS6_2LB	4	2173 - 2176	Desired weight - pounds
HWS6_2KG	4	2177 - 2180	Desired weight - kilograms
HWS6_4	2	2181 - 2182	Most important thing done to follow a healthy diet
HWS6_5	1	2183 - 2183	Skipping breakfast can control / reduce weight
BPC6_10	1	2184 - 2184	Ever had blood pressure taken
BPC6_12	1	2185 - 2185	Last time blood pressure was taken
BPC6_13A	1	2186 - 2186	Blood pressure taken - regular check-up
BPC6_13B	1	2187 - 2187	Blood pressure taken - high blood pressure / heart disease
BPC6_13C	1	2188 - 2188	Blood pressure taken - doctor always does it
BPC6_13D	1	2189 - 2189	Blood pressure taken - health problem
BPC6_13E	1	2190 - 2190	Blood pressure taken - age
BPC6_13F	1	2191 - 2191	Blood pressure taken - job requirement
BPC6_13G	1	2192 - 2192	Blood pressure taken - pregnant
BPC6_13H	1	2193 - 2193	Blood pressure taken - in hospital for other reason
BPC6_13I	1	2194 - 2194	Blood pressure taken - when donating blood
BPC6_13J	1	2195 - 2195	Blood pressure taken - just for the "fun" of it
BPC6_13K	1	2196 - 2196	Blood pressure taken - other reason
BPC6_14	1	2197 - 2197	Had problems getting blood pressure test
BPC6_15A	1	2198 - 2198	Problem getting b.p. test - not available when required
BPC6_15B	1	2199 - 2199	Problem getting b.p. test - not available in area
BPC6_15C	1	2200 - 2200	Problem getting b.p. test - waiting time too long
BPC6_15D	1	2201 - 2201	Problem getting b.p. test - transportation
BPC6_15E	1	2202 - 2202	Problem getting b.p. test - language
BPC6_15F	1	2203 - 2203	Problem getting b.p. test - cost
BPC6_15G	1	2204 - 2204	Problem getting b.p. test - did not know where to go
BPC6_15H	1	2205 - 2205	Problem getting b.p. test - other
BPC6_16A	1	2206 - 2206	Blood pressure not taken - have not gotten around to it
BPC6_16B	1	2207 - 2207	Blood pressure not taken - resp. did not think it was neces.
BPC6_16C	1	2208 - 2208	Blood pressure not taken - dr. did not think it was neces.
BPC6_16D	1	2209 - 2209	Blood pressure not taken - personal / family resp.
BPC6_16E	1	2210 - 2210	Blood pressure not taken - not available when required
BPC6_16F	1	2211 - 2211	Blood pressure not taken - not available in area
BPC6_16G	1	2212 - 2212	Blood pressure not taken - waiting time too long

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 39

June, 1998

Variable	Length	Position	Concept
BPC6_16H	1	2213 - 2213	Blood pressure not taken - transportation problems
BPC6_16I	1	2214 - 2214	Blood pressure not taken - language problem
BPC6_16J	1	2215 - 2215	Blood pressure not taken - cost
BPC6_16K	1	2216 - 2216	Blood pressure not taken - did not know where to go
BPC6_16L	1	2217 - 2217	Blood pressure not taken - fear
BPC6_16M	1	2218 - 2218	Blood pressure not taken - other reason
WHC6_20	1	2219 - 2219	Had PAP smear test
WHC6_22	1	2220 - 2220	Last time PAP smear test was done
WHC6_23A	1	2221 - 2221	Had PAP smear - part of check-up
WHC6_23B	1	2222 - 2222	Had PAP smear - high risk group
WHC6_23C	1	2223 - 2223	Had PAP smear - follow-up of previous problem
WHC6_23D	1	2224 - 2224	Had PAP smear - abnormal bleeding / other symptoms
WHC6_23E	1	2225 - 2225	Had PAP smear - sexually active
WHC6_23F	1	2226 - 2226	Had PAP smear - on birth control pill
WHC6_23G	1	2227 - 2227	Had PAP smear - pregnant / after delivery
WHC6_23H	1	2228 - 2228	Had PAP smear - on hormone replacement therapy
WHC6_23I	1	2229 - 2229	Had PAP smear - other reason
WHC6_24	1	2230 - 2230	Had problems getting a PAP smear test
WHC6_25A	1	2231 - 2231	Problem getting PAP smear - not available when required
WHC6_25B	1	2232 - 2232	Problem getting PAP smear - not available in area
WHC6_25C	1	2233 - 2233	Problem getting PAP smear - waiting time too long
WHC6_25D	1	2234 - 2234	Problem getting PAP smear - transportation
WHC6_25E	1	2235 - 2235	Problem getting PAP smear - language
WHC6_25F	1	2236 - 2236	Problem getting PAP smear - cost
WHC6_25G	1	2237 - 2237	Problem getting PAP smear - did not know where to go
WHC6_25H	1	2238 - 2238	Problem getting PAP smear - other
WHC6_26A	1	2239 - 2239	No PAP smear - have not gotten around to it
WHC6_26B	1	2240 - 2240	No PAP smear - respondent did not think it was necessary
WHC6_26C	1	2241 - 2241	No PAP smear - doctor did not think it was necessary
WHC6_26D	1	2242 - 2242	No PAP smear - personal or family responsibilities
WHC6_26E	1	2243 - 2243	No PAP smear - not available when required
WHC6_26F	1	2244 - 2244	No PAP smear - not available at all in area
WHC6_26G	1	2245 - 2245	No PAP smear - waiting time too long
WHC6_26H	1	2246 - 2246	No PAP smear - transportation problems
WHC6_26I	1	2247 - 2247	No PAP smear - language problem
WHC6_26J	1	2248 - 2248	No PAP smear - cost

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 40

June, 1998

Variable	Length	Position	Concept
WHC6_26K	1	2249 - 2249	No PAP smear - did not know where to go
WHC6_26L	1	2250 - 2250	No PAP smear - fear
WHC6_26M	1	2251 - 2251	No PAP smear - hysterectomy
WHC6_26N	1	2252 - 2252	No PAP smear - hate / dislike having one done
WHC6_26O	1	2253 - 2253	No PAP smear - other reason
WHC6_30	1	2254 - 2254	Ever had mammogram
WHC6_32	1	2255 - 2255	Last time mammogram was done
WHC6_33A	1	2256 - 2256	Had mammogram - family history
WHC6_33B	1	2257 - 2257	Had mammogram - regular check-up
WHC6_33C	1	2258 - 2258	Had mammogram - age
WHC6_33D	1	2259 - 2259	Had mammogram - previously detected lump
WHC6_33E	1	2260 - 2260	Had mammogram - follow-up treatment
WHC6_33F	1	2261 - 2261	Had mammogram - on hormone replacement therapy
WHC6_33G	1	2262 - 2262	Had mammogram - other reason
WHC6_34	1	2263 - 2263	Had problems getting a mammogram
WHC6_35A	1	2264 - 2264	Problem getting mammogram - not available when required
WHC6_35B	1	2265 - 2265	Problem getting mammogram - not available at all in area
WHC6_35C	1	2266 - 2266	Problem getting mammogram - waiting time too long
WHC6_35D	1	2267 - 2267	Problem getting mammogram - transportation
WHC6_35E	1	2268 - 2268	Problem getting mammogram - language
WHC6_35F	1	2269 - 2269	Problem getting mammogram - cost
WHC6_35G	1	2270 - 2270	Problem getting mammogram - did not know where to go
WHC6_35H	1	2271 - 2271	Problem getting mammogram - other
WHC6_36A	1	2272 - 2272	No mammogram - have not gotten around to it
WHC6_36B	1	2273 - 2273	No mammogram - resp. did not think it was neces.
WHC6_36C	1	2274 - 2274	No mammogram - doctor did not think it was neces.
WHC6_36D	1	2275 - 2275	No mammogram - pers. or family responsibilities
WHC6_36E	1	2276 - 2276	No mammogram - not available when required
WHC6_36F	1	2277 - 2277	No mammogram - not available at all in the area
WHC6_36G	1	2278 - 2278	No mammogram - waiting time was too long
WHC6_36H	1	2279 - 2279	No mammogram - transportation problems
WHC6_36I	1	2280 - 2280	No mammogram - language problem
WHC6_36J	1	2281 - 2281	No mammogram - cost
WHC6_36K	1	2282 - 2282	No mammogram - did not know where to go
WHC6_36L	1	2283 - 2283	No mammogram - fear
WHC6_36M	1	2284 - 2284	No mammogram - other reason

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 41

June, 1998

Variable	Length	Position	Concept
WHS6_37	1	2285 - 2285	Intend to have a mammogram in the next 2 years
WHC6_90	1	2286 - 2286	Had breasts examined for lumps by health professional
WHC6_92	1	2287 - 2287	Last time breasts examined for lumps
WHC6_93A	1	2288 - 2288	Had breast exam - family history
WHC6_93B	1	2289 - 2289	Had breast exam - regular check-up
WHC6_93C	1	2290 - 2290	Had breast exam - age
WHC6_93D	1	2291 - 2291	Had breast exam - previously detected lump
WHC6_93E	1	2292 - 2292	Had breast exam - follow-up treatment
WHC6_93F	1	2293 - 2293	Had breast exam - on hormone replacement therapy
WHC6_93G	1	2294 - 2294	Had breast exam - other reason
WHC6_94	1	2295 - 2295	Had problems getting a breast exam
WHC6_95A	1	2296 - 2296	Problem getting breast exam - not available when required
WHC6_95B	1	2297 - 2297	Problem getting breast exam - not available in area
WHC6_95C	1	2298 - 2298	Problem getting breast exam - waiting time too long
WHC6_95D	1	2299 - 2299	Problem getting breast exam - transportation
WHC6_95E	1	2300 - 2300	Problem getting breast exam - language
WHC6_95F	1	2301 - 2301	Problem getting breast exam - cost
WHC6_95G	1	2302 - 2302	Problem getting breast exam - did not know where to go
WHC6_95H	1	2303 - 2303	Problem getting breast exam - other
WHC6_96A	1	2304 - 2304	No breast exam - have not gotten around to it
WHC6_96B	1	2305 - 2305	No breast exam - respondent did not think it was necessary
WHC6_96C	1	2306 - 2306	No breast exam - doctor did not think it was necessary
WHC6_96D	1	2307 - 2307	No breast exam - personal or family responsibilities
WHC6_96E	1	2308 - 2308	No breast exam - not available when required
WHC6_96F	1	2309 - 2309	No breast exam - not available at all in area
WHC6_96G	1	2310 - 2310	No breast exam - waiting time too long
WHC6_96H	1	2311 - 2311	No breast exam - transportation problems
WHC6_96I	1	2312 - 2312	No breast exam - language problem
WHC6_96J	1	2313 - 2313	No breast exam - cost
WHC6_96K	1	2314 - 2314	No breast exam - did not know where to go
WHC6_96L	1	2315 - 2315	No breast exam - fear
WHC6_96M	1	2316 - 2316	No breast exam - other reason
WHS6_90	1	2317 - 2317	Self-examined breasts for lumps
WHS6_91	1	2318 - 2318	Frequency of breast self-examination
WHS6_92	2	2319 - 2320	How breast self-exam was learned
GHC6_21	1	2321 - 2321	Gave birth since last interview

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 42

June, 1998

Variable	Length	Position	Concept
GHP6_21A	1	2322 - 2322	Gave birth in the past 5 years
GHS6_22	1	2323 - 2323	Gave birth to last baby in hospital
GHS6_23	1	2324 - 2324	Used services of doctor, midwife or both
GHS6_24	1	2325 - 2325	Breast fed child or tried to breast feed
GHP6_25	1	2326 - 2326	Still breast-feeding
GHP6_26	2	2327 - 2328	Duration of breast-feeding last child
GHP6_27	1	2329 - 2329	Received help / advice about breast-feeding
GHP6_28	2	2330 - 2331	From whom received breast-feeding advice
GHP6_29	2	2332 - 2333	Main reason for stopping breast-feeding
PC_6_40	1	2334 - 2334	Had physical check-up without having a health problem
PC_6_41	1	2335 - 2335	Had physical check-up during visit for health problem
PC_6_42	2	2336 - 2337	Last time had physical check up
PC_6_42A	2	2338 - 2339	Frequency of physical check-ups
PC_6_43A	1	2340 - 2340	Gets physical check-up - family history of health problems
PC_6_43B	1	2341 - 2341	Gets physical check-up - testing
PC_6_43C	1	2342 - 2342	Gets physical check-up - required for job, etc.
PC_6_43D	1	2343 - 2343	Gets physical check-up - make sure everything is OK
PC_6_43E	1	2344 - 2344	Gets physical check-up - catch problems early
PC_6_43F	1	2345 - 2345	Gets physical check-up - for prevention
PC_6_43G	1	2346 - 2346	Gets physical check-up - for health reasons
PC_6_43H	1	2347 - 2347	Gets physical check-up - other reason
PC_6_44	1	2348 - 2348	Had problems obtaining physical check-up
PC_6_45A	1	2349 - 2349	Prob. getting phys. check-up - not available when required
PC_6_45B	1	2350 - 2350	Prob. getting phys. check-up - not available in area
PC_6_45C	1	2351 - 2351	Prob. getting phys. check-up - waiting time too long
PC_6_45D	1	2352 - 2352	Prob. getting phys. check-up - transportation
PC_6_45E	1	2353 - 2353	Prob. getting phys. check-up - language
PC_6_45F	1	2354 - 2354	Prob. getting phys. check-up - cost
PC_6_45G	1	2355 - 2355	Prob. getting phys. check-up - did not know where to go
PC_6_45H	1	2356 - 2356	Prob. getting phys. check-up - other
PC_6_46A	1	2357 - 2357	No physical check-up - have not gotten around to it
PC_6_46B	1	2358 - 2358	No physical check-up - resp. didn't think it was neces.
PC_6_46C	1	2359 - 2359	No physical check-up - doctor didn't think it was neces.
PC_6_46D	1	2360 - 2360	No physical check-up - personal or family respons.
PC_6_46E	1	2361 - 2361	No physical check-up - not available / time required
PC_6_46F	1	2362 - 2362	No physical check-up - not available at all in area

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 43

June, 1998

Variable	Length	Position	Concept
PC_6_46G	1	2363 - 2363	No physical check-up - waiting time too long
PC_6_46H	1	2364 - 2364	No physical check-up - transportation problems
PC_6_46I	1	2365 - 2365	No physical check-up - language problem
PC_6_46J	1	2366 - 2366	No physical check-up - cost
PC_6_46K	1	2367 - 2367	No physical check-up - did not know where to go
PC_6_46L	1	2368 - 2368	No physical check-up - fear
PC_6_46M	1	2369 - 2369	No physical check-up - other reason
FS_6_50	1	2370 - 2370	Ever had a flu shot
FS_6_52	1	2371 - 2371	Last time had flu shot
FS_6_53A	1	2372 - 2372	Had flu shot - peer pressure
FS_6_53B	1	2373 - 2373	Had flu shot - job requirement
FS_6_53C	1	2374 - 2374	Had flu shot - helps prevent the flu
FS_6_53D	1	2375 - 2375	Had flu shot - to protect others
FS_6_53E	1	2376 - 2376	Had flu shot - recommended because of age
FS_6_53F	1	2377 - 2377	Had flu shot - health problem
FS_6_53G	1	2378 - 2378	Had flu shot - other reason
FS_6_54	1	2379 - 2379	Had problems obtaining a flu shot
FS_6_55A	1	2380 - 2380	Problem getting flu shot - not available when required
FS_6_55B	1	2381 - 2381	Problem getting flu shot - not available in area
FS_6_55C	1	2382 - 2382	Problem getting flu shot - waiting time too long
FS_6_55D	1	2383 - 2383	Problem getting flu shot - transportation
FS_6_55E	1	2384 - 2384	Problem getting flu shot - language
FS_6_55F	1	2385 - 2385	Problem getting flu shot - cost
FS_6_55G	1	2386 - 2386	Problem getting flu shot - did not know where to go
FS_6_55H	1	2387 - 2387	Problem getting flu shot - other
FS_6_56A	1	2388 - 2388	No flu shot - have not gotten around to it
FS_6_56B	1	2389 - 2389	No flu shot - respondent did not think it was necessary
FS_6_56C	1	2390 - 2390	No flu shot - doctor did not think it was necessary
FS_6_56D	1	2391 - 2391	No flu shot - personal or family responsibilities
FS_6_56E	1	2392 - 2392	No flu shot - not available when required
FS_6_56F	1	2393 - 2393	No flu shot - not available in area
FS_6_56G	1	2394 - 2394	No flu shot - waiting time too long
FS_6_56H	1	2395 - 2395	No flu shot - transportation problems
FS_6_56I	1	2396 - 2396	No flu shot - language problem
FS_6_56J	1	2397 - 2397	No flu shot - cost
FS_6_56K	1	2398 - 2398	No flu shot - did not know where to go

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 44

June, 1998

Variable	Length	Position	Concept
FS_6_56L	1	2399 - 2399	No flu shot - fear
FS_6_56M	1	2400 - 2400	No flu shot - bad reaction to previous shot
FS_6_56N	1	2401 - 2401	No flu shot - other reason
DV_6_60	1	2402 - 2402	Visited dentist
DV_6_61	2	2403 - 2404	Last time visited dentist
DV_6_62A	1	2405 - 2405	Visits dentist - make sure everything is OK
DV_6_62B	1	2406 - 2406	Visits dentist - check-up covered by insurance
DV_6_62C	1	2407 - 2407	Visits dentist - catch problems early
DV_6_62D	1	2408 - 2408	Visits dentist - for good dental health
DV_6_62E	1	2409 - 2409	Visits dentist - care of teeth / gums / dentures
DV_6_62F	1	2410 - 2410	Visits dentist - for cleaning / fluoride / maintenance
DV_6_62G	1	2411 - 2411	Visits dentist - to get a filling / extraction
DV_6_62H	1	2412 - 2412	Visits dentist - to check braces
DV_6_62I	1	2413 - 2413	Visits dentist - other reason
DV_6_63	1	2414 - 2414	Had problems obtaining dental services
DV_6_64A	1	2415 - 2415	Problem getting dental services - not avail. when required
DV_6_64B	1	2416 - 2416	Problem getting dental services - not available in area
DV_6_64C	1	2417 - 2417	Problem getting dental services - waiting time too long
DV_6_64D	1	2418 - 2418	Problem getting dental services - transportation
DV_6_64E	1	2419 - 2419	Problem getting dental services - language
DV_6_64F	1	2420 - 2420	Problem getting dental services - cost
DV_6_64G	1	2421 - 2421	Problem getting dental services - did not know where to go
DV_6_64H	1	2422 - 2422	Problem getting dental services - other
DV_6_65A	1	2423 - 2423	No dental visit - have not gotten around to it
DV_6_65B	1	2424 - 2424	No dental visit - respondent did not think it was necessary
DV_6_65C	1	2425 - 2425	No dental visit - dentist did not think it was necessary
DV_6_65D	1	2426 - 2426	No dental visit - personal or family responsibilities
DV_6_65E	1	2427 - 2427	No dental visit - not available when required
DV_6_65F	1	2428 - 2428	No dental visit - not available at all in area
DV_6_65G	1	2429 - 2429	No dental visit - waiting time too long
DV_6_65H	1	2430 - 2430	No dental visit - transportation problems
DV_6_65I	1	2431 - 2431	No dental visit - language problem
DV_6_65J	1	2432 - 2432	No dental visit - cost
DV_6_65K	1	2433 - 2433	No dental visit - did not know where to go
DV_6_65L	1	2434 - 2434	No dental visit - fear
DV_6_65M	1	2435 - 2435	No dental visit - wears dentures

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 45

June, 1998

Variable	Length	Position	Concept
DV_6_65N	1	2436 - 2436	No dental visit - other reason
DV_6_66	1	2437 - 2437	Has dental insurance
EX_6_70	1	2438 - 2438	Visited optometrist or ophthalmologist
EX_6_71	1	2439 - 2439	Last eye examination
EX_6_72	1	2440 - 2440	Frequency of eye examinations
EX_6_73A	1	2441 - 2441	Has eye exam - make sure everything is OK
EX_6_73B	1	2442 - 2442	Has eye exam - glaucoma test
EX_6_73C	1	2443 - 2443	Has eye exam - job requirement
EX_6_73D	1	2444 - 2444	Has eye exam - check prescription
EX_6_73E	1	2445 - 2445	Has eye exam - cataracts are developing
EX_6_73F	1	2446 - 2446	Has eye exam - to get driver's license
EX_6_73G	1	2447 - 2447	Has eye exam - eye problem / infection
EX_6_73H	1	2448 - 2448	Has eye exam - diabetes
EX_6_73I	1	2449 - 2449	Has eye exam - sight deterioration
EX_6_73J	1	2450 - 2450	Has eye exam - other reason
EX_6_74	1	2451 - 2451	Had problems obtaining an eye examination
EX_6_75A	1	2452 - 2452	Problem getting eye exam - not available when required
EX_6_75B	1	2453 - 2453	Problem getting eye exam - not available at all in area
EX_6_75C	1	2454 - 2454	Problem getting eye exam - waiting time too long
EX_6_75D	1	2455 - 2455	Problem getting eye exam - transportation
EX_6_75E	1	2456 - 2456	Problem getting eye exam - language
EX_6_75F	1	2457 - 2457	Problem getting eye exam - cost
EX_6_75G	1	2458 - 2458	Problem getting eye exam - did not know where to go
EX_6_75H	1	2459 - 2459	Problem getting eye exam - other
EX_6_76A	1	2460 - 2460	No eye exam - have not gotten around to it
EX_6_76B	1	2461 - 2461	No eye exam - respondent did not think it was neces.
EX_6_76C	1	2462 - 2462	No eye exam - doctor did not think it was necessary
EX_6_76D	1	2463 - 2463	No eye exam - personal or family responsibilities
EX_6_76E	1	2464 - 2464	No eye exam - not available when required
EX_6_76F	1	2465 - 2465	No eye exam - not available at all in area
EX_6_76G	1	2466 - 2466	No eye exam - waiting time too long
EX_6_76H	1	2467 - 2467	No eye exam - transportation problems
EX_6_76I	1	2468 - 2468	No eye exam - language problem
EX_6_76J	1	2469 - 2469	No eye exam - cost
EX_6_76K	1	2470 - 2470	No eye exam - did not know where to go
EX_6_76L	1	2471 - 2471	No eye exam - fear

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 46

June, 1998

Variable	Length	Position	Concept
EX_6_76M	1	2472 - 2472	No eye exam - other reason
EX_6_77	1	2473 - 2473	Has insurance covering cost of eye glasses / contact lenses
ES_6_80	1	2474 - 2474	Overall quality of emergency services
ES_6_81	1	2475 - 2475	Used emergency services
ES_6_82	1	2476 - 2476	Has health insurance covering hospital charges
IS_6D1	1	2477 - 2477	Derived number of types of medical insurance
HVS6_1	1	2478 - 2478	Tissue sample given for life insurance
HVS6_2	1	2479 - 2479	Donated blood at the Red Cross
HVS6_3	4	2480 - 2483	Year of last blood donation
HVS6_4	1	2484 - 2484	Test for HIV or AIDS other than for insurance / blood donat.
HVS6_5	4	2485 - 2488	Year of last HIV / AIDS test
HVS6_6	2	2489 - 2490	Reason for HIV / AIDS test
HVS6_7	1	2491 - 2491	Received "clotting factor" between 1978 and 1985
HVS6_8	1	2492 - 2492	Received a blood transfusion between 1978 and 1985
HVS6_9	1	2493 - 2493	Has injected non-prescription drugs
HIP6_1	2	2494 - 2495	First source of information - sports injuries
HIP6_1A	1	2496 - 2496	Look for other source - sports injuries
HIP6_1B	2	2497 - 2498	Second source of information - sports injuries
HIP6_2	2	2499 - 2500	First source of information - AIDS / STD
HIP6_2A	1	2501 - 2501	Look for other source - AIDS / STD
HIP6_2B	2	2502 - 2503	Second source of information - AIDS / STD
HIP6_3	2	2504 - 2505	First source of information - depression
HIP6_3A	1	2506 - 2506	Look for other source - depression
HIP6_3B	2	2507 - 2508	Second source of information - depression
HIP6_4	2	2509 - 2510	First source of information - pregnancy
HIP6_4A	1	2511 - 2511	Look for other source - pregnancy
HIP6_4B	2	2512 - 2513	Second source of information - pregnancy
HIP6_5	1	2514 - 2514	Attended school in past 12 months
HIP6_6	1	2515 - 2515	Rating of information received at school on improving health
HIP6_7	1	2516 - 2516	Attended sex education classes at school
HIP6_8	1	2517 - 2517	Rating of sex education classes
HSC6_1	1	2518 - 2518	Sees well enough to read newsprint without glasses /contacts
HSC6_2	1	2519 - 2519	Sees well enough to read newsprint with glasses / contacts
HSC6_3	1	2520 - 2520	Able to see
HSC6_4	1	2521 - 2521	Sees well enough to recognize friend without glasses
HSC6_5	1	2522 - 2522	Sees well enough to recognize friend with glasses

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 47

June, 1998

Variable	Length	Position	Concept
HSC6DVIS	2	2523 - 2524	Derived vision trouble - function code
HSC6_6	1	2525 - 2525	Hears in group of people without hearing aid
HSC6_7	1	2526 - 2526	Hears in group of people with hearing aid
HSC6_7A	1	2527 - 2527	Able to hear
HSC6_8	1	2528 - 2528	Hears in quiet room without hearing aid
HSC6_9	1	2529 - 2529	Hears in quiet room with hearing aid
HSC6DHER	2	2530 - 2531	Derived hearing problems - function code
HSC6_10	1	2532 - 2532	Understood by strangers in own language
HSC6_11	1	2533 - 2533	Understood partially by strangers in own language
HSC6_12	1	2534 - 2534	Understood by non-strangers in own language
HSC6_13	1	2535 - 2535	Understood partially by non-strangers in own language
HSC6DSPE	1	2536 - 2536	Derived speech trouble - function code
HSC6_14	1	2537 - 2537	Able to walk without difficulty without support
HSC6_15	1	2538 - 2538	Able to walk
HSC6_16	1	2539 - 2539	Requires support to walk
HSC6_17	1	2540 - 2540	Requires help of person to walk
HSC6_18	1	2541 - 2541	Requires a wheelchair
HSC6_19	1	2542 - 2542	Frequency of wheelchair use
HSC6_20	1	2543 - 2543	Requires help to move in wheelchair
HSC6DMOB	2	2544 - 2545	Derived mobility trouble - function code
HSC6_21	1	2546 - 2546	Able to grasp and handle small objects
HSC6_22	1	2547 - 2547	Requires help due to limitation in hands
HSC6_23	1	2548 - 2548	Requires help with tasks
HSC6_24	1	2549 - 2549	Requires special equipment due to limitation in hands
HSC6DDEX	2	2550 - 2551	Derived dexterity trouble - function code
HSC6_25	1	2552 - 2552	Description of feelings
HSC6DEMO	2	2553 - 2554	Derived emotional problems - function code
HSC6_26	1	2555 - 2555	Ability to remember things
HSC6_27	1	2556 - 2556	Ability to think and solve problems
HSC6DCOG	2	2557 - 2558	Derived cognition - function code
HSC6_28	1	2559 - 2559	Free of pain or discomfort
HSC6_29	1	2560 - 2560	Intensity of pain or discomfort
HSC6_30	1	2561 - 2561	Number of activities prevented by pain / discomfort
HSC6DPAD	1	2562 - 2562	Derived activities prevented-pain/discomfort - function code
HSC6DSEV	1	2563 - 2563	Derived severity of pain - function code
HSC6DHSI	5.3	2564 - 2568	Derived Health Status Index (3 decimal places)

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 48

June, 1998

Variable	Length	Position	Concept
HSK6_25A	1	2569 - 2569	Event causing great amount of worry or unhappiness
HSK6_31A	1	2570 - 2570	Worry or unhappiness - death in family
HSK6_31B	1	2571 - 2571	Worry or unhappiness - divorce / separation
HSK6_31C	1	2572 - 2572	Worry or unhappiness - move
HSK6_31D	1	2573 - 2573	Worry or unhappiness - illness / injury of family member
HSK6_31E	1	2574 - 2574	Worry or unhappiness - conflict between parents
HSK6_31F	1	2575 - 2575	Worry or unhappiness - other event
PAC6_1A	1	2576 - 2576	Walked for exercise in last 3 months
PAC6_1B	1	2577 - 2577	Gardening / yard work in last 3 months
PAC6_1C	1	2578 - 2578	Swam in last 3 months
PAC6_1D	1	2579 - 2579	Bicycled in last 3 months
PAC6_1E	1	2580 - 2580	Popular or social dance in last 3 months
PAC6_1F	1	2581 - 2581	Home exercises in last 3 months
PAC6_1G	1	2582 - 2582	Played ice hockey in last 3 months
PAC6_1H	1	2583 - 2583	Ice skated in last 3 months
PAC6_1I	1	2584 - 2584	Downhill skied in last 3 months
PAC6_1J	1	2585 - 2585	Jogged or ran in last 3 months
PAC6_1K	1	2586 - 2586	Golfed in last 3 months
PAC6_1L	1	2587 - 2587	Had exercise class or did aerobics in last 3 months
PAC6_1M	1	2588 - 2588	Cross-country skied in last 3 months
PAC6_1N	1	2589 - 2589	Bowled in last 3 months
PAC6_1O	1	2590 - 2590	Played baseball or softball in last 3 months
PAC6_1P	1	2591 - 2591	Played tennis in last 3 months
PAC6_1Q	1	2592 - 2592	Weight-trained in last 3 months
PAC6_1R	1	2593 - 2593	Fished in last 3 months
PAC6_1S	1	2594 - 2594	Played volleyball in last 3 months
PAC6_1T	1	2595 - 2595	Played basketball in last 3 months
PAC6_1U	1	2596 - 2596	Did other physical activity in last 3 months - (#1)
PAC6_1V	1	2597 - 2597	Did no physical activity in last 3 months
PAC6_C1C	1	2598 - 2598	Long answer collected - other physical activity (#1)
PAC6_1W	1	2599 - 2599	Did other physical activity in last 3 months - (#2)
PAC6_C2C	1	2600 - 2600	Long answer collected - other physical activity (#2)
PAC6_1X	1	2601 - 2601	Did other physical activity in last 3 months - (#3)
PAC6_C3C	1	2602 - 2602	Long answer collected - other physical activity (#3)
PAC6_2A	3	2603 - 2605	Number of times participated - walking for exercise
PAC6_3A	1	2606 - 2606	Time spent - walking for exercise

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 49

June, 1998

Variable	Length	Position	Concept
PAC6_2B	3	2607 - 2609	Number of times participated - gardening or yard work
PAC6_3B	1	2610 - 2610	Time spent - gardening or yard work
PAC6_2C	3	2611 - 2613	Number of times participated - swimming
PAC6_3C	1	2614 - 2614	Time spent - swimming
PAC6_2D	3	2615 - 2617	Number of times participated - bicycling
PAC6_3D	1	2618 - 2618	Time spent - bicycling
PAC6_2E	3	2619 - 2621	Number of times participated - popular or social dance
PAC6_3E	1	2622 - 2622	Time spent - popular or social dance
PAC6_2F	3	2623 - 2625	Number of times participated - home exercises
PAC6_3F	1	2626 - 2626	Time spent - home exercises
PAC6_2G	3	2627 - 2629	Number of times participated - ice hockey
PAC6_3G	1	2630 - 2630	Time spent - ice hockey
PAC6_2H	3	2631 - 2633	Number of times participated - ice skating
PAC6_3H	1	2634 - 2634	Time spent - ice skating
PAC6_2I	3	2635 - 2637	Number of times participated - downhill skiing
PAC6_3I	1	2638 - 2638	Time spent - downhill skiing
PAC6_2J	3	2639 - 2641	Number of times participated - jogging or running
PAC6_3J	1	2642 - 2642	Time spent - jogging or running
PAC6_2K	3	2643 - 2645	Number of times participated - golfing
PAC6_3K	1	2646 - 2646	Time spent - golfing
PAC6_2L	3	2647 - 2649	Number of times participated - exercise class or aerobics
PAC6_3L	1	2650 - 2650	Time spent - exercise class or aerobics
PAC6_2M	3	2651 - 2653	Number of times participated - cross-country skiing
PAC6_3M	1	2654 - 2654	Time spent - cross-country skiing
PAC6_2N	3	2655 - 2657	Number of times participated - bowling
PAC6_3N	1	2658 - 2658	Time spent - bowling
PAC6_2O	3	2659 - 2661	Number of times participated - baseball or softball
PAC6_3O	1	2662 - 2662	Time spent - baseball or softball
PAC6_2P	3	2663 - 2665	Number of times participated - tennis
PAC6_3P	1	2666 - 2666	Time spent - tennis
PAC6_2Q	3	2667 - 2669	Number of times participated - weight training
PAC6_3Q	1	2670 - 2670	Time spent - weight training
PAC6_2R	3	2671 - 2673	Number of times participated - fishing
PAC6_3R	1	2674 - 2674	Time spent - fishing
PAC6_2S	3	2675 - 2677	Number of times participated - volleyball
PAC6_3S	1	2678 - 2678	Time spent - volleyball

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 50

June, 1998

Variable	Length	Position	Concept
PAC6_2T	3	2679 - 2681	Number of times participated - basketball
PAC6_3T	1	2682 - 2682	Time spent - basketball
PAC6_2U	3	2683 - 2685	Number of times participated - other physical activity (#1)
PAC6_3U	1	2686 - 2686	Time spent - other physical activity (#1)
PAC6_2W	3	2687 - 2689	Number of times participated - other physical activity (#2)
PAC6_3W	1	2690 - 2690	Time spent - other physical activity (#2)
PAC6_2X	3	2691 - 2693	Number of times participated - other physical activity (#3)
PAC6_3X	1	2694 - 2694	Time spent - other physical activity (#3)
PAC6_4A	2	2695 - 2696	Number of hours walking to work / school
PAC6_4B	2	2697 - 2698	Number of hours biking to work / school
PAC6_5	1	2699 - 2699	Frequency of bike helmet use
PAC6_6	1	2700 - 2700	Level of physical activity for usual day
PAC6DEE	4.1	2701 - 2704	Derived energy expenditure (1 decimal point)
PAC6DLEI	1	2705 - 2705	Derived participant in leisure physical activity
PAC6DFM	3	2706 - 2708	Derived monthly freq. of physical activity lasting > 15 min.
PAC6DFR	1	2709 - 2709	Derived frequency of all physical activity
PAC6DFD	1	2710 - 2710	Derived participation / daily phys. activities > 15 min.
PAC6DPAI	1	2711 - 2711	Derived physical activity index
TUP6_1	1	2712 - 2712	Tried to get a suntan (sun or artificial)
TUP6_2	1	2713 - 2713	Deepness of suntan
TUP6_3	1	2714 - 2714	Got sunburnt
TUP6_4	1	2715 - 2715	Number of times sunburned
TUP6_5	1	2716 - 2716	Description of worst sunburn
TUP6_6	1	2717 - 2717	Frequency of using sunscreen in summer
TUP6_7	1	2718 - 2718	Frequency of avoiding sun from 11am to 4pm
TUP6_8	1	2719 - 2719	Frequency of avoiding long periods in the sun
TUP6_9	1	2720 - 2720	Frequency of wearing sunglasses with UV protection
TUP6_10	1	2721 - 2721	Frequency of wearing protective clothing in the sun
RPC6_1	1	2722 - 2722	Had repetitive strain injuries
RPC6_2	2	2723 - 2724	Number of repetitive strain injuries
RPC6_3	2	2725 - 2726	Body part affected by repetitive strain injury
RPC6_4A	1	2727 - 2727	Injury caused by activity at home
RPC6_4B	1	2728 - 2728	Injury caused by activity at school
RPC6_4C	1	2729 - 2729	Injury caused by leisure activities
RPC6_4D	1	2730 - 2730	Injury caused by other activity
IJC6_1	1	2731 - 2731	Had an injury limiting normal activities

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 51

June, 1998

Variable	Length	Position	Concept
IJC6_2	2	2732 - 2733	Number of times injured
IJC6_3	2	2734 - 2735	Type of injury
IJC6_4	2	2736 - 2737	Body part affected by injury
IJC6_5	2	2738 - 2739	Place where injury happened
IJC6_6	2	2740 - 2741	Reason for injury
IJC6_7	1	2742 - 2742	Injury occurred at work
IJC6_8A	1	2743 - 2743	To avoid the injury recurring - gave up the activity
IJC6_8B	1	2744 - 2744	To avoid the injury recurring - being more careful
IJC6_8C	1	2745 - 2745	To avoid the injury recurring - safety training
IJC6_8D	1	2746 - 2746	To avoid the injury recurring - protective gear
IJC6_8E	1	2747 - 2747	To avoid the injury recurring - changing physical situation
IJC6_8F	1	2748 - 2748	To avoid the injury recurring - other precaution
IJC6_8G	1	2749 - 2749	To avoid the injury recurring - no precautions taken
IJC6D1	3	2750 - 2752	Derived type of injury by body site
IJC6D2	3	2753 - 2755	Derived cause of injury by place of occurrence
DGC6_1A	1	2756 - 2756	Took pain relievers
DGC6_1B	1	2757 - 2757	Took tranquilizers
DGC6_1C	1	2758 - 2758	Took diet pills
DGC6_1D	1	2759 - 2759	Took anti-depressants
DGC6_1E	1	2760 - 2760	Took codeine, Demerol or morphine
DGC6_1F	1	2761 - 2761	Took allergy medicine
DGC6_1G	1	2762 - 2762	Took asthma medications
DGC6_1H	1	2763 - 2763	Took cough or cold remedies
DGC6_1I	1	2764 - 2764	Took penicillin or other antibiotics
DGC6_1J	1	2765 - 2765	Took medicine for the heart
DGC6_1K	1	2766 - 2766	Took medicine for blood pressure
DGC6_1L	1	2767 - 2767	Took diuretics
DGC6_1M	1	2768 - 2768	Took steroids
DGC6_1N	1	2769 - 2769	Took insulin
DGC6_1O	1	2770 - 2770	Took pills to control diabetes
DGC6_1P	1	2771 - 2771	Took sleeping pills
DGC6_1Q	1	2772 - 2772	Took stomach remedies
DGC6_1R	1	2773 - 2773	Took laxatives
DGC6_1S	1	2774 - 2774	Took birth control pills
DGC6_1T	1	2775 - 2775	Took hormones for menopause
DGC6_1T1	1	2776 - 2776	Hormone therapy - type

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 52

June, 1998

Variable	Length	Position	Concept
DGC6_1T2	4	2777 - 2780	Hormone therapy - year started
DGC6_1U	1	2781 - 2781	Took thyroid medication
DGC6_1V	1	2782 - 2782	Took other medication
DGC6F1	1	2783 - 2783	Took medications
DGC6_2	3	2784 - 2786	Number of different medications taken in past 2 days
DGC6_3AC	1	2787 - 2787	Long answer collected - drug 1
DGC6C3A	7	2788 - 2794	Drug code - drug 1
DGC6G3A	2	2795 - 2796	Drug code - drug 1 - grouped
DGC6_3BC	1	2797 - 2797	Long answer collected - drug 2
DGC6C3B	7	2798 - 2804	Drug code - drug 2
DGC6G3B	2	2805 - 2806	Drug code - drug 2 - grouped
DGC6_3CC	1	2807 - 2807	Long answer collected - drug 3
DGC6C3C	7	2808 - 2814	Drug code - drug 3
DGC6G3C	2	2815 - 2816	Drug code - drug 3 - grouped
DGC6_3DC	1	2817 - 2817	Long answer collected - drug 4
DGC6C3D	7	2818 - 2824	Drug code - drug 4
DGC6G3D	2	2825 - 2826	Drug code - drug 4 - grouped
DGC6_3EC	1	2827 - 2827	Long answer collected - drug 5
DGC6C3E	7	2828 - 2834	Drug code - drug 5
DGC6G3E	2	2835 - 2836	Drug code - drug 5 - grouped
DGC6_3FC	1	2837 - 2837	Long answer collected - drug 6
DGC6C3F	7	2838 - 2844	Drug code - drug 6
DGC6G3F	2	2845 - 2846	Drug code - drug 6 - grouped
DGC6_3GC	1	2847 - 2847	Long answer collected - drug 7
DGC6C3G	7	2848 - 2854	Drug code - drug 7
DGC6G3G	2	2855 - 2856	Drug code - drug 7 - grouped
DGC6_3HC	1	2857 - 2857	Long answer collected - drug 8
DGC6C3H	7	2858 - 2864	Drug code - drug 8
DGC6G3H	2	2865 - 2866	Drug code - drug 8 - grouped
DGC6_3IC	1	2867 - 2867	Long answer collected - drug 9
DGC6C3I	7	2868 - 2874	Drug code - drug 9
DGC6G3I	2	2875 - 2876	Drug code - drug 9 - grouped
DGC6_3JC	1	2877 - 2877	Long answer collected - drug 10
DGC6C3J	7	2878 - 2884	Drug code - drug 10
DGC6G3J	2	2885 - 2886	Drug code - drug 10 - grouped
DGC6_3KC	1	2887 - 2887	Long answer collected - drug 11

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 53

June, 1998

Variable	Length	Position	Concept
DGC6C3K	7	2888 - 2894	Drug code - drug 11
DGC6G3K	2	2895 - 2896	Drug code - drug 11 - grouped
DGC6_3LC	1	2897 - 2897	Long answer collected - drug 12
DGC6C3L	7	2898 - 2904	Drug code - drug 12
DGC6G3L	2	2905 - 2906	Drug code - drug 12 - grouped
DGC6_4	1	2907 - 2907	Uses other health products
DGC6_5AC	1	2908 - 2908	Long answer collected - health product 1
DGC6C5A	7	2909 - 2915	Code for health product - product 1
DGC6G5A	2	2916 - 2917	Code for health product - product 1 - grouped
DGC6_5AA	1	2918 - 2918	Uses a 2nd health product
DGC6_5BC	1	2919 - 2919	Long answer collected - health product 2
DGC6C5B	7	2920 - 2926	Code for health product - product 2
DGC6G5B	2	2927 - 2928	Code for health product - product 2 - grouped
DGC6_5BA	1	2929 - 2929	Uses a 3rd health product
DGC6_5CC	1	2930 - 2930	Long answer collected - health product 3
DGC6C5C	7	2931 - 2937	Code for health product - product 3
DGC6G5C	2	2938 - 2939	Code for health product - product 3 - grouped
DGC6_5CA	1	2940 - 2940	Uses a 4th health product
DGC6_5DC	1	2941 - 2941	Long answer collected - health product 4
DGC6C5D	7	2942 - 2948	Code for health product - product 4
DGC6G5D	2	2949 - 2950	Code for health product - product 4 - grouped
DGC6_5DA	1	2951 - 2951	Uses a 5th health product
DGC6_5EC	1	2952 - 2952	Long answer collected - health product 5
DGC6C5E	7	2953 - 2959	Code for health product - product 5
DGC6G5E	2	2960 - 2961	Code for health product - product 5 - grouped
DGC6_5EA	1	2962 - 2962	Uses a 6th health product
DGC6_5FC	1	2963 - 2963	Long answer collected - health product 6
DGC6C5F	7	2964 - 2970	Code for health product - product 6
DGC6G5F	2	2971 - 2972	Code for health product - product 6 - grouped
DGC6_5FA	1	2973 - 2973	Uses a 7th health product
DGC6_5GC	1	2974 - 2974	Long answer collected - health product 7
DGC6C5G	7	2975 - 2981	Code for health product - product 7
DGC6G5G	2	2982 - 2983	Code for health product - product 7 - grouped
DGC6_5GA	1	2984 - 2984	Uses an 8th health product
DGC6_5HC	1	2985 - 2985	Long answer collected - health product 8
DGC6C5H	7	2986 - 2992	Code for health product - product 8

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 54

June, 1998

Variable	Length	Position	Concept
DGC6G5H	2	2993 - 2994	Code for health product - product 8 - grouped
DGC6_5HA	1	2995 - 2995	Uses a 9th health product
DGC6_5IC	1	2996 - 2996	Long answer collected - health product 9
DGC6C5I	7	2997 - 3003	Code for health product - product 9
DGC6G5I	2	3004 - 3005	Code for health product - product 9 - grouped
DGC6_5IA	1	3006 - 3006	Uses a 10th health product
DGC6_5JC	1	3007 - 3007	Long answer collected - health product 10
DGC6C5J	7	3008 - 3014	Code for health product - product 10
DGC6G5J	2	3015 - 3016	Code for health product - product 10 - grouped
DGC6_5JA	1	3017 - 3017	Uses an 11th health product
DGC6_5KC	1	3018 - 3018	Long answer collected - health product 11
DGC6C5K	7	3019 - 3025	Code for health product - product 11
DGC6G5K	2	3026 - 3027	Code for health product - product 11 - grouped
DGC6_5KA	1	3028 - 3028	Uses a 12th health product
DGC6_5LC	1	3029 - 3029	Long answer collected - health product 12
DGC6C5L	7	3030 - 3036	Code for health product - product 12
DGC6G5L	2	3037 - 3038	Code for health product - product 12 - grouped
DGC6_6	1	3039 - 3039	Insurance covering prescription medication
SMC6_1	1	3040 - 3040	Household member smokes regularly inside house
SMC6_2	1	3041 - 3041	Type of smoker
SMC6_3	3	3042 - 3044	Age started smoking daily - daily smoker
SMC6G3	3	3045 - 3047	Age started smoking daily - daily smoker - grouped
SMC6_4	3	3048 - 3050	Number of cigarettes smoked each day - daily smoker
SMC6_4A	1	3051 - 3051	Ever smoked cigarettes
SMC6_5	1	3052 - 3052	Ever smoked daily
SMC6_6	3	3053 - 3055	Age started smoking daily - former daily smoker
SMC6G6	3	3056 - 3058	Age started smoking daily - former daily smoker - grouped
SMC6_7	3	3059 - 3061	Number of cigarettes smoked each day - former daily smoker
SMC6_8	3	3062 - 3064	Age stopped smoking daily - former daily smoker
SMC6G8	3	3065 - 3067	Age stopped smoking daily - former daily smoker - grouped
SMC6_9	2	3068 - 3069	Reason for quitting smoking
SMC6_10	2	3070 - 3071	Reason for starting smoking
SMC6_11	2	3072 - 3073	Reason for smoking less
SMC6_12	2	3074 - 3075	Reason for smoking more
SMC6DTYP	2	3076 - 3077	Derived type of smoker
SMC6DYRS	3	3078 - 3080	Derived number of years smoked

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 55

June, 1998

Variable	Length	Position	Concept
GHS6_31	1	3081 - 3081	Smoked during last pregnancy
GHS6_32	3	3082 - 3084	Average number of cigarettes smoked daily during pregnancy
GHS6_33	1	3085 - 3085	Smoked while breast-feeding last baby
GHS6_34	3	3086 - 3088	Average no. of cigarettes smoked daily during breast-feeding
GHS6_35	1	3089 - 3089	Someone smoked reg. in presence during / after pregnancy
SMS6_8	1	3090 - 3090	Time until first cigarette after waking up
SMS6_9	1	3091 - 3091	Considering quitting smoking in next 6 months
SMS6_12	1	3092 - 3092	Restrictions on smoking in work place
SMS6_13A	1	3093 - 3093	Children more likely to start smoking if their parents smoke
SMS6_13B	1	3094 - 3094	People too concerned about second-hand smoke
SMS6_13C	1	3095 - 3095	Non-smokers mind when people smoke in their presence
SMS6_13D	1	3096 - 3096	Children/ second-hand smoke / more likely to have ill health
SMS6_13E	1	3097 - 3097	Pregnant women / others living with / should not smoke
SMS6_13F	1	3098 - 3098	Provide non-smokers with a smoke-free environment at work
SMS6_13G	1	3099 - 3099	Ask permission to smoke in the presence of others
SMS6_13H	1	3100 - 3100	Lower cigarette prices lead to increased smoking
SMS6_14	1	3101 - 3101	Feels unpleasant effects from second-hand smoke
SMS6_15	1	3102 - 3102	Second-hand smoke can cause health problems in non-smoker
SMS6_16A	1	3103 - 3103	Second-hand smoke can cause lung cancer in a non-smoker
SMS6_16B	1	3104 - 3104	Second-hand smoke can cause heart problems in non-smoker
SMS6_16C	1	3105 - 3105	Second-hand smoke can cause a stroke in a non-smoker
SMS6_16D	1	3106 - 3106	Second-hand smoke can cause breathing problems in non-smoker
SMS6_17	1	3107 - 3107	Smoking cigarettes can cause health problems in smoker
SMS6_18A	1	3108 - 3108	Smoking cigarettes can cause lung cancer in a smoker
SMS6_18B	1	3109 - 3109	Smoking cigarettes can cause heart disease in a smoker
SMS6_18C	1	3110 - 3110	Smoking cigarettes can cause a stroke in a smoker
SMS6_18D	1	3111 - 3111	Smoking cigarettes can cause breathing problems in a smoker
ALC6_1	1	3112 - 3112	Drank alcohol in past 12 months
ALC6_2	2	3113 - 3114	Frequency of drinking alcohol
ALC6_3	2	3115 - 3116	Frequency of having 5 or more drinks
ALC6_DAY	2	3117 - 3118	Day of the week that interview took place
ALC6_5	1	3119 - 3119	Drank alcohol in past week
ALC6_5A1	3	3120 - 3122	Number of drinks - Monday
ALC6_5A2	3	3123 - 3125	Number of drinks - Tuesday
ALC6_5A3	3	3126 - 3128	Number of drinks - Wednesday
ALC6_5A4	3	3129 - 3131	Number of drinks - Thursday

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 56

June, 1998

Variable	Length	Position	Concept
ALC6_5A5	3	3132 - 3134	Number of drinks - Friday
ALC6_5A6	3	3135 - 3137	Number of drinks - Saturday
ALC6_5A7	3	3138 - 3140	Number of drinks - Sunday
ALC6_5B	1	3141 - 3141	Has ever had a drink
ALC6_6	1	3142 - 3142	Regularly drank more than 12 drinks a week
ALC6_7A	1	3143 - 3143	Reason reduced drinking - dieting
ALC6_7B	1	3144 - 3144	Reason reduced drinking - athletic training
ALC6_7C	1	3145 - 3145	Reason reduced drinking - pregnancy
ALC6_7D	1	3146 - 3146	Reason reduced drinking - getting older
ALC6_7E	1	3147 - 3147	Reason reduced drinking - drinking too much
ALC6_7F	1	3148 - 3148	Reason reduced drinking - affected work / studies
ALC6_7G	1	3149 - 3149	Reason reduced drinking - interfered with family life
ALC6_7H	1	3150 - 3150	Reason reduced drinking - affected physical health
ALC6_7I	1	3151 - 3151	Reason reduced drinking - affected social relationships
ALC6_7J	1	3152 - 3152	Reason reduced drinking - affected financial position
ALC6_7K	1	3153 - 3153	Reason reduced drinking - affected happiness
ALC6_7L	1	3154 - 3154	Reason reduced drinking - influence of family / friends
ALC6_7M	1	3155 - 3155	Reason reduced drinking - other
ALC6D7	2	3156 - 3157	Derived single reason for reducing or quitting drinking
ALC6DTYP	1	3158 - 3158	Derived type of drinker
ALC6DWKY	3	3159 - 3161	Derived weekly total of alcohol consumed
ALC6DDLX	2	3162 - 3163	Derived average daily consumption
ALP6_1	1	3164 - 3164	Drank alcohol during last pregnancy
ALP6_2	2	3165 - 3166	Average number of drinks during pregnancy
ALP6_3	1	3167 - 3167	Consumed alcohol while breastfeeding
ALP6_4	2	3168 - 3169	Average number of drinks while breastfeeding
ALS6_1	2	3170 - 3171	Definition of moderate drinking
ALS6_2	1	3172 - 3172	Moderate drinking can be good for your health
ALS6_3	1	3173 - 3173	It's alright to get drunk once in a while
ALS6_4	1	3174 - 3174	Rather pay for a taxi than see a friend drive after drinking
ALS6_5	1	3175 - 3175	Alright to get drunk once a week if no drinking rest of week
ALS6_6	1	3176 - 3176	Pregnant woman should not drink any amount of alcohol
ALS6_7	1	3177 - 3177	Alright for breastfeeding woman to drink occasionally
AD_6_1	1	3178 - 3178	Drunk / at work / school / taking care of child
AD_6_2	1	3179 - 3179	Number of times drunk / hung-over
AD_6_3	1	3180 - 3180	Being drunk increased chances of getting hurt

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 57

June, 1998

Variable	Length	Position	Concept
AD_6_4	1	3181 - 3181	Emotional / psychological problems due to alcohol
AD_6_5	1	3182 - 3182	Strong desire or urge to drink
AD_6_6	1	3183 - 3183	Spent month or more getting drunk
AD_6_7	1	3184 - 3184	Drank much more than intended
AD_6_8	1	3185 - 3185	Number of times drank much more than intended
AD_6_9	1	3186 - 3186	Had to drink more for the same effect
AD_6DSF	2	3187 - 3188	Derived alcohol dependence - short form score
AD_6DPP	4.2	3189 - 3192	Derived alcohol dependence - short probability of CIDI
MHC6_1A	1	3193 - 3193	Number of times - felt nothing could cheer you up
MHC6_1B	1	3194 - 3194	Number of times - felt nervous
MHC6_1C	1	3195 - 3195	Number of times - felt restless / fidgety
MHC6_1D	1	3196 - 3196	Number of times - felt hopeless
MHC6_1E	1	3197 - 3197	Number of times - felt worthless
MHC6_1F	1	3198 - 3198	Number of times - felt everything was an effort
MHC6_1G	1	3199 - 3199	Feelings occurred more or less often than usual
MHC6_1H	1	3200 - 3200	Feelings occurred how much more often
MHC6_1I	1	3201 - 3201	Feelings occurred how much less often
MHC6_1J	1	3202 - 3202	How much these experiences interfere with life / activities
MHC6_1K	1	3203 - 3203	Consulted health professional about mental health
MHC6_1L	3	3204 - 3206	No. of times consulted health professional for mental health
MHC6_1MA	1	3207 - 3207	Mental health, consulted - family doctor
MHC6_1MB	1	3208 - 3208	Mental health, consulted - psychiatrist
MHC6_1MC	1	3209 - 3209	Mental health, consulted - psychologist
MHC6_1MD	1	3210 - 3210	Mental health, consulted - nurse
MHC6_1ME	1	3211 - 3211	Mental health, consulted - social worker or counselor
MHC6_1MF	1	3212 - 3212	Mental health, consulted - other person
MHC6_2	1	3213 - 3213	Felt depressed for 2 weeks or more in past year
MHC6_3	1	3214 - 3214	Depressed - length of time feelings usually last
MHC6_4	1	3215 - 3215	Depressed - number of times felt this way
MHC6_5	1	3216 - 3216	Depressed - lost interest in most things
MHC6_6	1	3217 - 3217	Depressed - felt tired all of the time
MHC6_7	1	3218 - 3218	Depressed - weight change
MHC6_8KG	3	3219 - 3221	Depressed - weight change (kg.)
MHC6_8LB	3	3222 - 3224	Depressed - weight change (lb.)
MHC6_9	1	3225 - 3225	Depressed - trouble falling asleep
MHC6_10	1	3226 - 3226	Depressed - frequency of trouble falling asleep

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 58

June, 1998

Variable	Length	Position	Concept
MHC6_11	1	3227 - 3227	Depressed - trouble concentrating
MHC6_12	1	3228 - 3228	Depressed - felt down on self
MHC6_13	1	3229 - 3229	Depressed - thought a lot about death
MHC6_14	2	3230 - 3231	Depressed - number of weeks in past 12 months
MHC6_15	2	3232 - 3233	Month in which depression occurred
MHC6_16	1	3234 - 3234	Lost interest in most things that usually give pleasure
MHC6_17	1	3235 - 3235	Loss of interest - duration
MHC6_18	1	3236 - 3236	Loss of interest - frequency
MHC6_19	1	3237 - 3237	Loss of interest - felt tired all the time
MHC6_20	1	3238 - 3238	Loss of interest - weight change
MHC6_21K	3	3239 - 3241	Loss of interest - weight change (kg.)
MHC6_21L	3	3242 - 3244	Loss of interest - weight change (lb.)
MHC6_22	1	3245 - 3245	Loss of interest - trouble falling asleep
MHC6_23	1	3246 - 3246	Loss of interest - frequency of sleep problem
MHC6_24	1	3247 - 3247	Loss of interest - trouble concentrating
MHC6_25	1	3248 - 3248	Loss of interest - felt down on self
MHC6_26	1	3249 - 3249	Loss of interest - thought a lot about death
MHC6_27	2	3250 - 3251	Number of weeks feeling loss of interest
MHC6_28	2	3252 - 3253	Month in which loss of interest occurred
MHC6DDS	2	3254 - 3255	Derived Distress Scale
MHC6DCH	2	3256 - 3257	Derived Chronicity of Distress and Impairment Scale
MHC6DSF	2	3258 - 3259	Derived Depression Scale - Short Form Score
MHC6DPP	4.2	3260 - 3263	Derived Depression Scale - Predicted Probability (2 dec pts)
MHC6DWK	2	3264 - 3265	Derived number of weeks felt depressed
MHC6DMT	2	3266 - 3267	Derived specific month when felt depressed
SSC6_1	1	3268 - 3268	Member of organization / association
SSC6_2	1	3269 - 3269	Frequency of participation in organizations / associations
SSC6_2A	1	3270 - 3270	Frequency of attending religious services
SSS6_1	1	3271 - 3271	Spiritual values / faith play important role in life
SSS6_2	1	3272 - 3272	Self-perception of religiousness / spirituality
SSC6_3	1	3273 - 3273	Has someone to confide in
SSC6_4	1	3274 - 3274	Has someone to count on in crisis situation
SSC6_5	1	3275 - 3275	Has someone who gives advice when making important decisions
SSC6_6	1	3276 - 3276	Has someone to make feel loved and cared for
SSC6_7A	2	3277 - 3278	Frequency of contact with parents / in-laws
SSC6_7B	2	3279 - 3280	Frequency of contact with grandparents

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 59

June, 1998

Variable	Length	Position	Concept
SSC6_7C	2	3281 - 3282	Frequency of contact with daughters / daughters-in-law
SSC6_7D	2	3283 - 3284	Frequency of contact with sons / sons-in-law
SSC6_7E	2	3285 - 3286	Frequency of contact with brothers / sisters
SSC6_7F	2	3287 - 3288	Frequency of contact with other relatives
SSC6_7G	2	3289 - 3290	Frequency of contact with close friends
SSC6_7H	2	3291 - 3292	Frequency of contact with neighbours
SSC6D1	1	3293 - 3293	Derived social support index
SSC6D2	2	3294 - 3295	Derived social involvement score
SSC6D3	2	3296 - 3297	Derived average frequency of contacts
SSS6_3	1	3298 - 3298	Number of people seen socially who smoke
SSS6_4	1	3299 - 3299	Number of people seen socially who drink too much
SSS6_5A	1	3300 - 3300	Partner smokes cigarettes
SSS6_5B	1	3301 - 3301	Partner exercises regularly
SSS6_5C	1	3302 - 3302	Partner drinks too much
SSS6_5D	1	3303 - 3303	Partner overeats
SSS6_5E	1	3304 - 3304	Partner uses tranquilizers
SSP6_1	1	3305 - 3305	Received care from friend / relative in the past 12 months
SSP6_2	1	3306 - 3306	Received care from friend / relative in last month
SSP6_3	1	3307 - 3307	Level of support from family / friends
SSP6_4	1	3308 - 3308	Helped relative / friend with health problem
APP6_1	1	3309 - 3309	My parents are strict for my own good
APP6_2	1	3310 - 3310	My parents do not understand me
APP6_3	1	3311 - 3311	I have a lot of arguments with my parents
APP6_4	1	3312 - 3312	What my parents think of me is important
APP6_5	1	3313 - 3313	Are times when I would like to run away from home
APP6_6	1	3314 - 3314	I have a happy home life
APP6_7	1	3315 - 3315	I would raise my children differently
APP6_8	1	3316 - 3316	My parents expect too much of me
APP6_9	1	3317 - 3317	I ask my parents for advice on serious matters
APP6_10	1	3318 - 3318	My parents trust me
SVP6_1	1	3319 - 3319	Overall rating of health care system
SVP6_2	1	3320 - 3320	Availability of community health care
SVP6_3	1	3321 - 3321	Overall quality of health care in community
SVP6_4	1	3322 - 3322	Overall availability of health care in community
SVP6_5	1	3323 - 3323	Quality of health care in community
SVP6_6	1	3324 - 3324	Difficulty getting health care services needed

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 60

June, 1998

Variable	Length	Position	Concept
SVP6_7	1	3325 - 3325	Quality of health care received in past 12 months
SHS6_1	1	3326 - 3326	Ever had sexual intercourse
SHS6_2	2	3327 - 3328	Age at first sexual intercourse
SHS6_3	1	3329 - 3329	Had sexual intercourse in past 12 months
SHS6_4	1	3330 - 3330	Number of partners (sexual intercourse)
SHS6_5	1	3331 - 3331	Relationship lasted 12 months or longer
SHS6_6	1	3332 - 3332	Relationships lasted less than 12 months
SHS6_7	1	3333 - 3333	Condom use in relationship(s) lasting less than 12 months
SHS6_7A	1	3334 - 3334	Used a condom the last time
SHS6_8	1	3335 - 3335	Had / has - chlamydia
SHS6_9	1	3336 - 3336	Had / has - gonorrhea
SHS6_10	1	3337 - 3337	Had / has - syphilis
SHS6_11	1	3338 - 3338	Had / has - genital warts
SHS6_12	1	3339 - 3339	Had / has - genital herpes
SHS6_13	1	3340 - 3340	Had / has - hepatitis B
SHS6_14	1	3341 - 3341	Has - HIV / AIDS
SHS6_15	1	3342 - 3342	Had / has - pelvic inflammatory disease
SHS6_16	1	3343 - 3343	Had / has - other STD
SHS6D1	1	3344 - 3344	Derived - had at least 1 sexually-transmitted disease
SHP6_1	1	3345 - 3345	Effective in preventing STD - using condom
SHP6_2	1	3346 - 3346	Effective in preventing STD - birth control pill
SHP6_3	1	3347 - 3347	Effective in preventing STD - diaphragm / sponge
SHP6_4	1	3348 - 3348	Effective in preventing STD - spermicidal jelly / foam
SHP6_5	1	3349 - 3349	Effective in preventing STD - asking if a partner has one
SHP6_6	1	3350 - 3350	Effective in preventing STD - having regular partner
SHP6_7	1	3351 - 3351	Effective in preventing STD - asking partner to go for test
SHP6_8	1	3352 - 3352	Has sources of information on preventing STD
SHP6_9A	1	3353 - 3353	Main source of information on STD - parents
SHP6_9B	1	3354 - 3354	Main source of information on STD - medical professional
SHP6_9C	1	3355 - 3355	Main source of information on STD - friends
SHP6_9D	1	3356 - 3356	Main source of information on STD - school
SHP6_9E	1	3357 - 3357	Main source of information on STD - church
SHP6_9F	1	3358 - 3358	Main source of information on STD - youth club
SHP6_9G	1	3359 - 3359	Main source of information on STD - TV / radio
SHP6_9H	1	3360 - 3360	Main source of information on STD - magazines / newspaper
SHP6_9I	1	3361 - 3361	Main source of information on STD - information pamphlets

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 61

June, 1998

Variable	Length	Position	Concept
SHP6_9J	1	3362 - 3362	Main source of information on STD - books
SHP6_9K	1	3363 - 3363	Main source of information on STD - other
SHP6_10	1	3364 - 3364	Chance of getting an STD
SHP6_11	1	3365 - 3365	To prevent STD - changed sexual behaviour
SHP6_12	1	3366 - 3366	To prevent STD - sex with only 1 partner
SHP6_13	1	3367 - 3367	To prevent STD - using condoms
SHP6_14	1	3368 - 3368	To prevent STD - using spermicidal jellies and foams
SHP6_15	1	3369 - 3369	To prevent STD - more careful in selecting partners
SHP6_16	1	3370 - 3370	To prevent STD - started being tested for STD
SHP6_17	1	3371 - 3371	To prevent STD - insisting that partner be tested for STD
SHP6_18	1	3372 - 3372	To prevent STD - abstaining from sexual intercourse
SHP6_19	1	3373 - 3373	To prevent STD - other measures
RSS6_1	1	3374 - 3374	Been passenger with driver who had too much to drink
RSS6_2	1	3375 - 3375	Driver intoxicated - tried to prevent person from driving
RSS6_3A	1	3376 - 3376	Driver intoxicated - drove person home yourself
RSS6_3B	1	3377 - 3377	Driver intoxicated - asked someone to drive person home
RSS6_3C	1	3378 - 3378	Driver intoxicated - asked person to take a taxi
RSS6_3D	1	3379 - 3379	Driver intoxicated - hid person's car keys
RSS6_3E	1	3380 - 3380	Driver intoxicated - served coffee to person
RSS6_3F	1	3381 - 3381	Driver intoxicated - kept the person at home
RSS6_3G	1	3382 - 3382	Driver intoxicated - other action to prevent driving
RSS6_4	1	3383 - 3383	Has valid driver's license for a motor vehicle
RSS6_5	1	3384 - 3384	Frequency - insisting that passengers wear their seatbelt
RSS6_6	1	3385 - 3385	Frequency - obey speed limits
RSS6_7	3	3386 - 3388	Number of times drank too much and drove
RSS6_8	1	3389 - 3389	Go out with friends / family to consume alcohol
RSS6_9	1	3390 - 3390	Have designated driver when going out
RSS6_10	1	3391 - 3391	Frequency - designated driver
VSP6_1	1	3392 - 3392	Frequency of feeling safe in community
VSP6_2	1	3393 - 3393	Frequency of feeling safe at home
VSP6_4	1	3394 - 3394	Frequency of feeling safe at school
VSP6_5	1	3395 - 3395	Number of times verbally abused at school / school bus
VSP6_6	1	3396 - 3396	Number of times verbally threatened at school / school bus
VSP6_7	1	3397 - 3397	Number of times attacked at school / school bus
VSP6_8	1	3398 - 3398	Number of times verbally abused outside of school
VSP6_9	1	3399 - 3399	Number of times verbally threatened outside of school

1996-97 NPHS: Master File - Longitudinal (Partial response) Record Layout

Page 62

June, 1998

Variable	Length	Position	Concept
VSP6_10	1	3400 - 3400	Number of times attacked outside of school
COP6_1	1	3401 - 3401	Ability to handle day-to-day demands
COP6_2	1	3402 - 3402	Ability to handle unexpected / difficult problems
AM66_LNK	1	3403 - 3403	Permission to link data
AM66_HN	1	3404 - 3404	Provincial health number changed (used for processing only)
AM66_HNC	1	3405 - 3405	Flag for health number (used for processing only)
AM66_5	1	3406 - 3406	Respondent gives contact information (H06)
AM66_TEL	1	3407 - 3407	H06 interview by telephone or in person
AM66_ALO	1	3408 - 3408	Respondent alone for health questionnaire
AM66_AFF	1	3409 - 3409	Answers affected by someone else being there
AM66_LNG	2	3410 - 3411	Language of H06 interview
AM66_EMM	2	3412 - 3413	Month of interview - H06 (end)
AM66_EDD	2	3414 - 3415	Day of interview - H06 (end)
AM66_EYY	4	3416 - 3419	Year of interview - H06 (end)
WT66LP	8.2	3420 - 3427	Sampling weight - Longitudinal full and partial response