

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 1

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
AD_6_1	Drunk / at work / school / taking care of child	AD	986
AD_6_2	Number of times drunk / hung-over	AD	987
AD_6_3	Being drunk increased chances of getting hurt	AD	987
AD_6_4	Emotional / psychological problems due to alcohol	AD	988
AD_6_5	Strong desire or urge to drink	AD	988
AD_6_6	Spent month or more getting drunk	AD	989
AD_6_7	Drank much more than intended	AD	989
AD_6_8	Number of times drank much more than intended	AD	990
AD_6_9	Had to drink more for the same effect	AD	990
AD_6DPP	Derived alcohol dependence - short probability of CIDI	AD	991
AD_6DSF	Derived alcohol dependence - short form score	AD	991
ALC4_1	Drank alcohol	AL	175
ALC4_2	Frequency of drinking alcohol	AL	176
ALC4_3	Frequency of having 5 or more drinks	AL	176
ALC4_4	Highest number of drinks on one occasion	AL	177
ALC4_5	Drank alcohol in past week	AL	178
ALC4_5A1	Number of drinks - Monday	AL	178
ALC4_5A2	Number of drinks - Tuesday	AL	179
ALC4_5A3	Number of drinks - Wednesday	AL	179
ALC4_5A4	Number of drinks - Thursday	AL	180
ALC4_5A5	Number of drinks - Friday	AL	180
ALC4_5A6	Number of drinks - Saturday	AL	181
ALC4_5A7	Number of drinks - Sunday	AL	181
ALC4_5B	Has ever had a drink	AL	182
ALC4_6	Regularly drank more than 12 drinks a week	AL	182
ALC4_7A	Reason reduced drinking - dieting	AL	183
ALC4_7B	Reason reduced drinking - athletic training	AL	183
ALC4_7C	Reason reduced drinking - pregnancy	AL	184
ALC4_7D	Reason reduced drinking - getting older	AL	184
ALC4_7E	Reason reduced drinking - drinking too much	AL	185
ALC4_7F	Reason reduced drinking - affected work / studies	AL	185
ALC4_7G	Reason reduced drinking - interfered with family life	AL	186
ALC4_7H	Reason reduced drinking - affected physical health	AL	186
ALC4_7I	Reason reduced drinking - affected social relationships	AL	187
ALC4_7J	Reason reduced drinking - affected financial position	AL	187
ALC4_7K	Reason reduced drinking - affected happiness	AL	188

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 2

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
ALC4_7L	Reason reduced drinking - influence of family / friends	AL	188
ALC4_7M	Reason reduced drinking - other	AL	189
ALC4_DAY	Day of the week that interview took place	AL	177
ALC4DDL	Derived average daily consumption	AL	190
ALC4DTYP	Derived type of drinker	AL	189
ALC4DWKY	Derived weekly total of alcohol consumed	AL	190
ALC6_1	Drank alcohol in past 12 months	AL	965
ALC6_2	Frequency of drinking alcohol	AL	965
ALC6_3	Frequency of having 5 or more drinks	AL	966
ALC6_5	Drank alcohol in past week	AL	967
ALC6_5A1	Number of drinks - Monday	AL	967
ALC6_5A2	Number of drinks - Tuesday	AL	968
ALC6_5A3	Number of drinks - Wednesday	AL	968
ALC6_5A4	Number of drinks - Thursday	AL	969
ALC6_5A5	Number of drinks - Friday	AL	969
ALC6_5A6	Number of drinks - Saturday	AL	970
ALC6_5A7	Number of drinks - Sunday	AL	970
ALC6_5B	Has ever had a drink	AL	971
ALC6_6	Regularly drank more than 12 drinks a week	AL	971
ALC6_7A	Reason reduced drinking - dieting	AL	972
ALC6_7B	Reason reduced drinking - athletic training	AL	972
ALC6_7C	Reason reduced drinking - pregnancy	AL	973
ALC6_7D	Reason reduced drinking - getting older	AL	973
ALC6_7E	Reason reduced drinking - drinking too much	AL	974
ALC6_7F	Reason reduced drinking - affected work / studies	AL	974
ALC6_7G	Reason reduced drinking - interfered with family life	AL	975
ALC6_7H	Reason reduced drinking - affected physical health	AL	975
ALC6_7I	Reason reduced drinking - affected social relationships	AL	976
ALC6_7J	Reason reduced drinking - affected financial position	AL	976
ALC6_7K	Reason reduced drinking - affected happiness	AL	977
ALC6_7L	Reason reduced drinking - influence of family / friends	AL	977
ALC6_7M	Reason reduced drinking - other	AL	978
ALC6_DAY	Day of the week that interview took place	AL	966
ALC6D7	Derived single reason for reducing or quitting drinking	AL	979
ALC6DDL	Derived average daily consumption	AL	980
ALC6DTYP	Derived type of drinker	AL	980

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
ALC6DWKY	Derived weekly total of alcohol consumed	AL	980
ALP6_1	Drank alcohol during last pregnancy	AL	981
ALP6_2	Average number of drinks during pregnancy	AL	981
ALP6_3	Consumed alcohol while breastfeeding	AL	982
ALP6_4	Average number of drinks while breastfeeding	AL	982
ALS6_1	Definition of moderate drinking	AL	983
ALS6_2	Moderate drinking can be good for your health	AL	983
ALS6_3	It's alright to get drunk once in a while	AL	984
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	AL	984
ALS6_5	Alright to get drunk once a week if no drinking rest of week	AL	985
ALS6_6	Pregnant woman should not drink any amount of alcohol	AL	985
ALS6_7	Alright for breastfeeding woman to drink occasionally	AL	986
AM34_LNG	Language of H03 interview	AM	13
AM34_LP	Language preference of household	AM	8
AM34_SRC	Record number of person providing H03 information	AM	12
AM36_LNG	Language of H03 interview	AM	440
AM36_LP	Language preference of household	AM	421
AM36_SRC	Record number of person providing H03 information	AM	439
AM36_TEL	H03 interview by telephone or in person	AM	421
AM54_BDD	Day of interview H05 (start)	AM	35
AM54_BMM	Month of interview H05 (start)	AM	35
AM54_BY Y	Year of interview H05 (start)	AM	35
AM54_EDD	Day of interview H05 (end)	AM	155
AM54_EMM	Month of interview H05 (end)	AM	154
AM54_EYY	Year of interview H05 (end)	AM	155
AM54_LNG	Language of H05 interview	AM	154
AM54_PXY	H05 completed by proxy	AM	36
AM54_SRC	Record number of person providing information for H05	AM	36
AM54_TEL	H05 interview by telephone or in person	AM	153
AM56_BDD	Day of interview - H05 (start)	AM	450
AM56_BMM	Month of interview - H05 (start)	AM	450
AM56_BY Y	Year of interview - H05 (start)	AM	451
AM56_EDD	Day of interview - H05 (end)	AM	628
AM56_EMM	Month of interview - H05 (end)	AM	628
AM56_EYY	Year of interview - H05 (end)	AM	629
AM56_LNG	Language of H05 interview	AM	627

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 4

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
AM56_PXY	H05 completed by proxy	AM	451
AM56_SHA	Agree to share information (H05)	AM	440
AM56_SRC	Record number of person providing information for H05	AM	451
AM56_STA	Status of general form (H05)	AM	449
AM56_TEL	H05 interview by telephone or in person	AM	627
AM64_AFF	Answers affected by someone else being there	AM	405
AM64_ALO	Respondent alone for health questionnaire	AM	404
AM64_BDD	Day of interview H06 (start)	AM	156
AM64_BMM	Month of interview H06 (start)	AM	156
AM64_BY Y	Year of interview H06 (start)	AM	156
AM64_EDD	Day of interview H06 (end)	AM	406
AM64_EMM	Month of interview H06 (end)	AM	406
AM64_EYY	Year of interview H06 (end)	AM	407
AM64_LNG	Language of H06 interview	AM	405
AM64_LNK	Permission to link data	AM	34
AM64_PXY	H06 completed by proxy	AM	157
AM64_RC	Long answer collected - reason for proxy (H06)	AM	157
AM64_SRC	Record number of person providing information for H06	AM	157
AM64_STA	Status of health form (H06)	AM	155
AM64_TEL	H06 interview by telephone or in person	AM	404
AM66_5	Respondent gives contact information (H06)	AM	1083
AM66_AFF	Answers affected by someone else being there	AM	1085
AM66_ALO	Respondent alone for health questionnaire	AM	1084
AM66_BDD	Day of interview - H06 (start)	AM	630
AM66_BMM	Month of interview - H06 (start)	AM	630
AM66_BY Y	Year of interview - H06 (start)	AM	631
AM66_EDD	Day of interview - H06 (end)	AM	1086
AM66_EMM	Month of interview - H06 (end)	AM	1086
AM66_EYY	Year of interview - H06 (end)	AM	1087
AM66_HN	Provincial health number changed (used for processing only)	AM	1082
AM66_HNC	Flag for health number (used for processing only)	AM	1083
AM66_LNG	Language of H06 interview	AM	1085
AM66_LNK	Permission to link data	AM	1082
AM66_PXY	H06 completed by proxy	AM	631
AM66_RC	Long answer collected - reason for proxy (H06)	AM	632
AM66_SHA	Agree to share information (H06)	AM	441

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 5

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
AM66_SRC	Record number of person providing information for H06	AM	631
AM66_STA	Status of health form (H06)	AM	629
AM66_TEL	H06 interview by telephone or in person	AM	1084
AM66LDUR	Duration / days between 1994 H06 and 1996 H06 interviews	AM	629
APP6_1	My parents are strict for my own good	AP	1037
APP6_10	My parents trust me	AP	1042
APP6_2	My parents do not understand me	AP	1038
APP6_3	I have a lot of arguments with my parents	AP	1038
APP6_4	What my parents think of me is important	AP	1039
APP6_5	Are times when I would like to run away from home	AP	1039
APP6_6	I have a happy home life	AP	1040
APP6_7	I would raise my children differently	AP	1040
APP6_8	My parents expect too much of me	AP	1041
APP6_9	I ask my parents for advice on serious matters	AP	1041
BPC4_1	Last time blood pressure was taken	BP	167
BPC6_10	Ever had blood pressure taken	BP	656
BPC6_12	Last time blood pressure was taken	BP	656
BPC6_13A	Blood pressure taken - regular check-up	BP	657
BPC6_13B	Blood pressure taken - high blood pressure / heart disease	BP	657
BPC6_13C	Blood pressure taken - doctor always does it	BP	658
BPC6_13D	Blood pressure taken - health problem	BP	658
BPC6_13E	Blood pressure taken - age	BP	659
BPC6_13F	Blood pressure taken - job requirement	BP	659
BPC6_13G	Blood pressure taken - pregnant	BP	660
BPC6_13H	Blood pressure taken - in hospital for other reason	BP	660
BPC6_13I	Blood pressure taken - when donating blood	BP	661
BPC6_13J	Blood pressure taken - just for the "fun" of it	BP	661
BPC6_13K	Blood pressure taken - other reason	BP	662
BPC6_14	Had problems getting blood pressure test	BP	662
BPC6_15A	Problem getting b.p. test - not available when required	BP	663
BPC6_15B	Problem getting b.p. test - not available in area	BP	663
BPC6_15C	Problem getting b.p. test - waiting time too long	BP	663
BPC6_15D	Problem getting b.p. test - transportation	BP	664
BPC6_15E	Problem getting b.p. test - language	BP	664
BPC6_15F	Problem getting b.p. test - cost	BP	664
BPC6_15G	Problem getting b.p. test - did not know where to go	BP	665

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 6

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
BPC6_15H	Problem getting b.p. test - other	BP	665
BPC6_16A	Blood pressure not taken - have not gotten around to it	BP	666
BPC6_16B	Blood pressure not taken - resp. did not think it was neces.	BP	666
BPC6_16C	Blood pressure not taken - dr. did not think it was neces.	BP	667
BPC6_16D	Blood pressure not taken - personal / family resp.	BP	667
BPC6_16E	Blood pressure not taken - not available when required	BP	668
BPC6_16F	Blood pressure not taken - not available in area	BP	668
BPC6_16G	Blood pressure not taken - waiting time too long	BP	669
BPC6_16H	Blood pressure not taken - transportation problems	BP	669
BPC6_16I	Blood pressure not taken - language problem	BP	670
BPC6_16J	Blood pressure not taken - cost	BP	670
BPC6_16K	Blood pressure not taken - did not know where to go	BP	671
BPC6_16L	Blood pressure not taken - fear	BP	671
BPC6_16M	Blood pressure not taken - other reason	BP	672
CCC4_1A	Has food allergies	CC	70
CCC4_1B	Has allergies other than food allergies	CC	71
CCC4_1C	Has asthma	CC	71
CCC4_1D	Has arthritis or rheumatism	CC	73
CCC4_1E	Has back problems excluding arthritis	CC	73
CCC4_1F	Has high blood pressure	CC	74
CCC4_1G	Has migraine headaches	CC	74
CCC4_1H	Has chronic bronchitis or emphysema	CC	75
CCC4_1I	Has sinusitis	CC	75
CCC4_1J	Has diabetes	CC	76
CCC4_1K	Has epilepsy	CC	76
CCC4_1L	Has heart disease	CC	77
CCC4_1M	Has cancer	CC	77
CCC4_1N	Has stomach or intestinal ulcers	CC	78
CCC4_1O	Suffers from the effects of a stroke	CC	79
CCC4_1P	Has urinary incontinence	CC	79
CCC4_1R	Has Alzheimer's disease or other dementia	CC	80
CCC4_1S	Has cataracts	CC	81
CCC4_1T	Has glaucoma	CC	81
CCC4_1V	Has other chronic condition	CC	82
CCC4_1W	Has acne	CC	80
CCC4_C7	Asthma - had attack	CC	72

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 7

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
CCC4_C8	Asthma - had wheezing or whistling in chest	CC	72
CCC4_M1	Long answer collected - type of cancer	CC	78
CCC4_NON	Has no chronic conditions	CC	82
CCC4DANY	Derived - has a chronic condition	CC	82
CCC6_1A	Has food allergies	CC	498
CCC6_1B	Has allergies other than food allergies	CC	499
CCC6_1C	Has asthma	CC	499
CCC6_1D	Has arthritis or rheumatism	CC	504
CCC6_1E	Has back problems excluding arthritis	CC	509
CCC6_1F	Has high blood pressure	CC	510
CCC6_1G	Has migraine headaches	CC	515
CCC6_1H	Has chronic bronchitis or emphysema	CC	520
CCC6_1I	Has sinusitis	CC	521
CCC6_1J	Has diabetes	CC	521
CCC6_1K	Has epilepsy	CC	526
CCC6_1L	Has heart disease	CC	529
CCC6_1M	Has cancer	CC	530
CCC6_1N	Has stomach or intestinal ulcers	CC	530
CCC6_1O	Suffers from the effects of a stroke	CC	534
CCC6_1P	Has urinary incontinence	CC	537
CCC6_1Q	Has a bowel disorder such as Crohn's Disease or colitis	CC	538
CCC6_1R	Has Alzheimer's disease or other dementia	CC	538
CCC6_1S	Has cataracts	CC	539
CCC6_1T	Has glaucoma	CC	539
CCC6_1U	Has a thyroid condition	CC	540
CCC6_1V	Has other chronic condition	CC	540
CCC6_C1	Asthma - condition disappeared	CC	500
CCC6_C2M	Asthma - month disappeared	CC	500
CCC6_C2Y	Asthma - year disappeared	CC	501
CCC6_C3M	Asthma - month diagnosed	CC	501
CCC6_C3Y	Asthma - year diagnosed	CC	502
CCC6_C4	Asthma - had prior to last interview	CC	502
CCC6_C5	Asthma - had symptoms or attacks	CC	503
CCC6_C6	Asthma - took medication	CC	503
CCC6_D1	Arthritis / rheumatism - condition disappeared	CC	504
CCC6_D2M	Arthritis / rheumatism - month disappeared	CC	505

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 8

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
CCC6_D2Y	Arthritis / rheumatism - year disappeared	CC	505
CCC6_D3M	Arthritis / rheumatism - month diagnosed	CC	506
CCC6_D3Y	Arthritis / rheumatism - year diagnosed	CC	506
CCC6_D4	Arthritis / rheumatism - had prior to last interview	CC	507
CCC6_D5	Arthritis / rheumatism - receives treatment or medication	CC	507
CCC6_D6A	Arthritis / rheumatism - treatment - drug	CC	508
CCC6_D6B	Arthritis / rheumatism - treatment - diet	CC	508
CCC6_D6C	Arthritis / rheumatism - treatment - other kind	CC	509
CCC6_F1	High blood pressure - condition disappeared	CC	510
CCC6_F2M	High blood pressure - month disappeared	CC	511
CCC6_F2Y	High blood pressure - year disappeared	CC	511
CCC6_F3M	High blood pressure - month diagnosed	CC	512
CCC6_F3Y	High blood pressure - year diagnosed	CC	512
CCC6_F4	High blood pressure - had prior to last interview	CC	513
CCC6_F5	High blood pressure - receives treatment or medication	CC	513
CCC6_F6A	High blood pressure - treatment - drug	CC	514
CCC6_F6B	High blood pressure - treatment - diet	CC	514
CCC6_F6C	High blood pressure - treatment - other kind	CC	515
CCC6_G1	Migraines - condition disappeared	CC	516
CCC6_G2M	Migraines - month disappeared	CC	516
CCC6_G2Y	Migraines - year disappeared	CC	517
CCC6_G3M	Migraines - month diagnosed	CC	517
CCC6_G3Y	Migraines - year diagnosed	CC	518
CCC6_G4	Migraines - had prior to last interview	CC	518
CCC6_G5	Migraines - receives treatment or medication	CC	519
CCC6_G6A	Migraines - treatment - drug	CC	519
CCC6_G6B	Migraines - treatment - diet	CC	520
CCC6_G6C	Migraines - treatment - other kind	CC	520
CCC6_J1	Diabetes - condition disappeared	CC	522
CCC6_J2M	Diabetes - month disappeared	CC	522
CCC6_J2Y	Diabetes - year disappeared	CC	523
CCC6_J3M	Diabetes - month diagnosed	CC	523
CCC6_J3Y	Diabetes - year diagnosed	CC	524
CCC6_J4	Diabetes - had prior to last interview	CC	524
CCC6_J5	Diabetes - takes insulin	CC	524
CCC6_J6	Diabetes - takes treatment other than insulin	CC	525

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 9

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
CCC6_J7A	Diabetes - treatment - drug	CC	525
CCC6_J7B	Diabetes - treatment - diet	CC	525
CCC6_J7C	Diabetes - treatment - other kind	CC	526
CCC6_K1	Epilepsy - condition disappeared	CC	527
CCC6_K2M	Epilepsy - month disappeared	CC	527
CCC6_K2Y	Epilepsy - year disappeared	CC	528
CCC6_K3M	Epilepsy - month diagnosed	CC	528
CCC6_K3Y	Epilepsy - year diagnosed	CC	529
CCC6_K4	Epilepsy - had prior to last interview	CC	529
CCC6_N1	Ulcers - condition disappeared	CC	531
CCC6_N2M	Ulcers - month disappeared	CC	531
CCC6_N2Y	Ulcers - year disappeared	CC	532
CCC6_N3M	Ulcers - month diagnosed	CC	532
CCC6_N3Y	Ulcers - year diagnosed	CC	533
CCC6_N4	Ulcers - had prior to last interview	CC	533
CCC6_O1	Stroke - condition disappeared	CC	534
CCC6_O2M	Stroke - month disappeared	CC	535
CCC6_O2Y	Stroke - year disappeared	CC	535
CCC6_O3M	Stroke - month diagnosed	CC	536
CCC6_O3Y	Stroke - year diagnosed	CC	536
CCC6_O4	Stroke - had prior to last interview	CC	537
CCC6DANY	Derived - has a chronic condition	CC	541
CCC6DNUM	Derived number of chronic conditions	CC	541
CCK4_1	Frequency of nose or throat infections	CC	69
CCK4_1AB	Has allergies	CC	71
CCK4_2	Has had otitis	CC	69
CCK4_3	Number of times had otitis since birth	CC	70
CCK6_1	Frequency of nose or throat infections	CC	497
CCK6_2	Has had otitis	CC	497
CCK6_3	Number of times had otitis since birth	CC	498
CE36_DMM	Month of death - survey data	CE	445
CE36_DYY	Year of death - survey data	CE	445
COP4_1	Ability to handle day-to-day demands	CO	394
COP4_2A	Daily stress - try not to think about situation	CO	394
COP4_2B	Daily stress - try to see situation differently	CO	395
COP4_2C	Daily stress - try to change situation	CO	395

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 10

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
COP4_2D	Daily stress - express emotions	CO	396
COP4_2E	Daily stress - admit situation is stressful	CO	396
COP4_2F	Daily stress - talk to someone about situation	CO	397
COP4_2G	Daily stress - do something to relax	CO	397
COP4_2H	Daily stress - pray	CO	398
COP4_2I	Daily stress - other ways to deal with stress	CO	398
COP4_3	Ability to handle unexpected / difficult problems	CO	399
COP4_4A	Unexpected stress - try not to think about situation	CO	399
COP4_4B	Unexpected stress - try to see situation differently	CO	400
COP4_4C	Unexpected stress - try to change situation	CO	400
COP4_4D	Unexpected stress - express emotions	CO	401
COP4_4E	Unexpected stress - admit situation is stressful	CO	401
COP4_4F	Unexpected stress - talk to someone about situation	CO	402
COP4_4G	Unexpected stress - do something to relax	CO	402
COP4_4H	Unexpected stress - pray	CO	403
COP4_4I	Unexpected stress - other ways to deal with stress	CO	403
COP6_1	Ability to handle day-to-day demands	CO	1081
COP6_2	Ability to handle unexpected / difficult problems	CO	1081
CYCLE	Survey cycle that household joined	SP	418
DGC4_1A	Took pain relievers	DG	311
DGC4_1B	Took tranquilizers	DG	312
DGC4_1C	Took diet pills	DG	312
DGC4_1D	Took anti-depressants	DG	313
DGC4_1E	Took codeine, Demerol or morphine	DG	313
DGC4_1F	Took allergy medicine	DG	314
DGC4_1G	Took asthma medications	DG	314
DGC4_1H	Took cough or cold remedies	DG	315
DGC4_1I	Took penicillin or other antibiotics	DG	315
DGC4_1J	Took medicine for the heart	DG	316
DGC4_1K	Took medicine for blood pressure	DG	316
DGC4_1L	Took diuretics	DG	317
DGC4_1M	Took steroids	DG	317
DGC4_1N	Took insulin	DG	318
DGC4_1O	Took pills to control diabetes	DG	318
DGC4_1P	Took sleeping pills	DG	319
DGC4_1Q	Took stomach remedies	DG	319

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 11

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC4_1R	Took laxatives	DG	320
DGC4_1S	Took birth control pills	DG	321
DGC4_1T	Took hormones for menopause	DG	320
DGC4_1V	Took other medication	DG	321
DGC4_2	Number of different medications taken in past 2 days	DG	323
DGC4_3AC	Long answer collected - drug 1	DG	323
DGC4_3BC	Long answer collected - drug 2	DG	324
DGC4_3CC	Long answer collected - drug 3	DG	324
DGC4_3DC	Long answer collected - drug 4	DG	325
DGC4_3EC	Long answer collected - drug 5	DG	325
DGC4_3FC	Long answer collected - drug 6	DG	325
DGC4_3GC	Long answer collected - drug 7	DG	326
DGC4_3HC	Long answer collected - drug 8	DG	326
DGC4_3IC	Long answer collected - drug 9	DG	326
DGC4_3JC	Long answer collected - drug 10	DG	327
DGC4_3KC	Long answer collected - drug 11	DG	327
DGC4_3LC	Long answer collected - drug 12	DG	327
DGC4_4	Uses other health products	DG	332
DGC4_5AA	Uses a 2nd health product	DG	333
DGC4_5AC	Long answer collected - health product 1	DG	333
DGC4_5BA	Uses a 3rd health product	DG	334
DGC4_5BC	Long answer collected - health product 2	DG	333
DGC4_5CA	Uses a 4th health product	DG	334
DGC4_5CC	Long answer collected - health product 3	DG	334
DGC4_5DA	Uses a 5th health product	DG	335
DGC4_5DC	Long answer collected - health product 4	DG	335
DGC4_5EA	Uses a 6th health product	DG	336
DGC4_5EC	Long answer collected - health product 5	DG	335
DGC4_5FA	Uses a 7th health product	DG	336
DGC4_5FC	Long answer collected - health product 6	DG	336
DGC4_5GA	Uses an 8th health product	DG	337
DGC4_5GC	Long answer collected - health product 7	DG	337
DGC4_5HA	Uses a 9th health product	DG	338
DGC4_5HC	Long answer collected - health product 8	DG	337
DGC4_5IA	Uses a 10th health product	DG	338
DGC4_5IC	Long answer collected - health product 9	DG	338

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 12

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC4_5JA	Uses an 11th health product	DG	339
DGC4_5JC	Long answer collected - health product 10	DG	339
DGC4_5KA	Uses a 12th health product	DG	340
DGC4_5KC	Long answer collected - health product 11	DG	339
DGC4_5LC	Long answer collected - health product 12	DG	340
DGC4_NON	Did not take any drugs in past month	DG	322
DGC4C3A	Code - drug 1	DG	328
DGC4C3B	Code - drug 2	DG	328
DGC4C3C	Code - drug 3	DG	329
DGC4C3D	Code - drug 4	DG	329
DGC4C3E	Code - drug 5	DG	330
DGC4C3F	Code - drug 6	DG	330
DGC4C3G	Code - drug 7	DG	330
DGC4C3H	Code - drug 8	DG	331
DGC4C3I	Code - drug 9	DG	331
DGC4C3J	Code - drug 10	DG	331
DGC4C3K	Code - drug 11	DG	332
DGC4C3L	Code - drug 12	DG	332
DGC4C5A	Code for health product - product 1	DG	340
DGC4C5B	Code for health product - product 2	DG	341
DGC4C5C	Code for health product - product 3	DG	341
DGC4C5D	Code for health product - product 4	DG	341
DGC4C5E	Code for health product - product 5	DG	342
DGC4C5F	Code for health product - product 6	DG	342
DGC4C5G	Code for health product - product 7	DG	342
DGC4C5H	Code for health product - product 8	DG	343
DGC4C5I	Code for health product - product 9	DG	343
DGC4C5J	Code for health product - product 10	DG	343
DGC4C5K	Code for health product - product 11	DG	344
DGC4C5L	Code for health product - product 12	DG	344
DGC4F1	Took medications	DG	322
DGC6_1A	Took pain relievers	DG	886
DGC6_1B	Took tranquilizers	DG	886
DGC6_1C	Took diet pills	DG	887
DGC6_1D	Took anti-depressants	DG	887
DGC6_1E	Took codeine, Demerol or morphine	DG	888

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 13

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC6_1F	Took allergy medicine	DG	888
DGC6_1G	Took asthma medications	DG	889
DGC6_1H	Took cough or cold remedies	DG	889
DGC6_1I	Took penicillin or other antibiotics	DG	890
DGC6_1J	Took medicine for the heart	DG	890
DGC6_1K	Took medicine for blood pressure	DG	891
DGC6_1L	Took diuretics	DG	891
DGC6_1M	Took steroids	DG	892
DGC6_1N	Took insulin	DG	892
DGC6_1O	Took pills to control diabetes	DG	893
DGC6_1P	Took sleeping pills	DG	893
DGC6_1Q	Took stomach remedies	DG	894
DGC6_1R	Took laxatives	DG	894
DGC6_1S	Took birth control pills	DG	895
DGC6_1T	Took hormones for menopause	DG	895
DGC6_1T1	Hormone therapy - type	DG	896
DGC6_1T2	Hormone therapy - year started	DG	896
DGC6_1U	Took thyroid medication	DG	897
DGC6_1V	Took other medication	DG	897
DGC6_2	Number of different medications taken in past 2 days	DG	898
DGC6_3AC	Long answer collected - drug 1	DG	899
DGC6_3BC	Long answer collected - drug 2	DG	901
DGC6_3CC	Long answer collected - drug 3	DG	903
DGC6_3DC	Long answer collected - drug 4	DG	905
DGC6_3EC	Long answer collected - drug 5	DG	907
DGC6_3FC	Long answer collected - drug 6	DG	909
DGC6_3GC	Long answer collected - drug 7	DG	910
DGC6_3HC	Long answer collected - drug 8	DG	913
DGC6_3IC	Long answer collected - drug 9	DG	914
DGC6_3JC	Long answer collected - drug 10	DG	916
DGC6_3KC	Long answer collected - drug 11	DG	917
DGC6_3LC	Long answer collected - drug 12	DG	919
DGC6_4	Uses other health products	DG	920
DGC6_5AA	Uses a 2nd health product	DG	922
DGC6_5AC	Long answer collected - health product 1	DG	921
DGC6_5BA	Uses a 3rd health product	DG	924

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 14

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC6_5BC	Long answer collected - health product 2	DG	923
DGC6_5CA	Uses a 4th health product	DG	926
DGC6_5CC	Long answer collected - health product 3	DG	925
DGC6_5DA	Uses a 5th health product	DG	928
DGC6_5DC	Long answer collected - health product 4	DG	927
DGC6_5EA	Uses a 6th health product	DG	930
DGC6_5EC	Long answer collected - health product 5	DG	929
DGC6_5FA	Uses a 7th health product	DG	932
DGC6_5FC	Long answer collected - health product 6	DG	931
DGC6_5GA	Uses an 8th health product	DG	934
DGC6_5GC	Long answer collected - health product 7	DG	933
DGC6_5HA	Uses a 9th health product	DG	935
DGC6_5HC	Long answer collected - health product 8	DG	934
DGC6_5IA	Uses a 10th health product	DG	937
DGC6_5IC	Long answer collected - health product 9	DG	936
DGC6_5JA	Uses an 11th health product	DG	938
DGC6_5JC	Long answer collected - health product 10	DG	937
DGC6_5KA	Uses a 12th health product	DG	939
DGC6_5KC	Long answer collected - health product 11	DG	938
DGC6_5LC	Long answer collected - health product 12	DG	940
DGC6_6	Insurance covering prescription medication	DG	941
DGC6C3A	Drug code - drug 1	DG	899
DGC6C3B	Drug code - drug 2	DG	901
DGC6C3C	Drug code - drug 3	DG	903
DGC6C3D	Drug code - drug 4	DG	905
DGC6C3E	Drug code - drug 5	DG	907
DGC6C3F	Drug code - drug 6	DG	909
DGC6C3G	Drug code - drug 7	DG	911
DGC6C3H	Drug code - drug 8	DG	913
DGC6C3I	Drug code - drug 9	DG	915
DGC6C3J	Drug code - drug 10	DG	916
DGC6C3K	Drug code - drug 11	DG	918
DGC6C3L	Drug code - drug 12	DG	919
DGC6C5A	Code for health product - product 1	DG	921
DGC6C5B	Code for health product - product 2	DG	923
DGC6C5C	Code for health product - product 3	DG	925

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 15

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DGC6C5D	Code for health product - product 4	DG	927
DGC6C5E	Code for health product - product 5	DG	929
DGC6C5F	Code for health product - product 6	DG	931
DGC6C5G	Code for health product - product 7	DG	933
DGC6C5H	Code for health product - product 8	DG	934
DGC6C5I	Code for health product - product 9	DG	936
DGC6C5J	Code for health product - product 10	DG	937
DGC6C5K	Code for health product - product 11	DG	939
DGC6C5L	Code for health product - product 12	DG	940
DGC6F1	Took medications	DG	898
DGC6G3A	Drug code - drug 1 - grouped	DG	900
DGC6G3B	Drug code - drug 2 - grouped	DG	902
DGC6G3C	Drug code - drug 3 - grouped	DG	904
DGC6G3D	Drug code - drug 4 - grouped	DG	906
DGC6G3E	Drug code - drug 5 - grouped	DG	908
DGC6G3F	Drug code - drug 6 - grouped	DG	910
DGC6G3G	Drug code - drug 7 - grouped	DG	912
DGC6G3H	Drug code - drug 8 - grouped	DG	914
DGC6G3I	Drug code - drug 9 - grouped	DG	915
DGC6G3J	Drug code - drug 10 - grouped	DG	917
DGC6G3K	Drug code - drug 11 - grouped	DG	918
DGC6G3L	Drug code - drug 12 - grouped	DG	920
DGC6G5A	Code for health product - product 1 - grouped	DG	922
DGC6G5B	Code for health product - product 2 - grouped	DG	924
DGC6G5C	Code for health product - product 3 - grouped	DG	926
DGC6G5D	Code for health product - product 4 - grouped	DG	928
DGC6G5E	Code for health product - product 5 - grouped	DG	930
DGC6G5F	Code for health product - product 6 - grouped	DG	932
DGC6G5G	Code for health product - product 7 - grouped	DG	933
DGC6G5H	Code for health product - product 8 - grouped	DG	935
DGC6G5I	Code for health product - product 9 - grouped	DG	936
DGC6G5J	Code for health product - product 10 - grouped	DG	938
DGC6G5K	Code for health product - product 11 - grouped	DG	939
DGC6G5L	Code for health product - product 12 - grouped	DG	940
DH_4_P1	Pet	DH	10
DH_4_P3	Pet - lives indoors	DH	11

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 16

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DH_4DP2	Derived kind of pet	DH	11
DHC4_3A	Persons away from household	DH	9
DHC4_3B	Other persons living in dwelling	DH	9
DHC4_AGE	Cycle 1 age	DH	33
DHC4_BED	Number of bedrooms	DH	10
DHC4_DWE	Type of dwelling	DH	12
DHC4_FID	Family ID code	DH	34
DHC4_MAR	Marital status	DH	34
DHC4_OWN	Dwelling owned by household member	DH	9
DHC4D611	Derived number of persons 6 to 11 years old in household	DH	32
DHC4DE12	Derived number of persons 12 years old in household	DH	32
DHC4DECF	Derived type of household	DH	14
DHC4DHSZ	Derived household size	DH	31
DHC4DL12	Derived number of persons < 12 years old in household	DH	31
DHC4DL25	Derived number of persons < 25 years old in household	DH	31
DHC4DLE5	Derived number of persons <= 5 years old in household	DH	32
DHC4DLVG	Derived living arrangements of the selected respondent	DH	15
DHC4GAGE	Age - grouped	DH	33
DHC6_AGE	Age	DH	441
DHC6_BED	Number of bedrooms	DH	423
DHC6_DWE	Type of dwelling	DH	422
DHC6_FID	Family ID code	DH	446
DHC6_MAR	Marital status	DH	446
DHC6_OWN	Dwelling owned by household member	DH	422
DHC6ADOD	Day of death - administrative data	DH	443
DHC6AMOD	Month of death - administrative data	DH	443
DHC6AYOD	Year of death - administrative data	DH	444
DHC6CD	Cause of death code	DH	444
DHC6D611	Derived number of persons 6 to 11 years old in household	DH	447
DHC6DECF	Derived type of household	DH	448
DHC6DHSZ	Derived household size	DH	446
DHC6DL12	Derived number of persons < 12 years old in household	DH	447
DHC6DLE5	Derived number of persons <= 5 years old in household	DH	447
DHC6DLVG	Derived living arrangements of the selected respondent	DH	449
DHC6GAGE	Age - grouped	DH	442
DOB	Day of birth	DH	1

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 17

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
DV_6_60	Visited dentist	DV	755
DV_6_61	Last time visited dentist	DV	756
DV_6_62A	Visits dentist - make sure everything is OK	DV	756
DV_6_62B	Visits dentist - check-up covered by insurance	DV	757
DV_6_62C	Visits dentist - catch problems early	DV	757
DV_6_62D	Visits dentist - for good dental health	DV	758
DV_6_62E	Visits dentist - care of teeth / gums / dentures	DV	758
DV_6_62F	Visits dentist - for cleaning / fluoride / maintenance	DV	759
DV_6_62G	Visits dentist - to get a filling / extraction	DV	759
DV_6_62H	Visits dentist - to check braces	DV	760
DV_6_62I	Visits dentist - other reason	DV	760
DV_6_63	Had problems obtaining dental services	DV	761
DV_6_64A	Problem getting dental services - not avail. when required	DV	761
DV_6_64B	Problem getting dental services - not available in area	DV	762
DV_6_64C	Problem getting dental services - waiting time too long	DV	762
DV_6_64D	Problem getting dental services - transportation	DV	762
DV_6_64E	Problem getting dental services - language	DV	763
DV_6_64F	Problem getting dental services - cost	DV	763
DV_6_64G	Problem getting dental services - did not know where to go	DV	763
DV_6_64H	Problem getting dental services - other	DV	764
DV_6_65A	No dental visit - have not gotten around to it	DV	764
DV_6_65B	No dental visit - respondent did not think it was necessary	DV	765
DV_6_65C	No dental visit - dentist did not think it was necessary	DV	765
DV_6_65D	No dental visit - personal or family responsibilities	DV	766
DV_6_65E	No dental visit - not available when required	DV	766
DV_6_65F	No dental visit - not available at all in area	DV	767
DV_6_65G	No dental visit - waiting time too long	DV	767
DV_6_65H	No dental visit - transportation problems	DV	768
DV_6_65I	No dental visit - language problem	DV	768
DV_6_65J	No dental visit - cost	DV	769
DV_6_65K	No dental visit - did not know where to go	DV	769
DV_6_65L	No dental visit - fear	DV	770
DV_6_65M	No dental visit - wears dentures	DV	770
DV_6_65N	No dental visit - other reason	DV	771
DV_6_66	Has dental insurance	DV	771
EDC4_1	Currently attending a school, college or university	ED	117

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 18

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
EDC4_2	Full-time student or part-time student	ED	117
EDC4_4	Number of years of elementary / high school completed	ED	115
EDC4_5	Graduated from high school	ED	115
EDC4_6	Attended post-secondary institution	ED	116
EDC4_7	Highest level of post-secondary education attained	ED	116
EDC4D1	Derived highest level of education - 14 levels	ED	118
EDC4D2	Derived highest level of education - 12 levels	ED	119
EDC4D3	Derived highest level of education - 4 levels	ED	119
EDC4DLF	Derived labour force activity of students	ED	141
EDC6_1	Currently attending a school, college or university	ED	578
EDC6_2	Full-time student or part-time student	ED	579
EDC6_3	Attended school since last interview	ED	579
EDC6_4	Number of years of elementary / high school completed	ED	580
EDC6_5	Graduated from high school	ED	580
EDC6_6	Attended post-secondary institution	ED	581
EDC6_7	Highest level of post-secondary education attained	ED	581
EDC6D1	Derived highest level of education - 14 levels	ED	582
EDC6D2	Derived highest level of education - 12 levels	ED	583
EDC6D3	Derived highest level of education - 4 levels	ED	583
EDC6DLF	Derived labour force activity of students	ED	584
ES_6_80	Overall quality of emergency services	ES	789
ES_6_81	Used emergency services	ES	789
ES_6_82	Has health insurance covering hospital charges	ES	790
EX_6_70	Visited optometrist or ophthalmologist	EX	772
EX_6_71	Last eye examination	EX	772
EX_6_72	Frequency of eye examinations	EX	773
EX_6_73A	Has eye exam - make sure everything is OK	EX	773
EX_6_73B	Has eye exam - glaucoma test	EX	774
EX_6_73C	Has eye exam - job requirement	EX	774
EX_6_73D	Has eye exam - check prescription	EX	775
EX_6_73E	Has eye exam - cataracts are developing	EX	775
EX_6_73F	Has eye exam - to get driver's license	EX	776
EX_6_73G	Has eye exam - eye problem / infection	EX	776
EX_6_73H	Has eye exam - diabetes	EX	777
EX_6_73I	Has eye exam - sight deterioration	EX	777
EX_6_73J	Has eye exam - other reason	EX	778

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 19

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
EX_6_74	Had problems obtaining an eye examination	EX	778
EX_6_75A	Problem getting eye exam - not available when required	EX	779
EX_6_75B	Problem getting eye exam - not available at all in area	EX	779
EX_6_75C	Problem getting eye exam - waiting time too long	EX	779
EX_6_75D	Problem getting eye exam - transportation	EX	780
EX_6_75E	Problem getting eye exam - language	EX	780
EX_6_75F	Problem getting eye exam - cost	EX	780
EX_6_75G	Problem getting eye exam - did not know where to go	EX	781
EX_6_75H	Problem getting eye exam - other	EX	781
EX_6_76A	No eye exam - have not gotten around to it	EX	782
EX_6_76B	No eye exam - respondent did not think it was neces.	EX	782
EX_6_76C	No eye exam - doctor did not think it was necessary	EX	783
EX_6_76D	No eye exam - personal or family responsibilities	EX	783
EX_6_76E	No eye exam - not available when required	EX	784
EX_6_76F	No eye exam - not available at all in area	EX	784
EX_6_76G	No eye exam - waiting time too long	EX	785
EX_6_76H	No eye exam - transportation problems	EX	785
EX_6_76I	No eye exam - language problem	EX	786
EX_6_76J	No eye exam - cost	EX	786
EX_6_76K	No eye exam - did not know where to go	EX	787
EX_6_76L	No eye exam - fear	EX	787
EX_6_76M	No eye exam - other reason	EX	788
EX_6_77	Has insurance covering cost of eye glasses / contact lenses	EX	788
FS_6_50	Ever had a flu shot	FS	740
FS_6_52	Last time had flu shot	FS	741
FS_6_53A	Had flu shot - peer pressure	FS	741
FS_6_53B	Had flu shot - job requirement	FS	742
FS_6_53C	Had flu shot - helps prevent the flu	FS	742
FS_6_53D	Had flu shot - to protect others	FS	743
FS_6_53E	Had flu shot - recommended because of age	FS	743
FS_6_53F	Had flu shot - health problem	FS	744
FS_6_53G	Had flu shot - other reason	FS	744
FS_6_54	Had problems obtaining a flu shot	FS	745
FS_6_55A	Problem getting flu shot - not available when required	FS	745
FS_6_55B	Problem getting flu shot - not available in area	FS	746
FS_6_55C	Problem getting flu shot - waiting time too long	FS	746

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 20

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
FS_6_55D	Problem getting flu shot - transportation	FS	746
FS_6_55E	Problem getting flu shot - language	FS	747
FS_6_55F	Problem getting flu shot - cost	FS	747
FS_6_55G	Problem getting flu shot - did not know where to go	FS	747
FS_6_55H	Problem getting flu shot - other	FS	748
FS_6_56A	No flu shot - have not gotten around to it	FS	748
FS_6_56B	No flu shot - respondent did not think it was necessary	FS	749
FS_6_56C	No flu shot - doctor did not think it was necessary	FS	749
FS_6_56D	No flu shot - personal or family responsibilities	FS	750
FS_6_56E	No flu shot - not available when required	FS	750
FS_6_56F	No flu shot - not available in area	FS	751
FS_6_56G	No flu shot - waiting time too long	FS	751
FS_6_56H	No flu shot - transportation problems	FS	752
FS_6_56I	No flu shot - language problem	FS	752
FS_6_56J	No flu shot - cost	FS	753
FS_6_56K	No flu shot - did not know where to go	FS	753
FS_6_56L	No flu shot - fear	FS	754
FS_6_56M	No flu shot - bad reaction to previous shot	FS	754
FS_6_56N	No flu shot - other reason	FS	755
GE34DCD	Derived 1991 Census Division	GE	4
GE34DCMA	Derived 1991 Census Metropolitan Area	GE	6
GE34DCSD	Derived 1991 Census Sub-Division	GE	5
GE34DFED	Derived 1991 Federal Electoral District	GE	7
GE34DHLR	Derived health regions	GE	7
GE34DURB	Derived rural and urban area	GE	4
GE36DCD	Derived 1991 Census Division	GE	410
GE36DCMA	Derived 1991 Census Metropolitan Area	GE	412
GE36DCSD	Derived 1991 Census Sub-Division	GE	411
GE36DFED	Derived 1991 Federal Electoral District	GE	413
GE36DHLR	Derived health regions	GE	414
GE36DHRO	Derived health regions (original sample)	GE	416
GE36DURB	Derived rural and urban area	GE	410
GE36LMOV	Respondent moved	GE	417
GHC4_1	Respondent's general health	GH	158
GHC4_3	Planned to use services of doctor or midwife	GH	159
GHC4DHDI	Derived health description index	GH	159

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 21

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
GHC6_1	Respondent's general health	GH	632
GHC6_21	Gave birth since last interview	GH	719
GHC6DHD1	Derived health description index	GH	633
GHK4_4HT	Height - children	GH	162
GHK6_2	Level of physical activity - children	GH	633
GHK6_4HT	Height - children	GH	650
GHK6_6	Birth weight	GH	652
GHP6_21A	Gave birth in the past 5 years	GH	719
GHP6_25	Still breast-feeding	GH	721
GHP6_26	Duration of breast-feeding last child	GH	722
GHP6_27	Received help / advice about breast-feeding	GH	722
GHP6_28	From whom received breast-feeding advice	GH	723
GHP6_29	Main reason for stopping breast-feeding	GH	724
GHS6_11	Did something to improve health	GH	634
GHS6_12	Most important change to improve health	GH	634
GHS6_13	Thinks something should be done to improve health	GH	635
GHS6_14	Most important thing to be done to improve health	GH	635
GHS6_15	Barrier to improving health	GH	636
GHS6_16A	Reason for no improvement - lack of will power	GH	636
GHS6_16B	Reason for no improvement - lack of time	GH	637
GHS6_16C	Reason for no improvement - too tired	GH	637
GHS6_16D	Reason for no improvement - too difficult	GH	637
GHS6_16E	Reason for no improvement - too costly	GH	638
GHS6_16F	Reason for no improvement - too stressed	GH	638
GHS6_16G	Reason for no improvement - disability / health problem	GH	638
GHS6_16H	Reason for no improvement - other	GH	639
GHS6_17	Intending to improve health over next year	GH	639
GHS6_18A	Health improvement over next year - more exercise	GH	640
GHS6_18B	Health improvement over next year - lose weight	GH	640
GHS6_18C	Health improvement over next year - improve eating habits	GH	641
GHS6_18D	Health improvement over next year - quit smoking	GH	641
GHS6_18E	Health improvement over next year - reduce amount smoked	GH	642
GHS6_18F	Health improvement over next year - manage stress	GH	642
GHS6_18G	Health improvement over next year - reduce stress level	GH	643
GHS6_18H	Health improvement over next year - take vitamins	GH	643
GHS6_18I	Health improvement over next year - other	GH	644

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 22

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
GHS6_22	Gave birth to last baby in hospital	GH	720
GHS6_23	Used services of doctor, midwife or both	GH	720
GHS6_24	Breast fed child or tried to breast feed	GH	721
GHS6_31	Smoked during last pregnancy	GH	952
GHS6_32	Average number of cigarettes smoked daily during pregnancy	GH	952
GHS6_33	Smoked while breast-feeding last baby	GH	953
GHS6_34	Average no. of cigarettes smoked daily during breast-feeding	GH	953
GHS6_35	Someone smoked reg. in presence during / after pregnancy	GH	953
HCC4_1	Overnight patient	HC	39
HCC4_10A	Home care received - nursing care	HC	56
HCC4_10C	Home care received - personal care	HC	57
HCC4_10D	Home care received - housework	HC	57
HCC4_10E	Home care received - meal preparation or delivery	HC	57
HCC4_10F	Home care received - shopping	HC	58
HCC4_10H	Home care received - other type	HC	58
HCC4_1A	Number of nights as patient	HC	40
HCC4_2A	Number of consultations - family doctor / g.p.	HC	40
HCC4_2B	Number of consultations - eye specialist	HC	41
HCC4_2C	Number of consultations - other medical doctor	HC	42
HCC4_2D	Number of consultations - nurse	HC	43
HCC4_2E	Number of consultations - dentist or orthodontist	HC	44
HCC4_2F	Number of consultations - chiropractor	HC	44
HCC4_2G	Number of consultations - physiotherapist	HC	44
HCC4_2H	Number of consultations - social worker / counsellor	HC	45
HCC4_2I	Number of consultations - psychologist	HC	45
HCC4_2J	No. of consul. - speech / audiology / occupational therapist	HC	45
HCC4_3A	Place of most recent contact - family doctor	HC	41
HCC4_3C	Place of most recent contact - other medical doctor	HC	42
HCC4_3D	Place of most recent contact - nurse	HC	43
HCC4_4	Consulted alternative health care provider	HC	47
HCC4_4A	Attended self-help group	HC	51
HCC4_5A	Alternative health care - massage therapist	HC	47
HCC4_5B	Alternative health care - acupuncturist	HC	48
HCC4_5C	Alternative health care - homeopath / naturopath	HC	48
HCC4_5D	Alternative health care - Feldenkrais / Alexander	HC	48
HCC4_5E	Alternative health care - relaxation therapist	HC	49

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 23

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HCC4_5F	Alternative health care - biofeedback	HC	49
HCC4_5G	Alternative health care - rolfer	HC	49
HCC4_5H	Alternative health care - herbalist	HC	50
HCC4_5I	Alternative health care - reflexologist	HC	50
HCC4_5J	Alternative health care - spiritual healer	HC	50
HCC4_5K	Alternative health care - religious healer	HC	51
HCC4_5L	Alternative health care - other	HC	51
HCC4_6	Felt that health care was needed but didn't receive it	HC	52
HCC4_7WC	Long answer collected - reason for not getting care	HC	52
HCC4_8A	Health care not received - treat. of physical health problem	HC	53
HCC4_8B	Health care not received - treat. of mental health problem	HC	54
HCC4_8C	Health care not received - a regular check-up	HC	54
HCC4_8D	Health care not received - care of injury	HC	55
HCC4_8E	Health care not received - other type	HC	55
HCC4_9	Received home care services	HC	56
HCC4_SC	Long answer collected - type of home care service	HC	56
HCC4DHPC	Derived consultations with health professionals	HC	46
HCC4DMDC	Derived number of consultations with medical doctors	HC	46
HCC4G7	Type of home care service - grouped	HC	53
HCC6_1	Overnight patient	HC	456
HCC6_10A	Home care received - nursing care	HC	481
HCC6_10B	Home care received - other health care	HC	482
HCC6_10C	Home care received - personal care	HC	482
HCC6_10D	Home care received - housework	HC	483
HCC6_10E	Home care received - meal preparation or delivery	HC	483
HCC6_10F	Home care received - shopping	HC	483
HCC6_10G	Home care received - respite care	HC	484
HCC6_10H	Home care received - other type	HC	484
HCC6_11	Received health care services in the United States	HC	485
HCC6_12	Went to United States primarily to receive health care	HC	485
HCC6_1A	Number of nights as patient	HC	456
HCC6_2A	Number of consultations - family doctor / g.p.	HC	458
HCC6_2B	Number of consultations - eye specialist	HC	459
HCC6_2C	Number of consultations - other medical doctor	HC	460
HCC6_2D	Number of consultations - nurse	HC	461
HCC6_2E	Number of consultations - dentist or orthodontist	HC	462

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 24

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HCC6_2F	Number of consultations - chiropractor	HC	462
HCC6_2G	Number of consultations - physiotherapist	HC	463
HCC6_2H	Number of consultations - social worker / counselor	HC	463
HCC6_2I	Number of consultations - psychologist	HC	464
HCC6_2J	No. of consul. - speech / audiology / occupational therapist	HC	464
HCC6_3A	Place of most recent contact - family doctor	HC	459
HCC6_3C	Place of most recent contact - other medical doctor	HC	460
HCC6_3D	Place of most recent contact - nurse	HC	461
HCC6_4	Consulted alternative health care provider	HC	466
HCC6_4A	Attended self-help group	HC	466
HCC6_5A	Alternative health care - massage therapist	HC	467
HCC6_5B	Alternative health care - acupuncturist	HC	467
HCC6_5C	Alternative health care - homeopath / naturopath	HC	467
HCC6_5D	Alternative health care - Feldenkrais / Alexander	HC	468
HCC6_5E	Alternative health care - relaxation therapist	HC	468
HCC6_5F	Alternative health care - biofeedback	HC	468
HCC6_5G	Alternative health care - rolfers	HC	469
HCC6_5H	Alternative health care - herbalist	HC	469
HCC6_5I	Alternative health care - reflexologist	HC	469
HCC6_5J	Alternative health care - spiritual healer	HC	470
HCC6_5K	Alternative health care - religious healer	HC	470
HCC6_5L	Alternative health care - other	HC	470
HCC6_6	Felt that health care was needed but didn't receive it	HC	471
HCC6_7A	Health care not received - not available in area	HC	471
HCC6_7B	Health care not received - not available when required	HC	472
HCC6_7C	Health care not received - waiting time too long	HC	472
HCC6_7D	Health care not received - felt would be inadequate	HC	473
HCC6_7E	Health care not received - cost	HC	473
HCC6_7F	Health care not received - too busy to get care	HC	474
HCC6_7G	Health care not received - didn't get around to it	HC	474
HCC6_7H	Health care not received - didn't know where to go	HC	475
HCC6_7I	Health care not received - transportation problems	HC	475
HCC6_7J	Health care not received - language problem	HC	476
HCC6_7K	Health care not received - personal or family resp.	HC	476
HCC6_7L	Health care not received - dislikes doctors / afraid	HC	477
HCC6_7M	Health care not received - decided not to seek care	HC	477

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 25

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HCC6_7N	Health care not received - other reason	HC	478
HCC6_8A	Health care not received - treat. of physical health problem	HC	478
HCC6_8B	Health care not received - treat. of mental health problem	HC	479
HCC6_8C	Health care not received - a regular check-up	HC	479
HCC6_8D	Health care not received - care of injury	HC	480
HCC6_8E	Health care not received - other type	HC	480
HCC6_9	Received home care services	HC	481
HCC6DHPC	Derived consultations with health professionals	HC	465
HCC6DMDC	Derived number of consultations with medical doctors	HC	465
HCC6F1	Used any health care service	HC	465
HCK4_2OT	Number of consultations - other trained person	HC	46
HCK6_2A	Overnight patient - respiratory problem	HC	457
HCK6_2B	Overnight patient - gastrointestinal problem	HC	457
HCK6_2C	Overnight patient - injuries	HC	457
HCK6_2D	Overnight patient - at birth	HC	458
HCK6_2E	Overnight patient - other reason	HC	458
HIP6_1	First source of information - sports injuries	HI	795
HIP6_1A	Look for other source - sports injuries	HI	796
HIP6_1B	Second source of information - sports injuries	HI	796
HIP6_2	First source of information - AIDS / STD	HI	797
HIP6_2A	Look for other source - AIDS / STD	HI	797
HIP6_2B	Second source of information - AIDS / STD	HI	798
HIP6_3	First source of information - depression	HI	799
HIP6_3A	Look for other source - depression	HI	799
HIP6_3B	Second source of information - depression	HI	800
HIP6_4	First source of information - pregnancy	HI	801
HIP6_4A	Look for other source - pregnancy	HI	801
HIP6_4B	Second source of information - pregnancy	HI	802
HIP6_5	Attended school in past 12 months	HI	802
HIP6_6	Rating of information received at school on improving health	HI	803
HIP6_7	Attended sex education classes at school	HI	803
HIP6_8	Rating of sex education classes	HI	804
HSC4_1	Sees well enough to read newsprint without glasses /contacts	HS	291
HSC4_10	Understood by strangers in own language	HS	296
HSC4_11	Understood partially by strangers in own language	HS	296
HSC4_12	Understood by non-strangers in own language	HS	297

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 26

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HSC4_13	Understood partially by non-strangers in own language	HS	297
HSC4_14	Able to walk without difficulty without support	HS	298
HSC4_15	Able to walk	HS	298
HSC4_16	Requires support to walk	HS	299
HSC4_17	Requires help of person to walk	HS	299
HSC4_18	Requires a wheelchair	HS	300
HSC4_19	Frequency of wheelchair use	HS	300
HSC4_2	Sees well enough to read newsprint with glasses / contacts	HS	291
HSC4_20	Requires help to move in wheelchair	HS	301
HSC4_21	Able to grasp and handle small objects	HS	301
HSC4_22	Requires help due to limitation in hands	HS	302
HSC4_23	Requires help with tasks	HS	302
HSC4_24	Requires special equipment due to limitation in hands	HS	303
HSC4_25	Description of feelings	HS	303
HSC4_26	Ability to remember things	HS	304
HSC4_27	Ability to think and solve problems	HS	304
HSC4_28	Free of pain or discomfort	HS	305
HSC4_29	Intensity of pain or discomfort	HS	305
HSC4_3	Able to see	HS	292
HSC4_30	Number of activities prevented by pain / discomfort	HS	306
HSC4_4	Sees well enough to recognize friend without glasses	HS	292
HSC4_5	Sees well enough to recognize friend with glasses	HS	293
HSC4_6	Hears in group of people without hearing aid	HS	293
HSC4_7	Hears in group of people with hearing aid	HS	294
HSC4_7A	Able to hear	HS	294
HSC4_8	Hears in quiet room without hearing aid	HS	295
HSC4_9	Hears in quiet room with hearing aid	HS	295
HSC4DCOG	Derived Cognition - function code	HS	309
HSC4DDEX	Derived Dexterity trouble - function code	HS	308
HSC4DEMO	Derived Emotional problems - function code	HS	309
HSC4DHER	Derived Hearing problems - function code	HS	307
HSC4DHSI	Derived Health Status Index (3 decimal places)	HS	311
HSC4DMOB	Derived Mobility trouble - function code	HS	308
HSC4DPAD	Derived activities prevented-pain/discomfort - function code	HS	310
HSC4DSEV	Derived Severity of pain - function code	HS	310
HSC4DSPE	Derived Speech trouble - function code	HS	307

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 27

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HSC4DVIS	Derived Vision trouble - function code	HS	306
HSC6_1	Sees well enough to read newsprint without glasses /contacts	HS	804
HSC6_10	Understood by strangers in own language	HS	810
HSC6_11	Understood partially by strangers in own language	HS	811
HSC6_12	Understood by non-strangers in own language	HS	811
HSC6_13	Understood partially by non-strangers in own language	HS	811
HSC6_14	Able to walk without difficulty without support	HS	812
HSC6_15	Able to walk	HS	813
HSC6_16	Requires support to walk	HS	813
HSC6_17	Requires help of person to walk	HS	814
HSC6_18	Requires a wheelchair	HS	814
HSC6_19	Frequency of wheelchair use	HS	815
HSC6_2	Sees well enough to read newsprint with glasses / contacts	HS	805
HSC6_20	Requires help to move in wheelchair	HS	815
HSC6_21	Able to grasp and handle small objects	HS	816
HSC6_22	Requires help due to limitation in hands	HS	817
HSC6_23	Requires help with tasks	HS	817
HSC6_24	Requires special equipment due to limitation in hands	HS	818
HSC6_25	Description of feelings	HS	819
HSC6_26	Ability to remember things	HS	820
HSC6_27	Ability to think and solve problems	HS	820
HSC6_28	Free of pain or discomfort	HS	821
HSC6_29	Intensity of pain or discomfort	HS	822
HSC6_3	Able to see	HS	805
HSC6_30	Number of activities prevented by pain / discomfort	HS	822
HSC6_4	Sees well enough to recognize friend without glasses	HS	806
HSC6_5	Sees well enough to recognize friend with glasses	HS	806
HSC6_6	Hears in group of people without hearing aid	HS	807
HSC6_7	Hears in group of people with hearing aid	HS	808
HSC6_7A	Able to hear	HS	808
HSC6_8	Hears in quiet room without hearing aid	HS	809
HSC6_9	Hears in quiet room with hearing aid	HS	809
HSC6DCOG	Derived cognition - function code	HS	821
HSC6DDEX	Derived dexterity trouble - function code	HS	818
HSC6DEMO	Derived emotional problems - function code	HS	819
HSC6DHER	Derived hearing problems - function code	HS	810

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 28

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HSC6DHSI	Derived Health Status Index (3 decimal places)	HS	824
HSC6DMOB	Derived mobility trouble - function code	HS	816
HSC6DPAD	Derived activities prevented-pain/discomfort - function code	HS	823
HSC6DSEV	Derived severity of pain - function code	HS	823
HSC6DSPE	Derived speech trouble - function code	HS	812
HSC6DVIS	Derived vision trouble - function code	HS	807
HSK6_25A	Event causing great amount of worry or unhappiness	HS	824
HSK6_31A	Worry or unhappiness - death in family	HS	825
HSK6_31B	Worry or unhappiness - divorce / separation	HS	825
HSK6_31C	Worry or unhappiness - move	HS	826
HSK6_31D	Worry or unhappiness - illness / injury of family member	HS	826
HSK6_31E	Worry or unhappiness - conflict between parents	HS	827
HSK6_31F	Worry or unhappiness - other event	HS	827
HVS6_1	Tissue sample given for life insurance	HV	791
HVS6_2	Donated blood at the Red Cross	HV	791
HVS6_3	Year of last blood donation	HV	792
HVS6_4	Test for HIV or AIDS other than for insurance / blood donat.	HV	792
HVS6_5	Year of last HIV / AIDS test	HV	793
HVS6_6	Reason for HIV / AIDS test	HV	793
HVS6_7	Received "clotting factor" between 1978 and 1985	HV	794
HVS6_8	Received a blood transfusion between 1978 and 1985	HV	794
HVS6_9	Has injected non-prescription drugs	HV	795
HWC4_1	Currently pregnant	HW	158
HWC4_2HT	Height - adults	HW	160
HWC4_3KG	Weight - kilograms	HW	161
HWC4_3LB	Weight - pounds	HW	161
HWC4_HT	Height - adults and children	HW	164
HWC4DBMI	Derived Body Mass Index (1 decimal place)	HW	166
HWC4DSW	Derived standard weight	HW	166
HWC6_1	Currently pregnant	HW	644
HWC6_2HT	Height - adults	HW	645
HWC6_3KG	Weight - kilograms	HW	649
HWC6_3LB	Weight - pounds	HW	649
HWC6_HT	Height - adults and children	HW	647
HWC6DBMI	Derived Body Mass Index (1 decimal place)	HW	652
HWC6DSW	Derived standard weight	HW	653

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 29

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
HWS6_1	Respondent's opinion of own weight	HW	653
HWS6_2KG	Desired weight - kilograms	HW	654
HWS6_2LB	Desired weight - pounds	HW	654
HWS6_4	Most important thing done to follow a healthy diet	HW	655
HWS6_5	Skipping breakfast can control / reduce weight	HW	655
IJC4_1	Had an injury limiting normal activities	IJ	230
IJC4_2	Number of times injured	IJ	231
IJC4_3	Type of injury	IJ	231
IJC4_4	Body part affected by injury	IJ	232
IJC4_5	Place where injury happened	IJ	233
IJC4_6	Reason for injury	IJ	234
IJC4_7	Injury occurred at work	IJ	235
IJC4_8A	To avoid the injury recurring - gave up the activity	IJ	235
IJC4_8B	To avoid the injury recurring - being more careful	IJ	235
IJC4_8C	To avoid the injury recurring - safety training	IJ	236
IJC4_8D	To avoid the injury recurring - protective gear	IJ	236
IJC4_8E	To avoid the injury recurring - changing physical situation	IJ	236
IJC4_8F	To avoid the injury recurring - other precaution	IJ	237
IJC4_8G	To avoid the injury recurring - no precautions taken	IJ	237
IJC4_8H	To avoid the injury recurring - increased child supervision	IJ	237
IJC4D1	Derived type of injury by body site	IJ	232
IJC4D2	Derived cause of injury by place of occurrence	IJ	234
IJC6_1	Had an injury limiting normal activities	IJ	876
IJC6_2	Number of times injured	IJ	877
IJC6_3	Type of injury	IJ	877
IJC6_4	Body part affected by injury	IJ	878
IJC6_5	Place where injury happened	IJ	879
IJC6_6	Reason for injury	IJ	880
IJC6_7	Injury occurred at work	IJ	881
IJC6_8A	To avoid the injury recurring - gave up the activity	IJ	881
IJC6_8B	To avoid the injury recurring - being more careful	IJ	882
IJC6_8C	To avoid the injury recurring - safety training	IJ	882
IJC6_8D	To avoid the injury recurring - protective gear	IJ	883
IJC6_8E	To avoid the injury recurring - changing physical situation	IJ	883
IJC6_8F	To avoid the injury recurring - other precaution	IJ	884
IJC6_8G	To avoid the injury recurring - no precautions taken	IJ	884

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 30

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
IJC6D1	Derived type of injury by body site	IJ	885
IJC6D2	Derived cause of injury by place of occurrence	IJ	885
INC4_1A	Source of income - wages and salaries	IN	15
INC4_1B	Source of income - income from self-employment	IN	16
INC4_1C	Source of income - dividends and interest	IN	16
INC4_1D	Source of income - unemployment insurance	IN	17
INC4_1E	Source of income - worker's compensation	IN	17
INC4_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	18
INC4_1G	Source - retirement pensions, superannuation and annuities	IN	18
INC4_1H	Source of income - Old Age Security	IN	19
INC4_1I	Source of income - child tax benefit	IN	19
INC4_1J	Source of income - social assistance	IN	20
INC4_1K	Source of income - child support	IN	20
INC4_1L	Source of income - alimony	IN	21
INC4_1M	Source of income - other	IN	21
INC4_1N	Source of income - none	IN	22
INC4_2	Main source of household income	IN	23
INC4_3A	Total household income: < \$20,000 or >= \$20,000	IN	24
INC4_3B	Total household income: < \$10,000 or >= \$10,000	IN	24
INC4_3C	Total household income: < \$5,000 or >= \$5,000	IN	25
INC4_3D	Total household income: < \$15,000 or >= \$15,000	IN	25
INC4_3E	Total household income: < \$40,000 or >= \$40,000	IN	26
INC4_3F	Total household income: < \$30,000 or >= \$30,000	IN	26
INC4_3G	Total household income: >= \$50,000	IN	27
INC4CCPI	1994 Consumer Price Index (All items 1986=100)	IN	29
INC4DHH	Derived total household income from all sources	IN	29
INC4DIA2	Derived income adequacy - 2 groups	IN	27
INC4DIA4	Derived income adequacy - 4 groups	IN	28
INC4DIA5	Derived income adequacy - 5 groups	IN	28
INC4F1	Household questions asked of this H05 respondent	IN	153
INC6_1A	Source of income - wages and salaries	IN	424
INC6_1B	Source of income - income from self-employment	IN	424
INC6_1C	Source of income - dividends and interest	IN	425
INC6_1D	Source of income - unemployment insurance	IN	425
INC6_1E	Source of income - worker's compensation	IN	426
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	426

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 31

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
INC6_1G	Source - retirement pensions, superannuation and annuities	IN	427
INC6_1H	Source of income - Old Age Security	IN	427
INC6_1I	Source of income - child tax benefit	IN	428
INC6_1J	Source of income - social assistance	IN	428
INC6_1K	Source of income - child support	IN	429
INC6_1L	Source of income - alimony	IN	429
INC6_1M	Source of income - other	IN	430
INC6_1N	Source of income - none	IN	430
INC6_2	Main source of household income	IN	431
INC6_3A	Total household income: < \$20,000 or >= \$20,000	IN	432
INC6_3B	Total household income: < \$10,000 or >= \$10,000	IN	432
INC6_3C	Total household income: < \$5,000 or >= \$5,000	IN	433
INC6_3D	Total household income: < \$15,000 or >= \$15,000	IN	433
INC6_3E	Total household income: < \$40,000 or >= \$40,000	IN	434
INC6_3F	Total household income: < \$30,000 or >= \$30,000	IN	434
INC6_3G	Total household income: >= \$50,000	IN	435
INC6CCPI	1996 Consumer Price Index (All items 1986=100)	IN	437
INC6DHH	Derived total household income from all sources	IN	437
INC6DIA2	Derived income adequacy - 2 groups	IN	435
INC6DIA4	Derived income adequacy - 4 groups	IN	436
INC6DIA5	Derived income adequacy - 5 groups	IN	436
INC6F1	Household questions asked of this H05 respondent	IN	423
INS6_4	Household ran out of money to buy food	IN	438
INS6_5	Received food from a charity	IN	438
INS6_6	Description of food situation	IN	439
IS_6D1	Derived number of types of medical insurance	IS	790
LFC4_1	Current main activity	LF	120
LFC4_101	Usually works weekends - job 1	LF	123
LFC4_102	Usually works weekends - job 2	LF	127
LFC4_103	Usually works weekends - job 3	LF	130
LFC4_111	Worked - other than job 1	LF	124
LFC4_112	Worked - other than job 1 and job 2	LF	127
LFC4_13C	Long answer collected - main job industry	LF	131
LFC4_14C	Long answer collected - main job kind of work	LF	132
LFC4_15C	Long answer collected - main job duties	LF	132
LFC4_16	Worked for others or in own business - main job	LF	133

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 32

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC4_17A	Reason for not working - most recent period	LF	140
LFC4_2	Worked for pay or profit	LF	120
LFC4_41	Had job one year ago without break - job 1	LF	121
LFC4_42	Had job one year ago without break - job 2	LF	125
LFC4_43	Had job one year ago without break - job 3	LF	128
LFC4_51	Date started - job 1 (MM/DD/YY)	LF	121
LFC4_52	Date started - job 2 (MM/DD/YY)	LF	125
LFC4_53	Date started - job 3 (MM/DD/YY)	LF	128
LFC4_61	Has job now - job 1	LF	122
LFC4_62	Has job now - job 2	LF	125
LFC4_63	Has job now - job 3	LF	128
LFC4_71	Date stopped - job 1 (MM/DD/YY)	LF	122
LFC4_72	Date stopped - job 2 (MM/DD/YY)	LF	126
LFC4_73	Date stopped - job 3 (MM/DD/YY)	LF	129
LFC4_81	Hours usually worked per week - job 1	LF	122
LFC4_82	Hours usually worked per week - job 2	LF	126
LFC4_83	Hours usually worked per week - job 3	LF	129
LFC4_91	Type of working hours - job 1	LF	123
LFC4_92	Type of working hours - job 2	LF	126
LFC4_93	Type of working hours - job 3	LF	130
LFC4_E1C	Long answer collected - employer - job 1	LF	121
LFC4_E2C	Long answer collected - employer - job 2	LF	124
LFC4_E3C	Long answer collected - employer - job 3	LF	127
LFC4CSIC	Standard Industrial Codes for main job	LF	136
LFC4CSOC	Standard Occupation Codes for main job	LF	133
LFC4DBLI	Derived Blishen socio-economic index for main job	LF	137
LFC4DCMN	Derived main job is the current job	LF	145
LFC4DCWS	Derived working status in last 12 months	LF	141
LFC4DD1	Derived work duration - job 1	LF	147
LFC4DD2	Derived work duration - job 2	LF	148
LFC4DD3	Derived work duration - job 3	LF	149
LFC4DDA	Derived duration of work without a break > 30 days	LF	142
LFC4DDMN	Derived work duration - main job	LF	145
LFC4DGA	Derived number of gaps of 30 days or more	LF	144
LFC4DH1	Derived hours of work - job 1	LF	149
LFC4DH2	Derived hours of work - job 2	LF	150

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 33

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC4DH3	Derived hours of work - job 3	LF	150
LFC4DHA	Derived pattern of working hours of all jobs reported	LF	143
LFC4DHMN	Derived hours of work - main job	LF	146
LFC4DJA	Derived number of jobs	LF	143
LFC4DJGA	Derived pattern of number of jobs	LF	144
LFC4DOMN	Derived job number of old main job	LF	152
LFC4DPIN	Derived Pineo socio-econ. class. for main occupation	LF	138
LFC4DT1	Derived type of working hours - job 1	LF	151
LFC4DT2	Derived type of working hours - job 2	LF	151
LFC4DT3	Derived type of working hours - job 3	LF	152
LFC4DTMN	Derived type of working hours - main job	LF	146
LFC4FGAP	Jobless spell (gap) greater than 6 days	LF	139
LFC4FMN	Job number of main job	LF	131
LFC4FWK	Work flag used for processing only	LF	140
LFC4G17B	Reasons for not currently working - grouped	LF	137
LFC4GI13	Industry Codes for main job - 13 groups - grouped	LF	136
LFC4GO21	Occupation Codes for main job - 21 groups - grouped	LF	135
LFC4GO34	Occupation Codes for main job - 34 groups - grouped	LF	134
LFC6_101	Usually works weekends - job 1	LF	591
LFC6_102	Usually works weekends - job 2	LF	597
LFC6_103	Usually works weekends - job 3	LF	603
LFC6_111	Worked - other than job 1	LF	592
LFC6_112	Worked - other than job 1 and job 2	LF	598
LFC6_13C	Long answer collected - main job industry	LF	604
LFC6_14C	Long answer collected - main job kind of work	LF	605
LFC6_15C	Long answer collected - main job duties	LF	605
LFC6_16	Worked for others or in own business - main job	LF	606
LFC6_17A	Reason for not working - most recent period	LF	607
LFC6_17B	Reason for not working - currently	LF	608
LFC6_2	Worked for pay or profit	LF	584
LFC6_2B	Worked for same employer as in last interview	LF	585
LFC6_41	Had job one year ago without break - job 1	LF	586
LFC6_42	Had job one year ago without break - job 2	LF	592
LFC6_43	Had job one year ago without break - job 3	LF	598
LFC6_51D	Day started - job 1	LF	587
LFC6_51M	Month started - job 1	LF	587

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 34

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC6_51Y	Year started - job 1	LF	588
LFC6_52D	Day started - job 2	LF	593
LFC6_52M	Month started - job 2	LF	593
LFC6_52Y	Year started - job 2	LF	594
LFC6_53D	Day started - job 3	LF	599
LFC6_53M	Month started - job 3	LF	599
LFC6_53Y	Year started - job 3	LF	600
LFC6_61	Has job now - job 1	LF	588
LFC6_62	Has job now - job 2	LF	594
LFC6_63	Has job now - job 3	LF	600
LFC6_71D	Day stopped - job 1	LF	589
LFC6_71M	Month stopped - job 1	LF	589
LFC6_71Y	Year stopped - job 1	LF	590
LFC6_72D	Day stopped - job 2	LF	595
LFC6_72M	Month stopped - job 2	LF	595
LFC6_72Y	Year stopped - job 2	LF	596
LFC6_73D	Day stopped - job 3	LF	601
LFC6_73M	Month stopped - job 3	LF	601
LFC6_73Y	Year stopped - job 3	LF	602
LFC6_81	Hours usually worked per week - job 1	LF	590
LFC6_82	Hours usually worked per week - job 2	LF	596
LFC6_83	Hours usually worked per week - job 3	LF	602
LFC6_91	Type of working hours - job 1	LF	591
LFC6_92	Type of working hours - job 2	LF	597
LFC6_93	Type of working hours - job 3	LF	603
LFC6_E1C	Long answer collected - employer - job 1	LF	585
LFC6_E2C	Long answer collected -employer - job 2	LF	592
LFC6_E3C	Long answer collected - employer - job 3	LF	598
LFC6CSIC	Standard Industrial Codes for main job	LF	613
LFC6CSOC	Standard Occupation Codes for main job	LF	610
LFC6DBLI	Derived Blishen socio-economic index for main job	LF	614
LFC6DCMN	Derived main job is the current job	LF	618
LFC6DCWS	Derived working status in last 12 months	LF	615
LFC6DD1	Derived work duration - job 1	LF	620
LFC6DD2	Derived work duration - job 2	LF	621
LFC6DD3	Derived work duration - job 3	LF	622

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 35

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
LFC6DDA	Derived duration of work without a break > 30 days	LF	615
LFC6DDMN	Derived work duration - main job	LF	618
LFC6DGA	Derived number of gaps of 30 days or more	LF	617
LFC6DH1	Derived hours of work - job 1	LF	622
LFC6DH2	Derived hours of work - job 2	LF	623
LFC6DH3	Derived hours of work - job 3	LF	623
LFC6DHA	Derived pattern of working hours of all jobs reported	LF	616
LFC6DHMN	Derived hours of work - main job	LF	619
LFC6DHW1	Derived household labour force status - current	LF	625
LFC6DHW2	Derived household labour force status - during year	LF	626
LFC6DJA	Derived number of jobs	LF	616
LFC6DJGA	Derived pattern of number of jobs	LF	617
LFC6DPIN	Derived Pineo socio-econ. class. for main occupation	LF	614
LFC6DT1	Derived type of working hours - job 1	LF	624
LFC6DT2	Derived type of working hours - job 2	LF	624
LFC6DT3	Derived type of working hours - job 3	LF	625
LFC6DTMN	Derived type of working hours - main job	LF	619
LFC6FGAP	Jobless spell (gap) greater than 6 days	LF	609
LFC6FMN	Job number of main job	LF	604
LFC6FWK	Work flag used for processing only	LF	609
LFC6GI13	Industry Codes for main job - 13 groups - grouped	LF	613
LFC6GO21	Occupation Codes for main job - 21 groups - grouped	LF	612
LFC6GO34	Occupation Codes for main job - 34 groups - grouped	LF	611
LFC6LEMP	Change in employment between 1994 and 1996	LF	626
MBRCYCLE	Cycle in which respondent joined the survey	SP	441
MHC4_10	Depressed - frequency of trouble falling asleep	MH	355
MHC4_11	Depressed - trouble concentrating	MH	356
MHC4_12	Depressed - felt down on self	MH	356
MHC4_13	Depressed - thought a lot about death	MH	357
MHC4_14	Depressed - number of weeks in past 12 months	MH	357
MHC4_15	Month in which depression occurred	MH	358
MHC4_16	Lost interest in most things that usually give pleasure	MH	358
MHC4_17	Loss of interest - duration	MH	359
MHC4_18	Loss of interest - frequency	MH	359
MHC4_19	Loss of interest - felt tired all the time	MH	360
MHC4_1A	Number of times - felt nothing could cheer you up	MH	345

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 36

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
MHC4_1B	Number of times - felt nervous	MH	345
MHC4_1C	Number of times - felt restless / fidgety	MH	346
MHC4_1D	Number of times - felt hopeless	MH	346
MHC4_1E	Number of times - felt worthless	MH	347
MHC4_1F	Number of times - felt everything was an effort	MH	347
MHC4_1G	Feelings occurred more or less often than usual	MH	348
MHC4_1H	Feelings occurred how much more often	MH	348
MHC4_1I	Feelings occurred how much less often	MH	349
MHC4_1J	How much these experiences interfere with life / activities	MH	349
MHC4_1K	Consulted health professional about mental health	MH	350
MHC4_1L	No. of times consulted health professional for mental health	MH	350
MHC4_2	Felt depressed for 2 weeks or more in past year	MH	351
MHC4_20	Loss of interest - any weight change	MH	360
MHC4_21K	Loss of interest - weight change (kg)	MH	361
MHC4_21L	Loss of interest - weight change (lb)	MH	361
MHC4_22	Loss of interest - trouble falling asleep	MH	361
MHC4_23	Loss of interest - frequency of sleep problem	MH	362
MHC4_24	Loss of interest - trouble concentrating	MH	362
MHC4_25	Loss of interest - felt down on self	MH	363
MHC4_26	Loss of interest - thought a lot about death	MH	363
MHC4_27	Number of weeks feeling loss of interest	MH	364
MHC4_28	Month in which loss of interest occurred	MH	364
MHC4_3	Depressed - length of time feelings usually last	MH	351
MHC4_4	Depressed - number of times felt this way	MH	352
MHC4_5	Depressed - lost interest in most things	MH	352
MHC4_6	Depressed - felt tired all of the time	MH	353
MHC4_7	Depressed - any weight change	MH	353
MHC4_8KG	Depressed - weight change (kg)	MH	354
MHC4_8LB	Depressed - weight change (lb)	MH	354
MHC4_9	Depressed - trouble falling asleep	MH	355
MHC4DCH	Derived Chronicity of Distress and Impairment Scale	MH	365
MHC4DDS	Derived Distress Scale	MH	365
MHC4DMT	Derived specific month when felt depressed	MH	367
MHC4DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	MH	366
MHC4DSF	Derived Depression Scale - Short Form Score	MH	366
MHC4DWK	Derived number of weeks felt depressed	MH	366

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 37

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
MHC6_10	Depressed - frequency of trouble falling asleep	MH	1005
MHC6_11	Depressed - trouble concentrating	MH	1006
MHC6_12	Depressed - felt down on self	MH	1006
MHC6_13	Depressed - thought a lot about death	MH	1007
MHC6_14	Depressed - number of weeks in past 12 months	MH	1007
MHC6_15	Month in which depression occurred	MH	1008
MHC6_16	Lost interest in most things that usually give pleasure	MH	1008
MHC6_17	Loss of interest - duration	MH	1009
MHC6_18	Loss of interest - frequency	MH	1009
MHC6_19	Loss of interest - felt tired all the time	MH	1010
MHC6_1A	Number of times - felt nothing could cheer you up	MH	992
MHC6_1B	Number of times - felt nervous	MH	992
MHC6_1C	Number of times - felt restless / fidgety	MH	993
MHC6_1D	Number of times - felt hopeless	MH	993
MHC6_1E	Number of times - felt worthless	MH	994
MHC6_1F	Number of times - felt everything was an effort	MH	994
MHC6_1G	Feelings occurred more or less often than usual	MH	995
MHC6_1H	Feelings occurred how much more often	MH	995
MHC6_1I	Feelings occurred how much less often	MH	996
MHC6_1J	How much these experiences interfere with life / activities	MH	996
MHC6_1K	Consulted health professional about mental health	MH	997
MHC6_1L	No. of times consulted health professional for mental health	MH	997
MHC6_1MA	Mental health, consulted - family doctor	MH	998
MHC6_1MB	Mental health, consulted - psychiatrist	MH	998
MHC6_1MC	Mental health, consulted - psychologist	MH	999
MHC6_1MD	Mental health, consulted - nurse	MH	999
MHC6_1ME	Mental health, consulted - social worker or counselor	MH	1000
MHC6_1MF	Mental health, consulted - other person	MH	1000
MHC6_2	Felt depressed for 2 weeks or more in past year	MH	1001
MHC6_20	Loss of interest - weight change	MH	1010
MHC6_21K	Loss of interest - weight change (kg.)	MH	1011
MHC6_21L	Loss of interest - weight change (lb.)	MH	1011
MHC6_22	Loss of interest - trouble falling asleep	MH	1012
MHC6_23	Loss of interest - frequency of sleep problem	MH	1012
MHC6_24	Loss of interest - trouble concentrating	MH	1013
MHC6_25	Loss of interest - felt down on self	MH	1013

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 38

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
MHC6_26	Loss of interest - thought a lot about death	MH	1014
MHC6_27	Number of weeks feeling loss of interest	MH	1014
MHC6_28	Month in which loss of interest occurred	MH	1015
MHC6_3	Depressed - length of time feelings usually last	MH	1001
MHC6_4	Depressed - number of times felt this way	MH	1002
MHC6_5	Depressed - lost interest in most things	MH	1002
MHC6_6	Depressed - felt tired all of the time	MH	1003
MHC6_7	Depressed - weight change	MH	1003
MHC6_8KG	Depressed - weight change (kg.)	MH	1004
MHC6_8LB	Depressed - weight change (lb.)	MH	1004
MHC6_9	Depressed - trouble falling asleep	MH	1005
MHC6DCH	Derived Chronicity of Distress and Impairment Scale	MH	1016
MHC6DDS	Derived Distress Scale	MH	1015
MHC6DMT	Derived specific month when felt depressed	MH	1018
MHC6DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	MH	1017
MHC6DSF	Derived Depression Scale - Short Form Score	MH	1016
MHC6DWK	Derived number of weeks felt depressed	MH	1017
MOB	Month of birth	DH	2
PAC4_1A	Walked for exercise in last 3 months	PA	190
PAC4_1B	Gardening / yard work in last 3 months	PA	191
PAC4_1C	Swam in last 3 months	PA	191
PAC4_1D	Bicycled in last 3 months	PA	192
PAC4_1E	Popular or social dance in last 3 months	PA	192
PAC4_1F	Home exercises in last 3 months	PA	193
PAC4_1G	Played ice hockey in last 3 months	PA	193
PAC4_1H	Ice skated in last 3 months	PA	194
PAC4_1I	Downhill skied in last 3 months	PA	194
PAC4_1J	Jogged or ran in last 3 months	PA	195
PAC4_1K	Golfed in last 3 months	PA	195
PAC4_1L	Had exercise class or did aerobics in last 3 months	PA	196
PAC4_1M	Cross-country skied in last 3 months	PA	196
PAC4_1N	Bowled in last 3 months	PA	197
PAC4_1O	Played baseball or softball in last 3 months	PA	197
PAC4_1P	Played tennis in last 3 months	PA	198
PAC4_1Q	Weight-trained in last 3 months	PA	198
PAC4_1R	Fished in last 3 months	PA	199

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 39

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC4_1S	Played volleyball in last 3 months	PA	199
PAC4_1U	Did other physical activity in last 3 months - (#1)	PA	200
PAC4_1V	Did no physical activity in last 3 months	PA	201
PAC4_1W	Did other physical activity in last 3 months - (#2)	PA	202
PAC4_1X	Did other physical activity in last 3 months - (#3)	PA	202
PAC4_1Z	Did yoga or tai-chi in last 3 months	PA	200
PAC4_2A	Number of times participated - walking for exercise	PA	203
PAC4_2B	Number of times participated - gardening or yard work	PA	204
PAC4_2C	Number of times participated - swimming	PA	205
PAC4_2D	Number of times participated - bicycling	PA	206
PAC4_2E	Number of times participated - popular or social dance	PA	207
PAC4_2F	Number of times participated - home exercises	PA	208
PAC4_2G	Number of times participated - ice hockey	PA	209
PAC4_2H	Number of times participated - ice skating	PA	210
PAC4_2I	Number of times participated - downhill skiing	PA	211
PAC4_2J	Number of times participated - jogging or running	PA	212
PAC4_2K	Number of times participated - golfing	PA	213
PAC4_2L	Number of times participated - exercise class or aerobics	PA	214
PAC4_2M	Number of times participated - cross-country skiing	PA	215
PAC4_2N	Number of times participated - bowling	PA	216
PAC4_2O	Number of times participated - baseball or softball	PA	217
PAC4_2P	Number of times participated - tennis	PA	218
PAC4_2Q	Number of times participated - weight training	PA	219
PAC4_2R	Number of times participated - fishing	PA	220
PAC4_2S	Number of times participated - volleyball	PA	221
PAC4_2U	Number of times participated - other physical activity (#1)	PA	223
PAC4_2W	Number of times participated - other physical activity (#2)	PA	224
PAC4_2X	Number of times participated - other physical activity (#3)	PA	225
PAC4_2Z	Number of times participated - yoga or tai-chi	PA	222
PAC4_3A	Time spent - walking for exercise	PA	204
PAC4_3B	Time spent - gardening or yard work	PA	205
PAC4_3C	Time spent - swimming	PA	206
PAC4_3D	Time spent - bicycling	PA	207
PAC4_3E	Time spent - popular or social dance	PA	208
PAC4_3F	Time spent - home exercises	PA	209
PAC4_3G	Time spent - ice hockey	PA	210

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 40

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC4_3H	Time spent - ice skating	PA	211
PAC4_3I	Time spent - downhill skiing	PA	212
PAC4_3J	Time spent - jogging or running	PA	213
PAC4_3K	Time spent - golfing	PA	214
PAC4_3L	Time spent - exercise class or aerobics	PA	215
PAC4_3M	Time spent - cross-country skiing	PA	216
PAC4_3N	Time spent - bowling	PA	217
PAC4_3O	Time spent - baseball or softball	PA	218
PAC4_3P	Time spent - tennis	PA	219
PAC4_3Q	Time spent - weight training	PA	220
PAC4_3R	Time spent - fishing	PA	221
PAC4_3S	Time spent - volleyball	PA	222
PAC4_3U	Time spent - other physical activity (#1)	PA	224
PAC4_3W	Time spent - other physical activity (#2)	PA	225
PAC4_3X	Time spent - other physical activity (#3)	PA	226
PAC4_3Z	Time spent - yoga or tai-chi	PA	223
PAC4_4A	Number of hours walking to work / school	PA	226
PAC4_4B	Number of hours biking to work / school	PA	227
PAC4_5	Frequency of bike helmet use	PA	227
PAC4_6	Level of physical activity for usual day	PA	228
PAC4_C1C	Long answer collected - other physical activity (#1)	PA	201
PAC4_C2C	Long answer collected - other physical activity (#2)	PA	202
PAC4_C3C	Long answer collected - other physical activity (#3)	PA	203
PAC4DEE	Derived energy expenditure (1 decimal point)	PA	228
PAC4DFD	Derived participation / daily phys. activities > 15 min.	PA	230
PAC4DFM	Derived monthly freq. of physical activity lasting > 15 min.	PA	229
PAC4DFR	Derived frequency of all physical activity	PA	229
PAC4DLEI	Derived participation in leisure physical activity	PA	229
PAC4DPAI	Derived physical activity index	PA	230
PAC6_1A	Walked for exercise in last 3 months	PA	828
PAC6_1B	Gardening / yard work in last 3 months	PA	828
PAC6_1C	Swam in last 3 months	PA	829
PAC6_1D	Bicycled in last 3 months	PA	829
PAC6_1E	Popular or social dance in last 3 months	PA	830
PAC6_1F	Home exercises in last 3 months	PA	830
PAC6_1G	Played ice hockey in last 3 months	PA	831

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 41

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC6_1H	Ice skated in last 3 months	PA	831
PAC6_1I	Downhill skied in last 3 months	PA	832
PAC6_1J	Jogged or ran in last 3 months	PA	832
PAC6_1K	Golfed in last 3 months	PA	833
PAC6_1L	Had exercise class or did aerobics in last 3 months	PA	833
PAC6_1M	Cross-country skied in last 3 months	PA	834
PAC6_1N	Bowled in last 3 months	PA	834
PAC6_1O	Played baseball or softball in last 3 months	PA	835
PAC6_1P	Played tennis in last 3 months	PA	835
PAC6_1Q	Weight-trained in last 3 months	PA	836
PAC6_1R	Fished in last 3 months	PA	836
PAC6_1S	Played volleyball in last 3 months	PA	837
PAC6_1T	Played basketball in last 3 months	PA	837
PAC6_1U	Did other physical activity in last 3 months - (#1)	PA	838
PAC6_1V	Did no physical activity in last 3 months	PA	838
PAC6_1W	Did other physical activity in last 3 months - (#2)	PA	839
PAC6_1X	Did other physical activity in last 3 months - (#3)	PA	840
PAC6_2A	Number of times participated - walking for exercise	PA	840
PAC6_2B	Number of times participated - gardening or yard work	PA	841
PAC6_2C	Number of times participated - swimming	PA	842
PAC6_2D	Number of times participated - bicycling	PA	843
PAC6_2E	Number of times participated - popular or social dance	PA	844
PAC6_2F	Number of times participated - home exercises	PA	845
PAC6_2G	Number of times participated - ice hockey	PA	846
PAC6_2H	Number of times participated - ice skating	PA	847
PAC6_2I	Number of times participated - downhill skiing	PA	848
PAC6_2J	Number of times participated - jogging or running	PA	849
PAC6_2K	Number of times participated - golfing	PA	850
PAC6_2L	Number of times participated - exercise class or aerobics	PA	851
PAC6_2M	Number of times participated - cross-country skiing	PA	852
PAC6_2N	Number of times participated - bowling	PA	853
PAC6_2O	Number of times participated - baseball or softball	PA	854
PAC6_2P	Number of times participated - tennis	PA	855
PAC6_2Q	Number of times participated - weight training	PA	856
PAC6_2R	Number of times participated - fishing	PA	857
PAC6_2S	Number of times participated - volleyball	PA	858

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 42

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC6_2T	Number of times participated - basketball	PA	859
PAC6_2U	Number of times participated - other physical activity (#1)	PA	860
PAC6_2W	Number of times participated - other physical activity (#2)	PA	861
PAC6_2X	Number of times participated - other physical activity (#3)	PA	862
PAC6_3A	Time spent - walking for exercise	PA	841
PAC6_3B	Time spent - gardening or yard work	PA	842
PAC6_3C	Time spent - swimming	PA	843
PAC6_3D	Time spent - bicycling	PA	844
PAC6_3E	Time spent - popular or social dance	PA	845
PAC6_3F	Time spent - home exercises	PA	846
PAC6_3G	Time spent - ice hockey	PA	847
PAC6_3H	Time spent - ice skating	PA	848
PAC6_3I	Time spent - downhill skiing	PA	849
PAC6_3J	Time spent - jogging or running	PA	850
PAC6_3K	Time spent - golfing	PA	851
PAC6_3L	Time spent - exercise class or aerobics	PA	852
PAC6_3M	Time spent - cross-country skiing	PA	853
PAC6_3N	Time spent - bowling	PA	854
PAC6_3O	Time spent - baseball or softball	PA	855
PAC6_3P	Time spent - tennis	PA	856
PAC6_3Q	Time spent - weight training	PA	857
PAC6_3R	Time spent - fishing	PA	858
PAC6_3S	Time spent - volleyball	PA	859
PAC6_3T	Time spent - basketball	PA	860
PAC6_3U	Time spent - other physical activity (#1)	PA	861
PAC6_3W	Time spent - other physical activity (#2)	PA	862
PAC6_3X	Time spent - other physical activity (#3)	PA	863
PAC6_4A	Number of hours walking to work / school	PA	863
PAC6_4B	Number of hours biking to work / school	PA	864
PAC6_5	Frequency of bike helmet use	PA	864
PAC6_6	Level of physical activity for usual day	PA	865
PAC6_C1C	Long answer collected - other physical activity (#1)	PA	839
PAC6_C2C	Long answer collected - other physical activity (#2)	PA	839
PAC6_C3C	Long answer collected - other physical activity (#3)	PA	840
PAC6DEE	Derived energy expenditure (1 decimal point)	PA	865
PAC6DFD	Derived participation / daily phys. activities > 15 min.	PA	867

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 43

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PAC6DFM	Derived monthly freq. of physical activity lasting > 15 min.	PA	866
PAC6DFR	Derived frequency of all physical activity	PA	866
PAC6DLEI	Derived participant in leisure physical activity	PA	866
PAC6DPAI	Derived physical activity index	PA	867
PC_6_40	Had physical check-up without having a health problem	PC	724
PC_6_41	Had physical check-up during visit for health problem	PC	725
PC_6_42	Last time had physical check up	PC	725
PC_6_42A	Frequency of physical check-ups	PC	726
PC_6_43A	Gets physical check-up - family history of health problems	PC	726
PC_6_43B	Gets physical check-up - testing	PC	727
PC_6_43C	Gets physical check-up - required for job, etc.	PC	727
PC_6_43D	Gets physical check-up - make sure everything is OK	PC	728
PC_6_43E	Gets physical check-up - catch problems early	PC	728
PC_6_43F	Gets physical check-up - for prevention	PC	729
PC_6_43G	Gets physical check-up - for health reasons	PC	729
PC_6_43H	Gets physical check-up - other reason	PC	730
PC_6_44	Had problems obtaining physical check-up	PC	730
PC_6_45A	Prob. getting phys. check-up - not available when required	PC	731
PC_6_45B	Prob. getting phys. check-up - not available in area	PC	731
PC_6_45C	Prob. getting phys. check-up - waiting time too long	PC	731
PC_6_45D	Prob. getting phys. check-up - transportation	PC	732
PC_6_45E	Prob. getting phys. check-up - language	PC	732
PC_6_45F	Prob. getting phys. check-up - cost	PC	732
PC_6_45G	Prob. getting phys. check-up - did not know where to go	PC	733
PC_6_45H	Prob. getting phys. check-up - other	PC	733
PC_6_46A	No physical check-up - have not gotten around to it	PC	734
PC_6_46B	No physical check-up - resp. didn't think it was neces.	PC	734
PC_6_46C	No physical check-up - doctor didn't think it was neces.	PC	735
PC_6_46D	No physical check-up - personal or family respons.	PC	735
PC_6_46E	No physical check-up - not available / time required	PC	736
PC_6_46F	No physical check-up - not available at all in area	PC	736
PC_6_46G	No physical check-up - waiting time too long	PC	737
PC_6_46H	No physical check-up - transportation problems	PC	737
PC_6_46I	No physical check-up - language problem	PC	738
PC_6_46J	No physical check-up - cost	PC	738
PC_6_46K	No physical check-up - did not know where to go	PC	739

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 44

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
PC_6_46L	No physical check-up - fear	PC	739
PC_6_46M	No physical check-up - other reason	PC	740
PERSONID	Record identifier for person in the household	AM	1
PRC4_CUR	Province of residence	PR	4
PRC6_CUR	Province of residence	PR	410
PRC6_DES	Design province	PR	409
PY_4_E1A	Self-esteem - good	PY	271
PY_4_E1B	Self-esteem - worthy	PY	271
PY_4_E1C	Self-esteem - able	PY	272
PY_4_E1D	Self-esteem - positive	PY	272
PY_4_E1E	Self-esteem - satisfied	PY	273
PY_4_E1F	Self-esteem - failure	PY	273
PY_4_H1	Coherence - don't care about surroundings	PY	278
PY_4_H10	Coherence - can't keep feelings under control	PY	287
PY_4_H11	Coherence - clear goals and purpose	PY	288
PY_4_H12	Coherence - keep things in proportion	PY	289
PY_4_H13	Coherence - bored or satisfied with everyday activities	PY	290
PY_4_H2	Coherence - surprised by other's behaviour	PY	279
PY_4_H3	Coherence - disappointed on people he counted on	PY	280
PY_4_H4	Coherence - treated unfairly	PY	281
PY_4_H5	Coherence - in unfamiliar situations	PY	282
PY_4_H6	Coherence - mixed-up feelings	PY	283
PY_4_H7	Coherence - uncomfortable feelings	PY	284
PY_4_H8	Coherence - loser	PY	285
PY_4_H9	Coherence - little meaning in life	PY	286
PY_4_M1A	Mastery - lack of control	PY	274
PY_4_M1B	Mastery - can't solve problems	PY	275
PY_4_M1C	Mastery - can't change things	PY	275
PY_4_M1D	Mastery - helpless	PY	276
PY_4_M1E	Mastery - pushed around	PY	276
PY_4_M1F	Mastery - fate depends upon self	PY	277
PY_4_M1G	Mastery - can do anything	PY	277
PY_4DE1	Derived self-esteem scale	PY	274
PY_4DH1	Derived sense of coherence scale	PY	290
PY_4DM1	Derived mastery scale	PY	278
RAC4_1A	Limited in kind or amount of activities - at home	RA	59

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 45

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
RAC4_1B	Limited in kind or amount of activities - at school	RA	59
RAC4_1C	Limited in kind or amount of activities - at work	RA	60
RAC4_1D	Limited in kind or amount of activities - other	RA	60
RAC4_2	Has long-term disabilities or handicaps	RA	61
RAC4_3C	Long answer collected - problem causing limitation	RA	61
RAC4_5	Cause of condition	RA	65
RAC4_6A	Needs help - preparing meals	RA	65
RAC4_6B	Needs help - shopping for groceries or other necessities	RA	66
RAC4_6C	Needs help - housework	RA	66
RAC4_6D	Needs help - heavy household chores	RA	67
RAC4_6E	Needs help - personal care	RA	67
RAC4_6F	Needs help - moving about in the house	RA	68
RAC4_6G	Needs help - no tasks	RA	68
RAC4CIC	ICD-9 code for main health problem causing limitations	RA	62
RAC4F1	Restriction of activity flag	RA	62
RAC4GC12	Derived main health problem - 12 groups - grouped	RA	64
RAC4GC25	Derived main health problem - 25 groups - grouped	RA	63
RAC6_1A	Limited in kind or amount of activities - at home	RA	486
RAC6_1B	Limited in kind or amount of activities - at school	RA	486
RAC6_1C	Limited in kind or amount of activities - at work	RA	487
RAC6_1D	Limited in kind or amount of activities - other	RA	487
RAC6_2	Has long-term disabilities or handicaps	RA	488
RAC6_2A	New activity restriction or worsening of old one	RA	488
RAC6_2B	Disappearance or improvement of activity restriction	RA	489
RAC6_3C	Long answer collected - problem causing limitation	RA	489
RAC6_5	Cause of condition	RA	493
RAC6_6A	Needs help - preparing meals	RA	493
RAC6_6B	Needs help - shopping for groceries or other necessities	RA	494
RAC6_6C	Needs help - housework	RA	494
RAC6_6D	Needs help - heavy household chores	RA	495
RAC6_6E	Needs help - personal care	RA	495
RAC6_6F	Needs help - moving about in the house	RA	496
RAC6CIC	ICD-9 code for main health problem causing limitations	RA	490
RAC6D6G	Derived need for help in series of tasks	RA	496
RAC6F1	Restriction of activity flag	RA	490
RAC6GC12	Derived main health problem - 12 groups - grouped	RA	492

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 46

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
RAC6GC25	Derived main health problem - 25 groups - grouped	RA	491
REALUKEY	Record identifier for the household	AM	1
RPC6_1	Had repetitive strain injuries	RP	873
RPC6_2	Number of repetitive strain injuries	RP	873
RPC6_3	Body part affected by repetitive strain injury	RP	874
RPC6_4A	Injury caused by activity at home	RP	874
RPC6_4B	Injury caused by activity at school	RP	875
RPC6_4C	Injury caused by leisure activities	RP	875
RPC6_4D	Injury caused by other activity	RP	876
RSS6_1	Been passenger with driver who had too much to drink	RS	1068
RSS6_10	Frequency - designated driver	RS	1076
RSS6_2	Driver intoxicated - tried to prevent person from driving	RS	1069
RSS6_3A	Driver intoxicated - drove person home yourself	RS	1069
RSS6_3B	Driver intoxicated - asked someone to drive person home	RS	1070
RSS6_3C	Driver intoxicated - asked person to take a taxi	RS	1070
RSS6_3D	Driver intoxicated - hid person's car keys	RS	1071
RSS6_3E	Driver intoxicated - served coffee to person	RS	1071
RSS6_3F	Driver intoxicated - kept the person at home	RS	1072
RSS6_3G	Driver intoxicated - other action to prevent driving	RS	1072
RSS6_4	Has valid driver's license for a motor vehicle	RS	1073
RSS6_5	Frequency - insisting that passengers wear their seatbelt	RS	1073
RSS6_6	Frequency - obey speed limits	RS	1074
RSS6_7	Number of times drank too much and drove	RS	1074
RSS6_8	Go out with friends / family to consume alcohol	RS	1075
RSS6_9	Have designated driver when going out	RS	1075
RTP4_1	Rationality - try to be reasonable and logical	RT	379
RTP4_10	Rationality - when you don't like person	RT	384
RTP4_11	Rationality - prevents verb. attacking / criticize others	RT	384
RTP4_12A	Overcome fear of dentist - quiz dentist	RT	385
RTP4_12B	Overcome fear of dentist - take a tranquilizer or drink	RT	385
RTP4_12C	Overcome fear of dentist - try to think about other things	RT	386
RTP4_12D	Overcome fear of dentist - be told when will feel pain	RT	386
RTP4_12E	Overcome fear of dentist - try to sleep	RT	387
RTP4_12F	Overcome fear of dentist - watch dentist's movements	RT	387
RTP4_12G	Overcome fear of dentist - watch for blood	RT	388
RTP4_12H	Overcome fear of dentist - do mental puzzles	RT	388

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 47

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
RTP4_12I	Overcome fear of dentist - do other activity	RT	389
RTP4_13A	Layoffs rumoured - find out evaluation by supervisor	RT	389
RTP4_13B	Layoffs rumoured - review accomplishments	RT	390
RTP4_13C	Layoffs rumoured - watch TV	RT	390
RTP4_13D	Layoffs rumoured - remember disagreements with supervisor	RT	391
RTP4_13E	Layoffs rumoured - try not to think about it	RT	391
RTP4_13F	Layoffs rumoured - try not to discuss it	RT	392
RTP4_13G	Layoffs rumoured - try to rank other employees	RT	392
RTP4_13H	Layoffs rumoured - continue working	RT	393
RTP4_13I	Layoffs rumoured - do other activity	RT	393
RTP4_2	Rationality - try to understand people	RT	380
RTP4_3	Rationality - try to act rationally	RT	380
RTP4_4	Rationality - try to resolve conflicts without emotion	RT	381
RTP4_5	Rationality - try to treat people rationally despite hurt	RT	381
RTP4_6	Rationality - rely on logic	RT	382
RTP4_7	Rationality - when someone acts against your wishes	RT	382
RTP4_8	Rationality - rarely influenced by emotions	RT	383
RTP4_9	Rationality - very influenced by emotions	RT	383
SDC4_1	Country of birth	SD	83
SDC4_3	Year came to Canada	SD	84
SDC4_4A	Ethnic origin - Canadian	SD	86
SDC4_4B	Ethnic origin - French	SD	86
SDC4_4C	Ethnic origin - English	SD	87
SDC4_4D	Ethnic origin - German	SD	87
SDC4_4E	Ethnic origin - Scottish	SD	88
SDC4_4F	Ethnic origin - Irish	SD	88
SDC4_4G	Ethnic origin - Italian	SD	89
SDC4_4H	Ethnic origin - Ukrainian	SD	89
SDC4_4I	Ethnic origin - Dutch (Netherlands)	SD	90
SDC4_4J	Ethnic origin - Chinese	SD	90
SDC4_4K	Ethnic origin - Jewish	SD	91
SDC4_4L	Ethnic origin - Polish	SD	91
SDC4_4M	Ethnic origin - Portuguese	SD	92
SDC4_4N	Ethnic origin - South Asian	SD	92
SDC4_4O	Ethnic origin - Black	SD	93
SDC4_4P	Ethnic origin - North American Indian	SD	93

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 48

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC4_4Q	Ethnic origin - Métis	SD	94
SDC4_4R	Ethnic origin - Inuit / Eskimo	SD	94
SDC4_4S	Ethnic origin - other	SD	95
SDC4_5A	Can conduct a conversation - English	SD	95
SDC4_5B	Can conduct a conversation - French	SD	95
SDC4_5C	Can conduct a conversation - Arabic	SD	96
SDC4_5D	Can conduct a conversation - Chinese	SD	96
SDC4_5E	Can conduct a conversation - Cree	SD	96
SDC4_5F	Can conduct a conversation - German	SD	97
SDC4_5G	Can conduct a conversation - Greek	SD	97
SDC4_5H	Can conduct a conversation - Hungarian	SD	97
SDC4_5I	Can conduct a conversation - Italian	SD	98
SDC4_5J	Can conduct a conversation - Korean	SD	98
SDC4_5K	Can conduct a conversation - Persian	SD	98
SDC4_5L	Can conduct a conversation - Polish	SD	99
SDC4_5M	Can conduct a conversation - Portuguese	SD	99
SDC4_5N	Can conduct a conversation - Punjabi	SD	99
SDC4_5O	Can conduct a conversation - Spanish	SD	100
SDC4_5P	Can conduct a conversation - Tagalog	SD	100
SDC4_5Q	Can conduct a conversation - Ukrainian	SD	100
SDC4_5R	Can conduct a conversation - Vietnamese	SD	101
SDC4_5S	Can conduct a conversation - other language	SD	101
SDC4_6A	First language learned and still understood - English	SD	102
SDC4_6B	First language learned and still understood - French	SD	103
SDC4_6C	First language learned and still understood - Arabic	SD	103
SDC4_6D	First language learned and still understood - Chinese	SD	103
SDC4_6E	First language learned and still understood - Cree	SD	104
SDC4_6F	First language learned and still understood - German	SD	104
SDC4_6G	First language learned and still understood - Greek	SD	104
SDC4_6H	First language learned and still understood - Hungarian	SD	105
SDC4_6I	First language learned and still understood - Italian	SD	105
SDC4_6J	First language learned and still understood - Korean	SD	105
SDC4_6K	First language learned and still understood - Persian	SD	106
SDC4_6L	First language learned and still understood - Polish	SD	106
SDC4_6M	First language learned and still understood - Portuguese	SD	106
SDC4_6N	First language learned and still understood - Punjabi	SD	107

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 49

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC4_6O	First language learned and still understood - Spanish	SD	107
SDC4_6P	First language learned and still understood - Tagalog	SD	107
SDC4_6Q	First language learned and still understood - Ukrainian	SD	108
SDC4_6R	First language learned and still understood - Vietnamese	SD	108
SDC4_6S	First language learned and still understood - other	SD	108
SDC4_7A	Race or colour - White	SD	109
SDC4_7B	Race or colour - Chinese	SD	109
SDC4_7C	Race or colour - South Asian	SD	110
SDC4_7D	Race or colour - Black	SD	110
SDC4_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	111
SDC4_7F	Race or colour - Arab / West Asian	SD	111
SDC4_7G	Race or colour - Filipino	SD	112
SDC4_7H	Race or colour - South East Asian	SD	112
SDC4_7J	Race or colour - Japanese	SD	112
SDC4_7K	Race or colour - Korean	SD	113
SDC4_7L	Race or colour - other	SD	113
SDC4DAIM	Derived age at time of immigration	SD	85
SDC4DLNG	Derived language resp. can conduct conversation in	SD	102
SDC4DRAC	Derived race or colour	SD	114
SDC4DRES	Derived length of time in Canada since immigration	SD	85
SDC4FIMM	Flag indicating that the respondent is an immigrant	SD	85
SDC4GCB7	Country of birth - 7 groups - grouped	SD	84
SDC6_1	Country of birth	SD	542
SDC6_3	Year came to Canada	SD	543
SDC6_4A	Ethnic origin - Canadian	SD	545
SDC6_4B	Ethnic origin - French	SD	545
SDC6_4C	Ethnic origin - English	SD	546
SDC6_4D	Ethnic origin - German	SD	546
SDC6_4E	Ethnic origin - Scottish	SD	547
SDC6_4F	Ethnic origin - Irish	SD	547
SDC6_4G	Ethnic origin - Italian	SD	548
SDC6_4H	Ethnic origin - Ukrainian	SD	548
SDC6_4I	Ethnic origin - Dutch (Netherlands)	SD	549
SDC6_4J	Ethnic origin - Chinese	SD	549
SDC6_4K	Ethnic origin - Jewish	SD	550
SDC6_4L	Ethnic origin - Polish	SD	550

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 50

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC6_4M	Ethnic origin - Portuguese	SD	551
SDC6_4N	Ethnic origin - South Asian	SD	551
SDC6_4O	Ethnic origin - Black	SD	552
SDC6_4P	Ethnic origin - North American Indian	SD	552
SDC6_4Q	Ethnic origin - Métis	SD	553
SDC6_4R	Ethnic origin - Inuit / Eskimo	SD	553
SDC6_4S	Ethnic origin - other	SD	554
SDC6_5A	Can conduct a conversation - English	SD	554
SDC6_5B	Can conduct a conversation - French	SD	555
SDC6_5C	Can conduct a conversation - Arabic	SD	555
SDC6_5D	Can conduct a conversation - Chinese	SD	556
SDC6_5E	Can conduct a conversation - Cree	SD	556
SDC6_5F	Can conduct a conversation - German	SD	557
SDC6_5G	Can conduct a conversation - Greek	SD	557
SDC6_5H	Can conduct a conversation - Hungarian	SD	558
SDC6_5I	Can conduct a conversation - Italian	SD	558
SDC6_5J	Can conduct a conversation - Korean	SD	559
SDC6_5K	Can conduct a conversation - Persian	SD	559
SDC6_5L	Can conduct a conversation - Polish	SD	560
SDC6_5M	Can conduct a conversation - Portuguese	SD	560
SDC6_5N	Can conduct a conversation - Punjabi	SD	561
SDC6_5O	Can conduct a conversation - Spanish	SD	561
SDC6_5P	Can conduct a conversation - Tagalog	SD	562
SDC6_5Q	Can conduct a conversation - Ukrainian	SD	562
SDC6_5R	Can conduct a conversation - Vietnamese	SD	563
SDC6_5S	Can conduct a conversation - other language	SD	563
SDC6_6A	First language learned and still understood - English	SD	564
SDC6_6B	First language learned and still understood - French	SD	565
SDC6_6C	First language learned and still understood - Arabic	SD	565
SDC6_6D	First language learned and still understood - Chinese	SD	565
SDC6_6E	First language learned and still understood - Cree	SD	566
SDC6_6F	First language learned and still understood - German	SD	566
SDC6_6G	First language learned and still understood - Greek	SD	566
SDC6_6H	First language learned and still understood - Hungarian	SD	567
SDC6_6I	First language learned and still understood - Italian	SD	567
SDC6_6J	First language learned and still understood - Korean	SD	567

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 51

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SDC6_6K	First language learned and still understood - Persian	SD	568
SDC6_6L	First language learned and still understood - Polish	SD	568
SDC6_6M	First language learned and still understood - Portuguese	SD	568
SDC6_6N	First language learned and still understood - Punjabi	SD	569
SDC6_6O	First language learned and still understood - Spanish	SD	569
SDC6_6P	First language learned and still understood - Tagalog	SD	570
SDC6_6Q	First language learned and still understood - Ukrainian	SD	570
SDC6_6R	First language learned and still understood - Vietnamese	SD	571
SDC6_6S	First language learned and still understood - other	SD	571
SDC6_7A	Race or colour - White	SD	572
SDC6_7B	Race or colour - Chinese	SD	572
SDC6_7C	Race or colour - South Asian	SD	573
SDC6_7D	Race or colour - Black	SD	573
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	574
SDC6_7F	Race or colour - Arab / West Asian	SD	574
SDC6_7G	Race or colour - Filipino	SD	575
SDC6_7H	Race or colour - South East Asian	SD	575
SDC6_7I	Race or colour - Latin American	SD	576
SDC6_7J	Race or colour - Japanese	SD	576
SDC6_7K	Race or colour - Korean	SD	577
SDC6_7L	Race or colour - other	SD	577
SDC6CB	Code of country of birth	SD	542
SDC6DAIM	Derived age at time of immigration	SD	544
SDC6DLNG	Derived language resp. can conduct conversation in	SD	564
SDC6DRAC	Derived race or colour	SD	578
SDC6DRES	Derived length of time in Canada since immigration	SD	544
SDC6FIMM	Flag indicating that the respondent is an immigrant	SD	544
SDC6GCB	Country of birth - grouped	SD	543
SEX	Sex	DH	3
SHP6_1	Effective in preventing STD - using condom	SH	1055
SHP6_10	Chance of getting an STD	SH	1064
SHP6_11	To prevent STD - changed sexual behaviour	SH	1065
SHP6_12	To prevent STD - sex with only 1 partner	SH	1065
SHP6_13	To prevent STD - using condoms	SH	1066
SHP6_14	To prevent STD - using spermicidal jellies and foams	SH	1066
SHP6_15	To prevent STD - more careful in selecting partners	SH	1066

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 52

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SHP6_16	To prevent STD - started being tested for STD	SH	1067
SHP6_17	To prevent STD - insisting that partner be tested for STD	SH	1067
SHP6_18	To prevent STD - abstaining from sexual intercourse	SH	1067
SHP6_19	To prevent STD - other measures	SH	1068
SHP6_2	Effective in preventing STD - birth control pill	SH	1055
SHP6_3	Effective in preventing STD - diaphragm / sponge	SH	1056
SHP6_4	Effective in preventing STD - spermicidal jelly / foam	SH	1056
SHP6_5	Effective in preventing STD - asking if a partner has one	SH	1057
SHP6_6	Effective in preventing STD - having regular partner	SH	1057
SHP6_7	Effective in preventing STD - asking partner to go for test	SH	1058
SHP6_8	Has sources of information on preventing STD	SH	1058
SHP6_9A	Main source of information on STD - parents	SH	1059
SHP6_9B	Main source of information on STD - medical professional	SH	1059
SHP6_9C	Main source of information on STD - friends	SH	1060
SHP6_9D	Main source of information on STD - school	SH	1060
SHP6_9E	Main source of information on STD - church	SH	1061
SHP6_9F	Main source of information on STD - youth club	SH	1061
SHP6_9G	Main source of information on STD - TV / radio	SH	1062
SHP6_9H	Main source of information on STD - magazines / newspaper	SH	1062
SHP6_9I	Main source of information on STD - information pamphlets	SH	1063
SHP6_9J	Main source of information on STD - books	SH	1063
SHP6_9K	Main source of information on STD - other	SH	1064
SHS6_1	Ever had sexual intercourse	SH	1046
SHS6_10	Had / has - syphilis	SH	1051
SHS6_11	Had / has - genital warts	SH	1051
SHS6_12	Had / has - genital herpes	SH	1052
SHS6_13	Had / has - hepatitis B	SH	1052
SHS6_14	Has - HIV / AIDS	SH	1053
SHS6_15	Had / has - pelvic inflammatory disease	SH	1053
SHS6_16	Had / has - other STD	SH	1054
SHS6_2	Age at first sexual intercourse	SH	1046
SHS6_3	Had sexual intercourse in past 12 months	SH	1047
SHS6_4	Number of partners (sexual intercourse)	SH	1047
SHS6_5	Relationship lasted 12 months or longer	SH	1048
SHS6_6	Relationships lasted less than 12 months	SH	1048
SHS6_7	Condom use in relationship(s) lasting less than 12 months	SH	1049

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 53

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SHS6_7A	Used a condom the last time	SH	1049
SHS6_8	Had / has - chlamydia	SH	1050
SHS6_9	Had / has - gonorrhea	SH	1050
SHS6D1	Derived - had at least 1 sexually-transmitted disease	SH	1054
SMC4_1	Household member smokes regularly inside house	SM	170
SMC4_2	Type of smoker	SM	170
SMC4_3	Age started smoking daily - daily smoker	SM	171
SMC4_4	Number of cigarettes smoked each day - daily smoker	SM	171
SMC4_4A	Ever smoked cigarettes	SM	172
SMC4_5	Ever smoked daily	SM	172
SMC4_6	Age started smoking daily - former daily smoker	SM	173
SMC4_7	Number of cigarettes smoked each day - former daily smoker	SM	173
SMC4_8	Age stopped smoking daily - former daily smoker	SM	174
SMC4DTYP	Derived type of smoker	SM	174
SMC4DYRS	Derived number of years smoked	SM	175
SMC6_1	Household member smokes regularly inside house	SM	941
SMC6_10	Reason for starting smoking	SM	949
SMC6_11	Reason for smoking less	SM	950
SMC6_12	Reason for smoking more	SM	951
SMC6_2	Type of smoker	SM	942
SMC6_3	Age started smoking daily - daily smoker	SM	942
SMC6_4	Number of cigarettes smoked each day - daily smoker	SM	943
SMC6_4A	Ever smoked cigarettes	SM	944
SMC6_5	Ever smoked daily	SM	944
SMC6_6	Age started smoking daily - former daily smoker	SM	945
SMC6_7	Number of cigarettes smoked each day - former daily smoker	SM	946
SMC6_8	Age stopped smoking daily - former daily smoker	SM	946
SMC6_9	Reason for quitting smoking	SM	948
SMC6DTYP	Derived type of smoker	SM	951
SMC6DYRS	Derived number of years smoked	SM	952
SMC6G3	Age started smoking daily - daily smoker - grouped	SM	943
SMC6G6	Age started smoking daily - former daily smoker - grouped	SM	945
SMC6G8	Age stopped smoking daily - former daily smoker - grouped	SM	947
SMS6_12	Restrictions on smoking in work place	SM	955
SMS6_13A	Children more likely to start smoking if their parents smoke	SM	955
SMS6_13B	People too concerned about second-hand smoke	SM	956

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 54

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SMS6_13C	Non-smokers mind when people smoke in their presence	SM	956
SMS6_13D	Children/ second-hand smoke / more likely to have ill health	SM	957
SMS6_13E	Pregnant women / others living with / should not smoke	SM	957
SMS6_13F	Provide non-smokers with a smoke-free environment at work	SM	958
SMS6_13G	Ask permission to smoke in the presence of others	SM	958
SMS6_13H	Lower cigarette prices lead to increased smoking	SM	959
SMS6_14	Feels unpleasant effects from second-hand smoke	SM	959
SMS6_15	Second-hand smoke can cause health problems in non-smoker	SM	960
SMS6_16A	Second-hand smoke can cause lung cancer in a non-smoker	SM	960
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	SM	961
SMS6_16C	Second-hand smoke can cause a stroke in a non-smoker	SM	961
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	SM	962
SMS6_17	Smoking cigarettes can cause health problems in smoker	SM	962
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	SM	963
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	SM	963
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	SM	964
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	SM	964
SMS6_8	Time until first cigarette after waking up	SM	954
SMS6_9	Considering quitting smoking in next 6 months	SM	954
SP34_CPA	Actual collection period	SP	30
SP34_CPS	Sampled collection period	SP	30
SP34_MET	Selection method	SP	31
SP34_RO	Regional office code	SP	3
SP34_TYP	Type of sample	SP	30
SP34DCLS	Derived Cluster number	SP	8
SP34DLFS	Derived LFS stratum number	SP	8
SP34DNPS	Derived NPHS stratum number	SP	7
SP34DPC	Derived postal code	SP	8
SP36_CPA	Actual collection period	SP	419
SP36_CPS	Sampled collection period	SP	419
SP36_STA	Status code after processing	SP	420
SP36DPC	Derived postal code	SP	420
SP36FOUT	Record sent for field collection	SP	418
SPC4LSUR	Type of questionnaire in 1994	SP	407
SPC6_TYP	Type of sample	SP	420
SPC6LPAT	Longitudinal response pattern	SP	408

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 55

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SPC6LSUR	Type of questionnaire in 1996	SP	408
SPC6LYR	Year household selected as part of sample	SP	407
SSC4_1	Member of organisation / association	SS	367
SSC4_2	Frequency of participation in organisations / associations	SS	368
SSC4_2A	Frequency of attending religious services	SS	368
SSC4_3	Has someone to confide in	SS	369
SSC4_4	Has someone to count on in crisis situation	SS	369
SSC4_5	Has someone who gives advice when making important decisions	SS	370
SSC4_6	Has someone to make feel loved and cared for	SS	370
SSC4_7A	Frequency of contact with parents / in-laws	SS	371
SSC4_7B	Frequency of contact with grandparents	SS	372
SSC4_7C	Frequency of contact with daughters / daughters-in-law	SS	373
SSC4_7D	Frequency of contact with sons / sons-in-law	SS	374
SSC4_7E	Frequency of contact with brothers / sisters	SS	375
SSC4_7F	Frequency of contact with other relatives	SS	376
SSC4_7G	Frequency of contact with close friends	SS	377
SSC4_7H	Frequency of contact with neighbours	SS	378
SSC4D1	Derived social support index	SS	378
SSC4D2	Derived social involvement score	SS	379
SSC4D3	Derived average frequency of contacts	SS	379
SSC6_1	Member of organization / association	SS	1018
SSC6_2	Frequency of participation in organizations / associations	SS	1019
SSC6_2A	Frequency of attending religious services	SS	1019
SSC6_3	Has someone to confide in	SS	1021
SSC6_4	Has someone to count on in crisis situation	SS	1021
SSC6_5	Has someone who gives advice when making important decisions	SS	1022
SSC6_6	Has someone to make feel loved and cared for	SS	1022
SSC6_7A	Frequency of contact with parents / in-laws	SS	1023
SSC6_7B	Frequency of contact with grandparents	SS	1024
SSC6_7C	Frequency of contact with daughters / daughters-in-law	SS	1025
SSC6_7D	Frequency of contact with sons / sons-in-law	SS	1026
SSC6_7E	Frequency of contact with brothers / sisters	SS	1027
SSC6_7F	Frequency of contact with other relatives	SS	1028
SSC6_7G	Frequency of contact with close friends	SS	1029
SSC6_7H	Frequency of contact with neighbours	SS	1030
SSC6D1	Derived social support index	SS	1030

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 56

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
SSC6D2	Derived social involvement score	SS	1031
SSC6D3	Derived average frequency of contacts	SS	1031
SSP6_1	Received care from friend / relative in the past 12 months	SS	1035
SSP6_2	Received care from friend / relative in last month	SS	1036
SSP6_3	Level of support from family / friends	SS	1036
SSP6_4	Helped relative / friend with health problem	SS	1037
SSS6_1	Spiritual values / faith play important role in life	SS	1020
SSS6_2	Self-perception of religiousness / spirituality	SS	1020
SSS6_3	Number of people seen socially who smoke	SS	1032
SSS6_4	Number of people seen socially who drink too much	SS	1032
SSS6_5A	Partner smokes cigarettes	SS	1033
SSS6_5B	Partner exercises regularly	SS	1033
SSS6_5C	Partner drinks too much	SS	1034
SSS6_5D	Partner overeats	SS	1034
SSS6_5E	Partner uses tranquilizers	SS	1035
ST_4_C1	Current stress - trying to take on too many things	ST	238
ST_4_C10	Current stress - child seems unhappy	ST	242
ST_4_C11	Current stress - child's behaviour is source of concern	ST	243
ST_4_C12	Current stress - work around home not appreciated	ST	243
ST_4_C13	Current stress - friends are a bad influence	ST	244
ST_4_C14	Current stress - would like to move but cannot	ST	244
ST_4_C15	Current stress - neighbourhood too noisy or polluted	ST	245
ST_4_C16	Current stress - close relative in very bad health	ST	245
ST_4_C17	Current stress - relative has alcohol or drug problem	ST	246
ST_4_C18	Current stress - people are too critical	ST	246
ST_4_C2	Current stress - pressure to conform	ST	238
ST_4_C3	Current stress - too much expected by others	ST	239
ST_4_C4	Current stress - lack of money	ST	239
ST_4_C5	Current stress - partner doesn't understand you	ST	240
ST_4_C6	Current stress - partner not affectionate	ST	240
ST_4_C7	Current stress - partner not committed to relationship	ST	241
ST_4_C8	Current stress - can't find someone compatible	ST	241
ST_4_C9	Current stress - has children	ST	242
ST_4_R1	Recent stress - attacked	ST	251
ST_4_R10	Recent stress - child moved back	ST	256
ST_4_R2	Recent stress - unwanted pregnancy	ST	252

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 57

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
ST_4_R3	Recent stress - abortion or miscarriage	ST	252
ST_4_R4	Recent stress - major financial crisis	ST	253
ST_4_R5	Recent stress - failed school	ST	253
ST_4_R6	Recent stress - experienced a change of job for a worse one	ST	254
ST_4_R7	Recent stress - demotion or cut in pay	ST	254
ST_4_R8	Recent stress - argues with partner	ST	255
ST_4_R9	Recent stress - went on welfare	ST	255
ST_4_T1	Trauma - 2 weeks or more in hospital	ST	257
ST_4_T2	Trauma - parents divorced	ST	258
ST_4_T3	Trauma - parents unemployed for a long time	ST	258
ST_4_T4	Trauma - very scared	ST	259
ST_4_T5	Trauma - sent away from home	ST	259
ST_4_T6	Trauma - parents abused alcohol or drugs	ST	260
ST_4_T7	Trauma - physically abused	ST	260
ST_4_W1A	Work stress - must learn new things	ST	261
ST_4_W1B	Work stress - high level of skill	ST	262
ST_4_W1C	Work stress - freedom to decide	ST	262
ST_4_W1D	Work stress - repetitive tasks	ST	263
ST_4_W1E	Work stress - job hectic	ST	263
ST_4_W1F	Work stress - free from conflicting demands	ST	264
ST_4_W1G	Work stress - good job security	ST	264
ST_4_W1H	Work stress - requires a lot of physical effort	ST	265
ST_4_W1I	Work stress - has input	ST	265
ST_4_W1J	Work stress - hostility or conflict with others	ST	266
ST_4_W1K	Work stress - supervisor helpful	ST	266
ST_4_W1L	Work stress - co-workers helpful	ST	267
ST_4_W2	Work stress - job satisfaction	ST	267
ST_4DC1	Derived general chronic stress index	ST	247
ST_4DC10	Derived stress index based on family health	ST	251
ST_4DC2	Derived specific chronic stress index	ST	247
ST_4DC3	Derived adjusted specific chronic stress index	ST	247
ST_4DC4	Derived personal stress index	ST	248
ST_4DC5	Derived stress index based on financial situation	ST	248
ST_4DC6	Derived stress index based on relationship (with partner)	ST	249
ST_4DC7	Derived stress index based on relationship (without partner)	ST	249
ST_4DC8	Derived stress index based on childs problems	ST	250

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 58

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
ST_4DC9	Derived stress index based on environmental problems	ST	250
ST_4DR1	Derived recent life events score - all items	ST	256
ST_4DR2	Derived recent life events score - all valid items	ST	256
ST_4DR3	Derived adjusted recent life events	ST	257
ST_4DT1	Derived childhood and adult stress score	ST	261
ST_4DW1	Derived work stress - all items	ST	268
ST_4DW2	Derived WStress Scale: Decision latitude - Skill discretion	ST	268
ST_4DW3	Derived WStress Scale: Decision latitude - Decision auth.	ST	268
ST_4DW4	Derived WStress Scale: Psychological Demands	ST	269
ST_4DW5	Derived WStress Scale: Job Insecurity	ST	269
ST_4DW6	Derived WStress Scale: Physical Exertion	ST	270
ST_4DW7	Derived WStress Scale: Social Support	ST	270
SUBCYCLE	1996 sample indicator	SP	418
SVP6_1	Overall rating of health care system	SV	1042
SVP6_2	Availability of community health care	SV	1043
SVP6_3	Overall quality of health care in community	SV	1043
SVP6_4	Overall availability of health care in community	SV	1044
SVP6_5	Quality of health care in community	SV	1044
SVP6_6	Difficulty getting health care services needed	SV	1045
SVP6_7	Quality of health care received in past 12 months	SV	1045
TUP6_1	Tried to get a suntan (sun or artificial)	TU	868
TUP6_10	Frequency of wearing protective clothing in the sun	TU	872
TUP6_2	Deepness of suntan	TU	868
TUP6_3	Got sunburnt	TU	869
TUP6_4	Number of times sunburned	TU	869
TUP6_5	Description of worst sunburn	TU	870
TUP6_6	Frequency of using sunscreen in summer	TU	870
TUP6_7	Frequency of avoiding sun from 11am to 4pm	TU	871
TUP6_8	Frequency of avoiding long periods in the sun	TU	871
TUP6_9	Frequency of wearing sunglasses with UV protection	TU	872
TWC4_1	Stayed in bed / hospital due to illness / injury	TW	36
TWC4_2	Number of days spent in bed	TW	37
TWC4_3	Cut down on things normally done due to illness / injury	TW	37
TWC4_4	Number of days cut down on things	TW	38
TWC4_5	Has regular medical doctor	TW	38
TWC4DDDY	Derived total number of disability days	TW	39

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 59

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
TWC6_1	Stayed in bed / hospital due to illness / injury	TW	452
TWC6_2	Number of days spent in bed	TW	453
TWC6_3	Cut down on things normally done due to illness / injury	TW	453
TWC6_4	Number of days cut down on things	TW	454
TWC6_5	Has regular medical doctor	TW	455
TWC6DDDY	Derived total number of disability days	TW	455
VSP6_1	Frequency of feeling safe in community	VS	1076
VSP6_10	Number of times attacked outside of school	VS	1080
VSP6_2	Frequency of feeling safe at home	VS	1077
VSP6_4	Frequency of feeling safe at school	VS	1077
VSP6_5	Number of times verbally abused at school / school bus	VS	1078
VSP6_6	Number of times verbally threatened at school / school bus	VS	1078
VSP6_7	Number of times attacked at school / school bus	VS	1079
VSP6_8	Number of times verbally abused outside of school	VS	1079
VSP6_9	Number of times verbally threatened outside of school	VS	1080
WHC4_20	Had PAP smear test	WH	169
WHC4_22	Last time PAP smear test was done	WH	169
WHC4_30	Ever had mammogram	WH	167
WHC4_32	Last time mammogram was done	WH	168
WHC4_33	Reason for last mammogram	WH	168
WHC6_20	Had PAP smear test	WH	672
WHC6_22	Last time PAP smear test was done	WH	673
WHC6_23A	Had PAP smear - part of check-up	WH	673
WHC6_23B	Had PAP smear - high risk group	WH	674
WHC6_23C	Had PAP smear - follow-up of previous problem	WH	674
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	WH	675
WHC6_23E	Had PAP smear - sexually active	WH	675
WHC6_23F	Had PAP smear - on birth control pill	WH	676
WHC6_23G	Had PAP smear - pregnant / after delivery	WH	676
WHC6_23H	Had PAP smear - on hormone replacement therapy	WH	677
WHC6_23I	Had PAP smear - other reason	WH	677
WHC6_24	Had problems getting a PAP smear test	WH	678
WHC6_25A	Problem getting PAP smear - not available when required	WH	678
WHC6_25B	Problem getting PAP smear - not available in area	WH	678
WHC6_25C	Problem getting PAP smear - waiting time too long	WH	679
WHC6_25D	Problem getting PAP smear - transportation	WH	679

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 60

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
WHC6_25E	Problem getting PAP smear - language	WH	679
WHC6_25F	Problem getting PAP smear - cost	WH	680
WHC6_25G	Problem getting PAP smear - did not know where to go	WH	680
WHC6_25H	Problem getting PAP smear - other	WH	680
WHC6_26A	No PAP smear - have not gotten around to it	WH	681
WHC6_26B	No PAP smear - respondent did not think it was necessary	WH	681
WHC6_26C	No PAP smear - doctor did not think it was necessary	WH	682
WHC6_26D	No PAP smear - personal or family responsibilities	WH	682
WHC6_26E	No PAP smear - not available when required	WH	683
WHC6_26F	No PAP smear - not available at all in area	WH	683
WHC6_26G	No PAP smear - waiting time too long	WH	684
WHC6_26H	No PAP smear - transportation problems	WH	684
WHC6_26I	No PAP smear - language problem	WH	685
WHC6_26J	No PAP smear - cost	WH	685
WHC6_26K	No PAP smear - did not know where to go	WH	686
WHC6_26L	No PAP smear - fear	WH	686
WHC6_26M	No PAP smear - hysterectomy	WH	687
WHC6_26N	No PAP smear - hate / dislike having one done	WH	687
WHC6_26O	No PAP smear - other reason	WH	688
WHC6_30	Ever had mammogram	WH	688
WHC6_32	Last time mammogram was done	WH	689
WHC6_33A	Had mammogram - family history	WH	689
WHC6_33B	Had mammogram - regular check-up	WH	690
WHC6_33C	Had mammogram - age	WH	690
WHC6_33D	Had mammogram - previously detected lump	WH	691
WHC6_33E	Had mammogram - follow-up treatment	WH	691
WHC6_33F	Had mammogram - on hormone replacement therapy	WH	692
WHC6_33G	Had mammogram - other reason	WH	692
WHC6_34	Had problems getting a mammogram	WH	693
WHC6_35A	Problem getting mammogram - not available when required	WH	693
WHC6_35B	Problem getting mammogram - not available at all in area	WH	693
WHC6_35C	Problem getting mammogram - waiting time too long	WH	694
WHC6_35D	Problem getting mammogram - transportation	WH	694
WHC6_35E	Problem getting mammogram - language	WH	694
WHC6_35F	Problem getting mammogram - cost	WH	695
WHC6_35G	Problem getting mammogram - did not know where to go	WH	695

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 61

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
WHC6_35H	Problem getting mammogram - other	WH	695
WHC6_36A	No mammogram - have not gotten around to it	WH	696
WHC6_36B	No mammogram - resp. did not think it was neces.	WH	696
WHC6_36C	No mammogram - doctor did not think it was neces.	WH	697
WHC6_36D	No mammogram - pers. or family responsibilities	WH	697
WHC6_36E	No mammogram - not available when required	WH	698
WHC6_36F	No mammogram - not available at all in the area	WH	698
WHC6_36G	No mammogram - waiting time was too long	WH	699
WHC6_36H	No mammogram - transportation problems	WH	699
WHC6_36I	No mammogram - language problem	WH	700
WHC6_36J	No mammogram - cost	WH	700
WHC6_36K	No mammogram - did not know where to go	WH	701
WHC6_36L	No mammogram - fear	WH	701
WHC6_36M	No mammogram - other reason	WH	702
WHC6_90	Had breasts examined for lumps by health professional	WH	703
WHC6_92	Last time breasts examined for lumps	WH	703
WHC6_93A	Had breast exam - family history	WH	704
WHC6_93B	Had breast exam - regular check-up	WH	704
WHC6_93C	Had breast exam - age	WH	705
WHC6_93D	Had breast exam - previously detected lump	WH	705
WHC6_93E	Had breast exam - follow-up treatment	WH	706
WHC6_93F	Had breast exam - on hormone replacement therapy	WH	706
WHC6_93G	Had breast exam - other reason	WH	707
WHC6_94	Had problems getting a breast exam	WH	707
WHC6_95A	Problem getting breast exam - not available when required	WH	708
WHC6_95B	Problem getting breast exam - not available in area	WH	708
WHC6_95C	Problem getting breast exam - waiting time too long	WH	708
WHC6_95D	Problem getting breast exam - transportation	WH	709
WHC6_95E	Problem getting breast exam - language	WH	709
WHC6_95F	Problem getting breast exam - cost	WH	709
WHC6_95G	Problem getting breast exam - did not know where to go	WH	710
WHC6_95H	Problem getting breast exam - other	WH	710
WHC6_96A	No breast exam - have not gotten around to it	WH	711
WHC6_96B	No breast exam - respondent did not think it was necessary	WH	711
WHC6_96C	No breast exam - doctor did not think it was necessary	WH	712
WHC6_96D	No breast exam - personal or family responsibilities	WH	712

1996-97 NPHS: Master File - Longitudinal (Full response)

Page 62

Alphabetic Index

June, 1998

Variable Name	Description	Section	Page
WHC6_96E	No breast exam - not available when required	WH	713
WHC6_96F	No breast exam - not available at all in area	WH	713
WHC6_96G	No breast exam - waiting time too long	WH	714
WHC6_96H	No breast exam - transportation problems	WH	714
WHC6_96I	No breast exam - language problem	WH	715
WHC6_96J	No breast exam - cost	WH	715
WHC6_96K	No breast exam - did not know where to go	WH	716
WHC6_96L	No breast exam - fear	WH	716
WHC6_96M	No breast exam - other reason	WH	717
WHS6_37	Intend to have a mammogram in the next 2 years	WH	702
WHS6_90	Self-examined breasts for lumps	WH	717
WHS6_91	Frequency of breast self-examination	WH	718
WHS6_92	How breast self-exam was learned	WH	718
WT66LF	Sampling weight - Longitudinal full response	WT	1087
YOB	Year of birth	DH	2
