

Topical Index

June, 1998

Variable Name	Description	Page
AD : Alcohol dependence		
AD_6_1	Drunk / at work / school / taking care of child	994
AD_6_2	Number of times drunk / hung-over	995
AD_6_3	Being drunk increased chances of getting hurt	995
AD_6_4	Emotional / psychological problems due to alcohol	996
AD_6_5	Strong desire or urge to drink	996
AD_6_6	Spent month or more getting drunk	997
AD_6_7	Drank much more than intended	997
AD_6_8	Number of times drank much more than intended	998
AD_6_9	Had to drink more for the same effect	998
AD_6DPP	Derived alcohol dependence - short probability of CIDI	999
AD_6DSF	Derived alcohol dependence - short form score	999
AL : Alcohol		
ALC4_1	Drank alcohol	179
ALC4_2	Frequency of drinking alcohol	180
ALC4_3	Frequency of having 5 or more drinks	180
ALC4_4	Highest number of drinks on one occasion	181
ALC4_5	Drank alcohol in past week	182
ALC4_5A1	Number of drinks - Monday	182
ALC4_5A2	Number of drinks - Tuesday	183
ALC4_5A3	Number of drinks - Wednesday	183
ALC4_5A4	Number of drinks - Thursday	184
ALC4_5A5	Number of drinks - Friday	184
ALC4_5A6	Number of drinks - Saturday	185
ALC4_5A7	Number of drinks - Sunday	185
ALC4_5B	Has ever had a drink	186
ALC4_6	Regularly drank more than 12 drinks a week	186
ALC4_7A	Reason reduced drinking - dieting	187
ALC4_7B	Reason reduced drinking - athletic training	187
ALC4_7C	Reason reduced drinking - pregnancy	188
ALC4_7D	Reason reduced drinking - getting older	188
ALC4_7E	Reason reduced drinking - drinking too much	189
ALC4_7F	Reason reduced drinking - affected work / studies	189
ALC4_7G	Reason reduced drinking - interfered with family life	190

Topical Index

June, 1998

Variable Name	Description	Page
ALC4_7H	Reason reduced drinking - affected physical health	190
ALC4_7I	Reason reduced drinking - affected social relationships	191
ALC4_7J	Reason reduced drinking - affected financial position	191
ALC4_7K	Reason reduced drinking - affected happiness	192
ALC4_7L	Reason reduced drinking - influence of family / friends	192
ALC4_7M	Reason reduced drinking - other	193
ALC4_DAY	Day of the week that interview took place	181
ALC4DDLTY	Derived average daily consumption	194
ALC4DTYP	Derived type of drinker	193
ALC4DWKY	Derived weekly total of alcohol consumed	194
ALC6_1	Drank alcohol in past 12 months	973
ALC6_2	Frequency of drinking alcohol	973
ALC6_3	Frequency of having 5 or more drinks	974
ALC6_5	Drank alcohol in past week	975
ALC6_5A1	Number of drinks - Monday	975
ALC6_5A2	Number of drinks - Tuesday	976
ALC6_5A3	Number of drinks - Wednesday	976
ALC6_5A4	Number of drinks - Thursday	977
ALC6_5A5	Number of drinks - Friday	977
ALC6_5A6	Number of drinks - Saturday	978
ALC6_5A7	Number of drinks - Sunday	978
ALC6_5B	Has ever had a drink	979
ALC6_6	Regularly drank more than 12 drinks a week	979
ALC6_7A	Reason reduced drinking - dieting	980
ALC6_7B	Reason reduced drinking - athletic training	980
ALC6_7C	Reason reduced drinking - pregnancy	981
ALC6_7D	Reason reduced drinking - getting older	981
ALC6_7E	Reason reduced drinking - drinking too much	982
ALC6_7F	Reason reduced drinking - affected work / studies	982
ALC6_7G	Reason reduced drinking - interfered with family life	983
ALC6_7H	Reason reduced drinking - affected physical health	983
ALC6_7I	Reason reduced drinking - affected social relationships	984
ALC6_7J	Reason reduced drinking - affected financial position	984
ALC6_7K	Reason reduced drinking - affected happiness	985
ALC6_7L	Reason reduced drinking - influence of family / friends	985
ALC6_7M	Reason reduced drinking - other	986

Topical Index

June, 1998

Variable Name	Description	Page
ALC6_DAY	Day of the week that interview took place	974
ALC6D7	Derived single reason for reducing or quitting drinking	987
ALC6DDL	Derived average daily consumption	988
ALC6DTYP	Derived type of drinker	988
ALC6DWKY	Derived weekly total of alcohol consumed	988
ALP6_1	Drank alcohol during last pregnancy	989
ALP6_2	Average number of drinks during pregnancy	989
ALP6_3	Consumed alcohol while breastfeeding	990
ALP6_4	Average number of drinks while breastfeeding	990
ALS6_1	Definition of moderate drinking	991
ALS6_2	Moderate drinking can be good for your health	991
ALS6_3	It's alright to get drunk once in a while	992
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	992
ALS6_5	Alright to get drunk once a week if no drinking rest of week	993
ALS6_6	Pregnant woman should not drink any amount of alcohol	993
ALS6_7	Alright for breastfeeding woman to drink occasionally	994

AM : Administration of the survey

AM34_LNG	Language of H03 interview	13
AM34_LP	Language preference of household	8
AM34_SRC	Record number of person providing H03 information	12
AM36_LNG	Language of H03 interview	446
AM36_LP	Language preference of household	427
AM36_SRC	Record number of person providing H03 information	445
AM36_TEL	H03 interview by telephone or in person	427
AM54_BDD	Day of interview H05 (start)	35
AM54_BMM	Month of interview H05 (start)	35
AM54_BY	Year of interview H05 (start)	35
AM54_EDD	Day of interview H05 (end)	158
AM54_EMM	Month of interview H05 (end)	157
AM54_EY	Year of interview H05 (end)	158
AM54_LNG	Language of H05 interview	157
AM54_PXY	H05 completed by proxy	36
AM54_SRC	Record number of person providing information for H05	36
AM54_TEL	H05 interview by telephone or in person	156
AM56_BDD	Day of interview - H05 (start)	456

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 4

Topical Index

June, 1998

Variable Name	Description	Page
AM56_BMM	Month of interview - H05 (start)	456
AM56_BYY	Year of interview - H05 (start)	457
AM56_EDD	Day of interview - H05 (end)	636
AM56_EMM	Month of interview - H05 (end)	636
AM56_EYY	Year of interview - H05 (end)	637
AM56_LNG	Language of H05 interview	635
AM56_PXY	H05 completed by proxy	457
AM56_SHA	Agree to share information (H05)	446
AM56_SRC	Record number of person providing information for H05	457
AM56_STA	Status of general form (H05)	455
AM56_TEL	H05 interview by telephone or in person	635
AM64_AFF	Answers affected by someone else being there	411
AM64_ALO	Respondent alone for health questionnaire	410
AM64_BDD	Day of interview H06 (start)	159
AM64_BMM	Month of interview H06 (start)	159
AM64_BYY	Year of interview H06 (start)	160
AM64_EDD	Day of interview H06 (end)	412
AM64_EMM	Month of interview H06 (end)	412
AM64_EYY	Year of interview H06 (end)	413
AM64_LNG	Language of H06 interview	411
AM64_LNK	Permission to link data	34
AM64_PXY	H06 completed by proxy	160
AM64_RC	Long answer collected - reason for proxy (H06)	161
AM64_SRC	Record number of person providing information for H06	160
AM64_STA	Status of health form (H06)	158
AM64_TEL	H06 interview by telephone or in person	410
AM66_5	Respondent gives contact information (H06)	1091
AM66_AFF	Answers affected by someone else being there	1093
AM66_ALO	Respondent alone for health questionnaire	1092
AM66_BDD	Day of interview - H06 (start)	638
AM66_BMM	Month of interview - H06 (start)	638
AM66_BYY	Year of interview - H06 (start)	639
AM66_EDD	Day of interview - H06 (end)	1094
AM66_EMM	Month of interview - H06 (end)	1094
AM66_EYY	Year of interview - H06 (end)	1095
AM66_HN	Provincial health number changed (used for processing only)	1090

Topical Index

June, 1998

Variable Name	Description	Page
AM66_HNC	Flag for health number (used for processing only)	1091
AM66_LNG	Language of H06 interview	1093
AM66_LNK	Permission to link data	1090
AM66_PXY	H06 completed by proxy	639
AM66_RC	Long answer collected - reason for proxy (H06)	640
AM66_SHA	Agree to share information (H06)	447
AM66_SRC	Record number of person providing information for H06	639
AM66_STA	Status of health form (H06)	637
AM66_TEL	H06 interview by telephone or in person	1092
AM66LDUR	Duration / days between 1994 H06 and 1996 H06 interviews	637
PERSONID	Record identifier for person in the household	1
REALUKEY	Record identifier for the household	1

AP : Attitudes towards parents

APP6_1	My parents are strict for my own good	1045
APP6_10	My parents trust me	1050
APP6_2	My parents do not understand me	1046
APP6_3	I have a lot of arguments with my parents	1046
APP6_4	What my parents think of me is important	1047
APP6_5	Are times when I would like to run away from home	1047
APP6_6	I have a happy home life	1048
APP6_7	I would raise my children differently	1048
APP6_8	My parents expect too much of me	1049
APP6_9	I ask my parents for advice on serious matters	1049

BP : Blood pressure

BPC4_1	Last time blood pressure was taken	171
BPC6_10	Ever had blood pressure taken	664
BPC6_12	Last time blood pressure was taken	664
BPC6_13A	Blood pressure taken - regular check-up	665
BPC6_13B	Blood pressure taken - high blood pressure / heart disease	665
BPC6_13C	Blood pressure taken - doctor always does it	666
BPC6_13D	Blood pressure taken - health problem	666
BPC6_13E	Blood pressure taken - age	667
BPC6_13F	Blood pressure taken - job requirement	667
BPC6_13G	Blood pressure taken - pregnant	668

Topical Index

June, 1998

Variable Name	Description	Page
BPC6_13H	Blood pressure taken - in hospital for other reason	668
BPC6_13I	Blood pressure taken - when donating blood	669
BPC6_13J	Blood pressure taken - just for the "fun" of it	669
BPC6_13K	Blood pressure taken - other reason	670
BPC6_14	Had problems getting blood pressure test	670
BPC6_15A	Problem getting b.p. test - not available when required	671
BPC6_15B	Problem getting b.p. test - not available in area	671
BPC6_15C	Problem getting b.p. test - waiting time too long	671
BPC6_15D	Problem getting b.p. test - transportation	672
BPC6_15E	Problem getting b.p. test - language	672
BPC6_15F	Problem getting b.p. test - cost	672
BPC6_15G	Problem getting b.p. test - did not know where to go	673
BPC6_15H	Problem getting b.p. test - other	673
BPC6_16A	Blood pressure not taken - have not gotten around to it	674
BPC6_16B	Blood pressure not taken - resp. did not think it was neces.	674
BPC6_16C	Blood pressure not taken - dr. did not think it was neces.	675
BPC6_16D	Blood pressure not taken - personal / family resp.	675
BPC6_16E	Blood pressure not taken - not available when required	676
BPC6_16F	Blood pressure not taken - not available in area	676
BPC6_16G	Blood pressure not taken - waiting time too long	677
BPC6_16H	Blood pressure not taken - transportation problems	677
BPC6_16I	Blood pressure not taken - language problem	678
BPC6_16J	Blood pressure not taken - cost	678
BPC6_16K	Blood pressure not taken - did not know where to go	679
BPC6_16L	Blood pressure not taken - fear	679
BPC6_16M	Blood pressure not taken - other reason	680

CC : Chronic conditions

CCC4_1A	Has food allergies	71
CCC4_1B	Has allergies other than food allergies	72
CCC4_1C	Has asthma	73
CCC4_1D	Has arthritis or rheumatism	74
CCC4_1E	Has back problems excluding arthritis	75
CCC4_1F	Has high blood pressure	75
CCC4_1G	Has migraine headaches	76
CCC4_1H	Has chronic bronchitis or emphysema	76

Topical Index

June, 1998

Variable Name	Description	Page
CCC4_1I	Has sinusitis	77
CCC4_1J	Has diabetes	77
CCC4_1K	Has epilepsy	78
CCC4_1L	Has heart disease	78
CCC4_1M	Has cancer	79
CCC4_1N	Has stomach or intestinal ulcers	80
CCC4_1O	Suffers from the effects of a stroke	80
CCC4_1P	Has urinary incontinence	81
CCC4_1R	Has Alzheimer's disease or other dementia	82
CCC4_1S	Has cataracts	82
CCC4_1T	Has glaucoma	83
CCC4_1V	Has other chronic condition	83
CCC4_1W	Has acne	81
CCC4_C7	Asthma - had attack	73
CCC4_C8	Asthma - had wheezing or whistling in chest	74
CCC4_M1	Long answer collected - type of cancer	79
CCC4_NON	Has no chronic conditions	84
CCC4DANY	Derived - has a chronic condition	84
CCC6_1A	Has food allergies	506
CCC6_1B	Has allergies other than food allergies	507
CCC6_1C	Has asthma	507
CCC6_1D	Has arthritis or rheumatism	512
CCC6_1E	Has back problems excluding arthritis	517
CCC6_1F	Has high blood pressure	518
CCC6_1G	Has migraine headaches	523
CCC6_1H	Has chronic bronchitis or emphysema	529
CCC6_1I	Has sinusitis	529
CCC6_1J	Has diabetes	530
CCC6_1K	Has epilepsy	535
CCC6_1L	Has heart disease	538
CCC6_1M	Has cancer	538
CCC6_1N	Has stomach or intestinal ulcers	539
CCC6_1O	Suffers from the effects of a stroke	542
CCC6_1P	Has urinary incontinence	545
CCC6_1Q	Has a bowel disorder such as Crohn's Disease or colitis	546
CCC6_1R	Has Alzheimer's disease or other dementia	546

Topical Index

June, 1998

Variable Name	Description	Page
CCC6_1S	Has cataracts	547
CCC6_1T	Has glaucoma	547
CCC6_1U	Has a thyroid condition	548
CCC6_1V	Has other chronic condition	548
CCC6_C1	Asthma - condition disappeared	508
CCC6_C2M	Asthma - month disappeared	508
CCC6_C2Y	Asthma - year disappeared	509
CCC6_C3M	Asthma - month diagnosed	509
CCC6_C3Y	Asthma - year diagnosed	510
CCC6_C4	Asthma - had prior to last interview	510
CCC6_C5	Asthma - had symptoms or attacks	511
CCC6_C6	Asthma - took medication	511
CCC6_D1	Arthritis / rheumatism - condition disappeared	512
CCC6_D2M	Arthritis / rheumatism - month disappeared	513
CCC6_D2Y	Arthritis / rheumatism - year disappeared	513
CCC6_D3M	Arthritis / rheumatism - month diagnosed	514
CCC6_D3Y	Arthritis / rheumatism - year diagnosed	514
CCC6_D4	Arthritis / rheumatism - had prior to last interview	515
CCC6_D5	Arthritis / rheumatism - receives treatment or medication	515
CCC6_D6A	Arthritis / rheumatism - treatment - drug	516
CCC6_D6B	Arthritis / rheumatism - treatment - diet	516
CCC6_D6C	Arthritis / rheumatism - treatment - other kind	517
CCC6_F1	High blood pressure - condition disappeared	518
CCC6_F2M	High blood pressure - month disappeared	519
CCC6_F2Y	High blood pressure - year disappeared	519
CCC6_F3M	High blood pressure - month diagnosed	520
CCC6_F3Y	High blood pressure - year diagnosed	520
CCC6_F4	High blood pressure - had prior to last interview	521
CCC6_F5	High blood pressure - receives treatment or medication	521
CCC6_F6A	High blood pressure - treatment - drug	522
CCC6_F6B	High blood pressure - treatment - diet	522
CCC6_F6C	High blood pressure - treatment - other kind	523
CCC6_G1	Migraines - condition disappeared	524
CCC6_G2M	Migraines - month disappeared	525
CCC6_G2Y	Migraines - year disappeared	525
CCC6_G3M	Migraines - month diagnosed	526

Topical Index

June, 1998

Variable Name	Description	Page
CCC6_G3Y	Migraines - year diagnosed	526
CCC6_G4	Migraines - had prior to last interview	527
CCC6_G5	Migraines - receives treatment or medication	527
CCC6_G6A	Migraines - treatment - drug	528
CCC6_G6B	Migraines - treatment - diet	528
CCC6_G6C	Migraines - treatment - other kind	528
CCC6_J1	Diabetes - condition disappeared	530
CCC6_J2M	Diabetes - month disappeared	531
CCC6_J2Y	Diabetes - year disappeared	531
CCC6_J3M	Diabetes - month diagnosed	532
CCC6_J3Y	Diabetes - year diagnosed	532
CCC6_J4	Diabetes - had prior to last interview	533
CCC6_J5	Diabetes - takes insulin	533
CCC6_J6	Diabetes - takes treatment other than insulin	533
CCC6_J7A	Diabetes - treatment - drug	534
CCC6_J7B	Diabetes - treatment - diet	534
CCC6_J7C	Diabetes - treatment - other kind	534
CCC6_K1	Epilepsy - condition disappeared	535
CCC6_K2M	Epilepsy - month disappeared	536
CCC6_K2Y	Epilepsy - year disappeared	536
CCC6_K3M	Epilepsy - month diagnosed	537
CCC6_K3Y	Epilepsy - year diagnosed	537
CCC6_K4	Epilepsy - had prior to last interview	538
CCC6_N1	Ulcers - condition disappeared	539
CCC6_N2M	Ulcers - month disappeared	540
CCC6_N2Y	Ulcers - year disappeared	540
CCC6_N3M	Ulcers - month diagnosed	541
CCC6_N3Y	Ulcers - year diagnosed	541
CCC6_N4	Ulcers - had prior to last interview	542
CCC6_O1	Stroke - condition disappeared	543
CCC6_O2M	Stroke - month disappeared	543
CCC6_O2Y	Stroke - year disappeared	544
CCC6_O3M	Stroke - month diagnosed	544
CCC6_O3Y	Stroke - year diagnosed	545
CCC6_O4	Stroke - had prior to last interview	545
CCC6DANY	Derived - has a chronic condition	549

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 10

Topical Index

June, 1998

Variable Name	Description	Page
CCC6DNUM	Derived number of chronic conditions	549
CCK4_1	Frequency of nose or throat infections	70
CCK4_1AB	Has allergies	72
CCK4_2	Has had otitis	70
CCK4_3	Number of times had otitis since birth	71
CCK6_1	Frequency of nose or throat infections	505
CCK6_2	Has had otitis	505
CCK6_3	Number of times had otitis since birth	506
CE : Contact and exit		
CE36_DMM	Month of death - survey data	451
CE36_DYY	Year of death - survey data	451
CO : Coping		
COP4_1	Ability to handle day-to-day demands	400
COP4_2A	Daily stress - try not to think about situation	400
COP4_2B	Daily stress - try to see situation differently	401
COP4_2C	Daily stress - try to change situation	401
COP4_2D	Daily stress - express emotions	402
COP4_2E	Daily stress - admit situation is stressful	402
COP4_2F	Daily stress - talk to someone about situation	403
COP4_2G	Daily stress - do something to relax	403
COP4_2H	Daily stress - pray	404
COP4_2I	Daily stress - other ways to deal with stress	404
COP4_3	Ability to handle unexpected / difficult problems	405
COP4_4A	Unexpected stress - try not to think about situation	405
COP4_4B	Unexpected stress - try to see situation differently	406
COP4_4C	Unexpected stress - try to change situation	406
COP4_4D	Unexpected stress - express emotions	407
COP4_4E	Unexpected stress - admit situation is stressful	407
COP4_4F	Unexpected stress - talk to someone about situation	408
COP4_4G	Unexpected stress - do something to relax	408
COP4_4H	Unexpected stress - pray	409
COP4_4I	Unexpected stress - other ways to deal with stress	409
COP6_1	Ability to handle day-to-day demands	1089
COP6_2	Ability to handle unexpected / difficult problems	1089

Topical Index

June, 1998

Variable Name	Description	Page
DG : Drug use		
DGC4_1A	Took pain relievers	317
DGC4_1B	Took tranquilizers	318
DGC4_1C	Took diet pills	318
DGC4_1D	Took anti-depressants	319
DGC4_1E	Took codeine, Demerol or morphine	319
DGC4_1F	Took allergy medicine	320
DGC4_1G	Took asthma medications	320
DGC4_1H	Took cough or cold remedies	321
DGC4_1I	Took penicillin or other antibiotics	321
DGC4_1J	Took medicine for the heart	322
DGC4_1K	Took medicine for blood pressure	322
DGC4_1L	Took diuretics	323
DGC4_1M	Took steroids	323
DGC4_1N	Took insulin	324
DGC4_1O	Took pills to control diabetes	324
DGC4_1P	Took sleeping pills	325
DGC4_1Q	Took stomach remedies	325
DGC4_1R	Took laxatives	326
DGC4_1S	Took birth control pills	327
DGC4_1T	Took hormones for menopause	326
DGC4_1V	Took other medication	327
DGC4_2	Number of different medications taken in past 2 days	329
DGC4_3AC	Long answer collected - drug 1	329
DGC4_3BC	Long answer collected - drug 2	330
DGC4_3CC	Long answer collected - drug 3	330
DGC4_3DC	Long answer collected - drug 4	331
DGC4_3EC	Long answer collected - drug 5	331
DGC4_3FC	Long answer collected - drug 6	331
DGC4_3GC	Long answer collected - drug 7	332
DGC4_3HC	Long answer collected - drug 8	332
DGC4_3IC	Long answer collected - drug 9	332
DGC4_3JC	Long answer collected - drug 10	333
DGC4_3KC	Long answer collected - drug 11	333
DGC4_3LC	Long answer collected - drug 12	333

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 12

Topical Index

June, 1998

Variable Name	Description	Page
DGC4_4	Uses other health products	338
DGC4_5AA	Uses a 2nd health product	339
DGC4_5AC	Long answer collected - health product 1	339
DGC4_5BA	Uses a 3rd health product	340
DGC4_5BC	Long answer collected - health product 2	339
DGC4_5CA	Uses a 4th health product	340
DGC4_5CC	Long answer collected - health product 3	340
DGC4_5DA	Uses a 5th health product	341
DGC4_5DC	Long answer collected - health product 4	341
DGC4_5EA	Uses a 6th health product	342
DGC4_5EC	Long answer collected - health product 5	341
DGC4_5FA	Uses a 7th health product	342
DGC4_5FC	Long answer collected - health product 6	342
DGC4_5GA	Uses an 8th health product	343
DGC4_5GC	Long answer collected - health product 7	343
DGC4_5HA	Uses a 9th health product	344
DGC4_5HC	Long answer collected - health product 8	343
DGC4_5IA	Uses a 10th health product	344
DGC4_5IC	Long answer collected - health product 9	344
DGC4_5JA	Uses an 11th health product	345
DGC4_5JC	Long answer collected - health product 10	345
DGC4_5KA	Uses a 12th health product	346
DGC4_5KC	Long answer collected - health product 11	345
DGC4_5LC	Long answer collected - health product 12	346
DGC4_NON	Did not take any drugs in past month	328
DGC4C3A	Code - drug 1	334
DGC4C3B	Code - drug 2	334
DGC4C3C	Code - drug 3	335
DGC4C3D	Code - drug 4	335
DGC4C3E	Code - drug 5	336
DGC4C3F	Code - drug 6	336
DGC4C3G	Code - drug 7	336
DGC4C3H	Code - drug 8	337
DGC4C3I	Code - drug 9	337
DGC4C3J	Code - drug 10	337
DGC4C3K	Code - drug 11	338

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 13

Topical Index

June, 1998

Variable Name	Description	Page
DGC4C3L	Code - drug 12	338
DGC4C5A	Code for health product - product 1	346
DGC4C5B	Code for health product - product 2	347
DGC4C5C	Code for health product - product 3	347
DGC4C5D	Code for health product - product 4	347
DGC4C5E	Code for health product - product 5	348
DGC4C5F	Code for health product - product 6	348
DGC4C5G	Code for health product - product 7	348
DGC4C5H	Code for health product - product 8	349
DGC4C5I	Code for health product - product 9	349
DGC4C5J	Code for health product - product 10	349
DGC4C5K	Code for health product - product 11	350
DGC4C5L	Code for health product - product 12	350
DGC4F1	Took medications	328
DGC6_1A	Took pain relievers	894
DGC6_1B	Took tranquilizers	894
DGC6_1C	Took diet pills	895
DGC6_1D	Took anti-depressants	895
DGC6_1E	Took codeine, Demerol or morphine	896
DGC6_1F	Took allergy medicine	896
DGC6_1G	Took asthma medications	897
DGC6_1H	Took cough or cold remedies	897
DGC6_1I	Took penicillin or other antibiotics	898
DGC6_1J	Took medicine for the heart	898
DGC6_1K	Took medicine for blood pressure	899
DGC6_1L	Took diuretics	899
DGC6_1M	Took steroids	900
DGC6_1N	Took insulin	900
DGC6_1O	Took pills to control diabetes	901
DGC6_1P	Took sleeping pills	901
DGC6_1Q	Took stomach remedies	902
DGC6_1R	Took laxatives	902
DGC6_1S	Took birth control pills	903
DGC6_1T	Took hormones for menopause	903
DGC6_1T1	Hormone therapy - type	904
DGC6_1T2	Hormone therapy - year started	904

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 14

Topical Index

June, 1998

Variable Name	Description	Page
DGC6_1U	Took thyroid medication	905
DGC6_1V	Took other medication	905
DGC6_2	Number of different medications taken in past 2 days	906
DGC6_3AC	Long answer collected - drug 1	907
DGC6_3BC	Long answer collected - drug 2	909
DGC6_3CC	Long answer collected - drug 3	911
DGC6_3DC	Long answer collected - drug 4	913
DGC6_3EC	Long answer collected - drug 5	915
DGC6_3FC	Long answer collected - drug 6	917
DGC6_3GC	Long answer collected - drug 7	918
DGC6_3HC	Long answer collected - drug 8	921
DGC6_3IC	Long answer collected - drug 9	922
DGC6_3JC	Long answer collected - drug 10	924
DGC6_3KC	Long answer collected - drug 11	925
DGC6_3LC	Long answer collected - drug 12	927
DGC6_4	Uses other health products	928
DGC6_5AA	Uses a 2nd health product	930
DGC6_5AC	Long answer collected - health product 1	929
DGC6_5BA	Uses a 3rd health product	932
DGC6_5BC	Long answer collected - health product 2	931
DGC6_5CA	Uses a 4th health product	934
DGC6_5CC	Long answer collected - health product 3	933
DGC6_5DA	Uses a 5th health product	936
DGC6_5DC	Long answer collected - health product 4	935
DGC6_5EA	Uses a 6th health product	938
DGC6_5EC	Long answer collected - health product 5	937
DGC6_5FA	Uses a 7th health product	940
DGC6_5FC	Long answer collected - health product 6	939
DGC6_5GA	Uses an 8th health product	942
DGC6_5GC	Long answer collected - health product 7	941
DGC6_5HA	Uses a 9th health product	943
DGC6_5HC	Long answer collected - health product 8	942
DGC6_5IA	Uses a 10th health product	945
DGC6_5IC	Long answer collected - health product 9	944
DGC6_5JA	Uses an 11th health product	946
DGC6_5JC	Long answer collected - health product 10	945

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 15

Topical Index

June, 1998

Variable Name	Description	Page
DGC6_5KA	Uses a 12th health product	947
DGC6_5KC	Long answer collected - health product 11	946
DGC6_5LC	Long answer collected - health product 12	948
DGC6_6	Insurance covering prescription medication	949
DGC6C3A	Drug code - drug 1	907
DGC6C3B	Drug code - drug 2	909
DGC6C3C	Drug code - drug 3	911
DGC6C3D	Drug code - drug 4	913
DGC6C3E	Drug code - drug 5	915
DGC6C3F	Drug code - drug 6	917
DGC6C3G	Drug code - drug 7	919
DGC6C3H	Drug code - drug 8	921
DGC6C3I	Drug code - drug 9	923
DGC6C3J	Drug code - drug 10	924
DGC6C3K	Drug code - drug 11	926
DGC6C3L	Drug code - drug 12	927
DGC6C5A	Code for health product - product 1	929
DGC6C5B	Code for health product - product 2	931
DGC6C5C	Code for health product - product 3	933
DGC6C5D	Code for health product - product 4	935
DGC6C5E	Code for health product - product 5	937
DGC6C5F	Code for health product - product 6	939
DGC6C5G	Code for health product - product 7	941
DGC6C5H	Code for health product - product 8	942
DGC6C5I	Code for health product - product 9	944
DGC6C5J	Code for health product - product 10	945
DGC6C5K	Code for health product - product 11	947
DGC6C5L	Code for health product - product 12	948
DGC6F1	Took medications	906
DGC6G3A	Drug code - drug 1 - grouped	908
DGC6G3B	Drug code - drug 2 - grouped	910
DGC6G3C	Drug code - drug 3 - grouped	912
DGC6G3D	Drug code - drug 4 - grouped	914
DGC6G3E	Drug code - drug 5 - grouped	916
DGC6G3F	Drug code - drug 6 - grouped	918
DGC6G3G	Drug code - drug 7 - grouped	920

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 16

Topical Index

June, 1998

Variable Name	Description	Page
DGC6G3H	Drug code - drug 8 - grouped	922
DGC6G3I	Drug code - drug 9 - grouped	923
DGC6G3J	Drug code - drug 10 - grouped	925
DGC6G3K	Drug code - drug 11 - grouped	926
DGC6G3L	Drug code - drug 12 - grouped	928
DGC6G5A	Code for health product - product 1 - grouped	930
DGC6G5B	Code for health product - product 2 - grouped	932
DGC6G5C	Code for health product - product 3 - grouped	934
DGC6G5D	Code for health product - product 4 - grouped	936
DGC6G5E	Code for health product - product 5 - grouped	938
DGC6G5F	Code for health product - product 6 - grouped	940
DGC6G5G	Code for health product - product 7 - grouped	941
DGC6G5H	Code for health product - product 8 - grouped	943
DGC6G5I	Code for health product - product 9 - grouped	944
DGC6G5J	Code for health product - product 10 - grouped	946
DGC6G5K	Code for health product - product 11 - grouped	947
DGC6G5L	Code for health product - product 12 - grouped	948

DH : Demographic and household variables

DH_4_P1	Pet	10
DH_4_P3	Pet - lives indoors	11
DH_4DP2	Derived kind of pet	11
DHC4_3A	Persons away from household	9
DHC4_3B	Other persons living in dwelling	9
DHC4_AGE	Cycle 1 age	33
DHC4_BED	Number of bedrooms	10
DHC4_DWE	Type of dwelling	12
DHC4_FID	Family ID code	34
DHC4_MAR	Marital status	34
DHC4_OWN	Dwelling owned by household member	9
DHC4D611	Derived number of persons 6 to 11 years old in household	32
DHC4DE12	Derived number of persons 12 years old in household	32
DHC4DECF	Derived type of household	14
DHC4DHSZ	Derived household size	31
DHC4DL12	Derived number of persons < 12 years old in household	31
DHC4DL25	Derived number of persons < 25 years old in household	31

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 17

Topical Index

June, 1998

Variable Name	Description	Page
DHC4DLE5	Derived number of persons <= 5 years old in household	32
DHC4DLVG	Derived living arrangements of the selected respondent	15
DHC4GAGE	Age - grouped	33
DHC6_AGE	Age	447
DHC6_BED	Number of bedrooms	429
DHC6_DWE	Type of dwelling	428
DHC6_FID	Family ID code	452
DHC6_MAR	Marital status	452
DHC6_OWN	Dwelling owned by household member	428
DHC6ADOD	Day of death - administrative data	449
DHC6AMOD	Month of death - administrative data	449
DHC6AYOD	Year of death - administrative data	450
DHC6CD	Cause of death code	450
DHC6D611	Derived number of persons 6 to 11 years old in household	453
DHC6DECF	Derived type of household	454
DHC6DHSZ	Derived household size	452
DHC6DL12	Derived number of persons < 12 years old in household	453
DHC6DLE5	Derived number of persons <= 5 years old in household	453
DHC6DLVG	Derived living arrangements of the selected respondent	455
DHC6GAGE	Age - grouped	448
DOB	Day of birth	1
MOB	Month of birth	2
SEX	Sex	3
YOB	Year of birth	2
DV : Dental visits		
DV_6_60	Visited dentist	763
DV_6_61	Last time visited dentist	764
DV_6_62A	Visits dentist - make sure everything is OK	764
DV_6_62B	Visits dentist - check-up covered by insurance	765
DV_6_62C	Visits dentist - catch problems early	765
DV_6_62D	Visits dentist - for good dental health	766
DV_6_62E	Visits dentist - care of teeth / gums / dentures	766
DV_6_62F	Visits dentist - for cleaning / fluoride / maintenance	767
DV_6_62G	Visits dentist - to get a filling / extraction	767
DV_6_62H	Visits dentist - to check braces	768

Topical Index

June, 1998

Variable Name	Description	Page
DV_6_62I	Visits dentist - other reason	768
DV_6_63	Had problems obtaining dental services	769
DV_6_64A	Problem getting dental services - not avail. when required	769
DV_6_64B	Problem getting dental services - not available in area	770
DV_6_64C	Problem getting dental services - waiting time too long	770
DV_6_64D	Problem getting dental services - transportation	770
DV_6_64E	Problem getting dental services - language	771
DV_6_64F	Problem getting dental services - cost	771
DV_6_64G	Problem getting dental services - did not know where to go	771
DV_6_64H	Problem getting dental services - other	772
DV_6_65A	No dental visit - have not gotten around to it	772
DV_6_65B	No dental visit - respondent did not think it was necessary	773
DV_6_65C	No dental visit - dentist did not think it was necessary	773
DV_6_65D	No dental visit - personal or family responsibilities	774
DV_6_65E	No dental visit - not available when required	774
DV_6_65F	No dental visit - not available at all in area	775
DV_6_65G	No dental visit - waiting time too long	775
DV_6_65H	No dental visit - transportation problems	776
DV_6_65I	No dental visit - language problem	776
DV_6_65J	No dental visit - cost	777
DV_6_65K	No dental visit - did not know where to go	777
DV_6_65L	No dental visit - fear	778
DV_6_65M	No dental visit - wears dentures	778
DV_6_65N	No dental visit - other reason	779
DV_6_66	Has dental insurance	779

ED : Education

EDC4_1	Currently attending a school, college or university	120
EDC4_2	Full-time student or part-time student	120
EDC4_4	Number of years of elementary / high school completed	118
EDC4_5	Graduated from high school	118
EDC4_6	Attended post-secondary institution	119
EDC4_7	Highest level of post-secondary education attained	119
EDC4D1	Derived highest level of education - 14 levels	121
EDC4D2	Derived highest level of education - 12 levels	122
EDC4D3	Derived highest level of education - 4 levels	122

Topical Index

June, 1998

Variable Name	Description	Page
EDC4DLF	Derived labour force activity of students	144
EDC6_1	Currently attending a school, college or university	586
EDC6_2	Full-time student or part-time student	587
EDC6_3	Attended school since last interview	587
EDC6_4	Number of years of elementary / high school completed	588
EDC6_5	Graduated from high school	588
EDC6_6	Attended post-secondary institution	589
EDC6_7	Highest level of post-secondary education attained	589
EDC6D1	Derived highest level of education - 14 levels	590
EDC6D2	Derived highest level of education - 12 levels	591
EDC6D3	Derived highest level of education - 4 levels	591
EDC6DLF	Derived labour force activity of students	592
ES : Emergency services		
ES_6_80	Overall quality of emergency services	797
ES_6_81	Used emergency services	797
ES_6_82	Has health insurance covering hospital charges	798
EX : Eye examination		
EX_6_70	Visited optometrist or ophthalmologist	780
EX_6_71	Last eye examination	780
EX_6_72	Frequency of eye examinations	781
EX_6_73A	Has eye exam - make sure everything is OK	781
EX_6_73B	Has eye exam - glaucoma test	782
EX_6_73C	Has eye exam - job requirement	782
EX_6_73D	Has eye exam - check prescription	783
EX_6_73E	Has eye exam - cataracts are developing	783
EX_6_73F	Has eye exam - to get driver's license	784
EX_6_73G	Has eye exam - eye problem / infection	784
EX_6_73H	Has eye exam - diabetes	785
EX_6_73I	Has eye exam - sight deterioration	785
EX_6_73J	Has eye exam - other reason	786
EX_6_74	Had problems obtaining an eye examination	786
EX_6_75A	Problem getting eye exam - not available when required	787
EX_6_75B	Problem getting eye exam - not available at all in area	787
EX_6_75C	Problem getting eye exam - waiting time too long	787

Topical Index

June, 1998

Variable Name	Description	Page
EX_6_75D	Problem getting eye exam - transportation	788
EX_6_75E	Problem getting eye exam - language	788
EX_6_75F	Problem getting eye exam - cost	788
EX_6_75G	Problem getting eye exam - did not know where to go	789
EX_6_75H	Problem getting eye exam - other	789
EX_6_76A	No eye exam - have not gotten around to it	790
EX_6_76B	No eye exam - respondent did not think it was neces.	790
EX_6_76C	No eye exam - doctor did not think it was necessary	791
EX_6_76D	No eye exam - personal or family responsibilities	791
EX_6_76E	No eye exam - not available when required	792
EX_6_76F	No eye exam - not available at all in area	792
EX_6_76G	No eye exam - waiting time too long	793
EX_6_76H	No eye exam - transportation problems	793
EX_6_76I	No eye exam - language problem	794
EX_6_76J	No eye exam - cost	794
EX_6_76K	No eye exam - did not know where to go	795
EX_6_76L	No eye exam - fear	795
EX_6_76M	No eye exam - other reason	796
EX_6_77	Has insurance covering cost of eye glasses / contact lenses	796

FS : Flu shots

FS_6_50	Ever had a flu shot	748
FS_6_52	Last time had flu shot	749
FS_6_53A	Had flu shot - peer pressure	749
FS_6_53B	Had flu shot - job requirement	750
FS_6_53C	Had flu shot - helps prevent the flu	750
FS_6_53D	Had flu shot - to protect others	751
FS_6_53E	Had flu shot - recommended because of age	751
FS_6_53F	Had flu shot - health problem	752
FS_6_53G	Had flu shot - other reason	752
FS_6_54	Had problems obtaining a flu shot	753
FS_6_55A	Problem getting flu shot - not available when required	753
FS_6_55B	Problem getting flu shot - not available in area	754
FS_6_55C	Problem getting flu shot - waiting time too long	754
FS_6_55D	Problem getting flu shot - transportation	754
FS_6_55E	Problem getting flu shot - language	755

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 21

Topical Index

June, 1998

Variable Name	Description	Page
FS_6_55F	Problem getting flu shot - cost	755
FS_6_55G	Problem getting flu shot - did not know where to go	755
FS_6_55H	Problem getting flu shot - other	756
FS_6_56A	No flu shot - have not gotten around to it	756
FS_6_56B	No flu shot - respondent did not think it was necessary	757
FS_6_56C	No flu shot - doctor did not think it was necessary	757
FS_6_56D	No flu shot - personal or family responsibilities	758
FS_6_56E	No flu shot - not available when required	758
FS_6_56F	No flu shot - not available in area	759
FS_6_56G	No flu shot - waiting time too long	759
FS_6_56H	No flu shot - transportation problems	760
FS_6_56I	No flu shot - language problem	760
FS_6_56J	No flu shot - cost	761
FS_6_56K	No flu shot - did not know where to go	761
FS_6_56L	No flu shot - fear	762
FS_6_56M	No flu shot - bad reaction to previous shot	762
FS_6_56N	No flu shot - other reason	763

GE : Geographic identifiers

GE34DCD	Derived 1991 Census Division	4
GE34DCMA	Derived 1991 Census Metropolitan Area	6
GE34DCSD	Derived 1991 Census Sub-Division	5
GE34DFED	Derived 1991 Federal Electoral District	7
GE34DHLR	Derived health regions	7
GE34DURB	Derived rural and urban area	4
GE36DCD	Derived 1991 Census Division	416
GE36DCMA	Derived 1991 Census Metropolitan Area	418
GE36DCSD	Derived 1991 Census Sub-Division	417
GE36DFED	Derived 1991 Federal Electoral District	419
GE36DHLR	Derived health regions	420
GE36DHRO	Derived health regions (original sample)	422
GE36DURB	Derived rural and urban area	416
GE36LMOV	Respondent moved	423

GH : General health

GHC4_1	Respondent's general health	161
--------	-----------------------------	-----

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 22

Topical Index

June, 1998

Variable Name	Description	Page
GHC4_3	Planned to use services of doctor or midwife	162
GHC4DHDl	Derived health description index	163
GHC6_1	Respondent's general health	640
GHC6_21	Gave birth since last interview	727
GHC6DHDl	Derived health description index	641
GHK4_4HT	Height - children	166
GHK6_2	Level of physical activity - children	641
GHK6_4HT	Height - children	658
GHK6_6	Birth weight	660
GHP6_21A	Gave birth in the past 5 years	727
GHP6_25	Still breast-feeding	729
GHP6_26	Duration of breast-feeding last child	730
GHP6_27	Received help / advice about breast-feeding	730
GHP6_28	From whom received breast-feeding advice	731
GHP6_29	Main reason for stopping breast-feeding	732
GHS6_11	Did something to improve health	642
GHS6_12	Most important change to improve health	642
GHS6_13	Thinks something should be done to improve health	643
GHS6_14	Most important thing to be done to improve health	643
GHS6_15	Barrier to improving health	644
GHS6_16A	Reason for no improvement - lack of will power	644
GHS6_16B	Reason for no improvement - lack of time	645
GHS6_16C	Reason for no improvement - too tired	645
GHS6_16D	Reason for no improvement - too difficult	645
GHS6_16E	Reason for no improvement - too costly	646
GHS6_16F	Reason for no improvement - too stressed	646
GHS6_16G	Reason for no improvement - disability / health problem	646
GHS6_16H	Reason for no improvement - other	647
GHS6_17	Intending to improve health over next year	647
GHS6_18A	Health improvement over next year - more exercise	648
GHS6_18B	Health improvement over next year - lose weight	648
GHS6_18C	Health improvement over next year - improve eating habits	649
GHS6_18D	Health improvement over next year - quit smoking	649
GHS6_18E	Health improvement over next year - reduce amount smoked	650
GHS6_18F	Health improvement over next year - manage stress	650
GHS6_18G	Health improvement over next year - reduce stress level	651

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 23

Topical Index

June, 1998

Variable Name	Description	Page
GHS6_18H	Health improvement over next year - take vitamins	651
GHS6_18I	Health improvement over next year - other	652
GHS6_22	Gave birth to last baby in hospital	728
GHS6_23	Used services of doctor, midwife or both	728
GHS6_24	Breast fed child or tried to breast feed	729
GHS6_31	Smoked during last pregnancy	960
GHS6_32	Average number of cigarettes smoked daily during pregnancy	960
GHS6_33	Smoked while breast-feeding last baby	961
GHS6_34	Average no. of cigarettes smoked daily during breast-feeding	961
GHS6_35	Someone smoked reg. in presence during / after pregnancy	961
HC : Health care utilization		
HCC4_1	Overnight patient	39
HCC4_10A	Home care received - nursing care	58
HCC4_10C	Home care received - personal care	58
HCC4_10D	Home care received - housework	58
HCC4_10E	Home care received - meal preparation or delivery	59
HCC4_10F	Home care received - shopping	59
HCC4_10H	Home care received - other type	59
HCC4_1A	Number of nights as patient	40
HCC4_2A	Number of consultations - family doctor / g.p.	40
HCC4_2B	Number of consultations - eye specialist	41
HCC4_2C	Number of consultations - other medical doctor	42
HCC4_2D	Number of consultations - nurse	43
HCC4_2E	Number of consultations - dentist or orthodontist	44
HCC4_2F	Number of consultations - chiropractor	44
HCC4_2G	Number of consultations - physiotherapist	45
HCC4_2H	Number of consultations - social worker / counsellor	45
HCC4_2I	Number of consultations - psychologist	46
HCC4_2J	No. of consul. - speech / audiology / occupational therapist	46
HCC4_3A	Place of most recent contact - family doctor	41
HCC4_3C	Place of most recent contact - other medical doctor	42
HCC4_3D	Place of most recent contact - nurse	43
HCC4_4	Consulted alternative health care provider	48
HCC4_4A	Attended self-help group	52
HCC4_5A	Alternative health care - massage therapist	48

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 24

Topical Index

June, 1998

Variable Name	Description	Page
HCC4_5B	Alternative health care - acupuncturist	49
HCC4_5C	Alternative health care - homeopath / naturopath	49
HCC4_5D	Alternative health care - Feldenkrais / Alexander	49
HCC4_5E	Alternative health care - relaxation therapist	50
HCC4_5F	Alternative health care - biofeedback	50
HCC4_5G	Alternative health care - rolfer	50
HCC4_5H	Alternative health care - herbalist	51
HCC4_5I	Alternative health care - reflexologist	51
HCC4_5J	Alternative health care - spiritual healer	51
HCC4_5K	Alternative health care - religious healer	52
HCC4_5L	Alternative health care - other	52
HCC4_6	Felt that health care was needed but didn't receive it	53
HCC4_7WC	Long answer collected - reason for not getting care	53
HCC4_8A	Health care not received - treat. of physical health problem	54
HCC4_8B	Health care not received - treat. of mental health problem	55
HCC4_8C	Health care not received - a regular check-up	55
HCC4_8D	Health care not received - care of injury	56
HCC4_8E	Health care not received - other type	56
HCC4_9	Received home care services	57
HCC4_SC	Long answer collected - type of home care service	57
HCC4DHPC	Derived consultations with health professionals	47
HCC4DMDC	Derived number of consultations with medical doctors	47
HCC4G7	Type of home care service - grouped	54
HCC6_1	Overnight patient	464
HCC6_10A	Home care received - nursing care	489
HCC6_10B	Home care received - other health care	490
HCC6_10C	Home care received - personal care	490
HCC6_10D	Home care received - housework	491
HCC6_10E	Home care received - meal preparation or delivery	491
HCC6_10F	Home care received - shopping	491
HCC6_10G	Home care received - respite care	492
HCC6_10H	Home care received - other type	492
HCC6_11	Received health care services in the United States	493
HCC6_12	Went to United States primarily to receive health care	493
HCC6_1A	Number of nights as patient	464
HCC6_2A	Number of consultations - family doctor / g.p.	466

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 25

Topical Index

June, 1998

Variable Name	Description	Page
HCC6_2B	Number of consultations - eye specialist	467
HCC6_2C	Number of consultations - other medical doctor	468
HCC6_2D	Number of consultations - nurse	469
HCC6_2E	Number of consultations - dentist or orthodontist	470
HCC6_2F	Number of consultations - chiropractor	470
HCC6_2G	Number of consultations - physiotherapist	471
HCC6_2H	Number of consultations - social worker / counselor	471
HCC6_2I	Number of consultations - psychologist	472
HCC6_2J	No. of consul. - speech / audiology / occupational therapist	472
HCC6_3A	Place of most recent contact - family doctor	467
HCC6_3C	Place of most recent contact - other medical doctor	468
HCC6_3D	Place of most recent contact - nurse	469
HCC6_4	Consulted alternative health care provider	474
HCC6_4A	Attended self-help group	474
HCC6_5A	Alternative health care - massage therapist	475
HCC6_5B	Alternative health care - acupuncturist	475
HCC6_5C	Alternative health care - homeopath / naturopath	475
HCC6_5D	Alternative health care - Feldenkrais / Alexander	476
HCC6_5E	Alternative health care - relaxation therapist	476
HCC6_5F	Alternative health care - biofeedback	476
HCC6_5G	Alternative health care - rolfers	477
HCC6_5H	Alternative health care - herbalist	477
HCC6_5I	Alternative health care - reflexologist	477
HCC6_5J	Alternative health care - spiritual healer	478
HCC6_5K	Alternative health care - religious healer	478
HCC6_5L	Alternative health care - other	478
HCC6_6	Felt that health care was needed but didn't receive it	479
HCC6_7A	Health care not received - not available in area	479
HCC6_7B	Health care not received - not available when required	480
HCC6_7C	Health care not received - waiting time too long	480
HCC6_7D	Health care not received - felt would be inadequate	481
HCC6_7E	Health care not received - cost	481
HCC6_7F	Health care not received - too busy to get care	482
HCC6_7G	Health care not received - didn't get around to it	482
HCC6_7H	Health care not received - didn't know where to go	483
HCC6_7I	Health care not received - transportation problems	483

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 26

Topical Index

June, 1998

Variable Name	Description	Page
HCC6_7J	Health care not received - language problem	484
HCC6_7K	Health care not received - personal or family resp.	484
HCC6_7L	Health care not received - dislikes doctors / afraid	485
HCC6_7M	Health care not received - decided not to seek care	485
HCC6_7N	Health care not received - other reason	486
HCC6_8A	Health care not received - treat. of physical health problem	486
HCC6_8B	Health care not received - treat. of mental health problem	487
HCC6_8C	Health care not received - a regular check-up	487
HCC6_8D	Health care not received - care of injury	488
HCC6_8E	Health care not received - other type	488
HCC6_9	Received home care services	489
HCC6DHPC	Derived consultations with health professionals	473
HCC6DMDC	Derived number of consultations with medical doctors	473
HCC6F1	Used any health care service	473
HCK4_2OT	Number of consultations - other trained person	47
HCK6_2A	Overnight patient - respiratory problem	465
HCK6_2B	Overnight patient - gastrointestinal problem	465
HCK6_2C	Overnight patient - injuries	465
HCK6_2D	Overnight patient - at birth	466
HCK6_2E	Overnight patient - other reason	466
HI : Health information		
HIP6_1	First source of information - sports injuries	803
HIP6_1A	Look for other source - sports injuries	804
HIP6_1B	Second source of information - sports injuries	804
HIP6_2	First source of information - AIDS / STD	805
HIP6_2A	Look for other source - AIDS / STD	805
HIP6_2B	Second source of information - AIDS / STD	806
HIP6_3	First source of information - depression	807
HIP6_3A	Look for other source - depression	807
HIP6_3B	Second source of information - depression	808
HIP6_4	First source of information - pregnancy	809
HIP6_4A	Look for other source - pregnancy	809
HIP6_4B	Second source of information - pregnancy	810
HIP6_5	Attended school in past 12 months	810
HIP6_6	Rating of information received at school on improving health	811

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 27

Topical Index

June, 1998

Variable Name	Description	Page
HIP6_7	Attended sex education classes at school	811
HIP6_8	Rating of sex education classes	812
HS : Health status		
HSC4_1	Sees well enough to read newsprint without glasses /contacts	297
HSC4_10	Understood by strangers in own language	302
HSC4_11	Understood partially by strangers in own language	302
HSC4_12	Understood by non-strangers in own language	303
HSC4_13	Understood partially by non-strangers in own language	303
HSC4_14	Able to walk without difficulty without support	304
HSC4_15	Able to walk	304
HSC4_16	Requires support to walk	305
HSC4_17	Requires help of person to walk	305
HSC4_18	Requires a wheelchair	306
HSC4_19	Frequency of wheelchair use	306
HSC4_2	Sees well enough to read newsprint with glasses / contacts	297
HSC4_20	Requires help to move in wheelchair	307
HSC4_21	Able to grasp and handle small objects	307
HSC4_22	Requires help due to limitation in hands	308
HSC4_23	Requires help with tasks	308
HSC4_24	Requires special equipment due to limitation in hands	309
HSC4_25	Description of feelings	309
HSC4_26	Ability to remember things	310
HSC4_27	Ability to think and solve problems	310
HSC4_28	Free of pain or discomfort	311
HSC4_29	Intensity of pain or discomfort	311
HSC4_3	Able to see	298
HSC4_30	Number of activities prevented by pain / discomfort	312
HSC4_4	Sees well enough to recognize friend without glasses	298
HSC4_5	Sees well enough to recognize friend with glasses	299
HSC4_6	Hears in group of people without hearing aid	299
HSC4_7	Hears in group of people with hearing aid	300
HSC4_7A	Able to hear	300
HSC4_8	Hears in quiet room without hearing aid	301
HSC4_9	Hears in quiet room with hearing aid	301
HSC4DCOG	Derived Cognition - function code	315

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 28

Topical Index

June, 1998

Variable Name	Description	Page
HSC4DDEX	Derived Dexterity trouble - function code	314
HSC4DEMO	Derived Emotional problems - function code	315
HSC4DHER	Derived Hearing problems - function code	313
HSC4DHSI	Derived Health Status Index (3 decimal places)	317
HSC4DMOB	Derived Mobility trouble - function code	314
HSC4DPAD	Derived activities prevented-pain/discomfort - function code	316
HSC4DSEV	Derived Severity of pain - function code	316
HSC4DSPE	Derived Speech trouble - function code	313
HSC4DVIS	Derived Vision trouble - function code	312
HSC6_1	Sees well enough to read newsprint without glasses /contacts	812
HSC6_10	Understood by strangers in own language	818
HSC6_11	Understood partially by strangers in own language	819
HSC6_12	Understood by non-strangers in own language	819
HSC6_13	Understood partially by non-strangers in own language	819
HSC6_14	Able to walk without difficulty without support	820
HSC6_15	Able to walk	821
HSC6_16	Requires support to walk	821
HSC6_17	Requires help of person to walk	822
HSC6_18	Requires a wheelchair	822
HSC6_19	Frequency of wheelchair use	823
HSC6_2	Sees well enough to read newsprint with glasses / contacts	813
HSC6_20	Requires help to move in wheelchair	823
HSC6_21	Able to grasp and handle small objects	824
HSC6_22	Requires help due to limitation in hands	825
HSC6_23	Requires help with tasks	825
HSC6_24	Requires special equipment due to limitation in hands	826
HSC6_25	Description of feelings	827
HSC6_26	Ability to remember things	828
HSC6_27	Ability to think and solve problems	828
HSC6_28	Free of pain or discomfort	829
HSC6_29	Intensity of pain or discomfort	830
HSC6_3	Able to see	813
HSC6_30	Number of activities prevented by pain / discomfort	830
HSC6_4	Sees well enough to recognize friend without glasses	814
HSC6_5	Sees well enough to recognize friend with glasses	814
HSC6_6	Hears in group of people without hearing aid	815

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 29

Topical Index

June, 1998

Variable Name	Description	Page
HSC6_7	Hears in group of people with hearing aid	816
HSC6_7A	Able to hear	816
HSC6_8	Hears in quiet room without hearing aid	817
HSC6_9	Hears in quiet room with hearing aid	817
HSC6DCOG	Derived cognition - function code	829
HSC6DDEX	Derived dexterity trouble - function code	826
HSC6DEMO	Derived emotional problems - function code	827
HSC6DHER	Derived hearing problems - function code	818
HSC6DHSI	Derived Health Status Index (3 decimal places)	832
HSC6DMOB	Derived mobility trouble - function code	824
HSC6DPAD	Derived activities prevented-pain/discomfort - function code	831
HSC6DSEV	Derived severity of pain - function code	831
HSC6DSPE	Derived speech trouble - function code	820
HSC6DVIS	Derived vision trouble - function code	815
HSK6_25A	Event causing great amount of worry or unhappiness	832
HSK6_31A	Worry or unhappiness - death in family	833
HSK6_31B	Worry or unhappiness - divorce / separation	833
HSK6_31C	Worry or unhappiness - move	834
HSK6_31D	Worry or unhappiness - illness / injury of family member	834
HSK6_31E	Worry or unhappiness - conflict between parents	835
HSK6_31F	Worry or unhappiness - other event	835
HV : HIV		
HVS6_1	Tissue sample given for life insurance	799
HVS6_2	Donated blood at the Red Cross	799
HVS6_3	Year of last blood donation	800
HVS6_4	Test for HIV or AIDS other than for insurance / blood donat.	800
HVS6_5	Year of last HIV / AIDS test	801
HVS6_6	Reason for HIV / AIDS test	801
HVS6_7	Received "clotting factor" between 1978 and 1985	802
HVS6_8	Received a blood transfusion between 1978 and 1985	802
HVS6_9	Has injected non-prescription drugs	803
H : Height and weight		
HWC4_1	Currently pregnant	162
HWC4_2HT	Height - adults	164

Topical Index

June, 1998

Variable Name	Description	Page
HWC4_3KG	Weight - kilograms	165
HWC4_3LB	Weight - pounds	165
HWC4_HT	Height - adults and children	168
HWC4DBMI	Derived Body Mass Index (1 decimal place)	170
HWC4DSW	Derived standard weight	170
HWC6_1	Currently pregnant	652
HWC6_2HT	Height - adults	653
HWC6_3KG	Weight - kilograms	657
HWC6_3LB	Weight - pounds	657
HWC6_HT	Height - adults and children	655
HWC6DBMI	Derived Body Mass Index (1 decimal place)	660
HWC6DSW	Derived standard weight	661
HWS6_1	Respondent's opinion of own weight	661
HWS6_2KG	Desired weight - kilograms	662
HWS6_2LB	Desired weight - pounds	662
HWS6_4	Most important thing done to follow a healthy diet	663
HWS6_5	Skipping breakfast can control / reduce weight	663
IJ : Injury		
IJC4_1	Had an injury limiting normal activities	234
IJC4_2	Number of times injured	235
IJC4_3	Type of injury	235
IJC4_4	Body part affected by injury	236
IJC4_5	Place where injury happened	237
IJC4_6	Reason for injury	238
IJC4_7	Injury occurred at work	239
IJC4_8A	To avoid the injury recurring - gave up the activity	239
IJC4_8B	To avoid the injury recurring - being more careful	240
IJC4_8C	To avoid the injury recurring - safety training	240
IJC4_8D	To avoid the injury recurring - protective gear	241
IJC4_8E	To avoid the injury recurring - changing physical situation	241
IJC4_8F	To avoid the injury recurring - other precaution	242
IJC4_8G	To avoid the injury recurring - no precautions taken	242
IJC4_8H	To avoid the injury recurring - increased child supervision	243
IJC4D1	Derived type of injury by body site	236
IJC4D2	Derived cause of injury by place of occurrence	238

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 31

Topical Index

June, 1998

Variable Name	Description	Page
IJC6_1	Had an injury limiting normal activities	884
IJC6_2	Number of times injured	885
IJC6_3	Type of injury	885
IJC6_4	Body part affected by injury	886
IJC6_5	Place where injury happened	887
IJC6_6	Reason for injury	888
IJC6_7	Injury occurred at work	889
IJC6_8A	To avoid the injury recurring - gave up the activity	889
IJC6_8B	To avoid the injury recurring - being more careful	890
IJC6_8C	To avoid the injury recurring - safety training	890
IJC6_8D	To avoid the injury recurring - protective gear	891
IJC6_8E	To avoid the injury recurring - changing physical situation	891
IJC6_8F	To avoid the injury recurring - other precaution	892
IJC6_8G	To avoid the injury recurring - no precautions taken	892
IJC6D1	Derived type of injury by body site	893
IJC6D2	Derived cause of injury by place of occurrence	893

IN : Income

INC4_1A	Source of income - wages and salaries	15
INC4_1B	Source of income - income from self-employment	16
INC4_1C	Source of income - dividends and interest	16
INC4_1D	Source of income - unemployment insurance	17
INC4_1E	Source of income - worker's compensation	17
INC4_1F	Source of income - benefits from Can. / Que. Pension Plan	18
INC4_1G	Source - retirement pensions, superannuation and annuities	18
INC4_1H	Source of income - Old Age Security	19
INC4_1I	Source of income - child tax benefit	19
INC4_1J	Source of income - social assistance	20
INC4_1K	Source of income - child support	20
INC4_1L	Source of income - alimony	21
INC4_1M	Source of income - other	21
INC4_1N	Source of income - none	22
INC4_2	Main source of household income	23
INC4_3A	Total household income: < \$20,000 or >= \$20,000	24
INC4_3B	Total household income: < \$10,000 or >= \$10,000	24
INC4_3C	Total household income: < \$5,000 or >= \$5,000	25

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 32

Topical Index

June, 1998

Variable Name	Description	Page
INC4_3D	Total household income: < \$15,000 or >= \$15,000	25
INC4_3E	Total household income: < \$40,000 or >= \$40,000	26
INC4_3F	Total household income: < \$30,000 or >= \$30,000	26
INC4_3G	Total household income: >= \$50,000	27
INC4CCPI	1994 Consumer Price Index (All items 1986=100)	29
INC4DHH	Derived total household income from all sources	29
INC4DIA2	Derived income adequacy - 2 groups	27
INC4DIA4	Derived income adequacy - 4 groups	28
INC4DIA5	Derived income adequacy - 5 groups	28
INC4F1	Household questions asked of this H05 respondent	156
INC6_1A	Source of income - wages and salaries	430
INC6_1B	Source of income - income from self-employment	430
INC6_1C	Source of income - dividends and interest	431
INC6_1D	Source of income - unemployment insurance	431
INC6_1E	Source of income - worker's compensation	432
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	432
INC6_1G	Source - retirement pensions, superannuation and annuities	433
INC6_1H	Source of income - Old Age Security	433
INC6_1I	Source of income - child tax benefit	434
INC6_1J	Source of income - social assistance	434
INC6_1K	Source of income - child support	435
INC6_1L	Source of income - alimony	435
INC6_1M	Source of income - other	436
INC6_1N	Source of income - none	436
INC6_2	Main source of household income	437
INC6_3A	Total household income: < \$20,000 or >= \$20,000	438
INC6_3B	Total household income: < \$10,000 or >= \$10,000	438
INC6_3C	Total household income: < \$5,000 or >= \$5,000	439
INC6_3D	Total household income: < \$15,000 or >= \$15,000	439
INC6_3E	Total household income: < \$40,000 or >= \$40,000	440
INC6_3F	Total household income: < \$30,000 or >= \$30,000	440
INC6_3G	Total household income: >= \$50,000	441
INC6CCPI	1996 Consumer Price Index (All items 1986=100)	443
INC6DHH	Derived total household income from all sources	443
INC6DIA2	Derived income adequacy - 2 groups	441
INC6DIA4	Derived income adequacy - 4 groups	442

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 33

Topical Index

June, 1998

Variable Name	Description	Page
INC6DIA5	Derived income adequacy - 5 groups	442
INC6F1	Household questions asked of this H05 respondent	429
INS6_4	Household ran out of money to buy food	444
INS6_5	Received food from a charity	444
INS6_6	Description of food situation	445
IS : Insurance		
IS_6D1	Derived number of types of medical insurance	798
LF : Labour force		
LFC4_1	Current main activity	123
LFC4_101	Usually works weekends - job 1	126
LFC4_102	Usually works weekends - job 2	130
LFC4_103	Usually works weekends - job 3	133
LFC4_111	Worked - other than job 1	127
LFC4_112	Worked - other than job 1 and job 2	130
LFC4_13C	Long answer collected - main job industry	134
LFC4_14C	Long answer collected - main job kind of work	135
LFC4_15C	Long answer collected - main job duties	135
LFC4_16	Worked for others or in own business - main job	136
LFC4_17A	Reason for not working - most recent period	143
LFC4_2	Worked for pay or profit	123
LFC4_41	Had job one year ago without break - job 1	124
LFC4_42	Had job one year ago without break - job 2	128
LFC4_43	Had job one year ago without break - job 3	131
LFC4_51	Date started - job 1 (MM/DD/YY)	124
LFC4_52	Date started - job 2 (MM/DD/YY)	128
LFC4_53	Date started - job 3 (MM/DD/YY)	131
LFC4_61	Has job now - job 1	125
LFC4_62	Has job now - job 2	128
LFC4_63	Has job now - job 3	131
LFC4_71	Date stopped - job 1 (MM/DD/YY)	125
LFC4_72	Date stopped - job 2 (MM/DD/YY)	129
LFC4_73	Date stopped - job 3 (MM/DD/YY)	132
LFC4_81	Hours usually worked per week - job 1	125
LFC4_82	Hours usually worked per week - job 2	129

Topical Index

June, 1998

Variable Name	Description	Page
LFC4_83	Hours usually worked per week - job 3	132
LFC4_91	Type of working hours - job 1	126
LFC4_92	Type of working hours - job 2	129
LFC4_93	Type of working hours - job 3	133
LFC4_E1C	Long answer collected - employer - job 1	124
LFC4_E2C	Long answer collected - employer - job 2	127
LFC4_E3C	Long answer collected - employer - job 3	130
LFC4CSIC	Standard Industrial Codes for main job	139
LFC4CSOC	Standard Occupation Codes for main job	136
LFC4DBLI	Derived Blishen socio-economic index for main job	140
LFC4DCMN	Derived main job is the current job	148
LFC4DCWS	Derived working status in last 12 months	145
LFC4DD1	Derived work duration - job 1	150
LFC4DD2	Derived work duration - job 2	151
LFC4DD3	Derived work duration - job 3	152
LFC4DDA	Derived duration of work without a break > 30 days	145
LFC4DDMN	Derived work duration - main job	148
LFC4DGA	Derived number of gaps of 30 days or more	147
LFC4DH1	Derived hours of work - job 1	152
LFC4DH2	Derived hours of work - job 2	153
LFC4DH3	Derived hours of work - job 3	153
LFC4DHA	Derived pattern of working hours of all jobs reported	146
LFC4DHMN	Derived hours of work - main job	149
LFC4DJA	Derived number of jobs	146
LFC4DJGA	Derived pattern of number of jobs	147
LFC4DOMN	Derived job number of old main job	155
LFC4DPIN	Derived Pineo socio-econ. class. for main occupation	141
LFC4DT1	Derived type of working hours - job 1	154
LFC4DT2	Derived type of working hours - job 2	154
LFC4DT3	Derived type of working hours - job 3	155
LFC4DTMN	Derived type of working hours - main job	149
LFC4FGAP	Jobless spell (gap) greater than 6 days	142
LFC4FMN	Job number of main job	134
LFC4FWK	Work flag used for processing only	144
LFC4G17B	Reasons for not currently working - grouped	140
LFC4GI13	Industry Codes for main job - 13 groups - grouped	139

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 35

Topical Index

June, 1998

Variable Name	Description	Page
LFC4GO21	Occupation Codes for main job - 21 groups - grouped	138
LFC4GO34	Occupation Codes for main job - 34 groups - grouped	137
LFC6_101	Usually works weekends - job 1	599
LFC6_102	Usually works weekends - job 2	605
LFC6_103	Usually works weekends - job 3	611
LFC6_111	Worked - other than job 1	600
LFC6_112	Worked - other than job 1 and job 2	606
LFC6_13C	Long answer collected - main job industry	612
LFC6_14C	Long answer collected - main job kind of work	613
LFC6_15C	Long answer collected - main job duties	613
LFC6_16	Worked for others or in own business - main job	614
LFC6_17A	Reason for not working - most recent period	615
LFC6_17B	Reason for not working - currently	616
LFC6_2	Worked for pay or profit	592
LFC6_2B	Worked for same employer as in last interview	593
LFC6_41	Had job one year ago without break - job 1	594
LFC6_42	Had job one year ago without break - job 2	600
LFC6_43	Had job one year ago without break - job 3	606
LFC6_51D	Day started - job 1	595
LFC6_51M	Month started - job 1	595
LFC6_51Y	Year started - job 1	596
LFC6_52D	Day started - job 2	601
LFC6_52M	Month started - job 2	601
LFC6_52Y	Year started - job 2	602
LFC6_53D	Day started - job 3	607
LFC6_53M	Month started - job 3	607
LFC6_53Y	Year started - job 3	608
LFC6_61	Has job now - job 1	596
LFC6_62	Has job now - job 2	602
LFC6_63	Has job now - job 3	608
LFC6_71D	Day stopped - job 1	597
LFC6_71M	Month stopped - job 1	597
LFC6_71Y	Year stopped - job 1	598
LFC6_72D	Day stopped - job 2	603
LFC6_72M	Month stopped - job 2	603
LFC6_72Y	Year stopped - job 2	604

Topical Index

June, 1998

Variable Name	Description	Page
LFC6_73D	Day stopped - job 3	609
LFC6_73M	Month stopped - job 3	609
LFC6_73Y	Year stopped - job 3	610
LFC6_81	Hours usually worked per week - job 1	598
LFC6_82	Hours usually worked per week - job 2	604
LFC6_83	Hours usually worked per week - job 3	610
LFC6_91	Type of working hours - job 1	599
LFC6_92	Type of working hours - job 2	605
LFC6_93	Type of working hours - job 3	611
LFC6_E1C	Long answer collected - employer - job 1	593
LFC6_E2C	Long answer collected - employer - job 2	600
LFC6_E3C	Long answer collected - employer - job 3	606
LFC6CSIC	Standard Industrial Codes for main job	621
LFC6CSOC	Standard Occupation Codes for main job	618
LFC6DBLI	Derived Blishen socio-economic index for main job	622
LFC6DCMN	Derived main job is the current job	626
LFC6DCWS	Derived working status in last 12 months	623
LFC6DD1	Derived work duration - job 1	628
LFC6DD2	Derived work duration - job 2	629
LFC6DD3	Derived work duration - job 3	630
LFC6DDA	Derived duration of work without a break > 30 days	623
LFC6DDMN	Derived work duration - main job	626
LFC6DGA	Derived number of gaps of 30 days or more	625
LFC6DH1	Derived hours of work - job 1	630
LFC6DH2	Derived hours of work - job 2	631
LFC6DH3	Derived hours of work - job 3	631
LFC6DHA	Derived pattern of working hours of all jobs reported	624
LFC6DHMN	Derived hours of work - main job	627
LFC6DHW1	Derived household labour force status - current	633
LFC6DHW2	Derived household labour force status - during year	634
LFC6DJA	Derived number of jobs	624
LFC6DJGA	Derived pattern of number of jobs	625
LFC6DPIN	Derived Pineo socio-econ. class. for main occupation	622
LFC6DT1	Derived type of working hours - job 1	632
LFC6DT2	Derived type of working hours - job 2	632
LFC6DT3	Derived type of working hours - job 3	633

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 37

Topical Index

June, 1998

Variable Name	Description	Page
LFC6DTMN	Derived type of working hours - main job	627
LFC6FGAP	Jobless spell (gap) greater than 6 days	617
LFC6FMN	Job number of main job	612
LFC6FWK	Work flag used for processing only	617
LFC6GI13	Industry Codes for main job - 13 groups - grouped	621
LFC6GO21	Occupation Codes for main job - 21 groups - grouped	620
LFC6GO34	Occupation Codes for main job - 34 groups - grouped	619
LFC6LEMP	Change in employment between 1994 and 1996	634
MH : Mental health		
MHC4_10	Depressed - frequency of trouble falling asleep	361
MHC4_11	Depressed - trouble concentrating	362
MHC4_12	Depressed - felt down on self	362
MHC4_13	Depressed - thought a lot about death	363
MHC4_14	Depressed - number of weeks in past 12 months	363
MHC4_15	Month in which depression occurred	364
MHC4_16	Lost interest in most things that usually give pleasure	364
MHC4_17	Loss of interest - duration	365
MHC4_18	Loss of interest - frequency	365
MHC4_19	Loss of interest - felt tired all the time	366
MHC4_1A	Number of times - felt nothing could cheer you up	351
MHC4_1B	Number of times - felt nervous	351
MHC4_1C	Number of times - felt restless / fidgety	352
MHC4_1D	Number of times - felt hopeless	352
MHC4_1E	Number of times - felt worthless	353
MHC4_1F	Number of times - felt everything was an effort	353
MHC4_1G	Feelings occurred more or less often than usual	354
MHC4_1H	Feelings occurred how much more often	354
MHC4_1I	Feelings occurred how much less often	355
MHC4_1J	How much these experiences interfere with life / activities	355
MHC4_1K	Consulted health professional about mental health	356
MHC4_1L	No. of times consulted health professional for mental health	356
MHC4_2	Felt depressed for 2 weeks or more in past year	357
MHC4_20	Loss of interest - any weight change	366
MHC4_21K	Loss of interest - weight change (kg)	367
MHC4_21L	Loss of interest - weight change (lb)	367

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 38

Topical Index

June, 1998

Variable Name	Description	Page
MHC4_22	Loss of interest - trouble falling asleep	367
MHC4_23	Loss of interest - frequency of sleep problem	368
MHC4_24	Loss of interest - trouble concentrating	368
MHC4_25	Loss of interest - felt down on self	369
MHC4_26	Loss of interest - thought a lot about death	369
MHC4_27	Number of weeks feeling loss of interest	370
MHC4_28	Month in which loss of interest occurred	370
MHC4_3	Depressed - length of time feelings usually last	357
MHC4_4	Depressed - number of times felt this way	358
MHC4_5	Depressed - lost interest in most things	358
MHC4_6	Depressed - felt tired all of the time	359
MHC4_7	Depressed - any weight change	359
MHC4_8KG	Depressed - weight change (kg)	360
MHC4_8LB	Depressed - weight change (lb)	360
MHC4_9	Depressed - trouble falling asleep	361
MHC4DCH	Derived Chronicity of Distress and Impairment Scale	371
MHC4DDS	Derived Distress Scale	371
MHC4DMT	Derived specific month when felt depressed	373
MHC4DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	372
MHC4DSF	Derived Depression Scale - Short Form Score	372
MHC4DWK	Derived number of weeks felt depressed	372
MHC6_10	Depressed - frequency of trouble falling asleep	1013
MHC6_11	Depressed - trouble concentrating	1014
MHC6_12	Depressed - felt down on self	1014
MHC6_13	Depressed - thought a lot about death	1015
MHC6_14	Depressed - number of weeks in past 12 months	1015
MHC6_15	Month in which depression occurred	1016
MHC6_16	Lost interest in most things that usually give pleasure	1016
MHC6_17	Loss of interest - duration	1017
MHC6_18	Loss of interest - frequency	1017
MHC6_19	Loss of interest - felt tired all the time	1018
MHC6_1A	Number of times - felt nothing could cheer you up	1000
MHC6_1B	Number of times - felt nervous	1000
MHC6_1C	Number of times - felt restless / fidgety	1001
MHC6_1D	Number of times - felt hopeless	1001
MHC6_1E	Number of times - felt worthless	1002

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 39

Topical Index

June, 1998

Variable Name	Description	Page
MHC6_1F	Number of times - felt everything was an effort	1002
MHC6_1G	Feelings occurred more or less often than usual	1003
MHC6_1H	Feelings occurred how much more often	1003
MHC6_1I	Feelings occurred how much less often	1004
MHC6_1J	How much these experiences interfere with life / activities	1004
MHC6_1K	Consulted health professional about mental health	1005
MHC6_1L	No. of times consulted health professional for mental health	1005
MHC6_1MA	Mental health, consulted - family doctor	1006
MHC6_1MB	Mental health, consulted - psychiatrist	1006
MHC6_1MC	Mental health, consulted - psychologist	1007
MHC6_1MD	Mental health, consulted - nurse	1007
MHC6_1ME	Mental health, consulted - social worker or counselor	1008
MHC6_1MF	Mental health, consulted - other person	1008
MHC6_2	Felt depressed for 2 weeks or more in past year	1009
MHC6_20	Loss of interest - weight change	1018
MHC6_21K	Loss of interest - weight change (kg.)	1019
MHC6_21L	Loss of interest - weight change (lb.)	1019
MHC6_22	Loss of interest - trouble falling asleep	1020
MHC6_23	Loss of interest - frequency of sleep problem	1020
MHC6_24	Loss of interest - trouble concentrating	1021
MHC6_25	Loss of interest - felt down on self	1021
MHC6_26	Loss of interest - thought a lot about death	1022
MHC6_27	Number of weeks feeling loss of interest	1022
MHC6_28	Month in which loss of interest occurred	1023
MHC6_3	Depressed - length of time feelings usually last	1009
MHC6_4	Depressed - number of times felt this way	1010
MHC6_5	Depressed - lost interest in most things	1010
MHC6_6	Depressed - felt tired all of the time	1011
MHC6_7	Depressed - weight change	1011
MHC6_8KG	Depressed - weight change (kg.)	1012
MHC6_8LB	Depressed - weight change (lb.)	1012
MHC6_9	Depressed - trouble falling asleep	1013
MHC6DCH	Derived Chronicity of Distress and Impairment Scale	1024
MHC6DDS	Derived Distress Scale	1023
MHC6DMT	Derived specific month when felt depressed	1026
MHC6DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	1025

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 40

Topical Index

June, 1998

Variable Name	Description	Page
MHC6DSF	Derived Depression Scale - Short Form Score	1024
MHC6DWK	Derived number of weeks felt depressed	1025
PA : Physical activity		
PAC4_1A	Walked for exercise in last 3 months	194
PAC4_1B	Gardening / yard work in last 3 months	195
PAC4_1C	Swam in last 3 months	195
PAC4_1D	Bicycled in last 3 months	196
PAC4_1E	Popular or social dance in last 3 months	196
PAC4_1F	Home exercises in last 3 months	197
PAC4_1G	Played ice hockey in last 3 months	197
PAC4_1H	Ice skated in last 3 months	198
PAC4_1I	Downhill skied in last 3 months	198
PAC4_1J	Jogged or ran in last 3 months	199
PAC4_1K	Golfed in last 3 months	199
PAC4_1L	Had exercise class or did aerobics in last 3 months	200
PAC4_1M	Cross-country skied in last 3 months	200
PAC4_1N	Bowled in last 3 months	201
PAC4_1O	Played baseball or softball in last 3 months	201
PAC4_1P	Played tennis in last 3 months	202
PAC4_1Q	Weight-trained in last 3 months	202
PAC4_1R	Fished in last 3 months	203
PAC4_1S	Played volleyball in last 3 months	203
PAC4_1U	Did other physical activity in last 3 months - (#1)	204
PAC4_1V	Did no physical activity in last 3 months	205
PAC4_1W	Did other physical activity in last 3 months - (#2)	206
PAC4_1X	Did other physical activity in last 3 months - (#3)	206
PAC4_1Z	Did yoga or tai-chi in last 3 months	204
PAC4_2A	Number of times participated - walking for exercise	207
PAC4_2B	Number of times participated - gardening or yard work	208
PAC4_2C	Number of times participated - swimming	209
PAC4_2D	Number of times participated - bicycling	210
PAC4_2E	Number of times participated - popular or social dance	211
PAC4_2F	Number of times participated - home exercises	212
PAC4_2G	Number of times participated - ice hockey	213
PAC4_2H	Number of times participated - ice skating	214

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 41

Topical Index

June, 1998

Variable Name	Description	Page
PAC4_2I	Number of times participated - downhill skiing	215
PAC4_2J	Number of times participated - jogging or running	216
PAC4_2K	Number of times participated - golfing	217
PAC4_2L	Number of times participated - exercise class or aerobics	218
PAC4_2M	Number of times participated - cross-country skiing	219
PAC4_2N	Number of times participated - bowling	220
PAC4_2O	Number of times participated - baseball or softball	221
PAC4_2P	Number of times participated - tennis	222
PAC4_2Q	Number of times participated - weight training	223
PAC4_2R	Number of times participated - fishing	224
PAC4_2S	Number of times participated - volleyball	225
PAC4_2U	Number of times participated - other physical activity (#1)	227
PAC4_2W	Number of times participated - other physical activity (#2)	228
PAC4_2X	Number of times participated - other physical activity (#3)	229
PAC4_2Z	Number of times participated - yoga or tai-chi	226
PAC4_3A	Time spent - walking for exercise	208
PAC4_3B	Time spent - gardening or yard work	209
PAC4_3C	Time spent - swimming	210
PAC4_3D	Time spent - bicycling	211
PAC4_3E	Time spent - popular or social dance	212
PAC4_3F	Time spent - home exercises	213
PAC4_3G	Time spent - ice hockey	214
PAC4_3H	Time spent - ice skating	215
PAC4_3I	Time spent - downhill skiing	216
PAC4_3J	Time spent - jogging or running	217
PAC4_3K	Time spent - golfing	218
PAC4_3L	Time spent - exercise class or aerobics	219
PAC4_3M	Time spent - cross-country skiing	220
PAC4_3N	Time spent - bowling	221
PAC4_3O	Time spent - baseball or softball	222
PAC4_3P	Time spent - tennis	223
PAC4_3Q	Time spent - weight training	224
PAC4_3R	Time spent - fishing	225
PAC4_3S	Time spent - volleyball	226
PAC4_3U	Time spent - other physical activity (#1)	228
PAC4_3W	Time spent - other physical activity (#2)	229

Topical Index

June, 1998

Variable Name	Description	Page
PAC4_3X	Time spent - other physical activity (#3)	230
PAC4_3Z	Time spent - yoga or tai-chi	227
PAC4_4A	Number of hours walking to work / school	230
PAC4_4B	Number of hours biking to work / school	231
PAC4_5	Frequency of bike helmet use	231
PAC4_6	Level of physical activity for usual day	232
PAC4_C1C	Long answer collected - other physical activity (#1)	205
PAC4_C2C	Long answer collected - other physical activity (#2)	206
PAC4_C3C	Long answer collected - other physical activity (#3)	207
PAC4DEE	Derived energy expenditure (1 decimal point)	232
PAC4DFD	Derived participation / daily phys. activities > 15 min.	234
PAC4DFM	Derived monthly freq. of physical activity lasting > 15 min.	233
PAC4DFR	Derived frequency of all physical activity	233
PAC4DLEI	Derived participation in leisure physical activity	233
PAC4DPAI	Derived physical activity index	234
PAC6_1A	Walked for exercise in last 3 months	836
PAC6_1B	Gardening / yard work in last 3 months	836
PAC6_1C	Swam in last 3 months	837
PAC6_1D	Bicycled in last 3 months	837
PAC6_1E	Popular or social dance in last 3 months	838
PAC6_1F	Home exercises in last 3 months	838
PAC6_1G	Played ice hockey in last 3 months	839
PAC6_1H	Ice skated in last 3 months	839
PAC6_1I	Downhill skied in last 3 months	840
PAC6_1J	Jogged or ran in last 3 months	840
PAC6_1K	Golfed in last 3 months	841
PAC6_1L	Had exercise class or did aerobics in last 3 months	841
PAC6_1M	Cross-country skied in last 3 months	842
PAC6_1N	Bowled in last 3 months	842
PAC6_1O	Played baseball or softball in last 3 months	843
PAC6_1P	Played tennis in last 3 months	843
PAC6_1Q	Weight-trained in last 3 months	844
PAC6_1R	Fished in last 3 months	844
PAC6_1S	Played volleyball in last 3 months	845
PAC6_1T	Played basketball in last 3 months	845
PAC6_1U	Did other physical activity in last 3 months - (#1)	846

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 43

Topical Index

June, 1998

Variable Name	Description	Page
PAC6_1V	Did no physical activity in last 3 months	846
PAC6_1W	Did other physical activity in last 3 months - (#2)	847
PAC6_1X	Did other physical activity in last 3 months - (#3)	848
PAC6_2A	Number of times participated - walking for exercise	848
PAC6_2B	Number of times participated - gardening or yard work	849
PAC6_2C	Number of times participated - swimming	850
PAC6_2D	Number of times participated - bicycling	851
PAC6_2E	Number of times participated - popular or social dance	852
PAC6_2F	Number of times participated - home exercises	853
PAC6_2G	Number of times participated - ice hockey	854
PAC6_2H	Number of times participated - ice skating	855
PAC6_2I	Number of times participated - downhill skiing	856
PAC6_2J	Number of times participated - jogging or running	857
PAC6_2K	Number of times participated - golfing	858
PAC6_2L	Number of times participated - exercise class or aerobics	859
PAC6_2M	Number of times participated - cross-country skiing	860
PAC6_2N	Number of times participated - bowling	861
PAC6_2O	Number of times participated - baseball or softball	862
PAC6_2P	Number of times participated - tennis	863
PAC6_2Q	Number of times participated - weight training	864
PAC6_2R	Number of times participated - fishing	865
PAC6_2S	Number of times participated - volleyball	866
PAC6_2T	Number of times participated - basketball	867
PAC6_2U	Number of times participated - other physical activity (#1)	868
PAC6_2W	Number of times participated - other physical activity (#2)	869
PAC6_2X	Number of times participated - other physical activity (#3)	870
PAC6_3A	Time spent - walking for exercise	849
PAC6_3B	Time spent - gardening or yard work	850
PAC6_3C	Time spent - swimming	851
PAC6_3D	Time spent - bicycling	852
PAC6_3E	Time spent - popular or social dance	853
PAC6_3F	Time spent - home exercises	854
PAC6_3G	Time spent - ice hockey	855
PAC6_3H	Time spent - ice skating	856
PAC6_3I	Time spent - downhill skiing	857
PAC6_3J	Time spent - jogging or running	858

Topical Index

June, 1998

Variable Name	Description	Page
PAC6_3K	Time spent - golfing	859
PAC6_3L	Time spent - exercise class or aerobics	860
PAC6_3M	Time spent - cross-country skiing	861
PAC6_3N	Time spent - bowling	862
PAC6_3O	Time spent - baseball or softball	863
PAC6_3P	Time spent - tennis	864
PAC6_3Q	Time spent - weight training	865
PAC6_3R	Time spent - fishing	866
PAC6_3S	Time spent - volleyball	867
PAC6_3T	Time spent - basketball	868
PAC6_3U	Time spent - other physical activity (#1)	869
PAC6_3W	Time spent - other physical activity (#2)	870
PAC6_3X	Time spent - other physical activity (#3)	871
PAC6_4A	Number of hours walking to work / school	871
PAC6_4B	Number of hours biking to work / school	872
PAC6_5	Frequency of bike helmet use	872
PAC6_6	Level of physical activity for usual day	873
PAC6_C1C	Long answer collected - other physical activity (#1)	847
PAC6_C2C	Long answer collected - other physical activity (#2)	847
PAC6_C3C	Long answer collected - other physical activity (#3)	848
PAC6DEE	Derived energy expenditure (1 decimal point)	873
PAC6DFD	Derived participation / daily phys. activities > 15 min.	875
PAC6DFM	Derived monthly freq. of physical activity lasting > 15 min.	874
PAC6DFR	Derived frequency of all physical activity	874
PAC6DLEI	Derived participant in leisure physical activity	874
PAC6DPAI	Derived physical activity index	875

PC : Physical check-up

PC_6_40	Had physical check-up without having a health problem	732
PC_6_41	Had physical check-up during visit for health problem	733
PC_6_42	Last time had physical check up	733
PC_6_42A	Frequency of physical check-ups	734
PC_6_43A	Gets physical check-up - family history of health problems	734
PC_6_43B	Gets physical check-up - testing	735
PC_6_43C	Gets physical check-up - required for job, etc.	735
PC_6_43D	Gets physical check-up - make sure everything is OK	736

Topical Index

June, 1998

Variable Name	Description	Page
PC_6_43E	Gets physical check-up - catch problems early	736
PC_6_43F	Gets physical check-up - for prevention	737
PC_6_43G	Gets physical check-up - for health reasons	737
PC_6_43H	Gets physical check-up - other reason	738
PC_6_44	Had problems obtaining physical check-up	738
PC_6_45A	Prob. getting phys. check-up - not available when required	739
PC_6_45B	Prob. getting phys. check-up - not available in area	739
PC_6_45C	Prob. getting phys. check-up - waiting time too long	739
PC_6_45D	Prob. getting phys. check-up - transportation	740
PC_6_45E	Prob. getting phys. check-up - language	740
PC_6_45F	Prob. getting phys. check-up - cost	740
PC_6_45G	Prob. getting phys. check-up - did not know where to go	741
PC_6_45H	Prob. getting phys. check-up - other	741
PC_6_46A	No physical check-up - have not gotten around to it	742
PC_6_46B	No physical check-up - resp. didn't think it was neces.	742
PC_6_46C	No physical check-up - doctor didn't think it was neces.	743
PC_6_46D	No physical check-up - personal or family respons.	743
PC_6_46E	No physical check-up - not available / time required	744
PC_6_46F	No physical check-up - not available at all in area	744
PC_6_46G	No physical check-up - waiting time too long	745
PC_6_46H	No physical check-up - transportation problems	745
PC_6_46I	No physical check-up - language problem	746
PC_6_46J	No physical check-up - cost	746
PC_6_46K	No physical check-up - did not know where to go	747
PC_6_46L	No physical check-up - fear	747
PC_6_46M	No physical check-up - other reason	748
PR : Province		
PRC4_CUR	Province of residence	4
PRC6_CUR	Province of residence	416
PRC6_DES	Design province	415
PY : Psychological resources		
PY_4_E1A	Self-esteem - good	277
PY_4_E1B	Self-esteem - worthy	277
PY_4_E1C	Self-esteem - able	278

Topical Index

June, 1998

Variable Name	Description	Page
PY_4_E1D	Self-esteem - positive	278
PY_4_E1E	Self-esteem - satisfied	279
PY_4_E1F	Self-esteem - failure	279
PY_4_H1	Coherence - don't care about surroundings	284
PY_4_H10	Coherence - can't keep feelings under control	293
PY_4_H11	Coherence - clear goals and purpose	294
PY_4_H12	Coherence - keep things in proportion	295
PY_4_H13	Coherence - bored or satisfied with everyday activities	296
PY_4_H2	Coherence - surprised by other's behaviour	285
PY_4_H3	Coherence - disappointed on people he counted on	286
PY_4_H4	Coherence - treated unfairly	287
PY_4_H5	Coherence - in unfamiliar situations	288
PY_4_H6	Coherence - mixed-up feelings	289
PY_4_H7	Coherence - uncomfortable feelings	290
PY_4_H8	Coherence - loser	291
PY_4_H9	Coherence - little meaning in life	292
PY_4_M1A	Mastery - lack of control	280
PY_4_M1B	Mastery - can't solve problems	281
PY_4_M1C	Mastery - can't change things	281
PY_4_M1D	Mastery - helpless	282
PY_4_M1E	Mastery - pushed around	282
PY_4_M1F	Mastery - fate depends upon self	283
PY_4_M1G	Mastery - can do anything	283
PY_4DE1	Derived self-esteem scale	280
PY_4DH1	Derived sense of coherence scale	296
PY_4DM1	Derived mastery scale	284

RA : Restriction of activity

RAC4_1A	Limited in kind or amount of activities - at home	60
RAC4_1B	Limited in kind or amount of activities - at school	60
RAC4_1C	Limited in kind or amount of activities - at work	61
RAC4_1D	Limited in kind or amount of activities - other	61
RAC4_2	Has long-term disabilities or handicaps	62
RAC4_3C	Long answer collected - problem causing limitation	62
RAC4_5	Cause of condition	66
RAC4_6A	Needs help - preparing meals	66

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 47

Topical Index

June, 1998

Variable Name	Description	Page
RAC4_6B	Needs help - shopping for groceries or other necessities	67
RAC4_6C	Needs help - housework	67
RAC4_6D	Needs help - heavy household chores	68
RAC4_6E	Needs help - personal care	68
RAC4_6F	Needs help - moving about in the house	69
RAC4_6G	Needs help - no tasks	69
RAC4CIC	ICD-9 code for main health problem causing limitations	63
RAC4F1	Restriction of activity flag	63
RAC4GC12	Derived main health problem - 12 groups - grouped	65
RAC4GC25	Derived main health problem - 25 groups - grouped	64
RAC6_1A	Limited in kind or amount of activities - at home	494
RAC6_1B	Limited in kind or amount of activities - at school	494
RAC6_1C	Limited in kind or amount of activities - at work	495
RAC6_1D	Limited in kind or amount of activities - other	495
RAC6_2	Has long-term disabilities or handicaps	496
RAC6_2A	New activity restriction or worsening of old one	496
RAC6_2B	Disappearance or improvement of activity restriction	497
RAC6_3C	Long answer collected - problem causing limitation	497
RAC6_5	Cause of condition	501
RAC6_6A	Needs help - preparing meals	501
RAC6_6B	Needs help - shopping for groceries or other necessities	502
RAC6_6C	Needs help - housework	502
RAC6_6D	Needs help - heavy household chores	503
RAC6_6E	Needs help - personal care	503
RAC6_6F	Needs help - moving about in the house	504
RAC6CIC	ICD-9 code for main health problem causing limitations	498
RAC6D6G	Derived need for help in series of tasks	504
RAC6F1	Restriction of activity flag	498
RAC6GC12	Derived main health problem - 12 groups - grouped	500
RAC6GC25	Derived main health problem - 25 groups - grouped	499

RP : Repetitive strain

RPC6_1	Had repetitive strain injuries	881
RPC6_2	Number of repetitive strain injuries	881
RPC6_3	Body part affected by repetitive strain injury	882
RPC6_4A	Injury caused by activity at home	882

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 48

Topical Index

June, 1998

Variable Name	Description	Page
RPC6_4B	Injury caused by activity at school	883
RPC6_4C	Injury caused by leisure activities	883
RPC6_4D	Injury caused by other activity	884
RS : Road safety		
RSS6_1	Been passenger with driver who had too much to drink	1076
RSS6_10	Frequency - designated driver	1084
RSS6_2	Driver intoxicated - tried to prevent person from driving	1077
RSS6_3A	Driver intoxicated - drove person home yourself	1077
RSS6_3B	Driver intoxicated - asked someone to drive person home	1078
RSS6_3C	Driver intoxicated - asked person to take a taxi	1078
RSS6_3D	Driver intoxicated - hid person's car keys	1079
RSS6_3E	Driver intoxicated - served coffee to person	1079
RSS6_3F	Driver intoxicated - kept the person at home	1080
RSS6_3G	Driver intoxicated - other action to prevent driving	1080
RSS6_4	Has valid driver's license for a motor vehicle	1081
RSS6_5	Frequency - insisting that passengers wear their seatbelt	1081
RSS6_6	Frequency - obey speed limits	1082
RSS6_7	Number of times drank too much and drove	1082
RSS6_8	Go out with friends / family to consume alcohol	1083
RSS6_9	Have designated driver when going out	1083
RT : Rationality		
RTP4_1	Rationality - try to be reasonable and logical	385
RTP4_10	Rationality - when you don't like person	390
RTP4_11	Rationality - prevents verb. attacking / criticize others	390
RTP4_12A	Overcome fear of dentist - quiz dentist	391
RTP4_12B	Overcome fear of dentist - take a tranquilizer or drink	391
RTP4_12C	Overcome fear of dentist - try to think about other things	392
RTP4_12D	Overcome fear of dentist - be told when will feel pain	392
RTP4_12E	Overcome fear of dentist - try to sleep	393
RTP4_12F	Overcome fear of dentist - watch dentist's movements	393
RTP4_12G	Overcome fear of dentist - watch for blood	394
RTP4_12H	Overcome fear of dentist - do mental puzzles	394
RTP4_12I	Overcome fear of dentist - do other activity	395
RTP4_13A	Layoffs rumoured - find out evaluation by supervisor	395

Topical Index

June, 1998

Variable Name	Description	Page
RTP4_13B	Layoffs rumoured - review accomplishments	396
RTP4_13C	Layoffs rumoured - watch TV	396
RTP4_13D	Layoffs rumoured - remember disagreements with supervisor	397
RTP4_13E	Layoffs rumoured - try not to think about it	397
RTP4_13F	Layoffs rumoured - try not to discuss it	398
RTP4_13G	Layoffs rumoured - try to rank other employees	398
RTP4_13H	Layoffs rumoured - continue working	399
RTP4_13I	Layoffs rumoured - do other activity	399
RTP4_2	Rationality - try to understand people	386
RTP4_3	Rationality - try to act rationally	386
RTP4_4	Rationality - try to resolve conflicts without emotion	387
RTP4_5	Rationality - try to treat people rationally despite hurt	387
RTP4_6	Rationality - rely on logic	388
RTP4_7	Rationality - when someone acts against your wishes	388
RTP4_8	Rationality - rarely influenced by emotions	389
RTP4_9	Rationality - very influenced by emotions	389

SD : Socio-demographics

SDC4_1	Country of birth	85
SDC4_3	Year came to Canada	86
SDC4_4A	Ethnic origin - Canadian	88
SDC4_4B	Ethnic origin - French	88
SDC4_4C	Ethnic origin - English	89
SDC4_4D	Ethnic origin - German	89
SDC4_4E	Ethnic origin - Scottish	90
SDC4_4F	Ethnic origin - Irish	90
SDC4_4G	Ethnic origin - Italian	91
SDC4_4H	Ethnic origin - Ukrainian	91
SDC4_4I	Ethnic origin - Dutch (Netherlands)	92
SDC4_4J	Ethnic origin - Chinese	92
SDC4_4K	Ethnic origin - Jewish	93
SDC4_4L	Ethnic origin - Polish	93
SDC4_4M	Ethnic origin - Portuguese	94
SDC4_4N	Ethnic origin - South Asian	94
SDC4_4O	Ethnic origin - Black	95
SDC4_4P	Ethnic origin - North American Indian	95

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 50

Topical Index

June, 1998

Variable Name	Description	Page
SDC4_4Q	Ethnic origin - Métis	96
SDC4_4R	Ethnic origin - Inuit / Eskimo	96
SDC4_4S	Ethnic origin - other	97
SDC4_5A	Can conduct a conversation - English	97
SDC4_5B	Can conduct a conversation - French	98
SDC4_5C	Can conduct a conversation - Arabic	98
SDC4_5D	Can conduct a conversation - Chinese	98
SDC4_5E	Can conduct a conversation - Cree	99
SDC4_5F	Can conduct a conversation - German	99
SDC4_5G	Can conduct a conversation - Greek	99
SDC4_5H	Can conduct a conversation - Hungarian	100
SDC4_5I	Can conduct a conversation - Italian	100
SDC4_5J	Can conduct a conversation - Korean	100
SDC4_5K	Can conduct a conversation - Persian	101
SDC4_5L	Can conduct a conversation - Polish	101
SDC4_5M	Can conduct a conversation - Portuguese	101
SDC4_5N	Can conduct a conversation - Punjabi	102
SDC4_5O	Can conduct a conversation - Spanish	102
SDC4_5P	Can conduct a conversation - Tagalog	102
SDC4_5Q	Can conduct a conversation - Ukrainian	103
SDC4_5R	Can conduct a conversation - Vietnamese	103
SDC4_5S	Can conduct a conversation - other language	103
SDC4_6A	First language learned and still understood - English	104
SDC4_6B	First language learned and still understood - French	105
SDC4_6C	First language learned and still understood - Arabic	105
SDC4_6D	First language learned and still understood - Chinese	105
SDC4_6E	First language learned and still understood - Cree	106
SDC4_6F	First language learned and still understood - German	106
SDC4_6G	First language learned and still understood - Greek	106
SDC4_6H	First language learned and still understood - Hungarian	107
SDC4_6I	First language learned and still understood - Italian	107
SDC4_6J	First language learned and still understood - Korean	107
SDC4_6K	First language learned and still understood - Persian	108
SDC4_6L	First language learned and still understood - Polish	108
SDC4_6M	First language learned and still understood - Portuguese	108
SDC4_6N	First language learned and still understood - Punjabi	109

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 51

Topical Index

June, 1998

Variable Name	Description	Page
SDC4_6O	First language learned and still understood - Spanish	109
SDC4_6P	First language learned and still understood - Tagalog	110
SDC4_6Q	First language learned and still understood - Ukrainian	110
SDC4_6R	First language learned and still understood - Vietnamese	111
SDC4_6S	First language learned and still understood - other	111
SDC4_7A	Race or colour - White	112
SDC4_7B	Race or colour - Chinese	112
SDC4_7C	Race or colour - South Asian	113
SDC4_7D	Race or colour - Black	113
SDC4_7E	Race or colour - Native / Aboriginal peoples of N. America	114
SDC4_7F	Race or colour - Arab / West Asian	114
SDC4_7G	Race or colour - Filipino	115
SDC4_7H	Race or colour - South East Asian	115
SDC4_7J	Race or colour - Japanese	116
SDC4_7K	Race or colour - Korean	116
SDC4_7L	Race or colour - other	117
SDC4DAIM	Derived age at time of immigration	87
SDC4DLNG	Derived language resp. can conduct conversation in	104
SDC4DRAC	Derived race or colour	117
SDC4DRES	Derived length of time in Canada since immigration	87
SDC4FIMM	Flag indicating that the respondent is an immigrant	87
SDC4GCB7	Country of birth - 7 groups - grouped	86
SDC6_1	Country of birth	550
SDC6_3	Year came to Canada	551
SDC6_4A	Ethnic origin - Canadian	553
SDC6_4B	Ethnic origin - French	553
SDC6_4C	Ethnic origin - English	554
SDC6_4D	Ethnic origin - German	554
SDC6_4E	Ethnic origin - Scottish	555
SDC6_4F	Ethnic origin - Irish	555
SDC6_4G	Ethnic origin - Italian	556
SDC6_4H	Ethnic origin - Ukrainian	556
SDC6_4I	Ethnic origin - Dutch (Netherlands)	557
SDC6_4J	Ethnic origin - Chinese	557
SDC6_4K	Ethnic origin - Jewish	558
SDC6_4L	Ethnic origin - Polish	558

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 52

Topical Index

June, 1998

Variable Name	Description	Page
SDC6_4M	Ethnic origin - Portuguese	559
SDC6_4N	Ethnic origin - South Asian	559
SDC6_4O	Ethnic origin - Black	560
SDC6_4P	Ethnic origin - North American Indian	560
SDC6_4Q	Ethnic origin - Métis	561
SDC6_4R	Ethnic origin - Inuit / Eskimo	561
SDC6_4S	Ethnic origin - other	562
SDC6_5A	Can conduct a conversation - English	562
SDC6_5B	Can conduct a conversation - French	563
SDC6_5C	Can conduct a conversation - Arabic	563
SDC6_5D	Can conduct a conversation - Chinese	564
SDC6_5E	Can conduct a conversation - Cree	564
SDC6_5F	Can conduct a conversation - German	565
SDC6_5G	Can conduct a conversation - Greek	565
SDC6_5H	Can conduct a conversation - Hungarian	566
SDC6_5I	Can conduct a conversation - Italian	566
SDC6_5J	Can conduct a conversation - Korean	567
SDC6_5K	Can conduct a conversation - Persian	567
SDC6_5L	Can conduct a conversation - Polish	568
SDC6_5M	Can conduct a conversation - Portuguese	568
SDC6_5N	Can conduct a conversation - Punjabi	569
SDC6_5O	Can conduct a conversation - Spanish	569
SDC6_5P	Can conduct a conversation - Tagalog	570
SDC6_5Q	Can conduct a conversation - Ukrainian	570
SDC6_5R	Can conduct a conversation - Vietnamese	571
SDC6_5S	Can conduct a conversation - other language	571
SDC6_6A	First language learned and still understood - English	572
SDC6_6B	First language learned and still understood - French	573
SDC6_6C	First language learned and still understood - Arabic	573
SDC6_6D	First language learned and still understood - Chinese	573
SDC6_6E	First language learned and still understood - Cree	574
SDC6_6F	First language learned and still understood - German	574
SDC6_6G	First language learned and still understood - Greek	574
SDC6_6H	First language learned and still understood - Hungarian	575
SDC6_6I	First language learned and still understood - Italian	575
SDC6_6J	First language learned and still understood - Korean	575

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 53

Topical Index

June, 1998

Variable Name	Description	Page
SDC6_6K	First language learned and still understood - Persian	576
SDC6_6L	First language learned and still understood - Polish	576
SDC6_6M	First language learned and still understood - Portuguese	576
SDC6_6N	First language learned and still understood - Punjabi	577
SDC6_6O	First language learned and still understood - Spanish	577
SDC6_6P	First language learned and still understood - Tagalog	578
SDC6_6Q	First language learned and still understood - Ukrainian	578
SDC6_6R	First language learned and still understood - Vietnamese	579
SDC6_6S	First language learned and still understood - other	579
SDC6_7A	Race or colour - White	580
SDC6_7B	Race or colour - Chinese	580
SDC6_7C	Race or colour - South Asian	581
SDC6_7D	Race or colour - Black	581
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	582
SDC6_7F	Race or colour - Arab / West Asian	582
SDC6_7G	Race or colour - Filipino	583
SDC6_7H	Race or colour - South East Asian	583
SDC6_7I	Race or colour - Latin American	584
SDC6_7J	Race or colour - Japanese	584
SDC6_7K	Race or colour - Korean	585
SDC6_7L	Race or colour - other	585
SDC6CB	Code of country of birth	550
SDC6DAIM	Derived age at time of immigration	552
SDC6DLNG	Derived language resp. can conduct conversation in	572
SDC6DRAC	Derived race or colour	586
SDC6DRES	Derived length of time in Canada since immigration	552
SDC6FIMM	Flag indicating that the respondent is an immigrant	552
SDC6GCB	Country of birth - grouped	551

SH : Sexual health

SHP6_1	Effective in preventing STD - using condom	1063
SHP6_10	Chance of getting an STD	1072
SHP6_11	To prevent STD - changed sexual behaviour	1073
SHP6_12	To prevent STD - sex with only 1 partner	1073
SHP6_13	To prevent STD - using condoms	1074
SHP6_14	To prevent STD - using spermicidal jellies and foams	1074

Topical Index

June, 1998

Variable Name	Description	Page
SHP6_15	To prevent STD - more careful in selecting partners	1074
SHP6_16	To prevent STD - started being tested for STD	1075
SHP6_17	To prevent STD - insisting that partner be tested for STD	1075
SHP6_18	To prevent STD - abstaining from sexual intercourse	1075
SHP6_19	To prevent STD - other measures	1076
SHP6_2	Effective in preventing STD - birth control pill	1063
SHP6_3	Effective in preventing STD - diaphragm / sponge	1064
SHP6_4	Effective in preventing STD - spermicidal jelly / foam	1064
SHP6_5	Effective in preventing STD - asking if a partner has one	1065
SHP6_6	Effective in preventing STD - having regular partner	1065
SHP6_7	Effective in preventing STD - asking partner to go for test	1066
SHP6_8	Has sources of information on preventing STD	1066
SHP6_9A	Main source of information on STD - parents	1067
SHP6_9B	Main source of information on STD - medical professional	1067
SHP6_9C	Main source of information on STD - friends	1068
SHP6_9D	Main source of information on STD - school	1068
SHP6_9E	Main source of information on STD - church	1069
SHP6_9F	Main source of information on STD - youth club	1069
SHP6_9G	Main source of information on STD - TV / radio	1070
SHP6_9H	Main source of information on STD - magazines / newspaper	1070
SHP6_9I	Main source of information on STD - information pamphlets	1071
SHP6_9J	Main source of information on STD - books	1071
SHP6_9K	Main source of information on STD - other	1072
SHS6_1	Ever had sexual intercourse	1054
SHS6_10	Had / has - syphilis	1059
SHS6_11	Had / has - genital warts	1059
SHS6_12	Had / has - genital herpes	1060
SHS6_13	Had / has - hepatitis B	1060
SHS6_14	Has - HIV / AIDS	1061
SHS6_15	Had / has - pelvic inflammatory disease	1061
SHS6_16	Had / has - other STD	1062
SHS6_2	Age at first sexual intercourse	1054
SHS6_3	Had sexual intercourse in past 12 months	1055
SHS6_4	Number of partners (sexual intercourse)	1055
SHS6_5	Relationship lasted 12 months or longer	1056
SHS6_6	Relationships lasted less than 12 months	1056

Topical Index

June, 1998

Variable Name	Description	Page
SHS6_7	Condom use in relationship(s) lasting less than 12 months	1057
SHS6_7A	Used a condom the last time	1057
SHS6_8	Had / has - chlamydia	1058
SHS6_9	Had / has - gonorrhea	1058
SHS6D1	Derived - had at least 1 sexually-transmitted disease	1062
SM : Smoking		
SMC4_1	Household member smokes regularly inside house	174
SMC4_2	Type of smoker	174
SMC4_3	Age started smoking daily - daily smoker	175
SMC4_4	Number of cigarettes smoked each day - daily smoker	175
SMC4_4A	Ever smoked cigarettes	176
SMC4_5	Ever smoked daily	176
SMC4_6	Age started smoking daily - former daily smoker	177
SMC4_7	Number of cigarettes smoked each day - former daily smoker	177
SMC4_8	Age stopped smoking daily - former daily smoker	178
SMC4DTYP	Derived type of smoker	178
SMC4DYRS	Derived number of years smoked	179
SMC6_1	Household member smokes regularly inside house	949
SMC6_10	Reason for starting smoking	957
SMC6_11	Reason for smoking less	958
SMC6_12	Reason for smoking more	959
SMC6_2	Type of smoker	950
SMC6_3	Age started smoking daily - daily smoker	950
SMC6_4	Number of cigarettes smoked each day - daily smoker	951
SMC6_4A	Ever smoked cigarettes	952
SMC6_5	Ever smoked daily	952
SMC6_6	Age started smoking daily - former daily smoker	953
SMC6_7	Number of cigarettes smoked each day - former daily smoker	954
SMC6_8	Age stopped smoking daily - former daily smoker	954
SMC6_9	Reason for quitting smoking	956
SMC6DTYP	Derived type of smoker	959
SMC6DYRS	Derived number of years smoked	960
SMC6G3	Age started smoking daily - daily smoker - grouped	951
SMC6G6	Age started smoking daily - former daily smoker - grouped	953
SMC6G8	Age stopped smoking daily - former daily smoker - grouped	955

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 56

Topical Index

June, 1998

Variable Name	Description	Page
SMS6_12	Restrictions on smoking in work place	963
SMS6_13A	Children more likely to start smoking if their parents smoke	963
SMS6_13B	People too concerned about second-hand smoke	964
SMS6_13C	Non-smokers mind when people smoke in their presence	964
SMS6_13D	Children/ second-hand smoke / more likely to have ill health	965
SMS6_13E	Pregnant women / others living with / should not smoke	965
SMS6_13F	Provide non-smokers with a smoke-free environment at work	966
SMS6_13G	Ask permission to smoke in the presence of others	966
SMS6_13H	Lower cigarette prices lead to increased smoking	967
SMS6_14	Feels unpleasant effects from second-hand smoke	967
SMS6_15	Second-hand smoke can cause health problems in non-smoker	968
SMS6_16A	Second-hand smoke can cause lung cancer in a non-smoker	968
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	969
SMS6_16C	Second-hand smoke can cause a stroke in a non-smoker	969
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	970
SMS6_17	Smoking cigarettes can cause health problems in smoker	970
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	971
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	971
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	972
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	972
SMS6_8	Time until first cigarette after waking up	962
SMS6_9	Considering quitting smoking in next 6 months	962

SP : Sample identifiers

CYCLE	Survey cycle that household joined	424
MBRCYCLE	Cycle in which respondent joined the survey	447
SP34_CPA	Actual collection period	30
SP34_CPS	Sampled collection period	30
SP34_MET	Selection method	31
SP34_RO	Regional office code	3
SP34_TYP	Type of sample	30
SP34DCLS	Derived Cluster number	8
SP34DLFS	Derived LFS stratum number	8
SP34DNPS	Derived NPHS stratum number	7
SP34DPC	Derived postal code	8
SP36_CPA	Actual collection period	425

Topical Index

June, 1998

Variable Name	Description	Page
SP36_CPS	Sampled collection period	425
SP36_STA	Status code after processing	426
SP36DPC	Derived postal code	426
SP36FOUT	Record sent for field collection	424
SPC4LSUR	Type of questionnaire in 1994	413
SPC6_TYP	Type of sample	426
SPC6LPAT	Longitudinal response pattern	414
SPC6LSUR	Type of questionnaire in 1996	414
SPC6LYR	Year household selected as part of sample	413
SUBCYCLE	1996 sample indicator	424
SS : Social support		
SSC4_1	Member of organisation / association	373
SSC4_2	Frequency of participation in organisations / associations	374
SSC4_2A	Frequency of attending religious services	374
SSC4_3	Has someone to confide in	375
SSC4_4	Has someone to count on in crisis situation	375
SSC4_5	Has someone who gives advice when making important decisions	376
SSC4_6	Has someone to make feel loved and cared for	376
SSC4_7A	Frequency of contact with parents / in-laws	377
SSC4_7B	Frequency of contact with grandparents	378
SSC4_7C	Frequency of contact with daughters / daughters-in-law	379
SSC4_7D	Frequency of contact with sons / sons-in-law	380
SSC4_7E	Frequency of contact with brothers / sisters	381
SSC4_7F	Frequency of contact with other relatives	382
SSC4_7G	Frequency of contact with close friends	383
SSC4_7H	Frequency of contact with neighbours	384
SSC4D1	Derived social support index	384
SSC4D2	Derived social involvement score	385
SSC4D3	Derived average frequency of contacts	385
SSC6_1	Member of organization / association	1026
SSC6_2	Frequency of participation in organizations / associations	1027
SSC6_2A	Frequency of attending religious services	1027
SSC6_3	Has someone to confide in	1029
SSC6_4	Has someone to count on in crisis situation	1029
SSC6_5	Has someone who gives advice when making important decisions	1030

Topical Index

June, 1998

Variable Name	Description	Page
SSC6_6	Has someone to make feel loved and cared for	1030
SSC6_7A	Frequency of contact with parents / in-laws	1031
SSC6_7B	Frequency of contact with grandparents	1032
SSC6_7C	Frequency of contact with daughters / daughters-in-law	1033
SSC6_7D	Frequency of contact with sons / sons-in-law	1034
SSC6_7E	Frequency of contact with brothers / sisters	1035
SSC6_7F	Frequency of contact with other relatives	1036
SSC6_7G	Frequency of contact with close friends	1037
SSC6_7H	Frequency of contact with neighbours	1038
SSC6D1	Derived social support index	1038
SSC6D2	Derived social involvement score	1039
SSC6D3	Derived average frequency of contacts	1039
SSP6_1	Received care from friend / relative in the past 12 months	1043
SSP6_2	Received care from friend / relative in last month	1044
SSP6_3	Level of support from family / friends	1044
SSP6_4	Helped relative / friend with health problem	1045
SSS6_1	Spiritual values / faith play important role in life	1028
SSS6_2	Self-perception of religiousness / spirituality	1028
SSS6_3	Number of people seen socially who smoke	1040
SSS6_4	Number of people seen socially who drink too much	1040
SSS6_5A	Partner smokes cigarettes	1041
SSS6_5B	Partner exercises regularly	1041
SSS6_5C	Partner drinks too much	1042
SSS6_5D	Partner overeats	1042
SSS6_5E	Partner uses tranquilizers	1043
ST : Stress		
ST_4_C1	Current stress - trying to take on too many things	243
ST_4_C10	Current stress - child seems unhappy	248
ST_4_C11	Current stress - child's behaviour is source of concern	248
ST_4_C12	Current stress - work around home not appreciated	249
ST_4_C13	Current stress - friends are a bad influence	249
ST_4_C14	Current stress - would like to move but cannot	250
ST_4_C15	Current stress - neighbourhood too noisy or polluted	250
ST_4_C16	Current stress - close relative in very bad health	251
ST_4_C17	Current stress - relative has alcohol or drug problem	251

Topical Index

June, 1998

Variable Name	Description	Page
ST_4_C18	Current stress - people are too critical	252
ST_4_C2	Current stress - pressure to conform	244
ST_4_C3	Current stress - too much expected by others	244
ST_4_C4	Current stress - lack of money	245
ST_4_C5	Current stress - partner doesn't understand you	245
ST_4_C6	Current stress - partner not affectionate	246
ST_4_C7	Current stress - partner not committed to relationship	246
ST_4_C8	Current stress - can't find someone compatible	247
ST_4_C9	Current stress - has children	247
ST_4_R1	Recent stress - attacked	257
ST_4_R10	Recent stress - child moved back	262
ST_4_R2	Recent stress - unwanted pregnancy	258
ST_4_R3	Recent stress - abortion or miscarriage	258
ST_4_R4	Recent stress - major financial crisis	259
ST_4_R5	Recent stress - failed school	259
ST_4_R6	Recent stress - experienced a change of job for a worse one	260
ST_4_R7	Recent stress - demotion or cut in pay	260
ST_4_R8	Recent stress - argues with partner	261
ST_4_R9	Recent stress - went on welfare	261
ST_4_T1	Trauma - 2 weeks or more in hospital	263
ST_4_T2	Trauma - parents divorced	264
ST_4_T3	Trauma - parents unemployed for a long time	264
ST_4_T4	Trauma - very scared	265
ST_4_T5	Trauma - sent away from home	265
ST_4_T6	Trauma - parents abused alcohol or drugs	266
ST_4_T7	Trauma - physically abused	266
ST_4_W1A	Work stress - must learn new things	267
ST_4_W1B	Work stress - high level of skill	268
ST_4_W1C	Work stress - freedom to decide	268
ST_4_W1D	Work stress - repetitive tasks	269
ST_4_W1E	Work stress - job hectic	269
ST_4_W1F	Work stress - free from conflicting demands	270
ST_4_W1G	Work stress - good job security	270
ST_4_W1H	Work stress - requires a lot of physical effort	271
ST_4_W1I	Work stress - has input	271
ST_4_W1J	Work stress - hostility or conflict with others	272

Topical Index

June, 1998

Variable Name	Description	Page
ST_4_W1K	Work stress - supervisor helpful	272
ST_4_W1L	Work stress - co-workers helpful	273
ST_4_W2	Work stress - job satisfaction	273
ST_4DC1	Derived general chronic stress index	252
ST_4DC10	Derived stress index based on family health	257
ST_4DC2	Derived specific chronic stress index	253
ST_4DC3	Derived adjusted specific chronic stress index	253
ST_4DC4	Derived personal stress index	254
ST_4DC5	Derived stress index based on financial situation	254
ST_4DC6	Derived stress index based on relationship (with partner)	255
ST_4DC7	Derived stress index based on relationship (without partner)	255
ST_4DC8	Derived stress index based on child's problems	256
ST_4DC9	Derived stress index based on environmental problems	256
ST_4DR1	Derived recent life events score - all items	262
ST_4DR2	Derived recent life events score - all valid items	262
ST_4DR3	Derived adjusted recent life events	263
ST_4DT1	Derived childhood and adult stress score	267
ST_4DW1	Derived work stress - all items	274
ST_4DW2	Derived WStress Scale: Decision latitude - Skill discretion	274
ST_4DW3	Derived WStress Scale: Decision latitude - Decision auth.	274
ST_4DW4	Derived WStress Scale: Psychological Demands	275
ST_4DW5	Derived WStress Scale: Job Insecurity	275
ST_4DW6	Derived WStress Scale: Physical Exertion	276
ST_4DW7	Derived WStress Scale: Social Support	276
SV : Health services		
SVP6_1	Overall rating of health care system	1050
SVP6_2	Availability of community health care	1051
SVP6_3	Overall quality of health care in community	1051
SVP6_4	Overall availability of health care in community	1052
SVP6_5	Quality of health care in community	1052
SVP6_6	Difficulty getting health care services needed	1053
SVP6_7	Quality of health care received in past 12 months	1053
TU : Tanning and UV exposure		
TUP6_1	Tried to get a suntan (sun or artificial)	876

Topical Index

June, 1998

Variable Name	Description	Page
TUP6_10	Frequency of wearing protective clothing in the sun	880
TUP6_2	Deepness of suntan	876
TUP6_3	Got sunburnt	877
TUP6_4	Number of times sunburned	877
TUP6_5	Description of worst sunburn	878
TUP6_6	Frequency of using sunscreen in summer	878
TUP6_7	Frequency of avoiding sun from 11am to 4pm	879
TUP6_8	Frequency of avoiding long periods in the sun	879
TUP6_9	Frequency of wearing sunglasses with UV protection	880
TW : Two-week disability		
TWC4_1	Stayed in bed / hospital due to illness / injury	36
TWC4_2	Number of days spent in bed	37
TWC4_3	Cut down on things normally done due to illness / injury	37
TWC4_4	Number of days cut down on things	38
TWC4_5	Has regular medical doctor	38
TWC4DDDY	Derived total number of disability days	39
TWC6_1	Stayed in bed / hospital due to illness / injury	458
TWC6_2	Number of days spent in bed	459
TWC6_3	Cut down on things normally done due to illness / injury	460
TWC6_4	Number of days cut down on things	461
TWC6_5	Has regular medical doctor	462
TWC6DDDY	Derived total number of disability days	463
VS : Violence and personal safety		
VSP6_1	Frequency of feeling safe in community	1084
VSP6_10	Number of times attacked outside of school	1088
VSP6_2	Frequency of feeling safe at home	1085
VSP6_4	Frequency of feeling safe at school	1085
VSP6_5	Number of times verbally abused at school / school bus	1086
VSP6_6	Number of times verbally threatened at school / school bus	1086
VSP6_7	Number of times attacked at school / school bus	1087
VSP6_8	Number of times verbally abused outside of school	1087
VSP6_9	Number of times verbally threatened outside of school	1088

W : Women's health

Topical Index

June, 1998

Variable Name	Description	Page
WHC4_20	Had PAP smear test	173
WHC4_22	Last time PAP smear test was done	173
WHC4_30	Ever had mammogram	171
WHC4_32	Last time mammogram was done	172
WHC4_33	Reason for last mammogram	172
WHC6_20	Had PAP smear test	680
WHC6_22	Last time PAP smear test was done	681
WHC6_23A	Had PAP smear - part of check-up	681
WHC6_23B	Had PAP smear - high risk group	682
WHC6_23C	Had PAP smear - follow-up of previous problem	682
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	683
WHC6_23E	Had PAP smear - sexually active	683
WHC6_23F	Had PAP smear - on birth control pill	684
WHC6_23G	Had PAP smear - pregnant / after delivery	684
WHC6_23H	Had PAP smear - on hormone replacement therapy	685
WHC6_23I	Had PAP smear - other reason	685
WHC6_24	Had problems getting a PAP smear test	686
WHC6_25A	Problem getting PAP smear - not available when required	686
WHC6_25B	Problem getting PAP smear - not available in area	686
WHC6_25C	Problem getting PAP smear - waiting time too long	687
WHC6_25D	Problem getting PAP smear - transportation	687
WHC6_25E	Problem getting PAP smear - language	687
WHC6_25F	Problem getting PAP smear - cost	688
WHC6_25G	Problem getting PAP smear - did not know where to go	688
WHC6_25H	Problem getting PAP smear - other	688
WHC6_26A	No PAP smear - have not gotten around to it	689
WHC6_26B	No PAP smear - respondent did not think it was necessary	689
WHC6_26C	No PAP smear - doctor did not think it was necessary	690
WHC6_26D	No PAP smear - personal or family responsibilities	690
WHC6_26E	No PAP smear - not available when required	691
WHC6_26F	No PAP smear - not available at all in area	691
WHC6_26G	No PAP smear - waiting time too long	692
WHC6_26H	No PAP smear - transportation problems	692
WHC6_26I	No PAP smear - language problem	693
WHC6_26J	No PAP smear - cost	693
WHC6_26K	No PAP smear - did not know where to go	694

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 63

Topical Index

June, 1998

Variable Name	Description	Page
WHC6_26L	No PAP smear - fear	694
WHC6_26M	No PAP smear - hysterectomy	695
WHC6_26N	No PAP smear - hate / dislike having one done	695
WHC6_26O	No PAP smear - other reason	696
WHC6_30	Ever had mammogram	696
WHC6_32	Last time mammogram was done	697
WHC6_33A	Had mammogram - family history	697
WHC6_33B	Had mammogram - regular check-up	698
WHC6_33C	Had mammogram - age	698
WHC6_33D	Had mammogram - previously detected lump	699
WHC6_33E	Had mammogram - follow-up treatment	699
WHC6_33F	Had mammogram - on hormone replacement therapy	700
WHC6_33G	Had mammogram - other reason	700
WHC6_34	Had problems getting a mammogram	701
WHC6_35A	Problem getting mammogram - not available when required	701
WHC6_35B	Problem getting mammogram - not available at all in area	701
WHC6_35C	Problem getting mammogram - waiting time too long	702
WHC6_35D	Problem getting mammogram - transportation	702
WHC6_35E	Problem getting mammogram - language	702
WHC6_35F	Problem getting mammogram - cost	703
WHC6_35G	Problem getting mammogram - did not know where to go	703
WHC6_35H	Problem getting mammogram - other	703
WHC6_36A	No mammogram - have not gotten around to it	704
WHC6_36B	No mammogram - resp. did not think it was neces.	704
WHC6_36C	No mammogram - doctor did not think it was neces.	705
WHC6_36D	No mammogram - pers. or family responsibilities	705
WHC6_36E	No mammogram - not available when required	706
WHC6_36F	No mammogram - not available at all in the area	706
WHC6_36G	No mammogram - waiting time was too long	707
WHC6_36H	No mammogram - transportation problems	707
WHC6_36I	No mammogram - language problem	708
WHC6_36J	No mammogram - cost	708
WHC6_36K	No mammogram - did not know where to go	709
WHC6_36L	No mammogram - fear	709
WHC6_36M	No mammogram - other reason	710
WHC6_90	Had breasts examined for lumps by health professional	711

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 64

Topical Index

June, 1998

Variable Name	Description	Page
WHC6_92	Last time breasts examined for lumps	711
WHC6_93A	Had breast exam - family history	712
WHC6_93B	Had breast exam - regular check-up	712
WHC6_93C	Had breast exam - age	713
WHC6_93D	Had breast exam - previously detected lump	713
WHC6_93E	Had breast exam - follow-up treatment	714
WHC6_93F	Had breast exam - on hormone replacement therapy	714
WHC6_93G	Had breast exam - other reason	715
WHC6_94	Had problems getting a breast exam	715
WHC6_95A	Problem getting breast exam - not available when required	716
WHC6_95B	Problem getting breast exam - not available in area	716
WHC6_95C	Problem getting breast exam - waiting time too long	716
WHC6_95D	Problem getting breast exam - transportation	717
WHC6_95E	Problem getting breast exam - language	717
WHC6_95F	Problem getting breast exam - cost	717
WHC6_95G	Problem getting breast exam - did not know where to go	718
WHC6_95H	Problem getting breast exam - other	718
WHC6_96A	No breast exam - have not gotten around to it	719
WHC6_96B	No breast exam - respondent did not think it was necessary	719
WHC6_96C	No breast exam - doctor did not think it was necessary	720
WHC6_96D	No breast exam - personal or family responsibilities	720
WHC6_96E	No breast exam - not available when required	721
WHC6_96F	No breast exam - not available at all in area	721
WHC6_96G	No breast exam - waiting time too long	722
WHC6_96H	No breast exam - transportation problems	722
WHC6_96I	No breast exam - language problem	723
WHC6_96J	No breast exam - cost	723
WHC6_96K	No breast exam - did not know where to go	724
WHC6_96L	No breast exam - fear	724
WHC6_96M	No breast exam - other reason	725
WHS6_37	Intend to have a mammogram in the next 2 years	710
WHS6_90	Self-examined breasts for lumps	725
WHS6_91	Frequency of breast self-examination	726
WHS6_92	How breast self-exam was learned	726

WT : Sample weights

1996-97 NPHS: Master File - Longitudinal (Partial response)

Page 65

Topical Index

June, 1998

Variable Name	Description	Page
WT66LP	Sampling weight - Longitudinal full and partial response	1095
