

NPHS Cycle 3: Alphabetic Index

Page 1

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
AD_6_1	Drunk - at work / school / taking care of child	AD	1039
AD_6_2	Number of times - drunk / hung-over	AD	1040
AD_6_3	Being drunk increased chances of getting hurt	AD	1040
AD_6_4	Emotional or psychological problems due to alcohol	AD	1041
AD_6_5	Strong desire or urge to drink	AD	1041
AD_6_6	Spent month or more getting drunk	AD	1042
AD_6_7	Drank much more than intended	AD	1042
AD_6_8	Number of times - drank much more than intended	AD	1043
AD_6_9	Had to drink more for the same effect	AD	1043
AD_6DPP	Alcohol dependence - short probability of CIDI - (D)	AD	1044
AD_6DSF	Alcohol dependence - short form score - (D)	AD	1044
ALC4_1	Drank alcohol in past 12 months	AL	197
ALC4_2	Frequency of drinking alcohol	AL	198
ALC4_3	Frequency of having 5 or more drinks	AL	198
ALC4_4	Highest number of drinks on one occasion	AL	199
ALC4_5	Drank alcohol in past week	AL	200
ALC4_5A1	Number of drinks - Monday	AL	200
ALC4_5A2	Number of drinks - Tuesday	AL	201
ALC4_5A3	Number of drinks - Wednesday	AL	201
ALC4_5A4	Number of drinks - Thursday	AL	202
ALC4_5A5	Number of drinks - Friday	AL	202
ALC4_5A6	Number of drinks - Saturday	AL	203
ALC4_5A7	Number of drinks - Sunday	AL	203
ALC4_5B	Ever had a drink	AL	204
ALC4_6	Regularly drank more than 12 drinks a week	AL	204
ALC4_7A	Reason reduced drinking - dieting	AL	205
ALC4_7B	Reason reduced drinking - athletic training	AL	205
ALC4_7C	Reason reduced drinking - pregnancy	AL	206
ALC4_7D	Reason reduced drinking - getting older	AL	206
ALC4_7E	Reason reduced drinking - drinking too much	AL	207
ALC4_7F	Reason reduced drinking - affected work / studies	AL	207
ALC4_7G	Reason reduced drinking - interfered with family life	AL	208
ALC4_7H	Reason reduced drinking - affected physical health	AL	208
ALC4_7I	Reason reduced drinking - affected social relationships	AL	209
ALC4_7J	Reason reduced drinking - affected financial position	AL	209
ALC4_7K	Reason reduced drinking - affected happiness	AL	210

NPHS Cycle 3: Alphabetic Index

Page 2

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
ALC4_7L	Reason reduced drinking - influence of family / friends	AL	210
ALC4_7M	Reason reduced drinking - other	AL	211
ALC4_DAY	Interview date - day of the week	AL	199
ALC4DDL	Average daily alcohol consumption - (D)	AL	212
ALC4DTYP	Type of drinker - (D)	AL	211
ALC4DWKY	Weekly total of alcohol consumed - (D)	AL	212
ALC6_1	Drank alcohol in past 12 months	AL	1018
ALC6_2	Frequency of drinking alcohol	AL	1019
ALC6_3	Frequency of having 5 or more drinks	AL	1020
ALC6_5	Drank alcohol in past week	AL	1021
ALC6_5A1	Number of drinks - Monday	AL	1021
ALC6_5A2	Number of drinks - Tuesday	AL	1022
ALC6_5A3	Number of drinks - Wednesday	AL	1022
ALC6_5A4	Number of drinks - Thursday	AL	1023
ALC6_5A5	Number of drinks - Friday	AL	1023
ALC6_5A6	Number of drinks - Saturday	AL	1024
ALC6_5A7	Number of drinks - Sunday	AL	1024
ALC6_5B	Ever had a drink	AL	1025
ALC6_6	Regularly drank more than 12 drinks a week	AL	1025
ALC6_7A	Reason reduced drinking - dieting	AL	1026
ALC6_7B	Reason reduced drinking - athletic training	AL	1026
ALC6_7C	Reason reduced drinking - pregnancy	AL	1027
ALC6_7D	Reason reduced drinking - getting older	AL	1027
ALC6_7E	Reason reduced drinking - drinking too much	AL	1028
ALC6_7F	Reason reduced drinking - affected work / studies	AL	1028
ALC6_7G	Reason reduced drinking - interfered with family life	AL	1029
ALC6_7H	Reason reduced drinking - affected physical health	AL	1029
ALC6_7I	Reason reduced drinking - affected social relationships	AL	1030
ALC6_7J	Reason reduced drinking - affected financial position	AL	1030
ALC6_7K	Reason reduced drinking - affected happiness	AL	1031
ALC6_7L	Reason reduced drinking - influence of family / friends	AL	1031
ALC6_7M	Reason reduced drinking - other	AL	1032
ALC6_DAY	Interview date - day of the week	AL	1020
ALC6DDL	Average daily alcohol consumption - (D)	AL	1033
ALC6DTYP	Type of drinker - (D)	AL	1032
ALC6DWKY	Weekly total of alcohol consumed - (D)	AL	1033

NPHS Cycle 3: Alphabetic Index

Page 3

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
ALC8_1	Drank alcohol in past 12 months	AL	1627
ALC8_2	Frequency of drinking alcohol	AL	1628
ALC8_3	Frequency of having 5 or more drinks	AL	1629
ALC8_5	Drank alcohol in past week	AL	1630
ALC8_5A1	Number of drinks - Monday	AL	1630
ALC8_5A2	Number of drinks - Tuesday	AL	1631
ALC8_5A3	Number of drinks - Wednesday	AL	1631
ALC8_5A4	Number of drinks - Thursday	AL	1632
ALC8_5A5	Number of drinks - Friday	AL	1632
ALC8_5A6	Number of drinks - Saturday	AL	1633
ALC8_5A7	Number of drinks - Sunday	AL	1633
ALC8_5B	Ever had a drink	AL	1634
ALC8_6	Regularly drank more than 12 drinks a week	AL	1634
ALC8_7A	Reason reduced drinking - dieting	AL	1635
ALC8_7B	Reason reduced drinking - athletic training	AL	1635
ALC8_7C	Reason reduced drinking - pregnancy	AL	1636
ALC8_7D	Reason reduced drinking - getting older	AL	1636
ALC8_7E	Reason reduced drinking - drinking too much	AL	1637
ALC8_7F	Reason reduced drinking - affected work / studies	AL	1637
ALC8_7G	Reason reduced drinking - interfered with family life	AL	1638
ALC8_7H	Reason reduced drinking - affected physical health	AL	1638
ALC8_7I	Reason reduced drinking - affected social relationships	AL	1639
ALC8_7J	Reason reduced drinking - affected financial position	AL	1639
ALC8_7K	Reason reduced drinking - affected happiness	AL	1640
ALC8_7L	Reason reduced drinking - influence of family / friends	AL	1640
ALC8_7M	Reason reduced drinking - other	AL	1641
ALC8_DAY	Interview date - day of the week	AL	1629
ALC8DDL	Average daily alcohol consumption - (D)	AL	1642
ALC8DTYP	Type of drinker - (D)	AL	1641
ALC8DWKY	Weekly total of alcohol consumed - (D)	AL	1642
ALP6_1	Drank alcohol during last pregnancy	AL	1034
ALP6_2	Average number of drinks during pregnancy	AL	1034
ALP6_3	Consumed alcohol while breastfeeding	AL	1035
ALP6_4	Average number of drinks while breastfeeding	AL	1035
ALS6_1	Definition of moderate drinking	AL	1036
ALS6_2	Moderate drinking can be good for your health	AL	1036

NPHS Cycle 3: Alphabetic Index

Page 4

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
ALS6_3	It's alright to get drunk once in a while	AL	1037
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	AL	1037
ALS6_5	Alright to get drunk once a week if no drinking rest of week	AL	1038
ALS6_6	Pregnant woman should not drink any amount of alcohol	AL	1038
ALS6_7	Alright for breastfeeding woman to drink occasionally	AL	1039
AM34_LNG	Interview language - H03	AM	21
AM34_SRC	Record number of person providing H03 information	AM	21
AM36_LNG	Interview language - H03	AM	459
AM36_SRC	Record number of person providing H03 information	AM	458
AM36_TEL	H03 interview by telephone or in person	AM	454
AM38_LNG	Interview language - H03	AM	1149
AM38_LP	Language preference of household	AM	1146
AM38_SRC	Record number of person providing H03 information	AM	1148
AM38_TEL	H03 interview by telephone or in person	AM	1146
AM54_BDD	Day of interview - H05 (start)	AM	44
AM54_BMM	Month of interview - H05 (start)	AM	44
AM54_BYY	Year of interview - H05 (start)	AM	45
AM54_EDD	Day of interview - H05 (end)	AM	179
AM54_EMM	Month of interview - H05 (end)	AM	178
AM54_EYY	Year of interview - H05 (end)	AM	179
AM54_LNG	Interview language - H05	AM	178
AM54_PXY	H05 completed by proxy	AM	45
AM54_SRC	Record number of person providing H05 information	AM	45
AM54_TEL	H05 interview by telephone or in person	AM	177
AM56_BDD	Day of interview - H05 (start)	AM	480
AM56_BMM	Month of interview - H05 (start)	AM	480
AM56_BYY	Year of interview - H05 (start)	AM	481
AM56_EDD	Day of interview - H05 (end)	AM	671
AM56_EMM	Month of interview - H05 (end)	AM	671
AM56_EYY	Year of interview - H05 (end)	AM	672
AM56_LNG	Interview language - H05	AM	670
AM56_PXY	H05 completed by proxy	AM	481
AM56_SRC	Record number of person providing H05 information	AM	481
AM56_STA	Status of general form - H05	AM	479
AM56_TEL	H05 interview by telephone or in person	AM	669
AM58_BDD	Day of interview - H05 (start)	AM	1179

NPHS Cycle 3: Alphabetic Index

Page 5

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
AM58_BMM	Month of interview - H05 (start)	AM	1180
AM58_BYY	Year of interview - H05 (start)	AM	1180
AM58_EDD	Day of interview - H05 (end)	AM	1372
AM58_EMM	Month of interview - H05 (end)	AM	1372
AM58_EYY	Year of interview - H05 (end)	AM	1373
AM58_LNG	Interview language - H05	AM	1371
AM58_PXY	H05 completed by proxy	AM	1181
AM58_STA	Status of general form - H05	AM	1178
AM58_TEL	H05 interview by telephone or in person	AM	1371
AM64_AFF	Answers affected by presence of another person	AM	443
AM64_ALO	Respondent alone for completion of H06 questionnaire	AM	443
AM64_BDD	Day of interview - H06 (start)	AM	180
AM64_BMM	Month of interview - H06 (start)	AM	180
AM64_BYY	Year of interview - H06 (start)	AM	181
AM64_EDD	Day of interview - H06 (end)	AM	445
AM64_EMM	Month of interview - H06 (end)	AM	444
AM64_EYY	Year of interview - H06 (end)	AM	445
AM64_LNG	Interview language - H06	AM	444
AM64_PXY	H06 completed by proxy	AM	181
AM64_SRC	Record number of person providing H06 information	AM	181
AM64_STA	Status of health form - H06	AM	179
AM64_TEL	H06 interview by telephone or in person	AM	442
AM64FR	Long answer collected - reason for proxy - H06	AM	182
AM66_5	Respondent gives contact information - H06	AM	1137
AM66_AFF	Answers affected by presence of another person	AM	1138
AM66_ALO	Respondent alone for completion of H06 questionnaire	AM	1138
AM66_BDD	Day of interview - H06 (start)	AM	673
AM66_BMM	Month of interview - H06 (start)	AM	673
AM66_BYY	Year of interview - H06 (start)	AM	674
AM66_EDD	Day of interview - H06 (end)	AM	1140
AM66_EMM	Month of interview - H06 (end)	AM	1140
AM66_EYY	Year of interview - H06 (end)	AM	1141
AM66_LNG	Interview language - H06	AM	1139
AM66_PXY	H06 completed by proxy	AM	674
AM66_SRC	Record number of person providing H06 information	AM	674
AM66_STA	Status of health form - H06	AM	672

NPHS Cycle 3: Alphabetic Index

Page 6

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
AM66_TEL	H06 interview by telephone or in person	AM	1137
AM66FR	Long answer collected - reason for proxy - H06	AM	675
AM66LDUR	Duration / days between H06 interviews	AM	672
AM68_AFF	Answers affected by presence of another person	AM	1685
AM68_ALO	Respondent alone for completion of H06 questionnaire	AM	1685
AM68_BDD	Day of interview - H06 (start)	AM	1374
AM68_BMM	Month of interview - H06 (start)	AM	1373
AM68_BYY	Year of interview - H06 (start)	AM	1374
AM68_EDD	Day of interview - H06 (end)	AM	1686
AM68_EMM	Month of interview - H06 (end)	AM	1687
AM68_EYY	Year of interview - H06 (end)	AM	1687
AM68_LNG	Interview language - H06	AM	1686
AM68_LNK	Permission to link data	AM	1684
AM68_PXY	H06 completed by proxy	AM	1375
AM68_SHA	Agree to share information - H06	AM	14
AM68_SRC	Record number of person providing H06 information	AM	1374
AM68_STA	Status of health form - H06	AM	1179
AM68_TEL	H06 interview by telephone or in person	AM	1684
AM68FR	Long answer collected - reason for proxy - H06	AM	1375
AM68LDUR	Duration / days between H06 interviews	AM	1141
AOI	Age at time of immigration - (D)	SD	8
APP6_1	My parents are strict for my own good	AP	1091
APP6_10	My parents trust me	AP	1096
APP6_2	My parents do not understand me	AP	1092
APP6_3	I have a lot of arguments with my parents	AP	1092
APP6_4	What my parents think of me is important	AP	1093
APP6_5	Are times when I would like to run away from home	AP	1093
APP6_6	I have a happy home life	AP	1094
APP6_7	I would raise my children differently	AP	1094
APP6_8	My parents expect too much of me	AP	1095
APP6_9	I ask my parents for advice on serious matters	AP	1095
BPC4_1	Last time blood pressure was taken	BP	189
BPC6_10	Ever had blood pressure taken	BP	695
BPC6_12	Last time blood pressure was taken	BP	696
BPC6_13A	Blood pressure taken - regular check-up	BP	696
BPC6_13B	Blood pressure taken - high b.p. / heart disease	BP	697

NPHS Cycle 3: Alphabetic Index

Page 7

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
BPC6_13C	Blood pressure taken - doctor always does it	BP	697
BPC6_13D	Blood pressure taken - health problem	BP	698
BPC6_13E	Blood pressure taken - age	BP	698
BPC6_13F	Blood pressure taken - job requirement	BP	699
BPC6_13G	Blood pressure taken - pregnant	BP	699
BPC6_13H	Blood pressure taken - in hospital for other reason	BP	700
BPC6_13I	Blood pressure taken - when donating blood	BP	700
BPC6_13J	Blood pressure taken - just for the "fun" of it	BP	701
BPC6_13K	Blood pressure taken - other reason	BP	701
BPC6_14	Had problems getting blood pressure test	BP	702
BPC6_15A	Problem / b.p. test - not available when required	BP	702
BPC6_15B	Problem / b.p. test - not available in area	BP	703
BPC6_15C	Problem / b.p. test - waiting time too long	BP	703
BPC6_15D	Problem / b.p. test - transportation	BP	704
BPC6_15E	Problem / b.p. test - language	BP	704
BPC6_15F	Problem / b.p. test - cost	BP	704
BPC6_15G	Problem / b.p. test - did not know where to go	BP	705
BPC6_15H	Problem / b.p. test - other	BP	705
BPC6_16A	B.p. not taken - have not gotten around to it	BP	706
BPC6_16B	B.p. not taken - resp. didn't think necessary	BP	706
BPC6_16C	B.p. not taken - doctor didn't think necessary	BP	707
BPC6_16D	B.p. not taken - personal / family responsibilities	BP	707
BPC6_16E	B.p. not taken - not available when required	BP	708
BPC6_16F	B.p. not taken - not available in area	BP	708
BPC6_16G	B.p. not taken - waiting time too long	BP	709
BPC6_16H	B.p. not taken - transportation problems	BP	709
BPC6_16I	B.p. not taken - language problem	BP	710
BPC6_16J	B.p. not taken - cost	BP	710
BPC6_16K	B.p. not taken - did not know where to go	BP	711
BPC6_16L	B.p. not taken - fear	BP	711
BPC6_16M	B.p. not taken - other reason	BP	712
BPC8_10	Ever had blood pressure taken	BP	1382
BPC8_10A	Ever had blood pressure taken (Probe)	BP	1383
BPC8_12	Last time blood pressure was taken	BP	1383
CCC4_1A	Has food allergies	CC	84
CCC4_1B	Has allergies other than food allergies	CC	85

NPHS Cycle 3: Alphabetic Index

Page 8

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
CCC4_1C	Has asthma	CC	86
CCC4_1D	Has arthritis or rheumatism	CC	87
CCC4_1E	Has back problems excluding arthritis	CC	88
CCC4_1F	Has high blood pressure	CC	88
CCC4_1G	Has migraine headaches	CC	89
CCC4_1H	Has chronic bronchitis or emphysema	CC	89
CCC4_1I	Has sinusitis	CC	90
CCC4_1J	Has diabetes	CC	90
CCC4_1K	Has epilepsy	CC	91
CCC4_1L	Has heart disease	CC	91
CCC4_1M	Has cancer	CC	92
CCC4_1N	Has stomach or intestinal ulcers	CC	93
CCC4_1O	Suffers from the effects of a stroke	CC	93
CCC4_1P	Has urinary incontinence	CC	94
CCC4_1R	Has Alzheimer's disease or other dementia	CC	95
CCC4_1S	Has cataracts	CC	95
CCC4_1T	Has glaucoma	CC	96
CCC4_1V	Has other chronic condition	CC	96
CCC4_1W	Has acne	CC	94
CCC4_C7	Asthma - had attack	CC	86
CCC4_C8	Asthma - had wheezing or whistling in chest	CC	87
CCC4_NON	Has no chronic conditions	CC	97
CCC4DANY	Has a chronic condition - (D)	CC	97
CCC4FM1	Long answer collected - type of cancer	CC	92
CCC6_1A	Has food allergies	CC	535
CCC6_1B	Has allergies other than food allergies	CC	536
CCC6_1C	Has asthma	CC	536
CCC6_1D	Has arthritis or rheumatism	CC	541
CCC6_1E	Has back problems excluding arthritis	CC	546
CCC6_1F	Has high blood pressure	CC	547
CCC6_1G	Has migraine headaches	CC	553
CCC6_1H	Has chronic bronchitis or emphysema	CC	560
CCC6_1I	Has sinusitis	CC	560
CCC6_1J	Has diabetes	CC	561
CCC6_1K	Has epilepsy	CC	567
CCC6_1L	Has heart disease	CC	570

NPHS Cycle 3: Alphabetic Index

Page 9

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
CCC6_1M	Has cancer	CC	571
CCC6_1N	Has stomach or intestinal ulcers	CC	571
CCC6_1O	Suffers from the effects of a stroke	CC	576
CCC6_1P	Has urinary incontinence	CC	579
CCC6_1Q	Has a bowel disorder / Crohn's Disease or colitis	CC	580
CCC6_1R	Has Alzheimer's disease or other dementia	CC	580
CCC6_1S	Has cataracts	CC	581
CCC6_1T	Has glaucoma	CC	581
CCC6_1U	Has a thyroid condition	CC	582
CCC6_1V	Has other chronic condition	CC	582
CCC6_C1	Asthma - condition disappeared	CC	537
CCC6_C2M	Asthma disappeared - month	CC	537
CCC6_C2Y	Asthma disappeared - year	CC	538
CCC6_C3M	Asthma diagnosed - month	CC	538
CCC6_C3Y	Asthma diagnosed - year	CC	539
CCC6_C4	Asthma - had prior to last interview	CC	539
CCC6_C5	Asthma - had symptoms or attacks	CC	540
CCC6_C6	Asthma - took medication	CC	540
CCC6_D1	Arthritis / rheumatism - condition disappeared	CC	541
CCC6_D2M	Arthritis / rheumatism disappeared - month	CC	542
CCC6_D2Y	Arthritis / rheumatism disappeared - year	CC	542
CCC6_D3M	Arthritis / rheumatism diagnosed - month	CC	543
CCC6_D3Y	Arthritis / rheumatism diagnosed - year	CC	543
CCC6_D4	Arthritis / rheumatism - had prior to last interview	CC	544
CCC6_D5	Arthritis / rheumatism - received treatment or medication	CC	544
CCC6_D6A	Arthritis / rheumatism treatment - drug	CC	545
CCC6_D6B	Arthritis / rheumatism treatment - diet	CC	545
CCC6_D6C	Arthritis / rheumatism treatment - other	CC	546
CCC6_F1	High blood pressure - condition disappeared	CC	547
CCC6_F2M	High blood pressure disappeared - month	CC	548
CCC6_F2Y	High blood pressure disappeared - year	CC	548
CCC6_F3M	High blood pressure diagnosed - month	CC	549
CCC6_F3Y	High blood pressure diagnosed - year	CC	550
CCC6_F4	High blood pressure - had prior to last interview	CC	550
CCC6_F5	High blood pressure - received treatment or medication	CC	551
CCC6_F6A	High blood pressure treatment - drug	CC	551

NPHS Cycle 3: Alphabetic Index

Page 10

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
CCC6_F6B	High blood pressure treatment - diet	CC	552
CCC6_F6C	High blood pressure treatment - other	CC	552
CCC6_G1	Migraines - condition disappeared	CC	553
CCC6_G2M	Migraines disappeared - month	CC	554
CCC6_G2Y	Migraines disappeared - year	CC	555
CCC6_G3M	Migraines diagnosed - month	CC	556
CCC6_G3Y	Migraines diagnosed - year	CC	557
CCC6_G4	Migraines - had prior to last interview	CC	557
CCC6_G5	Migraines - received treatment or medication	CC	558
CCC6_G6A	Migraines treatment - drug	CC	558
CCC6_G6B	Migraines treatment - diet	CC	559
CCC6_G6C	Migraines treatment - other	CC	559
CCC6_J1	Diabetes - condition disappeared	CC	561
CCC6_J2M	Diabetes disappeared - month	CC	562
CCC6_J2Y	Diabetes disappeared - year	CC	562
CCC6_J3M	Diabetes diagnosed - month	CC	563
CCC6_J3Y	Diabetes diagnosed - year	CC	563
CCC6_J4	Diabetes - had prior to last interview	CC	564
CCC6_J5	Diabetes - takes insulin	CC	564
CCC6_J6	Diabetes - takes treatment other than insulin	CC	565
CCC6_J7A	Diabetes treatment - drug	CC	565
CCC6_J7B	Diabetes treatment - diet	CC	566
CCC6_J7C	Diabetes treatment - other	CC	566
CCC6_K1	Epilepsy - condition disappeared	CC	567
CCC6_K2M	Epilepsy disappeared - month	CC	568
CCC6_K2Y	Epilepsy disappeared - year	CC	568
CCC6_K3M	Epilepsy diagnosed - month	CC	569
CCC6_K3Y	Epilepsy diagnosed - year	CC	569
CCC6_K4	Epilepsy - had prior to last interview	CC	570
CCC6_N1	Ulcers - condition disappeared	CC	572
CCC6_N2M	Ulcers disappeared - month	CC	573
CCC6_N2Y	Ulcers disappeared - year	CC	573
CCC6_N3M	Ulcers diagnosed - month	CC	574
CCC6_N3Y	Ulcers diagnosed - year	CC	575
CCC6_N4	Ulcers - had prior to last interview	CC	575
CCC6_O1	Stroke - condition disappeared	CC	576

NPHS Cycle 3: Alphabetic Index

Page 11

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
CCC6_O2M	Stroke disappeared - month	CC	577
CCC6_O2Y	Stroke disappeared - year	CC	577
CCC6_O3M	Stroke diagnosed - month	CC	578
CCC6_O3Y	Stroke diagnosed - year	CC	578
CCC6_O4	Stroke - had prior to last interview	CC	579
CCC6DANY	Has a chronic condition - (D)	CC	583
CCC6DNUM	Number of chronic conditions - (D)	CC	583
CCC8_1A	Has food allergies	CC	1232
CCC8_1B	Has allergies other than food allergies	CC	1233
CCC8_1C	Has asthma	CC	1233
CCC8_1D	Has arthritis or rheumatism	CC	1238
CCC8_1E	Has back problems excluding arthritis	CC	1246
CCC8_1F	Has high blood pressure	CC	1246
CCC8_1G	Has migraine headaches	CC	1253
CCC8_1H	Has chronic bronchitis or emphysema	CC	1260
CCC8_1I	Has sinusitis	CC	1260
CCC8_1J	Has diabetes	CC	1261
CCC8_1K	Has epilepsy	CC	1267
CCC8_1L	Has heart disease	CC	1270
CCC8_1M	Has cancer	CC	1271
CCC8_1N	Has stomach or intestinal ulcers	CC	1271
CCC8_1O	Suffers from the effects of a stroke	CC	1275
CCC8_1P	Has urinary incontinence	CC	1279
CCC8_1Q	Has a bowel disorder / Crohn's Disease or colitis	CC	1279
CCC8_1R	Has Alzheimer's disease or other dementia	CC	1280
CCC8_1S	Has cataracts	CC	1280
CCC8_1T	Has glaucoma	CC	1281
CCC8_1U	Has a thyroid condition	CC	1281
CCC8_1V	Has other chronic condition	CC	1282
CCC8_C1	Asthma - condition disappeared	CC	1234
CCC8_C2M	Asthma disappeared - month	CC	1235
CCC8_C2Y	Asthma disappeared - year	CC	1235
CCC8_C3M	Asthma diagnosed - month	CC	1236
CCC8_C3Y	Asthma diagnosed - year	CC	1236
CCC8_C4	Asthma - had prior to last interview	CC	1237
CCC8_C5	Asthma - had symptoms or attacks	CC	1237

NPHS Cycle 3: Alphabetic Index

Page 12

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
CCC8_C6	Asthma - took medication	CC	1238
CCC8_D1	Arthritis / rheumatism - condition disappeared	CC	1239
CCC8_D2M	Arthritis / rheumatism disappeared - month	CC	1240
CCC8_D2Y	Arthritis / rheumatism disappeared - year	CC	1241
CCC8_D3M	Arthritis / rheumatism diagnosed - month	CC	1242
CCC8_D3Y	Arthritis / rheumatism diagnosed - year	CC	1242
CCC8_D4	Arthritis / rheumatism - had prior to last interview	CC	1243
CCC8_D5	Arthritis / rheumatism - received treatment or medication	CC	1243
CCC8_D6A	Arthritis / rheumatism treatment - drug	CC	1244
CCC8_D6B	Arthritis / rheumatism treatment - diet	CC	1244
CCC8_D6C	Arthritis / rheumatism treatment - other	CC	1245
CCC8_D6D	Arthritis / rheumatism treatment - exercise / physiotherapy	CC	1245
CCC8_F1	High blood pressure - condition disappeared	CC	1247
CCC8_F2M	High blood pressure disappeared - month	CC	1248
CCC8_F2Y	High blood pressure disappeared - year	CC	1248
CCC8_F3M	High blood pressure diagnosed - month	CC	1249
CCC8_F3Y	High blood pressure diagnosed - year	CC	1250
CCC8_F4	High blood pressure - had prior to last interview	CC	1250
CCC8_F5	High blood pressure - received treatment or medication	CC	1251
CCC8_F6A	High blood pressure treatment - drug	CC	1251
CCC8_F6B	High blood pressure treatment - diet	CC	1252
CCC8_F6C	High blood pressure treatment - other	CC	1253
CCC8_F6D	High blood pressure treatment - exercise / physiotherapy	CC	1252
CCC8_G1	Migraines - condition disappeared	CC	1254
CCC8_G2M	Migraines disappeared - month	CC	1255
CCC8_G2Y	Migraines disappeared - year	CC	1255
CCC8_G3M	Migraines diagnosed - month	CC	1256
CCC8_G3Y	Migraines diagnosed - year	CC	1256
CCC8_G4	Migraines - had prior to last interview	CC	1257
CCC8_G5	Migraines - received treatment or medication	CC	1257
CCC8_G6A	Migraines treatment - drug	CC	1258
CCC8_G6B	Migraines treatment - diet	CC	1258
CCC8_G6C	Migraines treatment - other	CC	1259
CCC8_G6D	Migraines treatment - exercise / physiotherapy	CC	1259
CCC8_J1	Diabetes - condition disappeared	CC	1261
CCC8_J2M	Diabetes disappeared - month	CC	1262

NPHS Cycle 3: Alphabetic Index

Page 13

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
CCC8_J2Y	Diabetes disappeared - year	CC	1262
CCC8_J3M	Diabetes diagnosed - month	CC	1263
CCC8_J3Y	Diabetes diagnosed - year	CC	1263
CCC8_J4	Diabetes - had prior to last interview	CC	1264
CCC8_J5	Diabetes - takes insulin	CC	1264
CCC8_J6	Diabetes - takes treatment other than insulin	CC	1265
CCC8_J7A	Diabetes treatment - drug	CC	1265
CCC8_J7B	Diabetes treatment - diet	CC	1266
CCC8_J7C	Diabetes treatment - other	CC	1267
CCC8_J7D	Diabetes treatment - exercise / physiotherapy	CC	1266
CCC8_K1	Epilepsy - condition disappeared	CC	1268
CCC8_K2M	Epilepsy disappeared - month	CC	1268
CCC8_K2Y	Epilepsy disappeared - year	CC	1269
CCC8_K3M	Epilepsy diagnosed - month	CC	1269
CCC8_K3Y	Epilepsy diagnosed - year	CC	1270
CCC8_K4	Epilepsy - had prior to last interview	CC	1270
CCC8_N1	Ulcers - condition disappeared	CC	1272
CCC8_N2M	Ulcers disappeared - month	CC	1273
CCC8_N2Y	Ulcers disappeared - year	CC	1273
CCC8_N3M	Ulcers diagnosed - month	CC	1274
CCC8_N3Y	Ulcers diagnosed - year	CC	1274
CCC8_N4	Ulcers - had prior to last interview	CC	1275
CCC8_O1	Stroke - condition disappeared	CC	1276
CCC8_O2M	Stroke disappeared - month	CC	1276
CCC8_O2Y	Stroke disappeared - year	CC	1277
CCC8_O3M	Stroke diagnosed - month	CC	1277
CCC8_O3Y	Stroke diagnosed - year	CC	1278
CCC8_O4	Stroke - had prior to last interview	CC	1278
CCC8DANY	Has a chronic condition - (D)	CC	1282
CCC8DNUM	Number of chronic conditions - (D)	CC	1283
CCK4_1	Frequency of infections - nose or throat	CC	83
CCK4_1AB	Has allergies	CC	85
CCK4_2	Has had otitis	CC	83
CCK4_3	Number of times had otitis since birth	CC	84
CCK6_1	Frequency of infections - nose or throat	CC	534
CCK6_2	Has had otitis	CC	534

NPHS Cycle 3: Alphabetic Index

Page 14

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
CCK6_3	Number of times had otitis since birth	CC	535
CCK8_1	Frequency of infections - nose or throat	CC	1231
CCK8_2	Has had otitis	CC	1231
CCK8_3	Number of times had otitis since birth	CC	1232
COB	Country of birth	SD	6
COBC	Code of country of birth	SD	6
COBGC	Country of birth - (G)	SD	7
COD	Cause of death code	DH	10
COP4_1	Ability to handle day-to-day demands	CO	432
COP4_2A	Daily stress - try not to think about situation	CO	433
COP4_2B	Daily stress - try to see situation differently	CO	433
COP4_2C	Daily stress - try to change situation	CO	434
COP4_2D	Daily stress - express emotions	CO	434
COP4_2E	Daily stress - admit situation is stressful	CO	435
COP4_2F	Daily stress - talk to someone about situation	CO	435
COP4_2G	Daily stress - do something to relax	CO	436
COP4_2H	Daily stress - pray	CO	436
COP4_2I	Daily stress - other ways to deal with stress	CO	437
COP4_3	Ability to handle unexpected / difficult problems	CO	437
COP4_4A	Unexpected stress - try not to think about situation	CO	438
COP4_4B	Unexpected stress - try to see situation differently	CO	438
COP4_4C	Unexpected stress - try to change situation	CO	439
COP4_4D	Unexpected stress - express emotions	CO	439
COP4_4E	Unexpected stress - admit situation is stressful	CO	440
COP4_4F	Unexpected stress - talk to someone about situation	CO	440
COP4_4G	Unexpected stress - do something to relax	CO	441
COP4_4H	Unexpected stress - pray	CO	441
COP4_4I	Unexpected stress - other ways to deal with stress	CO	442
COP6_1	Ability to handle day-to-day demands	CO	1136
COP6_2	Ability to handle unexpected / difficult problems	CO	1136
CYCLE	Cycle in which household joined the survey	SP	13
DESIGPRV	Design province	PR	11
DGC4_1A	Medication - pain relievers	DG	340
DGC4_1B	Medication - tranquilizers	DG	340
DGC4_1C	Medication - diet pills	DG	341
DGC4_1D	Medication - antidepressants	DG	341

NPHS Cycle 3: Alphabetic Index

Page 15

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC4_1E	Medication - codeine, Demerol or morphine	DG	342
DGC4_1F	Medication - allergy	DG	342
DGC4_1G	Medication - asthma	DG	343
DGC4_1H	Medication - cough or cold remedies	DG	343
DGC4_1I	Medication - penicillin or other antibiotics	DG	344
DGC4_1J	Medication - heart	DG	344
DGC4_1K	Medication - blood pressure	DG	345
DGC4_1L	Medication - diuretics	DG	345
DGC4_1M	Medication - steroids	DG	346
DGC4_1N	Medication - insulin	DG	346
DGC4_1O	Medication - pills to control diabetes	DG	347
DGC4_1P	Medication - sleeping pills	DG	347
DGC4_1Q	Medication - stomach remedies	DG	348
DGC4_1R	Medication - laxatives	DG	348
DGC4_1S	Medication - birth control pills	DG	349
DGC4_1T	Medication - hormones for menopause	DG	349
DGC4_1V	Medication - other	DG	350
DGC4_2	Number of different medications in past 2 days	DG	351
DGC4_4	Medication - other type	DG	363
DGC4_5AA	Uses a 2nd health product	DG	364
DGC4_5BA	Uses a 3rd health product	DG	365
DGC4_5CA	Uses a 4th health product	DG	366
DGC4_5DA	Uses a 5th health product	DG	367
DGC4_5EA	Uses a 6th health product	DG	368
DGC4_5FA	Uses a 7th health product	DG	369
DGC4_5GA	Uses a 8th health product	DG	370
DGC4_5HA	Uses a 9th health product	DG	371
DGC4_5IA	Uses a 10th health product	DG	372
DGC4_5JA	Uses a 11th health product	DG	373
DGC4_5KA	Uses a 12th health product	DG	374
DGC4_NON	Did not take any drugs in past month	DG	350
DGC4C3A	Drug code - drug 1	DG	352
DGC4C3B	Drug code - drug 2	DG	353
DGC4C3C	Drug code - drug 3	DG	354
DGC4C3D	Drug code - drug 4	DG	355
DGC4C3E	Drug code - drug 5	DG	356

NPHS Cycle 3: Alphabetic Index

Page 16

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC4C3F	Drug code - drug 6	DG	357
DGC4C3G	Drug code - drug 7	DG	358
DGC4C3H	Drug code - drug 8	DG	359
DGC4C3I	Drug code - drug 9	DG	360
DGC4C3J	Drug code - drug 10	DG	361
DGC4C3K	Drug code - drug 11	DG	361
DGC4C3L	Drug code - drug 12	DG	362
DGC4C5A	Code for health product - product 1	DG	375
DGC4C5B	Code for health product - product 2	DG	375
DGC4C5C	Code for health product - product 3	DG	376
DGC4C5D	Code for health product - product 4	DG	376
DGC4C5E	Code for health product - product 5	DG	377
DGC4C5F	Code for health product - product 6	DG	377
DGC4C5G	Code for health product - product 7	DG	378
DGC4C5H	Code for health product - product 8	DG	378
DGC4C5I	Code for health product - product 9	DG	379
DGC4C5J	Code for health product - product 10	DG	379
DGC4C5K	Code for health product - product 11	DG	380
DGC4C5L	Code for health product - product 12	DG	380
DGC4F1	Flag for medications taken	DG	351
DGC4F3A	Long answer collected - drug 1	DG	352
DGC4F3B	Long answer collected - drug 2	DG	353
DGC4F3C	Long answer collected - drug 3	DG	354
DGC4F3D	Long answer collected - drug 4	DG	355
DGC4F3E	Long answer collected - drug 5	DG	356
DGC4F3F	Long answer collected - drug 6	DG	357
DGC4F3G	Long answer collected - drug 7	DG	358
DGC4F3H	Long answer collected - drug 8	DG	359
DGC4F3I	Long answer collected - drug 9	DG	360
DGC4F3J	Long answer collected - drug 10	DG	360
DGC4F3K	Long answer collected - drug 11	DG	361
DGC4F3L	Long answer collected - drug 12	DG	362
DGC4F5A	Long answer collected - health product 1	DG	363
DGC4F5B	Long answer collected - health product 2	DG	364
DGC4F5C	Long answer collected - health product 3	DG	365
DGC4F5D	Long answer collected - health product 4	DG	366

NPHS Cycle 3: Alphabetic Index

Page 17

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC4F5E	Long answer collected - health product 5	DG	367
DGC4F5F	Long answer collected - health product 6	DG	368
DGC4F5G	Long answer collected - health product 7	DG	369
DGC4F5H	Long answer collected - health product 8	DG	370
DGC4F5I	Long answer collected - health product 9	DG	371
DGC4F5J	Long answer collected - health product 10	DG	372
DGC4F5K	Long answer collected - health product 11	DG	373
DGC4F5L	Long answer collected - health product 12	DG	374
DGC6_1A	Medication - pain relievers	DG	934
DGC6_1B	Medication - tranquilizers	DG	934
DGC6_1C	Medication - diet pills	DG	935
DGC6_1D	Medication - antidepressants	DG	935
DGC6_1E	Medication - codeine, Demerol or morphine	DG	936
DGC6_1F	Medication - allergy	DG	936
DGC6_1G	Medication - asthma	DG	937
DGC6_1H	Medication - cough or cold remedies	DG	937
DGC6_1I	Medication - penicillin or other antibiotics	DG	938
DGC6_1J	Medication - heart	DG	938
DGC6_1K	Medication - blood pressure	DG	939
DGC6_1L	Medication - diuretics	DG	939
DGC6_1M	Medication - steroids	DG	940
DGC6_1N	Medication - insulin	DG	940
DGC6_1O	Medication - pills to control diabetes	DG	941
DGC6_1P	Medication - sleeping pills	DG	941
DGC6_1Q	Medication - stomach remedies	DG	942
DGC6_1R	Medication - laxatives	DG	942
DGC6_1S	Medication - birth control pills	DG	943
DGC6_1T	Medication - hormones for menopause	DG	943
DGC6_1T1	Hormone therapy - type	DG	944
DGC6_1T2	Hormone therapy started - year	DG	944
DGC6_1U	Medication - thyroid	DG	945
DGC6_1V	Medication - other	DG	945
DGC6_2	Number of different medications in past 2 days	DG	946
DGC6_4	Medication - other type	DG	968
DGC6_5AA	Uses a 2nd health product	DG	970
DGC6_5BA	Uses a 3rd health product	DG	973

NPHS Cycle 3: Alphabetic Index

Page 18

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC6_5CA	Uses a 4th health product	DG	975
DGC6_5DA	Uses a 5th health product	DG	977
DGC6_5EA	Uses a 6th health product	DG	979
DGC6_5FA	Uses a 7th health product	DG	981
DGC6_5GA	Uses a 8th health product	DG	983
DGC6_5HA	Uses a 9th health product	DG	985
DGC6_5IA	Uses a 10th health product	DG	987
DGC6_5JA	Uses a 11th health product	DG	989
DGC6_5KA	Uses a 12th health product	DG	991
DGC6_6	Insurance covering prescription medication	DG	993
DGC6C3A	Drug code - drug 1	DG	947
DGC6C3B	Drug code - drug 2	DG	949
DGC6C3C	Drug code - drug 3	DG	951
DGC6C3D	Drug code - drug 4	DG	953
DGC6C3E	Drug code - drug 5	DG	955
DGC6C3F	Drug code - drug 6	DG	957
DGC6C3G	Drug code - drug 7	DG	959
DGC6C3H	Drug code - drug 8	DG	961
DGC6C3I	Drug code - drug 9	DG	963
DGC6C3J	Drug code - drug 10	DG	964
DGC6C3K	Drug code - drug 11	DG	966
DGC6C3L	Drug code - drug 12	DG	967
DGC6C5A	Code for health product - product 1	DG	969
DGC6C5B	Code for health product - product 2	DG	971
DGC6C5C	Code for health product - product 3	DG	974
DGC6C5D	Code for health product - product 4	DG	976
DGC6C5E	Code for health product - product 5	DG	978
DGC6C5F	Code for health product - product 6	DG	980
DGC6C5G	Code for health product - product 7	DG	982
DGC6C5H	Code for health product - product 8	DG	984
DGC6C5I	Code for health product - product 9	DG	986
DGC6C5J	Code for health product - product 10	DG	988
DGC6C5K	Code for health product - product 11	DG	990
DGC6C5L	Code for health product - product 12	DG	992
DGC6F1	Flag for medications taken	DG	946
DGC6F3A	Long answer collected - drug 1	DG	947

NPHS Cycle 3: Alphabetic Index

Page 19

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC6F3B	Long answer collected - drug 2	DG	949
DGC6F3C	Long answer collected - drug 3	DG	951
DGC6F3D	Long answer collected - drug 4	DG	953
DGC6F3E	Long answer collected - drug 5	DG	955
DGC6F3F	Long answer collected - drug 6	DG	957
DGC6F3G	Long answer collected - drug 7	DG	959
DGC6F3H	Long answer collected - drug 8	DG	961
DGC6F3I	Long answer collected - drug 9	DG	962
DGC6F3J	Long answer collected - drug 10	DG	964
DGC6F3K	Long answer collected - drug 11	DG	965
DGC6F3L	Long answer collected - drug 12	DG	967
DGC6F5A	Long answer collected - health product 1	DG	969
DGC6F5B	Long answer collected - health product 2	DG	971
DGC6F5C	Long answer collected - health product 3	DG	973
DGC6F5D	Long answer collected - health product 4	DG	975
DGC6F5E	Long answer collected - health product 5	DG	977
DGC6F5F	Long answer collected - health product 6	DG	979
DGC6F5G	Long answer collected - health product 7	DG	981
DGC6F5H	Long answer collected - health product 8	DG	983
DGC6F5I	Long answer collected - health product 9	DG	985
DGC6F5J	Long answer collected - health product 10	DG	987
DGC6F5K	Long answer collected - health product 11	DG	989
DGC6F5L	Long answer collected - health product 12	DG	991
DGC6G3A	Drug code - drug 1 - (G)	DG	948
DGC6G3B	Drug code - drug 2 - (G)	DG	950
DGC6G3C	Drug code - drug 3 - (G)	DG	952
DGC6G3D	Drug code - drug 4 - (G)	DG	954
DGC6G3E	Drug code - drug 5 - (G)	DG	956
DGC6G3F	Drug code - drug 6 - (G)	DG	958
DGC6G3G	Drug code - drug 7 - (G)	DG	960
DGC6G3H	Drug code - drug 8 - (G)	DG	962
DGC6G3I	Drug code - drug 9 - (G)	DG	963
DGC6G3J	Drug code - drug 10 - (G)	DG	965
DGC6G3K	Drug code - drug 11 - (G)	DG	966
DGC6G3L	Drug code - drug 12 - (G)	DG	968
DGC6G5A	Code for health product - product 1 - (G)	DG	970

NPHS Cycle 3: Alphabetic Index

Page 20

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC6G5B	Code for health product - product 2 - (G)	DG	972
DGC6G5C	Code for health product - product 3 - (G)	DG	974
DGC6G5D	Code for health product - product 4 - (G)	DG	976
DGC6G5E	Code for health product - product 5 - (G)	DG	978
DGC6G5F	Code for health product - product 6 - (G)	DG	980
DGC6G5G	Code for health product - product 7 - (G)	DG	982
DGC6G5H	Code for health product - product 8 - (G)	DG	984
DGC6G5I	Code for health product - product 9 - (G)	DG	986
DGC6G5J	Code for health product - product 10 - (G)	DG	988
DGC6G5K	Code for health product - product 11 - (G)	DG	990
DGC6G5L	Code for health product - product 12 - (G)	DG	992
DGC8_1A	Medication - pain relievers	DG	1540
DGC8_1B	Medication - tranquilizers	DG	1540
DGC8_1C	Medication - diet pills	DG	1541
DGC8_1D	Medication - antidepressants	DG	1541
DGC8_1E	Medication - codeine, Demerol or morphine	DG	1542
DGC8_1F	Medication - allergy	DG	1542
DGC8_1G	Medication - asthma	DG	1543
DGC8_1H	Medication - cough or cold remedies	DG	1543
DGC8_1I	Medication - penicillin or other antibiotics	DG	1544
DGC8_1J	Medication - heart	DG	1544
DGC8_1K	Medication - blood pressure	DG	1545
DGC8_1L	Medication - diuretics	DG	1545
DGC8_1M	Medication - steroids	DG	1546
DGC8_1N	Medication - insulin	DG	1546
DGC8_1O	Medication - pills to control diabetes	DG	1547
DGC8_1P	Medication - sleeping pills	DG	1547
DGC8_1Q	Medication - stomach remedies	DG	1548
DGC8_1R	Medication - laxatives	DG	1548
DGC8_1S	Medication - birth control pills	DG	1549
DGC8_1T	Medication - hormones for menopause	DG	1549
DGC8_1T1	Hormone therapy - type	DG	1550
DGC8_1T2	Hormone therapy started - year	DG	1550
DGC8_1U	Medication - thyroid	DG	1551
DGC8_1V	Medication - other	DG	1551
DGC8_2	Number of different medications in past 2 days	DG	1552

NPHS Cycle 3: Alphabetic Index

Page 21

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC8_3AA	Prescription from doctor / dentist - drug 1	DG	1555
DGC8_3BA	Prescription from doctor / dentist - drug 2	DG	1558
DGC8_3CA	Prescription from doctor / dentist - drug 3	DG	1561
DGC8_3DA	Prescription from doctor / dentist - drug 4	DG	1564
DGC8_3EA	Prescription from doctor / dentist - drug 5	DG	1567
DGC8_3FA	Prescription from doctor / dentist - drug 6	DG	1570
DGC8_3GA	Prescription from doctor / dentist - drug 7	DG	1573
DGC8_3HA	Prescription from doctor / dentist - drug 8	DG	1575
DGC8_3IA	Prescription from doctor / dentist - drug 9	DG	1577
DGC8_3JA	Prescription from doctor / dentist - drug 10	DG	1579
DGC8_3KA	Prescription from doctor / dentist - drug 11	DG	1581
DGC8_3LA	Prescription from doctor / dentist - drug 12	DG	1583
DGC8_4	Medication - other type	DG	1584
DGC8_5AA	Uses a 2nd health product	DG	1586
DGC8_5BA	Uses a 3rd health product	DG	1589
DGC8_5CA	Uses a 4th health product	DG	1591
DGC8_5DA	Uses a 5th health product	DG	1593
DGC8_5EA	Uses a 6th health product	DG	1595
DGC8_5FA	Uses a 7th health product	DG	1597
DGC8_5GA	Uses a 8th health product	DG	1599
DGC8_5HA	Uses a 9th health product	DG	1601
DGC8_5IA	Uses a 10th health product	DG	1603
DGC8_5JA	Uses a 11th health product	DG	1605
DGC8_5KA	Uses a 12th health product	DG	1607
DGC8C3A	Drug code - drug 1	DG	1553
DGC8C3B	Drug code - drug 2	DG	1556
DGC8C3C	Drug code - drug 3	DG	1559
DGC8C3D	Drug code - drug 4	DG	1562
DGC8C3E	Drug code - drug 5	DG	1565
DGC8C3F	Drug code - drug 6	DG	1568
DGC8C3G	Drug code - drug 7	DG	1571
DGC8C3H	Drug code - drug 8	DG	1574
DGC8C3I	Drug code - drug 9	DG	1576
DGC8C3J	Drug code - drug 10	DG	1578
DGC8C3K	Drug code - drug 11	DG	1580
DGC8C3L	Drug code - drug 12	DG	1582

NPHS Cycle 3: Alphabetic Index

Page 22

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC8C5A	Code for health product - product 1	DG	1584
DGC8C5B	Code for health product - product 2	DG	1587
DGC8C5C	Code for health product - product 3	DG	1589
DGC8C5D	Code for health product - product 4	DG	1591
DGC8C5E	Code for health product - product 5	DG	1593
DGC8C5F	Code for health product - product 6	DG	1595
DGC8C5G	Code for health product - product 7	DG	1597
DGC8C5H	Code for health product - product 8	DG	1599
DGC8C5I	Code for health product - product 9	DG	1601
DGC8C5J	Code for health product - product 10	DG	1603
DGC8C5K	Code for health product - product 11	DG	1605
DGC8C5L	Code for health product - product 12	DG	1607
DGC8F1	Flag for medications taken	DG	1552
DGC8F3A	Long answer collected - drug 1	DG	1553
DGC8F3B	Long answer collected - drug 2	DG	1555
DGC8F3C	Long answer collected - drug 3	DG	1558
DGC8F3D	Long answer collected - drug 4	DG	1561
DGC8F3E	Long answer collected - drug 5	DG	1564
DGC8F3F	Long answer collected - drug 6	DG	1567
DGC8F3G	Long answer collected - drug 7	DG	1570
DGC8F3H	Long answer collected - drug 8	DG	1573
DGC8F3I	Long answer collected - drug 9	DG	1576
DGC8F3J	Long answer collected - drug 10	DG	1578
DGC8F3K	Long answer collected - drug 11	DG	1580
DGC8F3L	Long answer collected - drug 12	DG	1582
DGC8F5A	Long answer collected - health product 1	DG	1586
DGC8F5B	Long answer collected - health product 2	DG	1588
DGC8F5C	Long answer collected - health product 3	DG	1590
DGC8F5D	Long answer collected - health product 4	DG	1592
DGC8F5E	Long answer collected - health product 5	DG	1594
DGC8F5F	Long answer collected - health product 6	DG	1596
DGC8F5G	Long answer collected - health product 7	DG	1598
DGC8F5H	Long answer collected - health product 8	DG	1600
DGC8F5I	Long answer collected - health product 9	DG	1602
DGC8F5J	Long answer collected - health product 10	DG	1604
DGC8F5K	Long answer collected - health product 11	DG	1606

NPHS Cycle 3: Alphabetic Index

Page 23

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DGC8F5L	Long answer collected - health product 12	DG	1608
DGC8G3A	Drug code - drug 1 - (G)	DG	1554
DGC8G3B	Drug code - drug 2 - (G)	DG	1557
DGC8G3C	Drug code - drug 3 - (G)	DG	1560
DGC8G3D	Drug code - drug 4 - (G)	DG	1563
DGC8G3E	Drug code - drug 5 - (G)	DG	1566
DGC8G3F	Drug code - drug 6 - (G)	DG	1569
DGC8G3G	Drug code - drug 7 - (G)	DG	1572
DGC8G3H	Drug code - drug 8 - (G)	DG	1575
DGC8G3I	Drug code - drug 9 - (G)	DG	1577
DGC8G3J	Drug code - drug 10 - (G)	DG	1579
DGC8G3K	Drug code - drug 11 - (G)	DG	1581
DGC8G3L	Drug code - drug 12 - (G)	DG	1583
DGC8G5A	Code for health product - product 1 - (G)	DG	1585
DGC8G5B	Code for health product - product 2 - (G)	DG	1588
DGC8G5C	Code for health product - product 3 - (G)	DG	1590
DGC8G5D	Code for health product - product 4 - (G)	DG	1592
DGC8G5E	Code for health product - product 5 - (G)	DG	1594
DGC8G5F	Code for health product - product 6 - (G)	DG	1596
DGC8G5G	Code for health product - product 7 - (G)	DG	1598
DGC8G5H	Code for health product - product 8 - (G)	DG	1600
DGC8G5I	Code for health product - product 9 - (G)	DG	1602
DGC8G5J	Code for health product - product 10 - (G)	DG	1604
DGC8G5K	Code for health product - product 11 - (G)	DG	1606
DGC8G5L	Code for health product - product 12 - (G)	DG	1608
DH_4_P1	Pet	DH	19
DH_4_P3	Pet - lives indoors	DH	20
DH_4DP2	Kind of pet - (D)	DH	19
DHC4_AGE	Age	DH	41
DHC4_BED	Number of bedrooms	DH	18
DHC4_DWE	Type of dwelling	DH	20
DHC4_FID	Family ID code	DH	43
DHC4_MAR	Marital status	DH	43
DHC4_OWEN	Dwelling owned by a household member	DH	18
DHC4D611	Number of persons 6 to 11 years old in household - (D)	DH	25
DHC4DE12	Number of persons aged 12 years old in household - (D)	DH	25

NPHS Cycle 3: Alphabetic Index

Page 24

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DHC4DECF	Household type - (D)	DH	22
DHC4DHSZ	Household size - (D)	DH	24
DHC4DL12	Number of persons less than 12 years old in household - (D)	DH	24
DHC4DL25	Number of persons less than 25 years old in household - (D)	DH	24
DHC4DLE5	Number of persons 5 years old or less in household - (D)	DH	25
DHC4DLVG	Living arrangements of selected respondent - (D)	DH	23
DHC4GAGE	Age - (G)	DH	42
DHC6_AGE	Age	DH	477
DHC6_BED	Number of bedrooms	DH	456
DHC6_DWE	Type of dwelling	DH	455
DHC6_FID	Family ID code	DH	479
DHC6_MAR	Marital status	DH	479
DHC6_OWEN	Dwelling owned by a household member	DH	455
DHC6D611	Number of persons 6 to 11 years old in household - (D)	DH	460
DHC6DECF	Household type - (D)	DH	457
DHC6DHSZ	Household size - (D)	DH	459
DHC6DL12	Number of persons less than 12 years old in household - (D)	DH	460
DHC6DLE5	Number of persons 5 years old or less in household - (D)	DH	460
DHC6DLVG	Living arrangements of selected respondent - (D)	DH	458
DHC6GAGE	Age - (G)	DH	478
DHC8_AGE	Age	DH	1176
DHC8_BED	Number of bedrooms	DH	1148
DHC8_DWE	Type of dwelling	DH	1147
DHC8_FID	Family ID code	DH	1178
DHC8_MAR	Marital status	DH	1178
DHC8_OWEN	Dwelling owned by a household member	DH	1147
DHC8D611	Number of persons 6 to 11 years old in household - (D)	DH	1151
DHC8DE12	Number of persons aged 12 years old in household - (D)	DH	1150
DHC8DECF	Household type - (D)	DH	1152
DHC8DHSZ	Household size - (D)	DH	1149
DHC8DL12	Number of persons less than 12 years old in household - (D)	DH	1150
DHC8DLE5	Number of persons 5 years old or less in household - (D)	DH	1150
DHC8DLVG	Living arrangements of selected respondent - (D)	DH	1151
DHC8GAGE	Age - (G)	DH	1177
DOB	Day of birth	DH	2
DOD	Day of death	DH	9

NPBS Cycle 3: Alphabetic Index

Page 25

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
DV_6_60	Visited dentist	DV	799
DV_6_61	Last time visited dentist	DV	799
DV_6_62A	Dental visit - make sure everything is OK	DV	800
DV_6_62B	Dental visit - check-up covered by insurance	DV	800
DV_6_62C	Dental visit - catch problems early	DV	801
DV_6_62D	Dental visit - for good dental health	DV	801
DV_6_62E	Dental visit - care of teeth, gums, dentures	DV	802
DV_6_62F	Dental visit - cleaning, fluoride, maintenance	DV	802
DV_6_62G	Dental visit - to get a filling, extraction	DV	803
DV_6_62H	Dental visit - to check braces	DV	803
DV_6_62I	Dental visit - other reason	DV	804
DV_6_63	Had problems obtaining dental services	DV	804
DV_6_64A	Prob. / dental services - not avail. when required	DV	805
DV_6_64B	Prob. / dental services - not available in area	DV	805
DV_6_64C	Prob. / dental services - waiting time too long	DV	806
DV_6_64D	Prob. / dental services - transportation	DV	806
DV_6_64E	Prob. / dental services - language	DV	807
DV_6_64F	Prob. / dental services - cost	DV	807
DV_6_64G	Prob. / dental services - didn't know where to go	DV	808
DV_6_64H	Prob. / dental services - other	DV	808
DV_6_65A	No dental visit - have not gotten around to it	DV	809
DV_6_65B	No dental visit - resp. didn't think necessary	DV	809
DV_6_65C	No dental visit - dentist didn't think necessary	DV	810
DV_6_65D	No dental visit - personal / family responsibilities	DV	810
DV_6_65E	No dental visit - not available when required	DV	811
DV_6_65F	No dental visit - not available in area	DV	811
DV_6_65G	No dental visit - waiting time too long	DV	812
DV_6_65H	No dental visit - transportation problems	DV	812
DV_6_65I	No dental visit - language problem	DV	813
DV_6_65J	No dental visit - cost	DV	813
DV_6_65K	No dental visit - did not know where to go	DV	814
DV_6_65L	No dental visit - fear	DV	814
DV_6_65M	No dental visit - wears dentures	DV	815
DV_6_65N	No dental visit - other reason	DV	815
DV_6_66	Has dental insurance	DV	816
EDC4_1	Currently attending a school, college or university	ED	128

NPHS Cycle 3: Alphabetic Index

Page 26

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
EDC4_2	Full-time student or part-time student	ED	128
EDC4_4	Number of years of elementary and high school completed	ED	126
EDC4_5	Graduated from high school	ED	126
EDC4_6	Attended post-secondary institution	ED	127
EDC4_7	Highest level of post-secondary education attained	ED	127
EDC4D1	Highest level of education - 14 levels - (D)	ED	129
EDC4D2	Highest level of education - 12 levels - (D)	ED	130
EDC4D3	Highest level of education - 4 levels - (D)	ED	131
EDC4DLF	Labour force activity of students - (D)	ED	131
EDC6_1	Currently attending a school, college or university	ED	616
EDC6_2	Full-time student or part-time student	ED	617
EDC6_4	Number of years of elementary and high school completed	ED	617
EDC6_5	Graduated from high school	ED	618
EDC6_6	Attended post-secondary institution	ED	618
EDC6_7	Highest level of post-secondary education attained	ED	619
EDC6D1	Highest level of education - 14 levels - (D)	ED	620
EDC6D2	Highest level of education - 12 levels - (D)	ED	621
EDC6D3	Highest level of education - 4 levels - (D)	ED	622
EDC6DLF	Labour force activity of students - (D)	ED	622
EDC8_1	Currently attending a school, college or university	ED	1319
EDC8_2	Full-time student or part-time student	ED	1320
EDC8_4	Number of years of elementary and high school completed	ED	1320
EDC8_5	Graduated from high school	ED	1321
EDC8_6	Attended post-secondary institution	ED	1321
EDC8_7	Highest level of post-secondary education attained	ED	1322
EDC8D1	Highest level of education - 14 levels - (D)	ED	1323
EDC8D2	Highest level of education - 12 levels - (D)	ED	1324
EDC8D3	Highest level of education - 4 levels - (D)	ED	1325
EDC8DLF	Labour force activity of students - (D)	ED	1326
EDC8G7	Highest level of education - 7 levels - (D,G)	ED	1325
ES_6_80	Overall quality of emergency services	ES	834
ES_6_81	Used emergency services	ES	835
ES_6_82	Has health insurance covering hospital charges	ES	835
EX_6_70	Visited optometrist or ophthalmologist	EX	816
EX_6_71	Last eye examination	EX	817
EX_6_72	Frequency of eye examinations	EX	817

NPHS Cycle 3: Alphabetic Index

Page 27

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
EX_6_73A	Has eye exam - make sure everything is OK	EX	818
EX_6_73B	Has eye exam - glaucoma test	EX	818
EX_6_73C	Has eye exam - job requirement	EX	819
EX_6_73D	Has eye exam - check prescription	EX	819
EX_6_73E	Has eye exam - cataracts are developing	EX	820
EX_6_73F	Has eye exam - to get driver's license	EX	820
EX_6_73G	Has eye exam - eye problem / infection	EX	821
EX_6_73H	Has eye exam - diabetes	EX	821
EX_6_73I	Has eye exam - sight deterioration	EX	822
EX_6_73J	Has eye exam - other reason	EX	822
EX_6_74	Had problems obtaining an eye examination	EX	823
EX_6_75A	Problem / eye exam - not available when required	EX	823
EX_6_75B	Problem / eye exam - not available in area	EX	824
EX_6_75C	Problem / eye exam - waiting time too long	EX	824
EX_6_75D	Problem / eye exam - transportation	EX	825
EX_6_75E	Problem / eye exam - language	EX	825
EX_6_75F	Problem / eye exam - cost	EX	826
EX_6_75G	Problem / eye exam - did not know where to go	EX	826
EX_6_75H	Problem / eye exam - other	EX	827
EX_6_76A	No eye exam - have not gotten around to it	EX	827
EX_6_76B	No eye exam - respondent didn't think necessary	EX	828
EX_6_76C	No eye exam - doctor didn't think necessary	EX	828
EX_6_76D	No eye exam - personal or family responsibilities	EX	829
EX_6_76E	No eye exam - not available when required	EX	829
EX_6_76F	No eye exam - not available at all in area	EX	830
EX_6_76G	No eye exam - waiting time too long	EX	830
EX_6_76H	No eye exam - transportation problems	EX	831
EX_6_76I	No eye exam - language problem	EX	831
EX_6_76J	No eye exam - cost	EX	832
EX_6_76K	No eye exam - did not know where to go	EX	832
EX_6_76L	No eye exam - fear	EX	833
EX_6_76M	No eye exam - other reason	EX	833
EX_6_77	Has insurance for eye glasses, contacts	EX	834
FH_8_10	Has some knowledge of birth family's health history	FH	1401
FH_8_11	Birth mother ever had - heart disease	FH	1401
FH_8_12	Birth mother ever had - high blood pressure	FH	1402

NPHS Cycle 3: Alphabetic Index

Page 28

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
FH_8_13	Birth mother ever had - stroke	FH	1402
FH_8_14	Birth mother ever had - diabetes	FH	1403
FH_8_15	Birth mother ever had - cancer	FH	1403
FH_8_161	Mother's age - breast cancer	FH	1410
FH_8_162	Mother's age - ovarian cancer	FH	1410
FH_8_163	Mother's age - cervical cancer	FH	1411
FH_8_164	Mother's age - colorectal cancer	FH	1411
FH_8_165	Mother's age - melanoma cancer	FH	1412
FH_8_166	Mother's age - stomach cancer	FH	1412
FH_8_16A	Mother's type of cancer - breast	FH	1404
FH_8_16B	Mother's type of cancer - ovarian	FH	1404
FH_8_16C	Mother's type of cancer - cervical	FH	1405
FH_8_16D	Mother's type of cancer - colorectal	FH	1405
FH_8_16E	Mother's type of cancer - skin (melanoma)	FH	1406
FH_8_16F	Mother's type of cancer - stomach	FH	1406
FH_8_16G	Mother's type of cancer - uterus	FH	1407
FH_8_16H	Mother's type of cancer - kidney	FH	1407
FH_8_16I	Mother's type of cancer - leukemia / lymphoma	FH	1408
FH_8_16J	Mother's type of cancer - lung	FH	1408
FH_8_16K	Mother's type of cancer - bladder	FH	1409
FH_8_16L	Mother's type of cancer - other	FH	1409
FH_8_17	Birth mother - now living	FH	1413
FH_8_18	Birth mother - age of death	FH	1413
FH_8_19	Birth mother - cause of death	FH	1414
FH_8_21	Birth father ever had - heart disease	FH	1415
FH_8_22	Birth father ever had - high blood pressure	FH	1415
FH_8_23	Birth father ever had - stroke	FH	1416
FH_8_24	Birth father ever had - diabetes	FH	1416
FH_8_25	Birth father ever had - cancer	FH	1417
FH_8_261	Father's age - prostate cancer	FH	1421
FH_8_262	Father's age - colorectal cancer	FH	1422
FH_8_263	Father's age - stomach cancer	FH	1422
FH_8_26A	Father's type of cancer - prostate	FH	1417
FH_8_26B	Father's type of cancer - colorectal	FH	1418
FH_8_26C	Father's type of cancer - stomach	FH	1418
FH_8_26D	Father's type of cancer - kidney	FH	1419

NPHS Cycle 3: Alphabetic Index

Page 29

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
FH_8_26E	Father's type of cancer - leukemia / lymphoma	FH	1419
FH_8_26F	Father's type of cancer - lung	FH	1420
FH_8_26G	Father's type of cancer - bladder	FH	1420
FH_8_26H	Father's type of cancer - other	FH	1421
FH_8_27	Birth father - now living	FH	1423
FH_8_28	Birth father - age of death	FH	1423
FH_8_29	Birth father - cause of death	FH	1424
FH_8_30	Has / had biological brothers or sisters	FH	1425
FH_8_31	Siblings ever had - heart disease	FH	1425
FH_8_32	Siblings ever had - high blood pressure	FH	1426
FH_8_33	Siblings ever had - stroke	FH	1426
FH_8_34	Siblings ever had - diabetes	FH	1427
FH_8_35	Any biological sister ever had - cancer	FH	1427
FH_8_36A	Sister's type of cancer - breast	FH	1428
FH_8_36B	Sister's type of cancer - ovarian	FH	1428
FH_8_36C	Sister's type of cancer - cervical	FH	1429
FH_8_36D	Sister's type of cancer - colorectal	FH	1429
FH_8_36E	Sister's type of cancer - skin (melanoma)	FH	1430
FH_8_36F	Sister's type of cancer - stomach	FH	1430
FH_8_36G	Sister's type of cancer - uterus	FH	1431
FH_8_36H	Sister's type of cancer - kidney	FH	1431
FH_8_36I	Sister's type of cancer - leukemia / lymphoma	FH	1432
FH_8_36J	Sister's type of cancer - lung	FH	1432
FH_8_36K	Sister's type of cancer - bladder	FH	1433
FH_8_36L	Sister's type of cancer - other	FH	1433
FH_8_37	Any biological brother ever had - cancer	FH	1434
FH_8_38A	Brother's type of cancer - prostate	FH	1434
FH_8_38B	Brother's type of cancer - colorectal	FH	1435
FH_8_38C	Brother's type of cancer - stomach	FH	1435
FH_8_38D	Brother's type of cancer - kidney	FH	1436
FH_8_38E	Brother's type of cancer - leukemia / lymphoma	FH	1436
FH_8_38F	Brother's type of cancer - lung	FH	1437
FH_8_38G	Brother's type of cancer - bladder	FH	1437
FH_8_38H	Brother's type of cancer - other	FH	1438
FIC8_1	Worried about a lack of money to eat	FI	1174
FIC8_2	Not enough to eat because of a lack of money	FI	1174

NPHS Cycle 3: Alphabetic Index

Page 30

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
FIC8_3	Did not eat to satisfaction because of a lack of money	FI	1175
FIC8F1	Flag indicating food insecurity	FI	1175
FS_6_50	Ever had a flu shot	FS	783
FS_6_52	Last time had flu shot	FS	784
FS_6_53A	Had flu shot - peer pressure	FS	784
FS_6_53B	Had flu shot - job requirement	FS	785
FS_6_53C	Had flu shot - helps prevent the flu	FS	785
FS_6_53D	Had flu shot - to protect others	FS	786
FS_6_53E	Had flu shot - age	FS	786
FS_6_53F	Had flu shot - health problem	FS	787
FS_6_53G	Had flu shot - other reason	FS	787
FS_6_54	Had problems obtaining a flu shot	FS	788
FS_6_55A	Problem / flu shot - not available when required	FS	788
FS_6_55B	Problem / flu shot - not available in area	FS	789
FS_6_55C	Problem / flu shot - waiting time too long	FS	789
FS_6_55D	Problem / flu shot - transportation	FS	790
FS_6_55E	Problem / flu shot - language	FS	790
FS_6_55F	Problem / flu shot - cost	FS	790
FS_6_55G	Problem / flu shot - did not know where to go	FS	791
FS_6_55H	Problem / flu shot - other	FS	791
FS_6_56A	No flu shot - have not gotten around to it	FS	792
FS_6_56B	No flu shot - respondent didn't think necessary	FS	792
FS_6_56C	No flu shot - doctor didn't think necessary	FS	793
FS_6_56D	No flu shot - personal or family responsibilities	FS	793
FS_6_56E	No flu shot - not available when required	FS	794
FS_6_56F	No flu shot - not available in area	FS	794
FS_6_56G	No flu shot - waiting time too long	FS	795
FS_6_56H	No flu shot - transportation problems	FS	795
FS_6_56I	No flu shot - language problem	FS	796
FS_6_56J	No flu shot - cost	FS	796
FS_6_56K	No flu shot - did not know where to go	FS	797
FS_6_56L	No flu shot - fear	FS	797
FS_6_56M	No flu shot - bad reaction to previous shot	FS	798
FS_6_56N	No flu shot - other reason	FS	798
GE34DCD	Census Division - (D)	GE	14
GE34DCMA	Census Metropolitan Area - (D)	GE	16

NPHS Cycle 3: Alphabetic Index

Page 31

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
GE34DCSD	Census Sub-Division - (D)	GE	15
GE34DFED	Federal Electoral District - (D)	GE	17
GE34DHLR	Health regions - (D)	GE	17
GE34DURB	Rural and urban area - (D)	GE	14
GE36DCD	Census Division - (D)	GE	447
GE36DCMA	Census Metropolitan Area - (D)	GE	448
GE36DCSD	Census Sub-Division - (D)	GE	447
GE36DFED	Federal Electoral District - (D)	GE	449
GE36DHLR	Health regions - (D)	GE	450
GE36DHRO	Health regions (original sample) - (D)	GE	452
GE36DURB	Rural and urban area - (D)	GE	446
GE38DCD	Census Division - (D)	GE	1143
GE38DCMA	Census Metropolitan Area - (D)	GE	1144
GE38DCSD	Census Sub-Division - (D)	GE	1143
GE38DFED	Federal Electoral District - (D)	GE	1145
GE38DURB	Rural and urban area - (D)	GE	1143
GE38GCMA	Census Metropolitan Area - (D,G)	GE	1145
GHC4_1	Respondent's general health	GH	182
GHC4_3	Planned to use services of doctor or midwife	GH	183
GHC4DHDI	Health description index - (D)	GH	184
GHC6_1	Respondent's general health	GH	675
GHC6_21	Gave birth since last interview	GH	761
GHC6DHDI	Health description index - (D)	GH	676
GHC8_1	Respondent's general health	GH	1376
GHC8_21	Gave birth since last interview	GH	1387
GHC8_23	Used services of doctor or midwife	GH	1387
GHC8DHDI	Health description index - (D)	GH	1376
GHK6_2	Level of physical activity - children	GH	676
GHP6_21A	Gave birth in the past 5 years	GH	761
GHP6_25	Still breast-feeding	GH	763
GHP6_26	Duration of breast-feeding last child	GH	764
GHP6_27	Received help / advice about breast-feeding	GH	764
GHP6_28	From whom received breast-feeding advice	GH	765
GHP6_29	Main reason for stopping breast-feeding	GH	766
GHS6_11	Did something to improve health	GH	677
GHS6_12	Most important change to improve health	GH	677

NPHS Cycle 3: Alphabetic Index

Page 32

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
GHS6_13	Thinks something should be done to improve health	GH	678
GHS6_14	Most important thing to be done to improve health	GH	678
GHS6_15	Barrier to improving health	GH	679
GHS6_16A	Reason for no improvement - lack of will power	GH	679
GHS6_16B	Reason for no improvement - lack of time	GH	680
GHS6_16C	Reason for no improvement - too tired	GH	680
GHS6_16D	Reason for no improvement - too difficult	GH	681
GHS6_16E	Reason for no improvement - too costly	GH	681
GHS6_16F	Reason for no improvement - too stressed	GH	682
GHS6_16G	Reason for no improvement - disability / health problem	GH	682
GHS6_16H	Reason for no improvement - other	GH	683
GHS6_17	Intending to improve health over next year	GH	683
GHS6_18A	Health improvement over next year - more exercise	GH	684
GHS6_18B	Health improvement over next year - lose weight	GH	684
GHS6_18C	Health improvement over next year - improve eating habits	GH	685
GHS6_18D	Health improvement over next year - quit smoking	GH	685
GHS6_18E	Health improvement over next year - reduce amount smoked	GH	686
GHS6_18F	Health improvement over next year - manage stress	GH	686
GHS6_18G	Health improvement over next year - reduce stress level	GH	687
GHS6_18H	Health improvement over next year - take vitamins	GH	687
GHS6_18I	Health improvement over next year - other	GH	688
GHS6_22	Gave birth to last baby in hospital	GH	762
GHS6_23	Used services of doctor or midwife	GH	762
GHS6_24	Breast fed child or tried to breast feed	GH	763
GHS6_31	Smoked during last pregnancy	GH	1005
GHS6_32	Average no. of cigarettes daily / pregnant	GH	1005
GHS6_33	Smoked while breast-feeding last baby	GH	1006
GHS6_34	Average no. of cigarettes daily / breast-feeding	GH	1006
GHS6_35	Regularly exposed second-hand smoke during / after pregnancy	GH	1007
HCC4_1	Overnight patient	HC	49
HCC4_10A	Home care received - nursing care	HC	69
HCC4_10C	Home care received - personal care	HC	70
HCC4_10D	Home care received - housework	HC	70
HCC4_10E	Home care received - meal preparation or delivery	HC	71
HCC4_10F	Home care received - shopping	HC	71
HCC4_10H	Home care received - other type	HC	72

NPHS Cycle 3: Alphabetic Index

Page 33

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HCC4_1A	Number of nights as patient	HC	50
HCC4_2A	Number of consultations - family doctor / g.p.	HC	50
HCC4_2B	Number of consultations - eye specialist	HC	51
HCC4_2C	Number of consultations - other medical doctor	HC	52
HCC4_2D	Number of consultations - nurse	HC	53
HCC4_2E	Number of consultations - dentist or orthodontist	HC	54
HCC4_2F	Number of consultations - chiropractor	HC	54
HCC4_2G	Number of consultations - physiotherapist	HC	55
HCC4_2H	Number of consultations - social worker or counselor	HC	55
HCC4_2I	Number of consultations - psychologist	HC	55
HCC4_2J	No. of consul. - speech / audiology / occupational therapist	HC	56
HCC4_3A	Place of most recent contact - family doctor	HC	51
HCC4_3C	Place of most recent contact - other medical doctor	HC	52
HCC4_3D	Place of most recent contact - nurse	HC	53
HCC4_4	Consulted alternative health care provider	HC	57
HCC4_4A	Attended self-help group	HC	63
HCC4_5A	Alternative health care - massage therapist	HC	58
HCC4_5B	Alternative health care - acupuncturist	HC	58
HCC4_5C	Alternative health care - homeopath or naturopath	HC	59
HCC4_5D	Alternative health care - Feldenkrais or Alexander	HC	59
HCC4_5E	Alternative health care - relaxation therapist	HC	60
HCC4_5F	Alternative health care - biofeedback	HC	60
HCC4_5G	Alternative health care - rolfers	HC	61
HCC4_5H	Alternative health care - herbalist	HC	61
HCC4_5I	Alternative health care - reflexologist	HC	62
HCC4_5J	Alternative health care - spiritual healer	HC	62
HCC4_5K	Alternative health care - religious healer	HC	63
HCC4_5L	Alternative health care - other	HC	64
HCC4_6	Health care needed but not received	HC	64
HCC4_8A	Type / care not received - physical health problem	HC	66
HCC4_8B	Type / care not received - emotional / mental health problem	HC	66
HCC4_8C	Type / care not received - regular check-up	HC	67
HCC4_8D	Type / care not received - injury	HC	67
HCC4_8E	Type / care not received - other	HC	68
HCC4_9	Received home care services	HC	68
HCC4DHPC	Consultations with health professionals - (D)	HC	57

NPHS Cycle 3: Alphabetic Index

Page 34

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HCC4DMDC	Number of consultations with medical doctors - (D)	HC	56
HCC4F7W	Long answer collected - reason for not getting care	HC	65
HCC4FS	Long answer collected - type of home care service	HC	69
HCC4G7	Reason for not getting care - (G)	HC	65
HCC6_1	Overnight patient	HC	488
HCC6_10A	Home care received - nursing care	HC	517
HCC6_10B	Home care received - other health care	HC	518
HCC6_10C	Home care received - personal care	HC	518
HCC6_10D	Home care received - housework	HC	519
HCC6_10E	Home care received - meal preparation or delivery	HC	519
HCC6_10F	Home care received - shopping	HC	520
HCC6_10G	Home care received - respite care	HC	520
HCC6_10H	Home care received - other type	HC	521
HCC6_11	Received health care services in the U.S.	HC	521
HCC6_12	Went to U.S. primarily to receive health care	HC	522
HCC6_1A	Number of nights as patient	HC	488
HCC6_2A	Number of consultations - family doctor / g.p.	HC	491
HCC6_2B	Number of consultations - eye specialist	HC	493
HCC6_2C	Number of consultations - other medical doctor	HC	493
HCC6_2D	Number of consultations - nurse	HC	494
HCC6_2E	Number of consultations - dentist or orthodontist	HC	495
HCC6_2F	Number of consultations - chiropractor	HC	496
HCC6_2G	Number of consultations - physiotherapist	HC	496
HCC6_2H	Number of consultations - social worker or counselor	HC	497
HCC6_2I	Number of consultations - psychologist	HC	497
HCC6_2J	No. of consul. - speech / audiology / occupational therapist	HC	498
HCC6_3A	Place of most recent contact - family doctor	HC	492
HCC6_3C	Place of most recent contact - other medical doctor	HC	494
HCC6_3D	Place of most recent contact - nurse	HC	495
HCC6_4	Consulted alternative health care provider	HC	500
HCC6_4A	Attended self-help group	HC	500
HCC6_5A	Alternative health care - massage therapist	HC	501
HCC6_5B	Alternative health care - acupuncturist	HC	501
HCC6_5C	Alternative health care - homeopath or naturopath	HC	502
HCC6_5D	Alternative health care - Feldenkrais or Alexander	HC	502
HCC6_5E	Alternative health care - relaxation therapist	HC	503

NPHS Cycle 3: Alphabetic Index

Page 35

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HCC6_5F	Alternative health care - biofeedback	HC	503
HCC6_5G	Alternative health care - rolfer	HC	504
HCC6_5H	Alternative health care - herbalist	HC	504
HCC6_5I	Alternative health care - reflexologist	HC	505
HCC6_5J	Alternative health care - spiritual healer	HC	505
HCC6_5K	Alternative health care - religious healer	HC	506
HCC6_5L	Alternative health care - other	HC	506
HCC6_6	Health care needed but not received	HC	507
HCC6_7A	Care not received - not available in area	HC	507
HCC6_7B	Care not received - not available when required	HC	508
HCC6_7C	Care not received - waiting time too long	HC	508
HCC6_7D	Care not received - felt would be inadequate	HC	509
HCC6_7E	Care not received - cost	HC	509
HCC6_7F	Care not received - too busy	HC	510
HCC6_7G	Care not received - didn't get around to it	HC	510
HCC6_7H	Care not received - didn't know where to go	HC	511
HCC6_7I	Care not received - transportation problems	HC	511
HCC6_7J	Care not received - language problem	HC	512
HCC6_7K	Care not received- personal/family responsibilities	HC	512
HCC6_7L	Care not received - dislikes doctors / afraid	HC	513
HCC6_7M	Care not received - decided not to seek care	HC	513
HCC6_7N	Care not received - other reason	HC	514
HCC6_8A	Type / care not received - physical health problem	HC	514
HCC6_8B	Type / care not received - emotional / mental health problem	HC	515
HCC6_8C	Type / care not received - regular check-up	HC	515
HCC6_8D	Type / care not received - injury	HC	516
HCC6_8E	Type / care not received - other	HC	516
HCC6_9	Received home care services	HC	517
HCC6DHPC	Consultations with health professionals - (D)	HC	499
HCC6DMDC	Number of consultations with medical doctors - (D)	HC	499
HCC6F1	Flag for any health care service utilization	HC	498
HCC8_1	Overnight patient	HC	1187
HCC8_10A	Home care received - nursing care	HC	1213
HCC8_10B	Home care received - other health care	HC	1213
HCC8_10C	Home care received - personal care	HC	1214
HCC8_10D	Home care received - housework	HC	1214

NPHS Cycle 3: Alphabetic Index

Page 36

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HCC8_10E	Home care received - meal preparation or delivery	HC	1215
HCC8_10F	Home care received - shopping	HC	1215
HCC8_10G	Home care received - respite care	HC	1216
HCC8_10H	Home care received - other type	HC	1216
HCC8_11	Received health care services in the U.S.	HC	1217
HCC8_12	Went to U.S. primarily to receive health care	HC	1217
HCC8_1A	Number of nights as patient	HC	1187
HCC8_2A	Number of consultations - family doctor / g.p.	HC	1188
HCC8_2B	Number of consultations - eye specialist	HC	1189
HCC8_2C	Number of consultations - other medical doctor	HC	1189
HCC8_2D	Number of consultations - nurse	HC	1190
HCC8_2E	Number of consultations - dentist or orthodontist	HC	1191
HCC8_2F	Number of consultations - chiropractor	HC	1192
HCC8_2G	Number of consultations - physiotherapist	HC	1192
HCC8_2H	Number of consultations - social worker or counselor	HC	1193
HCC8_2I	Number of consultations - psychologist	HC	1193
HCC8_2J	No. of consul. - speech / audiology / occupational therapist	HC	1194
HCC8_3A	Place of most recent contact - family doctor	HC	1188
HCC8_3C	Place of most recent contact - other medical doctor	HC	1190
HCC8_3D	Place of most recent contact - nurse	HC	1191
HCC8_4	Consulted alternative health care provider	HC	1196
HCC8_4A	Attended self-help group	HC	1195
HCC8_5A	Alternative health care - massage therapist	HC	1196
HCC8_5B	Alternative health care - acupuncturist	HC	1197
HCC8_5C	Alternative health care - homeopath or naturopath	HC	1197
HCC8_5D	Alternative health care - Feldenkrais or Alexander	HC	1198
HCC8_5E	Alternative health care - relaxation therapist	HC	1198
HCC8_5F	Alternative health care - biofeedback	HC	1199
HCC8_5G	Alternative health care - rolfers	HC	1199
HCC8_5H	Alternative health care - herbalist	HC	1200
HCC8_5I	Alternative health care - reflexologist	HC	1200
HCC8_5J	Alternative health care - spiritual healer	HC	1201
HCC8_5K	Alternative health care - religious healer	HC	1201
HCC8_5L	Alternative health care - other	HC	1202
HCC8_6	Health care needed but not received	HC	1202
HCC8_7A	Care not received - not available in area	HC	1203

NPHS Cycle 3: Alphabetic Index

Page 37

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HCC8_7B	Care not received - not available when required	HC	1203
HCC8_7C	Care not received - waiting time too long	HC	1204
HCC8_7D	Care not received - felt would be inadequate	HC	1204
HCC8_7E	Care not received - cost	HC	1205
HCC8_7F	Care not received - too busy	HC	1205
HCC8_7G	Care not received - didn't get around to it	HC	1206
HCC8_7H	Care not received - didn't know where to go	HC	1206
HCC8_7I	Care not received - transportation problems	HC	1207
HCC8_7J	Care not received - language problem	HC	1207
HCC8_7K	Care not received- personal/family responsibilities	HC	1208
HCC8_7L	Care not received - dislikes doctors / afraid	HC	1208
HCC8_7M	Care not received - decided not to seek care	HC	1209
HCC8_7N	Care not received - other reason	HC	1209
HCC8_8A	Type / care not received - physical health problem	HC	1210
HCC8_8B	Type / care not received - emotional / mental health problem	HC	1210
HCC8_8C	Type / care not received - regular check-up	HC	1211
HCC8_8D	Type / care not received - injury	HC	1211
HCC8_8E	Type / care not received - other	HC	1212
HCC8_9	Received home care services	HC	1212
HCC8DHPC	Consultations with health professionals - (D)	HC	1194
HCC8DMDC	Number of consultations with medical doctors - (D)	HC	1195
HCC8F13	Long answer collected - reason sought care in the U.S.	HC	1218
HCK4_2OT	Number of consultations - other trained person	HC	56
HCK6_2A	Overnight patient - respiratory problem	HC	489
HCK6_2B	Overnight patient - gastrointestinal problem	HC	489
HCK6_2C	Overnight patient - injuries	HC	490
HCK6_2D	Overnight patient - at birth	HC	490
HCK6_2E	Overnight patient - other reason	HC	491
HIP6_1	Sports injuries - first source of information	HI	841
HIP6_1A	Sports injuries - would look for other source	HI	841
HIP6_1B	Sports injuries - second source of information	HI	842
HIP6_2	AIDS / STD - first source of information	HI	843
HIP6_2A	AIDS / STD - would look for other source	HI	843
HIP6_2B	AIDS / STD - second source of information	HI	844
HIP6_3	Depression - first source of information	HI	845
HIP6_3A	Depression - would look for other source	HI	845

NPHS Cycle 3: Alphabetic Index

Page 38

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HIP6_3B	Depression - second source of information	HI	846
HIP6_4	Pregnancy - first source of information	HI	847
HIP6_4A	Pregnancy - would look for other source	HI	847
HIP6_4B	Pregnancy - second source of information	HI	848
HIP6_5	Attended school in past 12 months	HI	848
HIP6_6	Rating of information on improving health	HI	849
HIP6_7	Attended sex education classes at school	HI	849
HIP6_8	Rating of sex education classes	HI	850
HSC4_1	Vision - read newsprint without glasses / contacts	HS	320
HSC4_10	Speech - understood by strangers in own language	HS	326
HSC4_11	Speech - partially understood by strangers in own language	HS	326
HSC4_12	Speech - understood by non-strangers in own language	HS	327
HSC4_13	Speech - partially understood / non-strangers / own lang.	HS	327
HSC4_14	Mobility - walk without difficulty and without support	HS	328
HSC4_15	Mobility - able to walk	HS	329
HSC4_16	Mobility - requires support to walk	HS	329
HSC4_17	Mobility - requires help of person to walk	HS	330
HSC4_18	Mobility - requires a wheelchair	HS	330
HSC4_19	Mobility - frequency of wheelchair use	HS	331
HSC4_2	Vision - read newsprint with glasses / contacts	HS	320
HSC4_20	Mobility - requires help to move in wheelchair	HS	331
HSC4_21	Dexterity - able to grasp and handle small objects	HS	332
HSC4_22	Dexterity - requires help due to limitation in hands	HS	333
HSC4_23	Dexterity - requires help with tasks	HS	333
HSC4_24	Dexterity - requires special equipment / hand limitation	HS	334
HSC4_25	Emotion - description	HS	335
HSC4_26	Cognition - ability to remember things	HS	336
HSC4_27	Cognition - ability to think and solve problems	HS	336
HSC4_28	Severity - free of pain or discomfort	HS	337
HSC4_29	Severity - pain or discomfort	HS	338
HSC4_3	Vision - able to see	HS	321
HSC4_30	Severity - no. of activities prevented by pain	HS	338
HSC4_4	Vision - recognize a friend without glasses / contacts	HS	321
HSC4_5	Vision - recognize a friend with glasses / contacts	HS	322
HSC4_6	Hearing - in group without hearing aid	HS	323
HSC4_7	Hearing - in group with hearing aid	HS	323

NPBS Cycle 3: Alphabetic Index

Page 39

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HSC4_7A	Hearing - able to hear	HS	324
HSC4_8	Hearing - in quiet room without hearing aid	HS	324
HSC4_9	Hearing - in quiet room with hearing aid	HS	325
HSC4DCOG	Cognition - function code - (D)	HS	337
HSC4DDEX	Dexterity trouble - function code - (D)	HS	334
HSC4DEMO	Emotional problems - function code - (D)	HS	335
HSC4DHER	Hearing problems - function code - (D)	HS	325
HSC4DHSI	Health Utility Index (HUI3) - (D)	HS	339
HSC4DMOB	Mobility trouble - function code - (D)	HS	332
HSC4DPAD	Activities prevented / pain - function code - (D)	HS	339
HSC4DSPE	Speech trouble - function code - (D)	HS	328
HSC4DVIS	Vision trouble - function code - (D)	HS	322
HSC6_1	Vision - read newsprint without glasses / contacts	HS	850
HSC6_10	Speech - understood by strangers in own language	HS	856
HSC6_11	Speech - partially understood by strangers in own language	HS	857
HSC6_12	Speech - understood by non-strangers in own language	HS	857
HSC6_13	Speech - partially understood / non-strangers / own lang.	HS	858
HSC6_14	Mobility - walk without difficulty and without support	HS	859
HSC6_15	Mobility - able to walk	HS	859
HSC6_16	Mobility - requires support to walk	HS	860
HSC6_17	Mobility - requires help of person to walk	HS	860
HSC6_18	Mobility - requires a wheelchair	HS	861
HSC6_19	Mobility - frequency of wheelchair use	HS	861
HSC6_2	Vision - read newsprint with glasses / contacts	HS	851
HSC6_20	Mobility - requires help to move in wheelchair	HS	862
HSC6_21	Dexterity - able to grasp and handle small objects	HS	863
HSC6_22	Dexterity - requires help due to limitation in hands	HS	863
HSC6_23	Dexterity - requires help with tasks	HS	864
HSC6_24	Dexterity - requires special equipment / hand limitation	HS	864
HSC6_25	Emotion - description	HS	865
HSC6_26	Cognition - ability to remember things	HS	866
HSC6_27	Cognition - ability to think and solve problems	HS	867
HSC6_28	Severity - free of pain or discomfort	HS	868
HSC6_29	Severity - pain or discomfort	HS	868
HSC6_3	Vision - able to see	HS	851
HSC6_30	Severity - no. of activities prevented by pain	HS	869

NPBS Cycle 3: Alphabetic Index

Page 40

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HSC6_4	Vision - recognize a friend without glasses / contacts	HS	852
HSC6_5	Vision - recognize a friend with glasses / contacts	HS	852
HSC6_6	Hearing - in group without hearing aid	HS	853
HSC6_7	Hearing - in group with hearing aid	HS	854
HSC6_7A	Hearing - able to hear	HS	854
HSC6_8	Hearing - in quiet room without hearing aid	HS	855
HSC6_9	Hearing - in quiet room with hearing aid	HS	855
HSC6DCOG	Cognition - function code - (D)	HS	867
HSC6DDEX	Dexterity trouble - function code - (D)	HS	865
HSC6DEMO	Emotional problems - function code - (D)	HS	866
HSC6DHER	Hearing problems - function code - (D)	HS	856
HSC6DHSI	Health Utility Index (HUI3) - (D)	HS	870
HSC6DMOB	Mobility trouble - function code - (D)	HS	862
HSC6DPAD	Activities prevented / pain - function code - (D)	HS	869
HSC6DSPE	Speech trouble - function code - (D)	HS	858
HSC6DVIS	Vision trouble - function code - (D)	HS	853
HSC8_1	Vision - read newsprint without glasses / contacts	HS	1452
HSC8_10	Speech - understood by strangers in own language	HS	1458
HSC8_11	Speech - partially understood by strangers in own language	HS	1458
HSC8_12	Speech - understood by non-strangers in own language	HS	1459
HSC8_13	Speech - partially understood / non-strangers / own lang.	HS	1459
HSC8_14	Mobility - walk without difficulty and without support	HS	1460
HSC8_15	Mobility - able to walk	HS	1461
HSC8_16	Mobility - requires support to walk	HS	1461
HSC8_17	Mobility - requires help of person to walk	HS	1462
HSC8_18	Mobility - requires a wheelchair	HS	1462
HSC8_19	Mobility - frequency of wheelchair use	HS	1463
HSC8_2	Vision - read newsprint with glasses / contacts	HS	1452
HSC8_20	Mobility - requires help to move in wheelchair	HS	1463
HSC8_21	Dexterity - able to grasp and handle small objects	HS	1464
HSC8_22	Dexterity - requires help due to limitation in hands	HS	1465
HSC8_23	Dexterity - requires help with tasks	HS	1465
HSC8_24	Dexterity - requires special equipment / hand limitation	HS	1466
HSC8_25	Emotion - description	HS	1467
HSC8_26	Cognition - ability to remember things	HS	1468
HSC8_27	Cognition - ability to think and solve problems	HS	1468

NPHS Cycle 3: Alphabetic Index

Page 41

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HSC8_28	Severity - free of pain or discomfort	HS	1469
HSC8_29	Severity - pain or discomfort	HS	1470
HSC8_3	Vision - able to see	HS	1453
HSC8_30	Severity - no. of activities prevented by pain	HS	1470
HSC8_4	Vision - recognize a friend without glasses / contacts	HS	1453
HSC8_5	Vision - recognize a friend with glasses / contacts	HS	1454
HSC8_6	Hearing - in group without hearing aid	HS	1455
HSC8_7	Hearing - in group with hearing aid	HS	1455
HSC8_7A	Hearing - able to hear	HS	1456
HSC8_8	Hearing - in quiet room without hearing aid	HS	1456
HSC8_9	Hearing - in quiet room with hearing aid	HS	1457
HSC8DCOG	Cognition - function code - (D)	HS	1469
HSC8DDEX	Dexterity trouble - function code - (D)	HS	1466
HSC8DEMO	Emotional problems - function code - (D)	HS	1467
HSC8DHER	Hearing problems - function code - (D)	HS	1457
HSC8DHSI	Health Utility Index (HUI3) - (D)	HS	1471
HSC8DMOB	Mobility trouble - function code - (D)	HS	1464
HSC8DPAD	Activities prevented / pain - function code - (D)	HS	1471
HSC8DSPE	Speech trouble - function code - (D)	HS	1460
HSC8DVIS	Vision trouble - function code - (D)	HS	1454
HSK6_25A	Event causing great amount of worry / unhappiness	HS	870
HSK6_31A	Worry or unhappiness - death in family	HS	871
HSK6_31B	Worry or unhappiness - divorce / separation	HS	871
HSK6_31C	Worry or unhappiness - move	HS	872
HSK6_31D	Worry or unhappiness - illness / injury in family	HS	872
HSK6_31E	Worry or unhappiness - conflict between parents	HS	873
HSK6_31F	Worry or unhappiness - other event	HS	873
HVS6_1	Tissue sample given for life insurance	HV	836
HVS6_2	Donated blood at the Red Cross	HV	837
HVS6_3	Year of last blood donation	HV	837
HVS6_4	Test for HIV or AIDS other than for insurance / blood donat.	HV	838
HVS6_5	HIV / AIDS - year of last test	HV	838
HVS6_6	HIV / AIDS - reason for test	HV	839
HVS6_7	Received "clotting factor" between 1978 and 1985	HV	839
HVS6_8	Received a blood transfusion between 1978 and 1985	HV	840
HVS6_9	Has injected non-prescription drugs	HV	840

NPHS Cycle 3: Alphabetic Index

Page 42

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
HWB	Birth weight	GH	4
HWBG1	Birth weight - (G)	HW	5
HWC4_1	Currently pregnant	HW	183
HWC4_3KG	Weight - kilograms	HW	185
HWC4_3LB	Weight - pounds	HW	184
HWC4_HT	Height	HW	186
HWC4DBMI	Body Mass Index - (D)	HW	188
HWC4DSW	Standard weight - (D)	HW	188
HWC6_1	Currently pregnant	HW	688
HWC6_3KG	Weight - kilograms	HW	691
HWC6_3LB	Weight - pounds	HW	691
HWC6_HT	Height	HW	689
HWC6DBMI	Body Mass Index - (D)	HW	692
HWC6DSW	Standard weight - (D)	HW	692
HWC8_1	Currently pregnant	HW	1388
HWC8_3KG	Weight - kilograms	HW	1381
HWC8_3LB	Weight - pounds	HW	1380
HWC8_HT	Height	HW	1377
HWC8DBMI	Body Mass Index - (D)	HW	1381
HWC8DSW	Standard weight - (D)	HW	1382
HWC8G3KG	Weight in kilograms - (G)	HW	1381
HWC8GHT	Height - (G)	HW	1379
HWS6_1	Respondent's opinion of own weight	HW	693
HWS6_2KG	Desired weight - kilograms	HW	694
HWS6_2LB	Desired weight - pounds	HW	693
HWS6_4	Most important thing done to follow a healthy diet	HW	694
HWS6_5	Skipping breakfast can control / reduce weight	HW	695
IJC4_1	Injury - limits normal activities	U	254
IJC4_2	Injury - number of times	U	254
IJC4_3	Injury - type	U	255
IJC4_4	Injury - body part affected	U	256
IJC4_5	Injury - place of occurrence	U	257
IJC4_6	Injury - reason	U	258
IJC4_7	Injury - work-related	U	259
IJC4_8A	Precaution taken - gave up the activity	U	259
IJC4_8B	Precaution taken - being more careful	U	260

NPHS Cycle 3: Alphabetic Index

Page 43

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
IJC4_8C	Precaution taken - safety training	U	260
IJC4_8D	Precaution taken - protective gear	U	261
IJC4_8E	Precaution taken - changing physical situation	U	261
IJC4_8F	Precaution taken - other	U	262
IJC4_8G	Precaution taken - none	U	262
IJC4_8H	Precaution taken - increase child supervision	U	262
IJC4D1	Type of injury by body site - (D)	U	256
IJC4D2	Cause of injury by place of occurrence - (D)	U	258
IJC6_1	Injury - limits normal activities	U	924
IJC6_2	Injury - number of times	U	924
IJC6_3	Injury - type	U	925
IJC6_4	Injury - body part affected	U	926
IJC6_5	Injury - place of occurrence	U	927
IJC6_6	Injury - reason	U	928
IJC6_7	Injury - work-related	U	929
IJC6_8A	Precaution taken - gave up the activity	U	929
IJC6_8B	Precaution taken - being more careful	U	930
IJC6_8C	Precaution taken - safety training	U	930
IJC6_8D	Precaution taken - protective gear	U	931
IJC6_8E	Precaution taken - changing physical situation	U	931
IJC6_8F	Precaution taken - other	U	932
IJC6_8G	Precaution taken - none	U	932
IJC6D1	Type of injury by body site - (D)	U	933
IJC6D2	Cause of injury by place of occurrence - (D)	U	933
IJC8_1	Injury - limits normal activities	U	1530
IJC8_2	Injury - number of times	U	1530
IJC8_3	Injury - type	U	1531
IJC8_4	Injury - body part affected	U	1532
IJC8_5	Injury - place of occurrence	U	1533
IJC8_6	Injury - reason	U	1534
IJC8_7	Injury - work-related	U	1535
IJC8_8A	Precaution taken - gave up the activity	U	1535
IJC8_8B	Precaution taken - being more careful	U	1536
IJC8_8C	Precaution taken - safety training	U	1536
IJC8_8D	Precaution taken - protective gear	U	1537
IJC8_8E	Precaution taken - changing physical situation	U	1537

NPHS Cycle 3: Alphabetic Index

Page 44

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
IJC8_8F	Precaution taken - other	IJ	1538
IJC8_8G	Precaution taken - none	IJ	1538
IJC8D1	Type of injury by body site - (D)	IJ	1539
IJC8D2	Cause of injury by place of occurrence - (D)	IJ	1539
IMM	Flag indicating that the respondent is an immigrant	SD	7
INC4_1A	Source of income - wages and salaries	IN	26
INC4_1B	Source of income - self-employment	IN	27
INC4_1C	Source of income - dividends and interest	IN	27
INC4_1D	Source of income - unemployment insurance	IN	28
INC4_1E	Source of income - worker's compensation	IN	28
INC4_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	29
INC4_1G	Source of income - pensions, superannuation and annuities	IN	29
INC4_1H	Source of income - Old Age Security / G.I.S.	IN	30
INC4_1I	Source of income - child tax benefit	IN	30
INC4_1J	Source of income - social assistance / welfare	IN	31
INC4_1K	Source of income - child support	IN	31
INC4_1L	Source of income - alimony	IN	32
INC4_1M	Source of income - other	IN	32
INC4_1N	Source of income - none	IN	33
INC4_2	Total household income - main source	IN	34
INC4_3A	Total household income - < \$20,000 or >= \$20,000	IN	35
INC4_3B	Total household income - < \$10,000 or >= \$10,000	IN	35
INC4_3C	Total household income - < \$5,000 or >= \$5,000	IN	36
INC4_3D	Total household income - < \$15,000 or >= \$15,000	IN	36
INC4_3E	Total household income - < \$40,000 or >= \$40,000	IN	37
INC4_3F	Total household income - < \$30,000 or >= \$30,000	IN	37
INC4_3G	Total household income - >= \$50,000	IN	38
INC4CCPI	Consumer Price Index	IN	40
INC4DHH	Total household income from all sources - (D)	IN	40
INC4DIA2	Income adequacy - 2 groups - (D)	IN	38
INC4DIA4	Income adequacy - 4 groups - (D)	IN	39
INC4DIA5	Income adequacy - 5 groups - (D)	IN	39
INC4F1	Household questions asked of this H05 respondent	IN	26
INC6_1A	Source of income - wages and salaries	IN	462
INC6_1B	Source of income - self-employment	IN	462
INC6_1C	Source of income - dividends and interest	IN	463

NPHS Cycle 3: Alphabetic Index

Page 45

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
INC6_1D	Source of income - unemployment insurance	IN	463
INC6_1E	Source of income - worker's compensation	IN	464
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	464
INC6_1G	Source of income - pensions, superannuation and annuities	IN	465
INC6_1H	Source of income - Old Age Security / G.I.S.	IN	465
INC6_1I	Source of income - child tax benefit	IN	466
INC6_1J	Source of income - social assistance / welfare	IN	466
INC6_1K	Source of income - child support	IN	467
INC6_1L	Source of income - alimony	IN	467
INC6_1M	Source of income - other	IN	468
INC6_1N	Source of income - none	IN	468
INC6_2	Total household income - main source	IN	469
INC6_3A	Total household income - < \$20,000 or >= \$20,000	IN	470
INC6_3B	Total household income - < \$10,000 or >= \$10,000	IN	470
INC6_3C	Total household income - < \$5,000 or >= \$5,000	IN	471
INC6_3D	Total household income - < \$15,000 or >= \$15,000	IN	471
INC6_3E	Total household income - < \$40,000 or >= \$40,000	IN	472
INC6_3F	Total household income - < \$30,000 or >= \$30,000	IN	472
INC6_3G	Total household income - >= \$50,000	IN	473
INC6CCPI	Consumer Price Index	IN	475
INC6DHH	Total household income from all sources - (D)	IN	475
INC6DIA2	Income adequacy - 2 groups - (D)	IN	473
INC6DIA4	Income adequacy - 4 groups - (D)	IN	474
INC6DIA5	Income adequacy - 5 groups - (D)	IN	474
INC6F1	Household questions asked of this H05 respondent	IN	461
INC8_1A	Source of income - wages and salaries	IN	1154
INC8_1B	Source of income - self-employment	IN	1154
INC8_1C	Source of income - dividends and interest	IN	1155
INC8_1D	Source of income - employment insurance	IN	1155
INC8_1E	Source of income - worker's compensation	IN	1156
INC8_1F	Source of income - benefits from Can. / Que. Pension Plan	IN	1156
INC8_1G	Source of income - pensions, superannuation and annuities	IN	1157
INC8_1H	Source of income - Old Age Security / G.I.S.	IN	1157
INC8_1I	Source of income - child tax benefit	IN	1158
INC8_1J	Source of income - social assistance / welfare	IN	1158
INC8_1K	Source of income - child support	IN	1159

NPHS Cycle 3: Alphabetic Index

Page 46

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
INC8_1L	Source of income - alimony	IN	1159
INC8_1M	Source of income - other	IN	1160
INC8_1N	Source of income - none	IN	1160
INC8_2	Total household income - main source	IN	1161
INC8_3	Total household income - best estimate	IN	1162
INC8_3A	Total household income - < \$20,000 or >= \$20,000	IN	1163
INC8_3B	Total household income - < \$10,000 or >= \$10,000	IN	1163
INC8_3C	Total household income - < \$5,000 or >= \$5,000	IN	1164
INC8_3D	Total household income - < \$15,000 or >= \$15,000	IN	1164
INC8_3E	Total household income - < \$40,000 or >= \$40,000	IN	1165
INC8_3F	Total household income - < \$30,000 or >= \$30,000	IN	1165
INC8_3G	Total household income - >= \$50,000	IN	1166
INC8_4	Total personal income - best estimate	IN	1169
INC8_4A	Total personal income - < \$20,000 or >= \$20,000	IN	1169
INC8_4B	Total personal income - < \$10,000 or >= \$10,000	IN	1170
INC8_4C	Total personal income - < \$5,000 or >= \$5,000	IN	1170
INC8_4D	Total personal income - < \$15,000 or >= \$15,000	IN	1171
INC8_4E	Total personal income - < \$40,000 or >= \$40,000	IN	1171
INC8_4F	Total personal income - < \$30,000 or >= \$30,000	IN	1172
INC8_4G	Total personal income - >= \$50,000	IN	1172
INC8CCPI	Consumer Price Index	IN	1173
INC8DHH	Total household income from all sources - (D)	IN	1167
INC8DIA2	Income adequacy - 2 groups - (D)	IN	1167
INC8DIA4	Income adequacy - 4 groups - (D)	IN	1168
INC8DIA5	Income adequacy - 5 groups - (D)	IN	1168
INC8DPER	Total personal income from all sources - (D)	IN	1173
INC8F1	Household questions asked of this H05 respondent	IN	1153
INC8G2	Main source of total household income - (G)	IN	1162
INS6_4	Household ran out of money to buy food	IN	476
INS6_5	Received food from a charity	IN	476
INS6_6	Description of food situation	IN	477
IS_6D1	Number of types of medical insurance - (D)	IS	836
ISC8_1	Insurance - prescription medications	IS	1398
ISC8_2	Insurance - dental expenses	IS	1399
ISC8_3	Insurance - eye glasses / contact lenses	IS	1399
ISC8_4	Insurance - hospital charges	IS	1400

NPHS Cycle 3: Alphabetic Index

Page 47

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
ISC8D1	Number of types of medical insurance - (D)	IS	1400
LFC4_1	Current main activity	LF	132
LFC4_101	Usually works weekends - job 1	LF	139
LFC4_102	Usually works weekends - job 2	LF	146
LFC4_103	Usually works weekends - job 3	LF	152
LFC4_111	Worked - other than job 1	LF	140
LFC4_112	Worked - other than job 1 and job 2	LF	146
LFC4_16	Worked for others or in own business - main job	LF	155
LFC4_17A	Reason for not working - most recent period	LF	156
LFC4_2	Worked for pay or profit	LF	132
LFC4_41	Had job one year ago without break - job 1	LF	133
LFC4_42	Had job one year ago without break - job 2	LF	141
LFC4_43	Had job one year ago without break - job 3	LF	147
LFC4_51D	Job 1 started - day	LF	135
LFC4_51M	Job 1 started - month	LF	134
LFC4_51Y	Job 1 started - year	LF	135
LFC4_52D	Job 2 started - day	LF	142
LFC4_52M	Job 2 started - month	LF	141
LFC4_52Y	Job 2 started - year	LF	142
LFC4_53D	Job 3 started - day	LF	148
LFC4_53M	Job 3 started - month	LF	148
LFC4_53Y	Job 3 started - year	LF	149
LFC4_61	Has job now - job 1	LF	136
LFC4_62	Has job now - job 2	LF	143
LFC4_63	Has job now - job 3	LF	149
LFC4_71D	Day stopped - job 1	LF	137
LFC4_71M	Month stopped - job 1	LF	137
LFC4_71Y	Year stopped - job 1	LF	138
LFC4_72D	Day stopped - job 2	LF	144
LFC4_72M	Month stopped - job 2	LF	143
LFC4_72Y	Year stopped - job 2	LF	144
LFC4_73D	Day stopped - job 3	LF	150
LFC4_73M	Month stopped - job 3	LF	150
LFC4_73Y	Year stopped - job 3	LF	151
LFC4_81	Hours usually worked per week - job 1	LF	138
LFC4_82	Hours usually worked per week - job 2	LF	145

NPHS Cycle 3: Alphabetic Index

Page 48

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
LFC4_83	Hours usually worked per week - job 3	LF	151
LFC4_91	Type of working hours - job 1	LF	139
LFC4_92	Type of working hours - job 2	LF	145
LFC4_93	Type of working hours - job 3	LF	152
LFC4CSIC	Standard Industry Codes for main job	LF	161
LFC4CSOC	Standard Occupation Codes for main job	LF	157
LFC4DBLI	Blishen socio-economic index for main job - (D)	LF	162
LFC4DCMN	Main job is the current job - (D)	LF	169
LFC4DCWS	Working status in last 12 months - (D)	LF	165
LFC4DD1	Work duration - job 1 - (D)	LF	171
LFC4DD2	Work duration - job 2 - (D)	LF	172
LFC4DD3	Work duration - job 3 - (D)	LF	173
LFC4DDA	Duration of work without break > 30 days - (D)	LF	166
LFC4DDMN	Work duration - main job - (D)	LF	169
LFC4DGA	Number of gaps of 30 days or more between jobs - (D)	LF	168
LFC4DH1	Hours of work - job 1 - (D)	LF	173
LFC4DH2	Hours of work - job 2 - (D)	LF	174
LFC4DH3	Hours of work - job 3 - (D)	LF	174
LFC4DHA	Pattern of working hours of all jobs - (D)	LF	167
LFC4DHMN	Hours of work - main job - (D)	LF	170
LFC4DJA	Number of jobs - (D)	LF	167
LFC4DJGA	Pattern of number of jobs - (D)	LF	168
LFC4DOMN	Job number of old main job - (D)	LF	177
LFC4DPIN	Pineo socio-economic class. / main occupation - (D)	LF	163
LFC4DT1	Type of working hours - job 1 - (D)	LF	175
LFC4DT2	Type of working hours - job 2 - (D)	LF	176
LFC4DT3	Type of working hours - job 3 - (D)	LF	176
LFC4DTMN	Type of working hours - main job - (D)	LF	170
LFC4F13	Long answer collected - main job industry	LF	153
LFC4F14	Long answer collected - main job kind of work	LF	154
LFC4F15	Long answer collected - main job duties	LF	154
LFC4FE1	Long answer collected - employer - job 1	LF	133
LFC4FE2	Long answer collected - employer - job 2	LF	140
LFC4FE3	Long answer collected - employer - job 3	LF	147
LFC4FGAP	Flag indicating jobless gap greater than 30 days	LF	164
LFC4FMN	Job number of main job	LF	153

NPHS Cycle 3: Alphabetic Index

Page 49

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
LFC4FWK	Work flag (used for processing only)	LF	164
LFC4G17B	Reasons not working - currently (G)	LF	157
LFC4GI13	Standard Industry Codes for main job - 13 groups - (G)	LF	161
LFC4GO21	Standard Occupation Codes for main job - 21 groups - (G)	LF	160
LFC4GO34	Standard Occupation Codes for main job - 34 groups - (G)	LF	158
LFC6_101	Usually works weekends - job 1	LF	631
LFC6_102	Usually works weekends - job 2	LF	638
LFC6_103	Usually works weekends - job 3	LF	644
LFC6_111	Worked - other than job 1	LF	631
LFC6_112	Worked - other than job 1 and job 2	LF	638
LFC6_16	Worked for others or in own business - main job	LF	647
LFC6_17A	Reason for not working - most recent period	LF	648
LFC6_17B	Reason for not working - currently	LF	649
LFC6_2	Worked for pay or profit	LF	623
LFC6_2B	Worked for same employer as in last interview	LF	623
LFC6_41	Had job one year ago without break - job 1	LF	624
LFC6_42	Had job one year ago without break - job 2	LF	632
LFC6_43	Had job one year ago without break - job 3	LF	639
LFC6_51D	Job 1 started - day	LF	626
LFC6_51M	Job 1 started - month	LF	625
LFC6_51Y	Job 1 started - year	LF	626
LFC6_52D	Job 2 started - day	LF	634
LFC6_52M	Job 2 started - month	LF	633
LFC6_52Y	Job 2 started - year	LF	634
LFC6_53D	Job 3 started - day	LF	640
LFC6_53M	Job 3 started - month	LF	640
LFC6_53Y	Job 3 started - year	LF	641
LFC6_61	Has job now - job 1	LF	627
LFC6_62	Has job now - job 2	LF	635
LFC6_63	Has job now - job 3	LF	641
LFC6_71D	Day stopped - job 1	LF	629
LFC6_71M	Month stopped - job 1	LF	628
LFC6_71Y	Year stopped - job 1	LF	629
LFC6_72D	Day stopped - job 2	LF	636
LFC6_72M	Month stopped - job 2	LF	635
LFC6_72Y	Year stopped - job 2	LF	636

NPHS Cycle 3: Alphabetic Index

Page 50

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
LFC6_73D	Day stopped - job 3	LF	642
LFC6_73M	Month stopped - job 3	LF	642
LFC6_73Y	Year stopped - job 3	LF	643
LFC6_81	Hours usually worked per week - job 1	LF	630
LFC6_82	Hours usually worked per week - job 2	LF	637
LFC6_83	Hours usually worked per week - job 3	LF	643
LFC6_91	Type of working hours - job 1	LF	630
LFC6_92	Type of working hours - job 2	LF	637
LFC6_93	Type of working hours - job 3	LF	644
LFC6CSIC	Standard Industry Codes for main job	LF	654
LFC6CSOC	Standard Occupation Codes for main job	LF	650
LFC6DBLI	Blishen socio-economic index for main job - (D)	LF	655
LFC6DCMN	Main job is the current job - (D)	LF	662
LFC6DCWS	Working status in last 12 months - (D)	LF	658
LFC6DD1	Work duration - job 1 - (D)	LF	664
LFC6DD2	Work duration - job 2 - (D)	LF	665
LFC6DD3	Work duration - job 3 - (D)	LF	666
LFC6DDA	Duration of work without break > 30 days - (D)	LF	659
LFC6DDMN	Work duration - main job - (D)	LF	662
LFC6DGA	Number of gaps of 30 days or more - (D)	LF	661
LFC6DH1	Hours of work - job 1 - (D)	LF	666
LFC6DH2	Hours of work - job 2 - (D)	LF	667
LFC6DH3	Hours of work - job 3 - (D)	LF	667
LFC6DHA	Pattern of working hours of all jobs - (D)	LF	660
LFC6DHMN	Hours of work - main job - (D)	LF	663
LFC6DJA	Number of jobs - (D)	LF	660
LFC6DJGA	Pattern of number of jobs - (D)	LF	661
LFC6DPIN	Pineo socio-economic class. / main occupation - (D)	LF	656
LFC6DT1	Type of working hours - job 1 - (D)	LF	668
LFC6DT2	Type of working hours - job 2 - (D)	LF	668
LFC6DT3	Type of working hours - job 3 - (D)	LF	669
LFC6DTMN	Type of working hours - main job - (D)	LF	663
LFC6F13	Long answer collected - main job industry	LF	645
LFC6F14	Long answer collected - main job kind of work	LF	646
LFC6F15	Long answer collected - main job duties	LF	646
LFC6FE1	Long answer collected - employer - job 1	LF	624

NPHS Cycle 3: Alphabetic Index

Page 51

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
LFC6FE2	Long answer collected - employer - job 2	LF	632
LFC6FE3	Long answer collected - employer - job 3	LF	639
LFC6FGAP	Flag indicating jobless gap greater than 30 days	LF	657
LFC6FMN	Job number of main job	LF	645
LFC6FWK	Work flag (used for processing only)	LF	657
LFC6GI13	Standard Industry Codes for main job - 13 groups - (G)	LF	654
LFC6GO21	Standard Occupation Codes for main job - 21 groups - (G)	LF	653
LFC6GO34	Standard Occupation Codes for main job - 34 groups - (G)	LF	651
LFC8_101	Usually works weekends - job 1	LF	1333
LFC8_102	Usually works weekends - job 2	LF	1339
LFC8_103	Usually works weekends - job 3	LF	1345
LFC8_111	Worked - other than job 1	LF	1334
LFC8_112	Worked - other than job 1 and job 2	LF	1340
LFC8_16	Worked for others or in own business - main job	LF	1348
LFC8_17A	Reason for not working - most recent period	LF	1349
LFC8_17B	Reason for not working - currently	LF	1351
LFC8_2	Worked for pay or profit	LF	1326
LFC8_2B	Worked for same employer as in last interview	LF	1327
LFC8_41	Had job one year ago without break - job 1	LF	1328
LFC8_42	Had job one year ago without break - job 2	LF	1335
LFC8_43	Had job one year ago without break - job 3	LF	1341
LFC8_51D	Job 1 started - day	LF	1329
LFC8_51M	Job 1 started - month	LF	1329
LFC8_51Y	Job 1 started - year	LF	1330
LFC8_52D	Job 2 started - day	LF	1336
LFC8_52M	Job 2 started - month	LF	1335
LFC8_52Y	Job 2 started - year	LF	1336
LFC8_53D	Job 3 started - day	LF	1342
LFC8_53M	Job 3 started - month	LF	1341
LFC8_53Y	Job 3 started - year	LF	1342
LFC8_61	Has job now - job 1	LF	1330
LFC8_62	Has job now - job 2	LF	1337
LFC8_63	Has job now - job 3	LF	1343
LFC8_71D	Day stopped - job 1	LF	1331
LFC8_71M	Month stopped - job 1	LF	1331
LFC8_71Y	Year stopped - job 1	LF	1332

NPHS Cycle 3: Alphabetic Index

Page 52

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
LFC8_72D	Day stopped - job 2	LF	1338
LFC8_72M	Month stopped - job 2	LF	1337
LFC8_72Y	Year stopped - job 2	LF	1338
LFC8_73D	Day stopped - job 3	LF	1344
LFC8_73M	Month stopped - job 3	LF	1343
LFC8_73Y	Year stopped - job 3	LF	1344
LFC8_81	Hours usually worked per week - job 1	LF	1332
LFC8_82	Hours usually worked per week - job 2	LF	1338
LFC8_83	Hours usually worked per week - job 3	LF	1344
LFC8_91	Type of working hours - job 1	LF	1333
LFC8_92	Type of working hours - job 2	LF	1339
LFC8_93	Type of working hours - job 3	LF	1345
LFC8CI97	Standard Industry Codes for main job	LF	1356
LFC8CO91	Standard Occupation Codes for main job	LF	1352
LFC8DCMN	Main job is the current job - (D)	LF	1363
LFC8DCWS	Working status in last 12 months - (D)	LF	1359
LFC8DD1	Work duration - job 1 - (D)	LF	1365
LFC8DD2	Work duration - job 2 - (D)	LF	1366
LFC8DD3	Work duration - job 3 - (D)	LF	1367
LFC8DDA	Duration of work without break > 30 days - (D)	LF	1360
LFC8DDMN	Work duration - main job - (D)	LF	1363
LFC8DGA	Number of gaps of 30 days or more - (D)	LF	1362
LFC8DH1	Hours of work - job 1 - (D)	LF	1367
LFC8DH2	Hours of work - job 2 - (D)	LF	1368
LFC8DH3	Hours of work - job 3 - (D)	LF	1368
LFC8DHA	Pattern of working hours of all jobs - (D)	LF	1361
LFC8DHMN	Hours of work - main job - (D)	LF	1364
LFC8DJA	Number of jobs - (D)	LF	1361
LFC8DJGA	Pattern of number of jobs - (D)	LF	1362
LFC8DT1	Type of working hours - job 1 - (D)	LF	1369
LFC8DT2	Type of working hours - job 2 - (D)	LF	1370
LFC8DT3	Type of working hours - job 3 - (D)	LF	1370
LFC8DTMN	Type of working hours - main job - (D)	LF	1364
LFC8F13	Long answer collected - main job industry	LF	1346
LFC8F14	Long answer collected - main job kind of work	LF	1347
LFC8F15	Long answer collected - main job duties	LF	1347

NPHS Cycle 3: Alphabetic Index

Page 53

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
LFC8FE1	Long answer collected - employer - job 1	LF	1327
LFC8FE2	Long answer collected - employer - job 2	LF	1334
LFC8FE3	Long answer collected - employer - job 3	LF	1340
LFC8FGAP	Flag indicating jobless gap greater than 30 days	LF	1358
LFC8FMN	Job number of main job	LF	1346
LFC8FWK	Work flag (used for processing only)	LF	1358
LFC8G17A	Reason for not working - most recent period - (G)	LF	1350
LFC8G17B	Reasons not working - currently (G)	LF	1352
LFC8GI16	Standard Industry Codes for main job - 16 groups - (G)	LF	1357
LFC8GO25	Standard Occupation Codes for main job - 25 groups - (G)	LF	1355
LFC8GO47	Standard Occupation Codes for main job - 47 groups - (G)	LF	1353
LONGPAT	Longitudinal response pattern	SP	1
MHC4_10	Depressed - frequency of trouble falling asleep	MH	391
MHC4_11	Depressed - trouble concentrating	MH	392
MHC4_12	Depressed - felt down on self	MH	392
MHC4_13	Depressed - thought a lot about death	MH	393
MHC4_14	Depressed - number of weeks in past 12 months	MH	393
MHC4_15	Month in which depression occurred	MH	394
MHC4_16	Lost interest in most things that usually give pleasure	MH	395
MHC4_17	Loss of interest - duration	MH	395
MHC4_18	Loss of interest - frequency	MH	396
MHC4_19	Loss of interest - felt tired all the time	MH	396
MHC4_1A	Frequency - felt sad nothing could cheer up	MH	381
MHC4_1B	Frequency - felt nervous	MH	381
MHC4_1C	Frequency - felt restless / fidgety	MH	382
MHC4_1D	Frequency - felt hopeless	MH	382
MHC4_1E	Frequency - felt worthless	MH	383
MHC4_1F	Frequency - felt everything was an effort	MH	383
MHC4_1G	Frequency - feelings occurrence	MH	384
MHC4_1H	Frequency - feelings occurrence (more)	MH	384
MHC4_1I	Frequency - feelings occurrence (less)	MH	385
MHC4_1J	Frequency - experiences interfere with life	MH	385
MHC4_1K	Mental health - consulted health professional	MH	386
MHC4_1L	Frequency - consultations with health professional	MH	386
MHC4_2	Felt depressed for 2 weeks or more in past year	MH	387
MHC4_20	Loss of interest - weight change or not	MH	397

NPHS Cycle 3: Alphabetic Index

Page 54

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
MHC4_21K	Loss of interest - weight change (kg.)	MH	398
MHC4_21L	Loss of interest - weight change (lb.)	MH	397
MHC4_22	Loss of interest - trouble falling asleep	MH	398
MHC4_23	Loss of interest - frequency having trouble falling asleep	MH	399
MHC4_24	Loss of interest - trouble concentrating	MH	399
MHC4_25	Loss of interest - felt down on self	MH	400
MHC4_26	Loss of interest - thought a lot about death	MH	400
MHC4_27	Loss of interest - number of weeks	MH	401
MHC4_28	Loss of interest - month of occurrence	MH	402
MHC4_3	Depressed - length of time feelings usually last	MH	387
MHC4_4	Depressed - number of times felt this way	MH	388
MHC4_5	Depressed - lost interest in most things	MH	388
MHC4_6	Depressed - felt tired all of the time	MH	389
MHC4_7	Depressed - weight change or not	MH	389
MHC4_8KG	Depressed - weight change (kg.)	MH	390
MHC4_8LB	Depressed - weight change (lb.)	MH	390
MHC4_9	Depressed - trouble falling asleep	MH	391
MHC4DCH	Chronicity of Distress and Impairment Scale - (D)	MH	403
MHC4DDS	Distress Scale - (D)	MH	402
MHC4DMT	Specific month when felt depressed - (D)	MH	405
MHC4DPP	Depression Scale - Predicted Probability - (D)	MH	404
MHC4DSF	Depression Scale - Short Form Score - (D)	MH	403
MHC4DWK	Number of weeks felt depressed - (D)	MH	404
MHC6_10	Depressed - frequency of trouble falling asleep	MH	1058
MHC6_11	Depressed - trouble concentrating	MH	1059
MHC6_12	Depressed - felt down on self	MH	1059
MHC6_13	Depressed - thought a lot about death	MH	1060
MHC6_14	Depressed - number of weeks in past 12 months	MH	1060
MHC6_15	Month in which depression occurred	MH	1061
MHC6_16	Lost interest in most things that usually give pleasure	MH	1062
MHC6_17	Loss of interest - duration	MH	1062
MHC6_18	Loss of interest - frequency	MH	1063
MHC6_19	Loss of interest - felt tired all the time	MH	1063
MHC6_1A	Frequency - felt sad nothing could cheer up	MH	1045
MHC6_1B	Frequency - felt nervous	MH	1045
MHC6_1C	Frequency - felt restless / fidgety	MH	1046

NPHS Cycle 3: Alphabetic Index

Page 55

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
MHC6_1D	Frequency - felt hopeless	MH	1046
MHC6_1E	Frequency - felt worthless	MH	1047
MHC6_1F	Frequency - felt everything was an effort	MH	1047
MHC6_1G	Frequency - feelings occurrence	MH	1048
MHC6_1H	Frequency - feelings occurrence (more)	MH	1048
MHC6_1I	Frequency - feelings occurrence (less)	MH	1049
MHC6_1J	Frequency - experiences interfere with life	MH	1049
MHC6_1K	Mental health - consulted health professional	MH	1050
MHC6_1L	Frequency - consultations with health professional	MH	1050
MHC6_1MA	Mental health, consulted - family doctor	MH	1051
MHC6_1MB	Mental health, consulted - psychiatrist	MH	1051
MHC6_1MC	Mental health, consulted - psychologist	MH	1052
MHC6_1MD	Mental health, consulted - nurse	MH	1052
MHC6_1ME	Mental health, consulted - social worker or counselor	MH	1053
MHC6_1MF	Mental health, consulted - other	MH	1053
MHC6_2	Felt depressed for 2 weeks or more in past year	MH	1054
MHC6_20	Loss of interest - weight change or not	MH	1064
MHC6_21K	Loss of interest - weight change (kg.)	MH	1064
MHC6_21L	Loss of interest - weight change (lb.)	MH	1065
MHC6_22	Loss of interest - trouble falling asleep	MH	1065
MHC6_23	Loss of interest - frequency having trouble falling asleep	MH	1066
MHC6_24	Loss of interest - trouble concentrating	MH	1066
MHC6_25	Loss of interest - felt down on self	MH	1067
MHC6_26	Loss of interest - thought a lot about death	MH	1067
MHC6_27	Loss of interest - number of weeks	MH	1068
MHC6_28	Loss of interest - month of occurrence	MH	1069
MHC6_3	Depressed - length of time feelings usually last	MH	1054
MHC6_4	Depressed - number of times felt this way	MH	1055
MHC6_5	Depressed - lost interest in most things	MH	1055
MHC6_6	Depressed - felt tired all of the time	MH	1056
MHC6_7	Depressed - weight change or not	MH	1056
MHC6_8KG	Depressed - weight change (kg.)	MH	1057
MHC6_8LB	Depressed - weight change (lb.)	MH	1057
MHC6_9	Depressed - trouble falling asleep	MH	1058
MHC6DCH	Chronicity of Distress and Impairment Scale - (D)	MH	1070
MHC6DDS	Distress Scale - (D)	MH	1069

NPHS Cycle 3: Alphabetic Index

Page 56

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
MHC6DMT	Specific month when felt depressed - (D)	MH	1072
MHC6DPP	Depression Scale - Predicted Probability - (D)	MH	1071
MHC6DSF	Depression Scale - Short Form Score - (D)	MH	1070
MHC6DWK	Number of weeks felt depressed - (D)	MH	1071
MHC8_10	Depressed - frequency of trouble falling asleep	MH	1657
MHC8_11	Depressed - trouble concentrating	MH	1657
MHC8_12	Depressed - felt down on self	MH	1658
MHC8_13	Depressed - thought a lot about death	MH	1658
MHC8_14	Depressed - number of weeks in past 12 months	MH	1659
MHC8_15	Month in which depression occurred	MH	1660
MHC8_16	Lost interest in most things that usually give pleasure	MH	1661
MHC8_17	Loss of interest - duration	MH	1661
MHC8_18	Loss of interest - frequency	MH	1662
MHC8_19	Loss of interest - felt tired all the time	MH	1662
MHC8_1A	Frequency - felt sad nothing could cheer up	MH	1643
MHC8_1B	Frequency - felt nervous	MH	1643
MHC8_1C	Frequency - felt restless / fidgety	MH	1644
MHC8_1D	Frequency - felt hopeless	MH	1644
MHC8_1E	Frequency - felt worthless	MH	1645
MHC8_1F	Frequency - felt everything was an effort	MH	1645
MHC8_1G	Frequency - feelings occurrence	MH	1646
MHC8_1H	Frequency - feelings occurrence (more)	MH	1646
MHC8_1I	Frequency - feelings occurrence (less)	MH	1647
MHC8_1J	Frequency - experiences interfere with life	MH	1647
MHC8_1K	Mental health - consulted health professional	MH	1648
MHC8_1L	Frequency - consultations with health professional	MH	1648
MHC8_1MA	Mental health, consulted - family doctor	MH	1649
MHC8_1MB	Mental health, consulted - psychiatrist	MH	1650
MHC8_1MC	Mental health, consulted - psychologist	MH	1650
MHC8_1MD	Mental health, consulted - nurse	MH	1651
MHC8_1ME	Mental health, consulted - social worker or counselor	MH	1651
MHC8_1MF	Mental health, consulted - other	MH	1652
MHC8_2	Felt depressed for 2 weeks or more in past year	MH	1652
MHC8_20	Loss of interest - weight change or not	MH	1663
MHC8_21K	Loss of interest - weight change (kg.)	MH	1663
MHC8_21L	Loss of interest - weight change (lb.)	MH	1664

NPHS Cycle 3: Alphabetic Index

Page 57

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
MHC8_22	Loss of interest - trouble falling asleep	MH	1664
MHC8_23	Loss of interest - frequency having trouble falling asleep	MH	1665
MHC8_24	Loss of interest - trouble concentrating	MH	1665
MHC8_25	Loss of interest - felt down on self	MH	1666
MHC8_26	Loss of interest - thought a lot about death	MH	1666
MHC8_27	Loss of interest - number of weeks	MH	1667
MHC8_28	Loss of interest - month of occurrence	MH	1668
MHC8_3	Depressed - length of time feelings usually last	MH	1653
MHC8_4	Depressed - number of times felt this way	MH	1653
MHC8_5	Depressed - lost interest in most things	MH	1654
MHC8_6	Depressed - felt tired all of the time	MH	1654
MHC8_7	Depressed - weight change or not	MH	1655
MHC8_8KG	Depressed - weight change (kg.)	MH	1655
MHC8_8LB	Depressed - weight change (lb.)	MH	1656
MHC8_9	Depressed - trouble falling asleep	MH	1656
MHC8DCH	Chronicity of Distress and Impairment Scale - (D)	MH	1669
MHC8DDS	Distress Scale - (D)	MH	1668
MHC8DMT	Specific month when felt depressed - (D)	MH	1671
MHC8DPP	Depression Scale - Predicted Probability - (D)	MH	1670
MHC8DSF	Depression Scale - Short Form Score - (D)	MH	1669
MHC8DWK	Number of weeks felt depressed - (D)	MH	1670
MHC8G1L	No. of consultations with health prof. / mental health - (G)	MH	1649
MOB	Month of birth	DH	2
MOD	Month of death	DH	9
NU_8_1A	Choose or avoid foods - concerned about body weight	NU	1438
NU_8_1B	Choose or avoid foods - maintain / improve health	NU	1439
NU_8_1C	Choose or avoid foods - concerned about heart disease	NU	1439
NU_8_1D	Choose or avoid foods - concerned about cancer	NU	1440
NU_8_1E	Choose or avoid foods - concerned about osteoporosis	NU	1440
NU_8_1F	Choose or avoid foods - concerned about high blood pressure	NU	1441
NU_8_1G	Choose or avoid foods - concerned about diabetes	NU	1441
NU_8_2A	Reason to choose foods - lower fat content	NU	1442
NU_8_2B	Reason to choose foods - fibre content	NU	1443
NU_8_2C	Reason to choose foods - calcium content	NU	1443
NU_8_2D	Reason to choose foods - iron content	NU	1444
NU_8_2E	Reason to choose foods - other vitamins / minerals	NU	1444

NPHS Cycle 3: Alphabetic Index

Page 58

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
NU_8_3A	Reason to avoid foods - fat content	NU	1445
NU_8_3B	Reason to avoid foods - type of fat	NU	1446
NU_8_3C	Reason to avoid foods - salt content	NU	1446
NU_8_3D	Reason to avoid foods - cholesterol content	NU	1447
NU_8_3E	Reason to avoid foods - sugar content	NU	1447
NU_8_3F	Reason to avoid foods - iron content	NU	1448
NU_8_3G	Reason to avoid foods - calorie content	NU	1448
NU_8_4A	Took supplements - past 4 weeks	NU	1449
NU_8_4B	Took supplements - at least once a week	NU	1450
NU_8_4C	Took supplements - number of days / last week	NU	1450
NU_8_4D	Took supplements - number of days / past 4 weeks	NU	1451
NU_8D1	No. of medical reasons - choosing / avoiding foods - (D)	NU	1442
NU_8D2	Number of content reasons for choosing foods - (D)	NU	1445
NU_8D3	Number of content reasons for avoiding foods - (D)	NU	1449
NU_8DCON	Freq. of consumption of vitamin / mineral supplements - (D)	NU	1451
PAC4_1A	Activity / last 3 months - walking	PA	213
PAC4_1B	Activity / last 3 months - gardening / yard work	PA	213
PAC4_1C	Activity / last 3 months - swimming	PA	214
PAC4_1D	Activity / last 3 months - bicycling	PA	214
PAC4_1E	Activity / last 3 months - popular or social dance	PA	215
PAC4_1F	Activity / last 3 months - home exercises	PA	215
PAC4_1G	Activity / last 3 months - ice hockey	PA	216
PAC4_1H	Activity / last 3 months - skating	PA	216
PAC4_1I	Activity / last 3 months - downhill skiing	PA	217
PAC4_1J	Activity / last 3 months - jogging or running	PA	217
PAC4_1K	Activity / last 3 months - golfing	PA	218
PAC4_1L	Activity / last 3 months - exercise class or aerobics	PA	218
PAC4_1M	Activity / last 3 months - cross-country skiing	PA	219
PAC4_1N	Activity / last 3 months - bowling	PA	219
PAC4_1O	Activity / last 3 months - baseball or softball	PA	220
PAC4_1P	Activity / last 3 months - tennis	PA	220
PAC4_1Q	Activity / last 3 months - weight-training	PA	221
PAC4_1R	Activity / last 3 months - fishing	PA	221
PAC4_1S	Activity / last 3 months - volleyball	PA	222
PAC4_1U	Activity / last 3 months - other (#1)	PA	223
PAC4_1V	Activity / last 3 months - none	PA	223

NPBS Cycle 3: Alphabetic Index

Page 59

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PAC4_1W	Activity / last 3 months - other (#2)	PA	224
PAC4_1X	Activity / last 3 months - other (#3)	PA	225
PAC4_1Z	Activity / last 3 months - yoga or tai-chi	PA	222
PAC4_2A	No. of times participated - walking for exercise	PA	226
PAC4_2B	No. of times participated - gardening	PA	227
PAC4_2C	No. of times participated - swimming	PA	228
PAC4_2D	No. of times participated - bicycling	PA	229
PAC4_2E	No. of times participated - popular / social dance	PA	230
PAC4_2F	No. of times participated - home exercises	PA	231
PAC4_2G	No. of times participated - ice hockey	PA	232
PAC4_2H	No. of times participated - skating	PA	233
PAC4_2I	No. of times participated - downhill skiing	PA	234
PAC4_2J	No. of times participated - jogging or running	PA	235
PAC4_2K	No. of times participated - golfing	PA	236
PAC4_2L	No. of times participated - exercise class / aerobics	PA	237
PAC4_2M	No. of times participated - cross-country skiing	PA	238
PAC4_2N	No. of times participated - bowling	PA	239
PAC4_2O	No. of times participated - baseball or softball	PA	240
PAC4_2P	No. of times participated - tennis	PA	241
PAC4_2Q	No. of times participated - weight training	PA	242
PAC4_2R	No. of times participated - fishing	PA	243
PAC4_2S	No. of times participated - volleyball	PA	244
PAC4_2U	No. of times participated - other activity (#1)	PA	246
PAC4_2W	No. of times participated - other activity (#2)	PA	247
PAC4_2X	No. of times participated - other activity (#3)	PA	248
PAC4_2Z	No. of times participated - yoga or tai-chi	PA	245
PAC4_3A	Time spent - walking for exercise	PA	226
PAC4_3B	Time spent - gardening	PA	227
PAC4_3C	Time spent - swimming	PA	228
PAC4_3D	Time spent - bicycling	PA	229
PAC4_3E	Time spent - popular / social dance	PA	230
PAC4_3F	Time spent - home exercises	PA	231
PAC4_3G	Time spent - ice hockey	PA	232
PAC4_3H	Time spent - skating	PA	233
PAC4_3I	Time spent - downhill skiing	PA	234
PAC4_3J	Time spent - jogging or running	PA	235

NPBS Cycle 3: Alphabetic Index

Page 60

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PAC4_3K	Time spent - golfing	PA	236
PAC4_3L	Time spent - exercise class / aerobics	PA	237
PAC4_3M	Time spent - cross-country skiing	PA	238
PAC4_3N	Time spent - bowling	PA	239
PAC4_3O	Time spent - baseball or softball	PA	240
PAC4_3P	Time spent - tennis	PA	241
PAC4_3Q	Time spent - weight training	PA	242
PAC4_3R	Time spent - fishing	PA	243
PAC4_3S	Time spent - volleyball	PA	244
PAC4_3U	Time spent - other activity (#1)	PA	246
PAC4_3W	Time spent - other activity (#2)	PA	247
PAC4_3X	Time spent - other activity (#3)	PA	248
PAC4_3Z	Time spent - yoga or tai-chi	PA	245
PAC4_4A	Number of hours spent walking to work / school	PA	249
PAC4_4B	Number of hours spent biking to work / school	PA	250
PAC4_5	Frequency of bike helmet use	PA	250
PAC4_6	Level of physical activity for usual day	PA	251
PAC4DEE	Energy expenditure - (D)	PA	251
PAC4DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	253
PAC4DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	252
PAC4DFR	Frequency of all physical activity - (D)	PA	253
PAC4DLEI	Participant in leisure physical activity - (D)	PA	252
PAC4DPAI	Physical activity index - (D)	PA	254
PAC4FC1	Long answer collected - other physical activity (#1)	PA	224
PAC4FC2	Long answer collected - other physical activity (#2)	PA	224
PAC4FC3	Long answer collected - other physical activity (#3)	PA	225
PAC6_1A	Activity / last 3 months - walking	PA	874
PAC6_1B	Activity / last 3 months - gardening / yard work	PA	874
PAC6_1C	Activity / last 3 months - swimming	PA	875
PAC6_1D	Activity / last 3 months - bicycling	PA	875
PAC6_1E	Activity / last 3 months - popular or social dance	PA	876
PAC6_1F	Activity / last 3 months - home exercises	PA	876
PAC6_1G	Activity / last 3 months - ice hockey	PA	877
PAC6_1H	Activity / last 3 months - ice skating	PA	877
PAC6_1I	Activity / last 3 months - downhill skiing	PA	878
PAC6_1J	Activity / last 3 months - jogging or running	PA	878

NPBS Cycle 3: Alphabetic Index

Page 61

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PAC6_1K	Activity / last 3 months - golfing	PA	879
PAC6_1L	Activity / last 3 months - exercise class or aerobics	PA	879
PAC6_1M	Activity / last 3 months - cross-country skiing	PA	880
PAC6_1N	Activity / last 3 months - bowling	PA	880
PAC6_1O	Activity / last 3 months - baseball or softball	PA	881
PAC6_1P	Activity / last 3 months - tennis	PA	881
PAC6_1Q	Activity / last 3 months - weight-training	PA	882
PAC6_1R	Activity / last 3 months - fishing	PA	882
PAC6_1S	Activity / last 3 months - volleyball	PA	883
PAC6_1T	Activity / last 3 months - basketball	PA	883
PAC6_1U	Activity / last 3 months - other (#1)	PA	884
PAC6_1V	Activity / last 3 months - none	PA	884
PAC6_1W	Activity / last 3 months - other (#2)	PA	885
PAC6_1X	Activity / last 3 months - other (#3)	PA	886
PAC6_2A	No. of times participated - walking for exercise	PA	887
PAC6_2B	No. of times participated - gardening	PA	888
PAC6_2C	No. of times participated - swimming	PA	889
PAC6_2D	No. of times participated - bicycling	PA	890
PAC6_2E	No. of times participated - popular / social dance	PA	891
PAC6_2F	No. of times participated - home exercises	PA	892
PAC6_2G	No. of times participated - ice hockey	PA	893
PAC6_2H	No. of times participated - ice skating	PA	894
PAC6_2I	No. of times participated - downhill skiing	PA	895
PAC6_2J	No. of times participated - jogging or running	PA	896
PAC6_2K	No. of times participated - golfing	PA	897
PAC6_2L	No. of times participated - exercise class / aerobics	PA	898
PAC6_2M	No. of times participated - cross-country skiing	PA	899
PAC6_2N	No. of times participated - bowling	PA	900
PAC6_2O	No. of times participated - baseball or softball	PA	901
PAC6_2P	No. of times participated - tennis	PA	902
PAC6_2Q	No. of times participated - weight training	PA	903
PAC6_2R	No. of times participated - fishing	PA	904
PAC6_2S	No. of times participated - volleyball	PA	905
PAC6_2T	No. of times participated - basketball	PA	906
PAC6_2U	No. of times participated - other activity (#1)	PA	907
PAC6_2W	No. of times participated - other activity (#2)	PA	908

NPHS Cycle 3: Alphabetic Index

Page 62

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PAC6_2X	No. of times participated - other activity (#3)	PA	909
PAC6_3A	Time spent - walking for exercise	PA	887
PAC6_3B	Time spent - gardening	PA	888
PAC6_3C	Time spent - swimming	PA	889
PAC6_3D	Time spent - bicycling	PA	890
PAC6_3E	Time spent - popular / social dance	PA	891
PAC6_3F	Time spent - home exercises	PA	892
PAC6_3G	Time spent - ice hockey	PA	893
PAC6_3H	Time spent - ice skating	PA	894
PAC6_3I	Time spent - downhill skiing	PA	895
PAC6_3J	Time spent - jogging or running	PA	896
PAC6_3K	Time spent - golfing	PA	897
PAC6_3L	Time spent - exercise class / aerobics	PA	898
PAC6_3M	Time spent - cross-country skiing	PA	899
PAC6_3N	Time spent - bowling	PA	900
PAC6_3O	Time spent - baseball or softball	PA	901
PAC6_3P	Time spent - tennis	PA	902
PAC6_3Q	Time spent - weight training	PA	903
PAC6_3R	Time spent - fishing	PA	904
PAC6_3S	Time spent - volleyball	PA	905
PAC6_3T	Time spent - basketball	PA	906
PAC6_3U	Time spent - other activity (#1)	PA	907
PAC6_3W	Time spent - other activity (#2)	PA	908
PAC6_3X	Time spent - other activity (#3)	PA	909
PAC6_4A	Number of hours spent walking to work / school	PA	910
PAC6_4B	Number of hours spent biking to work / school	PA	911
PAC6_5	Frequency of bike helmet use	PA	911
PAC6_6	Level of physical activity for usual day	PA	912
PAC6DEE	Energy expenditure - (D)	PA	912
PAC6DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	914
PAC6DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	913
PAC6DFR	Frequency of all physical activity - (D)	PA	914
PAC6DLEI	Participant in leisure physical activity - (D)	PA	913
PAC6DPAI	Physical activity index - (D)	PA	915
PAC6FC1	Long answer collected - other physical activity (#1)	PA	885
PAC6FC2	Long answer collected - other physical activity (#2)	PA	885

NPHS Cycle 3: Alphabetic Index

Page 63

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PAC6FC3	Long answer collected - other physical activity (#3)	PA	886
PAC8_1A	Activity / last 3 months - walking	PA	1485
PAC8_1B	Activity / last 3 months - gardening / yard work	PA	1485
PAC8_1C	Activity / last 3 months - swimming	PA	1486
PAC8_1D	Activity / last 3 months - bicycling	PA	1486
PAC8_1E	Activity / last 3 months - popular or social dance	PA	1487
PAC8_1F	Activity / last 3 months - home exercises	PA	1487
PAC8_1G	Activity / last 3 months - ice hockey	PA	1488
PAC8_1H	Activity / last 3 months - ice skating	PA	1488
PAC8_1I	Activity / last 3 months - downhill skiing	PA	1491
PAC8_1J	Activity / last 3 months - jogging or running	PA	1489
PAC8_1K	Activity / last 3 months - golfing	PA	1490
PAC8_1L	Activity / last 3 months - exercise class or aerobics	PA	1490
PAC8_1N	Activity / last 3 months - bowling	PA	1491
PAC8_1O	Activity / last 3 months - baseball or softball	PA	1492
PAC8_1P	Activity / last 3 months - tennis	PA	1492
PAC8_1Q	Activity / last 3 months - weight-training	PA	1493
PAC8_1R	Activity / last 3 months - fishing	PA	1493
PAC8_1S	Activity / last 3 months - volleyball	PA	1494
PAC8_1T	Activity / last 3 months - basketball	PA	1494
PAC8_1U	Activity / last 3 months - other (#1)	PA	1495
PAC8_1V	Activity / last 3 months - none	PA	1495
PAC8_1W	Activity / last 3 months - other (#2)	PA	1496
PAC8_1X	Activity / last 3 months - other (#3)	PA	1497
PAC8_1Y	Activity / last 3 months - in-line skating or rollerblading	PA	1489
PAC8_2A	No. of times participated - walking for exercise	PA	1498
PAC8_2B	No. of times participated - gardening	PA	1499
PAC8_2C	No. of times participated - swimming	PA	1500
PAC8_2D	No. of times participated - bicycling	PA	1501
PAC8_2E	No. of times participated - popular / social dance	PA	1502
PAC8_2F	No. of times participated - home exercises	PA	1503
PAC8_2G	No. of times participated - ice hockey	PA	1504
PAC8_2H	No. of times participated - ice skating	PA	1505
PAC8_2I	No. of times participated - downhill skiing	PA	1510
PAC8_2J	No. of times participated - jogging or running	PA	1507
PAC8_2K	No. of times participated - golfing	PA	1508

NPBS Cycle 3: Alphabetic Index

Page 64

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PAC8_2L	No. of times participated - exercise class / aerobics	PA	1509
PAC8_2N	No. of times participated - bowling	PA	1511
PAC8_2O	No. of times participated - baseball or softball	PA	1512
PAC8_2P	No. of times participated - tennis	PA	1513
PAC8_2Q	No. of times participated - weight training	PA	1514
PAC8_2R	No. of times participated - fishing	PA	1515
PAC8_2S	No. of times participated - volleyball	PA	1516
PAC8_2T	No. of times participated - basketball	PA	1517
PAC8_2U	No. of times participated - other activity (#1)	PA	1518
PAC8_2W	No. of times participated - other activity (#2)	PA	1519
PAC8_2X	No. of times participated - other activity (#3)	PA	1520
PAC8_2Y	No. of times participated - in-line skating / rolleblading	PA	1506
PAC8_3A	Time spent - walking for exercise	PA	1498
PAC8_3B	Time spent - gardening	PA	1499
PAC8_3C	Time spent - swimming	PA	1500
PAC8_3D	Time spent - bicycling	PA	1501
PAC8_3E	Time spent - popular / social dance	PA	1502
PAC8_3F	Time spent - home exercises	PA	1503
PAC8_3G	Time spent - ice hockey	PA	1504
PAC8_3H	Time spent - ice skating	PA	1505
PAC8_3I	Time spent - downhill skiing	PA	1510
PAC8_3J	Time spent - jogging or running	PA	1507
PAC8_3K	Time spent - golfing	PA	1508
PAC8_3L	Time spent - exercise class / aerobics	PA	1509
PAC8_3N	Time spent - bowling	PA	1511
PAC8_3O	Time spent - baseball or softball	PA	1512
PAC8_3P	Time spent - tennis	PA	1513
PAC8_3Q	Time spent - weight training	PA	1514
PAC8_3R	Time spent - fishing	PA	1515
PAC8_3S	Time spent - volleyball	PA	1516
PAC8_3T	Time spent - basketball	PA	1517
PAC8_3U	Time spent - other activity (#1)	PA	1518
PAC8_3W	Time spent - other activity (#2)	PA	1519
PAC8_3X	Time spent - other activity (#3)	PA	1520
PAC8_3Y	Time spent - in-line skating or rolleblading	PA	1506
PAC8_4A	Number of hours spent walking to work / school	PA	1521

NPHS Cycle 3: Alphabetic Index

Page 65

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PAC8_4B	Number of hours spent biking to work / school	PA	1522
PAC8_5	Frequency of bike helmet use	PA	1522
PAC8_6	Level of physical activity for usual day	PA	1523
PAC8DEE	Energy expenditure - (D)	PA	1525
PAC8DFD	Participation in daily phys. activ. lasting >15 min. - (D)	PA	1525
PAC8DFM	Monthly freq. of physical activity lasting >15 min. - (D)	PA	1524
PAC8DFR	Frequency of all physical activity - (D)	PA	1524
PAC8DLEI	Participant in leisure physical activity - (D)	PA	1523
PAC8DPAI	Physical activity index - (D)	PA	1526
PAC8FC1	Long answer collected - other physical activity (#1)	PA	1496
PAC8FC2	Long answer collected - other physical activity (#2)	PA	1496
PAC8FC3	Long answer collected - other physical activity (#3)	PA	1497
PC_6_40	Physical check-up without a health problem	PC	766
PC_6_41	Physical check-up during visit for health problem	PC	767
PC_6_42	Last time had physical check up	PC	767
PC_6_42A	Frequency of physical check-ups	PC	768
PC_6_43A	Gets physical check-up - family history	PC	768
PC_6_43B	Gets physical check-up - testing	PC	769
PC_6_43C	Gets physical check-up - required for job, etc.	PC	769
PC_6_43D	Gets physical check-up - make sure everything OK	PC	770
PC_6_43E	Gets physical check-up - catch problems early	PC	770
PC_6_43F	Gets physical check-up - for prevention	PC	771
PC_6_43G	Gets physical check-up - for health reasons	PC	771
PC_6_43H	Gets physical check-up - other reason	PC	772
PC_6_44	Had problems obtaining physical check-up	PC	772
PC_6_45A	Prob. / phys. check-up - not available when required	PC	773
PC_6_45B	Prob. / phys. check-up - not available in area	PC	773
PC_6_45C	Prob. / phys. check-up - waiting time too long	PC	774
PC_6_45D	Prob. / phys. check-up - transportation	PC	774
PC_6_45E	Prob. / phys. check-up - language	PC	775
PC_6_45F	Prob. / phys. check-up - cost	PC	775
PC_6_45G	Prob. / phys. check-up - did not know where to go	PC	776
PC_6_45H	Prob. / phys. check-up - other	PC	776
PC_6_46A	No phys. check-up - have not gotten around to it	PC	777
PC_6_46B	No phys. check-up - respondent didn't think necessary	PC	777
PC_6_46C	No phys. check-up - doctor didn't think necessary	PC	778

NPHS Cycle 3: Alphabetic Index

Page 66

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PC_6_46D	No phys. check-up - personal or family responsibilities	PC	778
PC_6_46E	No phys. check-up - not available when required	PC	779
PC_6_46F	No phys. check-up - not available in area	PC	779
PC_6_46G	No phys. check-up - waiting time too long	PC	780
PC_6_46H	No phys. check-up - transportation problems	PC	780
PC_6_46I	No phys. check-up - language problem	PC	781
PC_6_46J	No phys. check-up - cost	PC	781
PC_6_46K	No phys. check-up - did not know where to go	PC	782
PC_6_46L	No phys. check-up - fear	PC	782
PC_6_46M	No phys. check-up - other reason	PC	783
PERSONID	Number identifying the person in the household	AM	1
PRC4_CUR	Province of residence	PR	12
PRC6_CUR	Province of residence	PR	446
PRC8_CUR	Province of residence	PR	1142
PY_4_E1A	Self-esteem - good	PY	300
PY_4_E1B	Self-esteem - worthy	PY	300
PY_4_E1C	Self-esteem - able	PY	301
PY_4_E1D	Self-esteem - positive	PY	301
PY_4_E1E	Self-esteem - satisfied	PY	302
PY_4_E1F	Self-esteem - failure	PY	302
PY_4_H1	Coherence - don't care about surroundings	PY	307
PY_4_H10	Coherence - can't keep feelings under control	PY	316
PY_4_H11	Coherence - clear goals and purpose	PY	317
PY_4_H12	Coherence - keep things in proportion	PY	318
PY_4_H13	Coherence - bored or satisfied with everyday activities	PY	319
PY_4_H2	Coherence - surprised by other's behaviour	PY	308
PY_4_H3	Coherence - disappointed with people counted on	PY	309
PY_4_H4	Coherence - treated unfairly	PY	310
PY_4_H5	Coherence - in unfamiliar situations	PY	311
PY_4_H6	Coherence - mixed-up feelings	PY	312
PY_4_H7	Coherence - uncomfortable feelings	PY	313
PY_4_H8	Coherence - loser	PY	314
PY_4_H9	Coherence - little meaning in life	PY	315
PY_4_M1A	Mastery - lack of control	PY	303
PY_4_M1B	Mastery - cannot solve problems	PY	304
PY_4_M1C	Mastery - cannot change things	PY	304

NPHS Cycle 3: Alphabetic Index

Page 67

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
PY_4_M1D	Mastery - helpless	PY	305
PY_4_M1E	Mastery - pushed around	PY	305
PY_4_M1F	Mastery - fate depends upon self	PY	306
PY_4_M1G	Mastery - can do anything	PY	306
PY_4DE1	Self-esteem scale - (D)	PY	303
PY_4DH1	Sense of coherence scale - (D)	PY	319
PY_4DM1	Mastery scale - (D)	PY	307
PY_8_H1	Coherence - don't care about surroundings	PY	1472
PY_8_H10	Coherence - can't keep feelings under control	PY	1481
PY_8_H11	Coherence - clear goals and purpose	PY	1482
PY_8_H12	Coherence - keep things in proportion	PY	1483
PY_8_H13	Coherence - bored or satisfied with everyday activities	PY	1484
PY_8_H2	Coherence - surprised by other's behaviour	PY	1473
PY_8_H3	Coherence - disappointed by people counted on	PY	1474
PY_8_H4	Coherence - treated unfairly	PY	1475
PY_8_H5	Coherence - in unfamiliar situations	PY	1476
PY_8_H6	Coherence - mixed-up feelings	PY	1477
PY_8_H7	Coherence - uncomfortable feelings	PY	1478
PY_8_H8	Coherence - loser	PY	1479
PY_8_H9	Coherence - little meaning in life	PY	1480
PY_8DH1	Sense of coherence scale - (D)	PY	1484
RAC4_1A	Limited in kind / amount of activities - at home	RA	72
RAC4_1B	Limited in kind / amount of activities - at school	RA	73
RAC4_1C	Limited in kind / amount of activities - at work	RA	73
RAC4_1D	Limited in kind / amount of activities - other	RA	74
RAC4_2	Has long-term disabilities or handicaps	RA	74
RAC4_5	Cause of health problem	RA	79
RAC4_6A	Needs help - preparing meals	RA	79
RAC4_6B	Needs help - shopping for necessities	RA	80
RAC4_6C	Needs help - housework	RA	80
RAC4_6D	Needs help - heavy household chores	RA	81
RAC4_6E	Needs help - personal care	RA	81
RAC4_6F	Needs help - moving about inside the house	RA	82
RAC4_6G	Needs help - no tasks	RA	82
RAC4CIC	ICD-9 code for main health problem causing limitations	RA	76
RAC4F1	Flag indicating restriction of activity	RA	75

NPHS Cycle 3: Alphabetic Index

Page 68

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
RAC4F3	Long answer collected - problem causing limitation	RA	75
RAC4GC12	Main health problem - 12 groups - (D,G)	RA	78
RAC4GC25	Main health problem - 25 groups - (D,G)	RA	77
RAC6_1A	Limited in kind / amount of activities - at home	RA	522
RAC6_1B	Limited in kind / amount of activities - at school	RA	523
RAC6_1C	Limited in kind / amount of activities - at work	RA	523
RAC6_1D	Limited in kind / amount of activities - other	RA	524
RAC6_2	Has long-term disabilities or handicaps	RA	524
RAC6_2A	New activity restriction or worsening of old one	RA	525
RAC6_2B	Disappearance or improvement of activity restriction	RA	526
RAC6_5	Cause of health problem	RA	530
RAC6_6A	Needs help - preparing meals	RA	530
RAC6_6B	Needs help - shopping for necessities	RA	531
RAC6_6C	Needs help - housework	RA	531
RAC6_6D	Needs help - heavy household chores	RA	532
RAC6_6E	Needs help - personal care	RA	532
RAC6_6F	Needs help - moving about inside the house	RA	533
RAC6CIC	ICD-9 code for main health problem causing limitations	RA	527
RAC6D6G	Need for help in series of tasks - (D)	RA	533
RAC6F1	Flag indicating restriction of activity	RA	525
RAC6F3	Long answer collected - problem causing limitation	RA	526
RAC6GC12	Main health problem - 12 groups - (D,G)	RA	529
RAC6GC25	Main health problem - 25 groups - (D,G)	RA	528
RAC8_1A	Limited in kind / amount of activities - at home	RA	1218
RAC8_1B	Limited in kind / amount of activities - at school	RA	1219
RAC8_1C	Limited in kind / amount of activities - at work	RA	1219
RAC8_1D	Limited in kind / amount of activities - other	RA	1220
RAC8_2	Has long-term disabilities or handicaps	RA	1220
RAC8_2A	New activity restriction or worsening of old one	RA	1225
RAC8_2B	Disappearance or improvement of activity restriction	RA	1226
RAC8_5	Cause of health problem	RA	1227
RAC8_6A	Needs help - preparing meals	RA	1227
RAC8_6B	Needs help - shopping for necessities	RA	1228
RAC8_6C	Needs help - housework	RA	1228
RAC8_6D	Needs help - heavy household chores	RA	1229
RAC8_6E	Needs help - personal care	RA	1229

NPHS Cycle 3: Alphabetic Index

Page 69

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
RAC8_6F	Needs help - moving about inside the house	RA	1230
RAC8CIC	ICD-9 code for main health problem causing limitations	RA	1222
RAC8D6G	Need for help in series of tasks - (D)	RA	1230
RAC8F1	Flag indicating restriction of activity	RA	1221
RAC8F3	Long answer collected - problem causing limitation	RA	1221
RAC8GC12	Main health problem - 12 groups - (D,G)	RA	1224
RAC8GC25	Main health problem - 25 groups - (D,G)	RA	1223
RAC8GC7	Main health problem - 7 groups - (D,G)	RA	1225
REALUKEY	Record identifier for the household	AM	1
REPLICAT	Sample indicator	SP	14
RPC6_1	Had repetitive strain injuries	RP	920
RPC6_2	Number of repetitive strain injuries	RP	921
RPC6_3	Body part affected by repetitive strain	RP	921
RPC6_4A	Repetitive / injury caused - activity at home	RP	922
RPC6_4B	Repetitive / injury caused - activity at work or school	RP	922
RPC6_4C	Repetitive / injury caused - leisure activities	RP	923
RPC6_4D	Repetitive / injury caused - other activity	RP	923
RPC8_1	Had repetitive strain injuries	RP	1526
RPC8_2	Number of repetitive strain injuries	RP	1527
RPC8_3	Body part affected by repetitive strain	RP	1527
RPC8_4A	Repetitive / injury caused - activity at home	RP	1528
RPC8_4B	Repetitive / injury caused - activity at work or school	RP	1528
RPC8_4C	Repetitive / injury caused - leisure activities	RP	1529
RPC8_4D	Repetitive / injury caused - other activity	RP	1529
RSS6_1	Been passenger / driver who had too much to drink	RS	1123
RSS6_10	Frequency - designated driver	RS	1131
RSS6_2	Driver intoxicated - tried to prevent from driving	RS	1124
RSS6_3A	Driver intoxicated - drove person home yourself	RS	1124
RSS6_3B	Driver intoxicated - asked someone else to drive	RS	1125
RSS6_3C	Driver intoxicated - asked person to take a taxi	RS	1125
RSS6_3D	Driver intoxicated - hid car keys	RS	1126
RSS6_3E	Driver intoxicated - served coffee to person	RS	1126
RSS6_3F	Driver intoxicated - kept the person at home	RS	1127
RSS6_3G	Driver intoxicated - other	RS	1127
RSS6_4	Has valid driver's license for a motor vehicle	RS	1128
RSS6_5	Frequency - insist that passengers wear seatbelt	RS	1128

NPHS Cycle 3: Alphabetic Index

Page 70

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
RSS6_6	Frequency - obey speed limits	RS	1129
RSS6_7	Number of times drank too much and drove	RS	1129
RSS6_8	Go out with friends / family to consume alcohol	RS	1130
RSS6_9	Have designated driver when going out	RS	1130
RTP4_1	Rationality - try to be reasonable and logical	RT	418
RTP4_10	Rationality - when you don't like person	RT	422
RTP4_11	Rationality - prevents verb. attacking / criticize others	RT	423
RTP4_12A	Overcome fear of dentist - quiz dentist	RT	423
RTP4_12B	Overcome fear of dentist - take a tranquilizer or drink	RT	424
RTP4_12C	Overcome fear of dentist - try to think about other things	RT	424
RTP4_12D	Overcome fear of dentist - be told when will feel pain	RT	425
RTP4_12E	Overcome fear of dentist - try to sleep	RT	425
RTP4_12F	Overcome fear of dentist - watch dentist's movements	RT	426
RTP4_12G	Overcome fear of dentist - watch for blood	RT	426
RTP4_12H	Overcome fear of dentist - do mental puzzles	RT	427
RTP4_12I	Overcome fear of dentist - do other activity	RT	427
RTP4_13A	Layoffs rumoured - find out evaluation by supervisor	RT	428
RTP4_13B	Layoffs rumoured - review accomplishments	RT	428
RTP4_13C	Layoffs rumoured - watch TV	RT	429
RTP4_13D	Layoffs rumoured - remember disagreements with supervisor	RT	429
RTP4_13E	Layoffs rumoured - try not to think about it	RT	430
RTP4_13F	Layoffs rumoured - try not to discuss it	RT	430
RTP4_13G	Layoffs rumoured - try to rank other employees	RT	431
RTP4_13H	Layoffs rumoured - continue working	RT	431
RTP4_13I	Layoffs rumoured - do other activity	RT	432
RTP4_2	Rationality - try to understand people	RT	418
RTP4_3	Rationality - try to act rationally	RT	419
RTP4_4	Rationality - try to resolve conflicts without emotion	RT	419
RTP4_5	Rationality - try to treat people rationally despite hurt	RT	420
RTP4_6	Rationality - rely on logic	RT	420
RTP4_7	Rationality - when someone acts against your wishes	RT	421
RTP4_8	Rationality - rarely influenced by emotions	RT	421
RTP4_9	Rationality - very influenced by emotions	RT	422
SC_8_1	Had sore throat, cold or a flu	SC	1390
SC_8_10	Cold - used home remedies	SC	1394
SC_8_11	Cold - cut down on activities and got more rest	SC	1395

NPHS Cycle 3: Alphabetic Index

Page 71

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SC_8_12	Prefer doctors who let me decide what to do	SC	1395
SC_8_13	Patients should never challenge the authority of the doctor	SC	1396
SC_8_14	I prefer that the doctor assume all of the responsibility	SC	1396
SC_8_15	Better to take care of own health than go to a doctor	SC	1397
SC_8_16	Better to go to a doctor than to try to treat yourself	SC	1397
SC_8_2	Sore throat, cold or a flu - solution (#1)	SC	1390
SC_8_3	Sore throat, cold or a flu - other (#1)	SC	1391
SC_8_4	Sore throat, cold or a flu - solution (#2)	SC	1391
SC_8_5	Sore throat, cold or a flu - other (#2)	SC	1392
SC_8_6	Sore throat, cold or a flu - solution (#3)	SC	1392
SC_8_7	Cold - took over-the-counter medication	SC	1393
SC_8_8	Cold - used herbal / vitamin supplements	SC	1393
SC_8_9	Cold - old prescription / someone else's	SC	1394
SC_8DFCT	Attitude toward self-care	SC	1398
SDC4_4A	Ethnic origin - Canadian	SD	98
SDC4_4B	Ethnic origin - French	SD	98
SDC4_4C	Ethnic origin - English	SD	99
SDC4_4D	Ethnic origin - German	SD	99
SDC4_4E	Ethnic origin - Scottish	SD	100
SDC4_4F	Ethnic origin - Irish	SD	100
SDC4_4G	Ethnic origin - Italian	SD	101
SDC4_4H	Ethnic origin - Ukrainian	SD	101
SDC4_4I	Ethnic origin - Dutch (Netherlands)	SD	102
SDC4_4J	Ethnic origin - Chinese	SD	102
SDC4_4K	Ethnic origin - Jewish	SD	103
SDC4_4L	Ethnic origin - Polish	SD	103
SDC4_4M	Ethnic origin - Portuguese	SD	104
SDC4_4N	Ethnic origin - South Asian	SD	104
SDC4_4O	Ethnic origin - Black	SD	105
SDC4_4P	Ethnic origin - North American Indian	SD	105
SDC4_4Q	Ethnic origin - Métis	SD	106
SDC4_4R	Ethnic origin - Inuit / Eskimo	SD	106
SDC4_4S	Ethnic origin - other	SD	107
SDC4_5A	Can converse - English	SD	107
SDC4_5B	Can converse - French	SD	108
SDC4_5C	Can converse - Arabic	SD	108

NPHS Cycle 3: Alphabetic Index

Page 72

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SDC4_5D	Can converse - Chinese	SD	108
SDC4_5E	Can converse - Cree	SD	109
SDC4_5F	Can converse - German	SD	109
SDC4_5G	Can converse - Greek	SD	109
SDC4_5H	Can converse - Hungarian	SD	110
SDC4_5I	Can converse - Italian	SD	110
SDC4_5J	Can converse - Korean	SD	110
SDC4_5K	Can converse - Persian	SD	111
SDC4_5L	Can converse - Polish	SD	111
SDC4_5M	Can converse - Portuguese	SD	111
SDC4_5N	Can converse - Punjabi	SD	112
SDC4_5O	Can converse - Spanish	SD	112
SDC4_5P	Can converse - Tagalog	SD	112
SDC4_5Q	Can converse - Ukrainian	SD	113
SDC4_5R	Can converse - Vietnamese	SD	113
SDC4_5S	Can converse - other language	SD	113
SDC4_6A	First language learned and still understood - English	SD	114
SDC4_6B	First language learned and still understood - French	SD	115
SDC4_6C	First language learned and still understood - Arabic	SD	115
SDC4_6D	First language learned and still understood - Chinese	SD	115
SDC4_6E	First language learned and still understood - Cree	SD	116
SDC4_6F	First language learned and still understood - German	SD	116
SDC4_6G	First language learned and still understood - Greek	SD	116
SDC4_6H	First language learned and still understood - Hungarian	SD	117
SDC4_6I	First language learned and still understood - Italian	SD	117
SDC4_6J	First language learned and still understood - Korean	SD	117
SDC4_6K	First language learned and still understood - Persian	SD	118
SDC4_6L	First language learned and still understood - Polish	SD	118
SDC4_6M	First language learned and still understood - Portuguese	SD	118
SDC4_6N	First language learned and still understood - Punjabi	SD	119
SDC4_6O	First language learned and still understood - Spanish	SD	119
SDC4_6P	First language learned and still understood - Tagalog	SD	119
SDC4_6Q	First language learned and still understood - Ukrainian	SD	120
SDC4_6R	First language learned and still understood - Vietnamese	SD	120
SDC4_6S	First language learned and still understood - other	SD	120
SDC4_7A	Race or colour - White	SD	121

NPHS Cycle 3: Alphabetic Index

Page 73

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SDC4_7B	Race or colour - Chinese	SD	121
SDC4_7C	Race or colour - South Asian	SD	121
SDC4_7D	Race or colour - Black	SD	122
SDC4_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	122
SDC4_7F	Race or colour - Arab / West Asian	SD	122
SDC4_7G	Race or colour - Filipino	SD	123
SDC4_7H	Race or colour - South East Asian	SD	123
SDC4_7J	Race or colour - Japanese	SD	123
SDC4_7K	Race or colour - Korean	SD	124
SDC4_7L	Race or colour - other	SD	124
SDC4DLNG	Language in which respondent can converse - (D)	SD	114
SDC4DRAC	Race or colour - (D)	SD	125
SDC4DRES	Length of time in Canada since immigration - (D)	SD	97
SDC6_4A	Ethnic origin - Canadian	SD	584
SDC6_4B	Ethnic origin - French	SD	584
SDC6_4C	Ethnic origin - English	SD	585
SDC6_4D	Ethnic origin - German	SD	585
SDC6_4E	Ethnic origin - Scottish	SD	586
SDC6_4F	Ethnic origin - Irish	SD	586
SDC6_4G	Ethnic origin - Italian	SD	587
SDC6_4H	Ethnic origin - Ukrainian	SD	587
SDC6_4I	Ethnic origin - Dutch (Netherlands)	SD	588
SDC6_4J	Ethnic origin - Chinese	SD	588
SDC6_4K	Ethnic origin - Jewish	SD	589
SDC6_4L	Ethnic origin - Polish	SD	589
SDC6_4M	Ethnic origin - Portuguese	SD	590
SDC6_4N	Ethnic origin - South Asian	SD	590
SDC6_4O	Ethnic origin - Black	SD	591
SDC6_4P	Ethnic origin - North American Indian	SD	591
SDC6_4Q	Ethnic origin - Métis	SD	592
SDC6_4R	Ethnic origin - Inuit / Eskimo	SD	592
SDC6_4S	Ethnic origin - other	SD	593
SDC6_5A	Can converse - English	SD	593
SDC6_5B	Can converse - French	SD	594
SDC6_5C	Can converse - Arabic	SD	594
SDC6_5D	Can converse - Chinese	SD	595

NPHS Cycle 3: Alphabetic Index

Page 74

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SDC6_5E	Can converse - Cree	SD	595
SDC6_5F	Can converse - German	SD	596
SDC6_5G	Can converse - Greek	SD	596
SDC6_5H	Can converse - Hungarian	SD	597
SDC6_5I	Can converse - Italian	SD	597
SDC6_5J	Can converse - Korean	SD	598
SDC6_5K	Can converse - Persian	SD	598
SDC6_5L	Can converse - Polish	SD	599
SDC6_5M	Can converse - Portuguese	SD	599
SDC6_5N	Can converse - Punjabi	SD	600
SDC6_5O	Can converse - Spanish	SD	600
SDC6_5P	Can converse - Tagalog	SD	601
SDC6_5Q	Can converse - Ukrainian	SD	601
SDC6_5R	Can converse - Vietnamese	SD	602
SDC6_5S	Can converse - other language	SD	602
SDC6_6A	First language learned and still understood - English	SD	603
SDC6_6B	First language learned and still understood - French	SD	604
SDC6_6C	First language learned and still understood - Arabic	SD	604
SDC6_6D	First language learned and still understood - Chinese	SD	604
SDC6_6E	First language learned and still understood - Cree	SD	605
SDC6_6F	First language learned and still understood - German	SD	605
SDC6_6G	First language learned and still understood - Greek	SD	605
SDC6_6H	First language learned and still understood - Hungarian	SD	606
SDC6_6I	First language learned and still understood - Italian	SD	606
SDC6_6J	First language learned and still understood - Korean	SD	606
SDC6_6K	First language learned and still understood - Persian	SD	607
SDC6_6L	First language learned and still understood - Polish	SD	607
SDC6_6M	First language learned and still understood - Portuguese	SD	607
SDC6_6N	First language learned and still understood - Punjabi	SD	608
SDC6_6O	First language learned and still understood - Spanish	SD	608
SDC6_6P	First language learned and still understood - Tagalog	SD	608
SDC6_6Q	First language learned and still understood - Ukrainian	SD	609
SDC6_6R	First language learned and still understood - Vietnamese	SD	609
SDC6_6S	First language learned and still understood - other	SD	609
SDC6_7A	Race or colour - White	SD	610
SDC6_7B	Race or colour - Chinese	SD	610

NPHS Cycle 3: Alphabetic Index

Page 75

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SDC6_7C	Race or colour - South Asian	SD	611
SDC6_7D	Race or colour - Black	SD	611
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	612
SDC6_7F	Race or colour - Arab / West Asian	SD	612
SDC6_7G	Race or colour - Filipino	SD	613
SDC6_7H	Race or colour - South East Asian	SD	613
SDC6_7I	Race or colour - Latin American	SD	614
SDC6_7J	Race or colour - Japanese	SD	614
SDC6_7K	Race or colour - Korean	SD	615
SDC6_7L	Race or colour - other	SD	615
SDC6DLNG	Language in which respondent can converse - (D)	SD	603
SDC6DRAC	Race or colour - (D)	SD	616
SDC6DRES	Length of time in Canada since immigration - (D)	SD	583
SDC8_4A	Ethnic origin - Canadian	SD	1284
SDC8_4B	Ethnic origin - French	SD	1284
SDC8_4C	Ethnic origin - English	SD	1285
SDC8_4D	Ethnic origin - German	SD	1285
SDC8_4E	Ethnic origin - Scottish	SD	1286
SDC8_4F	Ethnic origin - Irish	SD	1286
SDC8_4G	Ethnic origin - Italian	SD	1287
SDC8_4H	Ethnic origin - Ukrainian	SD	1287
SDC8_4I	Ethnic origin - Dutch (Netherlands)	SD	1288
SDC8_4J	Ethnic origin - Chinese	SD	1288
SDC8_4K	Ethnic origin - Jewish	SD	1289
SDC8_4L	Ethnic origin - Polish	SD	1289
SDC8_4M	Ethnic origin - Portuguese	SD	1290
SDC8_4N	Ethnic origin - South Asian	SD	1290
SDC8_4O	Ethnic origin - Black	SD	1291
SDC8_4P	Ethnic origin - North American Indian	SD	1291
SDC8_4Q	Ethnic origin - Métis	SD	1292
SDC8_4R	Ethnic origin - Inuit / Eskimo	SD	1292
SDC8_4S	Ethnic origin - other	SD	1293
SDC8_5A	Can converse - English	SD	1293
SDC8_5B	Can converse - French	SD	1294
SDC8_5C	Can converse - Arabic	SD	1294
SDC8_5D	Can converse - Chinese	SD	1295

NPHS Cycle 3: Alphabetic Index

Page 76

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SDC8_5E	Can converse - Cree	SD	1295
SDC8_5F	Can converse - German	SD	1296
SDC8_5G	Can converse - Greek	SD	1296
SDC8_5H	Can converse - Hungarian	SD	1297
SDC8_5I	Can converse - Italian	SD	1297
SDC8_5J	Can converse - Korean	SD	1298
SDC8_5K	Can converse - Persian	SD	1298
SDC8_5L	Can converse - Polish	SD	1299
SDC8_5M	Can converse - Portuguese	SD	1299
SDC8_5N	Can converse - Punjabi	SD	1300
SDC8_5O	Can converse - Spanish	SD	1300
SDC8_5P	Can converse - Tagalog	SD	1301
SDC8_5Q	Can converse - Ukrainian	SD	1301
SDC8_5R	Can converse - Vietnamese	SD	1302
SDC8_5S	Can converse - other language	SD	1302
SDC8_6A	First language learned and still understood - English	SD	1303
SDC8_6B	First language learned and still understood - French	SD	1304
SDC8_6C	First language learned and still understood - Arabic	SD	1304
SDC8_6D	First language learned and still understood - Chinese	SD	1305
SDC8_6E	First language learned and still understood - Cree	SD	1305
SDC8_6F	First language learned and still understood - German	SD	1306
SDC8_6G	First language learned and still understood - Greek	SD	1306
SDC8_6H	First language learned and still understood - Hungarian	SD	1307
SDC8_6I	First language learned and still understood - Italian	SD	1307
SDC8_6J	First language learned and still understood - Korean	SD	1308
SDC8_6K	First language learned and still understood - Persian	SD	1308
SDC8_6L	First language learned and still understood - Polish	SD	1309
SDC8_6M	First language learned and still understood - Portuguese	SD	1309
SDC8_6N	First language learned and still understood - Punjabi	SD	1310
SDC8_6O	First language learned and still understood - Spanish	SD	1310
SDC8_6P	First language learned and still understood - Tagalog	SD	1311
SDC8_6Q	First language learned and still understood - Ukrainian	SD	1311
SDC8_6R	First language learned and still understood - Vietnamese	SD	1312
SDC8_6S	First language learned and still understood - other	SD	1312
SDC8_7A	Race or colour - White	SD	1313
SDC8_7B	Race or colour - Chinese	SD	1313

NPHS Cycle 3: Alphabetic Index

Page 77

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SDC8_7C	Race or colour - South Asian	SD	1314
SDC8_7D	Race or colour - Black	SD	1314
SDC8_7E	Race or colour - Native / Aboriginal peoples of N. America	SD	1315
SDC8_7F	Race or colour - Arab / West Asian	SD	1315
SDC8_7G	Race or colour - Filipino	SD	1316
SDC8_7H	Race or colour - South East Asian	SD	1316
SDC8_7I	Race or colour - Latin American	SD	1317
SDC8_7J	Race or colour - Japanese	SD	1317
SDC8_7K	Race or colour - Korean	SD	1318
SDC8_7L	Race or colour - other	SD	1318
SDC8DLNG	Language in which respondent can converse - (D)	SD	1303
SDC8DRAC	Race or colour - (D)	SD	1319
SDC8DRES	Length of time in Canada since immigration - (D)	SD	1283
SEX	Sex	DH	3
SHP6_1	Effective in preventing STD - using condom	SH	1109
SHP6_10	Chance of getting an STD	SH	1118
SHP6_11	To prevent STD - changed sexual behaviour	SH	1119
SHP6_12	To prevent STD - sex with only 1 partner	SH	1119
SHP6_13	To prevent STD - using condoms	SH	1120
SHP6_14	To prevent STD - using jellies / foams	SH	1120
SHP6_15	To prevent STD - more careful selecting partner	SH	1121
SHP6_16	To prevent STD - started being tested	SH	1121
SHP6_17	To prevent STD - insisting that partner be tested	SH	1122
SHP6_18	To prevent STD - abstaining	SH	1122
SHP6_19	To prevent STD - other measures	SH	1123
SHP6_2	Effective in preventing STD - birth control pill	SH	1109
SHP6_3	Effective in preventing STD - diaphragm / sponge	SH	1110
SHP6_4	Effective in preventing STD - jelly / foam	SH	1110
SHP6_5	Effective in preventing STD - ask partner / has STD	SH	1111
SHP6_6	Effective in preventing STD - regular partner	SH	1111
SHP6_7	Effective in preventing STD - ask partner / be tested	SH	1112
SHP6_8	STD prevention - has sources of information	SH	1112
SHP6_9A	STD main source of info. - parents	SH	1113
SHP6_9B	STD main source of info. - medical professionals	SH	1113
SHP6_9C	STD main source of info. - friends	SH	1114
SHP6_9D	STD main source of info. - school	SH	1114

NPHS Cycle 3: Alphabetic Index

Page 78

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SHP6_9E	STD main source of info. - church	SH	1115
SHP6_9F	STD main source of info. - youth club	SH	1115
SHP6_9G	STD main source of info. - TV / radio	SH	1116
SHP6_9H	STD main source of info. - magazines / papers	SH	1116
SHP6_9I	STD main source of info. - pamphlets	SH	1117
SHP6_9J	STD main source of info. - books	SH	1117
SHP6_9K	STD main source of info. - other	SH	1118
SHS6_1	Ever had sexual intercourse	SH	1100
SHS6_10	Had / has - syphilis	SH	1105
SHS6_11	Had / has - genital warts	SH	1105
SHS6_12	Had / has - genital herpes	SH	1106
SHS6_13	Had / has - hepatitis B	SH	1106
SHS6_14	Has - HIV / AIDS	SH	1107
SHS6_15	Had / has - pelvic inflammatory disease	SH	1107
SHS6_16	Had / has - other STD	SH	1108
SHS6_2	Age at first sexual intercourse	SH	1100
SHS6_3	Had sexual intercourse in past 12 months	SH	1101
SHS6_4	Number of partners (sexual intercourse)	SH	1101
SHS6_5	Relationship lasted 12 months or longer	SH	1102
SHS6_6	Relationships lasted less than 12 months	SH	1102
SHS6_7	Condom use in relationship(s) lasting less than 12 months	SH	1103
SHS6_7A	Used a condom the last time	SH	1103
SHS6_8	Had / has - chlamydia	SH	1104
SHS6_9	Had / has - gonorrhea	SH	1104
SHS6D1	Had at least 1 STD - (D)	SH	1108
SMC4_1	Household member smokes inside house	SM	192
SMC4_2	Type of smoker	SM	192
SMC4_3	Age started smoking daily - daily smoker	SM	193
SMC4_4	Number of cigarettes smoked each day - daily smoker	SM	193
SMC4_4A	Ever smoked cigarettes	SM	194
SMC4_5	Ever smoked daily	SM	194
SMC4_6	Age started smoking daily - former daily smoker	SM	195
SMC4_7	No. of cigarettes daily - former daily smoker	SM	195
SMC4_8	Age stopped smoking daily - former daily smoker	SM	196
SMC4DTYP	Type of smoker - (D)	SM	196
SMC4DYRS	Number of years smoked - (D)	SM	197

NPHS Cycle 3: Alphabetic Index

Page 79

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SMC6_1	Household member smokes inside house	SM	993
SMC6_10	Reason for starting smoking	SM	1001
SMC6_11	Reason for smoking less	SM	1002
SMC6_12	Reason for smoking more	SM	1003
SMC6_2	Type of smoker	SM	994
SMC6_3	Age started smoking daily - daily smoker	SM	994
SMC6_4	Number of cigarettes smoked each day - daily smoker	SM	995
SMC6_4A	Ever smoked cigarettes	SM	996
SMC6_5	Ever smoked daily	SM	996
SMC6_6	Age started smoking daily - former daily smoker	SM	997
SMC6_7	No. of cigarettes daily - former daily smoker	SM	998
SMC6_8	Age stopped smoking daily - former daily smoker	SM	998
SMC6_9	Reason for quitting smoking	SM	1000
SMC6DTYP	Type of smoker - (D)	SM	1004
SMC6DYRS	Number of years smoked - (D)	SM	1004
SMC6G3	Age started daily - daily smoker - (G)	SM	995
SMC6G6	Age started daily - former daily smoker - (G)	SM	997
SMC6G8	Age stopped daily - former daily smoker - (G)	SM	999
SMC8_1	Household member smokes inside house	SM	1609
SMC8_10	Reason for starting smoking	SM	1620
SMC8_11	Reason for smoking less	SM	1621
SMC8_12	Reason for smoking more	SM	1622
SMC8_2	Type of smoker	SM	1609
SMC8_2_1	Time of first cigarette after awake	SM	1622
SMC8_2_2	Tried quitting smoking	SM	1623
SMC8_2_3	Number of times - tried to quit smoking	SM	1623
SMC8_2_4	Considers quitting smoking - next 30 days	SM	1624
SMC8_2_5	Considers quitting smoking - next 6 months	SM	1624
SMC8_2_6	Smoking restriction at work	SM	1625
SMC8_3	Age started smoking daily - daily smoker	SM	1610
SMC8_4	Number of cigarettes smoked each day - daily smoker	SM	1611
SMC8_4A	Ever smoked cigarettes	SM	1611
SMC8_4B	Ever smoked cigarettes (Probe)	SM	1612
SMC8_5	Ever smoked daily	SM	1614
SMC8_5A	Smoked 100 or more cigarettes - former smokers	SM	1612
SMC8_5B	No. of cigarettes smoked - occasional smoker	SM	1613

NPHS Cycle 3: Alphabetic Index

Page 80

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SMC8_5C	No. of days smoked 1 or more cigarettes - occasional smoker	SM	1613
SMC8_6	Age started smoking daily - former daily smoker	SM	1614
SMC8_7	No. of cigarettes daily - former daily smoker	SM	1615
SMC8_8	Age stopped smoking daily - former daily smoker	SM	1616
SMC8_9	Reason for quitting smoking	SM	1619
SMC8DTYP	Type of smoker - (D)	SM	1618
SMC8DYRS	Number of years smoked - (D)	SM	1618
SMC8G3	Age started daily - daily smoker - (G)	SM	1610
SMC8G6	Age started daily - former daily smoker - (G)	SM	1615
SMC8G8	Age stopped daily - former daily smoker - (G)	SM	1617
SMS6_12	Smoking restrictions in work place	SM	1008
SMS6_13A	Children more likely to start smoking if their parents smoke	SM	1009
SMS6_13B	People too concerned about second-hand smoke	SM	1009
SMS6_13C	Non-smokers mind when people smoke in their presence	SM	1010
SMS6_13D	Children / second-hand smoke / more likely have ill health	SM	1010
SMS6_13E	While preg./preg. wom. & others liv. with them shouldn't sm.	SM	1011
SMS6_13F	Provide non-smokers with a smoke-free environment at work	SM	1011
SMS6_13G	Ask permission to smoke in the presence of others	SM	1012
SMS6_13H	Lower cigarette prices lead to increased smoking	SM	1012
SMS6_14	Feels unpleasant effects from second-hand smoke	SM	1013
SMS6_15	Second-hand smoke can cause health problems in non-smoker	SM	1013
SMS6_16A	Second-hand smoke can cause lung cancer in non-smoker	SM	1014
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	SM	1014
SMS6_16C	Second-hand smoke can cause a stroke in non-smoker	SM	1015
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	SM	1015
SMS6_17	Smoking cigarettes can cause health problems in a smoker	SM	1016
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	SM	1016
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	SM	1017
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	SM	1017
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	SM	1018
SMS6_8	Length of time after waking up - smoke first cigarette	SM	1007
SMS6_9	Considering quitting smoking in next 6 months	SM	1008
SP34_CPA	Actual collection period	SP	23
SP34_CPS	Sampled collection period	SP	12
SP34_MET	Selection method	SP	13
SP34DPC	Postal code - (D)	SP	17

NPHS Cycle 3: Alphabetic Index

Page 81

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SP36_CPA	Actual collection period	SP	454
SP36_STA	Status code after processing	SP	461
SP36DPC	Postal code - (D)	SP	454
SP36FOUT	Flag indicating record sent for field collection	SP	453
SP38_CPA	Actual collection period	SP	1145
SP38_STA	Status code after processing	SP	1153
SP38DPC	Postal code - (D)	SP	1142
SP38FOUT	Flag indicating record sent for field collection	SP	1141
SSC4_1	Member of organization or association	SS	406
SSC4_2	Frequency of participation in organizations	SS	406
SSC4_2A	Frequency of attending religious services	SS	407
SSC4_3	Has someone to confide in	SS	407
SSC4_4	Has someone to count on in crisis situation	SS	408
SSC4_5	Has someone for advice when making imp. decisions	SS	408
SSC4_6	Has someone to make feel loved and cared for	SS	409
SSC4_7A	Frequency of contact - parents / in-laws	SS	409
SSC4_7B	Frequency of contact - grandparents	SS	410
SSC4_7C	Frequency of contact - daughters / daughters-in-law	SS	411
SSC4_7D	Frequency of contact - sons / sons-in-law	SS	412
SSC4_7E	Frequency of contact - brothers / sisters	SS	413
SSC4_7F	Frequency of contact - other relatives	SS	414
SSC4_7G	Frequency of contact - close friends	SS	415
SSC4_7H	Frequency of contact - neighbours	SS	416
SSC4D1	Social support index - (D)	SS	416
SSC4D2	Social involvement score - (D)	SS	417
SSC4D3	Average frequency of contacts - (D)	SS	417
SSC6_1	Member of organization or association	SS	1073
SSC6_2	Frequency of participation in organizations	SS	1073
SSC6_2A	Frequency of attending religious services	SS	1074
SSC6_3	Has someone to confide in	SS	1075
SSC6_4	Has someone to count on in crisis situation	SS	1076
SSC6_5	Has someone for advice when making imp. decisions	SS	1076
SSC6_6	Has someone to make feel loved and cared for	SS	1077
SSC6_7A	Frequency of contact - parents / in-laws	SS	1077
SSC6_7B	Frequency of contact - grandparents	SS	1078
SSC6_7C	Frequency of contact - daughters / daughters-in-law	SS	1079

NPHS Cycle 3: Alphabetic Index

Page 82

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SSC6_7D	Frequency of contact - sons / sons-in-law	SS	1080
SSC6_7E	Frequency of contact - brothers / sisters	SS	1081
SSC6_7F	Frequency of contact - other relatives	SS	1082
SSC6_7G	Frequency of contact - close friends	SS	1083
SSC6_7H	Frequency of contact - neighbours	SS	1084
SSC6D1	Social support index - (D)	SS	1084
SSC6D2	Social involvement score - (D)	SS	1085
SSC6D3	Average frequency of contacts - (D)	SS	1085
SSC8_101	No. of close friends or relatives	SS	1672
SSC8_102	Has someone to give help if confined to bed	SS	1672
SSC8_103	Has someone to count on to listen	SS	1673
SSC8_104	Has someone to give advice about a crisis	SS	1673
SSC8_105	Has someone to go to the doctor with	SS	1674
SSC8_106	Has someone who shows love and affection	SS	1674
SSC8_107	Has someone to have a good time with	SS	1675
SSC8_108	Has someone who gives information to understand a situation	SS	1675
SSC8_109	Has someone to confide in	SS	1676
SSC8_110	Has someone who gives hugs	SS	1676
SSC8_111	Has someone to get together with for relaxation	SS	1677
SSC8_112	Has someone to prepare meals	SS	1677
SSC8_113	Has someone to give advice	SS	1678
SSC8_114	Has someone to do things to get mind off things	SS	1678
SSC8_115	Has someone to help with daily chores if sick	SS	1679
SSC8_116	Has someone to share most private worries and fears with	SS	1679
SSC8_117	Has someone to turn to for suggestions for personal problems	SS	1680
SSC8_118	Has someone to do something enjoyable with	SS	1680
SSC8_119	Has someone who understands problems	SS	1681
SSC8_120	Has someone who loves and makes feel wanted	SS	1681
SSC8DAFF	Affection - MOS subscale - (D)	SS	1682
SSC8DEMO	Emotional or informational support - MOS subscale - (D)	SS	1683
SSC8DSOC	Positive social interaction - MOS subscale - (D)	SS	1683
SSC8DTNG	Tangible social support - MOS subscale - (D)	SS	1682
SSP6_1	Received care from friend / relative past 12 months	SS	1089
SSP6_2	Received care from friend / relative last month	SS	1090
SSP6_3	Level of support from family / friends	SS	1090
SSP6_4	Helped relative / friend with health problem	SS	1091

NPHS Cycle 3: Alphabetic Index

Page 83

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
SSS6_1	Spiritual values or faith / important role in life	SS	1074
SSS6_2	Self-perception of religiousness / spirituality	SS	1075
SSS6_3	Number of people seen socially who smoke	SS	1086
SSS6_4	Number of people seen socially who drink too much	SS	1086
SSS6_5A	Partner smokes cigarettes	SS	1087
SSS6_5B	Partner exercises regularly	SS	1087
SSS6_5C	Partner drinks too much	SS	1088
SSS6_5D	Partner overeats	SS	1088
SSS6_5E	Partner uses tranquilizers	SS	1089
ST_4_C1	Current stress - trying to take on too many things	ST	263
ST_4_C10	Current stress - child seems unhappy	ST	267
ST_4_C11	Current stress - child's behaviour is source of concern	ST	268
ST_4_C12	Current stress - work around home not appreciated	ST	268
ST_4_C13	Current stress - friends are a bad influence	ST	269
ST_4_C14	Current stress - would like to move but cannot	ST	269
ST_4_C15	Current stress - neighbourhood too noisy or polluted	ST	270
ST_4_C16	Current stress - close relative in very bad health	ST	270
ST_4_C17	Current stress - relative has alcohol or drug problem	ST	271
ST_4_C18	Current stress - people are too critical	ST	271
ST_4_C2	Current stress - pressure to conform	ST	263
ST_4_C3	Current stress - too much expected by others	ST	264
ST_4_C4	Current stress - lack of money	ST	264
ST_4_C5	Current stress - partner doesn't understand you	ST	265
ST_4_C6	Current stress - partner not affectionate	ST	265
ST_4_C7	Current stress - partner not committed to relationship	ST	266
ST_4_C8	Current stress - can't find someone compatible	ST	266
ST_4_C9	Current stress - has children	ST	267
ST_4_R1	Recent stress - attacked	ST	276
ST_4_R10	Recent stress - child moved back	ST	281
ST_4_R2	Recent stress - unwanted pregnancy	ST	277
ST_4_R3	Recent stress - abortion or miscarriage	ST	277
ST_4_R4	Recent stress - major financial crisis	ST	278
ST_4_R5	Recent stress - failed school	ST	278
ST_4_R6	Recent stress - experienced a change of job for a worse one	ST	279
ST_4_R7	Recent stress - demotion or cut in pay	ST	279
ST_4_R8	Recent stress - argues with partner	ST	280

NPHS Cycle 3: Alphabetic Index

Page 84

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
ST_4_R9	Recent stress - went on welfare	ST	280
ST_4_T1	Trauma - 2 weeks or more in hospital	ST	282
ST_4_T2	Trauma - parents divorced	ST	283
ST_4_T3	Trauma - parents unemployed for a long time	ST	283
ST_4_T4	Trauma - very scared	ST	284
ST_4_T5	Trauma - sent away from home	ST	284
ST_4_T6	Trauma - parents abused alcohol or drugs	ST	285
ST_4_T7	Trauma - physically abused	ST	285
ST_4_W1A	Work stress - must learn new things	ST	286
ST_4_W1B	Work stress - high level of skill	ST	287
ST_4_W1C	Work stress - freedom to decide	ST	288
ST_4_W1D	Work stress - repetitive tasks	ST	288
ST_4_W1E	Work stress - job hectic	ST	289
ST_4_W1F	Work stress - free from conflicting demands	ST	290
ST_4_W1G	Work stress - good job security	ST	291
ST_4_W1H	Work stress - requires a lot of physical effort	ST	291
ST_4_W1I	Work stress - has input	ST	292
ST_4_W1J	Work stress - hostility or conflict with others	ST	293
ST_4_W1K	Work stress - supervisor helpful	ST	294
ST_4_W1L	Work stress - co-workers helpful	ST	295
ST_4_W2	Work stress - job satisfaction	ST	296
ST_4DC1	General chronic stress index - (D)	ST	272
ST_4DC10	Stress index based on family health - (D)	ST	276
ST_4DC2	Specific chronic stress index - (D)	ST	272
ST_4DC3	Adjusted specific chronic stress index - (D)	ST	272
ST_4DC4	Personal stress index - (D)	ST	273
ST_4DC5	Stress index based on financial situation - (D)	ST	273
ST_4DC6	Stress index based on relationship (with partner) - (D)	ST	274
ST_4DC7	Stress index based on relationship (without partner) - (D)	ST	274
ST_4DC8	Stress index based on child's problems - (D)	ST	275
ST_4DC9	Stress index based on environmental problems - (D)	ST	275
ST_4DR1	Recent life events score - all items - (D)	ST	281
ST_4DR2	Recent life events score - all valid items - (D)	ST	281
ST_4DR3	Adjusted recent life events - (D)	ST	282
ST_4DT1	Childhood and adult stress score - (D)	ST	286
ST_4DW1	Work stress - all items - (D)	ST	296

NPHS Cycle 3: Alphabetic Index

Page 85

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
ST_4DW2	WStress Scale: Decision latitude - Skill discretion - (D)	ST	297
ST_4DW3	WStress Scale: Decision latitude - Decision auth. - (D)	ST	297
ST_4DW4	WStress Scale: Psychological Demands - (D)	ST	298
ST_4DW5	WStress Scale: Job Insecurity - (D)	ST	298
ST_4DW6	WStress Scale: Physical Exertion - (D)	ST	299
ST_4DW7	WStress Scale: Social Support - (D)	ST	299
STRATUM	Sample indicator	SP	13
SUBCYCLE	Sample indicator	SP	13
SVP6_1	Overall rating of health care system	SV	1096
SVP6_2	Availability of community health care	SV	1097
SVP6_3	Quality of community health care	SV	1097
SVP6_4	Overall availability of health care in community	SV	1098
SVP6_5	Overall quality of health care in community	SV	1098
SVP6_6	Difficulty getting health care services needed	SV	1099
SVP6_7	Quality of health care received in past 12 months	SV	1099
TAS8_1	Smoked cigars	SM	1625
TAS8_2	Smoked a pipe	SM	1626
TAS8_3	Used snuff	SM	1626
TAS8_4	Used chewing tobacco	SM	1627
TUP6_1	Tried to get a suntan (sun or artificial)	TU	915
TUP6_10	Frequency of wearing protective clothing in sun	TU	920
TUP6_2	Deepness of suntan	TU	916
TUP6_3	Got sunburnt	TU	916
TUP6_4	Number of times sunburned	TU	917
TUP6_5	Description of worst sunburn	TU	917
TUP6_6	Frequency of using sunscreen in summer	TU	918
TUP6_7	Frequency of avoiding sun from 11am to 4pm	TU	918
TUP6_8	Frequency of avoiding long periods in the sun	TU	919
TUP6_9	Frequency / wearing sunglasses with UV protection	TU	919
TWC4_1	Stayed in bed / hospital due to illness / injury	TW	46
TWC4_2	Number of days spent in bed	TW	46
TWC4_3	Cut down on things done due to illness / injury	TW	47
TWC4_4	Number of days cut down on things	TW	48
TWC4_5	Has regular medical doctor	TW	48
TWC4DDDY	Total number of disability days - (D)	TW	49
TWC6_1	Stayed in bed / hospital due to illness / injury	TW	482

NPHS Cycle 3: Alphabetic Index

Page 86

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
TWC6_2	Number of days spent in bed	TW	483
TWC6_3	Cut down on things done due to illness / injury	TW	484
TWC6_4	Number of days cut down on things	TW	485
TWC6_5	Has regular medical doctor	TW	486
TWC6DDDY	Total number of disability days - (D)	TW	487
TWC8_1	Stayed in bed / hospital due to illness / injury	TW	1181
TWC8_2	Number of days spent in bed	TW	1182
TWC8_3	Cut down on things done due to illness / injury	TW	1183
TWC8_4	Number of days cut down on things	TW	1184
TWC8_5	Has regular medical doctor	TW	1185
TWC8DDDY	Total number of disability days - (D)	TW	1186
VSP6_1	Frequency of feeling safe in community	VS	1131
VSP6_10	Number of times attacked outside of school	VS	1135
VSP6_2	Frequency of feeling safe at home	VS	1132
VSP6_4	Frequency of feeling safe at school	VS	1132
VSP6_5	No. of times - verbal abuse at school / school bus	VS	1133
VSP6_6	No. of times - verbal threats at school / school bus	VS	1133
VSP6_7	No. of times - attacks at school / school bus	VS	1134
VSP6_8	No. of times - verbal abuse outside of school	VS	1134
VSP6_9	No. of times - verbal threats outside of school	VS	1135
WHC4_20	Ever had PAP smear test	WH	191
WHC4_22	Last time had PAP smear test	WH	191
WHC4_30	Ever had mammogram	WH	189
WHC4_32	Last time mammogram was done	WH	190
WHC4_33	Reason for last mammogram	WH	190
WHC6_20	Ever had PAP smear test	WH	712
WHC6_22	Last time had PAP smear test	WH	713
WHC6_23A	Had PAP smear - part of check-up	WH	713
WHC6_23B	Had PAP smear - high risk group	WH	714
WHC6_23C	Had PAP smear - follow-up of previous problem	WH	714
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	WH	715
WHC6_23E	Had PAP smear - sexually active	WH	715
WHC6_23F	Had PAP smear - on birth control pill	WH	716
WHC6_23G	Had PAP smear - pregnant / after delivery	WH	716
WHC6_23H	Had PAP smear - on hormone replacement therapy	WH	717
WHC6_23I	Had PAP smear - other reason	WH	717

NPHS Cycle 3: Alphabetic Index

Page 87

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
WHC6_24	Had problems getting a PAP smear test	WH	718
WHC6_25A	Problem / PAP smear - not available when required	WH	718
WHC6_25B	Problem / PAP smear - not available in area	WH	719
WHC6_25C	Problem / PAP smear - waiting time too long	WH	719
WHC6_25D	Problem / PAP smear - transportation	WH	719
WHC6_25E	Problem / PAP smear - language	WH	720
WHC6_25F	Problem / PAP smear - cost	WH	720
WHC6_25G	Problem / PAP smear - did not know where to go	WH	720
WHC6_25H	Problem / PAP smear - other	WH	721
WHC6_26A	No PAP smear - have not gotten around to it	WH	721
WHC6_26B	No PAP smear - respondent didn't think necessary	WH	722
WHC6_26C	No PAP smear - doctor didn't think necessary	WH	722
WHC6_26D	No PAP smear - personal / family responsibilities	WH	723
WHC6_26E	No PAP smear - not available when required	WH	723
WHC6_26F	No PAP smear - not available in area	WH	724
WHC6_26G	No PAP smear - waiting time too long	WH	724
WHC6_26H	No PAP smear - transportation problems	WH	725
WHC6_26I	No PAP smear - language problem	WH	725
WHC6_26J	No PAP smear - cost	WH	726
WHC6_26K	No PAP smear - did not know where to go	WH	726
WHC6_26L	No PAP smear - fear	WH	727
WHC6_26M	No PAP smear - hysterectomy	WH	727
WHC6_26N	No PAP smear - hate / dislike having one done	WH	728
WHC6_26O	No PAP smear - other reason	WH	728
WHC6_30	Ever had mammogram	WH	729
WHC6_32	Last time mammogram was done	WH	729
WHC6_33A	Had mammogram - family history	WH	730
WHC6_33B	Had mammogram - regular check-up	WH	730
WHC6_33C	Had mammogram - age	WH	731
WHC6_33D	Had mammogram - previously detected lump	WH	731
WHC6_33E	Had mammogram - follow-up treatment	WH	732
WHC6_33F	Had mammogram - on hormone replacement therapy	WH	732
WHC6_33G	Had mammogram - other reason	WH	733
WHC6_34	Had problems getting a mammogram	WH	733
WHC6_35A	Problem / mammogram - not available when required	WH	734
WHC6_35B	Problem / mammogram - not available in area	WH	734

NPHS Cycle 3: Alphabetic Index

Page 88

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
WHC6_35C	Problem / mammogram - waiting time too long	WH	735
WHC6_35D	Problem / mammogram - transportation	WH	735
WHC6_35E	Problem / mammogram - language	WH	735
WHC6_35F	Problem / mammogram - cost	WH	736
WHC6_35G	Problem / mammogram - did not know where to go	WH	736
WHC6_35H	Problem / mammogram - other	WH	737
WHC6_36A	No mammogram - have not gotten around to it	WH	737
WHC6_36B	No mammogram - resp. didn't think necessary	WH	738
WHC6_36C	No mammogram - doctor didn't think necessary	WH	738
WHC6_36D	No mammogram - pers. / family responsibilities	WH	739
WHC6_36E	No mammogram - not available when required	WH	739
WHC6_36F	No mammogram - not available in the area	WH	740
WHC6_36G	No mammogram - waiting time was too long	WH	740
WHC6_36H	No mammogram - transportation problems	WH	741
WHC6_36I	No mammogram - language problem	WH	741
WHC6_36J	No mammogram - cost	WH	742
WHC6_36K	No mammogram - did not know where to go	WH	742
WHC6_36L	No mammogram - fear	WH	743
WHC6_36M	No mammogram - other reason	WH	743
WHC6_90	Had breasts examined by health professional	WH	744
WHC6_92	Last time breasts examined for lumps	WH	745
WHC6_93A	Had breast exam - family history	WH	745
WHC6_93B	Had breast exam - regular check-up	WH	746
WHC6_93C	Had breast exam - age	WH	746
WHC6_93D	Had breast exam - previously detected lump	WH	747
WHC6_93E	Had breast exam - follow-up treatment	WH	747
WHC6_93F	Had breast exam - on hormone replacement therapy	WH	748
WHC6_93G	Had breast exam - other reason	WH	748
WHC6_94	Had problems getting a breast exam	WH	749
WHC6_95A	Problem / breast exam - not available when required	WH	749
WHC6_95B	Problem / breast exam - not available in area	WH	750
WHC6_95C	Problem / breast exam - waiting time too long	WH	750
WHC6_95D	Problem / breast exam - transportation	WH	751
WHC6_95E	Problem / breast exam - language	WH	751
WHC6_95F	Problem / breast exam - cost	WH	751
WHC6_95G	Problem / breast exam - did not know where to go	WH	752

NPHS Cycle 3: Alphabetic Index

Page 89

Master File - Longitudinal Full Response

March 2000

Variable Name	Description	Section	Page
WHC6_95H	Problem / breast exam - other	WH	752
WHC6_96A	No breast exam - have not gotten around to it	WH	753
WHC6_96B	No breast exam - respondent didn't think necessary	WH	753
WHC6_96C	No breast exam - doctor didn't think necessary	WH	754
WHC6_96D	No breast exam - personal / family responsibilities	WH	754
WHC6_96E	No breast exam - not available when required	WH	755
WHC6_96F	No breast exam - not available in area	WH	755
WHC6_96G	No breast exam - waiting time too long	WH	756
WHC6_96H	No breast exam - transportation problems	WH	756
WHC6_96I	No breast exam - language problem	WH	757
WHC6_96J	No breast exam - cost	WH	757
WHC6_96K	No breast exam - did not know where to go	WH	758
WHC6_96L	No breast exam - fear	WH	758
WHC6_96M	No breast exam - other reason	WH	759
WHC8_20	Ever had PAP smear test	WH	1384
WHC8_20A	Ever had PAP smear test (Probe)	WH	1384
WHC8_22	Last time had PAP smear test	WH	1385
WHC8_30	Ever had mammogram	WH	1385
WHC8_30A	Ever had mammogram (Probe)	WH	1386
WHC8_32	Last time mammogram was done	WH	1386
WHC8_5	Had a hysterectomy	WH	1388
WHC8_5A	Age had a hysterectomy	WH	1389
WHC8_5B	Reason had a hysterectomy	WH	1389
WHS6_37	Intend to have a mammogram in the next 2 years	WH	744
WHS6_90	Self-examined breasts for lumps	WH	759
WHS6_91	Frequency of breast self-examination	WH	760
WHS6_92	How breast self-exam was learned	WH	760
WT68LF	Sampling weight - Longitudinal full response	WT	1688
YOB	Year of birth	DH	3
YOD	Year of death	DH	10
YOI	Year - first came to Canada	SD	8