

NPHS Cycle 3: Record Layout

Page 1

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
REALUKEY	15	0001 - 0015	Record identifier for the household
PERSONID	2	0016 - 0017	Number identifying the person in the household
LONGPAT	3	0018 - 0020	Longitudinal response pattern
DOB	2	0021 - 0022	Day of birth
MOB	2	0023 - 0024	Month of birth
YOB	4	0025 - 0028	Year of birth
SEX	1	0029 - 0029	Sex
HWB	2	0030 - 0031	Birth weight
HWBG1	1	0032 - 0032	Birth weight - (G)
COB	2	0033 - 0034	Country of birth
COBC	4	0035 - 0038	Code of country of birth
COBGC	2	0039 - 0040	Country of birth - (G)
IMM	1	0041 - 0041	Flag indicating that the respondent is an immigrant
YOI	4	0042 - 0045	Year - first came to Canada
AOI	3	0046 - 0048	Age at time of immigration - (D)
DOD	2	0049 - 0050	Day of death
MOD	2	0051 - 0052	Month of death
YOD	4	0053 - 0056	Year of death
COD	5	0057 - 0061	Cause of death code
DESIGPRV	2	0062 - 0063	Design province
PRC4_CUR	2	0064 - 0065	Province of residence
SP34_CPS	1	0066 - 0066	Sampled collection period
SP34_MET	1	0067 - 0067	Selection method
CYCLE	2	0068 - 0069	Cycle in which household joined the survey
SUBCYCLE	2	0070 - 0071	Sample indicator
STRATUM	5	0072 - 0076	Sample indicator
REPLICAT	7	0077 - 0083	Sample indicator
AM68_SHA	1	0084 - 0084	Agree to share information - H06
GE34DURB	1	0085 - 0085	Rural and urban area - (D)
GE34DCD	3	0086 - 0088	Census Division - (D)
GE34DCSD	3	0089 - 0091	Census Sub-Division - (D)
GE34DCMA	3	0092 - 0094	Census Metropolitan Area - (D)
GE34DFED	3	0095 - 0097	Federal Electoral District - (D)
GE34DHLR	2	0098 - 0099	Health regions - (D)
SP34DPC	6	0100 - 0105	Postal code - (D)
DHC4_OWN	1	0106 - 0106	Dwelling owned by a household member

NPHS Cycle 3: Record Layout

Page 2

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DHC4_BED	2	0107 - 0108	Number of bedrooms
DH_4_P1	1	0109 - 0109	Pet
DH_4DP2	2	0110 - 0111	Kind of pet - (D)
DH_4_P3	1	0112 - 0112	Pet - lives indoors
DHC4_DWE	2	0113 - 0114	Type of dwelling
AM34_SRC	2	0115 - 0116	Record number of person providing H03 information
AM34_LNG	2	0117 - 0118	Interview language - H03
DHC4DECF	2	0119 - 0120	Household type - (D)
DHC4DLVG	2	0121 - 0122	Living arrangements of selected respondent - (D)
SP34_CPA	1	0123 - 0123	Actual collection period
DHC4DHSZ	2	0124 - 0125	Household size - (D)
DHC4DL25	2	0126 - 0127	Number of persons less than 25 years old in household - (D)
DHC4DL12	2	0128 - 0129	Number of persons less than 12 years old in household - (D)
DHC4DE12	2	0130 - 0131	Number of persons aged 12 years old in household - (D)
DHC4DLE5	2	0132 - 0133	Number of persons 5 years old or less in household - (D)
DHC4D611	2	0134 - 0135	Number of persons 6 to 11 years old in household - (D)
INC4F1	1	0136 - 0136	Household questions asked of this H05 respondent
INC4_1A	1	0137 - 0137	Source of income - wages and salaries
INC4_1B	1	0138 - 0138	Source of income - self-employment
INC4_1C	1	0139 - 0139	Source of income - dividends and interest
INC4_1D	1	0140 - 0140	Source of income - unemployment insurance
INC4_1E	1	0141 - 0141	Source of income - worker's compensation
INC4_1F	1	0142 - 0142	Source of income - benefits from Can. / Que. Pension Plan
INC4_1G	1	0143 - 0143	Source of income - pensions, superannuation and annuities
INC4_1H	1	0144 - 0144	Source of income - Old Age Security / G.I.S.
INC4_1I	1	0145 - 0145	Source of income - child tax benefit
INC4_1J	1	0146 - 0146	Source of income - social assistance / welfare
INC4_1K	1	0147 - 0147	Source of income - child support
INC4_1L	1	0148 - 0148	Source of income - alimony
INC4_1M	1	0149 - 0149	Source of income - other
INC4_1N	1	0150 - 0150	Source of income - none
INC4_2	2	0151 - 0152	Total household income - main source
INC4_3A	1	0153 - 0153	Total household income - < \$20,000 or >= \$20,000
INC4_3B	1	0154 - 0154	Total household income - < \$10,000 or >= \$10,000
INC4_3C	1	0155 - 0155	Total household income - < \$5,000 or >= \$5,000
INC4_3D	1	0156 - 0156	Total household income - < \$15,000 or >= \$15,000

NPHS Cycle 3: Record Layout

Page 3

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
INC4_3E	1	0157 - 0157	Total household income - < \$40,000 or >= \$40,000
INC4_3F	1	0158 - 0158	Total household income - < \$30,000 or >= \$30,000
INC4_3G	1	0159 - 0159	Total household income - >= \$50,000
INC4DIA2	1	0160 - 0160	Income adequacy - 2 groups - (D)
INC4DIA4	1	0161 - 0161	Income adequacy - 4 groups - (D)
INC4DIA5	1	0162 - 0162	Income adequacy - 5 groups - (D)
INC4DHH	2	0163 - 0164	Total household income from all sources - (D)
INC4CCPI	5.1	0165 - 0169	Consumer Price Index
DHC4_AGE	3	0170 - 0172	Age
DHC4GAGE	2	0173 - 0174	Age - (G)
DHC4_MAR	2	0175 - 0176	Marital status
DHC4_FID	1	0177 - 0177	Family ID code
AM54_BMM	2	0178 - 0179	Month of interview - H05 (start)
AM54_BDD	2	0180 - 0181	Day of interview - H05 (start)
AM54_BY Y	4	0182 - 0185	Year of interview - H05 (start)
AM54_SRC	2	0186 - 0187	Record number of person providing H05 information
AM54_PXY	1	0188 - 0188	H05 completed by proxy
TWC4_1	1	0189 - 0189	Stayed in bed / hospital due to illness / injury
TWC4_2	2	0190 - 0191	Number of days spent in bed
TWC4_3	1	0192 - 0192	Cut down on things done due to illness / injury
TWC4_4	2	0193 - 0194	Number of days cut down on things
TWC4_5	1	0195 - 0195	Has regular medical doctor
TWC4DDDY	2	0196 - 0197	Total number of disability days - (D)
HCC4_1	1	0198 - 0198	Overnight patient
HCC4_1A	3	0199 - 0201	Number of nights as patient
HCC4_2A	3	0202 - 0204	Number of consultations - family doctor / g.p.
HCC4_3A	2	0205 - 0206	Place of most recent contact - family doctor
HCC4_2B	3	0207 - 0209	Number of consultations - eye specialist
HCC4_2C	3	0210 - 0212	Number of consultations - other medical doctor
HCC4_3C	2	0213 - 0214	Place of most recent contact - other medical doctor
HCC4_2D	3	0215 - 0217	Number of consultations - nurse
HCC4_3D	2	0218 - 0219	Place of most recent contact - nurse
HCC4_2E	3	0220 - 0222	Number of consultations - dentist or orthodontist
HCC4_2F	3	0223 - 0225	Number of consultations - chiropractor
HCC4_2G	3	0226 - 0228	Number of consultations - physiotherapist
HCC4_2H	3	0229 - 0231	Number of consultations - social worker or counselor

NPHS Cycle 3: Record Layout

Page 4

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HCC4_2I	3	0232 - 0234	Number of consultations - psychologist
HCC4_2J	3	0235 - 0237	No. of consul. - speech / audiology / occupational therapist
HCK4_2OT	3	0238 - 0240	Number of consultations - other trained person
HCC4DMDC	3	0241 - 0243	Number of consultations with medical doctors - (D)
HCC4DHPC	1	0244 - 0244	Consultations with health professionals - (D)
HCC4_4	1	0245 - 0245	Consulted alternative health care provider
HCC4_5A	1	0246 - 0246	Alternative health care - massage therapist
HCC4_5B	1	0247 - 0247	Alternative health care - acupuncturist
HCC4_5C	1	0248 - 0248	Alternative health care - homeopath or naturopath
HCC4_5D	1	0249 - 0249	Alternative health care - Feldenkrais or Alexander
HCC4_5E	1	0250 - 0250	Alternative health care - relaxation therapist
HCC4_5F	1	0251 - 0251	Alternative health care - biofeedback
HCC4_5G	1	0252 - 0252	Alternative health care - rolfer
HCC4_5H	1	0253 - 0253	Alternative health care - herbalist
HCC4_5I	1	0254 - 0254	Alternative health care - reflexologist
HCC4_5J	1	0255 - 0255	Alternative health care - spiritual healer
HCC4_5K	1	0256 - 0256	Alternative health care - religious healer
HCC4_4A	1	0257 - 0257	Attended self-help group
HCC4_5L	1	0258 - 0258	Alternative health care - other
HCC4_6	1	0259 - 0259	Health care needed but not received
HCC4F7W	1	0260 - 0260	Long answer collected - reason for not getting care
HCC4G7	1	0261 - 0261	Reason for not getting care - (G)
HCC4_8A	1	0262 - 0262	Type / care not received - physical health problem
HCC4_8B	1	0263 - 0263	Type / care not received - emotional / mental health problem
HCC4_8C	1	0264 - 0264	Type / care not received - regular check-up
HCC4_8D	1	0265 - 0265	Type / care not received - injury
HCC4_8E	1	0266 - 0266	Type / care not received - other
HCC4_9	1	0267 - 0267	Received home care services
HCC4FS	1	0268 - 0268	Long answer collected - type of home care service
HCC4_10A	1	0269 - 0269	Home care received - nursing care
HCC4_10C	1	0270 - 0270	Home care received - personal care
HCC4_10D	1	0271 - 0271	Home care received - housework
HCC4_10E	1	0272 - 0272	Home care received - meal preparation or delivery
HCC4_10F	1	0273 - 0273	Home care received - shopping
HCC4_10H	1	0274 - 0274	Home care received - other type
RAC4_1A	1	0275 - 0275	Limited in kind / amount of activities - at home

NPHS Cycle 3: Record Layout

Page 5

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
RAC4_1B	1	0276 - 0276	Limited in kind / amount of activities - at school
RAC4_1C	1	0277 - 0277	Limited in kind / amount of activities - at work
RAC4_1D	1	0278 - 0278	Limited in kind / amount of activities - other
RAC4_2	1	0279 - 0279	Has long-term disabilities or handicaps
RAC4F1	1	0280 - 0280	Flag indicating restriction of activity
RAC4F3	1	0281 - 0281	Long answer collected - problem causing limitation
RAC4CIC	5	0282 - 0286	ICD-9 code for main health problem causing limitations
RAC4GC25	2	0287 - 0288	Main health problem - 25 groups - (D,G)
RAC4GC12	2	0289 - 0290	Main health problem - 12 groups - (D,G)
RAC4_5	2	0291 - 0292	Cause of health problem
RAC4_6A	1	0293 - 0293	Needs help - preparing meals
RAC4_6B	1	0294 - 0294	Needs help - shopping for necessities
RAC4_6C	1	0295 - 0295	Needs help - housework
RAC4_6D	1	0296 - 0296	Needs help - heavy household chores
RAC4_6E	1	0297 - 0297	Needs help - personal care
RAC4_6F	1	0298 - 0298	Needs help - moving about inside the house
RAC4_6G	1	0299 - 0299	Needs help - no tasks
CCK4_1	1	0300 - 0300	Frequency of infections - nose or throat
CCK4_2	1	0301 - 0301	Has had otitis
CCK4_3	1	0302 - 0302	Number of times had otitis since birth
CCC4_1A	1	0303 - 0303	Has food allergies
CCC4_1B	1	0304 - 0304	Has allergies other than food allergies
CCK4_1AB	1	0305 - 0305	Has allergies
CCC4_1C	1	0306 - 0306	Has asthma
CCC4_C7	1	0307 - 0307	Asthma - had attack
CCC4_C8	1	0308 - 0308	Asthma - had wheezing or whistling in chest
CCC4_1D	1	0309 - 0309	Has arthritis or rheumatism
CCC4_1E	1	0310 - 0310	Has back problems excluding arthritis
CCC4_1F	1	0311 - 0311	Has high blood pressure
CCC4_1G	1	0312 - 0312	Has migraine headaches
CCC4_1H	1	0313 - 0313	Has chronic bronchitis or emphysema
CCC4_1I	1	0314 - 0314	Has sinusitis
CCC4_1J	1	0315 - 0315	Has diabetes
CCC4_1K	1	0316 - 0316	Has epilepsy
CCC4_1L	1	0317 - 0317	Has heart disease
CCC4_1M	1	0318 - 0318	Has cancer

NPHS Cycle 3: Record Layout

Page 6

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
CCC4FM1	1	0319 - 0319	Long answer collected - type of cancer
CCC4_1N	1	0320 - 0320	Has stomach or intestinal ulcers
CCC4_1O	1	0321 - 0321	Suffers from the effects of a stroke
CCC4_1P	1	0322 - 0322	Has urinary incontinence
CCC4_1W	1	0323 - 0323	Has acne
CCC4_1R	1	0324 - 0324	Has Alzheimer's disease or other dementia
CCC4_1S	1	0325 - 0325	Has cataracts
CCC4_1T	1	0326 - 0326	Has glaucoma
CCC4_1V	1	0327 - 0327	Has other chronic condition
CCC4_NON	1	0328 - 0328	Has no chronic conditions
CCC4DANY	1	0329 - 0329	Has a chronic condition - (D)
SDC4DRES	3	0330 - 0332	Length of time in Canada since immigration - (D)
SDC4_4A	1	0333 - 0333	Ethnic origin - Canadian
SDC4_4B	1	0334 - 0334	Ethnic origin - French
SDC4_4C	1	0335 - 0335	Ethnic origin - English
SDC4_4D	1	0336 - 0336	Ethnic origin - German
SDC4_4E	1	0337 - 0337	Ethnic origin - Scottish
SDC4_4F	1	0338 - 0338	Ethnic origin - Irish
SDC4_4G	1	0339 - 0339	Ethnic origin - Italian
SDC4_4H	1	0340 - 0340	Ethnic origin - Ukrainian
SDC4_4I	1	0341 - 0341	Ethnic origin - Dutch (Netherlands)
SDC4_4J	1	0342 - 0342	Ethnic origin - Chinese
SDC4_4K	1	0343 - 0343	Ethnic origin - Jewish
SDC4_4L	1	0344 - 0344	Ethnic origin - Polish
SDC4_4M	1	0345 - 0345	Ethnic origin - Portuguese
SDC4_4N	1	0346 - 0346	Ethnic origin - South Asian
SDC4_4O	1	0347 - 0347	Ethnic origin - Black
SDC4_4P	1	0348 - 0348	Ethnic origin - North American Indian
SDC4_4Q	1	0349 - 0349	Ethnic origin - Métis
SDC4_4R	1	0350 - 0350	Ethnic origin - Inuit / Eskimo
SDC4_4S	1	0351 - 0351	Ethnic origin - other
SDC4_5A	1	0352 - 0352	Can converse - English
SDC4_5B	1	0353 - 0353	Can converse - French
SDC4_5C	1	0354 - 0354	Can converse - Arabic
SDC4_5D	1	0355 - 0355	Can converse - Chinese
SDC4_5E	1	0356 - 0356	Can converse - Cree

NPHS Cycle 3: Record Layout

Page 7

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SDC4_5F	1	0357 - 0357	Can converse - German
SDC4_5G	1	0358 - 0358	Can converse - Greek
SDC4_5H	1	0359 - 0359	Can converse - Hungarian
SDC4_5I	1	0360 - 0360	Can converse - Italian
SDC4_5J	1	0361 - 0361	Can converse - Korean
SDC4_5K	1	0362 - 0362	Can converse - Persian
SDC4_5L	1	0363 - 0363	Can converse - Polish
SDC4_5M	1	0364 - 0364	Can converse - Portuguese
SDC4_5N	1	0365 - 0365	Can converse - Punjabi
SDC4_5O	1	0366 - 0366	Can converse - Spanish
SDC4_5P	1	0367 - 0367	Can converse - Tagalog
SDC4_5Q	1	0368 - 0368	Can converse - Ukrainian
SDC4_5R	1	0369 - 0369	Can converse - Vietnamese
SDC4_5S	1	0370 - 0370	Can converse - other language
SDC4DLNG	2	0371 - 0372	Language in which respondent can converse - (D)
SDC4_6A	1	0373 - 0373	First language learned and still understood - English
SDC4_6B	1	0374 - 0374	First language learned and still understood - French
SDC4_6C	1	0375 - 0375	First language learned and still understood - Arabic
SDC4_6D	1	0376 - 0376	First language learned and still understood - Chinese
SDC4_6E	1	0377 - 0377	First language learned and still understood - Cree
SDC4_6F	1	0378 - 0378	First language learned and still understood - German
SDC4_6G	1	0379 - 0379	First language learned and still understood - Greek
SDC4_6H	1	0380 - 0380	First language learned and still understood - Hungarian
SDC4_6I	1	0381 - 0381	First language learned and still understood - Italian
SDC4_6J	1	0382 - 0382	First language learned and still understood - Korean
SDC4_6K	1	0383 - 0383	First language learned and still understood - Persian
SDC4_6L	1	0384 - 0384	First language learned and still understood - Polish
SDC4_6M	1	0385 - 0385	First language learned and still understood - Portuguese
SDC4_6N	1	0386 - 0386	First language learned and still understood - Punjabi
SDC4_6O	1	0387 - 0387	First language learned and still understood - Spanish
SDC4_6P	1	0388 - 0388	First language learned and still understood - Tagalog
SDC4_6Q	1	0389 - 0389	First language learned and still understood - Ukrainian
SDC4_6R	1	0390 - 0390	First language learned and still understood - Vietnamese
SDC4_6S	1	0391 - 0391	First language learned and still understood - other
SDC4_7A	1	0392 - 0392	Race or colour - White
SDC4_7B	1	0393 - 0393	Race or colour - Chinese

NPHS Cycle 3: Record Layout

Page 8

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SDC4_7C	1	0394 - 0394	Race or colour - South Asian
SDC4_7D	1	0395 - 0395	Race or colour - Black
SDC4_7E	1	0396 - 0396	Race or colour - Native / Aboriginal peoples of N. America
SDC4_7F	1	0397 - 0397	Race or colour - Arab / West Asian
SDC4_7G	1	0398 - 0398	Race or colour - Filipino
SDC4_7H	1	0399 - 0399	Race or colour - South East Asian
SDC4_7J	1	0400 - 0400	Race or colour - Japanese
SDC4_7K	1	0401 - 0401	Race or colour - Korean
SDC4_7L	1	0402 - 0402	Race or colour - other
SDC4DRAC	2	0403 - 0404	Race or colour - (D)
EDC4_4	2	0405 - 0406	Number of years of elementary and high school completed
EDC4_5	1	0407 - 0407	Graduated from high school
EDC4_6	1	0408 - 0408	Attended post-secondary institution
EDC4_7	2	0409 - 0410	Highest level of post-secondary education attained
EDC4_1	1	0411 - 0411	Currently attending a school, college or university
EDC4_2	1	0412 - 0412	Full-time student or part-time student
EDC4D1	2	0413 - 0414	Highest level of education - 14 levels - (D)
EDC4D2	2	0415 - 0416	Highest level of education - 12 levels - (D)
EDC4D3	1	0417 - 0417	Highest level of education - 4 levels - (D)
EDC4DLF	1	0418 - 0418	Labour force activity of students - (D)
LFC4_1	2	0419 - 0420	Current main activity
LFC4_2	1	0421 - 0421	Worked for pay or profit
LFC4FE1	1	0422 - 0422	Long answer collected - employer - job 1
LFC4_41	1	0423 - 0423	Had job one year ago without break - job 1
LFC4_51M	2	0424 - 0425	Job 1 started - month
LFC4_51D	2	0426 - 0427	Job 1 started - day
LFC4_51Y	4	0428 - 0431	Job 1 started - year
LFC4_61	1	0432 - 0432	Has job now - job 1
LFC4_71M	2	0433 - 0434	Month stopped - job 1
LFC4_71D	2	0435 - 0436	Day stopped - job 1
LFC4_71Y	4	0437 - 0440	Year stopped - job 1
LFC4_81	3	0441 - 0443	Hours usually worked per week - job 1
LFC4_91	2	0444 - 0445	Type of working hours - job 1
LFC4_101	1	0446 - 0446	Usually works weekends - job 1
LFC4_111	1	0447 - 0447	Worked - other than job 1
LFC4FE2	1	0448 - 0448	Long answer collected - employer - job 2

NPHS Cycle 3: Record Layout

Page 9

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
LFC4_42	1	0449 - 0449	Had job one year ago without break - job 2
LFC4_52M	2	0450 - 0451	Job 2 started - month
LFC4_52D	2	0452 - 0453	Job 2 started - day
LFC4_52Y	4	0454 - 0457	Job 2 started - year
LFC4_62	1	0458 - 0458	Has job now - job 2
LFC4_72M	2	0459 - 0460	Month stopped - job 2
LFC4_72D	2	0461 - 0462	Day stopped - job 2
LFC4_72Y	4	0463 - 0466	Year stopped - job 2
LFC4_82	3	0467 - 0469	Hours usually worked per week - job 2
LFC4_92	2	0470 - 0471	Type of working hours - job 2
LFC4_102	1	0472 - 0472	Usually works weekends - job 2
LFC4_112	1	0473 - 0473	Worked - other than job 1 and job 2
LFC4FE3	1	0474 - 0474	Long answer collected - employer - job 3
LFC4_43	1	0475 - 0475	Had job one year ago without break - job 3
LFC4_53M	2	0476 - 0477	Job 3 started - month
LFC4_53D	2	0478 - 0479	Job 3 started - day
LFC4_53Y	4	0480 - 0483	Job 3 started - year
LFC4_63	1	0484 - 0484	Has job now - job 3
LFC4_73M	2	0485 - 0486	Month stopped - job 3
LFC4_73D	2	0487 - 0488	Day stopped - job 3
LFC4_73Y	4	0489 - 0492	Year stopped - job 3
LFC4_83	3	0493 - 0495	Hours usually worked per week - job 3
LFC4_93	2	0496 - 0497	Type of working hours - job 3
LFC4_103	1	0498 - 0498	Usually works weekends - job 3
LFC4FMN	2	0499 - 0500	Job number of main job
LFC4F13	1	0501 - 0501	Long answer collected - main job industry
LFC4F14	1	0502 - 0502	Long answer collected - main job kind of work
LFC4F15	1	0503 - 0503	Long answer collected - main job duties
LFC4_16	1	0504 - 0504	Worked for others or in own business - main job
LFC4_17A	2	0505 - 0506	Reason for not working - most recent period
LFC4G17B	2	0507 - 0508	Reasons not working - currently (G)
LFC4CSOC	4	0509 - 0512	Standard Occupation Codes for main job
LFC4GO34	2	0513 - 0514	Standard Occupation Codes for main job - 34 groups - (G)
LFC4GO21	2	0515 - 0516	Standard Occupation Codes for main job - 21 groups - (G)
LFC4CSIC	4	0517 - 0520	Standard Industry Codes for main job
LFC4GI13	2	0521 - 0522	Standard Industry Codes for main job - 13 groups - (G)

NPBS Cycle 3: Record Layout

Page 10

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
LFC4DBLI	6.2	0523 - 0528	Blishen socio-economic index for main job - (D)
LFC4DPIN	2	0529 - 0530	Pineo socio-economic class. / main occupation - (D)
LFC4FWK	1	0531 - 0531	Work flag (used for processing only)
LFC4FGAP	1	0532 - 0532	Flag indicating jobless gap greater than 30 days
LFC4DCWS	1	0533 - 0533	Working status in last 12 months - (D)
LFC4DDA	2	0534 - 0535	Duration of work without break > 30 days - (D)
LFC4DHA	1	0536 - 0536	Pattern of working hours of all jobs - (D)
LFC4DJA	2	0537 - 0538	Number of jobs - (D)
LFC4DJGA	2	0539 - 0540	Pattern of number of jobs - (D)
LFC4DGA	1	0541 - 0541	Number of gaps of 30 days or more between jobs - (D)
LFC4DCMN	1	0542 - 0542	Main job is the current job - (D)
LFC4DDMN	2	0543 - 0544	Work duration - main job - (D)
LFC4DHMN	1	0545 - 0545	Hours of work - main job - (D)
LFC4DTMN	2	0546 - 0547	Type of working hours - main job - (D)
LFC4DD1	2	0548 - 0549	Work duration - job 1 - (D)
LFC4DD2	2	0550 - 0551	Work duration - job 2 - (D)
LFC4DD3	2	0552 - 0553	Work duration - job 3 - (D)
LFC4DH1	1	0554 - 0554	Hours of work - job 1 - (D)
LFC4DH2	1	0555 - 0555	Hours of work - job 2 - (D)
LFC4DH3	1	0556 - 0556	Hours of work - job 3 - (D)
LFC4DT1	2	0557 - 0558	Type of working hours - job 1 - (D)
LFC4DT2	2	0559 - 0560	Type of working hours - job 2 - (D)
LFC4DT3	2	0561 - 0562	Type of working hours - job 3 - (D)
LFC4DOMN	2	0563 - 0564	Job number of old main job - (D)
AM54_TEL	1	0565 - 0565	H05 interview by telephone or in person
AM54_LNG	2	0566 - 0567	Interview language - H05
AM54_EMM	2	0568 - 0569	Month of interview - H05 (end)
AM54_EDD	2	0570 - 0571	Day of interview - H05 (end)
AM54_EYY	4	0572 - 0575	Year of interview - H05 (end)
AM64_STA	1	0576 - 0576	Status of health form - H06
AM64_BMM	2	0577 - 0578	Month of interview - H06 (start)
AM64_BDD	2	0579 - 0580	Day of interview - H06 (start)
AM64_BY Y	4	0581 - 0584	Year of interview - H06 (start)
AM64_SRC	2	0585 - 0586	Record number of person providing H06 information
AM64_PXY	1	0587 - 0587	H06 completed by proxy
AM64FR	1	0588 - 0588	Long answer collected - reason for proxy - H06

NPHS Cycle 3: Record Layout

Page 11

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
GHC4_1	1	0589 - 0589	Respondent's general health
HWC4_1	1	0590 - 0590	Currently pregnant
GHC4_3	1	0591 - 0591	Planned to use services of doctor or midwife
GHC4DHD	1	0592 - 0592	Health description index - (D)
HWC4_3LB	4	0593 - 0596	Weight - pounds
HWC4_3KG	4	0597 - 0600	Weight - kilograms
HWC4_HT	2	0601 - 0602	Height
HWC4DBMI	4.1	0603 - 0606	Body Mass Index - (D)
HWC4DSW	1	0607 - 0607	Standard weight - (D)
BPC4_1	2	0608 - 0609	Last time blood pressure was taken
WHC4_30	1	0610 - 0610	Ever had mammogram
WHC4_32	1	0611 - 0611	Last time mammogram was done
WHC4_33	1	0612 - 0612	Reason for last mammogram
WHC4_20	1	0613 - 0613	Ever had PAP smear test
WHC4_22	1	0614 - 0614	Last time had PAP smear test
SMC4_1	1	0615 - 0615	Household member smokes inside house
SMC4_2	1	0616 - 0616	Type of smoker
SMC4_3	3	0617 - 0619	Age started smoking daily - daily smoker
SMC4_4	3	0620 - 0622	Number of cigarettes smoked each day - daily smoker
SMC4_4A	1	0623 - 0623	Ever smoked cigarettes
SMC4_5	1	0624 - 0624	Ever smoked daily
SMC4_6	2	0625 - 0626	Age started smoking daily - former daily smoker
SMC4_7	3	0627 - 0629	No. of cigarettes daily - former daily smoker
SMC4_8	3	0630 - 0632	Age stopped smoking daily - former daily smoker
SMC4DTYP	2	0633 - 0634	Type of smoker - (D)
SMC4DYRS	3	0635 - 0637	Number of years smoked - (D)
ALC4_1	1	0638 - 0638	Drank alcohol in past 12 months
ALC4_2	2	0639 - 0640	Frequency of drinking alcohol
ALC4_3	3	0641 - 0643	Frequency of having 5 or more drinks
ALC4_4	3	0644 - 0646	Highest number of drinks on one occasion
ALC4_DAY	2	0647 - 0648	Interview date - day of the week
ALC4_5	1	0649 - 0649	Drank alcohol in past week
ALC4_5A1	3	0650 - 0652	Number of drinks - Monday
ALC4_5A2	3	0653 - 0655	Number of drinks - Tuesday
ALC4_5A3	3	0656 - 0658	Number of drinks - Wednesday
ALC4_5A4	3	0659 - 0661	Number of drinks - Thursday

NPHS Cycle 3: Record Layout

Page 12

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
ALC4_5A5	3	0662 - 0664	Number of drinks - Friday
ALC4_5A6	3	0665 - 0667	Number of drinks - Saturday
ALC4_5A7	3	0668 - 0670	Number of drinks - Sunday
ALC4_5B	1	0671 - 0671	Ever had a drink
ALC4_6	1	0672 - 0672	Regularly drank more than 12 drinks a week
ALC4_7A	1	0673 - 0673	Reason reduced drinking - dieting
ALC4_7B	1	0674 - 0674	Reason reduced drinking - athletic training
ALC4_7C	1	0675 - 0675	Reason reduced drinking - pregnancy
ALC4_7D	1	0676 - 0676	Reason reduced drinking - getting older
ALC4_7E	1	0677 - 0677	Reason reduced drinking - drinking too much
ALC4_7F	1	0678 - 0678	Reason reduced drinking - affected work / studies
ALC4_7G	1	0679 - 0679	Reason reduced drinking - interfered with family life
ALC4_7H	1	0680 - 0680	Reason reduced drinking - affected physical health
ALC4_7I	1	0681 - 0681	Reason reduced drinking - affected social relationships
ALC4_7J	1	0682 - 0682	Reason reduced drinking - affected financial position
ALC4_7K	1	0683 - 0683	Reason reduced drinking - affected happiness
ALC4_7L	1	0684 - 0684	Reason reduced drinking - influence of family / friends
ALC4_7M	1	0685 - 0685	Reason reduced drinking - other
ALC4DTYP	1	0686 - 0686	Type of drinker - (D)
ALC4DWKY	3	0687 - 0689	Weekly total of alcohol consumed - (D)
ALC4DDL	2	0690 - 0691	Average daily alcohol consumption - (D)
PAC4_1A	1	0692 - 0692	Activity / last 3 months - walking
PAC4_1B	1	0693 - 0693	Activity / last 3 months - gardening / yard work
PAC4_1C	1	0694 - 0694	Activity / last 3 months - swimming
PAC4_1D	1	0695 - 0695	Activity / last 3 months - bicycling
PAC4_1E	1	0696 - 0696	Activity / last 3 months - popular or social dance
PAC4_1F	1	0697 - 0697	Activity / last 3 months - home exercises
PAC4_1G	1	0698 - 0698	Activity / last 3 months - ice hockey
PAC4_1H	1	0699 - 0699	Activity / last 3 months - skating
PAC4_1I	1	0700 - 0700	Activity / last 3 months - downhill skiing
PAC4_1J	1	0701 - 0701	Activity / last 3 months - jogging or running
PAC4_1K	1	0702 - 0702	Activity / last 3 months - golfing
PAC4_1L	1	0703 - 0703	Activity / last 3 months - exercise class or aerobics
PAC4_1M	1	0704 - 0704	Activity / last 3 months - cross-country skiing
PAC4_1N	1	0705 - 0705	Activity / last 3 months - bowling
PAC4_1O	1	0706 - 0706	Activity / last 3 months - baseball or softball

NPBS Cycle 3: Record Layout

Page 13

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PAC4_1P	1	0707 - 0707	Activity / last 3 months - tennis
PAC4_1Q	1	0708 - 0708	Activity / last 3 months - weight-training
PAC4_1R	1	0709 - 0709	Activity / last 3 months - fishing
PAC4_1S	1	0710 - 0710	Activity / last 3 months - volleyball
PAC4_1Z	1	0711 - 0711	Activity / last 3 months - yoga or tai-chi
PAC4_1U	1	0712 - 0712	Activity / last 3 months - other (#1)
PAC4_1V	1	0713 - 0713	Activity / last 3 months - none
PAC4FC1	1	0714 - 0714	Long answer collected - other physical activity (#1)
PAC4_1W	1	0715 - 0715	Activity / last 3 months - other (#2)
PAC4FC2	1	0716 - 0716	Long answer collected - other physical activity (#2)
PAC4_1X	1	0717 - 0717	Activity / last 3 months - other (#3)
PAC4FC3	1	0718 - 0718	Long answer collected - other physical activity (#3)
PAC4_2A	3	0719 - 0721	No. of times participated - walking for exercise
PAC4_3A	1	0722 - 0722	Time spent - walking for exercise
PAC4_2B	3	0723 - 0725	No. of times participated - gardening
PAC4_3B	1	0726 - 0726	Time spent - gardening
PAC4_2C	3	0727 - 0729	No. of times participated - swimming
PAC4_3C	1	0730 - 0730	Time spent - swimming
PAC4_2D	3	0731 - 0733	No. of times participated - bicycling
PAC4_3D	1	0734 - 0734	Time spent - bicycling
PAC4_2E	3	0735 - 0737	No. of times participated - popular / social dance
PAC4_3E	1	0738 - 0738	Time spent - popular / social dance
PAC4_2F	3	0739 - 0741	No. of times participated - home exercises
PAC4_3F	1	0742 - 0742	Time spent - home exercises
PAC4_2G	3	0743 - 0745	No. of times participated - ice hockey
PAC4_3G	1	0746 - 0746	Time spent - ice hockey
PAC4_2H	3	0747 - 0749	No. of times participated - skating
PAC4_3H	1	0750 - 0750	Time spent - skating
PAC4_2I	3	0751 - 0753	No. of times participated - downhill skiing
PAC4_3I	1	0754 - 0754	Time spent - downhill skiing
PAC4_2J	3	0755 - 0757	No. of times participated - jogging or running
PAC4_3J	1	0758 - 0758	Time spent - jogging or running
PAC4_2K	3	0759 - 0761	No. of times participated - golfing
PAC4_3K	1	0762 - 0762	Time spent - golfing
PAC4_2L	3	0763 - 0765	No. of times participated - exercise class / aerobics
PAC4_3L	1	0766 - 0766	Time spent - exercise class / aerobics

NPBS Cycle 3: Record Layout

Page 14

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PAC4_2M	3	0767 - 0769	No. of times participated - cross-country skiing
PAC4_3M	1	0770 - 0770	Time spent - cross-country skiing
PAC4_2N	3	0771 - 0773	No. of times participated - bowling
PAC4_3N	1	0774 - 0774	Time spent - bowling
PAC4_2O	3	0775 - 0777	No. of times participated - baseball or softball
PAC4_3O	1	0778 - 0778	Time spent - baseball or softball
PAC4_2P	3	0779 - 0781	No. of times participated - tennis
PAC4_3P	1	0782 - 0782	Time spent - tennis
PAC4_2Q	3	0783 - 0785	No. of times participated - weight training
PAC4_3Q	1	0786 - 0786	Time spent - weight training
PAC4_2R	3	0787 - 0789	No. of times participated - fishing
PAC4_3R	1	0790 - 0790	Time spent - fishing
PAC4_2S	3	0791 - 0793	No. of times participated - volleyball
PAC4_3S	1	0794 - 0794	Time spent - volleyball
PAC4_2Z	3	0795 - 0797	No. of times participated - yoga or tai-chi
PAC4_3Z	1	0798 - 0798	Time spent - yoga or tai-chi
PAC4_2U	3	0799 - 0801	No. of times participated - other activity (#1)
PAC4_3U	1	0802 - 0802	Time spent - other activity (#1)
PAC4_2W	3	0803 - 0805	No. of times participated - other activity (#2)
PAC4_3W	1	0806 - 0806	Time spent - other activity (#2)
PAC4_2X	2	0807 - 0808	No. of times participated - other activity (#3)
PAC4_3X	1	0809 - 0809	Time spent - other activity (#3)
PAC4_4A	2	0810 - 0811	Number of hours spent walking to work / school
PAC4_4B	2	0812 - 0813	Number of hours spent biking to work / school
PAC4_5	1	0814 - 0814	Frequency of bike helmet use
PAC4_6	1	0815 - 0815	Level of physical activity for usual day
PAC4DEE	4.1	0816 - 0819	Energy expenditure - (D)
PAC4DLEI	1	0820 - 0820	Participant in leisure physical activity - (D)
PAC4DFM	3	0821 - 0823	Monthly freq. of physical activity lasting >15 min. - (D)
PAC4DFR	1	0824 - 0824	Frequency of all physical activity - (D)
PAC4DFD	1	0825 - 0825	Participation in daily phys. activ. lasting >15 min. - (D)
PAC4DPAI	1	0826 - 0826	Physical activity index - (D)
IJC4_1	1	0827 - 0827	Injury - limits normal activities
IJC4_2	2	0828 - 0829	Injury - number of times
IJC4_3	2	0830 - 0831	Injury - type
IJC4_4	2	0832 - 0833	Injury - body part affected

NPBS Cycle 3: Record Layout

Page 15

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
IJC4D1	3	0834 - 0836	Type of injury by body site - (D)
IJC4_5	2	0837 - 0838	Injury - place of occurrence
IJC4_6	2	0839 - 0840	Injury - reason
IJC4D2	3	0841 - 0843	Cause of injury by place of occurrence - (D)
IJC4_7	1	0844 - 0844	Injury - work-related
IJC4_8A	1	0845 - 0845	Precaution taken - gave up the activity
IJC4_8B	1	0846 - 0846	Precaution taken - being more careful
IJC4_8C	1	0847 - 0847	Precaution taken - safety training
IJC4_8D	1	0848 - 0848	Precaution taken - protective gear
IJC4_8E	1	0849 - 0849	Precaution taken - changing physical situation
IJC4_8F	1	0850 - 0850	Precaution taken - other
IJC4_8G	1	0851 - 0851	Precaution taken - none
IJC4_8H	1	0852 - 0852	Precaution taken - increase child supervision
ST_4_C1	1	0853 - 0853	Current stress - trying to take on too many things
ST_4_C2	1	0854 - 0854	Current stress - pressure to conform
ST_4_C3	1	0855 - 0855	Current stress - too much expected by others
ST_4_C4	1	0856 - 0856	Current stress - lack of money
ST_4_C5	1	0857 - 0857	Current stress - partner doesn't understand you
ST_4_C6	1	0858 - 0858	Current stress - partner not affectionate
ST_4_C7	1	0859 - 0859	Current stress - partner not committed to relationship
ST_4_C8	1	0860 - 0860	Current stress - can't find someone compatible
ST_4_C9	1	0861 - 0861	Current stress - has children
ST_4_C10	1	0862 - 0862	Current stress - child seems unhappy
ST_4_C11	1	0863 - 0863	Current stress - child's behaviour is source of concern
ST_4_C12	1	0864 - 0864	Current stress - work around home not appreciated
ST_4_C13	1	0865 - 0865	Current stress - friends are a bad influence
ST_4_C14	1	0866 - 0866	Current stress - would like to move but cannot
ST_4_C15	1	0867 - 0867	Current stress - neighbourhood too noisy or polluted
ST_4_C16	1	0868 - 0868	Current stress - close relative in very bad health
ST_4_C17	1	0869 - 0869	Current stress - relative has alcohol or drug problem
ST_4_C18	1	0870 - 0870	Current stress - people are too critical
ST_4DC1	2	0871 - 0872	General chronic stress index - (D)
ST_4DC2	2	0873 - 0874	Specific chronic stress index - (D)
ST_4DC3	2	0875 - 0876	Adjusted specific chronic stress index - (D)
ST_4DC4	1	0877 - 0877	Personal stress index - (D)
ST_4DC5	1	0878 - 0878	Stress index based on financial situation - (D)

NPBS Cycle 3: Record Layout

Page 16

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
ST_4DC6	1	0879 - 0879	Stress index based on relationship (with partner) - (D)
ST_4DC7	1	0880 - 0880	Stress index based on relationship (without partner) - (D)
ST_4DC8	1	0881 - 0881	Stress index based on child's problems - (D)
ST_4DC9	1	0882 - 0882	Stress index based on environmental problems - (D)
ST_4DC10	1	0883 - 0883	Stress index based on family health - (D)
ST_4_R1	1	0884 - 0884	Recent stress - attacked
ST_4_R2	1	0885 - 0885	Recent stress - unwanted pregnancy
ST_4_R3	1	0886 - 0886	Recent stress - abortion or miscarriage
ST_4_R4	1	0887 - 0887	Recent stress - major financial crisis
ST_4_R5	1	0888 - 0888	Recent stress - failed school
ST_4_R6	1	0889 - 0889	Recent stress - experienced a change of job for a worse one
ST_4_R7	1	0890 - 0890	Recent stress - demotion or cut in pay
ST_4_R8	1	0891 - 0891	Recent stress - argues with partner
ST_4_R9	1	0892 - 0892	Recent stress - went on welfare
ST_4_R10	1	0893 - 0893	Recent stress - child moved back
ST_4DR1	2	0894 - 0895	Recent life events score - all items - (D)
ST_4DR2	2	0896 - 0897	Recent life events score - all valid items - (D)
ST_4DR3	2	0898 - 0899	Adjusted recent life events - (D)
ST_4_T1	1	0900 - 0900	Trauma - 2 weeks or more in hospital
ST_4_T2	1	0901 - 0901	Trauma - parents divorced
ST_4_T3	1	0902 - 0902	Trauma - parents unemployed for a long time
ST_4_T4	1	0903 - 0903	Trauma - very scared
ST_4_T5	1	0904 - 0904	Trauma - sent away from home
ST_4_T6	1	0905 - 0905	Trauma - parents abused alcohol or drugs
ST_4_T7	1	0906 - 0906	Trauma - physically abused
ST_4DT1	2	0907 - 0908	Childhood and adult stress score - (D)
ST_4_W1A	1	0909 - 0909	Work stress - must learn new things
ST_4_W1B	1	0910 - 0910	Work stress - high level of skill
ST_4_W1C	1	0911 - 0911	Work stress - freedom to decide
ST_4_W1D	1	0912 - 0912	Work stress - repetitive tasks
ST_4_W1E	1	0913 - 0913	Work stress - job hectic
ST_4_W1F	1	0914 - 0914	Work stress - free from conflicting demands
ST_4_W1G	1	0915 - 0915	Work stress - good job security
ST_4_W1H	1	0916 - 0916	Work stress - requires a lot of physical effort
ST_4_W1I	1	0917 - 0917	Work stress - has input
ST_4_W1J	1	0918 - 0918	Work stress - hostility or conflict with others

NPBS Cycle 3: Record Layout

Page 17

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
ST_4_W1K	1	0919 - 0919	Work stress - supervisor helpful
ST_4_W1L	1	0920 - 0920	Work stress - co-workers helpful
ST_4_W2	1	0921 - 0921	Work stress - job satisfaction
ST_4DW1	2	0922 - 0923	Work stress - all items - (D)
ST_4DW2	2	0924 - 0925	WStress Scale: Decision latitude - Skill discretion - (D)
ST_4DW3	2	0926 - 0927	WStress Scale: Decision latitude - Decision auth. - (D)
ST_4DW4	2	0928 - 0929	WStress Scale: Psychological Demands - (D)
ST_4DW5	1	0930 - 0930	WStress Scale: Job Insecurity - (D)
ST_4DW6	1	0931 - 0931	WStress Scale: Physical Exertion - (D)
ST_4DW7	2	0932 - 0933	WStress Scale: Social Support - (D)
PY_4_E1A	1	0934 - 0934	Self-esteem - good
PY_4_E1B	1	0935 - 0935	Self-esteem - worthy
PY_4_E1C	1	0936 - 0936	Self-esteem - able
PY_4_E1D	1	0937 - 0937	Self-esteem - positive
PY_4_E1E	1	0938 - 0938	Self-esteem - satisfied
PY_4_E1F	1	0939 - 0939	Self-esteem - failure
PY_4DE1	2	0940 - 0941	Self-esteem scale - (D)
PY_4_M1A	1	0942 - 0942	Mastery - lack of control
PY_4_M1B	1	0943 - 0943	Mastery - cannot solve problems
PY_4_M1C	1	0944 - 0944	Mastery - cannot change things
PY_4_M1D	1	0945 - 0945	Mastery - helpless
PY_4_M1E	1	0946 - 0946	Mastery - pushed around
PY_4_M1F	1	0947 - 0947	Mastery - fate depends upon self
PY_4_M1G	1	0948 - 0948	Mastery - can do anything
PY_4DM1	2	0949 - 0950	Mastery scale - (D)
PY_4_H1	2	0951 - 0952	Coherence - don't care about surroundings
PY_4_H2	2	0953 - 0954	Coherence - surprised by other's behaviour
PY_4_H3	2	0955 - 0956	Coherence - disappointed with people counted on
PY_4_H4	2	0957 - 0958	Coherence - treated unfairly
PY_4_H5	2	0959 - 0960	Coherence - in unfamiliar situations
PY_4_H6	2	0961 - 0962	Coherence - mixed-up feelings
PY_4_H7	2	0963 - 0964	Coherence - uncomfortable feelings
PY_4_H8	2	0965 - 0966	Coherence - loser
PY_4_H9	2	0967 - 0968	Coherence - little meaning in life
PY_4_H10	2	0969 - 0970	Coherence - can't keep feelings under control
PY_4_H11	2	0971 - 0972	Coherence - clear goals and purpose

NPBS Cycle 3: Record Layout

Page 18

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PY_4_H12	2	0973 - 0974	Coherence - keep things in proportion
PY_4_H13	2	0975 - 0976	Coherence - bored or satisfied with everyday activities
PY_4DH1	2	0977 - 0978	Sense of coherence scale - (D)
HSC4_1	1	0979 - 0979	Vision - read newsprint without glasses / contacts
HSC4_2	1	0980 - 0980	Vision - read newsprint with glasses / contacts
HSC4_3	1	0981 - 0981	Vision - able to see
HSC4_4	1	0982 - 0982	Vision - recognize a friend without glasses / contacts
HSC4_5	1	0983 - 0983	Vision - recognize a friend with glasses / contacts
HSC4DVIS	2	0984 - 0985	Vision trouble - function code - (D)
HSC4_6	1	0986 - 0986	Hearing - in group without hearing aid
HSC4_7	1	0987 - 0987	Hearing - in group with hearing aid
HSC4_7A	1	0988 - 0988	Hearing - able to hear
HSC4_8	1	0989 - 0989	Hearing - in quiet room without hearing aid
HSC4_9	1	0990 - 0990	Hearing - in quiet room with hearing aid
HSC4DHER	2	0991 - 0992	Hearing problems - function code - (D)
HSC4_10	1	0993 - 0993	Speech - understood by strangers in own language
HSC4_11	1	0994 - 0994	Speech - partially understood by strangers in own language
HSC4_12	1	0995 - 0995	Speech - understood by non-strangers in own language
HSC4_13	1	0996 - 0996	Speech - partially understood / non-strangers / own lang.
HSC4DSPE	1	0997 - 0997	Speech trouble - function code - (D)
HSC4_14	1	0998 - 0998	Mobility - walk without difficulty and without support
HSC4_15	1	0999 - 0999	Mobility - able to walk
HSC4_16	1	1000 - 1000	Mobility - requires support to walk
HSC4_17	1	1001 - 1001	Mobility - requires help of person to walk
HSC4_18	1	1002 - 1002	Mobility - requires a wheelchair
HSC4_19	1	1003 - 1003	Mobility - frequency of wheelchair use
HSC4_20	1	1004 - 1004	Mobility - requires help to move in wheelchair
HSC4DMOB	2	1005 - 1006	Mobility trouble - function code - (D)
HSC4_21	1	1007 - 1007	Dexterity - able to grasp and handle small objects
HSC4_22	1	1008 - 1008	Dexterity - requires help due to limitation in hands
HSC4_23	1	1009 - 1009	Dexterity - requires help with tasks
HSC4_24	1	1010 - 1010	Dexterity - requires special equipment / hand limitation
HSC4DDEX	2	1011 - 1012	Dexterity trouble - function code - (D)
HSC4_25	1	1013 - 1013	Emotion - description
HSC4DEMO	1	1014 - 1014	Emotional problems - function code - (D)
HSC4_26	1	1015 - 1015	Cognition - ability to remember things

NPBS Cycle 3: Record Layout

Page 19

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HSC4_27	1	1016 - 1016	Cognition - ability to think and solve problems
HSC4DCOG	2	1017 - 1018	Cognition - function code - (D)
HSC4_28	1	1019 - 1019	Severity - free of pain or discomfort
HSC4_29	1	1020 - 1020	Severity - pain or discomfort
HSC4_30	1	1021 - 1021	Severity - no. of activities prevented by pain
HSC4DPAD	1	1022 - 1022	Activities prevented / pain - function code - (D)
HSC4DHSI	5.3	1023 - 1027	Health Utility Index (HUI3) - (D)
DGC4_1A	1	1028 - 1028	Medication - pain relievers
DGC4_1B	1	1029 - 1029	Medication - tranquilizers
DGC4_1C	1	1030 - 1030	Medication - diet pills
DGC4_1D	1	1031 - 1031	Medication - antidepressants
DGC4_1E	1	1032 - 1032	Medication - codeine, Demerol or morphine
DGC4_1F	1	1033 - 1033	Medication - allergy
DGC4_1G	1	1034 - 1034	Medication - asthma
DGC4_1H	1	1035 - 1035	Medication - cough or cold remedies
DGC4_1I	1	1036 - 1036	Medication - penicillin or other antibiotics
DGC4_1J	1	1037 - 1037	Medication - heart
DGC4_1K	1	1038 - 1038	Medication - blood pressure
DGC4_1L	1	1039 - 1039	Medication - diuretics
DGC4_1M	1	1040 - 1040	Medication - steroids
DGC4_1N	1	1041 - 1041	Medication - insulin
DGC4_1O	1	1042 - 1042	Medication - pills to control diabetes
DGC4_1P	1	1043 - 1043	Medication - sleeping pills
DGC4_1Q	1	1044 - 1044	Medication - stomach remedies
DGC4_1R	1	1045 - 1045	Medication - laxatives
DGC4_1T	1	1046 - 1046	Medication - hormones for menopause
DGC4_1S	1	1047 - 1047	Medication - birth control pills
DGC4_1V	1	1048 - 1048	Medication - other
DGC4_NON	1	1049 - 1049	Did not take any drugs in past month
DGC4F1	1	1050 - 1050	Flag for medications taken
DGC4_2	3	1051 - 1053	Number of different medications in past 2 days
DGC4F3A	1	1054 - 1054	Long answer collected - drug 1
DGC4C3A	7	1055 - 1061	Drug code - drug 1
DGC4F3B	1	1062 - 1062	Long answer collected - drug 2
DGC4C3B	7	1063 - 1069	Drug code - drug 2
DGC4F3C	1	1070 - 1070	Long answer collected - drug 3

NPBS Cycle 3: Record Layout

Page 20

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DGC4C3C	7	1071 - 1077	Drug code - drug 3
DGC4F3D	1	1078 - 1078	Long answer collected - drug 4
DGC4C3D	7	1079 - 1085	Drug code - drug 4
DGC4F3E	1	1086 - 1086	Long answer collected - drug 5
DGC4C3E	7	1087 - 1093	Drug code - drug 5
DGC4F3F	1	1094 - 1094	Long answer collected - drug 6
DGC4C3F	7	1095 - 1101	Drug code - drug 6
DGC4F3G	1	1102 - 1102	Long answer collected - drug 7
DGC4C3G	7	1103 - 1109	Drug code - drug 7
DGC4F3H	1	1110 - 1110	Long answer collected - drug 8
DGC4C3H	7	1111 - 1117	Drug code - drug 8
DGC4F3I	1	1118 - 1118	Long answer collected - drug 9
DGC4C3I	7	1119 - 1125	Drug code - drug 9
DGC4F3J	1	1126 - 1126	Long answer collected - drug 10
DGC4C3J	7	1127 - 1133	Drug code - drug 10
DGC4F3K	1	1134 - 1134	Long answer collected - drug 11
DGC4C3K	7	1135 - 1141	Drug code - drug 11
DGC4F3L	1	1142 - 1142	Long answer collected - drug 12
DGC4C3L	7	1143 - 1149	Drug code - drug 12
DGC4_4	1	1150 - 1150	Medication - other type
DGC4F5A	1	1151 - 1151	Long answer collected - health product 1
DGC4_5AA	1	1152 - 1152	Uses a 2nd health product
DGC4F5B	1	1153 - 1153	Long answer collected - health product 2
DGC4_5BA	1	1154 - 1154	Uses a 3rd health product
DGC4F5C	1	1155 - 1155	Long answer collected - health product 3
DGC4_5CA	1	1156 - 1156	Uses a 4th health product
DGC4F5D	1	1157 - 1157	Long answer collected - health product 4
DGC4_5DA	1	1158 - 1158	Uses a 5th health product
DGC4F5E	1	1159 - 1159	Long answer collected - health product 5
DGC4_5EA	1	1160 - 1160	Uses a 6th health product
DGC4F5F	1	1161 - 1161	Long answer collected - health product 6
DGC4_5FA	1	1162 - 1162	Uses a 7th health product
DGC4F5G	1	1163 - 1163	Long answer collected - health product 7
DGC4_5GA	1	1164 - 1164	Uses a 8th health product
DGC4F5H	1	1165 - 1165	Long answer collected - health product 8
DGC4_5HA	1	1166 - 1166	Uses a 9th health product

NPHS Cycle 3: Record Layout

Page 21

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DGC4F5I	1	1167 - 1167	Long answer collected - health product 9
DGC4_5IA	1	1168 - 1168	Uses a 10th health product
DGC4F5J	1	1169 - 1169	Long answer collected - health product 10
DGC4_5JA	1	1170 - 1170	Uses a 11th health product
DGC4F5K	1	1171 - 1171	Long answer collected - health product 11
DGC4_5KA	1	1172 - 1172	Uses a 12th health product
DGC4F5L	1	1173 - 1173	Long answer collected - health product 12
DGC4C5A	7	1174 - 1180	Code for health product - product 1
DGC4C5B	7	1181 - 1187	Code for health product - product 2
DGC4C5C	7	1188 - 1194	Code for health product - product 3
DGC4C5D	7	1195 - 1201	Code for health product - product 4
DGC4C5E	7	1202 - 1208	Code for health product - product 5
DGC4C5F	7	1209 - 1215	Code for health product - product 6
DGC4C5G	7	1216 - 1222	Code for health product - product 7
DGC4C5H	7	1223 - 1229	Code for health product - product 8
DGC4C5I	7	1230 - 1236	Code for health product - product 9
DGC4C5J	7	1237 - 1243	Code for health product - product 10
DGC4C5K	7	1244 - 1250	Code for health product - product 11
DGC4C5L	7	1251 - 1257	Code for health product - product 12
MHC4_1A	1	1258 - 1258	Frequency - felt sad nothing could cheer up
MHC4_1B	1	1259 - 1259	Frequency - felt nervous
MHC4_1C	1	1260 - 1260	Frequency - felt restless / fidgety
MHC4_1D	1	1261 - 1261	Frequency - felt hopeless
MHC4_1E	1	1262 - 1262	Frequency - felt worthless
MHC4_1F	1	1263 - 1263	Frequency - felt everything was an effort
MHC4_1G	1	1264 - 1264	Frequency - feelings occurrence
MHC4_1H	1	1265 - 1265	Frequency - feelings occurrence (more)
MHC4_1I	1	1266 - 1266	Frequency - feelings occurrence (less)
MHC4_1J	1	1267 - 1267	Frequency - experiences interfere with life
MHC4_1K	1	1268 - 1268	Mental health - consulted health professional
MHC4_1L	3	1269 - 1271	Frequency - consultations with health professional
MHC4_2	1	1272 - 1272	Felt depressed for 2 weeks or more in past year
MHC4_3	1	1273 - 1273	Depressed - length of time feelings usually last
MHC4_4	1	1274 - 1274	Depressed - number of times felt this way
MHC4_5	1	1275 - 1275	Depressed - lost interest in most things
MHC4_6	1	1276 - 1276	Depressed - felt tired all of the time

NPBS Cycle 3: Record Layout

Page 22

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
MHC4_7	1	1277 - 1277	Depressed - weight change or not
MHC4_8LB	3	1278 - 1280	Depressed - weight change (lb.)
MHC4_8KG	3	1281 - 1283	Depressed - weight change (kg.)
MHC4_9	1	1284 - 1284	Depressed - trouble falling asleep
MHC4_10	1	1285 - 1285	Depressed - frequency of trouble falling asleep
MHC4_11	1	1286 - 1286	Depressed - trouble concentrating
MHC4_12	1	1287 - 1287	Depressed - felt down on self
MHC4_13	1	1288 - 1288	Depressed - thought a lot about death
MHC4_14	2	1289 - 1290	Depressed - number of weeks in past 12 months
MHC4_15	2	1291 - 1292	Month in which depression occurred
MHC4_16	1	1293 - 1293	Lost interest in most things that usually give pleasure
MHC4_17	1	1294 - 1294	Loss of interest - duration
MHC4_18	1	1295 - 1295	Loss of interest - frequency
MHC4_19	1	1296 - 1296	Loss of interest - felt tired all the time
MHC4_20	1	1297 - 1297	Loss of interest - weight change or not
MHC4_21L	3	1298 - 1300	Loss of interest - weight change (lb.)
MHC4_21K	3	1301 - 1303	Loss of interest - weight change (kg.)
MHC4_22	1	1304 - 1304	Loss of interest - trouble falling asleep
MHC4_23	1	1305 - 1305	Loss of interest - frequency having trouble falling asleep
MHC4_24	1	1306 - 1306	Loss of interest - trouble concentrating
MHC4_25	1	1307 - 1307	Loss of interest - felt down on self
MHC4_26	1	1308 - 1308	Loss of interest - thought a lot about death
MHC4_27	2	1309 - 1310	Loss of interest - number of weeks
MHC4_28	2	1311 - 1312	Loss of interest - month of occurrence
MHC4DDS	2	1313 - 1314	Distress Scale - (D)
MHC4DCH	2	1315 - 1316	Chronicity of Distress and Impairment Scale - (D)
MHC4DSF	2	1317 - 1318	Depression Scale - Short Form Score - (D)
MHC4DPP	4.2	1319 - 1322	Depression Scale - Predicted Probability - (D)
MHC4DWK	2	1323 - 1324	Number of weeks felt depressed - (D)
MHC4DMT	2	1325 - 1326	Specific month when felt depressed - (D)
SSC4_1	1	1327 - 1327	Member of organization or association
SSC4_2	1	1328 - 1328	Frequency of participation in organizations
SSC4_2A	1	1329 - 1329	Frequency of attending religious services
SSC4_3	1	1330 - 1330	Has someone to confide in
SSC4_4	1	1331 - 1331	Has someone to count on in crisis situation
SSC4_5	1	1332 - 1332	Has someone for advice when making imp. decisions

NPBS Cycle 3: Record Layout

Page 23

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SSC4_6	1	1333 - 1333	Has someone to make feel loved and cared for
SSC4_7A	2	1334 - 1335	Frequency of contact - parents / in-laws
SSC4_7B	2	1336 - 1337	Frequency of contact - grandparents
SSC4_7C	2	1338 - 1339	Frequency of contact - daughters / daughters-in-law
SSC4_7D	2	1340 - 1341	Frequency of contact - sons / sons-in-law
SSC4_7E	2	1342 - 1343	Frequency of contact - brothers / sisters
SSC4_7F	2	1344 - 1345	Frequency of contact - other relatives
SSC4_7G	2	1346 - 1347	Frequency of contact - close friends
SSC4_7H	2	1348 - 1349	Frequency of contact - neighbours
SSC4D1	1	1350 - 1350	Social support index - (D)
SSC4D2	2	1351 - 1352	Social involvement score - (D)
SSC4D3	2	1353 - 1354	Average frequency of contacts - (D)
RTP4_1	1	1355 - 1355	Rationality - try to be reasonable and logical
RTP4_2	1	1356 - 1356	Rationality - try to understand people
RTP4_3	1	1357 - 1357	Rationality - try to act rationally
RTP4_4	1	1358 - 1358	Rationality - try to resolve conflicts without emotion
RTP4_5	1	1359 - 1359	Rationality - try to treat people rationally despite hurt
RTP4_6	1	1360 - 1360	Rationality - rely on logic
RTP4_7	1	1361 - 1361	Rationality - when someone acts against your wishes
RTP4_8	1	1362 - 1362	Rationality - rarely influenced by emotions
RTP4_9	1	1363 - 1363	Rationality - very influenced by emotions
RTP4_10	1	1364 - 1364	Rationality - when you don't like person
RTP4_11	1	1365 - 1365	Rationality - prevents verb. attacking / criticize others
RTP4_12A	1	1366 - 1366	Overcome fear of dentist - quiz dentist
RTP4_12B	1	1367 - 1367	Overcome fear of dentist - take a tranquilizer or drink
RTP4_12C	1	1368 - 1368	Overcome fear of dentist - try to think about other things
RTP4_12D	1	1369 - 1369	Overcome fear of dentist - be told when will feel pain
RTP4_12E	1	1370 - 1370	Overcome fear of dentist - try to sleep
RTP4_12F	1	1371 - 1371	Overcome fear of dentist - watch dentist's movements
RTP4_12G	1	1372 - 1372	Overcome fear of dentist - watch for blood
RTP4_12H	1	1373 - 1373	Overcome fear of dentist - do mental puzzles
RTP4_12I	1	1374 - 1374	Overcome fear of dentist - do other activity
RTP4_13A	1	1375 - 1375	Layoffs rumoured - find out evaluation by supervisor
RTP4_13B	1	1376 - 1376	Layoffs rumoured - review accomplishments
RTP4_13C	1	1377 - 1377	Layoffs rumoured - watch TV
RTP4_13D	1	1378 - 1378	Layoffs rumoured - remember disagreements with supervisor

NPBS Cycle 3: Record Layout

Page 24

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
RTP4_13E	1	1379 - 1379	Layoffs rumoured - try not to think about it
RTP4_13F	1	1380 - 1380	Layoffs rumoured - try not to discuss it
RTP4_13G	1	1381 - 1381	Layoffs rumoured - try to rank other employees
RTP4_13H	1	1382 - 1382	Layoffs rumoured - continue working
RTP4_13I	1	1383 - 1383	Layoffs rumoured - do other activity
COP4_1	1	1384 - 1384	Ability to handle day-to-day demands
COP4_2A	1	1385 - 1385	Daily stress - try not to think about situation
COP4_2B	1	1386 - 1386	Daily stress - try to see situation differently
COP4_2C	1	1387 - 1387	Daily stress - try to change situation
COP4_2D	1	1388 - 1388	Daily stress - express emotions
COP4_2E	1	1389 - 1389	Daily stress - admit situation is stressful
COP4_2F	1	1390 - 1390	Daily stress - talk to someone about situation
COP4_2G	1	1391 - 1391	Daily stress - do something to relax
COP4_2H	1	1392 - 1392	Daily stress - pray
COP4_2I	1	1393 - 1393	Daily stress - other ways to deal with stress
COP4_3	1	1394 - 1394	Ability to handle unexpected / difficult problems
COP4_4A	1	1395 - 1395	Unexpected stress - try not to think about situation
COP4_4B	1	1396 - 1396	Unexpected stress - try to see situation differently
COP4_4C	1	1397 - 1397	Unexpected stress - try to change situation
COP4_4D	1	1398 - 1398	Unexpected stress - express emotions
COP4_4E	1	1399 - 1399	Unexpected stress - admit situation is stressful
COP4_4F	1	1400 - 1400	Unexpected stress - talk to someone about situation
COP4_4G	1	1401 - 1401	Unexpected stress - do something to relax
COP4_4H	1	1402 - 1402	Unexpected stress - pray
COP4_4I	1	1403 - 1403	Unexpected stress - other ways to deal with stress
AM64_TEL	1	1404 - 1404	H06 interview by telephone or in person
AM64_ALO	1	1405 - 1405	Respondent alone for completion of H06 questionnaire
AM64_AFF	1	1406 - 1406	Answers affected by presence of another person
AM64_LNG	2	1407 - 1408	Interview language - H06
AM64_EMM	2	1409 - 1410	Month of interview - H06 (end)
AM64_EDD	2	1411 - 1412	Day of interview - H06 (end)
AM64_EYY	4	1413 - 1416	Year of interview - H06 (end)
PRC6_CUR	2	1417 - 1418	Province of residence
GE36DURB	1	1419 - 1419	Rural and urban area - (D)
GE36DCD	3	1420 - 1422	Census Division - (D)
GE36DCSD	3	1423 - 1425	Census Sub-Division - (D)

NPHS Cycle 3: Record Layout

Page 25

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
GE36DCMA	3	1426 - 1428	Census Metropolitan Area - (D)
GE36DFED	3	1429 - 1431	Federal Electoral District - (D)
GE36DHLR	4	1432 - 1435	Health regions - (D)
GE36DHRO	4	1436 - 1439	Health regions (original sample) - (D)
SP36FOUT	1	1440 - 1440	Flag indicating record sent for field collection
SP36_CPA	2	1441 - 1442	Actual collection period
SP36DPC	6	1443 - 1448	Postal code - (D)
AM36_TEL	1	1449 - 1449	H03 interview by telephone or in person
DHC6_DWE	2	1450 - 1451	Type of dwelling
DHC6_OWNI	1	1452 - 1452	Dwelling owned by a household member
DHC6_BED	2	1453 - 1454	Number of bedrooms
DHC6DECF	2	1455 - 1456	Household type - (D)
DHC6DLVG	2	1457 - 1458	Living arrangements of selected respondent - (D)
AM36_SRC	2	1459 - 1460	Record number of person providing H03 information
AM36_LNG	2	1461 - 1462	Interview language - H03
DHC6DHSZ	2	1463 - 1464	Household size - (D)
DHC6DL12	2	1465 - 1466	Number of persons less than 12 years old in household - (D)
DHC6DLE5	2	1467 - 1468	Number of persons 5 years old or less in household - (D)
DHC6D611	2	1469 - 1470	Number of persons 6 to 11 years old in household - (D)
SP36_STA	3	1471 - 1473	Status code after processing
INC6F1	1	1474 - 1474	Household questions asked of this H05 respondent
INC6_1A	1	1475 - 1475	Source of income - wages and salaries
INC6_1B	1	1476 - 1476	Source of income - self-employment
INC6_1C	1	1477 - 1477	Source of income - dividends and interest
INC6_1D	1	1478 - 1478	Source of income - unemployment insurance
INC6_1E	1	1479 - 1479	Source of income - worker's compensation
INC6_1F	1	1480 - 1480	Source of income - benefits from Can. / Que. Pension Plan
INC6_1G	1	1481 - 1481	Source of income - pensions, superannuation and annuities
INC6_1H	1	1482 - 1482	Source of income - Old Age Security / G.I.S.
INC6_1I	1	1483 - 1483	Source of income - child tax benefit
INC6_1J	1	1484 - 1484	Source of income - social assistance / welfare
INC6_1K	1	1485 - 1485	Source of income - child support
INC6_1L	1	1486 - 1486	Source of income - alimony
INC6_1M	1	1487 - 1487	Source of income - other
INC6_1N	1	1488 - 1488	Source of income - none
INC6_2	2	1489 - 1490	Total household income - main source

NPBS Cycle 3: Record Layout

Page 26

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
INC6_3A	1	1491 - 1491	Total household income - < \$20,000 or >= \$20,000
INC6_3B	1	1492 - 1492	Total household income - < \$10,000 or >= \$10,000
INC6_3C	1	1493 - 1493	Total household income - < \$5,000 or >= \$5,000
INC6_3D	1	1494 - 1494	Total household income - < \$15,000 or >= \$15,000
INC6_3E	1	1495 - 1495	Total household income - < \$40,000 or >= \$40,000
INC6_3F	1	1496 - 1496	Total household income - < \$30,000 or >= \$30,000
INC6_3G	1	1497 - 1497	Total household income - >= \$50,000
INC6DIA2	1	1498 - 1498	Income adequacy - 2 groups - (D)
INC6DIA4	1	1499 - 1499	Income adequacy - 4 groups - (D)
INC6DIA5	1	1500 - 1500	Income adequacy - 5 groups - (D)
INC6DHH	2	1501 - 1502	Total household income from all sources - (D)
INC6CCPI	5.1	1503 - 1507	Consumer Price Index
INS6_4	1	1508 - 1508	Household ran out of money to buy food
INS6_5	1	1509 - 1509	Received food from a charity
INS6_6	1	1510 - 1510	Description of food situation
DHC6_AGE	3	1511 - 1513	Age
DHC6GAGE	2	1514 - 1515	Age - (G)
DHC6_MAR	2	1516 - 1517	Marital status
DHC6_FID	1	1518 - 1518	Family ID code
AM56_STA	1	1519 - 1519	Status of general form - H05
AM56_BMM	2	1520 - 1521	Month of interview - H05 (start)
AM56_BDD	2	1522 - 1523	Day of interview - H05 (start)
AM56_BY Y	4	1524 - 1527	Year of interview - H05 (start)
AM56_SRC	2	1528 - 1529	Record number of person providing H05 information
AM56_PXY	1	1530 - 1530	H05 completed by proxy
TWC6_1	1	1531 - 1531	Stayed in bed / hospital due to illness / injury
TWC6_2	2	1532 - 1533	Number of days spent in bed
TWC6_3	1	1534 - 1534	Cut down on things done due to illness / injury
TWC6_4	2	1535 - 1536	Number of days cut down on things
TWC6_5	1	1537 - 1537	Has regular medical doctor
TWC6DDDY	2	1538 - 1539	Total number of disability days - (D)
HCC6_1	1	1540 - 1540	Overnight patient
HCC6_1A	3	1541 - 1543	Number of nights as patient
HCK6_2A	1	1544 - 1544	Overnight patient - respiratory problem
HCK6_2B	1	1545 - 1545	Overnight patient - gastrointestinal problem
HCK6_2C	1	1546 - 1546	Overnight patient - injuries

NPBS Cycle 3: Record Layout

Page 27

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HCK6_2D	1	1547 - 1547	Overnight patient - at birth
HCK6_2E	1	1548 - 1548	Overnight patient - other reason
HCC6_2A	3	1549 - 1551	Number of consultations - family doctor / g.p.
HCC6_3A	2	1552 - 1553	Place of most recent contact - family doctor
HCC6_2B	2	1554 - 1555	Number of consultations - eye specialist
HCC6_2C	3	1556 - 1558	Number of consultations - other medical doctor
HCC6_3C	2	1559 - 1560	Place of most recent contact - other medical doctor
HCC6_2D	3	1561 - 1563	Number of consultations - nurse
HCC6_3D	2	1564 - 1565	Place of most recent contact - nurse
HCC6_2E	3	1566 - 1568	Number of consultations - dentist or orthodontist
HCC6_2F	3	1569 - 1571	Number of consultations - chiropractor
HCC6_2G	3	1572 - 1574	Number of consultations - physiotherapist
HCC6_2H	3	1575 - 1577	Number of consultations - social worker or counselor
HCC6_2I	3	1578 - 1580	Number of consultations - psychologist
HCC6_2J	3	1581 - 1583	No. of consul. - speech / audiology / occupational therapist
HCC6F1	1	1584 - 1584	Flag for any health care service utilization
HCC6DMDC	3	1585 - 1587	Number of consultations with medical doctors - (D)
HCC6DHPC	1	1588 - 1588	Consultations with health professionals - (D)
HCC6_4A	1	1589 - 1589	Attended self-help group
HCC6_4	1	1590 - 1590	Consulted alternative health care provider
HCC6_5A	1	1591 - 1591	Alternative health care - massage therapist
HCC6_5B	1	1592 - 1592	Alternative health care - acupuncturist
HCC6_5C	1	1593 - 1593	Alternative health care - homeopath or naturopath
HCC6_5D	1	1594 - 1594	Alternative health care - Feldenkrais or Alexander
HCC6_5E	1	1595 - 1595	Alternative health care - relaxation therapist
HCC6_5F	1	1596 - 1596	Alternative health care - biofeedback
HCC6_5G	1	1597 - 1597	Alternative health care - rolfer
HCC6_5H	1	1598 - 1598	Alternative health care - herbalist
HCC6_5I	1	1599 - 1599	Alternative health care - reflexologist
HCC6_5J	1	1600 - 1600	Alternative health care - spiritual healer
HCC6_5K	1	1601 - 1601	Alternative health care - religious healer
HCC6_5L	1	1602 - 1602	Alternative health care - other
HCC6_6	1	1603 - 1603	Health care needed but not received
HCC6_7A	1	1604 - 1604	Care not received - not available in area
HCC6_7B	1	1605 - 1605	Care not received - not available when required
HCC6_7C	1	1606 - 1606	Care not received - waiting time too long

NPBS Cycle 3: Record Layout

Page 28

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HCC6_7D	1	1607 - 1607	Care not received - felt would be inadequate
HCC6_7E	1	1608 - 1608	Care not received - cost
HCC6_7F	1	1609 - 1609	Care not received - too busy
HCC6_7G	1	1610 - 1610	Care not received - didn't get around to it
HCC6_7H	1	1611 - 1611	Care not received - didn't know where to go
HCC6_7I	1	1612 - 1612	Care not received - transportation problems
HCC6_7J	1	1613 - 1613	Care not received - language problem
HCC6_7K	1	1614 - 1614	Care not received- personal/family responsibilities
HCC6_7L	1	1615 - 1615	Care not received - dislikes doctors / afraid
HCC6_7M	1	1616 - 1616	Care not received - decided not to seek care
HCC6_7N	1	1617 - 1617	Care not received - other reason
HCC6_8A	1	1618 - 1618	Type / care not received - physical health problem
HCC6_8B	1	1619 - 1619	Type / care not received - emotional / mental health problem
HCC6_8C	1	1620 - 1620	Type / care not received - regular check-up
HCC6_8D	1	1621 - 1621	Type / care not received - injury
HCC6_8E	1	1622 - 1622	Type / care not received - other
HCC6_9	1	1623 - 1623	Received home care services
HCC6_10A	1	1624 - 1624	Home care received - nursing care
HCC6_10B	1	1625 - 1625	Home care received - other health care
HCC6_10C	1	1626 - 1626	Home care received - personal care
HCC6_10D	1	1627 - 1627	Home care received - housework
HCC6_10E	1	1628 - 1628	Home care received - meal preparation or delivery
HCC6_10F	1	1629 - 1629	Home care received - shopping
HCC6_10G	1	1630 - 1630	Home care received - respite care
HCC6_10H	1	1631 - 1631	Home care received - other type
HCC6_11	1	1632 - 1632	Received health care services in the U.S.
HCC6_12	1	1633 - 1633	Went to U.S. primarily to receive health care
RAC6_1A	1	1634 - 1634	Limited in kind / amount of activities - at home
RAC6_1B	1	1635 - 1635	Limited in kind / amount of activities - at school
RAC6_1C	1	1636 - 1636	Limited in kind / amount of activities - at work
RAC6_1D	1	1637 - 1637	Limited in kind / amount of activities - other
RAC6_2	1	1638 - 1638	Has long-term disabilities or handicaps
RAC6F1	1	1639 - 1639	Flag indicating restriction of activity
RAC6_2A	1	1640 - 1640	New activity restriction or worsening of old one
RAC6_2B	2	1641 - 1642	Disappearance or improvement of activity restriction
RAC6F3	1	1643 - 1643	Long answer collected - problem causing limitation

NPBS Cycle 3: Record Layout

Page 29

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
RAC6CIC	5	1644 - 1648	ICD-9 code for main health problem causing limitations
RAC6GC25	2	1649 - 1650	Main health problem - 25 groups - (D,G)
RAC6GC12	2	1651 - 1652	Main health problem - 12 groups - (D,G)
RAC6_5	2	1653 - 1654	Cause of health problem
RAC6_6A	1	1655 - 1655	Needs help - preparing meals
RAC6_6B	1	1656 - 1656	Needs help - shopping for necessities
RAC6_6C	1	1657 - 1657	Needs help - housework
RAC6_6D	1	1658 - 1658	Needs help - heavy household chores
RAC6_6E	1	1659 - 1659	Needs help - personal care
RAC6_6F	1	1660 - 1660	Needs help - moving about inside the house
RAC6D6G	1	1661 - 1661	Need for help in series of tasks - (D)
CCK6_1	1	1662 - 1662	Frequency of infections - nose or throat
CCK6_2	1	1663 - 1663	Has had otitis
CCK6_3	1	1664 - 1664	Number of times had otitis since birth
CCC6_1A	1	1665 - 1665	Has food allergies
CCC6_1B	1	1666 - 1666	Has allergies other than food allergies
CCC6_1C	1	1667 - 1667	Has asthma
CCC6_C1	1	1668 - 1668	Asthma - condition disappeared
CCC6_C2M	2	1669 - 1670	Asthma disappeared - month
CCC6_C2Y	4	1671 - 1674	Asthma disappeared - year
CCC6_C3M	2	1675 - 1676	Asthma diagnosed - month
CCC6_C3Y	4	1677 - 1680	Asthma diagnosed - year
CCC6_C4	1	1681 - 1681	Asthma - had prior to last interview
CCC6_C5	1	1682 - 1682	Asthma - had symptoms or attacks
CCC6_C6	1	1683 - 1683	Asthma - took medication
CCC6_1D	1	1684 - 1684	Has arthritis or rheumatism
CCC6_D1	1	1685 - 1685	Arthritis / rheumatism - condition disappeared
CCC6_D2M	2	1686 - 1687	Arthritis / rheumatism disappeared - month
CCC6_D2Y	4	1688 - 1691	Arthritis / rheumatism disappeared - year
CCC6_D3M	2	1692 - 1693	Arthritis / rheumatism diagnosed - month
CCC6_D3Y	4	1694 - 1697	Arthritis / rheumatism diagnosed - year
CCC6_D4	1	1698 - 1698	Arthritis / rheumatism - had prior to last interview
CCC6_D5	1	1699 - 1699	Arthritis / rheumatism - received treatment or medication
CCC6_D6A	1	1700 - 1700	Arthritis / rheumatism treatment - drug
CCC6_D6B	1	1701 - 1701	Arthritis / rheumatism treatment - diet
CCC6_D6C	1	1702 - 1702	Arthritis / rheumatism treatment - other

NPHS Cycle 3: Record Layout

Page 30

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
CCC6_1E	1	1703 - 1703	Has back problems excluding arthritis
CCC6_1F	1	1704 - 1704	Has high blood pressure
CCC6_F1	1	1705 - 1705	High blood pressure - condition disappeared
CCC6_F2M	2	1706 - 1707	High blood pressure disappeared - month
CCC6_F2Y	4	1708 - 1711	High blood pressure disappeared - year
CCC6_F3M	2	1712 - 1713	High blood pressure diagnosed - month
CCC6_F3Y	4	1714 - 1717	High blood pressure diagnosed - year
CCC6_F4	1	1718 - 1718	High blood pressure - had prior to last interview
CCC6_F5	1	1719 - 1719	High blood pressure - received treatment or medication
CCC6_F6A	1	1720 - 1720	High blood pressure treatment - drug
CCC6_F6B	1	1721 - 1721	High blood pressure treatment - diet
CCC6_F6C	1	1722 - 1722	High blood pressure treatment - other
CCC6_1G	1	1723 - 1723	Has migraine headaches
CCC6_G1	1	1724 - 1724	Migraines - condition disappeared
CCC6_G2M	2	1725 - 1726	Migraines disappeared - month
CCC6_G2Y	4	1727 - 1730	Migraines disappeared - year
CCC6_G3M	2	1731 - 1732	Migraines diagnosed - month
CCC6_G3Y	4	1733 - 1736	Migraines diagnosed - year
CCC6_G4	1	1737 - 1737	Migraines - had prior to last interview
CCC6_G5	1	1738 - 1738	Migraines - received treatment or medication
CCC6_G6A	1	1739 - 1739	Migraines treatment - drug
CCC6_G6B	1	1740 - 1740	Migraines treatment - diet
CCC6_G6C	1	1741 - 1741	Migraines treatment - other
CCC6_1H	1	1742 - 1742	Has chronic bronchitis or emphysema
CCC6_1I	1	1743 - 1743	Has sinusitis
CCC6_1J	1	1744 - 1744	Has diabetes
CCC6_J1	1	1745 - 1745	Diabetes - condition disappeared
CCC6_J2M	2	1746 - 1747	Diabetes disappeared - month
CCC6_J2Y	4	1748 - 1751	Diabetes disappeared - year
CCC6_J3M	2	1752 - 1753	Diabetes diagnosed - month
CCC6_J3Y	4	1754 - 1757	Diabetes diagnosed - year
CCC6_J4	1	1758 - 1758	Diabetes - had prior to last interview
CCC6_J5	1	1759 - 1759	Diabetes - takes insulin
CCC6_J6	1	1760 - 1760	Diabetes - takes treatment other than insulin
CCC6_J7A	1	1761 - 1761	Diabetes treatment - drug
CCC6_J7B	1	1762 - 1762	Diabetes treatment - diet

NPHS Cycle 3: Record Layout

Page 31

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
CCC6_J7C	1	1763 - 1763	Diabetes treatment - other
CCC6_1K	1	1764 - 1764	Has epilepsy
CCC6_K1	1	1765 - 1765	Epilepsy - condition disappeared
CCC6_K2M	2	1766 - 1767	Epilepsy disappeared - month
CCC6_K2Y	4	1768 - 1771	Epilepsy disappeared - year
CCC6_K3M	2	1772 - 1773	Epilepsy diagnosed - month
CCC6_K3Y	4	1774 - 1777	Epilepsy diagnosed - year
CCC6_K4	1	1778 - 1778	Epilepsy - had prior to last interview
CCC6_1L	1	1779 - 1779	Has heart disease
CCC6_1M	1	1780 - 1780	Has cancer
CCC6_1N	1	1781 - 1781	Has stomach or intestinal ulcers
CCC6_N1	1	1782 - 1782	Ulcers - condition disappeared
CCC6_N2M	2	1783 - 1784	Ulcers disappeared - month
CCC6_N2Y	4	1785 - 1788	Ulcers disappeared - year
CCC6_N3M	2	1789 - 1790	Ulcers diagnosed - month
CCC6_N3Y	4	1791 - 1794	Ulcers diagnosed - year
CCC6_N4	1	1795 - 1795	Ulcers - had prior to last interview
CCC6_1O	1	1796 - 1796	Suffers from the effects of a stroke
CCC6_O1	1	1797 - 1797	Stroke - condition disappeared
CCC6_O2M	2	1798 - 1799	Stroke disappeared - month
CCC6_O2Y	4	1800 - 1803	Stroke disappeared - year
CCC6_O3M	2	1804 - 1805	Stroke diagnosed - month
CCC6_O3Y	4	1806 - 1809	Stroke diagnosed - year
CCC6_O4	1	1810 - 1810	Stroke - had prior to last interview
CCC6_1P	1	1811 - 1811	Has urinary incontinence
CCC6_1Q	1	1812 - 1812	Has a bowel disorder / Crohn's Disease or colitis
CCC6_1R	1	1813 - 1813	Has Alzheimer's disease or other dementia
CCC6_1S	1	1814 - 1814	Has cataracts
CCC6_1T	1	1815 - 1815	Has glaucoma
CCC6_1U	1	1816 - 1816	Has a thyroid condition
CCC6_1V	1	1817 - 1817	Has other chronic condition
CCC6DANY	1	1818 - 1818	Has a chronic condition - (D)
CCC6DNUM	2	1819 - 1820	Number of chronic conditions - (D)
SDC6DRES	3	1821 - 1823	Length of time in Canada since immigration - (D)
SDC6_4A	1	1824 - 1824	Ethnic origin - Canadian
SDC6_4B	1	1825 - 1825	Ethnic origin - French

NPHS Cycle 3: Record Layout

Page 32

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SDC6_4C	1	1826 - 1826	Ethnic origin - English
SDC6_4D	1	1827 - 1827	Ethnic origin - German
SDC6_4E	1	1828 - 1828	Ethnic origin - Scottish
SDC6_4F	1	1829 - 1829	Ethnic origin - Irish
SDC6_4G	1	1830 - 1830	Ethnic origin - Italian
SDC6_4H	1	1831 - 1831	Ethnic origin - Ukrainian
SDC6_4I	1	1832 - 1832	Ethnic origin - Dutch (Netherlands)
SDC6_4J	1	1833 - 1833	Ethnic origin - Chinese
SDC6_4K	1	1834 - 1834	Ethnic origin - Jewish
SDC6_4L	1	1835 - 1835	Ethnic origin - Polish
SDC6_4M	1	1836 - 1836	Ethnic origin - Portuguese
SDC6_4N	1	1837 - 1837	Ethnic origin - South Asian
SDC6_4O	1	1838 - 1838	Ethnic origin - Black
SDC6_4P	1	1839 - 1839	Ethnic origin - North American Indian
SDC6_4Q	1	1840 - 1840	Ethnic origin - Métis
SDC6_4R	1	1841 - 1841	Ethnic origin - Inuit / Eskimo
SDC6_4S	1	1842 - 1842	Ethnic origin - other
SDC6_5A	1	1843 - 1843	Can converse - English
SDC6_5B	1	1844 - 1844	Can converse - French
SDC6_5C	1	1845 - 1845	Can converse - Arabic
SDC6_5D	1	1846 - 1846	Can converse - Chinese
SDC6_5E	1	1847 - 1847	Can converse - Cree
SDC6_5F	1	1848 - 1848	Can converse - German
SDC6_5G	1	1849 - 1849	Can converse - Greek
SDC6_5H	1	1850 - 1850	Can converse - Hungarian
SDC6_5I	1	1851 - 1851	Can converse - Italian
SDC6_5J	1	1852 - 1852	Can converse - Korean
SDC6_5K	1	1853 - 1853	Can converse - Persian
SDC6_5L	1	1854 - 1854	Can converse - Polish
SDC6_5M	1	1855 - 1855	Can converse - Portuguese
SDC6_5N	1	1856 - 1856	Can converse - Punjabi
SDC6_5O	1	1857 - 1857	Can converse - Spanish
SDC6_5P	1	1858 - 1858	Can converse - Tagalog
SDC6_5Q	1	1859 - 1859	Can converse - Ukrainian
SDC6_5R	1	1860 - 1860	Can converse - Vietnamese
SDC6_5S	1	1861 - 1861	Can converse - other language

NPHS Cycle 3: Record Layout

Page 33

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SDC6DLNG	2	1862 - 1863	Language in which respondent can converse - (D)
SDC6_6A	1	1864 - 1864	First language learned and still understood - English
SDC6_6B	1	1865 - 1865	First language learned and still understood - French
SDC6_6C	1	1866 - 1866	First language learned and still understood - Arabic
SDC6_6D	1	1867 - 1867	First language learned and still understood - Chinese
SDC6_6E	1	1868 - 1868	First language learned and still understood - Cree
SDC6_6F	1	1869 - 1869	First language learned and still understood - German
SDC6_6G	1	1870 - 1870	First language learned and still understood - Greek
SDC6_6H	1	1871 - 1871	First language learned and still understood - Hungarian
SDC6_6I	1	1872 - 1872	First language learned and still understood - Italian
SDC6_6J	1	1873 - 1873	First language learned and still understood - Korean
SDC6_6K	1	1874 - 1874	First language learned and still understood - Persian
SDC6_6L	1	1875 - 1875	First language learned and still understood - Polish
SDC6_6M	1	1876 - 1876	First language learned and still understood - Portuguese
SDC6_6N	1	1877 - 1877	First language learned and still understood - Punjabi
SDC6_6O	1	1878 - 1878	First language learned and still understood - Spanish
SDC6_6P	1	1879 - 1879	First language learned and still understood - Tagalog
SDC6_6Q	1	1880 - 1880	First language learned and still understood - Ukrainian
SDC6_6R	1	1881 - 1881	First language learned and still understood - Vietnamese
SDC6_6S	1	1882 - 1882	First language learned and still understood - other
SDC6_7A	1	1883 - 1883	Race or colour - White
SDC6_7B	1	1884 - 1884	Race or colour - Chinese
SDC6_7C	1	1885 - 1885	Race or colour - South Asian
SDC6_7D	1	1886 - 1886	Race or colour - Black
SDC6_7E	1	1887 - 1887	Race or colour - Native / Aboriginal peoples of N. America
SDC6_7F	1	1888 - 1888	Race or colour - Arab / West Asian
SDC6_7G	1	1889 - 1889	Race or colour - Filipino
SDC6_7H	1	1890 - 1890	Race or colour - South East Asian
SDC6_7I	1	1891 - 1891	Race or colour - Latin American
SDC6_7J	1	1892 - 1892	Race or colour - Japanese
SDC6_7K	1	1893 - 1893	Race or colour - Korean
SDC6_7L	1	1894 - 1894	Race or colour - other
SDC6DRAC	2	1895 - 1896	Race or colour - (D)
EDC6_1	1	1897 - 1897	Currently attending a school, college or university
EDC6_2	1	1898 - 1898	Full-time student or part-time student
EDC6_4	2	1899 - 1900	Number of years of elementary and high school completed

NPBS Cycle 3: Record Layout

Page 34

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
EDC6_5	1	1901 - 1901	Graduated from high school
EDC6_6	1	1902 - 1902	Attended post-secondary institution
EDC6_7	2	1903 - 1904	Highest level of post-secondary education attained
EDC6D1	2	1905 - 1906	Highest level of education - 14 levels - (D)
EDC6D2	2	1907 - 1908	Highest level of education - 12 levels - (D)
EDC6D3	1	1909 - 1909	Highest level of education - 4 levels - (D)
EDC6DLF	1	1910 - 1910	Labour force activity of students - (D)
LFC6_2	1	1911 - 1911	Worked for pay or profit
LFC6_2B	1	1912 - 1912	Worked for same employer as in last interview
LFC6FE1	1	1913 - 1913	Long answer collected - employer - job 1
LFC6_41	1	1914 - 1914	Had job one year ago without break - job 1
LFC6_51M	2	1915 - 1916	Job 1 started - month
LFC6_51D	2	1917 - 1918	Job 1 started - day
LFC6_51Y	4	1919 - 1922	Job 1 started - year
LFC6_61	1	1923 - 1923	Has job now - job 1
LFC6_71M	2	1924 - 1925	Month stopped - job 1
LFC6_71D	2	1926 - 1927	Day stopped - job 1
LFC6_71Y	4	1928 - 1931	Year stopped - job 1
LFC6_81	3	1932 - 1934	Hours usually worked per week - job 1
LFC6_91	2	1935 - 1936	Type of working hours - job 1
LFC6_101	1	1937 - 1937	Usually works weekends - job 1
LFC6_111	1	1938 - 1938	Worked - other than job 1
LFC6FE2	1	1939 - 1939	Long answer collected - employer - job 2
LFC6_42	1	1940 - 1940	Had job one year ago without break - job 2
LFC6_52M	2	1941 - 1942	Job 2 started - month
LFC6_52D	2	1943 - 1944	Job 2 started - day
LFC6_52Y	4	1945 - 1948	Job 2 started - year
LFC6_62	1	1949 - 1949	Has job now - job 2
LFC6_72M	2	1950 - 1951	Month stopped - job 2
LFC6_72D	2	1952 - 1953	Day stopped - job 2
LFC6_72Y	4	1954 - 1957	Year stopped - job 2
LFC6_82	3	1958 - 1960	Hours usually worked per week - job 2
LFC6_92	2	1961 - 1962	Type of working hours - job 2
LFC6_102	1	1963 - 1963	Usually works weekends - job 2
LFC6_112	1	1964 - 1964	Worked - other than job 1 and job 2
LFC6FE3	1	1965 - 1965	Long answer collected - employer - job 3

NPBS Cycle 3: Record Layout

Page 35

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
LFC6_43	1	1966 - 1966	Had job one year ago without break - job 3
LFC6_53M	2	1967 - 1968	Job 3 started - month
LFC6_53D	2	1969 - 1970	Job 3 started - day
LFC6_53Y	4	1971 - 1974	Job 3 started - year
LFC6_63	1	1975 - 1975	Has job now - job 3
LFC6_73M	2	1976 - 1977	Month stopped - job 3
LFC6_73D	2	1978 - 1979	Day stopped - job 3
LFC6_73Y	4	1980 - 1983	Year stopped - job 3
LFC6_83	3	1984 - 1986	Hours usually worked per week - job 3
LFC6_93	2	1987 - 1988	Type of working hours - job 3
LFC6_103	1	1989 - 1989	Usually works weekends - job 3
LFC6FMN	1	1990 - 1990	Job number of main job
LFC6F13	1	1991 - 1991	Long answer collected - main job industry
LFC6F14	1	1992 - 1992	Long answer collected - main job kind of work
LFC6F15	1	1993 - 1993	Long answer collected - main job duties
LFC6_16	1	1994 - 1994	Worked for others or in own business - main job
LFC6_17A	2	1995 - 1996	Reason for not working - most recent period
LFC6_17B	2	1997 - 1998	Reason for not working - currently
LFC6CSOC	4	1999 - 2002	Standard Occupation Codes for main job
LFC6GO34	2	2003 - 2004	Standard Occupation Codes for main job - 34 groups - (G)
LFC6GO21	2	2005 - 2006	Standard Occupation Codes for main job - 21 groups - (G)
LFC6CSIC	4	2007 - 2010	Standard Industry Codes for main job
LFC6GI13	2	2011 - 2012	Standard Industry Codes for main job - 13 groups - (G)
LFC6DBLI	6.2	2013 - 2018	Blisshen socio-economic index for main job - (D)
LFC6DPIN	2	2019 - 2020	Pineo socio-economic class. / main occupation - (D)
LFC6FWK	1	2021 - 2021	Work flag (used for processing only)
LFC6FGAP	1	2022 - 2022	Flag indicating jobless gap greater than 30 days
LFC6DCWS	1	2023 - 2023	Working status in last 12 months - (D)
LFC6DDA	2	2024 - 2025	Duration of work without break > 30 days - (D)
LFC6DHA	1	2026 - 2026	Pattern of working hours of all jobs - (D)
LFC6DJA	1	2027 - 2027	Number of jobs - (D)
LFC6DGA	1	2028 - 2028	Number of gaps of 30 days or more - (D)
LFC6DJGA	2	2029 - 2030	Pattern of number of jobs - (D)
LFC6DCMN	1	2031 - 2031	Main job is the current job - (D)
LFC6DDMN	2	2032 - 2033	Work duration - main job - (D)
LFC6DHMN	1	2034 - 2034	Hours of work - main job - (D)

NPHS Cycle 3: Record Layout

Page 36

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
LFC6DTMN	2	2035 - 2036	Type of working hours - main job - (D)
LFC6DD1	2	2037 - 2038	Work duration - job 1 - (D)
LFC6DD2	2	2039 - 2040	Work duration - job 2 - (D)
LFC6DD3	2	2041 - 2042	Work duration - job 3 - (D)
LFC6DH1	1	2043 - 2043	Hours of work - job 1 - (D)
LFC6DH2	1	2044 - 2044	Hours of work - job 2 - (D)
LFC6DH3	1	2045 - 2045	Hours of work - job 3 - (D)
LFC6DT1	2	2046 - 2047	Type of working hours - job 1 - (D)
LFC6DT2	2	2048 - 2049	Type of working hours - job 2 - (D)
LFC6DT3	2	2050 - 2051	Type of working hours - job 3 - (D)
AM56_TEL	1	2052 - 2052	H05 interview by telephone or in person
AM56_LNG	2	2053 - 2054	Interview language - H05
AM56_EMM	2	2055 - 2056	Month of interview - H05 (end)
AM56_EDD	2	2057 - 2058	Day of interview - H05 (end)
AM56_EYY	4	2059 - 2062	Year of interview - H05 (end)
AM66LDUR	4	2063 - 2066	Duration / days between H06 interviews
AM66_STA	1	2067 - 2067	Status of health form - H06
AM66_BMM	2	2068 - 2069	Month of interview - H06 (start)
AM66_BDD	2	2070 - 2071	Day of interview - H06 (start)
AM66_BY Y	4	2072 - 2075	Year of interview - H06 (start)
AM66_SRC	2	2076 - 2077	Record number of person providing H06 information
AM66_PXY	1	2078 - 2078	H06 completed by proxy
AM66FR	1	2079 - 2079	Long answer collected - reason for proxy - H06
GHC6_1	1	2080 - 2080	Respondent's general health
GHC6DHDI	1	2081 - 2081	Health description index - (D)
GHK6_2	1	2082 - 2082	Level of physical activity - children
GHS6_11	1	2083 - 2083	Did something to improve health
GHS6_12	2	2084 - 2085	Most important change to improve health
GHS6_13	1	2086 - 2086	Thinks something should be done to improve health
GHS6_14	2	2087 - 2088	Most important thing to be done to improve health
GHS6_15	1	2089 - 2089	Barrier to improving health
GHS6_16A	1	2090 - 2090	Reason for no improvement - lack of will power
GHS6_16B	1	2091 - 2091	Reason for no improvement - lack of time
GHS6_16C	1	2092 - 2092	Reason for no improvement - too tired
GHS6_16D	1	2093 - 2093	Reason for no improvement - too difficult
GHS6_16E	1	2094 - 2094	Reason for no improvement - too costly

NPBS Cycle 3: Record Layout

Page 37

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
GHS6_16F	1	2095 - 2095	Reason for no improvement - too stressed
GHS6_16G	1	2096 - 2096	Reason for no improvement - disability / health problem
GHS6_16H	1	2097 - 2097	Reason for no improvement - other
GHS6_17	1	2098 - 2098	Intending to improve health over next year
GHS6_18A	1	2099 - 2099	Health improvement over next year - more exercise
GHS6_18B	1	2100 - 2100	Health improvement over next year - lose weight
GHS6_18C	1	2101 - 2101	Health improvement over next year - improve eating habits
GHS6_18D	1	2102 - 2102	Health improvement over next year - quit smoking
GHS6_18E	1	2103 - 2103	Health improvement over next year - reduce amount smoked
GHS6_18F	1	2104 - 2104	Health improvement over next year - manage stress
GHS6_18G	1	2105 - 2105	Health improvement over next year - reduce stress level
GHS6_18H	1	2106 - 2106	Health improvement over next year - take vitamins
GHS6_18I	1	2107 - 2107	Health improvement over next year - other
HWC6_1	1	2108 - 2108	Currently pregnant
HWC6_HT	2	2109 - 2110	Height
HWC6_3LB	4	2111 - 2114	Weight - pounds
HWC6_3KG	4	2115 - 2118	Weight - kilograms
HWC6DBMI	4.1	2119 - 2122	Body Mass Index - (D)
HWC6DSW	1	2123 - 2123	Standard weight - (D)
HWS6_1	1	2124 - 2124	Respondent's opinion of own weight
HWS6_2LB	4	2125 - 2128	Desired weight - pounds
HWS6_2KG	4	2129 - 2132	Desired weight - kilograms
HWS6_4	2	2133 - 2134	Most important thing done to follow a healthy diet
HWS6_5	1	2135 - 2135	Skipping breakfast can control / reduce weight
BPC6_10	1	2136 - 2136	Ever had blood pressure taken
BPC6_12	1	2137 - 2137	Last time blood pressure was taken
BPC6_13A	1	2138 - 2138	Blood pressure taken - regular check-up
BPC6_13B	1	2139 - 2139	Blood pressure taken - high b.p. / heart disease
BPC6_13C	1	2140 - 2140	Blood pressure taken - doctor always does it
BPC6_13D	1	2141 - 2141	Blood pressure taken - health problem
BPC6_13E	1	2142 - 2142	Blood pressure taken - age
BPC6_13F	1	2143 - 2143	Blood pressure taken - job requirement
BPC6_13G	1	2144 - 2144	Blood pressure taken - pregnant
BPC6_13H	1	2145 - 2145	Blood pressure taken - in hospital for other reason
BPC6_13I	1	2146 - 2146	Blood pressure taken - when donating blood
BPC6_13J	1	2147 - 2147	Blood pressure taken - just for the "fun" of it

NPBS Cycle 3: Record Layout

Page 38

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
BPC6_13K	1	2148 - 2148	Blood pressure taken - other reason
BPC6_14	1	2149 - 2149	Had problems getting blood pressure test
BPC6_15A	1	2150 - 2150	Problem / b.p. test - not available when required
BPC6_15B	1	2151 - 2151	Problem / b.p. test - not available in area
BPC6_15C	1	2152 - 2152	Problem / b.p. test - waiting time too long
BPC6_15D	1	2153 - 2153	Problem / b.p. test - transportation
BPC6_15E	1	2154 - 2154	Problem / b.p. test - language
BPC6_15F	1	2155 - 2155	Problem / b.p. test - cost
BPC6_15G	1	2156 - 2156	Problem / b.p. test - did not know where to go
BPC6_15H	1	2157 - 2157	Problem / b.p. test - other
BPC6_16A	1	2158 - 2158	B.p. not taken - have not gotten around to it
BPC6_16B	1	2159 - 2159	B.p. not taken - resp. didn't think necessary
BPC6_16C	1	2160 - 2160	B.p. not taken - doctor didn't think necessary
BPC6_16D	1	2161 - 2161	B.p. not taken - personal / family responsibilities
BPC6_16E	1	2162 - 2162	B.p. not taken - not available when required
BPC6_16F	1	2163 - 2163	B.p. not taken - not available in area
BPC6_16G	1	2164 - 2164	B.p. not taken - waiting time too long
BPC6_16H	1	2165 - 2165	B.p. not taken - transportation problems
BPC6_16I	1	2166 - 2166	B.p. not taken - language problem
BPC6_16J	1	2167 - 2167	B.p. not taken - cost
BPC6_16K	1	2168 - 2168	B.p. not taken - did not know where to go
BPC6_16L	1	2169 - 2169	B.p. not taken - fear
BPC6_16M	1	2170 - 2170	B.p. not taken - other reason
WHC6_20	1	2171 - 2171	Ever had PAP smear test
WHC6_22	1	2172 - 2172	Last time had PAP smear test
WHC6_23A	1	2173 - 2173	Had PAP smear - part of check-up
WHC6_23B	1	2174 - 2174	Had PAP smear - high risk group
WHC6_23C	1	2175 - 2175	Had PAP smear - follow-up of previous problem
WHC6_23D	1	2176 - 2176	Had PAP smear - abnormal bleeding / other symptoms
WHC6_23E	1	2177 - 2177	Had PAP smear - sexually active
WHC6_23F	1	2178 - 2178	Had PAP smear - on birth control pill
WHC6_23G	1	2179 - 2179	Had PAP smear - pregnant / after delivery
WHC6_23H	1	2180 - 2180	Had PAP smear - on hormone replacement therapy
WHC6_23I	1	2181 - 2181	Had PAP smear - other reason
WHC6_24	1	2182 - 2182	Had problems getting a PAP smear test
WHC6_25A	1	2183 - 2183	Problem / PAP smear - not available when required

NPBS Cycle 3: Record Layout

Page 39

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
WHC6_25B	1	2184 - 2184	Problem / PAP smear - not available in area
WHC6_25C	1	2185 - 2185	Problem / PAP smear - waiting time too long
WHC6_25D	1	2186 - 2186	Problem / PAP smear - transportation
WHC6_25E	1	2187 - 2187	Problem / PAP smear - language
WHC6_25F	1	2188 - 2188	Problem / PAP smear - cost
WHC6_25G	1	2189 - 2189	Problem / PAP smear - did not know where to go
WHC6_25H	1	2190 - 2190	Problem / PAP smear - other
WHC6_26A	1	2191 - 2191	No PAP smear - have not gotten around to it
WHC6_26B	1	2192 - 2192	No PAP smear - respondent didn't think necessary
WHC6_26C	1	2193 - 2193	No PAP smear - doctor didn't think necessary
WHC6_26D	1	2194 - 2194	No PAP smear - personal / family responsibilities
WHC6_26E	1	2195 - 2195	No PAP smear - not available when required
WHC6_26F	1	2196 - 2196	No PAP smear - not available in area
WHC6_26G	1	2197 - 2197	No PAP smear - waiting time too long
WHC6_26H	1	2198 - 2198	No PAP smear - transportation problems
WHC6_26I	1	2199 - 2199	No PAP smear - language problem
WHC6_26J	1	2200 - 2200	No PAP smear - cost
WHC6_26K	1	2201 - 2201	No PAP smear - did not know where to go
WHC6_26L	1	2202 - 2202	No PAP smear - fear
WHC6_26M	1	2203 - 2203	No PAP smear - hysterectomy
WHC6_26N	1	2204 - 2204	No PAP smear - hate / dislike having one done
WHC6_26O	1	2205 - 2205	No PAP smear - other reason
WHC6_30	1	2206 - 2206	Ever had mammogram
WHC6_32	1	2207 - 2207	Last time mammogram was done
WHC6_33A	1	2208 - 2208	Had mammogram - family history
WHC6_33B	1	2209 - 2209	Had mammogram - regular check-up
WHC6_33C	1	2210 - 2210	Had mammogram - age
WHC6_33D	1	2211 - 2211	Had mammogram - previously detected lump
WHC6_33E	1	2212 - 2212	Had mammogram - follow-up treatment
WHC6_33F	1	2213 - 2213	Had mammogram - on hormone replacement therapy
WHC6_33G	1	2214 - 2214	Had mammogram - other reason
WHC6_34	1	2215 - 2215	Had problems getting a mammogram
WHC6_35A	1	2216 - 2216	Problem / mammogram - not available when required
WHC6_35B	1	2217 - 2217	Problem / mammogram - not available in area
WHC6_35C	1	2218 - 2218	Problem / mammogram - waiting time too long
WHC6_35D	1	2219 - 2219	Problem / mammogram - transportation

NPHS Cycle 3: Record Layout

Page 40

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
WHC6_35E	1	2220 - 2220	Problem / mammogram - language
WHC6_35F	1	2221 - 2221	Problem / mammogram - cost
WHC6_35G	1	2222 - 2222	Problem / mammogram - did not know where to go
WHC6_35H	1	2223 - 2223	Problem / mammogram - other
WHC6_36A	1	2224 - 2224	No mammogram - have not gotten around to it
WHC6_36B	1	2225 - 2225	No mammogram - resp. didn't think necessary
WHC6_36C	1	2226 - 2226	No mammogram - doctor didn't think necessary
WHC6_36D	1	2227 - 2227	No mammogram - pers. / family responsibilities
WHC6_36E	1	2228 - 2228	No mammogram - not available when required
WHC6_36F	1	2229 - 2229	No mammogram - not available in the area
WHC6_36G	1	2230 - 2230	No mammogram - waiting time was too long
WHC6_36H	1	2231 - 2231	No mammogram - transportation problems
WHC6_36I	1	2232 - 2232	No mammogram - language problem
WHC6_36J	1	2233 - 2233	No mammogram - cost
WHC6_36K	1	2234 - 2234	No mammogram - did not know where to go
WHC6_36L	1	2235 - 2235	No mammogram - fear
WHC6_36M	1	2236 - 2236	No mammogram - other reason
WHS6_37	1	2237 - 2237	Intend to have a mammogram in the next 2 years
WHC6_90	1	2238 - 2238	Had breasts examined by health professional
WHC6_92	1	2239 - 2239	Last time breasts examined for lumps
WHC6_93A	1	2240 - 2240	Had breast exam - family history
WHC6_93B	1	2241 - 2241	Had breast exam - regular check-up
WHC6_93C	1	2242 - 2242	Had breast exam - age
WHC6_93D	1	2243 - 2243	Had breast exam - previously detected lump
WHC6_93E	1	2244 - 2244	Had breast exam - follow-up treatment
WHC6_93F	1	2245 - 2245	Had breast exam - on hormone replacement therapy
WHC6_93G	1	2246 - 2246	Had breast exam - other reason
WHC6_94	1	2247 - 2247	Had problems getting a breast exam
WHC6_95A	1	2248 - 2248	Problem / breast exam - not available when required
WHC6_95B	1	2249 - 2249	Problem / breast exam - not available in area
WHC6_95C	1	2250 - 2250	Problem / breast exam - waiting time too long
WHC6_95D	1	2251 - 2251	Problem / breast exam - transportation
WHC6_95E	1	2252 - 2252	Problem / breast exam - language
WHC6_95F	1	2253 - 2253	Problem / breast exam - cost
WHC6_95G	1	2254 - 2254	Problem / breast exam - did not know where to go
WHC6_95H	1	2255 - 2255	Problem / breast exam - other

NPHS Cycle 3: Record Layout

Page 41

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
WHC6_96A	1	2256 - 2256	No breast exam - have not gotten around to it
WHC6_96B	1	2257 - 2257	No breast exam - respondent didn't think necessary
WHC6_96C	1	2258 - 2258	No breast exam - doctor didn't think necessary
WHC6_96D	1	2259 - 2259	No breast exam - personal / family responsibilities
WHC6_96E	1	2260 - 2260	No breast exam - not available when required
WHC6_96F	1	2261 - 2261	No breast exam - not available in area
WHC6_96G	1	2262 - 2262	No breast exam - waiting time too long
WHC6_96H	1	2263 - 2263	No breast exam - transportation problems
WHC6_96I	1	2264 - 2264	No breast exam - language problem
WHC6_96J	1	2265 - 2265	No breast exam - cost
WHC6_96K	1	2266 - 2266	No breast exam - did not know where to go
WHC6_96L	1	2267 - 2267	No breast exam - fear
WHC6_96M	1	2268 - 2268	No breast exam - other reason
WHS6_90	1	2269 - 2269	Self-examined breasts for lumps
WHS6_91	1	2270 - 2270	Frequency of breast self-examination
WHS6_92	2	2271 - 2272	How breast self-exam was learned
GHC6_21	1	2273 - 2273	Gave birth since last interview
GHP6_21A	1	2274 - 2274	Gave birth in the past 5 years
GHS6_22	1	2275 - 2275	Gave birth to last baby in hospital
GHS6_23	1	2276 - 2276	Used services of doctor or midwife
GHS6_24	1	2277 - 2277	Breast fed child or tried to breast feed
GHP6_25	1	2278 - 2278	Still breast-feeding
GHP6_26	2	2279 - 2280	Duration of breast-feeding last child
GHP6_27	1	2281 - 2281	Received help / advice about breast-feeding
GHP6_28	2	2282 - 2283	From whom received breast-feeding advice
GHP6_29	2	2284 - 2285	Main reason for stopping breast-feeding
PC_6_40	1	2286 - 2286	Physical check-up without a health problem
PC_6_41	1	2287 - 2287	Physical check-up during visit for health problem
PC_6_42	2	2288 - 2289	Last time had physical check up
PC_6_42A	2	2290 - 2291	Frequency of physical check-ups
PC_6_43A	1	2292 - 2292	Gets physical check-up - family history
PC_6_43B	1	2293 - 2293	Gets physical check-up - testing
PC_6_43C	1	2294 - 2294	Gets physical check-up - required for job, etc.
PC_6_43D	1	2295 - 2295	Gets physical check-up - make sure everything OK
PC_6_43E	1	2296 - 2296	Gets physical check-up - catch problems early
PC_6_43F	1	2297 - 2297	Gets physical check-up - for prevention

NPBS Cycle 3: Record Layout

Page 42

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PC_6_43G	1	2298 - 2298	Gets physical check-up - for health reasons
PC_6_43H	1	2299 - 2299	Gets physical check-up - other reason
PC_6_44	1	2300 - 2300	Had problems obtaining physical check-up
PC_6_45A	1	2301 - 2301	Prob. / phys. check-up - not available when required
PC_6_45B	1	2302 - 2302	Prob. / phys. check-up - not available in area
PC_6_45C	1	2303 - 2303	Prob. / phys. check-up - waiting time too long
PC_6_45D	1	2304 - 2304	Prob. / phys. check-up - transportation
PC_6_45E	1	2305 - 2305	Prob. / phys. check-up - language
PC_6_45F	1	2306 - 2306	Prob. / phys. check-up - cost
PC_6_45G	1	2307 - 2307	Prob. / phys. check-up - did not know where to go
PC_6_45H	1	2308 - 2308	Prob. / phys. check-up - other
PC_6_46A	1	2309 - 2309	No phys. check-up - have not gotten around to it
PC_6_46B	1	2310 - 2310	No phys. check-up - respondent didn't think necessary
PC_6_46C	1	2311 - 2311	No phys. check-up - doctor didn't think necessary
PC_6_46D	1	2312 - 2312	No phys. check-up - personal or family responsibilities
PC_6_46E	1	2313 - 2313	No phys. check-up - not available when required
PC_6_46F	1	2314 - 2314	No phys. check-up - not available in area
PC_6_46G	1	2315 - 2315	No phys. check-up - waiting time too long
PC_6_46H	1	2316 - 2316	No phys. check-up - transportation problems
PC_6_46I	1	2317 - 2317	No phys. check-up - language problem
PC_6_46J	1	2318 - 2318	No phys. check-up - cost
PC_6_46K	1	2319 - 2319	No phys. check-up - did not know where to go
PC_6_46L	1	2320 - 2320	No phys. check-up - fear
PC_6_46M	1	2321 - 2321	No phys. check-up - other reason
FS_6_50	1	2322 - 2322	Ever had a flu shot
FS_6_52	1	2323 - 2323	Last time had flu shot
FS_6_53A	1	2324 - 2324	Had flu shot - peer pressure
FS_6_53B	1	2325 - 2325	Had flu shot - job requirement
FS_6_53C	1	2326 - 2326	Had flu shot - helps prevent the flu
FS_6_53D	1	2327 - 2327	Had flu shot - to protect others
FS_6_53E	1	2328 - 2328	Had flu shot - age
FS_6_53F	1	2329 - 2329	Had flu shot - health problem
FS_6_53G	1	2330 - 2330	Had flu shot - other reason
FS_6_54	1	2331 - 2331	Had problems obtaining a flu shot
FS_6_55A	1	2332 - 2332	Problem / flu shot - not available when required
FS_6_55B	1	2333 - 2333	Problem / flu shot - not available in area

NPBS Cycle 3: Record Layout

Page 43

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
FS_6_55C	1	2334 - 2334	Problem / flu shot - waiting time too long
FS_6_55D	1	2335 - 2335	Problem / flu shot - transportation
FS_6_55E	1	2336 - 2336	Problem / flu shot - language
FS_6_55F	1	2337 - 2337	Problem / flu shot - cost
FS_6_55G	1	2338 - 2338	Problem / flu shot - did not know where to go
FS_6_55H	1	2339 - 2339	Problem / flu shot - other
FS_6_56A	1	2340 - 2340	No flu shot - have not gotten around to it
FS_6_56B	1	2341 - 2341	No flu shot - respondent didn't think necessary
FS_6_56C	1	2342 - 2342	No flu shot - doctor didn't think necessary
FS_6_56D	1	2343 - 2343	No flu shot - personal or family responsibilities
FS_6_56E	1	2344 - 2344	No flu shot - not available when required
FS_6_56F	1	2345 - 2345	No flu shot - not available in area
FS_6_56G	1	2346 - 2346	No flu shot - waiting time too long
FS_6_56H	1	2347 - 2347	No flu shot - transportation problems
FS_6_56I	1	2348 - 2348	No flu shot - language problem
FS_6_56J	1	2349 - 2349	No flu shot - cost
FS_6_56K	1	2350 - 2350	No flu shot - did not know where to go
FS_6_56L	1	2351 - 2351	No flu shot - fear
FS_6_56M	1	2352 - 2352	No flu shot - bad reaction to previous shot
FS_6_56N	1	2353 - 2353	No flu shot - other reason
DV_6_60	1	2354 - 2354	Visited dentist
DV_6_61	2	2355 - 2356	Last time visited dentist
DV_6_62A	1	2357 - 2357	Dental visit - make sure everything is OK
DV_6_62B	1	2358 - 2358	Dental visit - check-up covered by insurance
DV_6_62C	1	2359 - 2359	Dental visit - catch problems early
DV_6_62D	1	2360 - 2360	Dental visit - for good dental health
DV_6_62E	1	2361 - 2361	Dental visit - care of teeth, gums, dentures
DV_6_62F	1	2362 - 2362	Dental visit - cleaning, fluoride, maintenance
DV_6_62G	1	2363 - 2363	Dental visit - to get a filling, extraction
DV_6_62H	1	2364 - 2364	Dental visit - to check braces
DV_6_62I	1	2365 - 2365	Dental visit - other reason
DV_6_63	1	2366 - 2366	Had problems obtaining dental services
DV_6_64A	1	2367 - 2367	Prob. / dental services - not avail. when required
DV_6_64B	1	2368 - 2368	Prob. / dental services - not available in area
DV_6_64C	1	2369 - 2369	Prob. / dental services - waiting time too long
DV_6_64D	1	2370 - 2370	Prob. / dental services - transportation

NPBS Cycle 3: Record Layout

Page 44

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DV_6_64E	1	2371 - 2371	Prob. / dental services - language
DV_6_64F	1	2372 - 2372	Prob. / dental services - cost
DV_6_64G	1	2373 - 2373	Prob. / dental services - didn't know where to go
DV_6_64H	1	2374 - 2374	Prob. / dental services - other
DV_6_65A	1	2375 - 2375	No dental visit - have not gotten around to it
DV_6_65B	1	2376 - 2376	No dental visit - resp. didn't think necessary
DV_6_65C	1	2377 - 2377	No dental visit - dentist didn't think necessary
DV_6_65D	1	2378 - 2378	No dental visit - personal / family responsibilities
DV_6_65E	1	2379 - 2379	No dental visit - not available when required
DV_6_65F	1	2380 - 2380	No dental visit - not available in area
DV_6_65G	1	2381 - 2381	No dental visit - waiting time too long
DV_6_65H	1	2382 - 2382	No dental visit - transportation problems
DV_6_65I	1	2383 - 2383	No dental visit - language problem
DV_6_65J	1	2384 - 2384	No dental visit - cost
DV_6_65K	1	2385 - 2385	No dental visit - did not know where to go
DV_6_65L	1	2386 - 2386	No dental visit - fear
DV_6_65M	1	2387 - 2387	No dental visit - wears dentures
DV_6_65N	1	2388 - 2388	No dental visit - other reason
DV_6_66	1	2389 - 2389	Has dental insurance
EX_6_70	1	2390 - 2390	Visited optometrist or ophthalmologist
EX_6_71	1	2391 - 2391	Last eye examination
EX_6_72	1	2392 - 2392	Frequency of eye examinations
EX_6_73A	1	2393 - 2393	Has eye exam - make sure everything is OK
EX_6_73B	1	2394 - 2394	Has eye exam - glaucoma test
EX_6_73C	1	2395 - 2395	Has eye exam - job requirement
EX_6_73D	1	2396 - 2396	Has eye exam - check prescription
EX_6_73E	1	2397 - 2397	Has eye exam - cataracts are developing
EX_6_73F	1	2398 - 2398	Has eye exam - to get driver's license
EX_6_73G	1	2399 - 2399	Has eye exam - eye problem / infection
EX_6_73H	1	2400 - 2400	Has eye exam - diabetes
EX_6_73I	1	2401 - 2401	Has eye exam - sight deterioration
EX_6_73J	1	2402 - 2402	Has eye exam - other reason
EX_6_74	1	2403 - 2403	Had problems obtaining an eye examination
EX_6_75A	1	2404 - 2404	Problem / eye exam - not available when required
EX_6_75B	1	2405 - 2405	Problem / eye exam - not available in area
EX_6_75C	1	2406 - 2406	Problem / eye exam - waiting time too long

NPBS Cycle 3: Record Layout

Page 45

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
EX_6_75D	1	2407 - 2407	Problem / eye exam - transportation
EX_6_75E	1	2408 - 2408	Problem / eye exam - language
EX_6_75F	1	2409 - 2409	Problem / eye exam - cost
EX_6_75G	1	2410 - 2410	Problem / eye exam - did not know where to go
EX_6_75H	1	2411 - 2411	Problem / eye exam - other
EX_6_76A	1	2412 - 2412	No eye exam - have not gotten around to it
EX_6_76B	1	2413 - 2413	No eye exam - respondent didn't think necessary
EX_6_76C	1	2414 - 2414	No eye exam - doctor didn't think necessary
EX_6_76D	1	2415 - 2415	No eye exam - personal or family responsibilities
EX_6_76E	1	2416 - 2416	No eye exam - not available when required
EX_6_76F	1	2417 - 2417	No eye exam - not available at all in area
EX_6_76G	1	2418 - 2418	No eye exam - waiting time too long
EX_6_76H	1	2419 - 2419	No eye exam - transportation problems
EX_6_76I	1	2420 - 2420	No eye exam - language problem
EX_6_76J	1	2421 - 2421	No eye exam - cost
EX_6_76K	1	2422 - 2422	No eye exam - did not know where to go
EX_6_76L	1	2423 - 2423	No eye exam - fear
EX_6_76M	1	2424 - 2424	No eye exam - other reason
EX_6_77	1	2425 - 2425	Has insurance for eye glasses, contacts
ES_6_80	1	2426 - 2426	Overall quality of emergency services
ES_6_81	1	2427 - 2427	Used emergency services
ES_6_82	1	2428 - 2428	Has health insurance covering hospital charges
IS_6D1	1	2429 - 2429	Number of types of medical insurance - (D)
HVS6_1	1	2430 - 2430	Tissue sample given for life insurance
HVS6_2	1	2431 - 2431	Donated blood at the Red Cross
HVS6_3	4	2432 - 2435	Year of last blood donation
HVS6_4	1	2436 - 2436	Test for HIV or AIDS other than for insurance / blood donat.
HVS6_5	4	2437 - 2440	HIV / AIDS - year of last test
HVS6_6	2	2441 - 2442	HIV / AIDS - reason for test
HVS6_7	1	2443 - 2443	Received "clotting factor" between 1978 and 1985
HVS6_8	1	2444 - 2444	Received a blood transfusion between 1978 and 1985
HVS6_9	1	2445 - 2445	Has injected non-prescription drugs
HIP6_1	2	2446 - 2447	Sports injuries - first source of information
HIP6_1A	1	2448 - 2448	Sports injuries - would look for other source
HIP6_1B	2	2449 - 2450	Sports injuries - second source of information
HIP6_2	2	2451 - 2452	AIDS / STD - first source of information

NPBS Cycle 3: Record Layout

Page 46

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HIP6_2A	1	2453 - 2453	AIDS / STD - would look for other source
HIP6_2B	2	2454 - 2455	AIDS / STD - second source of information
HIP6_3	2	2456 - 2457	Depression - first source of information
HIP6_3A	1	2458 - 2458	Depression - would look for other source
HIP6_3B	2	2459 - 2460	Depression - second source of information
HIP6_4	2	2461 - 2462	Pregnancy - first source of information
HIP6_4A	1	2463 - 2463	Pregnancy - would look for other source
HIP6_4B	2	2464 - 2465	Pregnancy - second source of information
HIP6_5	1	2466 - 2466	Attended school in past 12 months
HIP6_6	1	2467 - 2467	Rating of information on improving health
HIP6_7	1	2468 - 2468	Attended sex education classes at school
HIP6_8	1	2469 - 2469	Rating of sex education classes
HSC6_1	1	2470 - 2470	Vision - read newsprint without glasses / contacts
HSC6_2	1	2471 - 2471	Vision - read newsprint with glasses / contacts
HSC6_3	1	2472 - 2472	Vision - able to see
HSC6_4	1	2473 - 2473	Vision - recognize a friend without glasses / contacts
HSC6_5	1	2474 - 2474	Vision - recognize a friend with glasses / contacts
HSC6DVIS	2	2475 - 2476	Vision trouble - function code - (D)
HSC6_6	1	2477 - 2477	Hearing - in group without hearing aid
HSC6_7	1	2478 - 2478	Hearing - in group with hearing aid
HSC6_7A	1	2479 - 2479	Hearing - able to hear
HSC6_8	1	2480 - 2480	Hearing - in quiet room without hearing aid
HSC6_9	1	2481 - 2481	Hearing - in quiet room with hearing aid
HSC6DHER	2	2482 - 2483	Hearing problems - function code - (D)
HSC6_10	1	2484 - 2484	Speech - understood by strangers in own language
HSC6_11	1	2485 - 2485	Speech - partially understood by strangers in own language
HSC6_12	1	2486 - 2486	Speech - understood by non-strangers in own language
HSC6_13	1	2487 - 2487	Speech - partially understood / non-strangers / own lang.
HSC6DSPE	1	2488 - 2488	Speech trouble - function code - (D)
HSC6_14	1	2489 - 2489	Mobility - walk without difficulty and without support
HSC6_15	1	2490 - 2490	Mobility - able to walk
HSC6_16	1	2491 - 2491	Mobility - requires support to walk
HSC6_17	1	2492 - 2492	Mobility - requires help of person to walk
HSC6_18	1	2493 - 2493	Mobility - requires a wheelchair
HSC6_19	1	2494 - 2494	Mobility - frequency of wheelchair use
HSC6_20	1	2495 - 2495	Mobility - requires help to move in wheelchair

NPBS Cycle 3: Record Layout

Page 47

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HSC6DMOB	2	2496 - 2497	Mobility trouble - function code - (D)
HSC6_21	1	2498 - 2498	Dexterity - able to grasp and handle small objects
HSC6_22	1	2499 - 2499	Dexterity - requires help due to limitation in hands
HSC6_23	1	2500 - 2500	Dexterity - requires help with tasks
HSC6_24	1	2501 - 2501	Dexterity - requires special equipment / hand limitation
HSC6DDEX	2	2502 - 2503	Dexterity trouble - function code - (D)
HSC6_25	1	2504 - 2504	Emotion - description
HSC6DEMO	1	2505 - 2505	Emotional problems - function code - (D)
HSC6_26	1	2506 - 2506	Cognition - ability to remember things
HSC6_27	1	2507 - 2507	Cognition - ability to think and solve problems
HSC6DCOG	2	2508 - 2509	Cognition - function code - (D)
HSC6_28	1	2510 - 2510	Severity - free of pain or discomfort
HSC6_29	1	2511 - 2511	Severity - pain or discomfort
HSC6_30	1	2512 - 2512	Severity - no. of activities prevented by pain
HSC6DPAD	1	2513 - 2513	Activities prevented / pain - function code - (D)
HSC6DHSI	5.3	2514 - 2518	Health Utility Index (HUI3) - (D)
HSK6_25A	1	2519 - 2519	Event causing great amount of worry / unhappiness
HSK6_31A	1	2520 - 2520	Worry or unhappiness - death in family
HSK6_31B	1	2521 - 2521	Worry or unhappiness - divorce / separation
HSK6_31C	1	2522 - 2522	Worry or unhappiness - move
HSK6_31D	1	2523 - 2523	Worry or unhappiness - illness / injury in family
HSK6_31E	1	2524 - 2524	Worry or unhappiness - conflict between parents
HSK6_31F	1	2525 - 2525	Worry or unhappiness - other event
PAC6_1A	1	2526 - 2526	Activity / last 3 months - walking
PAC6_1B	1	2527 - 2527	Activity / last 3 months - gardening / yard work
PAC6_1C	1	2528 - 2528	Activity / last 3 months - swimming
PAC6_1D	1	2529 - 2529	Activity / last 3 months - bicycling
PAC6_1E	1	2530 - 2530	Activity / last 3 months - popular or social dance
PAC6_1F	1	2531 - 2531	Activity / last 3 months - home exercises
PAC6_1G	1	2532 - 2532	Activity / last 3 months - ice hockey
PAC6_1H	1	2533 - 2533	Activity / last 3 months - ice skating
PAC6_1I	1	2534 - 2534	Activity / last 3 months - downhill skiing
PAC6_1J	1	2535 - 2535	Activity / last 3 months - jogging or running
PAC6_1K	1	2536 - 2536	Activity / last 3 months - golfing
PAC6_1L	1	2537 - 2537	Activity / last 3 months - exercise class or aerobics
PAC6_1M	1	2538 - 2538	Activity / last 3 months - cross-country skiing

NPBS Cycle 3: Record Layout

Page 48

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PAC6_1N	1	2539 - 2539	Activity / last 3 months - bowling
PAC6_1O	1	2540 - 2540	Activity / last 3 months - baseball or softball
PAC6_1P	1	2541 - 2541	Activity / last 3 months - tennis
PAC6_1Q	1	2542 - 2542	Activity / last 3 months - weight-training
PAC6_1R	1	2543 - 2543	Activity / last 3 months - fishing
PAC6_1S	1	2544 - 2544	Activity / last 3 months - volleyball
PAC6_1T	1	2545 - 2545	Activity / last 3 months - basketball
PAC6_1U	1	2546 - 2546	Activity / last 3 months - other (#1)
PAC6_1V	1	2547 - 2547	Activity / last 3 months - none
PAC6FC1	1	2548 - 2548	Long answer collected - other physical activity (#1)
PAC6_1W	1	2549 - 2549	Activity / last 3 months - other (#2)
PAC6FC2	1	2550 - 2550	Long answer collected - other physical activity (#2)
PAC6_1X	1	2551 - 2551	Activity / last 3 months - other (#3)
PAC6FC3	1	2552 - 2552	Long answer collected - other physical activity (#3)
PAC6_2A	3	2553 - 2555	No. of times participated - walking for exercise
PAC6_3A	1	2556 - 2556	Time spent - walking for exercise
PAC6_2B	3	2557 - 2559	No. of times participated - gardening
PAC6_3B	1	2560 - 2560	Time spent - gardening
PAC6_2C	3	2561 - 2563	No. of times participated - swimming
PAC6_3C	1	2564 - 2564	Time spent - swimming
PAC6_2D	3	2565 - 2567	No. of times participated - bicycling
PAC6_3D	1	2568 - 2568	Time spent - bicycling
PAC6_2E	3	2569 - 2571	No. of times participated - popular / social dance
PAC6_3E	1	2572 - 2572	Time spent - popular / social dance
PAC6_2F	3	2573 - 2575	No. of times participated - home exercises
PAC6_3F	1	2576 - 2576	Time spent - home exercises
PAC6_2G	3	2577 - 2579	No. of times participated - ice hockey
PAC6_3G	1	2580 - 2580	Time spent - ice hockey
PAC6_2H	3	2581 - 2583	No. of times participated - ice skating
PAC6_3H	1	2584 - 2584	Time spent - ice skating
PAC6_2I	3	2585 - 2587	No. of times participated - downhill skiing
PAC6_3I	1	2588 - 2588	Time spent - downhill skiing
PAC6_2J	3	2589 - 2591	No. of times participated - jogging or running
PAC6_3J	1	2592 - 2592	Time spent - jogging or running
PAC6_2K	3	2593 - 2595	No. of times participated - golfing
PAC6_3K	1	2596 - 2596	Time spent - golfing

NPBS Cycle 3: Record Layout

Page 49

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PAC6_2L	3	2597 - 2599	No. of times participated - exercise class / aerobics
PAC6_3L	1	2600 - 2600	Time spent - exercise class / aerobics
PAC6_2M	3	2601 - 2603	No. of times participated - cross-country skiing
PAC6_3M	1	2604 - 2604	Time spent - cross-country skiing
PAC6_2N	3	2605 - 2607	No. of times participated - bowling
PAC6_3N	1	2608 - 2608	Time spent - bowling
PAC6_2O	3	2609 - 2611	No. of times participated - baseball or softball
PAC6_3O	1	2612 - 2612	Time spent - baseball or softball
PAC6_2P	3	2613 - 2615	No. of times participated - tennis
PAC6_3P	1	2616 - 2616	Time spent - tennis
PAC6_2Q	3	2617 - 2619	No. of times participated - weight training
PAC6_3Q	1	2620 - 2620	Time spent - weight training
PAC6_2R	3	2621 - 2623	No. of times participated - fishing
PAC6_3R	1	2624 - 2624	Time spent - fishing
PAC6_2S	3	2625 - 2627	No. of times participated - volleyball
PAC6_3S	1	2628 - 2628	Time spent - volleyball
PAC6_2T	3	2629 - 2631	No. of times participated - basketball
PAC6_3T	1	2632 - 2632	Time spent - basketball
PAC6_2U	3	2633 - 2635	No. of times participated - other activity (#1)
PAC6_3U	1	2636 - 2636	Time spent - other activity (#1)
PAC6_2W	3	2637 - 2639	No. of times participated - other activity (#2)
PAC6_3W	1	2640 - 2640	Time spent - other activity (#2)
PAC6_2X	3	2641 - 2643	No. of times participated - other activity (#3)
PAC6_3X	1	2644 - 2644	Time spent - other activity (#3)
PAC6_4A	2	2645 - 2646	Number of hours spent walking to work / school
PAC6_4B	2	2647 - 2648	Number of hours spent biking to work / school
PAC6_5	1	2649 - 2649	Frequency of bike helmet use
PAC6_6	1	2650 - 2650	Level of physical activity for usual day
PAC6DEE	4.1	2651 - 2654	Energy expenditure - (D)
PAC6DLEI	1	2655 - 2655	Participant in leisure physical activity - (D)
PAC6DFM	3	2656 - 2658	Monthly freq. of physical activity lasting >15 min. - (D)
PAC6DFR	1	2659 - 2659	Frequency of all physical activity - (D)
PAC6DFD	1	2660 - 2660	Participation in daily phys. activ. lasting >15 min. - (D)
PAC6DPAI	1	2661 - 2661	Physical activity index - (D)
TUP6_1	1	2662 - 2662	Tried to get a suntan (sun or artificial)
TUP6_2	1	2663 - 2663	Deepness of suntan

NPBS Cycle 3: Record Layout

Page 50

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
TUP6_3	1	2664 - 2664	Got sunburnt
TUP6_4	1	2665 - 2665	Number of times sunburned
TUP6_5	1	2666 - 2666	Description of worst sunburn
TUP6_6	1	2667 - 2667	Frequency of using sunscreen in summer
TUP6_7	1	2668 - 2668	Frequency of avoiding sun from 11am to 4pm
TUP6_8	1	2669 - 2669	Frequency of avoiding long periods in the sun
TUP6_9	1	2670 - 2670	Frequency / wearing sunglasses with UV protection
TUP6_10	1	2671 - 2671	Frequency of wearing protective clothing in sun
RPC6_1	1	2672 - 2672	Had repetitive strain injuries
RPC6_2	2	2673 - 2674	Number of repetitive strain injuries
RPC6_3	2	2675 - 2676	Body part affected by repetitive strain
RPC6_4A	1	2677 - 2677	Repetitive / injury caused - activity at home
RPC6_4B	1	2678 - 2678	Repetitive / injury caused - activity at work or school
RPC6_4C	1	2679 - 2679	Repetitive / injury caused - leisure activities
RPC6_4D	1	2680 - 2680	Repetitive / injury caused - other activity
IJC6_1	1	2681 - 2681	Injury - limits normal activities
IJC6_2	2	2682 - 2683	Injury - number of times
IJC6_3	2	2684 - 2685	Injury - type
IJC6_4	2	2686 - 2687	Injury - body part affected
IJC6_5	2	2688 - 2689	Injury - place of occurrence
IJC6_6	2	2690 - 2691	Injury - reason
IJC6_7	1	2692 - 2692	Injury - work-related
IJC6_8A	1	2693 - 2693	Precaution taken - gave up the activity
IJC6_8B	1	2694 - 2694	Precaution taken - being more careful
IJC6_8C	1	2695 - 2695	Precaution taken - safety training
IJC6_8D	1	2696 - 2696	Precaution taken - protective gear
IJC6_8E	1	2697 - 2697	Precaution taken - changing physical situation
IJC6_8F	1	2698 - 2698	Precaution taken - other
IJC6_8G	1	2699 - 2699	Precaution taken - none
IJC6D1	3	2700 - 2702	Type of injury by body site - (D)
IJC6D2	3	2703 - 2705	Cause of injury by place of occurrence - (D)
DGC6_1A	1	2706 - 2706	Medication - pain relievers
DGC6_1B	1	2707 - 2707	Medication - tranquilizers
DGC6_1C	1	2708 - 2708	Medication - diet pills
DGC6_1D	1	2709 - 2709	Medication - antidepressants
DGC6_1E	1	2710 - 2710	Medication - codeine, Demerol or morphine

NPHS Cycle 3: Record Layout

Page 51

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DGC6_1F	1	2711 - 2711	Medication - allergy
DGC6_1G	1	2712 - 2712	Medication - asthma
DGC6_1H	1	2713 - 2713	Medication - cough or cold remedies
DGC6_1I	1	2714 - 2714	Medication - penicillin or other antibiotics
DGC6_1J	1	2715 - 2715	Medication - heart
DGC6_1K	1	2716 - 2716	Medication - blood pressure
DGC6_1L	1	2717 - 2717	Medication - diuretics
DGC6_1M	1	2718 - 2718	Medication - steroids
DGC6_1N	1	2719 - 2719	Medication - insulin
DGC6_1O	1	2720 - 2720	Medication - pills to control diabetes
DGC6_1P	1	2721 - 2721	Medication - sleeping pills
DGC6_1Q	1	2722 - 2722	Medication - stomach remedies
DGC6_1R	1	2723 - 2723	Medication - laxatives
DGC6_1S	1	2724 - 2724	Medication - birth control pills
DGC6_1T	1	2725 - 2725	Medication - hormones for menopause
DGC6_1T1	1	2726 - 2726	Hormone therapy - type
DGC6_1T2	4	2727 - 2730	Hormone therapy started - year
DGC6_1U	1	2731 - 2731	Medication - thyroid
DGC6_1V	1	2732 - 2732	Medication - other
DGC6F1	1	2733 - 2733	Flag for medications taken
DGC6_2	3	2734 - 2736	Number of different medications in past 2 days
DGC6F3A	1	2737 - 2737	Long answer collected - drug 1
DGC6C3A	7	2738 - 2744	Drug code - drug 1
DGC6G3A	2	2745 - 2746	Drug code - drug 1 - (G)
DGC6F3B	1	2747 - 2747	Long answer collected - drug 2
DGC6C3B	7	2748 - 2754	Drug code - drug 2
DGC6G3B	2	2755 - 2756	Drug code - drug 2 - (G)
DGC6F3C	1	2757 - 2757	Long answer collected - drug 3
DGC6C3C	7	2758 - 2764	Drug code - drug 3
DGC6G3C	2	2765 - 2766	Drug code - drug 3 - (G)
DGC6F3D	1	2767 - 2767	Long answer collected - drug 4
DGC6C3D	7	2768 - 2774	Drug code - drug 4
DGC6G3D	2	2775 - 2776	Drug code - drug 4 - (G)
DGC6F3E	1	2777 - 2777	Long answer collected - drug 5
DGC6C3E	7	2778 - 2784	Drug code - drug 5
DGC6G3E	2	2785 - 2786	Drug code - drug 5 - (G)

NPBS Cycle 3: Record Layout

Page 52

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DGC6F3F	1	2787 - 2787	Long answer collected - drug 6
DGC6C3F	7	2788 - 2794	Drug code - drug 6
DGC6G3F	2	2795 - 2796	Drug code - drug 6 - (G)
DGC6F3G	1	2797 - 2797	Long answer collected - drug 7
DGC6C3G	7	2798 - 2804	Drug code - drug 7
DGC6G3G	2	2805 - 2806	Drug code - drug 7 - (G)
DGC6F3H	1	2807 - 2807	Long answer collected - drug 8
DGC6C3H	7	2808 - 2814	Drug code - drug 8
DGC6G3H	2	2815 - 2816	Drug code - drug 8 - (G)
DGC6F3I	1	2817 - 2817	Long answer collected - drug 9
DGC6C3I	7	2818 - 2824	Drug code - drug 9
DGC6G3I	2	2825 - 2826	Drug code - drug 9 - (G)
DGC6F3J	1	2827 - 2827	Long answer collected - drug 10
DGC6C3J	7	2828 - 2834	Drug code - drug 10
DGC6G3J	2	2835 - 2836	Drug code - drug 10 - (G)
DGC6F3K	1	2837 - 2837	Long answer collected - drug 11
DGC6C3K	7	2838 - 2844	Drug code - drug 11
DGC6G3K	2	2845 - 2846	Drug code - drug 11 - (G)
DGC6F3L	1	2847 - 2847	Long answer collected - drug 12
DGC6C3L	7	2848 - 2854	Drug code - drug 12
DGC6G3L	2	2855 - 2856	Drug code - drug 12 - (G)
DGC6_4	1	2857 - 2857	Medication - other type
DGC6F5A	1	2858 - 2858	Long answer collected - health product 1
DGC6C5A	7	2859 - 2865	Code for health product - product 1
DGC6G5A	2	2866 - 2867	Code for health product - product 1 - (G)
DGC6_5AA	1	2868 - 2868	Uses a 2nd health product
DGC6F5B	1	2869 - 2869	Long answer collected - health product 2
DGC6C5B	7	2870 - 2876	Code for health product - product 2
DGC6G5B	2	2877 - 2878	Code for health product - product 2 - (G)
DGC6_5BA	1	2879 - 2879	Uses a 3rd health product
DGC6F5C	1	2880 - 2880	Long answer collected - health product 3
DGC6C5C	7	2881 - 2887	Code for health product - product 3
DGC6G5C	2	2888 - 2889	Code for health product - product 3 - (G)
DGC6_5CA	1	2890 - 2890	Uses a 4th health product
DGC6F5D	1	2891 - 2891	Long answer collected - health product 4
DGC6C5D	7	2892 - 2898	Code for health product - product 4

NPBS Cycle 3: Record Layout

Page 53

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DGC6G5D	2	2899 - 2900	Code for health product - product 4 - (G)
DGC6_5DA	1	2901 - 2901	Uses a 5th health product
DGC6F5E	1	2902 - 2902	Long answer collected - health product 5
DGC6C5E	7	2903 - 2909	Code for health product - product 5
DGC6G5E	2	2910 - 2911	Code for health product - product 5 - (G)
DGC6_5EA	1	2912 - 2912	Uses a 6th health product
DGC6F5F	1	2913 - 2913	Long answer collected - health product 6
DGC6C5F	7	2914 - 2920	Code for health product - product 6
DGC6G5F	2	2921 - 2922	Code for health product - product 6 - (G)
DGC6_5FA	1	2923 - 2923	Uses a 7th health product
DGC6F5G	1	2924 - 2924	Long answer collected - health product 7
DGC6C5G	7	2925 - 2931	Code for health product - product 7
DGC6G5G	2	2932 - 2933	Code for health product - product 7 - (G)
DGC6_5GA	1	2934 - 2934	Uses a 8th health product
DGC6F5H	1	2935 - 2935	Long answer collected - health product 8
DGC6C5H	7	2936 - 2942	Code for health product - product 8
DGC6G5H	2	2943 - 2944	Code for health product - product 8 - (G)
DGC6_5HA	1	2945 - 2945	Uses a 9th health product
DGC6F5I	1	2946 - 2946	Long answer collected - health product 9
DGC6C5I	7	2947 - 2953	Code for health product - product 9
DGC6G5I	2	2954 - 2955	Code for health product - product 9 - (G)
DGC6_5IA	1	2956 - 2956	Uses a 10th health product
DGC6F5J	1	2957 - 2957	Long answer collected - health product 10
DGC6C5J	7	2958 - 2964	Code for health product - product 10
DGC6G5J	2	2965 - 2966	Code for health product - product 10 - (G)
DGC6_5JA	1	2967 - 2967	Uses a 11th health product
DGC6F5K	1	2968 - 2968	Long answer collected - health product 11
DGC6C5K	7	2969 - 2975	Code for health product - product 11
DGC6G5K	2	2976 - 2977	Code for health product - product 11 - (G)
DGC6_5KA	1	2978 - 2978	Uses a 12th health product
DGC6F5L	1	2979 - 2979	Long answer collected - health product 12
DGC6C5L	7	2980 - 2986	Code for health product - product 12
DGC6G5L	2	2987 - 2988	Code for health product - product 12 - (G)
DGC6_6	1	2989 - 2989	Insurance covering prescription medication
SMC6_1	1	2990 - 2990	Household member smokes inside house
SMC6_2	1	2991 - 2991	Type of smoker

NPHS Cycle 3: Record Layout

Page 54

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SMC6_3	3	2992 - 2994	Age started smoking daily - daily smoker
SMC6G3	3	2995 - 2997	Age started daily - daily smoker - (G)
SMC6_4	3	2998 - 3000	Number of cigarettes smoked each day - daily smoker
SMC6_4A	1	3001 - 3001	Ever smoked cigarettes
SMC6_5	1	3002 - 3002	Ever smoked daily
SMC6_6	3	3003 - 3005	Age started smoking daily - former daily smoker
SMC6G6	3	3006 - 3008	Age started daily - former daily smoker - (G)
SMC6_7	3	3009 - 3011	No. of cigarettes daily - former daily smoker
SMC6_8	3	3012 - 3014	Age stopped smoking daily - former daily smoker
SMC6G8	3	3015 - 3017	Age stopped daily - former daily smoker - (G)
SMC6_9	2	3018 - 3019	Reason for quitting smoking
SMC6_10	2	3020 - 3021	Reason for starting smoking
SMC6_11	2	3022 - 3023	Reason for smoking less
SMC6_12	2	3024 - 3025	Reason for smoking more
SMC6DTYP	2	3026 - 3027	Type of smoker - (D)
SMC6DYRS	3	3028 - 3030	Number of years smoked - (D)
GHS6_31	1	3031 - 3031	Smoked during last pregnancy
GHS6_32	3	3032 - 3034	Average no. of cigarettes daily / pregnant
GHS6_33	1	3035 - 3035	Smoked while breast-feeding last baby
GHS6_34	3	3036 - 3038	Average no. of cigarettes daily / breast-feeding
GHS6_35	1	3039 - 3039	Regularly exposed second-hand smoke during / after pregnancy
SMS6_8	1	3040 - 3040	Length of time after waking up - smoke first cigarette
SMS6_9	1	3041 - 3041	Considering quitting smoking in next 6 months
SMS6_12	1	3042 - 3042	Smoking restrictions in work place
SMS6_13A	1	3043 - 3043	Children more likely to start smoking if their parents smoke
SMS6_13B	1	3044 - 3044	People too concerned about second-hand smoke
SMS6_13C	1	3045 - 3045	Non-smokers mind when people smoke in their presence
SMS6_13D	1	3046 - 3046	Children / second-hand smoke / more likely have ill health
SMS6_13E	1	3047 - 3047	While preg./preg. wom. & others liv. with them shouldn't sm.
SMS6_13F	1	3048 - 3048	Provide non-smokers with a smoke-free environment at work
SMS6_13G	1	3049 - 3049	Ask permission to smoke in the presence of others
SMS6_13H	1	3050 - 3050	Lower cigarette prices lead to increased smoking
SMS6_14	1	3051 - 3051	Feels unpleasant effects from second-hand smoke
SMS6_15	1	3052 - 3052	Second-hand smoke can cause health problems in non-smoker
SMS6_16A	1	3053 - 3053	Second-hand smoke can cause lung cancer in non-smoker
SMS6_16B	1	3054 - 3054	Second-hand smoke can cause heart problems in non-smoker

NPHS Cycle 3: Record Layout

Page 55

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SMS6_16C	1	3055 - 3055	Second-hand smoke can cause a stroke in non-smoker
SMS6_16D	1	3056 - 3056	Second-hand smoke can cause breathing problems in non-smoker
SMS6_17	1	3057 - 3057	Smoking cigarettes can cause health problems in a smoker
SMS6_18A	1	3058 - 3058	Smoking cigarettes can cause lung cancer in a smoker
SMS6_18B	1	3059 - 3059	Smoking cigarettes can cause heart disease in a smoker
SMS6_18C	1	3060 - 3060	Smoking cigarettes can cause a stroke in a smoker
SMS6_18D	1	3061 - 3061	Smoking cigarettes can cause breathing problems in a smoker
ALC6_1	1	3062 - 3062	Drank alcohol in past 12 months
ALC6_2	2	3063 - 3064	Frequency of drinking alcohol
ALC6_3	2	3065 - 3066	Frequency of having 5 or more drinks
ALC6_DAY	2	3067 - 3068	Interview date - day of the week
ALC6_5	1	3069 - 3069	Drank alcohol in past week
ALC6_5A1	3	3070 - 3072	Number of drinks - Monday
ALC6_5A2	3	3073 - 3075	Number of drinks - Tuesday
ALC6_5A3	3	3076 - 3078	Number of drinks - Wednesday
ALC6_5A4	3	3079 - 3081	Number of drinks - Thursday
ALC6_5A5	3	3082 - 3084	Number of drinks - Friday
ALC6_5A6	3	3085 - 3087	Number of drinks - Saturday
ALC6_5A7	3	3088 - 3090	Number of drinks - Sunday
ALC6_5B	1	3091 - 3091	Ever had a drink
ALC6_6	1	3092 - 3092	Regularly drank more than 12 drinks a week
ALC6_7A	1	3093 - 3093	Reason reduced drinking - dieting
ALC6_7B	1	3094 - 3094	Reason reduced drinking - athletic training
ALC6_7C	1	3095 - 3095	Reason reduced drinking - pregnancy
ALC6_7D	1	3096 - 3096	Reason reduced drinking - getting older
ALC6_7E	1	3097 - 3097	Reason reduced drinking - drinking too much
ALC6_7F	1	3098 - 3098	Reason reduced drinking - affected work / studies
ALC6_7G	1	3099 - 3099	Reason reduced drinking - interfered with family life
ALC6_7H	1	3100 - 3100	Reason reduced drinking - affected physical health
ALC6_7I	1	3101 - 3101	Reason reduced drinking - affected social relationships
ALC6_7J	1	3102 - 3102	Reason reduced drinking - affected financial position
ALC6_7K	1	3103 - 3103	Reason reduced drinking - affected happiness
ALC6_7L	1	3104 - 3104	Reason reduced drinking - influence of family / friends
ALC6_7M	1	3105 - 3105	Reason reduced drinking - other
ALC6DTYP	1	3106 - 3106	Type of drinker - (D)
ALC6DWKY	3	3107 - 3109	Weekly total of alcohol consumed - (D)

NPBS Cycle 3: Record Layout

Page 56

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
ALC6DDL	2	3110 - 3111	Average daily alcohol consumption - (D)
ALP6_1	1	3112 - 3112	Drank alcohol during last pregnancy
ALP6_2	2	3113 - 3114	Average number of drinks during pregnancy
ALP6_3	1	3115 - 3115	Consumed alcohol while breastfeeding
ALP6_4	2	3116 - 3117	Average number of drinks while breastfeeding
ALS6_1	2	3118 - 3119	Definition of moderate drinking
ALS6_2	1	3120 - 3120	Moderate drinking can be good for your health
ALS6_3	1	3121 - 3121	It's alright to get drunk once in a while
ALS6_4	1	3122 - 3122	Rather pay for a taxi than see a friend drive after drinking
ALS6_5	1	3123 - 3123	Alright to get drunk once a week if no drinking rest of week
ALS6_6	1	3124 - 3124	Pregnant woman should not drink any amount of alcohol
ALS6_7	1	3125 - 3125	Alright for breastfeeding woman to drink occasionally
AD_6_1	1	3126 - 3126	Drunk - at work / school / taking care of child
AD_6_2	1	3127 - 3127	Number of times - drunk / hung-over
AD_6_3	1	3128 - 3128	Being drunk increased chances of getting hurt
AD_6_4	1	3129 - 3129	Emotional or psychological problems due to alcohol
AD_6_5	1	3130 - 3130	Strong desire or urge to drink
AD_6_6	1	3131 - 3131	Spent month or more getting drunk
AD_6_7	1	3132 - 3132	Drank much more than intended
AD_6_8	1	3133 - 3133	Number of times - drank much more than intended
AD_6_9	1	3134 - 3134	Had to drink more for the same effect
AD_6DSF	2	3135 - 3136	Alcohol dependence - short form score - (D)
AD_6DPP	4.2	3137 - 3140	Alcohol dependence - short probability of CIDI - (D)
MHC6_1A	1	3141 - 3141	Frequency - felt sad nothing could cheer up
MHC6_1B	1	3142 - 3142	Frequency - felt nervous
MHC6_1C	1	3143 - 3143	Frequency - felt restless / fidgety
MHC6_1D	1	3144 - 3144	Frequency - felt hopeless
MHC6_1E	1	3145 - 3145	Frequency - felt worthless
MHC6_1F	1	3146 - 3146	Frequency - felt everything was an effort
MHC6_1G	1	3147 - 3147	Frequency - feelings occurrence
MHC6_1H	1	3148 - 3148	Frequency - feelings occurrence (more)
MHC6_1I	1	3149 - 3149	Frequency - feelings occurrence (less)
MHC6_1J	1	3150 - 3150	Frequency - experiences interfere with life
MHC6_1K	1	3151 - 3151	Mental health - consulted health professional
MHC6_1L	3	3152 - 3154	Frequency - consultations with health professional
MHC6_1MA	1	3155 - 3155	Mental health, consulted - family doctor

NPBS Cycle 3: Record Layout

Page 57

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
MHC6_1MB	1	3156 - 3156	Mental health, consulted - psychiatrist
MHC6_1MC	1	3157 - 3157	Mental health, consulted - psychologist
MHC6_1MD	1	3158 - 3158	Mental health, consulted - nurse
MHC6_1ME	1	3159 - 3159	Mental health, consulted - social worker or counselor
MHC6_1MF	1	3160 - 3160	Mental health, consulted - other
MHC6_2	1	3161 - 3161	Felt depressed for 2 weeks or more in past year
MHC6_3	1	3162 - 3162	Depressed - length of time feelings usually last
MHC6_4	1	3163 - 3163	Depressed - number of times felt this way
MHC6_5	1	3164 - 3164	Depressed - lost interest in most things
MHC6_6	1	3165 - 3165	Depressed - felt tired all of the time
MHC6_7	1	3166 - 3166	Depressed - weight change or not
MHC6_8KG	3	3167 - 3169	Depressed - weight change (kg.)
MHC6_8LB	3	3170 - 3172	Depressed - weight change (lb.)
MHC6_9	1	3173 - 3173	Depressed - trouble falling asleep
MHC6_10	1	3174 - 3174	Depressed - frequency of trouble falling asleep
MHC6_11	1	3175 - 3175	Depressed - trouble concentrating
MHC6_12	1	3176 - 3176	Depressed - felt down on self
MHC6_13	1	3177 - 3177	Depressed - thought a lot about death
MHC6_14	2	3178 - 3179	Depressed - number of weeks in past 12 months
MHC6_15	2	3180 - 3181	Month in which depression occurred
MHC6_16	1	3182 - 3182	Lost interest in most things that usually give pleasure
MHC6_17	1	3183 - 3183	Loss of interest - duration
MHC6_18	1	3184 - 3184	Loss of interest - frequency
MHC6_19	1	3185 - 3185	Loss of interest - felt tired all the time
MHC6_20	1	3186 - 3186	Loss of interest - weight change or not
MHC6_21K	3	3187 - 3189	Loss of interest - weight change (kg.)
MHC6_21L	3	3190 - 3192	Loss of interest - weight change (lb.)
MHC6_22	1	3193 - 3193	Loss of interest - trouble falling asleep
MHC6_23	1	3194 - 3194	Loss of interest - frequency having trouble falling asleep
MHC6_24	1	3195 - 3195	Loss of interest - trouble concentrating
MHC6_25	1	3196 - 3196	Loss of interest - felt down on self
MHC6_26	1	3197 - 3197	Loss of interest - thought a lot about death
MHC6_27	2	3198 - 3199	Loss of interest - number of weeks
MHC6_28	2	3200 - 3201	Loss of interest - month of occurrence
MHC6DDS	2	3202 - 3203	Distress Scale - (D)
MHC6DCH	2	3204 - 3205	Chronicity of Distress and Impairment Scale - (D)

NPBS Cycle 3: Record Layout

Page 58

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
MHC6DSF	2	3206 - 3207	Depression Scale - Short Form Score - (D)
MHC6DPP	4.2	3208 - 3211	Depression Scale - Predicted Probability - (D)
MHC6DWK	2	3212 - 3213	Number of weeks felt depressed - (D)
MHC6DMT	2	3214 - 3215	Specific month when felt depressed - (D)
SSC6_1	1	3216 - 3216	Member of organization or association
SSC6_2	1	3217 - 3217	Frequency of participation in organizations
SSC6_2A	1	3218 - 3218	Frequency of attending religious services
SSS6_1	1	3219 - 3219	Spiritual values or faith / important role in life
SSS6_2	1	3220 - 3220	Self-perception of religiousness / spirituality
SSC6_3	1	3221 - 3221	Has someone to confide in
SSC6_4	1	3222 - 3222	Has someone to count on in crisis situation
SSC6_5	1	3223 - 3223	Has someone for advice when making imp. decisions
SSC6_6	1	3224 - 3224	Has someone to make feel loved and cared for
SSC6_7A	2	3225 - 3226	Frequency of contact - parents / in-laws
SSC6_7B	2	3227 - 3228	Frequency of contact - grandparents
SSC6_7C	2	3229 - 3230	Frequency of contact - daughters / daughters-in-law
SSC6_7D	2	3231 - 3232	Frequency of contact - sons / sons-in-law
SSC6_7E	2	3233 - 3234	Frequency of contact - brothers / sisters
SSC6_7F	2	3235 - 3236	Frequency of contact - other relatives
SSC6_7G	2	3237 - 3238	Frequency of contact - close friends
SSC6_7H	2	3239 - 3240	Frequency of contact - neighbours
SSC6D1	1	3241 - 3241	Social support index - (D)
SSC6D2	2	3242 - 3243	Social involvement score - (D)
SSC6D3	2	3244 - 3245	Average frequency of contacts - (D)
SSS6_3	1	3246 - 3246	Number of people seen socially who smoke
SSS6_4	1	3247 - 3247	Number of people seen socially who drink too much
SSS6_5A	1	3248 - 3248	Partner smokes cigarettes
SSS6_5B	1	3249 - 3249	Partner exercises regularly
SSS6_5C	1	3250 - 3250	Partner drinks too much
SSS6_5D	1	3251 - 3251	Partner overeats
SSS6_5E	1	3252 - 3252	Partner uses tranquilizers
SSP6_1	1	3253 - 3253	Received care from friend / relative past 12 months
SSP6_2	1	3254 - 3254	Received care from friend / relative last month
SSP6_3	1	3255 - 3255	Level of support from family / friends
SSP6_4	1	3256 - 3256	Helped relative / friend with health problem
APP6_1	1	3257 - 3257	My parents are strict for my own good

NPHS Cycle 3: Record Layout

Page 59

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
APP6_2	1	3258 - 3258	My parents do not understand me
APP6_3	1	3259 - 3259	I have a lot of arguments with my parents
APP6_4	1	3260 - 3260	What my parents think of me is important
APP6_5	1	3261 - 3261	Are times when I would like to run away from home
APP6_6	1	3262 - 3262	I have a happy home life
APP6_7	1	3263 - 3263	I would raise my children differently
APP6_8	1	3264 - 3264	My parents expect too much of me
APP6_9	1	3265 - 3265	I ask my parents for advice on serious matters
APP6_10	1	3266 - 3266	My parents trust me
SVP6_1	1	3267 - 3267	Overall rating of health care system
SVP6_2	1	3268 - 3268	Availability of community health care
SVP6_3	1	3269 - 3269	Quality of community health care
SVP6_4	1	3270 - 3270	Overall availability of health care in community
SVP6_5	1	3271 - 3271	Overall quality of health care in community
SVP6_6	1	3272 - 3272	Difficulty getting health care services needed
SVP6_7	1	3273 - 3273	Quality of health care received in past 12 months
SHS6_1	1	3274 - 3274	Ever had sexual intercourse
SHS6_2	2	3275 - 3276	Age at first sexual intercourse
SHS6_3	1	3277 - 3277	Had sexual intercourse in past 12 months
SHS6_4	1	3278 - 3278	Number of partners (sexual intercourse)
SHS6_5	1	3279 - 3279	Relationship lasted 12 months or longer
SHS6_6	1	3280 - 3280	Relationships lasted less than 12 months
SHS6_7	1	3281 - 3281	Condom use in relationship(s) lasting less than 12 months
SHS6_7A	1	3282 - 3282	Used a condom the last time
SHS6_8	1	3283 - 3283	Had / has - chlamydia
SHS6_9	1	3284 - 3284	Had / has - gonorrhea
SHS6_10	1	3285 - 3285	Had / has - syphilis
SHS6_11	1	3286 - 3286	Had / has - genital warts
SHS6_12	1	3287 - 3287	Had / has - genital herpes
SHS6_13	1	3288 - 3288	Had / has - hepatitis B
SHS6_14	1	3289 - 3289	Has - HIV / AIDS
SHS6_15	1	3290 - 3290	Had / has - pelvic inflammatory disease
SHS6_16	1	3291 - 3291	Had / has - other STD
SHS6D1	1	3292 - 3292	Had at least 1 STD - (D)
SHP6_1	1	3293 - 3293	Effective in preventing STD - using condom
SHP6_2	1	3294 - 3294	Effective in preventing STD - birth control pill

NPHS Cycle 3: Record Layout

Page 60

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SHP6_3	1	3295 - 3295	Effective in preventing STD - diaphragm / sponge
SHP6_4	1	3296 - 3296	Effective in preventing STD - jelly / foam
SHP6_5	1	3297 - 3297	Effective in preventing STD - ask partner / has STD
SHP6_6	1	3298 - 3298	Effective in preventing STD - regular partner
SHP6_7	1	3299 - 3299	Effective in preventing STD - ask partner / be tested
SHP6_8	1	3300 - 3300	STD prevention - has sources of information
SHP6_9A	1	3301 - 3301	STD main source of info. - parents
SHP6_9B	1	3302 - 3302	STD main source of info. - medical professionals
SHP6_9C	1	3303 - 3303	STD main source of info. - friends
SHP6_9D	1	3304 - 3304	STD main source of info. - school
SHP6_9E	1	3305 - 3305	STD main source of info. - church
SHP6_9F	1	3306 - 3306	STD main source of info. - youth club
SHP6_9G	1	3307 - 3307	STD main source of info. - TV / radio
SHP6_9H	1	3308 - 3308	STD main source of info. - magazines / papers
SHP6_9I	1	3309 - 3309	STD main source of info. - pamphlets
SHP6_9J	1	3310 - 3310	STD main source of info. - books
SHP6_9K	1	3311 - 3311	STD main source of info. - other
SHP6_10	1	3312 - 3312	Chance of getting an STD
SHP6_11	1	3313 - 3313	To prevent STD - changed sexual behaviour
SHP6_12	1	3314 - 3314	To prevent STD - sex with only 1 partner
SHP6_13	1	3315 - 3315	To prevent STD - using condoms
SHP6_14	1	3316 - 3316	To prevent STD - using jellies / foams
SHP6_15	1	3317 - 3317	To prevent STD - more careful selecting partner
SHP6_16	1	3318 - 3318	To prevent STD - started being tested
SHP6_17	1	3319 - 3319	To prevent STD - insisting that partner be tested
SHP6_18	1	3320 - 3320	To prevent STD - abstaining
SHP6_19	1	3321 - 3321	To prevent STD - other measures
RSS6_1	1	3322 - 3322	Been passenger / driver who had too much to drink
RSS6_2	1	3323 - 3323	Driver intoxicated - tried to prevent from driving
RSS6_3A	1	3324 - 3324	Driver intoxicated - drove person home yourself
RSS6_3B	1	3325 - 3325	Driver intoxicated - asked someone else to drive
RSS6_3C	1	3326 - 3326	Driver intoxicated - asked person to take a taxi
RSS6_3D	1	3327 - 3327	Driver intoxicated - hid car keys
RSS6_3E	1	3328 - 3328	Driver intoxicated - served coffee to person
RSS6_3F	1	3329 - 3329	Driver intoxicated - kept the person at home
RSS6_3G	1	3330 - 3330	Driver intoxicated - other

NPBS Cycle 3: Record Layout

Page 61

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
RSS6_4	1	3331 - 3331	Has valid driver's license for a motor vehicle
RSS6_5	1	3332 - 3332	Frequency - insist that passengers wear seatbelt
RSS6_6	1	3333 - 3333	Frequency - obey speed limits
RSS6_7	3	3334 - 3336	Number of times drank too much and drove
RSS6_8	1	3337 - 3337	Go out with friends / family to consume alcohol
RSS6_9	1	3338 - 3338	Have designated driver when going out
RSS6_10	1	3339 - 3339	Frequency - designated driver
VSP6_1	1	3340 - 3340	Frequency of feeling safe in community
VSP6_2	1	3341 - 3341	Frequency of feeling safe at home
VSP6_4	1	3342 - 3342	Frequency of feeling safe at school
VSP6_5	1	3343 - 3343	No. of times - verbal abuse at school / school bus
VSP6_6	1	3344 - 3344	No. of times - verbal threats at school / school bus
VSP6_7	1	3345 - 3345	No. of times - attacks at school / school bus
VSP6_8	1	3346 - 3346	No. of times - verbal abuse outside of school
VSP6_9	1	3347 - 3347	No. of times - verbal threats outside of school
VSP6_10	1	3348 - 3348	Number of times attacked outside of school
COP6_1	1	3349 - 3349	Ability to handle day-to-day demands
COP6_2	1	3350 - 3350	Ability to handle unexpected / difficult problems
AM66_5	1	3351 - 3351	Respondent gives contact information - H06
AM66_TEL	1	3352 - 3352	H06 interview by telephone or in person
AM66_ALO	1	3353 - 3353	Respondent alone for completion of H06 questionnaire
AM66_AFF	1	3354 - 3354	Answers affected by presence of another person
AM66_LNG	2	3355 - 3356	Interview language - H06
AM66_EMM	2	3357 - 3358	Month of interview - H06 (end)
AM66_EDD	2	3359 - 3360	Day of interview - H06 (end)
AM66_EYY	4	3361 - 3364	Year of interview - H06 (end)
AM68LDUR	4	3365 - 3368	Duration / days between H06 interviews
SP38FOUT	1	3369 - 3369	Flag indicating record sent for field collection
PRC8_CUR	2	3370 - 3371	Province of residence
SP38DPC	6	3372 - 3377	Postal code - (D)
GE38DURB	1	3378 - 3378	Rural and urban area - (D)
GE38DCD	3	3379 - 3381	Census Division - (D)
GE38DCSD	3	3382 - 3384	Census Sub-Division - (D)
GE38DCMA	3	3385 - 3387	Census Metropolitan Area - (D)
GE38GCMA	3	3388 - 3390	Census Metropolitan Area - (D,G)
GE38DFED	3	3391 - 3393	Federal Electoral District - (D)

NPBS Cycle 3: Record Layout

Page 62

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SP38_CPA	2	3394 - 3395	Actual collection period
AM38_TEL	1	3396 - 3396	H03 interview by telephone or in person
AM38_LP	1	3397 - 3397	Language preference of household
DHC8_DWE	2	3398 - 3399	Type of dwelling
DHC8_OWNI	1	3400 - 3400	Dwelling owned by a household member
DHC8_BED	2	3401 - 3402	Number of bedrooms
AM38_SRC	2	3403 - 3404	Record number of person providing H03 information
AM38_LNG	2	3405 - 3406	Interview language - H03
DHC8DHSZ	2	3407 - 3408	Household size - (D)
DHC8DL12	2	3409 - 3410	Number of persons less than 12 years old in household - (D)
DHC8DE12	2	3411 - 3412	Number of persons aged 12 years old in household - (D)
DHC8DLE5	2	3413 - 3414	Number of persons 5 years old or less in household - (D)
DHC8D611	2	3415 - 3416	Number of persons 6 to 11 years old in household - (D)
DHC8DLVG	2	3417 - 3418	Living arrangements of selected respondent - (D)
DHC8DECF	2	3419 - 3420	Household type - (D)
SP38_STA	3	3421 - 3423	Status code after processing
INC8F1	1	3424 - 3424	Household questions asked of this H05 respondent
INC8_1A	1	3425 - 3425	Source of income - wages and salaries
INC8_1B	1	3426 - 3426	Source of income - self-employment
INC8_1C	1	3427 - 3427	Source of income - dividends and interest
INC8_1D	1	3428 - 3428	Source of income - employment insurance
INC8_1E	1	3429 - 3429	Source of income - worker's compensation
INC8_1F	1	3430 - 3430	Source of income - benefits from Can. / Que. Pension Plan
INC8_1G	1	3431 - 3431	Source of income - pensions, superannuation and annuities
INC8_1H	1	3432 - 3432	Source of income - Old Age Security / G.I.S.
INC8_1I	1	3433 - 3433	Source of income - child tax benefit
INC8_1J	1	3434 - 3434	Source of income - social assistance / welfare
INC8_1K	1	3435 - 3435	Source of income - child support
INC8_1L	1	3436 - 3436	Source of income - alimony
INC8_1M	1	3437 - 3437	Source of income - other
INC8_1N	1	3438 - 3438	Source of income - none
INC8_2	2	3439 - 3440	Total household income - main source
INC8G2	2	3441 - 3442	Main source of total household income - (G)
INC8_3	6	3443 - 3448	Total household income - best estimate
INC8_3A	1	3449 - 3449	Total household income - < \$20,000 or >= \$20,000
INC8_3B	1	3450 - 3450	Total household income - < \$10,000 or >= \$10,000

NPHS Cycle 3: Record Layout

Page 63

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
INC8_3C	1	3451 - 3451	Total household income - < \$5,000 or >= \$5,000
INC8_3D	1	3452 - 3452	Total household income - < \$15,000 or >= \$15,000
INC8_3E	1	3453 - 3453	Total household income - < \$40,000 or >= \$40,000
INC8_3F	1	3454 - 3454	Total household income - < \$30,000 or >= \$30,000
INC8_3G	1	3455 - 3455	Total household income - >= \$50,000
INC8DHH	2	3456 - 3457	Total household income from all sources - (D)
INC8DIA2	1	3458 - 3458	Income adequacy - 2 groups - (D)
INC8DIA4	1	3459 - 3459	Income adequacy - 4 groups - (D)
INC8DIA5	1	3460 - 3460	Income adequacy - 5 groups - (D)
INC8_4	6	3461 - 3466	Total personal income - best estimate
INC8_4A	1	3467 - 3467	Total personal income - < \$20,000 or >= \$20,000
INC8_4B	1	3468 - 3468	Total personal income - < \$10,000 or >= \$10,000
INC8_4C	1	3469 - 3469	Total personal income - < \$5,000 or >= \$5,000
INC8_4D	1	3470 - 3470	Total personal income - < \$15,000 or >= \$15,000
INC8_4E	1	3471 - 3471	Total personal income - < \$40,000 or >= \$40,000
INC8_4F	1	3472 - 3472	Total personal income - < \$30,000 or >= \$30,000
INC8_4G	1	3473 - 3473	Total personal income - >= \$50,000
INC8DPER	2	3474 - 3475	Total personal income from all sources - (D)
INC8CCPI	5.1	3476 - 3480	Consumer Price Index
FIC8_1	1	3481 - 3481	Worried about a lack of money to eat
FIC8_2	1	3482 - 3482	Not enough to eat because of a lack of money
FIC8_3	1	3483 - 3483	Did not eat to satisfaction because of a lack of money
FIC8F1	1	3484 - 3484	Flag indicating food insecurity
DHC8_AGE	3	3485 - 3487	Age
DHC8GAGE	2	3488 - 3489	Age - (G)
DHC8_MAR	2	3490 - 3491	Marital status
DHC8_FID	1	3492 - 3492	Family ID code
AM58_STA	1	3493 - 3493	Status of general form - H05
AM68_STA	1	3494 - 3494	Status of health form - H06
AM58_BDD	2	3495 - 3496	Day of interview - H05 (start)
AM58_BMM	2	3497 - 3498	Month of interview - H05 (start)
AM58_BY Y	4	3499 - 3502	Year of interview - H05 (start)
AM58_PXY	1	3503 - 3503	H05 completed by proxy
TWC8_1	1	3504 - 3504	Stayed in bed / hospital due to illness / injury
TWC8_2	2	3505 - 3506	Number of days spent in bed
TWC8_3	1	3507 - 3507	Cut down on things done due to illness / injury

NPBS Cycle 3: Record Layout

Page 64

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
TWC8_4	2	3508 - 3509	Number of days cut down on things
TWC8_5	1	3510 - 3510	Has regular medical doctor
TWC8DDDY	2	3511 - 3512	Total number of disability days - (D)
HCC8_1	1	3513 - 3513	Overnight patient
HCC8_1A	3	3514 - 3516	Number of nights as patient
HCC8_2A	3	3517 - 3519	Number of consultations - family doctor / g.p.
HCC8_3A	2	3520 - 3521	Place of most recent contact - family doctor
HCC8_2B	2	3522 - 3523	Number of consultations - eye specialist
HCC8_2C	3	3524 - 3526	Number of consultations - other medical doctor
HCC8_3C	2	3527 - 3528	Place of most recent contact - other medical doctor
HCC8_2D	3	3529 - 3531	Number of consultations - nurse
HCC8_3D	2	3532 - 3533	Place of most recent contact - nurse
HCC8_2E	3	3534 - 3536	Number of consultations - dentist or orthodontist
HCC8_2F	3	3537 - 3539	Number of consultations - chiropractor
HCC8_2G	3	3540 - 3542	Number of consultations - physiotherapist
HCC8_2H	3	3543 - 3545	Number of consultations - social worker or counselor
HCC8_2I	3	3546 - 3548	Number of consultations - psychologist
HCC8_2J	3	3549 - 3551	No. of consul. - speech / audiology / occupational therapist
HCC8DHPC	1	3552 - 3552	Consultations with health professionals - (D)
HCC8DMDC	3	3553 - 3555	Number of consultations with medical doctors - (D)
HCC8_4A	1	3556 - 3556	Attended self-help group
HCC8_4	1	3557 - 3557	Consulted alternative health care provider
HCC8_5A	1	3558 - 3558	Alternative health care - massage therapist
HCC8_5B	1	3559 - 3559	Alternative health care - acupuncturist
HCC8_5C	1	3560 - 3560	Alternative health care - homeopath or naturopath
HCC8_5D	1	3561 - 3561	Alternative health care - Feldenkrais or Alexander
HCC8_5E	1	3562 - 3562	Alternative health care - relaxation therapist
HCC8_5F	1	3563 - 3563	Alternative health care - biofeedback
HCC8_5G	1	3564 - 3564	Alternative health care - rolfers
HCC8_5H	1	3565 - 3565	Alternative health care - herbalist
HCC8_5I	1	3566 - 3566	Alternative health care - reflexologist
HCC8_5J	1	3567 - 3567	Alternative health care - spiritual healer
HCC8_5K	1	3568 - 3568	Alternative health care - religious healer
HCC8_5L	1	3569 - 3569	Alternative health care - other
HCC8_6	1	3570 - 3570	Health care needed but not received
HCC8_7A	1	3571 - 3571	Care not received - not available in area

NPHS Cycle 3: Record Layout

Page 65

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HCC8_7B	1	3572 - 3572	Care not received - not available when required
HCC8_7C	1	3573 - 3573	Care not received - waiting time too long
HCC8_7D	1	3574 - 3574	Care not received - felt would be inadequate
HCC8_7E	1	3575 - 3575	Care not received - cost
HCC8_7F	1	3576 - 3576	Care not received - too busy
HCC8_7G	1	3577 - 3577	Care not received - didn't get around to it
HCC8_7H	1	3578 - 3578	Care not received - didn't know where to go
HCC8_7I	1	3579 - 3579	Care not received - transportation problems
HCC8_7J	1	3580 - 3580	Care not received - language problem
HCC8_7K	1	3581 - 3581	Care not received- personal/family responsibilities
HCC8_7L	1	3582 - 3582	Care not received - dislikes doctors / afraid
HCC8_7M	1	3583 - 3583	Care not received - decided not to seek care
HCC8_7N	1	3584 - 3584	Care not received - other reason
HCC8_8A	1	3585 - 3585	Type / care not received - physical health problem
HCC8_8B	1	3586 - 3586	Type / care not received - emotional / mental health problem
HCC8_8C	1	3587 - 3587	Type / care not received - regular check-up
HCC8_8D	1	3588 - 3588	Type / care not received - injury
HCC8_8E	1	3589 - 3589	Type / care not received - other
HCC8_9	1	3590 - 3590	Received home care services
HCC8_10A	1	3591 - 3591	Home care received - nursing care
HCC8_10B	1	3592 - 3592	Home care received - other health care
HCC8_10C	1	3593 - 3593	Home care received - personal care
HCC8_10D	1	3594 - 3594	Home care received - housework
HCC8_10E	1	3595 - 3595	Home care received - meal preparation or delivery
HCC8_10F	1	3596 - 3596	Home care received - shopping
HCC8_10G	1	3597 - 3597	Home care received - respite care
HCC8_10H	1	3598 - 3598	Home care received - other type
HCC8_11	1	3599 - 3599	Received health care services in the U.S.
HCC8_12	1	3600 - 3600	Went to U.S. primarily to receive health care
HCC8F13	1	3601 - 3601	Long answer collected - reason sought care in the U.S.
RAC8_1A	1	3602 - 3602	Limited in kind / amount of activities - at home
RAC8_1B	1	3603 - 3603	Limited in kind / amount of activities - at school
RAC8_1C	1	3604 - 3604	Limited in kind / amount of activities - at work
RAC8_1D	1	3605 - 3605	Limited in kind / amount of activities - other
RAC8_2	1	3606 - 3606	Has long-term disabilities or handicaps
RAC8F1	1	3607 - 3607	Flag indicating restriction of activity

NPBS Cycle 3: Record Layout

Page 66

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
RAC8F3	1	3608 - 3608	Long answer collected - problem causing limitation
RAC8CIC	5	3609 - 3613	ICD-9 code for main health problem causing limitations
RAC8GC25	2	3614 - 3615	Main health problem - 25 groups - (D,G)
RAC8GC12	2	3616 - 3617	Main health problem - 12 groups - (D,G)
RAC8GC7	2	3618 - 3619	Main health problem - 7 groups - (D,G)
RAC8_2A	1	3620 - 3620	New activity restriction or worsening of old one
RAC8_2B	2	3621 - 3622	Disappearance or improvement of activity restriction
RAC8_5	2	3623 - 3624	Cause of health problem
RAC8_6A	1	3625 - 3625	Needs help - preparing meals
RAC8_6B	1	3626 - 3626	Needs help - shopping for necessities
RAC8_6C	1	3627 - 3627	Needs help - housework
RAC8_6D	1	3628 - 3628	Needs help - heavy household chores
RAC8_6E	1	3629 - 3629	Needs help - personal care
RAC8_6F	1	3630 - 3630	Needs help - moving about inside the house
RAC8D6G	1	3631 - 3631	Need for help in series of tasks - (D)
CCK8_1	1	3632 - 3632	Frequency of infections - nose or throat
CCK8_2	1	3633 - 3633	Has had otitis
CCK8_3	1	3634 - 3634	Number of times had otitis since birth
CCC8_1A	1	3635 - 3635	Has food allergies
CCC8_1B	1	3636 - 3636	Has allergies other than food allergies
CCC8_1C	1	3637 - 3637	Has asthma
CCC8_C1	1	3638 - 3638	Asthma - condition disappeared
CCC8_C2M	2	3639 - 3640	Asthma disappeared - month
CCC8_C2Y	4	3641 - 3644	Asthma disappeared - year
CCC8_C3M	2	3645 - 3646	Asthma diagnosed - month
CCC8_C3Y	4	3647 - 3650	Asthma diagnosed - year
CCC8_C4	1	3651 - 3651	Asthma - had prior to last interview
CCC8_C5	1	3652 - 3652	Asthma - had symptoms or attacks
CCC8_C6	1	3653 - 3653	Asthma - took medication
CCC8_1D	1	3654 - 3654	Has arthritis or rheumatism
CCC8_D1	1	3655 - 3655	Arthritis / rheumatism - condition disappeared
CCC8_D2M	2	3656 - 3657	Arthritis / rheumatism disappeared - month
CCC8_D2Y	4	3658 - 3661	Arthritis / rheumatism disappeared - year
CCC8_D3M	2	3662 - 3663	Arthritis / rheumatism diagnosed - month
CCC8_D3Y	4	3664 - 3667	Arthritis / rheumatism diagnosed - year
CCC8_D4	1	3668 - 3668	Arthritis / rheumatism - had prior to last interview

NPHS Cycle 3: Record Layout

Page 67

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
CCC8_D5	1	3669 - 3669	Arthritis / rheumatism - received treatment or medication
CCC8_D6A	1	3670 - 3670	Arthritis / rheumatism treatment - drug
CCC8_D6B	1	3671 - 3671	Arthritis / rheumatism treatment - diet
CCC8_D6D	1	3672 - 3672	Arthritis / rheumatism treatment - exercise / physiotherapy
CCC8_D6C	1	3673 - 3673	Arthritis / rheumatism treatment - other
CCC8_1E	1	3674 - 3674	Has back problems excluding arthritis
CCC8_1F	1	3675 - 3675	Has high blood pressure
CCC8_F1	1	3676 - 3676	High blood pressure - condition disappeared
CCC8_F2M	2	3677 - 3678	High blood pressure disappeared - month
CCC8_F2Y	4	3679 - 3682	High blood pressure disappeared - year
CCC8_F3M	2	3683 - 3684	High blood pressure diagnosed - month
CCC8_F3Y	4	3685 - 3688	High blood pressure diagnosed - year
CCC8_F4	1	3689 - 3689	High blood pressure - had prior to last interview
CCC8_F5	1	3690 - 3690	High blood pressure - received treatment or medication
CCC8_F6A	1	3691 - 3691	High blood pressure treatment - drug
CCC8_F6B	1	3692 - 3692	High blood pressure treatment - diet
CCC8_F6D	1	3693 - 3693	High blood pressure treatment - exercise / physiotherapy
CCC8_F6C	1	3694 - 3694	High blood pressure treatment - other
CCC8_1G	1	3695 - 3695	Has migraine headaches
CCC8_G1	1	3696 - 3696	Migraines - condition disappeared
CCC8_G2M	2	3697 - 3698	Migraines disappeared - month
CCC8_G2Y	4	3699 - 3702	Migraines disappeared - year
CCC8_G3M	2	3703 - 3704	Migraines diagnosed - month
CCC8_G3Y	4	3705 - 3708	Migraines diagnosed - year
CCC8_G4	1	3709 - 3709	Migraines - had prior to last interview
CCC8_G5	1	3710 - 3710	Migraines - received treatment or medication
CCC8_G6A	1	3711 - 3711	Migraines treatment - drug
CCC8_G6B	1	3712 - 3712	Migraines treatment - diet
CCC8_G6D	1	3713 - 3713	Migraines treatment - exercise / physiotherapy
CCC8_G6C	1	3714 - 3714	Migraines treatment - other
CCC8_1H	1	3715 - 3715	Has chronic bronchitis or emphysema
CCC8_1I	1	3716 - 3716	Has sinusitis
CCC8_1J	1	3717 - 3717	Has diabetes
CCC8_J1	1	3718 - 3718	Diabetes - condition disappeared
CCC8_J2M	2	3719 - 3720	Diabetes disappeared - month
CCC8_J2Y	4	3721 - 3724	Diabetes disappeared - year

NPHS Cycle 3: Record Layout

Page 68

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
CCC8_J3M	2	3725 - 3726	Diabetes diagnosed - month
CCC8_J3Y	4	3727 - 3730	Diabetes diagnosed - year
CCC8_J4	1	3731 - 3731	Diabetes - had prior to last interview
CCC8_J5	1	3732 - 3732	Diabetes - takes insulin
CCC8_J6	1	3733 - 3733	Diabetes - takes treatment other than insulin
CCC8_J7A	1	3734 - 3734	Diabetes treatment - drug
CCC8_J7B	1	3735 - 3735	Diabetes treatment - diet
CCC8_J7D	1	3736 - 3736	Diabetes treatment - exercise / physiotherapy
CCC8_J7C	1	3737 - 3737	Diabetes treatment - other
CCC8_1K	1	3738 - 3738	Has epilepsy
CCC8_K1	1	3739 - 3739	Epilepsy - condition disappeared
CCC8_K2M	2	3740 - 3741	Epilepsy disappeared - month
CCC8_K2Y	4	3742 - 3745	Epilepsy disappeared - year
CCC8_K3M	2	3746 - 3747	Epilepsy diagnosed - month
CCC8_K3Y	4	3748 - 3751	Epilepsy diagnosed - year
CCC8_K4	1	3752 - 3752	Epilepsy - had prior to last interview
CCC8_1L	1	3753 - 3753	Has heart disease
CCC8_1M	1	3754 - 3754	Has cancer
CCC8_1N	1	3755 - 3755	Has stomach or intestinal ulcers
CCC8_N1	1	3756 - 3756	Ulcers - condition disappeared
CCC8_N2M	2	3757 - 3758	Ulcers disappeared - month
CCC8_N2Y	4	3759 - 3762	Ulcers disappeared - year
CCC8_N3M	2	3763 - 3764	Ulcers diagnosed - month
CCC8_N3Y	4	3765 - 3768	Ulcers diagnosed - year
CCC8_N4	1	3769 - 3769	Ulcers - had prior to last interview
CCC8_1O	1	3770 - 3770	Suffers from the effects of a stroke
CCC8_O1	1	3771 - 3771	Stroke - condition disappeared
CCC8_O2M	2	3772 - 3773	Stroke disappeared - month
CCC8_O2Y	4	3774 - 3777	Stroke disappeared - year
CCC8_O3M	2	3778 - 3779	Stroke diagnosed - month
CCC8_O3Y	4	3780 - 3783	Stroke diagnosed - year
CCC8_O4	1	3784 - 3784	Stroke - had prior to last interview
CCC8_1P	1	3785 - 3785	Has urinary incontinence
CCC8_1Q	1	3786 - 3786	Has a bowel disorder / Crohn's Disease or colitis
CCC8_1R	1	3787 - 3787	Has Alzheimer's disease or other dementia
CCC8_1S	1	3788 - 3788	Has cataracts

NPBS Cycle 3: Record Layout

Page 69

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
CCC8_1T	1	3789 - 3789	Has glaucoma
CCC8_1U	1	3790 - 3790	Has a thyroid condition
CCC8_1V	1	3791 - 3791	Has other chronic condition
CCC8DANY	1	3792 - 3792	Has a chronic condition - (D)
CCC8DNUM	2	3793 - 3794	Number of chronic conditions - (D)
SDC8DRES	3	3795 - 3797	Length of time in Canada since immigration - (D)
SDC8_4A	1	3798 - 3798	Ethnic origin - Canadian
SDC8_4B	1	3799 - 3799	Ethnic origin - French
SDC8_4C	1	3800 - 3800	Ethnic origin - English
SDC8_4D	1	3801 - 3801	Ethnic origin - German
SDC8_4E	1	3802 - 3802	Ethnic origin - Scottish
SDC8_4F	1	3803 - 3803	Ethnic origin - Irish
SDC8_4G	1	3804 - 3804	Ethnic origin - Italian
SDC8_4H	1	3805 - 3805	Ethnic origin - Ukrainian
SDC8_4I	1	3806 - 3806	Ethnic origin - Dutch (Netherlands)
SDC8_4J	1	3807 - 3807	Ethnic origin - Chinese
SDC8_4K	1	3808 - 3808	Ethnic origin - Jewish
SDC8_4L	1	3809 - 3809	Ethnic origin - Polish
SDC8_4M	1	3810 - 3810	Ethnic origin - Portuguese
SDC8_4N	1	3811 - 3811	Ethnic origin - South Asian
SDC8_4O	1	3812 - 3812	Ethnic origin - Black
SDC8_4P	1	3813 - 3813	Ethnic origin - North American Indian
SDC8_4Q	1	3814 - 3814	Ethnic origin - Métis
SDC8_4R	1	3815 - 3815	Ethnic origin - Inuit / Eskimo
SDC8_4S	1	3816 - 3816	Ethnic origin - other
SDC8_5A	1	3817 - 3817	Can converse - English
SDC8_5B	1	3818 - 3818	Can converse - French
SDC8_5C	1	3819 - 3819	Can converse - Arabic
SDC8_5D	1	3820 - 3820	Can converse - Chinese
SDC8_5E	1	3821 - 3821	Can converse - Cree
SDC8_5F	1	3822 - 3822	Can converse - German
SDC8_5G	1	3823 - 3823	Can converse - Greek
SDC8_5H	1	3824 - 3824	Can converse - Hungarian
SDC8_5I	1	3825 - 3825	Can converse - Italian
SDC8_5J	1	3826 - 3826	Can converse - Korean
SDC8_5K	1	3827 - 3827	Can converse - Persian

NPHS Cycle 3: Record Layout

Page 70

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SDC8_5L	1	3828 - 3828	Can converse - Polish
SDC8_5M	1	3829 - 3829	Can converse - Portuguese
SDC8_5N	1	3830 - 3830	Can converse - Punjabi
SDC8_5O	1	3831 - 3831	Can converse - Spanish
SDC8_5P	1	3832 - 3832	Can converse - Tagalog
SDC8_5Q	1	3833 - 3833	Can converse - Ukrainian
SDC8_5R	1	3834 - 3834	Can converse - Vietnamese
SDC8_5S	1	3835 - 3835	Can converse - other language
SDC8DLNG	2	3836 - 3837	Language in which respondent can converse - (D)
SDC8_6A	1	3838 - 3838	First language learned and still understood - English
SDC8_6B	1	3839 - 3839	First language learned and still understood - French
SDC8_6C	1	3840 - 3840	First language learned and still understood - Arabic
SDC8_6D	1	3841 - 3841	First language learned and still understood - Chinese
SDC8_6E	1	3842 - 3842	First language learned and still understood - Cree
SDC8_6F	1	3843 - 3843	First language learned and still understood - German
SDC8_6G	1	3844 - 3844	First language learned and still understood - Greek
SDC8_6H	1	3845 - 3845	First language learned and still understood - Hungarian
SDC8_6I	1	3846 - 3846	First language learned and still understood - Italian
SDC8_6J	1	3847 - 3847	First language learned and still understood - Korean
SDC8_6K	1	3848 - 3848	First language learned and still understood - Persian
SDC8_6L	1	3849 - 3849	First language learned and still understood - Polish
SDC8_6M	1	3850 - 3850	First language learned and still understood - Portuguese
SDC8_6N	1	3851 - 3851	First language learned and still understood - Punjabi
SDC8_6O	1	3852 - 3852	First language learned and still understood - Spanish
SDC8_6P	1	3853 - 3853	First language learned and still understood - Tagalog
SDC8_6Q	1	3854 - 3854	First language learned and still understood - Ukrainian
SDC8_6R	1	3855 - 3855	First language learned and still understood - Vietnamese
SDC8_6S	1	3856 - 3856	First language learned and still understood - other
SDC8_7A	1	3857 - 3857	Race or colour - White
SDC8_7B	1	3858 - 3858	Race or colour - Chinese
SDC8_7C	1	3859 - 3859	Race or colour - South Asian
SDC8_7D	1	3860 - 3860	Race or colour - Black
SDC8_7E	1	3861 - 3861	Race or colour - Native / Aboriginal peoples of N. America
SDC8_7F	1	3862 - 3862	Race or colour - Arab / West Asian
SDC8_7G	1	3863 - 3863	Race or colour - Filipino
SDC8_7H	1	3864 - 3864	Race or colour - South East Asian

NPHS Cycle 3: Record Layout

Page 71

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SDC8_7I	1	3865 - 3865	Race or colour - Latin American
SDC8_7J	1	3866 - 3866	Race or colour - Japanese
SDC8_7K	1	3867 - 3867	Race or colour - Korean
SDC8_7L	1	3868 - 3868	Race or colour - other
SDC8DRAC	2	3869 - 3870	Race or colour - (D)
EDC8_1	1	3871 - 3871	Currently attending a school, college or university
EDC8_2	1	3872 - 3872	Full-time student or part-time student
EDC8_4	2	3873 - 3874	Number of years of elementary and high school completed
EDC8_5	1	3875 - 3875	Graduated from high school
EDC8_6	1	3876 - 3876	Attended post-secondary institution
EDC8_7	2	3877 - 3878	Highest level of post-secondary education attained
EDC8D1	2	3879 - 3880	Highest level of education - 14 levels - (D)
EDC8D2	2	3881 - 3882	Highest level of education - 12 levels - (D)
EDC8D3	1	3883 - 3883	Highest level of education - 4 levels - (D)
EDC8G7	2	3884 - 3885	Highest level of education - 7 levels - (D,G)
EDC8DLF	1	3886 - 3886	Labour force activity of students - (D)
LFC8_2	1	3887 - 3887	Worked for pay or profit
LFC8_2B	1	3888 - 3888	Worked for same employer as in last interview
LFC8FE1	1	3889 - 3889	Long answer collected - employer - job 1
LFC8_41	1	3890 - 3890	Had job one year ago without break - job 1
LFC8_51M	2	3891 - 3892	Job 1 started - month
LFC8_51D	2	3893 - 3894	Job 1 started - day
LFC8_51Y	4	3895 - 3898	Job 1 started - year
LFC8_61	1	3899 - 3899	Has job now - job 1
LFC8_71M	2	3900 - 3901	Month stopped - job 1
LFC8_71D	2	3902 - 3903	Day stopped - job 1
LFC8_71Y	4	3904 - 3907	Year stopped - job 1
LFC8_81	3	3908 - 3910	Hours usually worked per week - job 1
LFC8_91	2	3911 - 3912	Type of working hours - job 1
LFC8_101	1	3913 - 3913	Usually works weekends - job 1
LFC8_111	1	3914 - 3914	Worked - other than job 1
LFC8FE2	1	3915 - 3915	Long answer collected - employer - job 2
LFC8_42	1	3916 - 3916	Had job one year ago without break - job 2
LFC8_52M	2	3917 - 3918	Job 2 started - month
LFC8_52D	2	3919 - 3920	Job 2 started - day
LFC8_52Y	4	3921 - 3924	Job 2 started - year

NPBS Cycle 3: Record Layout

Page 72

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
LFC8_62	1	3925 - 3925	Has job now - job 2
LFC8_72M	2	3926 - 3927	Month stopped - job 2
LFC8_72D	2	3928 - 3929	Day stopped - job 2
LFC8_72Y	4	3930 - 3933	Year stopped - job 2
LFC8_82	3	3934 - 3936	Hours usually worked per week - job 2
LFC8_92	2	3937 - 3938	Type of working hours - job 2
LFC8_102	1	3939 - 3939	Usually works weekends - job 2
LFC8_112	1	3940 - 3940	Worked - other than job 1 and job 2
LFC8FE3	1	3941 - 3941	Long answer collected - employer - job 3
LFC8_43	1	3942 - 3942	Had job one year ago without break - job 3
LFC8_53M	2	3943 - 3944	Job 3 started - month
LFC8_53D	2	3945 - 3946	Job 3 started - day
LFC8_53Y	4	3947 - 3950	Job 3 started - year
LFC8_63	1	3951 - 3951	Has job now - job 3
LFC8_73M	2	3952 - 3953	Month stopped - job 3
LFC8_73D	2	3954 - 3955	Day stopped - job 3
LFC8_73Y	4	3956 - 3959	Year stopped - job 3
LFC8_83	3	3960 - 3962	Hours usually worked per week - job 3
LFC8_93	2	3963 - 3964	Type of working hours - job 3
LFC8_103	1	3965 - 3965	Usually works weekends - job 3
LFC8FMN	1	3966 - 3966	Job number of main job
LFC8F13	1	3967 - 3967	Long answer collected - main job industry
LFC8F14	1	3968 - 3968	Long answer collected - main job kind of work
LFC8F15	1	3969 - 3969	Long answer collected - main job duties
LFC8_16	1	3970 - 3970	Worked for others or in own business - main job
LFC8_17A	2	3971 - 3972	Reason for not working - most recent period
LFC8G17A	2	3973 - 3974	Reason for not working - most recent period - (G)
LFC8_17B	2	3975 - 3976	Reason for not working - currently
LFC8G17B	2	3977 - 3978	Reasons not working - currently (G)
LFC8CO91	4	3979 - 3982	Standard Occupation Codes for main job
LFC8GO47	2	3983 - 3984	Standard Occupation Codes for main job - 47 groups - (G)
LFC8GO25	2	3985 - 3986	Standard Occupation Codes for main job - 25 groups - (G)
LFC8CI97	4	3987 - 3990	Standard Industry Codes for main job
LFC8GI16	2	3991 - 3992	Standard Industry Codes for main job - 16 groups - (G)
LFC8FWK	1	3993 - 3993	Work flag (used for processing only)
LFC8FGAP	1	3994 - 3994	Flag indicating jobless gap greater than 30 days

NPBS Cycle 3: Record Layout

Page 73

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
LFC8DCWS	1	3995 - 3995	Working status in last 12 months - (D)
LFC8DDA	2	3996 - 3997	Duration of work without break > 30 days - (D)
LFC8DHA	1	3998 - 3998	Pattern of working hours of all jobs - (D)
LFC8DJA	1	3999 - 3999	Number of jobs - (D)
LFC8DGA	1	4000 - 4000	Number of gaps of 30 days or more - (D)
LFC8DJGA	2	4001 - 4002	Pattern of number of jobs - (D)
LFC8DCMN	1	4003 - 4003	Main job is the current job - (D)
LFC8DDMN	2	4004 - 4005	Work duration - main job - (D)
LFC8DHMN	1	4006 - 4006	Hours of work - main job - (D)
LFC8DTMN	2	4007 - 4008	Type of working hours - main job - (D)
LFC8DD1	2	4009 - 4010	Work duration - job 1 - (D)
LFC8DD2	2	4011 - 4012	Work duration - job 2 - (D)
LFC8DD3	2	4013 - 4014	Work duration - job 3 - (D)
LFC8DH1	1	4015 - 4015	Hours of work - job 1 - (D)
LFC8DH2	1	4016 - 4016	Hours of work - job 2 - (D)
LFC8DH3	1	4017 - 4017	Hours of work - job 3 - (D)
LFC8DT1	2	4018 - 4019	Type of working hours - job 1 - (D)
LFC8DT2	2	4020 - 4021	Type of working hours - job 2 - (D)
LFC8DT3	2	4022 - 4023	Type of working hours - job 3 - (D)
AM58_TEL	1	4024 - 4024	H05 interview by telephone or in person
AM58_LNG	2	4025 - 4026	Interview language - H05
AM58_EMM	2	4027 - 4028	Month of interview - H05 (end)
AM58_EDD	2	4029 - 4030	Day of interview - H05 (end)
AM58_EYY	4	4031 - 4034	Year of interview - H05 (end)
AM68_BMM	2	4035 - 4036	Month of interview - H06 (start)
AM68_BDD	2	4037 - 4038	Day of interview - H06 (start)
AM68_BY Y	4	4039 - 4042	Year of interview - H06 (start)
AM68_SRC	2	4043 - 4044	Record number of person providing H06 information
AM68_PXY	1	4045 - 4045	H06 completed by proxy
AM68FR	1	4046 - 4046	Long answer collected - reason for proxy - H06
GHC8_1	1	4047 - 4047	Respondent's general health
GHC8DHI	1	4048 - 4048	Health description index - (D)
HWC8_HT	2	4049 - 4050	Height
HWC8GHT	2	4051 - 4052	Height - (G)
HWC8_3LB	4	4053 - 4056	Weight - pounds
HWC8_3KG	4	4057 - 4060	Weight - kilograms

NPBS Cycle 3: Record Layout

Page 74

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HWC8G3KG	4	4061 - 4064	Weight in kilograms - (G)
HWC8DBMI	4.1	4065 - 4068	Body Mass Index - (D)
HWC8DSW	1	4069 - 4069	Standard weight - (D)
BPC8_10	1	4070 - 4070	Ever had blood pressure taken
BPC8_10A	1	4071 - 4071	Ever had blood pressure taken (Probe)
BPC8_12	1	4072 - 4072	Last time blood pressure was taken
WHC8_20	1	4073 - 4073	Ever had PAP smear test
WHC8_20A	1	4074 - 4074	Ever had PAP smear test (Probe)
WHC8_22	1	4075 - 4075	Last time had PAP smear test
WHC8_30	1	4076 - 4076	Ever had mammogram
WHC8_30A	1	4077 - 4077	Ever had mammogram (Probe)
WHC8_32	1	4078 - 4078	Last time mammogram was done
GHC8_21	1	4079 - 4079	Gave birth since last interview
GHC8_23	1	4080 - 4080	Used services of doctor or midwife
HWC8_1	1	4081 - 4081	Currently pregnant
WHC8_5	1	4082 - 4082	Had a hysterectomy
WHC8_5A	3	4083 - 4085	Age had a hysterectomy
WHC8_5B	2	4086 - 4087	Reason had a hysterectomy
SC_8_1	1	4088 - 4088	Had sore throat, cold or a flu
SC_8_2	2	4089 - 4090	Sore throat, cold or a flu - solution (#1)
SC_8_3	1	4091 - 4091	Sore throat, cold or a flu - other (#1)
SC_8_4	2	4092 - 4093	Sore throat, cold or a flu - solution (#2)
SC_8_5	1	4094 - 4094	Sore throat, cold or a flu - other (#2)
SC_8_6	2	4095 - 4096	Sore throat, cold or a flu - solution (#3)
SC_8_7	1	4097 - 4097	Cold - took over-the-counter medication
SC_8_8	1	4098 - 4098	Cold - used herbal / vitamin supplements
SC_8_9	1	4099 - 4099	Cold - old prescription / someone else's
SC_8_10	1	4100 - 4100	Cold - used home remedies
SC_8_11	1	4101 - 4101	Cold - cut down on activities and got more rest
SC_8_12	1	4102 - 4102	Prefer doctors who let me decide what to do
SC_8_13	1	4103 - 4103	Patients should never challenge the authority of the doctor
SC_8_14	1	4104 - 4104	I prefer that the doctor assume all of the responsibility
SC_8_15	1	4105 - 4105	Better to take care of own health than go to a doctor
SC_8_16	1	4106 - 4106	Better to go to a doctor than to try to treat yourself
SC_8DFCT	2	4107 - 4108	Attitude toward self-care
ISC8_1	1	4109 - 4109	Insurance - prescription medications

NPBS Cycle 3: Record Layout

Page 75

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
ISC8_2	1	4110 - 4110	Insurance - dental expenses
ISC8_3	1	4111 - 4111	Insurance - eye glasses / contact lenses
ISC8_4	1	4112 - 4112	Insurance - hospital charges
ISC8D1	1	4113 - 4113	Number of types of medical insurance - (D)
FH_8_10	1	4114 - 4114	Has some knowledge of birth family's health history
FH_8_11	1	4115 - 4115	Birth mother ever had - heart disease
FH_8_12	1	4116 - 4116	Birth mother ever had - high blood pressure
FH_8_13	1	4117 - 4117	Birth mother ever had - stroke
FH_8_14	1	4118 - 4118	Birth mother ever had - diabetes
FH_8_15	1	4119 - 4119	Birth mother ever had - cancer
FH_8_16A	1	4120 - 4120	Mother's type of cancer - breast
FH_8_16B	1	4121 - 4121	Mother's type of cancer - ovarian
FH_8_16C	1	4122 - 4122	Mother's type of cancer - cervical
FH_8_16D	1	4123 - 4123	Mother's type of cancer - colorectal
FH_8_16E	1	4124 - 4124	Mother's type of cancer - skin (melanoma)
FH_8_16F	1	4125 - 4125	Mother's type of cancer - stomach
FH_8_16G	1	4126 - 4126	Mother's type of cancer - uterus
FH_8_16H	1	4127 - 4127	Mother's type of cancer - kidney
FH_8_16I	1	4128 - 4128	Mother's type of cancer - leukemia / lymphoma
FH_8_16J	1	4129 - 4129	Mother's type of cancer - lung
FH_8_16K	1	4130 - 4130	Mother's type of cancer - bladder
FH_8_16L	1	4131 - 4131	Mother's type of cancer - other
FH_8_161	3	4132 - 4134	Mother's age - breast cancer
FH_8_162	3	4135 - 4137	Mother's age - ovarian cancer
FH_8_163	3	4138 - 4140	Mother's age - cervical cancer
FH_8_164	3	4141 - 4143	Mother's age - colorectal cancer
FH_8_165	3	4144 - 4146	Mother's age - melanoma cancer
FH_8_166	3	4147 - 4149	Mother's age - stomach cancer
FH_8_17	1	4150 - 4150	Birth mother - now living
FH_8_18	3	4151 - 4153	Birth mother - age of death
FH_8_19	2	4154 - 4155	Birth mother - cause of death
FH_8_21	1	4156 - 4156	Birth father ever had - heart disease
FH_8_22	1	4157 - 4157	Birth father ever had - high blood pressure
FH_8_23	1	4158 - 4158	Birth father ever had - stroke
FH_8_24	1	4159 - 4159	Birth father ever had - diabetes
FH_8_25	1	4160 - 4160	Birth father ever had - cancer

NPBS Cycle 3: Record Layout

Page 76

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
FH_8_26A	1	4161 - 4161	Father's type of cancer - prostate
FH_8_26B	1	4162 - 4162	Father's type of cancer - colorectal
FH_8_26C	1	4163 - 4163	Father's type of cancer - stomach
FH_8_26D	1	4164 - 4164	Father's type of cancer - kidney
FH_8_26E	1	4165 - 4165	Father's type of cancer - leukemia / lymphoma
FH_8_26F	1	4166 - 4166	Father's type of cancer - lung
FH_8_26G	1	4167 - 4167	Father's type of cancer - bladder
FH_8_26H	1	4168 - 4168	Father's type of cancer - other
FH_8_26I	3	4169 - 4171	Father's age - prostate cancer
FH_8_26J	3	4172 - 4174	Father's age - colorectal cancer
FH_8_26K	3	4175 - 4177	Father's age - stomach cancer
FH_8_27	1	4178 - 4178	Birth father - now living
FH_8_28	3	4179 - 4181	Birth father - age of death
FH_8_29	2	4182 - 4183	Birth father - cause of death
FH_8_30	1	4184 - 4184	Has / had biological brothers or sisters
FH_8_31	1	4185 - 4185	Siblings ever had - heart disease
FH_8_32	1	4186 - 4186	Siblings ever had - high blood pressure
FH_8_33	1	4187 - 4187	Siblings ever had - stroke
FH_8_34	1	4188 - 4188	Siblings ever had - diabetes
FH_8_35	1	4189 - 4189	Any biological sister ever had - cancer
FH_8_36A	1	4190 - 4190	Sister's type of cancer - breast
FH_8_36B	1	4191 - 4191	Sister's type of cancer - ovarian
FH_8_36C	1	4192 - 4192	Sister's type of cancer - cervical
FH_8_36D	1	4193 - 4193	Sister's type of cancer - colorectal
FH_8_36E	1	4194 - 4194	Sister's type of cancer - skin (melanoma)
FH_8_36F	1	4195 - 4195	Sister's type of cancer - stomach
FH_8_36G	1	4196 - 4196	Sister's type of cancer - uterus
FH_8_36H	1	4197 - 4197	Sister's type of cancer - kidney
FH_8_36I	1	4198 - 4198	Sister's type of cancer - leukemia / lymphoma
FH_8_36J	1	4199 - 4199	Sister's type of cancer - lung
FH_8_36K	1	4200 - 4200	Sister's type of cancer - bladder
FH_8_36L	1	4201 - 4201	Sister's type of cancer - other
FH_8_37	1	4202 - 4202	Any biological brother ever had - cancer
FH_8_38A	1	4203 - 4203	Brother's type of cancer - prostate
FH_8_38B	1	4204 - 4204	Brother's type of cancer - colorectal
FH_8_38C	1	4205 - 4205	Brother's type of cancer - stomach

NPBS Cycle 3: Record Layout

Page 77

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
FH_8_38D	1	4206 - 4206	Brother's type of cancer - kidney
FH_8_38E	1	4207 - 4207	Brother's type of cancer - leukemia / lymphoma
FH_8_38F	1	4208 - 4208	Brother's type of cancer - lung
FH_8_38G	1	4209 - 4209	Brother's type of cancer - bladder
FH_8_38H	1	4210 - 4210	Brother's type of cancer - other
NU_8_1A	1	4211 - 4211	Choose or avoid foods - concerned about body weight
NU_8_1B	1	4212 - 4212	Choose or avoid foods - maintain / improve health
NU_8_1C	1	4213 - 4213	Choose or avoid foods - concerned about heart disease
NU_8_1D	1	4214 - 4214	Choose or avoid foods - concerned about cancer
NU_8_1E	1	4215 - 4215	Choose or avoid foods - concerned about osteoporosis
NU_8_1F	1	4216 - 4216	Choose or avoid foods - concerned about high blood pressure
NU_8_1G	1	4217 - 4217	Choose or avoid foods - concerned about diabetes
NU_8D1	2	4218 - 4219	No. of medical reasons - choosing / avoiding foods - (D)
NU_8_2A	1	4220 - 4220	Reason to choose foods - lower fat content
NU_8_2B	1	4221 - 4221	Reason to choose foods - fibre content
NU_8_2C	1	4222 - 4222	Reason to choose foods - calcium content
NU_8_2D	1	4223 - 4223	Reason to choose foods - iron content
NU_8_2E	1	4224 - 4224	Reason to choose foods - other vitamins / minerals
NU_8D2	2	4225 - 4226	Number of content reasons for choosing foods - (D)
NU_8_3A	1	4227 - 4227	Reason to avoid foods - fat content
NU_8_3B	1	4228 - 4228	Reason to avoid foods - type of fat
NU_8_3C	1	4229 - 4229	Reason to avoid foods - salt content
NU_8_3D	1	4230 - 4230	Reason to avoid foods - cholesterol content
NU_8_3E	1	4231 - 4231	Reason to avoid foods - sugar content
NU_8_3F	1	4232 - 4232	Reason to avoid foods - iron content
NU_8_3G	1	4233 - 4233	Reason to avoid foods - calorie content
NU_8D3	2	4234 - 4235	Number of content reasons for avoiding foods - (D)
NU_8_4A	1	4236 - 4236	Took supplements - past 4 weeks
NU_8_4B	1	4237 - 4237	Took supplements - at least once a week
NU_8_4C	2	4238 - 4239	Took supplements - number of days / last week
NU_8_4D	3	4240 - 4242	Took supplements - number of days / past 4 weeks
NU_8DCON	2	4243 - 4244	Freq. of consumption of vitamin / mineral supplements - (D)
HSC8_1	1	4245 - 4245	Vision - read newsprint without glasses / contacts
HSC8_2	1	4246 - 4246	Vision - read newsprint with glasses / contacts
HSC8_3	1	4247 - 4247	Vision - able to see
HSC8_4	1	4248 - 4248	Vision - recognize a friend without glasses / contacts

NPBS Cycle 3: Record Layout

Page 78

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
HSC8_5	1	4249 - 4249	Vision - recognize a friend with glasses / contacts
HSC8DVIS	2	4250 - 4251	Vision trouble - function code - (D)
HSC8_6	1	4252 - 4252	Hearing - in group without hearing aid
HSC8_7	1	4253 - 4253	Hearing - in group with hearing aid
HSC8_7A	1	4254 - 4254	Hearing - able to hear
HSC8_8	1	4255 - 4255	Hearing - in quiet room without hearing aid
HSC8_9	1	4256 - 4256	Hearing - in quiet room with hearing aid
HSC8DHER	2	4257 - 4258	Hearing problems - function code - (D)
HSC8_10	1	4259 - 4259	Speech - understood by strangers in own language
HSC8_11	1	4260 - 4260	Speech - partially understood by strangers in own language
HSC8_12	1	4261 - 4261	Speech - understood by non-strangers in own language
HSC8_13	1	4262 - 4262	Speech - partially understood / non-strangers / own lang.
HSC8DSPE	1	4263 - 4263	Speech trouble - function code - (D)
HSC8_14	1	4264 - 4264	Mobility - walk without difficulty and without support
HSC8_15	1	4265 - 4265	Mobility - able to walk
HSC8_16	1	4266 - 4266	Mobility - requires support to walk
HSC8_17	1	4267 - 4267	Mobility - requires help of person to walk
HSC8_18	1	4268 - 4268	Mobility - requires a wheelchair
HSC8_19	1	4269 - 4269	Mobility - frequency of wheelchair use
HSC8_20	1	4270 - 4270	Mobility - requires help to move in wheelchair
HSC8DMOB	2	4271 - 4272	Mobility trouble - function code - (D)
HSC8_21	1	4273 - 4273	Dexterity - able to grasp and handle small objects
HSC8_22	1	4274 - 4274	Dexterity - requires help due to limitation in hands
HSC8_23	1	4275 - 4275	Dexterity - requires help with tasks
HSC8_24	1	4276 - 4276	Dexterity - requires special equipment / hand limitation
HSC8DDEX	2	4277 - 4278	Dexterity trouble - function code - (D)
HSC8_25	1	4279 - 4279	Emotion - description
HSC8DEMO	1	4280 - 4280	Emotional problems - function code - (D)
HSC8_26	1	4281 - 4281	Cognition - ability to remember things
HSC8_27	1	4282 - 4282	Cognition - ability to think and solve problems
HSC8DCOG	2	4283 - 4284	Cognition - function code - (D)
HSC8_28	1	4285 - 4285	Severity - free of pain or discomfort
HSC8_29	1	4286 - 4286	Severity - pain or discomfort
HSC8_30	1	4287 - 4287	Severity - no. of activities prevented by pain
HSC8DPAD	1	4288 - 4288	Activities prevented / pain - function code - (D)
HSC8DHSI	5.3	4289 - 4293	Health Utility Index (HUI3) - (D)

NPBS Cycle 3: Record Layout

Page 79

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PY_8_H1	2	4294 - 4295	Coherence - don't care about surroundings
PY_8_H2	2	4296 - 4297	Coherence - surprised by other's behaviour
PY_8_H3	2	4298 - 4299	Coherence - disappointed by people counted on
PY_8_H4	2	4300 - 4301	Coherence - treated unfairly
PY_8_H5	2	4302 - 4303	Coherence - in unfamiliar situations
PY_8_H6	2	4304 - 4305	Coherence - mixed-up feelings
PY_8_H7	2	4306 - 4307	Coherence - uncomfortable feelings
PY_8_H8	2	4308 - 4309	Coherence - loser
PY_8_H9	2	4310 - 4311	Coherence - little meaning in life
PY_8_H10	2	4312 - 4313	Coherence - can't keep feelings under control
PY_8_H11	2	4314 - 4315	Coherence - clear goals and purpose
PY_8_H12	2	4316 - 4317	Coherence - keep things in proportion
PY_8_H13	2	4318 - 4319	Coherence - bored or satisfied with everyday activities
PY_8DH1	2	4320 - 4321	Sense of coherence scale - (D)
PAC8_1A	1	4322 - 4322	Activity / last 3 months - walking
PAC8_1B	1	4323 - 4323	Activity / last 3 months - gardening / yard work
PAC8_1C	1	4324 - 4324	Activity / last 3 months - swimming
PAC8_1D	1	4325 - 4325	Activity / last 3 months - bicycling
PAC8_1E	1	4326 - 4326	Activity / last 3 months - popular or social dance
PAC8_1F	1	4327 - 4327	Activity / last 3 months - home exercises
PAC8_1G	1	4328 - 4328	Activity / last 3 months - ice hockey
PAC8_1H	1	4329 - 4329	Activity / last 3 months - ice skating
PAC8_1Y	1	4330 - 4330	Activity / last 3 months - in-line skating or rollerblading
PAC8_1J	1	4331 - 4331	Activity / last 3 months - jogging or running
PAC8_1K	1	4332 - 4332	Activity / last 3 months - golfing
PAC8_1L	1	4333 - 4333	Activity / last 3 months - exercise class or aerobics
PAC8_1I	1	4334 - 4334	Activity / last 3 months - downhill skiing
PAC8_1N	1	4335 - 4335	Activity / last 3 months - bowling
PAC8_1O	1	4336 - 4336	Activity / last 3 months - baseball or softball
PAC8_1P	1	4337 - 4337	Activity / last 3 months - tennis
PAC8_1Q	1	4338 - 4338	Activity / last 3 months - weight-training
PAC8_1R	1	4339 - 4339	Activity / last 3 months - fishing
PAC8_1S	1	4340 - 4340	Activity / last 3 months - volleyball
PAC8_1T	1	4341 - 4341	Activity / last 3 months - basketball
PAC8_1U	1	4342 - 4342	Activity / last 3 months - other (#1)
PAC8_1V	1	4343 - 4343	Activity / last 3 months - none

NPBS Cycle 3: Record Layout

Page 80

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PAC8FC1	1	4344 - 4344	Long answer collected - other physical activity (#1)
PAC8_1W	1	4345 - 4345	Activity / last 3 months - other (#2)
PAC8FC2	1	4346 - 4346	Long answer collected - other physical activity (#2)
PAC8_1X	1	4347 - 4347	Activity / last 3 months - other (#3)
PAC8FC3	1	4348 - 4348	Long answer collected - other physical activity (#3)
PAC8_2A	3	4349 - 4351	No. of times participated - walking for exercise
PAC8_3A	1	4352 - 4352	Time spent - walking for exercise
PAC8_2B	3	4353 - 4355	No. of times participated - gardening
PAC8_3B	1	4356 - 4356	Time spent - gardening
PAC8_2C	3	4357 - 4359	No. of times participated - swimming
PAC8_3C	1	4360 - 4360	Time spent - swimming
PAC8_2D	3	4361 - 4363	No. of times participated - bicycling
PAC8_3D	1	4364 - 4364	Time spent - bicycling
PAC8_2E	3	4365 - 4367	No. of times participated - popular / social dance
PAC8_3E	1	4368 - 4368	Time spent - popular / social dance
PAC8_2F	3	4369 - 4371	No. of times participated - home exercises
PAC8_3F	1	4372 - 4372	Time spent - home exercises
PAC8_2G	3	4373 - 4375	No. of times participated - ice hockey
PAC8_3G	1	4376 - 4376	Time spent - ice hockey
PAC8_2H	3	4377 - 4379	No. of times participated - ice skating
PAC8_3H	1	4380 - 4380	Time spent - ice skating
PAC8_2Y	3	4381 - 4383	No. of times participated - in-line skating / rolleblading
PAC8_3Y	1	4384 - 4384	Time spent - in-line skating or rolleblading
PAC8_2J	3	4385 - 4387	No. of times participated - jogging or running
PAC8_3J	1	4388 - 4388	Time spent - jogging or running
PAC8_2K	3	4389 - 4391	No. of times participated - golfing
PAC8_3K	1	4392 - 4392	Time spent - golfing
PAC8_2L	3	4393 - 4395	No. of times participated - exercise class / aerobics
PAC8_3L	1	4396 - 4396	Time spent - exercise class / aerobics
PAC8_2I	3	4397 - 4399	No. of times participated - downhill skiing
PAC8_3I	1	4400 - 4400	Time spent - downhill skiing
PAC8_2N	3	4401 - 4403	No. of times participated - bowling
PAC8_3N	1	4404 - 4404	Time spent - bowling
PAC8_2O	3	4405 - 4407	No. of times participated - baseball or softball
PAC8_3O	1	4408 - 4408	Time spent - baseball or softball
PAC8_2P	3	4409 - 4411	No. of times participated - tennis

NPHS Cycle 3: Record Layout

Page 81

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
PAC8_3P	1	4412 - 4412	Time spent - tennis
PAC8_2Q	3	4413 - 4415	No. of times participated - weight training
PAC8_3Q	1	4416 - 4416	Time spent - weight training
PAC8_2R	3	4417 - 4419	No. of times participated - fishing
PAC8_3R	1	4420 - 4420	Time spent - fishing
PAC8_2S	3	4421 - 4423	No. of times participated - volleyball
PAC8_3S	1	4424 - 4424	Time spent - volleyball
PAC8_2T	3	4425 - 4427	No. of times participated - basketball
PAC8_3T	1	4428 - 4428	Time spent - basketball
PAC8_2U	3	4429 - 4431	No. of times participated - other activity (#1)
PAC8_3U	1	4432 - 4432	Time spent - other activity (#1)
PAC8_2W	3	4433 - 4435	No. of times participated - other activity (#2)
PAC8_3W	1	4436 - 4436	Time spent - other activity (#2)
PAC8_2X	3	4437 - 4439	No. of times participated - other activity (#3)
PAC8_3X	1	4440 - 4440	Time spent - other activity (#3)
PAC8_4A	2	4441 - 4442	Number of hours spent walking to work / school
PAC8_4B	2	4443 - 4444	Number of hours spent biking to work / school
PAC8_5	1	4445 - 4445	Frequency of bike helmet use
PAC8_6	1	4446 - 4446	Level of physical activity for usual day
PAC8DLEI	1	4447 - 4447	Participant in leisure physical activity - (D)
PAC8DFM	3	4448 - 4450	Monthly freq. of physical activity lasting >15 min. - (D)
PAC8DFR	1	4451 - 4451	Frequency of all physical activity - (D)
PAC8DFD	1	4452 - 4452	Participation in daily phys. activ. lasting >15 min. - (D)
PAC8DEE	4.1	4453 - 4456	Energy expenditure - (D)
PAC8DPAI	1	4457 - 4457	Physical activity index - (D)
RPC8_1	1	4458 - 4458	Had repetitive strain injuries
RPC8_2	2	4459 - 4460	Number of repetitive strain injuries
RPC8_3	2	4461 - 4462	Body part affected by repetitive strain
RPC8_4A	1	4463 - 4463	Repetitive / injury caused - activity at home
RPC8_4B	1	4464 - 4464	Repetitive / injury caused - activity at work or school
RPC8_4C	1	4465 - 4465	Repetitive / injury caused - leisure activities
RPC8_4D	1	4466 - 4466	Repetitive / injury caused - other activity
IJC8_1	1	4467 - 4467	Injury - limits normal activities
IJC8_2	2	4468 - 4469	Injury - number of times
IJC8_3	2	4470 - 4471	Injury - type
IJC8_4	2	4472 - 4473	Injury - body part affected

NPBS Cycle 3: Record Layout

Page 82

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
IJC8_5	2	4474 - 4475	Injury - place of occurrence
IJC8_6	2	4476 - 4477	Injury - reason
IJC8_7	1	4478 - 4478	Injury - work-related
IJC8_8A	1	4479 - 4479	Precaution taken - gave up the activity
IJC8_8B	1	4480 - 4480	Precaution taken - being more careful
IJC8_8C	1	4481 - 4481	Precaution taken - safety training
IJC8_8D	1	4482 - 4482	Precaution taken - protective gear
IJC8_8E	1	4483 - 4483	Precaution taken - changing physical situation
IJC8_8F	1	4484 - 4484	Precaution taken - other
IJC8_8G	1	4485 - 4485	Precaution taken - none
IJC8D1	3	4486 - 4488	Type of injury by body site - (D)
IJC8D2	3	4489 - 4491	Cause of injury by place of occurrence - (D)
DGC8_1A	1	4492 - 4492	Medication - pain relievers
DGC8_1B	1	4493 - 4493	Medication - tranquilizers
DGC8_1C	1	4494 - 4494	Medication - diet pills
DGC8_1D	1	4495 - 4495	Medication - antidepressants
DGC8_1E	1	4496 - 4496	Medication - codeine, Demerol or morphine
DGC8_1F	1	4497 - 4497	Medication - allergy
DGC8_1G	1	4498 - 4498	Medication - asthma
DGC8_1H	1	4499 - 4499	Medication - cough or cold remedies
DGC8_1I	1	4500 - 4500	Medication - penicillin or other antibiotics
DGC8_1J	1	4501 - 4501	Medication - heart
DGC8_1K	1	4502 - 4502	Medication - blood pressure
DGC8_1L	1	4503 - 4503	Medication - diuretics
DGC8_1M	1	4504 - 4504	Medication - steroids
DGC8_1N	1	4505 - 4505	Medication - insulin
DGC8_1O	1	4506 - 4506	Medication - pills to control diabetes
DGC8_1P	1	4507 - 4507	Medication - sleeping pills
DGC8_1Q	1	4508 - 4508	Medication - stomach remedies
DGC8_1R	1	4509 - 4509	Medication - laxatives
DGC8_1S	1	4510 - 4510	Medication - birth control pills
DGC8_1T	1	4511 - 4511	Medication - hormones for menopause
DGC8_1T1	1	4512 - 4512	Hormone therapy - type
DGC8_1T2	4	4513 - 4516	Hormone therapy started - year
DGC8_1U	1	4517 - 4517	Medication - thyroid
DGC8_1V	1	4518 - 4518	Medication - other

NPBS Cycle 3: Record Layout

Page 83

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DGC8F1	1	4519 - 4519	Flag for medications taken
DGC8_2	3	4520 - 4522	Number of different medications in past 2 days
DGC8F3A	1	4523 - 4523	Long answer collected - drug 1
DGC8C3A	7	4524 - 4530	Drug code - drug 1
DGC8G3A	2	4531 - 4532	Drug code - drug 1 - (G)
DGC8_3AA	1	4533 - 4533	Prescription from doctor / dentist - drug 1
DGC8F3B	1	4534 - 4534	Long answer collected - drug 2
DGC8C3B	7	4535 - 4541	Drug code - drug 2
DGC8G3B	2	4542 - 4543	Drug code - drug 2 - (G)
DGC8_3BA	1	4544 - 4544	Prescription from doctor / dentist - drug 2
DGC8F3C	1	4545 - 4545	Long answer collected - drug 3
DGC8C3C	7	4546 - 4552	Drug code - drug 3
DGC8G3C	2	4553 - 4554	Drug code - drug 3 - (G)
DGC8_3CA	1	4555 - 4555	Prescription from doctor / dentist - drug 3
DGC8F3D	1	4556 - 4556	Long answer collected - drug 4
DGC8C3D	7	4557 - 4563	Drug code - drug 4
DGC8G3D	2	4564 - 4565	Drug code - drug 4 - (G)
DGC8_3DA	1	4566 - 4566	Prescription from doctor / dentist - drug 4
DGC8F3E	1	4567 - 4567	Long answer collected - drug 5
DGC8C3E	7	4568 - 4574	Drug code - drug 5
DGC8G3E	2	4575 - 4576	Drug code - drug 5 - (G)
DGC8_3EA	1	4577 - 4577	Prescription from doctor / dentist - drug 5
DGC8F3F	1	4578 - 4578	Long answer collected - drug 6
DGC8C3F	7	4579 - 4585	Drug code - drug 6
DGC8G3F	2	4586 - 4587	Drug code - drug 6 - (G)
DGC8_3FA	1	4588 - 4588	Prescription from doctor / dentist - drug 6
DGC8F3G	1	4589 - 4589	Long answer collected - drug 7
DGC8C3G	7	4590 - 4596	Drug code - drug 7
DGC8G3G	2	4597 - 4598	Drug code - drug 7 - (G)
DGC8_3GA	1	4599 - 4599	Prescription from doctor / dentist - drug 7
DGC8F3H	1	4600 - 4600	Long answer collected - drug 8
DGC8C3H	7	4601 - 4607	Drug code - drug 8
DGC8G3H	2	4608 - 4609	Drug code - drug 8 - (G)
DGC8_3HA	1	4610 - 4610	Prescription from doctor / dentist - drug 8
DGC8F3I	1	4611 - 4611	Long answer collected - drug 9
DGC8C3I	7	4612 - 4618	Drug code - drug 9

NPBS Cycle 3: Record Layout

Page 84

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DGC8G3I	2	4619 - 4620	Drug code - drug 9 - (G)
DGC8_3IA	1	4621 - 4621	Prescription from doctor / dentist - drug 9
DGC8F3J	1	4622 - 4622	Long answer collected - drug 10
DGC8C3J	7	4623 - 4629	Drug code - drug 10
DGC8G3J	2	4630 - 4631	Drug code - drug 10 - (G)
DGC8_3JA	1	4632 - 4632	Prescription from doctor / dentist - drug 10
DGC8F3K	1	4633 - 4633	Long answer collected - drug 11
DGC8C3K	7	4634 - 4640	Drug code - drug 11
DGC8G3K	2	4641 - 4642	Drug code - drug 11 - (G)
DGC8_3KA	1	4643 - 4643	Prescription from doctor / dentist - drug 11
DGC8F3L	1	4644 - 4644	Long answer collected - drug 12
DGC8C3L	7	4645 - 4651	Drug code - drug 12
DGC8G3L	2	4652 - 4653	Drug code - drug 12 - (G)
DGC8_3LA	1	4654 - 4654	Prescription from doctor / dentist - drug 12
DGC8_4	1	4655 - 4655	Medication - other type
DGC8C5A	7	4656 - 4662	Code for health product - product 1
DGC8G5A	2	4663 - 4664	Code for health product - product 1 - (G)
DGC8F5A	1	4665 - 4665	Long answer collected - health product 1
DGC8_5AA	1	4666 - 4666	Uses a 2nd health product
DGC8C5B	7	4667 - 4673	Code for health product - product 2
DGC8G5B	2	4674 - 4675	Code for health product - product 2 - (G)
DGC8F5B	1	4676 - 4676	Long answer collected - health product 2
DGC8_5BA	1	4677 - 4677	Uses a 3rd health product
DGC8C5C	7	4678 - 4684	Code for health product - product 3
DGC8G5C	2	4685 - 4686	Code for health product - product 3 - (G)
DGC8F5C	1	4687 - 4687	Long answer collected - health product 3
DGC8_5CA	1	4688 - 4688	Uses a 4th health product
DGC8C5D	7	4689 - 4695	Code for health product - product 4
DGC8G5D	2	4696 - 4697	Code for health product - product 4 - (G)
DGC8F5D	1	4698 - 4698	Long answer collected - health product 4
DGC8_5DA	1	4699 - 4699	Uses a 5th health product
DGC8C5E	7	4700 - 4706	Code for health product - product 5
DGC8G5E	2	4707 - 4708	Code for health product - product 5 - (G)
DGC8F5E	1	4709 - 4709	Long answer collected - health product 5
DGC8_5EA	1	4710 - 4710	Uses a 6th health product
DGC8C5F	7	4711 - 4717	Code for health product - product 6

NPBS Cycle 3: Record Layout

Page 85

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
DGC8G5F	2	4718 - 4719	Code for health product - product 6 - (G)
DGC8F5F	1	4720 - 4720	Long answer collected - health product 6
DGC8_5FA	1	4721 - 4721	Uses a 7th health product
DGC8C5G	7	4722 - 4728	Code for health product - product 7
DGC8G5G	2	4729 - 4730	Code for health product - product 7 - (G)
DGC8F5G	1	4731 - 4731	Long answer collected - health product 7
DGC8_5GA	1	4732 - 4732	Uses a 8th health product
DGC8C5H	7	4733 - 4739	Code for health product - product 8
DGC8G5H	2	4740 - 4741	Code for health product - product 8 - (G)
DGC8F5H	1	4742 - 4742	Long answer collected - health product 8
DGC8_5HA	1	4743 - 4743	Uses a 9th health product
DGC8C5I	7	4744 - 4750	Code for health product - product 9
DGC8G5I	2	4751 - 4752	Code for health product - product 9 - (G)
DGC8F5I	1	4753 - 4753	Long answer collected - health product 9
DGC8_5IA	1	4754 - 4754	Uses a 10th health product
DGC8C5J	7	4755 - 4761	Code for health product - product 10
DGC8G5J	2	4762 - 4763	Code for health product - product 10 - (G)
DGC8F5J	1	4764 - 4764	Long answer collected - health product 10
DGC8_5JA	1	4765 - 4765	Uses a 11th health product
DGC8C5K	7	4766 - 4772	Code for health product - product 11
DGC8G5K	2	4773 - 4774	Code for health product - product 11 - (G)
DGC8F5K	1	4775 - 4775	Long answer collected - health product 11
DGC8_5KA	1	4776 - 4776	Uses a 12th health product
DGC8C5L	7	4777 - 4783	Code for health product - product 12
DGC8G5L	2	4784 - 4785	Code for health product - product 12 - (G)
DGC8F5L	1	4786 - 4786	Long answer collected - health product 12
SMC8_1	1	4787 - 4787	Household member smokes inside house
SMC8_2	1	4788 - 4788	Type of smoker
SMC8_3	3	4789 - 4791	Age started smoking daily - daily smoker
SMC8G3	3	4792 - 4794	Age started daily - daily smoker - (G)
SMC8_4	3	4795 - 4797	Number of cigarettes smoked each day - daily smoker
SMC8_4A	1	4798 - 4798	Ever smoked cigarettes
SMC8_4B	1	4799 - 4799	Ever smoked cigarettes (Probe)
SMC8_5A	1	4800 - 4800	Smoked 100 or more cigarettes - former smokers
SMC8_5B	3	4801 - 4803	No. of cigarettes smoked - occasional smoker
SMC8_5C	2	4804 - 4805	No. of days smoked 1 or more cigarettes - occasional smoker

NPHS Cycle 3: Record Layout

Page 86

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SMC8_5	1	4806 - 4806	Ever smoked daily
SMC8_6	3	4807 - 4809	Age started smoking daily - former daily smoker
SMC8G6	3	4810 - 4812	Age started daily - former daily smoker - (G)
SMC8_7	3	4813 - 4815	No. of cigarettes daily - former daily smoker
SMC8_8	3	4816 - 4818	Age stopped smoking daily - former daily smoker
SMC8G8	3	4819 - 4821	Age stopped daily - former daily smoker - (G)
SMC8DTYP	2	4822 - 4823	Type of smoker - (D)
SMC8DYRS	3	4824 - 4826	Number of years smoked - (D)
SMC8_9	2	4827 - 4828	Reason for quitting smoking
SMC8_10	2	4829 - 4830	Reason for starting smoking
SMC8_11	2	4831 - 4832	Reason for smoking less
SMC8_12	2	4833 - 4834	Reason for smoking more
SMC8_2_1	1	4835 - 4835	Time of first cigarette after awake
SMC8_2_2	1	4836 - 4836	Tried quitting smoking
SMC8_2_3	2	4837 - 4838	Number of times - tried to quit smoking
SMC8_2_4	1	4839 - 4839	Considers quitting smoking - next 30 days
SMC8_2_5	1	4840 - 4840	Considers quitting smoking - next 6 months
SMC8_2_6	1	4841 - 4841	Smoking restriction at work
TAS8_1	1	4842 - 4842	Smoked cigars
TAS8_2	1	4843 - 4843	Smoked a pipe
TAS8_3	1	4844 - 4844	Used snuff
TAS8_4	1	4845 - 4845	Used chewing tobacco
ALC8_1	1	4846 - 4846	Drank alcohol in past 12 months
ALC8_2	2	4847 - 4848	Frequency of drinking alcohol
ALC8_3	2	4849 - 4850	Frequency of having 5 or more drinks
ALC8_DAY	2	4851 - 4852	Interview date - day of the week
ALC8_5	1	4853 - 4853	Drank alcohol in past week
ALC8_5A1	3	4854 - 4856	Number of drinks - Monday
ALC8_5A2	3	4857 - 4859	Number of drinks - Tuesday
ALC8_5A3	3	4860 - 4862	Number of drinks - Wednesday
ALC8_5A4	3	4863 - 4865	Number of drinks - Thursday
ALC8_5A5	3	4866 - 4868	Number of drinks - Friday
ALC8_5A6	3	4869 - 4871	Number of drinks - Saturday
ALC8_5A7	3	4872 - 4874	Number of drinks - Sunday
ALC8_5B	1	4875 - 4875	Ever had a drink
ALC8_6	1	4876 - 4876	Regularly drank more than 12 drinks a week

NPHS Cycle 3: Record Layout

Page 87

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
ALC8_7A	1	4877 - 4877	Reason reduced drinking - dieting
ALC8_7B	1	4878 - 4878	Reason reduced drinking - athletic training
ALC8_7C	1	4879 - 4879	Reason reduced drinking - pregnancy
ALC8_7D	1	4880 - 4880	Reason reduced drinking - getting older
ALC8_7E	1	4881 - 4881	Reason reduced drinking - drinking too much
ALC8_7F	1	4882 - 4882	Reason reduced drinking - affected work / studies
ALC8_7G	1	4883 - 4883	Reason reduced drinking - interfered with family life
ALC8_7H	1	4884 - 4884	Reason reduced drinking - affected physical health
ALC8_7I	1	4885 - 4885	Reason reduced drinking - affected social relationships
ALC8_7J	1	4886 - 4886	Reason reduced drinking - affected financial position
ALC8_7K	1	4887 - 4887	Reason reduced drinking - affected happiness
ALC8_7L	1	4888 - 4888	Reason reduced drinking - influence of family / friends
ALC8_7M	1	4889 - 4889	Reason reduced drinking - other
ALC8DTYP	1	4890 - 4890	Type of drinker - (D)
ALC8DWKY	3	4891 - 4893	Weekly total of alcohol consumed - (D)
ALC8DDLX	2	4894 - 4895	Average daily alcohol consumption - (D)
MHC8_1A	1	4896 - 4896	Frequency - felt sad nothing could cheer up
MHC8_1B	1	4897 - 4897	Frequency - felt nervous
MHC8_1C	1	4898 - 4898	Frequency - felt restless / fidgety
MHC8_1D	1	4899 - 4899	Frequency - felt hopeless
MHC8_1E	1	4900 - 4900	Frequency - felt worthless
MHC8_1F	1	4901 - 4901	Frequency - felt everything was an effort
MHC8_1G	1	4902 - 4902	Frequency - feelings occurrence
MHC8_1H	1	4903 - 4903	Frequency - feelings occurrence (more)
MHC8_1I	1	4904 - 4904	Frequency - feelings occurrence (less)
MHC8_1J	1	4905 - 4905	Frequency - experiences interfere with life
MHC8_1K	1	4906 - 4906	Mental health - consulted health professional
MHC8_1L	3	4907 - 4909	Frequency - consultations with health professional
MHC8G1L	2	4910 - 4911	No. of consultations with health prof. / mental health - (G)
MHC8_1MA	1	4912 - 4912	Mental health, consulted - family doctor
MHC8_1MB	1	4913 - 4913	Mental health, consulted - psychiatrist
MHC8_1MC	1	4914 - 4914	Mental health, consulted - psychologist
MHC8_1MD	1	4915 - 4915	Mental health, consulted - nurse
MHC8_1ME	1	4916 - 4916	Mental health, consulted - social worker or counselor
MHC8_1MF	1	4917 - 4917	Mental health, consulted - other
MHC8_2	1	4918 - 4918	Felt depressed for 2 weeks or more in past year

NPBS Cycle 3: Record Layout

Page 88

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
MHC8_3	1	4919 - 4919	Depressed - length of time feelings usually last
MHC8_4	1	4920 - 4920	Depressed - number of times felt this way
MHC8_5	1	4921 - 4921	Depressed - lost interest in most things
MHC8_6	1	4922 - 4922	Depressed - felt tired all of the time
MHC8_7	1	4923 - 4923	Depressed - weight change or not
MHC8_8KG	3	4924 - 4926	Depressed - weight change (kg.)
MHC8_8LB	3	4927 - 4929	Depressed - weight change (lb.)
MHC8_9	1	4930 - 4930	Depressed - trouble falling asleep
MHC8_10	1	4931 - 4931	Depressed - frequency of trouble falling asleep
MHC8_11	1	4932 - 4932	Depressed - trouble concentrating
MHC8_12	1	4933 - 4933	Depressed - felt down on self
MHC8_13	1	4934 - 4934	Depressed - thought a lot about death
MHC8_14	2	4935 - 4936	Depressed - number of weeks in past 12 months
MHC8_15	2	4937 - 4938	Month in which depression occurred
MHC8_16	1	4939 - 4939	Lost interest in most things that usually give pleasure
MHC8_17	1	4940 - 4940	Loss of interest - duration
MHC8_18	1	4941 - 4941	Loss of interest - frequency
MHC8_19	1	4942 - 4942	Loss of interest - felt tired all the time
MHC8_20	1	4943 - 4943	Loss of interest - weight change or not
MHC8_21K	3	4944 - 4946	Loss of interest - weight change (kg.)
MHC8_21L	3	4947 - 4949	Loss of interest - weight change (lb.)
MHC8_22	1	4950 - 4950	Loss of interest - trouble falling asleep
MHC8_23	1	4951 - 4951	Loss of interest - frequency having trouble falling asleep
MHC8_24	1	4952 - 4952	Loss of interest - trouble concentrating
MHC8_25	1	4953 - 4953	Loss of interest - felt down on self
MHC8_26	1	4954 - 4954	Loss of interest - thought a lot about death
MHC8_27	2	4955 - 4956	Loss of interest - number of weeks
MHC8_28	2	4957 - 4958	Loss of interest - month of occurrence
MHC8DDS	2	4959 - 4960	Distress Scale - (D)
MHC8DCH	2	4961 - 4962	Chronicity of Distress and Impairment Scale - (D)
MHC8DSF	2	4963 - 4964	Depression Scale - Short Form Score - (D)
MHC8DPP	4.2	4965 - 4968	Depression Scale - Predicted Probability - (D)
MHC8DWK	2	4969 - 4970	Number of weeks felt depressed - (D)
MHC8DMT	2	4971 - 4972	Specific month when felt depressed - (D)
SSC8_101	3	4973 - 4975	No. of close friends or relatives
SSC8_102	1	4976 - 4976	Has someone to give help if confined to bed

NPBS Cycle 3: Record Layout

Page 89

Master File - Longitudinal Full Response

March 2000

Variable	Length	Position	Concept
SSC8_103	1	4977 - 4977	Has someone to count on to listen
SSC8_104	1	4978 - 4978	Has someone to give advice about a crisis
SSC8_105	1	4979 - 4979	Has someone to go to the doctor with
SSC8_106	1	4980 - 4980	Has someone who shows love and affection
SSC8_107	1	4981 - 4981	Has someone to have a good time with
SSC8_108	1	4982 - 4982	Has someone who gives information to understand a situation
SSC8_109	1	4983 - 4983	Has someone to confide in
SSC8_110	1	4984 - 4984	Has someone who gives hugs
SSC8_111	1	4985 - 4985	Has someone to get together with for relaxation
SSC8_112	1	4986 - 4986	Has someone to prepare meals
SSC8_113	1	4987 - 4987	Has someone to give advice
SSC8_114	1	4988 - 4988	Has someone to do things to get mind off things
SSC8_115	1	4989 - 4989	Has someone to help with daily chores if sick
SSC8_116	1	4990 - 4990	Has someone to share most private worries and fears with
SSC8_117	1	4991 - 4991	Has someone to turn to for suggestions for personal problems
SSC8_118	1	4992 - 4992	Has someone to do something enjoyable with
SSC8_119	1	4993 - 4993	Has someone who understands problems
SSC8_120	1	4994 - 4994	Has someone who loves and makes feel wanted
SSC8DTNG	2	4995 - 4996	Tangible social support - MOS subscale - (D)
SSC8DAFF	2	4997 - 4998	Affection - MOS subscale - (D)
SSC8DSOC	2	4999 - 5000	Positive social interaction - MOS subscale - (D)
SSC8DEMO	2	5001 - 5002	Emotional or informational support - MOS subscale - (D)
AM68_LNK	1	5003 - 5003	Permission to link data
AM68_TEL	1	5004 - 5004	H06 interview by telephone or in person
AM68_ALO	1	5005 - 5005	Respondent alone for completion of H06 questionnaire
AM68_AFF	1	5006 - 5006	Answers affected by presence of another person
AM68_LNG	2	5007 - 5008	Interview language - H06
AM68_EDD	2	5009 - 5010	Day of interview - H06 (end)
AM68_EMM	2	5011 - 5012	Month of interview - H06 (end)
AM68_EYY	4	5013 - 5016	Year of interview - H06 (end)
WT68LF	8.2	5017 - 5024	Sampling weight - Longitudinal full response