

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

CANADA

NUMERATOR OF
PERCENTAGE
('000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	226.4	225.4	224.2	220.8	214.9	208.8	202.6	196.2	189.5	182.6	175.4	160.2	124.1	71.6
2	160.1	159.4	158.6	156.1	151.9	147.7	143.3	138.7	134.0	129.1	124.1	113.3	87.7	50.6
3	130.7	130.1	129.5	127.5	124.1	120.6	117.0	113.3	109.4	105.4	101.3	92.5	71.6	41.4
4	113.2	112.7	112.1	110.4	107.4	104.4	101.3	98.1	94.8	91.3	87.7	80.1	62.0	35.8
5	101.2	100.8	100.3	98.7	96.1	93.4	90.6	87.7	84.7	81.7	78.5	71.6	55.5	32.0
6	92.4	92.0	91.5	90.1	87.7	85.3	82.7	80.1	77.4	74.6	71.6	65.4	50.6	29.2
7	85.6	85.2	84.7	83.4	81.2	78.9	76.6	74.1	71.6	69.0	66.3	60.5	46.9	27.1
8	80.0	79.7	79.3	78.1	76.0	73.8	71.6	69.4	67.0	64.6	62.0	56.6	43.9	25.3
9	75.5	75.1	74.7	73.6	71.6	69.6	67.5	65.4	63.2	60.9	58.5	53.4	41.4	23.9
10	71.6	71.3	70.9	69.8	68.0	66.0	64.1	62.0	59.9	57.7	55.5	50.6	39.2	22.7
11	68.3	68.0	67.6	66.6	64.8	63.0	61.1	59.1	57.1	55.1	52.9	48.3	37.4	21.6
12	65.4	65.1	64.7	63.7	62.0	60.3	58.5	56.6	54.7	52.7	50.6	46.2	35.8	20.7
13	62.8	62.5	62.2	61.2	59.6	57.9	56.2	54.4	52.6	50.6	48.7	44.4	34.4	19.9
14	60.5	60.2	59.9	59.0	57.4	55.8	54.1	52.4	50.6	48.8	46.9	42.8	33.2	19.1
15	58.5	58.2	57.9	57.0	55.5	53.9	52.3	50.6	48.9	47.2	45.3	41.4	32.0	18.5
16	56.6	56.3	56.1	55.2	53.7	52.2	50.6	49.0	47.4	45.7	43.9	40.0	31.0	17.9
17	54.9	54.7	54.4	53.5	52.1	50.6	49.1	47.6	46.0	44.3	42.6	38.8	30.1	17.4
18	53.1	53.1	52.9	52.0	50.6	49.2	47.8	46.2	44.7	43.0	41.4	37.8	29.2	16.9
19	51.7	51.7	51.4	50.6	49.3	47.9	46.5	45.0	43.5	41.9	40.3	36.7	28.5	16.0
20	50.4	50.4	50.1	49.4	48.0	46.7	45.3	43.9	42.4	40.8	39.2	35.8	27.7	15.6
21	49.2	49.2	48.9	48.2	46.9	45.6	44.2	42.8	41.4	39.8	38.3	34.9	27.1	15.3
22	48.0	48.0	47.8	47.1	45.8	44.5	43.2	41.8	40.4	38.9	37.4	34.1	26.4	14.9
23	47.0	47.0	46.8	46.0	44.8	43.5	42.2	40.9	39.5	38.1	36.6	33.4	25.9	14.6
24	46.0	46.0	45.8	45.1	43.9	42.6	41.4	40.0	38.7	37.3	35.8	32.7	25.3	14.3
25	45.1	45.1	44.8	44.2	43.0	41.8	40.5	39.2	37.9	36.5	35.1	32.0	24.8	14.3
30	38.1	38.1	37.9	37.3	36.3	35.3	34.2	33.2	32.0	30.9	29.7	27.1	21.0	12.1
35	35.6	35.6	35.5	34.9	34.0	33.0	32.0	31.0	30.0	28.9	27.7	25.3	19.6	11.3
40	33.6	33.6	33.4	32.9	32.0	31.1	30.2	29.2	28.2	27.2	26.2	23.9	18.5	10.7
45	31.9	31.9	31.7	31.2	30.4	29.5	28.7	27.7	26.8	25.8	24.8	22.7	17.5	10.1
50	30.4	30.4	30.2	29.8	29.0	28.2	27.3	26.4	25.6	24.6	23.7	21.6	16.7	9.7
55	29.1	29.1	28.9	28.5	27.7	27.0	26.2	25.3	24.5	23.6	22.7	20.7	16.0	9.2
60	28.0	28.0	27.8	27.4	26.7	25.9	25.1	24.3	23.5	22.7	21.8	19.9	15.4	8.9
65	26.9	26.9	26.8	26.4	25.7	25.0	24.2	23.4	22.7	21.8	21.0	19.1	14.8	8.6
70	26.0	26.0	25.9	25.5	24.8	24.1	23.4	22.7	21.9	21.1	20.3	18.5	14.3	8.3
75	25.2	25.2	25.1	24.7	24.0	23.3	22.7	21.9	21.2	20.4	19.6	17.9	13.9	8.0
80	24.4	24.4	24.3	23.9	23.3	22.7	22.0	21.3	20.6	19.8	19.0	17.4	13.5	7.8
85	23.8	23.8	23.6	23.3	22.7	22.0	21.4	20.7	20.0	19.2	18.5	16.9	13.1	7.6
90	23.1	23.1	23.0	22.7	22.0	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.3
95	22.5	22.5	22.4	22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.5	16.0	12.4	7.2
100	20.2	20.2	20.1	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
125	18.4	18.4	18.3	18.0	17.5	17.1	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
150	16.0	16.0	15.9	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.6	5.1
200	14.0	14.0	13.9	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.5	10.1	7.8	4.5
250	12.0	12.0	11.8	11.5	11.2	10.8	10.5	10.1	9.5	9.1	8.8	8.0	6.2	3.6
300	11.0	11.0	10.7	10.4	10.1	9.8	9.6	9.2	8.9	8.6	8.3	7.6	5.8	3.4
350	10.4	10.4	10.1	9.8	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
400	10.0	10.0	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.2	6.9	5.5	2.6
450	9.9	9.9	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.2	6.9	5.5	2.3
500	9.9	9.9	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.2	6.9	5.5	2.3
750	8.1	8.1	7.8	7.6	7.4	7.2	6.9	6.7	6.4	6.2	5.9	5.6	5.1	2.3
1000	6.8	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.5	2.3

1500	*****	5.5	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8
2000	*****	*****	4.7	4.5	4.4	4.2	4.1	3.9	3.6	2.8	1.6
3000	*****	*****	*****	3.7	3.6	3.5	3.3	3.2	2.9	2.3	1.3
4000	*****	*****	*****	*****	3.1	3.0	2.9	2.8	2.5	2.0	1.1
5000	*****	*****	*****	*****	*****	2.7	2.6	2.5	2.3	1.8	1.0
6000	*****	*****	*****	*****	*****	*****	2.4	2.3	2.1	1.6	0.9
7000	*****	*****	*****	*****	*****	*****	*****	2.1	1.9	1.5	0.8
8000	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.4	0.8
9000	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3	0.8
10000	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2	0.7
12500	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.1	0.6
15000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.6

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

NEWFOUNDLAND

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	68.4	68.1	67.0	65.3	63.4	61.5	59.6	57.5	55.5	53.3	48.6	37.7	21.8
2	*****	48.4	48.1	47.4	46.1	44.8	43.5	42.1	40.7	39.2	37.7	34.4	26.6	15.4
3	*****	39.5	39.3	38.7	37.6	36.6	35.5	34.4	33.2	32.0	30.8	28.1	21.8	12.6
4	*****	*****	34.0	33.5	32.6	31.7	30.8	29.8	28.8	27.7	26.6	24.3	18.8	10.9
5	*****	*****	30.5	30.0	29.2	28.4	27.5	26.6	25.7	24.8	23.8	21.8	16.8	9.7
6	*****	*****	27.8	27.4	26.6	25.9	25.1	24.3	23.5	22.6	21.8	19.9	15.4	8.9
7	*****	*****	25.7	25.3	24.7	24.0	23.3	22.5	21.8	21.0	20.1	18.4	14.2	8.2
8	*****	*****	*****	23.7	23.1	22.4	21.8	21.1	20.3	19.6	18.8	17.2	13.3	7.7
9	*****	*****	*****	22.3	21.8	21.1	20.5	19.9	19.2	18.5	17.8	16.2	12.6	7.3
10	*****	*****	*****	21.2	20.6	20.1	19.5	18.8	18.2	17.5	16.8	15.4	11.9	6.9
11	*****	*****	*****	20.2	19.7	19.1	18.5	18.0	17.4	16.7	16.1	14.7	11.4	6.6
12	*****	*****	*****	19.4	18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3
13	*****	*****	*****	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.4	6.0
14	*****	*****	*****	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
15	*****	*****	*****	17.3	16.8	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
16	*****	*****	*****	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
17	*****	*****	*****	16.3	15.8	15.4	14.9	14.4	14.0	13.4	12.9	11.8	9.1	5.3
18	*****	*****	*****	15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.6	11.5	8.9	5.1
19	*****	*****	*****	15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0
20	*****	*****	*****	*****	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
21	*****	*****	*****	*****	14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7
22	*****	*****	*****	*****	13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
23	*****	*****	*****	*****	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5
24	*****	*****	*****	*****	13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4
25	*****	*****	*****	*****	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
30	*****	*****	*****	*****	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
35	*****	*****	*****	*****	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
40	*****	*****	*****	*****	*****	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
45	*****	*****	*****	*****	*****	9.5	9.2	8.9	8.6	8.3	7.9	7.3	5.6	3.2
50	*****	*****	*****	*****	*****	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
55	*****	*****	*****	*****	*****	8.6	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9
60	*****	*****	*****	*****	*****	8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8
65	*****	*****	*****	*****	*****	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
70	*****	*****	*****	*****	*****	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6
75	*****	*****	*****	*****	*****	7.4	7.1	6.9	6.6	6.4	6.2	5.6	4.4	2.5
80	*****	*****	*****	*****	*****	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4
85	*****	*****	*****	*****	*****	6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
90	*****	*****	*****	*****	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.1	4.0	2.3
95	*****	*****	*****	*****	*****	6.3	6.1	5.9	5.7	5.5	5.3	4.9	3.9	2.2
100	*****	*****	*****	*****	*****	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.8	2.2
125	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	1.9
150	*****	*****	*****	*****	*****	5.5	5.3	5.1	4.9	4.7	4.5	4.1	3.1	1.6
200	*****	*****	*****	*****	*****	5.0	4.8	4.6	4.4	4.2	4.0	3.6	2.7	1.5
250	*****	*****	*****	*****	*****	4.5	4.3	4.1	3.9	3.7	3.5	3.1	2.4	1.4
300	*****	*****	*****	*****	*****	4.0	3.8	3.6	3.4	3.2	3.0	2.6	2.0	1.3
350	*****	*****	*****	*****	*****	3.5	3.3	3.1	2.9	2.7	2.5	2.1	1.6	1.2

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
(2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE

THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.

- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

PRINCE EDWARD ISLAND

NUMERATOR OF
PERCENTAGE
(.000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	*****	33.2	32.7	31.9	31.0	30.0	29.1	28.1	27.1	26.0	23.7	18.4	10.6
2	*****	*****	*****	23.1	22.5	21.9	21.2	20.6	19.9	19.1	18.4	16.8	13.0	7.5
3	*****	*****	*****	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
4	*****	*****	*****	16.4	15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3
5	*****	*****	*****	*****	14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7
6	*****	*****	*****	*****	13.0	12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
7	*****	*****	*****	*****	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	7.0	4.0
8	*****	*****	*****	*****	11.3	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8
9	*****	*****	*****	*****	*****	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
10	*****	*****	*****	*****	*****	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4
11	*****	*****	*****	*****	*****	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
12	*****	*****	*****	*****	*****	8.9	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
13	*****	*****	*****	*****	*****	*****	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
14	*****	*****	*****	*****	*****	*****	8.0	7.8	7.5	7.2	7.0	6.3	4.9	2.8
15	*****	*****	*****	*****	*****	*****	7.8	7.5	7.3	7.0	6.7	6.1	4.7	2.7
16	*****	*****	*****	*****	*****	*****	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7
17	*****	*****	*****	*****	*****	*****	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
18	*****	*****	*****	*****	*****	*****	*****	6.9	6.6	6.4	6.1	5.6	4.3	2.5
19	*****	*****	*****	*****	*****	*****	*****	6.7	6.4	6.2	6.0	5.4	4.2	2.4
20	*****	*****	*****	*****	*****	*****	*****	6.5	6.3	6.1	5.8	5.3	4.1	2.4
21	*****	*****	*****	*****	*****	*****	6.3	6.1	5.9	5.7	5.5	5.2	4.0	2.3
22	*****	*****	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.0	3.9	2.3
23	*****	*****	*****	*****	*****	*****	*****	5.9	5.7	5.5	5.4	5.0	3.8	2.2
24	*****	*****	*****	*****	*****	*****	*****	5.7	5.5	5.3	5.2	4.8	3.8	2.2
25	*****	*****	*****	*****	*****	*****	*****	5.6	5.4	5.2	5.2	4.7	3.7	2.1
30	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.7	4.3	3.4	1.9
35	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.0	3.1	1.8
40	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.8	2.9	1.7
45	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	1.6
50	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	1.5
55	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.4
60	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4
65	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4
70	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3
75	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

NOVA SCOTIA

NUMERATOR OF
PERCENTAGE
('000)

ESTIMATED PERCENTAGE

0.1%

1.0%

2.0%

5.0%

10.0%

15.0%

20.0%

25.0%

30.0%

35.0%

40.0%

50.0%

70.0%

90.0%

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
125
150
200
250
300
350
400
450
500

*****	84.8	84.4	83.1	80.8	78.6	76.2	73.8	71.3	68.7	66.0	60.3	46.7	26.9
*****	60.0	59.7	58.7	57.2	55.6	53.9	52.2	50.4	48.6	46.7	42.6	33.0	19.1
*****	49.0	48.7	48.0	46.7	45.4	44.0	42.6	41.2	39.7	38.1	34.8	26.9	15.6
*****	42.4	42.2	41.5	40.4	39.3	38.1	36.9	35.6	34.4	33.0	30.1	23.3	13.5
*****	37.9	37.7	37.1	36.2	35.1	34.1	33.0	31.9	30.7	29.5	26.9	20.9	12.1
*****	34.6	34.4	33.9	33.0	32.1	31.1	30.1	29.1	28.0	26.9	24.6	19.1	11.0
*****	*****	31.9	31.4	30.6	29.7	28.8	27.9	26.9	26.0	24.9	22.8	17.6	10.2
*****	*****	29.8	29.4	28.6	27.8	26.9	26.1	25.2	24.3	23.3	21.3	16.5	9.5
*****	*****	28.1	27.7	26.9	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0
*****	*****	26.7	26.3	25.6	24.8	24.1	23.3	22.5	21.7	20.9	19.1	14.6	8.5
*****	*****	25.4	25.0	24.4	23.7	23.0	22.3	21.5	20.7	19.9	18.2	14.1	8.1
*****	*****	24.4	24.0	23.3	22.7	22.0	21.3	20.6	19.8	19.1	17.4	13.5	7.6
*****	*****	*****	23.0	22.4	21.8	21.1	20.5	19.8	19.1	18.3	16.7	12.9	7.5
*****	*****	*****	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.7	16.1	12.5	7.2
*****	*****	*****	21.4	20.9	20.3	19.7	19.1	18.4	17.7	17.0	15.6	12.1	7.0
*****	*****	*****	20.8	20.2	19.6	19.1	18.4	17.8	17.2	16.5	15.1	11.7	6.7
*****	*****	*****	19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
*****	*****	*****	19.1	18.5	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2
*****	*****	*****	18.6	18.1	17.6	17.0	16.5	15.9	15.4	14.8	13.5	10.4	6.0
*****	*****	*****	18.1	17.6	17.1	16.6	16.1	15.6	15.0	14.4	13.1	10.2	5.9
*****	*****	*****	17.7	17.2	16.8	16.2	15.7	15.2	14.6	14.1	12.8	10.0	5.7
*****	*****	*****	17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
*****	*****	*****	17.0	16.5	16.0	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
*****	*****	*****	16.6	16.2	15.7	15.2	14.8	14.3	13.7	13.2	12.1	9.3	5.4
*****	*****	*****	15.2	14.8	14.3	13.9	13.5	13.0	12.5	12.1	11.0	8.5	4.9
*****	*****	*****	*****	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
*****	*****	*****	*****	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
*****	*****	*****	*****	12.1	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
*****	*****	*****	*****	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
*****	*****	*****	*****	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
*****	*****	*****	*****	10.4	10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5
*****	*****	*****	*****	*****	9.7	9.5	9.2	8.8	8.5	8.2	7.5	5.8	3.3
*****	*****	*****	*****	*****	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
*****	*****	*****	*****	*****	9.1	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1
*****	*****	*****	*****	*****	8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0
*****	*****	*****	*****	*****	8.5	8.3	8.0	7.7	7.5	7.2	6.5	5.1	2.9
*****	*****	*****	*****	*****	8.3	8.0	7.8	7.5	7.2	7.0	6.4	4.9	2.8
*****	*****	*****	*****	*****	*****	7.6	7.4	7.3	7.0	6.8	6.2	4.8	2.8
*****	*****	*****	*****	*****	*****	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
*****	*****	*****	*****	*****	*****	*****	6.6	6.4	6.1	5.9	5.4	4.2	2.4
*****	*****	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	4.9	3.8	2.2
*****	*****	*****	*****	*****	*****	*****	*****	4.9	4.9	4.7	4.3	3.3	1.9
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.8	3.0	1.7
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.5	2.7	1.6
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.4
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.3	1.3
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

NEW BRUNSWICK

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	80.4	79.9	78.7	76.6	74.5	72.2	69.9	67.6	65.1	62.6	57.1	44.2	25.5
2	*****	56.8	56.5	55.7	54.2	52.6	51.1	49.5	47.8	46.0	44.2	40.4	31.3	18.1
3	*****	46.4	46.2	45.4	44.2	43.0	41.7	40.4	39.0	37.6	36.1	33.0	25.5	14.7
4	*****	40.2	40.0	39.4	38.3	37.2	36.1	35.0	33.8	32.6	31.3	28.6	22.1	12.8
5	*****	*****	35.8	35.2	34.3	33.3	32.3	31.3	30.2	29.1	28.0	25.5	19.8	11.4
6	*****	*****	32.6	32.1	31.3	30.4	29.5	28.6	27.6	26.6	25.5	23.3	18.1	10.4
7	*****	*****	30.2	29.7	29.0	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.7
8	*****	*****	28.3	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
9	*****	*****	26.6	26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.9	19.0	14.7	8.5
10	*****	*****	*****	24.9	24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.1	14.0	8.1
11	*****	*****	*****	23.7	23.1	22.4	21.8	21.1	20.4	19.6	18.9	17.2	13.3	7.7
12	*****	*****	*****	22.7	22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
13	*****	*****	*****	21.8	21.2	20.6	20.0	19.4	18.7	18.1	17.3	15.8	12.3	7.1
14	*****	*****	*****	21.0	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
15	*****	*****	*****	20.3	19.8	19.2	18.6	18.1	17.4	16.8	16.2	14.7	11.4	6.6
16	*****	*****	*****	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4
17	*****	*****	*****	19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.8	10.7	6.2
18	*****	*****	*****	18.6	18.1	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0
19	*****	*****	*****	18.1	17.6	17.1	16.6	16.0	15.5	14.9	14.4	13.1	10.1	5.9
20	*****	*****	*****	17.6	17.1	16.6	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7
21	*****	*****	*****	17.2	16.7	16.2	15.8	15.3	14.7	14.2	13.7	12.5	9.7	5.6
22	*****	*****	*****	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
23	*****	*****	*****	16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3
24	*****	*****	*****	16.1	15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2
25	*****	*****	*****	*****	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
30	*****	*****	*****	*****	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
35	*****	*****	*****	*****	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
40	*****	*****	*****	*****	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
45	*****	*****	*****	*****	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
50	*****	*****	*****	*****	*****	10.5	10.2	9.9	9.6	9.2	8.8	8.1	6.3	3.6
55	*****	*****	*****	*****	*****	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
60	*****	*****	*****	*****	*****	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
65	*****	*****	*****	*****	*****	9.2	8.9	8.7	8.4	8.1	7.8	7.1	5.5	3.2
70	*****	*****	*****	*****	*****	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
75	*****	*****	*****	*****	*****	*****	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
80	*****	*****	*****	*****	*****	*****	8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9
85	*****	*****	*****	*****	*****	*****	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.7
90	*****	*****	*****	*****	*****	*****	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.6
95	*****	*****	*****	*****	*****	*****	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
100	*****	*****	*****	*****	*****	*****	7.0	6.8	6.6	6.3	6.0	5.7	4.4	2.6
125	*****	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.3	5.1	4.7	4.0	2.3
150	*****	*****	*****	*****	*****	*****	5.3	5.1	4.9	4.7	4.5	4.3	3.6	2.1
200	*****	*****	*****	*****	*****	*****	*****	4.0	3.8	3.6	3.4	3.2	2.8	1.8
250	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.4	2.2	2.0	1.6	1.6
300	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.4	2.2	2.0	1.6	1.5
350	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.4	2.2	2.0	1.6	1.4
400	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.4	2.2	2.0	1.6	1.3

NOTES:

(1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.

- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF MEANS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

QUEBEC

NUMERATOR OF PERCENTAGE (1'000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	238.2	237.1	235.9	232.2	226.1	219.7	213.1	206.4	199.4	192.1	184.6	168.5	130.5	75.4
2	168.4	167.6	166.8	164.2	159.8	155.3	150.7	145.9	141.0	135.8	130.5	119.1	92.3	53.3
3	137.5	136.9	136.2	134.1	130.5	126.8	123.0	119.1	115.1	110.9	106.6	97.3	75.4	43.5
4	119.1	118.5	117.9	116.1	113.0	109.8	106.6	103.2	99.7	96.1	92.3	84.2	65.3	37.7
5	106.0	105.5	105.5	103.9	101.1	98.2	95.3	92.3	89.2	85.9	82.5	75.4	58.4	33.7
6	96.8	96.8	96.3	94.8	92.3	89.7	87.0	84.2	81.4	78.4	75.4	68.8	53.3	30.8
7	89.6	89.2	89.2	87.8	85.4	83.0	80.6	78.0	75.4	72.6	69.8	63.7	49.3	28.5
8	83.8	83.4	83.4	82.1	79.9	77.7	75.4	73.0	70.5	67.9	65.3	59.6	46.1	26.6
9	79.0	78.6	78.6	77.4	75.4	73.2	71.0	68.8	66.5	64.0	61.5	56.2	43.5	25.1
10	75.0	74.6	74.6	73.4	71.5	69.5	67.4	65.3	63.0	60.7	58.4	53.3	41.3	23.8
11	71.5	71.1	71.1	70.0	68.2	66.2	64.3	62.2	60.1	57.9	55.6	50.6	39.4	22.7
12	68.4	68.1	68.1	67.0	65.3	63.4	61.5	59.6	57.5	55.5	53.3	48.6	37.7	21.8
13	65.8	65.4	65.4	64.4	62.7	60.9	59.1	57.2	55.3	53.3	51.2	46.7	36.2	20.9
14	63.4	63.0	63.0	62.1	60.4	58.7	57.0	55.2	53.3	51.3	49.3	45.0	34.9	20.1
15	61.2	60.9	60.9	60.0	58.4	56.7	55.0	53.3	51.5	49.6	47.7	43.5	33.7	19.5
16	59.3	59.0	59.0	58.1	56.5	54.9	53.3	51.6	49.8	48.0	46.1	42.1	32.6	18.8
17	57.5	57.2	57.2	56.3	54.8	53.3	51.7	50.0	48.4	46.6	44.8	40.9	31.7	18.3
18	55.9	55.6	55.6	54.7	53.3	51.8	50.2	48.6	47.0	45.3	43.5	39.7	30.8	17.8
19	54.4	54.1	54.1	53.3	51.9	50.4	48.9	47.3	45.7	44.1	42.3	38.7	29.9	17.3
20	53.0	52.7	52.7	51.9	50.5	49.1	47.7	46.1	44.6	43.0	41.3	37.7	29.2	16.8
21	51.7	51.5	51.5	50.7	49.3	47.9	46.5	45.0	43.5	41.9	40.3	36.8	28.5	16.4
22	50.5	50.3	50.3	49.5	48.2	46.8	45.4	44.0	42.5	41.0	39.4	35.9	27.8	16.1
23	49.4	49.2	49.2	48.4	47.1	45.8	44.4	43.0	41.6	40.1	38.5	35.1	27.2	15.7
24	48.4	48.1	48.1	47.4	46.1	44.8	43.5	42.1	40.7	39.2	37.7	34.4	26.6	15.4
25	47.4	47.2	47.2	46.4	45.2	43.9	42.6	41.3	39.9	38.4	36.9	33.7	26.1	15.1
30	43.3	43.1	43.1	42.4	41.3	40.1	38.9	37.7	36.4	35.1	33.7	30.8	23.8	13.8
35	40.1	39.9	39.9	39.3	38.2	37.1	36.0	34.9	33.7	32.5	31.2	28.5	22.1	12.7
40	37.5	37.3	37.3	36.7	35.7	34.7	33.7	32.6	31.5	30.4	29.2	26.6	20.6	11.9
45	35.3	35.2	35.2	34.6	33.7	32.7	31.8	30.8	29.7	28.6	27.5	25.1	19.5	11.2
50	33.4	33.4	33.4	32.8	32.0	31.1	30.1	29.2	28.2	27.2	26.1	23.8	18.5	10.2
55	31.8	31.8	31.8	31.3	30.5	29.6	28.7	27.8	26.9	25.9	24.9	22.7	17.6	9.7
60	30.5	30.5	30.5	30.0	29.2	28.4	27.5	26.6	25.7	24.8	23.8	21.8	16.8	9.3
65	29.3	29.3	29.3	28.8	28.0	27.2	26.4	25.6	24.7	23.8	22.9	20.9	16.2	9.0
70	28.2	28.2	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	8.7
75	27.2	27.2	27.2	26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.4
80	26.4	26.4	26.4	26.0	25.3	24.6	23.8	23.1	22.3	21.5	20.6	18.8	14.6	8.2
85	25.6	25.6	25.6	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.0
90	24.9	24.9	24.9	24.5	23.8	23.2	22.5	21.8	21.0	20.2	19.5	17.8	13.8	7.9
95	24.2	24.2	24.2	23.8	23.2	22.5	21.9	21.2	20.5	19.7	18.9	17.3	13.4	7.7
100	23.8	23.8	23.8	23.2	22.6	22.0	21.3	20.6	19.9	19.2	18.5	16.8	13.1	7.5
125	20.8	20.8	20.8	20.8	20.2	19.6	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7
150	19.0	19.0	19.0	19.0	18.5	17.9	17.4	16.8	16.3	15.7	15.1	13.8	10.7	6.2
200	16.4	16.4	16.4	16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
250	14.3	14.3	14.3	14.3	14.0	13.9	13.5	13.1	12.6	12.1	11.7	10.7	8.3	4.8
300	13.1	13.1	13.1	13.1	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
350	12.1	12.1	12.1	12.1	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
400	11.3	11.3	11.3	11.3	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
450	10.7	10.7	10.7	10.7	10.7	10.4	10.0	9.7	9.4	9.1	8.7	7.9	6.2	3.6
500	9.8	9.8	9.8	9.8	9.8	9.5	9.2	8.9	8.6	8.3	7.9	7.5	5.8	3.4
750	7.8	7.8	7.8	7.8	7.8	7.5	7.3	7.0	6.7	6.4	6.1	5.8	4.8	2.8
1000	6.5	6.5	6.5	6.5	6.5	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.1	2.4

1500	*****	5.0	4.8	4.4	3.4	1.9
2000	*****	*****	*****	3.8	2.9	1.7
3000	*****	*****	*****	*****	2.4	1.4
4000	*****	*****	*****	*****	*****	1.2

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

ONTARIO

NUMERATOR OF
PERCENTAGE
('000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	281.6	280.3	278.9	274.6	267.2	259.7	252.0	244.0	235.7	227.1	218.2	199.2	154.3	89.1
2	199.1	198.2	197.2	194.1	189.0	183.6	178.2	172.5	166.7	160.6	154.3	140.8	109.1	63.0
3	162.6	161.8	161.0	158.5	154.3	149.9	145.5	140.8	136.1	131.1	126.0	115.0	89.1	51.4
4	140.8	140.1	139.4	137.3	133.6	129.9	126.0	122.0	117.8	113.6	109.1	99.6	77.1	44.5
5	125.9	125.3	124.7	122.8	119.5	116.1	112.7	109.1	105.4	101.6	97.6	89.1	69.0	39.8
6	114.9	114.4	113.8	112.1	109.1	106.0	102.9	99.6	96.2	92.7	89.1	81.3	63.0	36.4
7	105.4	105.4	105.4	103.8	101.0	98.2	95.2	92.2	89.1	85.8	82.5	75.3	58.3	33.7
8	99.1	99.1	98.6	97.1	94.5	91.8	89.1	86.3	83.3	80.3	77.1	70.4	54.6	31.5
9	93.4	93.4	93.0	91.5	89.1	86.6	84.0	81.3	78.6	75.7	72.7	66.4	51.4	29.7
10	88.6	88.6	88.2	86.8	84.5	82.1	79.7	77.1	74.5	71.8	69.0	63.0	48.8	28.2
11	84.5	84.5	84.1	82.8	80.6	78.3	76.0	73.6	71.1	68.5	65.8	60.1	46.5	26.9
12	80.9	80.9	80.5	79.3	77.1	75.0	72.7	70.4	68.0	65.6	63.0	57.5	44.5	25.7
13	77.7	77.7	77.3	76.2	74.1	72.0	69.9	67.7	65.4	63.0	60.5	55.2	42.8	24.7
14	74.9	74.9	74.5	73.4	71.4	69.4	67.3	65.2	63.0	60.7	58.3	53.2	41.2	23.8
15	72.4	72.4	72.0	70.9	69.0	67.1	65.1	63.0	60.9	58.6	56.3	51.4	39.8	23.0
16	70.1	70.1	69.7	68.6	66.8	64.9	63.0	61.0	58.9	56.8	54.6	49.8	38.6	22.3
17	68.0	68.0	67.6	66.6	64.8	63.0	61.1	59.2	57.2	55.1	52.9	48.3	37.4	21.6
18	66.1	66.1	65.7	64.7	63.0	61.2	59.4	57.5	55.6	53.5	51.4	46.9	36.4	21.0
19	64.3	64.3	64.0	63.0	61.3	59.6	57.8	56.0	54.1	52.1	50.1	45.7	35.4	20.4
20	62.7	62.7	62.4	61.4	59.8	58.1	56.3	54.6	52.7	50.8	48.8	44.5	34.5	19.9
21	61.2	61.2	60.9	59.9	58.3	56.7	55.0	53.2	51.4	49.6	47.6	43.5	33.7	19.4
22	59.8	59.8	59.5	58.5	57.0	55.4	53.7	52.0	50.2	48.4	46.5	42.5	32.9	19.0
23	58.4	58.4	58.1	57.3	55.7	54.2	52.5	50.9	49.1	47.4	45.5	41.5	32.2	18.6
24	57.2	57.2	56.9	56.0	54.6	53.0	51.4	49.8	48.1	46.4	44.5	40.7	31.5	18.2
25	56.1	56.1	55.8	54.9	53.4	51.9	50.4	48.8	47.1	45.4	43.6	39.8	30.9	17.8
30	51.2	51.2	50.9	50.1	48.8	47.4	46.0	44.5	43.0	41.5	39.8	36.4	28.2	16.3
35	47.4	47.4	47.1	46.4	45.2	43.9	42.6	41.2	39.8	38.4	36.9	33.7	26.1	15.1
40	44.3	44.3	44.1	43.4	42.3	41.1	39.8	38.6	37.3	35.9	34.5	31.5	24.4	14.1
45	41.8	41.8	41.6	40.9	39.8	38.7	37.6	36.4	35.1	33.9	32.5	29.7	23.0	13.3
50	39.6	39.6	39.4	38.8	37.8	36.7	35.6	34.5	33.3	32.1	30.9	28.2	21.8	12.6
55	37.8	37.8	37.6	37.0	36.0	35.0	34.0	32.9	31.8	30.6	29.4	26.9	20.8	12.0
60	36.2	36.2	36.0	35.4	34.5	33.5	32.5	31.5	30.4	29.3	28.2	25.7	19.9	11.5
65	34.8	34.8	34.6	34.1	33.1	32.2	31.3	30.3	29.2	28.2	27.1	24.7	19.1	11.0
70	33.4	33.4	33.3	32.8	31.9	31.0	30.1	29.2	28.2	27.1	26.1	23.8	18.4	10.6
75	32.2	32.2	32.2	31.7	30.9	30.0	29.1	28.2	27.2	26.2	25.2	23.0	17.8	10.3
80	31.2	31.2	31.2	30.7	29.9	29.0	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
85	30.2	30.2	30.2	29.8	29.0	28.2	27.3	26.5	25.6	24.6	23.7	21.6	16.7	9.7
90	29.4	29.4	29.4	28.9	28.2	27.4	26.6	25.7	24.8	23.9	23.0	21.0	16.3	9.4
95	28.6	28.6	28.6	28.2	27.4	26.6	25.9	25.0	24.2	23.3	22.4	20.4	15.8	9.1
100	27.9	27.9	27.9	27.5	26.7	26.0	25.2	24.4	23.6	22.7	21.8	19.9	15.4	8.9
125	24.9	24.9	24.9	24.6	23.9	23.2	22.5	21.8	21.1	20.3	19.5	17.8	13.8	8.0
150	22.4	22.4	22.4	22.4	21.8	21.2	20.6	19.9	19.2	18.5	17.8	16.3	12.6	7.3
200	19.4	19.4	19.4	19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.4	14.1	10.9	6.3
250	17.4	17.4	17.4	17.4	16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
300	15.9	15.9	15.9	15.9	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
350	14.3	14.3	14.3	14.3	13.9	13.5	13.0	12.6	12.2	11.8	11.4	10.6	8.2	4.8
400	13.0	13.0	13.0	13.0	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.7	4.5
450	12.6	12.6	12.6	12.6	12.2	11.9	11.6	11.3	10.9	10.5	10.3	9.4	7.3	4.2
500	12.0	12.0	12.0	12.0	11.6	11.3	11.0	10.7	10.3	10.0	9.8	8.9	6.9	4.0
750	9.5	9.5	9.5	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.5	7.3	5.6	3.3
1000	8.0	8.0	8.0	8.0	7.7	7.5	7.2	6.9	6.3	6.3	6.3	6.3	4.9	2.6

1500	*****	6.3	6.1	5.9	5.6	5.1	4.0	2.3
2000	*****	*****	*****	5.1	4.9	4.5	3.5	2.0
3000	*****	*****	*****	*****	*****	3.6	2.8	1.6
4000	*****	*****	*****	*****	*****	*****	2.4	1.4
5000	*****	*****	*****	*****	*****	*****	*****	1.3

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

MANITOBA

NUMERATOR OF
PERCENTAGE
('000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	95.7	95.2	93.8	91.3	88.7	86.0	83.3	80.5	77.8	74.8	68.0	52.7	30.4
2	*****	67.7	67.3	66.3	64.5	62.7	60.8	58.9	56.9	54.6	52.7	48.1	37.3	21.5
3	*****	55.3	55.0	54.1	52.7	51.2	49.7	48.1	46.5	44.8	43.0	39.3	30.4	17.6
4	*****	47.9	47.6	46.9	45.6	44.3	43.0	41.7	40.2	38.6	37.3	34.0	26.3	15.2
5	*****	42.8	42.6	41.9	40.8	39.7	38.5	37.3	36.0	34.7	33.3	30.4	23.6	13.6
6	*****	39.1	38.9	38.3	37.3	36.2	35.1	34.0	32.9	31.7	30.4	27.8	21.5	12.4
7	*****	36.2	36.0	35.4	34.5	33.5	32.5	31.5	30.4	29.3	28.2	25.7	19.9	11.5
8	*****	*****	33.7	33.1	32.3	31.4	30.4	29.5	28.5	27.4	26.3	24.0	18.6	10.8
9	*****	*****	31.7	31.3	30.4	29.6	28.7	27.8	26.8	25.8	24.8	22.7	17.6	10.1
10	*****	*****	30.1	29.6	28.9	28.0	27.2	26.3	25.4	24.5	23.6	21.5	16.7	9.6
11	*****	*****	28.7	28.3	27.5	26.7	25.9	25.1	24.3	23.4	22.5	20.5	15.9	9.2
12	*****	*****	27.5	27.1	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8
13	*****	*****	26.4	26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4
14	*****	*****	25.4	25.1	24.4	23.7	23.0	22.3	21.5	20.7	19.9	18.2	14.1	8.1
15	*****	*****	*****	24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.2	17.6	13.6	7.9
16	*****	*****	*****	23.4	22.8	22.2	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6
17	*****	*****	*****	22.7	22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
18	*****	*****	*****	22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.6	16.0	12.4	7.2
19	*****	*****	*****	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
20	*****	*****	*****	21.0	20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8
21	*****	*****	*****	20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6
22	*****	*****	*****	20.0	19.5	18.9	18.3	17.7	17.2	16.5	15.9	14.5	11.2	6.5
23	*****	*****	*****	19.5	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3
24	*****	*****	*****	19.1	18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2
25	*****	*****	*****	18.8	18.3	17.7	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1
30	*****	*****	*****	17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
35	*****	*****	*****	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
40	*****	*****	*****	*****	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8
45	*****	*****	*****	*****	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5
50	*****	*****	*****	*****	12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3
55	*****	*****	*****	*****	12.3	12.0	11.6	11.2	10.9	10.5	10.0	9.2	7.1	4.1
60	*****	*****	*****	*****	11.8	11.4	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
65	*****	*****	*****	*****	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
70	*****	*****	*****	*****	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
75	*****	*****	*****	*****	*****	10.2	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5
80	*****	*****	*****	*****	*****	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
85	*****	*****	*****	*****	*****	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
90	*****	*****	*****	*****	*****	9.3	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
95	*****	*****	*****	*****	*****	9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1
100	*****	*****	*****	*****	*****	8.9	8.6	8.3	8.0	7.8	7.5	6.8	5.3	3.0
125	*****	*****	*****	*****	*****	*****	7.7	7.5	7.2	6.9	6.7	6.1	4.7	2.7
150	*****	*****	*****	*****	*****	*****	*****	6.8	6.6	6.3	6.1	5.6	4.3	2.5
200	*****	*****	*****	*****	*****	*****	*****	*****	5.7	5.5	5.3	4.8	3.7	2.2
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.7	4.3	3.3	1.9
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.0	1.8
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.6	2.8	1.6
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	1.5
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.4
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1986

SASKACHEWAN

NUMERATOR OF
PERCENTAGE
(.000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	87.1	86.6	85.3	83.0	80.7	78.3	75.8	73.2	70.6	67.8	61.9	47.9	27.7
2	*****	61.6	61.3	60.3	58.7	57.1	55.4	53.6	51.8	49.9	47.9	43.8	33.9	19.6
3	*****	50.3	50.0	49.3	47.9	46.6	45.2	43.8	42.3	40.7	39.1	35.7	27.7	16.0
4	*****	43.5	43.3	42.7	41.5	40.3	39.1	37.9	36.6	35.3	33.9	30.9	24.0	13.8
5	*****	38.9	38.7	38.2	37.1	36.1	35.0	33.9	32.7	31.6	30.3	27.7	21.4	12.4
6	*****	35.6	35.4	34.8	33.9	32.9	32.0	30.9	29.9	28.8	27.7	25.3	19.6	11.3
7	*****	32.7	32.2	31.4	30.2	29.4	28.5	27.7	26.9	26.7	25.6	23.4	18.1	10.5
8	*****	30.6	30.2	29.4	28.4	27.7	26.9	26.1	25.3	24.9	24.0	21.9	16.9	9.8
9	*****	27.4	27.0	26.3	25.7	25.0	24.3	23.6	22.9	22.3	21.4	19.6	15.2	8.8
10	*****	26.1	25.7	25.0	24.6	24.0	23.3	22.6	21.9	21.1	20.4	18.7	14.5	8.3
11	*****	25.0	24.6	24.0	23.7	23.0	22.4	21.7	21.0	20.3	19.6	17.9	13.8	8.0
12	*****	23.7	23.2	22.8	22.4	21.9	21.4	20.9	20.3	19.6	18.9	17.2	13.3	7.7
13	*****	22.8	22.2	21.8	21.4	20.9	20.4	19.9	19.3	18.6	17.9	16.5	12.8	7.4
14	*****	22.0	21.3	20.8	20.4	19.9	19.4	18.9	18.3	17.6	16.9	15.5	12.4	7.1
15	*****	21.3	20.7	20.1	19.6	19.0	18.5	18.0	17.3	16.6	16.0	14.6	11.6	6.9
16	*****	20.7	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.8	15.2	13.8	11.0	6.5
17	*****	19.6	19.0	18.4	17.8	17.2	16.6	16.0	15.4	14.8	14.2	12.9	10.7	6.2
18	*****	18.6	18.0	17.4	16.8	16.2	15.6	15.0	14.4	13.8	13.2	12.0	10.5	6.0
19	*****	17.7	17.1	16.5	15.9	15.3	14.7	14.1	13.5	12.9	12.3	11.3	10.2	5.9
20	*****	16.9	16.3	15.7	15.1	14.5	13.9	13.3	12.7	12.1	11.5	10.5	9.8	5.6
21	*****	16.1	15.5	14.9	14.3	13.7	13.1	12.5	11.9	11.3	10.7	9.8	9.6	5.5
22	*****	15.2	14.6	14.0	13.4	12.8	12.2	11.6	11.0	10.4	9.8	9.2	8.8	5.1
23	*****	14.0	13.4	12.8	12.2	11.6	11.0	10.4	9.8	9.2	8.6	8.0	7.6	4.7
24	*****	13.1	12.5	11.9	11.3	10.7	10.1	9.5	8.9	8.3	7.7	7.1	6.8	4.4
25	*****	12.4	11.8	11.2	10.6	10.0	9.4	8.8	8.2	7.6	7.0	6.5	6.2	3.9
30	*****	11.7	11.1	10.5	9.9	9.3	8.7	8.1	7.5	6.9	6.3	5.9	5.7	3.7
35	*****	11.2	10.6	10.0	9.4	8.8	8.2	7.6	7.0	6.4	5.8	5.4	5.2	3.6
40	*****	10.7	10.1	9.5	8.9	8.3	7.7	7.1	6.5	5.9	5.3	4.9	4.8	3.4
45	*****	10.2	9.6	9.0	8.4	7.8	7.2	6.6	6.0	5.4	4.8	4.4	4.3	3.3
50	*****	10.0	9.4	8.8	8.2	7.6	7.0	6.4	5.8	5.2	4.6	4.2	4.1	3.2
55	*****	9.8	9.2	8.6	8.0	7.4	6.8	6.2	5.6	5.0	4.4	4.0	3.9	3.1
60	*****	9.6	9.0	8.4	7.8	7.2	6.6	6.0	5.4	4.8	4.2	3.8	3.7	3.0
65	*****	9.4	8.8	8.2	7.6	7.0	6.4	5.8	5.2	4.6	4.0	3.6	3.5	2.9
70	*****	9.1	8.5	7.9	7.3	6.7	6.1	5.5	4.9	4.3	3.7	3.3	3.2	2.8
75	*****	8.9	8.3	7.7	7.1	6.5	5.9	5.3	4.7	4.1	3.5	3.1	3.0	2.6
80	*****	8.7	8.1	7.5	6.9	6.3	5.7	5.1	4.5	3.9	3.3	2.9	2.8	2.4
85	*****	8.5	7.9	7.3	6.7	6.1	5.5	4.9	4.3	3.7	3.1	2.7	2.6	2.3
90	*****	8.3	7.7	7.1	6.5	5.9	5.3	4.7	4.1	3.5	2.9	2.5	2.4	2.1
95	*****	8.1	7.5	6.9	6.3	5.7	5.1	4.5	3.9	3.3	2.7	2.3	2.2	1.9
100	*****	7.9	7.3	6.7	6.1	5.5	4.9	4.3	3.7	3.1	2.5	2.1	2.0	1.8
125	*****	7.4	6.8	6.2	5.6	5.0	4.4	3.8	3.2	2.6	2.0	1.6	1.5	1.4
150	*****	7.0	6.4	5.8	5.2	4.6	4.0	3.4	2.8	2.2	1.6	1.2	1.1	1.3
200	*****	6.5	5.9	5.3	4.7	4.1	3.5	2.9	2.3	1.7	1.1	0.8	0.7	1.2
250	*****	6.1	5.5	4.9	4.3	3.7	3.1	2.5	1.9	1.3	0.7	0.5	0.4	1.1
300	*****	5.8	5.2	4.6	4.0	3.4	2.8	2.2	1.6	1.0	0.4	0.3	0.2	1.0
350	*****	5.5	4.9	4.3	3.7	3.1	2.5	1.9	1.3	0.7	0.1	0.1	0.1	0.9
400	*****	5.2	4.6	4.0	3.4	2.8	2.2	1.6	1.0	0.4	0.0	0.0	0.0	0.8
450	*****	5.0	4.4	3.8	3.2	2.6	2.0	1.4	0.8	0.2	0.0	0.0	0.0	0.7
500	*****	4.8	4.2	3.6	3.0	2.4	1.8	1.2	0.6	0.0	0.0	0.0	0.0	0.6

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

ALBERTA

NUMERATOR OF PERCENTAGE ('0000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	140.8	140.1	139.4	137.3	133.6	129.8	126.0	122.0	117.0	113.5	109.1	99.6	77.1	44.5
2	*****	99.1	90.6	97.1	94.5	91.8	89.1	86.2	83.3	80.3	77.1	70.4	54.5	31.5
3	*****	80.9	80.5	79.2	77.1	75.0	72.7	70.4	68.0	65.6	63.0	57.5	44.5	25.7
4	*****	70.1	69.7	68.6	66.8	64.9	63.0	61.0	58.9	56.8	54.5	49.8	38.6	22.3
5	*****	62.7	62.3	61.4	59.7	58.1	56.3	54.5	52.7	50.8	48.0	44.5	34.5	19.9
6	*****	57.2	56.9	56.0	54.5	53.0	51.4	49.8	48.1	46.4	44.5	40.7	31.5	18.2
7	*****	53.0	52.7	51.9	50.5	49.1	47.6	46.1	44.5	42.9	41.2	37.6	29.2	16.8
8	*****	49.5	49.3	48.5	47.2	45.9	44.5	43.1	41.7	40.1	38.6	35.2	27.3	15.7
9	*****	46.7	46.5	45.8	44.5	43.3	42.0	40.7	39.3	37.8	36.4	33.2	25.7	14.8
10	*****	44.3	44.1	43.4	42.2	41.1	39.8	38.6	37.3	35.9	34.5	31.5	24.4	14.1
11	*****	42.2	42.0	41.4	40.3	39.1	38.0	36.8	35.5	34.2	32.9	30.0	23.3	13.4
12	*****	40.5	40.2	39.6	38.6	37.5	36.4	35.2	34.0	32.8	31.5	28.7	22.3	12.9
13	*****	38.9	38.7	38.1	37.1	36.0	34.9	33.8	32.7	31.5	30.3	27.6	21.4	12.4
14	*****	37.4	37.3	36.7	35.7	34.7	33.7	32.6	31.5	30.3	29.2	26.6	20.6	11.9
15	*****	36.2	36.0	35.4	34.5	33.5	32.5	31.5	30.4	29.3	28.2	25.7	19.9	11.5
16	*****	35.0	34.9	34.3	33.4	32.5	31.5	30.5	29.5	28.4	27.3	24.9	19.3	11.1
17	*****	*****	33.8	33.3	32.4	31.5	30.6	29.6	28.6	27.5	26.5	24.2	18.7	10.8
18	*****	*****	32.9	32.4	31.5	30.6	29.7	28.7	27.8	26.8	25.7	23.5	18.2	10.5
19	*****	*****	32.0	31.5	30.7	29.8	28.9	28.0	27.0	26.0	25.0	22.8	17.7	10.2
20	*****	*****	31.2	30.7	29.9	29.0	28.2	27.3	26.3	25.4	24.4	22.3	17.2	10.0
21	*****	*****	30.4	30.0	29.2	28.3	27.5	26.6	25.7	24.8	23.8	21.7	16.8	9.7
22	*****	*****	29.7	29.3	28.5	27.7	26.9	26.0	25.1	24.2	23.3	21.2	16.4	9.5
23	*****	*****	29.1	28.6	27.9	27.1	26.3	25.4	24.6	23.7	22.7	20.8	16.1	9.3
24	*****	*****	28.5	28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.7	9.1
25	*****	*****	27.9	27.5	26.7	26.0	25.2	24.4	23.6	22.7	21.8	19.9	15.4	8.9
30	*****	*****	25.5	25.1	24.4	23.7	23.0	22.3	21.5	20.7	19.9	18.2	14.1	8.1
35	*****	*****	*****	23.2	22.6	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5
40	*****	*****	*****	21.7	21.1	20.5	19.9	19.3	18.6	18.0	17.2	15.7	12.2	7.0
45	*****	*****	*****	20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6
50	*****	*****	*****	19.4	18.9	18.4	17.8	17.2	16.7	16.1	15.4	14.1	10.9	6.3
55	*****	*****	*****	18.5	18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0
60	*****	*****	*****	17.7	17.2	16.8	16.3	15.7	15.2	14.7	14.1	12.9	10.0	5.7
65	*****	*****	*****	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5
70	*****	*****	*****	16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3
75	*****	*****	*****	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
80	*****	*****	*****	15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
85	*****	*****	*****	*****	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
90	*****	*****	*****	*****	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
95	*****	*****	*****	*****	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
100	*****	*****	*****	*****	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
125	*****	*****	*****	*****	11.9	11.6	11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0
150	*****	*****	*****	*****	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
200	*****	*****	*****	*****	*****	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.1
250	*****	*****	*****	*****	*****	*****	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
300	*****	*****	*****	*****	*****	*****	7.3	7.0	6.8	6.6	6.3	5.7	4.5	2.6
350	*****	*****	*****	*****	*****	*****	*****	6.5	6.3	6.1	5.8	5.3	4.1	2.4
400	*****	*****	*****	*****	*****	*****	*****	6.1	5.9	5.7	5.5	5.0	3.9	2.2
450	*****	*****	*****	*****	*****	*****	*****	*****	5.6	5.4	5.1	4.7	3.6	2.1
500	*****	*****	*****	*****	*****	*****	*****	*****	5.1	5.1	4.9	4.5	3.4	2.0
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.1	4.9	4.5	3.4	2.1
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.1	4.9	4.5	3.4	2.1
												3.6	2.8	1.6
													2.4	1.4

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.

CRUDE SAMPLING VARIABILITY TABLES FOR DRINKING AND DRIVING SURVEY MARCH 1988

BRITISH COLUMBIA

NUMERATOR OF
PERCENTAGE
('000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	163.9	163.2	162.3	159.8	155.6	151.2	146.7	142.0	137.2	132.2	127.0	115.9	89.8	51.9
2	115.9	115.4	114.8	113.0	110.0	106.9	103.7	100.4	97.0	93.5	89.8	82.0	63.5	36.7
3	81.6	81.2	80.7	79.9	77.8	75.6	73.3	71.0	68.6	66.1	63.5	58.0	44.9	25.9
4	73.0	72.6	72.1	71.5	69.6	67.6	65.6	63.5	61.4	59.1	56.8	51.9	40.2	23.2
5	66.6	66.3	66.0	65.2	63.5	61.7	59.9	58.0	56.0	54.0	51.9	47.3	36.7	21.2
6	61.7	61.4	61.1	60.4	58.8	57.1	55.4	53.7	51.9	50.0	48.0	43.8	33.9	19.6
7	57.7	57.4	57.1	56.5	55.0	53.5	51.9	50.2	48.5	46.7	44.9	41.0	31.8	18.3
8	54.4	54.1	53.8	53.3	51.9	50.4	48.9	47.3	45.7	44.1	42.3	38.6	29.9	17.3
9	51.6	51.3	51.0	50.5	49.2	47.8	46.4	44.9	43.4	41.8	40.2	36.7	28.4	16.4
10	49.2	48.9	48.6	48.2	46.9	45.6	44.2	42.8	41.4	39.9	38.3	35.0	27.1	15.6
11	47.1	46.9	46.7	46.1	44.9	43.6	42.3	41.0	39.6	38.2	36.7	33.5	25.9	15.0
12	45.3	45.0	44.8	44.3	43.1	41.9	40.7	39.4	38.1	36.7	35.2	32.2	24.9	14.4
13	43.6	43.4	43.2	42.7	41.6	40.4	39.2	38.0	36.7	35.3	33.9	31.0	24.0	13.9
14	42.1	41.9	41.7	41.3	40.2	39.0	37.9	36.7	35.4	34.1	32.8	29.9	23.2	13.4
15	40.8	40.6	40.4	40.0	38.9	37.8	36.7	35.5	34.3	33.1	31.8	29.0	22.5	13.0
16	39.6	39.4	39.2	38.8	37.7	36.7	35.6	34.4	33.3	32.1	30.8	28.1	21.8	12.6
17	38.5	38.3	38.1	37.7	36.7	35.6	34.6	33.5	32.3	31.2	29.9	27.3	21.2	12.2
18	37.4	37.2	37.0	36.7	35.7	34.7	33.6	32.6	31.5	30.3	29.1	26.6	20.6	11.9
19	36.5	36.3	36.1	35.7	34.8	33.8	32.8	31.8	30.7	29.6	28.4	25.9	20.1	11.6
20	35.4	35.2	35.0	34.9	33.9	33.0	32.0	31.0	29.9	28.8	27.7	25.3	19.6	11.3
21	34.6	34.4	34.2	34.1	33.2	32.2	31.3	30.3	29.2	28.0	27.1	24.7	19.1	11.1
22	33.8	33.6	33.4	33.3	32.4	31.5	30.6	29.6	28.6	27.6	26.5	24.2	18.7	10.8
23	33.1	32.9	32.7	32.6	31.8	30.9	29.9	29.0	28.0	27.0	25.9	23.7	18.3	10.6
24	32.5	32.3	32.1	32.0	31.1	30.2	29.3	28.4	27.4	26.4	25.4	23.2	18.0	10.4
25	31.9	31.7	31.5	31.4	30.6	29.7	28.8	27.9	26.9	25.9	24.9	22.7	17.6	10.2
30	29.6	29.4	29.2	29.2	28.4	27.6	26.8	25.9	25.0	24.1	23.2	21.2	16.4	9.5
35	27.4	27.2	27.0	27.0	26.3	25.6	24.8	24.0	23.2	22.3	21.5	19.6	15.2	8.8
40	25.7	25.5	25.3	25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.3	14.2	8.2
45	23.8	23.6	23.4	23.4	22.8	22.2	21.6	21.0	20.3	19.6	18.9	17.3	13.4	7.7
50	22.6	22.4	22.2	22.2	21.6	21.0	20.4	19.8	19.1	18.4	17.7	16.4	12.7	7.3
55	21.6	21.4	21.2	21.2	20.6	20.0	19.4	18.8	18.1	17.4	16.7	15.6	12.1	7.0
60	20.6	20.4	20.2	20.2	19.6	19.0	18.4	17.8	17.1	16.4	15.7	14.4	11.6	6.7
65	19.8	19.6	19.4	19.4	18.8	18.2	17.6	17.0	16.4	15.8	15.2	14.4	11.1	6.4
70	19.1	18.9	18.7	18.7	18.1	17.5	16.9	16.4	15.8	15.2	14.7	13.4	10.7	6.2
75	18.5	18.3	18.1	18.1	17.5	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.4	6.0
80	17.9	17.7	17.5	17.5	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.8
85	17.3	17.1	16.9	16.9	16.4	15.9	15.4	15.0	14.5	13.9	13.4	12.2	9.5	5.5
90	16.8	16.6	16.4	16.4	15.9	15.4	14.9	14.5	14.0	13.6	13.0	11.9	9.2	5.3
95	16.4	16.2	16.0	16.0	15.5	15.0	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
100	16.0	15.8	15.6	15.6	15.1	14.6	14.2	13.7	13.2	12.7	12.3	11.4	8.8	4.6
125	15.0	14.8	14.6	14.6	14.1	13.6	13.1	12.7	12.3	11.8	11.4	10.4	7.3	4.2
150	14.0	13.8	13.6	13.6	13.1	12.6	12.2	11.7	11.2	10.8	10.4	9.5	6.4	3.7
200	12.7	12.5	12.3	12.3	11.8	11.3	10.9	10.4	9.9	9.5	9.0	8.2	5.7	3.3
250	11.0	10.8	10.6	10.6	10.1	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.2	3.0
300	9.6	9.4	9.2	9.2	8.7	8.3	8.0	7.6	7.3	7.1	6.8	6.2	4.8	2.8
350	8.7	8.5	8.3	8.3	7.8	7.4	7.1	6.7	6.4	6.2	6.0	5.5	4.5	2.6
400	7.8	7.6	7.4	7.4	6.9	6.5	6.2	5.9	5.7	5.5	5.2	4.7	4.0	2.3
450	7.3	7.1	6.9	6.9	6.4	6.0	5.7	5.4	5.1	4.9	4.6	4.2	3.5	1.9
500	6.7	6.5	6.3	6.3	5.8	5.4	5.1	4.8	4.5	4.3	4.0	3.7	3.0	1.6
550	6.4	6.1	5.9	5.9	5.4	5.0	4.7	4.4	4.1	3.9	3.6	3.3	2.8	1.5
600	6.1	5.8	5.6	5.6	5.1	4.7	4.4	4.1	3.8	3.5	3.2	2.9	2.4	1.3
650	5.8	5.5	5.3	5.3	4.8	4.4	4.1	3.8	3.5	3.2	2.9	2.6	2.1	1.1
700	5.5	5.2	5.0	5.0	4.5	4.1	3.8	3.5	3.2	2.9	2.6	2.3	1.8	1.0
750	5.2	4.9	4.7	4.7	4.2	3.8	3.5	3.2	2.9	2.6	2.3	2.0	1.5	0.8
800	4.9	4.6	4.4	4.4	3.9	3.5	3.2	2.9	2.6	2.3	2.0	1.7	1.2	0.6
850	4.6	4.3	4.1	4.1	3.6	3.2	2.9	2.6	2.3	2.0	1.7	1.4	1.0	0.5
900	4.3	4.0	3.8	3.8	3.3	2.9	2.6	2.3	2.0	1.7	1.4	1.1	0.8	0.4
950	4.0	3.7	3.5	3.5	3.0	2.6	2.3	2.0	1.7	1.4	1.1	0.9	0.6	0.3
1000	3.7	3.4	3.2	3.2	2.7	2.3	2.0	1.7	1.4	1.1	0.9	0.7	0.4	0.2

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS.
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES THE SAMPLING VARIABILITY.
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE COLUMN CLOSEST TO THE PERCENTAGE.
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL.