

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>CSID</b>	<b>8</b>	<b>1</b>	<b>CASE IDENTIFICATION</b>		

Population: all respondents

<b>TEL</b>	<b>10</b>	<b>9</b>	<b>TELEPHONE NUMBER</b>
------------	-----------	----------	-------------------------

Data suppressed on public microdata file

Population: all respondents

<b>PROV</b>	<b>2</b>	<b>19</b>	<b>PROVINCE</b>		
			10 Newfoundland	665	457,961
			11 Prince Edward Island	313	103,920
			12 Nova Scotia	877	742,975
			13 New Brunswick	736	602,504
			24 Quebec	2,225	5,795,927
			35 Ontario	2,753	8,672,981
			46 Manitoba	870	874,366
			47 Saskatchewan	841	767,332
			48 Alberta	1,356	2,073,112
			59 British Columbia	1,519	2,938,661
				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>STRA</b>	<b>2</b>	<b>21</b>	<b>GEOGRAPHIC STRATA</b>		
			01 Nfld. CMA	206	144,234
			02 Nfld. Non CMA	459	313,727
			03 P.E.I.	313	103,920
			04 N.S. CMA	344	274,080
			05 N.S. Non CMA	533	468,895
			06 N.B. CMA	119	105,336
			07 N.B. Non CMA	617	497,168
			08 Montreal	1,000	2,726,285
			09 Quebec Other CMA	351	1,012,841
			10 Quebec Non CMA	874	2,056,801
			11 Toronto	997	3,409,686
			12 Ont. Other CMA	851	2,715,819
			13 Ont. Non CMA	905	2,547,475
			14 Man. CMA	527	556,176
			15 Man. Non CMA	343	318,190
			16 Sask. CMA	312	326,276
			17 Sask. Non CMA	529	441,056
			18 Alta. CMA	786	1,329,377
			19 Alta. Non CMA	570	743,735
			20 B.C. CMA	881	1,718,918
			21 B.C. Non CMA	638	1,219,743
				<b>12,155</b>	<b>23,029,738</b>

See section 4 of the user's guide for information on the sampling methodology for CADS. While strata were developed for the CADS sample, no data are published for these strata.

Data suppressed on public microdata file

Population: all respondents

<b>FSTA</b>	<b>2</b>	<b>23</b>	<b>FINAL STATUS CODE</b>		
			43 Converted refusal	625	1,187,067
			48 Partial	156	385,594
			49 Complete	11,374	21,457,077
				<b>12,155</b>	<b>23,029,738</b>

Data suppressed on public microdata file

Population: all respondents

<b>P1</b>	<b>1</b>	<b>25</b>	<b>Should the legal drinking age be</b>		
			1 Increased	4,808	8,824,255
			2 Decreased	429	945,519
			3 Remain the same	6,615	12,590,935
			7 Don't know	206	401,539
			8 Refusal	97	267,490
			9 Not stated	0	0
				<b>12,155</b>	<b>23,029,738</b>

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>P2</b>	<b>1</b>	<b>26</b>	<b>Should beer and liquor store hours be</b>		
		1	Increased	1,172	2,499,191
		2	Decreased	2,069	3,688,876
		3	Remain the same	8,210	15,342,433
		7	Don't know	598	1,210,954
		8	Refusal	106	288,286
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>P3</b>	<b>1</b>	<b>27</b>	<b>Should government advertising against drinking be</b>		
		1	Increased	6,089	11,236,052
		2	Decreased	1,641	2,979,829
		3	Remain the same	3,996	7,932,748
		7	Don't know	325	601,810
		8	Refusal	104	279,300
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>P4</b>	<b>1</b>	<b>28</b>	<b>Should alcohol or drug education and prevention programs be</b>		
		1	Increased	9,279	17,136,672
		2	Decreased	305	608,139
		3	Remain the same	2,016	4,152,915
		7	Don't know	452	854,706
		8	Refusal	103	277,306
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>P5</b>	<b>1</b>	<b>29</b>	<b>Should efforts to prevent drunken people from being served be</b>		
		1	Increased	9,458	17,382,994
		2	Decreased	636	1,208,591
		3	Remain the same	1,639	3,513,142
		7	Don't know	310	620,170
		8	Refusal	112	304,842
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>P6</b>	<b>1</b>	<b>30</b>	<b>Should treatment programs be</b>		
		1	Increased	7,968	14,868,547
		2	Decreased	254	529,652
		3	Remain the same	2,851	5,578,815
		7	Don't know	979	1,772,599
		8	Refusal	103	280,125
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>P7</b>	<b>1</b>	<b>31</b>	<b>Should taxes on alcoholic beverages be</b>		
		1	Increased	3,274	5,840,268
		2	Decreased	2,790	5,839,043
		3	Remain the same	5,601	10,320,350
		7	Don't know	386	751,792
		8	Refusal	104	278,287
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>P8</b>	<b>1</b>	<b>32</b>	<b>Should alcoholic beverages have warning labels about possible health hazards?</b>		
		1	Yes	8,730	16,012,687
		2	No	3,125	6,361,000
		7	Don't know	197	375,318
		8	Refusal	103	280,734
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>P9</b>	<b>1</b>	<b>33</b>	<b>Should alcoholic beverages be sold in convenience (corner) stores?</b>		
		1	Yes	3,454	6,901,080
		2	No	8,354	15,379,323
		5	Not applicable	50	85,122
		7	Don't know	196	390,157
		8	Refusal	101	274,056
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>P10</b>	<b>1</b>	<b>34</b>	<b>How serious is the problem of drinking and driving in your neighbourhood?</b>		
		1	Very serious	1,108	2,079,255
		2	Serious	2,315	3,877,551
		3	Not very serious	3,148	5,679,196
		4	Not a problem	4,692	9,598,393
		7	Don't know	850	1,661,256
		8	Refusal	42	134,088
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>P11</b>	<b>1</b>	<b>35</b>	<b>How serious is the problem of domestic violence or family conflicts related to alcohol use in your neighbourhood?</b>		
		1	Very serious	840	1,465,174
		2	Serious	1,575	2,672,014
		3	Not very serious	2,532	4,567,358
		4	Not a problem	5,457	11,058,875
		7	Don't know	1,710	3,138,130
		8	Refusal	41	128,188
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>P12</b>	<b>1</b>	<b>36</b>	<b>How serious is the problem of public fights or disturbances from alcohol use in your neighbourhood?</b>		
		1	Very serious	707	1,232,554
		2	Serious	1,520	2,609,328
		3	Not very serious	2,938	5,313,489
		4	Not a problem	6,222	12,286,522
		7	Don't know	728	1,458,996
		8	Refusal	40	128,850
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>P13</b>	<b>1</b>	<b>37</b>	<b>How serious are the problems in the workplace due to alcohol use?</b>		
		1	Very serious	292	549,962
		2	Serious	674	1,239,632
		3	Not very serious	1,674	3,106,491
		4	Not a problem	5,653	11,016,460
		5	Not applicable	3,389	6,150,239
		7	Don't know	433	836,050
		8	Refusal	40	130,905
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>P14</b>	<b>1</b>	<b>38</b>	<b>How serious are the problems of misuse of prescription drugs and over the counter drugs in your neighbourhood?</b>		
		1	Very serious	445	772,726
		2	Serious	960	1,716,082
		3	Not very serious	1,913	3,548,101
		4	Not a problem	5,834	11,474,262
		7	Don't know	2,962	5,384,656
		8	Refusal	41	133,911
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>P15</b>	<b>1</b>	<b>39</b>	<b>How serious are the problems of criminal activity or violence due to alcohol or drugs in your neighbourhood?</b>		
		1	Very serious	767	1,310,627
		2	Serious	1,871	3,143,379
		3	Not very serious	2,937	5,299,660
		4	Not a problem	5,454	10,999,655
		7	Don't know	1,085	2,143,391
		8	Refusal	41	133,027
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>P16</b>	<b>1</b>	<b>40</b>	<b>How serious are the problems of sniffing glue or other solvents in your neighbourhood?</b>		
		1	Very serious	273	508,361
		2	Serious	523	956,632
		3	Not very serious	1,685	3,070,592
		4	Not a problem	7,313	13,908,941
		7	Don't know	2,320	4,452,655
		8	Refusal	41	132,559
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>G1</b>	<b>1</b>	<b>41</b>	<b>In general, compared to other persons your age would you say your health is</b>		
		1	Excellent	3,000	5,952,265
		2	Very good	4,408	8,136,484
		3	Good	3,299	6,358,004
		4	Fair	1,045	1,764,537
		5	Poor	252	412,060
		7	Don't know	14	22,373
		8	Refusal	137	384,016
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>G2</b>	<b>1</b>	<b>42</b>	<b>During the past 12 months would you describe your life as</b>		
		1	Very stressful	1,685	3,020,793
		2	Stressful	4,546	8,626,111
		3	Not very stressful	3,882	7,402,910
		4	Not at all stressful	1,847	3,480,995
		7	Don't know	46	88,800
		8	Refusal	149	410,130
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>G3</b>	<b>2</b>	<b>43</b>	<b>Over the past 12 months when you needed help or had a problem, how supportive or helpful were your family or friends?</b>		
		01	Very helpful	7,620	13,992,854
		02	Helpful	2,260	4,437,483
		03	Somewhat helpful	874	1,671,922
		04	Not helpful	375	706,323
		05	Do not have family or friends	43	58,981
		07	Not applicable	798	1,668,797
		96	Valid skip	0	0
		97	Don't know	32	72,101
		98	Refusal	153	421,277
		99	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>G4</b>	<b>1</b>	<b>45</b>	<b>In order to study the effect of alcohol and other drug use, we need some additional information on your family. Is your doctor (that is, the doctor that treats you)</b>		
		1	Male	8,356	15,736,213
		2	Female	2,416	4,455,517
		3	Don't have one	1,194	2,343,581
		6	Valid skip	0	0
		7	Don't know	23	46,145
		8	Refusal	166	448,284
		9	Not stated	0	0
			<i>Population: all respondents</i>	<b>12,155</b>	<b>23,029,740</b>
<b>G5</b>	<b>1</b>	<b>46</b>	<b>Have you ever been pregnant (Please include miscarriages or abortions)?</b>		
		1	Yes	4,635	7,993,089
		2	No	1,869	3,511,461
		6	Valid skip	5,561	11,337,410
		7	Don't know	0	0
		8	Refusal	90	187,779
		9	Not stated	0	0
			<i>Population: female respondents</i>	<b>12,155</b>	<b>23,029,739</b>
<b>G6</b>	<b>2</b>	<b>47</b>	<b>In total, to how many children have you given birth? (LIVE BIRTHS ONLY)</b>		
		00 : 23		4,623	7,959,206
		96	Valid skip	7,428	14,840,305
		97	Don't know	0	0
		98	Refusal	14	42,449
		99	Not stated	90	187,779
			<i>Population: female respondents</i>	<b>12,155</b>	<b>23,029,739</b>
<b>G7</b>	<b>1</b>	<b>49</b>	<b>Have you ever had adopted or step children?</b>		
		1	Yes	475	835,277
		2	No	5,485	9,402,484
		6	Valid skip	6,103	12,582,849
		7	Don't know	0	0
		8	Refusal	92	209,130
		9	Not stated	0	0
			<i>Population: female respondents</i>	<b>12,155</b>	<b>23,029,740</b>
<b>G8</b>	<b>2</b>	<b>50</b>	<b>In total, how many adopted or step children have you ever had?</b>		
		01 : 25		464	807,250
		96	Valid skip	11,589	21,986,148
		97	Don't know	0	0
		98	Refusal	10	27,212
		99	Not stated	92	209,130
			<i>Population: female respondents</i>	<b>12,155</b>	<b>23,029,740</b>
<b>G9</b>	<b>1</b>	<b>52</b>	<b>Have you ever had any children? (NATURAL / BIRTH)</b>		
		1	Yes	3,227	6,602,919
		2	No	2,254	4,506,747
		6	Valid skip	6,594	11,692,329
		7	Don't know	0	0
		8	Refusal	80	227,744
		9	Not stated	0	0
			<i>Population: male respondents</i>	<b>12,155</b>	<b>23,029,739</b>
<b>G10</b>	<b>2</b>	<b>53</b>	<b>In total, how many children have you ever had?</b>		
		01 : 25		3,207	6,535,561
		96	Valid skip	8,848	16,199,076
		97	Don't know	0	0
		98	Refusal	20	67,358
		99	Not stated	80	227,744
			<i>Population: male respondents</i>	<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>G11</b>	<b>1</b>	<b>55</b>	<b>Have you ever had adopted or step children?</b>		
		1	Yes	447	886,660
		2	No	4,503	8,884,942
		6	Valid skip	7,117	13,003,635
		7	Don't know	0	0
		8	Refusal	88	254,502
		9	Not stated	0	0
<i>Population: male respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>G12</b>	<b>2</b>	<b>56</b>	<b>In total, how many adopted or step children have you ever had?</b>		
	01 :	10		435	844,196
		96	Valid skip	11,620	21,888,577
		97	Don't know	0	0
		98	Refusal	12	42,464
		99	Not stated	88	254,502
<i>Population: male respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>E1</b>	<b>1</b>	<b>58</b>	<b>Which of the following best describes your main activity during the past 12 months?</b>		
		0	Other	297	464,423
		1	Working at a job or business	6,499	12,166,886
		2	Looking for work	543	983,163
		3	A student	1,244	2,863,115
		4	Retired	1,930	3,630,753
		5	Keeping house	1,491	2,518,660
		6	Valid skip	0	0
		7	Don't know	0	0
		8	Refusal	151	402,740
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>E2</b>	<b>1</b>	<b>59</b>	<b>Did you have a job at any time during the past 12 months?</b>		
		1	Yes	340	598,774
		2	No	202	382,652
		6	Valid skip	11,461	21,643,836
		7	Don't know	1	1,737
		8	Refusal	0	0
		9	Not stated	151	402,740
<i>Population: respondents looking for a job</i>				<b>12,155</b>	<b>23,029,739</b>
<b>SIC</b>	<b>3</b>	<b>60</b>	<b>STANDARD INDUSTRIAL CLASSIFICATION</b>		
		000	Not stated/uncodeable	483	1,214,844
	011 :	023	Agricultural and related service industries	223	292,884
	031 :	033	Fishing and trapping industries	46	44,143
	041 :	051	Logging and forestry industries	54	87,478
	061 :	092	Mining (including milling), quarrying and oil well industries	99	157,327
	101 :	399	Manufacturing industries	671	1,385,407
	401 :	449	Construction industries	434	822,850
	451 :	479	Transportation and storage industries	316	573,928
	481 :	499	Communication and other utility industries	224	372,623
	501 :	599	Wholesale trade industries	213	422,912
	601 :	692	Retail trade industries	732	1,351,316
	701 :	749	Finance and insurance industries	191	389,856
	751 :	761	Real estate operator and insurance agent industries	129	251,959
	771 :	779	Business service industries	411	834,420
	811 :	841	Government service industries	513	885,327
	851 :	859	Educational service industries	471	803,050
	861 :	869	Health and social service industries	775	1,251,443
	911 :	922	Accommodation, food and beverage service industries	355	675,298
	961 :	999	Other service industries	458	869,879
		997	Valid skip	5,316	10,264,079
		998	Not stated	41	78,714
<i>Population: all respondents now working at a job or had a job in the past 12 months</i>				<b>12,155</b>	<b>23,029,737</b>
<i>Data suppressed on public microdata file</i>					

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>SICR</b>	<b>2</b>	<b>63</b>	<b>STANDARD INDUSTRIAL CLASSIFICATION RECODED</b>		
		01	Agricultural	223	292,884
		02	Other primary industries	199	288,949
		03	Manufacturing industries	671	1,385,407
		04	Construction	434	822,850
		05	Transportation	316	573,928
		06	Communications	157	257,319
		07	Utilities	67	115,304
		08	Trade	945	1,774,228
		09	Finance	320	641,816
		10	Community service	1,375	2,286,453
		11	Business and personal service	924	1,803,299
		12	Miscellaneous service	171	344,339
		13	Public administration	513	885,327
		96	Valid skip	5,316	10,264,079
		99	Not stated	524	1,293,558
<i>Population: all respondents now working at a job or had a job in the past 12 months</i>				<b>12,155</b>	<b>23,029,740</b>

<b>SOC</b>	<b>4</b>	<b>65</b>	<b>STANDARD OCCUPATIONAL CLASSIFICATION</b>		
		0000	Persons not classifiable by occupation	379	991,027
		1111 : 1179	Managerial, administrative and related occupations	862	1,640,471
		2111 : 2189	Occupations in natural sciences, engineering and mathematics	281	577,253
		2311 : 2399	Occupations in social sciences and related fields	178	292,739
		2511 : 2519	Occupations in religion	24	29,848
		2711 : 2799	Teaching and related occupations	361	622,952
		3111 : 3169	Occupations in medicine and health	437	709,917
		3311 : 3379	Artistic, literary, recreational and related occupations	159	291,935
		4110 : 4199	Clerical and related occupations	900	1,602,124
		5130 : 5199	Sales occupations	577	1,125,271
		6111 : 6199	Service occupations	790	1,470,668
		7113 : 7199	Farming, horticultural and animal husbandry occupations	233	328,344
		7311 : 7319	Fishing, trapping and related occupations	42	38,853
		7510 : 7519	Forestry and logging occupations	37	62,475
		7710 : 7719	Mining and quarrying including oil and gas field occupations	34	48,852
		8110 : 8299	Processing occupations	187	347,734
		8310 : 8399	Machining and related occupations	75	131,113
		8510 : 8599	Product fabricating, assembling and repairing occupations	374	700,224
		8710 : 8799	Construction trades occupations	407	746,689
		9110 : 9199	Transport equipment operating occupations	262	473,902
		9310 : 9319	Material handling and related occupations, n.e.c.	112	224,806
		9510 : 9599	Other crafts and equipment operating occupations	84	150,440
		9910 : 9919	Occupations not elsewhere classified	0	0
		9996	Valid skip	5,316	10,264,079
		9999	Not stated	44	88,023
<i>Population: all respondents now working at a job or had a job in the past 12 months</i>				<b>12,155</b>	<b>23,029,740</b>
<i>Data suppressed on public microdata file</i>					

<b>SOCR</b>	<b>2</b>	<b>69</b>	<b>STANDARD OCCUPATION CLASSIFICATION RECODED</b>		
		11	Managerial, administrative and related occupations	862	1,640,471
		21	Occupations in natural sciences, engineering and mathematics	281	577,253
		23	Occupations in social sciences and related fields	178	292,739
		25	Occupations in religion	24	29,848
		27	Teaching and related occupations	361	622,952
		31	Occupations in medicine and health	437	709,917
		33	Artistic, literary, recreational and related occupations	159	291,935
		41	Clerical and related occupations	900	1,602,124
		51	Sales occupations	577	1,125,271
		61	Service occupations	790	1,470,668
		71	Farming, horticultural and animal husbandry occupations	233	328,344
		73	Fishing, trapping and related occupations	42	38,853
		75	Forestry and logging occupations	37	62,475
		77	Mining and quarrying including oil and gas field occupations	34	48,852
		81	Processing occupations – mineral ore treating; metal processing and related; clay, glass and stone processing, forming and related; and chemicals, petroleum, rubber, plastic and related materials	37	92,122

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
		82	Processing occupations – food, beverage and related; wood processing, except pulp and papermaking; pulp and papermaking and related; textile processing; and other processing	150	255,612
		83	Machining and related occupations	75	131,113
		85	Product fabricating, assembling and repairing occupations	374	770,224
		87	Construction trades occupations	407	746,689
		91	Transport equipment operating occupations	262	473,902
		93	Material handling and related occupations, n.e.c.	112	224,806
		95	Other crafts and equipment operating occupations	84	150,440
		96	Valid skip	5,316	10,264,079
		99	Not stated	423	1,079,051
<i>Population: all respondents now working at a job or had a job in the past 12 months</i>				<b>12,155</b>	<b>23,029,740</b>

<b>E5</b>	<b>3</b>	<b>71</b>	<b>How many hours a week do/did you usually work at this/that job?</b>		
	001 :	168		6,715	12,500,556
		996	Valid skip	5,316	10,264,079
		997	Don't know	71	116,016
		998	Refusal	53	149,087
		999	Not stated	0	0
<i>Population: all respondents now working at a job or had a job in the past 12 months</i>				<b>12,155</b>	<b>23,029,738</b>

<b>E6</b>	<b>1</b>	<b>74</b>	<b>Which of the following best describes the people you work/worked with or who work/worked along side you?</b>		
		0	Work/worked alone	758	1,393,406
		1	All women	368	647,413
		2	All men	787	1,388,453
		3	Majority women	1,431	2,544,063
		4	Majority men	1,567	3,020,709
		5	About half women	1,879	3,631,828
		6	Valid skip	5,316	10,264,079
		7	Don't know	10	20,720
		8	Refusal	39	119,069
		9	Not stated	0	0
<i>Population: all respondents now working at a job or had a job in the past 12 months</i>				<b>12,155</b>	<b>23,029,740</b>

<b>E7</b>	<b>1</b>	<b>75</b>	<b>Have you ever been employed?</b>		
		1	Yes	4,351	8,258,741
		2	No	808	1,591,367
		6	Valid skip	6,839	12,765,660
		7	Don't know	6	10,751
		8	Refusal	151	403,219
		9	Not stated	0	0
<i>Population: all respondents who are not working now or did not have a job in the past 12 months</i>				<b>12,155</b>	<b>23,029,738</b>

<b>E8</b>	<b>2</b>	<b>76</b>	<b>How long has it been since you were employed? (Round to the nearest year)</b>		
		00	Less than 1 year	837	1,762,783
	01 :	70		3,067	5,582,699
		94	Currently employed	377	775,564
		96	Valid skip	7,647	14,357,027
		97	Don't know	43	73,554
		98	Refusal	27	64,141
		99	Not stated	157	413,971
<i>Population: all respondents who answered yes to e7</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>E10</b>	<b>1</b>	<b>78</b>	<b>Were there times in the past FIVE years, when you were unemployed for a year or longer and looking for work?</b>		
		1	Yes	594	1,038,845
		2	No	1,932	3,706,513
		6	Valid skip	9,451	17,827,374
		7	Don't know	11	23,708
		8	Refusal	10	19,329
		9	Not stated	157	413,971
<i>Population: all respondents who answered yes to e7 and who were unemployed for 5 years or less</i>				<b>12,155</b>	<b>23,029,740</b>
<b>T1</b>	<b>1</b>	<b>79</b>	<b>Now I'd like to ask you some questions about smoking. Have you ever been a cigarette smoker?</b>		
		1	Yes	6,819	12,269,691
		2	No	5,233	10,481,435
		6	Valid skip	0	0
		7	Don't know	4	4,313
		8	Refusal	99	274,300
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>T2</b>	<b>2</b>	<b>80</b>	<b>How old were you when you started smoking?</b>		
	04 : 60			6,773	12,170,921
		96	Valid skip	5,233	10,481,435
		97	Don't know	37	51,323
		98	Refusal	9	47,448
		99	Not stated	103	278,613
<i>Population: all respondents who have ever smoked</i>				<b>12,155</b>	<b>23,029,740</b>
<b>T3</b>	<b>1</b>	<b>82</b>	<b>At the present time do you smoke cigarettes?</b>		
		1	Yes	3,511	6,208,042
		2	No	3,303	6,046,518
		6	Valid skip	5,233	10,481,435
		7	Don't know	0	0
		8	Refusal	5	15,131
		9	Not stated	103	278,613
<i>Population: all respondents who have ever smoked</i>				<b>12,155</b>	<b>23,029,739</b>
<b>T4</b>	<b>2</b>	<b>83</b>	<b>How old were you when you stopped smoking?</b>		
	07 : 85			3,276	5,984,396
		96	Valid skip	8,744	16,689,477
		97	Don't know	22	33,178
		98	Refusal	5	28,944
		99	Not stated	108	293,744
<i>Population: all respondents who no longer smoke</i>				<b>12,155</b>	<b>23,029,739</b>
<b>T5</b>	<b>2</b>	<b>85</b>	<b>How many times did you try to quit?</b>		
	01 : 94			3,213	5,837,573
		96	Valid skip	8,744	16,689,477
		97	Don't know	87	182,802
		98	Refusal	3	26,143
		99	Not stated	108	293,744
<i>Population: all respondents who no longer smoke</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>T5A</b>	<b>3</b>	<b>87</b>	<b>How many cigarettes did you usually smoke per day?</b>		
		000	Did not smoke every day	77	115,133
	001 :	094		3,181	5,803,259
		100	Half a pack	0	0
		101	One pack	0	0
		102	1 and 1 half packs	0	0
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	8,744	16,689,477
		997	Don't know	0	0
		998	Refusal	4	30,488
		999	Not stated	149	391,382
<i>Population: all respondents who no longer smoke</i>				<b>12,155</b>	<b>23,029,739</b>

<b>T5B</b>	<b>3</b>	<b>90</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		000	Did not smoke every day	0	0
	001 :	094		8	13,428
		100	Half a pack	11	14,680
		101	One pack	2	4,476
		102	1 and 1 half packs	2	2,996
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	11,979	22,572,289
		997	Don't know	41	97,638
		998	Refusal	0	0
		999	Not stated	112	324,233
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,740</b>
<i>Population: all respondents who no longer smoke</i>					

<b>T5C</b>	<b>2</b>	<b>93</b>	<b>How many cigarettes would there be in a pack?</b>		
		05	Cigarettes	16	46,926
		10	Cigarettes	43	95,366
		15	Cigarettes	34	53,567
		20	Cigarettes	592	1,103,842
		25	Cigarettes	975	1,725,365
		30	Cigarettes	18	39,355
		96	Valid skip	10,304	19,512,826
		97	Don't know	20	30,621
		98	Refusal	0	0
		99	Not stated	153	421,871
<i>Population: all respondents who no longer smoke</i>				<b>12,155</b>	<b>23,029,739</b>

<b>T6</b>	<b>1</b>	<b>95</b>	<b>Thinking back over the last 7 days, did you smoke any cigarettes?</b>		
		1	Yes	3,454	6,095,218
		2	No	56	111,674
		6	Valid skip	8,536	16,527,953
		7	Don't know	1	1,150
		8	Refusal	0	0
		9	Not stated	108	293,744
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,739</b>

<b>T6A</b>	<b>1</b>	<b>96</b>	<b>Did you smoke the same number of cigarettes each day?</b>		
		1	Yes	2,817	4,974,667
		2	No	628	1,102,425
		6	Valid skip	8,592	16,639,627
		7	Don't know	8	16,448
		8	Refusal	1	1,678
		9	Not stated	109	294,894
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>T6B</b>	<b>6</b>	<b>97</b>	<b>TODAY'S DATE</b>	0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: current smokers</i>					

<b>DAY</b>	<b>3</b>	<b>103</b>	<b>DAY</b>	0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: current smokers</i>					

<b>T6C</b>	<b>3</b>	<b>106</b>	<b>What about yesterday (name of day, ie Wednesday)? How many cigarettes did you smoke?</b>		
		000	No cigarettes	55	94,483
	001 :	060		445	792,036
		100	Half a pack	69	128,680
		101	One pack	50	75,596
		102	1 and 1 half packs	7	12,587
		103	Two packs	4	4,884
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	11,409	21,614,294
		997	Don't know	6	9,647
		998	Refusal	1	2,638
		999	Not stated	109	294,894
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,739</b>

<b>T6C1</b>	<b>3</b>	<b>109</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		000	No cigarettes	0	0
		100	Half a pack	2	6,095
		101	One pack	2	2,958
		102	1 and 1 half packs	0	0
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	12,035	22,713,506
		997	Don't know	6	9,647
		998	Refusal	0	0
		999	Not stated	110	297,533
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>
<i>Population: current smokers</i>					

<b>T6D</b>	<b>3</b>	<b>112</b>	<b>What about (name of day, where day is TODAY MINUS 2)? How many cigarettes did you smoke?</b>		
		000	No cigarettes	72	131,409
	001 :	060		425	721,642
		100	Half a pack	68	136,089
		101	One pack	48	79,621
		102	1 and 1 half packs	6	9,071
		103	Two packs	2	1,806
		104	2 and 1 half packs	1	764
		105	3 packs or more	0	0
		996	Valid skip	11,409	21,614,294
		997	Don't know	12	30,837
		998	Refusal	3	9,310
		999	Not stated	109	294,894
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,737</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>T6D1</b>	<b>3</b>	<b>115</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		000	No cigarettes	0	0
	001 :	010		4	6,740
		100	Half a pack	3	2,236
		101	One pack	1	727
		102	1 and 1 half packs	0	0
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	12,023	22,684,995
		997	Don't know	12	30,837
		998	Refusal	0	0
		999	Not stated	112	304,204
				<b>12,155</b>	<b>23,029,739</b>

Data suppressed on public microdata file

Population: current smokers

<b>T6E</b>	<b>3</b>	<b>118</b>	<b>What about (name of day, where day is TODAY MINUS 3)? How many cigarettes did you smoke?</b>		
		000	No cigarettes	82	160,907
	001 :	055		401	678,319
		100	Half a pack	71	130,522
		101	One pack	48	76,700
		102	1 and 1 half packs	6	15,529
		103	Two packs	3	3,288
		104	2 and 1 half packs	1	764
		105	3 packs or more	0	0
		996	Valid skip	11,409	21,614,294
		997	Don't know	22	45,210
		998	Refusal	3	9,310
		999	Not stated	109	294,894
				<b>12,155</b>	<b>23,029,737</b>

Population: current smokers

<b>T6E1</b>	<b>3</b>	<b>121</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		000	No cigarettes	0	0
	002 :	020		7	9,609
		100	Half a pack	9	12,259
		101	One pack	2	1,610
		102	1 and 1 half packs	0	0
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	12,003	22,656,847
		997	Don't know	22	45,210
		998	Refusal	0	0
		999	Not stated	112	304,204
				<b>12,155</b>	<b>23,029,739</b>

Data suppressed on public microdata file

Population: current smokers

<b>T6F</b>	<b>3</b>	<b>124</b>	<b>What about (name of day, where day is TODAY MINUS 4)? How many cigarettes did you smoke?</b>		
		000	No cigarettes	74	121,272
	001 :	060		399	691,544
		100	Half a pack	70	136,360
		101	One pack	47	75,272
		102	1 and 1 half packs	7	14,900
		103	Two packs	2	1,765
		104	2 and 1 half packs	1	764
		105	3 packs or more	0	0
		996	Valid skip	11,409	21,614,294
		997	Don't know	34	69,361
		998	Refusal	3	9,310
		999	Not stated	109	294,894
				<b>12,155</b>	<b>23,029,736</b>

Population: current smokers

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>T6F1</b>	<b>3</b>	<b>127</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		000	No cigarettes	0	0
		005	Cigarettes	1	1,600
		100	Half a pack	2	4,262
		101	One pack	0	0
		102	1 and 1 half packs	0	0
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	12,006	22,650,311
		997	Don't know	34	69,361
		998	Refusal	0	0
		999	Not stated	112	304,204
				<b>12,155</b>	<b>23,029,738</b>

Data suppressed on public microdata file

Population: current smokers

<b>T6G</b>	<b>3</b>	<b>130</b>	<b>What about (name of day, where day is TODAY MINUS 5)? How many cigarettes did you smoke?</b>		
		000	No cigarettes	72	125,343
		001 : 050		392	677,660
		100	Half a pack	66	120,343
		101	One pack	57	91,986
		102	1 and 1 half packs	5	12,918
		103	Two packs	2	3,407
		104	2 and 1 half packs	1	764
		105	3 packs or more	0	0
		996	Valid skip	11,409	21,614,294
		997	Don't know	38	77,018
		998	Refusal	4	11,111
		999	Not stated	109	294,894
				<b>12,155</b>	<b>23,029,738</b>

Population: current smokers

<b>T6G1</b>	<b>3</b>	<b>133</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		000	No cigarettes	1	7,818
		003 : 015		10	15,517
		100	Half a pack	7	7,648
		101	One pack	2	3,071
		102	1 and 1 half packs	0	0
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	11,984	22,612,661
		997	Don't know	38	77,018
		998	Refusal	0	0
		999	Not stated	113	306,005
				<b>12,155</b>	<b>23,029,738</b>

Data suppressed on public microdata file

Population: current smokers

<b>T6H</b>	<b>3</b>	<b>136</b>	<b>What about (name of day, where day is TODAY MINUS 6)? How many cigarettes did you smoke?</b>		
		000	No cigarettes	73	122,676
		001 : 055		393	678,009
		100	Half a pack	64	135,316
		101	One pack	56	88,409
		102	1 and 1 half packs	3	7,278
		103	Two packs	1	1,523
		104	2 and 1 half packs	1	764
		105	3 packs or more	0	0
		996	Valid skip	11,409	21,614,294
		997	Don't know	42	75,463
		998	Refusal	4	11,111
		999	Not stated	109	294,894
				<b>12,155</b>	<b>23,029,737</b>

Population: current smokers

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>T6H1</b>	<b>3</b>	<b>139</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		000	No cigarettes	3	1,925
		003	Cigarettes	1	3,368
		100	Half a pack	2	6,143
		101	One pack	0	0
		102	1 and 1 half packs	0	0
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	11,994	22,636,835
		997	Don't know	42	75,463
		998	Refusal	0	0
		999	Not stated	113	306,005
				<b>12,155</b>	<b>23,029,739</b>

Data suppressed on public microdata file

Population: current smokers

<b>T6I</b>	<b>3</b>	<b>142</b>	<b>What about (name of day, where day is TODAY MINUS 7)? How many cigarettes did you smoke?</b>		
		000	No cigarettes	79	145,980
		001 : 055		377	646,316
		100	Half a pack	72	150,987
		101	One pack	60	84,601
		102	1 and 1 half packs	3	5,716
		103	Two packs	1	1,523
		104	2 and 1 half packs	1	764
		105	3 packs or more	1	1,378
		996	Valid skip	11,409	21,614,294
		997	Don't know	40	73,975
		998	Refusal	3	9,310
		999	Not stated	109	294,894
				<b>12,155</b>	<b>23,029,738</b>

Population: current smokers

<b>T6I1</b>	<b>3</b>	<b>145</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		000	No cigarettes	0	0
		001 : 010		5	5,966
		100	Half a pack	2	2,807
		101	One pack	0	0
		102	1 and 1 half packs	0	0
		103	Two packs	0	0
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	11,996	22,642,786
		997	Don't know	40	73,975
		998	Refusal	0	0
		999	Not stated	112	304,204
				<b>12,155</b>	<b>23,029,738</b>

Data suppressed on public microdata file

Population: current smokers

<b>T6I3</b>	<b>2</b>	<b>148</b>	<b>How many cigarettes would there be in a pack?</b>		
		05	Cigarettes	1	13,413
		10	Cigarettes	1	3,431
		15	Cigarettes	1	1,100
		20	Cigarettes	45	84,297
		25	Cigarettes	147	235,559
		30	Cigarettes	0	0
		96	Valid skip	11,848	22,393,151
		97	Don't know	3	3,893
		98	Refusal	0	0
		99	Not stated	109	294,894
				<b>12,155</b>	<b>23,029,738</b>

Population: current smokers

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>T7A</b>	<b>3</b>	<b>150</b>	<b>How many cigarettes did you smoke per day?</b>		
		000	Did not smoke every day	4	4,425
	001 : 075			1,440	2,577,968
		100	Half a pack	484	876,666
		101	One pack	720	1,242,481
		102	1 and 1 half packs	103	175,752
		103	Two packs	47	65,713
		104	2 and 1 half packs	4	4,343
		105	3 packs or more	11	16,475
		996	Valid skip	9,229	17,760,177
		997	Don't know	1	2,952
		998	Refusal	0	0
		999	Not stated	112	302,787
				<b>12,155</b>	<b>23,029,739</b>

Population: current smokers who smoked the same number of cigarettes over the last 7 days

<b>T7B</b>	<b>3</b>	<b>153</b>	<b>Would you say, half a pack, one pack, a pack and a half, two packs, two and a half packs or three packs or more?</b>		
		009	Cigarettes	1	525
		100	Half a pack	1	779
		101	One pack	0	0
		102	1 and 1 half packs	0	0
		103	Two packs	1	914
		104	2 and 1 half packs	0	0
		105	3 packs or more	0	0
		996	Valid skip	12,039	22,721,782
		997	Don't know	1	2,952
		998	Refusal	0	0
		999	Not stated	112	302,787
				<b>12,155</b>	<b>23,029,739</b>

Data suppressed on public microdata file

Population: current smokers who smoked the same number of cigarettes over the last 7 days

<b>T7C</b>	<b>2</b>	<b>156</b>	<b>How many cigarettes would there be in a pack?</b>		
		05	Cigarettes	9	22,662
		10	Cigarettes	27	56,362
		15	Cigarettes	45	82,592
		20	Cigarettes	357	643,308
		25	Cigarettes	918	1,551,756
		30	Cigarettes	10	22,503
		96	Valid skip	10,673	20,342,570
		97	Don't know	3	2,246
		98	Refusal	0	0
		99	Not stated	113	305,739
				<b>12,155</b>	<b>23,029,738</b>

Population: current smokers who smoked the same number of cigarettes over the last 7 days

<b>TMON</b>	<b>3</b>	<b>158</b>	<b>What about MONDAY? How many cigarettes did you smoke?</b>		
		000 : 075		3,441	6,068,111
		996	Valid skip	8,708	16,946,839
		997	Don't know	0	0
		998	Refusal	0	0
		999	Not stated	6	14,790
				<b>12,155</b>	<b>23,029,740</b>

Population: current smokers

<b>TTUE</b>	<b>3</b>	<b>161</b>	<b>What about TUESDAY? How many cigarettes did you smoke?</b>		
		000 : 075		3,441	6,068,111
		996	Valid skip	8,708	16,946,839
		997	Don't know	0	0
		998	Refusal	0	0
		999	Not stated	6	14,790
				<b>12,155</b>	<b>23,029,740</b>

Population: current smokers

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>TWED</b>	<b>3</b>	<b>164</b>	<b>What about WEDNESDAY? How many cigarettes did you smoke?</b>		
	000	: 075		3,441	6,068,111
	996		Valid skip	8,708	16,946,839
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	6	14,790
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>TTHU</b>	<b>3</b>	<b>167</b>	<b>What about THURSDAY? How many cigarettes did you smoke?</b>		
	000	: 075		3,441	6,068,111
	996		Valid skip	8,708	16,946,839
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	6	14,790
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>TFRI</b>	<b>3</b>	<b>170</b>	<b>What about FRIDAY? How many cigarettes did you smoke?</b>		
	000	: 075		3,441	6,068,111
	996		Valid skip	8,708	16,946,839
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	6	14,790
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>TSAT</b>	<b>3</b>	<b>173</b>	<b>What about SATURDAY? How many cigarettes did you smoke?</b>		
	000	: 075		3,441	6,068,111
	996		Valid skip	8,708	16,946,839
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	6	14,790
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>TSUN</b>	<b>3</b>	<b>176</b>	<b>What about SUNDAY? How many cigarettes did you smoke?</b>		
	000	: 075		3,441	6,068,111
	996		Valid skip	8,708	16,946,839
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	6	14,790
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>TCIGPST</b>	<b>3</b>	<b>179</b>	<b>Total number of cigarettes smoked in a week, past smoker</b>		
	000	: 658		3,258	5,918,392
	996		Valid skip	8,744	16,689,477
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	153	421,871
<i>if tcigpst not=996,997,998, or 999 then (tcigpst)=t5a*7</i>				<b>12,155</b>	<b>23,029,740</b>
<i>Population: all respondents who no longer smoke</i>					
<b>TCIGCUR</b>	<b>3</b>	<b>182</b>	<b>Total number of cigarettes smoked during reference week, current smoker</b>		
	000	: 525		3,497	6,179,785
	996		Valid skip	8,652	16,835,164
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	6	14,790
<i>if tmon, ttue, twed, tthu, tfri, tsat, and tsun not=996,997,998,999, then tcigcur=tmon+ttue+twed+tthu+tfri+tsat+tsun</i>				<b>12,155</b>	<b>23,029,739</b>
<i>Population: current smokers</i>					



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>T7D</b>	<b>1</b>	<b>185</b>	<b>Have you ever tried to quit smoking?</b>		
		1	Yes	2,708	4,742,060
		2	No	799	1,452,534
		6	Valid skip	8,536	16,527,953
		7	Don't know	0	0
		8	Refusal	4	13,448
		9	Not stated	108	293,744
<i>Population: current smokers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>T7E</b>	<b>2</b>	<b>186</b>	<b>How many times have you tried to quit?</b>		
	01 : 94			2,651	4,643,010
	96		Valid skip	9,335	17,980,487
	97		Don't know	56	97,446
	98		Refusal	1	1,604
	99		Not stated	112	307,192
<i>Population: current smokers who answered yes to t7d</i>				<b>12,155</b>	<b>23,029,739</b>
<b>T9</b>	<b>1</b>	<b>188</b>	<b>During your/spouse's last pregnancy, did you:</b>		
		1	Smoke the same amount	1,441	2,601,837
		2	Cut down	975	1,756,338
		3	Stop smoking	1,725	3,005,446
		5	Not applicable	423	789,554
		6	Valid skip	7,367	14,380,287
		7	Don't know	108	183,295
		8	Refusal	8	19,238
		9	Not stated	108	293,744
<i>Population: current smokers and persons who no longer smoke who (or who's spouses) may have ever been pregnant and given birth to children</i>				<b>12,155</b>	<b>23,029,739</b>
<b>T10</b>	<b>1</b>	<b>189</b>	<b>Currently, does your spouse/partner smoke?</b>		
		1	Yes	1,673	3,361,810
		2	No	4,564	9,836,434
		6	Valid skip	5,874	9,683,764
		7	Don't know	8	15,884
		8	Refusal	36	131,847
		9	Not stated	0	0
<i>Population: all respondents who have a spouse or partner</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A1</b>	<b>1</b>	<b>190</b>	<b>How many of your friends drink alcohol?</b>		
		1	None	1,015	2,018,001
		2	A few	3,007	5,651,822
		3	About half	1,556	2,749,945
		4	Most	4,571	8,403,270
		5	All	1,766	3,657,388
		6	Valid skip	0	0
		7	Don't know	108	192,917
		8	Refusal	132	356,395
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A2</b>	<b>1</b>	<b>191</b>	<b>During the past 12 months have you had a drink of alcohol?</b>		
		1	Yes	8,758	16,651,775
		2	No	3,288	6,090,939
		6	Valid skip	0	0
		7	Don't know	5	6,868
		8	Refusal	104	280,157
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A3</b>	<b>1</b>	<b>192</b>	<b>Have you ever had any alcohol?</b>		
		1	Yes	1,777	3,102,028
		2	No	1,504	2,958,806
		6	Valid skip	8,758	16,651,775
		7	Don't know	6	14,696
		8	Refusal	110	302,435
		9	Not stated	0	0
			<i>Population: former drinkers (persons who have not had a drink in the past 12 months) or abstainers (persons who have never consumed alcohol)</i>	<b>12,155</b>	<b>23,029,740</b>
<b>A4</b>	<b>1</b>	<b>193</b>	<b>When was the last time you had any alcohol?</b>		
		1	1-2 years ago	684	1,246,694
		2	3-5 years ago	298	509,271
		3	Over 5 years ago	772	1,290,408
		6	Valid skip	10,262	19,610,580
		7	Don't know	25	55,725
		8	Refusal	4	14,626
		9	Not stated	110	302,435
			<i>Population: former drinkers</i>	<b>12,155</b>	<b>23,029,739</b>
<b>A4E</b>	<b>1</b>	<b>194</b>	<b>For each of the following, tell me if it is a reason you do not drink or have limited your drinking ... For health/diet or athletic reasons?</b>		
		1	Yes	1,492	2,801,328
		2	No	1,772	3,230,026
		6	Valid skip	8,758	16,651,775
		7	Don't know	13	25,205
		8	Refusal	120	321,405
		9	Not stated	0	0
			<i>Population: former drinkers or abstainers</i>	<b>12,155</b>	<b>23,029,739</b>
<b>A4A1</b>	<b>1</b>	<b>195</b>	<b>Because you were pregnant? (or you were trying to become pregnant)</b>		
		1	Yes	215	342,240
		2	No	1,903	3,411,645
		6	Valid skip	9,968	19,124,333
		7	Don't know	9	16,070
		8	Refusal	60	135,451
		9	Not stated	0	0
			<i>Population: former drinkers or abstainers</i>	<b>12,155</b>	<b>23,029,739</b>
<b>A4A2</b>	<b>1</b>	<b>196</b>	<b>Because of the taste?</b>		
		1	Yes	1,096	2,223,304
		2	No	2,149	3,778,144
		6	Valid skip	8,758	16,651,775
		7	Don't know	31	51,258
		8	Refusal	121	325,258
		9	Not stated	0	0
			<i>Population: former drinkers or abstainers</i>	<b>12,155</b>	<b>23,029,739</b>
<b>A4A3</b>	<b>1</b>	<b>197</b>	<b>Because you don't like the effect it has on you?</b>		
		1	Yes	1,213	2,275,660
		2	No	2,025	3,711,374
		6	Valid skip	8,758	16,651,775
		7	Don't know	37	64,332
		8	Refusal	122	326,598
		9	Not stated	0	0
			<i>Population: former drinkers or abstainers</i>	<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A4A4</b>	<b>1</b>	<b>198</b>	<b>Because you have seen bad examples of what alcohol can do?</b>		
		1	Yes	1,644	2,771,310
		2	No	1,615	3,241,877
		6	Valid skip	8,758	16,651,775
		7	Don't know	18	42,863
		8	Refusal	120	321,914
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A4A5</b>	<b>1</b>	<b>199</b>	<b>Because you have been hurt by someone else's drinking?</b>		
		1	Yes	712	1,105,686
		2	No	2,544	4,902,941
		6	Valid skip	8,758	16,651,775
		7	Don't know	19	45,608
		8	Refusal	122	323,729
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A4A6</b>	<b>1</b>	<b>200</b>	<b>Because drinking could affect your work/your school performance?</b>		
		1	Yes	894	1,530,661
		2	No	2,360	4,470,345
		6	Valid skip	8,758	16,651,775
		7	Don't know	21	51,440
		8	Refusal	122	325,519
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A4A7</b>	<b>1</b>	<b>201</b>	<b>Because drinking is too expensive or is a waste of money?</b>		
		1	Yes	1,213	1,956,631
		2	No	2,041	4,051,737
		6	Valid skip	8,758	16,651,775
		7	Don't know	21	44,077
		8	Refusal	122	325,519
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A4A8</b>	<b>1</b>	<b>202</b>	<b>Because of religious reasons?</b>		
		1	Yes	598	1,013,371
		2	No	2,653	4,981,616
		6	Valid skip	8,758	16,651,775
		7	Don't know	23	56,576
		8	Refusal	123	326,401
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A4A9</b>	<b>1</b>	<b>203</b>	<b>Because you were brought up not to drink?</b>		
		1	Yes	1,050	1,736,329
		2	No	2,203	4,265,057
		6	Valid skip	8,758	16,651,775
		7	Don't know	22	53,376
		8	Refusal	122	323,202
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A4B1</b>	<b>1</b>	<b>204</b>	<b>Because you have had alcohol problems/are afraid of becoming an alcoholic?</b>		
		1	Yes	389	670,207
		2	No	2,863	5,329,871
		6	Valid skip	8,758	16,651,775
		7	Don't know	22	53,075
		8	Refusal	123	324,811
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A4B2</b>	<b>1</b>	<b>205</b>	<b>To please someone?</b>		
		1	Yes	169	277,991
		2	No	3,082	5,720,543
		6	Valid skip	8,758	16,651,775
		7	Don't know	23	53,028
		8	Refusal	123	326,401
		9	Not stated	0	0
			<i>Population: former drinkers or abstainers</i>	<b>12,155</b>	<b>23,029,738</b>
<b>A4B3</b>	<b>1</b>	<b>206</b>	<b>(Would it be) because you are too young?</b>		
		1	Yes	87	202,735
		2	No	83	232,496
		6	Valid skip	11,983	22,588,992
		7	Don't know	1	1,608
		8	Refusal	1	3,909
		9	Not stated	0	0
			<i>Population: former drinkers or abstainers who are less than 18 years of age</i>	<b>12,155</b>	<b>23,029,740</b>
<b>A4B4</b>	<b>1</b>	<b>207</b>	<b>(Would it be) any other reason?</b>		
		1	Yes	491	783,707
		2	No	2,775	5,255,354
		6	Valid skip	8,758	16,651,775
		7	Don't know	12	27,698
		8	Refusal	119	311,205
		9	Not stated	0	0
			<i>Population: former drinkers or abstainers</i>	<b>12,155</b>	<b>23,029,739</b>
<b>A4B5</b>	<b>2</b>	<b>208</b>	<b>Please specify your reason for not drinking?</b>		
		01	Family/relational	53	72,014
		02	Dislike it	87	132,213
		03	Friends don't	2	4,331
		04	Not interested	88	122,374
		05	Allergy	21	35,136
		06	Medications	11	16,086
		07	Other	229	401,553
		96	Valid skip	11,533	21,907,129
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	131	338,903
			<i>Population: former drinkers or abstainers</i>	<b>12,155</b>	<b>23,029,739</b>
<b>A5</b>	<b>2</b>	<b>210</b>	<b>Which of those reasons is the most important one for you? (MARK MOST IMPORTANT REASON)</b>		
		01	Health/Diet/Athletic	590	1,072,406
		02	Pregnant	39	62,167
		03	Due to taste	279	622,136
		04	Don't like effect	195	353,527
		05	Seen bad example	266	433,084
		06	Because of other's drinking	61	104,450
		07	Affects work/school	16	26,667
		08	Too expensive	63	98,133
		09	Religious reasons	162	310,568
		10	Brought up not to	167	270,418
		11	Had alcohol problems	109	171,078
		12	To please someone	18	27,661
		13	Because too young	24	57,535
		14	Other	384	619,392
		96	Valid skip	9,759	18,765,172
		97	Don't know	21	33,499
		98	Refusal	2	1,847
		99	Not stated	0	0
			<i>Population: former drinkers or abstainers</i>	<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A6A</b>	<b>1</b>	<b>212</b>	<b>During the past 12 months how often did you spend a quiet evening at home?</b>		
		0	Never	39	84,367
		1	> than once a week	2,743	5,083,867
		2	Once a week	280	499,030
		3	1-3 times a month	155	279,506
		4	< than once a month	36	62,415
		6	Valid skip	8,758	16,651,775
		7	Don't know	12	15,077
		8	Refusal	132	353,704
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,741</b>
<b>A6B</b>	<b>1</b>	<b>213</b>	<b>During the past 12 months how often did you spend time at someone else's home?</b>		
		0	Never	314	579,861
		1	> than once a week	749	1,328,906
		2	Once a week	810	1,489,411
		3	1-3 times a month	859	1,626,343
		4	< than once a month	506	939,467
		6	Valid skip	8,758	16,651,775
		7	Don't know	18	37,631
		8	Refusal	141	376,345
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A6C</b>	<b>1</b>	<b>214</b>	<b>During the past 12 months how often did you have friends or relatives visit your home?</b>		
		0	Never	165	321,945
		1	> than once a week	965	1,585,860
		2	Once a week	761	1,479,305
		3	1-3 times a month	937	1,817,231
		4	< than once a month	415	780,588
		6	Valid skip	8,758	16,651,775
		7	Don't know	13	16,691
		8	Refusal	141	376,345
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A6D</b>	<b>1</b>	<b>215</b>	<b>During the past 12 months how often did you go to a restaurant in the evening, excluding fast food restaurants?</b>		
		0	Never	851	1,521,766
		1	> than once a week	244	452,008
		2	Once a week	414	815,873
		3	1-3 times a month	960	1,788,361
		4	< than once a month	776	1,412,627
		6	Valid skip	8,758	16,651,775
		7	Don't know	12	13,715
		8	Refusal	140	373,615
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A6E</b>	<b>1</b>	<b>216</b>	<b>During the past 12 months how often did you go to a restaurant for lunch, excluding fast food restaurants?</b>		
		0	Never	1,467	2,750,008
		1	> than once a week	233	435,810
		2	Once a week	264	467,709
		3	1-3 times a month	643	1,137,438
		4	< than once a month	638	1,197,436
		6	Valid skip	8,758	16,651,775
		7	Don't know	12	15,948
		8	Refusal	140	373,615
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A6F</b>	<b>1</b>	<b>217</b>	<b>During the past 12 months how often did you go to a bar/tavern?</b>		
		0	Never	2,730	5,039,494
		1	> than once a week	43	74,319
		2	Once a week	38	73,888
		3	1-3 times a month	212	382,794
		4	< than once a month	230	430,447
		6	Valid skip	8,758	16,651,775
		7	Don't know	6	8,280
		8	Refusal	138	368,742
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A6G</b>	<b>1</b>	<b>218</b>	<b>During the past 12 months how often did you go to a social club or a meeting?</b>		
		0	Never	2,023	3,955,530
		1	> than once a week	191	304,878
		2	Once a week	213	345,680
		3	1-3 times a month	470	740,626
		4	< than once a month	353	649,782
		6	Valid skip	8,758	16,651,775
		7	Don't know	9	12,725
		8	Refusal	138	368,742
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A7A</b>	<b>1</b>	<b>219</b>	<b>During the past 12 months how many times did you participate in leisure activities such as being at a cottage, camping or boating?</b>		
		0	Never	1,575	2,910,479
		1	> than 52 times	126	202,280
		2	52 times	76	138,894
		3	12-51 times	497	867,934
		4	< than 12 times	964	1,842,179
		6	Valid skip	8,758	16,651,775
		7	Don't know	11	24,046
		8	Refusal	148	392,152
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A7B</b>	<b>1</b>	<b>220</b>	<b>During the past 12 months how many times did you participate in sports activities such as skiing, curling, softball, bowling etc?</b>		
		0	Never	1,867	3,378,151
		1	> than 52 times	350	671,971
		2	52 times	141	285,450
		3	12-51 times	446	807,937
		4	< than 12 times	436	825,989
		6	Valid skip	8,758	16,651,775
		7	Don't know	9	16,313
		8	Refusal	148	392,152
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A7C</b>	<b>1</b>	<b>221</b>	<b>During the past 12 months how many times did you attend a party, social gathering or wedding?</b>		
		0	Never	962	1,818,796
		1	> than 52 times	39	79,392
		2	52 times	21	48,328
		3	12-51 times	313	549,193
		4	< than 12 times	1,894	3,452,923
		6	Valid skip	8,758	16,651,775
		7	Don't know	18	29,038
		8	Refusal	150	400,294
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A7D</b>	<b>1</b>	<b>222</b>	<b>During the past 12 months how many times did you go to a concert, sports event or festival?</b>		
		0	Never	1,541	2,863,331
		1	> than 52 times	28	67,417
		2	52 times	17	28,158
		3	12-51 times	278	486,287
		4	< than 12 times	1,372	2,508,540
		6	Valid skip	8,758	16,651,775
		7	Don't know	11	23,483
		8	Refusal	150	400,748
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A7E</b>	<b>1</b>	<b>223</b>	<b>Thinking about activities that involve an element of luck or chance, during the past 12 months how often did you play bingo for money or prizes?</b>		
		0	Never	2,602	4,943,368
		1	> than once a week	96	124,009
		2	Once a week	123	172,714
		3	1-3 times a month	169	281,984
		4	< than once a month	252	457,332
		6	Valid skip	8,758	16,651,775
		7	Don't know	9	9,783
		8	Refusal	146	388,774
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A7F</b>	<b>1</b>	<b>224</b>	<b>Thinking about activities that involve an element of luck or chance, during the past 12 months how often did you participate in lottery games such as 649, play card games for money, or bet on sporting events?</b>		
		0	Never	1,502	2,722,035
		1	> than once a week	439	873,736
		2	Once a week	443	913,754
		3	1-3 times a month	445	785,828
		4	< than once a month	411	682,747
		6	Valid skip	8,758	16,651,775
		7	Don't know	12	13,178
		8	Refusal	145	386,685
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A7G</b>	<b>1</b>	<b>225</b>	<b>Thinking about activities that involve an element of luck or chance, during the past 12 months how often did you go to places like Montreal, Windsor, Las Vegas or Atlantic City to gamble?</b>		
		0	Never	1,671	3,021,451
		1	> than once a week	7	13,701
		2	Once a week	3	10,261
		3	1-3 times a month	82	162,103
		4	< than once a month	126	290,964
		6	Valid skip	10,111	19,129,826
		7	Don't know	0	0
		8	Refusal	1	4,967
		9	Not stated	154	396,468
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,741</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A7H</b>	<b>1</b>	<b>226</b>	<b>During the past 12 months, did you participate in some other form of luck, chance or gambling that I have not mentioned.</b>		
		1	Yes	136	180,707
		2	No	3,111	5,806,189
		6	Valid skip	8,758	16,651,775
		7	Don't know	6	8,207
		8	Refusal	144	382,862
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A7I</b>	<b>2</b>	<b>227</b>	<b>Please tell me what this activity is called.</b>		
		01	Video lottery terminal (VLT)	12	15,419
		02	Slot machine	10	11,263
		03	Casino	16	28,591
		04	Draw	9	7,230
		05	Raffle	27	35,892
		06	Lottery ticket	23	26,735
		07	Sporting event	15	23,115
		08	Arcade	0	0
		09	Gambling city	1	1,925
		10	Pool (Sports)	1	407
		11	Card game	6	11,184
		12	Other betting game	0	0
		13	Stockmarket	1	2,681
		14	Other	13	15,162
		96	Valid skip	11,871	22,459,067
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	150	391,069
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A8</b>	<b>1</b>	<b>229</b>	<b>Do you drive a motor vehicle?</b>		
		1	Yes	2,133	3,906,503
		2	No	1,103	2,046,749
		6	Valid skip	8,758	16,651,775
		7	Don't know	0	0
		8	Refusal	161	424,712
		9	Not stated	0	0
<i>Population: former drinkers or abstainers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A9</b>	<b>1</b>	<b>230</b>	<b>In the past 12 months have you been in a motor vehicle accident with you as the driver?</b>		
		1	Yes	118	233,976
		2	No	2,010	3,667,343
		6	Valid skip	9,861	18,698,524
		7	Don't know	1	1,078
		8	Refusal	4	4,106
		9	Not stated	161	424,712
<i>Population: former drinkers or abstainers who drive a motor vehicle</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A10A</b>	<b>1</b>	<b>231</b>	<b>I'm going to read a list of reasons why people drink. For each, tell me if it is a reason you drink. Do you drink to be sociable or polite?</b>		
		1	Yes	6,020	11,075,820
		2	No	2,719	5,538,117
		6	Valid skip	3,397	6,377,964
		7	Don't know	11	16,054
		8	Refusal	8	21,784
		9	Not stated	0	0
<i>Population: current drinkers (persons who have consumed any alcohol in the past 12 months)</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A10B</b>	<b>1</b>	<b>232</b>	<b>Do you drink because everyone else is drinking?</b>		
		1	Yes	1,431	2,612,109
		2	No	7,306	13,989,425
		6	Valid skip	3,397	6,377,964
		7	Don't know	12	26,803
		8	Refusal	9	23,438
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A10C</b>	<b>1</b>	<b>223</b>	<b>Do you drink to add to the enjoyment of meals?</b>		
		1	Yes	4,159	8,369,031
		2	No	4,581	8,245,095
		6	Valid skip	3,397	6,377,964
		7	Don't know	8	13,623
		8	Refusal	10	24,025
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A10D</b>	<b>1</b>	<b>234</b>	<b>Do you drink to feel good?</b>		
		1	Yes	2,685	5,013,316
		2	No	6,051	11,591,119
		6	Valid skip	3,397	6,377,964
		7	Don't know	12	23,096
		8	Refusal	10	24,244
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A10E</b>	<b>1</b>	<b>235</b>	<b>Do you drink to help you relax?</b>		
		1	Yes	4,022	7,456,164
		2	No	4,715	9,152,469
		6	Valid skip	3,397	6,377,964
		7	Don't know	11	18,898
		8	Refusal	10	24,244
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A10F</b>	<b>1</b>	<b>236</b>	<b>Do you drink to forget worries?</b>		
		1	Yes	1,017	1,833,536
		2	No	7,721	14,775,975
		6	Valid skip	3,397	6,377,964
		7	Don't know	10	18,019
		8	Refusal	10	24,244
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A10G</b>	<b>1</b>	<b>237</b>	<b>Do you drink to feel less inhibited or shy?</b>		
		1	Yes	1,189	2,057,431
		2	No	7,554	14,562,045
		6	Valid skip	3,397	6,377,964
		7	Don't know	5	8,054
		8	Refusal	10	24,244
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A10H</b>	<b>1</b>	<b>238</b>	<b>Do you drink to keep your partner/date company?</b>		
		1	Yes	1,478	2,913,068
		2	No	7,263	13,703,179
		6	Valid skip	3,397	6,377,964
		7	Don't know	7	11,284
		8	Refusal	10	24,244
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A10I</b>	<b>1</b>	<b>239</b>	<b>Do you drink for any other reason?</b>		
		1	Yes	1,092	2,115,459
		2	No	7,648	14,501,161
		6	Valid skip	3,397	6,377,964
		7	Don't know	11	16,571
		8	Refusal	7	18,584
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A10J</b>	<b>2</b>	<b>240</b>	<b>Please specify your reason for drinking?</b>		
		01	Taste	323	681,492
		02	Thirst	65	108,056
		03	Likes/enjoys/fun	256	494,378
		04	Celebration/event	95	203,720
		05	"Feels like it"	59	101,361
		06	Other	228	403,313
		96	Valid skip	11,111	21,002,264
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	18	35,155
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A10L</b>	<b>2</b>	<b>242</b>	<b>Which of those reasons is the most important one for you?</b>		
		01	Be sociable/polite	2,772	4,878,375
		02	Everyone else is	90	186,024
		03	Enjoy meals	1,097	2,294,763
		04	To feel good	314	649,958
		05	To help relax	1,012	1,902,403
		06	Forget worries	86	141,616
		07	Less inhibited/shy	116	206,922
		08	Partner/date company	172	351,184
		09	Other reason	503	989,270
		96	Valid skip	5,911	11,261,661
		97	Don't know	81	166,148
		98	Refusal	1	1,414
		99	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>

<b>A11</b>	<b>2</b>	<b>244</b>	<b>During the past 12 months, on average how often did you drink alcohol?</b>		
		01	Everyday	348	794,661
		02	4-6 times a week	396	833,762
		03	2-3 times a week	1,582	3,075,015
		04	Once a week	1,705	3,341,468
		05	1-3 times a month	2,274	4,302,905
		06	< than once a month	2,421	4,240,776
		96	Valid skip	3,397	6,377,964
		97	Don't know	14	27,734
		98	Refusal	18	35,454
		99	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A12</b>	<b>2</b>	<b>246</b>	<b>(During the past 12 months) on the days that you had a drink, how many drinks did you usually have?</b>		
		01 : 50		8,683	16,502,590
		96	Valid skip	3,397	6,377,964
		97	Don't know	56	106,210
		98	Refusal	19	42,974
		99	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A131</b>	<b>1</b>	<b>248</b>	<b>What types of alcohol do you drink ... beer (5% alcohol content or more)?</b>		
		1	Yes	5,066	9,955,031
		2	No	3,675	6,661,014
		6	Valid skip	3,397	6,377,964
		7	Don't know	2	3,307
		8	Refusal	15	32,422
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A132</b>	<b>1</b>	<b>249</b>	<b>What types of alcohol do you drink ... light beer (less than 5% alcohol content)</b>		
		1	Yes	2,521	4,472,967
		2	No	6,220	12,143,078
		6	Valid skip	3,414	6,413,694
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A133</b>	<b>1</b>	<b>250</b>	<b>What types of alcohol do you drink ... wine</b>		
		1	Yes	5,278	10,447,873
		2	No	3,463	6,168,173
		6	Valid skip	3,414	6,413,694
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A134</b>	<b>1</b>	<b>251</b>	<b>What types of alcohol do you drink ... wine coolers</b>		
		1	Yes	1,494	2,634,490
		2	No	7,245	13,977,416
		6	Valid skip	3,414	6,413,694
		7	Don't know	2	4,139
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A135</b>	<b>1</b>	<b>252</b>	<b>What types of alcohol do you drink ... straight liquor (including liqueurs)</b>		
		1	Yes	2,075	3,912,896
		2	No	6,665	12,700,355
		6	Valid skip	3,414	6,413,694
		7	Don't know	1	2,794
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A136</b>	<b>1</b>	<b>253</b>	<b>What types of alcohol do you drink ... mixed liquor</b>		
		1	Yes	4,166	7,451,281
		2	No	4,573	9,157,294
		6	Valid skip	3,414	6,413,694
		7	Don't know	1	5,321
		8	Refusal	1	2,149
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A137</b>	<b>1</b>	<b>254</b>	<b>What types of alcohol do you drink ... other</b>		
		1	Yes	267	504,345
		2	No	8,472	16,106,757
		6	Valid skip	3,414	6,413,694
		7	Don't know	1	2,794
		8	Refusal	1	2,149
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A14</b>	<b>2</b>	<b>255</b>	<b>In the past 12 months, what is the highest number of drinks you can recall having on any one occasion?</b>		
		01 : 94		8,532	16,165,278
		96	Valid skip	3,397	6,377,964
		97	Don't know	191	405,922
		98	Refusal	35	80,575
		99	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A15</b>	<b>3</b>	<b>257</b>	<b>How many times in the past 12 months have you had FIVE or more drinks on one occasion?</b>		
		000 : 365		8,408	15,881,720
		996	Valid skip	3,397	6,377,964
		997	Don't know	314	688,535
		998	Refusal	36	81,520
		999	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A16</b>	<b>1</b>	<b>260</b>	<b>Thinking back over the last 7 days, did you drink any alcohol?</b>		
		1	Yes	4,358	8,323,319
		2	No	4,365	8,247,997
		6	Valid skip	3,397	6,377,964
		7	Don't know	12	32,268
		8	Refusal	23	48,190
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A16A</b>	<b>1</b>	<b>261</b>	<b>Did you usually have the same number of drinks each day?</b>		
		1	Yes	1,737	3,447,614
		2	No	2,612	4,860,843
		6	Valid skip	7,762	14,625,962
		7	Don't know	7	12,240
		8	Refusal	2	2,623
		9	Not stated	35	80,458
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A16B</b>	<b>2</b>	<b>262</b>	<b>How many drinks did you usually have?</b>		
		01 : 25		1,734	3,443,166
		96	Valid skip	10,381	19,499,045
		97	Don't know	2	2,298
		98	Refusal	1	2,149
		99	Not stated	37	83,081
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A16B1</b>	<b>6</b>	<b>264</b>	<b>DATE</b>	0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: current drinkers</i>					
<b>ADAY</b>	<b>3</b>	<b>270</b>	<b>DAY</b>	0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: drinkers last 7 days</i>					

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A16C</b>	<b>2</b>	<b>273</b>	<b>What about yesterday (name of day, ie Wednesday)? How many drinks did you have?</b>		
		00	No drinks	1,644	2,993,979
	01 : 25	96	Valid skip	963	1,846,980
		97	Don't know	9,499	18,073,575
		98	Refusal	10	24,894
		99	Not stated	2	7,230
				37	83,081
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A16D</b>	<b>2</b>	<b>275</b>	<b>What about (name of day, where day is TODAY MINUS 2)? How many drinks did you have?</b>		
		00	No drinks	1,765	3,238,561
	01 : 30	96	Valid skip	838	1,590,888
		97	Don't know	9,499	18,073,575
		98	Refusal	14	36,404
		99	Not stated	2	7,230
				37	83,081
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A16E</b>	<b>2</b>	<b>277</b>	<b>What about (name of day, where day is TODAY MINUS 3)? How many drinks did you have?</b>		
		00	No drinks	1,716	3,115,563
	01 : 25	96	Valid skip	875	1,687,287
		97	Don't know	9,499	18,073,575
		98	Refusal	26	63,003
		99	Not stated	2	7,230
				37	83,081
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A16F</b>	<b>2</b>	<b>279</b>	<b>What about (name of day, where day is TODAY MINUS 4)? How many drinks did you have?</b>		
		00	No drinks	1,763	3,279,746
	01 : 25	96	Valid skip	811	1,489,593
		97	Don't know	9,499	18,073,575
		98	Refusal	43	96,514
		99	Not stated	2	7,230
				37	83,081
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A16G</b>	<b>2</b>	<b>281</b>	<b>What about (name of day, where day is TODAY MINUS 5)? How many drinks did you have?</b>		
		00	No drinks	1,836	3,394,601
	01 : 30	96	Valid skip	732	1,356,350
		97	Don't know	9,499	18,073,575
		98	Refusal	49	114,902
		99	Not stated	2	7,230
				37	83,081
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A16H</b>	<b>2</b>	<b>283</b>	<b>What about (name of day, where day is TODAY MINUS 6)? How many drinks did you have?</b>		
		00	No drinks	1,934	3,529,837
	01 : 24	96	Valid skip	610	1,182,527
		97	Don't know	9,499	18,073,575
		98	Refusal	73	153,490
		99	Not stated	2	7,230
				37	83,081
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A16I</b>	<b>2</b>	<b>285</b>	<b>What about (name of day, where day is TODAY MINUS 7)? How many drinks did you have?</b>		
		00	No drinks	2,064	3,806,844
	01 : 30	96	Valid skip	456	862,658
		97	Don't know	9,499	18,073,575
		98	Refusal	97	196,350
		99	Not stated	2	7,230
				37	83,081
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>AMON</b>	<b>2</b>	<b>287</b>	<b>What about MONDAY? How many drinks did you have?</b>		
		00	No drinks	2,100	3,880,624
	01 : 30	96	Valid skip	2,242	4,403,898
		97	Don't know	7,762	14,625,962
		98	Refusal	0	0
		99	Not stated	0	0
				51	119,255
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>ATUE</b>	<b>2</b>	<b>289</b>	<b>What about TUESDAY? How many drinks did you have?</b>		
		00	No drinks	2,127	3,919,942
	01 : 25	96	Valid skip	2,214	4,360,177
		97	Don't know	7,762	14,625,962
		98	Refusal	1	4,404
		99	Not stated	0	0
				51	119,255
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>AWED</b>	<b>2</b>	<b>291</b>	<b>What about WEDNESDAY? How many drinks did you have?</b>		
		00	No drinks	2,089	3,822,600
	01 : 25	96	Valid skip	2,252	4,457,518
		97	Don't know	7,762	14,625,962
		98	Refusal	1	4,404
		99	Not stated	0	0
				51	119,255
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>ATHU</b>	<b>2</b>	<b>293</b>	<b>What about THURSDAY? How many drinks did you have?</b>		
		00	No drinks	2,068	3,843,519
	01 : 25	96	Valid skip	2,273	4,436,600
		97	Don't know	7,762	14,625,962
		98	Refusal	1	4,404
		99	Not stated	0	0
				51	119,255
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>AFRI</b>	<b>2</b>	<b>295</b>	<b>What about FRIDAY? How many drinks did you have?</b>		
		00	No drinks	1,565	2,853,309
	01 : 25	96	Valid skip	2,776	5,426,810
		97	Don't know	7,762	14,625,962
		98	Refusal	1	4,404
		99	Not stated	0	0
				51	119,255
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>ASAT</b>	<b>2</b>	<b>297</b>	<b>What about SATURDAY? How many drinks did you have?</b>		
		00	No drinks	1,151	2,159,718
	01 : 30	96	Valid skip	3,190	6,120,400
		97	Don't know	7,762	14,625,962
		98	Refusal	1	4,404
		99	Not stated	0	0
				51	119,255
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>ASUN</b>	<b>2</b>	<b>299</b>	<b>What about SUNDAY? How many drinks did you have?</b>		
		00	No drinks	1,701	3,023,368
		01 : 25		2,641	5,261,155
		96	Valid skip	7,762	14,625,962
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	51	119,255
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>TDRNKS</b>	<b>3</b>	<b>301</b>	<b>TOTAL DRINKS OF RESPONDENT DURING THE REFERENCE WEEK</b>		
		000 : 175		8,706	16,528,116
		996	Valid skip	3,397	6,377,964
		997	Don't know	1	4,404
		998	Refusal	0	0
		999	Not stated	51	119,255
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A17A</b>	<b>1</b>	<b>304</b>	<b>During the past 12 months how often did you spend a quiet evening at home?</b>		
		0	Never	120	261,008
		1	> than once a week	7,279	13,780,632
		2	Once a week	811	1,549,879
		3	1-3 times a month	387	729,910
		4	< than once a month	115	219,761
		6	Valid skip	3,397	6,377,964
		7	Don't know	12	28,101
		8	Refusal	34	82,484
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A17B</b>	<b>1</b>	<b>305</b>	<b>When you spent a quiet evening at home how often did you drink?</b>		
		0	Never	5,254	9,812,842
		1	Always	259	626,663
		2	> than 1/2	165	318,785
		3	Half of the time	358	702,333
		4	< than 1/2	2,546	4,798,937
		6	Valid skip	3,518	6,640,830
		7	Don't know	5	11,165
		8	Refusal	4	7,597
		9	Not stated	46	110,586
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A17C</b>	<b>2</b>	<b>306</b>	<b>How many drinks did you usually have?</b>		
		01 : 24		3,317	6,413,864
		96	Valid skip	8,772	16,453,672
		97	Don't know	9	24,815
		98	Refusal	2	8,039
		99	Not stated	55	129,348
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A17D</b>	<b>1</b>	<b>308</b>	<b>During the past 12 months how often did you spend time at someone else's home?</b>		
		0	Never	435	838,450
		1	> than once a week	1,478	2,698,370
		2	Once a week	1,968	3,797,998
		3	1-3 times a month	3,121	5,920,498
		4	< than once a month	1,680	3,213,756
		6	Valid skip	3,398	6,379,822
		7	Don't know	34	79,427
		8	Refusal	41	101,418
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A17E</b>	<b>1</b>	<b>309</b>	<b>When you spent time at someone else's home how often did you drink?</b>		
		0	Never	2,781	5,139,539
		1	Always	608	1,288,589
		2	> than 1/2 time	563	1,136,469
		3	Half of the time	1,166	2,293,957
		4	< than 1/2 time	3,117	5,755,038
		6	Valid skip	3,834	7,222,129
		7	Don't know	9	10,669
		8	Refusal	2	2,504
		9	Not stated	75	180,845
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A17F</b>	<b>2</b>	<b>310</b>	<b>How many drinks did you usually have?</b>		
	01 : 33			5,421	10,416,382
	96		Valid skip	6,617	12,363,216
	97		Don't know	29	48,083
	98		Refusal	2	8,039
	99		Not stated	86	194,018
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A17G</b>	<b>1</b>	<b>312</b>	<b>During the past 12 months how often did you have friends or relatives visit your home?</b>		
		0	Never	403	809,858
		1	> than once a week	1,367	2,429,555
		2	Once a week	1,709	3,247,599
		3	1-3 times a month	3,302	6,445,511
		4	< than once a month	1,893	3,511,867
		6	Valid skip	3,405	6,396,563
		7	Don't know	35	83,811
		8	Refusal	41	104,976
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A17H</b>	<b>1</b>	<b>313</b>	<b>When you had friends or relatives visit your home how often did you drink?</b>		
		0	Never	2,819	5,003,974
		1	Always	775	1,738,120
		2	> than 1/2	560	1,229,611
		3	Half of the time	1,204	2,389,721
		4	< than 1/2	2,899	5,254,332
		6	Valid skip	3,809	7,206,968
		7	Don't know	8	8,242
		8	Refusal	5	9,984
		9	Not stated	76	188,787
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A17I</b>	<b>2</b>	<b>314</b>	<b>How many drinks did you usually have?</b>		
	01 : 24			5,408	10,549,292
	96		Valid skip	6,631	12,216,918
	97		Don't know	25	48,477
	98		Refusal	2	8,039
	99		Not stated	89	207,013
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A17J</b>	<b>1</b>	<b>316</b>	<b>During the past 12 months how often did you go to a restaurant in the evening, excluding fast food?</b>		
		0	Never	1,211	2,219,187
		1	Always	615	1,198,758
		2	> than 1/2	1,065	2,158,407
		3	Half of the time	2,993	5,675,647
		4	< than 1/2	2,788	5,168,815
		6	Valid skip	3,411	6,405,665
		7	Don't know	22	63,647
		8	Refusal	50	139,613
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A17K</b>	<b>1</b>	<b>317</b>	<b>When you went to a restaurant in the evening, excluding fast food, how often did you drink?</b>		
		0	Never	2,769	5,147,590
		1	Always	1,375	2,720,903
		2	> than 1/2	503	995,959
		3	Half of the time	843	1,660,569
		4	< than 1/2	1,965	3,666,728
		6	Valid skip	4,622	8,624,852
		7	Don't know	4	6,765
		8	Refusal	2	3,112
		9	Not stated	72	203,260
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A17L</b>	<b>2</b>	<b>318</b>	<b>How many drinks did you usually have?</b>		
	01 : 12			4,679	9,031,019
	96		Valid skip	7,391	13,772,442
	97		Don't know	6	10,991
	98		Refusal	1	2,149
	99		Not stated	78	213,137
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A17M</b>	<b>1</b>	<b>320</b>	<b>During the past 12 months how often did you go to a restaurant at lunch, excluding fast food?</b>		
		0	Never	4,107	8,012,278
		1	Always	687	1,277,537
		2	> than 1/2	599	1,136,757
		3	Half of the time	1,423	2,557,752
		4	< than 1/2	1,850	3,427,966
		6	Valid skip	3,415	6,418,444
		7	Don't know	25	66,562
		8	Refusal	49	132,442
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A17N</b>	<b>1</b>	<b>321</b>	<b>When you went to a restaurant at lunch, excluding fast food, how often did you drink?</b>		
		0	Never	3,716	6,640,177
		1	Always	134	310,320
		2	> than 1/2	66	149,064
		3	Half of the time	160	343,397
		4	< than 1/2	481	954,066
		6	Valid skip	7,522	14,430,723
		7	Don't know	1	269
		8	Refusal	1	2,719
		9	Not stated	74	199,004
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A17O</b>	<b>2</b>	<b>322</b>	<b>How many drinks did you usually have?</b>		
		01 : 09		840	1,751,194
		96	Valid skip	11,238	21,070,899
		97	Don't know	1	5,652
		98	Refusal	0	0
		99	Not stated	76	201,993
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>

<b>A17P</b>	<b>1</b>	<b>324</b>	<b>During the past 12 months how often did you go to a bar or tavern?</b>		
		0	Never	4,005	8,147,216
		1	Always	377	714,258
		2	> than 1/2	592	1,115,868
		3	Half of the time	1,301	2,324,800
		4	< than 1/2	2,391	4,116,922
		6	Valid skip	3,418	6,424,657
		7	Don't know	20	50,841
		8	Refusal	51	135,177
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A17Q</b>	<b>1</b>	<b>325</b>	<b>When you went to a bar or tavern how often did you drink?</b>		
		0	Never	246	422,384
		1	Always	3,090	5,499,908
		2	> than 1/2	394	731,747
		3	Half of the time	364	652,726
		4	< than 1/2	565	962,766
		6	Valid skip	7,423	14,571,873
		7	Don't know	2	2,317
		8	Refusal	0	0
		9	Not stated	71	186,018
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A17R</b>	<b>2</b>	<b>326</b>	<b>How many drinks did you usually have?</b>		
		01 : 30		4,393	7,812,709
		96	Valid skip	7,670	14,999,414
		97	Don't know	19	29,282
		98	Refusal	0	0
		99	Not stated	73	188,334
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A17S</b>	<b>1</b>	<b>328</b>	<b>During the past 12 months how often did you go to a social club or a meeting?</b>		
		0	Never	4,962	9,875,438
		1	> than once a week	278	474,265
		2	Once a week	408	752,306
		3	1-3 times a month	1,193	2,137,650
		4	< than once a month	1,815	3,153,289
		6	Valid skip	3,424	6,439,247
		7	Don't know	26	66,137
		8	Refusal	49	131,407
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A17T</b>	<b>1</b>	<b>329</b>	<b>When you went to a social club or meeting how often did you drink?</b>		
		0	Never	2,353	4,029,412
		1	Always	403	696,737
		2	> than 1/2	109	209,922
		3	Half of the time	224	444,401
		4	< than 1/2	603	1,131,607
		6	Valid skip	8,387	16,318,666
		7	Don't know	1	1,451
		8	Refusal	0	0
		9	Not stated	75	197,544
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A17U</b>	<b>2</b>	<b>330</b>	<b>How many drinks did you usually have?</b>		
	01 : 15			1,333	2,465,591
	96		Valid skip	10,740	20,348,078
	97		Don't know	4	9,035
	98		Refusal	2	8,039
	99		Not stated	76	198,995
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A18A</b>	<b>1</b>	<b>332</b>	<b>During the past 12 months how many times did you participate in leisure activities such as being at a cottage, camping or boating?</b>		
		0	Never	2,681	5,338,538
		1	> than 52 times	334	557,619
		2	52 times	175	340,800
		3	12-51 times	1,727	3,121,758
		4	< than 12 times	3,731	7,006,016
		6	Valid skip	3,427	6,448,774
		7	Don't know	29	82,927
		8	Refusal	51	133,306
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A18B</b>	<b>1</b>	<b>333</b>	<b>When you were at a cottage, camping or boating how often did you drink?</b>		
		0	Never	1,947	3,584,836
		1	Always	895	1,702,873
		2	> than 1/2	429	855,770
		3	Half of the time	851	1,591,519
		4	< than 1/2	1,839	3,280,659
		6	Valid skip	6,108	11,787,313
		7	Don't know	5	9,592
		8	Refusal	1	945
		9	Not stated	80	216,233
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A18C</b>	<b>2</b>	<b>334</b>	<b>How many drinks did you usually have?</b>		
	01 : 55			3,974	7,360,162
	96		Valid skip	8,056	15,373,447
	97		Don't know	38	67,212
	98		Refusal	1	2,149
	99		Not stated	86	226,769
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A18D</b>	<b>1</b>	<b>336</b>	<b>During the past 12 months how many times did you participate in sports activities such as skiing, curling, softball, bowling etc..</b>		
		0	Never	3,688	6,880,972
		1	> than 52 times	1,270	2,451,031
		2	52 times	430	847,098
		3	12-51 times	1,793	3,371,106
		4	< than 12 times	1,471	2,826,239
		6	Valid skip	3,429	6,452,176
		7	Don't know	22	64,661
		8	Refusal	52	136,457
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A18E</b>	<b>1</b>	<b>337</b>	<b>While you were skiing, curling, playing softball or bowling how often did you drink?</b>		
		0	Never	3,616	7,107,372
		1	Always	227	433,089
		2	> than 1/2	124	235,242
		3	Half of the time	234	411,232
		4	< than 1/2	758	1,298,653
		6	Valid skip	7,117	13,333,147
		7	Don't know	4	8,941
		8	Refusal	1	945
		9	Not stated	74	201,118
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A18F</b>	<b>2</b>	<b>338</b>	<b>How many drinks did you usually have?</b>		
	01 : 15			1,339	2,367,988
	96		Valid skip	10,733	20,440,520
	97		Don't know	4	10,227
	98		Refusal	0	0
	99		Not stated	79	211,004
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A18G</b>	<b>1</b>	<b>340</b>	<b>During the past 12 months how many times did you attend a party, social gathering or wedding?</b>		
		0	Never	1,501	3,084,631
		1	> than 52 times	96	203,538
		2	52 times	77	163,316
		3	12-51 times	989	1,869,973
		4	< than 12 times	5,980	11,042,324
		6	Valid skip	3,433	6,461,443
		7	Don't know	29	78,403
		8	Refusal	50	126,112
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A18H</b>	<b>2</b>	<b>341</b>	<b>When you were at a party, social gathering or wedding how often did you drink?</b>		
		0	Never	794	1,400,410
		1	Always	3,243	6,384,263
		2	> than 1/2	704	1,278,246
		3	Half of the time	876	1,562,301
		4	< than 1/2	1,516	2,638,696
		6	Valid skip	4,934	9,546,073
		7	Don't know	8	14,290
		8	Refusal	1	945
		9	Not stated	79	204,514
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A18I</b>	<b>2</b>	<b>342</b>	<b>How many drinks did you usually have?</b>		
	01 : 40			6,300	11,786,592
	96		Valid skip	5,728	10,946,483
	97		Don't know	36	68,144
	98		Refusal	3	8,770
	99		Not stated	88	219,749
<i>Population: drinkers last 12 months</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A18J</b>	<b>1</b>	<b>344</b>	<b>During the past 12 months how many times did you go to a concert, sports event or festival?</b>		
	0		Never	3,398	6,455,168
	1		> than 52 times	74	114,579
	2		52 times	43	98,178
	3		12-51 times	722	1,294,750
	4		< than 12 times	4,406	8,397,676
	6		Valid skip	3,433	6,461,443
	7		Don't know	28	78,932
	8		Refusal	51	129,014
	9		Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A18K</b>	<b>1</b>	<b>345</b>	<b>When you were at a concert, sports event or festival how often did you drink?</b>		
	0		Never	3,375	6,350,398
	1		Always	482	933,385
	2		> than 1/2	156	322,494
	3		Half of the time	353	680,385
	4		< than 1/2	876	1,612,485
	6		Valid skip	6,831	12,916,610
	7		Don't know	2	5,092
	8		Refusal	1	945
	9		Not stated	79	207,945
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A18L</b>	<b>2</b>	<b>346</b>	<b>How many drinks did you usually have?</b>		
	01 : 40			1,862	3,531,119
	96		Valid skip	10,206	19,267,009
	97		Don't know	4	15,479
	98		Refusal	1	2,149
	99		Not stated	82	213,982
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A18M</b>	<b>1</b>	<b>348</b>	<b>During the past 12 months how often did you play bingo for money or prizes?</b>		
	0		Never	7,492	14,419,574
	1		> than once a week	113	174,009
	2		Once a week	158	225,780
	3		1-3 times a month	283	502,376
	4		< than once a month	612	1,072,106
	6		Valid skip	3,433	6,461,443
	7		Don't know	14	45,573
	8		Refusal	50	128,878
	9		Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A18N</b>	<b>1</b>	<b>349</b>	<b>During the past 12 months how often did you participate in lottery games (such as 649), play cards for money or bet on sporting events?</b>		
		0	Never	2,927	5,663,689
		1	> than once a week	1,461	2,693,843
		2	Once a week	1,519	2,981,219
		3	1-3 times a month	1,317	2,451,793
		4	< than once a month	1,427	2,589,610
		6	Valid skip	3,434	6,464,745
		7	Don't know	13	36,010
		8	Refusal	57	148,830
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A18O</b>	<b>1</b>	<b>350</b>	<b>During the past 12 months how often did you travel to places like Montreal, Windsor, Las Vegas or Atlantic City to gamble?</b>		
		0	Never	5,207	9,401,850
		1	> than once a week	15	23,958
		2	Once a week	5	14,564
		3	1-3 times a month	119	291,749
		4	< than once a month	614	1,351,284
		6	Valid skip	6,132	11,775,551
		7	Don't know	1	2,312
		8	Refusal	0	0
		9	Not stated	62	168,472
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A18P</b>	<b>1</b>	<b>351</b>	<b>(During the past 12 months) did you participate in some other form of luck, chance or gambling that I have not mentioned.</b>		
		1	Yes	694	1,081,131
		2	No	7,962	15,313,783
		6	Valid skip	3,435	6,465,902
		7	Don't know	11	29,428
		8	Refusal	53	139,495
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A18Q</b>	<b>2</b>	<b>352</b>	<b>Please tell me what this activity is called.</b>		
		01	Video lottery terminal (VLT)	160	175,889
		02	Slot machine	47	56,414
		03	Casino	68	120,234
		04	Draw	50	67,285
		05	Raffle	90	133,668
		06	Lottery ticket	106	189,596
		07	Sporting event	57	120,417
		08	Arcade	1	2,202
		09	Gambling city	11	22,916
		10	Pools	36	65,938
		11	Card games	20	40,574
		12	Other games	10	25,121
		13	Stockmarket	7	11,654
		14	Other	29	47,498
		96	Valid skip	11,399	21,781,408
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	64	168,924
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A19A</b>	<b>1</b>	<b>354</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your friendships or social life?</b>		
		1	Yes	1,232	1,967,773
		2	No	9,135	17,414,257
		5	Not applicable	75	160,894
		6	Valid skip	1,662	3,371,781
		7	Don't know	16	34,277
		8	Refusal	35	80,757
		9	Not stated	0	0
<i>Population: current or former drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A19B</b>	<b>1</b>	<b>355</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	332	562,185
		2	No	621	976,026
		6	Valid skip	11,161	21,391,717
		7	Don't know	0	0
		8	Refusal	1	5,590
		9	Not stated	40	94,222
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A19C</b>	<b>1</b>	<b>356</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your physical health?</b>		
		1	Yes	1,434	2,387,990
		2	No	9,010	17,155,617
		6	Valid skip	1,662	3,371,781
		7	Don't know	15	35,787
		8	Refusal	34	78,564
		9	Not stated	0	0
<i>Population: current or former drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A19D</b>	<b>1</b>	<b>357</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	568	1,031,382
		2	No	523	835,973
		6	Valid skip	11,024	21,069,801
		7	Don't know	1	1,866
		8	Refusal	0	0
		9	Not stated	39	90,717
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A19E</b>	<b>1</b>	<b>358</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your outlook on life?</b>		
		1	Yes	988	1,514,503
		2	No	9,451	18,025,736
		6	Valid skip	1,662	3,371,781
		7	Don't know	21	40,500
		8	Refusal	33	77,219
		9	Not stated	0	0
<i>Population: current or former drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A19F</b>	<b>1</b>	<b>359</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	279	445,235
		2	No	397	601,147
		6	Valid skip	11,438	21,897,303
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	41	86,053
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A19G</b>	<b>1</b>	<b>360</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your spouse/partner?</b>		
		1	Yes	571	929,414
		2	No	6,890	13,163,022
		6	Valid skip	4,653	8,852,122
		7	Don't know	13	23,067
		8	Refusal	28	62,115
		9	Not stated	0	0
<i>Population: current or former drinkers who are not single</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A19H</b>	<b>1</b>	<b>361</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	158	276,976
		2	No	205	322,733
		6	Valid skip	11,759	22,364,333
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	33	65,697
<i>Population: current or former drinkers who are not single</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A19I</b>	<b>1</b>	<b>362</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your child/children?</b>		
		1	Yes	376	577,890
		2	No	6,489	12,073,494
		6	Valid skip	5,258	10,316,513
		7	Don't know	11	16,399
		8	Refusal	21	45,444
		9	Not stated	0	0
<i>Population: current or former drinkers who have had children</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A19J</b>	<b>1</b>	<b>363</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	87	140,092
		2	No	111	171,943
		6	Valid skip	11,933	22,674,625
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	24	43,078
<i>Population: current or former drinkers who have had children</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A19K</b>	<b>1</b>	<b>364</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your home life?</b>		
		1	Yes	521	947,718
		2	No	7,225	15,549,706
		5	Not applicable	19	52,653
		6	Valid skip	4,366	6,417,606
		7	Don't know	9	16,711
		8	Refusal	15	45,346
		9	Not stated	0	0
<i>Population: current or former drinkers who do not live alone</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A19L</b>	<b>1</b>	<b>365</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	149	283,795
		2	No	186	322,681
		6	Valid skip	11,800	22,376,455
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	20	46,808
<i>Population: current drinkers who do not live alone</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A19M</b>	<b>1</b>	<b>366</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your work, studies or employment opportunities?</b>		
		1	Yes	591	950,886
		2	No	9,688	18,254,757
		5	Not applicable	172	359,995
		6	Valid skip	1,665	3,383,680
		7	Don't know	7	11,340
		8	Refusal	32	69,081
		9	Not stated	0	0
<i>Population: current drinkers or former drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A19N</b>	<b>1</b>	<b>367</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	167	277,867
		2	No	225	352,958
		6	Valid skip	11,731	22,335,912
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	32	63,002
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A19O</b>	<b>1</b>	<b>368</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your financial position?</b>		
		1	Yes	850	1,349,580
		2	No	9,558	18,133,533
		5	Not applicable	39	74,707
		6	Valid skip	1,667	3,389,436
		7	Don't know	9	13,401
		8	Refusal	32	69,081
		9	Not stated	0	0
<i>Population: current or former drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A19P</b>	<b>1</b>	<b>369</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	374	652,049
		2	No	243	355,860
		6	Valid skip	11,506	21,958,997
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	32	62,833
<i>Population: current or former drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A20</b>	<b>1</b>	<b>370</b>	<b>Was there ever a time that you felt your alcohol use had a harmful effect on your being pregnant?</b>		
		1	Yes	68	82,130
		2	No	3,651	6,236,731
		5	Not applicable	108	198,301
		6	Valid skip	8,311	16,478,290
		7	Don't know	5	8,360
		8	Refusal	12	25,926
		9	Not stated	0	0
<i>Population: current or former drinkers who have been pregnant</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A20A</b>	<b>1</b>	<b>371</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	8	10,897
		2	No	21	27,357
		6	Valid skip	12,112	22,966,053
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	14	25,432
<i>Population: current drinkers who have been pregnant or less than 50 years of age</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A21A</b>	<b>1</b>	<b>372</b>	<b>Does your spouse/partner encourage or discourage your drinking?</b>		
		1	Encourage	69	160,407
		2	Discourage	337	736,451
		3	Neither	3,130	6,703,438
		6	Valid skip	8,604	15,386,139
		7	Don't know	9	23,872
		8	Refusal	6	19,431
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more (who has a spouse/partner)</i>				<b>12,155</b>	<b>23,029,738</b>

<b>A21B</b>	<b>1</b>	<b>373</b>	<b>Do other family members or relatives encourage/discourage your drinking?</b>		
		1	Encourage	53	109,429
		2	Discourage	228	457,296
		3	Neither	3,254	7,034,872
		6	Valid skip	8,604	15,386,139
		7	Don't know	10	22,572
		8	Refusal	6	19,431
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A21C</b>	<b>1</b>	<b>374</b>	<b>Do family members or relatives encourage/discourage your drinking?</b>		
		1	Encourage	91	149,252
		2	Discourage	519	935,357
		3	Neither	2,634	4,353,767
		6	Valid skip	8,892	17,563,513
		7	Don't know	10	15,163
		8	Refusal	9	12,686
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,738</b>

<b>A21D</b>	<b>1</b>	<b>375</b>	<b>Do your friends encourage or discourage your drinking?</b>		
		1	Encourage	663	1,155,455
		2	Discourage	164	300,538
		3	Neither	5,954	11,586,172
		6	Valid skip	5,341	9,919,913
		7	Don't know	17	31,420
		8	Refusal	16	36,241
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A21E</b>	<b>1</b>	<b>376</b>	<b>Do co-workers encourage or discourage your drinking?</b>		
		1	Encourage	240	392,679
		2	Discourage	117	174,886
		3	Neither	3,698	7,028,178
		5	Not applicable	70	110,731
		6	Valid skip	8,017	15,296,289
		7	Don't know	7	11,967
		8	Refusal	6	15,009
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more (who is working or has worked in the past 12 months)</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A22</b>	<b>1</b>	<b>377</b>	<b>In the past 12 months how often did you drink to the point of feeling drunk or intoxicated?</b>		
		0	Never	3,288	6,746,671
		1	Always	80	155,491
		2	> than 1/2	212	381,042
		3	Half of the time	640	1,226,695
		4	< than 1/2	2,555	4,505,772
		6	Valid skip	5,342	9,921,930
		7	Don't know	17	39,714
		8	Refusal	21	52,423
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,738</b>

<b>A23</b>	<b>1</b>	<b>378</b>	<b>In the past 12 months, have you felt you needed to cut down on drinking?</b>		
		1	Yes	828	1,547,515
		2	No	5,962	11,498,287
		6	Valid skip	5,342	9,921,930
		7	Don't know	6	21,490
		8	Refusal	17	40,517
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A24</b>	<b>1</b>	<b>379</b>	<b>(In the past 12 months) have you felt annoyed by criticism of your drinking?</b>		
		1	Yes	316	558,922
		2	No	6,473	12,491,716
		6	Valid skip	5,343	9,924,702
		7	Don't know	7	17,238
		8	Refusal	16	37,162
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,740</b>

<b>A25</b>	<b>1</b>	<b>380</b>	<b>(In the past 12 months) have you felt guilty about drinking?</b>		
		1	Yes	520	853,702
		2	No	6,270	12,194,985
		6	Valid skip	5,343	9,924,702
		7	Don't know	6	19,188
		8	Refusal	16	37,162
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A26</b>	<b>1</b>	<b>381</b>	<b>In the past 12 months, have you felt you needed a drink first thing in the morning?</b>		
		1	Yes	77	126,024
		2	No	6,713	12,925,822
		6	Valid skip	5,346	9,933,524
		7	Don't know	4	8,475
		8	Refusal	15	35,895
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A27</b>	<b>1</b>	<b>382</b>	<b>Have you ever reduced or cut down the amount you drink without quitting completely?</b>		
		1	Yes	1,669	2,882,392
		2	No	5,107	10,134,623
		6	Valid skip	5,346	9,933,524
		7	Don't know	15	38,072
		8	Refusal	18	41,128
		9	Not stated	0	0
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A28</b>	<b>1</b>	<b>383</b>	<b>Have you ever stopped drinking altogether for a period of time?</b>		
		1	Yes	1,249	2,147,214
		2	No	416	732,425
		6	Valid skip	10,453	20,068,147
		7	Don't know	4	2,752
		8	Refusal	0	0
		9	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A29</b>	<b>1</b>	<b>384</b>	<b>When was the last time you quit or cut down the amount you drank?</b>		
		1	In past 12 months	770	1,348,542
		2	1-5 years ago	531	896,838
		3	Over 5 years ago	342	584,567
		6	Valid skip	10,453	20,068,147
		7	Don't know	22	42,657
		8	Refusal	4	9,788
		9	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A30</b>	<b>2</b>	<b>385</b>	<b>How long did it last?</b>		
		01	< than 1 month	217	429,660
		02	1-3 months	441	817,721
		03	4-6 months	214	383,999
		04	7-11 months	122	190,333
		05	1-2 years	169	258,406
		06	3-5 years	44	76,581
		07	> than 5 years	40	63,646
		08	Still continuing	392	610,594
		96	Valid skip	10,453	20,068,147
		97	Don't know	28	49,120
		98	Refusal	2	2,333
		99	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A31</b>	<b>1</b>	<b>387</b>	<b>I'm going to read a list of reasons why people reduce drinking or quit drinking altogether. For each, tell me if it was a reason for you. Did you reduce or quit drinking ... because you were dieting or for athletic reasons?</b>		
		1	Yes	533	916,209
		2	No	1,131	1,956,183
		6	Valid skip	10,453	20,068,147
		7	Don't know	4	8,562
		8	Refusal	1	1,439
		9	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A32A</b>	<b>1</b>	<b>388</b>	<b>Did you reduce or quit drinking ... because you were pregnant?</b>		
		1	Yes	160	221,673
		2	No	196	319,337
		6	Valid skip	11,792	22,475,385
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	7	13,344
			<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more (who have been pregnant)</i>	<b>12,155</b>	<b>23,029,739</b>
<b>A32B</b>	<b>1</b>	<b>389</b>	<b>Did you reduce or quit drinking ... because you were getting older?</b>		
		1	Yes	417	695,089
		2	No	1,249	2,179,834
		6	Valid skip	10,453	20,068,147
		7	Don't know	2	6,029
		8	Refusal	1	1,439
		9	Not stated	33	79,200
			<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>	<b>12,155</b>	<b>23,029,738</b>
<b>A32C</b>	<b>1</b>	<b>390</b>	<b>Did you reduce or quit drinking ... because you thought you were drinking too much/or had a drinking problem?</b>		
		1	Yes	583	1,012,799
		2	No	1,082	1,860,320
		6	Valid skip	10,453	20,068,147
		7	Don't know	3	7,833
		8	Refusal	1	1,439
		9	Not stated	33	79,200
			<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>	<b>12,155</b>	<b>23,029,738</b>
<b>A32D</b>	<b>1</b>	<b>391</b>	<b>Did you reduce or quit drinking ... because it was affecting your work, studies or employment opportunities?</b>		
		1	Yes	229	371,832
		2	No	1,436	2,501,287
		6	Valid skip	10,453	20,068,147
		7	Don't know	3	7,833
		8	Refusal	1	1,439
		9	Not stated	33	79,200
			<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>	<b>12,155</b>	<b>23,029,738</b>
<b>A32E</b>	<b>1</b>	<b>392</b>	<b>Did you reduce or quit drinking ... because it was interfering with your family or home life?</b>		
		1	Yes	284	462,308
		2	No	1,381	2,410,811
		6	Valid skip	10,453	20,068,147
		7	Don't know	3	7,833
		8	Refusal	1	1,439
		9	Not stated	33	79,200
			<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>	<b>12,155</b>	<b>23,029,738</b>
<b>A32F</b>	<b>1</b>	<b>393</b>	<b>Did you reduce or quit drinking ... because it was affecting your physical health?</b>		
		1	Yes	570	1,030,199
		2	No	1,095	1,842,920
		6	Valid skip	10,453	20,068,147
		7	Don't know	3	7,833
		8	Refusal	1	1,439
		9	Not stated	33	79,200
			<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>	<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A32G</b>	<b>1</b>	<b>394</b>	<b>Did you reduce or quit drinking ... because it was affecting your friendships or social life?</b>		
		1	Yes	231	343,217
		2	No	1,434	2,529,903
		6	Valid skip	10,453	20,068,147
		7	Don't know	3	7,833
		8	Refusal	1	1,439
		9	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A32H</b>	<b>1</b>	<b>395</b>	<b>Did you reduce or quit drinking ... for spiritual or religious reasons?</b>		
		1	Yes	124	182,779
		2	No	1,541	2,690,341
		6	Valid skip	10,453	20,068,147
		7	Don't know	3	7,833
		8	Refusal	1	1,439
		9	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A32I</b>	<b>1</b>	<b>396</b>	<b>Did you reduce or quit drinking ... because it was affecting your financial position?</b>		
		1	Yes	414	673,912
		2	No	1,250	2,193,046
		6	Valid skip	10,453	20,068,147
		7	Don't know	4	13,995
		8	Refusal	1	1,439
		9	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A32J</b>	<b>1</b>	<b>397</b>	<b>Did you reduce or quit drinking ... because it was affecting your outlook on life, happiness?</b>		
		1	Yes	392	620,344
		2	No	1,272	2,246,614
		6	Valid skip	10,453	20,068,147
		7	Don't know	3	12,419
		8	Refusal	2	3,015
		9	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A32K</b>	<b>1</b>	<b>398</b>	<b>Did you reduce or quit drinking ... because of influence from your family or friends?</b>		
		1	Yes	257	411,554
		2	No	1,407	2,455,404
		6	Valid skip	10,453	20,068,147
		7	Don't know	3	12,419
		8	Refusal	2	3,015
		9	Not stated	33	79,200
<i>Population: current drinkers who drink 3 drinks or more or drink once a month or more</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A33A</b>	<b>1</b>	<b>399</b>	<b>Do you drive a motor vehicle?</b>		
		1	Yes	7,342	13,693,589
		2	No	1,308	2,680,505
		6	Valid skip	3,452	6,517,306
		7	Don't know	0	0
		8	Refusal	53	138,339
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A33B</b>	<b>2</b>	<b>400</b>	<b>In the past 12 months, how many times have you driven after having two or more drinks in the previous hour?</b>		
		00 : 94		7,280	13,559,155
		96	Valid skip	4,762	9,202,129
		97	Don't know	50	104,553
		98	Refusal	10	25,563
		99	Not stated	53	138,339
<i>Population: current drinkers who drive</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A34</b>	<b>1</b>	<b>402</b>	<b>In the past 12 months have you been in a motor vehicle accident with you as the driver, after drinking in the previous few hours?</b>		
		1	Yes	37	81,998
		2	No	1,450	2,695,909
		6	Valid skip	10,555	19,983,377
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	113	268,455
<i>Population: current drinkers (after drinking two or more drinks in the previous hour)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A35</b>	<b>1</b>	<b>403</b>	<b>Have you ever had any contact with the police as a result of your drinking?</b>		
		1	Yes	800	1,230,958
		2	No	9,614	18,236,056
		6	Valid skip	1,680	3,421,835
		7	Don't know	6	7,325
		8	Refusal	55	133,565
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A36</b>	<b>1</b>	<b>404</b>	<b>Have you ever had any contact with Children's or Family Services as a result of your drinking?</b>		
		1	Yes	60	100,364
		2	No	10,358	19,365,638
		6	Valid skip	1,681	3,424,544
		7	Don't know	4	4,841
		8	Refusal	52	134,352
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A37A</b>	<b>1</b>	<b>405</b>	<b>During your last pregnancy, did you ...</b>		
		1	Drink same	191	362,714
		2	Cut down	347	637,628
		3	Not drink at all	3,155	5,227,775
		5	Not applicable	88	176,970
		6	Valid skip	8,315	16,486,343
		7	Don't know	37	82,077
		8	Refusal	22	56,233
		9	Not stated	0	0
<i>Population: current drinkers who have been pregnant</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A37B</b>	<b>1</b>	<b>406</b>	<b>Have you ever used any type of service or help to deal with your drinking?</b>		
		1	Yes	276	381,176
		2	No	10,141	19,082,880
		6	Valid skip	1,682	3,425,458
		7	Don't know	5	8,209
		8	Refusal	51	132,017
		9	Not stated	0	0
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A37C1</b>	<b>1</b>	<b>407</b>	<b>Which services or help did you use ... family member/friend?</b>		
		1	Yes	23	28,818
		2	No	251	350,402
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37C2</b>	<b>1</b>	<b>408</b>	<b>Which services or help did you use ... A.A. (Alcoholics Anonymous)</b>		
		1	Yes	187	250,131
		2	No	87	129,089
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37C3</b>	<b>1</b>	<b>409</b>	<b>Which services or help did you use ... a support or self-help group other than A.A.</b>		
		1	Yes	44	64,736
		2	No	230	314,484
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37C4</b>	<b>1</b>	<b>410</b>	<b>Which services or help did you use ... a psychologist, psychiatrist, social worker, a psychiatric hospital</b>		
		1	Yes	40	50,325
		2	No	234	328,895
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37C5</b>	<b>1</b>	<b>411</b>	<b>Which services or help did you use ... a minister, priest, rabbi, clergy or spiritual leader</b>		
		1	Yes	10	7,384
		2	No	264	371,836
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37C6</b>	<b>1</b>	<b>412</b>	<b>Which services or help did you use ... a doctor, nurse, a hospital, emergency department</b>		
		1	Yes	30	44,671
		2	No	244	334,549
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A37C7</b>	<b>1</b>	<b>413</b>	<b>Which services or help did you use ... an alcohol/drug addiction agency</b>		
		1	Yes	48	66,556
		2	No	226	312,664
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37C8</b>	<b>1</b>	<b>414</b>	<b>Which services or help did you use ... a detox (detoxification) centre, halfway house</b>		
		1	Yes	53	68,730
		2	No	221	310,490
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37C9</b>	<b>1</b>	<b>415</b>	<b>Which services or help did you use ... Employee Assistance Program</b>		
		1	Yes	7	11,986
		2	No	267	367,234
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37CA</b>	<b>1</b>	<b>416</b>	<b>Which services or help did you use ... self-help books</b>		
		1	Yes	14	17,277
		2	No	260	361,943
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37CB</b>	<b>1</b>	<b>417</b>	<b>Which services or help did you use ... other</b>		
		1	Yes	23	35,493
		2	No	251	343,726
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	183
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,737</b>
<b>A37D</b>	<b>1</b>	<b>418</b>	<b>Was/were the service(s) you used designed specifically for women?</b>		
		1	Yes	10	10,539
		2	No	79	97,515
		6	Valid skip	12,037	22,853,972
		7	Don't know	2	2,350
		8	Refusal	0	0
		9	Not stated	27	65,364
<i>Population: current drinkers who are female</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A37E</b>	<b>1</b>	<b>419</b>	<b>Would you have preferred a service designed for women?</b>		
		1	Yes	16	18,628
		2	No	62	78,071
		6	Valid skip	12,047	22,864,511
		7	Don't know	3	3,165
		8	Refusal	0	0
		9	Not stated	27	65,364
<i>Population: current drinkers who are female</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A37F</b>	<b>1</b>	<b>420</b>	<b>Have you experienced any of the following difficulties related to your drinking? ... Little or lack of support from your family?</b>		
		1	Yes	94	111,063
		2	No	177	262,724
		5	Not applicable	2	1,938
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	2,513
		8	Refusal	2	2,937
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A37G</b>	<b>1</b>	<b>421</b>	<b>Have you experienced any of the following difficulties related to your drinking? ... Difficulty getting time off work?</b>		
		1	Yes	32	50,082
		2	No	133	180,797
		5	Not applicable	4	3,540
		6	Valid skip	11,963	22,743,128
		7	Don't know	0	0
		8	Refusal	1	1,772
		9	Not stated	22	50,420
<i>Population: current drinkers (who work or have worked in the past 12 months)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A37H</b>	<b>1</b>	<b>422</b>	<b>Have you experienced any of the following difficulties related to your drinking? ... Difficulty arranging child care or babysitting?</b>		
		1	Yes	4	6,298
		2	No	46	65,681
		6	Valid skip	12,104	22,954,584
		7	Don't know	1	3,176
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: current drinkers (who have children less than 13 years of age)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A37I</b>	<b>1</b>	<b>423</b>	<b>Have you experienced any of the following difficulties related to your drinking? ... Difficulty arranging transportation?</b>		
		1	Yes	57	78,486
		2	No	216	298,686
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	1,067
		8	Refusal	2	2,937
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A37J</b>	<b>1</b>	<b>424</b>	<b>Have you experienced any of the following difficulties related to your drinking? ... Difficulty arranging accommodations?</b>		
		1	Yes	32	42,975
		2	No	241	334,197
		6	Valid skip	11,823	22,508,337
		7	Don't know	1	1,067
		8	Refusal	2	2,937
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A37K</b>	<b>1</b>	<b>425</b>	<b>Did you experience any difficulties because the kind of service you think would have helped was not available?</b>		
		1	Yes	46	54,526
		2	No	226	320,792
		6	Valid skip	11,823	22,508,337
		7	Don't know	3	4,086
		8	Refusal	1	1,772
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A37L</b>	<b>1</b>	<b>426</b>	<b>Did you experience any difficulties that I have not mentioned?</b>		
		1	Yes	34	51,595
		2	No	241	327,652
		6	Valid skip	11,824	22,510,266
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	56	140,226
<i>Population: current drinkers</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A37N</b>	<b>2</b>	<b>427</b>	<b>Thinking about the past 12 months, how often has your spouse/partner had a drink?</b>		
		01	Everyday	208	534,081
		02	4-6 times a week	182	405,251
		03	2-3 times a week	717	1,583,110
		04	Once a week	861	1,804,263
		05	1-3 times a month	1,111	2,185,584
		06	< than once a month	1,496	3,009,395
		07	Never	1,560	3,382,951
		96	Valid skip	5,905	9,752,549
		97	Don't know	40	118,073
		98	Refusal	75	254,482
		99	Not stated	0	0
<i>Population: all respondents who are married or living with a partner</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A37O</b>	<b>1</b>	<b>429</b>	<b>Have you ever spoken to somebody at work because drinking was affecting their performance?</b>		
		1	Yes	1,682	3,093,617
		2	No	9,334	17,506,448
		6	Valid skip	1,025	2,146,980
		7	Don't know	44	103,025
		8	Refusal	70	179,670
		9	Not stated	0	0
<i>Population: all respondents who have ever worked</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A37P</b>	<b>1</b>	<b>430</b>	<b>Have you ever driven/or arranged for transportation to take someone home from a party because you thought they had too much to drink?</b>		
		1	Yes	6,089	10,814,037
		2	No	5,739	11,379,547
		6	Valid skip	71	167,847
		7	Don't know	51	114,069
		8	Refusal	205	554,240
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A37Q</b>	<b>1</b>	<b>431</b>	<b>Have you ever called the police after seeing a drunk person get behind the wheel or drive dangerously?</b>		
		1	Yes	1,564	2,677,793
		2	No	10,276	19,544,807
		6	Valid skip	71	167,847
		7	Don't know	40	95,007
		8	Refusal	204	544,285
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A38</b>	<b>1</b>	<b>432</b>	<b>Now I'll describe situations that people sometimes find themselves in. For each one, please tell me how much a person should drink ... At a party at someone else's home, should there be ...</b>		
		1	No drinking	1,159	2,034,987
		2	1-2 drinks	7,733	14,724,657
		3	To feel effects	1,657	2,944,448
		4	To get drunk	246	460,498
		6	Valid skip	80	188,196
		7	Don't know	1,066	2,127,989
		8	Refusal	214	548,964
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A38A</b>	<b>1</b>	<b>433</b>	<b>How much should a man drink at a bar with friends? Would you say ...</b>		
		1	No drinking	948	1,689,989
		2	1-2 drinks	7,399	14,196,479
		3	To feel effects	1,905	3,330,800
		4	To get drunk	230	434,795
		6	Valid skip	80	188,196
		7	Don't know	1,380	2,646,234
		8	Refusal	213	543,246
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A38B</b>	<b>1</b>	<b>434</b>	<b>How much should a woman drink at a bar with friends? Would you say ...</b>		
		1	No drinking	1,263	2,211,494
		2	1-2 drinks	7,538	14,446,583
		3	To feel effects	1,552	2,705,197
		4	To get drunk	179	342,076
		6	Valid skip	82	192,323
		7	Don't know	1,329	2,593,326
		8	Refusal	212	538,739
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A38C</b>	<b>1</b>	<b>435</b>	<b>How much should a couple having dinner at home drink? Would you say ...</b>		
		1	No drinking	2,198	3,799,902
		2	1-2 drinks	7,098	13,549,471
		3	To feel effects	1,071	2,088,770
		4	To get drunk	223	417,440
		6	Valid skip	86	199,423
		7	Don't know	1,270	2,439,917
		8	Refusal	209	534,816
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A38D</b>	<b>1</b>	<b>436</b>	<b>How much should co-workers at lunch drink? Would you say ...</b>		
		1	No drinking	9,027	16,461,640
		2	1-2 drinks	1,931	3,986,687
		3	To feel effects	114	236,218
		4	To get drunk	16	26,289
		6	Valid skip	87	200,765
		7	Don't know	787	1,612,668
		8	Refusal	193	505,473
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A38E</b>	<b>1</b>	<b>437</b>	<b>How much should a person drink with friends in his/her home? Would you say ...</b>		
		1	No drinking	1,244	2,290,009
		2	1-2 drinks	7,298	13,995,300
		3	To feel effects	1,602	2,805,078
		4	To get drunk	288	503,267
		6	Valid skip	87	200,765
		7	Don't know	1,426	2,703,862
		8	Refusal	210	531,459
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A38F</b>	<b>1</b>	<b>438</b>	<b>How much should a person drink when getting together with friends after work and before going home? Would you say ...</b>		
		1	No drinking	4,349	7,884,262
		2	1-2 drinks	6,028	11,436,426
		3	To feel effects	344	681,855
		4	To get drunk	54	102,833
		6	Valid skip	90	207,732
		7	Don't know	1,086	2,186,804
		8	Refusal	204	529,827
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A38G</b>	<b>1</b>	<b>439</b>	<b>How much should a person drink when getting together with people for sports events or recreation? Would you say ...</b>		
		1	No drinking	5,133	9,041,274
		2	1-2 drinks	5,106	10,118,664
		3	To feel effects	468	846,921
		4	To get drunk	64	126,131
		6	Valid skip	92	213,316
		7	Don't know	1,093	2,162,161
		8	Refusal	199	521,270
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,737</b>
<b>A39</b>	<b>1</b>	<b>440</b>	<b>The next few questions are about your experience with other people's drinking problems. Have you ever been insulted or humiliated by someone who had been drinking?</b>		
		1	Yes	6,551	11,374,255
		2	No	5,216	10,684,687
		6	Valid skip	106	256,136
		7	Don't know	89	206,799
		8	Refusal	193	507,863
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A39B</b>	<b>1</b>	<b>441</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	2,487	4,417,396
		2	No	4,050	6,926,368
		6	Valid skip	5,322	10,940,823
		7	Don't know	14	30,491
		8	Refusal	0	0
		9	Not stated	282	714,662
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A39C</b>	<b>1</b>	<b>442</b>	<b>Have you ever had serious arguments or quarrels as a result of someone else's drinking?</b>		
		1	Yes	4,522	7,787,809
		2	No	7,277	14,338,467
		6	Valid skip	110	264,671
		7	Don't know	52	127,568
		8	Refusal	194	511,223
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A39D</b>	<b>1</b>	<b>443</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	1,798	3,221,266
		2	No	2,716	4,552,070
		6	Valid skip	7,387	14,603,138
		7	Don't know	8	14,473
		8	Refusal	0	0
		9	Not stated	246	638,792
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39E</b>	<b>1</b>	<b>444</b>	<b>Have you ever had friendships break up as a result of someone else's drinking?</b>		
		1	Yes	2,009	3,277,284
		2	No	9,784	18,844,152
		6	Valid skip	113	271,023
		7	Don't know	54	126,638
		8	Refusal	195	510,641
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A39F</b>	<b>1</b>	<b>445</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	642	1,056,272
		2	No	1,365	2,219,304
		6	Valid skip	9,897	19,115,175
		7	Don't know	2	1,708
		8	Refusal	0	0
		9	Not stated	249	637,280
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39G</b>	<b>1</b>	<b>446</b>	<b>Have you ever had family problems or marriage difficulties due to someone else's drinking?</b>		
		1	Yes	2,573	4,143,866
		2	No	9,234	18,008,026
		6	Valid skip	117	279,381
		7	Don't know	33	84,897
		8	Refusal	198	513,570
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A39H</b>	<b>1</b>	<b>447</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	749	1,235,706
		2	No	1,822	2,905,762
		6	Valid skip	9,351	18,287,407
		7	Don't know	1	914
		8	Refusal	1	1,484
		9	Not stated	231	598,467
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A39I</b>	<b>1</b>	<b>448</b>	<b>Have you ever been a passenger with a driver who had too much to drink?</b>		
		1	Yes	4,637	7,834,426
		2	No	7,141	14,251,035
		6	Valid skip	121	295,156
		7	Don't know	57	128,148
		8	Refusal	199	520,974
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39J</b>	<b>1</b>	<b>449</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	966	1,729,604
		2	No	3,668	6,100,585
		6	Valid skip	7,262	14,546,192
		7	Don't know	3	4,237
		8	Refusal	0	0
		9	Not stated	256	649,121
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39K</b>	<b>1</b>	<b>450</b>	<b>Have you ever been in a motor vehicle accident because of someone else's drinking?</b>		
		1	Yes	937	1,614,244
		2	No	10,845	20,471,357
		6	Valid skip	120	293,739
		7	Don't know	51	120,751
		8	Refusal	202	529,648
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39L</b>	<b>1</b>	<b>451</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	91	180,918
		2	No	846	1,433,326
		6	Valid skip	10,965	20,765,096
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	253	650,399
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39M</b>	<b>1</b>	<b>452</b>	<b>Have you ever had your property vandalized by someone who had been drinking?</b>		
		1	Yes	1,142	1,884,058
		2	No	10,411	19,823,737
		6	Valid skip	121	297,510
		7	Don't know	281	501,022
		8	Refusal	200	523,412
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39N</b>	<b>1</b>	<b>453</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	350	601,772
		2	No	791	1,281,452
		6	Valid skip	10,532	20,121,248
		7	Don't know	1	835
		8	Refusal	0	0
		9	Not stated	481	1,024,434
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,741</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A39O</b>	<b>1</b>	<b>454</b>	<b>Have you ever been pushed or shoved by someone who had been drinking?</b>		
		1	Yes	4,110	6,979,937
		2	No	7,679	15,103,970
		6	Valid skip	121	297,510
		7	Don't know	47	123,788
		8	Refusal	198	524,534
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39P</b>	<b>1</b>	<b>455</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	1,361	2,483,844
		2	No	2,740	4,478,171
		6	Valid skip	7,800	15,401,480
		7	Don't know	9	17,922
		8	Refusal	0	0
		9	Not stated	245	648,322
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39Q</b>	<b>1</b>	<b>456</b>	<b>Have you ever been disturbed by loud parties or the behaviour of people drinking?</b>		
		1	Yes	5,809	10,192,058
		2	No	5,988	11,911,162
		6	Valid skip	122	302,974
		7	Don't know	39	105,115
		8	Refusal	197	518,431
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A39R</b>	<b>1</b>	<b>457</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	3,000	5,290,014
		2	No	2,800	4,889,826
		6	Valid skip	6,110	12,214,135
		7	Don't know	9	12,217
		8	Refusal	0	0
		9	Not stated	236	623,546
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A39S</b>	<b>1</b>	<b>458</b>	<b>Have you ever had financial trouble because of someone else's drinking?</b>		
		1	Yes	792	1,201,486
		2	No	11,009	20,927,776
		6	Valid skip	122	302,974
		7	Don't know	33	79,819
		8	Refusal	199	517,685
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A39T</b>	<b>1</b>	<b>459</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	216	360,888
		2	No	576	840,598
		6	Valid skip	11,131	21,230,749
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	232	597,504
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A39U</b>	<b>1</b>	<b>460</b>	<b>Have you ever been hit or physically assaulted by someone who had been drinking?</b>		
		1	Yes	2,162	3,551,243
		2	No	9,631	18,558,202
		6	Valid skip	125	309,057
		7	Don't know	37	91,522
		8	Refusal	200	519,715
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39V</b>	<b>1</b>	<b>461</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	546	1,017,120
		2	No	1,616	2,534,123
		6	Valid skip	9,756	18,867,259
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	237	611,237
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39W</b>	<b>1</b>	<b>462</b>	<b>Have you ever been sexually assaulted by someone who had been drinking?</b>		
		1	Yes	427	627,117
		2	No	11,362	21,488,389
		6	Valid skip	127	311,499
		7	Don't know	37	81,035
		8	Refusal	202	521,699
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A39X</b>	<b>1</b>	<b>463</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	60	101,264
		2	No	367	525,853
		6	Valid skip	11,489	21,799,888
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	239	602,734
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A40A</b>	<b>1</b>	<b>464</b>	<b>Has your spouse/partner ever had a drinking problem?</b>		
		1	Yes	375	719,712
		2	No	5,762	12,206,798
		6	Valid skip	5,937	9,849,256
		7	Don't know	16	28,832
		8	Refusal	65	225,140
		9	Not stated	0	0
<i>Population: all respondents who have a spouse/partner</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A40B</b>	<b>1</b>	<b>465</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	101	192,444
		2	No	274	527,268
		6	Valid skip	11,699	22,056,054
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A40C</b>	<b>1</b>	<b>466</b>	<b>Because of your spouse/partner's drinking problem, did you avoid him/her?</b>		
		1	Yes	63	116,000
		2	No	38	76,444
		6	Valid skip	11,973	22,583,322
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A40D</b>	<b>1</b>	<b>467</b>	<b>Because of your spouse/partner's drinking problem, did you get advice?</b>		
		1	Yes	59	107,164
		2	No	42	85,280
		6	Valid skip	11,973	22,583,322
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A40E</b>	<b>1</b>	<b>468</b>	<b>Because of your spouse/partner's drinking problem, did you leave the relationship?</b>		
		1	Yes	19	37,294
		2	No	82	155,151
		6	Valid skip	11,973	22,583,322
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b</i>				<b>12,155</b>	<b>23,029,740</b>

<b>A40F</b>	<b>1</b>	<b>469</b>	<b>Because of your spouse/partner's drinking problem, did you suggest he/she seek professional help or help him/her to get assistance?</b>		
		1	Yes	82	151,811
		2	No	19	40,633
		6	Valid skip	11,973	22,583,322
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A40G1</b>	<b>1</b>	<b>470</b>	<b>Which services or help did you suggest? ... a family member/friend</b>		
		1	Yes	15	31,517
		2	No	67	120,294
		6	Valid skip	11,992	22,623,955
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a, a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A40G2</b>	<b>1</b>	<b>471</b>	<b>Which services or help did you suggest? ... A.A. (Alcoholics Anonymous)</b>		
		1	Yes	52	85,777
		2	No	30	66,034
		6	Valid skip	11,992	22,623,955
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A40G3</b>	<b>1</b>	<b>472</b>	<b>Which services or help did you suggest? ... a support or self-help group other than A.A.</b>		
	1		Yes	10	19,161
	2		No	72	132,650
	6		Valid skip	11,992	22,623,955
	7		Don't know	0	0
	8		Refusal	0	0
	9		Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A40G4</b>	<b>1</b>	<b>473</b>	<b>Which services or help did you suggest? ... a psychologist, psychiatrist, social worker, a psychiatric hospital</b>		
	1		Yes	16	36,054
	2		No	66	115,757
	6		Valid skip	11,992	22,623,955
	7		Don't know	0	0
	8		Refusal	0	0
	9		Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A40G5</b>	<b>1</b>	<b>474</b>	<b>Which services or help did you suggest? ... a minister, priest, rabbi, clergy or spiritual leader</b>		
	1		Yes	4	4,725
	2		No	78	147,086
	6		Valid skip	11,992	22,623,955
	7		Don't know	0	0
	8		Refusal	0	0
	9		Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A40G6</b>	<b>1</b>	<b>475</b>	<b>Which services or help did you suggest? ... a doctor, nurse, a hospital, emergency department</b>		
	1		Yes	21	37,298
	2		No	61	114,513
	6		Valid skip	11,992	22,623,955
	7		Don't know	0	0
	8		Refusal	0	0
	9		Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>

<b>A40G7</b>	<b>1</b>	<b>476</b>	<b>Which services or help did you suggest? ... an alcohol/drug addiction agency</b>		
	1		Yes	7	10,765
	2		No	75	141,046
	6		Valid skip	11,992	22,623,955
	7		Don't know	0	0
	8		Refusal	0	0
	9		Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A40G8</b>	<b>1</b>	<b>477</b>	<b>Which services or help did you suggest? ... a detox (detoxification) centre, halfway house</b>		
		1	Yes	8	9,058
		2	No	74	142,753
		6	Valid skip	11,992	22,623,955
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A40G9</b>	<b>1</b>	<b>478</b>	<b>Which services or help did you suggest? ... Employee Assistance Program</b>		
		1	Yes	4	9,819
		2	No	78	141,992
		6	Valid skip	11,992	22,623,955
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A40GA</b>	<b>1</b>	<b>479</b>	<b>Which services or help did you suggest? ... self-help books</b>		
		1	Yes	6	10,994
		2	No	76	140,816
		6	Valid skip	11,992	22,623,955
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A40GB</b>	<b>1</b>	<b>480</b>	<b>Which services or help did you suggest? ... other</b>		
		1	Yes	3	5,708
		2	No	79	146,103
		6	Valid skip	11,992	22,623,955
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	81	253,973
<i>Population: all respondents who have a spouse/partner who answered yes to a40a and a40b and a40f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A41A</b>	<b>1</b>	<b>481</b>	<b>Did your father ever have a drinking problem?</b>		
		1	Yes	2,358	3,977,962
		2	No	9,356	18,021,187
		6	Valid skip	127	311,499
		7	Don't know	105	183,867
		8	Refusal	209	535,223
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A41B</b>	<b>1</b>	<b>482</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	441	767,719
		2	No	1,900	3,182,359
		6	Valid skip	9,483	18,332,687
		7	Don't know	17	27,884
		8	Refusal	0	0
		9	Not stated	314	719,090
<i>Population: all respondents (who answered yes to a41a)</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A41C</b>	<b>1</b>	<b>483</b>	<b>Because of your father's drinking problem, did you avoid him?</b>		
		1	Yes	243	395,258
		2	No	198	372,461
		6	Valid skip	11,383	21,515,046
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	331	746,974
<i>Population: all respondents who answered yes to a41a and a41b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A41D</b>	<b>1</b>	<b>484</b>	<b>Because of your father's drinking problem, did you get advice?</b>		
		1	Yes	141	236,211
		2	No	300	531,508
		6	Valid skip	11,383	21,515,046
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	331	746,974
<i>Population: all respondents (who answered yes to a41a and a41b)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A41E</b>	<b>1</b>	<b>485</b>	<b>Because of your father's drinking problem, did you leave home?</b>		
		1	Yes	118	200,436
		2	No	321	563,398
		6	Valid skip	11,383	21,515,046
		7	Don't know	1	1,752
		8	Refusal	1	2,134
		9	Not stated	331	746,974
<i>Population: all respondents (who answered yes to a41a and a41b)</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A41F</b>	<b>1</b>	<b>486</b>	<b>Because of your father's drinking problem, did you suggest he seek professional help or help him to get assistance?</b>		
		1	Yes	227	369,600
		2	No	213	396,195
		6	Valid skip	11,383	21,515,046
		7	Don't know	1	1,925
		8	Refusal	0	0
		9	Not stated	331	746,974
<i>Population: all respondents (who answered yes to a41a and a41b)</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A41G1</b>	<b>1</b>	<b>487</b>	<b>Which services or help did you suggest? ... a family member/friend</b>		
		1	Yes	27	44,143
		2	No	198	324,362
		6	Valid skip	11,596	21,911,241
		7	Don't know	1	511
		8	Refusal	1	584
		9	Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A41G2</b>	<b>1</b>	<b>488</b>	<b>Which services or help did you suggest? ... A.A. (Alcoholics Anonymous)</b>		
		1	Yes	166	283,025
		2	No	59	85,480
		6	Valid skip	11,596	21,911,241
		7	Don't know	1	511
		8	Refusal	1	584
		9	Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A41G3</b>	<b>1</b>	<b>489</b>	<b>Which services or help did you suggest? ... a support or self-help group other than A.A.</b>		
	1		Yes	19	26,533
	2		No	206	341,972
	6		Valid skip	11,596	21,911,241
	7		Don't know	1	511
	8		Refusal	1	584
	9		Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A41G4</b>	<b>1</b>	<b>490</b>	<b>Which services or help did you suggest? ... a psychologist, psychiatrist, social worker, a psychiatric hospital</b>		
	1		Yes	28	44,348
	2		No	197	324,158
	6		Valid skip	11,596	21,911,241
	7		Don't know	1	511
	8		Refusal	1	584
	9		Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A41G5</b>	<b>1</b>	<b>491</b>	<b>Which services or help did you suggest? ... a minister, priest, rabbi, clergy or spiritual leader</b>		
	1		Yes	14	20,940
	2		No	211	347,566
	6		Valid skip	11,596	21,911,241
	7		Don't know	1	511
	8		Refusal	1	584
	9		Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A41G6</b>	<b>1</b>	<b>492</b>	<b>Which services or help did you suggest? ... a doctor, nurse, a hospital, emergency department</b>		
	1		Yes	54	80,970
	2		No	171	287,535
	6		Valid skip	11,596	21,911,241
	7		Don't know	1	511
	8		Refusal	1	584
	9		Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A41G7</b>	<b>1</b>	<b>493</b>	<b>Which services or help did you suggest? ... an alcohol/drug addiction agency</b>		
	1		Yes	15	28,021
	2		No	210	340,484
	6		Valid skip	11,596	21,911,241
	7		Don't know	1	511
	8		Refusal	1	584
	9		Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A41G8</b>	<b>1</b>	<b>494</b>	<b>Which services or help did you suggest? ... a detox (detoxification) centre, halfway house</b>		
	1		Yes	34	46,933
	2		No	191	321,572
	6		Valid skip	11,596	21,911,241
	7		Don't know	1	511
	8		Refusal	1	584
	9		Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A41G9</b>	<b>1</b>	<b>495</b>	<b>Which services or help did you suggest? ... Employee Assistance Program</b>		
		1	Yes	3	3,009
		2	No	222	365,497
		6	Valid skip	11,596	21,911,241
		7	Don't know	1	511
		8	Refusal	1	584
		9	Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A41GA</b>	<b>1</b>	<b>496</b>	<b>Which services or help did you suggest? ... self-help books</b>		
		1	Yes	4	6,713
		2	No	221	361,793
		6	Valid skip	11,596	21,911,241
		7	Don't know	1	511
		8	Refusal	1	584
		9	Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A41GB</b>	<b>1</b>	<b>497</b>	<b>Which services or help did you suggest? ... other</b>		
		1	Yes	15	26,288
		2	No	210	342,217
		6	Valid skip	11,596	21,911,241
		7	Don't know	1	511
		8	Refusal	1	584
		9	Not stated	332	748,898
<i>Population: all respondents who answered yes to a41a, a41b and a41f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42A</b>	<b>1</b>	<b>498</b>	<b>Did your mother ever have a drinking problem?</b>		
		1	Yes	537	883,727
		2	No	11,240	21,241,571
		6	Valid skip	129	317,870
		7	Don't know	46	72,548
		8	Refusal	203	514,024
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A42B</b>	<b>1</b>	<b>499</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	132	236,233
		2	No	403	641,973
		6	Valid skip	11,369	21,559,440
		7	Don't know	2	5,521
		8	Refusal	0	0
		9	Not stated	249	586,571
<i>Population: all respondents who answered yes to a42a</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A42C</b>	<b>1</b>	<b>500</b>	<b>Because of your mother's drinking problem, did you avoid her?</b>		
		1	Yes	84	147,683
		2	No	48	88,550
		6	Valid skip	11,772	22,201,414
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents (who answered yes to a42a and a42b)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42D</b>	<b>1</b>	<b>501</b>	<b>Because of your mother's drinking problem, did you get advice?</b>		
		1	Yes	58	106,079
		2	No	74	130,154
		6	Valid skip	11,772	22,201,414
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents (who answered yes to a42a and a42b)</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A42E</b>	<b>1</b>	<b>502</b>	<b>Because of your mother's drinking problem, did you leave home?</b>		
		1	Yes	42	67,691
		2	No	89	166,955
		6	Valid skip	11,772	22,201,414
		7	Don't know	1	1,587
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42F</b>	<b>1</b>	<b>503</b>	<b>Because of your mother's drinking problem, did you suggest she seek professional help or help her to get assistance?</b>		
		1	Yes	82	136,218
		2	No	50	100,015
		6	Valid skip	11,772	22,201,414
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42G1</b>	<b>1</b>	<b>504</b>	<b>Which services or help did you suggest? ... a family member/friend</b>		
		1	Yes	16	21,946
		2	No	64	108,337
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a, a42b and a42f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42G2</b>	<b>1</b>	<b>505</b>	<b>Which services or help did you suggest? ... A.A. (Alcoholics Anonymous)</b>		
		1	Yes	59	101,004
		2	No	21	29,279
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42G3</b>	<b>1</b>	<b>506</b>	<b>Which services or help did you suggest? ... a support or self-help group other than A.A.</b>		
		1	Yes	8	14,559
		2	No	72	115,724
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42G4</b>	<b>1</b>	<b>507</b>	<b>Which services or help did you suggest? ... a psychologist, psychiatrist, social worker, a psychiatric hospital</b>		
		1	Yes	13	19,683
		2	No	67	110,600
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A42G5</b>	<b>1</b>	<b>508</b>	<b>Which services or help did you suggest? ... a minister, priest, rabbi, clergy or spiritual leader</b>		
		1	Yes	5	4,939
		2	No	75	125,344
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42G6</b>	<b>1</b>	<b>509</b>	<b>Which services or help did you suggest? ... a doctor, nurse, a hospital, emergency department</b>		
		1	Yes	21	29,344
		2	No	59	100,939
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42G7</b>	<b>1</b>	<b>510</b>	<b>Which services or help did you suggest? ... an alcohol/drug addiction agency</b>		
		1	Yes	10	18,581
		2	No	70	111,702
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42G8</b>	<b>1</b>	<b>511</b>	<b>Which services or help did you suggest? ... a detox (detoxification) centre, halfway house</b>		
		1	Yes	14	20,340
		2	No	66	109,943
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42G9</b>	<b>1</b>	<b>512</b>	<b>Which services or help did you suggest? ... Employee Assistance Program</b>		
		1	Yes	0	0
		2	No	80	130,283
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A42GA</b>	<b>1</b>	<b>513</b>	<b>Which services or help did you suggest? ... self-help books</b>		
		1	Yes	3	4,568
		2	No	77	125,715
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A42GB</b>	<b>1</b>	<b>514</b>	<b>Which services or help did you suggest? ... other</b>		
		1	Yes	0	0
		2	No	80	130,283
		6	Valid skip	11,822	22,301,429
		7	Don't know	2	5,935
		8	Refusal	0	0
		9	Not stated	251	592,092
<i>Population: all respondents who answered yes to a42a and a42b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A43A</b>	<b>1</b>	<b>515</b>	<b>Has another family member or relative ever had a drinking problem? (includes ex-spouse)</b>		
		1	Yes	4,366	7,301,337
		2	No	7,386	14,771,931
		6	Valid skip	131	323,905
		7	Don't know	76	139,282
		8	Refusal	196	493,286
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,741</b>
<b>A43B</b>	<b>1</b>	<b>516</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	1,691	2,819,182
		2	No	2,626	4,411,949
		6	Valid skip	7,517	15,095,835
		7	Don't know	48	64,803
		8	Refusal	1	5,403
		9	Not stated	272	632,567
<i>Population: all respondents who answered yes to a43a</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A43C</b>	<b>1</b>	<b>517</b>	<b>Because of this family member's drinking problem, did you avoid him/her?</b>		
		1	Yes	797	1,296,452
		2	No	889	1,507,507
		6	Valid skip	10,143	19,507,784
		7	Don't know	3	6,118
		8	Refusal	2	9,105
		9	Not stated	321	702,773
<i>Population: all respondents who answered yes to a43a and a43b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A43D</b>	<b>1</b>	<b>518</b>	<b>Because of this family member's drinking problem, did you get advice?</b>		
		1	Yes	452	770,533
		2	No	1,235	2,036,651
		6	Valid skip	10,143	19,507,784
		7	Don't know	2	2,893
		8	Refusal	2	9,105
		9	Not stated	321	702,773
<i>Population: all respondents who answered yes to a43a and a43b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A43F</b>	<b>1</b>	<b>519</b>	<b>Because of this family member's drinking problem, did you suggest he/she seek professional help or help him/her to get assistance?</b>		
		1	Yes	784	1,311,286
		2	No	903	1,496,598
		6	Valid skip	10,143	19,507,784
		7	Don't know	2	2,193
		8	Refusal	2	9,105
		9	Not stated	321	702,773
<i>Population: all respondents who answered yes to a43a and a43b</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A43G1</b>	<b>1</b>	<b>520</b>	<b>Which services or help did you suggest? ... a family member/friend</b>		
		1	Yes	98	178,586
		2	No	673	1,114,803
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A43G2</b>	<b>1</b>	<b>521</b>	<b>Which services or help did you suggest? ... A.A. (Alcoholics Anonymous)</b>		
		1	Yes	525	879,908
		2	No	246	413,481
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A43G3</b>	<b>1</b>	<b>522</b>	<b>Which services or help did you suggest? ... a support or self-help group other than A.A.</b>		
		1	Yes	82	138,657
		2	No	689	1,154,732
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A43G4</b>	<b>1</b>	<b>523</b>	<b>Which services or help did you suggest? ... a psychologist, psychiatrist, social worker, a psychiatric hospital</b>		
		1	Yes	115	214,391
		2	No	656	1,078,999
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A43G5</b>	<b>1</b>	<b>524</b>	<b>Which services or help did you suggest? ... a minister, priest, rabbi, clergy or spiritual leader</b>		
		1	Yes	32	39,733
		2	No	739	1,253,656
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A43G6</b>	<b>1</b>	<b>525</b>	<b>Which services or help did you suggest? ... a doctor, nurse, a hospital, emergency department</b>		
		1	Yes	124	192,503
		2	No	647	1,100,886
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A43G7</b>	<b>1</b>	<b>526</b>	<b>Which services or help did you suggest? ... an alcohol/drug addiction agency</b>		
		1	Yes	74	123,756
		2	No	697	1,169,633
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A43G8</b>	<b>1</b>	<b>527</b>	<b>Which services or help did you suggest? ... a detox (detoxification) centre, halfway house</b>		
		1	Yes	121	183,856
		2	No	650	1,109,533
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A43G9</b>	<b>1</b>	<b>528</b>	<b>Which services or help did you suggest? ... Employee Assistance Program</b>		
		1	Yes	13	26,001
		2	No	758	1,267,388
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A43GA</b>	<b>1</b>	<b>529</b>	<b>Which services or help did you suggest? ... self-help books</b>		
		1	Yes	21	36,789
		2	No	750	1,256,601
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A43GB</b>	<b>1</b>	<b>530</b>	<b>Which services or help did you suggest? ... other</b>		
		1	Yes	46	68,291
		2	No	725	1,225,098
		6	Valid skip	11,046	21,004,381
		7	Don't know	9	13,632
		8	Refusal	4	4,265
		9	Not stated	325	714,071
<i>Population: all respondents who answered yes to a43a, a43b and a43f</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A44A</b>	<b>1</b>	<b>531</b>	<b>Have you ever had a friend with a drinking problem?</b>		
		1	Yes	4,461	7,487,741
		2	No	7,323	14,644,812
		6	Valid skip	132	325,634
		7	Don't know	47	91,099
		8	Refusal	192	480,453
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A44B</b>	<b>1</b>	<b>532</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	1,968	3,281,437
		2	No	2,476	4,179,627
		6	Valid skip	7,455	14,970,446
		7	Don't know	15	21,122
		8	Refusal	2	5,555
		9	Not stated	239	571,552
<i>Population: all respondents who answered to a44a</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44C</b>	<b>1</b>	<b>533</b>	<b>Because of your friend's drinking problem, did you avoid him/her?</b>		
		1	Yes	766	1,186,365
		2	No	1,195	2,081,776
		6	Valid skip	9,931	19,150,073
		7	Don't know	6	10,098
		8	Refusal	1	3,197
		9	Not stated	256	598,229
<i>Population: all respondents who answered yes to a44a and a44b</i>				<b>12,155</b>	<b>23,029,738</b>
<b>A44D</b>	<b>1</b>	<b>534</b>	<b>Because of your friend's drinking problem, did you get advice?</b>		
		1	Yes	585	918,164
		2	No	1,377	2,348,892
		6	Valid skip	9,931	19,150,073
		7	Don't know	3	4,174
		8	Refusal	3	10,207
		9	Not stated	256	598,229
<i>Population: all respondents who answered yes to a44a and a44b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44E</b>	<b>1</b>	<b>535</b>	<b>Because of your friend's drinking problem, did you leave the friendship?</b>		
		1	Yes	384	603,749
		2	No	1,580	2,670,624
		6	Valid skip	9,932	19,151,326
		7	Don't know	2	2,444
		8	Refusal	1	3,368
		9	Not stated	256	598,229
<i>Population: all respondents who answered yes to a44a and a44b</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A44F</b>	<b>1</b>	<b>536</b>	<b>Because of your friend's drinking problem, did you suggest he/she seek professional help or help him/her to get assistance?</b>		
		1	Yes	1,074	1,743,804
		2	No	890	1,530,752
		6	Valid skip	9,932	19,151,326
		7	Don't know	2	2,260
		8	Refusal	1	3,368
		9	Not stated	256	598,229
<i>Population: all respondents who answered yes to a44a and a44b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44G1</b>	<b>1</b>	<b>537</b>	<b>Which services or help did you suggest? ... a family member/friend</b>		
		1	Yes	152	258,102
		2	No	903	1,431,383
		6	Valid skip	10,822	20,682,078
		7	Don't know	17	50,971
		8	Refusal	2	3,348
		9	Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A44G2</b>	<b>1</b>	<b>538</b>	<b>Which services or help did you suggest? ... A.A. (Alcoholics Anonymous)</b>		
		1	Yes	645	1,012,502
		2	No	410	676,983
		6	Valid skip	10,822	20,682,078
		7	Don't know	17	50,971
		8	Refusal	2	3,348
		9	Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44G3</b>	<b>1</b>	<b>539</b>	<b>Which services or help did you suggest? ... a support or self-help group other than A.A.</b>		
		1	Yes	120	198,001
		2	No	935	1,491,484
		6	Valid skip	10,822	20,682,078
		7	Don't know	17	50,971
		8	Refusal	2	3,348
		9	Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44G4</b>	<b>1</b>	<b>540</b>	<b>Which services or help did you suggest? ... a psychologist, psychiatrist, social worker, a psychiatric hospital</b>		
		1	Yes	136	222,415
		2	No	919	1,467,070
		6	Valid skip	10,822	20,682,078
		7	Don't know	17	50,971
		8	Refusal	2	3,348
		9	Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44G5</b>	<b>1</b>	<b>541</b>	<b>Which services or help did you suggest? ... a minister, priest, rabbi, clergy or spiritual leader</b>		
		1	Yes	43	58,712
		2	No	1,012	1,630,773
		6	Valid skip	10,822	20,682,078
		7	Don't know	17	50,971
		8	Refusal	2	3,348
		9	Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44G6</b>	<b>1</b>	<b>542</b>	<b>Which services or help did you suggest? ... a doctor, nurse, a hospital, emergency department</b>		
		1	Yes	128	167,337
		2	No	927	1,522,148
		6	Valid skip	10,822	20,682,078
		7	Don't know	17	50,971
		8	Refusal	2	3,348
		9	Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44G7</b>	<b>1</b>	<b>543</b>	<b>Which services or help did you suggest? ... an alcohol/drug addiction agency</b>		
		1	Yes	91	140,538
		2	No	964	1,548,947
		6	Valid skip	10,822	20,682,078
		7	Don't know	17	50,971
		8	Refusal	2	3,348
		9	Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A44G8</b>	<b>1</b>	<b>544</b>	<b>Which services or help did you suggest? ... a detox (detoxification) centre, halfway house</b>		
	1		Yes	132	179,393
	2		No	923	1,510,092
	6		Valid skip	10,822	20,682,078
	7		Don't know	17	50,971
	8		Refusal	2	3,348
	9		Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44G9</b>	<b>1</b>	<b>545</b>	<b>Which services or help did you suggest? ... Employee Assistance Program</b>		
	1		Yes	29	47,426
	2		No	1,026	1,642,059
	6		Valid skip	10,822	20,682,078
	7		Don't know	17	50,971
	8		Refusal	2	3,348
	9		Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44GA</b>	<b>1</b>	<b>546</b>	<b>Which services or help did you suggest? ... self-help books</b>		
	1		Yes	17	31,408
	2		No	1,038	1,658,077
	6		Valid skip	10,822	20,682,078
	7		Don't know	17	50,971
	8		Refusal	2	3,348
	9		Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A44GB</b>	<b>1</b>	<b>547</b>	<b>Which services or help did you suggest? ... other</b>		
	1		Yes	90	150,546
	2		No	965	1,538,939
	6		Valid skip	10,822	20,682,078
	7		Don't know	17	50,971
	8		Refusal	2	3,348
	9		Not stated	259	603,857
<i>Population: all respondents who answered yes to a44a, a44b and a44f</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A45A</b>	<b>1</b>	<b>548</b>	<b>Have you ever known a co-worker who had a drinking problem?</b>		
	1		Yes	2,868	4,885,534
	2		No	7,922	15,321,317
	4		Previously mentioned friend	133	216,527
	5		Not applicable	0	0
	6		Valid skip	1,081	2,291,125
	7		Don't know	77	155,075
	8		Refusal	74	160,161
	9		Not stated	0	0
<i>Population: all respondents who are working or have ever worked</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A45B</b>	<b>1</b>	<b>549</b>	<b>Was this during the past 12 months?</b>		
	1		Yes	970	1,661,242
	2		No	1,875	3,193,454
	5		Not applicable	17	23,211
	6		Valid skip	9,136	17,828,969
	7		Don't know	6	7,628
	8		Refusal	0	0
	9		Not stated	151	315,236
<i>Population: all respondents who answered yes to a45a</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A45C</b>	<b>1</b>	<b>550</b>	<b>Because of your co-worker's drinking problem, did you avoid him/her?</b>		
		1	Yes	251	417,833
		2	No	719	1,243,409
		6	Valid skip	11,028	21,045,634
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a and a45b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A45D</b>	<b>1</b>	<b>551</b>	<b>Because of your co-worker's drinking problem, did you get advice?</b>		
		1	Yes	202	331,716
		2	No	768	1,329,526
		6	Valid skip	11,028	21,045,634
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a and a45b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A45E</b>	<b>1</b>	<b>552</b>	<b>Because of your co-worker's drinking problem, did you suggest he/she seek professional help or help him/her to get assistance?</b>		
		1	Yes	340	565,736
		2	No	630	1,095,506
		6	Valid skip	11,028	21,045,634
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a and a45b</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A45F1</b>	<b>1</b>	<b>553</b>	<b>Which services or help did you suggest? ... a family member/friend</b>		
		1	Yes	25	47,521
		2	No	315	517,609
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A45F2</b>	<b>1</b>	<b>554</b>	<b>Which services or help did you suggest? ... A.A. (Alcoholics Anonymous)</b>		
		1	Yes	195	306,180
		2	No	145	258,950
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A45F3</b>	<b>1</b>	<b>555</b>	<b>Which services or help did you suggest? ... a support or self-help group other than A.A.</b>		
		1	Yes	38	50,362
		2	No	302	514,768
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,740</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A45F4</b>	<b>1</b>	<b>556</b>	<b>Which services or help did you suggest? ... a psychologist, psychiatrist, social worker, a psychiatric hospital</b>		
		1	Yes	34	56,341
		2	No	306	508,789
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A45F5</b>	<b>1</b>	<b>557</b>	<b>Which services or help did you suggest? ... a minister, priest, rabbi, clergy or spiritual leader</b>		
		1	Yes	8	12,456
		2	No	332	552,674
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A45F6</b>	<b>1</b>	<b>558</b>	<b>Which services or help did you suggest? ... a doctor, nurse, a hospital, emergency department</b>		
		1	Yes	37	63,338
		2	No	303	501,792
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,740</b>
<b>A45F7</b>	<b>1</b>	<b>559</b>	<b>Which services or help did you suggest? ... an alcohol/drug addiction agency</b>		
		1	Yes	24	39,031
		2	No	316	526,098
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A45F8</b>	<b>1</b>	<b>560</b>	<b>Which services or help did you suggest? ... a detox (detoxification) centre, halfway house</b>		
		1	Yes	34	48,001
		2	No	306	517,128
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A45F9</b>	<b>1</b>	<b>561</b>	<b>Which services or help did you suggest? ... Employee Assistance Program</b>		
		1	Yes	53	91,524
		2	No	287	473,605
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>A45FA</b>	<b>1</b>	<b>562</b>	<b>Which services or help did you suggest? ... self-help books</b>		
		1	Yes	2	6,212
		2	No	338	558,917
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,739</b>
<b>A45FB</b>	<b>1</b>	<b>563</b>	<b>Which services or help did you suggest? ... other</b>		
		1	Yes	23	41,341
		2	No	317	523,789
		6	Valid skip	11,657	22,139,097
		7	Don't know	0	0
		8	Refusal	1	2,650
		9	Not stated	157	322,863
<i>Population: all respondents who answered yes to a45a, a45b and a45e</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M1A</b>	<b>1</b>	<b>564</b>	<b>In the past 12 months, did you take tranquilizers such as valium (pills for your nerves)?</b>		
		1	Yes	554	998,488
		2	No	11,257	21,193,094
		6	Valid skip	141	339,865
		7	Don't know	19	30,898
		8	Refusal	184	467,394
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1B</b>	<b>1</b>	<b>565</b>	<b>Did your doctor prescribe this for you?</b>		
		1	Yes	524	941,289
		2	No	30	57,199
		6	Valid skip	11,398	21,532,959
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	203	498,292
<i>Population: current tranquilizer users (respondents who used tranquilizers within the past 12 months)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1C</b>	<b>1</b>	<b>566</b>	<b>How long have you been using tranquilizers such as valium (pills for your nerves)?</b>		
		0	< than 30 days	141	236,263
		1	30 days to a year	126	224,377
		2	1 to 2 years	82	158,934
		3	3 to 5 years	81	136,786
		4	More than 5 years	120	234,456
		6	Valid skip	11,398	21,532,959
		7	Don't know	3	5,155
		8	Refusal	1	2,517
		9	Not stated	203	498,292
<i>Population: current tranquilizer users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1D</b>	<b>1</b>	<b>567</b>	<b>Did you consume alcohol while using this medication?</b>		
		1	Yes	56	100,308
		2	No	320	597,914
		6	Valid skip	11,716	22,178,326
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	63	153,191
<i>Population: current tranquilizer and alcohol users</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M1E</b>	<b>2</b>	<b>568</b>	<b>How many times have you driven after having taken these tranquilizers in the previous two hours?</b>		
	00	: 94		382	699,247
	96		Valid skip	11,726	22,237,467
	97		Don't know	13	19,782
	98		Refusal	0	0
	99		Not stated	34	73,243
<i>Population: current tranquilizer users who drive</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1F</b>	<b>1</b>	<b>570</b>	<b>In the past 12 months, did you take diet pills or stimulants (pep pills)?</b>		
	1		Yes	113	195,769
	2		No	11,705	22,003,380
	6		Valid skip	141	339,865
	7		Don't know	17	33,204
	8		Refusal	179	457,521
	9		Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1G</b>	<b>1</b>	<b>571</b>	<b>Did your doctor prescribe this for you?</b>		
	1		Yes	44	70,243
	2		No	69	125,526
	6		Valid skip	11,846	22,343,245
	7		Don't know	0	0
	8		Refusal	0	0
	9		Not stated	196	490,726
<i>Population: current diet pill (stimulants) users (respondents who used diet pills or stimulants within the past 12 months)</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M1H</b>	<b>1</b>	<b>572</b>	<b>How long have you been using diet pills or stimulants (pep pills)?</b>		
	0		< 30 days	52	91,057
	1		30 days -1 year	35	52,600
	2		1-2 years	6	14,940
	3		3-5 years	10	16,866
	4		> 5 years	8	12,742
	6		Valid skip	11,846	22,343,245
	7		Don't know	1	3,071
	8		Refusal	1	4,492
	9		Not stated	196	490,726
<i>Population: current diet pill (stimulants) users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1I</b>	<b>1</b>	<b>573</b>	<b>Did you consume alcohol while using this medication?</b>		
	1		Yes	23	60,055
	2		No	66	94,714
	6		Valid skip	12,006	22,723,438
	7		Don't know	1	1,484
	8		Refusal	0	0
	9		Not stated	59	150,048
<i>Population: current diet pill and alcohol users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1J</b>	<b>2</b>	<b>574</b>	<b>How many times have you driven after taking diet pills or stimulants (pep pills) in the previous two hours?</b>		
	00	: 94		70	124,283
	96		Valid skip	12,044	22,820,687
	97		Don't know	10	9,695
	98		Refusal	0	0
	99		Not stated	31	75,075
<i>Population: current diet pill users who drive</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M1K</b>	<b>1</b>	<b>576</b>	<b>In the past 12 months, did you take anti-depressants?</b>		
		1	Yes	441	683,086
		2	No	11,374	21,517,930
		6	Valid skip	141	339,865
		7	Don't know	20	31,566
		8	Refusal	179	457,292
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1L</b>	<b>1</b>	<b>577</b>	<b>Did your doctor prescribe this for you?</b>		
		1	Yes	436	671,865
		2	No	5	11,221
		6	Valid skip	11,515	21,857,795
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	199	488,858
<i>Population: current anti-depressant users (respondents who used anti-depressants within the past 12 months)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1M</b>	<b>1</b>	<b>578</b>	<b>How long have you been using anti-depressants?</b>		
		0	< 30 days	106	154,621
		1	30 days -1 year	142	222,499
		2	1-2 years	79	128,090
		3	3-5 years	43	68,025
		4	> 5 years	69	102,938
		6	Valid skip	11,515	21,857,795
		7	Don't know	2	6,914
		8	Refusal	0	0
		9	Not stated	199	488,858
<i>Population: current anti-depressant users</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M1N</b>	<b>1</b>	<b>579</b>	<b>Did you consume alcohol while using this medication?</b>		
		1	Yes	89	143,150
		2	No	197	291,782
		6	Valid skip	11,796	22,431,194
		7	Don't know	3	7,325
		8	Refusal	0	0
		9	Not stated	70	156,288
<i>Population: current anti-depressant and alcohol users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1O</b>	<b>2</b>	<b>580</b>	<b>How many times have you driven after taking anti-depressants in the previous two hours?</b>		
		00 : 94		315	486,135
		96	Valid skip	11,775	22,424,229
		97	Don't know	17	23,105
		98	Refusal	2	3,671
		99	Not stated	46	92,598
<i>Population: current anti-depressant users who drive (If&gt;94=94)</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M1P</b>	<b>1</b>	<b>582</b>	<b>In the past 12 months, did you take prescription pain pills such as codeine, demerol, morphine?</b>		
		1	Yes	1,738	3,012,121
		2	No	10,065	19,166,751
		6	Valid skip	142	345,901
		7	Don't know	31	52,625
		8	Refusal	179	452,341
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M1Q</b>	<b>1</b>	<b>583</b>	<b>Did your doctor prescribe this for you?</b>		
		1	Yes	1,674	2,890,485
		2	No	64	121,636
		6	Valid skip	10,207	19,512,652
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	210	504,966
			<i>Population: current prescription pain pill users (respondents who used prescription pain pills within the past 12 months)</i>	<b>12,155</b>	<b>23,029,739</b>
<b>M1R</b>	<b>1</b>	<b>584</b>	<b>How long have you been using prescription pain pills such as codeine, demerol, morphine?</b>		
		0	< 30 days	1,032	1,680,519
		1	30 days -1 year	275	521,532
		2	1-2 years	124	231,389
		3	3-5 years	109	186,133
		4	> 5 years	177	345,529
		6	Valid skip	10,207	19,512,652
		7	Don't know	17	37,962
		8	Refusal	4	9,059
		9	Not stated	210	504,966
			<i>Population: current prescription pain pill users</i>	<b>12,155</b>	<b>23,029,741</b>
<b>M1S</b>	<b>1</b>	<b>585</b>	<b>Did you consume alcohol while using this medication?</b>		
		1	Yes	101	190,743
		2	No	1,235	2,114,621
		6	Valid skip	10,727	20,518,818
		7	Don't know	8	17,447
		8	Refusal	3	9,892
		9	Not stated	81	178,217
			<i>Population: current prescription pain pill users who drink</i>	<b>12,155</b>	<b>23,029,738</b>
<b>M1T</b>	<b>2</b>	<b>586</b>	<b>How many times have you driven after taking prescription pain pills in the previous two hours?</b>		
		00 : 94		1,340	2,320,870
		96	Valid skip	10,661	20,429,681
		97	Don't know	91	153,783
		98	Refusal	4	8,166
		99	Not stated	59	117,239
			<i>Population: current prescription pain pill users who drive</i>	<b>12,155</b>	<b>23,029,739</b>
<b>M1U</b>	<b>1</b>	<b>588</b>	<b>In the past 12 months, did you take sleeping pills?</b>		
		1	Yes	577	1,045,096
		2	No	11,235	21,150,880
		6	Valid skip	142	345,901
		7	Don't know	19	26,576
		8	Refusal	182	461,286
		9	Not stated	0	0
			<i>Population: all respondents</i>	<b>12,155</b>	<b>23,029,739</b>
<b>M1V</b>	<b>1</b>	<b>589</b>	<b>Did your doctor prescribe this for you?</b>		
		1	Yes	469	843,776
		2	No	108	201,320
		6	Valid skip	11,377	21,496,781
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	201	487,862
			<i>Population: current sleeping pill users (respondents who used sleeping pills within the past 12 months)</i>	<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M1W</b>	<b>1</b>	<b>590</b>	<b>How long have you been using sleeping pills?</b>		
		0	< 30 days	209	374,111
		1	30 days -1 year	120	210,107
		2	1-2 years	98	183,477
		3	3-5 years	58	105,612
		4	> 5 years	83	159,872
		6	Valid skip	11,377	21,496,781
		7	Don't know	9	11,918
		8	Refusal	0	0
		9	Not stated	201	487,862
<i>Population: current sleeping pill users</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M1X</b>	<b>1</b>	<b>591</b>	<b>Did you consume alcohol while using this medication?</b>		
		1	Yes	33	61,012
		2	No	360	667,508
		6	Valid skip	11,691	22,145,048
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	71	156,171
<i>Population: current sleeping pill users who drink</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M1Y</b>	<b>2</b>	<b>592</b>	<b>How many times have you driven after taking sleeping pills in the previous two hours?</b>		
		00 :50		428	766,273
		96	Valid skip	11,676	22,160,011
		97	Don't know	3	7,322
		98	Refusal	0	0
		99	Not stated	48	96,133
<i>Population: current sleeping pill users who drive</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3A</b>	<b>1</b>	<b>594</b>	<b>Was there ever a time that you felt your use of medications had a harmful effect on your friendships or social life?</b>		
		1	Yes	76	102,448
		2	No	1,396	2,570,665
		5	Not applicable	7	6,553
		6	Valid skip	10,675	20,349,756
		7	Don't know	1	317
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3B</b>	<b>1</b>	<b>595</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	44	60,883
		2	No	32	41,565
		6	Valid skip	12,078	22,926,974
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	1	317
<i>Population: respondents who had used some medication within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3C</b>	<b>1</b>	<b>596</b>	<b>Was there ever a time that you felt your use of medications had a harmful effect on your physical health?</b>		
		1	Yes	163	282,596
		2	No	1,312	2,391,737
		6	Valid skip	10,675	20,349,756
		7	Don't know	5	5,650
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M3D</b>	<b>1</b>	<b>597</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	116	195,382
		2	No	47	87,214
		6	Valid skip	11,987	22,741,493
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	5	5,650
<i>Population: respondents who answered yes to m3c</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3E</b>	<b>1</b>	<b>598</b>	<b>Was there ever a time that you felt your use of medications had a harmful effect on your outlook on life (happiness)?</b>		
		1	Yes	128	204,862
		2	No	1,346	2,465,253
		6	Valid skip	10,675	20,349,756
		7	Don't know	6	9,868
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3F</b>	<b>1</b>	<b>599</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	91	148,071
		2	No	37	56,791
		6	Valid skip	12,021	22,815,009
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	6	9,868
<i>Population: respondents who answered yes to m3e</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3G</b>	<b>1</b>	<b>600</b>	<b>Was there ever a time that you felt your use of medications had a harmful effect on your spouse/partner?</b>		
		1	Yes	39	73,918
		2	No	1,102	2,077,622
		6	Valid skip	11,009	20,871,069
		7	Don't know	5	7,130
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months (not single)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3H</b>	<b>1</b>	<b>601</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	21	50,601
		2	No	7	11,613
		6	Valid skip	12,127	22,967,525
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who answered yes to m3g</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3I</b>	<b>1</b>	<b>602</b>	<b>Was there ever a time that you felt your use of medications had a harmful effect on your child/children?</b>		
		1	Yes	31	63,329
		2	No	1,057	1,925,901
		6	Valid skip	11,064	21,037,828
		7	Don't know	3	2,681
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months and have children</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M3J</b>	<b>1</b>	<b>603</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	17	41,107
		2	No	4	7,493
		6	Valid skip	12,131	22,978,458
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	3	2,681
<i>Population: respondents who answered yes to m3i</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3K</b>	<b>1</b>	<b>604</b>	<b>Was there ever a time that you felt your use of medications had a harmful effect on your home life?</b>		
		1	Yes	57	106,076
		2	No	898	1,948,579
		5	Not applicable	0	0
		6	Valid skip	11,198	20,971,124
		7	Don't know	2	3,959
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months and more than one person in household</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M3L</b>	<b>1</b>	<b>605</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	43	82,451
		2	No	14	23,625
		6	Valid skip	12,096	22,919,703
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	2	3,959
<i>Population: respondents who answered yes to m3k</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M3M</b>	<b>1</b>	<b>606</b>	<b>Was there ever a time that you felt your use of medications had a harmful effect on your work, studies or employment opportunities?</b>		
		1	Yes	86	138,595
		2	No	1,325	2,426,154
		5	Not applicable	67	113,344
		6	Valid skip	10,675	20,349,756
		7	Don't know	2	1,891
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M3N</b>	<b>1</b>	<b>607</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	62	102,322
		2	No	23	32,630
		6	Valid skip	12,067	22,889,253
		7	Don't know	1	3,642
		8	Refusal	0	0
		9	Not stated	2	1,891
<i>Population: respondents who answered yes to m3m</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M3O</b>	<b>1</b>	<b>608</b>	<b>Was there ever a time that you felt your use of medications had a harmful effect on your financial position?</b>		
		1	Yes	82	120,463
		2	No	1,387	2,540,170
		5	Not applicable	9	16,928
		6	Valid skip	10,675	20,349,756
		7	Don't know	2	2,422
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M3P</b>	<b>1</b>	<b>609</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	71	106,747
		2	No	11	13,716
		6	Valid skip	12,071	22,906,854
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	2	2,422
<i>Population: respondents who answered yes to m3o</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M3Q</b>	<b>1</b>	<b>610</b>	<b>Have you ever used any service or help to deal with your own use of these medications?</b>		
		1	Yes	59	76,520
		2	No	1,419	2,600,594
		6	Valid skip	10,675	20,349,756
		7	Don't know	1	1,574
		8	Refusal	1	1,295
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M3R</b>	<b>1</b>	<b>611</b>	<b>Have you experienced any of the following difficulties related to your medication use ... Little or lack of support from your family?</b>		
		1	Yes	15	17,433
		2	No	44	59,087
		5	Not applicable	0	0
		6	Valid skip	12,094	22,950,350
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	2	2,869
<i>Population: respondents who had used some medication within the past 12 months and have used services or help to deal with medication use</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M3S</b>	<b>1</b>	<b>612</b>	<b>Have you experienced any of the following difficulties related to your medication use ... Difficulty getting time off work?</b>		
		1	Yes	5	6,456
		2	No	20	27,922
		5	Not applicable	0	0
		6	Valid skip	12,130	22,995,360
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months and have used services or help to deal with medication use and have a job or had a job in the past 12 months</i>				<b>12,155</b>	<b>23,029,738</b>

<b>M3T</b>	<b>1</b>	<b>613</b>	<b>Have you experienced any of the following difficulties related to your medication use ... Difficulty arranging child care or babysitting?</b>		
		1	Yes	0	0
		2	No	10	11,025
		6	Valid skip	12,145	23,018,714
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: respondents who had used some medication within the past 12 months and have used services or help to deal with medication use and have children in household less than 13 years old</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M3U</b>	<b>1</b>	<b>614</b>	<b>Have you experienced any of the following difficulties related to your medication use ... Difficulty arranging transportation?</b>		
		1	Yes	6	7,493
		2	No	53	69,027
		6	Valid skip	12,094	22,950,350
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	2	2,869
<i>Population: respondents who had used some medication within the past 12 months and have used services or help to deal with medication use</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M3V</b>	<b>1</b>	<b>615</b>	<b>Have you experienced any of the following difficulties related to your medication use ... Difficulty arranging accommodations?</b>		
		1	Yes	1	142
		2	No	58	76,379
		6	Valid skip	12,094	22,950,350
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	2	2,869
<i>Population: respondents who had used some medication within the past 12 months and have used services or help to deal with medication use</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M3W</b>	<b>1</b>	<b>616</b>	<b>Did you experience any difficulties because the kind of service you thought would have helped was not available?</b>		
		1	Yes	15	13,732
		2	No	44	62,788
		6	Valid skip	12,094	22,950,350
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	2	2,869
<i>Population: respondents who had used some medication within the past 12 months and have used services or help to deal with medication use</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M4A1</b>	<b>1</b>	<b>617</b>	<b>Does your spouse/partner use any of the previously mentioned medications? (tranquilizers, diet pills, stimulants, anti-depressants, prescription pain pills, sleeping pills)</b>		
		1	Yes	595	1,242,414
		2	No	5,530	11,655,915
		6	Valid skip	5,947	9,884,604
		7	Don't know	23	41,712
		8	Refusal	60	205,095
		9	Not stated	0	0
<i>Population: respondents with a spouse or partner</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M4A2</b>	<b>1</b>	<b>618</b>	<b>Has your spouse/partner ever had problems because of his/her use of medications? (such as lack of family support, difficulty getting time off, arranging child care, transportation or arranging accommodations)</b>		
		1	Yes	44	83,333
		2	No	549	1,157,637
		6	Valid skip	11,477	21,540,518
		7	Don't know	2	1,444
		8	Refusal	0	0
		9	Not stated	83	246,807
<i>Population: respondents with a spouse or partner who have used medications</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M4B</b>	<b>1</b>	<b>619</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	32	62,828
		2	No	12	20,505
		6	Valid skip	12,026	22,698,155
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	85	248,251
<i>Population: respondents who answered yes to m4a2</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M4C</b>	<b>1</b>	<b>620</b>	<b>Has a family member or relative (other than your spouse/partner) ever had problems because of his/her use of medications? (such as lack of family support, difficulty getting time off, arranging child care, arranging transportation or arranging accommodations)</b>		
		1	Yes	542	1,045,360
		2	No	5,535	11,768,345
		5	Not applicable	2	8,936
		6	Valid skip	5,947	9,884,604
		7	Don't know	70	122,432
		8	Refusal	59	200,062
		9	Not stated	0	0
<i>Population: respondents with a spouse or partner</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M4D</b>	<b>1</b>	<b>621</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	266	510,506
		2	No	271	524,690
		6	Valid skip	11,484	21,661,885
		7	Don't know	5	10,163
		8	Refusal	0	0
		9	Not stated	129	322,494
<i>Population: respondents who answered yes to m4c</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M4D1</b>	<b>1</b>	<b>622</b>	<b>Has a family member or relative ever had problems because of his/her use of medications? (such as lack of family support, difficulty getting time off, arranging child care, transportation or arranging accommodations)</b>		
		1	Yes	568	804,954
		2	No	5,043	8,395,462
		5	Not applicable	2	550
		6	Valid skip	6,358	13,506,748
		7	Don't know	63	72,326
		8	Refusal	121	249,699
		9	Not stated	0	0
<i>Population: respondents who are single</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M4D2</b>	<b>1</b>	<b>623</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	272	400,473
		2	No	290	400,021
		6	Valid skip	11,403	21,902,760
		7	Don't know	6	4,460
		8	Refusal	0	0
		9	Not stated	184	322,025
<i>Population: respondents who answered yes to m4d1</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M4E</b>	<b>1</b>	<b>624</b>	<b>Have you ever had a friend with problems because of his/her use of medications? (such as lack of family support, difficulty getting time off, arranging child care, transportation or arranging accommodations)</b>		
		1	Yes	1,011	1,702,647
		2	No	10,634	20,189,726
		5	Not applicable	3	4,101
		6	Valid skip	153	371,194
		7	Don't know	173	310,023
		8	Refusal	181	452,049
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M4F</b>	<b>1</b>	<b>625</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	515	892,900
		2	No	489	802,802
		6	Valid skip	10,790	20,565,020
		7	Don't know	6	6,792
		8	Refusal	1	152
		9	Not stated	354	762,072
<i>Population: respondents who answered yes to m4e</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M4G</b>	<b>1</b>	<b>626</b>	<b>Have you ever known a co-worker who had problems because of his/her use of medications? (such as lack of family support, difficulty getting time off, arranging child care, transportation or arranging accommodations)</b>		
		1	Yes	521	834,978
		2	No	10,207	19,271,845
		4	Previously mentioned friend	30	50,886
		5	Not applicable	0	0
		6	Valid skip	1,095	2,321,172
		7	Don't know	234	409,007
		8	Refusal	68	141,852
		9	Not stated	0	0
<i>Population: respondents with current or previous employment experience</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M4H</b>	<b>1</b>	<b>627</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	190	279,625
		2	No	330	553,493
		6	Valid skip	11,332	21,643,902
		7	Don't know	1	1,860
		8	Refusal	0	0
		9	Not stated	302	550,859
<i>Population: respondents who answered yes to m4g</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5A</b>	<b>1</b>	<b>628</b>	<b>Have you ever tried or used marijuana or hash?</b>		
		0	Tried it once	610	1,174,583
		1	Yes	3,017	5,324,236
		2	No	8,169	15,669,805
		6	Valid skip	153	371,194
		7	Don't know	24	53,276
		8	Refusal	182	436,646
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5B</b>	<b>1</b>	<b>629</b>	<b>Have you used it in the past 12 months?</b>		
		1	Yes	898	1,700,995
		2	No	2,727	4,794,361
		6	Valid skip	8,322	16,040,998
		7	Don't know	2	3,463
		8	Refusal	0	0
		9	Not stated	206	489,922
<i>Population: respondents who have used marijuana or hash</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5B2</b>	<b>1</b>	<b>630</b>	<b>How often did you use marijuana or hash in the past 12 months?</b>		
		0	Tried it once	91	159,402
		1	> once a week	152	278,746
		2	Once a week	93	175,794
		3	1-3 times a month	145	288,336
		4	< once a month	376	709,570
		6	Valid skip	11,085	20,912,796
		7	Don't know	4	8,491
		8	Refusal	1	3,219
		9	Not stated	208	493,385
<i>Population: current marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5B3</b>	<b>1</b>	<b>631</b>	<b>How often did you use marijuana or hash?</b>		
		0	Tried it once	595	977,423
		1	> once a week	327	564,559
		2	Once a week	202	347,684
		3	1-3 times a month	254	435,786
		4	< once a month	748	1,305,349
		6	Valid skip	9,794	18,839,140
		7	Don't know	24	56,786
		8	Refusal	3	9,627
		9	Not stated	208	493,385
<i>Population: respondents who have used marijuana or hash more than once but not in the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5B4</b>	<b>1</b>	<b>632</b>	<b>Would you have used marijuana or hash ... to feel high?</b>		
		1	Yes	2,119	3,734,556
		2	No	1,448	2,628,249
		6	Valid skip	8,322	16,040,998
		7	Don't know	28	57,891
		8	Refusal	0	0
		9	Not stated	238	568,045
<i>Population: current or former marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5B5</b>	<b>1</b>	<b>633</b>	<b>Would you have used marijuana or hash ... to relax?</b>		
		1	Yes	1,464	2,606,821
		2	No	2,110	3,771,438
		6	Valid skip	8,323	16,042,828
		7	Don't know	19	39,266
		8	Refusal	1	1,342
		9	Not stated	238	568,045
<i>Population: current or former marijuana or hash users</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5B6</b>	<b>1</b>	<b>634</b>	<b>Would you have used marijuana or hash ... to forget worries?</b>		
		1	Yes	513	878,961
		2	No	3,066	5,508,075
		6	Valid skip	8,323	16,042,828
		7	Don't know	14	30,488
		8	Refusal	1	1,342
		9	Not stated	238	568,045
<i>Population: current or former marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5B7</b>	<b>1</b>	<b>635</b>	<b>Would you have used marijuana or hash ... to be sociable?</b>		
		1	Yes	1,901	3,233,171
		2	No	1,682	3,159,860
		6	Valid skip	8,323	16,042,828
		7	Don't know	10	24,493
		8	Refusal	1	1,342
		9	Not stated	238	568,045
<i>Population: current or former marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5B8</b>	<b>1</b>	<b>636</b>	<b>Would you have used marijuana or hash ... to feel less inhibited or shy?</b>		
		1	Yes	581	1,003,230
		2	No	3,000	5,386,064
		6	Valid skip	8,323	16,042,828
		7	Don't know	12	28,230
		8	Refusal	1	1,342
		9	Not stated	238	568,045
<i>Population: current or former marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5B9</b>	<b>1</b>	<b>637</b>	<b>Would you have used marijuana or hash ... to see what it was like?</b>		
		1	Yes	2,860	5,016,635
		2	No	725	1,382,021
		6	Valid skip	8,323	16,042,828
		7	Don't know	7	18,061
		8	Refusal	2	2,149
		9	Not stated	238	568,045
<i>Population: current or former marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5C1</b>	<b>1</b>	<b>638</b>	<b>Would you have used marijuana or hash ... to cope with stressful situations?</b>		
		1	Yes	368	608,832
		2	No	3,212	5,784,623
		6	Valid skip	8,323	16,042,828
		7	Don't know	12	23,262
		8	Refusal	2	2,149
		9	Not stated	238	568,045
<i>Population: current or former marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5C2</b>	<b>1</b>	<b>639</b>	<b>Would you have used marijuana or hash ... to keep your partner/date company?</b>		
		1	Yes	632	1,185,129
		2	No	2,953	5,210,259
		6	Valid skip	8,323	16,042,828
		7	Don't know	6	18,736
		8	Refusal	3	4,742
		9	Not stated	238	568,045
<i>Population: current or former marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5C3</b>	<b>1</b>	<b>640</b>	<b>During the past 12 months have you used marijuana or hash ... in a bar/tavern?</b>		
		1	Yes	138	291,138
		2	No	626	1,148,940
		6	Valid skip	11,149	21,005,785
		7	Don't know	2	12,369
		8	Refusal	0	0
		9	Not stated	240	571,508
<i>Population: current marijuana or hash users (who have used more than once in the past 12 months)</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5C4</b>	<b>1</b>	<b>641</b>	<b>During the past 12 months have you used marijuana or hash ... in a private home?</b>		
		1	Yes	695	1,283,037
		2	No	69	157,041
		6	Valid skip	11,149	21,005,785
		7	Don't know	2	12,369
		8	Refusal	0	0
		9	Not stated	240	571,508
<i>Population: current marijuana or hash users</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5C5</b>	<b>1</b>	<b>642</b>	<b>During the past 12 months have you used marijuana or hash ... at school/university?</b>		
		1	Yes	95	231,745
		2	No	669	1,208,333
		6	Valid skip	11,149	21,005,785
		7	Don't know	2	12,369
		8	Refusal	0	0
		9	Not stated	240	571,508
<i>Population: current marijuana or hash users</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5C6</b>	<b>1</b>	<b>643</b>	<b>During the past 12 months have you used marijuana or hash ... at a party or social gathering?</b>		
		1	Yes	582	1,098,374
		2	No	183	348,907
		6	Valid skip	11,149	21,005,785
		7	Don't know	1	5,165
		8	Refusal	0	0
		9	Not stated	240	571,508
<i>Population: current marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5C7</b>	<b>1</b>	<b>644</b>	<b>During the past 12 months have you used marijuana or hash ... at a concert, sports event, festival, etc?</b>		
		1	Yes	273	553,542
		2	No	491	890,815
		6	Valid skip	11,149	21,005,785
		7	Don't know	2	8,089
		8	Refusal	0	0
		9	Not stated	240	571,508
<i>Population: current marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5C8</b>	<b>1</b>	<b>645</b>	<b>During the past 12 months have you used marijuana or hash ... outdoors, while boating, camping, skiing, fishing?</b>		
		1	Yes	325	603,263
		2	No	439	840,958
		6	Valid skip	11,149	21,005,785
		7	Don't know	2	8,225
		8	Refusal	0	0
		9	Not stated	240	571,508
<i>Population: current marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5D1</b>	<b>1</b>	<b>646</b>	<b>During the past 12 months have you used marijuana or hash ... with your spouse/partner?</b>		
		1	Yes	95	194,375
		2	No	92	184,161
		6	Valid skip	11,950	22,603,836
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	18	47,367
<i>Population: current marijuana or hash users who are not single</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5D2</b>	<b>1</b>	<b>647</b>	<b>During the past 12 months have you used marijuana or hash ... with other family members or relatives?</b>		
		1	Yes	68	139,351
		2	No	119	239,185
		5	Not applicable	0	0
		6	Valid skip	11,950	22,603,836
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	18	47,367
<i>Population: current marijuana or hash users who are not single</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M52</b>	<b>1</b>	<b>648</b>	<b>During the past 12 months have you used marijuana or hash ... with a family member or relative?</b>		
		1	Yes	186	316,493
		2	No	392	750,213
		5	Not applicable	0	0
		6	Valid skip	11,338	21,387,784
		7	Don't know	1	7,204
		8	Refusal	0	0
		9	Not stated	238	568,045
<i>Population: current marijuana or hash users who are not married or living common-law</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5DA</b>	<b>1</b>	<b>649</b>	<b>During the past 12 months have you used marijuana or hash ... with friends?</b>		
		1	Yes	740	1,404,970
		2	No	26	47,476
		5	Not applicable	0	0
		6	Valid skip	11,151	21,009,248
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	238	568,045
<i>Population: current marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5DB</b>	<b>1</b>	<b>650</b>	<b>During the past 12 months have you used marijuana or hash ... with co-workers?</b>		
		1	Yes	187	314,569
		2	No	325	542,161
		6	Valid skip	11,566	21,999,071
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	77	173,938
<i>Population: current marijuana or hash users and have worked with others within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5DC</b>	<b>1</b>	<b>651</b>	<b>During the past 12 months have you used marijuana or hash ... while alone?</b>		
		1	Yes	308	533,504
		2	No	457	917,524
		6	Valid skip	11,152	21,010,666
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	238	568,045
<i>Population: current marijuana or hash users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5DD</b>	<b>1</b>	<b>652</b>	<b>In the past 12 months, have you driven within two hours of using marijuana/hash?</b>		
		1	Yes	233	418,405
		2	No	343	616,849
		6	Valid skip	11,493	21,817,477
		7	Don't know	2	3,756
		8	Refusal	0	0
		9	Not stated	84	173,253
<i>Population: current marijuana or hash users who drive</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5DE</b>	<b>1</b>	<b>653</b>	<b>In the past 12 months, have you been in a motor vehicle accident with you as the driver, after using marijuana/hash in the previous few hours?</b>		
		1	Yes	7	10,512
		2	No	216	380,014
		6	Valid skip	11,691	22,066,687
		7	Don't know	1	726
		8	Refusal	0	0
		9	Not stated	240	571,801
<i>Population: current marijuana or hash users who drive and who have had an accident in the past 12 months</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5DF</b>	<b>1</b>	<b>654</b>	<b>We are interested in your opinion regarding the possession of marijuana. Possession of any amount of marijuana is currently an offence. Should marijuana possession be against the law?</b>		
		1	Yes	7,808	14,428,112
		2	No	3,228	6,220,408
		6	Valid skip	156	379,758
		7	Don't know	787	1,555,248
		8	Refusal	176	446,213
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5DG</b>	<b>1</b>	<b>655</b>	<b>The penalty for possession of marijuana can vary. Currently for a first offence, it is a fine and/or jail sentence. Should there be a penalty for possessing a small amount of marijuana, if it is a first offence?</b>		
		1	Yes	6,017	10,983,011
		2	No	1,569	3,013,944
		6	Valid skip	3,384	6,600,166
		7	Don't know	221	429,991
		8	Refusal	1	1,167
		9	Not stated	963	2,001,461
<i>Population: respondents who feel marijuana possession should be illegal</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5DH</b>	<b>1</b>	<b>656</b>	<b>What should the penalty be?</b>		
		1	Fine only	3,186	5,826,459
		2	Jail only	478	964,966
		3	Fine and jail	1,665	2,911,291
		4	Something else	479	860,404
		6	Valid skip	4,953	9,614,110
		7	Don't know	205	412,087
		8	Refusal	4	7,804
		9	Not stated	1,185	2,432,618
<i>Population: respondents who answered yes to m4dg</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5DJ</b>	<b>1</b>	<b>657</b>	<b>Should marijuana be legally available?</b>		
		1	Yes	2,925	5,574,750
		2	No	8,201	15,202,916
		6	Valid skip	157	381,751
		7	Don't know	697	1,421,041
		8	Refusal	175	449,281
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5DK</b>	<b>1</b>	<b>658</b>	<b>Should it be available only in government stores such as liquor or beer stores?</b>		
		1	Yes	2,148	4,090,960
		2	No	392	795,109
		4	Other	308	546,634
		6	Valid skip	8,358	15,584,667
		7	Don't know	77	142,048
		8	Refusal	0	0
		9	Not stated	872	1,870,322
<i>Population: respondents who feel that marijuana should be legally available</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5DL</b>	<b>1</b>	<b>659</b>	<b>Should it be by private suppliers in an open market?</b>		
		1	Yes	345	679,575
		2	No	381	704,517
		4	Other	0	0
		6	Valid skip	10,506	19,675,627
		7	Don't know	51	99,699
		8	Refusal	0	0
		9	Not stated	872	1,870,322
<i>Population: respondents who feel that marijuana should be legally available outside government stores</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5DM</b>	<b>1</b>	<b>660</b>	<b>Have you ever used cocaine or crack?</b>		
		1	Yes	497	877,157
		2	No	11,317	21,336,853
		6	Valid skip	159	387,394
		7	Don't know	23	42,625
		8	Refusal	159	385,711
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5DN</b>	<b>1</b>	<b>661</b>	<b>Have you used it in the past 12 months?</b>		
		1	Yes	82	150,966
		2	No	415	726,190
		6	Valid skip	11,476	21,724,246
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	182	428,336
<i>Population: respondents who have used cocaine or crack</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M5DO</b>	<b>1</b>	<b>662</b>	<b>In the past 12 months, have you driven within two hours of using cocaine or crack?</b>		
		1	Yes	20	36,655
		2	No	38	69,543
		6	Valid skip	11,915	22,495,205
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	182	428,336
<i>Population: current cocaine or crack users (used within past 12 months) who drive</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5DP</b>	<b>1</b>	<b>663</b>	<b>In the past 12 months, have you been in a motor vehicle accident with you as the driver, after using cocaine or crack in the previous few hours?</b>		
		1	Yes	0	0
		2	No	19	35,041
		6	Valid skip	11,954	22,566,361
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	182	428,336
<i>Population: current cocaine or crack users who drive and have had an accident in past 12 months</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M5E</b>	<b>1</b>	<b>664</b>	<b>Have you ever used LSD (acid)?</b>		
		1	Yes	640	1,191,583
		2	No	11,175	21,030,819
		6	Valid skip	160	387,917
		7	Don't know	20	37,588
		8	Refusal	160	381,833
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5F</b>	<b>1</b>	<b>665</b>	<b>Have you used it in the past 12 months?</b>		
		1	Yes	85	214,882
		2	No	555	976,700
		6	Valid skip	11,335	21,418,736
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	180	419,421
<i>Population: all respondents who have used lsd</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5F2</b>	<b>1</b>	<b>666</b>	<b>In the past 12 months, have you driven within two hours of using LSD (acid)?</b>		
		1	Yes	4	7,721
		2	No	40	90,407
		6	Valid skip	11,931	22,512,190
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	180	419,421
<i>Population: current lsd users (within the past 12 months) who drive</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5F3</b>	<b>1</b>	<b>667</b>	<b>In the past 12 months, have you been in a motor vehicle accident with you as the driver, after using LSD (acid) in the previous few hours?</b>		
		1	Yes	0	0
		2	No	3	4,610
		6	Valid skip	11,972	22,605,709
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	180	419,421
<i>Population: current lsd users who have had an accident in past 12 months</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5G</b>	<b>1</b>	<b>668</b>	<b>Have you ever used speed (amphetamines)?</b>		
		1	Yes	277	481,685
		2	No	11,534	21,732,372
		6	Valid skip	161	388,831
		7	Don't know	25	47,438
		8	Refusal	158	379,414
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M5H</b>	<b>1</b>	<b>669</b>	<b>Have you used it in the past 12 months?</b>		
		1	Yes	20	57,338
		2	No	257	424,347
		6	Valid skip	11,695	22,121,203
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	183	426,851
<i>Population: all respondents who have used speed</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5H1</b>	<b>1</b>	<b>670</b>	<b>In the past 12 months, have you driven within two hours of using speed (amphetamines)?</b>		
		1	Yes	6	16,604
		2	No	10	23,697
		6	Valid skip	11,956	22,562,587
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	183	426,851
<i>Population: current speed users (past 12 months) who drive</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5H2</b>	<b>1</b>	<b>671</b>	<b>In the past 12 months, have you been in a motor vehicle accident with you as the driver, after using speed (amphetamines) in the previous few hours?</b>		
		1	Yes	0	0
		2	No	6	16,604
		6	Valid skip	11,966	22,586,284
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	183	426,851
<i>Population: current speed users who have had an accident within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5I</b>	<b>1</b>	<b>672</b>	<b>Have you ever used heroin?</b>		
		1	Yes	72	123,227
		2	No	11,747	22,100,541
		6	Valid skip	161	388,831
		7	Don't know	18	35,031
		8	Refusal	157	382,109
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5J</b>	<b>1</b>	<b>673</b>	<b>Have you used it in the past 12 months?</b>		
		1	Yes	8	12,887
		2	No	64	110,339
		6	Valid skip	11,908	22,489,372
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	175	417,140
<i>Population: all respondents who have used heroin</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M5J1</b>	<b>1</b>	<b>674</b>	<b>In the past 12 months, have you driven within two hours of using heroin?</b>		
		1	Yes	2	2,903
		2	No	1	948
		6	Valid skip	11,976	22,606,587
		7	Don't know	1	2,161
		8	Refusal	0	0
		9	Not stated	175	417,140
<i>Population: current heroin users (within past 12 months) who drive</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5J2</b>	<b>1</b>	<b>675</b>	<b>In the past 12 months, have you been in a motor vehicle accident with you as the driver, after using heroin in the previous few hours?</b>		
		1	Yes	0	0
		2	No	1	1,289
		6	Valid skip	11,978	22,609,148
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	176	419,302
<i>Population: current heroin users who have had an accident within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5K</b>	<b>1</b>	<b>676</b>	<b>Have you ever sniffed glue or other solvents (gasoline)?</b>		
		1	Yes	97	173,262
		2	No	11,719	22,041,318
		6	Valid skip	161	388,831
		7	Don't know	20	40,210
		8	Refusal	158	386,118
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5L</b>	<b>1</b>	<b>677</b>	<b>Have you sniffed glue or other solvents (gasoline) in the past 12 months?</b>		
		1	Yes	6	21,351
		2	No	91	151,911
		6	Valid skip	11,880	22,430,149
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: all respondents who have sniffed glue or solvents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5LA</b>	<b>1</b>	<b>678</b>	<b>How often have you sniffed glue, gasoline or other solvents in the past 12 months?</b>		
		0	Tried it once	3	11,941
		1	> once a week	1	2,233
		2	Once a week	0	0
		3	1-3 times a month	2	7,177
		4	< once a month	0	0
		6	Valid skip	11,971	22,582,060
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current glue or solvent users (within the past 12 months)</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5LB</b>	<b>1</b>	<b>679</b>	<b>How often did you sniff glue, gasoline or other solvents?</b>		
		0	Tried it once	50	86,967
		1	> once a week	15	21,852
		2	Once a week	1	2,420
		3	1-3 times a month	4	5,346
		4	< once a month	18	30,851
		6	Valid skip	12,064	22,877,828
		7	Don't know	3	4,475
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: former glue or solvent users (not within past 12 months)</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5LC</b>	<b>1</b>	<b>680</b>	<b>In the past 12 months, have you driven within two hours of sniffing glue or other solvents (gasoline)?</b>		
		1	Yes	0	0
		2	No	2	5,362
		6	Valid skip	11,975	22,598,049
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current glue or solvent users who drive</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5LD</b>	<b>1</b>	<b>681</b>	<b>In the past 12 months, have you been in a motor vehicle accident with you as the driver, after sniffing glue or other solvents (gasoline) in the previous few hours?</b>		
		1	Yes	0	0
		2	No	0	0
		6	Valid skip	11,977	22,603,411
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current glue or solvent users who have had an accident within the past 12 months</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5LE</b>	<b>2</b>	<b>682</b>	<b>How old were you when you started sniffing glue, gasoline or other solvents?</b>		
		05 : 34		93	166,392
		96	Valid skip	11,883	22,436,005
		97	Don't know	1	1,014
		98	Refusal	0	0
		99	Not stated	178	426,328
<i>Population: current or former (not within the past 12 months) glue or solvents users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5LF</b>	<b>2</b>	<b>684</b>	<b>How old were you when you stopped sniffing glue, gasoline or other solvents?</b>		
		05 : 42		90	151,392
		96	Valid skip	11,885	22,450,762
		97	Don't know	2	1,256
		98	Refusal	0	0
		99	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M51A</b>	<b>1</b>	<b>686</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... you were getting older?</b>		
		1	Yes	14	17,766
		2	No	26	44,454
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M51B</b>	<b>1</b>	<b>687</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... you did not need it any more?</b>		
		1	Yes	11	13,912
		2	No	29	48,308
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51C</b>	<b>1</b>	<b>688</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... it was affecting your work, studies or job?</b>		
		1	Yes	10	12,386
		2	No	30	49,834
		5	Not applicable	0	0
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51D</b>	<b>1</b>	<b>689</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... it was interfering with your family or home life?</b>		
		1	Yes	11	13,420
		2	No	29	48,800
		5	Not applicable	0	0
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51E</b>	<b>1</b>	<b>690</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... it was affecting your physical health?</b>		
		1	Yes	18	24,992
		2	No	22	37,228
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51F</b>	<b>1</b>	<b>691</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... it was affecting your friendships or social life?</b>		
		1	Yes	11	9,484
		2	No	29	52,736
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51G</b>	<b>1</b>	<b>692</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... for spiritual reasons?</b>		
		1	Yes	7	4,515
		2	No	33	57,705
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M51H</b>	<b>1</b>	<b>693</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... it was causing you money problems?</b>		
		1	Yes	6	4,575
		2	No	34	57,645
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51I</b>	<b>1</b>	<b>694</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... it was affecting your outlook on life and your happiness?</b>		
		1	Yes	14	13,737
		2	No	26	48,483
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51J</b>	<b>1</b>	<b>695</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... your family or friends encouraged you to quit?</b>		
		1	Yes	12	16,027
		2	No	29	47,141
		6	Valid skip	11,935	22,537,730
		7	Don't know	1	2,513
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51K</b>	<b>1</b>	<b>696</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... you got into sports?</b>		
		1	Yes	4	5,878
		2	No	36	56,342
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51L</b>	<b>1</b>	<b>697</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... you got a job?</b>		
		1	Yes	3	1,737
		2	No	37	60,483
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51M</b>	<b>1</b>	<b>698</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... you were pregnant?</b>		
		1	Yes	1	861
		2	No	9	10,089
		6	Valid skip	12,099	22,922,384
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	46	96,405
<i>Population: former glue or solvent users who are female and have children or have been pregnant</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M51N</b>	<b>1</b>	<b>699</b>	<b>Did you quit sniffing glue, gasoline or other solvents because ... you received help?</b>		
		1	Yes	6	6,923
		2	No	34	55,297
		6	Valid skip	11,935	22,537,730
		7	Don't know	2	3,461
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M51O</b>	<b>1</b>	<b>700</b>	<b>Did you quit sniffing glue, gasoline or other solvents for some other reason that I have not mentioned?</b>		
		1	Yes	20	31,322
		2	No	22	34,360
		6	Valid skip	11,935	22,537,730
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: former glue or solvent users</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M51Q</b>	<b>2</b>	<b>701</b>	<b>Which of the reasons that you just mentioned was the most important one for you in your decision to quit sniffing glue, gasoline or other solvents?</b>		
		01	Getting older	3	4,771
		02	Didn't need it	4	4,286
		03	Affected work	0	0
		04	Affected family	0	0
		05	Affected health	6	9,922
		06	Affected friendships	0	0
		07	Religious reason	1	203
		08	Causing money problems	0	0
		09	Affected happiness	0	0
		10	Family/friends encouraged	3	3,956
		11	Got into sports	0	0
		12	Got a job	0	0
		13	Were pregnant	1	861
		14	Received help	0	0
		15	Other reason	10	11,581
		96	Valid skip	11,949	22,567,830
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	178	426,328
<i>Population: former glue or solvent users who have quit for more than one reason</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M5MB</b>	<b>1</b>	<b>703</b>	<b>There are many reasons why people sniff glue or gasoline. Did you sniff glue or gasoline ... to feel high?</b>		
		1	Yes	31	52,909
		2	No	15	32,438
		6	Valid skip	11,929	22,516,379
		7	Don't know	2	1,685
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current and former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5MC</b>	<b>1</b>	<b>704</b>	<b>There are many reasons why people sniff glue or gasoline. Did you sniff glue or gasoline ... because your friends dared you to?</b>		
		1	Yes	19	28,586
		2	No	27	56,761
		5	Not applicable	0	0
		6	Valid skip	11,929	22,516,379
		7	Don't know	2	1,685
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current and former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5MD</b>	<b>1</b>	<b>705</b>	<b>There are many reasons why people sniff glue or gasoline. Did you sniff glue or gasoline ... because there's nothing else to do?</b>		
		1	Yes	16	23,182
		2	No	29	59,745
		6	Valid skip	11,929	22,516,379
		7	Don't know	3	4,105
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current and former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5ME</b>	<b>1</b>	<b>706</b>	<b>There are many reasons why people sniff glue or gasoline. Did you sniff glue or gasoline ... because most of your friends do it?</b>		
		1	Yes	21	29,764
		2	No	24	53,163
		5	Not applicable	0	0
		6	Valid skip	11,929	22,516,379
		7	Don't know	3	4,105
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current and former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5MF</b>	<b>1</b>	<b>707</b>	<b>There are many reasons why people sniff glue or gasoline. Did you sniff glue or gasoline ... to forget your problems?</b>		
		1	Yes	8	10,750
		2	No	37	72,177
		6	Valid skip	11,929	22,516,379
		7	Don't know	3	4,105
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current and former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5MG</b>	<b>1</b>	<b>708</b>	<b>There are many reasons why people sniff glue or gasoline. Did you sniff glue or gasoline ... to feel less inhibited or shy?</b>		
		1	Yes	10	10,881
		2	No	35	72,046
		6	Valid skip	11,929	22,516,379
		7	Don't know	3	4,105
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current and former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5MH</b>	<b>1</b>	<b>709</b>	<b>There are many reasons why people sniff glue or gasoline. Did you sniff glue or gasoline ... to see what it was like?</b>		
		1	Yes	32	55,247
		2	No	14	28,628
		6	Valid skip	11,929	22,516,379
		7	Don't know	2	3,157
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current and former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M5MI</b>	<b>1</b>	<b>710</b>	<b>There are many reasons why people sniff glue or gasoline. Did you sniff glue or gasoline ... to cope with stressful situations?</b>		
		1	Yes	8	10,521
		2	No	37	72,406
		6	Valid skip	11,929	22,516,379
		7	Don't know	3	4,105
		8	Refusal	0	0
		9	Not stated	178	426,328
<i>Population: current and former glue or solvent users</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5MJ</b>	<b>1</b>	<b>711</b>	<b>Have you ever used any steroids (such as testosterone, dianabol, growth hormones) to increase your performance in some sport or activity and/or to change your physical appearance?</b>		
		1	Yes	40	74,978
		2	No	11,775	22,133,252
		5	Not applicable	0	0
		6	Valid skip	162	391,328
		7	Don't know	19	35,297
		8	Refusal	159	394,884
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M5MK</b>	<b>1</b>	<b>712</b>	<b>Have you used it in the past 12 months?</b>		
		1	Yes	18	32,020
		2	No	22	42,957
		6	Valid skip	11,937	22,524,580
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	178	430,181
<i>Population: all respondents who have used steroids</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M6</b>	<b>1</b>	<b>713</b>	<b>How many of your friends use any of the drugs that I previously mentioned such as marijuana, cocaine, LSD, speed, heroin, glue or steroids?</b>		
		0	None use them	8,001	15,221,119
		1	A few use them	2,585	4,600,477
		2	About half	349	658,575
		3	Most use them	533	988,587
		4	All	51	137,497
		5	Not applicable	11	19,625
		6	Valid skip	162	391,328
		7	Don't know	292	580,397
		8	Refusal	171	432,133
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M6A</b>	<b>1</b>	<b>714</b>	<b>Have you ever had a sexual partner who used needles to inject any of these drugs?</b>		
		1	Yes	121	230,255
		2	No	11,630	21,875,967
		6	Valid skip	163	395,155
		7	Don't know	64	99,781
		8	Refusal	177	428,579
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,737</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M6B</b>	<b>1</b>	<b>715</b>	<b>Have you ever used a needle to inject any of these drugs?</b>		
		1	Yes	73	131,341
		2	No	856	1,576,622
		6	Valid skip	11,226	21,321,776
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who have ever used any drug other than glue, marijuana or hash</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M6C</b>	<b>1</b>	<b>716</b>	<b>Have you ever shared needles with anyone including your partner or close friend?</b>		
		1	Yes	32	54,376
		2	No	38	72,599
		6	Valid skip	12,082	22,898,398
		7	Don't know	3	4,365
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m6b</i>				<b>12,155</b>	<b>23,029,738</b>

<b>M7</b>	<b>1</b>	<b>717</b>	<b>Have you ever had any contact with the police as a result of your drug use?</b>		
		1	Yes	210	340,074
		2	No	2,243	4,090,932
		6	Valid skip	9,700	18,596,585
		7	Don't know	0	0
		8	Refusal	2	2,149
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once</i>				<b>12,155</b>	<b>23,029,740</b>

<b>M7A</b>	<b>1</b>	<b>718</b>	<b>Have you ever had contact with Children's or Family Services as a result of your drug use?</b>		
		1	Yes	35	59,835
		2	No	2,418	4,371,171
		6	Valid skip	9,700	18,596,585
		7	Don't know	0	0
		8	Refusal	2	2,149
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once</i>				<b>12,155</b>	<b>23,029,740</b>

<b>M8</b>	<b>1</b>	<b>719</b>	<b>There are many other services and help for people concerned about drugs. Have you ever used any services or help to deal with your own drug use?</b>		
		1	Yes	89	154,337
		2	No	2,364	4,276,668
		6	Valid skip	9,700	18,596,585
		7	Don't know	0	0
		8	Refusal	2	2,149
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M9A</b>	<b>1</b>	<b>720</b>	<b>Was there ever a time that you felt your drug use had a harmful effect on your friendships or social life?</b>		
		1	Yes	279	469,377
		2	No	2,168	3,955,611
		5	Not applicable	0	0
		6	Valid skip	9,700	18,596,585
		7	Don't know	5	4,418
		8	Refusal	3	3,749
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once</i>				<b>12,155</b>	<b>23,029,740</b>

<b>M9B</b>	<b>1</b>	<b>721</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	51	104,115
		2	No	57	85,488
		6	Valid skip	12,047	22,840,136
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m9a</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9C</b>	<b>1</b>	<b>722</b>	<b>Was there ever a time that you felt your drug use had a harmful effect on your physical health?</b>		
		1	Yes	435	779,426
		2	No	2,014	3,647,644
		6	Valid skip	9,700	18,596,585
		7	Don't know	3	2,335
		8	Refusal	3	3,749
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9D</b>	<b>1</b>	<b>723</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	106	198,150
		2	No	67	129,388
		6	Valid skip	11,982	22,702,201
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m9c</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9E</b>	<b>1</b>	<b>724</b>	<b>Was there ever a time that you felt your drug use had a harmful effect on your outlook on life (happiness)?</b>		
		1	Yes	402	666,138
		2	No	2,048	3,760,420
		6	Valid skip	9,700	18,596,585
		7	Don't know	3	4,447
		8	Refusal	2	2,149
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9F</b>	<b>1</b>	<b>725</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	80	145,562
		2	No	54	79,913
		6	Valid skip	12,021	22,804,263
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m9e</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M9G</b>	<b>1</b>	<b>726</b>	<b>Was there ever a time that you felt your drug use had a harmful effect on your spouse/partner?</b>		
		1	Yes	99	149,663
		2	No	1,328	2,416,602
		6	Valid skip	10,723	20,457,210
		7	Don't know	3	4,115
		8	Refusal	2	2,149
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once and who has a spouse/partner</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9H</b>	<b>1</b>	<b>727</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	15	24,691
		2	No	14	17,580
		6	Valid skip	12,126	22,987,468
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m9g</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9I</b>	<b>1</b>	<b>728</b>	<b>Was there ever a time that you felt your drug use had a harmful effect on your child/children?</b>		
		1	Yes	45	57,323
		2	No	1,273	2,150,636
		6	Valid skip	10,830	20,805,978
		7	Don't know	5	13,265
		8	Refusal	2	2,537
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once and who has a child/children</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9J</b>	<b>1</b>	<b>729</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	6	8,074
		2	No	6	9,840
		6	Valid skip	12,143	23,011,825
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m9i</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9K</b>	<b>1</b>	<b>730</b>	<b>Was there ever a time that you felt your drug use had a harmful effect on your home life?</b>		
		1	Yes	186	357,832
		2	No	1,610	3,347,290
		5	Not applicable	18	41,634
		6	Valid skip	10,339	19,278,712
		7	Don't know	1	2,929
		8	Refusal	1	1,342
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once who is not living alone</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9L</b>	<b>1</b>	<b>731</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	45	103,238
		2	No	17	26,411
		6	Valid skip	12,093	22,900,090
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m9k</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M9M</b>	<b>1</b>	<b>732</b>	<b>Was there ever a time that you felt your drug use had a harmful effect on your work, studies or employment opportunities?</b>		
		1	Yes	322	566,384
		2	No	2,110	3,837,537
		5	Not applicable	19	25,209
		6	Valid skip	9,700	18,596,585
		7	Don't know	2	1,875
		8	Refusal	2	2,149
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9N</b>	<b>1</b>	<b>733</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	54	119,436
		2	No	46	72,461
		6	Valid skip	12,055	22,837,842
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m9m</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9O</b>	<b>1</b>	<b>734</b>	<b>Was there ever a time that you felt your drug use had a harmful effect on your financial position?</b>		
		1	Yes	327	558,734
		2	No	2,115	3,855,354
		5	Not applicable	9	13,767
		6	Valid skip	9,700	18,596,585
		7	Don't know	2	3,150
		8	Refusal	2	2,149
		9	Not stated	0	0
<i>Population: all respondents who have used any illegal drugs or used marijuana/hash more than once or sniffed glue more than once</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M9P</b>	<b>1</b>	<b>735</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	87	163,355
		2	No	47	73,132
		6	Valid skip	12,021	22,793,252
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents who answered yes to m9o</i>				<b>12,155</b>	<b>23,029,739</b>

<b>M10A</b>	<b>1</b>	<b>736</b>	<b>The next few questions concern problems with the use of illegal drugs which may have been experienced by others ... Has your spouse/partner ever had a drug problem?</b>		
		1	Yes	98	187,781
		2	No	6,031	12,710,868
		6	Valid skip	5,953	9,906,799
		7	Don't know	16	34,296
		8	Refusal	57	189,996
		9	Not stated	0	0
<i>Population: all respondents who have a spouse/partner</i>				<b>12,155</b>	<b>23,029,740</b>

<b>M10B</b>	<b>1</b>	<b>737</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	23	40,635
		2	No	75	147,146
		6	Valid skip	11,984	22,617,666
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	73	224,292
<i>Population: all respondents who answered yes to m10a</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>M10C</b>	<b>1</b>	<b>738</b>	<b>Has a family member or relative ever had a drug problem? (includes ex-spouse)</b>		
		1	Yes	1,400	2,497,626
		2	No	10,329	19,581,191
		5	Not applicable	3	6,737
		6	Valid skip	170	412,799
		7	Don't know	80	117,605
		8	Refusal	173	413,781
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M10D</b>	<b>1</b>	<b>739</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	595	1,049,789
		2	No	777	1,397,833
		6	Valid skip	10,502	20,000,727
		7	Don't know	28	50,004
		8	Refusal	0	0
		9	Not stated	253	531,386
<i>Population: all respondents who answered yes to m10d</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M11A</b>	<b>1</b>	<b>740</b>	<b>Has a friend ever had a drug problem?</b>		
		1	Yes	2,100	3,718,927
		2	No	9,599	18,277,930
		5	Not applicable	4	10,167
		6	Valid skip	172	415,115
		7	Don't know	106	190,253
		8	Refusal	174	417,346
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>M11B</b>	<b>1</b>	<b>741</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	916	1,653,088
		2	No	1,168	2,042,845
		6	Valid skip	9,775	18,703,213
		7	Don't know	16	22,994
		8	Refusal	0	0
		9	Not stated	280	607,600
<i>Population: all respondents who answered yes to m11a</i>				<b>12,155</b>	<b>23,029,740</b>
<b>M11C</b>	<b>1</b>	<b>742</b>	<b>Has a co-worker ever had a drug problem?</b>		
		1	Yes	782	1,434,940
		2	No	9,778	18,331,905
		4	Previously mentioned friend	47	82,551
		5	Not applicable	192	376,145
		6	Valid skip	1,113	2,361,437
		7	Don't know	181	333,374
		8	Refusal	62	109,387
		9	Not stated	0	0
<i>Population: all respondents who are working or have ever worked</i>				<b>12,155</b>	<b>23,029,739</b>
<b>M11D</b>	<b>1</b>	<b>743</b>	<b>Was this during the past 12 months?</b>		
		1	Yes	336	603,362
		2	No	444	827,255
		6	Valid skip	11,130	21,152,038
		7	Don't know	2	4,322
		8	Refusal	0	0
		9	Not stated	243	442,761
<i>Population: all respondents who answered yes to m11c</i>				<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>CCMS</b>	<b>5</b>	<b>744</b>	<b>How tall are you (without shoes on) in centimetres (metric scale)?</b>		
		00136	< than 137 cm	15	32,861
	00137 : 00198			11,491	21,420,923
		00199	> than 198 cm	14	33,577
		99996	Valid skip	205	509,276
		99997	Don't know	51	87,819
		99998	Refusal	379	945,284
		99999	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>CKGS</b>	<b>4</b>	<b>749</b>	<b>How much do you weigh in kilograms?</b>		
		0040	< than 41 kgs	43	75,222
	0041:0125			11,285	20,999,358
		0126	> than 125 kgs	37	79,721
		9996	Valid skip	206	516,133
		9997	Don't know	96	171,192
		9998	Refusal	488	1,188,114
		9999	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>B3Y</b>	<b>4</b>	<b>753</b>	<b>What is your year of birth?</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents</i>					
<b>B3M</b>	<b>2</b>	<b>757</b>	<b>What is your month of birth?</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents</i>					
<b>B3D</b>	<b>2</b>	<b>759</b>	<b>What is your day of birth?</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents</i>					
<b>B4</b>	<b>2</b>	<b>761</b>	<b>What is the highest level of education that you have attained? (Mark one only)</b>		
		00	Other education/training	17	35,733
		01	Masters Degree, PH.D, Post Doctorate	413	784,760
		02	< Masters Degree or PH.D	1,449	2,789,551
		03	Some university	981	1,786,476
		04	Community college	1,570	2,882,517
		05	Some community college	882	1,785,720
		06	Secondary	2,881	5,414,836
		07	Some secondary	2,641	4,774,184
		08	Elementary	631	1,118,465
		09	No schooling	32	43,022
		96	Valid skip	225	570,982
		97	Don't know	33	74,180
		98	Refusal	400	969,314
		99	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>B5</b>	<b>1</b>	<b>763</b>	<b>In what country were you born? Was it ...</b>		
		1	Canada	10,063	17,966,795
		2	Outside Canada	1,514	3,625,424
		6	Valid skip	229	578,416
		7	Don't know	14	27,250
		8	Refusal	335	831,854
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B6</b>	<b>2</b>	<b>764</b>	<b>Which country was it?</b>		
		01	England	225	442,911
		02	United States	139	249,305
		03	Germany	72	133,736
		04	Scotland	58	123,338
		05	Italy	57	195,339
		06	Poland	61	136,024
		07	China	37	103,819
		08	India	37	103,468
		09	Philippines	51	137,554
		10	Other	764	1,963,737
		96	Valid skip	10,292	18,545,211
		97	Don't know	0	0
		98	Refusal	13	36,192
		99	Not stated	349	859,104
				<b>12,155</b>	<b>23,029,738</b>

Data suppressed on public microdata file

Population: all respondents born outside Canada

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B6GRP</b>	<b>1</b>	<b>766</b>	<b>Which country was it?</b>		
		1	Europe	473	1,031,348
		2	Other	1,028	2,557,883
		6	Valid skip	10,292	18,545,211
		7	Don't know	0	0
		8	Refusal	13	36,192
		9	Not stated	349	859,104
				<b>12,155</b>	<b>23,029,738</b>

Europe includes:

England 225

Germany 72

Scotland 58

Italy 57

Poland 61

Other includes:

United states 139

China 37

India 37

Philippines 51

Other 764

Population: all respondents born outside Canada

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B8</b>	<b>4</b>	<b>768</b>	<b>In what year did you first immigrate to Canada?</b>		
		0000	Dual citizenship	16	30,670
		1908 : 1994		1,444	3,457,551
		9996	Valid skip	10,292	18,545,211
		9997	Don't know	21	75,690
		9998	Refusal	33	92,182
		9999	Not stated	349	859,104
				<b>12,155</b>	<b>23,029,738</b>

Population: all respondents born outside Canada

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B11</b>	<b>2</b>	<b>772</b>	<b>What language do you speak most often at home?</b>		
		01	English	8,880	15,006,062
		02	French	2,207	5,169,582
		03	Languages of the aboriginal peoples of Canada	18	32,363
		04	Italian	48	160,458
		05	German	31	53,267
		06	Ukrainian	8	7,576
		07	Dutch	8	12,436
		08	Chinese	76	218,283
		09	Hungarian	5	7,925
		10	Portuguese	28	96,981
		11	Polish	32	87,530
		12	Other	256	775,590
		96	Valid skip	230	583,961
		97	Don't know	9	21,535
		98	Refusal	319	796,192
		99	Not stated	0	0
				<b>12,155</b>	<b>23,029,741</b>

Data suppressed on public microdata file

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B11GRP</b>	<b>1</b>	<b>774</b>	<b>What language do you speak most often at home?</b>		
		1	English	8,880	15,006,062
		2	French	2,207	5,169,582
		3	Other	510	1,452,408
		6	Valid skip	230	583,961
		7	Don't know	9	21,535
		8	Refusal	319	796,192
		9	Not stated	0	0
				<b>12,155</b>	<b>23,029,740</b>

Other includes:

Languages of the aboriginal peoples of Canada (for example, Cree, Ojibwa, Inuktituk) 18

Italian 48

German 31

Ukranian 8

Dutch 8

Chinese (Mandarin, Cantonese or other) 76

Hungarian 5

Portugese 28

Polish 32

Other 256

Population: all respondents

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B13</b>	<b>2</b>	<b>776</b>	<b>What, if any, is your religion?</b>		
		00	None	1,926	3,796,750
		01	Roman Catholic	4,658	9,372,099
		02	Ukranian Catholic	98	175,813
		03	United Church	1,373	2,041,204
		04	Anglican	1,025	1,631,664
		05	Presbyterian	313	627,666
		06	Lutheran	273	434,783
		07	Baptist	366	497,485
		08	Pentecostal	154	279,707
		09	Eastern Orthodox	46	132,684
		10	Jewish	79	173,283
		11	Islam	39	130,163
		12	Hindu	35	98,221
		13	Buddhism	36	77,634
		14	Sikh	20	59,791
		15	Jehovah's Witness	61	127,612
		16	Mennonite	83	126,949
		17	Spirituality of the native peoples of Canada	12	21,412
		18	Other	444	766,909
		19	Christian	173	298,598
		20	Protestant	202	374,376
		96	Valid skip	231	585,751
		97	Don't know	93	193,367
		98	Refusal	415	1,005,819
		99	Not stated	0	0
				<b>12,155</b>	<b>23,029,740</b>

Data suppressed on public microdata file

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B13GRP</b>	<b>1</b>	<b>778</b>	<b>What, if any, is your religion?</b>		
		0	None	1,926	3,796,750
		1	Catholic	4,658	9,372,099
		2	United Church	1,373	2,041,204
		3	Anglican	1,025	1,631,664
		4	Other Protestant	1,637	2,788,588
		5	Other	797	1,614,497
		6	Valid skip	231	585,751
		7	Don't know	93	193,367
		8	Refusal	415	1,005,819
		9	Not stated	0	0
			<b>Other Protestant includes:</b>	<b>12,155</b>	<b>23,029,739</b>
			Ukrainian Catholics	98	
			Presbyterian	313	
			Lutheran	273	
			Baptist	366	
			Pentecostal	154	
			Jehovah's Witness	61	
			Mennonite	83	
			Spirituality of the native peoples of Canada	12	
			Christian Protestant	173	
			Other includes:	202	
			Eastern Orthodox	46	
			Jewish	79	
			Islam	39	
			Hindu	35	
			Buddhism	36	
			Sikh	29	
			Other	444	
			Population: all respondents		
<b>B15</b>	<b>1</b>	<b>780</b>	<b>Do you consider yourself to be:</b>		
		1	Very religious/spiritual	1,170	2,143,499
		2	Moderately religious/spiritual	4,843	8,536,123
		3	Not very religious/spiritual	2,617	5,030,959
		4	Not at all religious/spiritual	793	1,615,674
		6	Valid skip	2,159	4,386,706
		7	Don't know	40	70,447
		8	Refusal	25	47,145
		9	Not stated	508	1,199,186
			Population: all respondents	<b>12,155</b>	<b>23,029,739</b>
<b>B16</b>	<b>1</b>	<b>781</b>	<b>Do you have more than one telephone in your home? Households with more than one telephone number have a greater chance of being selected by the survey. We ask these questions to adjust for this.</b>		
		1	Yes	8,674	16,778,587
		2	No	2,855	4,742,339
		6	Valid skip	234	594,219
		7	Don't know	17	24,561
		8	Refusal	375	890,033
		9	Not stated	0	0
			Data suppressed on public microdata file	<b>12,155</b>	<b>23,029,739</b>
<b>B17</b>	<b>1</b>	<b>782</b>	<b>Do all the telephones have the same number?</b>		
		1	Yes	7,588	14,981,395
		2	No	1,080	1,783,681
		6	Valid skip	3,091	5,341,910
		7	Don't know	2	2,376
		8	Refusal	2	5,784
		9	Not stated	392	914,593
			Data suppressed on public microdata file	<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B18</b>	<b>2</b>	<b>783</b>	<b>How many numbers are there?</b>		
		02 : 10		1,075	1,774,237
		96	Valid skip	10,679	20,323,305
		97	Don't know	3	6,214
		98	Refusal	2	3,230
		99	Not stated	396	922,753
			<i>Data suppressed on public microdata file</i>	<b>12,155</b>	<b>23,029,739</b>
<b>B19</b>	<b>2</b>	<b>785</b>	<b>How many of these (fill B18) are for business use only?</b>		
		00 : 04		1,073	1,772,023
		96	Valid skip	10,679	20,323,305
		97	Don't know	1	661
		98	Refusal	1	1,553
		99	Not stated	401	932,197
			<i>Data suppressed on public microdata file</i>	<b>12,155</b>	<b>23,029,739</b>
<b>B20</b>	<b>1</b>	<b>787</b>	<b>What was your personal income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	645	1,377,426
		1	< \$20,000	4,131	6,916,023
		2	\$20,000 or more	4,903	8,792,864
		6	Valid skip	241	613,521
		7	Don't know	688	1,500,353
		8	Refusal	1,547	3,829,553
		9	Not stated	0	0
			<i>Population: all respondents</i>	<b>12,155</b>	<b>23,029,740</b>
<b>B20A</b>	<b>1</b>	<b>788</b>	<b>Was your personal income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$10,000	1,856	3,332,649
		2	\$10,000 or more	2,189	3,452,397
		6	Valid skip	5,789	10,783,811
		7	Don't know	70	99,224
		8	Refusal	16	31,753
		9	Not stated	2,235	5,329,905
			<i>Population: all respondents</i>	<b>12,155</b>	<b>23,029,739</b>
<b>B20B</b>	<b>1</b>	<b>789</b>	<b>Was your personal income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$5,000	763	1,520,580
		2	\$5,000 or more	1,068	1,788,522
		6	Valid skip	7,978	14,236,208
		7	Don't know	23	22,703
		8	Refusal	2	844
		9	Not stated	2,321	5,460,882
			<i>Population: all respondents</i>	<b>12,155</b>	<b>23,029,739</b>
<b>B20C</b>	<b>1</b>	<b>790</b>	<b>Was your personal income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$15,000	1,156	1,799,353
		2	\$15,000 or more	980	1,574,643
		6	Valid skip	7,645	14,116,460
		7	Don't know	52	76,572
		8	Refusal	1	1,828
		9	Not stated	2,321	5,460,882
			<i>Population: all respondents</i>	<b>12,155</b>	<b>23,029,738</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B20D</b>	<b>1</b>	<b>791</b>	<b>Was your personal income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$40,000	2,905	5,050,337
		2	\$40,000 or more	1,941	3,639,349
		6	Valid skip	5,017	8,906,970
		7	Don't know	22	32,477
		8	Refusal	35	70,701
		9	Not stated	2,235	5,329,905
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>B20E</b>	<b>1</b>	<b>792</b>	<b>Was your personal income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$30,000	1,473	2,497,089
		2	\$30,000 or more	1,396	2,485,422
		6	Valid skip	6,958	12,546,319
		7	Don't know	26	41,577
		8	Refusal	10	26,250
		9	Not stated	2,292	5,433,083
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

<b>B20F</b>	<b>1</b>	<b>793</b>	<b>Was your personal income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$60,000	1,321	2,414,766
		2	\$60,000 or more	610	1,207,565
		6	Valid skip	7,922	13,957,307
		7	Don't know	6	9,719
		8	Refusal	4	7,299
		9	Not stated	2,292	5,433,083
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>B20G</b>	<b>1</b>	<b>794</b>	<b>Was your personal income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$80,000	383	767,024
		2	\$80,000 or more	225	436,261
		6	Valid skip	9,243	16,372,073
		7	Don't know	2	4,280
		8	Refusal	0	0
		9	Not stated	2,302	5,450,101
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>PERSINC</b>	<b>2</b>	<b>795</b>	<b>PERSONAL INCOME OF RESPONDENT</b>		
		00	No income	653	1,388,041
		01	< \$5,000	762	1,519,832
		02	\$5,000-\$9,999	1,068	1,788,522
		03	\$10,000-\$14,999	1,154	1,797,852
		04	\$15,000-\$19,999	980	1,574,643
		05	\$20,000-\$29,999	1,473	2,497,089
		06	\$30,000-\$39,999	1,393	2,481,586
		07	\$40,000-\$59,999	1,320	2,414,126
		08	\$60,000-\$79,999	383	767,024
		09	\$80,000 or over	225	436,261
		96	Valid skip	241	613,521
		97	Don't know	889	1,786,906
		98	Refusal	1,614	3,964,336
		99	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B22</b>	<b>2</b>	<b>797</b>	<b>How many household members contributed to the total household income?</b>		
		01	One	2,689	5,174,295
		02	Two	4,712	9,786,032
		03	Three	392	1,019,517
		04	Four or more	143	462,972
		07	Not applicable	53	107,517
		96	Valid skip	3,452	4,263,109
		97	Don't know	193	559,217
		98	Refusal	521	1,657,081
		99	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>B24</b>	<b>1</b>	<b>799</b>	<b>What was your household's total income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	34	49,221
		1	< \$20,000	424	776,730
		2	\$20,000 or more	3,649	7,455,347
		6	Valid skip	5,962	9,133,976
		7	Don't know	945	2,120,790
		8	Refusal	427	1,277,378
		9	Not stated	714	2,216,298
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>B24A</b>	<b>1</b>	<b>800</b>	<b>What was your household's total income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$10,000	67	105,231
		2	\$10,000 or more	346	644,149
		6	Valid skip	9,645	16,638,543
		7	Don't know	9	18,616
		8	Refusal	2	8,732
		9	Not stated	2,086	5,614,466
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,737</b>
<b>B24B</b>	<b>1</b>	<b>801</b>	<b>What was your household's total income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$5,000	16	31,632
		2	\$5,000 or more	50	71,306
		6	Valid skip	9,991	17,282,693
		7	Don't know	1	2,293
		8	Refusal	0	0
		9	Not stated	2,097	5,641,815
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>B24C</b>	<b>1</b>	<b>802</b>	<b>What was your household's total income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$15,000	123	234,884
		2	\$15,000 or more	218	401,503
		6	Valid skip	9,712	16,743,774
		7	Don't know	4	6,588
		8	Refusal	1	1,175
		9	Not stated	2,097	5,641,815
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B24D</b>	<b>1</b>	<b>803</b>	<b>What was your household's total income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$40,000	1,154	2,162,915
		2	\$40,000 or more	2,418	5,099,157
		6	Valid skip	6,420	9,959,926
		7	Don't know	66	167,679
		8	Refusal	11	25,596
		9	Not stated	2,086	5,614,466
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>B24E</b>	<b>1</b>	<b>804</b>	<b>What was your household's total income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$30,000	495	926,180
		2	\$30,000 or more	633	1,193,234
		6	Valid skip	8,838	15,059,083
		7	Don't know	23	35,434
		8	Refusal	3	8,066
		9	Not stated	2,163	5,807,741
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

<b>B24F</b>	<b>1</b>	<b>805</b>	<b>What was your household's total income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$60,000	1,162	2,339,228
		2	\$60,000 or more	1,219	2,677,527
		6	Valid skip	7,575	12,125,640
		7	Don't know	33	74,531
		8	Refusal	3	5,072
		9	Not stated	2,163	5,807,741
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>B24G</b>	<b>1</b>	<b>806</b>	<b>What was your household's total income from all sources before taxes and deductions for 1993? Was it ...</b>		
		0	No income	0	0
		1	< \$80,000	674	1,444,331
		2	\$80,000 or more	532	1,198,687
		6	Valid skip	8,730	14,444,261
		7	Don't know	17	49,610
		8	Refusal	3	5,506
		9	Not stated	2,199	5,887,344
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>HSDINC</b>	<b>2</b>	<b>807</b>	<b>HOUSEHOLD INCOME OF RESPONDENT</b>		
		00	No income	112	148,811
		01	< \$5,000	304	509,200
		02	\$5,000-\$9,999	547	739,484
		03	\$10,000-\$14,999	779	1,064,457
		04	\$15,000-\$19,999	717	1,025,523
		05	\$20,000-\$29,999	1,220	1,956,824
		06	\$30,000-\$39,999	1,323	2,223,909
		07	\$40,000-\$59,999	1,816	3,315,545
		08	\$60,000-\$79,999	854	1,755,261
		09	\$80,000 or over	641	1,392,877
		96	Valid skip	242	616,320
		97	Don't know	1,561	3,159,436
		98	Refusal	1,216	2,676,122
		99	Not stated	823	2,445,972
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,741</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B26</b>	<b>1</b>	<b>809</b>	<b>Statistics Canada may need to contact your household for a follow-up to this survey. In case you move or change phone numbers, STC would like to obtain your complete name and address. This info is confidential and will only be used to contact you.</b>		
		1	Agree to participate	7,839	12,837,882
		2	Refuse to participate	2,504	6,020,016
		3	Refuse to provide information	1,568	3,548,221
		6	Skip	244	623,619
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,738</b>
<i>This is an unedited data field</i>					
<b>B27</b>	<b>35</b>	<b>810</b>	<b>CONFIRM NAME OF RESPONDENT (Given Name)</b>		
<i>Data suppressed on public microdata file</i>				0	0
<i>This is an unedited data field</i>					
<b>B28</b>	<b>35</b>	<b>845</b>	<b>CONFIRM NAME OF RESPONDENT(SURNAME)</b>		
<i>Data suppressed on public microdata file</i>				0	0
<i>This is an unedited data field</i>					
<b>B29</b>	<b>35</b>	<b>880</b>	<b>WHAT IS YOUR MAILING ADDRESS? STREET AND NUMBER/LOT AND CONCESSION</b>		
<i>Data suppressed on public microdata file</i>				0	0
<i>This is an unedited data field</i>					
<b>B30</b>	<b>35</b>	<b>915</b>	<b>CITY, TOWN, VILLAGE MUNICIPALITY OF THE RESPONDENT</b>		
<i>Data suppressed on public microdata file</i>				0	0
<i>This is an unedited data field</i>					
<b>B31</b>	<b>2</b>	<b>950</b>	<b>PROVINCE</b>		
		10	Newfoundland	538	378,004
		11	Prince Edward Island	253	87,172
		12	Nova Scotia	708	604,895
		13	New Brunswick	583	483,608
		24	Quebec	1,265	3,250,290
		35	Ontario	730	2,372,602
		46	Manitoba	610	629,521
		47	Saskatchewan	628	593,286
		48	Alberta	991	1,514,763
		59	British Columbia	853	1,658,035
		96	Valid skip	4,367	10,253,989
		97	Don't know	340	547,114
		98	Refusal	289	656,460
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>
<i>This is an unedited data field</i>					
<b>B32</b>	<b>6</b>	<b>952</b>	<b>MAILING POSTAL CODE</b>		
<i>Data suppressed on public microdata file</i>				0	0
<i>This is an unedited data field</i>					



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B32A</b>	<b>1</b>	<b>958</b>	<b>Would this be same as your residential postal code?</b>		
		1	Yes	7,418	12,087,241
		3	No	97	140,967
		6	Valid skip	4,366	10,254,105
		7	Don't know	83	125,032
		8	Refusal	191	422,395
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,740</b>
<i>This is an unedited data field</i>					
<b>B33A</b>	<b>6</b>	<b>959</b>	<b>What is your residential postal code?</b>		
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>This is an unedited data field</i>					
<b>B33B</b>	<b>1</b>	<b>965</b>	<b>Would you please give me the name, address and telephone number of someone we could contact if you move, such as a friend, relative or neighbour.</b>		
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents who agreed to participate in b26</i>					
<i>This is an unedited data field</i>					
<b>B34</b>	<b>35</b>	<b>966</b>	<b>GIVEN NAME OF CONTACT</b>		
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>This is an unedited data field</i>					
<b>B35</b>	<b>35</b>	<b>1001</b>	<b>SURNAME OF CONTACT</b>		
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>This is an unedited data field</i>					
<b>B36</b>	<b>35</b>	<b>1036</b>	<b>ADDRESS OF CONTACT Street and Number/Lot and Concession</b>		
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>This is an unedited data field</i>					
<b>B37</b>	<b>35</b>	<b>1071</b>	<b>CITY, TOWN, VILLAGE MUNICIPALITY OF CONTACT</b>		
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>This is an unedited data field</i>					
<b>B38</b>	<b>2</b>	<b>1106</b>	<b>PROVINCE, TERRITORY OF CONTACT</b>		
		00	Newfoundland	195	149,908
		01	Prince Edward Island	98	38,134
		02	Nova Scotia	262	224,639
		03	New Brunswick	250	219,272
		04	Quebec	636	1,579,700
		05	Ontario	263	768,243
		06	Manitoba	291	295,644
		07	Saskatchewan	325	308,789
		08	Alberta	565	848,993
		09	British Columbia	222	413,086
		10	Northwest Territories	0	0
		11	Yukon	0	0
		96	Valid skip	8,980	18,054,084
		97	Don't know	0	0
		98	Refusal	68	129,246
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,738</b>
<i>This is an unedited data field</i>					

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>B39</b>	<b>6</b>	<b>1108</b>	<b>POSTAL CODE OF CONTACT</b>	0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>This is an unedited data field</i>					
<b>B40</b>	<b>3</b>	<b>1114</b>	<b>HOME TELEPHONE AREA CODE OF CONTACT. (3 DIGITS)</b>	0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents who agreed to participate in b26 and agreed to provide contact in b33b</i>					
<i>This is an unedited data field</i>					
<b>B40T</b>	<b>7</b>	<b>1117</b>	<b>HOME TELEPHONE OF CONTACT</b>	0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents who agreed to participate in b26 and agreed to provide contact in b33b</i>					
<i>This is an unedited data field</i>					
<b>B41</b>	<b>1</b>	<b>1124</b>	<b>INTERVIEWER CHECK ITEM: LANGUAGE OF INTERVIEW</b>		
		1	English	9,775	17,194,111
		2	French	2,084	5,145,654
		6	Valid skip	296	689,974
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<i>This is an unedited data field</i>					
<b>DVELIG</b>	<b>5</b>	<b>1125</b>	<b>NUMBER OF PEOPLE ELIGIBLE TO BE IN SURVEY (NUMBER OF HOUSEHOLD MEMBERS AGE 15+)</b>		
		00001	One person	3,741	4,176,332
		00002	Two persons	5,883	11,460,531
		00003	Three persons	1,581	4,031,113
		00004	Four persons	729	2,405,214
		00005	Five persons	178	728,237
		00006	Six persons	33	156,727
		00007	Seven persons	8	47,961
		00008	Eight persons	0	0
		00009	Nine persons	1	1,651
		00010	Ten persons	1	21,971
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,737</b>
<b>RELA1</b>	<b>2</b>	<b>1130</b>	<b>HOUSEHOLD MEMBER 1 (RESPONDENT)</b>		
		01	Respondent	12,155	23,029,739
<i>(Only one person answered the alcohol and other drug questions)</i>				<b>12,155</b>	<b>23,029,739</b>
<i>Population: all respondents</i>					
<b>AGE1</b>	<b>3</b>	<b>1132</b>	<b>VARIABLE INDICATING AGE OF RESPONDENT</b>		
		015	Years	136	375,742
		016	Years	172	463,456
		017	Years	165	407,876
		018	Years	163	390,739
		019	Years	147	320,523
		020	Years	179	365,386
		021	Years	190	399,700
		022	Years	223	432,621
		023	Years	220	430,924
		024	Years	236	422,592
		025	Years	227	455,956
		026	Years	203	383,421
		027	Years	221	403,572
		028	Years	268	534,993
		029	Years	281	501,416

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

## Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
030			Years	325	551,112
031			Years	312	533,991
032			Years	315	554,905
033			Years	288	479,276
034			Years	321	553,459
035			Years	308	528,397
036			Years	276	498,211
037			Years	280	492,781
038			Years	291	530,492
039			Years	278	496,206
040			Years	282	498,493
041			Years	232	414,979
042			Years	247	442,252
043			Years	229	476,363
044			Years	225	424,070
045			Years	215	441,139
046			Years	194	423,073
047			Years	218	412,840
048			Years	162	331,542
049			Years	196	391,346
050			Years	167	341,826
051			Years	166	317,575
052			Years	172	338,590
053			Years	151	276,829
054			Years	151	255,911
055			Years	142	264,616
056			Years	139	265,293
057			Years	131	231,214
058			Years	143	249,531
059			Years	143	248,654
060			Years	122	218,171
061			Years	127	214,481
062			Years	123	213,645
063			Years	135	268,770
064			Years	160	295,443
065			Years	139	229,701
066			Years	138	228,101
067			Years	109	187,275
068			Years	101	201,667
069			Years	134	247,916
070			Years	125	245,170
071			Years	109	233,604
072			Years	104	210,092
073			Years	100	225,845
074			Years	93	185,211
075			Years	55	108,484
076			Years	78	121,869
077			Years	66	119,046
078			Years	60	115,493
079			Years	67	123,234
080			Years	51	93,657
081			Years	35	75,605
082			Years	32	48,558
083			Years	39	72,470
084			Years	37	55,764
085			Years	15	29,034
086			Years	28	43,550
087			Years	15	21,420
088			Years	9	7,717
089			Years	7	13,613
090			Years	3	6,717
091			Years	3	3,696
092			Years	1	973
093			Years	2	2,361
094			Years	0	0
095			Years	1	129

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
		096	Years	0	0
		097	Years	1	4,918
		098	Years	0	0
		099	Years	1	2,459
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,742</b>

*Population: all respondents*

<b>DVAGE1</b>	<b>3</b>	<b>1135</b>	<b>AGE OF RESPONDENT</b>		
		000	000 - 105	0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

*Population: all respondents*

<b>SEX1</b>	<b>1</b>	<b>1138</b>	<b>SEX OF RESPONDENT</b>		
		1	Male	5,561	11,337,410
		2	Female	6,594	11,692,329
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>STAT1R</b>	<b>2</b>	<b>1139</b>	<b>MARITAL STATUS OF RESPONDENT</b>		
		01	Married	5,832	12,279,205
		02	Common-law	621	1,284,560
		03	Single/never married	3,392	6,317,328
		04	Widow/widower	991	1,315,630
		05	Divorced	792	1,104,802
		06	Separated	383	482,121
		96	Valid skip	0	0
		97	Don't know	22	27,650
		98	Refusal	122	218,442
		99	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

<b>NAME1</b>	<b>14</b>	<b>1141</b>	<b>RESPONDENT'S NAME</b>		
<i>Data suppressed on public microdata file</i>				0	0
<i>Population: all respondents</i>				<b>0</b>	<b>0</b>

<b>RELA2</b>	<b>2</b>	<b>1155</b>	<b>PERSON 2 RELATIONSHIP TO RESPONDENT</b>		
		02	Spouse	5,819	12,337,630
		03	Partner	460	1,001,307
		04	Son/daughter (biological)	779	1,227,267
		05	Son/daughter (adopted/step)	10	21,202
		06	Foster child	6	8,244
		07	Father (biological)	810	2,425,743
		08	Mother (biological)	293	672,039
		09	Sister/brother	138	347,589
		10	Grandchild	9	10,442
		11	Grandfather/mother	7	8,119
		12	Daughter/son in-law	0	0
		13	Father/mother in-law	0	0
		14	Stepmother/father	4	9,539
		15	Sister/brother in-law	4	22,367
		16	Niece/nephew	6	11,180
		17	Aunt/uncle	13	29,259
		18	Cousin	7	12,801
		19	Other relative	43	91,192
		20	Other non-relative	365	785,550
		96	Valid skip	3,295	3,759,254
		97	Don't know	33	85,168
		98	Refusal	54	163,848
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,740</b>

*Population: all respondents*

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>RELGP2</b>	<b>1</b>	<b>1157</b>	<b>PERSON 2 RELATIONSHIP TO RESPONDENT (REGROUPED)</b>		
		1	Immediate family	8,315	18,041,021
		2	Other	458	980,448
		6	Valid skip	3,295	3,759,254
		7	Don't know	33	85,168
		8	Refusal	54	163,848
		9	Not stated	0	0
				<b>12,155</b>	<b>23,029,739</b>

*Immediate family includes: spouse/partner, child (biological, adopted, step, foster), mother, father, step mother/step father. Other includes: grandparent, grandchild, daughter/son in-law, father/mother in-law, brother/sister in-law niece/nephew, aunt, uncle, cousin, other relative, other non relative.*

*This variable was created for only the first four persons in the household.*

*Population: all respondents*

<b>AGE2</b>	<b>3</b>	<b>1158</b>	<b>AGE OF PERSON 2</b>		
		000 : 105		8,860	19,270,485
		996	Valid skip	3,295	3,759,254
		997	Don't know	0	0
		998	Refusal	0	0
		999	Not stated	0	0

*Data suppressed on public microdata file*

*Population: all respondents*

**12,155 23,029,739**

<b>AGEGRP2</b>	<b>2</b>	<b>1161</b>	<b>AGE OF PERSON 2 (GROUPED)</b>		
		01	0-5	319	391,304
		02	6-11	207	289,752
		03	12-14	95	141,122
		04	15-19	167	383,593
		05	20-24	431	919,024
		06	25-34	1,821	3,626,955
		07	35-44	2,141	4,639,551
		08	45-54	1,704	4,274,337
		09	55-64	1,041	2,337,105
		10	65+	934	2,267,742
		96	Valid skip	3,295	3,759,254
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0

*Population: all respondents*

**12,155 23,029,739**

<b>SEX2</b>	<b>1</b>	<b>1163</b>	<b>SEX OF PERSON 2</b>		
		1	Male	4,857	10,615,167
		2	Female	4,001	8,652,222
		6	Valid skip	3,297	3,762,350
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0

*Population: all respondents*

**12,155 23,029,739**

<b>STAT2R</b>	<b>2</b>	<b>1164</b>	<b>MARITAL STATUS OF PERSON 2</b>		
		01	Married	6,418	14,464,259
		02	Common-law	599	1,288,023
		03	Single/never married	1,391	2,548,280
		04	Widow/widower	131	260,566
		05	Divorced	217	487,082
		06	Separated	72	144,300
		96	Valid skip	3,297	3,762,350
		97	Don't know	14	32,628
		98	Refusal	16	42,251
		99	Not stated	0	0

*Data suppressed on public microdata file*

*Population: all respondents*

**12,155 23,029,739**

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>STAT2</b>	<b>1</b>	<b>1166</b>	<b>MARITAL STATUS OF PERSON 2</b>		
		1	Married/common-law	7,017	15,752,281
		2	Single/never married	1,391	2,548,280
		3	Separated/divorced/widowed	420	891,948
		6	Valid skip	3,297	3,762,350
		7	Don't know	14	32,628
		8	Refusal	16	42,251
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

<b>NAME2</b>	<b>14</b>	<b>1167</b>	<b>NAME OF PERSON 2</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents</i>					

<b>RELA3</b>	<b>2</b>	<b>1181</b>	<b>PERSON 3 RELATIONSHIP TO RESPONDENT</b>		
		03	Partner	0	0
		04	Son/daughter (biological)	3,479	7,322,326
		05	Son/daughter (adopted/step)	107	237,325
		06	Foster child	6	6,972
		07	Father (biological)	32	77,634
		08	Mother (biological)	745	2,292,654
		09	Sister/brother	206	562,525
		10	Grandchild	40	113,922
		11	Grandfather/mother	7	19,365
		12	Daughter/son in-law	6	22,414
		13	Father/mother in-law	17	54,647
		14	Stepmother/father	27	59,687
		15	Sister/brother in-law	15	56,831
		16	Niece/nephew	20	59,197
		17	Aunt/uncle	7	14,319
		18	Cousin	12	32,494
		19	Other relative	42	107,224
		20	Other non-relative	190	496,705
		96	Valid skip	7,147	11,325,074
		97	Don't know	18	55,635
		98	Refusal	32	112,791
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,741</b>
<i>Population: all respondents</i>					

<b>RELGP3</b>	<b>1</b>	<b>1183</b>	<b>PERSON 3 RELATIONSHIP TO RESPONDENT (REGROUPED)</b>		
		1	Family member	4,575	10,499,435
		2	Other	383	1,036,805
		6	Valid skip	7,147	11,325,074
		7	Don't know	18	55,635
		8	Refusal	32	112,791
		9	Not stated	0	0
<i>Family member includes: spouse/partner, child (biological, adopted, foster), mother, father, step mother/step father. Other includes: grandparent, grandchild, daughter/son in-law, father/mother in-law, brother/sister in-law, niece/nephew, aunt, uncle, cousin, other non relative. This variable was created for only the first four persons in the household.</i>				<b>12,155</b>	<b>23,029,740</b>
<i>Population: all respondents</i>					

<b>AGE3</b>	<b>3</b>	<b>1184</b>	<b>AGE OF PERSON 3</b>		
		000 : 101		5,008	11,704,665
		996	Valid skip	7,147	11,325,074
		997	Don't know	0	0
		998	Refusal	0	0
		999	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>
<i>Population: all respondents</i>					

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGEGRP3</b>	<b>2</b>	<b>1187</b>	<b>AGE OF PERSON 3 (GROUPED)</b>		
		01	0-5	1,466	2,695,687
		02	6-11	987	1,845,070
		03	12-14	464	949,357
		04	15-19	532	1,505,569
		05	20-24	316	925,811
		06	25-34	275	849,901
		07	35-49	651	1,975,269
		08	50+	317	958,003
		96	Valid skip	7,147	11,325,074
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,741</b>

<b>SEX3</b>	<b>1</b>	<b>1189</b>	<b>SEX OF PERSON 3</b>		
		1	Male	2,274	5,103,852
		2	Female	2,733	6,598,351
		6	Valid skip	7,148	11,327,536
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>STAT3R</b>	<b>2</b>	<b>1190</b>	<b>MARITAL STATUS OF PERSON 3</b>		
		01	Married	870	2,694,848
		02	Common-law	39	100,553
		03	Single/never married	3,989	8,623,261
		04	Widow/widower	35	70,989
		05	Divorced	35	96,666
		06	Separated	23	71,728
		96	Valid skip	7,148	11,327,536
		97	Don't know	8	16,562
		98	Refusal	8	27,596
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>
<i>Population: all respondents</i>					

<b>STAT3</b>	<b>1</b>	<b>1192</b>	<b>MARITAL STATUS OF PERSON 3</b>		
		1	Married/common-law	909	2,795,401
		2	Single/never married	3,989	8,623,261
		3	Separated/divorced/widowed	93	239,384
		6	Valid skip	7,148	11,327,536
		7	Don't know	8	16,562
		8	Refusal	8	27,596
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

<b>NAME3</b>	<b>14</b>	<b>1193</b>	<b>NAME OF PERSON 3</b>		
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents</i>					

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>RELA4</b>	<b>2</b>	<b>1207</b>	<b>PERSON 4 RELATIONSHIP TO RESPONDENT</b>		
		04	Son/daughter (biological)	2,013	4,251,149
		05	Son/daughter (adopted/step)	95	207,729
		06	Foster child	6	10,218
		07	Father (biological)	8	26,943
		08	Mother (biological)	34	88,579
		09	Sister/brother	563	1,844,336
		10	Grandchild	39	104,553
		11	Grandfather/mother	7	17,968
		12	Daughter/son in-law	13	54,120
		13	Father/mother in-law	9	29,876
		14	Stepmother/father	7	24,957
		15	Sister/brother in-law	5	22,235
		16	Niece/nephew	23	91,070
		17	Aunt/uncle	8	33,385
		18	Cousin	10	29,063
		19	Other relative	31	96,216
		20	Other non-relative	103	304,406
		96	Valid skip	9,140	15,647,240
		97	Don't know	15	46,241
		98	Refusal	26	99,454
		99	Not stated	0	0
			<i>Data suppressed on public microdata file</i>	<b>12,155</b>	<b>23,029,738</b>
			<i>Population: all respondents</i>		

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>RELGP4</b>	<b>1</b>	<b>1209</b>	<b>PERSON 4 RELATIONSHIP TO RESPONDENT (REGROUPED)</b>		
		1	Family member	2,719	6,428,953
		2	Other	255	807,851
		6	Valid skip	9,140	15,647,240
		7	Don't know	15	46,241
		8	Refusal	26	99,454
		9	Not stated	0	0
			<i>Family member includes: spouse/partner, child (biological, adopted, foster), mother, father, step mother/step father. Other includes: grandparent, grandchild, daughter/son in-law, father/mother in-law, brother/sister-in-law, niece/nephew, aunt, uncle, cousin, other non relative. This variable was created for only the first four persons in the household.</i>	<b>12,155</b>	<b>23,029,739</b>
			<i>Population: all respondents</i>		

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE4</b>	<b>3</b>	<b>1210</b>	<b>AGE OF PERSON 4</b>		
		000 : 091		3,014	7,381,611
		996	Valid skip	9,141	15,648,128
		997	Don't know	0	0
		998	Refusal	0	0
		999	Not stated	0	0
			<i>Data suppressed on public microdata file</i>	<b>12,155</b>	<b>23,029,739</b>
			<i>Population: all respondents</i>		

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGEGRP4</b>	<b>2</b>	<b>1213</b>	<b>AGE OF PERSON 4 (GROUPED)</b>		
		01	0-5	501	956,199
		02	6-11	876	1,692,292
		03	12-14	513	1,108,510
		04	15-19	534	1,574,836
		05	20-24	321	1,131,539
		06	25+	269	918,236
		96	Valid skip	9,141	15,648,128
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
			<i>Population: all respondents</i>	<b>12,155</b>	<b>23,029,740</b>



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>SEX4</b>	<b>1</b>	<b>1215</b>	<b>SEX OF PERSON 4</b>		
		1	Male	1,609	4,049,332
		2	Female	1,405	3,332,279
		6	Valid skip	9,141	15,648,128
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>STAT4R</b>	<b>2</b>	<b>1216</b>	<b>MARITAL STATUS OF PERSON 4</b>		
		01	Married	109	398,673
		02	Common-law	19	65,853
		03	Single/never married	2,822	6,730,634
		04	Widow/widower	26	75,847
		05	Divorced	19	54,932
		06	Separated	11	37,657
		96	Valid skip	9,141	15,648,128
		97	Don't know	3	7,585
		98	Refusal	5	10,430
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>
<i>Population: all respondents</i>					

<b>STAT4</b>	<b>1</b>	<b>1218</b>	<b>MARITAL STATUS OF PERSON 4</b>		
		1	Married/common-law	128	464,526
		2	Single/never married	2,822	6,730,634
		3	Separated/divorced/widowed	56	168,435
		6	Valid skip	9,141	15,648,128
		7	Don't know	3	7,585
		8	Refusal	5	10,430
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

<b>NAME4</b>	<b>14</b>	<b>1219</b>	<b>NAME OF PERSON 4</b>		
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>
<i>Population: all respondents</i>					

<b>RELA5</b>	<b>2</b>	<b>1233</b>	<b>PERSON 5 RELATIONSHIP TO RESPONDENT</b>		
		04	Son/daughter (biological)	593	1,244,171
		05	Son/daughter (adopted/step)	43	87,697
		06	Foster child	2	5,257
		07	Father (biological)	8	22,396
		08	Mother (biological)	13	57,918
		09	Sister/brother	216	756,935
		10	Grandchild	18	65,597
		11	Grandfather/mother	6	27,500
		12	Daughter/son in-law	16	51,112
		13	Father/mother in-law	10	31,144
		14	Stepmother/father	11	29,328
		15	Sister/brother in-law	10	31,351
		16	Niece/nephew	9	24,906
		17	Aunt/uncle	3	11,426
		18	Cousin	7	29,987
		19	Other relative	12	47,156
		20	Other non-relative	46	135,557
		96	Valid skip	11,117	20,306,663
		97	Don't know	8	24,190
		98	Refusal	7	39,446
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,737</b>
<i>Population: all respondents</i>					

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE5</b>	<b>3</b>	<b>1235</b>	<b>AGE OF PERSON 5</b>		
	000	:	085	1,038	2,723,076
	996		Valid skip	11,117	20,306,663
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>SEX5</b>	<b>1</b>	<b>1238</b>	<b>SEX OF PERSON 5</b>		
		1	Male	529	1,378,863
		2	Female	509	1,344,213
		6	Valid skip	11,117	20,306,663
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>STAT5R</b>	<b>2</b>	<b>1239</b>	<b>MARITAL STATUS OF PERSON 5</b>		
		01	Married	75	258,102
		02	Common-law	10	30,329
		03	Single/never married	919	2,313,066
		04	Widow/widower	19	68,138
		05	Divorced	7	22,453
		06	Separated	5	13,003
		96	Valid skip	11,117	20,306,663
		97	Don't know	2	13,736
		98	Refusal	1	4,248
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,738</b>

Population: all respondents

<b>NAME5</b>	<b>14</b>	<b>1241</b>	<b>NAME OF PERSON 5</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

Population: all respondents

<b>RELA6</b>	<b>2</b>	<b>1255</b>	<b>PERSON 6 RELATIONSHIP TO RESPONDENT</b>		
		04	Son/daughter (biological)	136	315,766
		05	Son/daughter (adopted/step)	14	34,341
		06	Foster child	1	1,197
		07	Father (biological)	0	0
		08	Mother (biological)	4	13,111
		09	Sister/brother	65	239,437
		10	Grandchild	5	26,737
		11	Grandfather/mother	3	20,294
		12	Daughter/son in-law	6	14,027
		13	Father/mother in-law	6	20,764
		14	Stepmother/father	1	1,054
		15	Sister/brother in-law	9	31,291
		16	Niece/nephew	5	10,289
		17	Aunt/uncle	4	20,980
		18	Cousin	4	24,161
		19	Other relative	4	21,032
		20	Other non-relative	13	58,381
		96	Valid skip	11,872	22,162,600
		97	Don't know	2	4,632
		98	Refusal	1	9,646
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,740</b>

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE6</b>	<b>3</b>	<b>1257</b>	<b>AGE OF PERSON 6</b>		
	000	: 095		283	867,139
	996		Valid skip	11,872	22,162,600
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>SEX6</b>	<b>1</b>	<b>1260</b>	<b>SEX OF PERSON 6</b>		
		1	Male	138	465,145
		2	Female	145	401,994
		6	Valid skip	11,872	22,162,600
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>STAT6R</b>	<b>2</b>	<b>1261</b>	<b>MARITAL STATUS OF PERSON 6</b>		
		01	Married	34	139,160
		02	Common-law	4	21,638
		03	Single/never married	233	659,078
		04	Widow/widower	7	22,152
		05	Divorced	4	16,796
		06	Separated	1	8,315
		96	Valid skip	11,872	22,162,600
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>NAME6</b>	<b>14</b>	<b>1263</b>	<b>NAME OF PERSON 6</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

Population: all respondents

<b>RELA7</b>	<b>2</b>	<b>1277</b>	<b>PERSON 7 RELATIONSHIP TO RESPONDENT</b>		
		04	Son/daughter (biological)	32	82,835
		05	Son/daughter (adopted/step)	2	4,519
		06	Foster child	1	1,197
		07	Father (biological)	0	0
		08	Mother (biological)	1	4,353
		09	Sister/brother	24	105,380
		10	Grandchild	2	4,017
		11	Grandfather/mother	0	0
		12	Daughter/son in-law	0	0
		13	Father/mother in-law	1	575
		14	Stepmother/father	0	0
		15	Sister/brother in-law	2	6,344
		16	Niece/nephew	1	1,757
		17	Aunt/uncle	3	13,570
		18	Cousin	0	0
		19	Other relative	2	20,615
		20	Other non-relative	5	37,875
		96	Valid skip	12,079	22,746,701
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,738</b>

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE7</b>	<b>3</b>	<b>1279</b>	<b>AGE OF PERSON 7</b>		
	001	:	074	76	283,038
	996		Valid skip	12,079	22,746,701
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>SEX7</b>	<b>1</b>	<b>1282</b>	<b>SEX OF PERSON 7</b>		
		1	Male	37	136,015
		2	Female	39	147,023
		6	Valid skip	12,079	22,746,701
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>STAT7R</b>	<b>2</b>	<b>1283</b>	<b>MARITAL STATUS OF PERSON 7</b>		
		01	Married	9	79,879
		02	Common-law	0	0
		03	Single/never married	64	184,785
		04	Widow/widower	1	575
		05	Divorced	0	0
		06	Separated	1	4,811
		96	Valid skip	12,079	22,746,701
		97	Don't know	1	12,988
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>NAME7</b>	<b>14</b>	<b>1285</b>	<b>NAME OF PERSON 7</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

Population: all respondents

<b>RELA8</b>	<b>2</b>	<b>1299</b>	<b>PERSON 8 RELATIONSHIP TO RESPONDENT</b>		
		04	Son/daughter (biological)	10	37,388
		05	Son/daughter (adopted/step)	0	0
		06	Foster child	0	0
		07	Father (biological)	0	0
		08	Mother (biological)	0	0
		09	Sister/brother	9	32,339
		10	Grandchild	0	0
		11	Grandfather/mother	0	0
		12	Daughter/son in-law	0	0
		13	Father/mother in-law	0	0
		14	Stepmother/father	0	0
		15	Sister/brother in-law	0	0
		16	Niece/nephew	3	12,376
		17	Aunt/uncle	0	0
		18	Cousin	0	0
		19	Other relative	0	0
		20	Other non-relative	2	5,230
		96	Valid skip	12,130	22,934,389
		97	Don't know	1	8,018
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,740</b>

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE8</b>	<b>3</b>	<b>1301</b>	<b>AGE OF PERSON 8</b>		
	000	:	075	25	95,350
			996 Valid skip	12,130	22,934,389
			997 Don't know	0	0
			998 Refusal	0	0
			999 Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>SEX8</b>	<b>1</b>	<b>1304</b>	<b>SEX OF PERSON 8</b>		
			1 Male	15	35,491
			2 Female	10	59,860
			6 Valid skip	12,130	22,934,389
			7 Don't know	0	0
			8 Refusal	0	0
			9 Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,740</b>

Population: all respondents

<b>STAT8R</b>	<b>2</b>	<b>1305</b>	<b>MARITAL STATUS OF PERSON 8</b>		
			01 Married	1	3,166
			02 Common-law	0	0
			03 Single/never married	23	84,166
			04 Widow/widower	0	0
			05 Divorced	0	0
			06 Separated	0	0
			96 Valid skip	12,130	22,934,389
			97 Don't know	0	0
			98 Refusal	1	8,018
			99 Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>NAME8</b>	<b>14</b>	<b>1307</b>	<b>NAME OF PERSON 8</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

Population: all respondents

<b>RELA9</b>	<b>2</b>	<b>1321</b>	<b>PERSON 9 RELATIONSHIP TO RESPONDENT</b>		
			04 Son/daughter (biological)	4	29,930
			05 Son/daughter (adopted/step)	0	0
			06 Foster child	0	0
			07 Father (biological)	0	0
			08 Mother (biological)	0	0
			09 Sister/brother	2	7,196
			10 Grandchild	0	0
			11 Grandfather/mother	0	0
			12 Daughter/son in-law	0	0
			13 Father/mother in-law	1	2,730
			14 Stepmother/father	0	0
			15 Sister/brother in-law	0	0
			16 Niece/nephew	0	0
			17 Aunt/uncle	0	0
			18 Cousin	0	0
			19 Other relative	0	0
			20 Other non-relative	1	5,212
			96 Valid skip	12,147	22,984,670
			97 Don't know	0	0
			98 Refusal	0	0
			99 Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,738</b>

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE9</b>	<b>3</b>	<b>1323</b>	<b>AGE OF PERSON 9</b>		
	011	:	069	8	45,069
	996		Valid skip	12,147	22,984,670
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>SEX9</b>	<b>1</b>	<b>1326</b>	<b>SEX OF PERSON 9</b>		
		1	Male	5	34,570
		2	Female	3	10,499
		6	Valid skip	12,147	22,984,670
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>STAT9R</b>	<b>2</b>	<b>1327</b>	<b>MARITAL STATUS OF PERSON 9</b>		
		01	Married	3	9,593
		02	Common-law	0	0
		03	Single/never married	5	35,475
		04	Widow/widower	0	0
		05	Divorced	0	0
		06	Separated	0	0
		96	Valid skip	12,147	22,984,670
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,738</b>

Population: all respondents

<b>NAME9</b>	<b>14</b>	<b>1329</b>	<b>NAME OF PERSON 9</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

Population: all respondents

<b>RELA10</b>	<b>2</b>	<b>1343</b>	<b>PERSON 10 RELATIONSHIP TO RESPONDENT</b>		
		04	Son/daughter (biological)	2	28,089
		05	Son/daughter (adopted/step)	0	0
		06	Foster child	0	0
		07	Father (biological)	0	0
		08	Mother (biological)	0	0
		09	Sister/brother	1	5,545
		10	Grandchild	0	0
		11	Grandfather/mother	0	0
		12	Daughter/son in-law	0	0
		13	Father/mother in-law	1	2,730
		14	Stepmother/father	0	0
		15	Sister/brother in-law	0	0
		16	Niece/nephew	0	0
		17	Aunt/uncle	0	0
		18	Cousin	0	0
		19	Other relative	0	0
		20	Other non-relative	0	0
		96	Valid skip	12,151	22,993,375
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE10</b>	<b>3</b>	<b>1345</b>	<b>AGE OF PERSON 10</b>		
	013 :	071		4	36,364
		996	Valid skip	12,151	22,993,375
		997	Don't know	0	0
		998	Refusal	0	0
		999	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

*Population: all respondents*

<b>SEX10</b>	<b>1</b>	<b>1348</b>	<b>SEX OF PERSON 10</b>		
		1	Male	4	36,364
		2	Female	0	0
		6	Valid skip	12,151	22,993,375
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

*Population: all respondents*

<b>STAT10R</b>	<b>2</b>	<b>1349</b>	<b>MARITAL STATUS OF PERSON 10</b>		
		01	Married	1	2,730
		02	Common-law	0	0
		03	Single/never married	3	33,634
		04	Widow/widower	0	0
		05	Divorced	0	0
		06	Separated	0	0
		96	Valid skip	12,151	22,993,375
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

*Population: all respondents*

<b>NAME10</b>	<b>14</b>	<b>1351</b>	<b>NAME OF PERSON 10</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

*Population: all respondents*

<b>RELA11</b>	<b>2</b>	<b>1365</b>	<b>PERSON 11 RELATIONSHIP TO RESPONDENT</b>		
		04	Son/daughter (biological)	1	21,971
		05	Son/daughter (adopted/step)	0	0
		06	Foster child	0	0
		07	Father (biological)	0	0
		08	Mother (biological)	0	0
		09	Sister/brother	1	5,545
		10	Grandchild	0	0
		11	Grandfather/mother	0	0
		12	Daughter/son in-law	0	0
		13	Father/mother in-law	0	0
		14	Stepmother/father	0	0
		15	Sister/brother in-law	0	0
		16	Niece/nephew	0	0
		17	Aunt/uncle	0	0
		18	Cousin	0	0
		19	Other relative	0	0
		20	Other non-relative	0	0
		96	Valid skip	12,153	23,002,223
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

*Population: all respondents*

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE11</b>	<b>3</b>	<b>1367</b>	<b>AGE OF PERSON 11</b>		
	015 :	029		2	27,516
		996	Valid skip	12,153	23,002,223
		997	Don't know	0	0
		998	Refusal	0	0
		999	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>SEX11</b>	<b>1</b>	<b>1370</b>	<b>SEX OF PERSON 11</b>		
		1	Male	0	0
		2	Female	2	27,516
		6	Valid skip	12,153	23,002,223
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>STAT11R</b>	<b>2</b>	<b>1371</b>	<b>MARITAL STATUS OF PERSON 11</b>		
		01	Married	0	0
		02	Common-law	0	0
		03	Single/never married	2	27,516
		04	Widow/widower	0	0
		05	Divorced	0	0
		06	Separated	0	0
		96	Valid skip	12,153	23,002,223
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>NAME11</b>	<b>14</b>	<b>1373</b>	<b>NAME OF PERSON 11</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

Population: all respondents

<b>RELA12</b>	<b>2</b>	<b>1387</b>	<b>PERSON 12 RELATIONSHIP TO RESPONDENT</b>		
		04	Son/daughter (biological)	1	21,971
		05	Son/daughter (adopted/step)	0	0
		06	Foster child	0	0
		07	Father (biological)	0	0
		08	Mother (biological)	0	0
		09	Sister/brother	1	5,545
		10	Grandchild	0	0
		11	Grandfather/mother	0	0
		12	Daughter/son in-law	0	0
		13	Father/mother in-law	0	0
		14	Stepmother/father	0	0
		15	Sister/brother in-law	0	0
		16	Niece/nephew	0	0
		17	Aunt/uncle	0	0
		18	Cousin	0	0
		19	Other relative	0	0
		20	Other non-relative	0	0
		96	Valid skip	12,153	23,002,223
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents



# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>AGE12</b>	<b>3</b>	<b>1389</b>	<b>AGE OF PERSON 12</b>		
	017	:	032	2	27,516
	996		Valid skip	12,153	23,002,223
	997		Don't know	0	0
	998		Refusal	0	0
	999		Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>SEX12</b>	<b>1</b>	<b>1392</b>	<b>SEX OF PERSON 12</b>		
		1	Male	0	0
		2	Female	2	27,516
		6	Valid skip	12,153	23,002,223
		7	Don't know	0	0
		8	Refusal	0	0
		9	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>STAT12R</b>	<b>2</b>	<b>1393</b>	<b>MARITAL STATUS OF PERSON 12</b>		
		01	Married	1	21,971
		02	Common-law	0	0
		03	Single/never married	1	5,545
		04	Widow/widower	0	0
		05	Divorced	0	0
		06	Separated	0	0
		96	Valid skip	12,153	23,002,223
		97	Don't know	0	0
		98	Refusal	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>NAME12</b>	<b>14</b>	<b>1395</b>	<b>NAME OF PERSON 12</b>		
				0	0
<i>Data suppressed on public microdata file</i>				<b>0</b>	<b>0</b>

Population: all respondents

<b>DVTEL</b>	<b>2</b>	<b>1409</b>	<b>NUMBER OF RESIDENTIAL TELEPHONE LINES</b>		
				12,155	23,029,739
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>DVAGEGP1</b>	<b>2</b>	<b>1411</b>	<b>AGE OF RESPONDENT GROUP ONE</b>		
		01	15-16	308	839,198
		02	17-19	475	1,119,138
		03	20-24	1,048	2,051,222
		04	25-29	1,200	2,279,357
		05	30-34	1,561	2,672,743
		06	35-39	1,433	2,546,086
		07	40-44	1,215	2,256,157
		08	45-49	985	1,999,940
		09	50-54	807	1,530,730
		10	55-59	698	1,259,308
		11	60-64	667	1,210,510
		12	65-69	621	1,094,660
		13	70-74	531	1,099,922
		14	75-79	326	588,126
		15	80+	280	482,643
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

Population: all respondents

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNGTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>DVAGEGP2</b>	<b>2</b>	<b>1413</b>	<b>AGE OF RESPONDENT GROUP TWO</b>		
		01	15-17	473	1,247,074
		02	18-19	310	711,262
		03	20-24	1,048	2,051,222
		04	25-29	1,200	2,279,357
		05	30-34	1,561	2,672,743
		06	35-39	1,433	2,546,086
		07	40-44	1,215	2,256,157
		08	45-49	985	1,999,940
		09	50-54	807	1,530,730
		10	55-59	698	1,259,308
		11	60-64	667	1,210,510
		12	65-69	621	1,094,660
		13	70-74	531	1,099,922
		14	75-79	326	588,126
		15	80+	280	482,643
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>DVAGEGP3</b>	<b>2</b>	<b>1415</b>	<b>AGE OF RESPONDENT GROUP THREE</b>		
		01	15-16	308	839,198
		02	17-19	475	1,119,138
		03	20-24	1,048	2,051,222
		04	25-34	2,761	4,952,100
		05	35-44	2,648	4,802,243
		06	45-54	1,792	3,530,670
		07	55-64	1,365	2,469,818
		08	65-69	621	1,094,660
		09	70+	1,137	2,170,690
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>DVPROV</b>	<b>2</b>	<b>1417</b>	<b>PROVINCE CODES</b>		
		00	Newfoundland	665	457,961
		10	Prince Edward Island	313	103,920
		20	Nova Scotia	877	742,975
		30	New Brunswick	736	602,504
		40	Quebec	2,225	5,795,927
		50	Ontario	2,753	8,672,981
		60	Manitoba	870	874,366
		70	Saskatchewan	841	767,332
		80	Alberta	1,356	2,073,112
		90	British Columbia	1,519	2,938,661
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>DVMAR</b>	<b>1</b>	<b>1419</b>	<b>DERIVED VARIABLE INDICATING IF RESPONDENT IS MARRIED OR LIVING WITH A PARTNER</b>		
		1	Yes	6,453	13,563,766
		2	No	5,702	9,465,973
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>DVYRSMKD</b>	<b>3</b>	<b>1420</b>	<b>NUMBER OF YEARS THE RESPONDENT SMOKED – INCLUDES THOSE WHO STILL SMOKE</b>		
		000 : 070		6,751	12,135,423
		996	Valid skip	5,233	10,481,435
		999	Not stated	171	412,882
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>DVDAYSA</b>	<b>3</b>	<b>1423</b>	<b>NUMBER OF DAYS THE RESPONDENT DRANK IN THE WEEK</b>		
		000 : 007		8,757	16,647,371
		996	Valid skip	3,397	6,377,964
		997	Don't know	1	4,404
		999	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
DV24AV	3	1426	AVERAGE NUMBER OF DRINKS RESPONDENT DRANK PER DAY IN THE PAST WEEK		
	000	:025		8,757	16,647,371
		996	Valid skip	3,397	6,377,964
		997	Don't know	1	4,404
		999	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
DVM1A	1	1429	IN THE PAST 12 MONTHS DID YOU TAKE ANY TRANQUILIZERS SUCH AS VALIUM?		
		1	No	11,257	21,193,094
		2	Yes, no prescription	30	57,199
		3	Yes, prescription	524	941,289
		4	Prescription not stated	0	0
		6	Valid skip	141	339,865
		9	Not stated	203	498,292
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
DVM1F	1	1430	IN THE PAST 12 MONTHS DID YOU TAKE DIET PILLS OR STIMULANTS?		
		1	No	11,705	22,003,380
		2	Yes, no prescription	69	125,526
		3	Yes, prescription	44	70,243
		4	Prescription not stated	0	0
		6	Valid skip	141	339,865
		9	Not stated	196	490,726
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
DVM1K	1	1431	IN THE PAST 12 MONTHS DID YOU TAKE ANTIDEPRESSANTS?		
		1	No	11,374	21,517,930
		2	Yes, no prescription	5	11,221
		3	Yes, prescription	436	671,865
		4	Prescription not stated	0	0
		6	Valid skip	141	339,865
		9	Not stated	199	488,858
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
DVM1P	1	1432	IN THE PAST 12 MONTHS DID YOU TAKE ANY CODEINE, DEMEROL OR MORPHINE?		
		1	No	10,065	19,166,751
		2	Yes, no prescription	64	121,636
		3	Yes, prescription	1,674	2,890,485
		4	Prescription not stated	0	0
		6	Valid skip	142	345,901
		9	Not stated	210	504,966
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
DVM1U	1	1433	IN THE PAST 12 MONTHS DID YOU TAKE ANY SLEEPING PILLS?		
		1	No	11,235	21,150,880
		2	Yes, no prescription	108	201,320
		3	Yes, prescription	469	843,776
		4	Prescription not stated	0	0
		6	Valid skip	142	345,901
		9	Not stated	201	487,862
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>DVDWOP</b>	<b>3</b>	<b>1434</b>	<b>NUMBER OF DRUG TYPES TAKEN WITHOUT PRESCRIPTION</b>		
	000		None	11,564	21,736,690
	001		1 drug type	242	442,792
	002		2 drug types	14	32,204
	003		3 drug types	2	3,234
	004		4 drug types	0	0
	005		5 drug types	0	0
	006		Valid skip	141	339,865
	009		Not stated	192	474,954
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>DVDWP</b>	<b>3</b>	<b>1437</b>	<b>NUMBER OF DRUG TYPES TAKEN WITH PRESCRIPTION</b>		
	000		None	9,272	17,809,225
	001		1 drug type	2,074	3,580,143
	002		2 drug types	373	661,620
	003		3 drug types	85	141,450
	004		4 drug types	18	22,481
	005		5 drug types	0	0
	006		Valid skip	141	339,865
	009		Not stated	192	474,954
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

<b>DVDWWOP</b>	<b>3</b>	<b>1440</b>	<b>NUMBER OF DRUG TYPES TAKEN WITH OR WITHOUT PRESCRIPTION</b>		
	000		None	9,072	17,422,528
	001		1 drug type	2,214	3,863,220
	002		2 drug types	421	742,288
	003		3 drug types	93	160,769
	004		4 drug types	22	26,114
	005		5 drug types	0	0
	006		Valid skip	141	339,865
	009		Not stated	192	474,954
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

<b>DVDWA</b>	<b>3</b>	<b>1443</b>	<b>NUMBER OF DRUG TYPES TAKEN IN COMBINATION WITH ALCOHOL</b>		
	000		None	11,759	22,219,058
	001		1 drug type	217	396,987
	002		2 drug types	30	63,592
	003		3 drug types	7	9,848
	004		4 drug types	1	388
	005		5 drug types	0	0
	006		Valid skip	141	339,865
	009		Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

<b>DVDP12M</b>	<b>3</b>	<b>1446</b>	<b>NUMBER OF DRUG TYPES TAKEN PRIOR TO THE PAST 12 MONTHS</b>		
	000		None	0	0
	001		1 drug type	2,467	4,308,185
	002		2 drug types	350	648,138
	003		3 drug types	147	252,937
	004		4 drug types	70	114,427
	005		5 drug types	26	42,192
	006		Valid skip	8,273	15,950,186
	009		Not stated	822	1,713,674
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>DVD12M</b>	<b>3</b>	<b>1449</b>	<b>NUMBER OF DRUG TYPES TAKEN IN THE PAST 12 MONTHS</b>		
		000	None	0	0
		001	1 drug type	1,344	2,514,247
		002	2 drug types	122	262,023
		003	3 drug types	22	60,395
		004	4 drug types	2	2,499
		005	5 drug types	1	948
		006	Valid skip	8,273	15,950,186
		009	Not stated	2,391	4,239,440
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>

<b>DVDLT</b>	<b>3</b>	<b>1452</b>	<b>NUMBER OF DRUG TYPES TAKEN IN LIFE TIME</b>		
		000	None	0	0
		001	1 drug type	3,060	5,488,406
		002	2 drug types	411	750,282
		003	3 drug types	141	235,743
		004	4 drug types	42	71,172
		005	5 drug types	0	0
		006	Valid skip	153	371,194
		009	Not stated	8,348	16,112,943
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

<b>DVHASH</b>	<b>3</b>	<b>1455</b>	<b>NUMBER OF TYPES OF PLACES MARIJUANA OR HASH USED IN THE PAST 12 MONTHS</b>		
		001	Place	115	211,963
		002	Places	222	402,276
		003	Places	190	358,490
		004	Places	143	278,957
		005	Places	62	123,903
		006	Valid skip	11,165	21,043,546
		009	Not stated	258	610,604
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>

<b>DVHASHW</b>	<b>3</b>	<b>1458</b>	<b>NUMBER OF TYPES OF PERSONS WITH WHOM RESPONDENT USED MARIJUANA OR HASH WITHIN THE PAST 12 MONTHS</b>		
		001	Person type	370	744,801
		002	Person types	248	443,526
		003	Person types	118	202,514
		004	Person types	14	32,591
		006	Valid skip	0	0
		009	Not stated	11,405	21,606,308
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>

<b>DVC15TOT</b>	<b>5</b>	<b>1461</b>	<b>NUMBER OF CHILDREN UNDER 15 RELATED TO RESPONDENT LIVING IN THE HOUSEHOLD (NATURAL, STEP, ADOPTED)</b>		
		00000	Under 15	9,106	17,514,286
		00001	Under 15	1,303	2,461,768
		00002	Under 15	1,258	2,239,828
		00003	Under 15	386	645,685
		00004	Under 15	78	131,940
		00005	Under 15	17	23,593
		00006	Under 15	5	10,798
		00007	Under 15	1	1,033
		00008	Under 15	1	809
		00009	Under 15	0	0
		00010	Under 15	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,740</b>
<i>Population: all respondents</i>					

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>DVC15R</b>	<b>1</b>	<b>1466</b>	<b>NUMBER OF CHILDREN OF RESPONDENT UNDER AGE 15</b>		
		0	No children	9,106	17,514,286
		1	1 child	1,303	2,461,768
		2	2 children	1,258	2,239,828
		3	3 children	386	645,685
		4	4 or more children	102	168,172
		6	Valid skip	0	0
		9	Not stated	0	0
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>DVTOTHL</b>	<b>1</b>	<b>1467</b>	<b>TOTAL NUMBER OF PERSONS IN HOUSEHOLD</b>		
		1	Single person household	3,295	3,759,254
		2	Two person household	3,852	7,565,820
		3	Three persons	1,993	4,322,167
		4	Four persons	1,977	4,659,423
		5	5 plus persons	1,038	2,723,076
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,740</b>
<b>DVTOTUND</b>	<b>3</b>	<b>1468</b>	<b>TOTAL NUMBER OF PERSONS IN HOUSEHOLD UNDER 15</b>		
		000	None under 15	8,609	16,224,880
		001	Under 15	1,633	3,317,751
		002	Under 15	1,380	2,536,527
		003	Under 15	418	739,065
		004	Under 15	88	163,834
		005	Under 15	19	29,498
		006	Under 15	5	10,798
		007	Under 15	2	6,578
		008	Under 15	1	809
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,740</b>
<i>Population: all respondents</i>					
<b>DVTOTUR</b>	<b>1</b>	<b>1471</b>	<b>NUMBER OF CHILDREN UNDER AGE 15 IN HOUSEHOLD</b>		
		0	No children	8,609	16,224,880
		1	1 child	1,633	3,317,751
		2	2 children	1,380	2,536,527
		3	3 children	418	739,065
		4	4 or more children	115	211,516
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,739</b>
<b>DVINCAD3</b>	<b>1</b>	<b>1472</b>	<b>INCOME ADEQUACY DERIVED FROM HOUSEHOLD INCOME</b>		
		1	Low	2,388	3,611,966
		2	Middle	4,408	7,742,198
		3	High	1,517	2,777,725
		6	Valid skip	242	616,320
		9	Not stated	3,600	8,281,529
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>DVINCAD5</b>	<b>1</b>	<b>1473</b>	<b>INCOME ADEQUACY DERIVED FROM HOUSEHOLD INCOME</b>		
		1	Very low	1,071	1,597,006
		2	Low	1,317	2,014,960
		3	Lower middle	2,811	4,869,315
		4	Upper middle	1,597	2,872,883
		5	High	1,517	2,777,725
		6	Valid skip	242	616,320
		9	Not stated	3,600	8,281,529
<i>Population: all respondents</i>				<b>12,155</b>	<b>23,029,738</b>
<b>DVTOTFAM</b>	<b>2</b>	<b>1474</b>	<b>TOTAL PERSONS IN THE HOUSEHOLD (RELATED/NOT RELATED)</b>		
		01 :12		12,155	23,029,739
		96	Valid skip	0	0
		99	Not stated	0	0
<i>Data suppressed on public microdata file</i>				<b>12,155</b>	<b>23,029,739</b>
<i>Population: all respondents</i>					

# Canada's Alcohol and Other Drugs Survey

Revised June 2000

Record Layout

<u>FIELD</u>	<u>LNTH</u>	<u>POS</u>	<u>TEXT</u>	<u>FREQ</u>	<u>WGHT</u>
<b>DVLICITD</b>	<b>3</b>	<b>1476</b>	<b>USE OF PSYCHOTROPIC DRUGS IN PAST 12 MONTHS</b>		
		001	Used any of 5	2,750	4,792,391
		002	Did not use any	9,046	17,372,511
		006	Valid skip	141	339,865
		009	Not stated	218	524,971
<i>(Used any one of valium, diet pills, antidepressants, codeine/demerol/morphine, sleeping pills in past 12 months)</i>				<b>12,155</b>	<b>23,029,738</b>

Population: all respondents

<b>DVLICIT</b>	<b>3</b>	<b>1479</b>	<b>ILLICIT PSYCHOTROPIC DRUGS</b>		
		001	Used any of 5	3,661	6,558,909
		002	Did not use any	8,117	15,572,151
		006	Valid skip	153	371,194
		009	Not stated	224	527,485
<i>(Ever used any one of marijuana, cocaine, lsd, speed, heroin)</i>				<b>12,155</b>	<b>23,029,739</b>

Population: all respondents

<b>DVGLUSTR</b>	<b>3</b>	<b>1482</b>	<b>GLUE AND STEROIDS</b>		
		001	Used any of 2	137	248,240
		002	Did not use any	11,674	21,953,807
		006	Valid skip	161	388,831
		009	Not stated	183	438,862
<i>(Ever used glue, other solvents or steroids)</i>				<b>12,155</b>	<b>23,029,740</b>

Population: all respondents

<b>DVBMI</b>	<b>9</b>	<b>1485</b>	<b>BODY MASS INDEX (METRIC)</b>		
		0000015.2 : 0000051.9		8,939	16,244,708
		9999991.0	Age outlier	2,541	5,223,685
		9999992.0	Height or weight outlier	78	160,864
		9999993.0	Not derivable	152	309,026
		9999996.0	Valid skip	147	379,566
		9999997.0	Don't know	12	17,832
		9999998.0	Refusal	286	694,058
				<b>12,155</b>	<b>23,029,739</b>

**DVBMI= weight (in kilograms)\*10000/height (in centimeters)\* height (in centimeters)**

calculated to the first decimal. The DVBMI field has an embedded decimal.

Body mass index was not calculated for persons less than 20 years of age or greater

than 64 years of age, and are labelled as 'Age outlier'. Persons whose height was <137 centimeters

or >198 centimeters or whose weight was <41 kg or > 125 kg are also excluded and are labelled as

'Height or weight outlier'. Where height or weight were not reported these records are labelled as 'Not derivable'.

Population: all respondents

**FINWGHT 8 1494 FINAL WEIGHT**

The weight field has an embedded decimal

(9999.999)

Population: all respondents

## NOTES ON THE RECORD LAYOUT

1. All data suppressed fields have been filled with zeros.
2. **SPSS USERS:** For use of this file, programs such as SPSS require FILE.HANDLE command specifying LRECL=1501. The SPSS syntax provided with this file does not read in or load the suppressed fields to the SPSS database, as they are all zero filled. The SPSS syntax provided has assigned missing values to the Valid skips for each field. Please note that some fields ALSO have a value label of 'Not applicable'. They have not been assigned as missing values in the SPSS syntax.
3. **SAS USERS:** Ensure that "MISSOVER" and "PAD" options are used on the infile statement.  
Example: INFILE CADSFILE LRECL=1501 MISSOVER PAD;
4. The format of the weight field (FINWGHT) is 9999.999.
5. Weighted totals may vary slightly due to rounding. The weighted total for Canada is 23,029,739. As seen in the record layout, it may go up or down by one or two digits in certain fields.