

**CAS 2004**

**English Questionnaire  
(Unweighted Frequencies)**

**URB:**

URB. Interurbain ou Local

=&gt; +1

si 1 &gt; 0

N = .....	12402	100%
Interurbain.....	1	3516 28%
Local .....	2	944 8%

**TEL1:**

TEL1.

=&gt; +1

si 1 &gt; 0

N = .....	13909	100%
-----------	-------	------

**PROV:**

PROV. Province

\$E

=&gt; +1

si 1 &gt; 0

Mean = .....	6.55	
N = .....	13909	100%
Newfoundland.....	01	1001 7%
Prince Edward Island .....	02	1000 7%
Nova Scotia.....	03	1002 7%
New Brunswick.....	04	1000 7%
Quebec .....	05	1003 7%
Ontario .....	06	1000 7%
Manitoba .....	07	1502 11%
Saskatchewan .....	08	1000 7%
Alberta .....	09	2401 17%
British Columbia .....	10	3000 22%

**PROV2:**

=&gt; \*

si PRJ(PROV,1,2,3,4,5,6,7,8,9,0)

N = .....	13909	100%
Newfoundland.....	1	1001 7%
Prince Edward Island .....	2	1000 7%
Nova Scotia.....	3	1002 7%
New Brunswick.....	4	1000 7%
Quebec .....	5	1003 7%
Ontario .....	6	1000 7%
Manitoba .....	7	1502 11%
Saskatchewan .....	8	1000 7%
Alberta .....	9	2401 17%
British Columbia .....	0	3000 22%

**REG:**

## GRANDE RÉGION

=&gt; +1

si 1 &gt; 0

N = .....	4	100%
Atlantique.....1	0	0%
Québec.....2	4	100%
Ontario.....3	0	0%
Prairies.....4	0	0%
Colombie-Britannique.....5	0	0%

**RMR:**

## RMR

=&gt; +1

si 1 &gt; 0

N = .....	13909	100%
-----------	-------	------

**STRAT:**

## STRAT. STRATE du fichier

=&gt; +1

si 1 &gt; 0

N = .....	13909	100%
1.....1	1519	11%
2.....2	3867	28%
3.....3	3920	28%
4.....4	4603	33%

**TZONE:**

## TZONE. Fuseau horaire

=&gt; +1

si 1 &gt; 0

N = .....	13909	100%
Terre-Neuve.....1	1001	7%
Atlantique.....2	3002	22%
Est.....3	1985	14%
Centre.....4	2520	18%
Prairies.....5	2401	17%
Rocheuses.....6	3000	22%
Alaska.....7	0	0%

**ALEAA:**

NUMÉRO ALÉATOIRE (1 à 3) POUR LE PANEL «A» (IMPORTÉ)

=> +1
si 1 > 0

N = .....	13909	100%
1 .....	4631	33%
2 .....	4668	34%
3 .....	4610	33%

**ALEAC:**

NUMÉRO ALÉATOIRE (01 à 10) POUR LE PANEL «C» (IMPORTÉ)

\$E

=> +1
si 1 > 0

Mean = .....	5.49	
N = .....	13909	100%
01 .....	1392	10%
02 .....	1392	10%
03 .....	1404	10%
04 .....	1433	10%
05 .....	1352	10%
06 .....	1413	10%
07 .....	1344	10%
08 .....	1403	10%
09 .....	1415	10%
10 .....	1361	10%

**PANEL:**

PANEL. Importé (nombre aléatoire)

=> +1
si 1 > 0

N = .....	13909	100%
Panel A.....	4612	33%
Panel B.....	4639	33%
Panel C.....	4658	33%

**INTRO:**

SIGNALE LE NO DE TEL Notes : <INT:o > <F6:o> Present time : \$H and you are currently calling in <PROV2> Time zone : Newfoundland : 1h30 later Maritimes : 1h later Ontario : Same as Manitoba et Saskatchewan : 1h earlier Alberta : 2h earlier B.-C. : 3h earlier

\$N

N = .....			13909	100%
CONTINUE NEXT PAGE .....	01	D	13909	100%
NO SERVICE .....	02	=> /FIN	0	0%
NO ANSWER .....	10	=> /FIN	0	0%
NO ANSWER AFTER AN APPOINTMENT .....	60	=> /FIN	0	0%
NO ANSWER AFTER A HOUSEHOLD REFUSAL .....	70	=> /FIN	0	0%
NO ANSWER AFTER A RESPONDENT REFUSAL .....	80	=> /FIN	0	0%
BUSY SIGNAL .....	11	=> /FIN	0	0%
LINE PROBLEM .....	21	=> /FIN	0	0%
FAX .....	22	=> /FIN	0	0%
CHANGED NUMBER (NO FOLLOW-UP) .....	30	=> /FIN	0	0%
PAGET / CELL PHONE / CALL CENTRE .....	33	=> /FIN	0	0%

**INT01:**

INT01. Hello, My name is \_\_\_\_\_ from Jolicoeur et associates, and I am calling on behalf of the Canadian Centre on Substance Abuse and Health Canada who want to survey Canadians about their attitudes, beliefs and use of alcohol and other drugs.

\$N /H

N = .....			13909	100%
CONTINUE NEXT PAGE .....	01	D	13908	100%
NOT RESIDENTIAL .....	03	=> /FIN	0	0%
NOT ELIGIBLE .....	04	O => /FIN	0	0%
LANGUAGE BARRIER .....	05	=> /FIN	0	0%

**LANG:**

LANG. LANGUAGE OF THE INTERVIEW

N = .....			13909	100%
Français .....	1		1246	9%
English .....	2		12663	91%

**SELEC:**

SEL. Among the people 15 and over LIVING IN your household, may I speak to the next person who will celebrate his/her birthday ?  
May I have his/her first name please?

\$P

N = .....			13909	100%
-----------	--	--	-------	------

**TRNOM:**

Transport du prénom dans NOM

=&gt; \*

si MST(SELEC,NOM)

N = .....			13909	100%
-----------	--	--	-------	------

**NTR2:**

NTR2. Is this person aged 15, 16 to 17, or 18 years old and over ?

N = .....			13909	100%
15 years old .....	1		108	1%
16 to 17 years old .....	2	=> INT05	425	3%
18 years old and over .....	3	=> INT04	13376	96%

**INT03:**

INT03. May I speak to a parent or guardian of <NOM > ? (INTERVIEWER : If you're talking with the respondent, ask : "May I speak to one of your parent / guardian ?") If Yes - On behalf of the Canadian Centre on Substance Abuse and Health Canada, I would like to interview your son or daughter about their attitudes, beliefs and use of alcohol and other drugs. I assure that all information they provide will remain completely confidential. They do not have to answer to questions they do not want to and if they decide to stop the interview, we will destroy all the information they have given us. On average the interview will take about 25 minutes and my supervisor may listen in to make sure we are doing the research correctly. Do we have permission to interview <NOM > ?

N = .....			108	100%
CONTINUE NEXT PAGE .....	01	D	108	100%
NOT ELIGIBLE .....	04	O => /FIN	0	0%

**AUTOR:**

AUTOR. Do we have the permission ?

N = .....			108	100%
Yes .....	1	=> INT05	108	100%
No (Arrange a callback) .....	2	=> /INT	0	0%
No (Refusal) .....	3	=> /INT	0	0%

**INT04:**

INT04. On behalf of the Canadian Centre on Substance Abuse and Health Canada, I would like to have an interview with you about your attitudes, beliefs and use of alcohol and other drugs. I would like to insure you that all information you provide will remain completely confidential. You do not have to answer questions you do not want to and if you decide to stop the interview, we will destroy all the information you have given us. On average the interview will take about 25 minutes and my supervisor may listen in to make sure we are doing the research correctly. Remember that your participation is very important if the results are to be accurate. Now, we start the interview.

N = .....			13375	100%
CONTINUE NEXT PAGE .....	01	D => GEND	13375	100%
NOT ELIGIBLE .....	04	O => /FIN	0	0%

**INT05:**

*15 to 17 years old*

INT05. On behalf of the Canadian Centre on Substance Abuse and Health Canada, I would like to have an interview with you about your attitudes, beliefs and use of alcohol and other drug use. I would like to insure you that all information you provide will remain completely confidential. You do not have to answer questions you do not want to and if you decide to stop the interview, we will destroy all the information you have given us. On average the interview will take about 25 minutes and my supervisor may listen in to make sure we are doing the research correctly. Remember that your participation is very important if the results are to be accurate. Do you feel comfortable answering questions now, or would you

prefer that I call you back at a better time? Also, if you want, you can call us at the 1-800-636-3106 ext. 104 in order to complete the questionnaire.

Questionnaire number : \$Q

=> GEND  
si NTR2=#3

N = .....			533	100%
CONTINUE NEXT PAGE .....	01	D	533	100%
PREFER TO CALL BACK (give the QUESTIONNAIRE #) .....	45		0	0%
NOT ELIGIBLE .....	04	O => /FIN	0	0%

**GEND:**

GEND. (Enter respondent's gender please) Can I ask you your gender please ?

N = .....			13909	100%
Male .....	1		5721	41%
Female .....	5		8188	59%
Don't know .....	8	N	0	0%

**SDAGE:**

\*\*\* Ne peut faire le questionnaire si né après 1988 \*\*\*

SDAGE. What is your date of birth/ year of birth ?

\$E 1900 1989

Mean = .....			1959	
N = .....			13909	100%
DK / REF .....	9999		305	2%

**AGE:**

AGE

\$E 15 95

=> \*  
si SI((SDAGE=#2),99,2003 - SDAGE)

Mean = .....			44.1	
N = .....			13909	100%
PR .....	99		305	2%

**HCP\_A:**

HCP\_A. First, I would like to begin with a few questions about how serious of a problem alcohol and drug abuse is in our society today. Now, thinking about alcohol, prescription drugs, and illicit drugs, please tell me how serious of a problem is each of the following in Canada today:

=> HCP\_B  
si NON PANEL=#1

N = .....			4612	100%
Panel A .....	1	D	4612	100%

**HCP1:**

HCP1. First, how serious of a problem is alcohol abuse in Canada? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4612	100%
Very serious .....	1411	31%
Somewhat serious .....	2606	57%
Somewhat not serious .....	402	9%
Not serious at all .....	98	2%
Don't know .....	94	2%
Refused .....	1	0%

---

**HCP2:**

HCP2. How serious of a problem is illicit drug abuse in Canada? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4612	100%
Very serious .....	2260	49%
Somewhat serious .....	1891	41%
Somewhat not serious .....	241	5%
Not serious at all .....	44	1%
Don't know .....	175	4%
Refused .....	1	0%

---

**HCP3:**

HCP3. How serious of a problem is injection drug use (e.g. heroin) in Canada? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4612	100%
Very serious .....	1799	39%
Somewhat serious .....	1585	34%
Somewhat not serious .....	406	9%
Not serious at all .....	88	2%
Don't know .....	734	16%
Refused .....	0	0%

---

**HCP4:**

HCP4. How serious of a problem is prescription drug abuse (e.g. painkillers) in Canada? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4612	100%
Very serious .....	1254	27%
Somewhat serious .....	2026	44%
Somewhat not serious .....	630	14%
Not serious at all .....	158	3%
Don't know .....	543	12%
Refused .....	1	0%

---



**HCP5:**

HCP5. How serious of a problem is "over-the-counter" drug abuse (e.g. sleeping pills, diet pills) in Canada? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4612	100%
Very serious .....	875	19%
Somewhat serious .....	1985	43%
Somewhat not serious .....	841	18%
Not serious at all .....	236	5%
Don't know .....	675	15%
Refused .....	0	0%

**HCP6:**

HCP6. How serious of a problem is inhalant solvent sniffing (e.g. glue, gasoline) in Canada? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4612	100%
Very serious .....	910	20%
Somewhat serious .....	1680	36%
Somewhat not serious .....	933	20%
Not serious at all .....	318	7%
Don't know .....	771	17%
Refused .....	0	0%

**HCP\_B:**

HCP\_B. First, I would like to begin with a few questions about how serious of a problem alcohol and drug abuse is in our society today. Now, thinking about alcohol, prescription drugs, and illicit drugs, please tell me how serious of a problem is each of the following in <PROV > today:

<PROV2>

=> HCP\_C  
si NON PANEL=#2

N = .....	4639	100%
Panel B .....	4639	100%

**HCP7:**

HCP7. First, how serious of a problem is alcohol abuse in <PROV >? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

<PROV2>

N = .....	4639	100%
Very serious .....	1287	28%
Somewhat serious .....	2631	57%
Somewhat not serious .....	465	10%
Not serious at all .....	95	2%
Don't know .....	160	3%
Refused .....	1	0%

**HCP8:**

HCP8. How serious of a problem is illicit drug abuse in <PROV >? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

<PROV2>		
N = .....	4639	100%
Very serious .....	1989	43%
Somewhat serious .....	1966	42%
Somewhat not serious .....	366	8%
Not serious at all .....	70	2%
Don't know .....	246	5%
Refused .....	2	0%

---

**HCP9:**

HCP9. How serious of a problem is injection drug use (e.g. heroin) in <PROV >? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

<PROV2>		
N = .....	4639	100%
Very serious .....	1287	28%
Somewhat serious .....	1420	31%
Somewhat not serious .....	645	14%
Not serious at all .....	258	6%
Don't know .....	1027	22%
Refused .....	2	0%

---

**HCP10:**

HCP10. How serious of a problem is prescription drug abuse (e.g. painkillers)in <PROV >? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

<PROV2>		
N = .....	4639	100%
Very serious .....	1054	23%
Somewhat serious .....	1861	40%
Somewhat not serious .....	756	16%
Not serious at all .....	211	5%
Don't know .....	754	16%
Refused .....	3	0%

---

**HCP11:**

HCP11. How serious of a problem is "over-the-counter" drug abuse (e.g. sleeping pills, diet pills) in <PROV >? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

<PROV2>		
N = .....	4639	100%
Very serious .....	734	16%
Somewhat serious .....	1771	38%
Somewhat not serious .....	939	20%
Not serious at all .....	344	7%
Don't know .....	850	18%
Refused .....	1	0%

---

**HCP12:**

HCP12. How serious of a problem is inhalant solvent sniffing (e.g. glue, gasoline) in <PROV >? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

<PROV2>		
N = .....	4639	100%
Very serious .....	720	16%
Somewhat serious .....	1303	28%
Somewhat not serious .....	1037	22%
Not serious at all .....	652	14%
Don't know .....	926	20%
Refused .....	1	0%

**HCP\_C:**

HCP\_C. First, I would like to begin with a few questions about how serious of a problem alcohol and drug abuse is in our society today. Now, thinking about alcohol, prescription drugs, and illicit drugs, please tell me how serious of a problem is each of the following in your own city or town today:

=> SC\_A1  
si NON PANEL=#3

N = .....	4658	100%
Panel C.....	1 D	4658 100%

**HCP13:**

HCP13. First, how serious of a problem is alcohol abuse in your own city or town? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4658	100%
Very serious .....	884	19%
Somewhat serious .....	2367	51%
Somewhat not serious .....	821	18%
Not serious at all .....	345	7%
Don't know .....	240	5%
Refused .....	1	0%

**HCP14:**

HCP14. How serious of a problem is illicit drug abuse in your own city or town? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4658	100%
Very serious .....	1333	29%
Somewhat serious .....	2069	44%
Somewhat not serious .....	620	13%
Not serious at all .....	284	6%
Don't know .....	351	8%
Refused .....	1	0%

**HCP15:**

HCP15. How serious of a problem is injection drug use (e.g. heroin)in your own city or town? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4658	100%
Very serious .....	694	15%
Somewhat serious .....	996	21%
Somewhat not serious .....	843	18%
Not serious at all .....	930	20%
Don't know .....	1193	26%
Refused .....	2	0%

**HCP16:**

HCP16. How serious of a problem is prescription drug abuse (e.g. painkillers)in your own city or town? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4658	100%
Very serious .....	602	13%
Somewhat serious .....	1506	32%
Somewhat not serious .....	871	19%
Not serious at all .....	596	13%
Don't know .....	1080	23%
Refused .....	3	0%

**HCP17:**

HCP17. How serious of a problem is "over-the-counter" drug abuse (e.g. sleeping pills, diet pills) in your own city or town? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4658	100%
Very serious .....	426	9%
Somewhat serious .....	1350	29%
Somewhat not serious .....	989	21%
Not serious at all .....	740	16%
Don't know .....	1149	25%
Refused .....	4	0%

**HCP18:**

HCP18. How serious of a problem is inhalant solvent sniffing (e.g. glue, gasoline) in your own city or town? Would you say very serious, somewhat serious, somewhat not serious or not serious at all?

N = .....	4658	100%
Very serious .....	362	8%
Somewhat serious .....	767	16%
Somewhat not serious .....	935	20%
Not serious at all .....	1610	35%
Don't know .....	982	21%
Refused .....	2	0%

**SC\_A1:**

SC\_A1. (Panel A : HCP19 - HCP23)

PRJ(GEND1,1)

=&gt; SC\_B1

sinon =&gt; +1

si NON PANEL=#1

N = .....	0	100%
Panel A.....	1	0

**HCP19:**

HCP19. Please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements: People using marijuana today are more likely to use other drugs such as cocaine and crack in the future. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	1457	32%
Somewhat agree .....	1468	32%
Somewhat disagree .....	903	20%
Strongly disagree.....	642	14%
Don't know .....	142	3%
Refused .....	0	0%

**HCP20:**

HCP20. All required programs and tools to deal with drug use in Canada are already in place. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	421	9%
Somewhat agree .....	1320	29%
Somewhat disagree .....	1411	31%
Strongly disagree.....	1137	25%
Don't know .....	323	7%
Refused .....	0	0%

**HCP21:**

HCP21. Total abstinence is the only effective means to overcome drug problems. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	2146	47%
Somewhat agree .....	933	20%
Somewhat disagree .....	847	18%
Strongly disagree.....	510	11%
Don't know .....	176	4%
Refused .....	0	0%

**HCP22:**

HCP22. Drug problems such as abuse, addiction, dependence should be addressed only through the doctors and hospitals. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	910	20%
Somewhat agree .....	826	18%
Somewhat disagree .....	1252	27%
Strongly disagree.....	1534	33%
Don't know .....	89	2%
Refused .....	1	0%

**HCP23:**

HCP23. Higher taxes on alcohol are likely to help prevent its abuse. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	475	10%
Somewhat agree .....	664	14%
Somewhat disagree .....	1057	23%
Strongly disagree.....	2343	51%
Don't know .....	73	2%
Refused .....	0	0%

**SC\_B1:**

SC\_B1. (Panel B : HCP24 - HCP28)

PRJ(GEND1,1)

=> SC\_C1  
 sinon => +1  
 si NON PANEL=#2

N = .....	0	100%
Panel A.....	1 D	0 0%

**HCP24:**

HCP24. Please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements: Marijuana users do not usually become users of stronger drugs. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4639	100%
Strongly agree .....	666	14%
Somewhat agree .....	1280	28%
Somewhat disagree .....	1186	26%
Strongly disagree.....	1251	27%
Don't know .....	255	5%
Refused .....	1	0%

**HCP25:**

HCP25. Canada is not well prepared to deal with drug use among Canadians. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4639	100%
Strongly agree .....	1516	33%
Somewhat agree .....	1580	34%
Somewhat disagree .....	883	19%
Strongly disagree.....	352	8%
Don't know .....	303	7%
Refused .....	5	0%

---

**HCP26:**

HCP26. The best approach to deal with drug problems is to make its use criminal. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4639	100%
Strongly agree .....	1347	29%
Somewhat agree .....	1015	22%
Somewhat disagree .....	1057	23%
Strongly disagree.....	1009	22%
Don't know .....	206	4%
Refused .....	5	0%

---

**HCP27:**

HCP27. International strategies are needed to address drug problems. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4639	100%
Strongly agree .....	2735	59%
Somewhat agree .....	1244	27%
Somewhat disagree .....	269	6%
Strongly disagree.....	208	4%
Don't know .....	179	4%
Refused .....	4	0%

---

**HCP28:**

HCP28. Governments must provide a variety of drug treatments rather than making drug use a crime. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4639	100%
Strongly agree .....	2433	52%
Somewhat agree .....	1403	30%
Somewhat disagree .....	373	8%
Strongly disagree.....	290	6%
Don't know .....	134	3%
Refused .....	6	0%

---

**SC\_C1:**

SC\_C1. (Panel C : HCP29 - HCP33)

PRJ(GEND1,1)

=&gt; HCR\_I

sinon =&gt; +1

si NON PANEL=#3

N = .....	0	100%
Panel A.....	1	0

**HCP29:**

HCP29. Please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree with each of the following statements: In Canada, adequate measures are already in place to address the drug problem. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4658	100%
Strongly agree .....	1	449
Somewhat agree .....	3	1710
Somewhat disagree .....	5	1216
Strongly disagree.....	7	1109
Don't know .....	8	170
Refused .....	9	4

**HCP30:**

HCP30. If you try drugs, you are likely to become dependent. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4658	100%
Strongly agree .....	1	1658
Somewhat agree .....	3	1364
Somewhat disagree .....	5	875
Strongly disagree.....	7	608
Don't know .....	8	148
Refused .....	9	5

**HCP31:**

HCP31. It is possible to have a society free of drugs. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4658	100%
Strongly agree .....	1	529
Somewhat agree .....	3	681
Somewhat disagree .....	5	1273
Strongly disagree.....	7	2093
Don't know .....	8	79
Refused .....	9	3



**HCP32:**

HCP32. Generally, federal, provincial and local governments are investing enough resources to address drug problems. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4658	100%
Strongly agree .....	358	8%
Somewhat agree .....	1254	27%
Somewhat disagree .....	1278	27%
Strongly disagree.....	1483	32%
Don't know .....	284	6%
Refused .....	1	0%

**HCP33:**

HCP33. People should be permitted to use marijuana as it is not a dangerous drug. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4658	100%
Strongly agree .....	554	12%
Somewhat agree .....	1039	22%
Somewhat disagree .....	958	21%
Strongly disagree.....	1935	42%
Don't know .....	168	4%
Refused .....	4	0%

**TIT1:**

HC\_Risk Scenarios Panel A: ("Harming themselves" block - items HCR1 - HCR20)

=> +1  
si 1 > 0

N = .....	0	100%
-----------	---	------

**HCR\_I:**

HCR\_I. In the next questions we are interested in your opinion about the effects of using different substances. Please indicate how much you think people risk harming themselves when they do each of the following activities.

=> HCR\_O  
si NON PANEL=#1

N = .....	4612	100%
CONTINUE NEXT PAGE .....	1 D	4612 100%

**HCR1:**

HCR1. How much do people risk harming themselves when they ...  
... smoke cigarettes once in a while?

N = .....	4612	100%
...no risk.....1	172	4%
...slight risk.....2	1181	26%
...moderate risk.....3	1689	37%
...great risk.....4	1520	33%
Don't know.....8	46	1%
Refused.....9	4	0%

---

**HCR2:**

HCR2. How much do people risk harming themselves when they ...  
... smoke cigarettes on a regular basis?

N = .....	4612	100%
...no risk.....1	31	1%
...slight risk.....2	103	2%
...moderate risk.....3	600	13%
...great risk.....4	3840	83%
Don't know.....8	34	1%
Refused.....9	4	0%

---

**HCR3:**

HCR3. How much do people risk harming themselves when they ...  
... smoke marijuana once in a while?

N = .....	4612	100%
...no risk.....1	387	8%
...slight risk.....2	1271	28%
...moderate risk.....3	1511	33%
...great risk.....4	1239	27%
Don't know.....8	203	4%
Refused.....9	1	0%

---

**HCR4:**

HCR4. How much do people risk harming themselves when they ...  
... smoke marijuana on a regular basis?

N = .....	4612	100%
...no risk.....1	69	1%
...slight risk.....2	396	9%
...moderate risk.....3	1018	22%
...great risk.....4	2929	64%
Don't know.....8	199	4%
Refused.....9	1	0%

---

**HCR5:**

HCR5. How much do people risk harming themselves when they ...  
... drink alcohol once in a while?

N = .....	4612	100%
...no risk.....1	1078	23%
...slight risk.....2	1829	40%
...moderate risk.....3	1238	27%
...great risk.....4	411	9%
Don't know.....8	53	1%
Refused.....9	3	0%

---

**HCR6:**

HCR6. How much do people risk harming themselves when they ...  
... drink alcohol on a regular basis?

N = .....	4612	100%
...no risk.....1	75	2%
...slight risk.....2	404	9%
...moderate risk.....3	1344	29%
...great risk.....4	2704	59%
Don't know.....8	82	2%
Refused.....9	3	0%

---

**HCR7:**

HCR7. How much do people risk harming themselves when they ...  
... use ecstasy once in a while?

N = .....	4612	100%
...no risk.....1	33	1%
...slight risk.....2	176	4%
...moderate risk.....3	576	12%
...great risk.....4	3108	67%
Don't know.....8	718	16%
Refused.....9	1	0%

---

**HCR8:**

HCR8. How much do people risk harming themselves when they ...  
... use ecstasy on a regular basis?

N = .....	4612	100%
...no risk.....1	6	0%
...slight risk.....2	27	1%
...moderate risk.....3	127	3%
...great risk.....4	3764	82%
Don't know.....8	687	15%
Refused.....9	1	0%

---

**HCR9:**

HCR9. How much do people risk harming themselves when they ...  
... use cocaine once in a while?

N = .....	4612	100%
...no risk.....1	21	0%
...slight risk.....2	139	3%
...moderate risk.....3	548	12%
...great risk.....4	3737	81%
Don't know.....8	167	4%
Refused.....9	0	0%

**HCR10:**

HCR10. How much do people risk harming themselves when they ...  
... use cocaine on a regular basis?

N = .....	4612	100%
...no risk.....1	5	0%
...slight risk.....2	11	0%
...moderate risk.....3	71	2%
...great risk.....4	4368	95%
Don't know.....8	157	3%
Refused.....9	0	0%

**HCR11:**

HCR11. How much do people risk harming themselves when they ...  
... use HALLUCINOGENS, LSD OR PCP once in a while?

N = .....	4612	100%
...no risk.....1	21	0%
...slight risk.....2	148	3%
...moderate risk.....3	539	12%
...great risk.....4	3627	79%
Don't know.....8	277	6%
Refused.....9	0	0%

**HCR12:**

HCR12. How much do people risk harming themselves when they ...  
... use HALLUCINOGENS, LSD OR PCP on a regular basis?

N = .....	4612	100%
...no risk.....1	2	0%
...slight risk.....2	16	0%
...moderate risk.....3	96	2%
...great risk.....4	4222	92%
Don't know.....8	276	6%
Refused.....9	0	0%

**HCR13:**

HCR13. How much do people risk harming themselves when they ...  
... use steroids once in a while?

N = .....	4612	100%
...no risk.....1	61	1%
...slight risk.....2	478	10%
...moderate risk.....3	1463	32%
...great risk.....4	2178	47%
Don't know.....8	430	9%
Refused.....9	2	0%

---

**HCR14:**

HCR14. How much do people risk harming themselves when they ...  
... use steroids on a regular basis?

N = .....	4612	100%
...no risk.....1	12	0%
...slight risk.....2	63	1%
...moderate risk.....3	385	8%
...great risk.....4	3748	81%
Don't know.....8	402	9%
Refused.....9	2	0%

---

**HCR15:**

HCR15. How much do people risk harming themselves when they ...  
... use heroin once in a while?

N = .....	4612	100%
...no risk.....1	12	0%
...slight risk.....2	80	2%
...moderate risk.....3	363	8%
...great risk.....4	3990	87%
Don't know.....8	167	4%
Refused.....9	0	0%

---

**HCR16:**

HCR16. How much do people risk harming themselves when they ...  
... use heroin on a regular basis?

N = .....	4612	100%
...no risk.....1	5	0%
...slight risk.....2	9	0%
...moderate risk.....3	53	1%
...great risk.....4	4376	95%
Don't know.....8	168	4%
Refused.....9	1	0%

---

**HCR17:**

HCR17. How much do people risk harming themselves when they ...  
 ... use glue or other solvents once in a while?

N = .....	4612	100%
...no risk.....1	20	0%
...slight risk.....2	194	4%
...moderate risk.....3	750	16%
...great risk.....4	3444	75%
Don't know.....8	203	4%
Refused.....9	1	0%

**HCR18:**

HCR18. How much do people risk harming themselves when they ...  
 ... use glue or other solvents on a regular basis?

N = .....	4612	100%
...no risk.....1	5	0%
...slight risk.....2	30	1%
...moderate risk.....3	138	3%
...great risk.....4	4244	92%
Don't know.....8	194	4%
Refused.....9	1	0%

**HCR19:**

HCR19. How much do people risk harming themselves when they ...  
 ... use methamphetamine once in a while?

N = .....	4612	100%
...no risk.....1	21	0%
...slight risk.....2	200	4%
...moderate risk.....3	700	15%
...great risk.....4	3042	66%
Don't know.....8	649	14%
Refused.....9	0	0%

**HCR20:**

HCR20. How much do people risk harming themselves when they ...  
 ... use methamphetamine on a regular basis?

N = .....	4612	100%
...no risk.....1	5	0%
...slight risk.....2	20	0%
...moderate risk.....3	137	3%
...great risk.....4	3808	83%
Don't know.....8	642	14%
Refused.....9	0	0%

**TIT2:**

HC\_Risk Scenarios Panel B: (Others than themselves block - items HCR21-HCR40)

=> +1
si 1 > 0

N = .....	0	100%
-----------	---	------

### HCR\_O:

HCR\_O. In the next questions we are interested in your opinion about the effects of using different substances. Please indicate how much you think people risk harming others when they do each of the following activities.

=> RISK1  
si NON PANEL=#2

N = .....	4639	100%
CONTINUE NEXT PAGE .....	1 D	4639 100%

---

### HCR21:

HCR21. How much do people risk harming others than themselves when they ...  
... smoke cigarettes once in a while?

N = .....	4639	100%
...no risk.....1	374	8%
...slight risk.....2	1264	27%
...moderate risk.....3	1406	30%
...great risk.....4	1550	33%
Don't know.....8	45	1%
Refused.....9	0	0%

---

### HCR22:

HCR22. How much do people risk harming others than themselves when they ...  
... smoke cigarettes on a regular basis?

N = .....	4639	100%
...no risk.....1	148	3%
...slight risk.....2	379	8%
...moderate risk.....3	1027	22%
...great risk.....4	3037	65%
Don't know.....8	45	1%
Refused.....9	3	0%

---

### HCR23:

HCR23. How much do people risk harming others than themselves when they ...  
... smoke marijuana once in a while?

N = .....	4639	100%
...no risk.....1	623	13%
...slight risk.....2	1346	29%
...moderate risk.....3	1301	28%
...great risk.....4	1080	23%
Don't know.....8	288	6%
Refused.....9	1	0%

---

**HCR24:**

HCR24. How much do people risk harming others than themselves when they ...  
 ... smoke marijuana on a regular basis?

N = .....	4639	100%
...no risk.....1	254	5%
...slight risk.....2	694	15%
...moderate risk.....3	1153	25%
...great risk.....4	2244	48%
Don't know.....8	293	6%
Refused.....9	1	0%

---

**HCR25:**

HCR25. How much do people risk harming others than themselves when they ...  
 ... drink alcohol once in a while?

N = .....	4639	100%
...no risk.....1	911	20%
...slight risk.....2	1706	37%
...moderate risk.....3	1237	27%
...great risk.....4	687	15%
Don't know.....8	93	2%
Refused.....9	5	0%

---

**HCR26:**

HCR26. How much do people risk harming others than themselves when they ...  
 ... drink alcohol on a regular basis?

N = .....	4639	100%
...no risk.....1	157	3%
...slight risk.....2	461	10%
...moderate risk.....3	1256	27%
...great risk.....4	2667	57%
Don't know.....8	95	2%
Refused.....9	3	0%

---

**HCR27:**

HCR27. How much do people risk harming others than themselves when they ...  
 ... use ecstasy once in a while?

N = .....	4639	100%
...no risk.....1	157	3%
...slight risk.....2	421	9%
...moderate risk.....3	711	15%
...great risk.....4	2512	54%
Don't know.....8	836	18%
Refused.....9	2	0%

---



**HCR28:**

HCR28. How much do people risk harming others than themselves when they ...  
... use ecstasy on a regular basis?

N = .....	4639	100%
...no risk.....1	90	2%
...slight risk.....2	173	4%
...moderate risk.....3	406	9%
...great risk.....4	3141	68%
Don't know.....8	827	18%
Refused.....9	2	0%

---

**HCR29:**

HCR29. How much do people risk harming others than themselves when they ...  
... use cocaine once in a while?

N = .....	4639	100%
...no risk.....1	100	2%
...slight risk.....2	380	8%
...moderate risk.....3	772	17%
...great risk.....4	3085	67%
Don't know.....8	300	6%
Refused.....9	2	0%

---

**HCR30:**

HCR30. How much do people risk harming others than themselves when they ...  
... use cocaine on a regular basis?

N = .....	4639	100%
...no risk.....1	43	1%
...slight risk.....2	102	2%
...moderate risk.....3	348	8%
...great risk.....4	3851	83%
Don't know.....8	293	6%
Refused.....9	2	0%

---

**HCR31:**

HCR31. How much do people risk harming others than themselves when they ...  
... use HALLUCINOGENS, LSD OR PCP once in a while?

N = .....	4639	100%
...no risk.....1	72	2%
...slight risk.....2	353	8%
...moderate risk.....3	695	15%
...great risk.....4	3107	67%
Don't know.....8	411	9%
Refused.....9	1	0%

---

**HCR32:**

HCR32. How much do people risk harming others than themselves when they ...  
... use HALLUCINOGENS, LSD OR PCP on a regular basis?

N = .....	4639	100%
...no risk.....1	42	1%
...slight risk.....2	103	2%
...moderate risk.....3	352	8%
...great risk.....4	3724	80%
Don't know.....8	415	9%
Refused.....9	3	0%

---

**HCR33:**

HCR33. How much do people risk harming others than themselves when they ...  
... use steroids once in a while?

N = .....	4639	100%
...no risk.....1	623	13%
...slight risk.....2	1002	22%
...moderate risk.....3	1192	26%
...great risk.....4	1325	29%
Don't know.....8	495	11%
Refused.....9	2	0%

---

**HCR34:**

HCR34. How much do people risk harming others than themselves when they ...  
... use steroids on a regular basis?

N = .....	4639	100%
...no risk.....1	398	9%
...slight risk.....2	570	12%
...moderate risk.....3	920	20%
...great risk.....4	2224	48%
Don't know.....8	526	11%
Refused.....9	1	0%

---

**HCR35:**

HCR35. How much do people risk harming others than themselves when they ...  
... use heroin once in a while?

N = .....	4639	100%
...no risk.....1	98	2%
...slight risk.....2	334	7%
...moderate risk.....3	721	16%
...great risk.....4	3182	69%
Don't know.....8	303	7%
Refused.....9	1	0%

---

**HCR36:**

HCR36. How much do people risk harming others than themselves when they ...  
... use heroin on a regular basis?

N = .....	4639	100%
...no risk.....1	53	1%
...slight risk.....2	74	2%
...moderate risk.....3	311	7%
...great risk.....4	3905	84%
Don't know.....8	294	6%
Refused.....9	2	0%

**HCR37:**

HCR37. How much do people risk harming others than themselves when they ...  
... use glue or other solvents once in a while?

N = .....	4639	100%
...no risk.....1	207	4%
...slight risk.....2	602	13%
...moderate risk.....3	910	20%
...great risk.....4	2551	55%
Don't know.....8	368	8%
Refused.....9	1	0%

**HCR38:**

HCR38. How much do people risk harming others than themselves when they ...  
... use glue or other solvents on a regular basis?

N = .....	4639	100%
...no risk.....1	105	2%
...slight risk.....2	275	6%
...moderate risk.....3	588	13%
...great risk.....4	3307	71%
Don't know.....8	363	8%
Refused.....9	1	0%

**HCR39:**

HCR39. How much do people risk harming others than themselves when they ...  
... use methamphetamine once in a while?

N = .....	4639	100%
...no risk.....1	98	2%
...slight risk.....2	427	9%
...moderate risk.....3	865	19%
...great risk.....4	2392	52%
Don't know.....8	855	18%
Refused.....9	2	0%

**HCR40:**

HCR40. How much do people risk harming others than themselves when they ...  
... use methamphetamine on a regular basis?

N = .....		4639	100%
...no risk.....	1	55	1%
...slight risk.....	2	136	3%
...moderate risk.....	3	457	10%
...great risk.....	4	3134	68%
Don't know.....	8	854	18%
Refused .....	9	3	0%

**TIT3:**

HC\_ Risk Scenarios Panel C (Panel =#3) RINTR - NHSDA RISK ITEMS

=> +1  
si 1 > 0

N = .....		0	100%
-----------	--	---	------

**RISK1:**

Panel : <PANEL > Age: <AGE >

RISK. In the next questions we are interested in your opinion about the effects of using different substances. Please indicate how much you think people risk harming themselves when they do each of the following activities. How much do people risk harming themselves physically and in other ways when they ... ? Would you say...

1) smoke one or more packs of cigarettes per day

=> GINTR  
si NON PANEL=#3

N = .....		4658	100%
no risk .....	1	22	0%
slight risk.....	2	181	4%
moderate risk.....	3	745	16%
great risk.....	4	3678	79%
Don't know.....	8	30	1%
Refused .....	9	2	0%

**RISK2:**

Panel : <PANEL > Age: <AGE >

RISK. How much do people risk harming themselves physically and in other ways when they ... ? Would you say...

2) smoke marijuana once a month

N = .....		4658	100%
no risk .....	1	812	17%
slight risk.....	2	1552	33%
moderate risk.....	3	1218	26%
great risk.....	4	831	18%
Don't know.....	8	244	5%
Refused .....	9	1	0%

**RISK3:***Panel : <PANEL > Age: <AGE >*

RISK. How much do people risk harming themselves physically and in other ways when they ... ? Would you say...

3) smoke marijuana once or twice a week

N = .....	4658	100%
no risk .....	316	7%
slight risk.....	816	18%
moderate risk.....	1368	29%
great risk.....	1924	41%
Don't know .....	232	5%
Refused .....	2	0%

**RISK4:***Panel : <PANEL > Age: <AGE >*

RISK. How much do people risk harming themselves physically and in other ways when they ... ? Would you say...

4) try HALLUCINOGENS, LSD or PCP once or twice

N = .....	4658	100%
no risk .....	128	3%
slight risk.....	434	9%
moderate risk.....	759	16%
great risk.....	3048	65%
Don't know .....	288	6%
Refused .....	1	0%

**RISK5:***Panel : <PANEL > Age: <AGE >*

RISK. How much do people risk harming themselves physically and in other ways when they ... ? Would you say...

5) try ecstasy once or twice

N = .....	4658	100%
no risk .....	76	2%
slight risk.....	313	7%
moderate risk.....	719	15%
great risk.....	3167	68%
Don't know .....	381	8%
Refused .....	2	0%

**RISK6:***Panel : <PANEL > Age: <AGE >*

RISK. How much do people risk harming themselves physically and in other ways when they ... ? Would you say...

6) try heroin once or twice

N = .....	4658	100%
no risk .....	22	0%
slight risk.....	114	2%
moderate risk.....	364	8%
great risk.....	3969	85%
Don't know .....	188	4%
Refused .....	1	0%

**RISK7:**

Panel : <PANEL > Age: <AGE >

RISK. How much do people risk harming themselves physically and in other ways when they ... ? Would you say...

7) try cocaine once or twice

N = .....	4658	100%
no risk .....	41	1%
slight risk.....	176	4%
moderate risk.....	632	14%
great risk.....	3652	78%
Don't know.....	156	3%
Refused .....	1	0%

**RISK8:**

RISK8. How much do MEN risk harming themselves physically and in other ways when they drink more than 14 drinks in a week?

=> RISK9  
si NON GEND=#1

N = .....	1940	100%
no risk .....	109	6%
slight risk.....	310	16%
moderate risk.....	755	39%
great risk.....	723	37%
Don't know.....	41	2%
Refused .....	2	0%

**RISK9:**

RISK9. How much do WOMEN risk harming themselves physically and in other ways when they drink more than 9 drinks in a week?

=> GINTR  
si NON GEND=#2

N = .....	2718	100%
no risk .....	97	4%
slight risk.....	345	13%
moderate risk.....	837	31%
great risk.....	1360	50%
Don't know.....	78	3%
Refused .....	1	0%

**TIT4:**

Panel A: AVAILABILITY

=> +1  
si 1 > 0

N = .....	0	100%
-----------	---	------

**GINTR:**

GINTR. The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

```
=> GH_1
si NON PANEL=#1
```

N = .....	4612	100%
CONTINUE NEXT PAGE ..... 1 D	4612	100%

**GET1:**

```
Panel : <PANEL > Age: <AGE >
```

GET. How difficult or easy would it be for you to get ..., if you wanted some ? Would you say... ?

1) marijuana

N = .....	4612	100%
Probably impossible..... 1	215	5%
Very difficult..... 2	265	6%
Fairly difficult ..... 3	294	6%
Fairly easy ..... 4	1181	26%
Very easy ..... 5	2384	52%
Don't know ..... 8	269	6%
Refused ..... 9	4	0%

**GET2:**

```
Panel : <PANEL > Age: <AGE >
```

GET. How difficult or easy would it be for you to get ..., if you wanted some ? Would you say... ?

2) Hallucinogens, LSD or PCP

N = .....	4612	100%
Probably impossible..... 1	430	9%
Very difficult..... 2	691	15%
Fairly difficult ..... 3	905	20%
Fairly easy ..... 4	1153	25%
Very easy ..... 5	827	18%
Don't know ..... 8	602	13%
Refused ..... 9	4	0%

**GET3:**

```
Panel : <PANEL > Age: <AGE >
```

GET. How difficult or easy would it be for you to get ..., if you wanted some ? Would you say... ?

3) Ecstasy or MDMA

N = .....	4612	100%
Probably impossible..... 1	416	9%
Very difficult..... 2	668	14%
Fairly difficult ..... 3	747	16%
Fairly easy ..... 4	1211	26%
Very easy ..... 5	902	20%
Don't know ..... 8	663	14%
Refused ..... 9	5	0%

**GET4:**

GET. How difficult or easy would it be for you to get ..., if you wanted some ? Would you say... ?

4) Cocaine or crack

N = .....	4612	100%
Probably impossible.....1	421	9%
Very difficult.....2	725	16%
Fairly difficult.....3	809	18%
Fairly easy.....4	1164	25%
Very easy.....5	1007	22%
Don't know.....8	482	10%
Refused.....9	4	0%

**GET5:**

GET. How difficult or easy would it be for you to get ..., if you wanted some ? Would you say... ?

5) methamphetamine

N = .....	4612	100%
Probably impossible.....1	417	9%
Very difficult.....2	734	16%
Fairly difficult.....3	819	18%
Fairly easy.....4	1051	23%
Very easy.....5	765	17%
Don't know.....8	822	18%
Refused.....9	4	0%

**GET6:**

*Panel : <PANEL > Age: <AGE >*

GET. How difficult or easy would it be for you to get ..., if you wanted some ? Would you say... ?

6) heroin

N = .....	4612	100%
Probably impossible.....1	537	12%
Very difficult.....2	1020	22%
Fairly difficult.....3	987	21%
Fairly easy.....4	845	18%
Very easy.....5	634	14%
Don't know.....8	585	13%
Refused.....9	4	0%

**GET7:**

GET\_7. In the past 12 months, has anyone approached you to sell you an illegal drug ?

N = .....	4612	100%
Yes.....1	641	14%
No.....2	3960	86%
Don't know.....8	11	0%
Refused.....9	0	0%



**TIT5:**

## GENERAL HEALTH (Panel B only)

=&gt; +1

si 1 &gt; 0

N = ..... 0 100%

**GH\_1:***Panel : <PANEL > Age: <AGE >*

GH\_1. Next, we would like to ask you a few questions about your general health and how you have been feeling lately. In general, would you say your health is excellent, very good, good, fair or poor ?

=&gt; QSI\_1

si NON PANEL=#2

N = .....	4639	100%
Excellent .....	1172	25%
Very good.....	1899	41%
Good.....	1081	23%
Fair .....	381	8%
Poor.....	99	2%
Don't Know .....	4	0%
Refused .....	3	0%

**GH\_2:**

GH\_2. In general, would you say your overall MENTAL HEALTH is excellent, very good, good, fair or poor ?

N = .....	4639	100%
Excellent .....	1698	37%
Very good.....	1822	39%
Good.....	886	19%
Fair .....	193	4%
Poor.....	32	1%
Don't Know .....	5	0%
Refused .....	3	0%

**GH\_3:**

GH\_3. Now thinking about your physical health, which includes physical illness and injury, for how many days in the past 30 days was your physical health not good ?

\$E 1 30

Mean = .....	8.72	
N = .....	4639	100%
Never.....	2788	60%
Don't know .....	35	1%
Refused .....	25	1%

**GH\_4:**

GH\_4. Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days in the past 30 days was your mental health not good ?

\$E 1 30

Mean = .....	7.48	
N = .....	4639	100%
Never.....00	2729	59%
Don't know.....98	32	1%
Refused.....99	29	1%

**GH\_5:**

GH\_5. During the past 30 days for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work or recreation ?

\$E 1 30

=> QSI\_1  
si SUM(GH\_3,GH\_4)==0

Mean = .....	7.65	
N = .....	3103	100%
Never.....00	2049	66%
Don't know.....98	16	1%
Refused.....99	17	1%

**QSI\_1:**

Panel : <PANEL > Age: <AGE >

The next questions are about your relationship with friends and relatives. QSI\_1. How often do you ... ? Would you say ... ?

1) Have friends drop over and visit

=> SMOK1  
si NON PANEL=#2

N = .....	4639	100%
Never.....1	147	3%
Less than once a month.....2	345	7%
1-2 times a month.....3	859	19%
3-4 times a month.....4	748	16%
Once a week or more.....5	2511	54%
Don't know.....8	21	0%
Refused.....9	8	0%

**QSI\_2:**

QSI\_2. How often do you get together with friends in a public place such as a park, street or parking lot ?

N = .....	4639	100%
Never.....1	462	10%
Less than once a month.....2	436	9%
1-2 times a month.....3	847	18%
3-4 times a month.....4	542	12%
Once a week or more .....5	2316	50%
Don't know .....8	26	1%
Refused .....9	10	0%

**QSI\_3:**

QSI\_3. How often do you get together with your close friends ?

N = .....	4639	100%
Never.....1	79	2%
Less than once a month.....2	326	7%
1-2 times a month.....3	808	17%
3-4 times a month.....4	559	12%
Once a week or more .....5	2832	61%
Don't know .....8	22	0%
Refused .....9	13	0%

**TIT6:**

SMOKING (only smoking status)

=> +1

si 1 > 0

N = .....	0	100%
-----------	---	------

**SMOK1:**

Panel : <PANEL > Age: <AGE >

SMOK1. Now, I'd like to ask you some questions about cigarette smoking. .At the present time do you smoke cigarettes daily, occasionally, or not at all ?

=> AINTR

si NON PANEL=#3

N = .....	4658	100%
Daily.....1	=> AINTR 895	19%
Occasionally.....3	260	6%
Not at all.....5	3498	75%
Don't know .....8	5	0%
Refused .....9	0	0%

**SMOK2:**

SMOK2. Have you smoked at least 100 cigarettes in your life ? (100 cigarettes is about 5 packs)

N = .....		3763	100%
Yes .....	1	=> SMOK51685	45%
No.....	5	=> AINTR 2069	55%
Don't know.....	8	=> AINTR 9	0%
Refused .....	9	=> AINTR 0	0%

**SMOK5:**

SMOK5. How long ago was it you last smoked: was it less than one month, 1 to 6 months, 7 to 11 months, 1 to 5 years, or more than 5 years ago ? \*\*\*\* If respondent gives AGE, ask for how many YEARS AGO that was \*\*\*\*

=> AINTR  
si SMOK1=#1

N = .....		1685	100%
Less than a month .....	1	229	14%
1 to 6 months.....	2	=> AINTR 99	6%
7 to 11 months.....	3	=> AINTR 31	2%
1 to 5 years.....	4	=> AINTR 319	19%
more than 5 years.....	5	=> AINTR 1000	59%
Don't know.....	8	6	0%
Refused .....	9	1	0%

**TIT7:**

ALCOHOL (ASK ALL )

=> +1  
si 1 > 0

N = .....		0	100%
-----------	--	---	------

**AINTR:**

AINTR. The following questions are about your alcohol consumption. When we use the word drink, it means : - one bottle or can of beer or a glass of draft - one glass of wine or a wine cooler - one drink or cocktail with 1 and a half ounces of liquor.

N = .....		13909	100%
CONTINUE NEXT PAGE .....	1 D	13909	100%

**ALC1:**

Panel : <PANEL > Age: <AGE >

ALC1. During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage ?

N = .....		13909	100%
Yes .....	1	10696	77%
No.....	2	=> ALC3 3195	23%
Don't know.....	8	8	0%
Refused .....	9	10	0%

**ALC2:****READ CHOICES**

ALC2. How often did you drink alcoholic beverages during the past 12 months ?

=&gt; ALC3

si NON ALC1=#1

N = .....		10697	100%
Less than once a month.....	1	=> ALC4 2918	27%
Once a month.....	2	=> ALC4 1505	14%
2 to 3 times a month.....	3	=> ALC4 2196	21%
Once a week.....	4	=> ALC4 1778	17%
2 to 3 times a week.....	5	=> ALC4 1501	14%
4 to 6 times a week.....	6	=> ALC4 373	3%
Every day.....	7	=> ALC4 408	4%
Don't know.....	8	10	0%
refused.....	9	8	0%

**ALC3:**

ALC3. Have you ever had a drink ?

=&gt; ALC4

si ALC1=#1

N = .....		3213	100%
Yes.....	1	=> ALC12 2198	68%
No.....	2	1006	31%
Don't know.....	8	3	0%
Refused.....	9	6	0%

**ALC4:**

ALC4. Now what about the PAST 30 DAYS, on about how many of these days did you drink alcoholic beverages ?

\$E 0 30

=&gt; CAN1

si ALC3=#2-#4

Mean = .....		5.07	
N = .....		10697	100%
Don't know.....	98	58	1%
Refused.....	99	73	1%

**ALC5:**

ALC5. How often in the past 12 months have you had 5 or more drinks on one occasion ?

N = .....		10697	100%
Never.....	1	5398	50%
Less than once a month.....	2	2742	26%
Once a month.....	3	1119	10%
2 to 3 times a month.....	4	754	7%
Once a week.....	5	379	4%
More than once a week.....	6	241	2%
Don't know.....	8	57	1%
Refused.....	9	7	0%

**ALC5A:**

ALC5A. How often in the past 12 months have you had 4 or more drinks on one occasion ?

=&gt; ALC6

si NON GEND=#2

N = .....	6088	100%
Never.....1	3305	54%
Less than once a month.....2	1662	27%
Once a month.....3	586	10%
2 to 3 times a month.....4	295	5%
Once a week.....5	116	2%
More than once a week.....6	73	1%
Don't know.....8	47	1%
Refused.....9	4	0%

**ALC6:**

ALC6. During the past 12 months, on those days when you drank, how many drinks did you usually have ? (Including light beer, but NOT include fully de-alcoholised beer)

SE 1 96

Mean = .....	2.99	
N = .....	10697	100%
97 or more.....97	13	0%
Don't know.....98	109	1%
Refused.....99	91	1%

**ALC7:**

ALC7. During the past 12 months, on those days when you drank, how often did you drink with meals ? Would you say... ?

N = .....	10696	100%
Almost always.....1	3703	35%
More than half the time.....2	721	7%
About half the time.....3	1320	12%
Less than half the time.....4	1050	10%
Rarely or Never.....5	3880	36%
Don't know.....8	18	0%
Refused.....9	4	0%

**ALC8:**

ALC8. During the past 12 months, on those days when you drank, how often did you drink in public places such as restaurants, etc... ? Would you say...

N = .....	10696	100%
Almost always.....1	1690	16%
More than half the time.....2	653	6%
About half the time.....3	1519	14%
Less than half the time.....4	1698	16%
Rarely or Never.....5	5104	48%
Don't know.....8	28	0%
Refused.....9	4	0%

**TIT8:**

DRINKING WHEEL only in Panel A =#1 and Panel B =#2

=> +1
si 1 > 0

N = .....	0	100%
-----------	---	------

**ALC10:**

ALC10. Now, thinking back over the past week, did you have a drink of beer, wine, liquor or any other alcoholic beverage ?

=> ALC11
si ALC4==0

N = .....	8513	100%
Yes .....	1	5726 67%
No.....	2	=> ALC11 2775 33%
Don't know.....	8	=> ALC11 8 0%
Refused .....	9	=> ALC11 4 0%

**J1:**

J1. Day minus 1

\$D

=> *
si \$D-1

N = .....	5726	100%
-----------	------	------

**J2:**

J2. Day minus 2

\$D

=> *
si \$D-2

N = .....	5726	100%
-----------	------	------

**J3:**

J3. Day minus 3

\$D

=> *
si \$D-3

N = .....	5726	100%
-----------	------	------

**J4:**

J4. Day minus 4

\$D

=> *
si \$D-4

N = .....	5726	100%
-----------	------	------

**J5:**

J5. Day minus 5

\$D

=> *
si \$D-5

N = .....	5726	100%
-----------	------	------

**J6:**

J6. Day minus 6

\$D

=> *
si \$D-6

N = .....	5726	100%
-----------	------	------

**J7:**

J7. Day minus 7

\$D

=> *
si \$D-7

N = .....	5726	100%
-----------	------	------

**AL5A1:**

écran [modèle 0] -&gt; AL5A7

AL5A1 Starting with yesterday, that is &lt;J1 &gt;, how many drinks did you have ?

\$E 0 95

Mean = .....	1.20	
N = .....	5726	100%
DK / REF .....	9	0%

**AL5A2:**

AL5A2 How many drinks did you have ... ?

&lt;J2&gt;

\$E 0 95

Mean = .....	0.972	
N = .....	5726	100%
DK / REF .....	22	0%

**AL5A3:**

AL5A3 How many drinks did you have ... ?

&lt;J3&gt;

\$E 0 95

Mean = .....	0.898	
N = .....	5726	100%
DK / REF .....	38	1%



**AL5A4:**

AL5A4 How many drinks did you have ... ?

&lt;J4&gt;

\$E 0 95

Mean = .....	0.840	
N = .....	5726	100%
DK / REF .....	55	1%

**AL5A5:**

AL5A5 How many drinks did you have ... ?

&lt;J5&gt;

\$E 0 95

Mean = .....	0.814	
N = .....	5726	100%
DK / REF .....	80	1%

**AL5A6:**

AL5A6 How many drinks did you have ... ?

&lt;J6&gt;

\$E 0 95

Mean = .....	0.683	
N = .....	5726	100%
DK / REF .....	105	2%

**AL5A7:**

AL5A7 How many drinks did you have ... ?

Last &lt;J7&gt;

\$E 0 95

Mean = .....	0.657	
N = .....	5726	100%
DK / REF .....	123	2%

**ALC11:**

ALC11. What is the largest number of drinks you can recall having on one occasion during the PAST TWELVE MONTHS ? ("drink" means one 12 ounce bottle of beer or glass of draft, and a one 5 ounce glass of wine, or one straight or mixed drink with one ounce and a half of hard liquor.) (Include light beer, but NOT include fully dealcoholized beer)

\$E 1 97

Mean = .....	5.84	
N = .....	10696	100%
Don't know .....	234	2%
Refused .....	102	1%

**ALC12:**

ALC12. Not counting small sips, how old were you when you started drinking alcoholic beverages ? (Drinking does not include having a few sips of wine for religious purposes)

\$E 5 97

Mean = .....	17.8	
N = .....	12895	100%
Don't know.....98	284	2%
Refused.....99	105	1%

**ALC13:**

ALC13. Thinking about how often you have consumed alcohol over the past 12 months, have you consumed more often, less often or as often compared to the year before?

=> TIT9

si ALC1=2

N = .....	10707	100%
More often.....1	1077	10%
Less often.....2	4652	43%
As often.....3	4921	46%
Don't know.....8	51	0%
Refused.....9	6	0%

**ALC14:**

ALC14. Now, thinking about how much alcohol you have consumed over the past 12 months, have you consumed more, less or the same quantity of alcohol compared to the year before?

N = .....	10707	100%
More.....1	1005	9%
Less.....2	4230	40%
The same.....3	5396	50%
Don't know.....8	71	1%
Refused.....9	5	0%

**TIT9:**

AF1 (OCCASIONS) move all to PANEL C (Panel=#3)

=> +1

si 1 > 0

N = .....	0	100%
-----------	---	------

**AF1:***Panel : <PANEL > Age: <AGE >*

AF1. The next questions are about different situations you might have when you drank alcohol. Now thinking back of the last three occasions you drank ALCOHOL over the past 12 months. For each of these occasions ... starting from the most recent occasion. Was this at... ?

=&gt; HB1

si NON (PANEL=#3 ET ALEAC=01,02,03,04) OU NON ALC1=#1

N = .....	1417	100%
a party .....	364	26%
a get together.....	557	39%
daily life circumstance .....	307	22%
or other circumstances ?.....	170	12%
Don't know .....	14	1%
Refused .....	5	0%

**AF2:**

AF2. On this occasion, did you have a meal ?

N = .....	1417	100%
Yes .....	978	69%
No.....	424	30%
Don't know .....	9	1%
Refused .....	6	0%

**AF3:**

AF3. On what day of the week did this occasion occur ?

N = .....	1417	100%
Monday .....	56	4%
Tuesday .....	71	5%
Wednesday .....	115	8%
Thursday .....	140	10%
Friday .....	264	19%
Saturday .....	503	35%
Sunday .....	137	10%
Don't know .....	125	9%
Refused .....	6	0%

**AF4:**

AF4. On this occasion, did drinking occur at one location or in more than one location ?

N = .....	1417	100%
All drinking at one location.....	1266	89%
More than one location .....	138	10%
Don't know .....	7	0%
Refused .....	6	0%

**AF5:**

AF5. Did the drinking take place at... (If more than one location, Please think about the location where you drank the most)

N = .....		1417	100%
your home .....	.01	563	40%
the home of someone else .....	.02	399	28%
a restaurant .....	.03	173	12%
a bar, disco or nightclub .....	.04	169	12%
Other public place (Hotel, Social club) .....	.06 I	60	4%
or somewhere else (specify) .....	.05 O	39	3%
Don't know .....	.98	7	0%
Refused .....	.99	7	0%

**AF6:**

AF6. Was your spouse/partner/romantic(non-cohabiting)partner present on this occasion ?

N = .....		1417	100%
Yes .....	1	882	62%
No.....	5	519	37%
Don't know .....	8	10	1%
Refused .....	9	6	0%

**AF7:**

AF7. How many men were with you most of the time on this occasion ?

\$E 0 30

Mean = .....		3.95	
N = .....		1417	100%
Was alone.....	.97 => AF10	101	7%
Don't know .....	.98	61	4%
Refused .....	.99	15	1%

**AF8:**

AF8. How many women were with you most of the time on this occasion ? \*\*\* Était avec <AF7 > hommes \*\*\*

\$E 0 30

=> AF10

si AF7=#2

Mean = .....		3.91	
N = .....		1316	100%
Was alone.....	.97 => AF10	30	2%
Don't know .....	.98	63	5%
Refused .....	.99	15	1%

**AF9:**

AF9. What is your relationship to most of the other people you were drinking with ?

=&gt; AF10

si SOM ([AF7,AF8])=00

N = .....	1254	100%
Family .....01	410	33%
Co-workers.....02	82	7%
Friends .....03	594	47%
Someone else (specify) .....04 O	15	1%
Combination of above (specify).....05 O	134	11%
Don't know .....98	12	1%
Refused .....99	7	1%

**AF10:**

AF10. How many drinks did you have ?

\$E 0 40

Mean = .....	3.06	
N = .....	1417	100%
Don't know .....98	27	2%
Refused .....99	14	1%

**AF11:**

AF11. On this occasion, did you also use marijuana, cannabis or haschish ?

N = .....	1417	100%
Yes .....1	72	5%
No.....2	1313	93%
I don't use .....7	17	1%
Don't know .....8	7	0%
Refused .....9	8	1%

**AF12:**

AF12. On this occasion, did you use other drugs such as cocaine, crack, speed, ecstasy, hallucinogens ?

N = .....	1417	100%
Yes .....1	6	0%
No.....2	1378	97%
I don't use .....7	19	1%
Don't know .....8	7	0%
Refused .....9	7	0%

**AF13:**

AF13. On this occasion, did you drive a car after you had been drinking ?

N = .....	1417	100%
Yes .....1	184	13%
No.....5	1218	86%
I don't drive .....7	3	0%
Don't know .....8	6	0%
Refused .....9	6	0%

**AF13A:**

AF13A. How many hours after you had finished your last drink, did you drive ? WRITE-  
IN NUMBER OF HOURS (TWO DECIMALS ACCEPTED)

\$R.2 0 8

=> AF14  
si AF13=#2-#5

Mean = .....	2.34	
N = .....	184	100%
Don't know..... 99998	2	1%
Refused..... 99999	2	1%

**AF14:**

AF14. Were you a passenger in a car with someone else who had been drinking ?

=> AF15  
si AF13=#1

N = .....	1233	100%
Yes..... 1	106	9%
No..... 5	1114	90%
Don't know..... 8	5	0%
Refused..... 9	8	1%

**AF15:**

AF15. Did you do anything the last time you drank that you later regretted, for example,  
getting into an argument or fight with someone ?

N = .....	1417	100%
Yes..... 1	24	2%
No..... 5	1381	97%
Don't know..... 8	6	0%
Refused..... 9	6	0%

**AF15A:**

AF15A. What was it ?

=> AS1  
si NON AF15=#1

N = .....	24	100%
An argument..... 01	13	54%
A fight..... 02	2	8%
Something else (specify)..... 03 O	7	29%
Don't know..... 98	0	0%
Refused..... 99	2	8%

**AS1:**

AS1. Now, what about the SECOND MOST RECENT occasion that you used alcohol ?

Was this...

N = .....		1417	100%
a party .....	1	259	18%
a get together.....	2	430	30%
daily life circumstance .....	3	315	22%
or other circumstances ?.....	4	130	9%
No other occasion.....	7	=> HB1 153	11%
Don't know .....	8	=> HB1 119	8%
Refused .....	9	11	1%

**AS2:**

AS2. On this occasion, did you have a meal ?

N = .....		1145	100%
Yes .....	1	758	66%
No.....	5	371	32%
Don't know .....	8	5	0%
Refused .....	9	11	1%

**AS3:**

AS3. On what day of the week did this occasion occur ?

N = .....		1145	100%
Monday .....	1	29	3%
Tuesday.....	2	48	4%
Wednesday.....	3	101	9%
Thursday .....	4	91	8%
Friday .....	5	265	23%
Saturday .....	6	373	33%
Sunday .....	7	99	9%
Don't know.....	8	129	11%
Refused .....	9	10	1%

**AS4:**

AS4. On this occasion, did drinking occur at one location or in more than one location ?

N = .....		1145	100%
All drinking at one location.....	1	1017	89%
More than one location .....	2	117	10%
Don't know .....	8	0	0%
Refused .....	9	11	1%

**AS5:**

AS5. Did the drinking take place at... (If more than one location, Please think about the location where you drank the most)

N = .....		1145	100%
your home .....	.01	429	37%
the home of someone else .....	.02	347	30%
a restaurant .....	.03	128	11%
a bar, disco or nightclub .....	.04	162	14%
Other public place (Hotel, Social club...) .....	.06 I	49	4%
or somewhere else (specify) .....	.05 O	17	1%
Don't know .....	.98	2	0%
Refused .....	.99	11	1%

**AS6:**

AS6. Was your spouse/partner/romantic(non-cohabiting)partner present on this occasion ?

N = .....		1145	100%
Yes .....	1	672	59%
No.....	5	458	40%
Don't know .....	8	4	0%
Refused .....	9	11	1%

**AS7:**

AS7. How many men were with you most of the time on this occasion ?

\$E 0 30

Mean = .....		4.27	
N = .....		1145	100%
Was alone.....	.97	86	8%
Don't know .....	.98	33	3%
Refused .....	.99	19	2%

**AS8:**

AS8. How many women were with you most of the time on this occasion ? \*\*\* Était avec

<AS7 > hommes \*\*\*

\$E 0 30

=> AS10

si AS7=#2

Mean = .....		4.17	
N = .....		1059	100%
Was alone.....	.97	22	2%
Don't know .....	.98	29	3%
Refused .....	.99	16	2%



**AS9:**

AS9. What is your relationship to most of the other people you were drinking with ?

=> AS10
si SOM ([AS7,AS8])=00

N = .....	1025	100%
Family .....01	346	34%
Co-workers.....02	67	7%
Friends .....03	514	50%
Someone else (specify) .....04 O	10	1%
Combination of above (specify).....05 O	72	7%
Don't know .....98	4	0%
Refused .....99	12	1%

**AS10:**

AS10. How many drinks did you have ?

SE 1 40

Mean = .....	3.28	
N = .....	1145	100%
Don't know .....98	24	2%
Refused .....99	19	2%

**AS11:**

AS11. On this occasion, did you also use marijuana, cannabis or hashish ?

=> AS12
si AF11=#3

N = .....	1134	100%
Yes .....1	57	5%
No.....2	1060	93%
I don't use .....7	4	0%
Don't know .....8	1	0%
Refused .....9	12	1%

**AS12:**

AS12. On this occasion, did you use other drugs such as cocaine, crack, speed, ecstasy, hallucinogens ?

=> AS13
si AF12=#3

N = .....	1134	100%
Yes .....1	9	1%
No.....2	1108	98%
I don't use .....7	3	0%
Don't know .....8	2	0%
Refused .....9	12	1%

**AS13:**

AS13. On this occasion, did you drive a car after you had been drinking ?

=&gt; AS14

si AF13=#3

N = .....	1143	100%
Yes .....	150	13%
No.....	978	86%
I don't drive .....	0	0%
Don't know .....	3	0%
Refused .....	12	1%

**AS13A:**

AS13A. How many hours after you had finished your last drink, did you drive ?

\$R.2 0 8

=&gt; AS14

si AS13=#2-#5

Mean = .....	2.16	
N = .....	150	100%
Don't know .....	4	3%
Refused .....	2	1%

**AS14:**

AS14. Were you a passenger in a car with someone else who had been drinking ?

=&gt; AS15

si AS13=#1

N = .....	995	100%
Yes .....	84	8%
No.....	895	90%
Don't know .....	4	0%
Refused .....	12	1%

**AS15:**

AS15. Did you do anything on this second occasion you drank that you later regretted, for example, getting into an argument or fight with someone ?

N = .....	1145	100%
Yes .....	21	2%
No.....	1109	97%
Don't know .....	3	0%
Refused .....	12	1%

**AS15A:**

AS15A. What was it ?

=&gt; AT1

si NON AS15=#1

N = .....	21	100%
An argument.....01	11	52%
A fight.....02	1	5%
Something else (specify).....03 O	8	38%
Don't know.....98	0	0%
Refused.....99	1	5%

**AT1:**

AT1. Now, what about the THIRD MOST RECENT occasion that you used alcohol ? Was this...

N = .....	1145	100%
a party.....1	172	15%
a get together.....2	323	28%
daily life circumstance.....3	278	24%
or other circumstances ?.....4	103	9%
No other occasion.....7 => HB1	95	8%
Don't know.....8 => HB1	161	14%
Refused.....9	13	1%

**AT2:**

AT2. On this occasion, did you have a meal ?

N = .....	889	100%
Yes.....1	575	65%
No.....5	295	33%
Don't know.....8	7	1%
Refused.....9	12	1%

**AT3:**

AT3. On what day of the week did this occasion occur ?

N = .....	889	100%
Monday.....1	34	4%
Tuesday.....2	46	5%
Wednesday.....3	86	10%
Thursday.....4	83	9%
Friday.....5	186	21%
Saturday.....6	262	29%
Sunday.....7	85	10%
Don't know.....8	96	11%
Refused.....9	11	1%

**AT4:**

AT4. On this occasion, did drinking occur at one location or in more than one location ?

N = .....	889	100%
All drinking at one location..... 1	788	89%
More than one location ..... 2	86	10%
Don't know ..... 8	4	0%
Refused ..... 9	11	1%

**AT5:**

AT5. Did the drinking take place at... (If more than one location, Please think about the location where you drank the most)

N = .....	889	100%
your home ..... 01	347	39%
the home of someone else ..... 02	238	27%
a restaurant ..... 03	98	11%
a bar, disco or nightclub ..... 04	129	15%
Other public place ..... 06 I	41	5%
or somewhere else (specify) ..... 05 O	21	2%
Don't know ..... 98	4	0%
Refused ..... 99	11	1%

**AT6:**

AT6. Was your spouse/partner/romantic(non-cohabiting)partner present on this occasion ?

N = .....	889	100%
Yes ..... 1	521	59%
No..... 5	354	40%
Don't know ..... 8	3	0%
Refused ..... 9	11	1%

**AT7:**

AT7. How many men were with you most of the time on this occasion ?

\$E 0 30

Mean = .....	3.89	
N = .....	889	100%
Was alone..... 97	77	9%
Don't know ..... 98	26	3%
Refused ..... 99	13	1%

**AT8:**

AT8. How many women were with you most of the time on this occasion ? \*\*\* Était avec

&lt;AT7 &gt; hommes \*\*\*

\$E 0 30

=&gt; AT10

si AT7=#2

Mean = .....	3.74	
N = .....	812	100%
Was alone..... 97	15	2%
Don't know ..... 98	24	3%
Refused ..... 99	13	2%

**AT9:**

AT9. What is your relationship to most of the other people you were drinking with ?

=&gt; AT10

si SOM ([AT7,AT8])=00

N = .....	778	100%
Family .....	273	35%
Co-workers.....	52	7%
Friends .....	375	48%
Someone else (specify) .....	14	2%
Combination of above (specify).....	46	6%
Don't know .....	7	1%
Refused .....	11	1%

**AT10:**

AT10. How many drinks did you have ?

SE 1 40

Mean = .....	3.18	
N = .....	889	100%
Don't know .....	16	2%
Refused .....	18	2%

**AT11:**

AT11. On this occasion, did you also use marijuana, cannabis or hashish ?

=&gt; AT12

si AF11=#3 OU AS11=#3

N = .....	875	100%
Yes .....	38	4%
No.....	825	94%
I don't use .....	0	0%
Don't know .....	1	0%
Refused .....	11	1%

**AT12:**

AT12. On this occasion, did you use other drugs such as cocaine, crack, speed, ecstasy, hallucinogens ?

=&gt; AT13

si AF12=#3 OU AS12=#3

N = .....	876	100%
Yes .....	7	1%
No.....	856	98%
I don't use .....	1	0%
Don't know .....	1	0%
Refused .....	11	1%

**AT13:**

AT13. On this occasion, did you drive a car after you had been drinking ?

=> AT14
si AF13=#3 OU AS13=#3

N = .....	887	100%
Yes .....	113	13%
No.....	760	86%
I don't drive .....	1	0%
Don't know .....	2	0%
Refused .....	11	1%

**AT13A:**

AT13A. How many hours after you had finished your last drink, did you drive ?

\$R.2 0 8

=> AT14
si AT13=#2-#5

Mean = .....	2.23	
N = .....	113	100%
Don't know .....	2	2%
Refused .....	2	2%

**AT14:**

AT14. Were you a passenger in a car with someone else who had been drinking ?

=> AT15
si AT13=#1

N = .....	776	100%
Yes .....	72	9%
No.....	691	89%
Don't know .....	2	0%
Refused .....	11	1%

**AT15:**

AT15. Did you do anything on this third occasion you drank that you later regretted, for example, getting into an argument or fight with someone ?

N = .....	889	100%
Yes .....	16	2%
No.....	859	97%
Don't know .....	2	0%
Refused .....	12	1%

**AT15A:**

AT15A. What was it ?

=> HB1
si NON AT15=#1

N = .....	16	100%
An argument.....01	5	31%
A fight.....02	0	0%
Something else (specify).....03 O	8	50%
Don't know.....98	2	13%
Refused.....99	1	6%

**TIT10:**

HOME BREW (Panel B only)

=> +1
si 1 > 0

N = .....	0	100%
-----------	---	------

**HB1:***Panel : <PANEL > Age: <AGE >*

The next questions are about wine and beer made at home. HB1. During the past 12 months, have you made your own BEER or WINE, at your home OR with others at their home, OR at a Brewery or Wine-Outlet ?

=> AUD4
si NON PANEL=#3

N = .....	4315	100%
Yes.....1	353	8%
No.....5	3940	91%
Don't know.....8	18	0%
Refused.....9	4	0%

**HB2:**

HB2. In total, about how many, if any, bottles of BEER did you make during the past 12 months ? (a bottle of beer = 341ml)

\$E 1 996

=> AUD4
si NON HB1=#1

Mean = .....	106	
N = .....	353	100%
None.....000 => HB3	258	73%
997 or more.....997	2	1%
Don't know.....998 => HB3	6	2%
Refused.....999 => HB3	2	1%

**HB3:**

HB3. In total, about how many bottles of WINE did you make during the past 12 months ?

(A bottle of wine = 750 ml)

\$E 1 996

Mean = .....	77.7	
N = .....	353	100%
None.....000	38	11%
997 or more.....997	1	0%
Don't know.....998	12	3%
Refused.....999	3	1%

**TIT11:**

AUDIT (all panels)

=> +1

si 1 > 0

N = .....	0	100%
-----------	---	------

**AUD4:**

Panel : <PANEL > Age: <AGE >

AUD4. The next questions are about how drinking can affect people in their activities. We will be referring to the past 12 months. How often during the past 12 months have you found that you were not able to stop drinking once you had started ?

=> CAN1

si NON ALC1=#1

N = .....	10696	100%
never.....0	9890	92%
less than monthly.....1	469	4%
monthly.....2	154	1%
weekly.....3	95	1%
daily or almost daily.....4	42	0%
Don't know.....8	38	0%
Refused.....9	8	0%

**AUD5:**

AUD5. How often during the past 12 months have you failed to do what was normally expected from you because of drinking ?

N = .....	10696	100%
never.....0	9800	92%
less than monthly.....1	682	6%
monthly.....2	116	1%
weekly.....3	40	0%
daily or almost daily.....4	19	0%
Don't know.....8	32	0%
Refused.....9	7	0%



**AUD6:**

AUD6. How often during the past 12 months have you needed a first ALCOHOLIC drink in the morning to get yourself going after a heavy drinking session ?

N = .....	10696	100%
never.....0	10524	98%
less than monthly .....1	100	1%
monthly .....2	23	0%
weekly .....3	10	0%
daily or almost daily.....4	26	0%
Don't know .....8	10	0%
Refused .....9	3	0%

---

**AUD7:**

AUD7. How often during the past 12 months have you had a feeling of guilt or remorse after drinking ?

N = .....	10696	100%
never.....0	9398	88%
less than monthly .....1	1008	9%
monthly .....2	174	2%
weekly .....3	59	1%
daily or almost daily.....4	35	0%
Don't know .....8	17	0%
Refused .....9	5	0%

---

**AUD8:**

AUD8. How often during the past 12 months have you been unable to remember what happened the night before because you had been drinking ?

N = .....	10696	100%
never.....0	9514	89%
less than monthly .....1	959	9%
monthly .....2	149	1%
weekly .....3	38	0%
daily or almost daily.....4	20	0%
Don't know .....8	12	0%
Refused .....9	4	0%

---

**AUD9:**

AUD9. Have you or someone else EVER been injured as a result of your drinking ? ( If R says "yes", ask "was this in the past 12 months")

N = .....	10696	100%
No, never.....0	9831	92%
Yes, but not in the past 12 months .....2	546	5%
Yes, in the past 12 months .....4	301	3%
Don't know .....8	14	0%
Refused .....9	4	0%

---

**AUD10:**

AUD10. Has a relative, a friend, a doctor or other health worker EVER been concerned about your drinking or suggested you cut down ? ( If R says "Yes" ask "was this in the past 12 months"?)

N = .....	10696	100%
No, never.....	9988	93%
Yes, but not in the past 12 months .....	411	4%
Yes, in the past 12 months .....	282	3%
Don't know .....	11	0%
Refused .....	4	0%

**TIT12:**

CANNABIS (ASK ALL)

```
=> +1
si 1 > 0
```

N = .....	0	100%
-----------	---	------

**CAN1:**

*Panel : <PANEL > Age: <AGE >*

CAN1. The next questions are about cannabis. Have you ever used or tried marijuana, cannabis or hashish...

N = .....	13909	100%
Yes, just once .....	974	7%
Yes, more than once.....	5211	37%
No.....	7665	55%
Don't know .....	12	0%
Refused .....	47	0%

**CAN1A:**

*He/she is actually <AGE>*

CAN1A. About how old were you when you first had a chance to try marijuana or hash if you had wanted to?

\$E 5 90

Mean = .....	18.5	
N = .....	13909	100%
Never.....	3681	26%
Don't know .....	228	2%
Refused .....	116	1%

**CAN2:**

CAN2. Have you used it in the past 12 months ?

```
=> COC1
si CAN1=#3-#5
```

N = .....	6185	100%
Yes .....	1851	30%
No.....	=> CAN4 4324	70%
Don't know .....	=> CAN4 3	0%
Refused .....	=> CAN4 7	0%

**CAN3:**

CAN3. And how about the past 3 months? How often did you use marijuana, cannabis or hashish (in the past 3 months)?

N = .....		1851	100%
...never.....0	=> CAN4	376	20%
...less than monthly .....1		448	24%
...monthly .....2		307	17%
...weekly .....3		358	19%
...daily or almost daily.....4		353	19%
Don't know .....8		3	0%
Refused .....9		6	0%

**CAN30:**

CAN30. And how about past 30 days, on about how many of these days did you use marijuana, cannabis or hashish ?

\$E 0 30

Mean = .....		8.88	
N = .....		1475	100%
Don't know .....98		11	1%
Refused .....99		17	1%

**CAN4:**

Age actuel du répondant: <AGE>

CAN4. How old were you when you started using marijuana, cannabis or hashish ?

\$E 5 90

Mean = .....		18.7	
N = .....		6185	100%
Don't know .....98		66	1%
Refused .....99		73	1%

**CAN5:**

CAN5. Thinking about the quantity of cannabis, marijuana or hashish you have consumed over the past 12 months, have you consumed more, less or the same quantity of cannabis or marijuana compared to the year before?

=> CMI1  
si NON CAN2=1

N = .....		1851	100%
More.....1		391	21%
Less .....2		799	43%
The same .....3		640	35%
Don't know .....8		16	1%
Refused .....9		5	0%

**CAN6:**

CAN6. Now thinking about how often you have used cannabis, marijuana or hashish over the past 12 months, have you used more often, less often or as often compared to the year before?

N = .....		1851	100%
More often.....	1	383	21%
Less often.....	2	858	46%
As often.....	3	589	32%
Don't know.....	8	17	1%
Refused .....	9	4	0%

**HCCN1:**

HCCN1. Where do you usually consume cannabis, marijuana or hashish ? Would it be:

N = .....		1851	100%
...at home.....	.01	995	54%
...at work .....	.02	6	0%
...at school .....	.03	17	1%
...in clubs/raves .....	.04	22	1%
...in bars, pubs, or restaurants.....	.05	46	2%
...at parties/social gatherings.....	.06	539	29%
...art concerts/sport events.....	.07	13	1%
...in parks, on the street, outdoor public places .....	.08	109	6%
Other .....	.09	88	5%
Don't know.....	.98	11	1%
Refused .....	.99	5	0%

**HCCN2:**

HCCN2. With whom do you usually consume cannabis, marijuana or hashish ? Would it be:

N = .....		1851	100%
...alone.....	.01	188	10%
...with friends .....	.02	1305	71%
...with family members .....	.03	85	5%
...with strangers.....	.04	5	0%
...with colleagues/co-workers.....	.05	10	1%
with friends and family members.....	.06	205	11%
Other .....	.07	34	2%
Don't know.....	.98	3	0%
Refused .....	.99	16	1%

### HCCN3:

#### READ CHOICES

HCCN3. Thinking of the very FIRST TIME you used cannabis, marijuana or hashish, what was the SINGLE MOST IMPORTANT REASON why you started using it/them?

N = .....		1851	100%
To be sociable .....	01	105	6%
To get/feel high .....	02	78	4%
Family/ friends are using.....	03	293	16%
To feel good .....	04	30	2%
To relax/ reduce stress.....	05	94	5%
It's a good way to escape.....	06	12	1%
For recreation .....	07	83	4%
For medical purposes .....	08	26	1%
To forget about problems .....	09	5	0%
It is cool/it is the thing to do.....	10	100	5%
To be in touch with myself/ spirituality purposes .....	11	9	0%
To try out / curiosity.....	12	916	49%
Other (SPECIFY).....	13 O	54	3%
Don't know .....	98	42	2%
Refused .....	99	4	0%

### HCCN4:

#### DO NOT READ

HCCN4. Any other REASON why you started using it ?

eliminate -> 12 .....

according to HCCN3.....

N = .....		1851	100%
To be sociable .....	01	74	4%
To get/feel high .....	02	67	4%
Family/ friends are using.....	03	126	7%
To feel good .....	04	24	1%
To relax/ reduce stress.....	05	62	3%
It's a good way to escape.....	06	10	1%
For recreation .....	07	38	2%
For medical purposes .....	08	19	1%
To forget about problems .....	09	6	0%
It is cool/it is the thing to do.....	10	47	3%
To be in touch with myself/ spirituality purposes .....	11	6	0%
To try out / curiosity.....	12	179	10%
Other (specify) .....	13 O	26	1%
(No other reason) .....	14	1080	58%
Don't know .....	98	81	4%
Refused .....	99	6	0%

### CAME1:

CAME1. In the past 12 months have you intentionally used marijuana, cannabis, hashish to treat pain, nausea, glaucoma, multiple sclerosis, depression or any other medical condition ?

N = .....		1851	100%
Yes .....	1	583	31%
No.....	5	=> TIT13 1265	68%
Don't know .....	8	=> TIT13 1	0%
Refused .....	9	=> TIT13 2	0%

**CAME2:**

*Interviewer: please do not read*

CAME2. For what condition did you use marijuana?

N = .....	583	100%
Pain (back pain, migraine) .....	298	51%
Nausea (increase appetite).....	51	9%
Depression.....	107	18%
Multiple sclerosis .....	6	1%
Anxiety/Nerves .....	36	6%
Other .....	79	14%
Don't know .....	0	0%
Refused .....	6	1%

**TIT13:**

MARKET INFORMATION

=> +1
si 1 > 0

N = .....	0	100%
-----------	---	------

**CMI1:**

*Panel : <PANEL > Age: <AGE >*

CMI1. The next few questions are about getting or buying marijuana. Now think about the last time you used marijuana. How did you get this marijuana?

=> COC1
si NON CAN2=#1

N = .....	1851	100%
You bought it .....	709	38%
You traded something else for it .....	35	2%
You got it for free or shared someone else's .....	1027	55%
You grew it yourself .....	40	2%
Don't know .....	13	1%
Refused .....	27	1%

**CMI2:**

CMI2. How long has it been since you last bought marijuana ?

=> CNAS1
si NON CMI1=#1

N = .....	709	100%
Within the past 30 days.....	459	65%
More than 30 days ago, but within the past 12 months .....	222	31%
More than 12 months ago.....	21	3%
Don't know .....	3	0%
Refused .....	4	1%

**CMI3:**

CMI3. Now we want to know how much marijuana you bought the last time you bought marijuana. Do you want to give your answer in joints, grams or ounces ?

N = .....			709	100%
Joints .....	1		74	10%
Grams .....	2	=> CMI5	401	57%
Ounces .....	3	=> CMI6	193	27%
Don't know .....	8		26	4%
Refused .....	9		15	2%

---

**CMI4:**

CMI4. How many joints did you buy the last time you bought marijuana ?

\$E 1 500

=> CMI5

si NON CMI3=#1

Mean = .....			4.04	
N = .....			74	100%
DK.....	998		2	3%
Ref.....	999		0	0%

---

**CMI5:**

CMI5. The last time you bought marijuana, how many grams did you buy ?

=> CMI6

si NON CMI3=#2

N = .....			401	100%
At least 1 but less than 5 .....	1		275	69%
At least 5 but less than 10 .....	2		98	24%
10 grams or more .....	3		28	7%
DK.....	8		0	0%
Ref.....	9		0	0%

---

**CMI5A:**

CMI5A. How many grams of marijuana did you buy ?

\$E 10 97

=> CMI6

si NON CMI5=#3

Mean = .....			18.4	
N = .....			28	100%
DK.....	98		2	7%
Ref.....	99		0	0%

---

**CMI6:**

CMI6. The last time you bought marijuana, how many ounces did you buy ?

=&gt; CMI7

si NON CMI3=#3

N = .....	193	100%
At least 1/8 but less than 1/4 of an ounce.....	1	26 13%
At least 1/4 but less than 1/3 of an ounce.....	2	43 22%
At least 1/3 but less than 1/2 of an ounce.....	3	6 3%
At least 1/2 but less than 1 ounce.....	4	36 19%
At least 1 but less than 5 ounce.....	5	79 41%
At least 5 but less than 10 ounce.....	6	1 1%
At least 10 but less than 16 ounce.....	7	0 0%
DK.....	8	1 1%
Ref.....	9	1 1%

**CMI7:**

CMI7. The last time you bought marijuana, who did you buy it from ?

=&gt; COC1

si NON CMI1=#1

N = .....	709	100%
A friend.....	1	484 68%
A relative or family member.....	2	19 3%
Someone I had just met or didn't know well.....	3	47 7%
From a pusher/dealer.....	4	128 18%
Don't know.....	8	15 2%
Refused.....	9	16 2%

**TIT14:**

CANNABIS DEPENDENCE (ASIST)

=&gt; +1

si 1 &gt; 0

N = .....	0	100%
-----------	---	------

**CNAS1:**

CNAS1. The next few questions are about possible problems you might have had regarding the use of cannabis, marijuana or hashish. During the past 3 months, how often have you had a strong desire or urge to use cannabis, marijuana or hashish?

=&gt; TIT15

si CAN3=0

N = .....	1475	100%
Never.....	0	820 56%
Once or twice.....	1	263 18%
Monthly.....	2	82 6%
Weekly.....	3	152 10%
Daily or almost daily.....	4	142 10%
Don't know.....	8	11 1%
Refused.....	9	5 0%



**CNAS2:**

CNAS2. During the past 3 months, how often has your use of cannabis, marijuana or hashish led to health, social, legal or financial problems?

N = .....	1475	100%
...never.....0	1365	93%
...less than monthly .....1	47	3%
...monthly .....2	33	2%
...weekly .....3	8	1%
...daily or almost daily.....4	12	1%
Don't know .....8	7	0%
Refused .....9	3	0%

**CNAS3:**

CNAS3. During the past 3 months, how often have you failed to do what was normally expected of you because of your use of cannabis, marijuana or hashish?

N = .....	1475	100%
...never.....0	1322	90%
...less than monthly .....1	79	5%
...monthly .....2	44	3%
...weekly .....3	13	1%
...daily or almost daily.....4	8	1%
Don't know .....8	4	0%
Refused .....9	5	0%

**CNAS4:**

CNAS4. Has a friend or relative or anyone else ever expressed concern about your use of cannabis, marijuana or hashish? ( If R says "yes", ask "was this in the past 3 months")

N = .....	1475	100%
No, never.....0	1146	78%
Yes, but not in the past 3 months .....2	214	15%
Yes, in the past 3 months .....4	112	8%
Don't know .....8	1	0%
Refused .....9	2	0%

**CNAS5:**

CNAS 5. Have you ever tried to control, cut down or stop using cannabis, marijuana or hashish? ( If R says "yes", ask "was this in the past 3 months")

N = .....	1475	100%
No, never.....0	780	53%
Yes, but not in the past 3 months .....2	362	25%
Yes, in the past 3 months .....4	325	22%
Don't know .....8	6	0%
Refused .....9	2	0%

**TIT15:**

ILLICIT DRUGS (ASK ALL)

=> +1		
si 1 > 0		
N = .....	0	100%

**COC1:***Panel : <PANEL > Age: <AGE >*

COC1. Now I am going to ask some questions about other drug use. Again, I would like to remind you that everything you say will remain strictly confidential. Have you ever used or tried cocaine or crack ?

N = .....	13909	100%
Yes, just once .....	393	3%
Yes, more than once.....	950	7%
No.....	12535	90%
Don't know .....	8	0%
Refused .....	23	0%

**COC2:**

COC2. Have you used it in the past 12 months ?

=&gt; SPED1

si NON COC1=#1-#2

N = .....	1343	100%
Yes .....	236	18%
No.....	1107	82%
Don't know .....	0	0%
Refused .....	0	0%

**COC3:**

COC3. How often did you use cocaine or crack in the past 3 months...

=&gt; COC4

si NON COC2=#1

N = .....	236	100%
Never.....	77	33%
Once or twice .....	121	51%
Monthly.....	19	8%
Weekly .....	16	7%
Daily or almost daily.....	3	1%
Don't know .....	0	0%
refused.....	0	0%

**COC4:***He/she is actually <AGE>*

COC4. How old were you when you started using cocaine or crack?

\$E 5 90

Mean = .....	22.2	
N = .....	1343	100%
Don't know .....	6	0%
Refused .....	17	1%

**SPED1:**

SPED1. Have you ever used or tried speed (amphetamines) ?

N = .....	13909	100%
Yes, just once .....	241	2%
Yes, more than once.....	475	3%
No.....	13150	95%
Don't know .....	24	0%
Refused .....	19	0%

**SPED2:**

SPED2. Have you used it in the past 12 months ?

=> EXT1  
 si NON SPED1=#1-#2

N = .....	716	100%
Yes .....	66	9%
No.....	650	91%
Don't know .....	0	0%
Refused .....	0	0%

**SPED3:**

SPED3. And how about the past 3 months, how often did you use speed (amphetamines)?

=> SPED4  
 si NON SPED2=#1

N = .....	66	100%
Never.....	29	44%
Once or twice .....	22	33%
Monthly.....	6	9%
Weekly .....	7	11%
Daily or almost daily.....	2	3%
Don't know .....	0	0%
refused.....	0	0%

**SPED4:***He/she is actually <AGE>*

SPED4. How old were you when you started using speed?

\$E 5 90

Mean = .....	20.0	
N = .....	716	100%
Don't know .....	5	1%
Refused .....	15	2%

**EXT1:**

EXT1. Have you ever used or tried Ecstasy (MDMA) or other similar drugs ?

N = .....	13909	100%
Yes, just once .....	183	1%
Yes, more than once.....	339	2%
No.....	13353	96%
Don't know .....	15	0%
Refused .....	19	0%

**EXT2:**

EXT2. Have you used it in the past 12 months ?

=> HAL1  
 si NON EXT1=#1-#2

N = .....	522	100%
Yes .....	122	23%
No.....	398	76%
Don't know .....	0	0%
Refused .....	2	0%

**EXT3:**

EXT3. And how about in the past 3 months, How often did you use ecstasy or other similar drugs?

=> EXT4  
 si NON EXT2=#1

N = .....	122	100%
Never.....	60	49%
Once or twice .....	44	36%
Monthly.....	9	7%
Weekly .....	8	7%
Daily or almost daily.....	1	1%
Don't know .....	0	0%
refused.....	0	0%

**EXT4:***He/she is actually <AGE>*

EXT4. How old were you when you started using Ecstasy (MDMA)?

\$E 5 90

Mean = .....	21.4	
N = .....	522	100%
Don't know .....	2	0%
Refused .....	5	1%

**HAL1:**

HAL1. Have you ever used or tried hallucinogens, PCP or LSD (acid) ?

N = .....	13909	100%
Yes, just once .....	353	3%
Yes, more than once.....	1177	8%
No.....	12348	89%
Don't know .....	13	0%
Refused .....	18	0%

**HAL2:**

HAL2. Have you used it in the past 12 months ?

=> GLUE1  
 si NON HAL1=#1-#2

N = .....	1530	100%
Yes .....	111	7%
No.....	1419	93%
Don't know .....	0	0%
Refused .....	0	0%

**HAL3:**

HAL3. And how about in the past 3 months, how often did you use hallucinogens, PCP or LSD?

=> HAL4  
 si NON HAL2=#1

N = .....	111	100%
Never.....	62	56%
Once or twice .....	40	36%
Monthly.....	8	7%
Weekly .....	1	1%
Daily or almost daily.....	0	0%
Don't know .....	0	0%
refused.....	0	0%

**HAL4:***He/she is actually <AGE>*

HAL4. How old were you when you started using hallucinogens, PCP or LSD?

\$E 5 90

Mean = .....	18.3	
N = .....	1530	100%
Don't know .....	10	1%
Refused .....	19	1%

**GLUE1:**

GLUE1. Have you ever used or tried glue, gasoline or other solvents ?

N = .....	13909	100%
Yes, just once .....	92	1%
Yes, more than once .....	94	1%
No .....	13699	98%
Don't know .....	7	0%
Refused .....	17	0%

**GLUE2:**

GLUE2. Did you sniff some in the past 12 months ?

=&gt; HER1

si NON GLUE1=#1-#2

N = .....	186	100%
Yes .....	4	2%
No .....	182	98%
Don't know .....	0	0%
Refused .....	0	0%

**GLUE3:**

GLUE3. And how about in the past 3 months, how often did you sniff glue, gasoline or other solvents?

=&gt; GLUE4

si NON GLUE2=#1

N = .....	4	100%
Never .....	2	50%
Once or twice .....	1	25%
Monthly .....	1	25%
Weekly .....	0	0%
Daily or almost daily .....	0	0%
Don't know .....	0	0%
refused .....	0	0%

**GLUE4:***He/she is actually <AGE>*

GLUE4. How old were you when you started using glue, gasoline or other solvents?

\$E 5 90

Mean = .....	13.8	
N = .....	186	100%
Don't know .....	0	0%
Refused .....	2	1%

**HER1:**

HER1. Have you ever used or tried Heroin ?

N = .....	13909	100%
Yes, just once .....	54	0%
Yes, more than once.....	76	1%
No.....	13755	99%
Don't know .....	7	0%
Refused .....	17	0%

**HER2:**

HER2. Have you used it in the past 12 months ?

=> STER1  
si NON HER1=#1-#2

N = .....	130	100%
Yes .....	6	5%
No.....	123	95%
Don't know .....	1	1%
Refused .....	0	0%

**HER3:**

HER3. And how about in the past 3 months, how often did you use heroin?

=> HER4  
si NON HER2=#1

N = .....	6	100%
Never.....	2	33%
Once or twice .....	3	50%
Monthly.....	1	17%
Weekly .....	0	0%
Daily or almost daily.....	0	0%
Don't know .....	0	0%
refused.....	0	0%

**HER4:***He/she is actually <AGE>*

HER4. How old were you when you started using heroin?

\$E 5 90

Mean = .....	21.8	
N = .....	130	100%
Don't know .....	1	1%
Refused .....	1	1%

**STER1:**

STER1. Have you ever used or tried steroids, such as testosterone, dianabol or growth hormones, to increase your performance in a sport or activity or to change physical appearance ?

N = .....	13909	100%
Yes, just once .....	29	0%
Yes, more than once.....	54	0%
No.....	13801	99%
Don't know .....	8	0%
Refused .....	17	0%

**STER2:**

STER2. Have you used it in the past 12 months ?

=> TIT16  
si NON STER1=#1-#2

N = .....	83	100%
Yes .....	17	20%
No.....	66	80%
Don't know .....	0	0%
Refused .....	0	0%

**STER3:**

STER3. And how about in the past 3 months, how often did you use steroids?

=> STER4  
si NON STER2=#1

N = .....	17	100%
Never.....	6	35%
Once or twice .....	3	18%
Monthly.....	2	12%
Weekly .....	1	6%
Daily or almost daily.....	5	29%
Don't know .....	0	0%
Refused .....	0	0%

**STER4:**

*He/she is actually <AGE>*

STER4. How old were you when you started using steroids?

\$E 5 90

Mean = .....	25.3	
N = .....	83	100%
Don't know .....	1	1%
Refused .....	0	0%



**TIT16:**

HC- DRUGS USED MORE/LESS; WHERE/ WITH WHOM (Items HCDR1 and HCDR4  
 - ASK ONLY IF ANY drugs consumed other than alcohol, tobacco and cannabis)

=&gt; +1

si 1 &gt; 0

N = .....	0	100%
-----------	---	------

**DRUGA:**

QUESTION CALCULÉE - DROGUE UTILISÉE AU COURS DES 12 DERNIERS MOIS

=&gt; \*

si V01(COC2=1)

N = .....	13909	100%
COCAINE or CRACK,..... 1	239	2%
..... 0	13670	98%

**DRUGB:**

QUESTION CALCULÉE - DROGUE UTILISÉE AU COURS DES 12 DERNIERS MOIS

=&gt; \*

si V01(SPED2=1)

N = .....	13909	100%
SPEED (AMPHETAMINES),..... 1	66	0%
..... 0	13843	100%

**DRUGC:**

QUESTION CALCULÉE - DROGUE UTILISÉE AU COURS DES 12 DERNIERS MOIS

=&gt; \*

si V01(EXT2=1)

N = .....	13909	100%
ECSTASY (MDMA) ..... 1	124	1%
..... 0	13785	99%

**DRUGD:**

QUESTION CALCULÉE - DROGUE UTILISÉE AU COURS DES 12 DERNIERS MOIS

=&gt; \*

si V01(HAL2=1)

N = .....	13909	100%
HALLUCINOGENS, PCP or LSD, ..... 1	112	1%
..... 0	13797	99%

**DRUGE:**

QUESTION CALCULÉE - DROGUE UTILISÉE AU COURS DES 12 DERNIERS MOIS

=&gt; \*

si V01(GLUE2=1)

N = .....	13909	100%
GLUE, GASOLINE or OTHER SOLVENTS, .....	6	0%
.....	13903	100%

**DRUGF:**

QUESTION CALCULÉE - DROGUE UTILISÉE AU COURS DES 12 DERNIERS MOIS

=&gt; \*

si V01(HER2=1)

N = .....	13909	100%
HEROIN, .....	7	0%
.....	13902	100%

**DRUGG:**

QUESTION CALCULÉE - DROGUE UTILISÉE AU COURS DES 12 DERNIERS MOIS

=&gt; \*

si V01(STER2=1)

N = .....	13909	100%
STEROIDS .....	19	0%
.....	13890	100%

**HCCO1:**

HCCO1. Thinking about how often you have used COCAINE or CRACK over the past 12 months, have you consumed more often, less often or as often compared to the year before?

=&gt; HCSP1

si NON DRUGA=#1

N = .....	239	100%
More often.....	87	36%
Less often.....	108	45%
As often.....	37	15%
Don't know.....	6	3%
Refused.....	1	0%

**HCCO2:**

HCCO2. Now, thinking about how much COCAINE or CRACK you have consumed over the past 12 months, have you consumed more, less or the same quantity compared to the year before?

N = .....	239	100%
More.....	86	36%
Less.....	97	41%
The same.....	47	20%
Don't know.....	8	3%
Refused.....	1	0%

**HCCO3:**

HCCO3. Where do you usually consume COCAINE or CRACK ? Would it be:

N = .....	239	100%
...at home.....01	76	32%
...at work.....02	1	0%
...at school.....03	2	1%
...in clubs/raves.....04	19	8%
...in bars, pubs, or restaurants.....05	29	12%
...at parties/social gatherings.....06	95	40%
...at concerts/sport events.....07	1	0%
...in parks, on the street, outdoor public places.....08	3	1%
Other.....09	8	3%
Don't know.....98	3	1%
Refused.....99	2	1%

**HCCO4:**

HCCO4. With whom do you usually consume COCAINE or CRACK ? Would it be:

N = .....	239	100%
...alone.....01	16	7%
...with friends.....02	202	85%
...with family members.....03	4	2%
...with strangers.....04	3	1%
...with colleagues/co-workers.....05	0	0%
with friends and family members.....06	6	3%
Other.....07	4	2%
Don't know.....98	3	1%
Refused.....99	1	0%

**HCSP1:**

HCSP1. Thinking about how often you have used speed (amphetamines) over the past 12 months, have you consumed more often, less often or as often compared to the year before?

=&gt; HCEX1

si NON DRUGB=#1

N = .....	66	100%
More often.....1	33	50%
Less often.....2	22	33%
As often.....3	10	15%
Don't know.....8	1	2%
Refused.....9	0	0%

**HCSP2:**

HCSP2. Now, thinking about how much speed (amphetamines) you have consumed over the past 12 months, have you consumed more, less or the same quantity compared to the year before?

N = .....	66	100%
More.....1	31	47%
Less.....2	23	35%
The same.....3	11	17%
Don't know.....8	1	2%
Refused.....9	0	0%

**HCSP3:**

HCSP3. Where do you usually consume speed (amphetamines) ? Would it be:

N = .....	66	100%
...at home.....01	11	17%
...at work.....02	1	2%
...at school.....03	1	2%
...in clubs/raves.....04	23	35%
...in bars, pubs, or restaurants.....05	9	14%
...at parties/social gatherings.....06	13	20%
...at concerts/sport events.....07	2	3%
...in parks, on the street, outdoor public places.....08	4	6%
Other.....09	1	2%
Don't know.....98	1	2%
Refused.....99	0	0%

**HCSP4:**

HCSP4. With whom do you usually consume speed (amphetamines) ? Would it be:

N = .....	66	100%
...alone.....01	7	11%
...with friends.....02	56	85%
...with family members.....03	0	0%
...with strangers.....04	1	2%
...with colleagues/co-workers.....05	1	2%
with friends and family members.....06	1	2%
Other.....07	0	0%
Don't know.....98	0	0%
Refused.....99	0	0%

**HCEX1:**

HCEX1. Thinking about how often you have used ECSTASY over the past 12 months, have you consumed more often, less often or as often compared to the year before?

=> HCHA1  
si NON DRUGC=#1

N = .....	124	100%
More often.....1	51	41%
Less often.....2	52	42%
As often.....3	14	11%
Don't know.....8	4	3%
Refused.....9	3	2%

**HCEX2:**

HCEX2. Now, thinking about how much ECSTASY you have consumed over the past 12 months, have you consumed more, less or the same quantity compared to the year before?

N = .....	124	100%
More.....1	52	42%
Less.....2	49	40%
The same.....3	17	14%
Don't know.....8	4	3%
Refused.....9	2	2%

**HCEX3:**

HCEX3. Where do you usually consume ECSTASY ? Would it be:

N = .....	124	100%
...at home.....01	16	13%
...at work.....02	0	0%
...at school.....03	0	0%
...in clubs/raves.....04	42	34%
...in bars, pubs, or restaurants.....05	18	15%
...at parties/social gatherings.....06	42	34%
...at concerts/sport events.....07	1	1%
...in parks, on the street, outdoor public places.....08	1	1%
Other.....09	1	1%
Don't know.....98	2	2%
Refused.....99	1	1%

**HCEX4:**

HCEX4. With whom do you usually consume ECSTASY ? Would it be:

N = .....	124	100%
...alone.....01	1	1%
...with friends.....02	109	88%
...with family members.....03	3	2%
...with strangers.....04	2	2%
...with colleagues/co-workers.....05	0	0%
with friends and family members.....06	5	4%
Other.....07	1	1%
Don't know.....98	2	2%
Refused.....99	1	1%

**HCHA1:**

HCHA1. Thinking about how often you have used HALLUCINOGENS, PCP or LSD over the past 12 months, have you consumed more often, less often or as often compared to the year before?

=> HCHE1
si NON DRUGD=#1

N = .....	112	100%
More often.....1	36	32%
Less often.....2	52	46%
As often.....3	21	19%
Don't know.....8	3	3%
Refused.....9	0	0%

**HCHA2:**

HCHA2. Now, thinking about how much HALLUCINOGENS, PCP or LSD you have consumed over the past 12 months, have you consumed more, less or the same quantity compared to the year before?

N = .....	112	100%
More.....1	30	27%
Less.....2	50	45%
The same.....3	28	25%
Don't know.....8	3	3%
Refused.....9	1	1%

---

**HCHA3:**

HCHA3. Where do you usually consume HALLUCINOGENS, PCP or LSD ? Would it be:

N = .....	112	100%
...at home.....01	30	27%
...at work.....02	0	0%
...at school.....03	0	0%
...in clubs/raves.....04	2	2%
...in bars, pubs, or restaurants.....05	5	4%
...at parties/social gatherings.....06	40	36%
...art concerts/sport events.....07	2	2%
...in parks, on the street, outdoor public places.....08	22	20%
Other.....09	9	8%
Don't know.....98	2	2%
Refused.....99	0	0%

---

**HCHA4:**

HCHA4. With whom do you usually consume HALLUCINOGENS, PCP or LSD ? Would it be:

N = .....	112	100%
...alone.....01	2	2%
...with friends.....02	102	91%
...with family members.....03	2	2%
...with strangers.....04	0	0%
...with colleagues/co-workers.....05	0	0%
with friends and family members.....06	4	4%
Other.....07	0	0%
Don't know.....98	2	2%
Refused.....99	0	0%

---

**HCHE1:**

HCHE1. Thinking about how often you have used HEROIN over the past 12 months, have you consumed more often, less often or as often compared to the year before?

=> TIT17
si NON DRUGF=#1

N = .....	7	100%
More often.....1	3	43%
Less often.....2	2	29%
As often.....3	1	14%
Don't know.....8	1	14%
Refused.....9	0	0%

**HCHE2:**

HCHE2. Now, thinking about how much HEROIN you have consumed over the past 12 months, have you consumed more, less or the same quantity compared to the year before?

N = .....	7	100%
More.....1	2	29%
Less.....2	2	29%
The same.....3	2	29%
Don't know.....8	1	14%
Refused.....9	0	0%

**HCHE3:**

HCHE3. Where do you usually consume HEROIN ? Would it be:

N = .....	7	100%
...at home.....01	3	43%
...at work.....02	0	0%
...at school.....03	0	0%
...in clubs/raves.....04	0	0%
...in bars, pubs, or restaurants.....05	0	0%
...at parties/social gatherings.....06	0	0%
...art concerts/sport events.....07	0	0%
...in parks, on the street, outdoor public places.....08	3	43%
Other.....09	0	0%
Don't know.....98	1	14%
Refused.....99	0	0%

**HCHE4:**

HCHE4. With whom do you usually consume HEROIN ? Would it be:

N = .....	7	100%
...alone.....01	3	43%
...with friends.....02	2	29%
...with family members.....03	0	0%
...with strangers.....04	1	14%
...with colleagues/co-workers.....05	0	0%
with friends and family members.....06	0	0%
Other.....07	0	0%
Don't know.....98	1	14%
Refused.....99	0	0%

**TIT17:**

## HC - REASONS FOR USING DRUGS

=&gt; +1

si 1 &gt; 0

N = .....	0	100%
-----------	---	------

**DRUG1:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si V01(COC1=1,2)

N = .....	13909	100%
COCAINE or CRACK, .....	1343	10%
.....	12566	90%

**DRUG2:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si V01(SPED1=1,2)

N = .....	13909	100%
SPEED (AMPHETAMINES), .....	716	5%
.....	13193	95%

**DRUG3:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si V01(EXT1=1,2)

N = .....	13909	100%
ECSTASY (MDMA) .....	522	4%
.....	13387	96%

**DRUG4:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si V01(HAL1=1,2)

N = .....	13909	100%
HALLUCINOGENS, PCP or LSD, .....	1530	11%
.....	12379	89%



**DRUG5:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si V01(GLUE1=1,2)

N = .....	13909	100%
GLUE, GASOLINE or OTHER SOLVENTS, .....	186	1%
.....	13723	99%

**DRUG6:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si V01(HER1=1,2)

N = .....	13909	100%
HEROIN, .....	130	1%
.....	13779	99%

**DRUG7:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si V01(STER1=1,2)

N = .....	13909	100%
STEROIDS .....	83	1%
.....	13826	99%

**DRG1:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si SI ((DRUGA=1 ET COC3=#1),1,SI ((DRUGA=0),2,0))

N = .....	13884	100%
Did not use COCAINE or CRACK.....	77	1%
Used COCAINE or CRACK.....	396	3%
.....	13411	97%

**DRG2:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si SI ((DRUGB=1 ET SPED3=#1),1,SI ((DRUGB=0),2,0))

N = .....	13884	100%
Did not use SPEED (AMPHETAMINES).....	29	0%
Used SPEED (AMPHETAMINES).....	272	2%
.....	13583	98%

**DRG3:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si SI ((DRUGC=1 ET EXT3=#1),1,SI ((DRUGC=0),2,0))

N = .....	13884	100%
Did not use ECSTASY (MDMA) .....	61	0%
Used ECSTASY (MDMA) .....	297	2%
.....	13526	97%

**DRG4:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si SI ((DRUGD=1 ET HAL3=#1),1,SI ((DRUGD=0),2,0))

N = .....	13884	100%
Did not use HALLUCINOGENS, PCP or LSD .....	62	0%
Used HALLUCINOGENS, PCP or LSD .....	285	2%
.....	13537	98%

**DRG5:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si SI ((DRUGE=1 ET GLUE3=#1),1,SI ((DRUGE=0),2,0))

N = .....	13884	100%
Did not use GLUE, GASOLINE or OTHER SOLVENTS .....	2	0%
Used GLUE, GASOLINE or OTHER SOLVENTS .....	241	2%
.....	13641	98%

**DRG6:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si SI ((DRUGF=1 ET HER3=#1),1,SI ((DRUGF=0),2,0))

N = .....	13884	100%
Did not use HEROIN .....	2	0%
Used HEROIN .....	242	2%
.....	13640	98%

**DRG7:**

## QUESTION CALCULÉE - DROGUE UTILISÉE

=&gt; \*

si SI ((DRUGG=1 ET STER3=#1),1,SI ((DRUGG=0),2,0))

N = .....	13884	100%
Did not use STEROIDS .....	6	0%
Used STEROIDS .....	249	2%
.....	13629	98%

## HCRU1:

### READ CHOICES

HCRU1. Thinking of the very FIRST TIME you used the drug(s) you mentioned , what was the SINGLE MOST IMPORTANT REASON why you started using it/them? IF NECESSARY - Drug(s) used - <DRUG1> <DRUG2> <DRUG3> <DRUG4> <DRUG5> <DRUG6> <DRUG7>

=> TIT18

si SUM([DRUG1-DRUG7]) == 0

N = .....		2289	100%
To be sociable .....	01	173	8%
To get/feel high .....	02	99	4%
Family/ friends are using.....	03	430	19%
To feel good .....	04	36	2%
To relax/ reduce stress.....	05	25	1%
It's a good way to escape.....	06	34	1%
For recreation .....	07	112	5%
For medical purposes .....	08	30	1%
To forget about problems .....	09	23	1%
It is cool/it is the thing to do.....	10	142	6%
To be in touch with myself/ spirituality purposes .....	11	17	1%
To try out / curiosity.....	12	1017	44%
Other (SPECIFY).....	13 O	124	5%
Don't know .....	98	=> HCRU3 25	1%
Refused .....	99	=> HCRU3 2	0%

## HCRU2:

### DO NOT READ

HCRU2. Any other REASON why you started using it / them? IF NECESSARY - Drug(s) used - <DRUG1> <DRUG2> <DRUG3> <DRUG4> <DRUG5> <DRUG6> <DRUG7>

eliminate -> 12 .....

according to HCRU1.....

N = .....		2262	100%
To be sociable .....	01	66	3%
To get/feel high .....	02	46	2%
Family/ friends are using.....	03	124	5%
To feel good .....	04	19	1%
To relax/ reduce stress.....	05	14	1%
It's a good way to escape.....	06	22	1%
For recreation .....	07	64	3%
For medical purposes .....	08	5	0%
To forget about problems .....	09	22	1%
It is cool/it is the thing to do.....	10	72	3%
To be in touch with myself/ spirituality purposes .....	11	9	0%
To try out / curiosity.....	12	248	11%
Other (specify) .....	13 O	74	3%
No other reason .....	14	1462	65%
Don't know .....	98	15	1%
Refused .....	99	0	0%

**HCRU3:**

*DO NOT READ(drugs used in the past 3 months)*

HCRU3. What is the most important reason why are you still using [it/them]?  
 (Interviewer: Please do not read choices) IF NECESSARY - Drug(s) used - in the last 3 months: <drg1> <drg2> <drg3> <drg4> <drg5> <drg6> <drg7>

=> HCRU4  
 si NON (COC3=1,2,3,4 OU SPED3=1,2,3,4 OU EXT3=1,2,3,4 OU HAL3=1,2,3,4 OU  
 GLUE3=1,2,3,4 OU HER3=1,2,3,4 OU STER3=1,2,3,4)

N = .....		244	100%
To be sociable .....	01	12	5%
To get/feel high .....	02	24	10%
Family/ friends are using.....	03	7	3%
To feel good .....	04	13	5%
To relax/ reduce stress.....	05	9	4%
It's a good way to escape.....	06	8	3%
For recreation .....	07	42	17%
For medical purposes .....	08	2	1%
To forget about problems .....	09	4	2%
It is cool/it is the thing to do.....	10	3	1%
To be in touch with myself/ spirituality purposes .....	11	6	2%
Other (SPECIFY).....	12 O	18	7%
(R declare not using them anymore/only special occasions).....	13 NI	25	10%
(R declares "addiction") .....	14 NI	5	2%
(R declares "like it").....	15 NI	6	2%
(R declares "linked to alcohol consumption" .....	16 NI	5	2%
Don't know .....	98	45	18%
Refused .....	99	10	4%

**HCRU4:**

*DO NOT READ(past 12 months users who didn't use in the past 3 months)*

HCRU4. What is the most important reason why you did not use it / them in the past 3 months? (Interviewer: Please do not read choices) IF NECESSARY - Drug(s) used - in the last 3 months: <drg1> <drg2> <drg3> <drg4> <drg5> <drg6> <drg7>

=> TIT18  
 si DRG1=0,2 ET DRG2=0,2 ET DRG3=0,2 ET DRG4=0,2 ET DRG5=0,2 ET DRG6=0,2  
 ET DRG7=0,2

N = .....		204	100%
It is a criminal act / illegal.....	01	0	0%
Health risk .....	02	41	20%
Pressure from family/ friends.....	03	2	1%
Social problems.....	04	1	0%
Financial costs.....	05	14	7%
Drugs are addictive .....	06	9	4%
Difficult to get/Not easily available .....	07	15	7%
Other (SPECIFY).....	08 O	17	8%
(R declares "not interested (anymore)/don't like it anymore").....	09 NI	73	36%
(R declares being pregnant) .....	10 NI	4	2%
(R declares "affect my productivity/concentration/personality").....	11 NI	10	5%
Don't know .....	98	15	7%
Refused .....	99	3	1%

**TIT18:****INJECTION DRUG USE**

=&gt; +1

si 1 &gt; 0

N = ..... 0 100%

**IDU1:***Panel : <PANEL > Age: <AGE >*

IDU1. This section deals with the use of injectable drugs that are not medically prescribed to inject. Some examples of injectable drugs are Steroids, Speed, Heroin, Cocaine and Ecstasy. Have you ever injected any drugs, apart from any that were prescribed for you to inject ?(this includes being injected by someone else) ( If R says "yes", ask "was this in the past 12 months")

N = .....	13909	100%
Yes, in the past 12 months .....	1	21 0%
Yes, but not in the past 12 months .....	2	=> IDU2 133 1%
No.....	5	=> TIT19 13731 99%
Don't know .....	8	=> TIT19 6 0%
Refused .....	9	=> TIT19 18 0%

**IDU1A:**

IDU1A. And how about the past 3 months ? Have you injected any drugs in the past 3 months ?

N = .....	21	100%
Yes .....	1	10 48%
No.....	2	11 52%
Don't know .....	8	0 0%
Refused .....	9	0 0%

**IDU2:***Age actuel du répondant: <AGE>*

IDU2. About what age were you when you first injected yourself with illegal drugs ?

\$E 10 60

=&gt; ASIS1

si NON IDU1=#1-#2

Mean = .....	20.6
N = .....	154 100%
DK.....	98 2 1%
Ref.....	99 1 1%

**IDU3:**

écran [modèle 3] -&gt; IDU9

=&gt; TIT19

si NON IDU1=#1

IDU. In the past 12 months, have you injected ... ?				
	<i>Yes</i>	<i>No</i>	<i>Don't know</i>	<i>Refused</i>
3) HEROIN,	10 (48%)	10 (48%)	0 (0%)	1 (5%)

<i>MORPHINE or OTHER OPIATES</i>				
4) <i>METHADONE</i>	1 (5%)	20 (95%)	0 (0%)	0 (0%)
5) <i>AMPHETAMINES</i>	2 (10%)	19 (90%)	0 (0%)	0 (0%)
6) <i>COCAINE OR CRACK</i>	8 (38%)	13 (62%)	0 (0%)	0 (0%)
7) <i>LSD OR OTHER HALLUCINOGENS (Trips, etc.)</i>	0 (0%)	21 (100%)	0 (0%)	0 (0%)
8) <i>STEROIDS</i>	6 (29%)	15 (71%)	0 (0%)	0 (0%)
9) <i>ANY OTHER ILLICIT DRUGS</i>	2 (10%)	19 (90%)	0 (0%)	0 (0%)

**IDU10:**

\*\*\* ONE ANSWER ONLY \*\*\*

IDU10. Where do you usually get needles and syringes from ?

=> IDU11  
 si NON OU [IDU3, IDU4, IDU5, IDU6, IDU7, IDU8, IDU9]=#1

N = .....		19	100%
Pharmacist.....	1	9	47%
Needle and syringe program (e.g. needle exchange program) .....	2	3	16%
Friends .....	3	2	11%
Hospital or doctor.....	4	1	5%
Diabetes Program.....	5	0	0%
Other .....	6	4	21%
DK.....	8	0	0%
Ref.....	9	0	0%

**IDU11:**

IDU11. Have you used a needle and syringe program in the past 12 months ? (e.g. Needle exchange program)

N = .....		18	100%
Yes .....	1	4	22%
No.....	5	14	78%
Don't know .....	8	0	0%
Refused .....	9	0	0%

**IDU12:**

IDU12. Have you ever used a needle or other injecting equipment after someone else had already used it ? INTERVIEWER : Read the answers and select one.

N = .....		21	100%
Yes, and I bleached and/or rinsed it first.....	1	3	14%
Yes, but did not bleach or rinse it first .....	2	2	10%
No.....	3	16	76%
DK.....	8	0	0%
Ref.....	9	0	0%

**IDU13:**

IDU13. Have you heard or seen any health promotion message relating to safer injecting practices ?

N = .....	21	100%
Yes .....	14	67%
No.....	7	33%
Don't know .....	0	0%
Refused .....	0	0%

**TIT19:**

DRUG PROBLEMS - ASIST

=> +1

si 1 > 0

N = .....	0	100%
-----------	---	------

**ASIS1:**

Panel : <PANEL > Age: <AGE >

The next few questions are about possible problems you might have had regarding the use of cocaine or crack, speed or amphetamines, hallucinogens, PCP or LSD, Ecstasy or heroin. ASIS1. During the past 3 months, how often have you had a strong desire or urge to use cocaine or crack, speed or amphetamines, hallucinogens, PCP or LSD, Ecstasy or heroin ?

=> TIT20

si NON COC3=#2-#5 ET NON SPED3=#2-#5 ET NON HAL3=#2-#5 ET NON  
GLUE3=#2-#5 ET NON HER3=#2-#5 ET NON STER3=#2-#5

N = .....	223	100%
Never.....	144	65%
Once or twice .....	36	16%
Monthly.....	18	8%
Weekly.....	19	9%
Daily or almost daily.....	5	2%
Don't know .....	0	0%
Refused .....	1	0%

**ASIS2:**

ASIS2. During the past 3 months, how often has your use of these drugs led to health, social, legal or financial problems ?

N = .....	223	100%
never.....	177	79%
less than monthly .....	25	11%
monthly .....	9	4%
weekly.....	9	4%
daily or almost daily.....	3	1%
Don't know .....	0	0%
Refused .....	0	0%

**ASIS3:**

ASIS3. During the past 3 months, how often have you failed to do what was normally expected of you because of your use of these drugs ?

N = .....	223	100%
never.....0	171	77%
less than monthly .....1	33	15%
monthly .....2	15	7%
weekly .....3	2	1%
daily or almost daily.....4	2	1%
Don't know .....8	0	0%
Refused .....9	0	0%

**ASIS4:**

ASIS4. Has a friend or relative or anyone else ever expressed concern about your use of these drugs ? ( If R says "yes", ask "was this in the past 3 months")

N = .....	223	100%
No, never.....0	138	62%
Yes, but not in the past 3 months .....2	40	18%
Yes, in the past 3 months .....4	45	20%
DK.....8	0	0%
Ref.....9	0	0%

**ASIS5:**

ASIS5. Have you ever tried to control, cut down or stop using these drugs ? ( If R says "yes", ask "was this in the past 3 months")

N = .....	223	100%
No, never.....0	95	43%
Yes, but not in the past 3 months .....2	54	24%
Yes, in the past 3 months .....4	72	32%
DK.....8	1	0%
Ref.....9	1	0%

**TIT20:**

Health Canada - CONSEQUENCES OF USE ALCOHOL HARM

=> +1

si 1 > 0

N = .....	0	100%
-----------	---	------



**AHAR1:***(Current and former drinkers)*

AHAR1. The next few questions ask about experiences you may have had as a result of drinking alcohol. Was there ever a time that you felt your alcohol use had a harmful effect on your friendships or social life? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

=&gt; DHAR1

si ALC3=#2

N = .....	12903	100%
Yes, but not in the past 12 months .....	1728	13%
Yes, during the past 12 months .....	340	3%
No.....	10812	84%
Don't know .....	16	0%
Refused .....	7	0%

**AHAR2:***(Current and former drinkers)*

AHAR2. What about on your physical health? Was there ever a time that you felt your alcohol use had a harmful effect on your physical health? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	12903	100%
Yes, but not in the past 12 months .....	1450	11%
Yes, during the past 12 months .....	520	4%
No.....	10903	84%
Don't know .....	23	0%
Refused .....	7	0%

**AHAR3:***(Current and former drinkers)*

AHAR3. (What about) on your home life or marriage? Was there ever a time that you felt your alcohol use had a harmful effect on your home life or marriage? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	12903	100%
Yes, but not in the past 12 months .....	970	8%
Yes, during the past 12 months .....	219	2%
No.....	11693	91%
Don't know .....	13	0%
Refused .....	8	0%

**AHAR4:***(Current and former drinkers)*

AHAR4. (What about) on your work, studies, or employment opportunities? Was there ever a time that you felt your alcohol use had a harmful effect on your work, studies, or employment opportunities? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	12903	100%
Yes, but not in the past 12 months .....	1 => AHAR5 778	6%
Yes, during the past 12 months .....	3 192	1%
No.....	5 => AHAR511909	92%
Don't know .....	8 => AHAR5 17	0%
Refused .....	9 => AHAR5 7	0%

**ADAYS:**

ADAYS. During the past 12 months, how many days, if any, were you away from work or school because of your drinking?

ENTER NUMBER OF DAYS

\$E 1 365

Mean = .....	14.7	
N = .....	192	100%
None.....	000 77	40%
Don't know .....	998 5	3%
Refused .....	999 2	1%

**AHAR5:***(Current and former drinkers)*

AHAR5. (What about) on your financial position? Was there ever a time that you felt your alcohol use had a harmful effect on your financial position? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	12903	100%
Yes, but not in the past 12 months .....	1 705	5%
Yes, during the past 12 months .....	3 265	2%
No.....	5 11913	92%
Don't know .....	8 12	0%
Refused .....	9 8	0%

**AHAR6:***(Current and former drinkers)*

AHAR6. (What about) legal problems? Was there ever a time when you had legal problems because of your alcohol use? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	12903	100%
Yes, but not in the past 12 months .....	1 460	4%
Yes, during the past 12 months .....	3 75	1%
No.....	5 12354	96%
Don't know .....	8 8	0%
Refused .....	9 6	0%

**AHAR7:**

*(Current and former drinkers)*

AHAR7. (What about) housing problems? Was there ever a time when you had housing problems because of your alcohol use? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	12903	100%
Yes, but not in the past 12 months .....	147	1%
Yes, during the past 12 months .....	25	0%
No.....	12714	99%
Don't know .....	11	0%
Refused .....	6	0%

**AHAR8:**

*(Current and former drinkers)*

AHAR8. (What about) difficulty learning things? Was there ever a time when you had difficulty learning things because of your alcohol use? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	12903	100%
Yes, but not in the past 12 months .....	260	2%
Yes, during the past 12 months .....	66	1%
No.....	12550	97%
Don't know .....	19	0%
Refused .....	8	0%

**TIT21:**

Health Canada - CONSEQUENCES OF USE ILLICIT DRUGS HARM

=> +1 si 1 > 0
-------------------

N = .....	0	100%
-----------	---	------

**DHAR1:**

*(Current and former users)*

DHAR1. The next few questions ask about experiences you may have had as a result of your drug use (other than alcohol). Was there ever a time that you felt your drug use had a harmful effect on your friendships or social life? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

=> TIT22 si CAN1=#3-#5 ET COC1=#3-#5 ET SPED1=#3-#5 ET EXT1=#3-#5 ET HAL1=#3-#5 ET GLUE1=#3-#5 ET HER1=#3-#5 ET STER1=#3-#5
-----------------------------------------------------------------------------------------------------------------------------------

N = .....	6286	100%
Yes, but not in the past 12 months .....	538	9%
Yes, during the past 12 months .....	143	2%
No.....	5591	89%
Don't know .....	10	0%
Refused .....	4	0%

**DHAR2:***(Current and former users)*

DHAR2. What about on your physical health? Was there ever a time that you felt your drug use had a harmful effect on your physical health? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	6286	100%
Yes, but not in the past 12 months .....	1	690 11%
Yes, during the past 12 months .....	3	216 3%
No.....	5	5365 85%
Don't know .....	8	11 0%
Refused .....	9	4 0%

**DHAR3:***(Current and former users)*

DHAR3. (What about) on your home life or marriage? Was there ever a time that you felt your drug use had a harmful effect on your home life or marriage? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	6286	100%
Yes, but not in the past 12 months .....	1	391 6%
Yes, during the past 12 months .....	3	117 2%
No.....	5	5769 92%
Don't know .....	8	5 0%
Refused .....	9	4 0%

**DHAR4:***(Current and former users)*

DHAR4. (What about) on your work, studies, or employment opportunities? Was there ever a time that you felt your drug use had a harmful effect on your work, studies, or employment opportunities? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	6286	100%
Yes, but not in the past 12 months .....	1	=> DHAR5 445 7%
Yes, during the past 12 months .....	3	111 2%
No.....	5	=> DHAR55721 91%
Don't know .....	8	=> DHAR5 5 0%
Refused .....	9	=> DHAR5 4 0%

**DDAYS:**

DDAYS. During the past 12 months, how many days, if any, were you away from work or school because of your drug use?

\$E 1 365

Mean = .....	28.2	
N = .....	111	100%
None.....	.000	62 56%
Enter number of days .....	.998	0 0%
Don't know .....	.999	1 1%

**DHAR5:***(Current and former users)*

DHAR5. (What about) on your financial position? Was there ever a time that you felt your drug use had a harmful effect on your financial position? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	6286	100%
Yes, but not in the past 12 months .....	1	356 6%
Yes, during the past 12 months .....	3	130 2%
No.....	5	5793 92%
Don't know .....	8	2 0%
Refused .....	9	5 0%

**DHAR6:***(Current and former users)*

DHAR6. (What about) legal problems? Was there ever a time when you had legal problems because of your drug use? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	6286	100%
Yes, but not in the past 12 months .....	1	205 3%
Yes, during the past 12 months .....	3	25 0%
No.....	5	6050 96%
Don't know .....	8	2 0%
Refused .....	9	4 0%

**DHAR7:***(Current and former users)*

DHAR7. (What about) housing problems? Was there ever a time when you had housing problems because of your drug use? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	6286	100%
Yes, but not in the past 12 months .....	1	97 2%
Yes, during the past 12 months .....	3	18 0%
No.....	5	6166 98%
Don't know .....	8	1 0%
Refused .....	9	4 0%

**DHAR8:***(Current and former users)*

DHAR8. (What about) difficulty learning things? Was there ever a time when you had difficulty learning things because of your drug use? Interviewer: if respondent says "YES", ask "Was this in the past 12 months?"

N = .....	6286	100%
Yes, but not in the past 12 months .....	1	299 5%
Yes, during the past 12 months .....	3	82 1%
No.....	5	5887 94%
Don't know .....	8	13 0%
Refused .....	9	5 0%

**TIT22:**

HC - REASONS FOR NOT USING (Ask all NON-USERS of substances other than alcohol and tobacco)

=> +1  
si 1 > 0

N = ..... 0 100%

**HCRN1:**

*DO NOT READ(NON-USERS of substances other than alcohol and tobacco)*

HCRN1. The next questions are about the reasons people don't use illicit drugs. What is the SINGLE MOST IMPORTANT REASON why you don't use drugs? DO NOT READ CHOICES

=> OPD1  
si (SUM([DRUG1-DRUG7]) > 0) OU CAN1=#1,#2

N = .....		7623	100%
It is a criminal act / illegal.....01		170	2%
Health risk.....02		2274	30%
Pressure from family/ friends.....03		211	3%
Social problems.....04		60	1%
Financial costs.....05		60	1%
Drugs are addictive .....06		344	5%
Difficult to get/ Not easily available .....07		68	1%
Not interested in drugs .....08		3096	41%
Other (SPECIFY).....09	O	660	9%
(R declares "religious beliefs") .....11	NI	117	2%
(R declares having seen the consequences of consumption on relatives/friend) .....12	NI		
.....175	2%		
(R declares being scared/afraid (unspecified)).....13	NI	132	2%
(R declares want to keep control).....14	NI	169	2%
Don't know .....98		76	1%
Refused .....99		11	0%

**HCRN2:***DO NOT READ(NON-USERS of substances other than alcohol and tobacco)*

HCRN2. Any other REASON why you don't use drugs? DO NOT READ CHOICES

eliminate -> 8 .....			
according to HCRN1.....			
N = .....	7623	100%	
It is a criminal act / illegal.....01	328	4%	
Health risk.....02	1169	15%	
Pressure from family/ friends.....03	291	4%	
Social problems.....04	167	2%	
Financial costs.....05	240	3%	
Drugs are addictive .....06	403	5%	
Difficult to get/ Not easily available .....07	22	0%	
Not interested in drugs .....08	1038	14%	
Other (SPECIFY).....09 O	613	8%	
No other reason.....10	2909	38%	
(R declares "religious beliefs") .....11 NI	85	1%	
(R declares having seen the consequences of consumption on relatives/friend) 12	NI		
.....79 1%			
(R declares being scared/afraid (unspecified)).....13 NI	60	1%	
(R declares want to keep control).....14 NI	103	1%	
Don't know.....98	102	1%	
Refused .....99	14	0%	

**OPD1:***Panel : <PANEL > Age: <AGE >*

OPD1. The next questions are about your experience with other people's drinking problems. In the past 12 months, have you been insulted or humiliated by someone who had been drinking ?

=&gt; TIT24

si AGE &lt; 18 OR AGE=#2

N = .....	13020	100%	
Yes .....1	3128	24%	
No.....5	9844	76%	
Don't know.....8	46	0%	
Refused .....9	2	0%	

**OPD2:**

OPD2. In the past 12 months, have you had family problems or marriage difficulties due to someone else's drinking ?

N = .....	13020	100%	
Yes .....1	1480	11%	
No.....5	11516	88%	
Don't know.....8	17	0%	
Refused .....9	7	0%	

**OPD3:**

OPD3. In the past 12 months, have you been pushed, or shoved by someone who had been drinking ?

N = .....	13020	100%
Yes .....	1457	11%
No.....	11539	89%
Don't know .....	20	0%
Refused .....	4	0%

**OPD5:**

OPD5. In the past 12 months, have you had serious arguments or quarrels as a result of someone else's drinking ?

N = .....	13020	100%
Yes .....	2220	17%
No.....	10777	83%
Don't know .....	19	0%
Refused .....	4	0%

**TIT23:**

VIOLENCE

=> +1

si 1 > 0

N = .....	0	100%
-----------	---	------

**VIC1:**

*Panel : <PANEL > Age: <AGE >*

VIC1. In the past 12 months, did any person affected by alcohol VERBALLY ABUSED you?

N = .....	13020	100%
Yes .....	2227	17%
No.....	10758	83%
Don't know .....	30	0%
Refused .....	5	0%

**VIC2:**

VIC2. In the past 12 months did any person affected by illicit drugs verbally ABUSED you?

N = .....	13020	100%
Yes .....	840	6%
No.....	12047	93%
Don't know .....	128	1%
Refused .....	5	0%



**VIC3:**

VIC3. Which of the following persons affected by alcohol or illicit drugs was responsible for the verbal abuse referred to above ? Would you say...

=> VIC4

si NON VIC1=#1 ET NON VIC2=#1

N = .....	2441	100%
a spouse or partner .....	385	16%
a parent.....	141	6%
a child.....	101	4%
other relative .....	291	12%
a friend .....	471	19%
or another person.....	1203	49%
DK.....	6	0%
Ref.....	13	1%

**VIC4:**

VIC4. In the past 12 months, have you been hit or physically assaulted by someone who had been drinking ?

N = .....	13020	100%
Yes .....	536	4%
No.....	12460	96%
Don't know .....	13	0%
Refused .....	11	0%

**VIC5:**

VIC5. In the past 12 months, have you been hit or physically assaulted by someone who had been using illicit drugs ?

N = .....	13020	100%
Yes .....	231	2%
No.....	12740	98%
Don't know .....	41	0%
Refused .....	8	0%

**VIC6:**

VIC6. Which of the following persons affected by alcohol or illicit drugs was responsible for the physical incident ? Would you say...

=> VIC7

si NON (VIC4=#1 OU VIC5=#1)

N = .....	599	100%
a spouse or partner .....	107	18%
a parent.....	13	2%
a child.....	13	2%
other relative .....	35	6%
a friend .....	95	16%
or another person.....	351	59%
DK.....	3	1%
Ref.....	4	1%

**VIC7:**

VIC7. What was the most serious physical injury you sustained as a result of the incident ?  
Would you say...

=> VIC9

si NON (VIC4=#1 OU VIC5=#1)

N = .....	599	100%
bruising .....	240	40%
burns.....	6	1%
cuts and scratches.....	72	12%
fractures.....	56	9%
or no physical injury .....	215	36%
DK.....	5	1%
Ref.....	5	1%

**VIC8:**

VIC8. Was admission to the hospital required as a result of the physical injury?

N = .....	374	100%
Yes .....	63	17%
No.....	311	83%
Don't know .....	0	0%
Refused .....	0	0%

**VIC9:**

VIC9. In general, at the time(s) the alcohol or other drug related incident(s) took place, had you also been drinking alcohol or consuming other drugs ? Would you say...

=> CV\_3

si NON VIC1=#1 ET NON VIC2=#1 ET NON VIC4=#1 ET NON VIC5=#1

N = .....	2563	100%
alcohol only.....	604	24%
other drugs only .....	31	1%
both alcohol and other drugs .....	83	3%
neither alcohol nor drugs.....	1824	71%
DK.....	15	1%
Ref.....	6	0%

**CV\_1:**

CV\_1. You indicated experiencing an alcohol or drug related physical assault. Were there any personal monetary costs related to this incident ?

=> CV\_3

si NON VIC4=#1 ET NON VIC5=#1

N = .....	599	100%
Yes .....	78	13%
No.....	512	85%
Don't know .....	7	1%
Refused .....	2	0%

**CV\_2:**

CV\_2. What was the value of your loss or costs ?  
\$E 10 950000

=> CV\_3  
si NON CV\_1=#1

Mean = .....	4551	
N = .....	78	100%
DK.....999998	14	18%
Ref.....999999	4	5%

**CV\_3:**

CV\_3. In the past 12 months, have you been a victim of a mugging or robbery that was related to alcohol or drugs ?

N = .....	13019	100%
Yes .....	216	2%
No.....	12723	98%
Don't know.....	73	1%
Refused .....	7	0%

**CV\_4:**

CV\_4. What was the value of your loss costs ?  
\$E 1 950000

=> TIT24  
si NON CV\_3=#1

Mean = .....	3834	
N = .....	216	100%
DK.....999998	25	12%
Ref.....999999	2	1%

**TIT24:**

Willingness to pay (Vignettes) Panel A only (Panel=#1) Split Panel A in 3 random subsamples and each version should be asked of a random 1/3 of the sample. Also, for each vignette we should have one version for males and one for females

=> +1  
si 1 > 0

N = .....	0	100%
-----------	---	------

**TWTP:**

QUESTION CALCULÉE (TEXTE REPORTÉ)

=> \*  
si V01(GEND=1)

N = .....	13909	100%
his.....	5721	41%
her .....	8188	59%

**TWTP2:**

## QUESTION CALCULÉE (TEXTE REPORTÉ)

=&gt; \*

si V01(GEND=1)

N = .....	13909	100%
he..... 1	5721	41%
she..... 0	8188	59%

**WTP1:**

WTP1. Now we would like to describe a person's situation and ask some questions about it. Consider a person who is unable to control <TWTP > drinking. This behaviour has caused family problems and at the last doctor's visit, liver problems were diagnosed. In addition, <TWTP > employer has warned that <TWTP > current employment is in danger, if drinking is not cut down. If you could buy insurance to avoid this problem, what portion of your monthly income would you be willing to pay?

=&gt; WTP3

si NON (PANEL=#1 ET ALEAA=1)

N = .....	1560	100%
more than half..... 1	50	3%
about half..... 2	84	5%
about a quarter..... 3	168	11%
about a tenth..... 4	241	15%
less than a tenth..... 5	218	14%
none..... 6	514	33%
Don't know..... 8	262	17%
Refused..... 9	23	1%

**WTP2:**

WTP2. If you could buy insurance for your family members or your close relatives to avoid this problem, what portion of your monthly income would you be willing to pay? (Consider a person who is unable to control <TWTP > drinking. This behaviour has caused family problems and at the last doctor's visit, liver problems were diagnosed. In addition, <TWTP > employer has warned that <TWTP > current employment is in danger, if drinking is not cut down.)

N = .....	1560	100%
more than half..... 1	74	5%
about half..... 2	124	8%
about a quarter..... 3	230	15%
about a tenth..... 4	258	17%
less than a tenth..... 5	202	13%
none..... 6	443	28%
Don't know..... 8	211	14%
Refused..... 9	18	1%

**WTP3:**

WTP3. Now we would like to describe a person's situation and ask some questions about it. Consider a person who is unable to control <TWTP > cocaine use. This behaviour has caused family problems and at the last doctor's visit, liver problems were diagnosed. In addition, <TWTP > employer has warned that <TWTP > current employment is in danger,

if <TWTP2 > does not cut down. If you could buy insurance to avoid this problem, what portion of your monthly income would you be willing to pay?

=> WTP5  
si NON (PANEL=#1 ET ALEAA=2)

N = .....	1535	100%
more than half .....	47	3%
about half .....	82	5%
about a quarter.....	153	10%
about a tenth.....	224	15%
less than a tenth.....	198	13%
none.....	540	35%
Don't know.....	276	18%
Refused .....	15	1%

**WTP4:**

WTP4. If you could buy insurance for your family members or your close relatives to avoid this problem, what portion of your monthly income would you be willing to pay? (Consider a person who is unable to control <TWTP > cocaine use. This behaviour has caused family problems and at the last doctor's visit, liver problems were diagnosed. In addition, <TWTP > employer has warned that <TWTP > current employment is in danger, if he does not cut down.)

N = .....	1535	100%
more than half .....	68	4%
about half .....	117	8%
about a quarter.....	202	13%
about a tenth.....	273	18%
less than a tenth.....	166	11%
none.....	449	29%
Don't know.....	244	16%
Refused .....	16	1%

**WTP5:**

WTP5. Now we would like to describe a person's situation and ask some questions about it. Consider a person who has been diagnosed with liver problems. In addition, <TWTP2 > has family problems and <TWTP > employer has warned that <TWTP > job is in danger. If you could buy insurance to avoid this problem, what portion of your monthly income would you be willing to pay?

=> TIT25  
si NON (PANEL=#1 ET ALEAA=3)

N = .....	1517	100%
more than half .....	32	2%
about half .....	80	5%
about a quarter.....	206	14%
about a tenth.....	259	17%
less than a tenth.....	244	16%
none.....	429	28%
Don't know.....	258	17%
Refused .....	9	1%

**WTP6:**

WTP6. If you could buy insurance for your family members or your close relatives to avoid this problem, what portion of your monthly income would you be willing to pay? (Consider a person who has been diagnosed with liver problems. In addition, <TWTP2 > has family problems and <TWTP > employer has warned that the job is in danger.)

N = .....	1517	100%
more than half .....	51	3%
about half .....	129	9%
about a quarter.....	233	15%
about a tenth.....	281	19%
less than a tenth.....	209	14%
none.....	377	25%
Don't know.....	227	15%
Refused .....	10	1%

**TIT25:**

HC - POLICY BLOCK 2

=> +1 si 1 > 0
-------------------

N = .....	0	100%
-----------	---	------

**HCP41:**

HCP41. The next questions are about government actions meant to reduce the use and the consequences of the use of alcohol and drugs in Canada. For each statement please tell me if you strongly agree, somewhat agree, somewhat disagree or strongly disagree. The legal drinking age should be raised. (Interviewer: If "R" asks what age is tell them it is 18 or 19) Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

=> HCP55 si NON PANEL=#1
-----------------------------

N = .....	4612	100%
Strongly agree .....	1553	34%
Somewhat agree .....	768	17%
Somewhat disagree .....	1017	22%
Strongly disagree.....	1207	26%
Don't know.....	65	1%
Refused .....	2	0%

**HCP42:**

HCP42. Taxes on alcoholic beverages should be increased. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	941	20%
Somewhat agree .....	876	19%
Somewhat disagree .....	1063	23%
Strongly disagree.....	1661	36%
Don't know.....	65	1%
Refused .....	6	0%

**HCP43:**

HCP43. The Government should prohibit wine, liquor and beer advertising on T.V. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	1557	34%
Somewhat agree .....	856	19%
Somewhat disagree .....	1080	23%
Strongly disagree.....	1025	22%
Don't know .....	90	2%
Refused .....	4	0%

**HCP44:**

HCP44. Non-jail sentences should be allowed for illegal drug use. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	867	19%
Somewhat agree .....	1231	27%
Somewhat disagree .....	802	17%
Strongly disagree.....	1415	31%
Don't know .....	277	6%
Refused .....	20	0%

**HCP45:**

HCP45. Drug treatment programs should be available to help drug addicts reduce or stop their consumption of illicit drugs. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	3810	83%
Somewhat agree .....	643	14%
Somewhat disagree .....	48	1%
Strongly disagree.....	71	2%
Don't know .....	37	1%
Refused .....	3	0%

**HCP46:**

HCP46. Programs that offer clean needles or drug kits should be available to drug users to avoid the spread of infectious diseases. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	2206	48%
Somewhat agree .....	1257	27%
Somewhat disagree .....	374	8%
Strongly disagree.....	619	13%
Don't know .....	148	3%
Refused .....	8	0%

**HCP47:**

HCP47. Health programs aimed to reduce the harm from drug use should be available to drug users without requiring clients to stop using drugs. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	1292	28%
Somewhat agree .....	1403	30%
Somewhat disagree .....	769	17%
Strongly disagree.....	916	20%
Don't know .....	225	5%
Refused .....	7	0%

---

**HCP48:**

HCP48. Night shelters should be available for the homeless where they don't have to give up their alcohol or drugs. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	773	17%
Somewhat agree .....	1145	25%
Somewhat disagree .....	1009	22%
Strongly disagree.....	1542	33%
Don't know .....	134	3%
Refused .....	9	0%

---

**HCP49:**

HCP49. Random police spot-checks should be organized on the roads to catch drinking drivers. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	3911	85%
Somewhat agree .....	549	12%
Somewhat disagree .....	67	1%
Strongly disagree.....	66	1%
Don't know .....	15	0%
Refused .....	4	0%

---

**HCP50:**

HCP50. The Government should vigorously pursue legal action against users of illicit drugs. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	2379	52%
Somewhat agree .....	1298	28%
Somewhat disagree .....	525	11%
Strongly disagree.....	312	7%
Don't know .....	86	2%
Refused .....	12	0%

---



**HCP51:**

HCP51. The Government should vigorously pursue legal action against people who sell illicit drugs. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	3830	83%
Somewhat agree .....	535	12%
Somewhat disagree .....	136	3%
Strongly disagree.....	69	1%
Don't know .....	33	1%
Refused .....	9	0%

---

**HCP52:**

HCP52. The Government should make criminal sentencing tougher for the first drug offences. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	1917	42%
Somewhat agree .....	1224	27%
Somewhat disagree .....	759	16%
Strongly disagree.....	559	12%
Don't know .....	146	3%
Refused .....	7	0%

---

**HCP53:**

HCP53. The Government should make criminal sentencing tougher for the drug addicts. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	1683	36%
Somewhat agree .....	1369	30%
Somewhat disagree .....	904	20%
Strongly disagree.....	513	11%
Don't know .....	137	3%
Refused .....	6	0%

---

**HCP54:**

HCP54. The Government should invest massively in law enforcement against drugs. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree with this statement?

N = .....	4612	100%
Strongly agree .....	2195	48%
Somewhat agree .....	1440	31%
Somewhat disagree .....	522	11%
Strongly disagree.....	350	8%
Don't know .....	100	2%
Refused .....	5	0%

---

**TIT26:****HC - IMPACT ITEMS**

=&gt; +1

si 1 &gt; 0

N = .....	0	100%
-----------	---	------

**HCP55:**

HCP55. Next I am going to read a list of possible ways in which drug use may impact on our society. Please tell me for each of them whether you consider that drug use has a large impact, a moderate impact, a small impact or no impact at all. First is criminality. Do you think that drug use has a large impact, a moderate impact, a small impact or no impact at all on criminality?

=&gt; TIT27

si NON PANEL=#2

N = .....	4639	100%
Large impact .....	3535	76%
Moderate impact .....	755	16%
Small impact .....	202	4%
No impact at all .....	47	1%
Don't know .....	93	2%
Refused .....	7	0%

**HCP56:**

HCP56. What about family problems? Do you think that drug use has a large impact, a moderate impact, a small impact or no impact at all on family problems?

N = .....	4639	100%
Large impact .....	3443	74%
Moderate impact .....	893	19%
Small impact .....	151	3%
No impact at all .....	63	1%
Don't know .....	86	2%
Refused .....	3	0%

**HCP57:**

HCP57. What about costs to the health care system? Do you think that drug use has a large impact, a moderate impact, a small impact or no impact at all on the costs to the health care system?

N = .....	4639	100%
Large impact .....	3065	66%
Moderate impact .....	1126	24%
Small impact .....	231	5%
No impact at all .....	56	1%
Don't know .....	160	3%
Refused .....	1	0%

**HCP58:**

HCP58. What about costs to the welfare system. Do you think that drug use has a large impact, a moderate impact, a small impact or no impact at all on the costs to the welfare system?

N = .....	4639	100%
Large impact .....	3362	72%
Moderate impact .....	834	18%
Small impact .....	172	4%
No impact at all .....	57	1%
Don't know .....	213	5%
Refused .....	1	0%

---

**HCP59:**

HCP59. What about costs of HIV/ AIDS? Do you think that drug use has a large impact, a moderate impact, a small impact or no impact at all on the costs of HIV/ AIDS?

N = .....	4639	100%
Large impact .....	2908	63%
Moderate impact .....	1057	23%
Small impact .....	230	5%
No impact at all .....	50	1%
Don't know .....	391	8%
Refused .....	3	0%

---

**HCP60:**

HCP60. What about law enforcement costs? Do you think that drug use has a large impact, a moderate impact, a small impact or no impact at all on law enforcement costs?

N = .....	4639	100%
Large impact .....	3489	75%
Moderate impact .....	819	18%
Small impact .....	133	3%
No impact at all .....	44	1%
Don't know .....	148	3%
Refused .....	6	0%

---

**HCP61:**

HCP61. What about problems at the workplace. Do you think that drug use has a large impact, a moderate impact, a small impact or no impact at all on problems at the workplace?

N = .....	4639	100%
Large impact .....	1583	34%
Moderate impact .....	1871	40%
Small impact .....	726	16%
No impact at all .....	126	3%
Don't know .....	331	7%
Refused .....	2	0%

---

**HCP62:**

HCP62. From the possible ways listed before, on which one do you think drug use has the largest impact? Would you say on:

N = .....	4639	100%
Criminality .....	1522	33%
Family problems .....	1535	33%
Costs to the health care system .....	362	8%
Costs to the welfare system.....	205	4%
Costs of HIV/ AIDS.....	111	2%
Law enforcement costs.....	559	12%
Problems at the workplace .....	55	1%
Don't know .....	284	6%
Refused .....	6	0%

**HCP63:**

HCP63. Which of the following factors do you consider to be the MAIN cause of drug problems? Is it...? (Interviewer: if necessary "Please select only one")

N = .....	4639	100%
Poverty .....	415	9%
Family problems .....	641	14%
Availability of drugs .....	1333	29%
Psychological distress .....	607	13%
Housing problems .....	15	0%
Family history of drug problems.....	358	8%
Stress.....	580	13%
Other .....	411	9%
Don't know.....	277	6%
Refused .....	2	0%

**HCP64:**

HCP64. Who do you think is MOST LIKELY to be at risk of using drugs? Is it...? (Interviewer: if necessary "Please select only one")

N = .....	4639	100%
Youth in general.....	978	21%
Low income people.....	206	4%
Homeless people .....	55	1%
The elderly .....	5	0%
Those with family history of drug abuse.....	277	6%
Street kids.....	206	4%
Prostitutes.....	96	2%
Those with a history of mental illness.....	32	1%
High income people .....	56	1%
Anyone.....	2617	56%
Other .....	31	1%
Don't know .....	79	2%
Refused .....	1	0%

**HCP65:**

HCP65. What do you perceive to be the best way to address the drug issue in Canada?  
 Would you say prevention and treatment or law enforcement and incarceration?

N = .....		4639	100%
Prevention and treatment.....	1	3575	77%
Law enforcement and incarceration (jail time) .....	2	870	19%
Don't know .....	8	177	4%
Refused .....	9	17	0%

**TIT27:****ALCOHOL POLICY**

=> +1

si 1 > 0

N = .....		0	100%
-----------	--	---	------

**ALCP1:**

*Panel : <PANEL > Age: <AGE >*

ALCP1. The next few questions are about how you feel about laws concerning alcohol and drugs. Do you think taxes on alcoholic beverages should be increased, decreased, or remain the same ?

=> ADR\_1

si NON PANEL=#3

N = .....		4658	100%
Increased .....	1	1101	24%
Decreased.....	3	565	12%
Remain the same .....	5	2771	59%
Don't know .....	8	214	5%
Refused .....	9	7	0%

**ALCP2:**

ALCP2. Do you think the legal drinking age should be raised, lowered, or remain the same ? (If "R" asks what age is, code "7", and tell them it is 18 or 19 (according to the province) but DO NOT enter their answer)

N = .....		4658	100%
Raised.....	1	1743	37%
Lowered .....	3	190	4%
Remain the same .....	5	2550	55%
Don't know what the legal drinking age is .....	7	109	2%
Don't know .....	8	63	1%
Refused .....	9	3	0%

**ALCP3:**

ALCP3. Do you think efforts to prevent drunken CUSTOMERS from being served should be increased, decreased, or remain the same ? Interviewer if necessary: "These efforts include programs that train bar or restaurant owners how to avoid serving alcohol to intoxicated customers."

N = .....	4658	100%
Increased .....	3434	74%
Decreased .....	152	3%
Remain the same .....	917	20%
Don't know .....	150	3%
Refused .....	5	0%

**ALCP4:**

ALCP4. Should the government prohibit wine, liquor and beer advertising on T.V. ?

N = .....	4658	100%
Yes .....	1997	43%
No.....	2503	54%
Don't know .....	153	3%
Refused .....	5	0%

**LCP5A:**

QUESTION CALCULÉE (TEXTE REPORTÉ)

=> \*  
si V01(PROV2=#9)

N = .....	4647	100%
was right in closing .....	791	17%
should close.....	3856	83%

**LCP5B:**

QUESTION CALCULÉE (TEXTE REPORTÉ)

=> \*  
si V01(PROV2=#9)

N = .....	4647	100%
allowing.....	791	17%
allow.....	3856	83%

**ALCP5:**

ALCP5. The <PROV > provincial government <LCP5A > all government run liquor stores and <LCP5B > privately run stores to sell alcohol. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree ?

N = .....	4658	100%
Strongly agree .....	613	13%
Somewhat agree .....	1053	23%
Somewhat disagree .....	997	21%
Strongly disagree.....	1682	36%
Don't know .....	303	7%
Refused .....	10	0%

**ALCP6:**

ALCP6. Do you strongly support, somewhat support, somewhat oppose or strongly oppose random police spot-checks to catch drinking drivers ?

N = .....	4658	100%
Strongly support.....1	3930	84%
Somewhat support.....3	513	11%
Somewhat oppose .....5	98	2%
Strongly oppose .....7	87	2%
Don't know.....8	26	1%
Refused .....9	4	0%

**TIT28:**

DRUG POLICY

=> +1

si 1 > 0

N = .....	0	100%
-----------	---	------

**DRP1:**

*Panel : <PANEL > Age: <AGE >*

DRP1. In the next few questions we are interested in your views regarding certain drug policy programs. First, the federal government intends to change legislation that would make possession of less than 15 grams of marijuana from a criminal penalty to one that would result in only a fine. Have you ever heard or read about this change in legislation ?

N = .....	4658	100%
Yes.....1	3294	71%
No.....5	1336	29%
Don't know.....8	27	1%
Refused .....9	1	0%

**DRP1A:**

DRP1A. Do you strongly support, somewhat support, somewhat oppose or strongly oppose this change in legislation ?

N = .....	4658	100%
Strongly support.....1	1222	26%
Somewhat support.....3	1356	29%
Somewhat oppose .....5	559	12%
Strongly oppose .....7	1238	27%
Don't know.....8	277	6%
Refused .....9	6	0%

**DRP2:**

DRP2. "Drug Treatment Courts" are programs that provide COURT-SUPERVISED TREATMENT for addicted users of cocaine or heroin who have been charged with drug offences. People who complete the program receive a non-jail sentence instead of a jail sentence. Have you ever heard or read about "Drug-Treatment Courts" programs ?

N = .....	4658	100%
Yes .....	1564	34%
No.....	3049	65%
Don't know.....	40	1%
Refused .....	5	0%

---

**DRP2A:**

DRP2A. Do you strongly support, somewhat support, somewhat oppose or strongly oppose these "Drug Treatment Courts" programs ?

N = .....	4658	100%
Strongly support.....	1828	39%
Somewhat support.....	1810	39%
Somewhat oppose .....	317	7%
Strongly oppose .....	364	8%
Don't know.....	331	7%
Refused .....	8	0%

---

**DRP3:**

DRP3. "Harm reduction" strategies are public health policies or programs intended to reduce the harm caused by drug use. These programs or policies do not necessarily require drug users to stop their use. Have you ever heard or read about harm reduction strategies related to drug use ?

N = .....	4658	100%
Yes .....	1011	22%
No.....	3566	77%
Don't know.....	76	2%
Refused .....	5	0%

---

**DRP3A:**

DRP3A. Do you strongly support, somewhat support, somewhat oppose or strongly oppose harm reduction strategies ?

N = .....	4658	100%
Strongly support.....	1040	22%
Somewhat support.....	1717	37%
Somewhat oppose .....	540	12%
Strongly oppose .....	533	11%
Don't know.....	817	18%
Refused .....	11	0%

---



**DRP4:**

DRP4. Needle exchange programs provide clean needles to drug users in order to reduce the spread of infectious disease. Have you ever heard or read about needle exchange programs ?

N = .....	4658	100%
Yes .....	3905	84%
No.....	729	16%
Don't know .....	20	0%
Refused .....	4	0%

---

**DRP4A:**

DRP4A. Do you strongly support, somewhat support, somewhat oppose or strongly oppose needle exchange programs ?

N = .....	4658	100%
Strongly support.....	2019	43%
Somewhat support.....	1326	28%
Somewhat oppose .....	407	9%
Strongly oppose .....	695	15%
Don't know .....	204	4%
Refused .....	7	0%

---

**DRP5:**

DRP5. Methadone is a drug similar to morphine and heroin. Because it is long-lasting and can be taken orally, it is often used to treat heroin addiction. Have you ever heard or read about the drug methadone ?

N = .....	4658	100%
Yes .....	3046	65%
No.....	1567	34%
Don't know .....	40	1%
Refused .....	5	0%

---

**DRP6:**

DRP6. Methadone maintenance treatment programs allow medical doctors to provide methadone as a safer substitute for heroin users in order to treat their addiction. Have you ever heard or read about methadone maintenance programs?

N = .....	4658	100%
Yes .....	2598	56%
No.....	1998	43%
Don't know .....	57	1%
Refused .....	5	0%

---

**DRP6A:**

DRP6A. Do you strongly support, somewhat support, somewhat oppose or strongly oppose methadone maintenance programs ?

N = .....		4658	100%
Strongly support.....	1	1640	35%
Somewhat support.....	3	1919	41%
Somewhat oppose .....	5	302	6%
Strongly oppose .....	7	292	6%
Don't know.....	8	493	11%
Refused .....	9	12	0%

**CANP1:**

Panel : <PANEL > Age: <AGE >

CANP1. Now, we are interested in your opinion regarding the possession of cannabis, marijuana or hashish. Should possession of small amounts of cannabis or marijuana be against the law ? (Interviewer: a small amount = 15 grams or less)

N = .....		4658	100%
Yes .....	1	2337	50%
No.....	5	=> CANP4 2134	46%
Don't know.....	8	178	4%
Refused .....	9	9	0%

**CANP2:**

CANP2. The penalty for possession of marijuana can vary. Should there be a penalty for possessing a small amount of marijuana ?

=> CANP4  
si CANP1=#2

N = .....		2524	100%
Yes .....	1	2092	83%
No.....	5	=> CANP4 305	12%
Don't know.....	8	117	5%
Refused .....	9	10	0%

**CANP3:**

CANP3. Should the outcome of the sentence be a jail term or a non-jail term such as a fine or probation ?

=> CANP4  
si CANP1=#2

N = .....		2219	100%
Jail term only.....	1	346	16%
Fine or probation only.....	3	1496	67%
A fine and a jail term.....	5	201	9%
Don't know.....	8	163	7%
Refused .....	9	13	1%

**CANP4:**

CANP4. Do you think that a person should be allowed to grow a small number of cannabis plants for personal use only ?

N = .....		4658	100%
Yes .....	1	1685	36%
No.....	5	=> CAND22813	60%
Don't know .....	8	153	3%
Refused .....	9	7	0%

**CANP5:**

CANP5. Should cannabis or marijuana be legally available ?

=> CAND2  
si CANP4=#2

N = .....		1845	100%
Yes .....	1	1269	69%
No.....	5	448	24%
Don't know .....	8	120	7%
Refused .....	9	8	0%

**TIT29:**

CANNABIS AND DRIVING

=> +1  
si 1 > 0

N = .....		0	100%
-----------	--	---	------

**CAND2:**

CAND2. The next questions are related to driving and being a passenger in a car or other vehicle. Someone who has smoked 2 joints of marijuana in the previous 2 hours before driving poses a safety hazard on roads. Do you strongly agree, somewhat agree, somewhat disagree or strongly disagree ?

N = .....		4658	100%
Strongly agree .....	1	2816	60%
Somewhat agree .....	3	892	19%
Somewhat disagree .....	5	276	6%
Strongly disagree.....	7	239	5%
Don't know .....	8	427	9%
Refused .....	9	8	0%

**CAND3:**

CAND3. How likely is it that you would get into a car as a passenger if you knew the driver had smoked 2 joints of marijuana within 2 hours before driving ? Would you say very likely, somewhat likely, somewhat unlikely, or very unlikely ?

N = .....	4658	100%
Very likely .....	274	6%
Somewhat likely.....	348	7%
Somewhat unlikely.....	566	12%
Very unlikely .....	3359	72%
Don't know .....	104	2%
Refused .....	7	0%

**TIT30:**

DRIVING BLOCK (PANEL B only)

=> +1  
si 1 > 0

N = .....	0	100%
-----------	---	------

**ADR\_1:**

ADR\_1. The next questions are related to driving and being a passenger in a car or other vehicle. In the past 12 months, have you been a passenger in a car or other vehicle driven by someone who had two or more drinks of alcohol in the previous hour ?

=> T\_1  
si NON PANEL=#2

N = .....	4639	100%
Yes .....	777	17%
No.....	3843	83%
Don't know .....	17	0%
Refused .....	2	0%

**CDR\_1:**

CDR\_1. In the past 12 months, have you been a passenger in a car or other vehicle driven by someone who had been using marijuana/hash in the previous 2 hours ?

N = .....	4639	100%
Yes .....	517	11%
No.....	4086	88%
Don't know .....	34	1%
Refused .....	2	0%

**ACDR1:**

ACDR1. In the past 12 months, have you been a passenger in a car or other vehicle driven by someone who had been using both alcohol and cannabis/marijuana/hash in the previous 2 hours ?

=> DL\_1  
si NON ADR\_1=#1 OU NON CDR\_1=#1

N = .....	296	100%
Yes .....	195	66%
No.....	89	30%
Don't know .....	12	4%
Refused .....	0	0%

**DL\_1:**

DL\_1. The next questions are related to driving. Including graduated licenses, do you currently have a valid driver's license ? (Interviewer: if respondent says "no", ask "did you have one in the past 12 months?")

N = .....	4639	100%
Yes .....	4012	86%
No, but I had one in the past 12 months.....	26	1%
No.....	594	13%
Don't know .....	3	0%
Refused .....	4	0%

**DRIVE:**

DRIVE. During the past 12 months, have you driven a car, van, truck, motor cycle or any other type of motor vehicle ?

=> T\_1  
si NON DL\_1=#1

N = .....	4012	100%
Yes .....	3875	97%
No.....	5	=> T_1 137 3%
Don't know .....	8	=> T_1 0 0%
Refused .....	9	=> T_1 0 0%

**DRDR1:**

DRDR1. Now I would like to ask you how often did you drive in the past 12 months. Please count any driving you have done in a car, motorcycle, truck or van. Would you say:

N = .....	3875	100%
Daily or almost daily.....	3201	83%
2-4 times a week .....	472	12%
1-4 times a month.....	122	3%
Less than monthly .....	75	2%
Don't know .....	3	0%
Refused .....	2	0%

**DD\_1:**

DD\_1. During the past 12 months, how many times, if any, have you driven a motor vehicle after having two or more drinks in the previous hour ?

\$E 1 96

=> CD\_1  
si NON ALC1=#1

Mean = .....	6.41	
N = .....	3066	100%
Never.....00	2630	86%
97 or more.....97	9	0%
DK.....98	12	0%
Ref.....99	6	0%

**DD\_3:**

DD\_3. In the past 12 months, have you been in a motor vehicle accident or collision with you as a driver after having two or more drinks in the previous hour ?

=> CD\_1  
si DD\_1=#1

N = .....	436	100%
Yes.....1	8	2%
No.....5	427	98%
Don't know.....8	1	0%
Refused.....9	0	0%

**CD\_1:**

CD\_1. During the past 12 months, how many times, if any, have you driven a motor vehicle within 2 hours of using cannabis or marijuana/hash ?

\$E 1 96

=> DCD\_1  
si NON CAN2=#1

Mean = .....	12.5	
N = .....	508	100%
Never.....00	322	63%
97 or more.....97	25	5%
DK.....98	6	1%
Ref.....99	4	1%

**CD\_2:**

CD\_2. In the past 12 months, have you been in a motor vehicle accident or collision with you as a driver after using cannabis or marijuana/hash within 2 hours before driving ?

=> DCD\_1  
si CD\_1=#1,#4,#5

N = .....	176	100%
Yes.....1	1	1%
No.....5	175	99%
Don't know.....8	0	0%
Refused.....9	0	0%

**DCD\_1:**

DCD\_1. In the past 12 months have you driven within 2 hours of using both alcohol and cannabis/marijuana/hash ? Boit: <ALC1> Fume Pot: <CAN2>

=> T\_1

si (NON ALC1=#1 OU NON CAN2=#1) OU (DD\_1=#1 ET CD\_1=#1)

N = .....	239	100%
Yes .....	39	16%
No.....	197	82%
Don't know .....	2	1%
Refused .....	1	0%

**DCD\_2:**

DCD\_2. In the past 12 months have you been in a motor vehicle accident or collision with you as a driver after using both alcohol and cannabis/marijuana/hash in the previous 2 hours ?

=> T\_1

si NON DCD\_1=#1

N = .....	39	100%
Yes .....	2	5%
No.....	37	95%
Don't know .....	0	0%
Refused .....	0	0%

**T\_1:**

Panel : <PANEL > Age: <AGE >

These next questions deal with professional help (such as treatment or counseling) that you might have received for alcohol or drug problems, NOT INCLUDING CIGARETTES. Please include any other treatment for medical problems associated with your alcohol or drug use. T\_1.

Excluding cigarettes, have you ever received professional help for your use of alcohol or any drug ? INTERVIEWER, if necessary: "Include any treatment or counselling given by doctors, counsellors, social workers or other health professionals. DO NOT include self-help support groups such as AA (alcoholics anonymous).

=> MSCN

si NON OU [ALC1,CAN2,COC2,SPED2,EXT2,HAL2,GLUE2,HER2,STER2]=#1

N = .....	10808	100%
Yes .....	333	3%
No.....	10464	97%
Don't know .....	5	0%
Refused .....	6	0%

**T\_1B:**

T\_1B. How many times have you received professional help ?

SE 1 96

=&gt; T\_9

si NON T\_1=#1

Mean = .....	4.22	
N = .....	333	100%
97 or more times .....	4	1%
DK.....	11	3%
Ref.....	0	0%

**T\_2:**

T\_2. Have you received this professional help in the past 12 months ?

N = .....	333	100%
Yes .....	68	20%
No.....	265	80%
Don't know .....	0	0%
Refused .....	0	0%

**T\_3:**

T\_3. The professional help you received in the past 12 months was for ... ?

=&gt; T\_9

si NON T\_2=#1

N = .....	68	100%
alcohol use only .....	27	40%
drug use only.....	22	32%
or both alcohol and drug use .....	18	26%
DK.....	0	0%
Ref.....	1	1%

**T\_4:**

T\_4. How helpful was the treatment or professional help you received ? Would you say ... ?

=&gt; T\_9

si NON T\_2=#1

N = .....	68	100%
Very helpful .....	36	53%
Somewhat helpful .....	25	37%
somewhat not helpful .....	3	4%
Not very helpful .....	3	4%
Don't know .....	1	1%
Refused .....	0	0%



**T\_5:**

T\_5. How long did you have to wait to begin treatment ?

N = .....	68	100%
Less than 1 day.....	24	35%
1-2 days.....	7	10%
3-5 days.....	8	12%
6-9 days.....	9	13%
10-19 days.....	6	9%
20+ days.....	14	21%
DK.....	0	0%
Ref.....	0	0%

**T\_6:**

T\_6. Are you still in treatment ?

N = .....	68	100%
Yes .....	27	40%
No.....	41	60%
Don't know .....	0	0%
Refused .....	0	0%

**T\_7:**

T\_7. In your views, was the treatment successful ?

N = .....	68	100%
Yes .....	55	81%
No.....	11	16%
Don't know .....	2	3%
Refused .....	0	0%

**T\_8:**

T\_8. What was the most important reason why the treatment was not successful?

INTERVIEWER : Please, do not read list - mark only one.

=&gt; MSCN

si T\_7=#1

N = .....	13	100%
It was not helping.....01	0	0%
It would get better without more professional help.....02	0	0%
Transportation of childcare problems .....03	0	0%
Service or program was no longer available .....04	0	0%
Couldn't afford to continue treatment .....05	1	8%
Family obligations.....06	2	15%
Other (specify) .....07 O	10	77%
DK.....98	0	0%
Ref.....99	0	0%

**T\_9:**

T\_9. Did you ever think you might have needed professional help with your alcohol or drug use ?

=> MSCN

si T\_2=1

N = .....	10740	100%
Yes .....	489	5%
No.....	10230	95%
Don't know .....	10	0%
Refused .....	11	0%

**T\_9A:**

T\_9A. Was this in the PAST 12 MONTHS ?

=> MSCN

si NON T\_9=#1

N = .....	489	100%
Yes .....	90	18%
No.....	=> MSCN 399	82%
Don't know .....	=> MSCN 0	0%
Refused .....	=> MSCN 0	0%

**T\_10:**

T\_10. During the past 12 months, did you need professional help for your use of alcohol ?

=> T\_11

si NON ALC1=#1

N = .....	87	100%
Yes .....	28	32%
No.....	59	68%
Don't know .....	0	0%
Refused .....	0	0%

**T\_11:**

T\_11. During the past 12 months, did you need professional help for your use of marijuana or hashish ?

=> T\_12

si NON CAN2=#1

N = .....	66	100%
Yes .....	12	18%
No.....	54	82%
Don't know .....	0	0%
Refused .....	0	0%

**T\_12:**

T\_12. During the past 12 months, did you need professional help for your use of cocaine or "crack" ?

=> T\_13  
si NON COC2=#1

N = .....	30	100%
Yes .....	14	47%
No.....	16	53%
Don't know .....	0	0%
Refused .....	0	0%

**T\_13:**

T\_13. During the past 12 months, did you need professional help for your use of heroin ?

=> T\_14  
si NON HER2=#1

N = .....	2	100%
Yes .....	2	100%
No.....	0	0%
Don't know .....	0	0%
Refused .....	0	0%

**T\_14:**

T\_14. During the past 12 months, did you need professional help for your use of prescribed medication ?

N = .....	90	100%
Yes .....	4	4%
No.....	86	96%
Don't know .....	0	0%
Refused .....	0	0%

**T\_15:**

T\_15. During the past 12 months, did you make an effort to get professional help for your use of alcohol or any drug ?

=> MSCN  
si T\_10=#2 ET T\_11=#2 ET T\_12=#2 ET T\_13=#2 ET T\_14=#2

N = .....	90	100%
Yes .....	20	22%
No.....	70	78%
Don't know .....	0	0%
Refused .....	0	0%

**T\_16A:***READ TEXT OF T\_16. ONLY ONCE*

T\_16. How important are the following reasons for NOT receiving professional help ?

A) waiting list was too long.

=&gt; T\_17A

si NON T\_15=#1

N = .....	20	100%
Very important .....	6	30%
Somewhat important .....	4	20%
Somewhat not important .....	2	10%
Not at all important .....	7	35%
DK.....	1	5%
Ref.....	0	0%

**T\_16B:***READ TEXT OF T\_16. ONLY ONCE*

T\_16. How important are the following reasons for NOT receiving professional help ?

B) type of treatment desired was not available

N = .....	20	100%
Very important .....	7	35%
Somewhat important .....	5	25%
Somewhat not important .....	2	10%
Not at all important .....	3	15%
DK.....	3	15%
Ref.....	0	0%

**T\_16C:***READ TEXT OF T\_16. ONLY ONCE*

T\_16. How important are the following reasons for NOT receiving professional help ?

C) treatment was not covered by insurance

N = .....	20	100%
Very important .....	9	45%
Somewhat important .....	2	10%
Somewhat not important .....	1	5%
Not at all important .....	6	30%
DK.....	2	10%
Ref.....	0	0%

**T\_16D:***READ TEXT OF T\_16. ONLY ONCE*

T\_16. How important are the following reasons for NOT receiving professional help ?

D) transportation was difficult

N = .....	20	100%
Very important .....	6	30%
Somewhat important .....	1	5%
Somewhat not important .....	3	15%
Not at all important .....	10	50%
DK.....	0	0%
Ref.....	0	0%

**T\_16E:***READ TEXT OF T\_16. ONLY ONCE*

T\_16. How important are the following reasons for NOT receiving professional help ?

E) had personal or family responsibilities

N = .....	20	100%
Very important .....	8	40%
Somewhat important .....	4	20%
Somewhat not important .....	0	0%
Not at all important .....	7	35%
DK.....	1	5%
Ref.....	0	0%

**T\_16F:***READ TEXT OF T\_16. ONLY ONCE*

T\_16. How important are the following reasons for NOT receiving professional help ?

F) I was too busy

N = .....	20	100%
Very important .....	3	15%
Somewhat important .....	2	10%
Somewhat not important .....	1	5%
Not at all important .....	14	70%
DK.....	0	0%
Ref.....	0	0%

**T\_16G:***READ TEXT OF T\_16. ONLY ONCE*

T\_16. How important are the following reasons for NOT receiving professional help ?

G) I felt I didn't need treatment

N = .....	20	100%
Very important .....	6	30%
Somewhat important .....	4	20%
Somewhat not important .....	2	10%
Not at all important .....	7	35%
DK.....	1	5%
Ref.....	0	0%

**T\_16H:***READ TEXT OF T\_16. ONLY ONCE*

T\_16. How important are the following reasons for NOT receiving professional help ?

H) had language or cultural difficulties

N = .....	20	100%
Very important .....	0	0%
Somewhat important .....	2	10%
Somewhat not important .....	2	10%
Not at all important .....	16	80%
DK.....	0	0%
Ref.....	0	0%

**T\_17A:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

A) I was too busy

=> MSCN
si NON T_15=#2-#4

N = .....	70	100%
Very important.....1	11	16%
Somewhat important.....2	14	20%
Somewhat not important.....3	6	9%
Not at all important.....4	35	50%
DK.....8	4	6%
Ref.....9	0	0%

**T\_17B:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

B) didn't know where to go

N = .....	70	100%
Very important.....1	11	16%
Somewhat important.....2	8	11%
Somewhat not important.....3	5	7%
Not at all important.....4	40	57%
DK.....8	5	7%
Ref.....9	1	1%

**T\_17C:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

C) fear of doctors, hospitals

N = .....	70	100%
Very important.....1	4	6%
Somewhat important.....2	16	23%
Somewhat not important.....3	5	7%
Not at all important.....4	39	56%
DK.....8	4	6%
Ref.....9	2	3%

**T\_17D:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

D) didn't think treatment would work

N = .....	70	100%
Very important.....1	6	9%
Somewhat important.....2	19	27%
Somewhat not important.....3	8	11%
Not at all important.....4	32	46%
DK.....8	5	7%
Ref.....9	0	0%

**T\_17E:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

E) had childcare difficulties

N = .....	70	100%
Very important .....	4	6%
Somewhat important .....	4	6%
Somewhat not important .....	3	4%
Not at all important .....	51	73%
DK.....	6	9%
Ref.....	2	3%

**T\_17F:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

F) had employment difficulties

N = .....	70	100%
Very important .....	4	6%
Somewhat important .....	9	13%
Somewhat not important .....	4	6%
Not at all important .....	47	67%
DK.....	5	7%
Ref.....	1	1%

**T\_17G:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

G) concern that family would avoid me

N = .....	70	100%
Very important .....	6	9%
Somewhat important .....	5	7%
Somewhat not important .....	3	4%
Not at all important .....	50	71%
DK.....	5	7%
Ref.....	1	1%

**T\_17H:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

H) concern that friends and workers would avoid me

N = .....	70	100%
Very important .....	3	4%
Somewhat important .....	8	11%
Somewhat not important .....	6	9%
Not at all important .....	48	69%
DK.....	4	6%
Ref.....	1	1%

**T\_17I:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

I) treatment was not covered by insurance

N = .....	70	100%
Very important .....	5	7%
Somewhat important .....	9	13%
Somewhat not important .....	3	4%
Not at all important .....	46	66%
DK.....	6	9%
Ref.....	1	1%

**T\_17J:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

J) transportation was difficult

N = .....	70	100%
Very important .....	3	4%
Somewhat important .....	5	7%
Somewhat not important .....	4	6%
Not at all important .....	52	74%
DK.....	5	7%
Ref.....	1	1%

**T\_17K:**

T\_17. How important are the following reasons for NOT MAKING AN EFFORT to receive treatment ?

k) had language or cultural difficulties

N = .....	70	100%
Very important .....	1	1%
Somewhat important .....	3	4%
Somewhat not important .....	4	6%
Not at all important .....	54	77%
DK.....	7	10%
Ref.....	1	1%

**TIT31:**

HC - POLICY BLOCK 2

=> +1

si 1 > 0

N = .....	0	100%
-----------	---	------



**MSCN:***Panel : <PANEL> Age: <AGE>*

Finally, we have some socio-demographic questions. These questions are for classification purposes only and all information you provide will remain completely confidential. MSCN.

What is your current marital status ... ? INTERVIEWER : Read categories to respondent.

N = .....		13909	100%
...married .....	01	6778	49%
...living common-law .....	02	1152	8%
...widowed .....	03	914	7%
...separated .....	04	454	3%
...divorced .....	05	885	6%
...single, never married .....	06	3632	26%
DK .....	98	12	0%
Ref .....	99	82	1%

**SD\_3:**

SD\_3. Including yourself, how many people are currently living in your household ?

\$E 1 97

Mean = .....		2.71	
N = .....		13909	100%
DK .....	98	27	0%
Ref .....	99	189	1%

**SD\_4:**

SD\_4. Including children and adults, are there any people that are dependent on you for their well-being and welfare, regardless of whether they live with you?

N = .....		13909	100%
Yes .....	1	5182	37%
No .....	5	=> SDED1 8658	62%
Don't know .....	8	=> SDED1 16	0%
Refused .....	9	=> SDED1 53	0%

**SD5:**

SD5. How many children under 18 years are dependent on you for their well-being and welfare, regardless of whether they live with you?

\$E 0 97

Mean = .....		1.54	
N = .....		5182	100%
Don't know .....	98	12	0%
Refused .....	99	45	1%

**SDED1:**

SDED1. What is the highest level of education you have completed ?

N = .....	13909	100%
No schooling .....	11	0%
Some elementary schooling .....	111	1%
Completed elementary school .....	268	2%
Some high school/junior high .....	2081	15%
Completed high school.....	3926	28%
Some community college.....	566	4%
Some technical school (college classique CEGEP).....	419	3%
Completed community college .....	1392	10%
Completed technical school (college classique, CEGEP) .....	904	6%
Some University.....	986	7%
Completed Bachelor's Degree (Arts, Science...) .....	2229	16%
Post graduate training: MA, MSc,MSW... ..	653	5%
Post graduate training: PhD, "Doctorate".....	147	1%
Professional degree (Law, Medicine, Dentistry).....	117	1%
DK.....	31	0%
Ref.....	68	0%

**SDED2:**

SDED2. Are you currently attending a university, a college or a school on a full-time basis ?

N = .....	13909	100%
No.....	12378	89%
Yes, university .....	581	4%
Yes, college.....	313	2%
Yes, school.....	598	4%
DK.....	4	0%
Ref.....	35	0%

**SDET1:**

SDET1. Now some general background questions which will help us compare the health of people in Canada. In what country were you born?

N = .....		13909	100%
Canada .....	.01	=> SDET412127	87%
China.....	.02	56	0%
France.....	.03	26	0%
Germany.....	.04	127	1%
Greece .....	.05	9	0%
Guyana.....	.06	12	0%
Hong Kong.....	.07	41	0%
Hungary.....	.08	14	0%
India .....	.09	66	0%
Italy .....	.10	33	0%
Jamaica.....	.11	18	0%
Netherlands / Holland .....	.12	62	0%
Philippines.....	.13	66	0%
Poland .....	.14	43	0%
Portugal.....	.15	19	0%
United Kingdom.....	.16	343	2%
United States .....	.17	178	1%
Viet Nam.....	.18	17	0%
Sri Lanka.....	.19	7	0%
Other (specify) .....	.20	O 585	4%
DK.....	.98	=> SDET4 5	0%
Ref.....	.99	=> SDET4 55	0%

**SDET2:**

SDET2. Were you born a Canadian citizen ?

N = .....		1722	100%
Yes .....	1	120	7%
No.....	2	1597	93%
Don't know .....	8	3	0%
Refused .....	9	2	0%

**SDET3:**

SDET3. In what year did you first come to Canada to live ?

\$E 1905 2004

=> SDET4

si NON SDET2=#2

Mean = .....		1976	
N = .....		1597	100%
DK.....	9998	9	1%
Ref.....	9999	11	1%

**SDET4:**

SDET4. What language do you usually speak in your own home ?

N = .....	13909	100%
English .....	12235	88%
French .....	1593	11%
Arabic.....	33	0%
Chinese/Cantonese/Mandarin .....	118	1%
Cree .....	38	0%
Czech/Swedish.....	10	0%
Danish/Norwegian/Finnish .....	8	0%
Dutch.....	33	0%
Pilipino (Tagalong) .....	55	0%
German.....	105	1%
Greek.....	11	0%
Hindi .....	25	0%
Hungarian.....	16	0%
Italian .....	33	0%
Japanese .....	14	0%
Korean.....	9	0%
Polish .....	25	0%
Portuguese.....	20	0%
Punjabi .....	32	0%
Persian (Farsi) .....	20	0%
Romanian .....	12	0%
Russian.....	21	0%
Serbo-Croatian .....	11	0%
Somali .....	1	0%
Spanish.....	65	0%
Tamil.....	4	0%
Ukrainian.....	41	0%
Urdu .....	11	0%
Vietnamese.....	11	0%
Welsh .....	0	0%
Other (specify) .....	125	1%
DK.....	6	0%
Ref.....	26	0%

---

---

**SDET5:**

SDET5. People living in Canada come from many different cultural and racial backgrounds. Are you ... ?

N = .....		13909	100%
...White.....01		12690	91%
...Chinese.....02		185	1%
...South Asian(e.g. East Indian, Pakistani, Sri Lankan).....03		154	1%
...Black.....04		122	1%
...Filipino.....05		75	1%
...Latin American.....06		87	1%
...Southeast Asian (e.g. Cambodian, Indonesian, Laotian).....07		62	0%
...Arab.....08		51	0%
...West Asian (e.g. Afghan, Iranian).....09		29	0%
...Japanese.....10		37	0%
...Korean.....11		15	0%
...Aboriginal (North American Indian, Metis, Inuit).....12		451	3%
Other (specify).....13	O	29	0%
DK.....98	X	19	0%
Ref.....99	X	78	1%

**SDEM1:**

SDEM1. Are you presently ... ?

N = .....		13909	100%
working for pay, FULL TIME JOB (including those on vacation or other types of paid leave from work (by the employer) - pregnancy leave, illness or other types of leave from work)01		6018	43%
in a part-time job.....02		1366	10%
Sick leave, maternity leave, strike etc...(not paid by the employer).....03		214	2%
Unemployed.....04		674	5%
Retired.....05		2526	18%
Homemaker.....06		724	5%
Student(includes student working part-time).....07	=> SDIN1	1236	9%
Self-employed.....08		558	4%
Disability.....00	=> SDIN1	240	2%
Casual worker.....09		47	0%
Seasonal worker / Seasonal lay-off.....10		186	1%
Other.....11		59	0%
DK.....98	=> SDIN1	4	0%
Ref.....99	=> SDIN1	57	0%

**STR1:**

STR1.

=> STR3

sinon => +1

si NON SDEM1=#7

N = .....		0	100%
-----------	--	---	------

**STR2:**

STR2.

=&gt; \*

si MOV(9995,SDEM3)

N = ..... 0 100%

**STR3:**

STR3. Choix du libellé de la question SDEM3

=&gt; \*

si SI((SDEM1=#1-#3),1,SI((SDEM1=#8,#10-  
#11),2,SI((SDEM1=#4),3,SI((SDEM1=#5),4,SI((SDEM1=#6),5))))))

N = .....	12372	100%
What is your main occupation ?.....1	7598	61%
What is your main occupation ?.....2	791	6%
When you were last employed, what was your main occupation ?.....3	674	5%
Before you retired, what was your main occupation?.....4	2526	20%
When you were last employed, what was your main occupation?.....5	724	6%

**SDEM2:**

SDEM2. Did you ever work for pay in a full-time or in a part-time job ?

=&gt; SDEM3

si NON SDEM1=#6

N = .....	724	100%
Yes.....1	618	85%
No.....2	=> SDIN1 101	14%
Don't know.....8	=> SDIN1 4	1%
Refused.....9	=> SDIN1 1	0%

**SDEM3:**

SDEM3. &lt;STR3 &gt; In what line of business ? (kind of business or institution) (do not accept one word answers such a "co-ordinator", "clerk", "works at bank", "businessman" etc...) (Ask for job title and what they do)

=&gt; SDIN1

si NON SDEM1=#1-#6,#8,#10-#11

N = .....	12207	100%
Stored value.....9995 N	0	0%
Occupation (SPECIFY).....9997 O	12020	98%
DK.....9998	54	0%
REF.....9999	133	1%

**SDIN1:**

SDIN1. Thinking about the total income for ALL HOUSEHOLD MEMBERS, could you please tell me how much income you and other members of your household received in the year ending DECEMBER 31ST 2002, before taxes ? Please include income FROM ALL SOURCES such as savings, pensions, rent and unemployment insurance as well as wages. TO THE NEAREST THOUSAND DOLLARS, what was your TOTAL HOUSEHOLD INCOME before taxes and other deductions were made ?

\$E 1000 1000000

=> SDIN3  
si SD\_3==1

Mean = .....	77183	
N = .....	11271	100%
DK.....9999998	4131	37%
Ref.....9999999	2406	21%

**SDIN2:**

SDIN2. We don't need the exact amount; could you tell me which of these broad categories it falls into ... ?

=> SDIN3  
si NON SDIN1=#2,#3

N = .....	6537	100%
...less than \$20,000.....01	512	8%
...between \$20,000 and \$30,000(\$29,999).....02	525	8%
...between \$30,000 and \$40,000.....03	475	7%
...between \$40,000 and \$50,000.....04	397	6%
...between \$50,000 and \$60,000.....05	339	5%
...between \$60,000 and \$70,000.....06	254	4%
...between \$70,000 and \$80,000.....07	245	4%
...between \$80,000 and \$90,000.....08	161	2%
...between \$90,000 and \$100,000 or .....09	139	2%
...more than \$100,000.....10	460	7%
DK.....98	1202	18%
Ref.....99	1828	28%

**SDIN3:**

SDIN3. What is your best estimate of your TOTAL PERSONAL INCOME before taxes and other deductions, from all sources, received in the year ending DECEMBER 31ST 2002 ?

\$E 0 5000000

Mean = .....	38798	
N = .....	13909	100%
DK.....9999998	3896	28%
Ref.....9999999	2952	21%

**SDIN4:**

SDIN4. We don't need the exact amount; could you tell me which of these broad categories it falls into...

=> SD\_9  
 si NON SDIN3=#2,#3

N = .....	6849	100%
...less than \$20,000.....01	1694	25%
...between \$20,000 and \$30,000(\$29,999).....02	680	10%
...between \$30,000 and \$40,000.....03	387	6%
...between \$40,000 and \$50,000.....04	269	4%
...between \$50,000 and \$60,000.....05	219	3%
...between \$60,000 and \$70,000.....06	120	2%
...between \$70,000 and \$80,000.....07	66	1%
...between \$80,000 and \$90,000.....08	37	1%
...between \$90,000 and \$100,000 or .....09	19	0%
...more than \$100,000.....10	93	1%
DK.....98	927	14%
Ref.....99	2338	34%

**SD\_9:**

SD\_9. How many times, if ever, have you moved to a different home in the last 5 years ?

N = .....	13909	100%
Never.....0	7509	54%
Once.....1	3040	22%
2 to 3 times.....2	2246	16%
4 to 5 times.....3	631	5%
6 to 9 times.....4	241	2%
10 times or more .....5	85	1%
DK.....8	34	0%
Ref.....9	123	1%

**FSA:**

FSA. Can you please tell me the SIX DIGITS of your postal code ?

A9A9A9

N = .....	13909	100%
DK/REF .....999999	1225	9%

**ADM1:**

ADM1. How many separate telephone NUMBERS do you have in this household ? CELL

PHONE DOESN'T COUNT

\$E 2 97

Mean = .....	2.29	
N = .....	13909	100%
One.....01	11843	85%
DK.....98	28	0%
Ref.....99	94	1%



**ADM2:**

ADM2. How many of these numbers are used only for business purposes or by children under 18 years of age ?

\$E 0 97

=> ADM3  
si ADM1=#1,#3,#4

Mean = .....	0.627	
N = .....	1944	100%
DK.....98	27	1%
Ref.....99	12	1%

---

---

**ADM3:**

ADM3. Is telephone number <TEL1> listed in the current telephone directory?

N = .....	13909	100%
Yes .....	12070	87%
No.....5	1384	10%
Don't know.....8	350	3%
Refused .....	105	1%

---

---

**NOM:**

NOM. In order for my supervisor to evaluate my work, may I have your first name ?

\$L

N = .....	13909	100%
-----------	-------	------

---

---

**INT99:**

COMPLETED INTERVIEW DURATION : \$T

N = .....	13909	100%
COMPLETED INTERVIEW..... CO D => /FIN	13909	100%

**INT:**

*Nombre d'appels : \$A*

INT	CALL RESULT				
N =				11499	100%
COMPLETED INTERVIEW	CO CN => /FIN		0	0	0%
NO SERVICE	=> /FIN	02	2	0	0%
NOT RESIDENTIAL	=> /FIN	03	0	0	0%
NOT ELIGIBLE	O => /FIN	04	0	0	0%
LANGUAGE BARRIER	=> /FIN	05	17	0	0%
AGE - ILLNESS	O => /FIN	06	117	1	1%
HOUSEHOLD REFUSAL #1	O => /FIN	07	749	7	7%
RESPONDENT REFUSAL	O => /FIN	08	288	3	3%
ABSENCE PROLONGEE (May 2004)		09	11	0	0%
NO ANSWER	=> /FIN	10	1938	17	17%
NO ANSWER AFTER AN APPOINTMENT	=> /FIN	60	645	6	6%
NO ANSWER AFTER A HOUSEHOLD REFUSAL	=> /FIN	70	309	3	3%
NO ANSWER AFTER A RESPONDANTS REFUSAL	=> /FIN	80	104	1	1%
BUSY SIGNAL	=> /FIN	11	157	1	1%
FIXED APPOINTMENT		12	1623	14	14%
NOT FIXED APPOINTMENT		13	2736	24	24%
INCOMPLETE INTERVIEW WITH APPOINTMENT	O	14	290	3	3%
INCOMPLETE INTERVIEW - REFUSAL	O	15	58	1	1%
HOUSEHOLD REFUSAL #2	O	16	325	3	3%
RESPONDENT REFUSAL #2	O	17	149	1	1%
HOUSEHOLD REFUSAL #3	OI => /FIN	18	0	0	0%
RESPONDENT REFUSAL #3	OI => /FIN	19	0	0	0%
LINE PROBLEM	=> /FIN	21	20	0	0%
FAX	=> /FIN	22	0	0	0%
DUPLICATA	=> /FIN	23	2	0	0%
REACHED QUOTAS	I => /FIN	24	0	0	0%
CHANGE NUMBER (NO FOLLOW-UP)	=> /FIN	30	0	0	0%
NOT FIXED APPOINTMENT OF REFUSAL		31	861	7	7%
FIXED APPOINTMENT OF REFUSAL		32	365	3	3%
PAGER / CELL PHONE / CALL CENTRE	=> /FIN	33	0	0	0%
		91	176	2	2%
		92	54	0	0%
CALL BACK AFTER AN INCOMPLET BY REFUSAL		36	35	0	0%
FAX #2	=> /FIN	34	0	0	0%
INCOMPLETE INTERVIEW - REFUSAL #2	OI	25	11	0	0%
LANGUAGE BARRIER #2	=> /FIN	27	0	0	0%
AGE - ILLNESS #2	=> /FIN	28	0	0	0%
LINE PROBLEM #2	=> /FIN	29	0	0	0%
NOBODY OF THAT NAME #2	N => /FIN	39	0	0	0%
WOULD ANSWER IF WRITEN (NOT AT THE PHONE)	I => /FIN	42	0	0	0%
DUPLICATA #2	OI => /FIN	44	0	0	0%
PREFER TO CALL BACK	I => /FIN	45	0	0	0%
		50	7	0	0%
NO ANSWER AFTER AFTER 50	I => /FIN	51	2	0	0%
NO ANSWER AFTER 51	I => /FIN	52	1	0	0%
NO ANSWER AFTER 70	I => /FIN	71	112	1	1%
NO ANSWER AFTER 71	I => /FIN	72	101	1	1%
NO ANSWER AFTER 80	I => /FIN	81	38	0	0%
NO ANSWER AFTER 81	I => /FIN	82	36	0	0%
	=> /FIN	75	80	1	1%
	=> /FIN	76	24	0	0%
	=> /FIN	77	11	0	0%

.....	85	=> /FIN	34	0%
.....	86	=> /FIN	8	0%
.....	87	=> /FIN	3	0%
(INTRO).....	40	N	0	0%
(INTRO) CONTINUE NEXT PAGE .....	01	N	0	0%

**RV:**

*HEURE COURANTE DU REpondant: \$Z      Heure d'ici: \$H*

RV.            PRENDRE UN RENDEZ-VOUS TEL QU'ENTENDU AVEC  
L'INTERLOCUTEUR

\$CH

N = .....			9158	100%
-----------	--	--	------	------

**F6:**

procédure 1 -> F6

*NOTES*

GENERAL COMMENTS

N = .....			1545	100%
-----------	--	--	------	------

Enter general comments.....	1	DO	1545	100%
-----------------------------	---	----	------	------

**F11:**

procédure 3 -> F11

*CALL HISTORY*

Call History

N = .....			0	100%
-----------	--	--	---	------

**F8:**

procédure 2 -> F8

*INTRODUCTION*

On behalf of the Canadian Centre for Substance Abuse and Health Canada, I would like to have an interview with you about your attitudes, beliefs and use of alcohol and other drugs. I would like to insure you that all information you provide will remain completely confidential. You do not have to answer questions you do not want to and if you decide to stop the interview, we will destroy all the information you have given us. On average the interview will take about 25 minutes and my supervisor may listen in to make sure we are doing the research correctly. Remember that your participation is very important if the results are to be accurate.

N = .....			200	100%
-----------	--	--	-----	------

RETOUR AU QUESTIONNAIRE.....	1	D	200	100%
------------------------------	---	---	-----	------

**ALTQ:**

procédure 4 -> ALTQ

*F.A.Q / ABOUT THIS STUDY...*

Who is conducting the Canadian Addiction Survey (CAS)? The Montreal-based research firm, Jolicoeur & Associates, is conducting the CAS on behalf of the Canadian Centre on Substance Abuse (CCSA); Alberta Alcohol and Drug Abuse Commission (AADAC); - the Addictions Foundation of Manitoba (AFM); - - the Centre for Addiction and Mental Health (CAMH), - Prince Edward Island Mental Health and Addictions and the Kaiser Foundation - the provinces of Nova Scotia, New Brunswick, Manitoba, Alberta and British Columbia and Health Canada. Why is the CAS being conducted? To provide Canadian addiction

and public health professionals and Health Canada with timely and accurate data needed for prevention and treatment planning. Your input is therefore important. What is the survey about? Questions in the CAS will gather information on: - the prevalence, incidence and frequency of alcohol and other drug use in the Canadian population aged 15 years old and over; - the context of use and the extent of harms resulting from individuals who use drugs; - the risk and protective factors related to the use and consequences of drug use in the general population; - the public's opinions, views and knowledge regarding existing and potential intervention policies and to identify emerging intervention policy issues. When will the survey results be released? A national descriptive report describing alcohol and other drug use among the total sample will be released in June 2004. It will be made available on the CCSA website which can be accessed at : [www.ccsa.ca](http://www.ccsa.ca)

N = .....	820	100%
PRESS «ENTER» TO GO BACK TO THE INTERVIEW .....	820	100%

**ALTH:**

procédure 5 -> ALTH

**RESPONDENT NEEDS HELP?**

Information specialist answering 1-866-814-5628 at CCSA will determine province, and if caller is willing to provide, the city, town, and substance problem of caller or his/her friend or relative who is experiencing a substance abuse problem. Information specialist will search the CCSA treatment database and provide caller with appropriate and confidential information on local treatment providers. If caller has access to the web, he/she will be given address to access CCSA treatment database.

N = .....	76	100%
PRESS «ENTER» TO GO BACK TO THE INTERVIEW .....	73	96%