

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Canada

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	124.9	124.3	123.7	121.8	118.5	115.2	111.7	108.2	104.5	100.7	96.8	88.3	68.4	39.5
2	88.3	87.9	87.4	86.1	83.8	81.4	79.0	76.5	73.9	71.2	68.4	62.5	48.4	27.9
3	72.1	71.8	71.4	70.3	68.4	66.5	64.5	62.5	60.3	58.1	55.9	51.0	39.5	22.8
4	62.4	62.1	61.8	60.9	59.3	57.6	55.9	54.1	52.3	50.4	48.4	44.2	34.2	19.8
5	55.8	55.6	55.3	54.4	53.0	51.5	50.0	48.4	46.7	45.0	43.3	39.5	30.6	17.7
6	51.0	50.7	50.5	49.7	48.4	47.0	45.6	44.2	42.7	41.1	39.5	36.1	27.9	16.1
7	47.2	47.0	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.1	36.6	33.4	25.9	14.9
8	44.1	43.9	43.7	43.0	41.9	40.7	39.5	38.2	37.0	35.6	34.2	31.2	24.2	14.0
9	41.6	41.4	41.2	40.6	39.5	38.4	37.2	36.1	34.8	33.6	32.3	29.4	22.8	13.2
10	39.5	39.3	39.1	38.5	37.5	36.4	35.3	34.2	33.0	31.8	30.6	27.9	21.6	12.5
11	37.6	37.5	37.3	36.7	35.7	34.7	33.7	32.6	31.5	30.4	29.2	26.6	20.6	11.9
12	36.0	35.9	35.7	35.1	34.2	33.2	32.3	31.2	30.2	29.1	27.9	25.5	19.8	11.4
13	34.6	34.5	34.3	33.8	32.9	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	11.0
14	*****	33.2	33.0	32.5	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6
15	*****	32.1	31.9	31.4	30.6	29.7	28.8	27.9	27.0	26.0	25.0	22.8	17.7	10.2
16	*****	31.1	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
17	*****	30.1	30.0	29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.5	21.4	16.6	9.6
18	*****	29.3	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3
19	*****	28.5	28.4	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1
20	*****	27.8	27.7	27.2	26.5	25.8	25.0	24.2	23.4	22.5	21.6	19.8	15.3	8.8
21	*****	27.1	27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
22	*****	26.5	26.4	26.0	25.3	24.6	23.8	23.1	22.3	21.5	20.6	18.8	14.6	8.4
23	*****	25.9	25.8	25.4	24.7	24.0	23.3	22.6	21.8	21.0	20.2	18.4	14.3	8.2
24	*****	25.4	25.2	24.9	24.2	23.5	22.8	22.1	21.3	20.6	19.8	18.0	14.0	8.1
25	*****	24.9	24.7	24.4	23.7	23.0	22.3	21.6	20.9	20.1	19.4	17.7	13.7	7.9
30	*****	22.7	22.6	22.2	21.6	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2
35	*****	21.0	20.9	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7
40	*****	19.7	19.6	19.3	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
45	*****	18.5	18.4	18.1	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
50	*****	17.6	17.5	17.2	16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
55	*****	16.8	16.7	16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3
60	*****	16.0	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
65	*****	15.4	15.3	15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
70	*****	14.9	14.8	14.6	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
75	*****	14.4	14.3	14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
80	*****	13.9	13.8	13.6	13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4
85	*****	13.5	13.4	13.2	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
90	*****	13.1	13.0	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
95	*****	12.8	12.7	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
100	*****	12.4	12.4	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0
125	*****	11.1	11.1	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.7	7.9	6.1	3.5
150	*****	10.1	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	2.8
200	*****	8.7	8.6	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8	2.5
250	*****	7.8	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5	2.8
300	*****	7.0	6.8	6.6	6.5	6.2	6.0	5.8	5.6	5.1	4.0	2.3	2.3	2.3
350	*****	6.5	6.3	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
400	*****	6.1	5.9	5.8	5.6	5.4	5.3	5.1	4.9	4.7	4.6	4.2	3.2	1.9
450	*****	5.7	5.6	5.4	5.3	5.1	4.9	4.7	4.5	4.3	4.0	3.1	1.8	1.8
500	*****	5.4	5.3	5.2	5.0	4.8	4.7	4.5	4.3	4.0	3.1	1.8	1.2	0.9
750	*****	4.3	4.2	4.1	4.0	3.8	3.7	3.5	3.2	3.1	2.8	2.2	1.2	1.2
1,000	*****	3.7	3.6	3.5	3.4	3.3	3.2	3.1	2.8	2.5	2.3	1.8	1.0	1.0
1,500	*****	3.0	2.9	2.8	2.7	2.6	2.5	2.3	2.2	2.0	1.5	0.9	0.9	0.9
2,000	*****	2.6	2.5	2.4	2.3	2.3	2.2	2.0	1.8	1.6	1.2	0.7	0.7	0.7
3,000	*****	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.1	0.9	0.5	0.5	0.5	0.5
4,000	*****	1.7	1.6	1.5	1.4	1.3	1.2	1.1	0.9	0.5	0.5	0.5	0.5	0.5
5,000	*****	1.4	1.2	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.2
6,000	*****	1.1	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.2
7,000	*****	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2
8,000	*****	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
9,000	*****	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10,000	*****	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Newfoundland and Labrador

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	53.8	53.5	52.7	51.3	49.8	48.3	46.8	45.2	43.6	41.9	38.2	29.6	17.1
2	*****	38.0	37.8	37.2	36.3	35.2	34.2	33.1	32.0	30.8	29.6	27.0	20.9	12.1
3	*****		30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
4	*****		26.7	26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.5
5	*****			23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
6	*****			21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
7	*****			19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5
8	*****			18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0
9	*****			17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7
10	*****			16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
11	*****				15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
12	*****				14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9
13	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
14	*****				13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
15	*****				13.2	12.9	12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4
16	*****				12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
17	*****				12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1
18	*****				12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
19	*****				11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
20	*****				11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
21	*****					10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
22	*****					10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
23	*****					10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
24	*****					10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5
25	*****					10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
30	*****					9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1
35	*****						8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9
40	*****						7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
45	*****						7.0	6.7	6.5	6.2	5.9	5.4	4.2	2.5
50	*****						6.6	6.4	6.2	5.9	5.6	5.2	4.0	2.4
55	*****							6.1	5.9	5.6	5.2	4.9	3.8	2.2
60	*****							5.8	5.6	5.4	5.2	4.7	3.7	2.1
65	*****								5.4	5.2	5.0	4.6	3.5	2.0
70	*****								5.2	5.0	4.8	4.4	3.4	2.0
75	*****									4.8	4.6	4.2	3.2	1.9
80	*****										4.7	4.3	3.3	1.9
85	*****											4.1	3.2	1.9
90	*****												4.0	3.1
95	*****												3.9	3.0
100	*****												3.8	3.0
125	*****													2.6
150	*****													1.4

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Prince Edward Island

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		34.0	33.5	32.6	31.7	30.8	29.8	28.8	27.7	26.6	24.3	18.8	10.9
2	*****			23.7	23.1	22.4	21.8	21.1	20.3	19.6	18.8	17.2	13.3	7.7
3	*****				18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3
4	*****				16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
5	*****				14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
6	*****					12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4
7	*****					12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
8	*****					11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8
9	*****						10.3	9.9	9.6	9.2	8.9	8.1	6.3	3.6
10	*****						9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
11	*****						9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
12	*****							8.6	8.3	8.0	7.7	7.0	5.4	3.1
13	*****							8.3	8.0	7.7	7.4	6.7	5.2	3.0
14	*****							8.0	7.7	7.4	7.1	6.5	5.0	2.9
15	*****								7.4	7.2	6.9	6.3	4.9	2.8
16	*****								7.2	6.9	6.7	6.1	4.7	2.7
17	*****								7.0	6.7	6.5	5.9	4.6	2.6
18	*****									6.5	6.3	5.7	4.4	2.6
19	*****									6.4	6.1	5.6	4.3	2.5
20	*****									6.2	6.0	5.4	4.2	2.4
21	*****										5.8	5.3	4.1	2.4
22	*****										5.7	5.2	4.0	2.3
23	*****										5.6	5.1	3.9	2.3
24	*****											5.0	3.8	2.2
25	*****											4.9	3.8	2.2
30	*****												3.4	2.0
35	*****													3.2
40	*****													3.0
45	*****													1.6
50	*****													1.5

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Nova Scotia

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	63.0	62.7	61.7	60.0	58.4	56.6	54.8	53.0	51.0	49.0	44.8	34.7	20.0
2	*****	44.5	44.3	43.6	42.5	41.3	40.0	38.8	37.4	36.1	34.7	31.6	24.5	14.2
3	*****	36.4	36.2	35.6	34.7	33.7	32.7	31.6	30.6	29.5	28.3	25.8	20.0	11.6
4	*****		31.3	30.8	30.0	29.2	28.3	27.4	26.5	25.5	24.5	22.4	17.3	10.0
5	*****		28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
6	*****		25.6	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.2
7	*****		23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
8	*****			21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.3	7.1
9	*****			20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.3	14.9	11.6	6.7
10	*****			19.5	19.0	18.5	17.9	17.3	16.7	16.1	15.5	14.2	11.0	6.3
11	*****			18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0
12	*****			17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.2	12.9	10.0	5.8
13	*****			17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
14	*****			16.5	16.0	15.6	15.1	14.6	14.2	13.6	13.1	12.0	9.3	5.3
15	*****			15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
16	*****			15.4	15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0
17	*****			15.0	14.6	14.2	13.7	13.3	12.8	12.4	11.9	10.9	8.4	4.9
18	*****			14.5	14.2	13.8	13.3	12.9	12.5	12.0	11.6	10.5	8.2	4.7
19	*****			14.2	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	8.0	4.6
20	*****				13.4	13.0	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
21	*****				13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
22	*****				12.8	12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3
23	*****				12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
24	*****				12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
25	*****				12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
30	*****				11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
35	*****				10.1	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
40	*****					9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
45	*****					8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
50	*****					8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
55	*****					7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
60	*****						7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
65	*****						7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
70	*****						6.8	6.6	6.3	6.1	5.9	5.3	4.1	2.4
75	*****						6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
80	*****						6.1	5.9	5.7	5.5	5.3	5.0	3.9	2.2
85	*****						5.9	5.7	5.5	5.3	5.1	4.9	3.8	2.2
90	*****						5.8	5.6	5.4	5.2	5.0	4.7	3.7	2.1
95	*****						5.6	5.4	5.2	5.0	4.8	4.6	3.6	2.1
100	*****						5.3	5.1	4.9	4.7	4.5	4.3	3.5	2.0
125	*****							4.6	4.4	4.2	4.0	3.8	3.1	1.8
150	*****								4.0	3.8	3.6	3.4	2.8	1.6
200	*****									2.5	2.3	2.1	1.4	1.4
250	*****										2.2	2.0	1.3	1.3
300	*****											1.2	1.2	1.2
350	*****												1.1	1.1

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - New Brunswick

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.9	54.6	53.8	52.3	50.9	49.3	47.8	46.1	44.5	42.7	39.0	30.2	17.4
2	*****	38.8	38.6	38.0	37.0	36.0	34.9	33.8	32.6	31.4	30.2	27.6	21.4	12.3
3	*****	31.7	31.5	31.0	30.2	29.4	28.5	27.6	26.6	25.7	24.7	22.5	17.4	10.1
4	*****		27.3	26.9	26.2	25.4	24.7	23.9	23.1	22.2	21.4	19.5	15.1	8.7
5	*****		24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
6	*****		22.3	21.9	21.4	20.8	20.1	19.5	18.8	18.2	17.4	15.9	12.3	7.1
7	*****			20.3	19.8	19.2	18.6	18.1	17.4	16.8	16.1	14.7	11.4	6.6
8	*****			19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
9	*****			17.9	17.4	17.0	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
10	*****			17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
11	*****			16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
12	*****			15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0
13	*****			14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
14	*****			14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
15	*****			13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
16	*****			13.1	12.7	12.3	11.9	11.5	11.1	10.7	10.3	9.8	7.6	4.4
17	*****			12.7	12.3	12.0	11.6	11.2	10.8	10.4	10.0	9.5	7.3	4.2
18	*****			12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.7	9.2	7.1	4.1
19	*****			12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.4	8.9	6.9	4.0
20	*****			11.7	11.4	11.0	10.7	10.3	9.9	9.6	9.2	8.7	6.8	3.9
21	*****			11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.9	8.5	6.6	3.8
22	*****			11.2	10.8	10.5	10.2	9.8	9.5	9.1	8.7	8.3	6.4	3.7
23	*****			10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.5	8.1	6.3	3.6
24	*****			10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.3	7.9	6.2	3.6
25	*****			10.5	10.2	9.9	9.6	9.2	8.9	8.5	8.1	7.7	6.0	3.5
30	*****			9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.4	7.1	5.5	3.2
35	*****				8.6	8.3	8.1	7.8	7.5	7.2	6.9	6.6	5.1	2.9
40	*****				8.0	7.8	7.6	7.3	7.0	6.7	6.4	6.2	4.8	2.8
45	*****				7.6	7.4	7.1	6.9	6.6	6.3	6.0	5.8	4.5	2.6
50	*****					7.0	6.8	6.5	6.3	6.0	5.7	5.5	4.3	2.5
55	*****					6.7	6.4	6.2	6.0	5.8	5.5	5.3	4.1	2.4
60	*****					6.4	6.2	6.0	5.7	5.5	5.2	5.0	3.9	2.3
65	*****						5.9	5.7	5.5	5.3	5.1	4.8	3.7	2.2
70	*****						5.7	5.5	5.3	5.1	4.9	4.7	3.6	2.1
75	*****						5.5	5.3	5.1	4.9	4.7	4.5	3.5	2.0
80	*****							5.2	5.0	4.8	4.6	4.4	3.4	2.0
85	*****							5.0	4.8	4.6	4.4	4.2	3.3	1.9
90	*****							4.9	4.7	4.5	4.3	4.1	3.2	1.8
95	*****							4.7	4.6	4.4	4.3	4.0	3.1	1.8
100	*****								4.4	4.3	4.1	3.9	3.0	1.7
125	*****									3.8	3.5	3.2	2.7	1.6
150	*****										3.2	2.5	2.1	1.4
200	*****											2.1	1.2	1.2
250	*****												1.1	1.1

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Atlantic Provinces

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	57.2	56.9	56.0	54.5	53.0	51.4	49.8	48.1	46.4	44.5	40.7	31.5	18.2
2	*****	40.4	40.2	39.6	38.6	37.5	36.4	35.2	34.0	32.8	31.5	28.7	22.3	12.9
3	*****	33.0	32.9	32.4	31.5	30.6	29.7	28.7	27.8	26.8	25.7	23.5	18.2	10.5
4	*****	28.6	28.5	28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.7	9.1
5	*****	25.6	25.5	25.1	24.4	23.7	23.0	22.3	21.5	20.7	19.9	18.2	14.1	8.1
6	*****	23.4	23.2	22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4
7	*****	21.6	21.5	21.2	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9
8	*****	20.2	20.1	19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4
9	*****	19.1	19.0	18.7	18.2	17.7	17.1	16.6	16.0	15.5	14.8	13.6	10.5	6.1
10	*****	*****	18.0	17.7	17.2	16.8	16.3	15.7	15.2	14.7	14.1	12.9	10.0	5.7
11	*****	*****	17.2	16.9	16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
12	*****	*****	16.4	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
13	*****	*****	15.8	15.5	15.1	14.7	14.3	13.8	13.3	12.9	12.4	11.3	8.7	5.0
14	*****	*****	15.2	15.0	14.6	14.2	13.7	13.3	12.9	12.4	11.9	10.9	8.4	4.9
15	*****	*****	14.7	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
16	*****	*****	14.2	14.0	13.6	13.3	12.9	12.4	12.0	11.6	11.1	10.2	7.9	4.5
17	*****	*****	13.8	13.6	13.2	12.9	12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4
18	*****	*****	13.4	13.2	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
19	*****	*****	13.1	12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
20	*****	*****	*****	12.5	12.2	11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1
21	*****	*****	*****	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
22	*****	*****	*****	11.9	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
23	*****	*****	*****	11.7	11.4	11.1	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
24	*****	*****	*****	11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
25	*****	*****	*****	11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
30	*****	*****	*****	10.2	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3
35	*****	*****	*****	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
40	*****	*****	*****	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
45	*****	*****	*****	8.4	8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
50	*****	*****	*****	*****	7.7	7.5	7.3	7.0	6.8	6.6	6.3	5.7	4.5	2.6
55	*****	*****	*****	*****	7.4	7.1	6.9	6.7	6.5	6.3	6.0	5.5	4.2	2.5
60	*****	*****	*****	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
65	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.3
70	*****	*****	*****	*****	6.5	6.3	6.1	6.0	5.7	5.5	5.3	4.9	3.8	2.2
75	*****	*****	*****	*****	6.3	6.1	5.9	5.7	5.6	5.4	5.1	4.7	3.6	2.1
80	*****	*****	*****	*****	6.1	5.9	5.7	5.6	5.4	5.2	5.0	4.5	3.5	2.0
85	*****	*****	*****	*****	5.9	5.7	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
90	*****	*****	*****	*****	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9
95	*****	*****	*****	*****	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9
100	*****	*****	*****	*****	*****	5.3	5.1	5.0	4.8	4.6	4.5	4.1	3.1	1.8
125	*****	*****	*****	*****	*****	4.7	4.6	4.5	4.3	4.1	4.0	3.6	2.8	1.6
150	*****	*****	*****	*****	*****	*****	4.2	4.1	3.9	3.8	3.6	3.3	2.6	1.5
200	*****	*****	*****	*****	*****	*****	*****	3.5	3.4	3.3	3.1	2.9	2.2	1.3
250	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.9	2.8	2.6	2.0	1.1
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	2.6	2.3	1.8	1.0
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	2.2	1.7	1.0
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.6	0.9
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.9	1.5	0.9
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4	0.8
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.7

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Quebec

NUMERATOR OF PERCENTAGE ('000)		ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1		162.2	161.5	160.7	158.2	154.0	149.6	145.2	140.6	135.8	130.9	125.7	114.8	88.9	51.3
2		114.7	114.2	113.6	111.9	108.9	105.8	102.7	99.4	96.0	92.5	88.9	81.2	62.9	36.3
3		93.7	93.2	92.8	91.3	88.9	86.4	83.8	81.2	78.4	75.5	72.6	66.3	51.3	29.6
4	*****	80.7	80.3	79.1	77.0	74.8	72.6	70.3	67.9	65.4	62.9	57.4	44.4	25.7	
5	*****	72.2	71.9	70.7	68.9	66.9	64.9	62.9	60.7	58.5	56.2	51.3	39.8	23.0	
6	*****	65.9	65.6	64.6	62.9	61.1	59.3	57.4	55.4	53.4	51.3	46.9	36.3	21.0	
7	*****	61.0	60.7	59.8	58.2	56.6	54.9	53.1	51.3	49.5	47.5	43.4	33.6	19.4	
8	*****	57.1	56.8	55.9	54.4	52.9	51.3	49.7	48.0	46.3	44.4	40.6	31.4	18.1	
9	*****	53.8	53.6	52.7	51.3	49.9	48.4	46.9	45.3	43.6	41.9	38.3	29.6	17.1	
10	*****	51.1	50.8	50.0	48.7	47.3	45.9	44.4	42.9	41.4	39.8	36.3	28.1	16.2	
11	*****	48.7	48.4	47.7	46.4	45.1	43.8	42.4	40.9	39.5	37.9	34.6	26.8	15.5	
12	*****	46.6	46.4	45.7	44.4	43.2	41.9	40.6	39.2	37.8	36.3	33.1	25.7	14.8	
13	*****	44.8	44.6	43.9	42.7	41.5	40.3	39.0	37.7	36.3	34.9	31.8	24.7	14.2	
14	*****	43.2	42.9	42.3	41.2	40.0	38.8	37.6	36.3	35.0	33.6	30.7	23.8	13.7	
15	*****	41.7	41.5	40.8	39.8	38.6	37.5	36.3	35.1	33.8	32.5	29.6	23.0	13.3	
16	*****	40.4	40.2	39.5	38.5	37.4	36.3	35.1	33.9	32.7	31.4	28.7	22.2	12.8	
17	*****	39.2	39.0	38.4	37.3	36.3	35.2	34.1	32.9	31.7	30.5	27.8	21.6	12.4	
18	*****	38.1	37.9	37.3	36.3	35.3	34.2	33.1	32.0	30.8	29.6	27.1	21.0	12.1	
19	*****	37.0	36.9	36.3	35.3	34.3	33.3	32.2	31.2	30.0	28.8	26.3	20.4	11.8	
20	*****	36.1	35.9	35.4	34.4	33.5	32.5	31.4	30.4	29.3	28.1	25.7	19.9	11.5	
21	*****	35.2	35.1	34.5	33.6	32.7	31.7	30.7	29.6	28.6	27.4	25.0	19.4	11.2	
22	*****	34.4	34.3	33.7	32.8	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	10.9	
23	*****	33.7	33.5	33.0	32.1	31.2	30.3	29.3	28.3	27.3	26.2	23.9	18.5	10.7	
24	*****	33.0	32.8	32.3	31.4	30.5	29.6	28.7	27.7	26.7	25.7	23.4	18.1	10.5	
25	*****	32.3	32.1	31.6	30.8	29.9	29.0	28.1	27.2	26.2	25.1	23.0	17.8	10.3	
30	*****	29.5	29.3	28.9	28.1	27.3	26.5	25.7	24.8	23.9	23.0	21.0	16.2	9.4	
35	*****	27.2	26.7	26.0	25.3	24.5	23.8	23.0	22.1	21.3	20.4	18.4	15.0	8.7	
40	*****	25.4	25.0	24.3	23.7	23.0	22.2	21.5	20.7	19.9	19.0	17.1	14.1	8.1	
45	*****	24.0	23.6	23.0	22.3	21.6	21.0	20.2	19.5	18.7	17.9	16.1	13.3	7.7	
50	*****	22.7	22.4	21.8	21.2	20.5	19.9	19.2	18.5	17.8	17.0	15.2	12.6	7.3	
55	*****	21.7	21.3	20.8	20.2	19.6	19.0	18.3	17.6	17.0	16.2	14.4	11.8	6.9	
60	*****	20.7	20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	15.6	13.8	11.2	6.6	
65	*****	19.9	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	15.0	13.2	10.6	6.4	
70	*****	18.9	18.4	17.9	17.4	16.8	16.2	15.6	15.0	14.4	13.8	12.0	9.6	6.1	
75	*****	18.3	17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.9	13.3	11.5	9.2	5.9	
80	*****	17.7	17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	13.0	11.2	8.9	5.7	
85	*****	17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	13.0	12.4	10.6	8.4	5.6	
90	*****	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.7	12.1	10.3	8.1	5.4	
95	*****	16.2	15.8	15.4	14.9	14.4	13.9	13.4	12.9	12.4	11.8	10.0	7.8	5.3	
100	*****	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	12.1	11.5	9.7	7.5	5.1	
125	*****	14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.7	10.2	8.4	6.2	4.6	
150	*****	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.8	9.4	7.6	5.4	4.2	
200	*****	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.6	8.2	7.8	6.0	4.8	3.6	
250	*****	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.4	7.0	5.2	4.0	3.2	
300	*****	8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.9	6.6	6.3	4.4	3.2	3.0	
350	*****	8.0	7.8	7.5	7.3	7.0	6.8	6.5	6.2	5.9	5.6	3.7	2.5	2.7	
400	*****	7.5	7.3	7.0	6.8	6.5	6.2	5.9	5.6	5.3	5.0	3.1	2.0	2.6	
450	*****	7.1	6.8	6.6	6.4	6.2	5.9	5.6	5.3	5.0	4.7	2.8	1.7	2.4	
500	*****	6.7	6.5	6.3	6.1	5.9	5.6	5.3	5.0	4.7	4.4	2.6	1.6	2.3	
750	*****	5.1	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	2.0	1.3	1.9	
1,000	*****	4.3	4.1	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	1.5	1.0	1.6	
1,500	*****	3.0	2.8	2.7	2.5	2.3	2.1	2.0	1.8	1.6	1.4	0.8	0.5	1.3	
2,000	*****	2.0	1.9	1.8	1.6	1.5	1.4	1.2	1.1	1.0	0.9	0.5	0.3	1.1	
3,000	*****	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.3	0.2	0.1	0.1	0.9	

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Ontario

NUMERATOR OF PERCENTAGE ('000)		ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	153.3	152.6	151.8	149.5	145.5	141.4	137.2	132.8	128.3	123.7	118.8	108.5	84.0	48.5	
2	108.4	107.9	107.4	105.7	102.9	100.0	97.0	93.9	90.7	87.4	84.0	76.7	59.4	34.3	
3	88.5	88.1	87.7	86.3	84.0	81.6	79.2	76.7	74.1	71.4	68.6	62.6	48.5	28.0	
4	76.7	76.3	75.9	74.8	72.8	70.7	68.6	66.4	64.2	61.8	59.4	54.2	42.0	24.3	
5	68.6	68.3	67.9	66.9	65.1	63.2	61.4	59.4	57.4	55.3	53.1	48.5	37.6	21.7	
6	*****	62.3	62.0	61.0	59.4	57.7	56.0	54.2	52.4	50.5	48.5	44.3	34.3	19.8	
7	*****	57.7	57.4	56.5	55.0	53.4	51.9	50.2	48.5	46.7	44.9	41.0	31.8	18.3	
8	*****	54.0	53.7	52.9	51.4	50.0	48.5	47.0	45.4	43.7	42.0	38.3	29.7	17.1	
9	*****	50.9	50.6	49.8	48.5	47.1	45.7	44.3	42.8	41.2	39.6	36.2	28.0	16.2	
10	*****	48.3	48.0	47.3	46.0	44.7	43.4	42.0	40.6	39.1	37.6	34.3	26.6	15.3	
11	*****	46.0	45.8	45.1	43.9	42.6	41.4	40.1	38.7	37.3	35.8	32.7	25.3	14.6	
12	*****	44.1	43.8	43.2	42.0	40.8	39.6	38.3	37.0	35.7	34.3	31.3	24.3	14.0	
13	*****	42.3	42.1	41.5	40.4	39.2	38.1	36.8	35.6	34.3	33.0	30.1	23.3	13.5	
14	*****	40.8	40.6	40.0	38.9	37.8	36.7	35.5	34.3	33.1	31.8	29.0	22.5	13.0	
15	*****	39.4	39.2	38.6	37.6	36.5	35.4	34.3	33.1	31.9	30.7	28.0	21.7	12.5	
16	*****	38.2	38.0	37.4	36.4	35.4	34.3	33.2	32.1	30.9	29.7	27.1	21.0	12.1	
17	*****	37.0	36.8	36.3	35.3	34.3	33.3	32.2	31.1	30.0	28.8	26.3	20.4	11.8	
18	*****	36.0	35.8	35.2	34.3	33.3	32.3	31.3	30.2	29.1	28.0	25.6	19.8	11.4	
19	*****	35.0	34.8	34.3	33.4	32.4	31.5	30.5	29.4	28.4	27.3	24.9	19.3	11.1	
20	*****	34.1	34.0	33.4	32.5	31.6	30.7	29.7	28.7	27.7	26.6	24.3	18.8	10.8	
21	*****	33.3	33.1	32.6	31.8	30.9	29.9	29.0	28.0	27.0	25.9	23.7	18.3	10.6	
22	*****	32.5	32.4	31.9	31.0	30.1	29.2	28.3	27.4	26.4	25.3	23.1	17.9	10.3	
23	*****	31.8	31.7	31.2	30.3	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1	
24	*****	31.2	31.0	30.5	29.7	28.9	28.0	27.1	26.2	25.2	24.3	22.1	17.1	9.9	
25	*****	30.5	30.4	29.9	29.1	28.3	27.4	26.6	25.7	24.7	23.8	21.7	16.8	9.7	
30	*****	27.9	27.7	27.3	26.6	25.8	25.0	24.3	23.4	22.6	21.7	19.8	15.3	8.9	
35	*****	25.8	25.7	25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.3	14.2	8.2	
40	*****	24.1	24.0	23.6	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.1	13.3	7.7	
45	*****	22.8	22.6	22.3	21.7	21.1	20.5	19.8	19.1	18.4	17.7	16.2	12.5	7.2	
50	*****	21.6	21.5	21.1	20.6	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.9	
55	*****	*****	20.5	20.2	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5	
60	*****	*****	19.6	19.3	18.8	18.3	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3	
65	*****	*****	18.8	18.5	18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0	
70	*****	*****	18.1	17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8	
75	*****	*****	17.5	17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6	
80	*****	*****	17.0	16.7	16.3	15.8	15.3	14.9	14.3	13.8	13.3	12.1	9.4	5.4	
85	*****	*****	16.5	16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3	
90	*****	*****	16.0	15.8	15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1	
95	*****	*****	15.6	15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0	
100	*****	*****	15.2	15.0	14.6	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.9	
125	*****	*****	*****	13.4	13.0	12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3	
150	*****	*****	*****	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0	
200	*****	*****	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4	
250	*****	*****	*****	9.5	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1	
300	*****	*****	*****	*****	8.4	8.2	7.9	7.7	7.4	7.1	6.9	6.3	4.9	2.8	
350	*****	*****	*****	*****	7.8	7.6	7.3	7.1	6.9	6.6	6.4	5.8	4.5	2.6	
400	*****	*****	*****	*****	7.3	7.1	6.9	6.6	6.4	6.2	5.9	5.4	4.2	2.4	
450	*****	*****	*****	*****	6.9	6.7	6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3	
500	*****	*****	*****	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.9	3.8	2.2	
750	*****	*****	*****	*****	5.2	5.0	4.9	4.7	4.5	4.3	4.0	3.1	1.8	1.1	
1,000	*****	*****	*****	*****	*****	4.3	4.2	4.1	3.9	3.8	3.4	2.7	1.5	0.9	
1,500	*****	*****	*****	*****	*****	*****	3.3	3.2	3.1	2.8	2.2	1.3	0.8	0.5	
2,000	*****	*****	*****	*****	*****	*****	*****	2.7	2.4	1.9	1.1	0.7	0.4	0.3	
3,000	*****	*****	*****	*****	*****	*****	*****	*****	1.5	1.1	0.7	0.4	0.3	0.2	
4,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9	0.6	0.4	0.3	0.2	

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Manitoba

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	65.5	65.2	64.1	62.4	60.7	58.9	57.0	55.1	53.1	51.0	46.5	36.0	20.8
2	*****	46.3	46.1	45.4	44.2	42.9	41.6	40.3	38.9	37.5	36.0	32.9	25.5	14.7
3	*****	37.8	37.6	37.0	36.0	35.0	34.0	32.9	31.8	30.6	29.4	26.9	20.8	12.0
4	*****	32.7	32.6	32.1	31.2	30.3	29.4	28.5	27.5	26.5	25.5	23.3	18.0	10.4
5	*****	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3	
6	*****	26.6	26.2	25.5	24.8	24.0	23.3	22.5	21.7	20.8	19.0	14.7	8.5	
7	*****	24.6	24.2	23.6	22.9	22.2	21.5	20.8	20.1	19.3	17.6	13.6	7.9	
8	*****	23.0	22.7	22.1	21.5	20.8	20.2	19.5	18.8	18.0	16.5	12.7	7.4	
9	*****	21.7	21.4	20.8	20.2	19.6	19.0	18.4	17.7	17.0	15.5	12.0	6.9	
10	*****	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6		
11	*****	19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3		
12	*****	18.5	18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.4	10.4	6.0		
13	*****	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8		
14	*****	17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6		
15	*****	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4		
16	*****	16.0	15.6	15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2		
17	*****	15.6	15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0		
18	*****	15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9		
19	*****	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8		
20	*****	14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7		
21	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.2	7.9	4.5		
22	*****	13.7	13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4		
23	*****	13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3		
24	*****	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2			
25	*****	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2			
30	*****	11.4	11.1	10.7	10.4	10.1	9.7	9.3	8.5	6.6	3.8			
35	*****	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5			
40	*****	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3			
45	*****	9.3	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1			
50	*****	8.6	8.3	8.1	7.8	7.5	7.2	6.9	6.3	5.1	2.9			
55	*****	8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8				
60	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7				
65	*****	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6				
70	*****	7.3	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5				
75	*****	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4					
80	*****	6.6	6.4	6.2	5.9	5.7	5.2	4.0	2.3					
85	*****	6.4	6.2	6.0	5.8	5.5	5.0	3.9	2.3					
90	*****	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2					
95	*****	5.8	5.6	5.4	5.2	4.8	3.7	2.1						
100	*****	5.7	5.5	5.3	5.1	4.7	3.6	2.1						
125	*****	4.9	4.7	4.6	4.2	3.2	1.9							
150	*****	4.3	4.2	3.8	2.9	1.7								
200	*****	3.3	2.5	1.5										
250	*****	2.3	1.3											
300	*****	2.1	1.2											
350	*****	1.1												
400	*****	1.0												

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Saskatchewan

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	61.0	60.6	59.7	58.1	56.5	54.8	53.1	51.3	49.4	47.5	43.3	33.6	19.4
2	*****	43.1	42.9	42.2	41.1	39.9	38.7	37.5	36.2	34.9	33.6	30.6	23.7	13.7
3	*****	35.2	35.0	34.5	33.6	32.6	31.6	30.6	29.6	28.5	27.4	25.0	19.4	11.2
4	*****	30.5	30.3	29.9	29.1	28.2	27.4	26.5	25.6	24.7	23.7	21.7	16.8	9.7
5	*****	27.1	26.7	26.0	25.3	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7	
6	*****	24.8	24.4	23.7	23.1	22.4	21.7	20.9	20.2	19.4	17.7	13.7	7.9	
7	*****	22.9	22.6	22.0	21.3	20.7	20.1	19.4	18.7	17.9	16.4	12.7	7.3	
8	*****	21.4	21.1	20.5	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.8	
9	*****	19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	15.0	13.7	10.6	6.1	
10	*****	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	14.3	13.1	10.1	5.8	
11	*****	18.0	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.7	12.5	9.7	5.6	
12	*****	17.2	16.8	16.3	15.8	15.3	14.8	14.3	13.7	13.2	12.0	9.3	5.4	
13	*****	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2	
14	*****	16.0	15.5	15.1	14.6	14.2	13.7	13.2	12.7	12.3	11.2	8.7	5.0	
15	*****	15.4	15.0	14.6	14.1	13.7	13.2	12.8	12.3	11.9	10.8	8.4	4.8	
16	*****	14.9	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7	
17	*****	14.5	14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6	
18	*****	14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.7	9.9	7.7	4.4	
19	*****	13.7	13.3	13.0	12.6	12.3	11.9	11.5	11.0	10.6	9.7	7.5	4.3	
20	*****	13.4	13.0	12.6	12.3	11.9	11.5	11.0	10.6	10.2	9.5	7.3	4.2	
21	*****	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.9	9.5	8.7	6.1	3.5	
22	*****	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.7	9.3	8.7	6.1	3.5	
23	*****	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.5	9.1	8.7	6.1	3.5	
24	*****	11.9	11.5	11.2	10.8	10.5	10.1	9.7	9.3	8.9	8.5	6.1	3.5	
25	*****	11.6	11.3	11.0	10.6	10.3	9.9	9.5	9.1	8.7	8.3	6.1	3.5	
30	*****	10.6	10.3	10.0	9.7	9.4	9.0	8.7	8.3	8.0	7.7	6.1	3.5	
35	*****	9.8	9.5	9.3	9.0	8.7	8.3	8.0	7.7	7.3	7.0	6.1	3.5	
40	*****	9.2	8.9	8.7	8.4	8.1	7.8	7.5	7.2	6.9	6.6	6.1	3.5	
45	*****	8.4	8.2	7.9	7.6	7.4	7.1	6.8	6.6	6.4	6.1	5.8	5.4	
50	*****	8.0	7.7	7.5	7.2	7.0	6.7	6.4	6.1	5.8	5.5	5.2	4.9	
55	*****	7.6	7.4	7.2	6.9	6.7	6.4	6.1	5.8	5.5	5.2	4.9	4.6	
60	*****	7.3	7.1	6.8	6.6	6.4	6.1	5.8	5.5	5.2	4.9	4.6	4.3	
65	*****	6.8	6.6	6.4	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.6	4.3	
70	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.6	4.3	4.0	
75	*****	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.6	4.3	4.0	3.7	
80	*****	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.6	4.3	4.0	3.7	3.4	
85	*****	5.8	5.6	5.4	5.1	4.9	4.6	4.3	4.0	3.7	3.4	3.1	2.8	
90	*****	5.6	5.4	5.2	5.0	4.8	4.6	4.3	4.0	3.7	3.4	3.1	2.8	
95	*****	5.4	5.3	5.1	4.9	4.7	4.5	4.3	4.0	3.7	3.4	3.1	2.8	
100	*****	5.3	5.1	4.9	4.7	4.5	4.3	4.0	3.7	3.4	3.1	2.8	2.5	
125	*****	4.4	4.2	4.0	3.7	3.4	3.1	2.8	2.5	2.2	2.0	1.7	1.4	
150	*****	3.9	3.7	3.5	3.2	2.9	2.6	2.3	2.0	1.7	1.4	1.1	0.9	
200	*****	3.1	2.9	2.7	2.4	2.1	1.8	1.5	1.2	1.0	0.8	0.6	0.4	
250	*****	2.4	2.2	2.0	1.7	1.4	1.1	0.9	0.7	0.6	0.5	0.4	0.3	
300	*****	2.1	1.9	1.7	1.4	1.1	0.9	0.7	0.6	0.5	0.4	0.3	0.2	
350	*****	1.9	1.7	1.5	1.3	1.1	0.9	0.7	0.6	0.5	0.4	0.3	0.2	

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Alberta

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	102.7	102.2	101.7	100.1	97.5	94.7	91.9	89.0	86.0	82.8	79.6	72.6	56.3	32.5
2	*****	72.3	71.9	70.8	68.9	67.0	65.0	62.9	60.8	58.6	56.3	51.4	39.8	23.0
3	*****	59.0	58.7	57.8	56.3	54.7	53.1	51.4	49.6	47.8	45.9	41.9	32.5	18.8
4	*****	51.1	50.9	50.1	48.7	47.4	45.9	44.5	43.0	41.4	39.8	36.3	28.1	16.2
5	*****	45.7	45.5	44.8	43.6	42.4	41.1	39.8	38.4	37.0	35.6	32.5	25.2	14.5
6	*****	41.7	41.5	40.9	39.8	38.7	37.5	36.3	35.1	33.8	32.5	29.7	23.0	13.3
7	*****	38.6	38.4	37.8	36.8	35.8	34.7	33.6	32.5	31.3	30.1	27.5	21.3	12.3
8	*****	36.1	36.0	35.4	34.5	33.5	32.5	31.5	30.4	29.3	28.1	25.7	19.9	11.5
9	*****	34.1	33.9	33.4	32.5	31.6	30.6	29.7	28.7	27.6	26.5	24.2	18.8	10.8
10	*****	32.3	32.2	31.7	30.8	30.0	29.1	28.1	27.2	26.2	25.2	23.0	17.8	10.3
11	*****	30.8	30.7	30.2	29.4	28.6	27.7	26.8	25.9	25.0	24.0	21.9	17.0	9.8
12	*****	29.5	29.4	28.9	28.1	27.3	26.5	25.7	24.8	23.9	23.0	21.0	16.2	9.4
13	*****	28.4	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0
14	*****	27.3	27.2	26.8	26.0	25.3	24.6	23.8	23.0	22.1	21.3	19.4	15.0	8.7
15	*****	*****	26.3	25.9	25.2	24.5	23.7	23.0	22.2	21.4	20.5	18.8	14.5	8.4
16	*****	*****	25.4	25.0	24.4	23.7	23.0	22.2	21.5	20.7	19.9	18.2	14.1	8.1
17	*****	*****	24.7	24.3	23.6	23.0	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
18	*****	*****	24.0	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
19	*****	*****	23.3	23.0	22.4	21.7	21.1	20.4	19.7	19.0	18.3	16.7	12.9	7.5
20	*****	*****	22.7	22.4	21.8	21.2	20.5	19.9	19.2	18.5	17.8	16.2	12.6	7.3
21	*****	*****	22.2	21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1
22	*****	*****	21.7	21.3	20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	12.0	6.9
23	*****	*****	21.2	20.9	20.3	19.8	19.2	18.6	17.9	17.3	16.6	15.1	11.7	6.8
24	*****	*****	20.8	20.4	19.9	19.3	18.8	18.2	17.5	16.9	16.2	14.8	11.5	6.6
25	*****	*****	20.3	20.0	19.5	18.9	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5
30	*****	*****	*****	18.3	17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.3	10.3	5.9
35	*****	*****	*****	16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.5	12.3	9.5	5.5
40	*****	*****	*****	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
45	*****	*****	*****	14.9	14.5	14.1	13.7	13.3	12.8	12.3	11.9	10.8	8.4	4.8
50	*****	*****	*****	14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
55	*****	*****	*****	13.5	13.1	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4
60	*****	*****	*****	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
65	*****	*****	*****	12.4	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
70	*****	*****	*****	12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
75	*****	*****	*****	*****	11.3	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8
80	*****	*****	*****	*****	10.9	10.6	10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6
85	*****	*****	*****	*****	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
90	*****	*****	*****	*****	10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4
95	*****	*****	*****	*****	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
100	*****	*****	*****	*****	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.2
125	*****	*****	*****	*****	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
150	*****	*****	*****	*****	*****	7.7	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7
200	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.6	5.1	4.0	2.3
250	*****	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
300	*****	*****	*****	*****	*****	*****	*****	5.1	5.0	4.8	4.6	4.2	3.2	1.9
350	*****	*****	*****	*****	*****	*****	*****	4.8	4.6	4.4	4.3	3.9	3.0	1.7
400	*****	*****	*****	*****	*****	*****	*****	*****	4.3	4.1	4.0	3.6	2.8	1.6
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.8	3.4	2.7	1.5
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.6	3.2	2.5	1.5
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.1	1.2
1,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - Prairie Provinces

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	90.9	90.5	90.0	88.6	86.3	83.8	81.3	78.8	76.1	73.3	70.4	64.3	49.8	28.8
2	64.3	64.0	63.7	62.7	61.0	59.3	57.5	55.7	53.8	51.8	49.8	45.5	35.2	20.3
3	*****	52.2	52.0	51.2	49.8	48.4	47.0	45.5	43.9	42.3	40.7	37.1	28.8	16.6
4	*****	45.2	45.0	44.3	43.1	41.9	40.7	39.4	38.0	36.7	35.2	32.2	24.9	14.4
5	*****	40.5	40.3	39.6	38.6	37.5	36.4	35.2	34.0	32.8	31.5	28.8	22.3	12.9
6	*****	36.9	36.8	36.2	35.2	34.2	33.2	32.2	31.1	29.9	28.8	26.3	20.3	11.7
7	*****	34.2	34.0	33.5	32.6	31.7	30.7	29.8	28.8	27.7	26.6	24.3	18.8	10.9
8	*****	32.0	31.8	31.3	30.5	29.6	28.8	27.8	26.9	25.9	24.9	22.7	17.6	10.2
9	*****	30.2	30.0	29.5	28.8	27.9	27.1	26.3	25.4	24.4	23.5	21.4	16.6	9.6
10	*****	28.6	28.5	28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.8	9.1
11	*****	27.3	27.1	26.7	26.0	25.3	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7
12	*****	26.1	26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3
13	*****	25.1	25.0	24.6	23.9	23.3	22.6	21.8	21.1	20.3	19.5	17.8	13.8	8.0
14	*****	24.2	24.1	23.7	23.1	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
15	*****	23.4	23.2	22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4
16	*****	22.6	22.5	22.2	21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.5	7.2
17	*****	21.9	21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
18	*****	21.3	21.2	20.9	20.3	19.8	19.2	18.6	17.9	17.3	16.6	15.2	11.7	6.8
19	*****	20.8	20.7	20.3	19.8	19.2	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6
20	*****	20.2	20.1	19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.8	14.4	11.1	6.4
21	*****	19.7	19.6	19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3
22	*****	19.3	19.2	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
23	*****	18.9	18.8	18.5	18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0
24	*****	*****	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
25	*****	*****	18.0	17.7	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
30	*****	*****	16.4	16.2	15.8	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.3
35	*****	*****	15.2	15.0	14.6	14.2	13.7	13.3	12.9	12.4	11.9	10.9	8.4	4.9
40	*****	*****	14.2	14.0	13.6	13.3	12.9	12.5	12.0	11.6	11.1	10.2	7.9	4.5
45	*****	*****	13.4	13.2	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
50	*****	*****	*****	12.5	12.2	11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1
55	*****	*****	*****	12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
60	*****	*****	*****	11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
65	*****	*****	*****	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
70	*****	*****	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
75	*****	*****	*****	10.2	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3
80	*****	*****	*****	9.9	9.6	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
85	*****	*****	*****	9.6	9.4	9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1
90	*****	*****	*****	9.3	9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.3	3.0
95	*****	*****	*****	9.1	8.9	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	3.0
100	*****	*****	*****	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
125	*****	*****	*****	*****	7.7	7.5	7.3	7.0	6.8	6.6	6.3	5.8	4.5	2.6
150	*****	*****	*****	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.3	4.1	2.3
200	*****	*****	*****	*****	6.1	5.9	5.8	5.6	5.4	5.2	5.0	4.5	3.5	2.0
250	*****	*****	*****	*****	*****	5.3	5.1	5.0	4.8	4.6	4.5	4.1	3.2	1.8
300	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7
350	*****	*****	*****	*****	*****	*****	4.3	4.2	4.1	3.9	3.8	3.4	2.7	1.5
400	*****	*****	*****	*****	*****	*****	4.1	3.9	3.8	3.7	3.5	3.2	2.5	1.4
450	*****	*****	*****	*****	*****	*****	3.8	3.7	3.6	3.5	3.3	3.0	2.3	1.4
500	*****	*****	*****	*****	*****	*****	*****	3.5	3.4	3.3	3.2	2.9	2.2	1.3
750	*****	*****	*****	*****	*****	*****	*****	*****	2.7	2.6	2.3	1.8	1.1	0.9
1,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.6	0.9
1,500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3	0.7
2,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.6

NOTE: For correct usage of these tables, please refer to the microdata documentation.

Residential Telephone Service Survey, December 2010

Approximate Sampling Variability Tables - British Columbia

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	109.8	109.3	108.7	107.1	104.2	101.3	98.2	95.1	91.9	88.6	85.1	77.7	60.2	34.7
2	*****	77.3	76.9	75.7	73.7	71.6	69.5	67.3	65.0	62.6	60.2	54.9	42.5	24.6
3	*****	63.1	62.8	61.8	60.2	58.5	56.7	54.9	53.1	51.1	49.1	44.8	34.7	20.1
4	*****	54.6	54.4	53.5	52.1	50.6	49.1	47.6	45.9	44.3	42.5	38.8	30.1	17.4
5	*****	48.9	48.6	47.9	46.6	45.3	43.9	42.5	41.1	39.6	38.0	34.7	26.9	15.5
6	*****	44.6	44.4	43.7	42.5	41.3	40.1	38.8	37.5	36.2	34.7	31.7	24.6	14.2
7	*****	41.3	41.1	40.5	39.4	38.3	37.1	36.0	34.7	33.5	32.2	29.4	22.7	13.1
8	*****	38.6	38.4	37.8	36.8	35.8	34.7	33.6	32.5	31.3	30.1	27.5	21.3	12.3
9	*****	36.4	36.2	35.7	34.7	33.8	32.7	31.7	30.6	29.5	28.4	25.9	20.1	11.6
10	*****	34.6	34.4	33.9	33.0	32.0	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0
11	*****	33.0	32.8	32.3	31.4	30.5	29.6	28.7	27.7	26.7	25.7	23.4	18.1	10.5
12	*****	31.5	31.4	30.9	30.1	29.2	28.4	27.5	26.5	25.6	24.6	22.4	17.4	10.0
13	*****	30.3	30.2	29.7	28.9	28.1	27.2	26.4	25.5	24.6	23.6	21.5	16.7	9.6
14	*****	29.2	29.1	28.6	27.8	27.1	26.3	25.4	24.6	23.7	22.7	20.8	16.1	9.3
15	*****	28.2	28.1	27.6	26.9	26.1	25.4	24.6	23.7	22.9	22.0	20.1	15.5	9.0
16	*****	27.3	27.2	26.8	26.0	25.3	24.6	23.8	23.0	22.1	21.3	19.4	15.0	8.7
17	*****	26.5	26.4	26.0	25.3	24.6	23.8	23.1	22.3	21.5	20.6	18.8	14.6	8.4
18	*****	25.8	25.6	25.2	24.6	23.9	23.2	22.4	21.7	20.9	20.1	18.3	14.2	8.2
19	*****	24.9	24.6	23.9	23.2	22.5	21.8	21.1	20.3	19.5	18.7	16.9	13.1	7.6
20	*****	24.3	23.9	23.3	22.6	22.0	21.3	20.5	19.8	19.0	18.2	16.4	12.6	7.2
21	*****	23.7	23.4	22.7	22.1	21.4	20.8	20.1	19.3	18.6	17.8	16.0	12.2	6.8
22	*****	23.2	22.8	22.2	21.6	20.9	20.3	19.6	18.9	18.1	17.4	15.6	11.8	6.4
23	*****	22.7	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	17.0	15.2	11.4	6.0
24	*****	22.2	21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	16.7	14.9	11.1	5.6
25	*****	21.7	21.4	20.8	20.3	19.6	19.0	18.4	17.7	17.0	16.3	14.5	10.7	5.2
30	*****	19.9	19.5	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.8	13.0	9.2	4.8
35	*****	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.7	11.9	8.1	4.4
40	*****	16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.5	13.0	12.5	10.7	6.9	4.0
45	*****	16.0	15.5	15.1	14.6	14.2	13.7	13.2	12.7	12.2	11.7	9.9	6.1	3.6
50	*****	15.1	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.5	11.0	9.2	5.4	3.2
55	*****	14.4	14.1	13.7	13.2	12.8	12.4	11.9	11.5	11.0	10.5	8.7	4.9	2.8
60	*****	13.8	13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.5	10.0	8.2	4.4	2.6
65	*****	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	10.2	9.7	7.9	4.1	2.4
70	*****	12.8	12.5	12.1	11.7	11.4	11.0	10.6	10.2	9.7	9.2	7.4	3.6	2.2
75	*****	12.4	12.0	11.7	11.3	11.0	10.6	10.2	9.7	9.2	8.7	6.9	3.1	2.0
80	*****	12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	9.0	8.5	6.7	2.9	1.8
85	*****	11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.8	8.4	6.5	2.7	1.6
90	*****	11.3	11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.6	8.2	6.3	2.5	1.5
95	*****	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.4	8.0	7.6	5.7	2.3	1.4
100	*****	10.4	10.1	9.8	9.5	9.2	8.9	8.5	8.2	7.8	7.4	5.5	2.1	1.3
125	*****	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.2	6.9	6.5	4.6	1.9	1.1
150	*****	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.5	6.2	5.8	4.0	1.7	1.0
200	*****	7.2	6.9	6.7	6.5	6.3	6.0	5.8	5.5	5.2	4.9	3.1	1.5	0.9
250	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.9	4.7	4.4	2.9	1.3	0.8
300	*****	5.7	5.5	5.3	5.1	4.9	4.7	4.4	4.2	4.0	3.8	2.5	1.1	0.7
350	*****	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.5	2.3	1.0	0.6
400	*****	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.1	0.9	0.5
450	*****	4.5	4.3	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.8	1.9	0.8	0.4
500	*****	4.1	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	1.7	0.7	0.3
750	*****	2.8	2.7	2.6	2.4	2.3	2.1	2.0	1.8	1.7	1.5	1.0	0.5	0.2
1,000	*****	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.7	0.4	0.1
1,500	*****	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.4	0.3	0.2	0.1	0.0

NOTE: For correct usage of these tables, please refer to the microdata documentation.