

SPSD/M 

Variable Guide

This guide consists of an encyclopaedic reference to SPSSD/M variables. A textual description level information for class variables, and a cross-reference to SPSM tax/transfer algorithms is given for each variable.



Statistics
Canada

Statistique
Canada

Canada

Introduction

Organization and Purpose

This document contains reference information on SPSD/M variables. A variable contains information on a particular household, individual, or family in SPSD/M. This is distinct from a parameter, which usually contains information used to specify the tax/transfer system used in a simulation.

This guide is divided into three sections.

The remainder of this introductory section briefly explains the variable aggregation identity and provides a description of the naming conventions used for SPSD/M variables.

Section 2 lists the SPSM/D variables by type of variable. This section is useful for determining which SPSD/M variables exist in particular subject areas.

Section 3 is an encyclopaedic reference of all SPSD/M variables, organized alphabetically. This section can be used to determine the detailed definition, characteristics, and use of a particular variable. Up to four kinds of information are given for each variable in this section.

- A textual description defines the variable and gives some indication of its use.
- A source section indicates which micro-data set a database variable came from or how it was constructed.
- A level section displays the numeric levels that a classification variable may take and the meaning of each level.
- A cross-reference section lists the tax/transfer functions which reference the variable, together with an indication of whether the function assigns (o) or just uses as input (i) the value of the variable. Not every variable contains all four of these sections.

Users interested in a detailed discussion of the use of variables in the model in general, as opposed to the description of individual variables, should consult the *SPSD/M User's Guide*. A detailed section describes the different classes of variables and their usage within the model.

A number of typographical conventions have been used in this manual. A special font is used to indicate 'computer' names or values. Variables and algorithms are indicated in lower case (idage) and parameters are in upper case (EARNMIN).

Variable Identities

The SPSD/M makes use of, and makes available to users, a series of aggregate or "memo" variables in many output and reporting facilities. The identity is shown in the following

diagram. So, for example, market income (immmkt) is a summation of (1) all employment income (immemp), (2) investment income (imminv), and (3) other income (immoth).

Variable Naming Conventions

With only a few special exceptions, described in the section titled Unit Count Variables below, variables follow a naming convention in which the first two letters of the name (the prefix) indicate the basic family level of the variable, and whether it is read from the database or produced by the model. The remaining letters of the name (the stem) describe the variable itself. Unemployment Insurance claim variables have a numeric digit inserted between the prefix and the stem, indicating which claim the variable refers to. A table of valid prefixes and their meanings is given below.

hh	Household structure data
hd	Household characteristics
ef	Economic family characteristics
cf	Census family characteristics
nf	Nuclear family characteristics
id	Individual data, from database
im	Individual data, from model
uc	UI claim data, from database (uc1 or uc2)
ub	UI claim data, from model
fx	Expenditure pattern data, from database
ct	Commodity tax data, from model

1 Variable by Program

1.1 Individual and Family Characteristics

1.1.1 Demographic

The demographic variables, which come primarily from the SLID, give age, sex and location information on each individual. There are two versions of age, one (idage) has classificatory properties while the other (idnage) has analysis properties.

idage	Age
idnage	Age
idsex	Sex
hdprov	Province
hdurb	Size of urban area
idimmi	Years since immigration
idmarst	Marital status
iddisab	Disability status (age 16+)

1.1.2 Education

idedlev	Educational level
idestat	Educational status
idschtp	School type

1.1.3 Labour force status

Most of these labour force variables come directly from the Labour Force Survey (LFS). They contain information on the individual's labour force status in the week of the survey, as well as information on his or her labour force participation in the previous year. The raking foundation variables are adjusted to allow for incorporating recent LFS data in the weight files. Raking foundation variables are the most appropriate variables to produce analysis based on weeks of employment or unemployment.

idind	Industry
idocc	Occupation

idlfst	Labour force status
idalhrs	Total Paid Hours of Work Last Year (imputed)
idlyww	Weeks worked
idlyfp	Last year full/Part time
idlyun	Weeks unemployed
idrklyun	Raking foundation: weeks unemployed
idrklyww	Raking foundation: weeks worked

1.1.4 Housing

hdtenur	Tenure
---------	--------

1.1.5 Family Structure

Family structure variables are directly derived from Survey of Labour and Income Dynamics. Some of these variables are used in SPSM to refer to individuals in their family context, or to implement family level of analysis facilities. Others are class variables designed to allow the user to select or report on individuals or families by various characteristics.

1.1.5.1 Relationship variables

idhhrh	Relationship to head of household
idefrh	Relationship to economic family head
idcfrh	Relationship to census family head
idspoflg	Person has spouse

1.1.5.2 Sequence variables

hdseqhh	Household sequence number
idefseq	Economic family sub-sequence number
idcfseq	Census family sub-sequence number
idinseq	Individual sub-sequence number
idseqino	SLID Individual Identifier (Original)

1.1.6 Family Characteristics

1.1.6.1 Household

Family characteristic variables are directly derived from the survey of labour and income dynamics. Some of these variables are used in SPSM to refer to individuals in their family context, or to implement family level of analysis facilities. Others are class variables

designed to allow the user to select or report on individuals or families by various characteristics. A household consists of all individuals sharing the same dwelling. A household can include one or more economic families, or one or more census families.

hdtype	Household type
hdspoflg	Household contains married couple
hdageeld	Age of eldest in household
hdsexeld	Sex of eldest in household
hdnadult	Number of adults in household
hdnearn	Number of earners in household
hdneld	Number of elderly in household
hdnkids	Number of children in household
hdnpers	Number of persons in household
hhncf	Number of census families in household
hhnef	Number of economic families in household
hhnin	Number of individuals in household
hhnnf	Number of nuclear families in household
hdunits	Unit count
hdwgtfx	Sum of household weight for SHS group
hdwgthh	Household weight
hdwgthhs	Sub-sample adjusted household weight
hdtpval	Current value of adjustment (TP facility)
hdfrstfx	First household in SHS group flag
hdlastfx	Last household in SHS group flag
hdevmv	Expenditure Vector Matching Variable

1.1.6.2 Economic Family

Family characteristic variables are directly derived from the survey of labour and income dynamics. Some of these variables are used in SPSM to refer to individuals in their family context, or to implement family level of analysis facilities. Others are class variables designed to allow the user to select or report on individuals or families by various characteristics. An economic family is defined as a group of individuals sharing a common dwelling unit and related by blood, marriage (including common law relationships) or adoption/guardianship. Unattached individuals are included as economic families of size 1 in the SPSM.

efnpers	Number of persons in economic family
efnadult	Number of adults in economic family
efneld	Number of elderly in economic family
efnkids	Number of children in economic family
efnearn	Number of earners in economic family
efageeld	Age of eldest in economic family
efsexeld	Sex of eldest in economic family
efspoflg	Economic family contains married couple
eftype	Economic family type
efpovthr	Economic family low income threshold (Before tax)

1.1.6.3 Census Family

Family structure variables are directly derived from the survey of labour and income dynamics. Some of these variables are used in SPSM to refer to individuals in their family context, or to implement family level of analysis facilities. Others are class variables designed to allow the user to select or report on individuals or families by various characteristics. A census family consists of a head, their spouse (if there is one), and their children under the age of 25 (including their guardian children), living together in the same dwelling. Unattached individuals are included as census families of size 1 in the SPSM.

cfnpers	Number of persons in census family
cfnadult	Number of adults in census family
cfneld	Number of elderly in census family
cfnkids	Number of children in census family

cfnearn	Number of earners in census family
cfageeld	Age of eldest in census family
cfsexeld	Sex of eldest in census family
cfspoflg	Census family contains married couple
cftype	Census family type
cfnchild	Number of children (including 18+)
cfcat	Census family category

1.1.6.4 Nuclear Family

Family structure variables are directly derived from the survey of labour and income dynamics. Some of these variables are used in SPSM to refer to individuals in their family context, or to implement family level of analysis facilities. Others are class variables designed to allow the user to select or report on individuals or families by various characteristics. A nuclear family consists of a head, their spouse (if there is one), and their children under the age of 18, living together in the same dwelling. Unattached individuals are included as nuclear families of size 1 in the SPSM.

nftype	Nuclear family type
nfnpers	Number of persons in nuclear family
nfnadult	Number of adults in nuclear family
nfneld	Number of elderly in nuclear family
nfnkids	Number of children in nuclear family
nfnearn	Number of earners in nuclear family
nfageeld	Age of eldest in nuclear family
nfsexeld	Sex of eldest in nuclear family
nfspoflg	Nuclear family contains married couple

1.2 Market Income

The following income variables with id prefixes are based on the Survey of Labour and Income Dynamics or Revenue Canada T1 Data. This group of variables does not include transfers or tax credits received from government.

1.2.1 Employment

idiemp	Wages & salaries
idise	Self-employed income
immemp	All employment income

1.2.2 Investment

ididiv	Dividend income (actual)
ididive	Amount of eligible dividend income
ididivie	Amount of other than eligible dividend income
idicapg	Capital gains (actual)
iditrsp	Taxable RRSP withdrawals
imminv	Investment income
idiinvnd	Interest and other investment income

1.2.3 Other

idipens	Pension income (115)
impentr	Pension income transferred from spouse
idialimo	Alimony income received
idialimg	Alimony income received (gross)
iditoth	Other taxable income (130)
immoth	Other income

1.3 Transfer Income

A large number of variables, both database and modelled, are required in order to complete the calculations of transfers. These are listed in this section, organized by transfer program.

1.3.1 Employment Insurance

Note that the claim level variables must always include which claim is being referenced. Each person can have 2 claims. For example, ub1calpd represents the benefits paid in the calendar year for the first claim whereas ub2calpd represents the benefits paid in the calendar year for the second claim. A 1 or 2 must always follow the ub or uc prefixes.

1.3.1.1 Annualized model variables

iduiپرد	Predicted amount of EI received
iduirank	Predicted ranked likelihood of getting EI
imiuib	Employment Insurance benefits
idcuib	Converted EI benefit
imuiبر	EI benefit recovery
imuiydep	Number of dependents under 7 for family supplement

1.3.1.2 Claim History data (Database)

Note that the claim level variables must always include which claim is being referenced. Each person can have 2 claims. For example, uc1btyp represents the type of benefit for the first claim whereas uc2btyp represents the type of benefit for the second claim. A 1 or 2 must always follow the ub or uc prefixes.

ucstat	Claim status flag
ucbtyp	Claim type
ucmtyp	Main Claim type (majority of weeks)
ucern	Insurable weekly earnings
uceff	Effective weekly rate
ucexhas	Exhaustee flag
ucgotpa	Received parental benefits
ucrpeat	Repeat claim flag
ucstart	Week claim established
uctpcng	Also received regular benefits
uctrnbr	Training benefit weekly rate
uctrnwk	Weeks of training benefits
ucothbr	Other benefits weekly rate
ucothwk	Weeks of other benefits
ucuer	Local unemployment rate (x10)
ucuro	Local unemployment rate (x10)-original value
ucweeks	Weeks of benefits
ucwork	Weeks of work prior to claim
uchrwk	Hours worked prior to claim
ucdivwk	Minimum divisor weeks
ucnere	New entrant re-entrant flag

ucy1	Weeks on EI in first year before claim
ucy2	Weeks on EI in second year prior to claim
ucy3	Weeks on EI in third year prior to claim
ucy4	Weeks on EI in fourth year prior to claim
ucy5	Weeks on EI in fifth year prior to claim

1.3.1.3 Claim data (modelled)

Note that the claim level variables must always include which claim is being referenced. Each person can have 2 claims. For example, ub1calpd represents the benefits paid in the calendar year for the first claim whereas ub2calpd represents the benefits paid in the calendar year for the second claim. A 1 or 2 must always follow the ub or uc prefixes.

ubcalpd	Benefits paid in calendar year
ubcalwk	Weeks on claim in calendar year
ubcalfs	Family supplement paid in calendar year
ubclmpd	Benefits paid on claim
ubclmwk	Weeks on claim
ubclmfs	Family supplement paid on claim
ubeiwbp	Weeks of past EI benefits
ubern	Modelled insurable weekly earnings
ubp1	Week # of first payment
ubp1c	Week # of first payment (windowed)
ubp2	Week # of start of other type of EI
ubp2c	Week # of start of other type of EI (windowed)
ubp5	Week # of last other type of EI
ubp5c	Week # of last other type of EI (windowed)
ubp6	Week # of last training payment
ubp6c	Week # of last training payment (windowed)

ubp2mx	Week # of start of other type of EI if not limited to known weeks
ubp2mxc	Week # of start of other type of EI (windowed) if not limited to known weeks
ubp5mx	Week # of last other type of EI if not limited to known weeks
ubp5mxc	Week # of last other type of EI (windowed) if not limited to known weeks
ubp6mx	Week # of last training payment if not limited to known weeks
ubp6mxc	Week # of last training payment (windowed) if not limited to known weeks

1.3.2 Quebec Parental Insurance Plan

1.3.2.1 Database variables

idqipip	Original amount of QPIP
idqptype	Type of QPIP claim
idqpfrst	First type of QPIP claim
idqpstrt	Week of QPIP start
idqpweek	Weeks of QPIP
idqpern	Weekly earnings to qualify for QPIP

1.3.2.2 Modelled benefits and weeks

imqipcbn	Quebec parental insurance plan calendar year benefits
imqpiptbn	Quebec parental insurance plan total benefits
imqipcwk	Quebec parental insurance plan calendar year weeks
imqpiptwk	Quebec parental insurance plan total weeks
imqpcmtb	Quebec parental insurance plan calendar year maternity benefits
imqpcptb	Quebec parental insurance plan calendar year paternity benefits
imqpcprb	Quebec parental insurance plan calendar year parental benefits
imqpcsb	Quebec parental insurance plan calendar year supplemental benefits
imqptmtb	Quebec parental insurance plan total maternity benefits
imqptptb	Quebec parental insurance plan total paternity

	benefits
imqptprb	Quebec parental insurance plan total parental benefits
imqptsb	Quebec parental insurance plan total supplemental benefits
imqpcmtw	Quebec parental insurance plan calendar year maternity weeks
imqpcptw	Quebec parental insurance plan calendar year paternity weeks
imqpcprw	Quebec parental insurance plan calendar year parental weeks
imqptmtw	Quebec parental insurance plan total maternity weeks
imqptptw	Quebec parental insurance plan total paternity weeks
imqptprw	Quebec parental insurance plan total parental weeks

1.3.2.3 Modelled premiums and tax credits

imqippp	Quebec parental insurance plan premiums for paid workers
imqipppse	Quebec parental insurance plan premiums for self-employed
imqpiptc	Quebec parental insurance plan premium tax credit for paid workers (federal)
imqppsetc	Quebec parental insurance plan premium tax credit for self-employed (federal)
imqpsedd	Quebec parental insurance plan premium deduction for self-employed (federal)
imqqpiptc	Quebec parental insurance plan premium tax credit for paid workers (Quebec)
imqppsetc	Quebec parental insurance plan premium tax credit for self-employed (Quebec)
imqqpsedd	Quebec parental insurance plan premium deduction for self-employed (Quebec)

1.3.3 Elderly Related

1.3.3.1 CPP/QPP

idccqp	Converted CPP/QPP benefit
idicqp	CPP/QPP income (114)

1.3.3.2 OAS

imioas	OAS benefits
imoaspar	Partial OAS residency flag
imoasres	Partial OAS fraction

imoasr OAS recovery

1.3.3.3 GIS/SPA

imigis GIS benefits
imispas Spouse's allowance
imigispa GIS and spouse's allowance
imigistop GIS/SPA Top Up Amount
imoldtyp Type of GIS/SPA nuclear family
imgisinc Individual's income for GIS/SPA reduction
imgistyp Type of GIS entitlement
imgismax Maximum amount of GIS
imspatyp Type of SPA entitlement
imspamax Maximum amount of SPA

1.3.3.4 Provincial Elderly Programs

imigist GIS provincial top-up
imgistsa Amount of GIST which goes into SA
imiasb Alberta seniors benefit

1.3.4 Child Related

1.3.4.1 Provincial Family Allowance

impfa Provincial family allowance
impfp Provincial family programs
imqnbfa Quebec newborn Allowance

1.3.4.2 Federal Child Tax Benefit

imfcben Total Federal Child Benefits
imfcbenb Total Federal Child Benefits Base
imfcbene Total Federal Child Benefit Supplement

1.3.4.3 Federal Universal Child Care Benefit

imiucbc Universal Child Care Benefit amount claimed
imiucbr Universal Child Care Benefit amount received

1.3.4.4 Newfoundland Child Benefit

imncb Newfoundland Child Benefit
imnmbns Newfoundland Mother-Baby Nutrition Supplement

1.3.4.5 Newfoundland and Labrador Family Growth and Parental Support Benefits

imnpf gb Newfoundland Progressive Family Growth Benefit
imnpsb Newfoundland Parental Support Benefit

1.3.4.6 New Brunswick Child Tax Benefit

imnbcben Total NB child tax Benefits
imnbcbb NB child tax Benefits base amount
imnbwis NB child tax Benefits WIS

1.3.4.7 Nova Scotia Child Benefit

imnscb Nova Scotia Child Benefit

1.3.4.8 Quebec Refundable Child Assistance Tax Credit

imqca Quebec Child Assistance refundable tax credit

1.3.4.9 Ontario Refundable Child Care Expense Tax Credit

imoccea Ont. Child Care Exp. credit allowed (Family)
imoccext Ont. Child Care Supplement one-time extra
benefit

1.3.4.10 Ontario Child Benefit

imocb Ontario Child Benefit
imocbyng Ontario Child Benefit amount for Child Care
Supplement dependents

1.3.4.11 Manitoba Child Benefit

immcb Manitoba Child Benefit

1.3.4.12 Saskatchewan Child Benefit

imscb Saskatchewan Child Benefit

1.3.4.13 Alberta Family Employment Tax Credit

imiafetc Alberta Family Employment Tax Credit Benefits
imashelt Alberta shelter increase under NCBS clawback

1.3.4.14 British Columbia Family Bonus

imibcfb B.C. Family Bonus
imibceib B.C. Earned Income Benefit

1.3.5 Social Assistance

idcsa Converted social assistance
idisa Social assistance income
idsapred Predicted amount of SA received
idsarank Predicted ranked likelihood of getting SA
imisa Social assistance (or replacement program)
impsa Provincial social assistance
idsamths Imputed number of months on SA
imsaclaw Social Assistance NCB Clawback Amount

1.3.6 Federal Sales Tax Credit / GST credit

imfstc Federal sales tax / GST credit

1.3.7 Refundable provincial tax credits

imptc Refundable provincial tax credits
importxc Provincial Other Refundable Tax Credits
impptc Provincial Political Contrib Tax Credit
imppstc Provincial Property and Sales Tax Credits
imnstc Newfoundland and Labrador Sales Tax Credit
immanltc Manitoba learning tax credit
immcoltc Manitoba Cost of Living Tax Credit
impptxc Provincial Property tax tax credit
impehtc Provincial elderly health tax credit
imvaltc N.S. Affordable Living Tax Credit
imotxdv Ontario Taxpayer Dividend
imosttb Ontario Sales Tax Transition Benefit
imopstc Ont. Property and Sales Tax Credit
imostc Ontario Sales Tax Credit
imoprxc Ontario Property Tax Credit
imqca Quebec Child Assistance refundable tax credit
imqptr Quebec property tax refund
imqhptc Quebec Home Parent Tax Credit level
imqmedrc Quebec refundable tax credit for medical expenses
imqccetc Quebec refundable child care expenses Tax Credit
imqwrkpr Quebec Work Premium refundable tax credit
imqawrkpr Quebec Adapted Work Premium for Disabled refundable tax credit
imqstc Quebec Solidarity Tax Credit amount
imsstc Saskatchewan refundable sales tax credit
imslite Saskatchewan refundable low income tax credit
imcstc British Columbia Sales Tax Credit
imcatc B.C. Refundable Climate Action Tax Credit
imbchstc B.C. HST Low Income Credit

1.3.8 Other

idiworkc Workers compensation benefits
iminsda NS Direct Assistance Program
imheatrl Federal relief for heating expenses
imfecb Federal Energy Cost Benefit
impheatr Provincial Home Heating Fuel/Energy Rebate
imooceb Ontario Clean Energy Benefit
imnstxrf Nova Scotia Taxpayer Refund
imvsrtxrf Nova Scotia Seniors' with GIS tax Refund

imresreb	Alberta Resource Rebate Amount
imclimdv	B.C. Climate Action Dividend

1.4 Payroll Taxes

imcqppc	CPP/QPP contributions
imuic	Employment Insurance contributions
imuicrf	EI contribution refund
imqippp	Quebec parental insurance plan premiums for paid workers
imqipppse	Quebec parental insurance plan premiums for self-employed

1.5 Federal Income Taxes and credits

A large number of variables, both database and modelled, are required in order to complete the calculations of federal taxes. These are listed in this section, roughly organized by program and level of government.

1.5.1 Calculation of Total Income

imipnst	Taxable pension income (after splitting)
impnsph	Pension income split for head
impnsps	Pension income split for spouse
imicapgt	Capital gains (taxable)
imidivt	Dividend income (taxable)
imisdivt	Dividend income from small corporations (taxable)
imildivt	Dividend income from large (eligible) corporations (taxable)
imitot	Total income
imictot	Total Income (line 150)

1.5.2 Deductions from Total Income, Net Income

These variables are used to calculate net income

1.5.2.1 Individual Deduction Items

idrpp	Registered pension plan contributions (207)
idrrsp	RRSP calculated amount (208)
impentrd	Pension income deduction from transfer to spouse
iddues	Union and professional dues (212)
imcceca	Child care expenses allowed
iddalimo	Alimony paid (220)
idiloss	Business investment losses (217)
imiloss	Modelled Business investment losses (217)

idmovexp	Imputed moving expenses (219)
idcarry	Carrying charges (221)
idexplor	Exploration and development expenses (224)
idalexp	Other allowable employment expenses (229)
imalexp	Allowable employment expenses
idclergy	Clergy residential deduction
idothded	Other deductions from total income (232)
imcppse	CPP contributions deduction for self-emp

1.5.2.2 Child Care Expense Calculation

The child care expense calculation is performed in a way that optimizes the after tax value to the taxpayer with respect to either the child tax credit or the child tax benefit. The variables listed here are either expenditure variables or variables used in the optimization process.

idccet	Child care expenses associated with child
idccett	Child care expenses (Limit A, Form T778)
imccez	Is CCE zeroed?
imcceci	Child care expenses claimed on behalf of child
imcceni	Consumable income with CCE not zeroed
imccezi	Consumable income with CCE zeroed

1.5.2.3 Total Deductions and net Income

imdedft	Deductions from total income
iminet	Net income
imicnet	Net Income (line 236)

1.5.3 Deductions from Net Income, Taxable Income

The following variables are deducted from net income when calculating taxable income. Note that all of these deductions are not applied for any given taxation year.

imitax	Taxable income
imdedfn	All deductions from net income
idemplo	Employee home relocation loan dedn (248)
idstkded	Stock option deduction (249)
imstkded	Modelled Stock option deduction (249)
idpartlo	Limited partnership losses (251)

idnclos	Allowable other years non-capital loss (252)
idcloss	Allowable other years capital loss (253)
idnorth	Northern deductions (255)
idaddded	Additional deductions from net income (256)
idcapgex	Capital gains exemptions (254)
imcapgex	Modelled capital gains deduction (254)

1.5.4 Calculation of Personal Tax Credits

1.5.4.1 Basic, Age and Married

imbtc	Basic personal tax credit
imbtes	Basic personal tax credit supplement
imatxc	Age tax credit
immartxc	Married tax credit claimed
imdepni	Dependant's net income
idothpe	Amounts for Infirm Dependents (306)
imothpe	Other dependant tax credit (306)

1.5.4.2 Disability

imdisatc	Disability tax credit
iddisslf	Disability amount for self (316)
iddisoht	Disability amount for dependants (318)

1.5.4.3 Dependents

imcemc	Child's equivalent to married credit
imchclm	Number of dependent children claimed
imchdtxc	Non-refundable Child Tax Credit

1.5.4.4 Payroll Tax Credits

imcppctc	CPP contributions tax credit
imcppse	CPP contributions deduction for self-emp
imuietc	EI contributions tax credit
imqpiptc	Quebec parental insurance plan premium tax credit for paid workers (federal)

1.5.4.5 Pension

impentxc	Pension income tax credit
----------	---------------------------

1.5.4.6 Public Transit Tax Credit

idtransit	Public Transit
-----------	----------------

imttxcrt	Total tax credits transferred
imctxcrt	Tax credits transferred from children
imedtrf	Education and tuition transferred to others
imedrev	Education and tuition transferred from others

1.5.5 Calculation of Refund or Balance Owing

These variables are used to calculate federal tax payable. They roughly correspond to the items on Schedule 1 and Page 4 of the federal tax return.

1.5.5.1 Calculation of Federal Tax

imfedtax	Federal tax before tax credits
imtaxcr	Total tax credits
imatxcrt	Total tax credits applied
imbft	Basic federal tax

1.5.5.2 Schedule 1 Taxes

imfdtxc	Federal dividend tax credit
idmincar	Minimum tax carryover (504)
idfortx	Foreign tax paid (507)
idforinc	Net foreign income (508)
imfortxc	Federal foreign tax credit (509)

1.5.5.3 Other Non-refundable Tax Credits

idpolcon	Federal political contributions (409)
imfptc	Federal Political Contribution Tax Credit
iditc	Federal investment tax credits (412)
idlbtgx	Gross Labour funds bought (413)
imlbtxc	Federal labour-sponsored funds tax credit
imoftca	Other federal tax credits applied (416)

1.5.5.4 Federal Surtax and Repayment of Social Benefits

imfsur	Federal surtax
imfsurtr	Federal surtax reduction
imrepay	Social Benefits Repayments

1.5.5.5 Other Refundable Tax Credits

immedref	Refundable medical expense supplement (452)
imwitb	Working Income Tax Benefit
imwitbs	Working Income Tax Benefit Supplement for Disabilities
imfortc	Federal other refundable tax credits
idgstreb	GST rebate (457)

1.5.5.6 Minimum Tax

imamtdf	Difference due to minimum tax
---------	-------------------------------

imamtfg	Minimum tax flag
imamtinc	Net adjusted income used for minimum tax
imamtrpv	Federal minimum tax concept used for provincial minimum tax
imminamt	Minimum Amount due to Federal Minimum Tax

1.5.5.7 Federal Tax Payable

imtxf	Federal income tax payable
imfiler	Taxable filer status

1.6 Provincial Income Taxes and Credits

Many provincial tax measures are common to several or all provinces, although the exact specifications may vary. The variables which are common to all provinces (and set to zero in provinces for which they do not apply) are found in Shared Variables and province specific variables are found afterwards.

1.6.1 Shared Variables

idprvftc	Provincial foreign tax credit (Form T2036)
idproptx	Net property taxes paid (556)
improptx	Imputed property tax paid
imrentpd	Imputed rent paid
idprvppl	Provincial political contributions (565)
idrentpd	Total rental payments (555)
idstkded	Stock option deduction (249)
idhomstu	College res/resdnt homeowner assist (558)
imbpt	Basic provincial tax
imnptc	Non-refundable provincial tax credits
impalltc	All refundable provincial tax credits
importe	Other refundable provincial tax credits
impsur	Provincial surtax
imptr	Provincial tax reduction
impptxtc	Provincial Property tax tax credit
implvctc	Provincial labour-sponsored funds tax credit
impnit	Provincial net income tax
impptc	Provincial Political Contrib Tax Credit
impeht	Provincial elderly health tax
impehtc	Provincial elderly health tax credit
imphp	Provincial Health Premium
imptc	Refundable provincial tax credits
imtxp	Provincial income tax payable
impfitexp	Provincial fitness tax credit

1.6.1.1 Tax on taxable income

impatxc	Prov Age amount tax credit
---------	----------------------------

impatxcr	Prov total tax credits applied
impbtc	Prov Basic amount
impcgtc	Prov Caregiver Tax Credit Level
impcgtcp	Provincial Dependent Caregiver Tax Credit Amount
impchrct	Prov Charitable Donations tax credit
impcppte	Prov CPP/QPP contributions tax credit
impctxct	Prov tax credits transferred from children
impdistc	Prov Disability tax credit
impdtxc	Provincial dividend tax credit
impedtxc	Prov Education tax credit
impothpe	Provincial infirm dependents 18 or older tax credit
impmartc	Prov Married and Equivalent to Married tax credit
impmeda	Prov Medical expenses allowed (computed)
impmedtc	Prov Medical Expenses tax credit
impminco	Prov Minimum tax carryover
imppentc	Prov Pension Income tax credit
imprvtax	Prov gross provincial tax
impstxct	Prov tax credits transferred from spouse
imptaxcr	Prov total tax credits
impttxct	Prov total tax credits transferred
imptutxc	Prov Tuition tax credit
impuictc	Prov EI contributions tax credit
impintsl	Provincial interest on student loans tax credit
impyctxc	Prov Young Child tax credit
imssstxc	Saskatchewan senior supplement tax credit
imsctxc	Saskatchewan Non-refundable child tax credit
immftb	Manitoba Family Tax Benefit
imiotax	Ontario taxable income

1.6.2 Newfoundland

imncctc	Newfoundland Child Care Tax Credit
---------	------------------------------------

1.6.3 Nova Scotia

imnstxrf	Nova Scotia Taxpayer Refund
imvsrtxrf	Nova Scotia Seniors' with GIS tax Refund
imvaltc	N.S. Affordable Living Tax Credit
idsprecpr	Children's Sport & Recrn Expense(Prov)

1.6.4 Quebec

1.6.4.1 Net income

imqalexp	Quebec allowable employment expenses
imqstkdd	Quebec modelled Stock option deduction (249)
imqcapgt	Quebec taxable capital gains
imqempdd	Quebec earned income deduction for workers
imqpentrd	Quebec Pension income deduction from transfer to spouse
imqpentr	Quebec Pension income transferred from spouse
imqdedft	Quebec deductions from total income
imqitot	Quebec total income
imqdivt	Quebec taxable dividends
imqsdvt	Quebec taxable dividends from small corporations
imqldvt	Quebec taxable dividends from large (eligible) corporations
imqipnst	Quebec taxable pension income (after splitting)
imqpnsph	Quebec pension income split for head
imqpnsps	Quebec pension income split for spouse
imqinet	Quebec net income

1.6.4.2 Deductions/Credits

imqcpptc	Quebec CPP/QPP contributions tax credit
imqiloss	Quebec Modelled Business investment losses (234)
imqcapgx	Quebec modelled capital gains deduction (254)
imqdedfn	Quebec all deductions from net income
imqduetc	Quebec Dues Tax Credit
imqtca	Quebec tax credits applied
imqtotc	Quebec total tax credits
imqtuitc	Quebec Tuition Tax Credit
imqtuitt	Quebec amount of tuition transferred to parents
imquictc	Quebec EI contributions tax credit
imqcppse	Quebec self-employ. QPP/ CPP Cont. deduction
imqintsl	Quebec student loan interest tax credit
imqewtc	Quebec tax credit for experienced workers
imqqpiptc	Quebec parental insurance plan premium tax credit for paid workers (Quebec)
imqqpsetc	Quebec parental insurance plan premium tax credit for self-employed (Quebec)

1.6.4.2.1

Age and Basic

imqatc	Quebec age tax credit
imqcalr	Quebec combined age, living alone, retirement credit
imqbtc	Quebec basic tax credit

1.6.4.2.2

Medical and Charity credit

imqmeda	Quebec medical expenses allowed
imqchatc	Quebec allowable charitable donations tax credit

1.6.4.2.3	Health Services Fund
imqhsfc	Quebec Health Services Fund Contributions
1.6.4.2.4	Retirement income credit
imqritc	Quebec retirement income tax credit
imqcalr	Quebec combined age, living alone, retirement credit
1.6.4.2.5	Family related
imqfs	Quebec family situation (1-5)
imqtct	Quebec tax credits transferable
imqtcts	Quebec tax credits transferred from spouse
imqtctc	Quebec tax credits transferred from child
imqftr	Quebec family tax reduction
<u>1.6.4.2.5.1</u>	<u>Child Care</u>
imqcceni	Quebec net income for refundable cce credit calculation
<u>1.6.4.2.5.2</u>	<u>Dependant</u>
imqdctc	Quebec dependent child tax credits
imqdepni	Quebec dependant's net income
imqdistc	Quebec disability tax credit
imqcchc	Quebec child's non-refundable credit
imqndc	Quebec number of dependent children
imqtpcn	Quebec number of children who transferred parental contribution
imqctpc	Quebec child's transfer of recognized parental contribution
<u>1.6.4.2.5.3</u>	<u>Living alone/Married</u>
imqlatc	Quebec living alone tax credit
imqcalr	Quebec combined age, living alone, retirement credit
imqmtc	Quebec married tax credit
1.6.4.3	Taxes
imqbtax	Quebec tax before credits
imbpt	Basic provincial tax
imqdtxc	Quebec dividend tax credit
imqhsftc	Quebec Health Services Fund Cont.tax credit
imqqpsedd	Quebec parental insurance plan premium deduction for self-employed (Quebec)
imqitax	Quebec taxable income
imqsfflg	Quebec simplified tax form flag 0=general 1=simplified
1.6.4.3.1	Alternative minimum tax
imqamt	Quebec Minimum Tax Amount
imqamtfg	Quebec Minimum Tax flag
1.6.4.3.2	Health Contribution
imqhcont	Quebec health contribution amount

1.6.4.3.3	Surtax and Anti-Poverty Fund
imqapf	Quebec Anti-Poverty Fund
1.6.4.3.4	Tax reduction
imqittr	Quebec income tested tax reduction
imqei	Quebec eligible income for tax reduction
1.6.4.4	Refundable Tax Credits
1.6.4.4.1	Consumer or sales tax credit
imqstr	Quebec sales tax refund
1.6.4.4.2	Family related credit
imqfatc	Quebec Family Allowance Tax Credit
1.6.4.4.3	Child Care Expense tax credit
imqccetc	Quebec refundable child care expenses Tax Credit
1.6.4.4.4	Housing parent tax credit
imqhptc	Quebec Home Parent Tax Credit level
imqhptcp	Quebec Home Parent Tax Credit potential level
1.6.4.4.5	Property tax credit
imqptr	Quebec property tax refund
1.6.4.4.6	Tax credit for medical expenses
imqmedrc	Quebec refundable tax credit for medical expenses
1.6.4.4.7	Child Assistance Tax credit
imqca	Quebec Child Assistance refundable tax credit
1.6.4.4.8	Work Premium Tax credit
imqwrkpr	Quebec Work Premium refundable tax credit
imqawrkpr	Quebec Adapted Work Premium for Disabled refundable tax credit
imqidc	Quebec income of designated dependent child
1.6.4.4.9	Caregivers tax credit
imqncgtc	Quebec Refundable Natural Caregivers Tax Credit
imqnctcp	Quebec Refundable Natural Caregivers Tax Credit potential amount
1.6.4.4.10	Home Improvement and Renovation
imqhrtc	Quebec Home Renovation Tax Credit
1.6.4.4.11	Solidarity Tax Credit
imqstc	Quebec Solidarity Tax Credit amount
1.6.4.5	Federal tax abatement
imqta	Quebec tax abatement (total)
imqtaa	Quebec tax abatement (applied)
imqtar	Quebec tax abatement (refundable)

1.6.5 Ontario

imonteht	Ontario Employers Health Tax (Self-employed)
imopstc	Ont. Property and Sales Tax Credit
imostc	Ontario Sales Tax Credit
imoprxc	Ontario Property Tax Credit
imotxdv	Ontario Taxpayer Dividend
imosttb	Ontario Sales Tax Transition Benefit
imondc	Ontario number of dependent children 18 or younger
imoshtg	Ontario Senior Homeowners' Property Tax Grant
imotxtgr	Ontario Textbook and Technology Grant

1.6.6 Manitoba

immanltc	Manitoba learning tax credit
idmschpd	Manitoba school taxes paid
immhmas	Manitoba Homeowners Assistance
immndc	Manitoba number of dependent children 18 or younger

1.6.7 Saskatchewan

imsstc	Saskatchewan refundable sales tax credit
imnfach	Number of under 18 children claimed for tax reduction

1.6.8 British Columbia

imcatc	B.C. Refundable Climate Action Tax Credit
imbchstc	B.C. HST Low Income Credit

1.7 Commodity Taxes and Household Expenditures

The ct variables provide the expenditure detail found in the fx variables scaled to match the household's modelled income. Through these variables users can examine the detailed household expenditure levels which conform with the correct household income.

1.7.1 Federal commodity taxes

ctfcid	Federal custom import duties
ctfexd	Federal excise duties
ctfext	Federal excise taxes
ctfgst	Federal GST
ctfnew	New federal commodity tax
cttxfc	Federal commodity taxes (total)
ctfgsths	Federal GST on housing
imtxfc	Federal commodity taxes

1.7.2 Provincial commodity taxes

ctprov	Province for COMTAX calculations
ctpamu	Provincial amusement tax
ctpgas	Provincial gasoline tax
ctplgl	Provincial liquor gallonage taxes
ctplq	Provincial profits on liquor commissions
ctprst	Provincial retail sales tax
ctptob	Provincial tobacco tax
ctpnew	New provincial commodity tax
ctpcar	Provincial carbon tax
cttxpc	Provincial commodity taxes (total)
imtxpc	Provincial commodity taxes

1.7.3 Summary commodity tax and household expenditure variables

ctnexp	Household expenditure net of taxes
ctnsna	Household expenditure net of taxes -SNA adjusted
ctnes	Household expenditure not elsewhere specified
ctdfexp	Deflated expenditure (tax exclusive)
ctsava	Household savings
ctothmon	Household money from other sources
ctfabdp	Positive account balancing difference
ctfabdn	Negative account balancing difference
ctishrh	Shared income concept (SHS)
imishri	Shared income concept (SHS & SPSD)
ctseqhv	SHS record sequence number
ctlprop	Local property taxes on owned dwellings

1.7.4 Individual Tax and Expenditure Arrays

The calculation of commodity taxes is based on household expenditures which have been grouped into 48 categories corresponding to the system of national accounts (SNA) personal expenditure categories. The SPSM has four separate arrays of 48 variables each. The array elements in each array always correspond to the SNA personal expenditure categories. The variables then contain gross and net household expenditures, federal and provincial commodity taxes, and individual commodity taxes which are not unique to a single expenditure category.

1.7.4.1 Gross Household Expenditures

fxio	I/O expenditure categories [array]
fxio0	Food and Non-alcoholic Beverages
fxio1	Alcoholic Beverages
fxio2	Tobacco
fxio3	Men's & Boy's Clothing

fxio4	Men's and Boys' Clothing Repair & Alteration
fxio5	Women's and Children's Clothing
fxio6	Women's Clothing Repair & Alteration
fxio7	Footwear
fxio8	Shoe Repair
fxio9	Gross Imputed Rent
fxio10	Gross Rent Paid
fxio11	Other Shelter Expenses
fxio12	Electricity
fxio13	Natural Gas
fxio14	Other Fuels
fxio15	Furniture and Floor Covering
fxio16	Upholstery and Furniture Repair
fxio17	Household Appliances
fxio18	Household Equipment Repairs
fxio19	Semi-durable Household Furnishings
fxio20	Non-durable Household Supplies
fxio21	Domestic and Child Care Services
fxio22	Other Household Services
fxio23	Medical Care
fxio24	Hospital Care and the like
fxio25	Accident and Sickness Insurance
fxio26	Drugs and Pharmaceutical Products
fxio27	New and Used (net) Motor Vehicles
fxio28	Motor Vehicles Parts and Accessories
fxio29	Motor Vehicle Repairs
fxio30	Motor Fuels and Lubricants
fxio31	Other Motor Vehicle Related Services
fxio32	Purchased Transportation
fxio33	Communications
fxio34	Recreation, Sporting and Camping Equip.
fxio35	Recreation Equipment Repair and Rentals
fxio36	Reading and Entertainment Supplies
fxio37	Recreational Services
fxio38	Educational and Cultural Services
fxio39	Jewelry and Watches
fxio40	Jewelry and Watch Repair
fxio41	Leather Goods & Other Personal Effects
fxio42	Toilet Articles and Cosmetics
fxio43	Personal Care
fxio44	Restaurants and Accommodation Services
fxio45	Financial, Legal & Other Services
fxio46	Operating Expenditures of Non-profit Orgs.
fxio47	Net Expenditure Abroad

1.7.4.2 Net Household Expenditures

ctnexp_ Household expenditure net of taxes [array]

ctnexp0	Food and Non-alcoholic Beverages
ctnexp1	Alcoholic Beverages
ctnexp2	Tobacco
ctnexp3	Men's & Boy's Clothing
ctnexp4	Men's and Boys' Clothing Repair & Alteration
ctnexp5	Women's and Children's Clothing
ctnexp6	Women's Clothing Repair & Alteration
ctnexp7	Footwear
ctnexp8	Shoe Repair
ctnexp9	Gross Imputed Rent
ctnexp10	Gross Rent Paid
ctnexp11	Other Shelter Expenses
ctnexp12	Electricity
ctnexp13	Natural Gas
ctnexp14	Other Fuels
ctnexp15	Furniture and Floor Covering
ctnexp16	Upholstery and Furniture Repair
ctnexp17	Household Appliances
ctnexp18	Household Equipment Repairs
ctnexp19	Semi-durable Household Furnishings
ctnexp20	Non-durable Household Supplies
ctnexp21	Domestic and Child Care Services
ctnexp22	Other Household Services
ctnexp23	Medical Care
ctnexp24	Hospital Care and the like
ctnexp25	Accident and Sickness Insurance
ctnexp26	Drugs and Pharmaceutical Products
ctnexp27	New and Used (net) Motor Vehicles
ctnexp28	Motor Vehicles Parts and Accessories
ctnexp29	Motor Vehicle Repairs
ctnexp30	Motor Fuels and Lubricants
ctnexp31	Other Motor Vehicle Related Services
ctnexp32	Purchased Transportation
ctnexp33	Communications
ctnexp34	Recreation, Sporting and Camping Equip.
ctnexp35	Recreation Equipment Repair and Rentals
ctnexp36	Reading and Entertainment Supplies
ctnexp37	Recreational Services
ctnexp38	Educational and Cultural Services
ctnexp39	Jewelry and Watches
ctnexp40	Jewelry and Watch Repair
ctnexp41	Leather Goods & Other Personal Effects
ctnexp42	Toilet Articles and Cosmetics
ctnexp43	Personal Care
ctnexp44	Restaurants and Accommodation Services
ctnexp45	Financial, Legal & Other Services

ctnexp46 Operating Expenditures of Non-profit Orgs.
ctnexp47 Net Expenditure Abroad

1.7.4.3 Net Household Expenditures – SNA Adjusted

ctnsna_	Household expenditure net of taxes [array] -SNA adjusted
ctnsna0	Food and Non-alcoholic Beverages
ctnsna1	Alcoholic Beverages
ctnsna2	Tobacco
ctnsna3	Men's & Boy's Clothing
ctnsna4	Men's and Boys' Clothing Repair & Alteration
ctnsna5	Women's and Children's Clothing
ctnsna6	Women's Clothing Repair & Alteration
ctnsna7	Footwear
ctnsna8	Shoe Repair
ctnsna9	Gross Imputed Rent
ctnsna10	Gross Rent Paid
ctnsna11	Other Shelter Expenses
ctnsna12	Electricity
ctnsna13	Natural Gas
ctnsna14	Other Fuels
ctnsna15	Furniture and Floor Covering
ctnsna16	Upholstery and Furniture Repair
ctnsna17	Household Appliances
ctnsna18	Household Equipment Repairs
ctnsna19	Semi-durable Household Furnishings
ctnsna20	Non-durable Household Supplies
ctnsna21	Domestic and Child Care Services
ctnsna22	Other Household Services
ctnsna23	Medical Care
ctnsna24	Hospital Care and the like
ctnsna25	Accident and Sickness Insurance
ctnsna26	Drugs and Pharmaceutical Products
ctnsna27	New and Used (net) Motor Vehicles
ctnsna28	Motor Vehicles Parts and Accessories
ctnsna29	Motor Vehicle Repairs
ctnsna30	Motor Fuels and Lubricants
ctnsna31	Other Motor Vehicle Related Services
ctnsna32	Purchased Transportation
ctnsna33	Communications
ctnsna34	Recreation, Sporting and Camping Equip.
ctnsna35	Recreation Equipment Repair and Rentals
ctnsna36	Reading and Entertainment Supplies
ctnsna37	Recreational Services
ctnsna38	Educational and Cultural Services
ctnsna39	Jewelry and Watches
ctnsna40	Jewelry and Watch Repair

ctnsna41	Leather Goods & Other Personal Effects
ctnsna42	Toilet Articles and Cosmetics
ctnsna43	Personal Care
ctnsna44	Restaurants and Accommodation Services
ctnsna45	Financial, Legal & Other Services
ctnsna46	Operating Expenditures of Non-profit Orgs.
ctnsna47	Net Expenditure Abroad

1.7.4.4 Federal Commodity Taxes

cttxfc_	Federal commodity taxes [array]
cttxfc0	Food and Non-alcoholic Beverages
cttxfc1	Alcoholic Beverages
cttxfc2	Tobacco
cttxfc3	Men's & Boy's Clothing
cttxfc4	Men's and Boys' Clothing Repair & Alteration
cttxfc5	Women's and Children's Clothing
cttxfc6	Women's Clothing Repair & Alteration
cttxfc7	Footwear
cttxfc8	Shoe Repair
cttxfc9	Gross Imputed Rent
cttxfc10	Gross Rent Paid
cttxfc11	Other Shelter Expenses
cttxfc12	Electricity
cttxfc13	Natural Gas
cttxfc14	Other Fuels
cttxfc15	Furniture and Floor Covering
cttxfc16	Upholstery and Furniture Repair
cttxfc17	Household Appliances
cttxfc18	Household Equipment Repairs
cttxfc19	Semi-durable Household Furnishings
cttxfc20	Non-durable Household Supplies
cttxfc21	Domestic and Child Care Services
cttxfc22	Other Household Services
cttxfc23	Medical Care
cttxfc24	Hospital Care and the like
cttxfc25	Accident and Sickness Insurance
cttxfc26	Drugs and Pharmaceutical Products
cttxfc27	New and Used (net) Motor Vehicles
cttxfc28	Motor Vehicles Parts and Accessories
cttxfc29	Motor Vehicle Repairs
cttxfc30	Motor Fuels and Lubricants
cttxfc31	Other Motor Vehicle Related Services
cttxfc32	Purchased Transportation
cttxfc33	Communications
cttxfc34	Recreation, Sporting and Camping Equip.
cttxfc35	Recreation Equipment Repair and Rentals
cttxfc36	Reading and Entertainment Supplies

cttxfc37	Recreational Services
cttxfc38	Educational and Cultural Services
cttxfc39	Jewelry and Watches
cttxfc40	Jewelry and Watch Repair
cttxfc41	Leather Goods & Other Personal Effects
cttxfc42	Toilet Articles and Cosmetics
cttxfc43	Personal Care
cttxfc44	Restaurants and Accommodation Services
cttxfc45	Financial, Legal & Other Services
cttxfc46	Operating Expenditures of Non-profit Orgs.
cttxfc47	Net Expenditure Abroad

1.7.4.5 Federal Custom Import Duties

ctfcid_	Federal custom import duties [array]
ctfcid0	Food and Non-alcoholic Beverages
ctfcid1	Alcoholic Beverages
ctfcid2	Tobacco
ctfcid3	Men's & Boy's Clothing
ctfcid4	Men's and Boys' Clothing Repair & Alteration
ctfcid5	Women's and Children's Clothing
ctfcid6	Women's Clothing Repair & Alteration
ctfcid7	Footwear
ctfcid8	Shoe Repair
ctfcid9	Gross Imputed Rent
ctfcid10	Gross Rent Paid
ctfcid11	Other Shelter Expenses
ctfcid12	Electricity
ctfcid13	Natural Gas
ctfcid14	Other Fuels
ctfcid15	Furniture and Floor Covering
ctfcid16	Upholstery and Furniture Repair
ctfcid17	Household Appliances
ctfcid18	Household Equipment Repairs
ctfcid19	Semi-durable Household Furnishings
ctfcid20	Non-durable Household Supplies
ctfcid21	Domestic and Child Care Services
ctfcid22	Other Household Services
ctfcid23	Medical Care
ctfcid24	Hospital Care and the like
ctfcid25	Accident and Sickness Insurance
ctfcid26	Drugs and Pharmaceutical Products
ctfcid27	New and Used (net) Motor Vehicles
ctfcid28	Motor Vehicles Parts and Accessories
ctfcid29	Motor Vehicle Repairs
ctfcid30	Motor Fuels and Lubricants
ctfcid31	Other Motor Vehicle Related Services

ctfcid32	Purchased Transportation
ctfcid33	Communications
ctfcid34	Recreation, Sporting and Camping Equip.
ctfcid35	Recreation Equipment Repair and Rentals
ctfcid36	Reading and Entertainment Supplies
ctfcid37	Recreational Services
ctfcid38	Educational and Cultural Services
ctfcid39	Jewelry and Watches
ctfcid40	Jewelry and Watch Repair
ctfcid41	Leather Goods & Other Personal Effects
ctfcid42	Toilet Articles and Cosmetics
ctfcid43	Personal Care
ctfcid44	Restaurants and Accommodation Services
ctfcid45	Financial, Legal & Other Services
ctfcid46	Operating Expenditures of Non-profit Orgs.
ctfcid47	Net Expenditure Abroad

1.7.4.6 Federal Excise Duties

ctfexd_	Federal excise duties [array]
ctfexd0	Food and Non-alcoholic Beverages
ctfexd1	Alcoholic Beverages
ctfexd2	Tobacco
ctfexd3	Men's & Boy's Clothing
ctfexd4	Men's and Boys' Clothing Repair & Alteration
ctfexd5	Women's and Children's Clothing
ctfexd6	Women's Clothing Repair & Alteration
ctfexd7	Footwear
ctfexd8	Shoe Repair
ctfexd9	Gross Imputed Rent
ctfexd10	Gross Rent Paid
ctfexd11	Other Shelter Expenses
ctfexd12	Electricity
ctfexd13	Natural Gas
ctfexd14	Other Fuels
ctfexd15	Furniture and Floor Covering
ctfexd16	Upholstery and Furniture Repair
ctfexd17	Household Appliances
ctfexd18	Household Equipment Repairs
ctfexd19	Semi-durable Household Furnishings
ctfexd20	Non-durable Household Supplies
ctfexd21	Domestic and Child Care Services
ctfexd22	Other Household Services
ctfexd23	Medical Care
ctfexd24	Hospital Care and the like
ctfexd25	Accident and Sickness Insurance
ctfexd26	Drugs and Pharmaceutical Products
ctfexd27	New and Used (net) Motor Vehicles

ctfexd28	Motor Vehicles Parts and Accessories
ctfexd29	Motor Vehicle Repairs
ctfexd30	Motor Fuels and Lubricants
ctfexd31	Other Motor Vehicle Related Services
ctfexd32	Purchased Transportation
ctfexd33	Communications
ctfexd34	Recreation, Sporting and Camping Equip.
ctfexd35	Recreation Equipment Repair and Rentals
ctfexd36	Reading and Entertainment Supplies
ctfexd37	Recreational Services
ctfexd38	Educational and Cultural Services
ctfexd39	Jewelry and Watches
ctfexd40	Jewelry and Watch Repair
ctfexd41	Leather Goods & Other Personal Effects
ctfexd42	Toilet Articles and Cosmetics
ctfexd43	Personal Care
ctfexd44	Restaurants and Accommodation Services
ctfexd45	Financial, Legal & Other Services
ctfexd46	Operating Expenditures of Non-profit Orgs.
ctfexd47	Net Expenditure Abroad

1.7.4.7 Federal Excise Taxes

ctfext_	Federal excise taxes [array]
ctfext0	Food and Non-alcoholic Beverages
ctfext1	Alcoholic Beverages
ctfext2	Tobacco
ctfext3	Men's & Boy's Clothing
ctfext4	Men's and Boys' Clothing Repair & Alteration
ctfext5	Women's and Children's Clothing
ctfext6	Women's Clothing Repair & Alteration
ctfext7	Footwear
ctfext8	Shoe Repair
ctfext9	Gross Imputed Rent
ctfext10	Gross Rent Paid
ctfext11	Other Shelter Expenses
ctfext12	Electricity
ctfext13	Natural Gas
ctfext14	Other Fuels
ctfext15	Furniture and Floor Covering
ctfext16	Upholstery and Furniture Repair
ctfext17	Household Appliances
ctfext18	Household Equipment Repairs
ctfext19	Semi-durable Household Furnishings
ctfext20	Non-durable Household Supplies
ctfext21	Domestic and Child Care Services
ctfext22	Other Household Services
ctfext23	Medical Care

ctfext24	Hospital Care and the like
ctfext25	Accident and Sickness Insurance
ctfext26	Drugs and Pharmaceutical Products
ctfext27	New and Used (net) Motor Vehicles
ctfext28	Motor Vehicles Parts and Accessories
ctfext29	Motor Vehicle Repairs
ctfext30	Motor Fuels and Lubricants
ctfext31	Other Motor Vehicle Related Services
ctfext32	Purchased Transportation
ctfext33	Communications
ctfext34	Recreation, Sporting and Camping Equip.
ctfext35	Recreation Equipment Repair and Rentals
ctfext36	Reading and Entertainment Supplies
ctfext37	Recreational Services
ctfext38	Educational and Cultural Services
ctfext39	Jewelry and Watches
ctfext40	Jewelry and Watch Repair
ctfext41	Leather Goods & Other Personal Effects
ctfext42	Toilet Articles and Cosmetics
ctfext43	Personal Care
ctfext44	Restaurants and Accommodation Services
ctfext45	Financial, Legal & Other Services
ctfext46	Operating Expenditures of Non-profit Orgs.
ctfext47	Net Expenditure Abroad

1.7.4.8 Federal GST

ctfgst_	Federal GST [array]
ctfgst0	Food and Non-alcoholic Beverages
ctfgst1	Alcoholic Beverages
ctfgst2	Tobacco
ctfgst3	Men's & Boy's Clothing
ctfgst4	Men's and Boys' Clothing Repair & Alteration
ctfgst5	Women's and Children's Clothing
ctfgst6	Women's Clothing Repair & Alteration
ctfgst7	Footwear
ctfgst8	Shoe Repair
ctfgst9	Gross Imputed Rent
ctfgst10	Gross Rent Paid
ctfgst11	Other Shelter Expenses
ctfgst12	Electricity
ctfgst13	Natural Gas
ctfgst14	Other Fuels
ctfgst15	Furniture and Floor Covering
ctfgst16	Upholstery and Furniture Repair
ctfgst17	Household Appliances
ctfgst18	Household Equipment Repairs
ctfgst19	Semi-durable Household Furnishings

ctfgst20	Non-durable Household Supplies
ctfgst21	Domestic and Child Care Services
ctfgst22	Other Household Services
ctfgst23	Medical Care
ctfgst24	Hospital Care and the like
ctfgst25	Accident and Sickness Insurance
ctfgst26	Drugs and Pharmaceutical Products
ctfgst27	New and Used (net) Motor Vehicles
ctfgst28	Motor Vehicles Parts and Accessories
ctfgst29	Motor Vehicle Repairs
ctfgst30	Motor Fuels and Lubricants
ctfgst31	Other Motor Vehicle Related Services
ctfgst32	Purchased Transportation
ctfgst33	Communications
ctfgst34	Recreation, Sporting and Camping Equip.
ctfgst35	Recreation Equipment Repair and Rentals
ctfgst36	Reading and Entertainment Supplies
ctfgst37	Recreational Services
ctfgst38	Educational and Cultural Services
ctfgst39	Jewelry and Watches
ctfgst40	Jewelry and Watch Repair
ctfgst41	Leather Goods & Other Personal Effects
ctfgst42	Toilet Articles and Cosmetics
ctfgst43	Personal Care
ctfgst44	Restaurants and Accommodation Services
ctfgst45	Financial, Legal & Other Services
ctfgst46	Operating Expenditures of Non-profit Orgs.
ctfgst47	Net Expenditure Abroad

1.7.4.9 New Federal commodity tax

ctfnew_	New federal commodity tax [array]
ctfnew0	Food and Non-alcoholic Beverages
ctfnew1	Alcoholic Beverages
ctfnew2	Tobacco
ctfnew3	Men's & Boy's Clothing
ctfnew4	Men's and Boys' Clothing Repair & Alteration
ctfnew5	Women's and Children's Clothing
ctfnew6	Women's Clothing Repair & Alteration
ctfnew7	Footwear
ctfnew8	Shoe Repair
ctfnew9	Gross Imputed Rent
ctfnew10	Gross Rent Paid
ctfnew11	Other Shelter Expenses
ctfnew12	Electricity
ctfnew13	Natural Gas
ctfnew14	Other Fuels
ctfnew15	Furniture and Floor Covering

ctfnew16	Upholstery and Furniture Repair
ctfnew17	Household Appliances
ctfnew18	Household Equipment Repairs
ctfnew19	Semi-durable Household Furnishings
ctfnew20	Non-durable Household Supplies
ctfnew21	Domestic and Child Care Services
ctfnew22	Other Household Services
ctfnew23	Medical Care
ctfnew24	Hospital Care and the like
ctfnew25	Accident and Sickness Insurance
ctfnew26	Drugs and Pharmaceutical Products
ctfnew27	New and Used (net) Motor Vehicles
ctfnew28	Motor Vehicles Parts and Accessories
ctfnew29	Motor Vehicle Repairs
ctfnew30	Motor Fuels and Lubricants
ctfnew31	Other Motor Vehicle Related Services
ctfnew32	Purchased Transportation
ctfnew33	Communications
ctfnew34	Recreation, Sporting and Camping Equip.
ctfnew35	Recreation Equipment Repair and Rentals
ctfnew36	Reading and Entertainment Supplies
ctfnew37	Recreational Services
ctfnew38	Educational and Cultural Services
ctfnew39	Jewelry and Watches
ctfnew40	Jewelry and Watch Repair
ctfnew41	Leather Goods & Other Personal Effects
ctfnew42	Toilet Articles and Cosmetics
ctfnew43	Personal Care
ctfnew44	Restaurants and Accommodation Services
ctfnew45	Financial, Legal & Other Services
ctfnew46	Operating Expenditures of Non-profit Orgs.
ctfnew47	Net Expenditure Abroad

1.7.4.10 Provincial Commodity Taxes

cttxpc_	Provincial commodity taxes [array]
cttxpc0	Food and Non-alcoholic Beverages
cttxpc1	Alcoholic Beverages
cttxpc2	Tobacco
cttxpc3	Men's & Boy's Clothing
cttxpc4	Men's and Boys' Clothing Repair & Alteration
cttxpc5	Women's and Children's Clothing
cttxpc6	Women's Clothing Repair & Alteration
cttxpc7	Footwear
cttxpc8	Shoe Repair
cttxpc9	Gross Imputed Rent
cttxpc10	Gross Rent Paid
cttxpc11	Other Shelter Expenses

cttxpc12	Electricity
cttxpc13	Natural Gas
cttxpc14	Other Fuels
cttxpc15	Furniture and Floor Covering
cttxpc16	Upholstery and Furniture Repair
cttxpc17	Household Appliances
cttxpc18	Household Equipment Repairs
cttxpc19	Semi-durable Household Furnishings
cttxpc20	Non-durable Household Supplies
cttxpc21	Domestic and Child Care Services
cttxpc22	Other Household Services
cttxpc23	Medical Care
cttxpc24	Hospital Care and the like
cttxpc25	Accident and Sickness Insurance
cttxpc26	Drugs and Pharmaceutical Products
cttxpc27	New and Used (net) Motor Vehicles
cttxpc28	Motor Vehicles Parts and Accessories
cttxpc29	Motor Vehicle Repairs
cttxpc30	Motor Fuels and Lubricants
cttxpc31	Other Motor Vehicle Related Services
cttxpc32	Purchased Transportation
cttxpc33	Communications
cttxpc34	Recreation, Sporting and Camping Equip.
cttxpc35	Recreation Equipment Repair and Rentals
cttxpc36	Reading and Entertainment Supplies
cttxpc37	Recreational Services
cttxpc38	Educational and Cultural Services
cttxpc39	Jewelry and Watches
cttxpc40	Jewelry and Watch Repair
cttxpc41	Leather Goods & Other Personal Effects
cttxpc42	Toilet Articles and Cosmetics
cttxpc43	Personal Care
cttxpc44	Restaurants and Accommodation Services
cttxpc45	Financial, Legal & Other Services
cttxpc46	Operating Expenditures of Non-profit Orgs.
cttxpc47	Net Expenditure Abroad

1.7.4.11 Provincial gasoline tax

ctpgas_	Provincial gasoline tax [array]
ctpgas0	Food and Non-alcoholic Beverages
ctpgas1	Alcoholic Beverages
ctpgas2	Tobacco
ctpgas3	Men's & Boy's Clothing
ctpgas4	Men's and Boys' Clothing Repair & Alteration
ctpgas5	Women's and Children's Clothing
ctpgas6	Women's Clothing Repair & Alteration
ctpgas7	Footwear

ctpgas8	Shoe Repair
ctpgas9	Gross Imputed Rent
ctpgas10	Gross Rent Paid
ctpgas11	Other Shelter Expenses
ctpgas12	Electricity
ctpgas13	Natural Gas
ctpgas14	Other Fuels
ctpgas15	Furniture and Floor Covering
ctpgas16	Upholstery and Furniture Repair
ctpgas17	Household Appliances
ctpgas18	Household Equipment Repairs
ctpgas19	Semi-durable Household Furnishings
ctpgas20	Non-durable Household Supplies
ctpgas21	Domestic and Child Care Services
ctpgas22	Other Household Services
ctpgas23	Medical Care
ctpgas24	Hospital Care and the like
ctpgas25	Accident and Sickness Insurance
ctpgas26	Drugs and Pharmaceutical Products
ctpgas27	New and Used (net) Motor Vehicles
ctpgas28	Motor Vehicles Parts and Accessories
ctpgas29	Motor Vehicle Repairs
ctpgas30	Motor Fuels and Lubricants
ctpgas31	Other Motor Vehicle Related Services
ctpgas32	Purchased Transportation
ctpgas33	Communications
ctpgas34	Recreation, Sporting and Camping Equip.
ctpgas35	Recreation Equipment Repair and Rentals
ctpgas36	Reading and Entertainment Supplies
ctpgas37	Recreational Services
ctpgas38	Educational and Cultural Services
ctpgas39	Jewelry and Watches
ctpgas40	Jewelry and Watch Repair
ctpgas41	Leather Goods & Other Personal Effects
ctpgas42	Toilet Articles and Cosmetics
ctpgas43	Personal Care
ctpgas44	Restaurants and Accommodation Services
ctpgas45	Financial, Legal & Other Services
ctpgas46	Operating Expenditures of Non-profit Orgs.
ctpgas47	Net Expenditure Abroad

1.7.4.12 Provincial Retail Sales Tax

ctprst_	Provincial retail sales tax [array]
ctprst0	Food and Non-alcoholic Beverages
ctprst1	Alcoholic Beverages
ctprst2	Tobacco
ctprst3	Men's & Boy's Clothing

ctprst4	Men's and Boys' Clothing Repair & Alteration
ctprst5	Women's and Children's Clothing
ctprst6	Women's Clothing Repair & Alteration
ctprst7	Footwear
ctprst8	Shoe Repair
ctprst9	Gross Imputed Rent
ctprst10	Gross Rent Paid
ctprst11	Other Shelter Expenses
ctprst12	Electricity
ctprst13	Natural Gas
ctprst14	Other Fuels
ctprst15	Furniture and Floor Covering
ctprst16	Upholstery and Furniture Repair
ctprst17	Household Appliances
ctprst18	Household Equipment Repairs
ctprst19	Semi-durable Household Furnishings
ctprst20	Non-durable Household Supplies
ctprst21	Domestic and Child Care Services
ctprst22	Other Household Services
ctprst23	Medical Care
ctprst24	Hospital Care and the like
ctprst25	Accident and Sickness Insurance
ctprst26	Drugs and Pharmaceutical Products
ctprst27	New and Used (net) Motor Vehicles
ctprst28	Motor Vehicles Parts and Accessories
ctprst29	Motor Vehicle Repairs
ctprst30	Motor Fuels and Lubricants
ctprst31	Other Motor Vehicle Related Services
ctprst32	Purchased Transportation
ctprst33	Communications
ctprst34	Recreation, Sporting and Camping Equip.
ctprst35	Recreation Equipment Repair and Rentals
ctprst36	Reading and Entertainment Supplies
ctprst37	Recreational Services
ctprst38	Educational and Cultural Services
ctprst39	Jewelry and Watches
ctprst40	Jewelry and Watch Repair
ctprst41	Leather Goods & Other Personal Effects
ctprst42	Toilet Articles and Cosmetics
ctprst43	Personal Care
ctprst44	Restaurants and Accommodation Services
ctprst45	Financial, Legal & Other Services
ctprst46	Operating Expenditures of Non-profit Orgs.
ctprst47	Net Expenditure Abroad

1.7.4.13 Provincial carbon tax

ctpcar_ Provincial carbon tax [array]

ctpcar0	Food and Non-alcoholic Beverages
ctpcar1	Alcoholic Beverages
ctpcar2	Tobacco
ctpcar3	Men's & Boy's Clothing
ctpcar4	Men's and Boys' Clothing Repair & Alteration
ctpcar5	Women's and Children's Clothing
ctpcar6	Women's Clothing Repair & Alteration
ctpcar7	Footwear
ctpcar8	Shoe Repair
ctpcar9	Gross Imputed Rent
ctpcar10	Gross Rent Paid
ctpcar11	Other Shelter Expenses
ctpcar12	Electricity
ctpcar13	Natural Gas
ctpcar14	Other Fuels
ctpcar15	Furniture and Floor Covering
ctpcar16	Upholstery and Furniture Repair
ctpcar17	Household Appliances
ctpcar18	Household Equipment Repairs
ctpcar19	Semi-durable Household Furnishings
ctpcar20	Non-durable Household Supplies
ctpcar21	Domestic and Child Care Services
ctpcar22	Other Household Services
ctpcar23	Medical Care
ctpcar24	Hospital Care and the like
ctpcar25	Accident and Sickness Insurance
ctpcar26	Drugs and Pharmaceutical Products
ctpcar27	New and Used (net) Motor Vehicles
ctpcar28	Motor Vehicles Parts and Accessories
ctpcar29	Motor Vehicle Repairs
ctpcar30	Motor Fuels and Lubricants
ctpcar31	Other Motor Vehicle Related Services
ctpcar32	Purchased Transportation
ctpcar33	Communications
ctpcar34	Recreation, Sporting and Camping Equip.
ctpcar35	Recreation Equipment Repair and Rentals
ctpcar36	Reading and Entertainment Supplies
ctpcar37	Recreational Services
ctpcar38	Educational and Cultural Services
ctpcar39	Jewelry and Watches
ctpcar40	Jewelry and Watch Repair
ctpcar41	Leather Goods & Other Personal Effects
ctpcar42	Toilet Articles and Cosmetics
ctpcar43	Personal Care
ctpcar44	Restaurants and Accommodation Services
ctpcar45	Financial, Legal & Other Services

ctpcar46 Operating Expenditures of Non-profit Orgs.
ctpcar47 Net Expenditure Abroad

1.7.4.14 New Provincial Commodity Tax

ctpnew_ New provincial commodity tax [array]
ctpnew0 Food and Non-alcoholic Beverages
ctpnew1 Alcoholic Beverages
ctpnew2 Tobacco
ctpnew3 Men's & Boy's Clothing
ctpnew4 Men's and Boys' Clothing Repair & Alteration
ctpnew5 Women's and Children's Clothing
ctpnew6 Women's Clothing Repair & Alteration
ctpnew7 Footwear
ctpnew8 Shoe Repair
ctpnew9 Gross Imputed Rent
ctpnew10 Gross Rent Paid
ctpnew11 Other Shelter Expenses
ctpnew12 Electricity
ctpnew13 Natural Gas
ctpnew14 Other Fuels
ctpnew15 Furniture and Floor Covering
ctpnew16 Upholstery and Furniture Repair
ctpnew17 Household Appliances
ctpnew18 Household Equipment Repairs
ctpnew19 Semi-durable Household Furnishings
ctpnew20 Non-durable Household Supplies
ctpnew21 Domestic and Child Care Services
ctpnew22 Other Household Services
ctpnew23 Medical Care
ctpnew24 Hospital Care and the like
ctpnew25 Accident and Sickness Insurance
ctpnew26 Drugs and Pharmaceutical Products
ctpnew27 New and Used (net) Motor Vehicles
ctpnew28 Motor Vehicles Parts and Accessories
ctpnew29 Motor Vehicle Repairs
ctpnew30 Motor Fuels and Lubricants
ctpnew31 Other Motor Vehicle Related Services
ctpnew32 Purchased Transportation
ctpnew33 Communications
ctpnew34 Recreation, Sporting and Camping Equip.
ctpnew35 Recreation Equipment Repair and Rentals
ctpnew36 Reading and Entertainment Supplies
ctpnew37 Recreational Services
ctpnew38 Educational and Cultural Services
ctpnew39 Jewelry and Watches
ctpnew40 Jewelry and Watch Repair
ctpnew41 Leather Goods & Other Personal Effects

ctpnw42	Toilet Articles and Cosmetics
ctpnw43	Personal Care
ctpnw44	Restaurants and Accommodation Services
ctpnw45	Financial, Legal & Other Services
ctpnw46	Operating Expenditures of Non-profit Orgs.
ctpnw47	Net Expenditure Abroad

1.7.5 Other SHS Variables

fxseqhv	SHS record sequence number
fxclohhv	SHS cloning factor
fxcloshs	SHS cloning factor
fxrecom	real estate commissions
fxipac	life ins prems and annuity contributions
fxgypen	gvt pension plan contributions
fxpvpem	private pension plan contributions
fxcqp	cpg - qpp contributions
fxuic	EI contributions
fxintax	Income taxes
fxprtax	Property tax
fxptax	Transfer of Property taxes
fxrfees	Registration and license fees
fxrrspt	Total RRSP contributions (SHS)
fxnes	Not elsewhere stated
fxncal	Net change in assets and liabilities
fxfabd	Account balancing difference
fxfomr	Other money receipts
fxpsave	Positive savings
fxnsave	Negative savings
fxsaldur	Sale of durables
fxalimo	Alimony and child support
fxhomexp	Expenses assoc with principal residence
fxrepr	Repairs paid
fxanncon	Annuity contracts and transfers to RRIFs
fxpurprc	Purchase price of home
fxselprc	Selling price of home
fxgstidx	Index for distributing GST on housing
fxhrtcp	Home Renovation Tax Credit eligible expenses on principal residence
fxhrctvh	Home Renovation Tax Credit eligible expenses on vacation home

1.8 Summary (Memo) Variables

Memo items are variables that are calculated directly as sums and differences of other variables. They could just as easily be calculated by the user through the user-defined variable facility (see User's GuideUD_1@spsmE.hlp). The user should check the definition of a memo item before using it, to ensure that it agrees with his or her own definition. This applies particularly to concepts such as total income or total taxes. Some people prefer to consider refundable tax credits as negative taxes, rather than as positive transfers, as SPSD/M does.

1.8.1 Household Balance

Household balance variables summarize the cash flow relationship of individuals and families to government, from the individual's perspective. Disposable income represents money available to be spent, whereas consumable income is disposable income less commodity taxes embodied in consumption.

immemp	All employment income
imdepni	Dependant's net income
imminv	Investment income
immmkt	Market income
immoth	Other income
immtran	All transfer income
immtot	Total income
immdisp	Disposable income
immicons	Consumable income
immtax	All taxes
imnettr	Net transfers to person
imfothtr	Federal other trans income and ref. credits
imictot	Total Income (line 150)
imicnet	Net Income (line 236)

1.8.2 Federal Balance

Federal Balance variables summarize the cash flow relationship of individuals and families to the federal government, from the federal government's perspective.

imftax	Federal taxes
imfotax	Other Federal Taxes
imftran	Federal transfer income
imfedbal	Federal taxes less transfers

1.8.3 Provincial Balance

These variables summarize the cash flow relationship of individuals and families to the provincial government, from the provincial government's perspective.

impoth	Provincial other government income
imptax	Provincial taxes
impotax	Provincial Other Taxes
imptran	Provincial transfer income
impotran	Provincial Other Transfers
imprvbal	Provincial taxes less transfers

1.8.4 Other Reporting Variables

imiemp	Wages and salaries
imiself	Total self-employment income
imicqp	CPP/QPP payable
imfnewpg	Federal new programs
imothrep	Other federal repayments

1.9 Miscellaneous Variables

These variables don't fit naturally into any of the preceding sections. They include a group of variables associated with the marginal tax rate facility (see User's GuideUD_1@spsmE.hlp) and some flag variables which can be used to identify individual records which have been processed in certain ways in the course of database creation.

1.9.1 Glass Box Variables

The structures and pointers described in this section will be of interest to Glass Box users and black Box users wishing to understand SPSM variable naming conventions or interested in

reading the C Language source code. The variables in this section will be of interest only to Glass Box users.

1.9.1.1 Structures

The SPSD/M uses a hierarchical household data structure to store information on all variables. Variable names always begin with the name of the structure to which they belong. The data structure information is relevant to the glass box user because an appreciation of the nested structures is necessary in order to refer to the values of individual variables; such reference is, of course, an integral part of writing the code for new or modified tax/transfer programs. For a full description of SPSM structures see the Programmer's GuideGD_1@spsmE.hlp.

hd	Housing characteristics data [struct]
hh	Household structure
fx	SHS data [struct]
ct	Commodity tax variables [struct]
ctbase	Base commodity tax variables [struct]
ef	Economic family data [array]
cf	Census family data [array]
nf	Nuclear family data [array]
in	Individual data [array]
id	Individual SPSD variables [struct]
im	Individual variant result variables [struct]
imbase	Individual base result variables [struct]
ub	EI benefit structure
ub1	EI claim #1 results [struct]
ub2	EI claim #2 results [struct]
uc	EI claim structure
uc1	EI claim #1 data [struct]
uc2	EI claim #2 data [struct]

ic	Individual model control variables [struct]
uv	user variables [struct]

1.9.1.2 Pointers

Pointer variables point to a particular area of memory, and especially to a specific data structure. The glass box user will usually have to use pointers to reference variable values and setting up loops. The SPSM provides several pointers to assist in code development. These are listed below. For a fuller description of SPSM pointers refer to the Programmer's GuideGD_1@spsmE.hlp.

nfin	First person in nuclear family [pointer]
nfinch	First child in nuclear family [pointer]
nfineld	Eldest person in nuclear family [pointer]
nfinspo	Spouse of eldest [pointer]
cfin	First person in census family [pointer]
cfinch	First child in census family [pointer]
cfineld	Eldest person in census family [pointer]
cfinspo	Spouse of eldest [pointer]
efin	First person in economic family [pointer]
idhh	Person's household [pointer]
idef	Person's economic family [pointer]
idcf	Person's census family [pointer]
idnf	Person's nuclear family [pointer]
idinspo	Person's spouse [pointer]

1.9.1.3 Variables

imiosa	Other SA or guarantees
imiotg	Other taxable demogrants
icmaramt	Amount of SPSD income adjustment
icmarinc	Income after adjustment
icmarold	Saved old SPSD income before adjustment
icrolled	Individual already rolled up flag
icselect	Individual selected flag

ictpflg Person will be changed (TP facility)
uvdummy dummy variable

1.9.1.4 Other

imfill filler array for modeled variables [array]

1.9.2 Database

1.9.2.1 User Database Variables

The SPSD has room for additional variables to be written by the user in either Glass Box mode or by rebuilding a database using the build utility (See Tools User's GuideTD_1@spsmE.hlp). In black box mode these variables are referenced by their sequence. For example the third extra variable would be called idext2.

idext Extra numbers [array]

1.9.2.2 Creation Flags

These flag variables indicate when an individual record has had its original SLID database value modified during the database creation process. Converted variables are so named because an individual is converted from a non-respondent to a respondent.

idieflag Cloned institutionalized elderly person

idsynthi Synthetic high income person

idccqp Converted CPP/QPP benefit

idcsa Converted social assistance

idcuib Converted EI benefit

1.9.3 Random Numbers

idrand Random numbers [array]

1.9.4 Sample and Unit Count

idcount Person count
persons Person count
units Unit count
fxvrecs SHS records
scfrecs SLID records
spsdrecs SPSD records
hdnspsd SPSD records
hdclorrh Number of SLID clones
hdnfxv SHS records

hdnscf SLID records

1.9.5 Marginal Tax Rate

immaramt Adjustment to income source
immartax Change in consumable income after adjustment

1.9.6 Low Income Analysis

efpovthr Economic family low income threshold (Before
tax)
efpvthat Economic family low income threshold (After
tax)
impovinc Before Tax Income for low income measurement
imatpinc After tax Income for low income measurement

DESCRIPTION

This is an array each element of which is a structure holding information on each census family in the household. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix cf are members of an element of this array. The number of elements containing valid data within this array is given by the variable hhncf, which is the number of census families contained in the current household.

DESCRIPTION

This class variable contains the age of the eldest person in the current census family. The maximum age is 99.

CROSS REFERENCE

Function	Description
txnfd	(i) Compute provincial taxes for Newfoundland
txns	(i) Compute provincial taxes for Nova Scotia
txont	(i) Compute provincial taxes for Ontario
txbc	(i) Compute provincial taxes for British Columbia
txfstc	(i) Compute federal sales tax credit

DESCRIPTION

This census family variable is an alternative to the cftype variable for categorizing census families. Note that old children means children aged 18 or over. The presence of young children takes precedence over the presence of elderly in this classification.

LEVELS

0	Married couple with no children
1	Married couple with young children
2	Married couple with only old children
3	Married couple, at least one is elderly
4	SPF with young children
5	SPF with old children
6	Unattached non-elderly individual
7	Unattached elderly individual

cfm First person in census family [pointer]

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the first person in the current census family. Since persons in a census family are arranged sequentially in memory, cfm is commonly used to initialize a working pointer used to process each person of a census family in turn.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
samod	(i) Compute social assistance or guarantees
cceopt	(i) Multiple calls of tax/transfer calculator

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the first child in the current census family. Since the children in a census family are arranged sequentially in memory, cfin is commonly used to initialize a working pointer used to process each child of a census family in turn. Note that children in census families need not be young. A census family child can be any age so long as he/she has never been married.

CROSS REFERENCE

Function	Description
txcea	(i) Compute child care expense allowance
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
txfstc	(i) Compute federal sales tax credit

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the eldest person in the current census family. The eldest person is used as a reference person for the census family.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txcea	(i) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
txfstc	(i) Compute federal sales tax credit

cfinspo Spouse of eldest [pointer]

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the spouse of the eldest person in the current census family. If the eldest person has no spouse, this variable is NULL and should not be used. The variable cfspoflg can be used to determine if there is a spouse in the census family.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txcea	(i) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland

txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
txfstc	(i) Compute federal sales tax credit

cfnadult Number of adults in census family

DESCRIPTION

This class variable counts the number of persons aged 18 or over in the census family. Note that this can include census family 'children'.

cfnchild Number of children (including 18+)

DESCRIPTION

This class variable counts the number of 'children' in the current census family. Note that it can include persons aged 18 to 25 so long as they are not currently in married or in a common-law relationship. Since census family children are arranged consecutively in memory, this variable is often used in conjunction with cfinch to process all 'children' in a census family.

CROSS REFERENCE

Function	Description
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan

txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
txfstc	(i) Compute federal sales tax credit

cfnearn Number of earners in census family

DESCRIPTION

This class variable counts the number of earners in the census family. A person is considered an earner if he/she has employment or self-employment earnings equal or greater to the value specified in the EARNMIN parameter.

cfnel Number of elderly in census family

DESCRIPTION

This class variable counts the number of persons aged 65 or over in the census family.

cfnkids Number of children in census family

DESCRIPTION

This class variable counts the number of census family children aged under 18 in the current census family.

CROSS REFERENCE

Function	Description
txccea	(i) Compute child care expense allowance
txcalc	(i) Calculate federal income tax
txns	(i) Compute provincial taxes for Nova Scotia
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txbc	(i) Compute provincial taxes for British Columbia
samod	(i) Compute social assistance or guarantees
cceopt	(i) Multiple calls of tax/transfer calculator

DESCRIPTION

This class variable counts the total number of persons in the census family. It is often used in conjunction with the cfin pointer variable to process each person in the census family in turn.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
samod	(i) Compute social assistance or guarantees
cceopt	(i) Multiple calls of tax/transfer calculator

DESCRIPTION

This class variable gives the sex of the eldest person in the census family. The eldest person is used as a reference person in the census family.

LEVELS

0	Male
1	Female

DESCRIPTION

This class variable indicates whether the census family contains a married couple. If true, the pointer variable cfinspo will point to the in structure containing data on the spouse of the eldest person (the reference person) in the census family.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income
txceea	(i) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
txfstc	(i) Compute federal sales tax credit

LEVELS

0	No spouse present
1	Spouse present

cftype Census family type

DESCRIPTION

This class variable gives a general purpose way of classifying family units based on the number of adults, kids and elderly in the unit. Note that in the scheme given below, the presence of kids takes precedence over the presence of elderly for families with both kids and elderly. Kids are census family children aged under 18, adults are persons aged 18 or over (including the elderly) or persons who are under 18 but who are census family heads or spouses, and elderly are persons aged 65 or over.

LEVELS

0	With Kids, 1 Adult
1	With Kids, 2+ Adult
2	With Elderly, 1 Adult
3	With Elderly, 2+ Adult
4	Other, 1 Adult
5	Other, 2+ Adult

ct Commodity tax variables [struct]

DESCRIPTION

This structure holds information on commodity taxes associated with the household. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix ct are members of this structure.

ctbase Base commodity tax variables [struct]

DESCRIPTION

This structure holds base result values for the ct variables. Its members correspond exactly to those of the ct structure. Internal facilities of SPSM copy information from the ct to the ctbase structure to implement a base/variant capability. Base results are referenced in the SPSM 'black box' facilities by prefacing the variable name with an underscore. Please see the *User's Guide* for more information on using the base/variant facility.

ctdfexp Deflated expenditure (tax exclusive)

DESCRIPTION

This variable has no current function and is reserved for future use.

ctfabdn Negative account balancing difference

DESCRIPTION

This analysis variable represents contains total disbursements minus total receipts when this difference is positive. It is scaled by CTFABD. See also ctfabdp.

CROSS REFERENCE

Function	Description
ctmod	(i) Compute commodity taxes for individuals and households

ctfabdp Positive account balancing difference

DESCRIPTION

This analysis variable represents contains total receipts minus total disbursements when this difference is positive. It is scaled by CTFABD. See also ctfabdn.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfcid Federal custom import duties

DESCRIPTION

This analysis variable contains the value of federal custom import duties associated with the household's disposable income and consumption pattern. Custom import duties are levied on imported goods used for both manufacture and final consumption. They are ad-valorem based.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfcid_ Federal custom import duties [array]

DESCRIPTION

This array of analysis variables contains all federal custom and import duties associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfexd Federal excise duties

DESCRIPTION

This analysis variable contains the value of federal excise duties associated with the household's disposable income and consumption pattern. Under the Excise Act duties are levied on tobacco products and alcoholic beverages (other than wines) made in Canada. These commodities are under the control of the crown until these duties are paid. They typically take the form of specific quantity rates; they are not ad-valorem taxes.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfexd_ Federal excise duties [array]

DESCRIPTION

This array of analysis variables contains all federal excise duties associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfext Federal excise taxes

DESCRIPTION

This analysis variable contains the value of federal excise duties associated with the household's disposable income and consumption pattern. Some commodities are additionally taxed through provisions of the Excise Tax Act. Taxes under this heading include: Gasoline, Diesel, and Aviation fuel excise taxes; Tobacco and Alcohol Excise taxes; Air Transportation tax; Telecommunications tax; other excise taxes levied on heavy cars, air conditioners, jewelry, clocks, watches, lighters, playing cards etc.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfext_ Federal excise taxes [array]

DESCRIPTION

This array of analysis variables contains all federal excise tax associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfgst Federal GST

DESCRIPTION

This variable contains the value of federal goods and services tax associated with the household's disposable income and consumption pattern.

Note that it does not include the GST on housing (ctfgsths) which has been allocated to the household.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfgst_ Federal GST [array]

DESCRIPTION

This array of analysis variables contains all federal gst associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctfgsths Federal GST on housing

DESCRIPTION

This analysis variable contains the household's share of the Goods and Services Tax (GST) on housing. The GST on housing is not included in the basic commodity tax model as it is not a household sector tax but comes from the construction sector. The total GST on housing (CTFGSTHOUSE) is distributed across all households using an index variable (fxgstidx). As this is a simple allocation, the resulting amount is not included in the SPSM accounts and is not included in ctfgst, cttxfc, imtxfc, imftax or immtax. See the *Commodity Tax User's Guide* for more details.

CROSS REFERENCE

Function	Description
ctmod	(o) Compute commodity taxes for individuals and households

ctfnew New federal commodity tax

DESCRIPTION

This variable contains the value of any new federal commodity tax that a user may have implemented using CTFNEW.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households
ctfnew_	New federal commodity tax [array]

DESCRIPTION

This array of analysis variables contains all the value of the new federal commodity tax associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households
ctishrh	Shared income concept (SHS)

DESCRIPTION

This analysis variable contains a value for income used to adjust ct variables associated with the SHS expenditure vector to the disposable income calculated by SPSM. Because the two income concepts are somewhat different, a common shared income concept is defined and calculated for both SPSM results and the SHS expenditure data associated with the household.

All of the ct variables (originally calculated based on the SHS data) are then scaled proportionately by the ratio of SPSM shared income to SHS shared income. Conceptually, shared income is equal to disposable income (excluding capital gains) plus other money receipts plus dissavings plus proceeds from the sale of assets plus negative account balancing differences. Equivalently, shared income is total expenditures on goods and services (including commodity taxes) plus positive savings and positive account balancing differences. The shared income concept corresponding to SPSM income is found at the individual level in the variable imishri.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households
ctlprop	Local property taxes on owned dwellings

DESCRIPTION

This analysis variable contains the value of all property taxes paid by households on their principal residences, vacation homes, and secondary living quarters.

CROSS REFERENCE

Function	Description
ctmod	(o) Compute commodity taxes for individuals and households
ctnes	Household expenditure not elsewhere specified

DESCRIPTION

This household level variable contains the value of household expenditures necessary to complete the income-expenditure identity.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctnexp Household expenditure net of taxes

DESCRIPTION

This household level variable contains all expenditure components net of their original commodity taxes after applying the tax removal parameter CTTXRM.

CROSS REFERENCE

Function	Description
ctmod	(i) Compute commodity taxes for individuals and households

ctnexp_ Household expenditure net of taxes [array]

DESCRIPTION

This household level variable contains all expenditure components net of their original commodity taxes in each of the 48 household expenditure categories after applying the tax removal parameter CTTXRM.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctnsna Household expenditure net of taxes -SNA adjusted

DESCRIPTION

This household level variable contains all expenditure components net of their original commodity taxes after applying the tax removal parameter CTTXRM and adjusted to SNA level with the factor CTFAMSNA.

CROSS REFERENCE

Function	Description
ctmod	(o) Compute commodity taxes for individuals and households

ctnsna_ Household expenditure net of taxes [array] -SNA adjusted

DESCRIPTION

This household level variable contains all expenditure components net of their original commodity taxes in each of the 48 household expenditure categories after applying the tax removal parameter CTTXRM and adjusted to SNA level with the factor CTFAMSNA.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctothmon Household money from other sources

DESCRIPTION

This household level variable contains the liquidation of assets the household has made in the year including the sales of durable goods. It also includes any lottery winnings or other financial windfall gains the household has made.

CROSS REFERENCE

Function	Description
ctmod	(i) Compute commodity taxes for individuals and households

ctpamu Provincial amusement tax

DESCRIPTION

This analysis variable contains the value of provincial amusement taxes associated with the household's disposable income and consumption pattern. This tax pertains to admissions to theatres, traveling amusements (i.e. circuses) and the like. It is not responsible for revenues collected on pari-mutuel betting activities.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctpcar Provincial carbon tax

DESCRIPTION

This analysis variable contains the value of provincial carbon tax associated with the household's disposable income and consumption pattern. It is a specific rate tax.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctpcar_ Provincial carbon tax [array]

DESCRIPTION

This array of analysis variables contains all provincial carbon tax associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctpgas Provincial gasoline tax

DESCRIPTION

This analysis variable contains the value of provincial gasoline tax associated with the household's disposable income and consumption pattern. This tax is applied to gasoline and diesel fuel users independent of whether the use occurs in goods producing or final demand consumption. It is a specific rate tax.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctpgas_ Provincial gasoline tax [array]

DESCRIPTION

This array of analysis variables contains all provincial gasoline tax associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctplgl Provincial liquor gallonage taxes

DESCRIPTION

This analysis variable contains the value of provincial liquor gallonage taxes associated with the household's disposable income and consumption pattern. The fee applies to domestic beer producers in only four of the provinces: British Columbia; Ontario; Quebec; and Newfoundland.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctpnew New provincial commodity tax

DESCRIPTION

This variable contains the value of any new provincial commodity tax that a user may have implemented using CTPNEW.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctpnew_ New provincial commodity tax [array]

DESCRIPTION

This array of analysis variables contains all the value of the new provincial commodity tax associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctpplq Provincial profits on liquor commissions

DESCRIPTION

This analysis variable contains the value of provincial profits on liquor commissions associated with the household's disposable income and consumption pattern. These profits are defined as the value of gross sales less administrative and general expenses. The value of gross is, in part, a function of the markups over costs the provincial government applies.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctprov Province for COMTAX calculations

DESCRIPTION

In the course of creation of the SPSD, a single SHS record is associated with a number of SPSD household records through a categorical match process (see the [Database Creation Guide](#) for more information). Since the commodity tax calculations are performed in the first instance on the SHS expenditure data, significant efficiencies can be gained by re-using this

information for each of the associated SPSD households. In some cases, however, due to limited sample size, the SPSD households associated with a single SHS record occur in different provinces, necessitating recalculation of the commodity tax result variables.

The `ctprov` variable records the province associated with the current calculated commodity tax variables, and only if this value differs from the province of the current SPSD household is recalculation performed. As the discussion above makes clear, `ctprov` is an internal working variable, and should not be used for output or analysis purposes. Use the `hdprov` variable to perform tabulations or produce other output by province.

CROSS REFERENCE

Function	Description
<code>ctmod</code>	(o) Compute commodity taxes for individuals and households

LEVELS

0	Newfoundland
1	P.E.I.
2	Nova Scotia
3	New Brunswick
4	Quebec
5	Ontario
6	Manitoba
7	Saskatchewan
8	Alberta
9	B.C.

`ctprst` Provincial retail sales tax

DESCRIPTION

This analysis variable contains the value of provincial retail sales tax associated with the household's disposable income and consumption pattern. It is ad-valorem based.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctprst_ Provincial retail sales tax [array]

DESCRIPTION

This array of analysis variables contains all provincial retail sales tax associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctptob Provincial tobacco tax

DESCRIPTION

This analysis variable contains the value of provincial tobacco tax associated with the household's disposable income and consumption pattern. It is a specific rate tax either by cigarette or gram of cut tobacco.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

DESCRIPTION

This household level variable includes the voluntary savings accrued over the year in addition to the annual contributions to government and trustee pension plans.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

ctseqhv SHS record sequence number

DESCRIPTION

This analysis variable records the SHS record sequence number associated with the current calculated ct result variables. It is copied from fxseqhv when the ct result variables are computed; in order to minimize recalculation of commodity taxes for households having identical SHS expenditure vectors. See the discussion under ctprov for an expanded discussion.

CROSS REFERENCE

Function	Description
ctmod	(o) Compute commodity taxes for individuals and households

cttxfc Federal commodity taxes (total)

DESCRIPTION

This analysis variable contains the total federal commodity taxes associated with the household's expenditure.

Note that it does not include the GST on housing (ctfgsths) which has been allocated to the household.

CROSS REFERENCE

Function	Description
ctmod	(i) Compute commodity taxes for individuals and households

cttxfc_ Federal commodity taxes [array]

DESCRIPTION

This array of analysis variables contains all federal commodity taxes associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households

cttxpc Provincial commodity taxes (total)

DESCRIPTION

This analysis variable contains the total provincial taxes associated with the household's expenditure.

CROSS REFERENCE

Function	Description
ctmod	(i) Compute commodity taxes for individuals and households

cttxpc_ Provincial commodity taxes [array]

DESCRIPTION

This array of analysis variables contains all provincial commodity taxes associated with the consumption pattern in each of the 48 household expenditure categories.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households
ef	Economic family data [array]

DESCRIPTION

This is an array each element of which is a structure holding information on each economic family in the household. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix ef are members of an element of this array. The number of elements containing valid data within this array is given by the variable hhnef, which is the number of economic families contained in the current household.

efageeld Age of eldest in economic family

DESCRIPTION

This class variable contains the age of the eldest person in the current economic family. The maximum age is 99.

efin First person in economic family [pointer]

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the first person in the current economic family. Since persons in an economic family are arranged sequentially in memory, efin can be used to initialize a working pointer used to process each person of an economic family in turn.

CROSS REFERENCE

Function	Description
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
memo2	(o) Compute consumable income, etc.

efnadult Number of adults in economic family

DESCRIPTION

This class variable counts the number of persons aged 18 or over in the economic family.

efnearn Number of earners in economic family

DESCRIPTION

This class variable counts the number of earners in the economic family. A person is considered an earner if he/she has employment or self-employment earnings equal or greater to the value specified in the EARNMIN parameter.

efneld Number of elderly in economic family

DESCRIPTION

This class variable counts the number of persons aged 65 or over in the economic family.

efnkids Number of children in economic family

DESCRIPTION

This class variable counts the number of children aged under 18 in the current economic family.

efnpers Number of persons in economic family

DESCRIPTION

This class variable counts the total number of persons in the economic family. It can be used in conjunction with the efin pointer variable to process each person in the economic family in turn.

CROSS REFERENCE

Function	Description
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

efpovthr Economic family low income threshold (Before tax)

DESCRIPTION

efpvthr contains the appropriate before-tax Low-Income Cut-off value (i.e. corresponding to the number of persons and degree of urbanization) for the current economic family, as given by the PTF array parameter.

See also efpvthat for the after-tax LICO analog to this variable

efpvthat Economic family low income threshold (After tax)

DESCRIPTION

efpvthat contains the appropriate after-tax Low-Income Cut-off value (i.e. corresponding to the number of persons and degree of urbanization) for the current economic family, as given by the PTFAT parameter.

See also efpvthr for the before-tax LICO analog to this variable

efsexeld Sex of eldest in economic family

DESCRIPTION

This class variable gives the sex of the eldest person in the economic family. The eldest person is used as reference person in the economic family.

LEVELS

0	Male
1	Female

efspoflg Economic family contains married couple

DESCRIPTION

This class variable indicates whether the economic family contains a married couple.

LEVELS

0	No spouse present
1	Spouse present

eftype Economic family type

DESCRIPTION

This class variable gives a general purpose way of classifying family units based on the number of adults, kids and elderly in the unit. Note that in the scheme given below, the presence of kids takes precedence over the presence of elderly for families with both kids and elderly. Kids are census family children aged under 18, adults are persons aged 18 or over (including elderly) or persons under 18 who are census family heads or spouses, and elderly are persons aged 65 or over.

LEVELS

0	With Kids, 1 Adult
1	With Kids, 2+ Adult
2	With Elderly, 1 Adult
3	With Elderly, 2+ Adult
4	Other, 1 Adult
5	Other, 2+ Adult

fx SHS data [struct]

DESCRIPTION

This structure holds information on expenditure patterns associated with the household. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix fx are members of this structure. Note that all of the fx variables are base year survey values, inclusive of commodity taxes.

fxalimo Alimony and child support

DESCRIPTION

Household expenditure on alimony and child support payments.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxanncon Annuity contracts and transfers to RRIFs

DESCRIPTION

Household expenditure on annuity contracts and transfers to RRIFs.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxclohhv SHS cloning factor

DESCRIPTION

This variable is used strictly to merge the family expenditure data to the database. Its value will always be 1. The variable which now contains the actual cloning factor is fxcloshs.

Source:
Constant

CROSS REFERENCE

Function	Description
fmxopen	(io) Routines for reading SHS (.fxv) file
fxcloshs	SHS cloning factor

DESCRIPTION

This variable represents the total number of households that have identical values for all expenditure vector variables which were matched from a single SHS donor record during the expenditure vector stochastic match.

Source:
Derived during the Expenditure Vector Stochastic Match process.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file
fxcqp	cpp - qpp contributions

DESCRIPTION

CPP/QPP contributions made by households during the survey calendar year.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file

fxfabd	Account balancing difference
---------------	------------------------------

DESCRIPTION

This analysis variable contains total receipts minus total disbursements. It represents the degree to which a household can reconcile its income with its expenditures and saving.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxfomr	Other money receipts
---------------	----------------------

DESCRIPTION

This analysis variable represents other money receipts such as money gifts from persons outside the household, inheritances, and life insurance settlements.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxgstidx Index for distributing GST on housing

DESCRIPTION

Index used to distribute GST on housing to households (ctfgsths). See the *Commodity Tax User's Guide* for more details.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxgvpen gvt pension plan contributions

DESCRIPTION

Government pension plan contributions made by households during the survey calendar year.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxhomexp Expenses assoc with principal residence

DESCRIPTION

Household expenditure on real estate commissions, land transfer taxes, land registration fees, legal charges related to the dwelling and other expenses related to the purchase or sale of a home such as surveying and appraisals.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxhrtcpr Home Renovation Tax Credit eligible expenses on principal residence

DESCRIPTION

Household expenditure on eligible home renovation projects that qualify for the non-refundable Home Renovation Tax Credit. Includes expenditures on additions, renovations, alterations, new installations of equipment and other installations or improvements to owned principal residences.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
txcalc	(i) Calculate federal income tax
txqcalc	(i) Calculate income tax (Quebec)

fxhrtcvh Home Renovation Tax Credit eligible expenses on vacation home

DESCRIPTION

Household expenditure on eligible home renovation projects that qualify for the non-refundable Home Renovation Tax Credit. Includes expenditures on additions, renovations, alterations, new installations of equipment and other installations or improvements to owned vacation homes.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
txcalc	(i) Calculate federal income tax

fxintax Income taxes

DESCRIPTION

Income taxes paid on income received during or prior to the survey calendar year, as well as gift and foreign taxes less personal income tax refunds received during the survey year.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file

fxio	I/O expenditure categories [array]
-------------	------------------------------------

DESCRIPTION

This array of analysis variables contains, for each consumption category, household expenses on that category, excluding commodity taxes. Note that no adjustment to the SPSM computed income occurs, as in the case for the *ct* variables. The detailed constitution of each of the 48 categories follows in the description of the individual components *fxio0* through *fxio47*. These categories, defined as aggregates of more detailed Survey of Household Spending variables, have been designed to agree as closely as possible with the 48 Consumer Expenditure categories used in the System of National Accounts and the Input-Output tables.

CROSS REFERENCE

Function	Description
fmxopen	(io) Routines for reading SHS (.fxv) file
txhhexp	(i) Compute and pro-rate household taxes, rent, etc.
txnfld	(i) Compute provincial taxes for Newfoundland
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
ctmod	(i) Compute commodity taxes for individuals and households

fxipac	life ins prems and annuity contributions
---------------	--

DESCRIPTION

This variable includes life, disability, term and endowment insurance premiums, annuity contracts and transfers to an RRIF made by households during the survey calendar year.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file
fxncal	Net change in assets and liabilities

DESCRIPTION

This analysis variable consists of total net change in assets less total net change in debts exclusive of RRSPs.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(io) Routines for reading SHS (.fxv) file
fxnes	Not elsewhere stated

DESCRIPTION

This analysis variable includes expenditures on the following items:

- Loss of deposits, fines and money lost or stolen

- Money gifts, contributions and other support payments to non-household members living in and/or outside Canada

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households
fxnsave	Negative savings

DESCRIPTION

This analysis variable is directly derived from fxncal. If fxncal is negative, indicating that some consumption was financed through dissaving, then fxnsave is set equal to the amount of dissaving. Thus fxnsave is always either zero (indicating no savings or else positive savings) or positive (indicating financing of consumption through dissaving).

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households
fxprtax	Property tax

DESCRIPTION

Property taxes billed on the household's principal residence.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
txhhexp	(i) Compute and pro-rate household taxes, rent, etc.
ctmod	(i) Compute commodity taxes for individuals and households

fxpsave Positive savings

DESCRIPTION

This analysis variable is directly derived from fxncal. If fxncal is positive, fxpsave is set equal to the amount of savings, otherwise fxpsave is set equal to zero.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxpurprc Purchase price of home

DESCRIPTION

Purchase price of home bought in the year.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
fxpvpen	private pension plan contributions

DESCRIPTION

Contributions to other retirement or pension funds excluding RRSP's.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households
fxrecom	real estate commissions

DESCRIPTION

This variable indicates household expenditures on real estate commissions.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file

fxrepr Repairs paid

DESCRIPTION

Household expenditure on repairs and maintenance for the principal residence (owned or rented).

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxrfees Registration and license fees

DESCRIPTION

Household expenditure on registration fees, license fees and drivers' tests.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
fxrrspt	Total RRSP contributions (SHS)

DESCRIPTION

Contributions to RRSPs less withdrawals from RRSPs at the household level.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(io) Routines for reading SHS (.fxv) file
fxsaldur	Sale of durables

DESCRIPTION

It is possible for negative expenditure to occur in certain expenditure categories. This can result when the disposal of a durable commodity (such as a motorhome) exceeds purchases of the same commodity. To avoid introducing artifacts when performing commodity tax modelling, such negative expenditures are removed from the fx variable and recorded (as positive amounts) in the fxsaldur analysis variable.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxselprc Selling price of home

DESCRIPTION

Selling price of home sold in the year.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file

fxseqhv SHS record sequence number

DESCRIPTION

This variable indicates the unique spending unit sequence number identifying a consecutive group of households which have been matched to a single SHS spending unit. It is used to merge the .spd and .fxv files during SPSM execution.

Source:

Calculated during SPSD Sub-sample Stratification Process.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file
ctmod	(i) Compute commodity taxes for individuals and households

fxtptax Transfer of Property taxes

DESCRIPTION

Household expenditure on transfer of property taxes (land transfer tax) and other expenses related to the purchase of a dwelling (e.g., surveying, appraisals, and mortgage penalties).

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file
txhhexp	(i) Compute and pro-rate household taxes, rent, etc.
ctmod	(i) Compute commodity taxes for individuals and households

fxuic EI contributions

DESCRIPTION

Expenditures on employment insurance premiums.

Source:

Survey of Household Spending, Statistics Canada. Direct copy during Expenditure Vector Stochastic Match.

CROSS REFERENCE

Function	Description
fmfxopen	(o) Routines for reading SHS (.fxv) file
fxvrecs	SHS records

DESCRIPTION

This variable gives an unduplicated count of the number of SHS expenditure vector records represented by the current household. The variable which contains this characteristic is *hdnfxv*.

hd	Housing characteristics data [struct]
-----------	---------------------------------------

DESCRIPTION

This structure holds information on housing characteristics and household level variables. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix *hd* are members of this structure.

hdageeld	Age of eldest in household
-----------------	----------------------------

DESCRIPTION

This class variable contains the age of the eldest person in the household. The maximum age is 99.

CROSS REFERENCE

Function	Description
oas	(i) Compute OAS for elderly

gist	(i) Compute Provincial GIS top-ups for elderly
cceopt	(i) Multiple calls of tax/transfer calculator

hdcl0hh Number of SLID clones

DESCRIPTION

The number of duplicate copies of this household in the SPSD. The SLID demographic variables (but not necessarily the income variables) are identical for all of these copies. The reciprocal of the variable may be used to obtain the true number of observations underlying a cell of a cross-tabulation.

Source:

Derived during the SPSD Duplication process.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

hdevmv Expenditure Vector Matching Variable

DESCRIPTION

This variable helps in defining household categories for analysis of consumption expenditures and taxes. For more information see Family Expenditure Survey Data Imputations in [*Database Creation Guide*](#).

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

hdfrstfx First household in SHS group flag

DESCRIPTION

This class variable indicates when the first of the group of SPSD households associated with a given SHS expenditure vector record is being processed. Using the SPSM selection facility, this variable could be used to process each SHS record exactly once.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file

LEVELS

0	False
1	True

hdlastfx Last household in SHS group flag

DESCRIPTION

This class variable indicates when the last of the group of SPSD households associated with a given SHS expenditure vector record is being processed. Using the SPSM selection facility, this variable could be used to process each SHS record exactly once.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file

LEVELS

0	False
1	True

hdnadult Number of adults in household

DESCRIPTION

This class variable counts the number of persons aged 18 or over in the household.

CROSS REFERENCE

Function	Description
txqcalc	(i) Calculate income tax (Quebec)

hdnearn Number of earners in household

DESCRIPTION

This class variable counts the number of earners in the household. A person is considered an earner if he/she has employment or self-employment earnings equal or greater to the value specified in the EARNMIN parameter.

hdneld Number of elderly in household

DESCRIPTION

This class variable counts the number of persons aged 65 or over in the household.

hdnfxv SHS records

DESCRIPTION

This analysis variable records the number of SHS records associated with the current household observation. This number is generally less than one, reflecting the fact that several SPSM households are associated with each SHS record. Unlike other SPSM analysis variables, hdnfxv is not automatically weighted when performing tabulations. This allows it to function correctly for its intended purpose: to give the number of observations (and hence an indication of statistical reliability) underlying each cell of some other tabulation.

hdnkids Number of children in household

DESCRIPTION

This class variable counts the number of census family children under 18 in the household.

CROSS REFERENCE

Function	Description
cceopt	(i) Multiple calls of tax/transfer calculator

hdnpers Number of persons in household

DESCRIPTION

This class variable counts the total number of persons in the household. It is often used in conjunction with the in pointer variable to process each person in the household in turn.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

DESCRIPTION

This analysis variable records the number of SLID records associated with the current observation. Depending on the roll-up context, this may count individuals, nuclear families, census families, economic families, or households. This number is generally less than one, reflecting the fact that several SPSM households are associated with each SLID record. Unlike other SPSM analysis variables, hdnscf is not automatically weighted when performing tabulations. This allows it to function correctly for its intended purpose: to give the number of observations (and hence an indication of statistical reliability) underlying each cell of some other tabulation.

DESCRIPTION

This analysis variable is used to tabulate the number of SPSD records. Depending on the roll-up context, this may count individuals, nuclear families, census families, economic families, or household observations. This number is always equal to one, but unlike other SPSM analysis variables, hdnspsd is not automatically weighted when performing tabulations. This allows it to function correctly for its intended purpose: to give the number of observations (and hence an indication of statistical reliability) underlying each cell of some other tabulation.

DESCRIPTION

Province of residence. Note that the Yukon and the North-West Territories are not included in the SPSD.

Source:
SLID

CROSS REFERENCE

Function	Description
fmxopen	(i) Routines for reading SHS (.fxv) file
adj	(io) Perform SPSD database adjustment
ui	(i) Compute UI benefits
famod	(i) Compute family allowance
txinet	(i) Compute net income
txcalc	(i) Calculate federal income tax
txprov	(i) Compute provincial taxes
txhhexp	(i) Compute and pro-rate household taxes, rent, etc.
gist	(i) Compute Provincial GIS top-ups for elderly
samod	(i) Compute social assistance or guarantees
txctc	(i) Compute child tax credit
memo1	(i) Compute memo items for reporting
ctmod	(i) Compute commodity taxes for individuals and households
cceopt	(i) Multiple calls of tax/transfer calculator

LEVELS

0	Newfoundland
1	P.E.I.
2	Nova Scotia
3	New Brunswick
4	Quebec
5	Ontario
6	Manitoba
7	Saskatchewan
8	Alberta
9	B.C.

hdseqhh Household sequence number

DESCRIPTION

Sequence number indicating the order of households.

Source:

SPSD systemics. Re-ordering of file sequence

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)
oas	(i) Compute OAS for elderly

hdsexeld Sex of eldest in household

DESCRIPTION

This class variable gives the sex of the eldest person in the household. The eldest person is used as reference person in the household.

LEVELS

0	Male
1	Female

hdspoflg Household contains married couple

DESCRIPTION

This class variable indicates whether the household contains a married or common-law union couple.

LEVELS

0	No spouse present
1	Spouse present

hdtenu Tenure

DESCRIPTION

This variable indicates whether the dwelling is owned by a member of the household or whether it is rented.

Source: SLID

CROSS REFERENCE

Function	Description
fmfxopen	(i) Routines for reading SHS (.fxv) file
txnfld	(i) Compute provincial taxes for Newfoundland
txman	(i) Compute provincial taxes for Manitoba
gist	(i) Compute Provincial GIS top-ups for elderly
ctmod	(i) Compute commodity taxes for individuals and households

LEVELS

0	Owned
1	Rented

hdtppval Current value of adjustment (TP facility)

DESCRIPTION

This variable contains the value of the independent variable for the current household 'clone' generated by the turning point facility. It can be either an income amount, or an income scaling factor, depending on the value of the TPMETH parameter.

hdtype Household type

DESCRIPTION

This class variable gives a general purpose way of classifying family units based on the number of adults, kids and elderly in the unit. Note that in the scheme given below, the

presence of kids takes precedence over the presence of elderly for families with both kids and elderly. Kids are persons aged under 18 who have never been married, Adults are persons aged 18 or over (including elderly), and elderly are persons aged 65 or over.

LEVELS

0	With Kids, 1 Adult
1	With Kids, 2+ Adult
2	With Elderly, 1 Adult
3	With Elderly, 2+ Adult
4	Other, 1 Adult
5	Other, 2+ Adult

hdunits Unit count

DESCRIPTION

This variable is not directly accessible to the user, but is documented here for completeness. It is used in the implementation of the 'units' variable, which is used to count up the number of family units. Its value is always 1, independent of the current roll-up level.

hdurb Size of urban area

DESCRIPTION

Size of area of residence is imputed from the internal size of area of residence variable. This variable is used to derive the low income cut-offs. Due to limited sample size, the SLID public-use microdata file collapsed certain categories:

PEI: all sizes collapsed into Urban (30,000-99,999 people)
NS: Urban (30,000-99,999) collapsed into Urban (0-29,999)
NB: Urban (30,000-99,999) collapsed into Urban (0-29,999)
Man: Urban (30,000-99,999) collapsed into Urban (0-29,999)
Sask: Urban (30,000-99,999) collapsed into Urban (0-29,999)
BC: rural collapsed into Urban (0-29,000 people)

This will have some impact on the calculation of the low income cut-offs.

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

LEVELS

0	>500,000
1	100,000-499,999
2	30,000-99,999
3	<30,000
4	Rural

hdwgtfx Sum of household weight for SHS group

DESCRIPTION

This analysis variable cumulates the household weights for all SPSD households that match a given SHS expenditure vector record. It can be used in conjunction with hdlastfx to produce a SHS expenditure file.

CROSS REFERENCE

Function	Description
fmxopen	(o) Routines for reading SHS (.fxv) file

hdwgthh Household weight

DESCRIPTION

The weights of all members of the same household are identical. Each weight provides a factor which will blow estimates up to the national level (i.e. on an individual, family, or household basis).

Source:

SPSD Weight Adjustment Process (Raking)

SLID survey base weights were adjusted using an integrated (or 'Lagrangian') weighting technique until weighted estimates of certain margins (population by age, sex, and province) agree with known control totals.

Note that the population represented is essentially that represented in the Labour Force Survey (i.e. excluding the Yukon, North-West Territories, inmates in institutions, Indians on reserves, and certain members of the armed forces) with the addition of the institutionalized elderly.

CROSS REFERENCE

Function

Description

fmsspopen (o) Routines to read SPSS file (.spd)

hdwgthhs Sub-sample adjusted household weight

DESCRIPTION

This analysis variable is provided for the convenience of users of the SPSM text output facility who want to do analyses using a statistical software package (like SAS or SPSS). If a text output file is produced with the hdwgthh variable included on a 5 percent sample run and subsequently read into another program, say SAS, tabulations produced by SAS using the result file will be too low by a factor of twenty, due to the fact that hdwgthh weights records correctly only if the entire SPSS file is processed. hdwgthhs adjusts hdwgthh by the reciprocal of the requested sample (given by the user in the SAMPLEREQ parameter) so that resulting tabulations will at least have the correct order of magnitude. Since hdwgthhs is equal to hdwgthh if SAMPLEREQ equals one, it is preferable to use the hdwgthhs as the weight variable in text output files, so that test runs will appear reasonable. Note that the results will not be identical to those produced using the SPSM cross tabulation facility for sub-sample runs, since the fractional part of hdwgthhs is represented with limited precision in the text output file.

hh

Household structure

DESCRIPTION

This structure holds information on all variables, both SPSD database and modelled, that pertain to an individual household. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix hh are members of this structure.

hhncf Number of census families in household

DESCRIPTION

This class variable counts the number of census families contained in the household. It can be used (in the 'glass box' mode) in conjunction with the cf pointer array to process each census family in turn.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txinet	(i) Compute net income
txccea	(i) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnflid	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
samod	(i) Compute social assistance or guarantees
txfstc	(i) Compute federal sales tax credit
cceopt	(i) Multiple calls of tax/transfer calculator

LEVELS

0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25

hhnef Number of economic families in household

DESCRIPTION

This class variable counts the number of economic families contained in the household. It can be used (in the 'glass box' mode) in conjunction with the ef pointer array to process each economic family in turn.

CROSS REFERENCE

Function	Description
txcalc	(i) Calculate federal income tax

txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

hhnin Number of individuals in household

DESCRIPTION

This class variable counts the number of persons contained in the household. It can be used (in the 'glass box' mode) in conjunction with the in pointer array to process each person in turn.

CROSS REFERENCE

Function	Description
fmsspopen	(o) Routines to read SPSD file (.spd)
adj	(i) Perform SPSD database adjustment
ui	(i) Compute UI benefits
oas	(i) Compute OAS for elderly
dem	(i) Compute new taxable demogrants
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txhstr	(i) Compute family-related deductions or credits
txhhexp	(i) Compute and pro-rate household taxes, rent, etc.
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gist	(i) Compute Provincial GIS top-ups for elderly
txfstc	(i) Compute federal sales tax credit

memo1	(i) Compute memo items for reporting
ctmod	(i) Compute commodity taxes for individuals and households
memo2	(i) Compute consumable income, etc.
cceopt	(i) Multiple calls of tax/transfer calculator

hhnf Number of nuclear families in household

DESCRIPTION

This class variable counts the number of nuclear families contained in the household. It can be used (in the 'glass box' mode) in conjunction with the nf pointer array to process each nuclear family in turn.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
famod	(i) Compute family allowance
txinet	(i) Compute net income
txnfd	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
txctc	(i) Compute child tax credit

ic Individual model control variables [struct]

DESCRIPTION

This structure holds information used internally to implement various SPSM facilities. It is a sub-structure of the in structure. It is not directly accessible by the SPSM 'black box' variable facilities, but is nevertheless documented here for completeness. 'Glass box' users should not make use of these variables. All of the variables beginning with the prefix ic are members of this structure.

icmaramt Amount of SPSD income adjustment

DESCRIPTION

This variable is not directly accessible to the user in black box code, but is documented here for completeness. It is used in the implementation of the marginal tax rate facility.

icmarinc Income after adjustment

DESCRIPTION

This variable is not directly accessible to the user, but is documented here for completeness. It is used in the implementation of the marginal tax rate facility.

icmarold Saved old SPSD income before adjustment

DESCRIPTION

This variable is not directly accessible to the user, but is documented here for completeness. It is used in the implementation of the marginal tax rate facility.

icrolled Individual already rolled up flag

DESCRIPTION

This variable is not directly accessible to the user, but is documented here for completeness. It is used to control the roll-up of analysis variables to various family levels.

LEVELS

0	False
1	True

icselect Individual selected flag

DESCRIPTION

This variable is not directly accessible to the user, but is documented here for completeness. It is used in the implementation of the SPSM record selection facility.

LEVELS

0	Not selected
1	Selected

ictpflg Person will be changed (TP facility)

DESCRIPTION

This variable is used internally by the turning point facility to remember who (specified by TPSPEC) in the household is to have income values modified as independent variables.

LEVELS

0	Not selected for TP facility
1	Selected for TP facility

id Individual SPSD variables [struct]

DESCRIPTION

This structure holds SPSD information (as opposed to modelled result information) on a single individual. It is a sub-structure of the in structure. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix id are members of this structure.

idadded Additional deductions from net income (256)

DESCRIPTION

This variable represents additional deductions from net income. Corresponds to Line 256 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits

idage Age

DESCRIPTION

Note that 0 is a valid age assigned to infants. The maximum value allowed is 99. This is a class variable. A corresponding analysis variable exists, and is called idnage.

Source:

For individuals 80 years or older, a new age is selected at random from a probability distribution derived from a census distribution of population by age, sex, and whether or not they were institutionalized.

CROSS REFERENCE

Function	Description
fmspopen	(i) Routines to read SPSD file (.spd)
adj	(i) Perform SPSD database adjustment
ui	(i) Compute UI benefits
famod	(i) Compute family allowance
oas	(i) Compute OAS for elderly
txinet	(i) Compute net income
txcea	(i) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits

txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly
samod	(i) Compute social assistance or guarantees
txctc	(i) Compute child tax credit
txfstc	(i) Compute federal sales tax credit
cceopt	(i) Multiple calls of tax/transfer calculator

idalexp Other allowable employment expenses (229)

DESCRIPTION

This variable corresponds to Line 229, General Tax Guide. Certain special employment expenses not claimable elsewhere are allowed. These expenses can include:

- employee's expenses for travel, office and wages to assistants,
- commission sales employees may claim certain expenses paid to earn their income,
- transport employees may deduct the cost of meals and lodging while away from home, and
- power saw operators may claim expenses incurred in operating the power saw.

This is a special deduction from employment income and is not available to most employees.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSPD file (.spd)
txinet	(i) Compute net income
txcalc	(i) Calculate federal income tax

txqinet (i) Compute net income (Quebec)
gis (i) Compute GIS/SPA for elderly

idalhrs Total Paid Hours of Work Last Year (imputed)

DESCRIPTION

Total hours paid at all jobs during the reference year. Note that this information is only collected for persons aged 16-69.

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

idcapgex Capital gains exemptions (254)

DESCRIPTION

This variable represents the calculated amount a filer may be eligible to claim if there were reported capital gains, prior to the application of the capital gains inclusion rate (CAPGIR). Corresponds to Line 254 of the General Tax Guide.

Source:
This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)

txont (i) Compute provincial taxes for Ontario

idcarry Carrying charges (221)

DESCRIPTION

Interest on money borrowed for investment. Corresponds to Line 221, General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

idccet Child care expenses associated with child

DESCRIPTION

This variable is imputed to each child in the family, and represents the total child care expenses associated with the child. This variable is derived from Survey of Household Spending data.

The parameter CCEATFLG controls whether this variable or the greenbook variable idccett is used in order to derive the child care expense deduction (imccea).

Source:

Please see the [Database Creation Guide](#) for more information.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txccea	(i) Compute child care expense allowance
txqcalc	(i) Calculate income tax (Quebec)

idccett	Child care expenses (Limit A, Form T778)
----------------	--

DESCRIPTION

The child care expenses eligible for the child care expense deduction imputed from the Greenbook. This variable is associated with the child on whose behalf the expenditure was made.

The parameter CCEATFLG controls whether this variable, or the SHS variable idccet is used in order to derive the child care expense deduction (imccea).

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txccea	(i) Compute child care expense allowance
txqcalc	(i) Calculate income tax (Quebec)

idccqp	Converted CPP/QPP benefit
---------------	---------------------------

DESCRIPTION

This variable indicates if the individual had Canada Pension Plan (CPP) benefits or Québec Pension Plan (QPP) benefits which were converted from zero to a non-zero value using the rank order method of conversion. Note that the actual value of CPP/QPP (idicqp) reflects the

choice made in the IMPCQPOPT adjustment parameter. Please see the [Database Creation Guide](#) for more information.

CROSS REFERENCE

Function	Description
fmsspopen	(i) Routines to read SPSD file (.spd)

LEVELS

0	Original
1	Converted

idcf Person's census family [pointer]

DESCRIPTION

This pointer variable is not accessible using the SPSM 'black box' facilities, but is described here for the benefit of 'glass box' users. It points to the cf structure of the census family containing the individual, and can be used to easily reference information about the containing census family.

CROSS REFERENCE

Function	Description
txns	(i) Compute provincial taxes for Nova Scotia
txbc	(i) Compute provincial taxes for British Columbia

idcfrh Relationship to census family head

DESCRIPTION

This variable gives the relationship of the individual to the 'head' of the containing census family. A census family consists of a head, their spouse (if there is one), and their children under the age of 25 (including their guardian children), living together in the same dwelling. Unattached individuals are included as census families of size 1 in the SPSM.

The head is defined as the male if the census family contains a married or common-law couple, the female lone parent if the census family includes children but not a couple, or the unattached individual. Every census family contains exactly one "head".

Note that the SLID definition is based on relationships to the major income earner of the census family and will differ from the SPSD.

Source:
SLID, derived.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txhhexp	(i) Compute and pro-rate household taxes, rent, etc.
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
cceopt	(i) Multiple calls of tax/transfer calculator

LEVELS

0	Head
1	Spouse
2	Child

idcfseq Census family sub-sequence number

DESCRIPTION

Sequence number indicating a member of a given census family (census families within the same household or economic family are consecutive and members of the same family are consecutive).

Source:
SPSD Systemics. Re-ordering of file sequence

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)

idcgtc Caregivers tax credit (database) (315)

DESCRIPTION

The value of Caregiver amount (line 315 and Schedule 12) to be used in the calculation of the Caregivers Tax Credit depending on the calculation option (CGTCOPT).

Source:
This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

idcharit Charitable donations

DESCRIPTION

This represents the total amount of charitable donations and government gifts and corresponds to Line 1, Schedule 9 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txqitax	(i) Compute taxable income and individual credits (Quebec)

idclergy Clergy residential deduction

DESCRIPTION

This variable represents the amount of clergy residence deduction corresponds to Line 231 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
gis	(i) Compute GIS/SPA for elderly

idcloss	Allowable other years capital loss (253)
----------------	--

DESCRIPTION

Capital losses of other years are a deduction from net income. Corresponds to Line 253, General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)

txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

idcount Person count

DESCRIPTION

This variable is used to implement the 'persons' variable, and should not be modified by the user. It always contains the value 1.

idcsa Converted social assistance

DESCRIPTION

This variable indicates if the individual had social assistance which was converted from zero to a non-zero value using the rank order method of conversion. Note that the actual value of social assistance (idisa) reflects the choice made in the IMPSAOPT adjustment parameter. Please see the [Database Creation Guide](#) for more information.

CROSS REFERENCE

Function	Description
fmspopen	(i) Routines to read SPSD file (.spd)

LEVELS

0	Original
1	Converted

idcuib Converted EI benefit

DESCRIPTION

This variable indicates if the individual had a EI history which was created using the rank order method of conversion. A value of 1 indicates conversion occurred.

CROSS REFERENCE

Function	Description
fmspopen	(io) Routines to read SPSD file (.spd)

LEVELS

0	Original
1	Converted

iddalimo Alimony paid (220)

DESCRIPTION

This variable is the amount paid for alimony or maintenance allowance. Corresponds to Line 220 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)

iddisab Disability status (age 16+)

DESCRIPTION

Disability status for people aged 16 or more. This is a summary flag in response to several questions on SLID. The questions ask whether the person has any difficulty doing any of the activities of daily living and whether the person has a physical condition or mental condition or health problem that reduces the amount or kind of activity he or she can do in any of a few different types of situations. If any of the answers were "yes", then this variable is set to "Disabled".

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

LEVELS

0	Not disabled
1	Disabled

iddiso Disability amount for dependants (318)

DESCRIPTION

The unused portion of the disability amount claimed for dependants other than spouse. Corresponds to Line 318 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmsspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

iddisslf Disability amount for self (316)

DESCRIPTION

The disability amount one is allowed to claim for themselves. Corresponds to Line 316 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

iddues Union and professional dues (212)

DESCRIPTION

Union and professional dues claimed. This item corresponds to Line 212, General Tax Guide.

See also: imquetc.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)

DESCRIPTION

Highest level of education completed. Note that this information is collected only for household members who are 16 years of age or over.

Source:
SLID.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

LEVELS

0	Not applicable
1	Never attended school
2	1-4 years of elementary school
3	5-8 years of elementary school
4	9-10 years of elem and sec school
5	11-13 did not graduate from high school
6	Graduated from high school
7	Some non-univ post secondary(no dipl)
8	Some university(no dipl)
9	Non-university certificate
10	University certificate below BA
11	Bachelors degree
12	Univ cert above BA

DESCRIPTION

The months of full-time study for which the education amount can be claimed. It is converted into dollars using the EDXPM adjustment parameter.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers. When EDUCADJFLAG is turned on, the months of education for post-secondary students aged 16 to 18 are derived using following distributions: EDUCMPQ and EDUCMROC.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
adj	(o) Perform SPSD database adjustment
txcea	(i) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

ideducpm Eligible part-time months of education

DESCRIPTION

The months of part-time study for which the education amount can be claimed. It is converted into dollars using the EDXPMPT adjustment parameter.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers. When EDUCADJFLAG is turned on, the months of education for post-secondary students aged 16 to 18 are derived using following distributions: EDUCMPQ and EDUCMROC.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
adj	(o) Perform SPSD database adjustment
txccea	(i) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

idef Person's economic family [pointer]

DESCRIPTION

This pointer variable is not accessible using the SPSM 'black box' facilities, but is described here for the benefit of 'glass box' users. It points to the ef structure of the economic family containing the individual, and can be used to easily reference information about the containing economic family.

CROSS REFERENCE

Function	Description
memo2	(o) Compute consumable income, etc.

idefrh Relationship to economic family head

DESCRIPTION

This variable gives the relationship of the individual to the 'head' of the containing economic family. An economic family is defined as a group of individuals sharing a common dwelling

unit and related by blood, marriage (including common law relationships), adoption or guardianship. Unattached individuals are included as economic families of size 1 in the SPSM.

The head of the economic family is defined as the head of the census family which contains the major income earner of the economic family. In the SPSD, the head of the economic family is male, if present, and can not be a child.

Note that the SLID definition is based on relationships to the major income earner of the economic family and may differ from the SPSD.

Source:
SLID, derived.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txcalc	(i) Calculate federal income tax
txqcalc	(i) Calculate income tax (Quebec)

LEVELS

0	Head
1	Spouse
2	Child
3	Other

idefseq Economic family sub-sequence number

DESCRIPTION

Sequence number indicating a member of a given economic family (economic families within the same household are consecutive, and members of the same family are consecutive).

Source:
SPSD Systemics. Randomized re-ordering of file sequence

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

idemplo Employee home relocation loan dedn (248)

DESCRIPTION

The deduction a filer is eligible to claim having received a taxable benefit on a home relocation loan. Corresponds to Line 248 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

idestat Educational status

DESCRIPTION

This variable indicates if the individual was enrolled as a part-time student, a full-time student or both during the reference year. Whether a person is classified full-time or part-time depends on how he or she is classified by the educational institution. Note that information for this variable is collected only for persons aged 16 or over on SLID. Children aged 6 to 15 were all assumed to be in school full-time and children under the age of 6 were assumed to be "not in school".

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
adj	(i) Perform SPSD database adjustment
txns	(i) Compute provincial taxes for Nova Scotia
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txont	(i) Compute provincial taxes for Ontario
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

LEVELS

0	Not in School or N/A
1	School Full-Time
2	School Part-Time
3	Some of each

idexplor Exploration and development expenses (224)

DESCRIPTION

The amount that can be claimed for expenses if investments were made in a petroleum, natural gas or mining venture. Corresponds to Line 224 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income

txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

idext Extra numbers [array]

DESCRIPTION

This maximum 23 element array, part of an advanced feature of the SPSD/M, is used to hold additional variables or fields read from a user modified .spd file. If a user creates a .spd file using the BLDSPD program, and the input ASCII file to that program has more fields than the original V##Y##.SPD file, then when SPSM is run the additional fields will be read in sequence into this array. In glass-box mode MACROS may be assigned to give more meaningful variable names.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

idfitexp Fitness expense amount for children

DESCRIPTION

The federal children's fitness tax credit was introduced in January 2007. This non-refundable tax credit allows parents and guardians of children under the age of 16 at the start of the year to claim up to \$500 per year of fitness expenses for each child. The total benefit is the amount claimed multiplied by the non-refundable tax rate FNTCR.

Since the rules for the federal fitness tax credit are the same as those for the Manitoba tax credit we use this database variable to calculate the total Manitoba fitness tax benefit using the Manitoba non-refundable tax rate MPNTCR.

This claim does not include benefits for disabled children or for the extension of the Manitoba benefit to children over the age of 16.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txcalc	(i) Calculate federal income tax
txman	(i) Compute provincial taxes for Manitoba
txbc	(i) Compute provincial taxes for British Columbia

idforinc Net foreign income (508)

DESCRIPTION

The amount of net income received from a foreign country. Corresponds to Line 433, Schedule 1 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txcalc	(i) Calculate federal income tax

idfortx Foreign tax paid (507)

DESCRIPTION

The amount of income tax or profits tax paid to a foreign country. Corresponds to Line 431, Schedule 1 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txcalc	(i) Calculate federal income tax

idgifts Gifts to Canada/provinces/culture (342)

DESCRIPTION

The amount claimed for donations made to Canada, a province, or a cultural institution. The amount of the donation may be claimed in part, with the unused portion carried forward for up to 5 years. Corresponds to Line 342 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txqitax	(i) Compute taxable income and individual credits (Quebec)

idgstreb GST rebate (457)

DESCRIPTION

This is the employee and partner GST rebate. People can claim a rebate of the GST if they deducted expenses as an employee or partner.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txcalc	(i) Calculate federal income tax

idhh Person's household [pointer]

DESCRIPTION

This pointer variable is not accessible using the SPSM 'black box' facilities, but is described here for the benefit of 'glass box' users. It points to the hh structure of the household containing the individual, and can be used to easily reference information about the containing household. Since there is only one containing household, this variable may seem redundant, but it allows one to retrieve household level information without accessing the global household structure. This might be necessary if, for example, a function was passed an individual pointer, but required household information as well.

idhhrh Relationship to head of household

DESCRIPTION

This variable gives the relationship of the individual to the 'head' of the household. A household consists of all individuals sharing the same dwelling.

The head of household is defined as the head of the economic family containing the individual who was designated the major income earner in the household.

The individual with the highest income may differ from the SLID definition of major income earner. In the SPSD, income variables are unrounded, which may result in income being higher or lower than the value on the SLID PUMF. In addition, for high income filers, their income will be replaced with a value from the Greenbook and will be different than the value on the SLID PUMF.

Source:
SLID, derived.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txhexp	(i) Compute and pro-rate household taxes, rent, etc.
ctmod	(i) Compute commodity taxes for individuals and households

LEVELS

0	Head EF#1
1	Spouse EF#1
2	Other EF#1
3	Head EF#>1
4	Spouse EF#>1
5	Other EF#>1
6	Unattached

idhomstu College res/resdnt homeowner assist (558)

DESCRIPTION

For Ontario residents, the amount of occupancy cost a resident can claim or a residence can be claimed for if part of an Ontario university, college, private school residence and school of nursing. For Manitoba residents it is the Resident Homeowner Tax Assistance received.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba

idialimg Alimony income received (gross)

DESCRIPTION

Gross amount of support payments received including alimony, separation allowance and child support.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
memo1	(i) Compute memo items for reporting

idialimo Alimony income received

DESCRIPTION

Taxable amount of support payments received including alimony, separation allowance and child support.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txalta	(i) Compute provincial taxes for Alberta
gist	(i) Compute Provincial GIS top-ups for elderly

DESCRIPTION

This variable represents actual capital gains or actual capital losses occurring on a sale or disposition of property, such as real estate or shares. Taxable capital gains (imicapgt) are calculated by multiplying actual capital gains by the capital gains inclusion rate (CAPGIR). It corresponds to Line 127, General Tax Guide.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting
ctmod	(i) Compute commodity taxes for individuals and households

DESCRIPTION

CPP/QPP benefits are as stated on the SLID for all individuals. Benefits include disability, death and child benefits.

Source:

SLID and conversion

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting

idivid Dividend income (actual)

DESCRIPTION

In SLID, Dividend income is included in Investment income. In order to derive a value of dividend income for persons who are not high income filers, a proportion using the Greenbook is imputed. The Greenbook actual amount of dividends gets converted to a proportion of Greenbook Investment Income (including gross dividends). This proportion is then applied to the SLID unrounded Investment Income variable to arrive at actual dividend income. This amount represents actual dividend payments from taxable Canadian corporations, foreign corporate stocks and cash dividends received from insurance policies. For high income filers, it is derived by taking the taxable amount of dividends from the Greenbook (Line 120, General Tax Guide) and dividing by the federal dividend gross-up rate.

Source:

For individuals who are not high income filers, a proportion of the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)

txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

ididive Amount of eligible dividend income

DESCRIPTION

The actual amount of eligible (large) dividends is imputed as a proportion of Gross Dividends (ididiv). For high income filers, it is derived by taking the taxable amount of eligible (large) dividends from the Greenbook and dividing by the federal eligible (large) dividend gross-up rate.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)

ididive Amount of other than eligible dividend income

DESCRIPTION

The actual amount of other than eligible (small) dividends is imputed as a proportion of Gross Dividends (ididiv). For high income filers, it is derived by taking the taxable amount of other than eligible (small) dividends from the Greenbook and dividing by the federal other than eligible (small) dividend gross-up rate.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)

idieflag Cloned institutionalized elderly person

DESCRIPTION

This flag indicates if the current individual is a synthetic individual meant to represent an institutionalized elderly person. See the [Database Creation Guide](#) for more information.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
gist	(i) Compute Provincial GIS top-ups for elderly

LEVELS

0	Non-Institutional
1	Institutional

idiemp Wages & salaries

DESCRIPTION

Wages and salaries before deductions, including military pay and allowances.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txcea	(i) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly
txctc	(i) Compute child tax credit
memo1	(i) Compute memo items for reporting

idiinvnd Interest and other investment income

DESCRIPTION

This is the value of Investment Income not including Dividends (ididiv). It represents all interest (bond interest, bank interest, mortgage interest and eligible trust income), other investment income, net partnership income and rental income. Includes interest income from outside of Canada.

Source:

For individuals who are not high income filers, the SLID unrounded value of Investment Income is used, less dividend income (ididiv). For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting

idiloss Business investment losses (217)

DESCRIPTION

Business investment losses deduction prior to the application of the capital gains inclusion rate (CAPGIR) for debts of Canadian-controlled private corporations and allowable capital losses arising from the termination of an indexed security investment plan (ISIP).
Corresponds to Lines 228, General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario

idimmi Years since immigration

DESCRIPTION

Note that individuals are only assigned a value if they are 65 years or older. Everyone else, Canadian-born or under the age of 65, receive a value of 99.

Source:
SPSD randomization process.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)
oas	(i) Compute OAS for elderly

idind Industry

DESCRIPTION

This variable shows the industry code of a person's main job for those with a job in the reference year. The industry code is based on the North American Industry Classification System.

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)

LEVELS

0	Not applicable
1	Agriculture
2	Other Primary
3	Utilities
4	Construction
5	Manufacturing
6	Trade
7	Transportation & Warehousing
8	Finance, Insce, Real est & Leasing
9	Prof, sci & technical services
10	Management, admin, and other support

11	Educational services
12	Health care and social assistance
13	Information, culture, and recreation
14	Accommodation and food services
15	Other services
16	Public administration

idinseq Individual sub-sequence number

DESCRIPTION

Sequence number indicating the order of an individual (members same household, or economic and census family are consecutive).

Source:

SPSD Systemics. Re-ordering of file sequence

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)

idinspo Person's spouse [pointer]

DESCRIPTION

This pointer variable is not accessible using the SPSM 'black box' facilities but is documented here for the convenience of the 'glass box' user. It points to the in structure which holds information on the individual's spouse. If the individual has no spouse, this variable is NULL, and should not be used. The idspoflg variable can be used to determine if the individual has a spouse. Note that this variable can only be used to reference spouses found within the same household. SPSP contains no linkage between divorced spouses in different households.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gist	(i) Compute Provincial GIS top-ups for elderly

idintstu Interest paid on student loans (319)

DESCRIPTION

The value of the interest paid in the year on eligible student loans (line 319) to be used in the calculation of the Interest on Student Loans Tax Credit when INTSLFLG is set to 1.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txont	(i) Compute provincial taxes for Ontario

txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

idipens Pension income (115)

DESCRIPTION

The value of pension income (retirement pensions) for the reference year includes:

- retirement pensions from all private sources, primarily employer pension plans,
- annuities, superannuation or Registered Retirement Income Funds.

Income withdrawn from RRSPs before the age of 65 is treated as RRSP withdrawals (iditrrsp) and is not included. Income withdrawn at ages 65 or older is treated as retirement pensions.

Note that since pension income can be split with one's spouse in certain years (see SPLTPNSFLAG and QSPLTPNSFLAG), the taxable amount of pension income is used in the derivation of taxes and transfers (imipnst or imqipnst). However, for the calculation of disposable income and other related variables (immtot, immdisp, immicons), the original value (idipens) is used.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
memo1	(i) Compute memo items for reporting
ccept	(i) Multiple calls of tax/transfer calculator

idiqip Original amount of QPIP

DESCRIPTION

This variable contains the amount of Quebec Parental Insurance Plan (QPIP) benefits from the database. When QPIPMODELFLG is turned off, the modelled amount of QPIP benefits (imqpipebn) is set to this amount.

See QPIPFLAG for more details.

Source:
SLID and conversion

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

idisa Social assistance income

DESCRIPTION

Social assistance and provincial income supplements. The reported or converted value is used for all individuals with the exception of modelled GIS supplement recipients whose reported value for social assistance is replaced with the modeled value of the GIS supplement (imigist). This may cause underestimation for those elderly who had income from more than one provincial supplement program.

The value of this variable depends on the setting of the IMPSAOPT .

Source:
Converted SLID values.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
gist	(i) Compute Provincial GIS top-ups for elderly

samod (i) Compute social assistance or guarantees

idise Self-employed income

DESCRIPTION

The SPSD value of net income from self-employment for the reference year is composed of gross income (business income, professional income, commission income, fishing income, farm income and income from roomers and boarders) minus expenses. The value can be negative.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txcea	(i) Compute child care expense allowance
txcalc	(i) Calculate federal income tax
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
txctc	(i) Compute child tax credit
memo1	(i) Compute memo items for reporting

iditc Federal investment tax credits (412)

DESCRIPTION

The Federal Investment Tax Credit (also referred to as the Business Investment Tax Credit) corresponds to Line 412, General Tax Guide. This is a tax credit for the purchase of new buildings, machinery or equipment to be used in Canada for qualifying activities such as farming, fishing, logging or construction.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)
txcalc	(i) Calculate federal income tax

iditoth Other taxable income (130)

DESCRIPTION

Other taxable income which includes:

- lump-sum payments from pensions and deferred profit-sharing plans,
- retiring allowances such as an amount paid as severance pay,
- scholarships, fellowships and bursaries (amounts over \$500),
- death benefits other than CPP or QPP death benefits.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting

iditrrsp Taxable RRSP withdrawals

DESCRIPTION

There are RRSP withdrawals from unmatured RRSP accounts. In the tax form, they are included in line 129 which also includes income from matured RRSPs. Withdrawals in the form of annuities from matured RRSPs as well as from Registered retirement income funds (RRIFs) are included in idipens.

RRSP withdrawals are used to calculate taxes and are included in total income for the purposes of taxation (imictot). However, since the System of National Accounts consider these amounts to be dissavings as opposed to income, they are not included in our concepts of income for accounting purposes (immmkt, immdisp, immicons).

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
gis	(i) Compute GIS/SPA for elderly

idiworkc Workers compensation benefits

DESCRIPTION

This variable refers to Workers' Compensation benefits received in the reference year.

Source:

For individuals who are not high income filers, the SLID unrounded value is used. For high income filers, the value is imputed from the Greenbook

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting

idlabtxg Gross Labour funds bought (413)

DESCRIPTION

The gross cost of approved shares of a labour-sponsored venture capital corporation bought during the year. See Line 413 of the General Tax Guide. The credit, `imlabtxc`, is modeled as a proportion (`FLVCRT`) of the cost up to a maximum (`FLVCMAX`).

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txbc	(i) Compute provincial taxes for British Columbia

DESCRIPTION

Labour force status in the calendar year. This variable is only defined on SLID for people aged 16-69.

Source:
SLID.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

LEVELS

0	Not applicable
1	Employed all year
2	Unemployed all year
3	Not in the labour force all year
4	Employed part-year, unemployed py
5	Employed part-year, not in the labour force py
6	Unemployed part-year, not in the labour force py
7	Employed, unemp, not in the labour force py

DESCRIPTION

Flag to indicate whether main job in reference year was full-time. "Part-time" is less than 30 hours per week.

Source:
SLID.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

LEVELS

0	Did Not Work
1	Full-time
2	Part-time

idlyun Weeks unemployed

DESCRIPTION

This item gives the number of weeks the individual was unemployed in the reference year.

To produce analysis of unemployed weeks or unemployment rate, it is preferable to use idrklyun because the variable is used to reproduce the unemployment/population ratio by sex /age group/province by weight adjustment in all the simulated years.

Source:
SLID.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

idlyww Weeks worked

DESCRIPTION

This item indicates the actual number of weeks employed in the reference year.

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
idmarst	Marital status

DESCRIPTION

Marital status of person as of December 31st of the reference year.

Source:
SLID.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
gis	(i) Compute GIS/SPA for elderly

LEVELS

0	Married
1	Common-law union
2	Separated
3	Divorced
4	Widowed

idmedgro Medical expenses, gross (330)

DESCRIPTION

The gross eligible medical expenses for the medical expenses tax credit. Corresponds to Line 330 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

idmincar Minimum tax carryover (504)

DESCRIPTION

The deduction of minimum tax from taxes payable which can be claimed if minimum tax was paid in the last six years. Corresponds to Line 504, Schedule 1, General Tax Guide up until 1996. Beginning in 1997, this corresponds to Line 427, Schedule 1, General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmsspopen	(o) Routines to read SPSD file (.spd)
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

idmovexp Imputed moving expenses (219)

DESCRIPTION

The allowed deduction of moving expenses from income earned at the new work location. Corresponds to Line 219 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmsspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)

idmschpd Manitoba school taxes paid

DESCRIPTION

These are the homeowners' Manitoba school taxes paid. They are used to model the Manitoba homeowners' school tax assistance which are part of the total property tax credit (impptxtc). This program is turned on or off using the MSCHFLAG flag.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txman	(i) Compute provincial taxes for Manitoba

idnage Age

DESCRIPTION

This variable is a direct copy of idage, but is an analysis variable rather than a class variable. This means that idnage will be rolled up to the current level of analysis and cumulated within groups when cross-tabulations are performed. It is useful for performing such tasks as computing mean age of persons in families, or mean ages of individuals in socio-economic groups.

Source:

SLID.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
idnclos	Allowable other years non-capital loss (252)

DESCRIPTION

Non-capital losses of other years. Corresponds to Line 252, General Tax Guide. Includes Allowable Business Investment Loss and Indexed Security Investment Plan (ISIP) Allowable Capital Loss.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)

idnf Person's nuclear family [pointer]

DESCRIPTION

This pointer variable is not accessible using the SPSM 'black box' facilities, but is described here for the benefit of 'glass box' users. It points to the nf structure of the nuclear family containing the individual, and can be used to easily reference information about the containing nuclear family.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txns	(i) Compute provincial taxes for Nova Scotia
txont	(i) Compute provincial taxes for Ontario
txbc	(i) Compute provincial taxes for British Columbia

DESCRIPTION

The allowed deductions for residing in a prescribed, remote location in Canada for at least six continuous months and specific traveling expenses which are included in employment income as a taxable benefit. Corresponds to Line 255 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

idocc Occupation

DESCRIPTION

This item shows the occupation of the person's main job during the reference year. It is based on 2001 National Occupational Classification codes.

Source:

SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

LEVELS

0	Not applicable
1	Senior Management Occupations
2	Other Management Occupations
3	Professional Occupations in Business and Finance
4	Financial, Secretarial and Administrative Occupations
5	Clerical Occupations, Including Supervisors
6	Natural and Applied Sciences and Related Occupations
7	Prof Occ in Health, Nurse Supervisors and Registered Nurses
8	Technical, Assisting and Related Occupations in Health
9	Occupations in Social Science, Government Service and Religion
10	Teachers and Professors
11	Occupations in Art, Culture, Recreation and Sport
12	Wholesale, Technical, Insurance, Real Estate Sales
13	Retail Salespers, Sales Clerks, Cashiers, Incl Retail Trade Superv
14	Chefs and Cooks, and Occupations in Food and Bev Serv, Incl Superv
15	Occupation in Protective Services
16	Childcare and Home Support Workers
17	Sales and Service Occupations n.e.c.
18	Contractors and Supervisors in Trades and Transportation
19	Construction Trades
20	Other Trades Occupations
21	Transport and Equipment Operators
22	Trades Helpers, Construc, and Transp Labourers and Related Occs
23	Occupations Unique to Primary Industry
24	Machine Operators and Assemblers in Manufacturing incl Supervisors
25	Labourer in Processing, Manufacturing and Utilities

idothded Other deductions from total income (232)

DESCRIPTION

Other allowed deductions from total income not deducted anywhere else on the tax return, such as: repayment of income amounts, refund interest, employment insurance benefits repayments, RHOSP late occupancy, legal and accounting fees, capital cost allowance on Canadian motion picture films and videotapes, and depletion allowances. Corresponds to Line 232 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmsspopen	(o) Routines to read SPSD file (.spd)
txinet	(i) Compute net income
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)

idothpe Amounts for Infirm Dependants (306)

DESCRIPTION

This item is the total allowed amount for infirm dependants age 18 or older. Other dependants include children, grandchildren, parents, grandparents, brothers, sisters (including in-laws), aunts, uncles (including in-laws), nieces and nephews. Up to 1992, this value was calculated in Schedule 6 and was included in line 305 Additional personal amounts, which also included the Equivalent to Married tax credit. As of 1993, it is calculated in Schedule 7 and is reported in line 306.

See imothpe.

Source:

Line 306, General Tax Guide. This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmsspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta

txbc (i) Compute provincial taxes for British Columbia

idpartlo Limited partnership losses (251)

DESCRIPTION

Allowed deduction for limited partnership losses not previously claimed. Corresponds to Line 251 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

idpolcon Federal political contributions (409)

DESCRIPTION

The eligible amount contributed to a registered federal political party or candidate. Corresponds to Line 409 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

txcalc (i) Calculate federal income tax

idproptx Net property taxes paid (556)

DESCRIPTION

The amount of net property tax paid in the base year corresponds to Line 6112 of the T1C, General Tax Guide. Depending on the value of IMSHTOPT, it may be used to create improptx.

Source:

Note that this entry is non-zero only if the filer filled in this portion of the form, i.e. if they were eligible for a provincial property tax credit.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txhhexp	(i) Compute and pro-rate household taxes, rent, etc.

idprvftc Provincial foreign tax credit (Form T2036)

DESCRIPTION

The eligible amount of provincial foreign tax credit as calculated on Form T2036 and reported in T1C of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia

txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

idprvpol Provincial political contributions (565)

DESCRIPTION

The eligible amount contributed to a provincial political party or candidate. Corresponds to Line 565 of the T1C, General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers. It is zero for the province of Quebec.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

idqpern Weekly earnings to qualify for QPIP

DESCRIPTION

This variable contains the weekly earnings used to calculate the amount of Quebec Parental Insurance Plan benefits. It represents the calculated amount of wages or self-employment, taking into account any minimum divisor rules.

See QPIPFLAG for more details.

Source:
Constrained imputation from SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

idqpfrst First type of QPIP claim

DESCRIPTION

First type of QPIP benefit received. Note that on the current database, people only start with maternity and paternity claims.

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

LEVELS

0	Maternity
1	Paternity
2	Parental

idqpstrt Week of QPIP start

DESCRIPTION

Identification number for the week in which a Quebec Parental Insurance Plan (QPIP) claim established. The week of Jan. 1 is coded 0.

Starting in 2006, parents of children born in Quebec stopped being eligible for Employment Insurance maternity and parental leave and started being eligible fore QPIP. On the SPSPD, the parents are still matched to EI records in order to be able to model years prior to 2006 (they are matched to records of parents outside of Quebec). The start date from the EI record is the same one used for the QPIP program.

See QPIPFLAG for more details.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmospopen	(o) Routines to read SPSPD file (.spd)
ui	(i) Compute UI benefits

idqptype Type of QPIP claim

DESCRIPTION

This variable contains the plan type under Quebec Parental Insurance Plan. Eligible recipients of the QPIP benefits have a choice between the basic plan and the special plan.

See QPIPFLAG for more details.

Source:
Constrained imputation from SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

LEVELS

0	Not applicable
1	Basic Plan
2	Special Plan

idqpweek Weeks of QPIP

DESCRIPTION

This variable contains the maximum number of Quebec Parental Insurance Plan (QPIP) weeks taken by the parent.

See QPIPFLAG for more details.

Source:
Constrained imputation from SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

LEVELS

0 0

1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52

idrand Random numbers [array]

DESCRIPTION

These analysis variables are random numbers drawn independently from the uniform distribution between 0.0 and 1.0 inclusive. Up to twenty such random numbers, (named idrand0 through idrand19) are available for use, depending on the number of random streams requested through the SEED control parameter. One of these random number variables should always be used for simulating random take-up rates or other similar events since these variables are always computed under all circumstances. In particular, they are computed independently of any record selection. Because of this, each record will always have the same set of random numbers, resulting in consistent simulation results at the individual record level independent of any record selection (using the SELSPEC parameter) that may be occurring.

CROSS REFERENCE

Function	Description
adj	(i) Perform SPSD database adjustment
ui	(i) Compute UI benefits
famod	(i) Compute family allowance
txinet	(i) Compute net income
txhstr	(i) Compute family-related deductions or credits
txnfld	(i) Compute provincial taxes for Newfoundland
txns	(i) Compute provincial taxes for Nova Scotia
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
gis	(i) Compute GIS/SPA for elderly
txfstc	(i) Compute federal sales tax credit

idrentpd Total rental payments (555)

DESCRIPTION

The total amount of rental payments made during the year. Corresponds to Line 6110, T1C of the General Tax Guide. Depending on the value of IMSHTOPT, it may be used to create imrentpd.

Source:

Note that this entry is non-zero only if the filer filled in this portion of the form, i.e. if they were eligible for a provincial property tax credit.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txhhexp	(i) Compute and pro-rate household taxes, rent, etc.

idrkyun Raking foundation: weeks unemployed

DESCRIPTION

Number of weeks unemployed adjusted such that the average proportion of the year unemployed agrees with the labour force mean annual unemployment to population ratio. In effect, this produces a smoothed function of weeks unemployed.

Source:
SPSD Systemics

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

idrkyww Raking foundation: weeks worked

DESCRIPTION

Number of weeks worked adjusted such that the average proportion of the year worked agrees with the labour force mean annual employment to population ratio. In effect, this produces a smoothed function of weeks worked.

Source:
SPSD Systemics

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

idrpp Registered pension plan contributions (207)

DESCRIPTION

This item is the allowed Registered Pension Plan Contribution including lump-sum payments corresponding to Line 207, General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
adj	(i) Perform SPSD database adjustment
txinet	(i) Compute net income
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txalta	(i) Compute provincial taxes for Alberta
gist	(i) Compute Provincial GIS top-ups for elderly

idrrsp RRSP calculated amount (208)

DESCRIPTION

This is the allowed deduction for Registered Retirement Savings Plan Premiums corresponding to Line 208, General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
adj	(io) Perform SPSD database adjustment
txinet	(i) Compute net income
txcalc	(i) Calculate federal income tax
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txalta	(i) Compute provincial taxes for Alberta
gist	(i) Compute Provincial GIS top-ups for elderly

idsamths Imputed number of months on SA

DESCRIPTION

This variable represents the number of months that the individual was in receipt of social assistance. This variable is only available for families with kids and is derived by imputing average months by province, family size, and amount of social assistance group. It is used in the SA/NCBS clawback calculation.

Source:
SLID.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
samod	(i) Compute social assistance or guarantees

idsapred Predicted amount of SA received

DESCRIPTION

This is the predicted value of Social assistance as derived from either SLID or a linear regression based on individual's characteristics. It is used along with idsarank, SATARGET and SAPFLAG to increase or decrease the number of social assistance recipients.

See idsarank, SAPFLAG, SATARGET.

For more information on how to change the number of SA recipients, see the [User's Guide](#) under Miscellaneous Facilities.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
gist	(i) Compute Provincial GIS top-ups for elderly
samod	(i) Compute social assistance or guarantees

idsarank Predicted ranked likelihood of getting SA

DESCRIPTION

This variable is a linearization of the estimated probability of being SA recipient.

Idsarank ranges from 0 to 1 when divided by 1000. Individuals below 0.5 are SA recipients, and those above are not. 80% of the SA recipients with the lowest probability of being a recipient are spread over the interval 0.01 and 0.49, 0.49 being the lowest probability. All others receive a zero value. Individuals representing 80% of SA recipients are chosen from those not receiving SA. Those individuals are then uniformly spread over the interval 0.51 to 0.99, 0.51 being the highest probability of being an SA recipient. All others receive a value of 1.

See idsapred, SAPFLAG.

For more information on how to change the number of SA recipients, see the [User's Guide](#) under Miscellaneous Facilities.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
gist	(i) Compute Provincial GIS top-ups for elderly
samod	(i) Compute social assistance or guarantees

idschtp School type

DESCRIPTION

Highest type of school attended in the reference year. Note that this information is only collected for household members who are 16 years of age or over. Children aged 6 to 15 were assumed to be attending primary or secondary school full-time and children aged 5 or under were assumed not to be in school.

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
adj	(i) Perform SPSD database adjustment
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txont	(i) Compute provincial taxes for Ontario

LEVELS

0	Not applicable
1	Primary or Secondary
2	College
3	University
4	Other

DESCRIPTION

Original cross-sectional random individual identifier found on the SLID public-use microdata file. Note that because of household duplication processes used in creating the database, the same identifier may be found on more than one individual.

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

idsex Sex

DESCRIPTION

See codes below.

Source:
SLID

CROSS REFERENCE

Function	Description
fmspopen	(i) Routines to read SPSD file (.spd)
famod	(i) Compute family allowance
txccea	(i) Compute child care expense allowance
txnfld	(i) Compute provincial taxes for Newfoundland
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta

txbc	(i) Compute provincial taxes for British Columbia
txctc	(i) Compute child tax credit

LEVELS

0	Male
1	Female

idspoflg Person has spouse

DESCRIPTION

This flag indicates if the individual has a spouse living within the family. Spouses may be common-law.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txcalc	(i) Calculate federal income tax
txnfd	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gist	(i) Compute Provincial GIS top-ups for elderly
cceopt	(i) Multiple calls of tax/transfer calculator

LEVELS

0	No spouse present
1	Spouse present

DESCRIPTION

The Nova Scotia sport and recreational expenses for children tax credit was introduced in July 2005. This non-refundable tax credit allows parent's and guardian's of children under the age of 18 at the start of the year to claim up to \$150 per year in 2005 and \$500 per year starting in 2006 of fitness and non-fitness expenses for each child. The total benefit is the amount claimed multiplied by the non-refundable tax rate VPNTCR.

This claim does not include benefits for disabled children.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txns	(i) Compute provincial taxes for Nova Scotia

idstkded Stock option deduction (249)

DESCRIPTION

The allowed deduction for benefits received for qualifying stock options, prior to the application of the capital gains inclusion rate. Corresponds to Line 249 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txont	(i) Compute provincial taxes for Ontario

idsynthi Synthetic high income person

DESCRIPTION

This variable is one if the individual is a synthetically created high income individual. Such records, which replace the original SLID high income records, are statistically similar to high income filers found in administrative data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

LEVELS

0	Observed incomes
1	Synthetic high incomes

idtransit Public Transit

DESCRIPTION

This variable represents the public transit amount which corresponds to Line 364 of the General Tax Guide.

Source:

This item is imputed from the Greenbook for all filers and may have been imputed separately for high income filers.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits

idtuittn Tuition fees (320)

DESCRIPTION

This item represents the allowable deduction for tuition fees. It corresponds to Line 320, Schedule 11, General Tax Guide.

Source:

Imputed from the Greenbook to individuals attending a post-secondary institution either full-time or part-time or both in the year.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
txitax	(i) Compute taxable income and individual credits
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

iduiپرد Predicted amount of EI received

DESCRIPTION

This is the predicted value of Employment Insurance derived from either SLID or a linear regression based on individuals characteristics. It is used along with iduirank and UITARGET to increase or decrease the number of people who receive employment insurance benefits.

See iduirank, UITARGET.

For more information on how to change the number of EI recipients, see the [*User's Guide*](#) under Miscellaneous Facilities.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
iduirank	Predicted ranked likelihood of getting EI

DESCRIPTION

This variable is a linearization of the estimated probability of receiving Employment Insurance (EI).

Iduirank ranges from 0 to 1 when divided by 1000. Individuals below 0.5 are EI recipients, and those above are not. 80% of the EI recipients with the lowest probability of being a recipient are spread over the interval 0.01 and 0.49, 0.49 being the lowest probability. All others receive a zero value. Individuals representing 80% of EI recipients are chosen from those not receiving EI. Those individuals are then uniformly spread over the interval 0.51 to 0.99, 0.51 being the highest probability of being an EI recipient. All others receive a value of 1.

See iduipred, UITARGET.

For more information on how to change the number of EI recipients, see the [*User's Guide*](#) under Miscellaneous Facilities.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits
txinet	(i) Compute net income
ccept	(i) Multiple calls of tax/transfer calculator

im Individual variant result variables [struct]

DESCRIPTION

This structure holds modelled result information (as opposed to SPSD database information) pertaining to single individual. It is a sub-structure of the in structure. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix im are members of this structure.

imalexp Allowable employment expenses

DESCRIPTION

The original value for Other Allowable Employment Expenses is imputed from the Greenbook. The model allows for a reduction in this value by applying the parameter ALEXPP. The result of the multiplication of ALEXPP with idalexp is saved in imalexp.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income

imamtdf Difference due to minimum tax

DESCRIPTION

This represents the increase in Net Federal Tax Payable due to the application of the Alternate Minimum Tax algorithm.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imamtfg Minimum tax flag

DESCRIPTION

If this flag has the value 1, the filer has paid a higher amount of tax due to the minimum tax rules.

See the description of the Minimum Tax algorithm in the txcalc section of the [Algorithm Guide](#).

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

LEVELS

0	Normal tax
1	Minimum Tax

imamtinc Net adjusted income used for minimum tax

DESCRIPTION

This represents the net adjusted income used to calculate the Alternate Minimum Tax. When the provinces calculate tax on taxable income, this variable may be used to calculate their own minimum tax.

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

imamtprv Federal minimum tax concept used for provincial minimum tax

DESCRIPTION

This variable contains the appropriate concept for calculating the provincial minimum tax when the provincial minimum tax option parameter is set to 2. The definition of this variable depends on AMTPRVDF, which contains a provincial vector of the different concepts for calculating provincial alternative minimum tax.

When the value of AMTPRVDF is set to 0, the provincial minimum tax is calculated as a percentage of the difference between the final federal tax (including surtaxes) based on federal minimum tax calculations and the final federal tax calculated prior to the application of the alternative minimum tax.

When the value of AMTPRVDF is set to 1, the provincial minimum tax is calculated as a percentage of the minimum amount payable less the special foreign tax credit and the regular tax payable.

When the value of AMTPRVDF is set to 2, the provincial minimum tax is calculated as a percentage of the minimum amount due to minimum tax calculations less the regular tax payable.

When the value of AMTPRVDF is set to 3, the provincial minimum tax is calculated as a percentage of the minimum amount due to minimum tax calculations less the basic federal tax.

For those provinces that calculate provincial minimum tax as a percentage of additional federal tax, `imamtprv` is multiplied by the appropriate provincial rate of federal minimum tax.

CROSS REFERENCE

Function	Description
<code>txcalc</code>	(o) Calculate federal income tax
<code>txnfld</code>	(i) Compute provincial taxes for Newfoundland
<code>txpei</code>	(i) Compute provincial taxes for P.E.I.
<code>txns</code>	(i) Compute provincial taxes for Nova Scotia
<code>txnb</code>	(i) Compute provincial taxes for New Brunswick
<code>txont</code>	(i) Compute provincial taxes for Ontario
<code>txman</code>	(i) Compute provincial taxes for Manitoba
<code>txsask</code>	(i) Compute provincial taxes for Saskatchewan
<code>txalta</code>	(i) Compute provincial taxes for Alberta
<code>txbc</code>	(i) Compute provincial taxes for British Columbia

`imashelt` Alberta shelter increase under NCBS clawback

DESCRIPTION

This variable represents the annual shelter allowance increase to be applied to families in Alberta who are in receipt of the National Child Benefit Supplement. It will only be applied when `SACLAWFLAG` is set to 1 (to activate the NCBS clawback from social assistance) and when the `SACLAWPR` provincial vector is set to 1 for Alberta along with `ASHELTFLG` set

to 1. The parameter ASHELTER provides table of monthly amounts dependent upon the number of persons in the household.

The annual amount of the increase will be determined by multiplying the monthly increase by the number of months of social assistance received (idsamths). The value of the shelter increase is already included in social assistance (imisa).

CROSS REFERENCE

Function	Description
samod	(o) Compute social assistance or guarantees
imatpinc	After tax Income for low income measurement

DESCRIPTION

This variable contains the value of after-tax income used for low income line analysis. To avoid double-counting, this value contains economic family after-tax income, but only for the first person in the economic family. An expression of the form EF:imatpinc < efpvthat would identify individuals in families below the after-tax low income threshold PTFAT.

The after tax family income for poverty analysis purposes is consumable income. Should a user wish to apply only disposable income they should disable the commodity tax facility by setting CTFLAG to 0.

Please see the SPSD/M *User's Guide* for further details on low-income line analysis in the miscellaneous facilities section. Please see impovinc for a discussion of the before-tax analog to this variable.

CROSS REFERENCE

Function	Description
memo2	(o) Compute consumable income, etc.
imatxc	Age tax credit

DESCRIPTION

The Age Tax Credit is applied to all filers aged 65 or more. The age tax credit is calculated as the federal non-refundable tax credit rate (FNTCR) proportion of the age credit (AXM) net of the age credit reduction rate (AXRR) proportion of net income (imicnet) in excess of the age credit reduction turndown (AXTD). Or:

$$\text{imatxc} = \text{FNTCR} * (\text{AXM} - \text{minn}(\text{AXM}, \text{AXRR} * \text{nneg}(\text{imicnet} - \text{AXTD})))$$

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txman	(i) Compute provincial taxes for Manitoba

imatxcrt Total tax credits applied

DESCRIPTION

This value represents the amount of non-refundable, non-transferable tax credits which have been applied to reduce Basic Federal Tax. If the amount of the tax credits exceeds Basic Federal Tax, then the amount applied equals Basic Federal Tax.

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax
imbase	Individual base result variables [struct]

DESCRIPTION

This structure should never be modified by the user. It is used to contain values for base variables, if the user has specified base results through the BASMETH parameter. Please see the *User's Guide* for more information on the base/variant facility.

imbchstc B.C. HST Low Income Credit

DESCRIPTION

This variable contains the amount for the British Columbia HST Low Income Tax Credit (see CHSTCFLG). It is added to refundable provincial tax credits (imptc).

CROSS REFERENCE

Function	Description
txbc	(o) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imbft Basic federal tax

DESCRIPTION

This item corresponds to Basic Federal Tax after the application of tax credits.

For 1988 and later, basic federal tax has been reduced by the subtraction of tax credits. This correspond to Line 406 of the General Tax Guide. In the event that minimum tax is calculated and the tax is higher than regular basic federal tax, imbft takes on the value of the Alternate Minimum Basic Tax.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imbpt Basic provincial tax

DESCRIPTION

Some provinces (Newfoundland, Nova Scotia, New Brunswick, Manitoba, Alberta and British Columbia) compute the basic provincial tax as a proportion of the basic federal tax. The Quebec basic provincial tax is derived from algorithms which nearly parallel the federal. In Ontario, basic provincial tax is a proportion of basic federal tax reduced within a certain tax range. For certain years, Saskatchewan has applied a surtax on taxable income which is added to imbpt.

For a more complete description of provincial algorithms for calculating tax, see the description of the function txprov in the [*Algorithm Guide*](#).

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txqcalc	(io) Calculate income tax (Quebec)
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba

txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

imbtc Basic personal tax credit

DESCRIPTION

This represents the basic personal amount.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imbtc Basic personal tax credit supplement

DESCRIPTION

This is the Personal Amount Supplement available to low income Canadians. This measure was introduced in the Federal Budget in 1998 and cancelled in the 1999 budget. All filers are income tested (based on taxable income imdepni) for receipt of the supplement to the basic personal amount.

Note that in the federal tax forms, only persons whose incomes are over the personal tax amount (BXM) claimed this credit. By giving it to persons with very low incomes there is no effect on taxes or applied tax credits. But when comparing the SPSM results with those of the Greenbook, the SPSM results may seem high.

See also: BXMS BXMSPI BXMSRR

CROSS REFERENCE

Function	Description
txhstr	(o) Compute family-related deductions or credits

txcalc (i) Calculate federal income tax

imcapgex Modelled capital gains deduction (254)

DESCRIPTION

The amount which can be claimed as a deduction if a filer sells or disposes of eligible capital property. Corresponds to Line 254 of the Tax Guide. Note that the lifetime exemptions have already been applied.

CROSS REFERENCE

Function	Description
txitax	(io) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imcatc B.C. Refundable Climate Action Tax Credit

DESCRIPTION

This variable contains the amount for the British Columbia Low Income Climate Action Tax Credit (see CCATCFLG). It is added to refundable provincial tax credits (imptc).

CROSS REFERENCE

Function	Description
txbc	(o) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imccea Child care expenses allowed

DESCRIPTION

This variable represents the modelled Child Care expenses. They are either assigned to the mother if present (if CCEROPT is equal to 1) or to the partner with the lower net income.

CROSS REFERENCE

Function	Description
txccea	(o) Compute child care expense allowance
txnfld	(i) Compute provincial taxes for Newfoundland
txont	(i) Compute provincial taxes for Ontario
txbc	(i) Compute provincial taxes for British Columbia

imcceec Child care expenses claimed on behalf of child

DESCRIPTION

This is the actual amount of child care expenses claimed on behalf of this particular child.

CROSS REFERENCE

Function	Description
txccea	(io) Compute child care expense allowance
txctc	(i) Compute child tax credit
cceopt	(i) Multiple calls of tax/transfer calculator

imcceni Consumable income with CCE not zeroed

DESCRIPTION

This is the income the individual would receive if the family claimed their child care expenses.

CROSS REFERENCE

Function	Description
ccept	(io) Multiple calls of tax/transfer calculator
imccez	Is CCE zeroed?

DESCRIPTION

When Child care expense optimization is turned on (CCEZOPT==1), this flag is set to 1 if the current family was better off in terms of consumable income by not claiming any child care expenses.

CROSS REFERENCE

Function	Description
txcea	(i) Compute child care expense allowance
ccept	(io) Multiple calls of tax/transfer calculator

LEVELS

0	False
1	True

imcezi	Consumable income with CCE zeroed
---------------	-----------------------------------

DESCRIPTION

This is the income the individual would receive if the family chose not to claim their child care expenses.

CROSS REFERENCE

Function	Description
ccept	(io) Multiple calls of tax/transfer calculator
incemc	Child's equivalent to married credit

DESCRIPTION

This is the amount which may be claimed as an equivalent to married credit on behalf of a child. It is calculated as FNTCR percent of the maximum equivalent to married credit (parameter EMXM + EMXMEXT) less the child's net income in excess of the turndown (EMXMT + EMXMTEXT).

CROSS REFERENCE

Function	Description
txhstr	(o) Compute family-related deductions or credits
txns	(i) Compute provincial taxes for Nova Scotia
imcgtc	Caregiver Tax Credit Level

DESCRIPTION

Beginning in 1998, the Caregiver Tax Credit (imcgtc) was introduced to provide additional tax assistance to individuals who provide in-home care for relatives. Eligible recipients include individuals residing with and providing in-home care for a parent or grandparent over 65 years of age, or for an infirm dependent relative.

This variable is the sum of the modelled Caregiver Tax Credits for dependants other than spouse. (Line 315 and Schedule 12 in the General Tax Guide)

The calculation of the Caregiver Tax Credit (imcgtc) is activated by the flag CGTCFLG.

Users have the option of applying the maximum Caregiver Tax Credit amount (CGTC) for those eligible for the tax credit ($idcgtc > 0$) when CGTCOPT is set to 1 or using the greenbook variable, $idcgtc$, when CGTCOPT is set to 2.

When FAMCGTCFLG is activated, the Family Caregiver amount is added to the maximum Caregiver Credit before the income test. The resulting enhanced Caregiver Tax Credit (including the Family Caregiver amount) is saved in $imcgtc$, where $imfamcgtc$ represents the amount pertaining to the Family Caregiver Tax Credit only.

CROSS REFERENCE

Function	Description
$txitax$	(o) Compute taxable income and individual credits
$txcalc$	(io) Calculate federal income tax

$imcgtcp$ Dependent Caregiver Tax Credit Amount

DESCRIPTION

This represents an individuals' potential value that may be claimed by a caregiver for the federal caregiver tax credit. It is only calculated when CGTCFLG is turned on and CGTCOPT is set to 3.

CROSS REFERENCE

Function	Description
$txcalc$	(io) Calculate federal income tax

$imchara$ Allowable charitable donations and gifts (calculated)

DESCRIPTION

This variable holds the calculated amount of allowable charitable expenses for use in calculating taxable income. It is the lesser of $idcharit$ and CHATNF times net income.

CROSS REFERENCE

Function	Description
txitax	(io) Compute taxable income and individual credits
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

imchartc Charitable donations tax credit

DESCRIPTION

An amount for the Charitable Donations Deduction is imputed from the Greenbook. The Charitable Donations Tax Credit will be calculated, allowing for two rates of tax credit (CHATR1 and CHATR2) above and below a specified level (CHATL1).

Note that the imputed value (imchara) corresponds to the definition of Charitable Donations Deduction Allowed in the base year, i.e., it is limited to CHATNF of Net Income.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imchclm Number of dependent children claimed

DESCRIPTION

This value is the number of children claimed for the Exemption for Wholly Dependent Children. If a child is claimed for the Married Equivalent Exemption, that child is not included in this value.

CROSS REFERENCE

Function	Description
txhstr	(o) Compute family-related deductions or credits
txbc	(i) Compute provincial taxes for British Columbia

imchdtxc Non-refundable Child Tax Credit

DESCRIPTION

This variable contains the amount for the Federal non-refundable Child Tax Credit (CTCAMTPC) that will be granted to a parent for each child under age 18 after the application of the non-refundable tax credit rate (FNTCR). The credit was introduced in 2007. The value of the credit is transferable between parents.

When FAMCGTCFLG is activated, the Family Caregiver amount is added to the basic amount (CTCAMTPC) only if a random number draw is less than the Family Caregiver Take Up value in FAMCGTCTU and the individual is flagged as disabled (iddisab). If the take up test passes, the resulting enhanced credit is saved in imchdtxc whereas imfamcgtc represents the amount pertaining to the Family Caregiver Tax Credit only. The eligible child is also flagged as having the Family Caregiver Tax Credit claimed on their behalf (imfamcgcl) so that this person cannot be claimed again for the Family Caregiver Tax Credit under another of the dependent-related credits. Note that the variable iddisab is only assigned to individuals aged 16 and over.

CROSS REFERENCE

Function	Description
txhstr	(o) Compute family-related deductions or credits

txcalc (i) Calculate federal income tax

imclimdv B.C. Climate Action Dividend

DESCRIPTION

This variable contains the amount for the British Columbia Climate Action Dividend (CCLIMDIV). It is added to provincial other government income (impoth).

CROSS REFERENCE

Function	Description
txbc	(o) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imcppctc CPP contributions tax credit

DESCRIPTION

CPP/QPP contributions (imcqqpc) are multiplied by the CPP/QPP Contribution Tax Credit Rate (parameter FNTCR). The result is reported in the variable imcppctc.

CROSS REFERENCE

Function	Description
txinet	(o) Compute net income
txcalc	(i) Calculate federal income tax

imcppse CPP contributions deduction for self-emp

DESCRIPTION

This is the value of the deduction for CPP/QPP contribution for persons with earnings from self-employment. When CPPSEDEDFLG is turned on, a fraction (CPPSEDFRC) of a

person's contributions to the CPP/QPP in regards to their self employment earnings are treated as a deduction and added to imdedft. The rest, along with the contributions on wages and salaries, can still be claimed as a tax credit (imcpptc).

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

imcqppc CPP/QPP contributions

DESCRIPTION

Total CPP/QPP contributions on employment and self-employment income. This value is calculated by taking a proportion (See the description of the parameter WSCF in the *Parameter Guide*) of employment earnings (based on idiemp) subject to contribution. Contributions on self-employment earnings are calculated by applying the rate (parameter SECF) to all pensionable earnings and subtracting twice the amount already contributed through employment.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick

txqinet	(i) Compute net income (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting

imcstc British Columbia Sales Tax Credit

DESCRIPTION

This is the value of the calculated British Columbia Sales Tax Credit, when CSTCFLAG is set to 1. This value is added to refundable provincial tax credits, imptc.

CROSS REFERENCE

Function	Description
txbc	(o) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imtxert Tax credits transferred from children

DESCRIPTION

This is the total amount of tax credits transferred to a parent from all dependent children. It amounts to the sum of the disability tax credit (imdisatc), education tax credit (imedtxc), and tuition tax credit (imtutxc).

See the description of this algorithm in the section txcalc in the *Algorithm Guide*.

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax

DESCRIPTION

The sum of all deductions from net income:

- Employee home relocation loan (idemplo)
- Stock option deduction (imstkded)
- Limited Partnership losses (idpartlo)
- Non-capital Losses of Other Years (idnclos)
- Capital Losses of Other Years (idcross)
- Capital gains deduction (imcagex)
- Northern resident deduction (idnorth)
- Additional deduction (idadded)
- Social Assistance or replacement program (imisa)
- Spouse's Allowance (imispa)
- GIS benefits (imigis)
- Workers compensation benefits (idiworkc)
- Amount of GIST which goes into SA (imgistsa)
- Social Benefits Repayment (imrepay) if REPNETFLAG is set to 0

The definition corresponds to Line 257, General Tax Guide.

CROSS REFERENCE

Function	Description
txitax	(io) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

imdedft Deductions from total income

DESCRIPTION

The sum of all deductions from total income:

- RPP Contributions (idrpp)
- RRSP Contributions (idrrsp)
- Deduction for elected split-pension amount transferred to spouse (impentrd)
- Union and Professional Dues (iddues)
- Child Care Expenses allowed (imccea)
- Allowable Business Investment Losses and Indexed Security Investment Plan - allowable capital losses (imiloss)
- Moving expenses (idmovexp)
- Alimony allowance paid out (iddalimo)
- Carrying charges (idcarry).
- Exploration expenses (idexplor)
- CPP Contributions deduction for self-employed workers (imcppse) (if CPPSEDEDFLG is set to 1)
- Other employment expenses (imalexp)
- Other Deductions from total income (idothded)
- Clergy Residence Deduction (idclergy)
- Quebec Parental Insurance Plan premium deduction for self-employed – federal (imqpsedd)
- Social Benefits Repayment (imrepay) if REPNETFLAG is set to 1

This corresponds to Line 233 of the General Tax Guide.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txccea	(io) Compute child care expense allowance
txont	(i) Compute provincial taxes for Ontario
gis	(i) Compute GIS/SPA for elderly

imdepni Dependant's net income

DESCRIPTION

This is the net income used to reduce claimable dependent amounts. It includes social assistance income as well as other forms of net income.

CROSS REFERENCE

Function	Description
txhstr	(io) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

imdisatc	Disability tax credit
-----------------	-----------------------

DESCRIPTION

Blind persons or persons confined to a wheelchair or a bed are eligible to claim a special tax credit.

This variable is the sum of modelled disability tax credits for self and for dependants other than spouse. (Lines 316 and 318 in the General Tax Guide)

The value of the Disability Tax Credit is determined by the value of parameter MAXDX. Individuals who have been imputed a value for Disability Deduction (iddisslf) are given the maximum Disability Tax Credit which may be transferred to a spouse or parent. If the filer also has a non-zero value for the disability amount for dependants other than spouse (iddisoth) then a similar substitution of MAXDX is performed and added to imdisatc.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
imedrcv	Education and tuition transferred from others

DESCRIPTION

These are the education credits (imttutxc and imedtxc) which a person received from their children or spouse because these latter did not need them to reduce their basic federal tax to zero. This credit is represented in total dollars prior to the application of the Federal Tax Credit Rate (FNTCR).

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax
txman	(i) Compute provincial taxes for Manitoba
imedtrf	Education and tuition transferred to others

DESCRIPTION

These are the education credits (imttutxc, imttxtxc and imedtxc) which a person transfers to their parent or spouse because they do need them to reduce their basic federal tax to zero. This credit is represented in total dollars prior to the application of the Federal Tax Credit Rate (FNTCR).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax
txman	(i) Compute provincial taxes for Manitoba

imedtxc Education allowance tax credit

DESCRIPTION

To calculate the Education Tax Credit, the number of eligible full-time months (ideducfm) is multiplied by the parameter EDXPM, the allowable education amount per full-time month is added to the number of eligible part-time months (ideducpm) multiplied by the parameter EDXPMPT, the allowable education amount per part time month. imedtxc reports the amount of Education Tax Credit available for this individual. The tax credit may be applied to reduce Basic Federal Tax or transferred to a parent or spouse. The model applies a cap on the amount of Education and Tuition Tax Credit transferable. This maximum amount transferable is determined by parameter MAXET.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imemptxc Canada Employment Credit

DESCRIPTION

Beginning in 2006, employees may claim the non-refundable Canada Employment Credit. It is calculated as the lesser of employment income (idiemp) and the maximum Canada Employment Credit (EMPTXC), multiplied by the non-refundable tax credit rate (FNTCR).

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imfamcgcl Family Caregiver Amount claimed 0=no 1=yes

DESCRIPTION

Beginning in 2011, the Family Caregiver Tax Credit (imfamcgtc) was introduced to provide additional tax assistance to individuals who provide in-home care for relatives.

This variable represents a flag denoting that an individual has already been claimed for the enhanced Family Caregiver amount through the Spousal Tax Credit, Eligible Dependent Tax Credit or the Child Tax Credit.

See FAMCGTCFLG for a more detailed description of the Family Caregiver Tax Credit implementation.

CROSS REFERENCE

Function	Description
txhstr	(io) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax

imfamcgtc Family Caregiver Amount

DESCRIPTION

Beginning in 2011, the Family Caregiver Tax Credit (imfamcgtc) was introduced to provide additional tax assistance to individuals who provide in-home care for relatives. It was introduced as an enhanced credit amount to the existing dependency-related credits, namely the Spousal or Common-Law Partner Credit (immartxc), the Child Tax Credit (imchdtxc), the Eligible Dependent Tax Credit (immartxc), the Caregiver Credit (imcgtc) and the Infirm Dependent Credit (imothpe). Individuals eligible to claim the Family Caregiver amount will

have an enhanced amount added to one of the existing tax credit amounts listed above as appropriate.

Note that this variable contains the enhanced amount which has already been added to one of the existing credits above. This variable has not been added to total tax credits as it is already added to the existing credits. This variable can be used to easily determine the impact of the enhanced credit when FAMCGTCFLG is activated.

See FAMCGTCFLG for a more detailed description of the Family Caregiver Tax Credit implementation.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txhstr	(io) Compute family-related deductions or credits
txcalc	(o) Calculate federal income tax

imfcben Total Federal Child Benefits

DESCRIPTION

Total benefits received under the Child Benefits program passed in October 1992 and commencing in calendar year 1993. It is equal to the sum of imfcbenb and imfcbene.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txman	(i) Compute provincial taxes for Manitoba
txctc	(o) Compute child tax credit
memo1	(i) Compute memo items for reporting
cceopt	(io) Multiple calls of tax/transfer calculator

imfcbenb Total Federal Child Benefits Base

DESCRIPTION

Total base benefits received under the Child Benefits program passed in October 1992 and commencing in calendar year 1993. These benefits do not include the supplements.

CROSS REFERENCE

Function	Description
txctc	(o) Compute child tax credit

imfbene	Total Federal Child Benefit Supplement
----------------	--

DESCRIPTION

This variable contains the value of child benefit supplements under the Child Benefits program passed in October 1992 and commencing in calendar year 1993.

This supplement was originally based on earnings. It was later renamed the National Child Benefit Supplement and no longer relates to earned income.

When the parameter FCBEIE is set to 0, the value of this variable is calculated as a percentage (FCBESR) of nuclear family employment income above a threshold (FCBEIC) to a maximum of FCBEIS less a percentage (FCBERR) of nuclear family net income in excess of the threshold FCBEID.

When the parameter FCBEIE is set to 1, the calculation is identical but the maximum benefit is based not on the per family maximum of FCBEIS, but on a per child basis where the entitlement with respect to the first child is FCBEIS1, the second child as FCBEIS2 and third and subsequent children as FCBEIS3 with varying reduction rates (FCBERR1, FCBERR2, FCBERR3).

CROSS REFERENCE

Function	Description
txbc	(i) Compute provincial taxes for British Columbia

samod	(i) Compute social assistance or guarantees
txctc	(o) Compute child tax credit
txfstc	(i) Compute federal sales tax credit
cceopt	(io) Multiple calls of tax/transfer calculator

imfcgtp Family Caregiver potential amount through caregivers tax credit

DESCRIPTION

This represents an individuals' potential value that may be claimed by a caregiver for the federal Family Caregiver Tax Credit as an enhanced amount for the Caregiver Tax Credit. It is only calculated when CGTCFLG is turned on and CGTCOPT is set to 3 and FAMCGTCFLG is set to 1.

See FAMCGTCFLG for a more detailed description of the Family Caregiver Tax Credit implementation.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imfdtxc Federal dividend tax credit

DESCRIPTION

Calculated as a proportion (parameter FDTCR) of the Taxable amount of Canadian Dividends from small – other than eligible corporations (imisdivt) plus a proportion (FDTCLC) of the Taxable amount of Canadian Dividends from eligible corporations (imildivt).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

DESCRIPTION

When FECBFLAG is turned on, persons will receive a transfer from the federal government for the energy cost relief (imfecb). Individuals who have received the National Child Benefit Supplement (imfbene) will receive FECBNCBS while persons in receipt of the Guaranteed Income Supplement (imigis) or Spouses Allowance (imispa) will receive FECBGIS. In couples where both are in receipt of the GIS or SPA, they will each receive the benefit FECBGIS. If a person is receiving both the NCBS and the GIS or SPA, they will receive the higher benefit of FECBNCBS. The value of the transfer is added to Federal other transfer income and refundable credits (imfothtr).

CROSS REFERENCE

Function	Description
txfstc	(o) Compute federal sales tax credit
memo1	(i) Compute memo items for reporting

imfedbal Federal taxes less transfers

DESCRIPTION

This variable contains the total federal taxes (including commodity taxes) paid by an individual, less federal transfers received.

CROSS REFERENCE

Function	Description
memo2	(o) Compute consumable income, etc.

imfedtax Federal tax before tax credits

DESCRIPTION

This is an intermediate value of federal tax which is calculated by looking up Taxable Income (imitax) in the federal tax table FTX.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax
imfhrtc	Home Renovation Tax Credit

DESCRIPTION

This variable represents the value of the non-refundable Home Renovation Tax Credit when HRTCFLAG is set to 1.

The Home Renovation Tax Credit is calculated using fxhrtcpr and fxhrctvh, where the non-refundable tax credit rate of FNTCR is applied to eligible expenses in excess of HRTCMIN and up to HRTCMAX.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax
imfiler	Taxable filer status

DESCRIPTION

This variable is derived from modelled values for Net Federal Taxes (imtxf) and net provincial taxes (imtxp). If either of these variables has a positive value, the individual is designated a taxable filer by setting the value of imfiler to 2. A value of 1 indicates a

relevant non-taxable filer: one who has any negative income components, or receives provincial tax credits, child tax credits or the sales tax credit.

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

LEVELS

0	Non Filer
1	Non-Taxable Filer
2	Taxable Filer

imfill filler array for modeled variables [array]

DESCRIPTION

imfill is an array of characters whose sole purpose is to fill out the im structure so that it is always the same size, independent of the size of the uv user variable structure. Its presence allows the user to define new variables at the individual level without forcing recompilation of the entire system.

imfitexp Fitness tax credit

DESCRIPTION

The federal fitness tax benefit is calculated by multiplying the fitness tax credit claim idfitexp by the federal non-refundable tax credit FNTCR, while ensuring that idfitexp does not exceed the maximum claim allowed.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imfnewpg Federal new programs

DESCRIPTION

This variable is a sum of Other Social Assistance or Guarantees (imiosa) and Other Taxable Demogrants (imiotg).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting

imfortc Federal other refundable tax credits

DESCRIPTION

This variable includes the employee and partner GST rebate (idgstreb), the Refundable Medical Expense Supplement (immedref), the Refundable Working Income Tax Benefit (imwitb) and the Refundable Working Income Tax Benefit Supplement for Persons with Disabilities (imwitbs).

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax
memo1	(i) Compute memo items for reporting

imfortxc Federal foreign tax credit (509)

DESCRIPTION

This variable is the eligible amount which can be claimed as a federal foreign tax credit. Corresponds to Lines 507 and 508 of Schedule 1, General Tax Guide.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imfotax Other Federal Taxes

DESCRIPTION

This variable represents the sum of other types of federal taxes comprised of EI Benefits Repaid (imuibr) and OAS repayments (imoasr when NETOASFLG is set to 0). If users change the SACLAWOPT to 1, the value of the social assistance clawback amount (imsaclaw) will also be added to this variable.

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

imfothtr Federal other trans income and ref. credits

DESCRIPTION

This variable includes Federal Other Refundable Tax Credits (imfortc), the refundable Quebec tax abatement (imqtar), Federal Relief for Heating Expenses (imheatrl), the Federal Energy Cost Benefit (imfecb) and Federal new programs (imfnewpg).

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

imfptc Federal Political Contribution Tax Credit

DESCRIPTION

Total allowable Federal political contribution tax credit. Line 410 in the Tax Guide.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imfstc Federal sales tax / GST credit

DESCRIPTION

This tax credit, introduced in 1986, is a refundable credit calculated by summing a base amount for the head (parameter FSTCF), spouse (FSTCS) an amount (FSTCC) per child under 19 and reducing this amount by a proportion of family net income (the sum of imicnet for the head and spouse). Children over 18 are eligible to claim this tax credit on their own tax returns. The credit is attributed to the spouse with the higher taxable income.

If GSTFLAG is set to 1, then the credit is derived using last year's income (using PYINC) and there are additional amounts given to single persons and lone parent families.

See the description of the function txfstc in the *Algorithm Guide*.

CROSS REFERENCE

Function	Description
txfstc	(o) Compute federal sales tax credit
memo1	(i) Compute memo items for reporting

imfsur Federal surtax

DESCRIPTION

The federal surtax is calculated as a proportion of Basic Federal Tax (imbft) which is added to Net Federal Tax (imtxf). In the event that the Alternate Minimum Tax algorithm is applied, the surtax is recalculated.

For a complete description of the federal surtax algorithm see the function txcalc in the *Algorithm Guide*.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imfsurtr Federal surtax reduction

DESCRIPTION

This is the amount the Federal Surtax Reduction which was applied to reduce federal surtaxes (imfsur). It may reach a maximum of FSURTRMX and the value is then reduced by a proportion (FSURTRRR) of basic federal income tax (imbft) which exceeds a certain level (FSURTRRL).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imftax Federal taxes

DESCRIPTION

This variable represents the sum of all federal taxes including income taxes, payroll taxes, repayments and commodity taxes: net federal income tax (imtxf); CPP/QPP Contributions (imcqqpc), UI Contributions (imuic) and social benefit repayments (imrepay), plus federal commodity taxes (imtxfc). If users change the SACLAWOPT to 1, the value of the social assistance clawback amount (imsaclaw) will also be added to this variable.

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
memo2	(io) Compute consumable income, etc.

imftran Federal transfer income

DESCRIPTION

This variable is the sum of all Federal Transfer to the individual, including refundable tax credits: OAS payments (imioas), GIS Benefits (imigis), Spouses Allowance (imispa), the Child tax Benefit (imfcben), the federal Universal Child Care Benefit amount received (imiuccbr), CPP/QPP Benefits (imicqp), EI Benefits (imiuib), the Federal Sales Tax Credit (imfstc), other social assistance (imiosa), the Quebec Tax Abatement (imqtar), federal other refundable tax credits (imfortc), other taxable demogrants (imiotg), the relief for heating expenses (imheatrl), and the energy cost benefit (imfecb).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
memo2	(i) Compute consumable income, etc.

imgisinc Individual's income for GIS/SPA reduction

DESCRIPTION

This variable represents the individual's income which is used to determine the amount of GIS/SPA benefits, if any. The variable is multiplied by the parameter PYINC prior to applying needs testing algorithms.

Please note that imgisinc is a simplification and that the income defined in the OAS act contains details which are not included in imgisinc, such as the complexities relating to the treatment of dividends.

CROSS REFERENCE

Function	Description
gis	(io) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly

imgismax Maximum amount of GIS

DESCRIPTION

This variable contains the amount of GIS an individual could receive, before the amount is reduced based on income.

CROSS REFERENCE

Function	Description
gis	(o) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly

imgistsa Amount of GIST which goes into SA

DESCRIPTION

This variable represents the amount of elderly top-ups (imigist) which is to be considered social assistance by the tax system. See SAELDOPTPR for more details.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txman	(i) Compute provincial taxes for Manitoba
gist	(o) Compute Provincial GIS top-ups for elderly
cceopt	(io) Multiple calls of tax/transfer calculator

imgistyp Type of GIS entitlement

DESCRIPTION

This variable is calculated for all individuals in the census family context based on age and marital status.

This variable indicates the category of GIS eligibility, before needs testing, for all individuals.

CROSS REFERENCE

Function	Description
txqcalc	(i) Calculate income tax (Quebec)
gis	(o) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly

LEVELS

0	N/A
1	Single
2	One pensioner couple
3	Two pensioner couple
4	GIS recipient in SPA couple

imheatrl Federal relief for heating expenses

DESCRIPTION

When HEATRLFLG is turned on, persons will receive a transfer from the federal government for the relief of heating expenses (imheatrl). In order to receive it, a person has to have received a GST credit (imfstc). Qualifying persons who live with a spouse or children receive HEATFAM and others receive HEATSNG.

Note that, as indicated in the federal economic statement 2000, in order to receive a check in 2001 a person had to qualify for the GST credit in January 2001 or June 2000. In the SPSM this is the modeled GST credit for 2000 (we assume that the entire check is given in June), based on 1999 income. In order to simplify the code, we used receipt of the 2001 GST credit as a proxy for receipt of the 2000 GST credit. Given the fact that there were no change in rules governing the GST credit in these two years, this should have a small effect.

CROSS REFERENCE

Function	Description
txsask	(i) Compute provincial taxes for Saskatchewan
txbc	(i) Compute provincial taxes for British Columbia
txfstc	(o) Compute federal sales tax credit
memo1	(i) Compute memo items for reporting

imiafetc Alberta Family Employment Tax Credit Benefits

DESCRIPTION

This variable contains the value of the Alberta Family Employment Tax Credit announced in the Alberta Budget of 1997.

When the parameter AFETCFLAG is set to 1, the value of this variable is calculated as a percentage (AFETCBR) of nuclear family employment income above a threshold (AFETCCI) to a maximum dollar level which is based on the amount per eligible child (AFETCAPC) up to a maximum number of children of AFETCNC. The maximum benefit is reduced by a percentage (AFETCRR) of nuclear family net income in excess of the threshold AFETCTD.

CROSS REFERENCE

Function	Description
txalta	(o) Compute provincial taxes for Alberta
memo1	(i) Compute memo items for reporting

imiasb Alberta seniors benefit

DESCRIPTION

This variable represents the benefits accrued to individuals under the Alberta Seniors Benefit program. It is a component of the imigist variable for years in which the Alberta Seniors Benefit program is active.

CROSS REFERENCE

Function	Description
txalta	(i) Compute provincial taxes for Alberta
gist	(io) Compute Provincial GIS top-ups for elderly

imibceib B.C. Earned Income Benefit

DESCRIPTION

Total benefits received under the British Columbia Earned Income Benefit program commencing in 1998.

When the parameter BCEIBFLG is set to one the value of this variable is calculated as BCFBBAS times the number of children in the nuclear family (nfnkids) reduced by a proportion of head plus spouse net income (imicnet) above the turndown of BCBEITD. This proportion for families with one child is BCBERR1, for families with two children is BCBERR2 and for families with three or more children is BCBERR3.

B.C. Earned Income Benefits are assigned to the mother if present, or if not to the head of the nuclear family.

CROSS REFERENCE

Function	Description
txbc	(o) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imibcfb B.C. Family Bonus

DESCRIPTION

This variable represents only those benefits received under the British Columbia Basic Family Bonus program commencing in July 1996. It does not include any additional benefits received under the B.C. Earned Income Benefit (imibceib).

When the parameter BCFBFLAG is set to one the value of this variable is calculated as BCFBBAS times the number of children in the nuclear family (nfnkids) reduced by a proportion of head plus spouse net income (imicnet) above the turndown of BCFBTD. The proportion for families with one child is BCFBRRS and for multiple child families is BCFBRR.

When BCFBIFS is flagged on, the basic B.C. Family Bonus is reduced by an amount related to the National Child Benefit Supplement.

B.C. Family Bonus benefits are assigned to the mother if present, or if not to the head of the nuclear family.

CROSS REFERENCE

Function	Description
txbc	(o) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imicapgt Capital gains (taxable)

DESCRIPTION

imicapgt reports the taxable portion of capital gains after multiplying by the Capital Gains Inclusion Rate (parameter CAPGIR).

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txitax	(i) Compute taxable income and individual credits
txont	(i) Compute provincial taxes for Ontario
gis	(i) Compute GIS/SPA for elderly

imicnet Net Income (line 236)

DESCRIPTION

This corresponds to Revenue Canada Agency's definition of Net Income (Line 236):

- Total income (Line 150) – (imictot), minus
- deductions from total income (imdedft).

Note that this net income variable does include net federal supplements (GIS, Spousal Allowance), worker's compensation and Social Assistance payments for the years in which they were included in the tax form (1992 onwards). For years prior to 1992, this variable will equal iminet.

See iminet.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txinet	(io) Compute net income
txcea	(io) Compute child care expense allowance
txitax	(i) Compute taxable income and individual credits
txhstr	(i) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gist	(i) Compute Provincial GIS top-ups for elderly
txctc	(i) Compute child tax credit
txfstc	(i) Compute federal sales tax credit
cceopt	(io) Multiple calls of tax/transfer calculator
imicqp	CPP/QPP payable

DESCRIPTION

This is a copy of the original SLID value for CPP/QPP benefits (idicqp) used for reporting purposes.

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
imictot	Total Income (line 150)

DESCRIPTION

This corresponds to the Revenue Canada definition of Total Income (Line 150) as per the tax forms. It is the sum of:

- idiemp: Earnings From Employment
- imioas: Modelled OAS Benefits
- idicqp: CPP/QPP Benefits Received
- idipens: Pension income
- impentr: Pension income transferred from spouse
- imiuib: Modelled Employment Insurance Benefits Received
- iditoth: Other Taxable Income
- idise: Self-employment Earnings, scaled by the parameter FACTISENF (normally set to 1)
- idiinvnd: Interest and Other Investment Income
- imidivt: Modelled Taxable Amount of Dividends
- imicapgt: Modelled Taxable Capital Gains and Losses
- imiotg: Modelled New Taxable Demogrants
- iditrsp: Taxable RRSP withdrawals
- idialimo: Alimony and support payments received
- imqipcbn: Quebec Parental Insurance Plan calendar year benefits
- imiucbc: Universal Child Care Benefits amount claimed
- imisa: Social Assistance
- imispa: Spouse's Allowance
- imigis: Guaranteed Income Supplement Benefits
- idiworkc: Workers Compensation Benefits

- **imgista**: Amount of GIST which goes into SA

Note that this total income variable does include net federal supplements (GIS, Spousal Allowance), worker's compensation and Social Assistance payments (including the gist amount which goes into social assistance) for the years in which they were included in the tax form (1992 onwards). For years prior to 1992, this variable will equal **imitot**.

See **imitot**.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txccea	(i) Compute child care expense allowance
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txont	(i) Compute provincial taxes for Ontario

imidivt Dividend income (taxable)

DESCRIPTION

This represents the taxable amount of dividends from taxable Canadian Corporations.

Dividends are made up of dividends from other than eligible (small) and eligible (large) corporations which have different gross up rates and different tax credit rates. The taxable amount of dividends from other than eligible (small) corporations (**imisdivt**) are calculated as **ididivie** * **FDGUR**, while the taxable amount of dividends from eligible (large) corporations are calculated as **ididive** * **FDGURLC**. This variable contains the sum of the taxable dividends, **imisdivt** and **imildivt**.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
gis	(i) Compute GIS/SPA for elderly

DESCRIPTION

This is a copy of the value for Income from Earnings (idiemp) on the SPSPD for reporting purposes.

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

imigis	GIS benefits
---------------	--------------

DESCRIPTION

This variable indicates the dollar amount of GIS benefits received. This variable is calculated for all individuals in the census family context based on age, income, marital status, and immigration status.

When GISTOPFLG is activated, eligible recipients of GIS may also receive a top-up benefit of imigistop. Note that the top-up benefit amount has already been added to this variable.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txns	(i) Compute provincial taxes for Nova Scotia
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
gis	(io) Compute GIS/SPA for elderly

gist	(i) Compute Provincial GIS top-ups for elderly
txfstc	(i) Compute federal sales tax credit
memo1	(i) Compute memo items for reporting
cceopt	(io) Multiple calls of tax/transfer calculator

imigspa GIS and spouse's allowance

DESCRIPTION

This variable includes the GIS (imigis) and the Spouses Allowance program (imispa).

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

imigist GIS provincial top-up

DESCRIPTION

This variable indicates the dollar amount of provincial GIS Supplement program benefits received under provincial income-tested elderly programs.

This variable is calculated for all individuals in the census family context based on age, income, marital status and relative portion of pension income. Users should note that individuals who receive imigist may have their social assistance (imisa) set to 0. Please see SAELDOPTPR for more details.

CROSS REFERENCE

Function	Description
txnfl	(i) Compute provincial taxes for Newfoundland
gist	(io) Compute Provincial GIS top-ups for elderly
samod	(i) Compute social assistance or guarantees
memo1	(i) Compute memo items for reporting

DESCRIPTION

This variable indicates the dollar amount of GIS top-up benefits received. This amount has already been added to imigis or imispa as appropriate, it is separated out for users to see the impact of the top-up. Enhanced benefits to GIS and SPA recipients were announced in the 2011 Federal Budget.

See GISTOPFLG for more detailed information.

CROSS REFERENCE

Function	Description
txqcalc	(i) Calculate income tax (Quebec)
gis	(o) Compute GIS/SPA for elderly

imildivt Dividend income from large (eligible) corporations (taxable)

DESCRIPTION

This represents the taxable amount of dividends from eligible (large) taxable Canadian Corporations, calculated as $ididive * FDGURLC$.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta

txbc (i) Compute provincial taxes for British Columbia

imiloss Modelled Business investment losses (217)

DESCRIPTION

Allowable business investment losses deduction for debts of Canadian-controlled private corporations and allowable capital losses arising from the termination of an indexed security investment plan (ISIP). The capital gains inclusion rate (CAPGIR) is applied to the database variable (idiloss). Corresponds to Lines 217, General Tax Guide.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txcalc	(i) Calculate federal income tax

iminet Net income

DESCRIPTION

This corresponds to Revenue Canada's definition of Net Income:

- Total income (imitot), minus
- deductions from total income (imdedft).

Note that net income does not include net federal supplements (GIS, Spousal Allowance), worker's compensation, or Social Assistance payments since in the tax system these are deducted on the line 250.

See imicnet.

CROSS REFERENCE

Function	Description
txinet	(o) Compute net income

txcea	(o) Compute child care expense allowance
memo1	(i) Compute memo items for reporting
cceopt	(io) Multiple calls of tax/transfer calculator

iminsda NS Direct Assistance Program

DESCRIPTION

When VDAFLAG is set to 1, Nova Scotia Direct Assistance is calculated. Nova Scotia residents 19 and over are eligible for direct assistance if their income is below the cut-off (VDACI for families or VDASI for single individuals). The benefits are VDACB for families and VDASB for single individuals.

CROSS REFERENCE

Function	Description
txns	(o) Compute provincial taxes for Nova Scotia
memo1	(i) Compute memo items for reporting

imintsl Federal interest on student loans tax credit

DESCRIPTION

Beginning in 1998, filers may claim an amount for the interest paid in the year on certain student loans. This variable represents the modeled federal tax credit for interest paid on student loans (imintsl) using the eligible amount of interest paid on student loans (idintstu). This tax credit is only calculated when INTSLFLG is set to 1.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

DESCRIPTION

SPSM modeled variable taking age and residential eligibility into account. Note that the SPSM does not include information on people who died during the reference year and it assumes that people who are 65 received OAS for the entire year.

CROSS REFERENCE

Function	Description
oas	(o) Compute OAS for elderly
txinet	(io) Compute net income
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txalta	(i) Compute provincial taxes for Alberta
gis	(i) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly
memo1	(i) Compute memo items for reporting

DESCRIPTION

This analysis variable is always zero when running in 'black box' mode. The value is nevertheless added into disposable income after tax has been calculated, to provide a convenient interface for any user wishing to simulate (in the 'glass box' mode) a new refundable tax credit, guaranteed annual income, or similar program. See the [*Programmer's Guide*](#) for further information.

CROSS REFERENCE

Function	Description
gai	(o) Compute new refundable credits or guarantees
memo1	(i) Compute memo items for reporting

imiotax Ontario taxable income

DESCRIPTION

The value of taxable income for the province of Ontario when OCAPGIR is activated.

CROSS REFERENCE

Function	Description
txont	(io) Compute provincial taxes for Ontario

imiotg Other taxable demogrants

DESCRIPTION

This analysis variable is always zero when running the standard tax/transfer algorithm. The value is nevertheless added into total income for tax purposes, to provide a convenient interface for any user wishing to simulate (in the 'glass box' mode) a new taxable demogrant program. See the *Programmer's Guide* for further information.

CROSS REFERENCE

Function	Description
dem	(o) Compute new taxable demogrants
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
memo1	(i) Compute memo items for reporting

imipnst Taxable pension income (after splitting)

DESCRIPTION

This variable represents the taxable value of pension income. When SPLTPNSFLAG is turned off, this variable is equal to idipens. When it is turned on, it represents the value of pension income after pension income splitting. See SPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txinet	(o) Compute net income
txitax	(i) Compute taxable income and individual credits
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly

imisa Social assistance (or replacement program)

DESCRIPTION

This variable is modelled Social Assistance income (imisa).

Note that imisa does not include the amount of provincial elderly top-ups which were removed from social assistance in order to model them separately (they are removed in order to avoid double counting. In order to benchmark to administrative sources, imisa should be added to imgistsa. The parameter SAELDOPTPR controls the behaviour of elderly GIS top-ups.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
samod	(io) Compute social assistance or guarantees
cceopt	(io) Multiple calls of tax/transfer calculator

imisdivt Dividend income from small corporations (taxable)

DESCRIPTION

This represents the taxable amount of dividends from other than eligible (small) taxable Canadian Corporations, calculated as $idividie * FDGUR$.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

imiself Total self-employment income

DESCRIPTION

This variable is a copy of Self-employed Income (idise).

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting
imishri	Shared income concept (SHS & SPSD)

DESCRIPTION

This variable contains an identically-defined income concept that is used to adjust for discrepancies between a matched SHS household expenditure vector and a modelled SPSM household. Taxes associated with expenditures are scaled by the ratio of imishri (summed over the household) to ctishrh, and are then apportioned among household members according to non-negative values of imishri. Conceptually, imishri is equal to disposable income (excluding capital gains), plus other money receipts, negative savings, proceeds from the sale of assets and negative account balancing.

CROSS REFERENCE

Function	Description
ctmod	(io) Compute commodity taxes for individuals and households
imispa	Spouse's allowance

DESCRIPTION

This variable indicates the dollar amount of federal payments under the Spouses Allowance program (SPA).

When GISTOPFLG is activated, eligible recipients of SPA may also receive a top-up benefit of imigistop. Note that the top-up benefit amount has already been added to this variable.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txns	(i) Compute provincial taxes for Nova Scotia
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
gis	(io) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly
txfstc	(i) Compute federal sales tax credit
memo1	(i) Compute memo items for reporting
cceopt	(io) Multiple calls of tax/transfer calculator

imitax Taxable income

DESCRIPTION

This is the sum of total income for tax purposes (imictot) minus all deductions (imdedft and imdedfn). This corresponds to the Revenue Canada definition of Taxable Income (Line 260, General Tax Guide).

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba

txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
txfstc	(i) Compute federal sales tax credit

imitot Total income

DESCRIPTION

This corresponds to the Revenue Canada definition of Total Income for tax purposes. It is the sum of:

- **idiemp**: Earnings From Employment
- **imioas**: Modelled OAS Benefits
- **idicqp**: CPP/QPP Benefits Received
- **idipens**: Pension income
- **impentr**: Pension income transferred from spouse
- **imiuib**: Modelled Employment Insurance Benefits Received
- **iditoth**: Other Taxable Income
- **idise**: Self-employment Earnings, scaled by the parameter FACTISENF (normally set to 1)
- **idiinvnd**: Interest and Other Investment Income
- **imidivt**: Modelled Taxable Amount of Dividends
- **imicapgt**: Modelled Taxable Capital Gains and Losses
- **imiotg**: Modelled New Taxable Demogrants
- **iditrsp**: Taxable RRSP withdrawals
- **idialimo**: Alimony and support payments received
- **imqpicbn**: Quebec Parental Insurance Plan calendar year benefits
- **imiucbc**: Universal Child Care Benefits amount claimed

Note that Total Income does not include Worker's Compensation, Social Assistance and Net federal supplements (Line 147 of the General Taxation Guide) because the same amount is deducted in Line 250 of the General Taxation Guide.

See imictot.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txalta	(i) Compute provincial taxes for Alberta
gist	(i) Compute Provincial GIS top-ups for elderly

DESCRIPTION

Total benefits claimed under the Universal Child Care Benefits program commencing in July 2006. The value of this benefit is added to total income of the lower net income spouse and will be taxed. In the case of single parent families, when UCCBSPFLG is activated, the parent may transfer this amount to a dependent, who can then claim it on their income, while the amount claimed (imiucbc) for the parent is set to 0. The value of the benefit will be excluded from net income for federal income tested programs.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txinet	(io) Compute net income
txhstr	(o) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gist	(i) Compute Provincial GIS top-ups for elderly
txctc	(i) Compute child tax credit
txfstc	(i) Compute federal sales tax credit
cceopt	(io) Multiple calls of tax/transfer calculator

DESCRIPTION

Total benefits received under the Universal Child Care Benefits program commencing in July 2006. This amount is included in imftran.

CROSS REFERENCE

Function	Description
famod	(o) Compute family allowance
txinet	(io) Compute net income
txhstr	(i) Compute family-related deductions or credits
txqitax	(i) Compute taxable income and individual credits (Quebec)
memo1	(i) Compute memo items for reporting
cceopt	(io) Multiple calls of tax/transfer calculator

imiuib Employment Insurance benefits

DESCRIPTION

This variable is the EI Benefits calculated in the model.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting

imlabtxc Federal labour-sponsored funds tax credit

DESCRIPTION

This is the federal labour-sponsored venture capital tax credit. It is equal to a proportion (FLVCRT) of the gross amount spent, idlabtxg, up to a maximum FLVCMAX.

See Line 414 of the General Tax Guide.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

immanltc Manitoba learning tax credit

DESCRIPTION

This is the Manitoba Learning Tax Credit. It is calculated as a proportion (MANLTFCF) of the education and tuition tax credits (imedtxc and imtutxc) minus the education credits transferred to parents or spouse (imedtrf) plus the education credits transferred from children or spouse (imedrcv).

CROSS REFERENCE

Function	Description
txman	(io) Compute provincial taxes for Manitoba
memo1	(i) Compute memo items for reporting

immaramt Adjustment to income source

DESCRIPTION

This analysis variable is used to compute marginal tax rates. When the marginal tax rate calculation facility is activated (using MARFLAG), increments of income of specific type (MARVAR) and amount (MARAMT) are added to selected persons (MARSPEC). These amounts are recorded in immaramt and can be used (in conjunction with immartax) to compute marginal tax rates at an individual or family level of analysis. See the [*User's Guide*](#) for more information.

immartax Change in consumable income after adjustment

DESCRIPTION

This analysis variable is used to compute marginal tax rates. When the marginal tax rate calculation facility is activated (using MARFLAG), increments of income of specific type (MARVAR) and amount (MARAMT) are added to selected (MARSPEC) persons. When the tax/transfer algorithm is re-applied with this higher income, a new consumable income results for each person in the household. From this new consumable income, an implicit amount of tax (immartax) on the increment to income (immaramt) is calculated. immartax can be used in conjunction with immaramt to compute marginal tax rates at an individual or family level of analysis. See the User's Guide for more information.

immartxc Married tax credit claimed

DESCRIPTION

The Married Tax Credit is calculated by reducing the maximum Married Tax Credit (parameter MXM) by the amount of Net Income exceeding a turndown level (parameter MXMT).

In the case of a single parent family, the Married Tax Credit may be attributed on behalf of an eligible dependant – the equivalent to married credit -- and is calculated using the EMXM and EMXMT parameters and is recorded in the variable incemc.

When FAMCGTCFLG is activated, for individuals claiming the Spouse or Common-Law Partner Tax Credit, the Family Caregiver amount is added to the basic amount (MXM) if the spouse is eligible for a disability amount (iddisslf) on their own behalf. Otherwise, if the individual is flagged as disabled (iddisab) and a random number draw is less than the Family Caregiver Take Up value in FAMCGTCTU and the individual is flagged as disabled (iddisab). If the spouse is deemed eligible, the resulting enhanced credit is saved in immartxc whereas imfamcgtc represents the amount pertaining to the Family Caregiver Tax Credit only. The spouse is also flagged as having the Family Caregiver Tax Credit claimed on their behalf (imfamcgcl) so that this person cannot be claimed again for the Family Caregiver Tax Credit under another of the dependent-related credits.

When FAMCGTCFLG is activated, for individuals claiming the Eligible Dependent Tax Credit as an equivalent to spouse amount, the Family Caregiver amount is added to the basic amount (EMXM) only if a random number draw is less than the Family Caregiver Take Up value in FAMCGTCTU and the individual is flagged as disabled (iddisab). If the take up test passes, the resulting enhanced credit is saved in immartxc whereas imfamcgtc represents the amount pertaining to the Family Caregiver Tax Credit only. The eligible dependent is also flagged as having the Family Caregiver Tax Credit claimed on their behalf (imfamcgcl) so that this person cannot be claimed again for the Family Caregiver Tax Credit under another of the dependent-related credits.

CROSS REFERENCE

Function	Description
txhstr	(io) Compute family-related deductions or credits
txcalc	(i) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txns	(i) Compute provincial taxes for Nova Scotia
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txbc	(i) Compute provincial taxes for British Columbia

immcb Manitoba Child Benefit

DESCRIPTION

This variable represents the value of the Manitoba Child Benefit which is a tax-free payment to help low-income families with the cost of raising children under age 18. The program was implemented in January 2008.

When the program is activated, families may receive a maximum benefit of MCBAMT for each eligible child. Benefits may be reduced based on adjusted family net income from the previous year. The benefit is reduced at a rate of MCBRR1 for families with 1 child, MCBRR2 for families with 2 children or MCBRR3 for families with 3 or more children for each dollar of adjusted family net income in excess of MCBTD. Adjusted family net income is defined as net income less UCCB amounts claimed for the head plus the spouse if one exists.

The calculated benefit is included in provincial family programs (impfp).

CROSS REFERENCE

Function	Description
txman	(o) Compute provincial taxes for Manitoba
memo1	(i) Compute memo items for reporting

immcoltc Manitoba Cost of Living Tax Credit

DESCRIPTION

This is the value of the calculated Manitoba Cost-of-Living Tax Credit. This value is added to refundable provincial tax credits, imptc.

CROSS REFERENCE

Function	Description
txman	(o) Compute provincial taxes for Manitoba
memo1	(i) Compute memo items for reporting

immdisp Disposable income

DESCRIPTION

Disposable income is total income (immtot) minus total taxes (immtax), excluding federal and provincial commodity taxes. If users change the SACLAWOPT to 1, the value of the social assistance clawback amount (imsaclaw) will also be added to this variable.

Note that since the System of National Accounts considers rrsp withdrawals (iditrrsp) to be dissavings as opposed to income, they are not included in our concepts of income for accounting purposes (imminv, immmkt, immdisp, immicons) though they are included in total income for the purposes of taxation (imictot).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
ctmod	(i) Compute commodity taxes for individuals and households
memo2	(i) Compute consumable income, etc.
ccept	(i) Multiple calls of tax/transfer calculator

immeda Medical expenses allowed (computed)

DESCRIPTION

Estimated total medical expenses, used in the calculation of non-refundable tax credit.

CROSS REFERENCE

Function	Description
txitax	(io) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

immedatc Medical expenses allowed tax credit

DESCRIPTION

The imputed Medical Expenses Deduction Allowable (immeda) is multiplied by the Federal non-refundable tax credit rate (parameter FNTCR). The resultant Medical Expenses Tax Credit is reported in immedatc.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

immedref Refundable medical expense supplement (452)

DESCRIPTION

The refundable medical expense supplement is calculated for persons aged 18 and over who had employment earnings greater than MEDREMIN. The maximum refundable credit will be the lesser of MEDRMAX and MEDRRATE percent of eligible medical expenses (immeda). It is reduced by MEDRRR percent of net family income in excess of a turndown.

The turndown is the sum of the basic exemption (BXM), the married exemption (MXM) and the maximum disability amount (MAXDX).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

immemp	All employment income
---------------	-----------------------

DESCRIPTION

The sum of all employment and self-employment income (idiemp, idise).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting

immftb	Manitoba Family Tax Benefit
---------------	-----------------------------

DESCRIPTION

This variable records the amount of Manitoba Family Tax Benefit, an additional non-refundable tax credit that replaces the Manitoba family tax reduction program. The calculated value of the credit is added to imptaxcr.

CROSS REFERENCE

Function	Description
txman	(io) Compute provincial taxes for Manitoba

DESCRIPTION

This variable is the Manitoba Homeowners Assistance. When MHMASOPT is set to 1, the Manitoba Homeowners Assistance (immhmas) is modelled. Any family with non-zero property taxes (improptx) is assumed to have had the minimum amount of assistance (MPMINC) taken off as a deduction from their municipal property tax statement.

When the option is set to 2, immhmas is set to the database variable (idhomstu).

CROSS REFERENCE

Function	Description
txman	(io) Compute provincial taxes for Manitoba

DESCRIPTION

This represents disposable income (immdisp) minus modeled Commodity Taxes (imtxfc + imtxpc).

Note that since the System of National Accounts considers rrsp withdrawals (iditrrsp) to be dissavings as opposed to income, they are not included in our concepts of income for accounting purposes (imminv, immmkt, immdisp, immicons) though they are included in total income for the purposes of taxation (imictot).

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting
memo2	(io) Compute consumable income, etc.
cceopt	(i) Multiple calls of tax/transfer calculator

DESCRIPTION

This variable represents the calculated minimum amount of tax under the Federal Alternative Minimum Tax calculation. Provinces may use this amount in their calculations of provincial minimum tax.

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia

DESCRIPTION

The sum of all investment income:

- idivid, dividend income received
- idicapg, capital gains received.
- idiinvnd, interest and other investment income.

Note that since the System of National Accounts considers rrsp withdrawals (iditrsp) to be dissavings as opposed to income, they are not included in our concepts of income for accounting purposes (imminv, immmkt, immdisp, immicons) though they are included in total income for the purposes of taxation (imictot).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting

immkt Market income

DESCRIPTION

The sum of all Market Income: immemp, imminv, immoth.

Note that since the System of National Accounts considers rrsp withdrawals (iditrsp) to be dissavings as opposed to income, they are not included in our concepts of income for accounting purposes (imminv, immkt, immdisp, immicons) though they are included in total income for the purposes of taxation (imictot).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting

immndc Manitoba number of dependent children 18 or younger

DESCRIPTION

This variable records the number of dependent children aged 18 or younger in Manitoba. This variable is used in the Manitoba Family Tax Benefit, the Manitoba family tax reduction program and the Manitoba Surtax calculations.

CROSS REFERENCE

Function	Description
txman	(io) Compute provincial taxes for Manitoba

immoth Other income

DESCRIPTION

Other Market Income not included in employment income (immemp) or investment income (imminv). It represents the sum of pension income (idipens), taxable other income (iditoth), and alimony income received (idialimo).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting

immtax All taxes

DESCRIPTION

The sum of all taxes from individuals to the federal and provincial government: imftax plus imptax.

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
memo2	(io) Compute consumable income, etc.

immtot Total income

DESCRIPTION

All income received by individuals. The sum of Market Income (immmkt) and Transfer Income (immtran).

Note that since the System of National Accounts considers rrsp withdrawals (iditrrsp) to be dissavings as opposed to income, they are not included in our concepts of income for accounting purposes (imminv, immmkt, immdisp, immicons) though they are included in total income for the purposes of taxation (imictot).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
memo2	(io) Compute consumable income, etc.

immtran All transfer income

DESCRIPTION

The sum of all transfers from the government to individuals: imptran plus imftran.

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
memo2	(io) Compute consumable income, etc.

imnbcbb NB child tax Benefits base amount

DESCRIPTION

Total benefits received less earned income benefits received under the New Brunswick Child Benefits program announced in the 1997 New Brunswick Budget and commencing in April 1997.

CROSS REFERENCE

Function	Description
txnb	(o) Compute provincial taxes for New Brunswick

imnbcben	Total NB child tax Benefits
-----------------	-----------------------------

DESCRIPTION

Total benefits received under the New Brunswick Child Benefits program announced in the 1997 New Brunswick Budget and commencing in April 1997.

When NBCTBFLG is assigned a value of 1, the New Brunswick Child Tax Benefit calculation is activated. imnbcben is the total of two components. A first component is the base amount, imnbcbb, which is calculated as the base amount per child, NBCBBAS, times the number of children. The level of benefit is reduced, based on family income, at a rate NBCBRRS for families with only one child, and at rate NBCBRR for the others.

A second component is the work income supplement, imnbwis. If the family gross employment income is higher than a threshold, NBCBEI, then the maximum supplement is NBCBEIS. The supplement is reduced at a rate NBCBESR for each \$ of employment income exceeding the threshold FCBEI. If the family income is higher than NBCBETD then the work income supplement is reduce at a rate NBCBERR

CROSS REFERENCE

Function	Description
txnb	(o) Compute provincial taxes for New Brunswick
memo1	(i) Compute memo items for reporting

DESCRIPTION

This variable contains the value of the supplemental earned income benefits received under the New Brunswick Child Benefits program announced in the 1997 New Brunswick Budget and commencing in April 1997.

The value of this variable is calculated as a percentage (NBCBESR) of nuclear family employment income above a threshold (NBCBECI) to a maximum of NBCBEIS less a percentage (NBCBERR) of nuclear family net income in excess of the threshold NBCBETD.

CROSS REFERENCE

Function	Description
txnb	(o) Compute provincial taxes for New Brunswick

DESCRIPTION

This variable represents the value of the Newfoundland and Labrador Child Benefit which is a tax-free payment to help low-income families with the cost of raising children under age 18. Benefits from this program are combined with the Canada Child Tax Benefit into a single monthly payment. The program was implemented in July 1999.

When the program is activated by turning on NCBFLG, families receive a benefit which depends on the number of children in the family (NCB1, NCB2, NCB3 and NCB4). The benefit is reduced when net family income is greater than NCBTD and is completely phased out when net family income is at least NCBPO.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
memo1	(i) Compute memo items for reporting

imncctc Newfoundland Child Care Tax Credit

DESCRIPTION

This is the value of the non-refundable Newfoundland Child Care Tax Credit. Beginning in 2011, this non-refundable tax credit is available for deductible child care expenses incurred. Eligible expenses are those expenses allowable for deduction under the Federal Child Care Expenses deduction (imccea). This credit is in addition to the Federal one currently available, and is given to the person who also claims the Federal deduction.

The calculation of imncctc is activated by the flag NCCFLAG.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland

imnettr Net transfers to person

DESCRIPTION

This variable contains the difference between all government transfers received by an individual, less all taxes (including commodity taxes) paid by that individual.

CROSS REFERENCE

Function	Description
memo2	(o) Compute consumable income, etc.

imnfach Number of under 18 children claimed for tax reduction

DESCRIPTION

The number of children under 18 living at home and, therefore, eligible to be claimed for family allowances. This is used in the calculation of Family Allowances and the Saskatchewan Tax Reduction.

CROSS REFERENCE

Function	Description
famod	(o) Compute family allowance
txinet	(io) Compute net income
txsask	(i) Compute provincial taxes for Saskatchewan

immmbns Newfoundland Mother-Baby Nutrition Supplement

DESCRIPTION

This variable represents the annual amount of the Newfoundland and Labrador Mother-Baby Nutrition Supplement, which is given to families with children under the age of 1 whose net income is less than NCBPO. The value of the Mother-Baby Nutrition Supplement is added to impfp (provincial family programs).

CROSS REFERENCE

Function	Description
txnfl	(o) Compute provincial taxes for Newfoundland
memo1	(i) Compute memo items for reporting

imnpfgb Newfoundland Progressive Family Growth Benefit

DESCRIPTION

This variable contains the value of the Newfoundland and Labrador Progressive Family Growth Benefit. This amount is also added to provincial family programs (impfp). See NPFGB for program details.

CROSS REFERENCE

Function	Description
txnfl	(o) Compute provincial taxes for Newfoundland
memo1	(i) Compute memo items for reporting

imnpsb Newfoundland Parental Support Benefit

DESCRIPTION

This variable contains the value of the Newfoundland and Labrador Parental Support Benefit. This amount is also added to provincial family programs (impfp). See NPSB for program details.

CROSS REFERENCE

Function	Description
txnfl	(o) Compute provincial taxes for Newfoundland
memo1	(i) Compute memo items for reporting

imnptc Non-refundable provincial tax credits

DESCRIPTION

Other non-refundable provincial tax credits, not included in imptaxcr, which may only be used to reduce provincial tax payable to zero, in all provinces except Quebec. Includes, for example, all or a portion of the following tax credits: provincial foreign tax credits (idprvftc), provincial political contribution tax credits (impptc) and provincial labour-sponsored funds tax credit (implvctc). In British Columbia, this variable also includes the B.C. tax reduction (imptr).

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(o) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

imnscb Nova Scotia Child Benefit

DESCRIPTION

This is the Nova Scotia Child Benefit introduced in the 1998 Budget. The benefit is turned on by the flag VCBFLG, and families whose net income is less than VCBTD are eligible.

They receive VCBBAS1 for their first child, VCBBAS2 for their second child, and VCBBAS3 for their third and each additional child. The benefit is assigned to the mother if present.

CROSS REFERENCE

Function	Description
txns	(o) Compute provincial taxes for Nova Scotia
memo1	(i) Compute memo items for reporting

innstc Newfoundland and Labrador Sales Tax Credit

DESCRIPTION

This is the value of the calculated Newfoundland Sales Tax Credit, when NSTCFLAG is set to 1. This value is added to refundable provincial tax credits, imptc.

CROSS REFERENCE

Function	Description
txnfld	(o) Compute provincial taxes for Newfoundland
memo1	(i) Compute memo items for reporting

innstxrf Nova Scotia Taxpayer Refund

DESCRIPTION

This is the Nova Scotia Taxpayer refund. The refund is payable if the person paid NS provincial taxes in the previous two years. In the SPSM, the refund is payable if the person paid taxes in the current year. The refund amount is NSTXREFAMT and is controlled by the flag NSTXREFFLG.

CROSS REFERENCE

Function	Description
txns	(o) Compute provincial taxes for Nova Scotia
memo1	(i) Compute memo items for reporting

imoaspar Partial OAS residency flag

DESCRIPTION

This flag indicates if the individual had the full amount of OAS reduced due to limited Canadian residence.

CROSS REFERENCE

Function	Description
oas	(o) Compute OAS for elderly
txqcalc	(i) Calculate income tax (Quebec)
gis	(i) Compute GIS/SPA for elderly

LEVELS

0	Full OAS
1	Partial OAS

imoasr OAS recovery

DESCRIPTION

Repayment of OAS benefits under the repayment of social benefits provisions (clawback) of the Income Tax Act.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
imoasres	Partial OAS fraction

DESCRIPTION

This variable contains the proportion of full OAS that the individual was eligible to receive. The amount of OAS is reduced depending on how many years the individual was resident in Canada prior to reaching age 65.

CROSS REFERENCE

Function	Description
oas	(io) Compute OAS for elderly
gis	(i) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly
imocb	Ontario Child Benefit

DESCRIPTION

This variable represents the value of the Ontario Child Benefit which is a tax-free payment to help low-income families with the cost of raising children under age 18. The program was implemented in July 2007.

When the program is activated, families receive a benefit of OCBAMT for each eligible child. The benefit is reduced at a rate of OCBRR when net family income exceeds OCBTD. See the activation flag OCBFLAG for more details.

The calculated benefit is included in provincial family programs (impfp).

CROSS REFERENCE

Function	Description
txont	(o) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting

imocbyng Ontario Child Benefit amount for Child Care Supplement dependents

DESCRIPTION

This variable represents the value of the Ontario Child Benefit that is attributed to children under the age of 7. With the introduction of the Ontario Child Benefit, the Ontario Child Care Supplement for Working Families began to be phased out. When OCCSOCB is flagged on, the calculated amount of the Ontario Child Care Supplement is reduced by this amount.

For more details on the Ontario Child Benefit, see the activation flag OCBFLAG.

For more details on the phase out of the Ontario Child Care Supplement, refer to OCCSOCB and OCCSPOYR.

CROSS REFERENCE

Function	Description
txont	(io) Compute provincial taxes for Ontario

imoccea Ont. Child Care Exp. credit allowed (Family)

DESCRIPTION

This is the calculated amount of the Ontario refundable child care expense tax credit or the Ontario Child Care Supplement for Working Families introduced in the Ontario Budget of May 1998.

When the parameter OCCEAFLG is set to 1 and OCWISFLG is set to 0, the maximum amount of the benefit is calculated as the lower of either OCCEAPCT times actual child care expenses (imoccea) or of a specified amount per child (OCCEAYNG) times the number of

children age 6 and under in the census family. Maximum family benefits are then reduced by a proportion (OCCEARR) of family net income above the threshold (OCCEATD). The model assigns the imputed Child Care credit (imoccea) to the mother if present or to the head if no spouse is present in the census family.

When the parameter OCWISFLG is set to 1 the child benefit is calculated as follows. First two maximum benefits are calculated: one for the earned income supplement and another for the child care expense. The maximum earned income supplement is calculated as a proportion (OCWISRR) of family earnings in excess of the threshold OCWISTD up to a ceiling of OCCEAYNG (OCWISSP for children in single parent families as announced in the 2000 Budget) times the number of children under the age of 7 in the census family. The maximum child care expense benefit is calculated as a proportion (OCCEAPCT) of qualifying child care expenses (imccea) up to a ceiling of OCCEAYNG times the number of children under the age of 7 in the census family. The greater of the two above described maximums is then subject to a taxback of OCCEARR percent of family net income (imicnet) in excess of OCCEATD.

CROSS REFERENCE

Function	Description
txont	(o) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting

imoccext Ont. Child Care Supplement one-time extra benefit

DESCRIPTION

This variable represents the one time payment of the \$100 per child under the age of 7 for families eligible to receive the Ontario Child Care Working Income Supplement in 2001. The value of the extra one-time supplemental benefit is added to impfp (provincial family programs).

CROSS REFERENCE

Function	Description
txont	(o) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting
imoftca	Other federal tax credits applied (416)

DESCRIPTION

This variable represents the amount of other tax credits that can be used to reduce federal tax payable. If other tax credits (imlabtxc+imfptc+idite) exceed basic federal tax (imbft), imoftca is set to basic federal tax (imbft). Otherwise it is set equal to (imlabtxc+imfptc+idite).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax
imoldtyp	Type of GIS/SPA nuclear family

DESCRIPTION

This class variable indicates what type of elderly support program the individual may be eligible for.

CROSS REFERENCE

Function	Description
gis	(o) Compute GIS/SPA for elderly

gist (i) Compute Provincial GIS top-ups for elderly

LEVELS

0	N/A
1	single, with OAS
2	widow(er) aged 60-64
3	couple, both have OAS
4	couple, elder has OAS, younger 60-64
5	couple, only younger has OAS
6	couple, only elder has OAS

imondc Ontario number of dependent children 18 or younger

DESCRIPTION

This variable records the number of dependent children aged 18 or younger in Ontario. This variable is used in the Ontario tax reduction program. It is assigned to the spouse with the higher net income, if a spouse exists.

CROSS REFERENCE

Function	Description
txont	(io) Compute provincial taxes for Ontario

imonteht Ontario Employers Health Tax (Self-employed)

DESCRIPTION

This is the value of the Ontario Employer Health Tax. It only applies to self-employed persons, and is calculated when OEHTFLAG is set to 1. This value represents the total tax minus the deduction.

CROSS REFERENCE

Function	Description
txont	(io) Compute provincial taxes for Ontario

imooceb Ontario Clean Energy Benefit

DESCRIPTION

The Ontario clean energy benefit is a proportion of each household's total spending on electricity (including taxes). This proportion is defined in OOCEBRATE.

CROSS REFERENCE

Function	Description
ctmod	(o) Compute commodity taxes for individuals and households
memo2	(i) Compute consumable income, etc.

imoprta Ontario Property Tax Credit

DESCRIPTION

This is the value of the calculated Ontario Property Tax Credit, when OSPTCOPT is set to 2. This value is added to refundable provincial tax credits, imptc.

CROSS REFERENCE

Function	Description
txont	(o) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting

DESCRIPTION

This is the value of the calculated Ontario Property and Sales Tax Credit, when OSPTCOPT is set to 1. This value is added to refundable provincial tax credits, imptc.

CROSS REFERENCE

Function	Description
txont	(io) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting

DESCRIPTION

The variable contains the value of the Ontario Senior Homeowners' Property Tax Grant, which is added to provincial other government income (impoth). See OSHPTGFLG for details of this program.

CROSS REFERENCE

Function	Description
txont	(io) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting

DESCRIPTION

This is the value of the calculated Ontario Sales Tax Credit, when OSPTCOPT is set to 2. This value is added to refundable provincial tax credits, imptc.

CROSS REFERENCE

Function	Description
txont	(o) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting
imosttb	Ontario Sales Tax Transition Benefit

DESCRIPTION

The Ontario Sales Tax Transition Benefit is provided to help ensure a smooth transition to the new harmonized sales tax system. It will be paid to eligible recipients in 2010 and 2011. See OSTTBFLG for more information. The value of the Ontario Sales Tax Transition Benefit is added to refundable provincial tax credits (imptc).

CROSS REFERENCE

Function	Description
txont	(io) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting
imothpe	Other dependant tax credit (306)

DESCRIPTION

This item is the total allowed tax credit for other infirm dependants resident in Canada. Other dependants include parents, grandparents, brothers, sisters (including in-laws), aunts and uncles (including in-laws). Up to 1992, this value was calculated in Schedule 6 and was included in line 305 Additional personal amounts, which also included the Equivalent to Married tax credit. As of 1993, it is reported in line 306. The credit is calculated as ODISTC times FNTCR when idothpe is greater than 0. Note that the model assumes that there is only one disabled dependent.

When FAMCGTCFLG is activated, the Family Caregiver amount is added to the maximum Infirm Dependent Credit. The resulting enhanced Infirm Dependent Tax Credit (including

the Family Caregiver amount) is saved in imothpe, where imfamcgtc represents the amount pertaining to the Family Caregiver Tax Credit only.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imothrep Other federal repayments

DESCRIPTION

The SPSM includes optional algorithms which allow the analysis of the effects of the de-universalization of the Old Age Supplement. This variable contains the sum of these repayments. It is calculated by subtracting the EI Benefit Repayment (imuibr) from the sum of all repayments (imrepay).

CROSS REFERENCE

Function	Description
memo2	(o) Compute consumable income, etc.

imotxdv Ontario Taxpayer Dividend

DESCRIPTION

The taxpayer dividend (imotxdv) is equal to taxes paid in the previous year up to a maximum (OTXDVMAX). People who paid over 0\$ in taxes would get a minimum rebate of OTXDVMIN. The benefit is included in refundable tax credits. Since it is based on the previous year's taxes, the taxes are multiplied by OPYTAX in order to estimate the lagged effect.

CROSS REFERENCE

Function	Description
txont	(io) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting

imotxtgr Ontario Textbook and Technology Grant

DESCRIPTION

The variable contains the value of the Ontario Textbook and Technology Grant, which is added to provincial other government income (impoth). See OTXTGRANT for details of this grant.

CROSS REFERENCE

Function	Description
txont	(o) Compute provincial taxes for Ontario
memo1	(i) Compute memo items for reporting

impalltc All refundable provincial tax credits

DESCRIPTION

This variable is the sum of Other Refundable Provincial Tax Credits (importc) and Refundable Provincial Tax Credits (imptc).

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

DESCRIPTION

This represents the provincial age tax credit. It is only calculated when the province's tax on taxable income flag is turned on.

The provincial age tax credit is calculated in the same manner as the federal credit. See imatxc or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

DESCRIPTION

This value represents the amount of non-refundable, non-transferable tax credits which have been applied to reduce Basic Provincial Tax. If the amount of the tax credits exceeds Basic Provincial Tax, then the amount applied equals Basic Provincial Tax. It is only calculated when a province turns on their tax on taxable income flag.

CROSS REFERENCE

Function	Description
txnfld	(o) Compute provincial taxes for Newfoundland

txpei	(o) Compute provincial taxes for P.E.I.
txns	(o) Compute provincial taxes for Nova Scotia
txnb	(o) Compute provincial taxes for New Brunswick
txont	(o) Compute provincial taxes for Ontario
txman	(o) Compute provincial taxes for Manitoba
txsask	(o) Compute provincial taxes for Saskatchewan
txalta	(o) Compute provincial taxes for Alberta
txbc	(o) Compute provincial taxes for British Columbia

impbtc Prov Basic amount

DESCRIPTION

This represents the provincial basic personal amount. It is only calculated when the provincial tax on taxable income flag is turned on.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impcgtc Prov Caregiver Tax Credit Level

DESCRIPTION

This represents the provincial caregivers tax credit. It is only calculated when the province's tax on taxable income flag is turned on.

The credit is calculated in the same manner as the federal credit (imcgtc). See imcgtc or each province's parameters for more details.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impctcp Provincial Dependent Caregiver Tax Credit Amount

DESCRIPTION

This represents an individuals' potential value that may be claimed by a caregiver for the provincial caregivers tax credit. It is only calculated when the province's tax on taxable income flag is turned on and the caregivers calculation option is set to 3.

See each province's parameters for more details.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impchrtc Prov Charitable Donations tax credit

DESCRIPTION

This represents the charitable donations tax credit. It is only calculated when the province's tax on taxable income flag is turned on.

It is calculated in the same manner as the federal credit. See `imchartc` or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
<code>txnfld</code>	(io) Compute provincial taxes for Newfoundland
<code>txpei</code>	(io) Compute provincial taxes for P.E.I.
<code>txns</code>	(io) Compute provincial taxes for Nova Scotia
<code>txnb</code>	(io) Compute provincial taxes for New Brunswick
<code>txont</code>	(io) Compute provincial taxes for Ontario
<code>txman</code>	(io) Compute provincial taxes for Manitoba
<code>txsask</code>	(io) Compute provincial taxes for Saskatchewan
<code>txalta</code>	(io) Compute provincial taxes for Alberta
<code>txbc</code>	(io) Compute provincial taxes for British Columbia

`imcpptc` Prov CPP/QPP contributions tax credit

DESCRIPTION

This represents the provincial CPP/QPP tax credit. It is only calculated when the province's tax on taxable income flag is turned on and the province's CPP/QPP contribution tax credit flag is turned on.

It is calculated in the same manner as the federal credit. See `imcpptc` or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
<code>txnfld</code>	(io) Compute provincial taxes for Newfoundland

txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impctxct Prov tax credits transferred from children

DESCRIPTION

This is the total amount of provincial tax credits transferred to a parent from all dependent children. It amounts to the sum of the disability tax credit (impdistic), education tax credit (impdtxc), and tuition tax credit (imptutxc).

CROSS REFERENCE

Function	Description
txnfl	(o) Compute provincial taxes for Newfoundland
txpei	(o) Compute provincial taxes for P.E.I.
txns	(o) Compute provincial taxes for Nova Scotia
txnb	(o) Compute provincial taxes for New Brunswick
txont	(o) Compute provincial taxes for Ontario
txman	(o) Compute provincial taxes for Manitoba
txsask	(o) Compute provincial taxes for Saskatchewan
txalta	(o) Compute provincial taxes for Alberta
txbc	(o) Compute provincial taxes for British Columbia

impdistic Prov Disability tax credit

DESCRIPTION

This represents the provincial disability tax credit. It is only calculated when the province's tax on taxable income flag is turned on.

It is calculated in the same manner as the federal credit. See imdisatc or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impdtxc Provincial dividend tax credit

DESCRIPTION

This represents the provincial dividend tax credit. It is only calculated when the province's tax on taxable income flag is turned on.

It is calculated in the same manner as the federal credit. See imfdtxc or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impdtxc Prov Education tax credit

DESCRIPTION

This represents the provincial education tax credit. It is only calculated when the province's tax on taxable income flag is turned on.

It is calculated in the same manner as the federal credit. See imedtxc or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impeht Provincial elderly health tax

DESCRIPTION

Total provincial tax levied specifically for health care for the elderly. Currently this variable is only used by Nova Scotia for its Pharmacare program.

CROSS REFERENCE

Function	Description
txns	(io) Compute provincial taxes for Nova Scotia

impehtc Provincial elderly health tax credit

DESCRIPTION

Total provincial refundable tax credits specifically for purposes of health care for the elderly. Currently this variable is only used by Nova Scotia for its Pharmacare program.

CROSS REFERENCE

Function	Description
txns	(io) Compute provincial taxes for Nova Scotia
memo1	(i) Compute memo items for reporting

impentr Pension income transferred from spouse

DESCRIPTION

This variable represents the value of elected split-pension income to be claimed by the transferee in the calculation of total income. When SPLTPNSFLAG is turned off, this variable is equal to 0. When it is turned on, it represents the value of pension income transferred from a spouse after pension income splitting. See SPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income

impentrd Pension income deduction from transfer to spouse

DESCRIPTION

This variable represents the value of elected split-pension income to be deducted by the pensioner in the calculation of deductions from total income (imdedft). When SPLTPNSFLAG is turned off, this variable is equal to 0. When it is turned on, it represents

the value of pension income transferred to a spouse after pension income splitting. See SPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
gis	(i) Compute GIS/SPA for elderly

impentxc Pension income tax credit

DESCRIPTION

The Pension Income Tax Credit is calculated as a proportion (parameter FNTCR) of taxable pension income (imipnst) up to a maximum set by parameter YPNDL. The variable imipnst represents the individual's taxable pension income under both the splitting and non-splitting of pension income schemes. See SPLTPNSFLAG for more information on pension income splitting.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

impfa Provincial family allowance

DESCRIPTION

For Quebec, the provincial contribution to family allowance is calculated based on the number of children under the age of 18. See the description of the parameter QFPSL in the [*Parameter Guide*](#).

CROSS REFERENCE

Function	Description
famod	(o) Compute family allowance
memo1	(i) Compute memo items for reporting

impfitexp Provincial fitness tax credit

DESCRIPTION

The provincial fitness tax benefit includes the Manitoba fitness tax benefit, the B.C. fitness tax benefit and the Nova Scotia sports and recreation tax benefit. Omitted from this modelled variable are the Manitoba non-fitness tax benefit started in January 2011, the Ontario activity tax credit started in January 2010 and the Saskatchewan active families benefit starting in January 2009. This is because the 2007 database does not have an appropriate variable needed to model these programs.

The Manitoba fitness tax benefit is calculated by multiplying the fitness tax credit claim `idfitexp` by the Manitoba non-refundable tax credit `MPNTPCR`, while ensuring that `idfitexp` does not exceed the maximum claim allowed.

The B.C. fitness tax benefit is calculated by multiplying the fitness tax credit claim `idfitexp` by the B.C. non-refundable tax credit `CPNTPCR`, while ensuring that `idfitexp` does not exceed the maximum claim allowed.

The Nova Scotia sports and recreation tax benefit is calculated by multiplying the sports and recreation tax credit claim `idsprepr` by the Nova Scotia non-refundable tax credit `VPNTPCR`, while ensuring that `idsprepr` does not exceed the maximum claim allowed.

This claim does not include benefits for disabled children or for the extension of the Manitoba benefit to children over the age of 16.

CROSS REFERENCE

Function	Description
txns	(io) Compute provincial taxes for Nova Scotia
txman	(io) Compute provincial taxes for Manitoba

txbc (io) Compute provincial taxes for British Columbia

impfp Provincial family programs

DESCRIPTION

This aggregate variable is calculated as a sum of all provincial family allowance programs. It represents the total benefits from

NEWFOUNDLAND

the Newfoundland Child Benefit (imnncb),

the Newfoundland Mother-Baby nutrition supplement (imnmbns),

the Newfoundland and Labrador Progressive Family Growth Benefit (imnpfcb),

the Newfoundland and Labrador Parental Support Benefit (imnpsb),

NEW BRUNSWICK

the New Brunswick child tax benefits (imnbcben),

NOVA SCOTIA

the Nova Scotia child benefit (imnscb),

QUEBEC

the Quebec Provincial family allowance program (impfa),

the Quebec Newborn Allowance program (imqnbfa),

the Quebec Family Allowance Tax Credit (imqfatc),

the Quebec Child Assistance (imqca),

ONTARIO

the Ontario refundable child care expense tax credit (imoccea),

the Ontario child supplement one-time extra benefit (imoccebt),

the Ontario Child Benefit (imocb),

MANITOBA

the Manitoba Child Benefit (immcb),

SASKATCHEWAN

the Saskatchewan child benefit (imscb),

ALBERTA

the Alberta Family Employment Tax Credit Benefits (imiafetc),

BRITISH COLUMBIA

the British Columbia family bonus (imibcfb) that started in 1996,

the British Columbia earned income benefit (imibceib).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting

impheatr Provincial Home Heating Fuel/Energy Rebate

DESCRIPTION

This variable represents the provincial home heating rebate for those provinces that offer rebate or refund programs.

In Newfoundland, the program is activated by the flag NHEATFLG and provides assistance of NHEATREB to eligible households that use home heating fuel as a primary source of heat. To be an eligible household, there must be an individual in the household who receives any amount of the Newfoundland and Labrador Child Benefit, Newfoundland and Labrador HST credit or the Newfoundland and Labrador Seniors' Benefit. When NHEATSAFLG is turned on, receipt of social assistance will also make a household eligible.

In Nova Scotia, the program is activated by the flag VHEATFLG and provides assistance of VHEATREB to eligible families and individuals who heat their homes with oil or propane. The maximum value of the rebate will go to families with a net income of VHEATFTD or less, or if single, an income of VHEATSTD or less. Seniors who receive the Guaranteed Income Supplement or Spouse's Allowance and persons receiving social assistance will be eligible for the maximum rebate. Since eligible recipients must send in an application form for the rebate, a take-up rate (VHEATTU) is applied.

In New Brunswick, the program is activated by the flag BHEATFLG and provides a benefit of BHEATBEN to eligible households who heat their home with home heating oil. To be eligible for the Home Heating Oil Benefit, total income (head and spouse) must be less than BHEATPO. The BHEATSA flag allows users to include social assistance recipients in the eligibility criteria for the benefit.

In Ontario, the program is activated by the flag OHEATFLG. Families and individuals who claimed a property tax credit may be eligible for a one-time Ontario Home Electricity Relief payment. For families, the maximum value of the payment OHEATFAM will go to families with a net income of OHEATFTD or less. If single, the maximum value of the payment is OHEATSNG for those with incomes of OHEATSTD or less. Individuals and families with incomes over the threshold, will have see their relief payments reduced by OHEATTRR.

In Saskatchewan, the program is activated by the flag SHEATFLG and provides assistance of SHEATSNG to individuals and SHEATFAM to families in receipt of the federal Goods and Services Tax Credit.

In Alberta, the program is activated by the flag AHEATFLG and provides assistance (AHEATREB) to all individuals aged 16 years or older.

In British Columbia, the program is activated by the flag CHEATFLG and provides a refundable energy credit of CHEATSNG to individuals and CHEATFAM to families in receipt of the federal Goods and Services Tax Credit.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txns	(o) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(o) Compute provincial taxes for Ontario
txsask	(o) Compute provincial taxes for Saskatchewan
txalta	(o) Compute provincial taxes for Alberta
txbc	(o) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imphp Provincial Health Premium

DESCRIPTION

This variable contains the value of the provincial health premium. This amount is added to imptax.

CROSS REFERENCE

Function	Description
txont	(o) Compute provincial taxes for Ontario
txalta	(o) Compute provincial taxes for Alberta
txbc	(o) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

impintsl Provincial interest on student loans tax credit

DESCRIPTION

When the provincial tax on taxable income is flagged on and the provincial interest on student loans tax credit is flagged on, filers may claim an amount for the interest paid in the year on certain student loans. This variable represents the modeled provincial tax credit for interest paid on student loans (impintsl) using the eligible amount of interest paid on student loans in the year (idintstu).

CROSS REFERENCE

Function	Description
txnfd	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

implvctc Provincial labour-sponsored funds tax credit

DESCRIPTION

This is the provincial labour-sponsored venture capital tax credit. It is derived from the gross amount spent, idlabtxg.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txqcalc	(io) Calculate income tax (Quebec)
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txbc	(io) Compute provincial taxes for British Columbia

impmartc Prov Married and Equivalent to Married tax credit

DESCRIPTION

This represents the provincial married and equivalent to married tax credits. It is only calculated when the province's tax on taxable income flag is turned on.

It is calculated in the same manner as the federal credit. See `immartxc` or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impmeda Prov Medical expenses allowed (computed)

DESCRIPTION

This variable represents the estimated allowable medical expenses, used in the calculation of the provincial non-refundable medical expense tax credit when the province's tax on taxable income flag is turned on.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impmedtc Prov Medical Expenses tax credit

DESCRIPTION

This represents the provincial medical expenses tax credit. It is only calculated when the province's tax on taxable income flag is turned on.

It is calculated in the same manner as the federal credit. See immedatc or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario

txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impminco Prov Minimum tax carryover

DESCRIPTION

This variable contains the value of the calculated provincial amount for minimum tax carryover credit. It is calculated only when the province's tax on taxable income flag is turned on and when the provincial alternative minimum tax is also activated. The value of the credit is calculated by multiplying idmincar by the appropriate provincial minimum tax percentage, and is used to reduce provincial tax. See the applicable provincial alternative minimum tax calculation options for more information.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impnit Provincial net income tax

DESCRIPTION

Total provincial net income tax calculated as a percentage of either adjusted net income (Manitoba and Saskatchewan) or taxable income (Alberta) in the T1C form.

CROSS REFERENCE

Function	Description
txman	(o) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta

impnsph Pension income split for head

DESCRIPTION

This represents the proportion of pension income which the head of a family gives to their spouse for taxation purposes. Please see SPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income
cceopt	(io) Multiple calls of tax/transfer calculator

impnsps Pension income split for spouse

DESCRIPTION

This represents the proportion of pension income which the spouse of a family gives to the head for taxation purposes. Please see SPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txinet	(i) Compute net income

ccept (io) Multiple calls of tax/transfer calculator

importc Other refundable provincial tax credits

DESCRIPTION

This variable includes the other refundable tax credit and is not currently used (value is 0).

CROSS REFERENCE

Function	Description
memo1	(i) Compute memo items for reporting

importxc Provincial Other Refundable Tax Credits

DESCRIPTION

This is the calculated value for other refundable provincial tax credits, not related to property and sales tax credits.

Nova Scotia

- Pharmacare tax credit (impehtc)
- Nova Scotia Seniors' with GIS tax Refund (imvsrtxrf)

Quebec

- Quebec Housing Parent Tax Credit (imqhptc when QHPTCFLG = 1)
- Quebec Natural Caregivers Tax Credit (imqncgtc when QRNCGFLG = 1)
- Quebec Refundable Tax Credit for Medical Expenses (imqmedrc when QMRTCFLG = 1)
- Quebec Refundable Child Care Expenses Tax Credit (imqccetc)
- Quebec Work Premium (imqwrkpr when QWPFLAG = 1)
- Quebec Adapted Work Premium for Disabled refundable tax credit (imqawrkpr when QAWPFLAG = 1)

Ontario

- Ontario Taxpayer Dividend (imotxdv)
- Provincial Political Contribution Tax Credit (impptc when OPTCFLAG = 1)

Manitoba

- Manitoba Learning Tax Credit (immanlct)
- Manitoba Cost of Living Tax Credit (immcolct)

British Columbia

- Provincial Political Contribution Tax Credit (impptc when CPTCREF = 1)

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

impotax Provincial Other Taxes

DESCRIPTION

This variable is the total of other types of Provincial Taxes. It is calculated as the sum of Quebec parental insurance plan premiums for paid workers (imqpipp) and Quebec parental insurance plan premiums for self-employed (imqpippse).

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

impoth Provincial other government income

DESCRIPTION

This variable contains other transfers received by the individual from provincial government. Currently, it contains workers compensation benefits (idiworkc), the Alberta Resource Rebate (imresreb), the B.C. Climate Action Dividend (imclimdv), the Ontario Senior Homeowners' Property Tax Grant (imoshtpg), the Ontario Textbook and Technology Grant (imotxtgr) and the provincial home heating rebate/refund (impheatr) for those provinces that provide provincial assistance with home heating expenses. See NHEATFLG, VHEATFLG, BHEATFLG, OHEATFLG, SHEATFLG, AHEATFLG and CHEATFLG for more information on the applicable provincial programs.

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting

impothpe Provincial infirm dependents 18 or older tax credit

DESCRIPTION

This represents the provincial tax credit for infirm dependents aged 18 and older. It is only calculated when the province's tax on taxable income flag is turned on.

Filers who have claimed an amount in idothpe are given the maximum provincial tax credit for infirm dependents. Note that the model assumes that there is only one disabled dependent. See the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfd	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario

txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impotran Provincial Other Transfers

DESCRIPTION

This variable represents other types of transfers from the provincial government to individuals. It is calculated as the sum of Quebec Parental Insurance Plan calendar year benefits (imqpicbn), NS Direct Assistance Program (iminsda), Nova Scotia Taxpayer Refund (imnstxrf), Provincial Home Heating Fuel/Energy Rebate (impheatr), Alberta Resource Rebate Amount (imresreb), B.C. Climate Action Dividend (imclimdv), Ontario Senior Homeowners' Property Tax Grant (imoshptg), Ontario Textbook and Technology Grant (imotxtgr), Ontario Clean Energy Benefit (imooceb) and the Other refundable provincial tax credits (importc – current value is 0).

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting
memo2	(o) Compute consumable income, etc.

impovinc Before Tax Income for low income measurement

DESCRIPTION

This variable contains the value of before-tax income used for low income line analysis. To avoid double-counting, this value contains economic family before-tax income, but only for the first person in the economic family. An expression of the form EF:impovinc < epovthr would identify individuals in families below the low income threshold.

The family income for poverty analysis purposes is total income.

Please see the SPSD/M *User's Guide* for further details on low-income line analysis in the miscellaneous facilities section. Please see imatpinc for a discussion of the after-tax analog to this variable.

CROSS REFERENCE

Function	Description
memo2	(o) Compute consumable income, etc.

imppenc Prov Pension Income tax credit

DESCRIPTION

This represents the provincial pension income tax credit. It is only calculated when the province's tax on taxable income flag is turned on. It is based on the variable (imipnst) which represents the individual's taxable pension income under both the splitting and non-splitting of pension income schemes. See SPLTPNSFLAG for more information on pension income splitting.

It is calculated in the same manner as the federal credit. See impentxc or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfd	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

imppstc Provincial Property and Sales Tax Credits

DESCRIPTION

This is the calculated value for refundable provincial property and sales tax credits.

Newfoundland and Labrador

- Newfoundland Sales Tax Credit (imnstc when NSTCFLAG = 1)

Nova Scotia

- Affordable Living Tax Credit (imvaltc when VALTCFLG = 1)

Quebec

- Quebec Property Tax Refund (imqptr when QRTRFLAG = 1)
- Quebec Sales Tax Credit (imqstr when QSTRFLAG = 1)
- Quebec Solidarity Tax Credit (imqstc when QSTCFLAG = 1)

Ontario

- Ontario Property and Sales Tax Credit (imopstc when OSPTCOPT = 1)
- Ontario Property Tax Credit (imoprxc when OSPTCOPT = 2)
- Ontario Sales Tax Credit (imostc when OSPTCOPT = 2)
- Ontario Sales Tax Transition Benefit (imosttb when OSTTBFLG = 1)

Manitoba

- Manitoba Property Tax Credit (impptxtc)

Saskatchewan

- Saskatchewan Refundable Sales Tax Credit (imsstc when SSTCFLAG = 1)
- Saskatchewan Refundable Low Income Tax Credit (imslitc when SLITCFLAG = 1)

British Columbia

- British Columbia Sales Tax Credit (imcstc when CSTCFLAG = 1)
- Climate Action Tax Credit (imcatc when CCATCFLG = 1)
- British Columbia HST Low Income Tax Credit (imbchstc when CHSTCFLG = 1)

CROSS REFERENCE

Function	Description
memo1	(o) Compute memo items for reporting

impptc Provincial Political Contrib Tax Credit

DESCRIPTION

Total allowable provincial political contribution tax credit. From form T1C in the Tax Guide.

Note that the political contribution tax credit for Saskatchewan will be zero until the 2001 database is implemented. This variable will also be zero for Quebec since there is currently no database information on their provincial political contributions.

CROSS REFERENCE

Function	Description
txnfd	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txqcalc	(io) Calculate income tax (Quebec)
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

impptxtc Provincial Property tax tax credit

DESCRIPTION

Total provincial property tax credit allowed. Currently available only in Manitoba.

CROSS REFERENCE

Function	Description
txman	(io) Compute provincial taxes for Manitoba
memo1	(i) Compute memo items for reporting

improptx Imputed property tax paid

DESCRIPTION

For the purposes of provincial tax credit calculations in Quebec, Ontario, Manitoba, and British Columbia, property taxes from the Survey of Household Spending are imputed to the heads of census families and their spouses (if they earned income). Note that when IMSHTOPT is set to 1, property taxes come from the Greenbook variable (idproptx) and not the SHS.

CROSS REFERENCE

Function	Description
txhhexp	(io) Compute and pro-rate household taxes, rent, etc.
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba

imprvbal Provincial taxes less transfers

DESCRIPTION

This variable contains all provincial taxes (including commodity taxes) collected from an individual, less provincial transfers received by that individual.

CROSS REFERENCE

Function	Description
memo2	(o) Compute consumable income, etc.

imprvtax Prov gross provincial tax

DESCRIPTION

This is an intermediate value of provincial tax which is calculated by looking up Taxable Income (imitax) in the provincial tax table. It is only calculated when a province turns on their tax on taxable income flag.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impsa Provincial social assistance

DESCRIPTION

impsa is the modelled Social Assistance income (imisa).

CROSS REFERENCE

Function	Description
samod	(o) Compute social assistance or guarantees
memo1	(i) Compute memo items for reporting

impstxct Prov tax credits transferred from spouse

DESCRIPTION

This variable represents the amount of provincial transferable tax credits (the sum of the Age (impatxc), Disability (impdistc), Education (impedtxc), Tuition (imptutxc), and Pension Income (imppentc) Tax Credits) actually transferred to a spouse after reduction based on the net income of the transferring spouse. It only calculated when a province turns on their tax on taxable income flag.

CROSS REFERENCE

Function	Description
txnfld	(o) Compute provincial taxes for Newfoundland
txpei	(o) Compute provincial taxes for P.E.I.
txns	(o) Compute provincial taxes for Nova Scotia
txnb	(o) Compute provincial taxes for New Brunswick
txont	(o) Compute provincial taxes for Ontario
txman	(o) Compute provincial taxes for Manitoba
txsask	(o) Compute provincial taxes for Saskatchewan
txalta	(o) Compute provincial taxes for Alberta
txbc	(o) Compute provincial taxes for British Columbia

impsur Provincial surtax

DESCRIPTION

This variable records the amount of various provincial surtaxes directly, so that it can be accessed by the SPSM black box facilities.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txqcalc	(io) Calculate income tax (Quebec)
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

imptax Provincial taxes

DESCRIPTION

This variable is the total of all Provincial Taxes. It is calculated as the sum of net provincial taxes (imtxp), provincial health premiums (imphp), Quebec parental insurance plan premiums for paid workers (imqpipp), Quebec parental insurance plan premiums for self-employed (imqpippse) and provincial commodity taxes (imtxpc).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
memo2	(io) Compute consumable income, etc.

imptaxcr Prov total tax credits

DESCRIPTION

This represents the total provincial tax credits available to reduce basic provincial tax (imbpt) including non-transferable tax credits (impatxcr), transferable credits, credits transferred from the spouse (impstxct), and credits transferred from children (impctxct).

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

imptc Refundable provincial tax credits

DESCRIPTION

This is the calculated value for refundable provincial tax credits.

Newfoundland and Labrador

- Newfoundland Sales Tax Credit (imnstc when NSTCFLAG = 1)

Nova Scotia

- Pharmacare tax credit (impehtc)
- Affordable Living Tax Credit (imvaltc when VALTCFLAG = 1)

Quebec

- Quebec Property Tax Refund (imqptr when QRTRFLAG = 1)
- Quebec Sales Tax Credit (imqstr when QSTRFLAG = 1)
- Quebec Housing Parent Tax Credit (imqhptc when QHPTCFLAG = 1)
- Quebec Natural Caregivers Tax Credit (imqncgtc when QRNCGFLAG = 1)
- Quebec Refundable Tax Credit for Medical Expenses (imqmedrc when QMRTCFLAG = 1)
- Quebec Refundable Child Care Expenses Tax Credit (imqcctc)

- Quebec Work Premium (imqwrkpr when QWPFLAG = 1)
- Quebec Adapted Work Premium for Disabled refundable tax credit (imqawrkpr when QAWPFLAG = 1)
- Quebec Solidarity Tax Credit (imqstc when QSTCFLAG = 1)

Ontario

- Ontario Property and Sales Tax Credit (imopstc when OSPTCOPT = 1)
- Ontario Property Tax Credit (imoprxc when OSPTCOPT = 2)
- Ontario Sales Tax Credit (imostc when OSPTCOPT = 2)
- Ontario Sales Tax Transition Benefit (imosttb when OSTTBFLG = 1)
- Ontario Taxpayer Dividend (imotxdv)
- Provincial Political Contribution Tax Credit (impptc when OPTCFLAG = 1)

Manitoba

- Manitoba Learning Tax Credit (immanltc)
- Manitoba Property Tax Credit (impptxc)
- Manitoba Cost of Living Tax Credit (immcoltc)

Saskatchewan

- Saskatchewan Refundable Sales Tax Credit (imsstc when SSTCFLAG = 1)
- Saskatchewan Refundable Low Income Tax Credit (imslitc when SLITCFLAG = 1)

British Columbia

- British Columbia Sales Tax Credit (imcstc when CSTCFLAG = 1)
- Provincial Political Contribution Tax Credit (impptc when CPTCREF = 1)
- Climate Action Tax Credit (imcatc when CCATCFLG = 1)
- British Columbia HST Low Income Tax Credit (imbchstc when CHSTCFLG = 1)

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txns	(o) Compute provincial taxes for Nova Scotia
txqcalc	(o) Calculate income tax (Quebec)
txont	(o) Compute provincial taxes for Ontario
txman	(o) Compute provincial taxes for Manitoba
txsask	(o) Compute provincial taxes for Saskatchewan
txbc	(io) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imptr Provincial tax reduction

DESCRIPTION

This variable records the amount of provincial reduction directly, so that it can be accessed by the SPSM black box facilities.

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txqcalc	(o) Calculate income tax (Quebec)
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

imptran Provincial transfer income

DESCRIPTION

This variable represents all transfers from the provincial government to individuals. It is calculated as the sum of Provincial family programs (impfp), GIS Top-ups (imigist), Provincial Tax Credits (imptc), Provincial Social Assistance (impsa), Quebec parental insurance plan calendar year benefits (imqipcbn), Ontario Clean Energy Benefit (imooceb), Provincial other government income (impoth) and the Other refundable tax credits (importe – current value is 0).

CROSS REFERENCE

Function	Description
memo1	(io) Compute memo items for reporting
memo2	(io) Compute consumable income, etc.

impttxct Prov total tax credits transferred

DESCRIPTION

This variable reports the sum of the provincial Age (impatxc), Disability (impdistc), Education (impdtxc), Tuition (imptutxc), and Pension Income (imppentc) Tax Credits which may be transferred from a dependant to a supporting parent or between spouses. It is only calculated when a province turns on their tax on taxable income flag.

CROSS REFERENCE

Function	Description
txnfd	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

imptutxc Prov Tuition tax credit

DESCRIPTION

This represents the provincial tuition tax credit. It is only calculated when the province's tax on taxable income flag is turned on and the province's tuition tax credit flag is turned on.

It is calculated in the same manner as the federal credit. See imtutxc or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impuictc Prov EI contributions tax credit

DESCRIPTION

This represents the provincial EI premium tax credit. It is only calculated when the province's tax on taxable income flag is turned on and the province's EI premium tax credit flag is turned on.

It is calculated in the same manner as the federal credit. See imuictc or the provincial parameters for more details.

CROSS REFERENCE

Function	Description
txnfld	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia

impctxc Prov Young Child tax credit

DESCRIPTION

This variable contains the provincial non-refundable young child tax credit. It is calculated as a monthly amount per child under the age of six, times the provincial non-refundable tax credit rate. This amount is claimed by the lower net income spouse, is included in imptaxcr, and is not transferable.

CROSS REFERENCE

Function	Description
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia

imqalexp Quebec allowable employment expenses

DESCRIPTION

The original value for Other Allowable Employment Expenses (idalexp) is imputed from the Greenbook. This value is also used for the calculation of the value for Other Allowable Employment Expenses for the calculation of Quebec income tax. The model allows for a

reduction or increase in this value by multiplying by the parameter QALEXP. The result is saved in the variable imqalexp.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqamt Quebec Minimum Tax Amount

DESCRIPTION

This represents the increase in Quebec income tax associated with the Alternative Minimum Tax.

See QAMTXFLG for a complete description.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)

imqamtfg Quebec Minimum Tax flag

DESCRIPTION

This flag is attributed to filers for whom the calculated value of the Alternate Minimum Tax is greater than provincial tax at the insertion point in the algorithm. If this flag has the value 1, the filer has paid a higher amount of tax due to the minimum tax rules.

See the description of the Minimum Tax algorithm in the txqcalc section of the [*Algorithm Guide*](#) or in QAMTXFLG.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)

LEVELS

0	No Minimum Tax Contribution
1	Minimum Tax Contribution

imqapf Quebec Anti-Poverty Fund

DESCRIPTION

This represents the Anti-Poverty Fund contribution.

See QAPFFLG for a complete description.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqatc Quebec age tax credit

DESCRIPTION

This variable represents one of the tax credits used in the post-reform Quebec tax system. It is calculated for the individual and summed with the remainder of the Quebec tax credits into imqtotc, the variable which holds total tax credits. When QCALRFLG is set to 1, then this credit is zeroed out and the combined age, living alone, and retirement credit (imqcalr) is used instead.

CROSS REFERENCE

Function	Description
txqitax	(o) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqawrkpr Quebec Adapted Work Premium for Disabled refundable tax credit

DESCRIPTION

This variable contains the refundable Adapted Work Premium tax credit for individuals/families with disabilities. In two parent families, this will be granted to the spouse with the higher net income. It is used only when the Quebec Adapted Work Premium is activated (QAWPFLAG set to 1) for 2008 and beyond. Families eligible for the Adapted Work Premium will not be eligible for the original Work Premium. This amount is added to imptc.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imqbtax Quebec tax before credits

DESCRIPTION

This is an intermediate value of Quebec tax which is calculated by looking up Quebec Taxable Income (imqitax) in the Quebec tax table QTX.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqbtc Quebec basic tax credit

DESCRIPTION

This variable is the basic personal the tax credits used in the post-reform (after 1988) Quebec tax system. It is calculated for the individual and summed with the remainder of the Quebec tax credits into imqtotc, the variable which holds total tax credits.

When the simplified tax system was changed in 2005, a complementary amount, QSTSCA, was added and the basic personal amount was changed to be the sum of the essential needs, QBXM, and the maximum of the complementary amount (QSTSCA), the QPP tax credit (imqcptc) plus the employment insurance premium tax credit (imquictc) and the contribution to the health services fund (imqhsftc). However, in the implementation in the SPSM, imqbtc only represents the amount due to the recognized need (e.g. QNTRC * QBXM).

CROSS REFERENCE

Function	Description
txqtax	(o) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqca Quebec Child Assistance refundable tax credit

DESCRIPTION

This variable contains the refundable Child Assistance payment. In two parent families, this will be granted to the mother. It is used only when the Quebec Child Assistance is activated (QCAFLAG set to 1) for 2005 and beyond. This amount is added to impfp.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imqcalr Quebec combined age, living alone, retirement credit

DESCRIPTION

When QCALRFLG is set to 1, the combined age, living alone, and retirement credit is activated (imqcalr). This credit replaces the age credit (imqatc), retirement credit (imqritc) and living alone credit (imqlatc).

The base credit is calculated for families. The base credit is the sum of the following:

QAXM if the head is over 65

QAXM if the spouse is over 65

QLAXM if the person lives alone, or lives only with dependent children

the minimum of QYPDL and the head's taxable pension income (imqipnst)

the minimum of QYPDL and the spouse's taxable pension income (imqipnst)

The credit is then reduced by QFAMRAT times the amount by which family income exceeds QFAMDED.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)

imqcapgt Quebec taxable capital gains

DESCRIPTION

As in the federal case, for the calculation of Quebec income tax, only a portion of capital gains are taxable. This variable is calculated as a proportion (QCAPGIR) of capital gains received (idicapg).

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqcapgx Quebec modelled capital gains deduction (254)

DESCRIPTION

The amount which can be claimed as a deduction if a filer sells or disposes of eligible capital property.

CROSS REFERENCE

Function	Description
txqitax	(io) Compute taxable income and individual credits (Quebec)

imqcceni Quebec net income for refundable cce credit calculation

DESCRIPTION

The refundable childcare expense tax credit uses head plus spouses net income (imqcceni) to determine what proportion of allowable childcare expenses (QCCETCR) may be claimed for the tax credit.

When QFAMFLG is set to 0, the net income is defined as follows:

imqinet	Quebec net income
Plus	
idrpp	Registered pension plan receipts
idrrsp	RRSP receipts
Less the amount of	
imqbtc/QNTCR	Basic tax credit
imqcpptc/QNTCR	CPP tax credit
imquictc/QNTCR	EI tax credit
imqhsfc/QNTCR	Health Services Fund contributions
imqlatc/QNTCR	Living alone tax credit
imqdctc/QNTCR	Dependent children tax credit
imqduetc/QNTCR	Union and Professional Dues tax credit
idnorth	Northern Deductions when QNORFAMI is set to 1

When QFAMFLG is set to 1, the net income is defined as follows:

imqitot	Quebec total income
Less	
idrpp	Registered pension plan receipts
idrrsp	RRSP receipts
imrepay	Social Benefits Repayment if QREPFAMI is set to 1
imqcppse	Self-employ CPP/QPP Contribution Deduction if QITSFSEW = 1
QFAMDED	Quebec Family related deduction on income in refundable credits if QCCEINCDF = 1

When QSFDED is set to 1, the net income is defined as imqinet.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqccetc Quebec refundable child care expenses Tax Credit

DESCRIPTION

The amount of the refundable childcare expense tax credit is calculated as a proportion (QCCETCR) of allowable childcare expenses. Allowable expenses are calculated as the lesser of total childcare expenses for the family (idccett or idccet depending on CCEATFLG)

and the allowable expenses for children aged 6 and under (QCCEAYNG) plus the allowance for children aged 7 to CCEAOAGE (QCCEAOLD).

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imqchc Quebec child's non-refundable credit

DESCRIPTION

This is the maximum amount of non-refundable credit that could be claimed on behalf of a child under the Quebec tax system.

CROSS REFERENCE

Function	Description
txqhstr	(o) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqchatc Quebec allowable charitable donations tax credit

DESCRIPTION

This is the total allowable charity and gifts non-refundable tax credit.

When QGIFTFLG is set to zero, this is the sum of the lesser of total charitable donations, idcharit, and the percentage QCHATNF of net income imqinet, and idgifts.

When QGIFTFLG is set to 1, the same maximum rule based on net income applies to both idcharit and idgifts.

See also QGIFTFLG.

CROSS REFERENCE

Function	Description
txqitax	(o) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqcppse Quebec self-employ. QPP/PPP Cont. deduction

DESCRIPTION

This variable represents the value of contributions to CPP/QPP from pensionable self-employed earnings that is to be converted into a deduction in the calculation of income. It is calculated only when QITSFSEW is set to 1, and represents the allowable proportion (QITSSEF) of the tax credit granted in respect of amount of CPP/QPP contributions on self-employed earnings that is to be converted to a deduction. This new deduction will be applied to the calculation of income under the simplified tax system and to the income used to determine the contribution to the Health Services Fund payable by individuals. This system will standardize the tax treatment applicable to that part of the contribution paid by a worker in respect of pensionable self-employed earnings that could be equated with an employer's contribution, and refrain from excluding a growing number of self-employed workers from the simplified tax system.

See also: QITSSEF, QITSFSEW.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqcpptc Quebec CPP/QPP contributions tax credit

DESCRIPTION

This variable contains the value of the Quebec non-refundable tax credit given for CPP/QPP payroll taxes. It is calculated as total CPP/QPP contributions (imcqppc) times the Quebec non-refundable nominal tax credit rate (QNTCR).

When QCMPOPT is set to 2, people can claim the maximum of the complementary amount (QSTSCA) and tax credits for contributions (imqhsftc, imquictc, imqcpptc, imqppiptc, imqppsetc). When QCMPOPT is set to 3, the basic credit (QBXN) is increased and are no longer eligible for the complementary amount (QSTSCA) or the credits for contribution which are set to zero.

CROSS REFERENCE

Function	Description
txqinet	(o) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqctpc Quebec child's transfer of recognized parental contribution

DESCRIPTION

The amount of credit that a child transfers to their parents as a recognized parental contribution to their education. When QTPCFLG is set to 1, parents in Quebec can no longer get a tax credit for their dependent children 18 or over in full-time school who attend post-secondary school. Instead, children can transfer unused tax credits to their parents. . Students who were in school for two terms can transfer credits up to a maximum of QESSNEEDS minus the Solidarity Tax Credit (imqstc) while students who were in school for one term can transfer a maximum of QESSNEEDS minus QPSXM minus imqstc.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

DESCRIPTION

This variable contains the tax credit entitlement with respect to dependent children. It is used in the post-reform (after 1988) Quebec tax system. It is calculated for the individual and summed with the remainder of the Quebec tax credits into imqtottc, the variable which holds total tax credits.

CROSS REFERENCE

Function	Description
txqhstr	(o) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

DESCRIPTION

This variable represents the sum of all the following deductions (when they apply) from net income (imqinet):

idclos	allowable other years capital loss
idnclos	allowable prior years non-capital loss
idemplo	home relocation loan deduction include in other deductions
idpartlo	Limited partnership losses
imqstkdd	stock option deduction as part of other deduction
idnorth	Northern deduction used as designated remote area if QNORTHDED is set to 0
imisa	Social assistance or replacement program if QSADED is set to 1
imgistsa	Amount of Amount of GIST which goes into SA if QSADED is set to 1
imigis	Guaranteed income supplement benefits
imispa	Spouse's allowance
idiworkc	Worker's Compensation Benefits
imqcapgx	Quebec modelled capital gains deduction

CROSS REFERENCE

Function	Description
txqitax	(io) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqdedft Quebec deductions from total income

DESCRIPTION

For Quebec filers, this item is the sum of all deductions from total income:

- RPP Contributions (idrpp),
- RRSP Contributions (idrrsp),
- Other employment expenses (imqalexp) if QEEXPDED is set to 1,
- Allowable Business Investment Losses, Indexed Security Investment Plan - allowable capital losses (imqiloss),
- Carrying charges (idcarry),
- Other Deductions from total income (idothded),
- Moving expenses (idmovexp),
- Alimony allowance paid out (iddalimo),
- Exploration and development expenses (idexplor),
- Social Benefits Repayment (imrepay) if QREPNETFG is set to 1,
- Self-employment CPP/QPP Contributions Deduction (imqcppse) if QITSFSEW is set to 1,
- Northern Deductions (idnorth) if QNORTHDED is set to 1,
- Quebec earned income deduction for workers (imqempdd),
- Clergy Residence Deduction (idclergy) if QEEXPDED is set to 1,
- Quebec Parental Insurance Plan premium deduction for self-employed (imqqpsedd),
- Deduction for elected split-pension amount transferred to spouse (imqpentrd).

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqdepni Quebec dependant's net income

DESCRIPTION

Net income of dependants calculated for the purpose of determining the amount of credit which may be transferred to the person in the household claiming the dependent.

CROSS REFERENCE

Function	Description
txqhstr	(io) Compute family-related deductions or credits (Quebec)

imqdistc Quebec disability tax credit

DESCRIPTION

This variable contains the disability tax credit used in the post-reform (after 1988) Quebec tax system. It is calculated for the individual and summed with the remainder of the Quebec tax credits into imqtotc, the variable which holds total tax credits.

CROSS REFERENCE

Function	Description
txqitax	(o) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqdtxc Quebec dividend tax credit

DESCRIPTION

This item is the dividend tax credit for the calculation of Quebec provincial taxes. It is calculated as a fraction (parameter QDTCR) of the Taxable amount of Canadian Dividends (imqidivt).

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqduetc Quebec Dues Tax Credit

DESCRIPTION

This variable contains the value of the Quebec non-refundable tax credit for union and professional dues.

CROSS REFERENCE

Function	Description
txqinet	(o) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqei Quebec eligible income for tax reduction

DESCRIPTION

This is the income for the purposes of the tax reduction for families (imqftr). When QFAMFLG is set to 1, it is also the income used for calculating the amount with respect to age, for a person living alone, or for retirement income (imqcalr), the real estate tax refund (imqptr) and the refundable QST credit (imqstr).

When QFAMFLG is set to 0, it is further reduced by QFAMDED for persons living alone in order to calculate the real estate tax refund (imqptr) and the refundable QST credit (imqstr).

When QSFDED is set to 1, the income concept used for the purposes of tax reduction for families represents imqinet less QFAMDED.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqempdd Quebec earned income deduction for workers

DESCRIPTION

Beginning in 2006, individuals will be able to deduct, in the calculation of their net income for a given taxation year, an amount equal to QEMPDEDP of their eligible earned income for the year, up to QEMPDEDM. Eligible income includes wages and salaries as well as self-employment income. This variable represents the modeled Quebec earned income deduction (imqempdd). This deduction is added to imqdedft.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)

imqewtc Quebec tax credit for experienced workers

DESCRIPTION

This is the value of the non-refundable Quebec Tax Credit for Experienced Workers. Beginning in 2012, a portion of employment income (employment and self-employment income) will be exempt from income tax for eligible individuals.

The calculation of imqewtc is activated by the flag QEWFLAG.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
imqfatc	Quebec Family Allowance Tax Credit

DESCRIPTION

Amount of Quebec Family Allowance Tax Credit calculated when QFATCOPT is set to 2. When set to 1, the Quebec family allowance, the Quebec new born allocation and the Quebec availability allowance are calculated instead.

See: QFATCOPT for program description.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting
imqfs	Quebec family situation (1-5)

DESCRIPTION

This variable records the classification of family type used in the calculation of the family eligible income for tax reduction.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

LEVELS

0	Not applicable
1	Couple with children
2	Couple without children
3	Living alone with children
4	Single parent not alone with kids
5	Living alone with no kids
6	Single, no kids, lives with others

imqftr Quebec family tax reduction

DESCRIPTION

Actual amount of reduction based on income and family classification. Applied to spousal tax payable and then to elder, if any remaining.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqhcont Quebec health contribution amount

DESCRIPTION

This is the amount payable as a Quebec Health Contribution. It is calculated when QHCFLAG is set to 1. Individuals and families whose family net income is greater than the

income threshold by family type (QHCINCT) will have to pay the health contribution (QHCAMT). It is added to provincial taxes owing (imtxp).

Family types for the Health Contribution are:

- single individuals
- couple without children or single parent family with 1 child
- couple with 1 child or single parent family with more than 1 child
- couple with more than 1 child

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqhptc Quebec Home Parent Tax Credit level

DESCRIPTION

This is the calculated value of the Housing Parent tax credit. The Housing of Parent Tax Credit (imqhptc) calculation is activated by a flag (QHPTCFLG) and the base tax credit is QHPTC. An economic family is eligible to the imqhptc if the parent or grandparent of the head of the economic family, or his/her spouse is in the economic family.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imqhptcp Quebec Home Parent Tax Credit potential level

DESCRIPTION

This is the calculated value of the dependent's Housing Parent tax credit, that may be claimed by the eligible caregiver in the economic family. It is only calculated when QHPTCOPT is set to 3.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
imqhrtc	Quebec Home Renovation Tax Credit

DESCRIPTION

This variable represents the value of the refundable Quebec tax credit for home improvement and renovation when QHRTCFLAG is set to 1.

This tax credit is calculated using fxhrtcp, where the tax credit rate of QHRTCRCR is applied to eligible expenses in excess of QHRTCRCMIN and up to QHRTCRCMAX. This value is also added to imptc and is granted to the spouse with the higher taxable income.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
imqhsfc	Quebec Health Services Fund Contributions

DESCRIPTION

This is the amount payable as a Quebec Health Services Fund Contribution. It is calculated when QHSCFLAG is set to 1.

The income used to determine an individual's contribution is defined as:

imqitot	Total Income
less	
idiemp	Wages and salaries
idialimo	Alimony Received
imqidivt - idivid	Grossed up portion of dividends
imioas	OAS benefits
imuibr	EI Repayments
iddalimo	Alimony Paid
idcarry	Carrying charges
imqiloss	Allowable investment losses
imqqpsedd	QPIP premium deduction for self-employed (Quebec)
imqalexp * !QEEXPDED	Allowable employment expenses
imqcppse * QITSFSEW	CPP/QPP contributions on self-employment
imisa	Social Assistance
imgistsa	Amount of GIST included in sa
imigis	GIS Benefits
imispa	Spouse's Allowance Benefits
idiworkc	Worker's Compensation Benefits

Under the simplified tax form system, imuibr is deducted only when QHSSFUIR is set to 1, imqiloss is deducted only when QHSSFLSS is set to 1, idcarry is deducted only when QHSSFCAR is set to 1 and iddalimo is deducted only when QHSSFALM is set to 1.

Individuals with eligible income less than QHSCL1 are not required to pay the Quebec Health Services Fund contribution. For incomes greater than QHSCL2, the contribution is calculated as follows:

- $((\text{income less QHSCL2}) * \text{QHSCR2}) + \text{QHSCM1}$, not to exceed the maximum contribution value of QHSCM2.

For incomes between QHSCL1 and QHSCL2, the contribution is calculated as follows:

- $((\text{income less QHSCL1}) * \text{QHSCR1})$, up to the lower level maximum of QHSCM1.

The value of this contribution amount is added to imtxp.

CROSS REFERENCE

Function	Description
txqitax	(io) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

DESCRIPTION

This variable is the maximum tax value of the non-refundable Quebec health services fund contribution tax credit. It is calculated as the actual contributions to the Quebec health services fund (imqhsfc) times the Quebec non-refundable tax credit nominal rate (QNTCR).

When QCMPOPT is set to 2, people can claim the maximum of the complementary amount (QSTSCA) and tax credits for contributions (imqhsftc, imquictc, imqcpptc, imqqpiptc, imqqpsetc). When QCMPOPT is set to 3, the basic credit (QBXM) is increased and are no longer eligible for the complementary amount (QSTSCA) or the credits for contribution which are set to zero.

CROSS REFERENCE

Function	Description
txqitax	(o) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

DESCRIPTION

This variable represents the income of the child with the lowest income who was claimed as a dependant child. This income is later used to derive the Quebec work premium (QWPFLAG).

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

DESCRIPTION

This represents the taxable amount of dividends from taxable Canadian Corporations for the purpose of computing Quebec income tax.

Dividends are split into dividends from other than eligible (small) and eligible (large) corporations which have different gross up rates and different tax credit rates. The taxable amount of dividends from other than eligible (small) corporations (imqsdvnt) are calculated as $idividiv * QDGUR$, while the taxable amount of dividends from eligible (large) corporations are calculated as $idividiv * QDGURLC$. This variable contains the sum of the taxable dividends, imqsdvnt and imqldivnt.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqiloss Quebec Modelled Business investment losses (234)

DESCRIPTION

Allowable business investment losses deduction for debts of Canadian-controlled private corporations and allowable capital losses arising from the termination of an indexed security investment plan (ISIP). The capital gains inclusion rate (QCAPGIR) is applied to the database variable (idiloss).

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)

imqinet Quebec net income

DESCRIPTION

This corresponds to Revenue Quebec's definition of Net Income:

- Total income imqitot, minus
- deductions from total income (imqdedft).

Under the simplified tax form system when QSFDED is set to 0, Net income is equal to total income (imqitot) minus

- RPP Contributions (idrpp),
- RRSP Contributions (idrrsp),
- Social Benefits Repayment (imrepay) if QREPFAMI is set to 1,
- Self-employment CPP/QPP Contributions Deduction (imqcppse) if QITSFSEW is set to 1.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
cceopt	(io) Multiple calls of tax/transfer calculator

imqintsl Quebec student loan interest tax credit

DESCRIPTION

Beginning in 1998, filers may claim an amount for the interest paid in the year on certain student loans. This variable represents the modeled Quebec tax credit for interest paid on student loans (imqintsl) using the eligible amount of interest paid on student loans (idintstu). This tax credit is only calculated when QINTSLTC is set to 1.

CROSS REFERENCE

Function	Description
txqinet	(o) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqipnst Quebec taxable pension income (after splitting)

DESCRIPTION

This variable represents the taxable value of pension income in the Quebec tax system. When QSPLTPNSFLAG is turned off, this variable is equal to idipens. When it is turned on, it represents the value of pension income after pension income splitting. See QSPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txqinet	(o) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqitax Quebec taxable income

DESCRIPTION

This is the sum of all total income for Quebec income tax purposes (imqitot) plus the Federal Universal Child Care Benefit amount received (imiuccbr) minus all deductions (imqdedft and imqdedfn).

CROSS REFERENCE

Function	Description
txqitax	(o) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqitot Quebec total income

DESCRIPTION

This corresponds to the Quebec definition of Total Income for Quebec provincial tax purposes. It is the sum of:

- **idiemp**: Earnings From Employment
- **imioas**: Modeled OAS Benefits
- **idicqp**: CPP/QPP Benefits Received
- **idipens**: Pension income
- **imqpentr**: Pension income transferred from spouse
- **imiuib**: Modeled Employment Insurance Benefits Received
- **iditoth**: Other Taxable Income
- **idise**: Self-employment Earnings
- **idiinvnd**: Interest and other Investment Income
- **imqdivt**: Modeled Quebec Taxable Amount of Dividends
- **imqcapgt**: Modeled Quebec Taxable Capital Gains and Losses
- **iditrsp**: Taxable RRSP Withdrawals
- **imiotg**: Modeled New Taxable Demogrants
- **idialimo**: Alimony Income Received
- **imqpipebn**: Quebec Parental Insurance Plan calendar year benefits
- **idiworkc**: Worker's Compensation Benefits
- **imigis**: Guaranteed Income Supplement Benefits
- **imispa**: Spouse's Allowance Benefits
- **imisa**: Social Assistance Benefits
- **imgista**: Amount of GIST which goes into SA

Total income is reduced by allowable employment expenses (**imqalexp**) and the clergy residence deduction (**idclergy**) when **QEEXPDED** is set to 0.

This corresponds to Line 199 of the Quebec Income Tax Return.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqittr Quebec income tested tax reduction

DESCRIPTION

This is the Quebec income tested tax reduction originally introduced in 1994. The amount of this reduction varies with basic provincial tax payable (imbpt) phasing out to zero at the QTRBE level of basic tax payable. The maximum tax reduction possible can be calculated by multiplying QTRBE times QTRP. The exact formula is as follows:

$$\text{imqittr} = \text{QTRP} * \text{nneg}(\text{QTRBE} - \text{imbpt});$$

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqlatc Quebec living alone tax credit

DESCRIPTION

This variable represents one of the tax credits used in the post-reform (after 1988) Quebec tax system. It is calculated for the individual and summed with the remainder of the Quebec tax credits into imqtotc, the variable which holds total tax credits in the function txqcalc. When QCALRFLG is set to 1, then this credit is zeroed out and the combined age, living alone, and retirement credit (imqcalr) is used instead.

CROSS REFERENCE

Function	Description
txqhstr	(o) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqldivt Quebec taxable dividends from large (eligible) corporations

DESCRIPTION

This represents the taxable amount of dividends from eligible (large) taxable Canadian Corporations, calculated as $ididive * QDGURLC$.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqmeda Quebec medical expenses allowed

DESCRIPTION

This variable is the medical expenses allowed for the purposes of calculating Quebec provincial income taxes.

CROSS REFERENCE

Function	Description
txqitax	(o) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

DESCRIPTION

The Quebec refundable tax credit for medical expenses is calculated for persons aged 18 and over who had employment related earnings greater than QMEDRMIN. The maximum refundable credit will be the lesser of QMEDRMAX and QMEDRATE percent of eligible medical expenses (imqmeda). It is reduced by QMEDRRR percent of net family income in excess of QMEDRTD.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

DESCRIPTION

This variable represents one of the tax credits used in the post-reform (after 1988) Quebec tax system. It is calculated for the individual and summed with the remainder of the Quebec tax credits into imqtotc, the variable which holds total tax credits in the function txqcalc.

CROSS REFERENCE

Function	Description
txqhstr	(o) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

DESCRIPTION

This item represents the amount of the newborn allowance granted by the Quebec government. Rank of the children are randomly increased to reflect the rank structure of children as observed from RRQ published data. Note that this allowance is not included in the calculation of total income for the residents of Quebec.

CROSS REFERENCE

Function	Description
famod	(o) Compute family allowance
memo1	(i) Compute memo items for reporting

imqnegtc Quebec Refundable Natural Caregivers Tax Credit

DESCRIPTION

This is the calculated value of the Quebec Refundable Natural Caregivers tax credit which is activated by a flag (QRNCGFLG) with the maximum credit of QRNCGTC. This amount is granted to a caregiver who also receives the federal caregiver tax credit amount (idcgtc) and it is assumed that only one person is being cared for by each filer with the federal amount.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imqnetcp Quebec Refundable Natural Caregivers Tax Credit potential amount

DESCRIPTION

This is the calculated value of the dependent's Quebec Refundable Natural Caregivers tax credit. This amount may be claimed by an eligible caregiver in the economic family. This amount is only calculated when QRNCGOPT is set to 2.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
imqndc	Quebec number of dependent children

DESCRIPTION

This variable reports the number of dependent children used to calculate dependent child tax credits. The variable will be non-zero only for the spouse actually claiming the credits.

imqndc will be incremented for each child either under age 18 or in school with income below QYCXM1 in the case of the first child or below QYCXM2 for second and subsequent children.

Note that when the child assistance program is in effect (QCAFLAG), this value represents the number of children claimed either under the child assistance program or adult children in school who were claimed for the child exemption. It does not include the children who transfer their credits relating to credits to their parents as a recognized parental contribution to their education (imqtpcn).

CROSS REFERENCE

Function	Description
txqhstr	(o) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
imqpcmtb	Quebec parental insurance plan calendar year maternity benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the amount of QPIP maternity benefits received in the calendar year. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqpcmtw Quebec parental insurance plan calendar year maternity weeks

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the number of QPIP maternity weeks taken in the calendar year. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqpcprb Quebec parental insurance plan calendar year parental benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the amount of QPIP parental benefits received in the calendar year. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqpcprw Quebec parental insurance plan calendar year parental weeks

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the number of QPIP parental weeks taken in the calendar year. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqpcptb Quebec parental insurance plan calendar year paternity benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the amount of QPIP paternity benefits received in the calendar year. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqpcptw Quebec parental insurance plan calendar year paternity weeks

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the number of QPIP paternity weeks taken in the calendar year. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqpcsb Quebec parental insurance plan calendar year supplemental benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the amount of QPIP supplement benefits for low income families received in the calendar year. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

imqpenr Quebec Pension income transferred from spouse

DESCRIPTION

This variable represents the value of elected split-pension income to be claimed by the transferee in the calculation of total income. When QSPLTPNSFLAG is turned off, this variable is equal to 0. When it is turned on, it represents the value of pension income transferred from a spouse after pension income splitting. See QSPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)

imqpenrdr Quebec Pension income deduction from transfer to spouse

DESCRIPTION

This variable represents the value of elected split-pension income to be deducted by the pensioner in the calculation of deductions from total income (imqdedft). When QSPLTPNSFLAG is turned off, this variable is equal to 0. When it is turned on, it represents the value of pension income transferred to a spouse after pension income splitting. See QSPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)

imqpicbn Quebec parental insurance plan calendar year benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the total amount of QPIP benefits received in the calendar year calculated by the model. When QPIPMODELFLG is turned off, it is set equal to idiqip. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits
txinet	(i) Compute net income
txqinet	(i) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting
cceopt	(i) Multiple calls of tax/transfer calculator

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the total number of weeks of QPIP benefits received in the calendar year. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits

DESCRIPTION

This variable contains the value of the Quebec Parental Insurance Plan premiums for paid workers. When QPIPFLAG is activated, workers in Quebec with earnings greater than QPIPEMIN must pay a premium (at a rate of QPIPF) on their earnings up to the maximum insurable earnings QPIPEMAX.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txqinet	(i) Compute net income (Quebec)
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting

DESCRIPTION

This variable contains the value of the Quebec Parental Insurance Plan premiums for paid workers. When QPIPFLAG is activated, self-employed workers in Quebec with earnings greater than QPIPEMIN must pay a premium (at a rate of QPIPFSE) on their self-employed earnings up to the maximum insurable earnings QPIPEMAX.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txqinet	(i) Compute net income (Quebec)
memo1	(i) Compute memo items for reporting

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the total amount of QPIP benefits received for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqpiptc Quebec parental insurance plan premium tax credit for paid workers
(federal)

DESCRIPTION

When QPIPFLAG is activated, this variable contains the value of the federal tax credit for Quebec Parental Insurance Plan premiums for paid workers. The QPIP Premium Tax Credit is calculated as a proportion (parameter FNTCR) of QPIP premiums paid (imqpipp).

CROSS REFERENCE

Function	Description
txinet	(o) Compute net income
txcalc	(i) Calculate federal income tax

imqpiptwk Quebec parental insurance plan total weeks

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the total number of weeks of QPIP benefits received for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits

imqpnsph Quebec pension income split for head

DESCRIPTION

This represents the proportion of pension income which the head of a family gives to their spouse for Quebec taxation purposes. Please see QSPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txqinet	(i) Compute net income (Quebec)
cceopt	(io) Multiple calls of tax/transfer calculator

imqpnsps Quebec pension income split for spouse

DESCRIPTION

This represents the proportion of pension income which the spouse of a family gives to the head for Quebec taxation purposes. Please see QSPLTPNSFLAG for more details.

CROSS REFERENCE

Function	Description
txqinet	(i) Compute net income (Quebec)
cceopt	(io) Multiple calls of tax/transfer calculator

imqpsedd Quebec parental insurance plan premium deduction for self-employed (federal)

DESCRIPTION

When QPIPFLAG is activated, this variable contains the value of the federal deduction for the employer's share of the Quebec Parental Insurance Plan premiums for self-employed. The deduction is calculated as a proportion of the QPIP premiums paid ($imqipipse * (1.0 - QPIPF / QPIPFSE)$). It is added to imdedft.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
imqpsetc (federal)	Quebec parental insurance plan premium tax credit for self-employed

DESCRIPTION

When QPIPFLAG is activated, this variable contains the value of the federal non-refundable tax credit for the employee's share of the Quebec Parental Insurance Plan premiums for self-employed. The tax credit is calculated as a proportion (parameter FNTCR) of the employee's share of QPIP premiums paid ($\text{imqpipse} * \text{QPIPF} / \text{QPIPFSE}$). It is added to imtaxcr.

CROSS REFERENCE

Function	Description
txinet	(o) Compute net income
txcalc	(i) Calculate federal income tax
imqptmtb	Quebec parental insurance plan total maternity benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the amount of QPIP maternity benefits received for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqptmtw Quebec parental insurance plan total maternity weeks

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the number of QPIP maternity weeks taken for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqptprb Quebec parental insurance plan total parental benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the amount of QPIP parental benefits received for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqptprw Quebec parental insurance plan total parental weeks

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the number of QPIP parental weeks taken for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits

imqptptb Quebec parental insurance plan total paternity benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the amount of QPIP paternity benefits received for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqptw Quebec parental insurance plan total paternity weeks

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the number of QPIP paternity weeks taken for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

imqptr Quebec property tax refund

DESCRIPTION

Property tax refund applied to spouse and balance to elder, or the opposite, depending on which party has the higher income.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imqptsb Quebec parental insurance plan total supplemental benefits

DESCRIPTION

When QPIPMODELFLG is turned on, this variable contains the amount of QPIP supplement benefits for low income families received for the claim. Otherwise this variable is not used and is set to zero. See QPIPFLAG.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

imqqiptc Quebec parental insurance plan premium tax credit for paid workers (Quebec)

DESCRIPTION

When QPIPFLAG is activated, this variable contains the value of the Quebec tax credit for Quebec Parental Insurance Plan premiums for paid workers. The QPIP Premium Tax Credit is calculated as a proportion (parameter QNTCR) of QPIP premiums paid (imqpipp).

When QCMPOPT is set to 2, people can claim the maximum of the complementary amount (QSTSCA) and tax credits for contributions (imqhsftc, imquictc, imqcpptc, imqqiptc, imqqpsetc). When QCMPOPT is set to 3, the basic credit (QBXM) is increased are no

longer eligible for the complementary amount (QSTSCA) or the credits for contribution which are set to zero.

CROSS REFERENCE

Function	Description
txqinet	(o) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqqpsedd Quebec parental insurance plan premium deduction for self-employed (Quebec)

DESCRIPTION

When QPIPFLAG is activated, this variable contains the value of the Quebec deduction for the employer's share of the Quebec Parental Insurance Plan premiums for self-employed. The deduction is calculated as a proportion of the QPIP premiums paid ($\text{imqpippse} * (1.0 - (\text{QPIP}/\text{QPIPSE}))$). It is added to imqdedft.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqqpsetc Quebec parental insurance plan premium tax credit for self-employed (Quebec)

DESCRIPTION

When QPIPFLAG is activated, this variable contains the value of the Quebec non-refundable tax credit for the employee's share of the Quebec Parental Insurance Plan premiums for self-

employed. The tax credit is calculated as a proportion (parameter QNTCR) of the employee's share of QPIP premiums paid ($\text{imqipppse} * (\text{QPIPF}/\text{QPIPFSE})$). It is added to `imqtottc`.

When QCMPOPT is set to 2, people can claim the maximum of the complementary amount (QSTSCA) and tax credits for contributions (`imqhsftc`, `imquictc`, `imqcpptc`, `imqppiipc`, `imqppsetc`). When QCMPOPT is set to 3, the basic credit (QBXM) is increased and are no longer eligible for the complementary amount (QSTSCA) or the credits for contribution which are set to zero.

CROSS REFERENCE

Function	Description
<code>txqinet</code>	(o) Compute net income (Quebec)
<code>txqcalc</code>	(i) Calculate income tax (Quebec)

`imqritc` Quebec retirement income tax credit

DESCRIPTION

This variable represents one of the tax credits used in the post-reform (after 1988) Quebec tax system. It is calculated for the individual and summed with the remainder of the Quebec tax credits into `imqtottc`, the variable which holds total tax credits in the function `txqcalc`. When QCALRFLG is set to 1, then this credit is zeroed out and the combined age, living alone, and retirement credit (`imqcalr`) is used instead.

CROSS REFERENCE

Function	Description
<code>txqitax</code>	(o) Compute taxable income and individual credits (Quebec)
<code>txqcalc</code>	(i) Calculate income tax (Quebec)

`imqsdivt` Quebec taxable dividends from small corporations

DESCRIPTION

This represents the taxable amount of dividends from other than eligible (small) taxable Canadian Corporations, calculated as $\text{idividie} * \text{QDGUR}$.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqsflg Quebec simplified tax form flag 0=general 1=simplified

DESCRIPTION

When this variable is set to 1, then this person filled in a simplified tax form. When it is set to 0, they filled out a general tax form.

The Simplified Tax System started in 1998. People who filled out the simplified form were able to receive a new tax credit QSFTC but were only able to claim the following deductions and non-refundable tax credits (excluding those which are calculated after income taxes):

Contributions to RPPs (idrpp)

Contribution to RRSPs (idrrsp)

Deduction of certain benefits (imrepay)

Basic personal amount (imqbtc)

Flat amount QSFTC * QNTR

The amount with respect to age, for a person living alone or for retirement income (imqcalr)

The amount respecting dependent children or other dependants (imqdctc)

Charitable donations and gifts (imqchate)

When QSFDISFLAG equals 1, the amount for severe and prolonged mental or physical impairment (imqdistic).

See QSFOPT for more information on the simplified tax form.

CROSS REFERENCE

Function	Description
txqinet	(io) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

LEVELS

0	General tax form
1	Simplified tax form

imqstc Quebec Solidarity Tax Credit amount

DESCRIPTION

This is the amount of the refundable Quebec Solidarity Tax Credit, when QSTCFLAG is set to 1. This amount is also added to provincial refundable tax credits (imptc).

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imqstkdd Quebec modelled Stock option deduction (249)

DESCRIPTION

The allowed deduction for benefits received for qualifying stock options after the application of the capital gains inclusion rate ($\text{idstkded} * (1 - \text{QCAPGIR})$).

CROSS REFERENCE

Function	Description
txqitax	(io) Compute taxable income and individual credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqstr Quebec sales tax refund

DESCRIPTION

This is the value of the Quebec sales tax refund. It is always given to the oldest person in the nuclear family.

Note that up to 1997, this credit was calculated on the tax form and could be applied against the taxes of that year. Starting in 1998, the credit was not calculated on the tax form but instead was given later in the year. The SPSM applies this credit in the same year as the income earned and not in the year the credit was received.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imqta Quebec tax abatement (total)

DESCRIPTION

The Quebec Tax Abatement is a refundable tax credit which is calculated as a proportion (QTAP) of Basic Federal Tax (imbft). This item represents the total amount of the abatement.

CROSS REFERENCE

Function	Description
memo2	(o) Compute consumable income, etc.

imqtaa Quebec tax abatement (applied)

DESCRIPTION

The Quebec Tax Abatement is a refundable tax credit which is calculated as a proportion (QTAP) of Basic Federal Tax (imbft). This item represents the amount of the abatement which is applied to reducing federal taxes. If the total abatement exceeds federal taxes (imtxf: after the Federal Tax Reduction is applied) then the excess is refunded (See imqtar).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax
memo2	(i) Compute consumable income, etc.

imqtar Quebec tax abatement (refundable)

DESCRIPTION

The remainder (if any) of the Quebec Tax Abatement after the rest is applied to reducing Federal Taxes (imtxf) to zero.

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax

memo1 (i) Compute memo items for reporting
memo2 (i) Compute consumable income, etc.

imqtca Quebec tax credits applied

DESCRIPTION

Tax credits applied to tax payable. If unused transferred to spouse.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqtct Quebec tax credits transferable

DESCRIPTION

Tax credits unused and available to be transferred to other member of household.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqtctc Quebec tax credits transferred from child

DESCRIPTION

The total amount of tax credits transferred from children.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)
imqtcts	Quebec tax credits transferred from spouse

DESCRIPTION

Tax credits actually transferred from spouse.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
imqtottc	Quebec total tax credits

DESCRIPTION

The variable represents the total of the Quebec tax credits as calculated in the function txqcalc.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
imqtpcn	Quebec number of children who transferred parental contribution

DESCRIPTION

The number of children who transferred credits to their parents as a recognized parental contribution to their education. Parents can claim these children as dependents in the calculation of other programs. See QTPCFLG.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)

imqtuitc Quebec Tuition Tax Credit

DESCRIPTION

This variable contains the value of the Quebec non-refundable tuition tax credit. It is calculated as tuition fees (idituitn) times the Quebec non-refundable nominal tax credit rate (QNTCR).

CROSS REFERENCE

Function	Description
txqinet	(o) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)

imqtuitt Quebec amount of tuition transferred to parents

DESCRIPTION

This variable contains the amount of tuition tax credit which was transferred to a student's parent. It gets included in imqtct. It is only available when QTUITRFFLG is turned on.

CROSS REFERENCE

Function	Description
txqcalc	(io) Calculate income tax (Quebec)
imquictc	Quebec EI contributions tax credit

DESCRIPTION

This variable contains the value of the Quebec non-refundable tax credit given for Employment Insurance payroll taxes. It is calculated as total EI contributions (imuic) times the Quebec non-refundable nominal tax credit rate (QNTCR).

When QCMPOPT is set to 2, people can claim the maximum of the complementary amount (QSTSCA) and tax credits for contributions (imqhsftc, imquictc, imqcpptc, imqppiptc, imqppsetc). When QCMPOPT is set to 3, the basic credit (QBXM) is increased filers are no longer eligible for the complementary amount (QSTSCA) or the credits for contributions.

CROSS REFERENCE

Function	Description
txqinet	(o) Compute net income (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
imqwrkpr	Quebec Work Premium refundable tax credit

DESCRIPTION

This variable contains the refundable Work Premium tax credit. In two parent families, this will be granted to the spouse with the higher net income. It is used only when the Quebec Work Premium is activated (QWPFLAG set to 1) for 2005 and beyond. This amount is added to imptc.

CROSS REFERENCE

Function	Description
txqcalc	(o) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting

imrentpd Imputed rent paid

DESCRIPTION

For the purposes of provincial tax credit calculations in Ontario, Manitoba, and British Columbia, paid rents from the Survey of Household Spending are imputed to the heads of census families and their spouses (if they earned income). Note that when IMSHTOPT is set to 1, rents come from the Greenbook variable idrentpd and not the SHS.

CROSS REFERENCE

Function	Description
txhhexp	(io) Compute and pro-rate household taxes, rent, etc.
txqcalc	(i) Calculate income tax (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba

imrepay Social Benefits Repayments

DESCRIPTION

The sum of EI Benefits repaid (imuibr) and OAS repayment (imoasr, when NETOASFLG is set to 0).

The standard algorithm allows the simulation of repayment of OAS based on individual net income, where the reduction rate (OASRR) may be applied to net income exceeding a turndown level (OASTD).

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txitax	(i) Compute taxable income and individual credits
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
txqhstr	(i) Compute family-related deductions or credits (Quebec)
txqcalc	(i) Calculate income tax (Quebec)
memo1	(i) Compute memo items for reporting
memo2	(i) Compute consumable income, etc.

imresreb Alberta Resource Rebate Amount

DESCRIPTION

This variable contains the amount for the Alberta Resource Rebate (ARESREB). It is added to provincial other government income (impoth).

CROSS REFERENCE

Function	Description
txalta	(o) Compute provincial taxes for Alberta
memo1	(i) Compute memo items for reporting

imsaclaw Social Assistance NCB Clawback Amount

DESCRIPTION

This variable represents the calculated amount of the provincial NCBS clawback from social assistance.

CROSS REFERENCE

Function	Description
samod	(o) Compute social assistance or guarantees
memo1	(i) Compute memo items for reporting

imscb Saskatchewan Child Benefit

DESCRIPTION

Introduced in the 1998 budget, the Saskatchewan Child Benefit works in tandem with the Federal Child Tax Benefits. (Thus, the 1998 benefit is based on 1997 income and is received by families from July 1998 to June 1999.)

When the program is activated by turning on SCBFLG, families receive a benefit which depends on the number of children in the family (SCB1, SCB2, and SCB3). The benefit is reduced in two stages. Net family income greater than SCBTD1 and less than SCBTD2 is reduced at a rate SCBRR1 which depends on the number of children in the family. The benefit is further reduced at a rate of SCBRR2 for income over SCBTD2.

CROSS REFERENCE

Function	Description
txsask	(o) Compute provincial taxes for Saskatchewan
samod	(i) Compute social assistance or guarantees
memo1	(i) Compute memo items for reporting
cceopt	(io) Multiple calls of tax/transfer calculator

imsctxc Saskatchewan Non-refundable child tax credit

DESCRIPTION

This represents the value of the calculated Saskatchewan Child Tax Credit. When Saskatchewan Tax on Taxable Income is flagged on (STXFLG=1), this credit is derived by multiplying the tax credit amount (SCNTC) by the number of children in the census family and the provincial non-refundable tax credit rate (SPNTCR).

CROSS REFERENCE

Function	Description
txsask	(io) Compute provincial taxes for Saskatchewan
imslitic	Saskatchewan refundable low income tax credit

DESCRIPTION

The Saskatchewan Low Income Tax Credit became effective in July 2008 as a replacement to the Saskatchewan Sales Tax Credit.

The program is activated by setting SLITCFLAG to 1. The Saskatchewan Low Income Tax Credit (imslitic) will consist of an adult component and a child component. This credit will be fully refundable and is assigned to the spouse with the higher income.

The adult component of the Saskatchewan Low Income Tax Credit (SLITCBAS) will be granted to the first adult in the couple, and SLITCSP will be granted to the spouse. In the case of single parent families, SLITCBAS will be granted to the single parent and SLITCSP will be granted to the first child. The child component of the Saskatchewan Low Income Tax Credit will provide an additional SLITCKID per child, up to the maximum number of eligible children, SLITCNKID. In the case of single parent families, the maximum allowable children will be reduced by 1 if a child has been granted the adult amount.

The maximum credit is then reduced at a rate of SLITCRR as family net income rises over SLITCTD.

The value of the Saskatchewan Low Income Tax Credit is also added to provincial refundable credits (imptc).

CROSS REFERENCE

Function	Description
txsask	(o) Compute provincial taxes for Saskatchewan
memo1	(i) Compute memo items for reporting
imspamax	Maximum amount of SPA

DESCRIPTION

This variable contains the maximum amount of Spouse's Allowance that an individual was eligible to receive, before taking into account the person's income.

CROSS REFERENCE

Function	Description
gis	(o) Compute GIS/SPA for elderly
gist	(i) Compute Provincial GIS top-ups for elderly

imspatyp Type of SPA entitlement

DESCRIPTION

This variable is calculated for all individuals in the census family context based on age and marital status.

This variable indicates the category of Spouse's Allowance eligibility, before needs testing, for all individuals.

CROSS REFERENCE

Function	Description
gis	(o) Compute GIS/SPA for elderly

LEVELS

0	N/A
1	Widow(er)
2	SPA recipient in SPA couple

DESCRIPTION

This represents the value of the calculated Saskatchewan Senior Supplement Tax Credit. When Saskatchewan Tax on Taxable Income is flagged on (STXFLG=1), this credit is derived by multiplying the tax credit amount (SSSTC) by the provincial non-refundable tax credit rate (SPNTCR) for individuals aged 65 and over.

CROSS REFERENCE

Function	Description
txsask	(io) Compute provincial taxes for Saskatchewan

DESCRIPTION

Introduced in the 2000 budget, the Saskatchewan Sales Tax Credit became effective April 1, 2000.

The program is activated by setting SSTCFLAG to 1. The Saskatchewan Sales Tax Credit (imsstc) will consist of an adult component and a child component. This credit will be fully refundable and is assigned to the spouse with the higher income. SSTCPI represents the program phase in rate.

The adult component of the Saskatchewan Sales Tax Credit will rise at a rate of SSTCBASPIR of individual net income up to a maximum (SSTCBAS). It will be reduced at a rate of SSTCRR as family net income increases above SSTCBASTD. An individual will also be eligible for SSTCSP in additional benefits for a dependent spouse or equivalent. This amount will be reduced at a rate of SSTCRR as family net income rises over SSTCSPTD.

The child component of the Saskatchewan Sales Tax Credit will provide an additional SSTCKID per child. For two-parent families, the maximum child component will be SSTCKID + SSTCKID. For single parent families, the first child will be eligible for the adult benefit of SSTCSP and the maximum child component will be SSTCKID. The child component of the Credit will be reduced at a rate of SSTCRR as family net income rises over SSTC1KIDTD for families with one qualifying child. For families with more than one qualifying child, the Credit will be reduced at a rate of SSTCRR as family net income rises over SSTC2KIDTD.

CROSS REFERENCE

Function	Description
txsask	(o) Compute provincial taxes for Saskatchewan
memo1	(i) Compute memo items for reporting

imstkded Modelled Stock option deduction (249)

DESCRIPTION

The allowed deduction for benefits received for qualifying stock options after the application of the capital gains inclusion rate ($\text{idstkded} * (1 - \text{CAPGIR})$). Corresponds to Line 249 of the General Tax Guide.

CROSS REFERENCE

Function	Description
txitax	(io) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imstxert Tax credits transferred from spouse

DESCRIPTION

This variable represents the amount of transferable tax credits (the sum of the Age (imatxc), Disability (imdisatc), Education (imedtxc), Tuition (imtutxc), and Pension Income (impentxc) Tax Credits) actually transferred to a spouse after reduction based on the net income of the transferring spouse.

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax
txman	(i) Compute provincial taxes for Manitoba

imtaxcr Total tax credits

DESCRIPTION

This represents the total tax credits available to reduce basic federal tax (imbft) including non-transferable tax credits, transferable credits, credits transferred from the spouse (imstxcrt), and credits transferred from children (imctxcrt).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imtransit Public Transit Tax Credit

DESCRIPTION

The non-refundable public transit tax credit is calculated as the federal non-refundable tax credit rate (FNTCR) multiplied by the eligible public transit expenses (idtransit).

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imttxcrt Total tax credits transferred

DESCRIPTION

This variable reports the sum of the Age (imatxc), Disability (imdisatc), Education (imedtxc), Tuition (imtutxc), Textbook (imtxtxc), Caregivers (imcgtc) and Pension Income (impentxc) Tax Credits which may be transferred from a dependant to a supporting parent or between spouses.

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

imtutxc Tuition tax credit

DESCRIPTION

The Tuition Tax Credit is calculated as a proportion (parameter FNTCR) of tuition fees (idtuin). The number used by the model for tuition fees (idtuin) correspond to the value and definition of the Tuition Deduction allowed in the base year.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imtxf Federal income tax payable

DESCRIPTION

This is calculated from Basic Federal Tax (imbft) by subtracting the Federal Tax Credits (imlabtxc, imfptc, imfortxc and iditc). Computed federal surtaxes (imfsur) are then added to this amount. For Quebec residents, the amount of Quebec Tax Abatement needed to reduce federal taxes to 0 is applied (imqtaa) and any excess Quebec Tax Abatement amounts are refunded (see imqtar).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax
memo1	(i) Compute memo items for reporting

imtxfc Federal commodity taxes

DESCRIPTION

This analysis variable contains the federal commodity taxes associated with household consumption, allocated to individuals. Household commodity taxes are allocated to the individuals in a household in proportion to their share of household income, as measured by imishri.

CROSS REFERENCE

Function	Description
ctmod	(o) Compute commodity taxes for individuals and households
memo2	(i) Compute consumable income, etc.

imtxp Provincial income tax payable

DESCRIPTION

This is calculated from Basic Provincial Tax (imbpt), reduced by non-refundable tax credits and then by applying any tax reductions or surtaxes (impsur). Refundable tax credits are considered as transfers:

CROSS REFERENCE

Function	Description
txnfl	(io) Compute provincial taxes for Newfoundland
txpei	(io) Compute provincial taxes for P.E.I.
txns	(io) Compute provincial taxes for Nova Scotia
txnb	(io) Compute provincial taxes for New Brunswick
txqcalc	(io) Calculate income tax (Quebec)
txont	(io) Compute provincial taxes for Ontario
txman	(io) Compute provincial taxes for Manitoba
txsask	(io) Compute provincial taxes for Saskatchewan
txalta	(io) Compute provincial taxes for Alberta
txbc	(io) Compute provincial taxes for British Columbia
memo1	(i) Compute memo items for reporting

imtxpc Provincial commodity taxes

DESCRIPTION

This analysis variable contains the provincial commodity taxes associated with household consumption, allocated to individuals. Household commodity taxes are allocated to the individuals in a household in proportion to their share of household income, as measured by imishri.

CROSS REFERENCE

Function	Description
ctmod	(o) Compute commodity taxes for individuals and households
memo2	(i) Compute consumable income, etc.

DESCRIPTION

To calculate the Textbook Tax Credit, the number of eligible full-time months (ideducfm) is multiplied by the parameter TEXTPMFT, the allowable textbook amount per full-time month and is added to the number of eligible part-time months (ideducpm) multiplied by the parameter TEXTPMPT, the allowable textbook amount per part time month. This variable reports the amount of Textbook Tax Credit available for this individual. The tax credit may be applied to reduce Basic Federal Tax or transferred to a parent or spouse. The model applies a cap on the amount of Education, Textbook and Tuition Tax Credit transferable. This maximum amount transferable is determined by parameter MAXET.

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imuibr EI benefit recovery

DESCRIPTION

imuibr is used as a deduction in the calculation of Taxable Income and is a component of total taxes (imftax) for reporting purposes.

When UIEIREPOPT is set to 1, the proportion of EI Benefits to be repaid (UIEIBRP) is based on the number of weeks of EI benefits in the past UIEYRS years (ubeiwbp).

When UIEIREPOPT is set to 2, special benefits (sickness, maternity and parental) are exempt from repayment. The recovery of qualified benefits is equal to UIEIRPR times the lesser of the benefits and the amount by which net income (imicnet) exceeds UIBRANR.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits
txinet	(io) Compute net income
txqinet	(i) Compute net income (Quebec)
txqitax	(i) Compute taxable income and individual credits (Quebec)
memo2	(i) Compute consumable income, etc.

imuic Employment Insurance contributions

DESCRIPTION

This variable represents the modelled annual EI premiums payable. This is calculated based upon the reported number of weeks worked (idlyww) and earnings from employment (idiemp). The model makes the assumption that earnings are evenly distributed among the weeks worked. The weekly contribution is a proportion (parameter UIPF) of earnings not exceeding the maximum level for insurable earnings (UIERNMAX). The annual contribution is the number of weeks worked times the weekly contribution.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income
txitax	(i) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqinet	(i) Compute net income (Quebec)
txont	(i) Compute provincial taxes for Ontario
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
memo1	(i) Compute memo items for reporting

DESCRIPTION

This variable describes the amount of EI contribution, imuic, which a person with income less than UIEIREF would get refunded. It is excluded from the total value of the contributions, imuic.

Note that in order to get a refund, individuals need to apply for one. In the SPSD/M model, it is assumed that everyone who is entitled to a refund applies. This is probably overstating the case.

CROSS REFERENCE

Function	Description
txinet	(io) Compute net income

DESCRIPTION

The EI Contribution Tax Credit (imuictc) is calculated as a proportion (parameter FNTCR) of EI contributions (imuic).

CROSS REFERENCE

Function	Description
txitax	(o) Compute taxable income and individual credits
txcalc	(i) Calculate federal income tax

imuiydep	Number of dependents under 7 for family supplement
-----------------	--

DESCRIPTION

When UIEIFSFLG is set to 1 and UIEIFSOPT is set to 2, this variable represents the number of children under the age of seven in the nuclear family.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

imvaltc	N.S. Affordable Living Tax Credit
----------------	-----------------------------------

DESCRIPTION

This is the value of the calculated Nova Scotia Affordable Living Tax Credit, when VALTCFLG is set to 1. This value is added to refundable provincial tax credits, imptc.

CROSS REFERENCE

Function	Description
txns	(o) Compute provincial taxes for Nova Scotia
memo1	(i) Compute memo items for reporting

imvsrtxrf	Nova Scotia Seniors' with GIS tax Refund
------------------	--

DESCRIPTION

This is the value of the Nova Scotia Tax Refund for Seniors receiving GIS. The calculation of imvsrtxrf is activated by the flag VSENTRFLG.

CROSS REFERENCE

Function	Description
txns	(io) Compute provincial taxes for Nova Scotia
memo1	(i) Compute memo items for reporting

imwitb Working Income Tax Benefit

DESCRIPTION

This variable contains the value of the Federal Refundable Working Income Tax Benefit (WITB) program. The program was implemented in 2007.

The WITB will provide a refundable tax credit equal to WITBPIR of each dollar of earned income in excess of WITBMINE to a maximum credit of WITBSNG for single individuals (at least 19 years of age) without dependants and WITBFAM for families (couples and single parents).

To target assistance to those with low income, the credit will be reduced by WITBRR of net family income in excess of WITBSPO for single individuals and WITBFPO for families, where net family income represents head/spouse net income less UCCB amount claimed.

Students (as defined for the purpose of the education tax credit), with no dependent children, who are enrolled as full-time students for more than three months in the taxation year will not be eligible for the WITB.

Note that the rules for Quebec, Alberta and British Columbia are different than those described above.

Note that this amount does not include imwitbs, the Federal Refundable Working Income Tax Benefit for persons with disabilities.

This amount is added to other federal refundable credits (imfortc).

CROSS REFERENCE

Function	Description
txcalc	(o) Calculate federal income tax

imwitbs Working Income Tax Benefit Supplement for Disabilities

DESCRIPTION

This variable contains the value of the Federal Refundable Working Income Tax Benefit (WITB) Supplement for Persons with Disabilities. The program was implemented in 2007.

The WITB Supplement will provide a refundable tax credit equal to WITBSPIR of each dollar of earned income in excess of WITBSMINE to a maximum credit of WITBSAMT for single individuals (at least 19 years of age) who have less than 3 months of full time studies and who are eligible for the disability tax credit in the taxation year.

To target assistance to those with low income, the supplement will be reduced by WITBSRR of net family income in excess of WITBSSPO for single individuals and WITBSFPO for families, where net family income represents head/spouse net income less UCCB amount claimed.

Note that the rules for Quebec, Alberta and British Columbia are different than those described above.

This amount is not included in imwitb, the Federal Refundable Working Income Tax Benefit.

This amount is added to other federal refundable credits (imfortc).

CROSS REFERENCE

Function	Description
txcalc	(io) Calculate federal income tax

in Individual data [array]

DESCRIPTION

This is an array each element of which is a structure whose sub-structures hold all information, both database and modelled, on a single individual. It is not directly accessible to the 'black box' variable facilities, but is documented here for glass box users. The primary substructures of each element of the in array are named id (database variables) and im (modelled variables). The number of elements containing valid data within this array is given by the variable hhnin, which is the number of individuals contained in the current household.

nf Nuclear family data [array]

DESCRIPTION

This is an array each element of which is a structure holding information on each nuclear family in the household. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. All of the variables beginning with the prefix nf are members of an element of this array. The number of elements containing valid data within this array is given by the variable hhnfnf, which is the number of nuclear families contained in the current household.

nfageeld Age of eldest in nuclear family

DESCRIPTION

This class variable contains the age of the eldest person in the current nuclear family. The maximum age is 99.

CROSS REFERENCE

Function	Description
gis	(i) Compute GIS/SPA for elderly
nfin	First person in nuclear family [pointer]

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the first person in the current nuclear family. Since persons in a nuclear family are arranged sequentially in memory, nfin is commonly used to initialize a working pointer used to process each person of a nuclear family in turn.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits

nfinch First child in nuclear family [pointer]

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the first child in the current nuclear family. Since the children in a nuclear family are arranged sequentially in memory, nfin is commonly used to initialize a working pointer used to process each child of a nuclear family in turn. Note that children in nuclear families, (unlike those in census families) are by definition under 18 years of age.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
famod	(i) Compute family allowance
txnfld	(i) Compute provincial taxes for Newfoundland
txns	(i) Compute provincial taxes for Nova Scotia
txqcalc	(i) Calculate income tax (Quebec)
txctc	(i) Compute child tax credit

nfineld Eldest person in nuclear family [pointer]

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the eldest person in the current nuclear family. The eldest person is used as a reference person for the nuclear family.

CROSS REFERENCE

Function	Description
famod	(io) Compute family allowance
txinet	(i) Compute net income
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
txctc	(i) Compute child tax credit

nfinspo	Spouse of eldest [pointer]
----------------	----------------------------

DESCRIPTION

This pointer variable is not accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users. It is a C language pointer, which points to the in structure corresponding to the spouse of the eldest person in the nuclear family. If the eldest person has no spouse, this variable is NULL and should not be used. The variable nfspoflg can be used to determine if there is a spouse in the nuclear family.

CROSS REFERENCE

Function	Description
famod	(io) Compute family allowance
txinet	(i) Compute net income
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
txctc	(i) Compute child tax credit

nfnadult Number of adults in nuclear family

DESCRIPTION

This class variable counts the number of persons aged 18 or over in the nuclear family.

nfnearn Number of earners in nuclear family

DESCRIPTION

This class variable counts the number of earners in the nuclear family. A person is considered an earner if he/she has employment or self-employment earnings equal or greater to the value specified in the EARNMIN parameter.

nfneled Number of elderly in nuclear family

DESCRIPTION

This class variable counts the number of persons aged 65 or over in the nuclear family.

nfnkids Number of children in nuclear family

DESCRIPTION

This class variable counts the number of children aged under 18 in the current nuclear family.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
famod	(i) Compute family allowance
txinet	(i) Compute net income
txnfld	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
txctc	(i) Compute child tax credit

nfnpers Number of persons in nuclear family

DESCRIPTION

This class variable counts the total number of persons in the nuclear family. It is often used in conjunction with the nfin pointer variable to process each person in the nuclear family in turn.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
txns	(i) Compute provincial taxes for Nova Scotia

nfsexeld Sex of eldest in nuclear family

DESCRIPTION

This class variable gives the sex of the eldest person in the nuclear family. The eldest person is used as reference person in the nuclear family.

LEVELS

0	Male
1	Female

nfspoflg Nuclear family contains married couple

DESCRIPTION

This class variable indicates whether the nuclear family contains a married couple. If true, the pointer variable nfinspo will point to the in structure containing data on the spouse of the eldest person (the reference person) in the nuclear family.

CROSS REFERENCE

Function	Description
famod	(i) Compute family allowance
txinet	(i) Compute net income
txnfl	(i) Compute provincial taxes for Newfoundland
txpei	(i) Compute provincial taxes for P.E.I.
txns	(i) Compute provincial taxes for Nova Scotia
txnb	(i) Compute provincial taxes for New Brunswick
txqcalc	(i) Calculate income tax (Quebec)
txman	(i) Compute provincial taxes for Manitoba
txsask	(i) Compute provincial taxes for Saskatchewan
txalta	(i) Compute provincial taxes for Alberta
txbc	(i) Compute provincial taxes for British Columbia
gis	(i) Compute GIS/SPA for elderly
txctc	(i) Compute child tax credit

LEVELS

0	No spouse present
1	Spouse present

nftype Nuclear family type

DESCRIPTION

This class variable gives a general purpose way of classifying family units based on the number of adults, kids and elderly in the unit. Note that in the scheme given below, the presence of kids takes precedence over the presence of elderly for families with both kids and elderly. Kids are persons aged under 18, Adults are persons aged 18 or over (including elderly), and elderly are persons aged 65 or over.

LEVELS

0	With Kids, 1 Adult
1	With Kids, 2+ Adult
2	With Elderly, 1 Adult
3	With Elderly, 2+ Adult
4	Other, 1 Adult
5	Other, 2+ Adult

persons Person count

DESCRIPTION

This variable is not a variable like other variables, it is a keyword that can only be used in table expressions. It allows analysts to construct tabulation expressions using the (weighted) number of persons, independent of the unit of analysis of the table itself. For example if the unit of analysis of a table was the Census family (i.e. the table specification started with CF:), the table expression persons / units would represent the average size of Census families.

scfrecs SLID records

DESCRIPTION

This variable gives an unduplicated count of the number of SLID demographic/income records represented by the current household. The variable which contains this characteristic is *hdnscf*.

spsdrecs SPSD records

DESCRIPTION

This variable gives a count of the number of SPSD records represented by the current household. It has been derived in such a way that it behaves as if unweighted in the tables and is set equal to 1. However, the actual value can be observed in the text output facility (if the appropriate level of precision is requested). The variable which contains this characteristic is *hdnspsd*.

ub EI benefit structure

DESCRIPTION

The structure identified by the letters 'uc' holds SPSD variables pertaining to a EI claim. See descriptions of ub1 and ub2 These variables are read directly from the SPSD database. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users.

ub1 EI claim #1 results [struct]

DESCRIPTION

This structure is not directly accessible to the 'black box' user but is documented here for completeness. It is a sub-structure of the im structure, and contains modelled information on the first of up to two EI claims pertaining to a given individual. All variables with the prefix ub1 are members of this structure.

ub2 EI claim #2 results [struct]

DESCRIPTION

This structure is not directly accessible to the 'black box' user but is documented here for completeness. It is a sub-structure of the im structure, and contains modelled information on the second of up to two EI claims pertaining to a given individual. All variables with the prefix ub2 are members of this structure.

ubcalfs Family supplement paid in calendar year

DESCRIPTION

Modeled family supplement paid within the calendar year. The family supplement is only activated when UIEIFSFLG is set to 1. The family supplement is included as part of ubcalpd. The supplement is given to EI recipients whose families received federal child tax benefits (imfcben) during the year.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

ubcalpd Benefits paid in calendar year

DESCRIPTION

Modeled benefits paid (\$) over the weeks of claim activity in the calendar year. Calculated from benefit rate parameters of the current model, and the weeks of modeled claim activity that fall within the calendar year.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

txinet (i) Compute net income

ubcalwk Weeks on claim in calendar year

DESCRIPTION

Modeled paid weeks on claim within the calendar year, which may include, for example, the final part of a first claim or the initial part of a second. Calculated as the difference between the first and last (windowed) claim week pointers (ubp1c and ubp4c).

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

ubclmfs Family supplement paid on claim

DESCRIPTION

Modeled family supplement paid during a claim. The family supplement is only activated when UIEIFSFLG is set to 1. The family supplement is included as part of ubclmpd. The supplement is given to EI recipients whose families received federal child tax benefits (imfcben) during the year.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

ubclmpd Benefits paid on claim

DESCRIPTION

Modeled benefits paid (\$) in all weeks of claim activity. Calculated from benefit rate parameters of the current model, and the weeks of modeled claim activity.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits
ubclmwk	Weeks on claim

DESCRIPTION

Modeled paid weeks on claim, which may include, for example, the final part of a first claim or the initial part of a second. Calculated as the difference between the first and last claim week pointers (ubp1 and ubp6).

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits
ubeiwbp	Weeks of past EI benefits

DESCRIPTION

This variable describes the total number of weeks of EI received in the past UIEIYRS years. It is derived using ucy1 to ucy5.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits
txinet	(i) Compute net income

ubern Modelled insurable weekly earnings

DESCRIPTION

Weekly insurable earnings derived by applying a ceiling (UIERNMAX) to the grown average weekly insurable earnings (ucern).

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

ubp1 Week # of first payment

DESCRIPTION

ubp1 is a number identifying the week of the first payment to a modeled claim (i.e., usually the second week following establishment of a claim under the current program). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

ubp1c Week # of first payment (windowed)

DESCRIPTION

ubp1c is a number identifying the week of the first payment to a modeled claim within the calendar year. Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

ubp2 Week # of start of other type of EI

DESCRIPTION

ubp2 is a number identifying the week where regular payments end and other types of benefits begin. Other types of benefits will include everything not included in regular, sickness, maternity, parental, fishing, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

ubp2 is always greater than or equal to ubp1 (equality indicates zero weeks of first phase payments). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits

ubp2c Week # of start of other type of EI (windowed)

DESCRIPTION

ubp2c is a number identifying the week where regular payments end and other types of benefits begin within the calendar year. Other types of benefits will include everything not included in regular, sickness, maternity, parental, fishing, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

ubp2c is always greater than or equal to ubp1c (equality indicates zero weeks of first phase payments or that first phase payments were in the previous calendar year). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits

ubp2mx Week # of start of other type of EI if not limited to known weeks

DESCRIPTION

ubp2mx is a number identifying the week where regular payments end and other types of benefits begin if the person had taken 100% of the weeks for which they were eligible. Other types of benefits will include everything not included in regular, sickness, maternity, parental, fishing, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

The duration of modeled claims will not exceed observed durations, except when the following parameters are used: UIREGWKFCT, UITRNWKFCT, UIOTHWKFCT, UIEXTMATWKS, UIBEHAVOPT, UIBEHAVREGFLG, and UIEXTWKS. So ubp2 represents the week number when the claim duration is limited by the observed duration on the database, while ubp2mx represents the week number that the person would have had, had they remained on their claim for the maximum amount of time for which they were eligible. Please see the description of the ui algorithm for more details about the duration of EI claims.

ubp2mx is always greater than or equal to ubp1 (equality indicates zero weeks of first phase payments). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
ubp2mxc	Week # of start of other type of EI (windowed) if not limited to known weeks

DESCRIPTION

ubp2mx is a number identifying the week where regular payments end and other types of benefits begin within the calendar year if the person had taken 100% of the weeks for which they were eligible. Other types of benefits will include everything not included in regular, sickness, maternity, parental, fishing, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

The duration of modeled claims will not exceed observed durations, except when the following parameters are used: UIREGWKFCT, UITRNWKFCT, UIOTHWKFCT, UIEXTMATWKS, UIBEHAVOPT, UIBEHAVREGFLG, and UIEXTWKS. So ubp2c represents the week number when the claim duration is limited by the observed duration on the database, while ubp2mxc represents the week number that the person would have had, had they remained on their claim for the maximum amount of time for which they were eligible. Please see the description of the ui algorithm for more details about the duration of EI claims.

ubp2mxc is always greater than or equal to ubp1c (equality indicates zero weeks of first phase payments or that first phase payments were in the previous calendar year). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(i) Compute UI benefits
ubp5	Week # of last other type of EI

DESCRIPTION

ubp5 is a number identifying the week of the last other benefit payments to a modeled claim. Other types of benefits will include everything not included in regular, sickness, maternity, parental, fishing, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

ubp5 is always greater than or equal to ubp2 (equality indicates zero weeks of other types of benefits). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits
ubp5c	Week # of last other type of EI (windowed)

DESCRIPTION

ubp5c is a number identifying the week of the last other benefit type payment to a modeled claim within the calendar year. Other types of benefits will include everything not included in regular, sickness, maternity, parental, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits
ubp5mx	Week # of last other type of EI if not limited to known weeks

DESCRIPTION

Ubp5mx is a number identifying the week of the last other benefit type payment if the person had taken 100% of the weeks for which they were eligible. Other types of benefits will include everything not included in regular, sickness, maternity, parental, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

The duration of modeled claims will not exceed observed durations, except when the following parameters are used: UIREGWKFCT, UITRNWKFCT, UIOTHWKFCT, UIEXTMATWKS, UIBEHAVOPT, UIBEHAVREGFLG, and UIEXTWKS. So ubp5 represents the week number when the claim duration is limited by the observed duration on the database, while ubp5mx represents the week number that the person would have had, had they remained on their claim for the maximum amount of time for which they were eligible. Please see the description of the ui algorithm for more details about the duration of EI claims.

ubp5mx is always greater than or equal to ubp2mx (equality indicates zero weeks of other types of benefits). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

ubp5mx Week # of last other type of EI (windowed) if not limited to known weeks

DESCRIPTION

ubp5mx is a number identifying the week of the last other benefit type payment to a modeled claim within the calendar year if the person had taken 100% of the weeks for which they were eligible. Other types of benefits will include everything not included in regular, sickness, maternity, parental, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

The duration of modeled claims will not exceed observed durations, except when the following parameters are used: UIREGWKFCT, UITRNWKFCT, UIOTHWKFCT, UIEXTMATWKS, UIBEHAVOPT, UIBEHAVREGFLG, and UIEXTWKS. So ubp5c

represents the week number when the claim duration is limited by the observed duration on the database, while ubp5mxc represents the week number that the person would have had, had they remained on their claim for the maximum amount of time for which they were eligible. Please see the description of the ui algorithm for more details about the duration of EI claims.

ubp5mxc is always greater than or equal to ubp2mxc (equality indicates zero weeks of other types of payments or that payments were in the previous calendar year). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

ubp6 Week # of last training payment

DESCRIPTION

ubp6 is a number identifying the week of the last training payment to a modeled claim.

ubp6 is always greater than or equal to ubp5 (equality indicates zero weeks of training benefits). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

ubp6c Week # of last training payment (windowed)

DESCRIPTION

ubp6c is a number identifying the week of the last training payment to a modeled claim within the calendar year.

ubp6c is always greater than or equal to ubp5c (equality indicates zero weeks of training payments or that payments were in the previous calendar year). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits

ubp6mx Week # of last training payment if not limited to known weeks

DESCRIPTION

ubp6mx is a number identifying the week of the last training payment to a modeled claim if the person had taken 100% of the weeks for which they were eligible.

The duration of modeled claims will not exceed observed durations, except when the following parameters are used: UIREGWKFCT, UITRNWKFCT, UIOTHWKFCT, UIEXTMATWKS, UIBEHAVOPT, UIBEHAVREGFLG, and UIEXTWKS. So ubp6 represents the week number when the claim duration is limited by the observed duration on the database, while ubp6mx represents the week number that the person would have had, had they remained on their claim for the maximum amount of time for which they were eligible. Please see the description of the ui algorithm for more details about the duration of EI claims.

ubp6mx is always greater than or equal to ubp5mx (equality indicates zero weeks of training benefits). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(o) Compute UI benefits

ubp6mxc Week # of last training payment (windowed) if not limited to known weeks

DESCRIPTION

ubp6mxc is a number identifying the week of the last training payment to a modeled claim within the calendar year if the person had taken 100% of the weeks for which they were eligible.

The duration of modeled claims will not exceed observed durations, except when the following parameters are used: UIREGWKFCT, UITRNWKFCT, UIOTHWKFCT, UIEXTMATWKS, UIBEHAVOPT, UIBEHAVREGFLG, and UIEXTWKS. So ubp6c represents the week number when the claim duration is limited by the observed duration on the database, while ubp6mxc represents the week number that the person would have had, had they remained on their claim for the maximum amount of time for which they were eligible. Please see the description of the ui algorithm for more details about the duration of EI claims.

ubp6mxc is always greater than or equal to ubp5mxc (equality indicates zero weeks of training payments or that payments were in the previous calendar year). Week of January 1 = 0.

CROSS REFERENCE

Function	Description
ui	(io) Compute UI benefits
uc	EI claim structure

DESCRIPTION

The structure identified by the letters 'uc' holds SPSD variables pertaining to a EI claim. See descriptions of uc1 and uc2. These variables are read directly from the SPSD database. It is not directly accessible by the SPSM 'black box' variable facilities, but is documented here for 'glass box' users.

uc1 EI claim #1 data [struct]

DESCRIPTION

This structure is not directly accessible to the 'black box' user but is documented here for completeness. It is a sub-structure of the id structure, and contains database information on the first of up to two EI claims pertaining to a given individual. All variables with the prefix uc1 are members of this structure. The member ucstat of uc1 (denoted uc1stat) indicates if the structure contains claim data or not.

uc2 EI claim #2 data [struct]

DESCRIPTION

This structure is not directly accessible to the 'black box' user but is documented here for completeness. It is a sub-structure of the id structure, and contains database information on the second of up to two EI claims pertaining to a given individual. All variables with the prefix uc2 are members of this structure. The member ucstat of uc2 (denoted uc2stat) indicates if the structure contains claim data or not.

ucbtyp Claim type

DESCRIPTION

Benefit type at the time the claim was established.

When using this variable for classification purposes in the model, it is important to note that there are some subtleties regarding claim type. For example, people who received weeks of maternity benefits may also receive parental benefits (according to ucgotpa). Since it is only one claim which began with the type maternity, all the dollars will be assigned to ucbtyp = maternity. People may also receive training benefits in addition to other types of benefit.

When UIEIMTYPFLG is turned on, the claim type modelled is the claim type used in ucmtyp, which is the type of claim representing the most weeks in the claim as opposed to the type of claim which was first established.

In the model, when a person is known to have received regular benefits in addition to sickness, maternity, or parental benefits (uctpcng), then a regular claim is modelled. This is true even when UIEIMTYPFLG is turned on.

Other types of benefits will include everything not included in regular, sickness, maternity, parental, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits
txinet	(i) Compute net income

LEVELS

0	No Benefits
1	Regular
2	Sickness
3	Maternity
4	Parental
5	Fishing
6	Training
7	Other Types

ucdivwk Minimum divisor weeks

DESCRIPTION

This variable represents the maximum of the weeks worked in the past 26 weeks and the minimum divisor of the base year. It is used to model the minimum divisor rule. When UIEIDIVFLG is turned on, the EI minimum divisor rule is applied. This means that weekly earnings ubern are adjusted by multiplying them by the ratio of weeks worked in the past 26 weeks, ucdivwk, over the maximum of the weeks worked over the past 26 weeks and the minimum divisor, UIEIDIV, which varies according to the local unemployment rate.

Note that since ucdivwk has been imputed in such a way that it is already the maximum of the weeks worked in the past 26 weeks and the minimum divisor of the base year, there should be little or no change when this flag is turned on if the value of UIEIDIV is the same as the base year. Furthermore, since the value of ucdivwk is already at the maximum, changing UIEIDIV to make the program more generous will not have an impact without first modifying the database. See the section on the Reference Value Facility in the [User's Guide](#) for more information on how to modify the database.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

uceff Effective weekly rate

DESCRIPTION

Ratio of total claim benefits to claim weeks observed in administrative data. This benefit rate incorporates special program payments (e.g., job creation) and is adjusted for reduced payment levels (e.g., due to earnings reported while on claim). It does not include training benefits or other types of benefits.

When UIEFFFLAG is turned on, uceff is used to calculate the benefit rate for regular, sickness, maternity, parental and fishing benefits. Otherwise, the benefit rate is modelled.

uceff is grown from the observed base year value by preserving its base year ratio to ucern.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(io) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

ucern Insurable weekly earnings

DESCRIPTION

Insurable earnings are accumulated prior to the establishment of an EI claim. The length of time will depend on the year of the program. In order to be able to model all years, the weekly average is imputed onto the database.

ucern is grown from the observed base year value using employment income growth rates by industry GFIEMP, together with the parameters UIBASEYRMAX and UITARGYRMAX. If the base year value of ucern equals or exceeds UIBASEYRMAX, ucern is set to UITARGYRMAX. Otherwise ucern is grown using the appropriate rate taken from GFIEMP, but is in any case not allowed to exceed the value UITARGYRMAX.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(io) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits
ucexhas	Exhaustee flag

DESCRIPTION

This flag indicates that the individual completely exhausted their entitled weeks of EI benefits in the claim.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

LEVELS

0	Not a EI exhaustee
1	EI exhaustee

DESCRIPTION

This flag is set to 1 if a person received paternity benefits and 0 otherwise. When the flag is set to one, claimants of type maternity (ucbtyp = 3) have their maximum weeks of benefits equal to UIMAXMATWKS plus UIMAXPARWKS.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

LEVELS

0	No parental benefits
1	Received parental benefits

DESCRIPTION

The number of insured hours worked in the 52 weeks prior to the establishment of a claim.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

ui (i) Compute UI benefits

ucmtyp Main Claim type (majority of weeks)

DESCRIPTION

Claims may cover more than one type of benefit. The variable ucbtyp is the type of claim which was first claimed. The variable ucmtyp is the type of claim for which the most weeks were claimed.

Other types of benefits will include everything not included in regular, sickness, maternity, parental, fishing or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

When UIEIMTYPFLG is turned on, instead of calculating the benefit eligibility and amount using the original claim type (ucbtyp), the main type of claim is used (ucmtyp). Note that when a claim starts with sickness, maternity, or parental benefits and also includes regular benefits (uctpcng), a regular claim is modelled.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

LEVELS

0	No Benefits
1	Regular
2	Sickness
3	Maternity
4	Parental
5	Fishing
6	Training
7	Other Types

DESCRIPTION

This flag indicates whether a person is a new entrant or re-entrant. When UIEINEREF LG is turned on, the number of hours needed for new entrants and re-entrants to qualify for EI is UINEREHRMIN.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

LEVELS

0	Not new entrant or re-entrant
1	New entrant or re-entrant

DESCRIPTION

This variable gives the weekly payment rate which, if applied to the number of weeks of other benefits (ucothwk), would produce the payment made to the individual for other benefits. Other benefit types include all benefit types not included in the following list: regular, sickness, maternity, parental, fishing, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

ucothwk Weeks of other benefits

DESCRIPTION

This variable gives the number of weeks spent in other types of benefits during the claim. Other benefit types include all benefit types not included in the following list: regular, sickness, maternity, parental, fishing, or training. The list of other benefits included will vary depending on the year of the program. But they may include such items as job creation benefits, work sharing benefits, and self-employed assistance.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

ucrpeat Repeat claim flag

DESCRIPTION

Flag taking values 1 or 0 indicating whether a given claim was a repeat claim or not. A repeat claim is one which was preceded by a previous claim within 52 weeks of the current claim's establishment.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)

LEVELS

0	Non Repeater
1	Repeater

ucstart Week claim established

DESCRIPTION

Identification number for the week in which a EI claim was established. The week of Jan. 1 is coded 0.

This variable has been randomly adjusted (within narrow limits) as part of the SPSD database creation process.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

ucstat Claim status flag

DESCRIPTION

This flag is used to indicate if the data in the uc structure contains claim data or not. All individuals in the household contain two uc structures (to hold information on up to two EI claims), and the ucstat variable indicates which structures actually contain data.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)
ui	(i) Compute UI benefits
txinet	(i) Compute net income
cceopt	(i) Multiple calls of tax/transfer calculator

LEVELS

0	Claim inactive
1	Claim active

uctpeng Also received regular benefits

DESCRIPTION

Flag indicating that a person received regular benefits in addition to at least one other type of benefits over the course of a EI claim. Most frequently the change is from sickness or maternity benefits to regular benefits.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

LEVELS

0	Type unchanged
1	Type changed

uctrnbr Training benefit weekly rate

DESCRIPTION

This variable gives the weekly payment rate which, if applied to the number of weeks of training benefits (uctrnwk), would produce the payment made to the individual for training.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

uctrnwk Weeks of training benefits

DESCRIPTION

This variable gives the number of weeks spent in training during the claim. Note that a claim may have both training and non-training benefits.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen ui	(o) Routines to read SPSD file (.spd) (i) Compute UI benefits
ucuer	Local unemployment rate (x10)

DESCRIPTION

This variable contains the local unemployment rate applicable in the week of claim initiation. This variable may be inconsistent with the province and urbanisation of the individual, since these data come from different data sources.

The variable is created by always scaling the database value found in ucuro by the ratio of the target year unemployment rate by province (PURC) to the Base year unemployment rate (PURB). This is the means by which the SPSM allows for changing local unemployment rates.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen ui	(o) Routines to read SPSD file (.spd) (i) Compute UI benefits
ucuro	Local unemployment rate (x10)-original value

DESCRIPTION

This variable contains the original local unemployment rate applicable in the week of claim initiation. This variable may be inconsistent with the province and urbanisation of the individual, since these data come from different data sources.

This variable is present in order to permit the correct functioning of the database build facilities. It is not used in any of the tax/transfer algorithms.

See Also: ucuer

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)
ucweeks	Weeks of benefits

DESCRIPTION

Weeks of benefits paid on a given claim.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSP file (.spd)
ui	(i) Compute UI benefits
ucwork	Weeks of work prior to claim

DESCRIPTION

The number of weeks of insured employment in the 52 weeks prior to the establishment of a claim.

This variable is only used under the UI system. The variable was no longer available on the EIC administrative data starting with the implementation of the Employment Insurance System. The variable was therefore derived in the following way:

It is the minimum of 52 weeks, and the maximum of the minimum divisor weeks (ucdivwk) and the hours worked in the previous year (uchrwk) divided by an imputed hours worked per week which was imputed using the Survey of Labour and Income Dynamics.

Source:

Derived from the Survey of Labour and Income Dynamics and EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits
ucy1	Weeks on EI in first year before claim

DESCRIPTION

The number of weeks of EI receipt received in the first year prior to a claim.

Source:

EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

ucy2 Weeks on EI in second year prior to claim

DESCRIPTION

The number of weeks of EI receipt received in the second year prior to a claim.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

ucy3 Weeks on EI in third year prior to claim

DESCRIPTION

The number of weeks of EI receipt received in the third year prior to a claim.

Source:
EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

ucy4 Weeks on EI in fourth year prior to claim

DESCRIPTION

The number of weeks of EI receipt received in the fourth year prior to a claim.

Source:

EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

ucy5 Weeks on EI in fifth year prior to claim

DESCRIPTION

The number of weeks of EI receipt received in the fifth year prior to a claim.

Source:

EIC Administrative Data.

CROSS REFERENCE

Function	Description
fmspopen	(o) Routines to read SPSD file (.spd)
ui	(i) Compute UI benefits

units Unit count

DESCRIPTION

This variable is not a variable like other variables, it is a keyword that can only be used in table expressions. It allows analysts to construct tabulation expressions using the (weighted) number of the various possible units of analysis (individuals, families, households). The units symbol will tabulate counts of the unit of analysis specified at the beginning of the table specification (IN:, NF:, CF:, EF:, or HH:). For example if the table specification started with CF:, the table is based on census families. Thus the units keyword would represent the weighted count of census families.

uv user variables [struct]

DESCRIPTION

This structure is a sub-structure of the im structure, and is designed to allow the 'glass box' user to add new modelled variables. The method by which such new variables are added, defined, and used is described in the *Programmer's Guide*.

uvdummy dummy variable

DESCRIPTION

This member of the uv user-defined variable structure is present because the C language does not allow empty structures.

