

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	51.4	51.1	50.3	49.0	47.6	46.2	44.7	43.2	41.6	40.0	36.5	28.3	16.3
2	*****	36.3	36.1	35.6	34.6	33.6	32.6	31.6	30.5	29.4	28.3	25.8	20.0	11.5
3	*****	29.7	29.5	29.0	28.3	27.5	26.7	25.8	24.9	24.0	23.1	21.1	16.3	9.4
4	*****	25.7	25.5	25.2	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2
5	*****	23.0	22.9	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
6	*****	21.0	20.9	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7
7	*****	19.4	19.3	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
8	*****		18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
9	*****		17.0	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
10	*****		16.2	15.9	15.5	15.0	14.6	14.1	13.7	13.2	12.6	11.5	8.9	5.2
11	*****		15.4	15.2	14.8	14.3	13.9	13.5	13.0	12.5	12.1	11.0	8.5	4.9
12	*****		14.8	14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7
13	*****		14.2	14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
14	*****		13.7	13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.8	7.6	4.4
15	*****			13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
16	*****			12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
17	*****			12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0
18	*****			11.9	11.5	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8
19	*****			11.5	11.2	10.9	10.6	10.3	9.9	9.5	9.2	8.4	6.5	3.7
20	*****			11.2	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6
21	*****			11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
22	*****			10.7	10.4	10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5
23	*****			10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
24	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3
25	*****			10.1	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.7	3.3
30	*****			9.2	8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
35	*****			8.5	8.3	8.0	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
40	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
45	*****				7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4
50	*****				6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
55	*****				6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
60	*****				6.3	6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1
65	*****				6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.5	3.5	2.0
70	*****				5.9	5.7	5.5	5.3	5.2	5.0	4.8	4.4	3.4	2.0
75	*****					5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
80	*****					5.3	5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8
85	*****					5.2	5.0	4.8	4.7	4.5	4.3	4.0	3.1	1.8
90	*****					5.0	4.9	4.7	4.6	4.4	4.2	3.8	3.0	1.7
95	*****					4.9	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7
100	*****					4.8	4.6	4.5	4.3	4.2	4.0	3.6	2.8	1.6
125	*****						4.1	4.0	3.9	3.7	3.6	3.3	2.5	1.5
150	*****							3.6	3.5	3.4	3.3	3.0	2.3	1.3
200	*****								3.1	2.9	2.8	2.6	2.0	1.2
250	*****									2.6	2.5	2.3	1.8	1.0
300	*****											2.1	1.6	0.9
350	*****												2.0	0.9
400	*****													1.4
450	*****													1.3
500	*****													0.8
														0.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
BODY MASS INDEX

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE (' 000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	68.8	68.4	67.4	65.6	63.7	61.8	59.8	57.8	55.7	53.5	48.9	37.9	21.9
2	*****	48.6	48.4	47.6	46.4	45.1	43.7	42.3	40.9	39.4	37.9	34.6	26.8	15.5
3	*****	39.7	39.5	38.9	37.9	36.8	35.7	34.6	33.4	32.2	30.9	28.2	21.9	12.6
4	*****	34.4	34.2	33.7	32.8	31.9	30.9	29.9	28.9	27.9	26.8	24.4	18.9	10.9
5	*****	30.7	30.6	30.1	29.3	28.5	27.6	26.8	25.9	24.9	23.9	21.9	16.9	9.8
6	*****	28.1	27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.7	21.9	19.9	15.5	8.9
7	*****	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3
8	*****		24.2	23.8	23.2	22.5	21.9	21.2	20.4	19.7	18.9	17.3	13.4	7.7
9	*****		22.8	22.5	21.9	21.2	20.6	19.9	19.3	18.6	17.8	16.3	12.6	7.3
10	*****		21.6	21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.5	12.0	6.9
11	*****		20.6	20.3	19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
12	*****		19.7	19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.5	14.1	10.9	6.3
13	*****		19.0	18.7	18.2	17.7	17.1	16.6	16.0	15.5	14.8	13.6	10.5	6.1
14	*****		18.3	18.0	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
15	*****			17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
16	*****			16.8	16.4	15.9	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5
17	*****			16.3	15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3
18	*****			15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
19	*****			15.5	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
20	*****			15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
21	*****			14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
22	*****			14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
23	*****			14.0	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
24	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
25	*****			13.5	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
30	*****			12.3	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
35	*****			11.4	11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7
40	*****				10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
45	*****				9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
50	*****				9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
55	*****				8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
60	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
65	*****				8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
70	*****				7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
75	*****					7.4	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
80	*****					7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
85	*****					6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
90	*****					6.7	6.5	6.3	6.1	5.9	5.6	5.2	4.0	2.3
95	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
100	*****					6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
125	*****						5.5	5.4	5.2	5.0	4.8	4.4	3.4	2.0
150	*****							4.9	4.7	4.5	4.4	4.0	3.1	1.8
200	*****								4.1	3.9	3.8	3.5	2.7	1.5
250	*****									3.5	3.4	3.1	2.4	1.4
300	*****											2.8	2.2	1.3
350	*****												2.6	1.2
400	*****													1.9
450	*****													1.8
500	*****													1.7
														1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
BLOOD PRESSURE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	57.4	57.1	56.2	54.7	53.2	51.6	50.0	48.3	46.5	44.7	40.8	31.6	18.2
2	*****	40.6	40.4	39.8	38.7	37.6	36.5	35.3	34.1	32.9	31.6	28.9	22.3	12.9
3	*****	33.1	33.0	32.5	31.6	30.7	29.8	28.9	27.9	26.9	25.8	23.6	18.2	10.5
4	*****	28.7	28.6	28.1	27.4	26.6	25.8	25.0	24.1	23.3	22.3	20.4	15.8	9.1
5	*****	25.7	25.5	25.2	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2
6	*****	23.4	23.3	23.0	22.3	21.7	21.1	20.4	19.7	19.0	18.2	16.7	12.9	7.4
7	*****	21.7	21.6	21.3	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
8	*****		20.2	19.9	19.4	18.8	18.2	17.7	17.1	16.4	15.8	14.4	11.2	6.5
9	*****		19.0	18.7	18.2	17.7	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1
10	*****		18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
11	*****		17.2	17.0	16.5	16.0	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
12	*****		16.5	16.2	15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
13	*****		15.8	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
14	*****		15.3	15.0	14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9
15	*****			14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7
16	*****			14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
17	*****			13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
18	*****			13.3	12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3
19	*****			12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
20	*****			12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
21	*****			12.3	11.9	11.6	11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0
22	*****			12.0	11.7	11.3	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
23	*****			11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
24	*****			11.5	11.2	10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
25	*****			11.2	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6
30	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3
35	*****			9.5	9.3	9.0	8.7	8.4	8.2	7.9	7.6	6.9	5.3	3.1
40	*****				8.7	8.4	8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9
45	*****				8.2	7.9	7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7
50	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
55	*****				7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5
60	*****				7.1	6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
65	*****				6.8	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
70	*****				6.5	6.4	6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2
75	*****					6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1
80	*****					5.9	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0
85	*****					5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
90	*****					5.6	5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9
95	*****					5.5	5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9
100	*****					5.3	5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8
125	*****						4.6	4.5	4.3	4.2	4.0	3.6	2.8	1.6
150	*****							4.1	3.9	3.8	3.6	3.3	2.6	1.5
200	*****								3.4	3.3	3.2	2.9	2.2	1.3
250	*****									2.9	2.8	2.6	2.0	1.2
300	*****											2.4	1.8	1.1
350	*****												2.2	1.7
400	*****													1.6
450	*****													1.5
500	*****													1.4
														0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
OTHER CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	79.4	79.0	77.8	75.7	73.6	71.4	69.1	66.8	64.3	61.8	56.4	43.7	25.2
2	*****	56.1	55.9	55.0	53.5	52.0	50.5	48.9	47.2	45.5	43.7	39.9	30.9	17.8
3	*****	45.8	45.6	44.9	43.7	42.5	41.2	39.9	38.5	37.1	35.7	32.6	25.2	14.6
4	*****	39.7	39.5	38.9	37.9	36.8	35.7	34.6	33.4	32.2	30.9	28.2	21.9	12.6
5	*****	35.5	35.3	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.6	25.2	19.5	11.3
6	*****	32.4	32.2	31.8	30.9	30.0	29.1	28.2	27.3	26.3	25.2	23.0	17.8	10.3
7	*****	30.0	29.9	29.4	28.6	27.8	27.0	26.1	25.2	24.3	23.4	21.3	16.5	9.5
8	*****		27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.7	21.9	19.9	15.5	8.9
9	*****		26.3	25.9	25.2	24.5	23.8	23.0	22.3	21.4	20.6	18.8	14.6	8.4
10	*****		25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.3	19.5	17.8	13.8	8.0
11	*****		23.8	23.4	22.8	22.2	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6
12	*****		22.8	22.5	21.9	21.2	20.6	19.9	19.3	18.6	17.8	16.3	12.6	7.3
13	*****		21.9	21.6	21.0	20.4	19.8	19.2	18.5	17.8	17.1	15.6	12.1	7.0
14	*****		21.1	20.8	20.2	19.7	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7
15	*****			20.1	19.5	19.0	18.4	17.8	17.2	16.6	16.0	14.6	11.3	6.5
16	*****			19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.5	14.1	10.9	6.3
17	*****			18.9	18.4	17.8	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
18	*****			18.3	17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9
19	*****			17.8	17.4	16.9	16.4	15.9	15.3	14.8	14.2	12.9	10.0	5.8
20	*****			17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
21	*****			17.0	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
22	*****			16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
23	*****			16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
24	*****			15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
25	*****			15.6	15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0
30	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
35	*****			13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
40	*****				12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
45	*****				11.3	11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8
50	*****				10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
55	*****				10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
60	*****				9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
65	*****				9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
70	*****				9.0	8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0
75	*****					8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
80	*****					8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
85	*****					8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
90	*****					7.8	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7
95	*****					7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
100	*****					7.4	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
125	*****						6.4	6.2	6.0	5.8	5.5	5.0	3.9	2.3
150	*****							5.6	5.5	5.3	5.0	4.6	3.6	2.1
200	*****								4.7	4.5	4.4	4.0	3.1	1.8
250	*****									4.1	3.9	3.6	2.8	1.6
300	*****											3.3	2.5	1.5
350	*****												3.0	1.3
400	*****													2.2
450	*****													2.1
500	*****													2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
DIABETES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE (' 000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	72.6	72.3	71.1	69.2	67.3	65.3	63.2	61.1	58.8	56.5	51.6	40.0	23.1
2	*****	51.4	51.1	50.3	49.0	47.6	46.2	44.7	43.2	41.6	40.0	36.5	28.3	16.3
3	*****	41.9	41.7	41.1	40.0	38.9	37.7	36.5	35.3	34.0	32.6	29.8	23.1	13.3
4	*****	36.3	36.1	35.6	34.6	33.6	32.6	31.6	30.5	29.4	28.3	25.8	20.0	11.5
5	*****	32.5	32.3	31.8	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	17.9	10.3
6	*****	29.7	29.5	29.0	28.3	27.5	26.7	25.8	24.9	24.0	23.1	21.1	16.3	9.4
7	*****	27.5	27.3	26.9	26.2	25.4	24.7	23.9	23.1	22.2	21.4	19.5	15.1	8.7
8	*****		25.5	25.2	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2
9	*****		24.1	23.7	23.1	22.4	21.8	21.1	20.4	19.6	18.8	17.2	13.3	7.7
10	*****		22.9	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
11	*****		21.8	21.5	20.9	20.3	19.7	19.1	18.4	17.7	17.0	15.6	12.1	7.0
12	*****		20.9	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7
13	*****		20.0	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
14	*****		19.3	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
15	*****			18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
16	*****			17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
17	*****			17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6
18	*****			16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
19	*****			16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
20	*****			15.9	15.5	15.0	14.6	14.1	13.7	13.2	12.6	11.5	8.9	5.2
21	*****			15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0
22	*****			15.2	14.8	14.3	13.9	13.5	13.0	12.5	12.1	11.0	8.5	4.9
23	*****			14.8	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8
24	*****			14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7
25	*****			14.2	13.8	13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6
30	*****			13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
35	*****			12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.6	8.7	6.8	3.9
40	*****				10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6
45	*****				10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
50	*****				9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.7	3.3
55	*****				9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1
60	*****				8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
65	*****				8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
70	*****				8.3	8.0	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
75	*****					7.8	7.5	7.3	7.1	6.8	6.5	6.0	4.6	2.7
80	*****					7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
85	*****					7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5
90	*****					7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4
95	*****					6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
100	*****					6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
125	*****						5.8	5.7	5.5	5.3	5.1	4.6	3.6	2.1
150	*****							5.2	5.0	4.8	4.6	4.2	3.3	1.9
200	*****								4.3	4.2	4.0	3.6	2.8	1.6
250	*****									3.7	3.6	3.3	2.5	1.5
300	*****											3.0	2.3	1.3
350	*****												2.8	1.2
400	*****													2.0
450	*****													1.9
500	*****													1.8
														1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
EDUCATION

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)		P-ESTIMATED PERCENTAGE															
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
1	*****	62.9	62.6	61.6	60.0	58.3	56.5	54.7	52.9	51.0	49.0	44.7	34.6	20.0			
2	*****	44.5	44.3	43.6	42.4	41.2	40.0	38.7	37.4	36.0	34.6	31.6	24.5	14.1			
3	*****	36.3	36.1	35.6	34.6	33.6	32.6	31.6	30.5	29.4	28.3	25.8	20.0	11.5			
4	*****	31.4	31.3	30.8	30.0	29.1	28.3	27.4	26.4	25.5	24.5	22.3	17.3	10.0			
5	*****	28.1	28.0	27.6	26.8	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	8.9			
6	*****	25.7	25.5	25.2	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2			
7	*****	23.8	23.7	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6			
8	*****		22.1	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.2	7.1			
9	*****		20.9	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7			
10	*****		19.8	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3			
11	*****		18.9	18.6	18.1	17.6	17.0	16.5	15.9	15.4	14.8	13.5	10.4	6.0			
12	*****		18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8			
13	*****		17.4	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5			
14	*****		16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3			
15	*****			15.9	15.5	15.0	14.6	14.1	13.7	13.2	12.6	11.5	8.9	5.2			
16	*****			15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0			
17	*****			14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8			
18	*****			14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7			
19	*****			14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6			
20	*****			13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5			
21	*****			13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.8	7.6	4.4			
22	*****			13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3			
23	*****			12.8	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2			
24	*****			12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1			
25	*****			12.3	12.0	11.7	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0			
30	*****			11.2	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6			
35	*****			10.4	10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4			
40	*****				9.5	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2			
45	*****				8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0			
50	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8			
55	*****				8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7			
60	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6			
65	*****				7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5			
70	*****				7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.3	4.1	2.4			
75	*****					6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3			
80	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2			
85	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.8	2.2			
90	*****					6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1			
95	*****					6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1			
100	*****					5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0			
125	*****						5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8			
150	*****							4.5	4.3	4.2	4.0	3.6	2.8	1.6			
200	*****								3.7	3.6	3.5	3.2	2.4	1.4			
250	*****									3.2	3.1	2.8	2.2	1.3			
300	*****											2.6	2.0	1.2			
350	*****												2.4	1.9	1.1		
400	*****													1.7	1.0		
450	*****														1.6	0.9	
500	*****															1.5	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
OTHER HOME & CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE (' 000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	97.2	96.7	95.3	92.7	90.1	87.4	84.6	81.8	78.8	75.7	69.1	53.5	30.9
2	*****	68.8	68.4	67.4	65.6	63.7	61.8	59.8	57.8	55.7	53.5	48.9	37.9	21.9
3	*****	56.1	55.9	55.0	53.5	52.0	50.5	48.9	47.2	45.5	43.7	39.9	30.9	17.8
4	*****	48.6	48.4	47.6	46.4	45.1	43.7	42.3	40.9	39.4	37.9	34.6	26.8	15.5
5	*****	43.5	43.3	42.6	41.5	40.3	39.1	37.9	36.6	35.2	33.9	30.9	23.9	13.8
6	*****	39.7	39.5	38.9	37.9	36.8	35.7	34.6	33.4	32.2	30.9	28.2	21.9	12.6
7	*****	36.8	36.6	36.0	35.0	34.1	33.0	32.0	30.9	29.8	28.6	26.1	20.2	11.7
8	*****		34.2	33.7	32.8	31.9	30.9	29.9	28.9	27.9	26.8	24.4	18.9	10.9
9	*****		32.2	31.8	30.9	30.0	29.1	28.2	27.3	26.3	25.2	23.0	17.8	10.3
10	*****		30.6	30.1	29.3	28.5	27.6	26.8	25.9	24.9	23.9	21.9	16.9	9.8
11	*****		29.2	28.7	28.0	27.2	26.4	25.5	24.7	23.8	22.8	20.8	16.1	9.3
12	*****		27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.7	21.9	19.9	15.5	8.9
13	*****		26.8	26.4	25.7	25.0	24.2	23.5	22.7	21.9	21.0	19.2	14.8	8.6
14	*****		25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3
15	*****			24.6	23.9	23.3	22.6	21.9	21.1	20.3	19.5	17.8	13.8	8.0
16	*****			23.8	23.2	22.5	21.9	21.2	20.4	19.7	18.9	17.3	13.4	7.7
17	*****			23.1	22.5	21.9	21.2	20.5	19.8	19.1	18.4	16.8	13.0	7.5
18	*****			22.5	21.9	21.2	20.6	19.9	19.3	18.6	17.8	16.3	12.6	7.3
19	*****			21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1
20	*****			21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.5	12.0	6.9
21	*****			20.8	20.2	19.7	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7
22	*****			20.3	19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
23	*****			19.9	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.2	6.4
24	*****			19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.5	14.1	10.9	6.3
25	*****			19.1	18.5	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2
30	*****			17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
35	*****			16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2
40	*****				14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
45	*****				13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
50	*****				13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
55	*****				12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
60	*****				12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
65	*****				11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
70	*****				11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7
75	*****					10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
80	*****					10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
85	*****					9.8	9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.4
90	*****					9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
95	*****					9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
100	*****					9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
125	*****						7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
150	*****							6.9	6.7	6.4	6.2	5.6	4.4	2.5
200	*****								5.8	5.6	5.4	4.9	3.8	2.2
250	*****									5.0	4.8	4.4	3.4	2.0
300	*****											4.0	3.1	1.8
350	*****												3.7	1.7
400	*****													2.7
450	*****													2.5
500	*****													2.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
OTHER HOME INTERVIEW VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	62.9	62.6	61.6	60.0	58.3	56.5	54.7	52.9	51.0	49.0	44.7	34.6	20.0
2	*****	44.5	44.3	43.6	42.4	41.2	40.0	38.7	37.4	36.0	34.6	31.6	24.5	14.1
3	*****	36.3	36.1	35.6	34.6	33.6	32.6	31.6	30.5	29.4	28.3	25.8	20.0	11.5
4	*****	31.4	31.3	30.8	30.0	29.1	28.3	27.4	26.4	25.5	24.5	22.3	17.3	10.0
5	*****	28.1	28.0	27.6	26.8	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	8.9
6	*****	25.7	25.5	25.2	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2
7	*****	23.8	23.7	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
8	*****		22.1	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.2	7.1
9	*****		20.9	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7
10	*****		19.8	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
11	*****		18.9	18.6	18.1	17.6	17.0	16.5	15.9	15.4	14.8	13.5	10.4	6.0
12	*****		18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
13	*****		17.4	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
14	*****		16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3
15	*****			15.9	15.5	15.0	14.6	14.1	13.7	13.2	12.6	11.5	8.9	5.2
16	*****			15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0
17	*****			14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
18	*****			14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7
19	*****			14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
20	*****			13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
21	*****			13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.8	7.6	4.4
22	*****			13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
23	*****			12.8	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
24	*****			12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
25	*****			12.3	12.0	11.7	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
30	*****			11.2	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6
35	*****			10.4	10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4
40	*****				9.5	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2
45	*****				8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
50	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
55	*****				8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
60	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
65	*****				7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5
70	*****				7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.3	4.1	2.4
75	*****					6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
80	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
85	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.8	2.2
90	*****					6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1
95	*****					6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
100	*****					5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
125	*****						5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8
150	*****							4.5	4.3	4.2	4.0	3.6	2.8	1.6
200	*****								3.7	3.6	3.5	3.2	2.4	1.4
250	*****									3.2	3.1	2.8	2.2	1.3
300	*****											2.6	2.0	1.2
350	*****												2.4	1.1
400	*****													1.7
450	*****													1.6
500	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
SEDENTARY LIFESTYLE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	62.9	62.6	61.6	60.0	58.3	56.5	54.7	52.9	51.0	49.0	44.7	34.6	20.0
2	*****	44.5	44.3	43.6	42.4	41.2	40.0	38.7	37.4	36.0	34.6	31.6	24.5	14.1
3	*****	36.3	36.1	35.6	34.6	33.6	32.6	31.6	30.5	29.4	28.3	25.8	20.0	11.5
4	*****	31.4	31.3	30.8	30.0	29.1	28.3	27.4	26.4	25.5	24.5	22.3	17.3	10.0
5	*****	28.1	28.0	27.6	26.8	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	8.9
6	*****	25.7	25.5	25.2	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2
7	*****	23.8	23.7	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
8	*****		22.1	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.2	7.1
9	*****		20.9	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7
10	*****		19.8	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
11	*****		18.9	18.6	18.1	17.6	17.0	16.5	15.9	15.4	14.8	13.5	10.4	6.0
12	*****		18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
13	*****		17.4	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
14	*****		16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3
15	*****			15.9	15.5	15.0	14.6	14.1	13.7	13.2	12.6	11.5	8.9	5.2
16	*****			15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0
17	*****			14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
18	*****			14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7
19	*****			14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
20	*****			13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
21	*****			13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.8	7.6	4.4
22	*****			13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
23	*****			12.8	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
24	*****			12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
25	*****			12.3	12.0	11.7	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
30	*****			11.2	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6
35	*****			10.4	10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4
40	*****				9.5	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2
45	*****				8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
50	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
55	*****				8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
60	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
65	*****				7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5
70	*****				7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.3	4.1	2.4
75	*****					6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
80	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
85	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.8	2.2
90	*****					6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1
95	*****					6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
100	*****					5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
125	*****						5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8
150	*****							4.5	4.3	4.2	4.0	3.6	2.8	1.6
200	*****								3.7	3.6	3.5	3.2	2.4	1.4
250	*****									3.2	3.1	2.8	2.2	1.3
300	*****											2.6	2.0	1.2
350	*****												2.4	1.1
400	*****													1.7
450	*****													1.6
500	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
SMOKING

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE (' 000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	57.4	57.1	56.2	54.7	53.2	51.6	50.0	48.3	46.5	44.7	40.8	31.6	18.2
2	*****	40.6	40.4	39.8	38.7	37.6	36.5	35.3	34.1	32.9	31.6	28.9	22.3	12.9
3	*****	33.1	33.0	32.5	31.6	30.7	29.8	28.9	27.9	26.9	25.8	23.6	18.2	10.5
4	*****	28.7	28.6	28.1	27.4	26.6	25.8	25.0	24.1	23.3	22.3	20.4	15.8	9.1
5	*****	25.7	25.5	25.2	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2
6	*****	23.4	23.3	23.0	22.3	21.7	21.1	20.4	19.7	19.0	18.2	16.7	12.9	7.4
7	*****	21.7	21.6	21.3	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
8	*****		20.2	19.9	19.4	18.8	18.2	17.7	17.1	16.4	15.8	14.4	11.2	6.5
9	*****		19.0	18.7	18.2	17.7	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1
10	*****		18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
11	*****		17.2	17.0	16.5	16.0	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
12	*****		16.5	16.2	15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
13	*****		15.8	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
14	*****		15.3	15.0	14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9
15	*****			14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7
16	*****			14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
17	*****			13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
18	*****			13.3	12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3
19	*****			12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
20	*****			12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
21	*****			12.3	11.9	11.6	11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0
22	*****			12.0	11.7	11.3	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
23	*****			11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
24	*****			11.5	11.2	10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
25	*****			11.2	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6
30	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3
35	*****			9.5	9.3	9.0	8.7	8.4	8.2	7.9	7.6	6.9	5.3	3.1
40	*****				8.7	8.4	8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9
45	*****				8.2	7.9	7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7
50	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
55	*****				7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5
60	*****				7.1	6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
65	*****				6.8	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
70	*****				6.5	6.4	6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2
75	*****					6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1
80	*****					5.9	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0
85	*****					5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
90	*****					5.6	5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9
95	*****					5.5	5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9
100	*****					5.3	5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8
125	*****						4.6	4.5	4.3	4.2	4.0	3.6	2.8	1.6
150	*****							4.1	3.9	3.8	3.6	3.3	2.6	1.5
200	*****								3.4	3.3	3.2	2.9	2.2	1.3
250	*****									2.9	2.8	2.6	2.0	1.2
300	*****											2.4	1.8	1.1
350	*****												2.2	1.7
400	*****													1.6
450	*****													1.5
500	*****													1.4
														0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

MANITOBA
TOTAL CHOLESTEROL

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	62.8	62.4	61.5	59.8	58.2	56.4	54.6	52.8	50.9	48.9	44.6	34.6	19.9
2	*****	44.4	44.2	43.5	42.3	41.1	39.9	38.6	37.3	36.0	34.6	31.5	24.4	14.1
3	*****	36.2	36.1	35.5	34.6	33.6	32.6	31.5	30.5	29.4	28.2	25.8	19.9	11.5
4	*****	31.4	31.2	30.7	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
5	*****	28.1	27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.7	21.9	19.9	15.5	8.9
6	*****	25.6	25.5	25.1	24.4	23.7	23.0	22.3	21.5	20.8	19.9	18.2	14.1	8.1
7	*****	23.7	23.6	23.2	22.6	22.0	21.3	20.6	19.9	19.2	18.5	16.9	13.1	7.5
8	*****		22.1	21.7	21.2	20.6	19.9	19.3	18.7	18.0	17.3	15.8	12.2	7.1
9	*****		20.8	20.5	19.9	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.6
10	*****		19.7	19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.5	14.1	10.9	6.3
11	*****		18.8	18.5	18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.4	10.4	6.0
12	*****		18.0	17.7	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
13	*****		17.3	17.1	16.6	16.1	15.6	15.2	14.6	14.1	13.6	12.4	9.6	5.5
14	*****		16.7	16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
15	*****			15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
16	*****			15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0
17	*****			14.9	14.5	14.1	13.7	13.3	12.8	12.3	11.9	10.8	8.4	4.8
18	*****			14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
19	*****			14.1	13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6
20	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
21	*****			13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
22	*****			13.1	12.8	12.4	12.0	11.6	11.3	10.8	10.4	9.5	7.4	4.3
23	*****			12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
24	*****			12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
25	*****			12.3	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
30	*****			11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
35	*****			10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
40	*****				9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2
45	*****				8.9	8.7	8.4	8.1	7.9	7.6	7.3	6.6	5.2	3.0
50	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
55	*****				8.1	7.8	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
60	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
65	*****				7.4	7.2	7.0	6.8	6.5	6.3	6.1	5.5	4.3	2.5
70	*****				7.2	7.0	6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4
75	*****					6.7	6.5	6.3	6.1	5.9	5.6	5.2	4.0	2.3
80	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
85	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
90	*****					6.1	5.9	5.8	5.6	5.4	5.2	4.7	3.6	2.1
95	*****					6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0
100	*****					5.8	5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
125	*****						5.0	4.9	4.7	4.5	4.4	4.0	3.1	1.8
150	*****							4.5	4.3	4.2	4.0	3.6	2.8	1.6
200	*****								3.7	3.6	3.5	3.2	2.4	1.4
250	*****									3.2	3.1	2.8	2.2	1.3
300	*****											2.6	2.0	1.2
350	*****												2.4	1.1
400	*****													1.7
450	*****													1.6
500	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES