

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.3	54.0	53.1	51.7	50.3	48.8	47.2	45.6	44.0	42.2	38.6	29.9	17.2
2	*****	38.4	38.2	37.6	36.6	35.5	34.5	33.4	32.3	31.1	29.9	27.3	21.1	12.2
3	*****	31.3	31.2	30.7	29.9	29.0	28.2	27.3	26.3	25.4	24.4	22.3	17.2	10.0
4	*****	27.1	27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
5	*****	24.3	24.1	23.8	23.1	22.5	21.8	21.1	20.4	19.7	18.9	17.2	13.4	7.7
6	*****	22.1	22.0	21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	15.7	12.2	7.0
7	*****		20.4	20.1	19.6	19.0	18.4	17.8	17.2	16.6	16.0	14.6	11.3	6.5
8	*****		19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
9	*****		18.0	17.7	17.2	16.8	16.3	15.7	15.2	14.7	14.1	12.9	10.0	5.7
10	*****		17.1	16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5
11	*****		16.3	16.0	15.6	15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2
12	*****		15.6	15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
13	*****			14.7	14.3	13.9	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
14	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
15	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
16	*****			13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
17	*****			12.9	12.5	12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2
18	*****			12.5	12.2	11.8	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1
19	*****			12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.9	4.0
20	*****			11.9	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
21	*****			11.6	11.3	11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8
22	*****			11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
23	*****			11.1	10.8	10.5	10.2	9.8	9.5	9.2	8.8	8.0	6.2	3.6
24	*****			10.8	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
25	*****			10.6	10.3	10.1	9.8	9.4	9.1	8.8	8.4	7.7	6.0	3.4
30	*****			9.7	9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.1
35	*****				8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
40	*****				8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
45	*****				7.7	7.5	7.3	7.0	6.8	6.6	6.3	5.7	4.5	2.6
50	*****				7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
55	*****				7.0	6.8	6.6	6.4	6.2	5.9	5.7	5.2	4.0	2.3
60	*****				6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
65	*****					6.2	6.0	5.9	5.7	5.5	5.2	4.8	3.7	2.1
70	*****					6.0	5.8	5.6	5.5	5.3	5.0	4.6	3.6	2.1
75	*****					5.8	5.6	5.5	5.3	5.1	4.9	4.5	3.4	2.0
80	*****					5.6	5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9
85	*****					5.5	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9
90	*****					5.3	5.1	5.0	4.8	4.6	4.5	4.1	3.1	1.8
95	*****					5.2	5.0	4.8	4.7	4.5	4.3	4.0	3.1	1.8
100	*****						4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
125	*****						4.4	4.2	4.1	3.9	3.8	3.4	2.7	1.5
150	*****							3.9	3.7	3.6	3.4	3.1	2.4	1.4
200	*****								3.1	3.0	2.7	2.1	1.2	1.2
250	*****									2.7	2.4	1.9	1.1	1.1
300	*****										2.2	1.7	1.0	1.0
350	*****											1.6	0.9	0.9
400	*****												1.5	0.9
450	*****												1.4	0.8
500	*****													0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
BODY MASS INDEX

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	73.8	73.5	72.3	70.4	68.4	66.4	64.3	62.1	59.8	57.5	52.5	40.6	23.5
2	*****	52.2	51.9	51.1	49.8	48.4	46.9	45.4	43.9	42.3	40.6	37.1	28.7	16.6
3	*****	42.6	42.4	41.8	40.6	39.5	38.3	37.1	35.8	34.5	33.2	30.3	23.5	13.5
4	*****	36.9	36.7	36.2	35.2	34.2	33.2	32.1	31.0	29.9	28.7	26.2	20.3	11.7
5	*****	33.0	32.9	32.3	31.5	30.6	29.7	28.7	27.8	26.8	25.7	23.5	18.2	10.5
6	*****	30.1	30.0	29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.5	21.4	16.6	9.6
7	*****		27.8	27.3	26.6	25.9	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9
8	*****		26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3
9	*****		24.5	24.1	23.5	22.8	22.1	21.4	20.7	19.9	19.2	17.5	13.5	7.8
10	*****		23.2	22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4
11	*****		22.1	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.3	7.1
12	*****		21.2	20.9	20.3	19.7	19.2	18.6	17.9	17.3	16.6	15.1	11.7	6.8
13	*****			20.1	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.6	11.3	6.5
14	*****			19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3
15	*****			18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
16	*****			18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
17	*****			17.5	17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7
18	*****			17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5
19	*****			16.6	16.2	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
20	*****			16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
21	*****			15.8	15.4	14.9	14.5	14.0	13.5	13.1	12.5	11.5	8.9	5.1
22	*****			15.4	15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0
23	*****			15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
24	*****			14.8	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
25	*****			14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
30	*****			13.2	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
35	*****				11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
40	*****				11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
45	*****				10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
50	*****				10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3
55	*****				9.5	9.2	8.9	8.7	8.4	8.1	7.8	7.1	5.5	3.2
60	*****				9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
65	*****					8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
70	*****					8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8
75	*****					7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
80	*****					7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
85	*****					7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5
90	*****					7.2	7.0	6.8	6.5	6.3	6.1	5.5	4.3	2.5
95	*****					7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4
100	*****						6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
125	*****						5.9	5.7	5.6	5.4	5.1	4.7	3.6	2.1
150	*****							5.2	5.1	4.9	4.7	4.3	3.3	1.9
200	*****								4.2	4.1	3.7	2.9	1.7	
250	*****									3.6	3.3	2.6	1.5	
300	*****										3.0	2.3	1.4	
350	*****											2.2	1.3	
400	*****											2.0	1.2	
450	*****											1.9	1.1	
500	*****												1.0	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
BLOOD PRESSURE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	60.7	60.4	59.4	57.8	56.2	54.5	52.8	51.0	49.2	47.2	43.1	33.4	19.3
2	*****	42.9	42.7	42.0	40.9	39.7	38.6	37.3	36.1	34.8	33.4	30.5	23.6	13.6
3	*****	35.0	34.8	34.3	33.4	32.5	31.5	30.5	29.4	28.4	27.3	24.9	19.3	11.1
4	*****	30.3	30.2	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6
5	*****	27.1	27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
6	*****	24.8	24.6	24.3	23.6	22.9	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
7	*****	*****	22.8	22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.8	16.3	12.6	7.3
8	*****	*****	21.3	21.0	20.4	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
9	*****	*****	20.1	19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4
10	*****	*****	19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
11	*****	*****	18.2	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
12	*****	*****	17.4	17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
13	*****	*****	*****	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.0	9.3	5.3
14	*****	*****	*****	15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
15	*****	*****	*****	15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
16	*****	*****	*****	14.9	14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.3	4.8
17	*****	*****	*****	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
18	*****	*****	*****	14.0	13.6	13.2	12.9	12.4	12.0	11.6	11.1	10.2	7.9	4.5
19	*****	*****	*****	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
20	*****	*****	*****	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
21	*****	*****	*****	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
22	*****	*****	*****	12.7	12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
23	*****	*****	*****	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
24	*****	*****	*****	12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
25	*****	*****	*****	11.9	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
30	*****	*****	*****	10.8	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
35	*****	*****	*****	*****	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
40	*****	*****	*****	*****	9.1	8.9	8.6	8.3	8.1	7.8	7.5	6.8	5.3	3.0
45	*****	*****	*****	*****	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
50	*****	*****	*****	*****	8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
55	*****	*****	*****	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6
60	*****	*****	*****	*****	7.5	7.3	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
65	*****	*****	*****	*****	*****	7.0	6.8	6.5	6.3	6.1	5.9	5.3	4.1	2.4
70	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.6	5.2	4.0	2.3
75	*****	*****	*****	*****	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
80	*****	*****	*****	*****	*****	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
85	*****	*****	*****	*****	*****	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
90	*****	*****	*****	*****	*****	5.9	5.7	5.6	5.4	5.2	5.0	4.5	3.5	2.0
95	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
100	*****	*****	*****	*****	*****	*****	5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9
125	*****	*****	*****	*****	*****	*****	4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
150	*****	*****	*****	*****	*****	*****	*****	4.3	4.2	4.0	3.9	3.5	2.7	1.6
200	*****	*****	*****	*****	*****	*****	*****	*****	3.5	3.3	3.0	2.4	1.4	1.4
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.7	2.1	1.2	1.2
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.9	1.1	1.1
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0	1.0
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0	1.0
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9	0.9
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
OTHER CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE (' 000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	85.3	84.8	83.5	81.3	79.0	76.6	74.2	71.7	69.1	66.4	60.6	46.9	27.1
2	*****	60.3	60.0	59.1	57.5	55.9	54.2	52.5	50.7	48.8	46.9	42.8	33.2	19.2
3	*****	49.2	49.0	48.2	46.9	45.6	44.2	42.8	41.4	39.9	38.3	35.0	27.1	15.6
4	*****	42.6	42.4	41.8	40.6	39.5	38.3	37.1	35.8	34.5	33.2	30.3	23.5	13.5
5	*****	38.1	37.9	37.3	36.4	35.3	34.3	33.2	32.1	30.9	29.7	27.1	21.0	12.1
6	*****	34.8	34.6	34.1	33.2	32.3	31.3	30.3	29.3	28.2	27.1	24.7	19.2	11.1
7	*****		32.1	31.6	30.7	29.9	29.0	28.0	27.1	26.1	25.1	22.9	17.7	10.2
8	*****		30.0	29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.5	21.4	16.6	9.6
9	*****		28.3	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
10	*****		26.8	26.4	25.7	25.0	24.2	23.5	22.7	21.8	21.0	19.2	14.8	8.6
11	*****		25.6	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.2
12	*****		24.5	24.1	23.5	22.8	22.1	21.4	20.7	19.9	19.2	17.5	13.5	7.8
13	*****			23.2	22.5	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5
14	*****			22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.2	12.5	7.2
15	*****			21.6	21.0	20.4	19.8	19.2	18.5	17.8	17.1	15.6	12.1	7.0
16	*****			20.9	20.3	19.7	19.2	18.6	17.9	17.3	16.6	15.1	11.7	6.8
17	*****			20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
18	*****			19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4
19	*****			19.2	18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2
20	*****			18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
21	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
22	*****			17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.2	12.9	10.0	5.8
23	*****			17.4	17.0	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.7
24	*****			17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5
25	*****			16.7	16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
30	*****			15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9
35	*****				13.7	13.4	13.0	12.5	12.1	11.7	11.2	10.2	7.9	4.6
40	*****				12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
45	*****				12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
50	*****				11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
55	*****				11.0	10.7	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.7
60	*****				10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
65	*****					9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4
70	*****					9.4	9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2
75	*****					9.1	8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1
80	*****					8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
85	*****					8.6	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9
90	*****					8.3	8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9
95	*****					8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
100	*****						7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
125	*****						6.9	6.6	6.4	6.2	5.9	5.4	4.2	2.4
150	*****							6.1	5.9	5.6	5.4	4.9	3.8	2.2
200	*****								4.9		4.7	4.3	3.3	1.9
250	*****									4.2	3.8		3.0	1.7
300	*****										3.5		2.7	1.6
350	*****											2.5		1.4
400	*****												2.3	1.4
450	*****												2.2	1.3
500	*****													1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
DIABETES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)		P-ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	76.7	76.3	75.2	73.2	71.1	69.0	66.8	64.5	62.2	59.7	54.5	42.2	24.4	
2	*****	54.3	54.0	53.1	51.7	50.3	48.8	47.2	45.6	44.0	42.2	38.6	29.9	17.2	
3	*****	44.3	44.1	43.4	42.2	41.0	39.8	38.6	37.3	35.9	34.5	31.5	24.4	14.1	
4	*****	38.4	38.2	37.6	36.6	35.5	34.5	33.4	32.3	31.1	29.9	27.3	21.1	12.2	
5	*****	34.3	34.1	33.6	32.7	31.8	30.8	29.9	28.9	27.8	26.7	24.4	18.9	10.9	
6	*****	31.3	31.2	30.7	29.9	29.0	28.2	27.3	26.3	25.4	24.4	22.3	17.2	10.0	
7	*****		28.9	28.4	27.7	26.9	26.1	25.2	24.4	23.5	22.6	20.6	16.0	9.2	
8	*****		27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6	
9	*****		25.4	25.1	24.4	23.7	23.0	22.3	21.5	20.7	19.9	18.2	14.1	8.1	
10	*****		24.1	23.8	23.1	22.5	21.8	21.1	20.4	19.7	18.9	17.2	13.4	7.7	
11	*****		23.0	22.7	22.1	21.4	20.8	20.1	19.5	18.7	18.0	16.4	12.7	7.4	
12	*****		22.0	21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	15.7	12.2	7.0	
13	*****			20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.6	15.1	11.7	6.8	
14	*****			20.1	19.6	19.0	18.4	17.8	17.2	16.6	16.0	14.6	11.3	6.5	
15	*****			19.4	18.9	18.4	17.8	17.2	16.7	16.1	15.4	14.1	10.9	6.3	
16	*****			18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1	
17	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9	
18	*****			17.7	17.2	16.8	16.3	15.7	15.2	14.7	14.1	12.9	10.0	5.7	
19	*****			17.2	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6	
20	*****			16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5	
21	*****			16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3	
22	*****			16.0	15.6	15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2	
23	*****			15.7	15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1	
24	*****			15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0	
25	*****			15.0	14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9	
30	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5	
35	*****				12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1	
40	*****				11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9	
45	*****				10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6	
50	*****				10.3	10.1	9.8	9.4	9.1	8.8	8.4	7.7	6.0	3.4	
55	*****				9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3	
60	*****				9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.1	
65	*****					8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0	
70	*****					8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9	
75	*****					8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8	
80	*****					7.9	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7	
85	*****					7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6	
90	*****					7.5	7.3	7.0	6.8	6.6	6.3	5.7	4.5	2.6	
95	*****					7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5	
100	*****						6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4	
125	*****						6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2	
150	*****							5.5	5.3	5.1	4.9	4.5	3.4	2.0	
200	*****								4.4	4.2	3.9	3.0	1.7		
250	*****									3.8	3.4	2.7	1.5		
300	*****										3.1	2.4	1.4		
350	*****											2.3	1.3		
400	*****											2.1	1.2		
450	*****											2.0	1.1		
500	*****												1.1		

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
EDUCATION

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	66.4	66.1	65.1	63.4	61.6	59.7	57.8	55.9	53.8	51.7	47.2	36.6	21.1
2	*****	47.0	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.1	36.6	33.4	25.9	14.9
3	*****	38.4	38.2	37.6	36.6	35.5	34.5	33.4	32.3	31.1	29.9	27.3	21.1	12.2
4	*****	33.2	33.1	32.5	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6
5	*****	29.7	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4
6	*****	27.1	27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
7	*****		25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.4	19.6	17.8	13.8	8.0
8	*****		23.4	23.0	22.4	21.8	21.1	20.4	19.8	19.0	18.3	16.7	12.9	7.5
9	*****		22.0	21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	15.7	12.2	7.0
10	*****		20.9	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7
11	*****		19.9	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
12	*****		19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
13	*****			18.1	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
14	*****			17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
15	*****			16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5
16	*****			16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
17	*****			15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.5	11.5	8.9	5.1
18	*****			15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
19	*****			14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
20	*****			14.6	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
21	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
22	*****			13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
23	*****			13.6	13.2	12.8	12.5	12.1	11.7	11.2	10.8	9.8	7.6	4.4
24	*****			13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
25	*****			13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2
30	*****			11.9	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
35	*****				10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
40	*****				10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
45	*****				9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.1
50	*****				9.0	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
55	*****				8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.8
60	*****				8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
65	*****					7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
70	*****					7.4	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
75	*****					7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
80	*****					6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
85	*****					6.7	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
90	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
95	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.8	2.2
100	*****						6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
125	*****						5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
150	*****							4.7	4.6	4.4	4.2	3.9	3.0	1.7
200	*****								3.8	3.7	3.3	2.6	1.5	
250	*****									3.3	3.0	2.3	1.3	
300	*****										2.7	2.1	1.2	
350	*****											2.0	1.1	
400	*****												1.8	1.1
450	*****													1.0
500	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
OTHER HOME & CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	104.4	103.9	102.3	99.6	96.8	93.9	90.9	87.8	84.6	81.3	74.2	57.5	33.2
2	*****	73.8	73.5	72.3	70.4	68.4	66.4	64.3	62.1	59.8	57.5	52.5	40.6	23.5
3	*****	60.3	60.0	59.1	57.5	55.9	54.2	52.5	50.7	48.8	46.9	42.8	33.2	19.2
4	*****	52.2	51.9	51.1	49.8	48.4	46.9	45.4	43.9	42.3	40.6	37.1	28.7	16.6
5	*****	46.7	46.5	45.7	44.5	43.3	42.0	40.6	39.3	37.8	36.4	33.2	25.7	14.8
6	*****	42.6	42.4	41.8	40.6	39.5	38.3	37.1	35.8	34.5	33.2	30.3	23.5	13.5
7	*****		39.3	38.7	37.6	36.6	35.5	34.4	33.2	32.0	30.7	28.0	21.7	12.5
8	*****		36.7	36.2	35.2	34.2	33.2	32.1	31.0	29.9	28.7	26.2	20.3	11.7
9	*****		34.6	34.1	33.2	32.3	31.3	30.3	29.3	28.2	27.1	24.7	19.2	11.1
10	*****		32.9	32.3	31.5	30.6	29.7	28.7	27.8	26.8	25.7	23.5	18.2	10.5
11	*****		31.3	30.8	30.0	29.2	28.3	27.4	26.5	25.5	24.5	22.4	17.3	10.0
12	*****		30.0	29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.5	21.4	16.6	9.6
13	*****			28.4	27.6	26.8	26.0	25.2	24.4	23.5	22.5	20.6	15.9	9.2
14	*****			27.3	26.6	25.9	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9
15	*****			26.4	25.7	25.0	24.2	23.5	22.7	21.8	21.0	19.2	14.8	8.6
16	*****			25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3
17	*****			24.8	24.1	23.5	22.8	22.0	21.3	20.5	19.7	18.0	13.9	8.0
18	*****			24.1	23.5	22.8	22.1	21.4	20.7	19.9	19.2	17.5	13.5	7.8
19	*****			23.5	22.8	22.2	21.5	20.9	20.1	19.4	18.6	17.0	13.2	7.6
20	*****			22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4
21	*****			22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.2	12.5	7.2
22	*****			21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.3	7.1
23	*****			21.3	20.8	20.2	19.6	19.0	18.3	17.6	17.0	15.5	12.0	6.9
24	*****			20.9	20.3	19.7	19.2	18.6	17.9	17.3	16.6	15.1	11.7	6.8
25	*****			20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6
30	*****			18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
35	*****				16.8	16.4	15.9	15.4	14.8	14.3	13.7	12.5	9.7	5.6
40	*****				15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
45	*****				14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9
50	*****				14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
55	*****				13.4	13.0	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
60	*****				12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
65	*****					12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
70	*****					11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
75	*****					11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
80	*****					10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
85	*****					10.5	10.2	9.9	9.5	9.2	8.8	8.0	6.2	3.6
90	*****					10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
95	*****					9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
100	*****						9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3
125	*****						8.4	8.1	7.9	7.6	7.3	6.6	5.1	3.0
150	*****							7.4	7.2	6.9	6.6	6.1	4.7	2.7
200	*****								6.0	5.7	5.2	4.1	2.3	
250	*****									5.1	4.7	3.6	2.1	
300	*****										4.3	3.3	1.9	
350	*****												3.1	1.8
400	*****												2.9	1.7
450	*****												2.7	1.6
500	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
OTHER HOME INTERVIEW VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	66.4	66.1	65.1	63.4	61.6	59.7	57.8	55.9	53.8	51.7	47.2	36.6	21.1
2	*****	47.0	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.1	36.6	33.4	25.9	14.9
3	*****	38.4	38.2	37.6	36.6	35.5	34.5	33.4	32.3	31.1	29.9	27.3	21.1	12.2
4	*****	33.2	33.1	32.5	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6
5	*****	29.7	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4
6	*****	27.1	27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
7	*****		25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.4	19.6	17.8	13.8	8.0
8	*****		23.4	23.0	22.4	21.8	21.1	20.4	19.8	19.0	18.3	16.7	12.9	7.5
9	*****		22.0	21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	15.7	12.2	7.0
10	*****		20.9	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7
11	*****		19.9	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
12	*****		19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
13	*****			18.1	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
14	*****			17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
15	*****			16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5
16	*****			16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
17	*****			15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.5	11.5	8.9	5.1
18	*****			15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
19	*****			14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
20	*****			14.6	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
21	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
22	*****			13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
23	*****			13.6	13.2	12.8	12.5	12.1	11.7	11.2	10.8	9.8	7.6	4.4
24	*****			13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
25	*****			13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2
30	*****			11.9	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
35	*****				10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
40	*****				10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
45	*****				9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.1
50	*****				9.0	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
55	*****				8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.8
60	*****				8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
65	*****					7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
70	*****					7.4	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
75	*****					7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
80	*****					6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
85	*****					6.7	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
90	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
95	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.8	2.2
100	*****						6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
125	*****						5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
150	*****							4.7	4.6	4.4	4.2	3.9	3.0	1.7
200	*****								3.8	3.7	3.3	2.6	1.5	
250	*****									3.3	3.0	2.3	1.3	
300	*****										2.7	2.1	1.2	
350	*****											2.0	1.1	
400	*****												1.8	1.1
450	*****													1.0
500	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
SEDENTARY LIFESTYLE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	66.4	66.1	65.1	63.4	61.6	59.7	57.8	55.9	53.8	51.7	47.2	36.6	21.1
2	*****	47.0	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.1	36.6	33.4	25.9	14.9
3	*****	38.4	38.2	37.6	36.6	35.5	34.5	33.4	32.3	31.1	29.9	27.3	21.1	12.2
4	*****	33.2	33.1	32.5	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6
5	*****	29.7	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4
6	*****	27.1	27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
7	*****		25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.4	19.6	17.8	13.8	8.0
8	*****		23.4	23.0	22.4	21.8	21.1	20.4	19.8	19.0	18.3	16.7	12.9	7.5
9	*****		22.0	21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	15.7	12.2	7.0
10	*****		20.9	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7
11	*****		19.9	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
12	*****		19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
13	*****			18.1	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
14	*****			17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
15	*****			16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5
16	*****			16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
17	*****			15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.5	11.5	8.9	5.1
18	*****			15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
19	*****			14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
20	*****			14.6	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
21	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
22	*****			13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
23	*****			13.6	13.2	12.8	12.5	12.1	11.7	11.2	10.8	9.8	7.6	4.4
24	*****			13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
25	*****			13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2
30	*****			11.9	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
35	*****				10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
40	*****				10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
45	*****				9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.1
50	*****				9.0	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
55	*****				8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.8
60	*****				8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
65	*****					7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
70	*****					7.4	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
75	*****					7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
80	*****					6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
85	*****					6.7	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
90	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
95	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.8	2.2
100	*****						6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
125	*****						5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
150	*****							4.7	4.6	4.4	4.2	3.9	3.0	1.7
200	*****								3.8	3.7	3.3	2.6	1.5	
250	*****									3.3	3.0	2.3	1.3	
300	*****										2.7	2.1	1.2	
350	*****											2.0	1.1	
400	*****												1.8	1.1
450	*****													1.0
500	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
SMOKING

Approximate Coefficient of Variaiton Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	60.7	60.4	59.4	57.8	56.2	54.5	52.8	51.0	49.2	47.2	43.1	33.4	19.3
2	*****	42.9	42.7	42.0	40.9	39.7	38.6	37.3	36.1	34.8	33.4	30.5	23.6	13.6
3	*****	35.0	34.8	34.3	33.4	32.5	31.5	30.5	29.4	28.4	27.3	24.9	19.3	11.1
4	*****	30.3	30.2	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6
5	*****	27.1	27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
6	*****	24.8	24.6	24.3	23.6	22.9	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
7	*****	*****	22.8	22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.8	16.3	12.6	7.3
8	*****	*****	21.3	21.0	20.4	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
9	*****	*****	20.1	19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4
10	*****	*****	19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
11	*****	*****	18.2	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
12	*****	*****	17.4	17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
13	*****	*****	*****	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.0	9.3	5.3
14	*****	*****	*****	15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
15	*****	*****	*****	15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
16	*****	*****	*****	14.9	14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.3	4.8
17	*****	*****	*****	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
18	*****	*****	*****	14.0	13.6	13.2	12.9	12.4	12.0	11.6	11.1	10.2	7.9	4.5
19	*****	*****	*****	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
20	*****	*****	*****	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
21	*****	*****	*****	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
22	*****	*****	*****	12.7	12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
23	*****	*****	*****	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
24	*****	*****	*****	12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
25	*****	*****	*****	11.9	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
30	*****	*****	*****	10.8	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
35	*****	*****	*****	*****	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
40	*****	*****	*****	*****	9.1	8.9	8.6	8.3	8.1	7.8	7.5	6.8	5.3	3.0
45	*****	*****	*****	*****	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
50	*****	*****	*****	*****	8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
55	*****	*****	*****	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6
60	*****	*****	*****	*****	7.5	7.3	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
65	*****	*****	*****	*****	*****	7.0	6.8	6.5	6.3	6.1	5.9	5.3	4.1	2.4
70	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.6	5.2	4.0	2.3
75	*****	*****	*****	*****	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
80	*****	*****	*****	*****	*****	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
85	*****	*****	*****	*****	*****	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
90	*****	*****	*****	*****	*****	5.9	5.7	5.6	5.4	5.2	5.0	4.5	3.5	2.0
95	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
100	*****	*****	*****	*****	*****	*****	5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9
125	*****	*****	*****	*****	*****	*****	4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
150	*****	*****	*****	*****	*****	*****	*****	4.3	4.2	4.0	3.9	3.5	2.7	1.6
200	*****	*****	*****	*****	*****	*****	*****	*****	3.5	3.3	3.0	2.4	1.4	1.4
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.7	2.1	1.2	1.2
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.9	1.1	1.1
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0	1.0
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0	1.0
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9	0.9
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

SASKATCHEWAN
TOTAL CHOLESTEROL

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	67.4	67.1	66.0	64.3	62.5	60.6	58.7	56.7	54.6	52.5	47.9	37.1	21.4
2	*****	47.7	47.4	46.7	45.4	44.2	42.8	41.5	40.1	38.6	37.1	33.9	26.2	15.1
3	*****	38.9	38.7	38.1	37.1	36.1	35.0	33.9	32.7	31.5	30.3	27.7	21.4	12.4
4	*****	33.7	33.5	33.0	32.1	31.2	30.3	29.3	28.3	27.3	26.2	24.0	18.6	10.7
5	*****	30.1	30.0	29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.5	21.4	16.6	9.6
6	*****	27.5	27.4	27.0	26.2	25.5	24.7	24.0	23.1	22.3	21.4	19.6	15.1	8.7
7	*****		25.3	25.0	24.3	23.6	22.9	22.2	21.4	20.6	19.8	18.1	14.0	8.1
8	*****		23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.6	16.9	13.1	7.6
9	*****		22.4	22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1
10	*****		21.2	20.9	20.3	19.7	19.2	18.6	17.9	17.3	16.6	15.1	11.7	6.8
11	*****		20.2	19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5
12	*****		19.4	19.1	18.6	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2
13	*****			18.3	17.8	17.3	16.8	16.3	15.7	15.1	14.6	13.3	10.3	5.9
14	*****			17.6	17.2	16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
15	*****			17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5
16	*****			16.5	16.1	15.6	15.1	14.7	14.2	13.7	13.1	12.0	9.3	5.4
17	*****			16.0	15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
18	*****			15.6	15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0
19	*****			15.1	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9
20	*****			14.8	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
21	*****			14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
22	*****			14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
23	*****			13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
24	*****			13.5	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
25	*****			13.2	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
30	*****			12.1	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
35	*****				10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
40	*****				10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
45	*****				9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
50	*****				9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
55	*****				8.7	8.4	8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9
60	*****				8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
65	*****					7.7	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7
70	*****					7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
75	*****					7.2	7.0	6.8	6.5	6.3	6.1	5.5	4.3	2.5
80	*****					7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.1	2.4
85	*****					6.8	6.6	6.4	6.1	5.9	5.7	5.2	4.0	2.3
90	*****					6.6	6.4	6.2	6.0	5.8	5.5	5.0	3.9	2.3
95	*****					6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
100	*****						6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1
125	*****						5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9
150	*****							4.8	4.6	4.5	4.3	3.9	3.0	1.7
200	*****								3.9	3.7	3.4	2.6	1.5	
250	*****									3.3	3.0	2.3	1.4	
300	*****										2.8	2.1	1.2	
350	*****											2.0	1.1	
400	*****												1.9	1.1
450	*****													1.0
500	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES