

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	39.9	39.6	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7
2	*****	28.2	28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
3	*****	23.0	22.9	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.4	12.7	7.3
4	*****		19.8	19.5	19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3
5	*****		17.7	17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
6	*****		16.2	15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
7	*****		15.0	14.8	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
8	*****			13.8	13.4	13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
9	*****			13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2
10	*****			12.3	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
11	*****			11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
12	*****			11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
13	*****			10.8	10.5	10.2	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5
14	*****			10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
15	*****			10.1	9.8	9.5	9.2	9.0	8.7	8.3	8.0	7.3	5.7	3.3
16	*****			9.8	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
17	*****			9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
18	*****			9.2	9.0	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
19	*****			9.0	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
20	*****				8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
21	*****				8.3	8.1	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
22	*****				8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
23	*****				7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
24	*****				7.8	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
25	*****				7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
30	*****				6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
35	*****				6.4	6.2	6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1
40	*****					5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
45	*****					5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
50	*****					5.2	5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8
55	*****					5.0	4.8	4.7	4.5	4.4	4.2	3.8	3.0	1.7
60	*****						4.6	4.5	4.3	4.2	4.0	3.7	2.8	1.6
65	*****						4.4	4.3	4.2	4.0	3.8	3.5	2.7	1.6
70	*****						4.3	4.1	4.0	3.9	3.7	3.4	2.6	1.5
75	*****						4.1	4.0	3.9	3.7	3.6	3.3	2.5	1.5
80	*****							3.9	3.7	3.6	3.5	3.2	2.5	1.4
85	*****							3.8	3.6	3.5	3.4	3.1	2.4	1.4
90	*****							3.7	3.5	3.4	3.3	3.0	2.3	1.3
95	*****							3.6	3.4	3.3	3.2	2.9	2.3	1.3
100	*****								3.4	3.2	3.1	2.8	2.2	1.3
125	*****									2.9	2.8	2.5	2.0	1.1
150	*****										2.5	2.3	1.8	1.0
200	*****												1.6	0.9
250	*****												1.4	0.8
300	*****													0.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
BODY MASS INDEX

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	52.5	52.3	51.5	50.1	48.7	47.2	45.7	44.2	42.6	40.9	37.3	28.9	16.7
2	*****	37.2	37.0	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.5	11.8
3	*****	30.3	30.2	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6
4	*****		26.1	25.7	25.1	24.3	23.6	22.9	22.1	21.3	20.5	18.7	14.5	8.4
5	*****		23.4	23.0	22.4	21.8	21.1	20.5	19.8	19.0	18.3	16.7	12.9	7.5
6	*****		21.3	21.0	20.5	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
7	*****		19.8	19.5	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
8	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
9	*****			17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
10	*****			16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
11	*****			15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0
12	*****			14.9	14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8
13	*****			14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6
14	*****			13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
15	*****			13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
16	*****			12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
17	*****			12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
18	*****			12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
19	*****			11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
20	*****				11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.4	6.5	3.7
21	*****				10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
22	*****				10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
23	*****				10.4	10.2	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5
24	*****				10.2	9.9	9.6	9.3	9.0	8.7	8.4	7.6	5.9	3.4
25	*****				10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
30	*****				9.1	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.0
35	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
40	*****					7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
45	*****					7.3	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
50	*****					6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
55	*****					6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.3
60	*****						6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
65	*****						5.9	5.7	5.5	5.3	5.1	4.6	3.6	2.1
70	*****						5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
75	*****						5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9
80	*****							5.1	4.9	4.8	4.6	4.2	3.2	1.9
85	*****							5.0	4.8	4.6	4.4	4.1	3.1	1.8
90	*****							4.8	4.7	4.5	4.3	3.9	3.0	1.8
95	*****							4.7	4.5	4.4	4.2	3.8	3.0	1.7
100	*****								4.4	4.3	4.1	3.7	2.9	1.7
125	*****									3.8	3.7	3.3	2.6	1.5
150	*****										3.3	3.0	2.4	1.4
200	*****												2.0	1.2
250	*****												1.8	1.1
300	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
BLOOD PRESSURE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	44.6	44.3	43.6	42.5	41.3	40.1	38.8	37.5	36.1	34.7	31.7	24.5	14.2
2	*****	31.5	31.3	30.9	30.0	29.2	28.3	27.4	26.5	25.5	24.5	22.4	17.3	10.0
3	*****	25.7	25.6	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.2
4	*****		22.2	21.8	21.2	20.6	20.0	19.4	18.7	18.1	17.3	15.8	12.3	7.1
5	*****		19.8	19.5	19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3
6	*****		18.1	17.8	17.3	16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8
7	*****		16.8	16.5	16.1	15.6	15.1	14.7	14.2	13.6	13.1	12.0	9.3	5.4
8	*****			15.4	15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0
9	*****			14.5	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
10	*****			13.8	13.4	13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
11	*****			13.2	12.8	12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3
12	*****			12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
13	*****			12.1	11.8	11.4	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
14	*****			11.7	11.4	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8
15	*****			11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
16	*****			10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
17	*****			10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	5.9	3.4
18	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
19	*****			10.0	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.2
20	*****				9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
21	*****				9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
22	*****				9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.8	5.2	3.0
23	*****				8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
24	*****				8.7	8.4	8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9
25	*****				8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
30	*****				7.8	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
35	*****				7.2	7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.1	2.4
40	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
45	*****					6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
50	*****					5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
55	*****					5.6	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9
60	*****						5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8
65	*****						5.0	4.8	4.6	4.5	4.3	3.9	3.0	1.8
70	*****						4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7
75	*****						4.6	4.5	4.3	4.2	4.0	3.7	2.8	1.6
80	*****							4.3	4.2	4.0	3.9	3.5	2.7	1.6
85	*****							4.2	4.1	3.9	3.8	3.4	2.7	1.5
90	*****							4.1	3.9	3.8	3.7	3.3	2.6	1.5
95	*****							4.0	3.8	3.7	3.6	3.2	2.5	1.5
100	*****								3.7	3.6	3.5	3.2	2.5	1.4
125	*****									3.2	3.1	2.8	2.2	1.3
150	*****										2.8	2.6	2.0	1.2
200	*****												1.7	1.0
250	*****												1.6	0.9
300	*****													0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
OTHER CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	60.7	60.4	59.4	57.9	56.2	54.5	52.8	51.0	49.2	47.2	43.1	33.4	19.3
2	*****	42.9	42.7	42.0	40.9	39.8	38.6	37.3	36.1	34.8	33.4	30.5	23.6	13.6
3	*****	35.0	34.9	34.3	33.4	32.5	31.5	30.5	29.5	28.4	27.3	24.9	19.3	11.1
4	*****		30.2	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6
5	*****		27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
6	*****		24.6	24.3	23.6	23.0	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
7	*****		22.8	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
8	*****			21.0	20.5	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
9	*****			19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4
10	*****			18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
11	*****			17.9	17.4	17.0	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
12	*****			17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
13	*****			16.5	16.0	15.6	15.1	14.6	14.2	13.6	13.1	12.0	9.3	5.3
14	*****			15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
15	*****			15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
16	*****			14.9	14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8
17	*****			14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
18	*****			14.0	13.6	13.3	12.9	12.4	12.0	11.6	11.1	10.2	7.9	4.5
19	*****			13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
20	*****				12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
21	*****				12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
22	*****				12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
23	*****				12.1	11.7	11.4	11.0	10.6	10.3	9.8	9.0	7.0	4.0
24	*****				11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
25	*****				11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
30	*****				10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
35	*****				9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
40	*****					8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.0
45	*****					8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
50	*****					8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
55	*****					7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6
60	*****						7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
65	*****						6.8	6.6	6.3	6.1	5.9	5.3	4.1	2.4
70	*****						6.5	6.3	6.1	5.9	5.6	5.2	4.0	2.3
75	*****						6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
80	*****							5.9	5.7	5.5	5.3	4.8	3.7	2.2
85	*****							5.7	5.5	5.3	5.1	4.7	3.6	2.1
90	*****							5.6	5.4	5.2	5.0	4.5	3.5	2.0
95	*****							5.4	5.2	5.0	4.8	4.4	3.4	2.0
100	*****								5.1	4.9	4.7	4.3	3.3	1.9
125	*****									4.4	4.2	3.9	3.0	1.7
150	*****										3.9	3.5	2.7	1.6
200	*****												2.4	1.4
250	*****												2.1	1.2
300	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
DIABETES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	56.4	56.1	55.2	53.7	52.2	50.7	49.1	47.4	45.7	43.9	40.1	31.0	17.9
2	*****	39.9	39.6	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7
3	*****	32.5	32.4	31.9	31.0	30.1	29.2	28.3	27.4	26.4	25.3	23.1	17.9	10.3
4	*****		28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
5	*****		25.1	24.7	24.0	23.4	22.7	21.9	21.2	20.4	19.6	17.9	13.9	8.0
6	*****		22.9	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.4	12.7	7.3
7	*****		21.2	20.9	20.3	19.7	19.1	18.5	17.9	17.3	16.6	15.1	11.7	6.8
8	*****			19.5	19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3
9	*****			18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.3	6.0
10	*****			17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
11	*****			16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
12	*****			15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
13	*****			15.3	14.9	14.5	14.1	13.6	13.1	12.7	12.2	11.1	8.6	5.0
14	*****			14.8	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
15	*****			14.3	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
16	*****			13.8	13.4	13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
17	*****			13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
18	*****			13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2
19	*****			12.7	12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
20	*****				12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
21	*****				11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
22	*****				11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
23	*****				11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.4	6.5	3.7
24	*****				11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
25	*****				10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
30	*****				9.8	9.5	9.2	9.0	8.7	8.3	8.0	7.3	5.7	3.3
35	*****				9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
40	*****					8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
45	*****					7.8	7.6	7.3	7.1	6.8	6.5	6.0	4.6	2.7
50	*****					7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
55	*****					7.0	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
60	*****						6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
65	*****						6.3	6.1	5.9	5.7	5.4	5.0	3.8	2.2
70	*****						6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1
75	*****						5.8	5.7	5.5	5.3	5.1	4.6	3.6	2.1
80	*****							5.5	5.3	5.1	4.9	4.5	3.5	2.0
85	*****							5.3	5.1	5.0	4.8	4.3	3.4	1.9
90	*****							5.2	5.0	4.8	4.6	4.2	3.3	1.9
95	*****							5.0	4.9	4.7	4.5	4.1	3.2	1.8
100	*****								4.7	4.6	4.4	4.0	3.1	1.8
125	*****									4.1	3.9	3.6	2.8	1.6
150	*****										3.6	3.3	2.5	1.5
200	*****												2.2	1.3
250	*****												2.0	1.1
300	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
EDUCATION

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	48.8	48.6	47.8	46.5	45.2	43.9	42.5	41.0	39.5	38.0	34.7	26.9	15.5
2	*****	34.5	34.3	33.8	32.9	32.0	31.0	30.0	29.0	28.0	26.9	24.5	19.0	11.0
3	*****	28.2	28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
4	*****		24.3	23.9	23.3	22.6	21.9	21.2	20.5	19.8	19.0	17.3	13.4	7.8
5	*****		21.7	21.4	20.8	20.2	19.6	19.0	18.4	17.7	17.0	15.5	12.0	6.9
6	*****		19.8	19.5	19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3
7	*****		18.4	18.1	17.6	17.1	16.6	16.1	15.5	14.9	14.4	13.1	10.2	5.9
8	*****			16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
9	*****			15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
10	*****			15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
11	*****			14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
12	*****			13.8	13.4	13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
13	*****			13.3	12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3
14	*****			12.8	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1
15	*****			12.3	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
16	*****			12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
17	*****			11.6	11.3	11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8
18	*****			11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
19	*****			11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6
20	*****				10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.8	6.0	3.5
21	*****				10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
22	*****				9.9	9.6	9.4	9.1	8.7	8.4	8.1	7.4	5.7	3.3
23	*****				9.7	9.4	9.1	8.9	8.6	8.2	7.9	7.2	5.6	3.2
24	*****				9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
25	*****				9.3	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
30	*****				8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
35	*****				7.9	7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
40	*****					7.2	6.9	6.7	6.5	6.3	6.0	5.5	4.2	2.5
45	*****					6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
50	*****					6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
55	*****					6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
60	*****						5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
65	*****						5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9
70	*****						5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.9
75	*****						5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8
80	*****							4.7	4.6	4.4	4.2	3.9	3.0	1.7
85	*****							4.6	4.5	4.3	4.1	3.8	2.9	1.7
90	*****							4.5	4.3	4.2	4.0	3.7	2.8	1.6
95	*****							4.4	4.2	4.1	3.9	3.6	2.8	1.6
100	*****								4.1	4.0	3.8	3.5	2.7	1.6
125	*****									3.5	3.4	3.1	2.4	1.4
150	*****										3.1	2.8	2.2	1.3
200	*****												1.9	1.1
250	*****												1.7	1.0
300	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
OTHER HOME & CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	74.3	73.9	72.8	70.9	68.9	66.8	64.7	62.5	60.2	57.9	52.8	40.9	23.6
2	*****	52.5	52.3	51.5	50.1	48.7	47.2	45.7	44.2	42.6	40.9	37.3	28.9	16.7
3	*****	42.9	42.7	42.0	40.9	39.8	38.6	37.3	36.1	34.8	33.4	30.5	23.6	13.6
4	*****		37.0	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.5	11.8
5	*****		33.1	32.6	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6
6	*****		30.2	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6
7	*****		27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.8	21.9	20.0	15.5	8.9
8	*****			25.7	25.1	24.3	23.6	22.9	22.1	21.3	20.5	18.7	14.5	8.4
9	*****			24.3	23.6	23.0	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
10	*****			23.0	22.4	21.8	21.1	20.5	19.8	19.0	18.3	16.7	12.9	7.5
11	*****			21.9	21.4	20.8	20.1	19.5	18.8	18.2	17.4	15.9	12.3	7.1
12	*****			21.0	20.5	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
13	*****			20.2	19.7	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.6
14	*****			19.5	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
15	*****			18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
16	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
17	*****			17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
18	*****			17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
19	*****			16.7	16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
20	*****				15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
21	*****				15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
22	*****				15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0
23	*****				14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9
24	*****				14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8
25	*****				14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
30	*****				12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
35	*****				12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
40	*****					10.9	10.6	10.2	9.9	9.5	9.1	8.4	6.5	3.7
45	*****					10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
50	*****					9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
55	*****					9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
60	*****						8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.0
65	*****						8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9
70	*****						8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
75	*****						7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
80	*****							7.2	7.0	6.7	6.5	5.9	4.6	2.6
85	*****							7.0	6.8	6.5	6.3	5.7	4.4	2.6
90	*****							6.8	6.6	6.3	6.1	5.6	4.3	2.5
95	*****							6.6	6.4	6.2	5.9	5.4	4.2	2.4
100	*****								6.2	6.0	5.8	5.3	4.1	2.4
125	*****									5.4	5.2	4.7	3.7	2.1
150	*****										4.7	4.3	3.3	1.9
200	*****												2.9	1.7
250	*****												2.6	1.5
300	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
OTHER HOME INTERVIEW VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	48.8	48.6	47.8	46.5	45.2	43.9	42.5	41.0	39.5	38.0	34.7	26.9	15.5
2	*****	34.5	34.3	33.8	32.9	32.0	31.0	30.0	29.0	28.0	26.9	24.5	19.0	11.0
3	*****	28.2	28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
4	*****		24.3	23.9	23.3	22.6	21.9	21.2	20.5	19.8	19.0	17.3	13.4	7.8
5	*****		21.7	21.4	20.8	20.2	19.6	19.0	18.4	17.7	17.0	15.5	12.0	6.9
6	*****		19.8	19.5	19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3
7	*****		18.4	18.1	17.6	17.1	16.6	16.1	15.5	14.9	14.4	13.1	10.2	5.9
8	*****			16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
9	*****			15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
10	*****			15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
11	*****			14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
12	*****			13.8	13.4	13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
13	*****			13.3	12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3
14	*****			12.8	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1
15	*****			12.3	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
16	*****			12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
17	*****			11.6	11.3	11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8
18	*****			11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
19	*****			11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6
20	*****				10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.8	6.0	3.5
21	*****				10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
22	*****				9.9	9.6	9.4	9.1	8.7	8.4	8.1	7.4	5.7	3.3
23	*****				9.7	9.4	9.1	8.9	8.6	8.2	7.9	7.2	5.6	3.2
24	*****				9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
25	*****				9.3	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
30	*****				8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
35	*****				7.9	7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
40	*****					7.2	6.9	6.7	6.5	6.3	6.0	5.5	4.2	2.5
45	*****					6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
50	*****					6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
55	*****					6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
60	*****						5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
65	*****						5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9
70	*****						5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.9
75	*****						5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8
80	*****							4.7	4.6	4.4	4.2	3.9	3.0	1.7
85	*****							4.6	4.5	4.3	4.1	3.8	2.9	1.7
90	*****							4.5	4.3	4.2	4.0	3.7	2.8	1.6
95	*****							4.4	4.2	4.1	3.9	3.6	2.8	1.6
100	*****								4.1	4.0	3.8	3.5	2.7	1.6
125	*****									3.5	3.4	3.1	2.4	1.4
150	*****										3.1	2.8	2.2	1.3
200	*****												1.9	1.1
250	*****													1.0
300	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
SEDENTARY LIFE STYLE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE (' 000)		P-ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	52.5	52.3	51.5	50.1	48.7	47.2	45.7	44.2	42.6	40.9	37.3	28.9	16.7	
2	*****	37.2	37.0	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.5	11.8	
3	*****	30.3	30.2	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6	
4	*****		26.1	25.7	25.1	24.3	23.6	22.9	22.1	21.3	20.5	18.7	14.5	8.4	
5	*****		23.4	23.0	22.4	21.8	21.1	20.5	19.8	19.0	18.3	16.7	12.9	7.5	
6	*****		21.3	21.0	20.5	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8	
7	*****		19.8	19.5	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3	
8	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9	
9	*****			17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6	
10	*****			16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3	
11	*****			15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0	
12	*****			14.9	14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8	
13	*****			14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6	
14	*****			13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5	
15	*****			13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3	
16	*****			12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
17	*****			12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1	
18	*****			12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9	
19	*****			11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8	
20	*****				11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.4	6.5	3.7	
21	*****				10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6	
22	*****				10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	
23	*****				10.4	10.2	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5	
24	*****				10.2	9.9	9.6	9.3	9.0	8.7	8.4	7.6	5.9	3.4	
25	*****				10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3	
30	*****				9.1	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.0	
35	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8	
40	*****					7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6	
45	*****					7.3	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5	
50	*****					6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4	
55	*****					6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.3	
60	*****						6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2	
65	*****						5.9	5.7	5.5	5.3	5.1	4.6	3.6	2.1	
70	*****						5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
75	*****						5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9	
80	*****							5.1	4.9	4.8	4.6	4.2	3.2	1.9	
85	*****							5.0	4.8	4.6	4.4	4.1	3.1	1.8	
90	*****							4.8	4.7	4.5	4.3	3.9	3.0	1.8	
95	*****							4.7	4.5	4.4	4.2	3.8	3.0	1.7	
100	*****							4.4	4.3	4.1	3.7	2.9	1.7	1.7	
125	*****								3.8	3.7	3.3	2.6	1.5	1.5	
150	*****									3.3	3.0	2.4	1.4	1.4	
200	*****											2.0	1.2	1.2	
250	*****												1.8	1.1	
300	*****													1.0	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
SMOKING

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	44.6	44.3	43.6	42.5	41.3	40.1	38.8	37.5	36.1	34.7	31.7	24.5	14.2
2	*****	31.5	31.3	30.9	30.0	29.2	28.3	27.4	26.5	25.5	24.5	22.4	17.3	10.0
3	*****	25.7	25.6	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.2
4	*****		22.2	21.8	21.2	20.6	20.0	19.4	18.7	18.1	17.3	15.8	12.3	7.1
5	*****		19.8	19.5	19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3
6	*****		18.1	17.8	17.3	16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8
7	*****		16.8	16.5	16.1	15.6	15.1	14.7	14.2	13.6	13.1	12.0	9.3	5.4
8	*****			15.4	15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0
9	*****			14.5	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
10	*****			13.8	13.4	13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
11	*****			13.2	12.8	12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3
12	*****			12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
13	*****			12.1	11.8	11.4	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
14	*****			11.7	11.4	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8
15	*****			11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
16	*****			10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
17	*****			10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	5.9	3.4
18	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
19	*****			10.0	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.2
20	*****				9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
21	*****				9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
22	*****				9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.8	5.2	3.0
23	*****				8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
24	*****				8.7	8.4	8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9
25	*****				8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
30	*****				7.8	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
35	*****				7.2	7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.1	2.4
40	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
45	*****					6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
50	*****					5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
55	*****					5.6	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9
60	*****						5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8
65	*****						5.0	4.8	4.6	4.5	4.3	3.9	3.0	1.8
70	*****						4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7
75	*****						4.6	4.5	4.3	4.2	4.0	3.7	2.8	1.6
80	*****							4.3	4.2	4.0	3.9	3.5	2.7	1.6
85	*****							4.2	4.1	3.9	3.8	3.4	2.7	1.5
90	*****							4.1	3.9	3.8	3.7	3.3	2.6	1.5
95	*****							4.0	3.8	3.7	3.6	3.2	2.5	1.5
100	*****								3.7	3.6	3.5	3.2	2.5	1.4
125	*****									3.2	3.1	2.8	2.2	1.3
150	*****										2.8	2.6	2.0	1.2
200	*****												1.7	1.0
250	*****												1.6	0.9
300	*****													0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWFOUNDLAND
TOTAL CHOLESTEROL

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	48.0	47.7	47.0	45.7	44.4	43.1	41.8	40.3	38.9	37.3	34.1	26.4	15.2
2	*****	33.9	33.7	33.2	32.3	31.4	30.5	29.5	28.5	27.5	26.4	24.1	18.7	10.8
3	*****	27.7	27.6	27.1	26.4	25.7	24.9	24.1	23.3	22.4	21.6	19.7	15.2	8.8
4	*****		23.9	23.5	22.9	22.2	21.6	20.9	20.2	19.4	18.7	17.0	13.2	7.6
5	*****		21.3	21.0	20.5	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
6	*****		19.5	19.2	18.7	18.1	17.6	17.0	16.5	15.9	15.2	13.9	10.8	6.2
7	*****		18.0	17.8	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
8	*****			16.6	16.2	15.7	15.2	14.8	14.3	13.7	13.2	12.1	9.3	5.4
9	*****			15.7	15.2	14.8	14.4	13.9	13.4	13.0	12.4	11.4	8.8	5.1
10	*****			14.9	14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8
11	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
12	*****			13.6	13.2	12.8	12.4	12.1	11.6	11.2	10.8	9.8	7.6	4.4
13	*****			13.0	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
14	*****			12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
15	*****			12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
16	*****			11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
17	*****			11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
18	*****			11.1	10.8	10.5	10.2	9.8	9.5	9.2	8.8	8.0	6.2	3.6
19	*****			10.8	10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
20	*****				10.2	9.9	9.6	9.3	9.0	8.7	8.4	7.6	5.9	3.4
21	*****				10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3
22	*****				9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
23	*****				9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
24	*****				9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1
25	*****				9.1	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.0
30	*****				8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
35	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
40	*****					7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4
45	*****					6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3
50	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
55	*****					6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
60	*****						5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
65	*****						5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
70	*****						5.2	5.0	4.8	4.6	4.5	4.1	3.2	1.8
75	*****						5.0	4.8	4.7	4.5	4.3	3.9	3.0	1.8
80	*****							4.7	4.5	4.3	4.2	3.8	3.0	1.7
85	*****							4.5	4.4	4.2	4.1	3.7	2.9	1.7
90	*****							4.4	4.3	4.1	3.9	3.6	2.8	1.6
95	*****							4.3	4.1	4.0	3.8	3.5	2.7	1.6
100	*****								4.0	3.9	3.7	3.4	2.6	1.5
125	*****									3.5	3.3	3.0	2.4	1.4
150	*****										3.0	2.8	2.2	1.2
200	*****												1.9	1.1
250	*****												1.7	1.0
300	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES