

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	48.6	48.4	47.6	46.3	45.0	43.7	42.3	40.9	39.4	37.8	34.5	26.8	15.4
2	*****	34.4	34.2	33.7	32.8	31.8	30.9	29.9	28.9	27.8	26.8	24.4	18.9	10.9
3	*****	28.1	27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.7	21.8	19.9	15.4	8.9
4	*****	24.3	24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7
5	*****	21.7	21.6	21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9
6	*****		19.7	19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.4	14.1	10.9	6.3
7	*****		18.3	18.0	17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.1	10.1	5.8
8	*****		17.1	16.8	16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5
9	*****		16.1	15.9	15.4	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.1
10	*****		15.3	15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
11	*****			14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
12	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
13	*****			13.2	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
14	*****			12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
15	*****			12.3	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
16	*****			11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
17	*****			11.5	11.2	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.7
18	*****			11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
19	*****			10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
20	*****			10.6	10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
21	*****			10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
22	*****			10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
23	*****			9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
24	*****			9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2
25	*****			9.5	9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
30	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
35	*****				7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
40	*****				7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
45	*****				6.9	6.7	6.5	6.3	6.1	5.9	5.6	5.1	4.0	2.3
50	*****				6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
55	*****					6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
60	*****					5.8	5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
65	*****					5.6	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9
70	*****					5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8
75	*****					5.2	5.0	4.9	4.7	4.5	4.4	4.0	3.1	1.8
80	*****						4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
85	*****						4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7
90	*****						4.6	4.5	4.3	4.2	4.0	3.6	2.8	1.6
95	*****						4.5	4.3	4.2	4.0	3.9	3.5	2.7	1.6
100	*****						4.4	4.2	4.1	3.9	3.8	3.5	2.7	1.5
125	*****							3.8	3.7	3.5	3.4	3.1	2.4	1.4
150	*****								3.3	3.2	3.1	2.8	2.2	1.3
200	*****										2.7	2.4	1.9	1.1
250	*****											2.2	1.7	1.0
300	*****												1.5	0.9
350	*****													0.8
400	*****													0.8
450	*****													0.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEW BRUNSWICK
BODY MASS INDEX

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	61.7	61.4	60.4	58.8	57.2	55.5	53.7	51.9	50.0	48.0	43.9	34.0	19.6
2	*****	43.6	43.4	42.7	41.6	40.4	39.2	38.0	36.7	35.4	34.0	31.0	24.0	13.9
3	*****	35.6	35.4	34.9	34.0	33.0	32.0	31.0	30.0	28.9	27.7	25.3	19.6	11.3
4	*****	30.9	30.7	30.2	29.4	28.6	27.7	26.9	25.9	25.0	24.0	21.9	17.0	9.8
5	*****	27.6	27.5	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8
6	*****	*****	25.1	24.7	24.0	23.3	22.6	21.9	21.2	20.4	19.6	17.9	13.9	8.0
7	*****	*****	23.2	22.8	22.2	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.8	7.4
8	*****	*****	21.7	21.4	20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	12.0	6.9
9	*****	*****	20.5	20.1	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
10	*****	*****	19.4	19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2
11	*****	*****	*****	18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
12	*****	*****	*****	17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
13	*****	*****	*****	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
14	*****	*****	*****	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.8	11.7	9.1	5.2
15	*****	*****	*****	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
16	*****	*****	*****	15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
17	*****	*****	*****	14.7	14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
18	*****	*****	*****	14.2	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
19	*****	*****	*****	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
20	*****	*****	*****	13.5	13.2	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4
21	*****	*****	*****	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
22	*****	*****	*****	12.9	12.5	12.2	11.8	11.5	11.1	10.7	10.2	9.3	7.2	4.2
23	*****	*****	*****	12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
24	*****	*****	*****	12.3	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
25	*****	*****	*****	12.1	11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
30	*****	*****	*****	*****	10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
35	*****	*****	*****	*****	9.9	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3
40	*****	*****	*****	*****	9.3	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
45	*****	*****	*****	*****	8.8	8.5	8.3	8.0	7.7	7.5	7.2	6.5	5.1	2.9
50	*****	*****	*****	*****	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
55	*****	*****	*****	*****	*****	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
60	*****	*****	*****	*****	*****	7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
65	*****	*****	*****	*****	*****	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4
70	*****	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
75	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
80	*****	*****	*****	*****	*****	*****	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
85	*****	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	4.8	3.7	2.1
90	*****	*****	*****	*****	*****	*****	5.8	5.7	5.5	5.3	5.1	4.6	3.6	2.1
95	*****	*****	*****	*****	*****	*****	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
100	*****	*****	*****	*****	*****	*****	5.5	5.4	5.2	5.0	4.8	4.4	3.4	2.0
125	*****	*****	*****	*****	*****	*****	*****	4.8	4.6	4.5	4.3	3.9	3.0	1.8
150	*****	*****	*****	*****	*****	*****	*****	*****	4.2	4.1	3.9	3.6	2.8	1.6
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.1	2.4	1.4	1.4
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.8	2.1	1.2	1.2
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.1	1.1
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWBRUNSWICK
BLOOD PRESSURE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.3	54.1	53.2	51.8	50.3	48.8	47.3	45.7	44.0	42.3	38.6	29.9	17.3
2	*****	38.4	38.2	37.6	36.6	35.6	34.5	33.4	32.3	31.1	29.9	27.3	21.2	12.2
3	*****	31.4	31.2	30.7	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
4	*****	27.2	27.0	26.6	25.9	25.2	24.4	23.6	22.8	22.0	21.2	19.3	15.0	8.6
5	*****	24.3	24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7
6	*****		22.1	21.7	21.2	20.6	19.9	19.3	18.7	18.0	17.3	15.8	12.2	7.1
7	*****		20.4	20.1	19.6	19.0	18.5	17.9	17.3	16.6	16.0	14.6	11.3	6.5
8	*****		19.1	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1
9	*****		18.0	17.7	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
10	*****		17.1	16.8	16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5
11	*****			16.0	15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.6	9.0	5.2
12	*****			15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.1	8.6	5.0
13	*****			14.8	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
14	*****			14.2	13.8	13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6
15	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
16	*****			13.3	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
17	*****			12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
18	*****			12.5	12.2	11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.1	4.1
19	*****			12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
20	*****			11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
21	*****			11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
22	*****			11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
23	*****			11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
24	*****			10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
25	*****			10.6	10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
30	*****				9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2
35	*****				8.8	8.5	8.3	8.0	7.7	7.4	7.2	6.5	5.1	2.9
40	*****				8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
45	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
50	*****				7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
55	*****					6.8	6.6	6.4	6.2	5.9	5.7	5.2	4.0	2.3
60	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
65	*****					6.2	6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1
70	*****					6.0	5.8	5.7	5.5	5.3	5.1	4.6	3.6	2.1
75	*****					5.8	5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
80	*****						5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9
85	*****						5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9
90	*****						5.1	5.0	4.8	4.6	4.5	4.1	3.2	1.8
95	*****						5.0	4.9	4.7	4.5	4.3	4.0	3.1	1.8
100	*****						4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
125	*****							4.2	4.1	3.9	3.8	3.5	2.7	1.5
150	*****								3.7	3.6	3.5	3.2	2.4	1.4
200	*****										3.0	2.7	2.1	1.2
250	*****											2.4	1.9	1.1
300	*****												1.7	1.0
350	*****													0.9
400	*****													0.9
450	*****													0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEWBRUNSWICK
DIABETES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	68.7	68.4	67.3	65.5	63.7	61.8	59.8	57.8	55.7	53.5	48.8	37.8	21.8
2	*****	48.6	48.4	47.6	46.3	45.0	43.7	42.3	40.9	39.4	37.8	34.5	26.8	15.4
3	*****	39.7	39.5	38.9	37.8	36.8	35.7	34.5	33.4	32.2	30.9	28.2	21.8	12.6
4	*****	34.4	34.2	33.7	32.8	31.8	30.9	29.9	28.9	27.8	26.8	24.4	18.9	10.9
5	*****	30.7	30.6	30.1	29.3	28.5	27.6	26.8	25.8	24.9	23.9	21.8	16.9	9.8
6	*****		27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.7	21.8	19.9	15.4	8.9
7	*****		25.8	25.4	24.8	24.1	23.4	22.6	21.8	21.1	20.2	18.5	14.3	8.3
8	*****		24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7
9	*****		22.8	22.4	21.8	21.2	20.6	19.9	19.3	18.6	17.8	16.3	12.6	7.3
10	*****		21.6	21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9
11	*****			20.3	19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
12	*****			19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.4	14.1	10.9	6.3
13	*****			18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
14	*****			18.0	17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.1	10.1	5.8
15	*****			17.4	16.9	16.4	16.0	15.4	14.9	14.4	13.8	12.6	9.8	5.6
16	*****			16.8	16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5
17	*****			16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
18	*****			15.9	15.4	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.1
19	*****			15.4	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
20	*****			15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
21	*****			14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
22	*****			14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
23	*****			14.0	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
24	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
25	*****			13.5	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
30	*****				12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
35	*****				11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7
40	*****				10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
45	*****				9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
50	*****				9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
55	*****					8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
60	*****					8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
65	*****					7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
70	*****					7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
75	*****					7.4	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
80	*****						6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
85	*****						6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
90	*****						6.5	6.3	6.1	5.9	5.6	5.1	4.0	2.3
95	*****						6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
100	*****						6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
125	*****							5.4	5.2	5.0	4.8	4.4	3.4	2.0
150	*****								4.7	4.5	4.4	4.0	3.1	1.8
200	*****										3.8	3.5	2.7	1.5
250	*****											3.1	2.4	1.4
300	*****												2.2	1.3
350	*****													2.0
400	*****													1.1
450	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEW BRUNSWICK
EDUCATION

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	59.5	59.2	58.3	56.8	55.2	53.5	51.8	50.1	48.2	46.3	42.3	32.8	18.9
2	*****	42.1	41.9	41.2	40.1	39.0	37.8	36.6	35.4	34.1	32.8	29.9	23.2	13.4
3	*****	34.4	34.2	33.7	32.8	31.8	30.9	29.9	28.9	27.8	26.8	24.4	18.9	10.9
4	*****	29.8	29.6	29.2	28.4	27.6	26.8	25.9	25.0	24.1	23.2	21.2	16.4	9.5
5	*****	26.6	26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
6	*****	*****	24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7
7	*****	*****	22.4	22.0	21.5	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.2
8	*****	*****	20.9	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
9	*****	*****	19.7	19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.4	14.1	10.9	6.3
10	*****	*****	18.7	18.4	17.9	17.4	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
11	*****	*****	*****	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.8	9.9	5.7
12	*****	*****	*****	16.8	16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5
13	*****	*****	*****	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
14	*****	*****	*****	15.6	15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.8	5.1
15	*****	*****	*****	15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
16	*****	*****	*****	14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
17	*****	*****	*****	14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
18	*****	*****	*****	13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
19	*****	*****	*****	13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
20	*****	*****	*****	13.0	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
21	*****	*****	*****	12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
22	*****	*****	*****	12.4	12.1	11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
23	*****	*****	*****	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
24	*****	*****	*****	11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
25	*****	*****	*****	11.7	11.4	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8
30	*****	*****	*****	*****	10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
35	*****	*****	*****	*****	9.6	9.3	9.0	8.8	8.5	8.2	7.8	7.2	5.5	3.2
40	*****	*****	*****	*****	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
45	*****	*****	*****	*****	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
50	*****	*****	*****	*****	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
55	*****	*****	*****	*****	*****	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.6
60	*****	*****	*****	*****	*****	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
65	*****	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
70	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
75	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
80	*****	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
85	*****	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
90	*****	*****	*****	*****	*****	*****	5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
95	*****	*****	*****	*****	*****	*****	5.5	5.3	5.1	4.9	4.8	4.3	3.4	1.9
100	*****	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.8	4.6	4.2	3.3	1.9
125	*****	*****	*****	*****	*****	*****	*****	4.6	4.5	4.3	4.1	3.8	2.9	1.7
150	*****	*****	*****	*****	*****	*****	*****	*****	4.1	3.9	3.8	3.5	2.7	1.5
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.0	2.3	1.3	1.3
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	2.1	1.2	1.2
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.9	1.1	1.1
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEW BRUNSWICK
OTHER CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	71.3	70.9	69.8	67.9	66.0	64.1	62.0	59.9	57.7	55.5	50.6	39.2	22.6
2	*****	50.4	50.1	49.4	48.0	46.7	45.3	43.9	42.4	40.8	39.2	35.8	27.7	16.0
3	*****	41.1	40.9	40.3	39.2	38.1	37.0	35.8	34.6	33.3	32.0	29.2	22.6	13.1
4	*****	35.6	35.4	34.9	34.0	33.0	32.0	31.0	30.0	28.9	27.7	25.3	19.6	11.3
5	*****	31.9	31.7	31.2	30.4	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1
6	*****	*****	28.9	28.5	27.7	27.0	26.1	25.3	24.5	23.6	22.6	20.7	16.0	9.2
7	*****	*****	26.8	26.4	25.7	25.0	24.2	23.4	22.6	21.8	21.0	19.1	14.8	8.6
8	*****	*****	25.1	24.7	24.0	23.3	22.6	21.9	21.2	20.4	19.6	17.9	13.9	8.0
9	*****	*****	23.6	23.3	22.6	22.0	21.4	20.7	20.0	19.2	18.5	16.9	13.1	7.5
10	*****	*****	22.4	22.1	21.5	20.9	20.3	19.6	18.9	18.3	17.5	16.0	12.4	7.2
11	*****	*****	*****	21.0	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
12	*****	*****	*****	20.1	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
13	*****	*****	*****	19.4	18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3
14	*****	*****	*****	18.7	18.2	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
15	*****	*****	*****	18.0	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
16	*****	*****	*****	17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
17	*****	*****	*****	16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.5	12.3	9.5	5.5
18	*****	*****	*****	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
19	*****	*****	*****	16.0	15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
20	*****	*****	*****	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
21	*****	*****	*****	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9
22	*****	*****	*****	14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
23	*****	*****	*****	14.6	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
24	*****	*****	*****	14.2	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
25	*****	*****	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
30	*****	*****	*****	*****	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
35	*****	*****	*****	*****	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
40	*****	*****	*****	*****	10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
45	*****	*****	*****	*****	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
50	*****	*****	*****	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
55	*****	*****	*****	*****	*****	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
60	*****	*****	*****	*****	*****	8.5	8.3	8.0	7.7	7.5	7.2	6.5	5.1	2.9
65	*****	*****	*****	*****	*****	8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8
70	*****	*****	*****	*****	*****	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
75	*****	*****	*****	*****	*****	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
80	*****	*****	*****	*****	*****	*****	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
85	*****	*****	*****	*****	*****	*****	6.9	6.7	6.5	6.3	6.0	5.5	4.3	2.5
90	*****	*****	*****	*****	*****	*****	6.8	6.5	6.3	6.1	5.8	5.3	4.1	2.4
95	*****	*****	*****	*****	*****	*****	6.6	6.4	6.1	5.9	5.7	5.2	4.0	2.3
100	*****	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
125	*****	*****	*****	*****	*****	*****	*****	5.5	5.4	5.2	5.0	4.5	3.5	2.0
150	*****	*****	*****	*****	*****	*****	*****	*****	4.9	4.7	4.5	4.1	3.2	1.8
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.6	2.8	1.6	
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.2	2.5	1.4	
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.3	1.3	
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.1	1.2
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.1
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEW BRUNSWICK
OTHER HOME & CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	87.3	86.8	85.5	83.2	80.9	78.4	76.0	73.4	70.7	67.9	62.0	48.0	27.7
2	*****	61.7	61.4	60.4	58.8	57.2	55.5	53.7	51.9	50.0	48.0	43.9	34.0	19.6
3	*****	50.4	50.1	49.4	48.0	46.7	45.3	43.9	42.4	40.8	39.2	35.8	27.7	16.0
4	*****	43.6	43.4	42.7	41.6	40.4	39.2	38.0	36.7	35.4	34.0	31.0	24.0	13.9
5	*****	39.0	38.8	38.2	37.2	36.2	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4
6	*****	*****	35.4	34.9	34.0	33.0	32.0	31.0	30.0	28.9	27.7	25.3	19.6	11.3
7	*****	*****	32.8	32.3	31.4	30.6	29.7	28.7	27.7	26.7	25.7	23.4	18.2	10.5
8	*****	*****	30.7	30.2	29.4	28.6	27.7	26.9	25.9	25.0	24.0	21.9	17.0	9.8
9	*****	*****	28.9	28.5	27.7	27.0	26.1	25.3	24.5	23.6	22.6	20.7	16.0	9.2
10	*****	*****	27.5	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8
11	*****	*****	*****	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4
12	*****	*****	*****	24.7	24.0	23.3	22.6	21.9	21.2	20.4	19.6	17.9	13.9	8.0
13	*****	*****	*****	23.7	23.1	22.4	21.8	21.1	20.4	19.6	18.8	17.2	13.3	7.7
14	*****	*****	*****	22.8	22.2	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.8	7.4
15	*****	*****	*****	22.1	21.5	20.9	20.3	19.6	18.9	18.3	17.5	16.0	12.4	7.2
16	*****	*****	*****	21.4	20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	12.0	6.9
17	*****	*****	*****	20.7	20.2	19.6	19.0	18.4	17.8	17.2	16.5	15.0	11.7	6.7
18	*****	*****	*****	20.1	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
19	*****	*****	*****	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
20	*****	*****	*****	19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2
21	*****	*****	*****	18.7	18.2	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
22	*****	*****	*****	18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
23	*****	*****	*****	17.8	17.4	16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8
24	*****	*****	*****	17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
25	*****	*****	*****	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
30	*****	*****	*****	*****	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
35	*****	*****	*****	*****	14.1	13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7
40	*****	*****	*****	*****	13.2	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4
45	*****	*****	*****	*****	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
50	*****	*****	*****	*****	11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
55	*****	*****	*****	*****	*****	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7
60	*****	*****	*****	*****	*****	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
65	*****	*****	*****	*****	*****	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
70	*****	*****	*****	*****	*****	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3
75	*****	*****	*****	*****	*****	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
80	*****	*****	*****	*****	*****	*****	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
85	*****	*****	*****	*****	*****	*****	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0
90	*****	*****	*****	*****	*****	*****	8.3	8.0	7.7	7.5	7.2	6.5	5.1	2.9
95	*****	*****	*****	*****	*****	*****	8.0	7.8	7.5	7.3	7.0	6.4	4.9	2.8
100	*****	*****	*****	*****	*****	*****	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
125	*****	*****	*****	*****	*****	*****	*****	6.8	6.6	6.3	6.1	5.5	4.3	2.5
150	*****	*****	*****	*****	*****	*****	*****	*****	6.0	5.8	5.5	5.1	3.9	2.3
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.8	4.4	3.4	2.0	1.8
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.0	1.6	1.5
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.8	1.4	1.3
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	1.5
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEW BRUNSWICK
OTHER HOME INTERVIEW VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	59.5	59.2	58.3	56.8	55.2	53.5	51.8	50.1	48.2	46.3	42.3	32.8	18.9
2	*****	42.1	41.9	41.2	40.1	39.0	37.8	36.6	35.4	34.1	32.8	29.9	23.2	13.4
3	*****	34.4	34.2	33.7	32.8	31.8	30.9	29.9	28.9	27.8	26.8	24.4	18.9	10.9
4	*****	29.8	29.6	29.2	28.4	27.6	26.8	25.9	25.0	24.1	23.2	21.2	16.4	9.5
5	*****	26.6	26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
6	*****	*****	24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7
7	*****	*****	22.4	22.0	21.5	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.2
8	*****	*****	20.9	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
9	*****	*****	19.7	19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.4	14.1	10.9	6.3
10	*****	*****	18.7	18.4	17.9	17.4	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
11	*****	*****	*****	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.8	9.9	5.7
12	*****	*****	*****	16.8	16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5
13	*****	*****	*****	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
14	*****	*****	*****	15.6	15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.8	5.1
15	*****	*****	*****	15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
16	*****	*****	*****	14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
17	*****	*****	*****	14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
18	*****	*****	*****	13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
19	*****	*****	*****	13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
20	*****	*****	*****	13.0	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
21	*****	*****	*****	12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
22	*****	*****	*****	12.4	12.1	11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
23	*****	*****	*****	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
24	*****	*****	*****	11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
25	*****	*****	*****	11.7	11.4	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8
30	*****	*****	*****	*****	10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
35	*****	*****	*****	*****	9.6	9.3	9.0	8.8	8.5	8.2	7.8	7.2	5.5	3.2
40	*****	*****	*****	*****	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
45	*****	*****	*****	*****	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
50	*****	*****	*****	*****	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
55	*****	*****	*****	*****	*****	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.6
60	*****	*****	*****	*****	*****	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
65	*****	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
70	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
75	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
80	*****	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
85	*****	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
90	*****	*****	*****	*****	*****	*****	5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
95	*****	*****	*****	*****	*****	*****	5.5	5.3	5.1	4.9	4.8	4.3	3.4	1.9
100	*****	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.8	4.6	4.2	3.3	1.9
125	*****	*****	*****	*****	*****	*****	*****	4.6	4.5	4.3	4.1	3.8	2.9	1.7
150	*****	*****	*****	*****	*****	*****	*****	*****	4.1	3.9	3.8	3.5	2.7	1.5
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.0	2.3	1.3	1.3
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	2.1	1.2	1.2
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.9	1.1	1.1
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEW BRUNSWICK
SEDENTARY LIFESTYLE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	59.5	59.2	58.3	56.8	55.2	53.5	51.8	50.1	48.2	46.3	42.3	32.8	18.9
2	*****	42.1	41.9	41.2	40.1	39.0	37.8	36.6	35.4	34.1	32.8	29.9	23.2	13.4
3	*****	34.4	34.2	33.7	32.8	31.8	30.9	29.9	28.9	27.8	26.8	24.4	18.9	10.9
4	*****	29.8	29.6	29.2	28.4	27.6	26.8	25.9	25.0	24.1	23.2	21.2	16.4	9.5
5	*****	26.6	26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
6	*****		24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7
7	*****		22.4	22.0	21.5	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.2
8	*****		20.9	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
9	*****		19.7	19.4	18.9	18.4	17.8	17.3	16.7	16.1	15.4	14.1	10.9	6.3
10	*****		18.7	18.4	17.9	17.4	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
11	*****			17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.8	9.9	5.7
12	*****			16.8	16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5
13	*****			16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
14	*****			15.6	15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.8	5.1
15	*****			15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
16	*****			14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
17	*****			14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
18	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
19	*****			13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
20	*****			13.0	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
21	*****			12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
22	*****			12.4	12.1	11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
23	*****			12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
24	*****			11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
25	*****			11.7	11.4	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8
30	*****				10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
35	*****				9.6	9.3	9.0	8.8	8.5	8.2	7.8	7.2	5.5	3.2
40	*****				9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
45	*****				8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
50	*****				8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
55	*****					7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.6
60	*****					7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
65	*****					6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
70	*****					6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
75	*****					6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
80	*****						6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
85	*****						5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
90	*****						5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
95	*****						5.5	5.3	5.1	4.9	4.8	4.3	3.4	1.9
100	*****						5.4	5.2	5.0	4.8	4.6	4.2	3.3	1.9
125	*****							4.6	4.5	4.3	4.1	3.8	2.9	1.7
150	*****								4.1	3.9	3.8	3.5	2.7	1.5
200	*****									3.3	3.0	2.3	1.3	
250	*****										2.7	2.1	1.2	
300	*****											1.9	1.1	
350	*****												1.8	1.0
400	*****													0.9
450	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEW BRUNSWICK
SMOKING

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE (' 000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.3	54.1	53.2	51.8	50.3	48.8	47.3	45.7	44.0	42.3	38.6	29.9	17.3
2	*****	38.4	38.2	37.6	36.6	35.6	34.5	33.4	32.3	31.1	29.9	27.3	21.2	12.2
3	*****	31.4	31.2	30.7	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
4	*****	27.2	27.0	26.6	25.9	25.2	24.4	23.6	22.8	22.0	21.2	19.3	15.0	8.6
5	*****	24.3	24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7
6	*****		22.1	21.7	21.2	20.6	19.9	19.3	18.7	18.0	17.3	15.8	12.2	7.1
7	*****		20.4	20.1	19.6	19.0	18.5	17.9	17.3	16.6	16.0	14.6	11.3	6.5
8	*****		19.1	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1
9	*****		18.0	17.7	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
10	*****		17.1	16.8	16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5
11	*****			16.0	15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.6	9.0	5.2
12	*****			15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.1	8.6	5.0
13	*****			14.8	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
14	*****			14.2	13.8	13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6
15	*****			13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
16	*****			13.3	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
17	*****			12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
18	*****			12.5	12.2	11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.1	4.1
19	*****			12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
20	*****			11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
21	*****			11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
22	*****			11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
23	*****			11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
24	*****			10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
25	*****			10.6	10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
30	*****				9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2
35	*****				8.8	8.5	8.3	8.0	7.7	7.4	7.2	6.5	5.1	2.9
40	*****				8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
45	*****				7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
50	*****				7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
55	*****					6.8	6.6	6.4	6.2	5.9	5.7	5.2	4.0	2.3
60	*****					6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
65	*****					6.2	6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1
70	*****					6.0	5.8	5.7	5.5	5.3	5.1	4.6	3.6	2.1
75	*****					5.8	5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
80	*****						5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9
85	*****						5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9
90	*****						5.1	5.0	4.8	4.6	4.5	4.1	3.2	1.8
95	*****						5.0	4.9	4.7	4.5	4.3	4.0	3.1	1.8
100	*****						4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
125	*****							4.2	4.1	3.9	3.8	3.5	2.7	1.5
150	*****								3.7	3.6	3.5	3.2	2.4	1.4
200	*****										3.0	2.7	2.1	1.2
250	*****											2.4	1.9	1.1
300	*****												1.7	1.0
350	*****													0.9
400	*****													0.9
450	*****													0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

NEW BRUNSWICK
TOTAL CHOLESTEROL

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	56.3	56.0	55.2	53.7	52.2	50.6	49.0	47.4	45.6	43.9	40.0	31.0	17.9
2	*****	39.8	39.6	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7
3	*****	32.5	32.4	31.9	31.0	30.1	29.2	28.3	27.3	26.4	25.3	23.1	17.9	10.3
4	*****	28.2	28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
5	*****	25.2	25.1	24.7	24.0	23.3	22.6	21.9	21.2	20.4	19.6	17.9	13.9	8.0
6	*****		22.9	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3
7	*****		21.2	20.9	20.3	19.7	19.1	18.5	17.9	17.3	16.6	15.1	11.7	6.8
8	*****		19.8	19.5	19.0	18.5	17.9	17.3	16.7	16.1	15.5	14.2	11.0	6.3
9	*****		18.7	18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
10	*****		17.7	17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
11	*****			16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.3	5.4
12	*****			15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
13	*****			15.3	14.9	14.5	14.0	13.6	13.1	12.7	12.2	11.1	8.6	5.0
14	*****			14.7	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
15	*****			14.2	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
16	*****			13.8	13.4	13.0	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
17	*****			13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
18	*****			13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2
19	*****			12.7	12.3	12.0	11.6	11.2	10.9	10.5	10.1	9.2	7.1	4.1
20	*****			12.3	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
21	*****			12.0	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
22	*****			11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.3	8.5	6.6	3.8
23	*****			11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.3	6.5	3.7
24	*****			11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
25	*****			11.0	10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
30	*****				9.8	9.5	9.2	9.0	8.6	8.3	8.0	7.3	5.7	3.3
35	*****				9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
40	*****				8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
45	*****				8.0	7.8	7.5	7.3	7.1	6.8	6.5	6.0	4.6	2.7
50	*****				7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
55	*****					7.0	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
60	*****					6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
65	*****					6.5	6.3	6.1	5.9	5.7	5.4	5.0	3.8	2.2
70	*****					6.2	6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1
75	*****					6.0	5.8	5.7	5.5	5.3	5.1	4.6	3.6	2.1
80	*****						5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
85	*****						5.5	5.3	5.1	5.0	4.8	4.3	3.4	1.9
90	*****						5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
95	*****						5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8
100	*****						5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8
125	*****							4.4	4.2	4.1	3.9	3.6	2.8	1.6
150	*****								3.9	3.7	3.6	3.3	2.5	1.5
200	*****										3.1	2.8	2.2	1.3
250	*****											2.5	2.0	1.1
300	*****												1.8	1.0
350	*****													1.7
400	*****													0.9
450	*****													0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES