

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	88.2	87.8	87.4	86.0	83.7	81.4	78.9	76.4	73.8	71.2	68.4	62.4	48.3	27.9
2	*****	62.1	61.8	60.8	59.2	57.5	55.8	54.0	52.2	50.3	48.3	44.1	34.2	19.7
3	*****	50.7	50.4	49.7	48.3	47.0	45.6	44.1	42.6	41.1	39.5	36.0	27.9	16.1
4	*****	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
5	*****	39.3	39.1	38.5	37.4	36.4	35.3	34.2	33.0	31.8	30.6	27.9	21.6	12.5
6	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.1	27.9	25.5	19.7	11.4
7	*****	33.2	33.0	32.5	31.6	30.8	29.8	28.9	27.9	26.9	25.8	23.6	18.3	10.5
8	*****	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
9	*****	29.3	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3
10	*****	27.8	27.6	27.2	26.5	25.7	25.0	24.2	23.4	22.5	21.6	19.7	15.3	8.8
11	*****	26.5	26.3	25.9	25.2	24.5	23.8	23.0	22.3	21.5	20.6	18.8	14.6	8.4
12	*****	25.4	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
13	*****	24.4	24.2	23.9	23.2	22.6	21.9	21.2	20.5	19.7	19.0	17.3	13.4	7.7
14	*****	23.5	23.4	23.0	22.4	21.7	21.1	20.4	19.7	19.0	18.3	16.7	12.9	7.5
15	*****	22.7	22.6	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.7	16.1	12.5	7.2
16	*****	22.0	21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
17	*****	21.3	21.2	20.9	20.3	19.7	19.1	18.5	17.9	17.3	16.6	15.1	11.7	6.8
18	*****	*****	20.6	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
19	*****	*****	20.0	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
20	*****	*****	19.5	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
21	*****	*****	19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1
22	*****	*****	18.6	18.3	17.9	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	6.0
23	*****	*****	18.2	17.9	17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.0	10.1	5.8
24	*****	*****	17.8	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7
25	*****	*****	17.5	17.2	16.7	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
30	*****	*****	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
35	*****	*****	*****	14.5	14.2	13.8	13.3	12.9	12.5	12.0	11.6	10.5	8.2	4.7
40	*****	*****	*****	13.6	13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4
45	*****	*****	*****	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
50	*****	*****	*****	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
55	*****	*****	*****	11.6	11.3	11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8
60	*****	*****	*****	11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
65	*****	*****	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5
70	*****	*****	*****	10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
75	*****	*****	*****	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
80	*****	*****	*****	9.6	9.4	9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1
85	*****	*****	*****	9.3	9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
90	*****	*****	*****	*****	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
95	*****	*****	*****	*****	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
100	*****	*****	*****	*****	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
125	*****	*****	*****	*****	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5
150	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3
200	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
250	*****	*****	*****	*****	*****	5.1	5.0	4.8	4.7	4.5	4.3	3.9	3.1	1.8
300	*****	*****	*****	*****	*****	*****	4.6	4.4	4.3	4.1	3.9	3.6	2.8	1.6
350	*****	*****	*****	*****	*****	*****	*****	4.1	3.9	3.8	3.7	3.3	2.6	1.5
400	*****	*****	*****	*****	*****	*****	*****	3.8	3.7	3.6	3.4	3.1	2.4	1.4
450	*****	*****	*****	*****	*****	*****	*****	*****	3.5	3.4	3.2	2.9	2.3	1.3
500	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.2	3.1	2.8	2.2	1.2
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.3	1.8	1.0
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.5	0.9
1500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
BODY MASS INDEX

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	114.5	114.0	113.4	111.6	108.7	105.6	102.4	99.2	95.8	92.3	88.7	81.0	62.7	36.2
2	*****	80.6	80.2	78.9	76.8	74.7	72.4	70.1	67.8	65.3	62.7	57.3	44.4	25.6
3	*****	65.8	65.5	64.5	62.7	61.0	59.1	57.3	55.3	53.3	51.2	46.8	36.2	20.9
4	*****	57.0	56.7	55.8	54.3	52.8	51.2	49.6	47.9	46.2	44.4	40.5	31.4	18.1
5	*****	51.0	50.7	49.9	48.6	47.2	45.8	44.4	42.9	41.3	39.7	36.2	28.1	16.2
6	*****	46.5	46.3	45.6	44.4	43.1	41.8	40.5	39.1	37.7	36.2	33.1	25.6	14.8
7	*****	43.1	42.9	42.2	41.1	39.9	38.7	37.5	36.2	34.9	33.5	30.6	23.7	13.7
8	*****	40.3	40.1	39.5	38.4	37.3	36.2	35.1	33.9	32.6	31.4	28.6	22.2	12.8
9	*****	38.0	37.8	37.2	36.2	35.2	34.1	33.1	31.9	30.8	29.6	27.0	20.9	12.1
10	*****	36.0	35.9	35.3	34.4	33.4	32.4	31.4	30.3	29.2	28.1	25.6	19.8	11.5
11	*****	34.4	34.2	33.7	32.8	31.8	30.9	29.9	28.9	27.8	26.7	24.4	18.9	10.9
12	*****	32.9	32.7	32.2	31.4	30.5	29.6	28.6	27.7	26.7	25.6	23.4	18.1	10.5
13	*****	31.6	31.4	31.0	30.1	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.0
14	*****	30.5	30.3	29.8	29.0	28.2	27.4	26.5	25.6	24.7	23.7	21.6	16.8	9.7
15	*****	29.4	29.3	28.8	28.1	27.3	26.5	25.6	24.7	23.8	22.9	20.9	16.2	9.4
16	*****	28.5	28.3	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.2	15.7	9.1
17	*****	27.6	27.5	27.1	26.4	25.6	24.8	24.1	23.2	22.4	21.5	19.6	15.2	8.8
18	*****	*****	26.7	26.3	25.6	24.9	24.1	23.4	22.6	21.8	20.9	19.1	14.8	8.5
19	*****	*****	26.0	25.6	24.9	24.2	23.5	22.8	22.0	21.2	20.4	18.6	14.4	8.3
20	*****	*****	25.4	25.0	24.3	23.6	22.9	22.2	21.4	20.6	19.8	18.1	14.0	8.1
21	*****	*****	24.7	24.4	23.7	23.0	22.4	21.6	20.9	20.2	19.4	17.7	13.7	7.9
22	*****	*****	24.2	23.8	23.2	22.5	21.8	21.1	20.4	19.7	18.9	17.3	13.4	7.7
23	*****	*****	23.6	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
24	*****	*****	23.1	22.8	22.2	21.6	20.9	20.2	19.6	18.8	18.1	16.5	12.8	7.4
25	*****	*****	22.7	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.2	12.5	7.2
30	*****	*****	20.7	20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
35	*****	*****	*****	18.9	18.4	17.8	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
40	*****	*****	*****	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
45	*****	*****	*****	16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
50	*****	*****	*****	15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.5	11.5	8.9	5.1
55	*****	*****	*****	15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
60	*****	*****	*****	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
65	*****	*****	*****	13.8	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.0	7.8	4.5
70	*****	*****	*****	13.3	13.0	12.6	12.2	11.9	11.5	11.0	10.6	9.7	7.5	4.3
75	*****	*****	*****	12.9	12.5	12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2
80	*****	*****	*****	12.5	12.1	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.0
85	*****	*****	*****	12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
90	*****	*****	*****	*****	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
95	*****	*****	*****	*****	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
100	*****	*****	*****	*****	10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
125	*****	*****	*****	*****	9.7	9.4	9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2
150	*****	*****	*****	*****	8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
200	*****	*****	*****	*****	*****	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
250	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
300	*****	*****	*****	*****	*****	*****	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
350	*****	*****	*****	*****	*****	*****	*****	5.3	5.1	4.9	4.7	4.3	3.4	1.9
400	*****	*****	*****	*****	*****	*****	*****	5.0	4.8	4.6	4.4	4.0	3.1	1.8
450	*****	*****	*****	*****	*****	*****	*****	*****	4.5	4.4	4.2	3.8	3.0	1.7
500	*****	*****	*****	*****	*****	*****	*****	*****	4.3	4.1	4.0	3.6	2.8	1.6
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.3	1.3
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.1
1500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
BLOOD PRESSURE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	98.6	98.2	97.7	96.2	93.6	91.0	88.3	85.5	82.6	79.6	76.4	69.8	54.0	31.2
2	*****	69.4	69.1	68.0	66.2	64.3	62.4	60.4	58.4	56.3	54.0	49.3	38.2	22.1
3	*****	56.7	56.4	55.5	54.0	52.5	51.0	49.3	47.7	45.9	44.1	40.3	31.2	18.0
4	*****	49.1	48.8	48.1	46.8	45.5	44.1	42.7	41.3	39.8	38.2	34.9	27.0	15.6
5	*****	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
6	*****	40.1	39.9	39.3	38.2	37.1	36.0	34.9	33.7	32.5	31.2	28.5	22.1	12.7
7	*****	37.1	36.9	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.4	11.8
8	*****	34.7	34.5	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
9	*****	32.7	32.6	32.1	31.2	30.3	29.4	28.5	27.5	26.5	25.5	23.3	18.0	10.4
10	*****	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
11	*****	29.6	29.5	29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.0	21.0	16.3	9.4
12	*****	28.3	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0
13	*****	27.2	27.1	26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7
14	*****	26.2	26.1	25.7	25.0	24.3	23.6	22.8	22.1	21.3	20.4	18.6	14.4	8.3
15	*****	25.4	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
16	*****	24.5	24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
17	*****	23.8	23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
18	*****	*****	23.0	22.7	22.1	21.4	20.8	20.1	19.5	18.8	18.0	16.4	12.7	7.4
19	*****	*****	22.4	22.1	21.5	20.9	20.2	19.6	18.9	18.3	17.5	16.0	12.4	7.2
20	*****	*****	21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
21	*****	*****	21.3	21.0	20.4	19.9	19.3	18.6	18.0	17.4	16.7	15.2	11.8	6.8
22	*****	*****	20.8	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7
23	*****	*****	20.4	20.1	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5
24	*****	*****	19.9	19.6	19.1	18.6	18.0	17.4	16.9	16.2	15.6	14.2	11.0	6.4
25	*****	*****	19.5	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
30	*****	*****	17.8	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7
35	*****	*****	*****	16.3	15.8	15.4	14.9	14.4	14.0	13.4	12.9	11.8	9.1	5.3
40	*****	*****	*****	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9
45	*****	*****	*****	14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
50	*****	*****	*****	13.6	13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4
55	*****	*****	*****	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
60	*****	*****	*****	12.4	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
65	*****	*****	*****	11.9	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9
70	*****	*****	*****	11.5	11.2	10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
75	*****	*****	*****	11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
80	*****	*****	*****	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5
85	*****	*****	*****	10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
90	*****	*****	*****	*****	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
95	*****	*****	*****	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
100	*****	*****	*****	*****	9.4	9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1
125	*****	*****	*****	*****	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
150	*****	*****	*****	*****	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5
200	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
250	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
300	*****	*****	*****	*****	*****	*****	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8
350	*****	*****	*****	*****	*****	*****	*****	4.6	4.4	4.3	4.1	3.7	2.9	1.7
400	*****	*****	*****	*****	*****	*****	*****	4.3	4.1	4.0	3.8	3.5	2.7	1.6
450	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.8	3.6	3.3	2.5	1.5
500	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.4	1.4
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	2.0	1.1
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0
1500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
OTHER CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	132.2	131.6	130.9	128.9	125.5	121.9	118.3	114.5	110.6	106.6	102.4	93.5	72.4	41.8
2	*****	93.0	92.6	91.1	88.7	86.2	83.6	81.0	78.2	75.4	72.4	66.1	51.2	29.6
3	*****	76.0	75.6	74.4	72.4	70.4	68.3	66.1	63.9	61.6	59.1	54.0	41.8	24.1
4	*****	65.8	65.5	64.5	62.7	61.0	59.1	57.3	55.3	53.3	51.2	46.8	36.2	20.9
5	*****	58.8	58.6	57.6	56.1	54.5	52.9	51.2	49.5	47.7	45.8	41.8	32.4	18.7
6	*****	53.7	53.4	52.6	51.2	49.8	48.3	46.8	45.2	43.5	41.8	38.2	29.6	17.1
7	*****	49.7	49.5	48.7	47.4	46.1	44.7	43.3	41.8	40.3	38.7	35.3	27.4	15.8
8	*****	46.5	46.3	45.6	44.4	43.1	41.8	40.5	39.1	37.7	36.2	33.1	25.6	14.8
9	*****	43.9	43.6	43.0	41.8	40.6	39.4	38.2	36.9	35.5	34.1	31.2	24.1	13.9
10	*****	41.6	41.4	40.8	39.7	38.6	37.4	36.2	35.0	33.7	32.4	29.6	22.9	13.2
11	*****	39.7	39.5	38.9	37.8	36.8	35.7	34.5	33.4	32.1	30.9	28.2	21.8	12.6
12	*****	38.0	37.8	37.2	36.2	35.2	34.1	33.1	31.9	30.8	29.6	27.0	20.9	12.1
13	*****	36.5	36.3	35.8	34.8	33.8	32.8	31.8	30.7	29.6	28.4	25.9	20.1	11.6
14	*****	35.2	35.0	34.5	33.5	32.6	31.6	30.6	29.6	28.5	27.4	25.0	19.4	11.2
15	*****	34.0	33.8	33.3	32.4	31.5	30.5	29.6	28.6	27.5	26.5	24.1	18.7	10.8
16	*****	32.9	32.7	32.2	31.4	30.5	29.6	28.6	27.7	26.7	25.6	23.4	18.1	10.5
17	*****	31.9	31.8	31.3	30.4	29.6	28.7	27.8	26.8	25.9	24.8	22.7	17.6	10.1
18	*****		30.9	30.4	29.6	28.7	27.9	27.0	26.1	25.1	24.1	22.0	17.1	9.9
19	*****		30.0	29.6	28.8	28.0	27.1	26.3	25.4	24.5	23.5	21.5	16.6	9.6
20	*****		29.3	28.8	28.1	27.3	26.5	25.6	24.7	23.8	22.9	20.9	16.2	9.4
21	*****		28.6	28.1	27.4	26.6	25.8	25.0	24.1	23.3	22.4	20.4	15.8	9.1
22	*****		27.9	27.5	26.7	26.0	25.2	24.4	23.6	22.7	21.8	19.9	15.4	8.9
23	*****		27.3	26.9	26.2	25.4	24.7	23.9	23.1	22.2	21.4	19.5	15.1	8.7
24	*****		26.7	26.3	25.6	24.9	24.1	23.4	22.6	21.8	20.9	19.1	14.8	8.5
25	*****		26.2	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4
30	*****		23.9	23.5	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
35	*****			21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.2	7.1
40	*****			20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
45	*****			19.2	18.7	18.2	17.6	17.1	16.5	15.9	15.3	13.9	10.8	6.2
50	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
55	*****			17.4	16.9	16.4	16.0	15.4	14.9	14.4	13.8	12.6	9.8	5.6
60	*****			16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
65	*****			16.0	15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
70	*****			15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0
75	*****			14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
80	*****			14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
85	*****			14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5
90	*****				13.2	12.9	12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4
95	*****				12.9	12.5	12.1	11.8	11.4	10.9	10.5	9.6	7.4	4.3
100	*****				12.5	12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2
125	*****				11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7
150	*****				10.2	10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
200	*****					8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
250	*****					7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
300	*****						6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
350	*****							6.1	5.9	5.7	5.5	5.0	3.9	2.2
400	*****							5.7	5.5	5.3	5.1	4.7	3.6	2.1
450	*****								5.2	5.0	4.8	4.4	3.4	2.0
500	*****								4.9	4.8	4.6	4.2	3.2	1.9
750	*****											3.4	2.6	1.5
1000	*****												2.3	1.3
1500	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
DIABETES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	124.8	124.2	123.6	121.7	118.4	115.1	111.6	108.1	104.4	100.6	96.7	88.3	68.4	39.5
2	*****	87.8	87.4	86.0	83.7	81.4	78.9	76.4	73.8	71.2	68.4	62.4	48.3	27.9
3	*****	71.7	71.3	70.2	68.4	66.4	64.5	62.4	60.3	58.1	55.8	51.0	39.5	22.8
4	*****	62.1	61.8	60.8	59.2	57.5	55.8	54.0	52.2	50.3	48.3	44.1	34.2	19.7
5	*****	55.5	55.3	54.4	53.0	51.5	49.9	48.3	46.7	45.0	43.2	39.5	30.6	17.7
6	*****	50.7	50.4	49.7	48.3	47.0	45.6	44.1	42.6	41.1	39.5	36.0	27.9	16.1
7	*****	46.9	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.0	36.5	33.4	25.8	14.9
8	*****	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
9	*****	41.4	41.2	40.6	39.5	38.4	37.2	36.0	34.8	33.5	32.2	29.4	22.8	13.2
10	*****	39.3	39.1	38.5	37.4	36.4	35.3	34.2	33.0	31.8	30.6	27.9	21.6	12.5
11	*****	37.4	37.3	36.7	35.7	34.7	33.7	32.6	31.5	30.3	29.2	26.6	20.6	11.9
12	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.1	27.9	25.5	19.7	11.4
13	*****	34.4	34.3	33.7	32.8	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	10.9
14	*****	33.2	33.0	32.5	31.6	30.8	29.8	28.9	27.9	26.9	25.8	23.6	18.3	10.5
15	*****	32.1	31.9	31.4	30.6	29.7	28.8	27.9	27.0	26.0	25.0	22.8	17.7	10.2
16	*****	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
17	*****	30.1	30.0	29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.4	21.4	16.6	9.6
18	*****	*****	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3
19	*****	*****	28.3	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.2	15.7	9.1
20	*****	*****	27.6	27.2	26.5	25.7	25.0	24.2	23.4	22.5	21.6	19.7	15.3	8.8
21	*****	*****	27.0	26.5	25.8	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
22	*****	*****	26.3	25.9	25.2	24.5	23.8	23.0	22.3	21.5	20.6	18.8	14.6	8.4
23	*****	*****	25.8	25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.2	18.4	14.3	8.2
24	*****	*****	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
25	*****	*****	24.7	24.3	23.7	23.0	22.3	21.6	20.9	20.1	19.3	17.7	13.7	7.9
30	*****	*****	22.6	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.7	16.1	12.5	7.2
35	*****	*****	*****	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.3	14.9	11.6	6.7
40	*****	*****	*****	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
45	*****	*****	*****	18.1	17.7	17.2	16.6	16.1	15.6	15.0	14.4	13.2	10.2	5.9
50	*****	*****	*****	17.2	16.7	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
55	*****	*****	*****	16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3
60	*****	*****	*****	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
65	*****	*****	*****	15.1	14.7	14.3	13.8	13.4	13.0	12.5	12.0	10.9	8.5	4.9
70	*****	*****	*****	14.5	14.2	13.8	13.3	12.9	12.5	12.0	11.6	10.5	8.2	4.7
75	*****	*****	*****	14.0	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
80	*****	*****	*****	13.6	13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4
85	*****	*****	*****	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
90	*****	*****	*****	*****	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
95	*****	*****	*****	*****	12.1	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.0
100	*****	*****	*****	*****	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
125	*****	*****	*****	*****	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
150	*****	*****	*****	*****	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
200	*****	*****	*****	*****	*****	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
250	*****	*****	*****	*****	*****	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5
300	*****	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3
350	*****	*****	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	4.7	3.7	2.1
400	*****	*****	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.8	4.4	3.4	2.0
450	*****	*****	*****	*****	*****	*****	*****	*****	4.9	4.7	4.6	4.2	3.2	1.9
500	*****	*****	*****	*****	*****	*****	*****	*****	4.7	4.5	4.3	3.9	3.1	1.8
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.2	2.5	1.4
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.2	1.2
1500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
EDUCATION

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	108.0	107.6	107.0	105.4	102.6	99.7	96.7	93.6	90.4	87.2	83.7	76.4	59.2	34.2
2	*****	76.1	75.7	74.5	72.5	70.5	68.4	66.2	64.0	61.6	59.2	54.0	41.9	24.2
3	*****	62.1	61.8	60.8	59.2	57.5	55.8	54.0	52.2	50.3	48.3	44.1	34.2	19.7
4	*****	53.8	53.5	52.7	51.3	49.8	48.3	46.8	45.2	43.6	41.9	38.2	29.6	17.1
5	*****	48.1	47.9	47.1	45.9	44.6	43.2	41.9	40.4	39.0	37.4	34.2	26.5	15.3
6	*****	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
7	*****	40.7	40.4	39.8	38.8	37.7	36.5	35.4	34.2	32.9	31.6	28.9	22.4	12.9
8	*****	38.0	37.8	37.3	36.3	35.2	34.2	33.1	32.0	30.8	29.6	27.0	20.9	12.1
9	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.1	27.9	25.5	19.7	11.4
10	*****	34.0	33.8	33.3	32.4	31.5	30.6	29.6	28.6	27.6	26.5	24.2	18.7	10.8
11	*****	32.4	32.3	31.8	30.9	30.0	29.2	28.2	27.3	26.3	25.2	23.0	17.9	10.3
12	*****	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
13	*****	29.8	29.7	29.2	28.4	27.6	26.8	26.0	25.1	24.2	23.2	21.2	16.4	9.5
14	*****	28.7	28.6	28.2	27.4	26.6	25.8	25.0	24.2	23.3	22.4	20.4	15.8	9.1
15	*****	27.8	27.6	27.2	26.5	25.7	25.0	24.2	23.4	22.5	21.6	19.7	15.3	8.8
16	*****	26.9	26.8	26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.5
17	*****	26.1	26.0	25.6	24.9	24.2	23.4	22.7	21.9	21.1	20.3	18.5	14.4	8.3
18	*****		25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
19	*****		24.6	24.2	23.5	22.9	22.2	21.5	20.7	20.0	19.2	17.5	13.6	7.8
20	*****		23.9	23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
21	*****		23.4	23.0	22.4	21.7	21.1	20.4	19.7	19.0	18.3	16.7	12.9	7.5
22	*****		22.8	22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
23	*****		22.3	22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.3	7.1
24	*****		21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
25	*****		21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
30	*****		19.5	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
35	*****			17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.2	12.9	10.0	5.8
40	*****			16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
45	*****			15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
50	*****			14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
55	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6
60	*****			13.6	13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4
65	*****			13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
70	*****			12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
75	*****			12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
80	*****			11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
85	*****			11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
90	*****				10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
95	*****				10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
100	*****				10.3	10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
125	*****				9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
150	*****				8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
200	*****					7.0	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
250	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
300	*****						5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
350	*****							5.0	4.8	4.7	4.5	4.1	3.2	1.8
400	*****							4.7	4.5	4.4	4.2	3.8	3.0	1.7
450	*****								4.3	4.1	3.9	3.6	2.8	1.6
500	*****								4.0	3.9	3.7	3.4	2.6	1.5
750	*****											2.8	2.2	1.2
1000	*****												1.9	1.1
1500	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
OTHER HOME & CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	161.9	161.2	160.3	157.9	153.7	149.3	144.9	140.3	135.5	130.6	125.5	114.5	88.7	51.2
2	*****	114.0	113.4	111.6	108.7	105.6	102.4	99.2	95.8	92.3	88.7	81.0	62.7	36.2
3	*****	93.0	92.6	91.1	88.7	86.2	83.6	81.0	78.2	75.4	72.4	66.1	51.2	29.6
4	*****	80.6	80.2	78.9	76.8	74.7	72.4	70.1	67.8	65.3	62.7	57.3	44.4	25.6
5	*****	72.1	71.7	70.6	68.7	66.8	64.8	62.7	60.6	58.4	56.1	51.2	39.7	22.9
6	*****	65.8	65.5	64.5	62.7	61.0	59.1	57.3	55.3	53.3	51.2	46.8	36.2	20.9
7	*****	60.9	60.6	59.7	58.1	56.4	54.8	53.0	51.2	49.4	47.4	43.3	33.5	19.4
8	*****	57.0	56.7	55.8	54.3	52.8	51.2	49.6	47.9	46.2	44.4	40.5	31.4	18.1
9	*****	53.7	53.4	52.6	51.2	49.8	48.3	46.8	45.2	43.5	41.8	38.2	29.6	17.1
10	*****	51.0	50.7	49.9	48.6	47.2	45.8	44.4	42.9	41.3	39.7	36.2	28.1	16.2
11	*****	48.6	48.3	47.6	46.3	45.0	43.7	42.3	40.9	39.4	37.8	34.5	26.7	15.4
12	*****	46.5	46.3	45.6	44.4	43.1	41.8	40.5	39.1	37.7	36.2	33.1	25.6	14.8
13	*****	44.7	44.5	43.8	42.6	41.4	40.2	38.9	37.6	36.2	34.8	31.8	24.6	14.2
14	*****	43.1	42.9	42.2	41.1	39.9	38.7	37.5	36.2	34.9	33.5	30.6	23.7	13.7
15	*****	41.6	41.4	40.8	39.7	38.6	37.4	36.2	35.0	33.7	32.4	29.6	22.9	13.2
16	*****	40.3	40.1	39.5	38.4	37.3	36.2	35.1	33.9	32.6	31.4	28.6	22.2	12.8
17	*****	39.1	38.9	38.3	37.3	36.2	35.1	34.0	32.9	31.7	30.4	27.8	21.5	12.4
18	*****		37.8	37.2	36.2	35.2	34.1	33.1	31.9	30.8	29.6	27.0	20.9	12.1
19	*****		36.8	36.2	35.3	34.3	33.2	32.2	31.1	30.0	28.8	26.3	20.4	11.8
20	*****		35.9	35.3	34.4	33.4	32.4	31.4	30.3	29.2	28.1	25.6	19.8	11.5
21	*****		35.0	34.5	33.5	32.6	31.6	30.6	29.6	28.5	27.4	25.0	19.4	11.2
22	*****		34.2	33.7	32.8	31.8	30.9	29.9	28.9	27.8	26.7	24.4	18.9	10.9
23	*****		33.4	32.9	32.0	31.1	30.2	29.2	28.3	27.2	26.2	23.9	18.5	10.7
24	*****		32.7	32.2	31.4	30.5	29.6	28.6	27.7	26.7	25.6	23.4	18.1	10.5
25	*****		32.1	31.6	30.7	29.9	29.0	28.1	27.1	26.1	25.1	22.9	17.7	10.2
30	*****		29.3	28.8	28.1	27.3	26.5	25.6	24.7	23.8	22.9	20.9	16.2	9.4
35	*****			26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7
40	*****			25.0	24.3	23.6	22.9	22.2	21.4	20.6	19.8	18.1	14.0	8.1
45	*****			23.5	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
50	*****			22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.2	12.5	7.2
55	*****			21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9
60	*****			20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
65	*****			19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
70	*****			18.9	18.4	17.8	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
75	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
80	*****			17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
85	*****			17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
90	*****				16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
95	*****				15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
100	*****				15.4	14.9	14.5	14.0	13.6	13.1	12.5	11.5	8.9	5.1
125	*****				13.7	13.4	13.0	12.5	12.1	11.7	11.2	10.2	7.9	4.6
150	*****				12.5	12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2
200	*****					10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
250	*****					9.4	9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2
300	*****						8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
350	*****							7.5	7.2	7.0	6.7	6.1	4.7	2.7
400	*****							7.0	6.8	6.5	6.3	5.7	4.4	2.6
450	*****								6.4	6.2	5.9	5.4	4.2	2.4
500	*****								6.1	5.8	5.6	5.1	4.0	2.3
750	*****											4.2	3.2	1.9
1000	*****												2.8	1.6
1500	*****													1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
OTHER HOME INTERVIEW VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	108.0	107.6	107.0	105.4	102.6	99.7	96.7	93.6	90.4	87.2	83.7	76.4	59.2	34.2
2	*****	76.1	75.7	74.5	72.5	70.5	68.4	66.2	64.0	61.6	59.2	54.0	41.9	24.2
3	*****	62.1	61.8	60.8	59.2	57.5	55.8	54.0	52.2	50.3	48.3	44.1	34.2	19.7
4	*****	53.8	53.5	52.7	51.3	49.8	48.3	46.8	45.2	43.6	41.9	38.2	29.6	17.1
5	*****	48.1	47.9	47.1	45.9	44.6	43.2	41.9	40.4	39.0	37.4	34.2	26.5	15.3
6	*****	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
7	*****	40.7	40.4	39.8	38.8	37.7	36.5	35.4	34.2	32.9	31.6	28.9	22.4	12.9
8	*****	38.0	37.8	37.3	36.3	35.2	34.2	33.1	32.0	30.8	29.6	27.0	20.9	12.1
9	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.1	27.9	25.5	19.7	11.4
10	*****	34.0	33.8	33.3	32.4	31.5	30.6	29.6	28.6	27.6	26.5	24.2	18.7	10.8
11	*****	32.4	32.3	31.8	30.9	30.0	29.2	28.2	27.3	26.3	25.2	23.0	17.9	10.3
12	*****	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
13	*****	29.8	29.7	29.2	28.4	27.6	26.8	26.0	25.1	24.2	23.2	21.2	16.4	9.5
14	*****	28.7	28.6	28.2	27.4	26.6	25.8	25.0	24.2	23.3	22.4	20.4	15.8	9.1
15	*****	27.8	27.6	27.2	26.5	25.7	25.0	24.2	23.4	22.5	21.6	19.7	15.3	8.8
16	*****	26.9	26.8	26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.5
17	*****	26.1	26.0	25.6	24.9	24.2	23.4	22.7	21.9	21.1	20.3	18.5	14.4	8.3
18	*****		25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
19	*****		24.6	24.2	23.5	22.9	22.2	21.5	20.7	20.0	19.2	17.5	13.6	7.8
20	*****		23.9	23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
21	*****		23.4	23.0	22.4	21.7	21.1	20.4	19.7	19.0	18.3	16.7	12.9	7.5
22	*****		22.8	22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
23	*****		22.3	22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.3	7.1
24	*****		21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
25	*****		21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
30	*****		19.5	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
35	*****			17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.2	12.9	10.0	5.8
40	*****			16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
45	*****			15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
50	*****			14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
55	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6
60	*****			13.6	13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4
65	*****			13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
70	*****			12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
75	*****			12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
80	*****			11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
85	*****			11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
90	*****				10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
95	*****				10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
100	*****				10.3	10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
125	*****				9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
150	*****				8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
200	*****					7.0	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
250	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
300	*****						5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
350	*****							5.0	4.8	4.7	4.5	4.1	3.2	1.8
400	*****							4.7	4.5	4.4	4.2	3.8	3.0	1.7
450	*****								4.3	4.1	3.9	3.6	2.8	1.6
500	*****								4.0	3.9	3.7	3.4	2.6	1.5
750	*****											2.8	2.2	1.2
1000	*****												1.9	1.1
1500	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
SEDENTARY LIFESTYLE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	108.0	107.6	107.0	105.4	102.6	99.7	96.7	93.6	90.4	87.2	83.7	76.4	59.2	34.2
2	*****	76.1	75.7	74.5	72.5	70.5	68.4	66.2	64.0	61.6	59.2	54.0	41.9	24.2
3	*****	62.1	61.8	60.8	59.2	57.5	55.8	54.0	52.2	50.3	48.3	44.1	34.2	19.7
4	*****	53.8	53.5	52.7	51.3	49.8	48.3	46.8	45.2	43.6	41.9	38.2	29.6	17.1
5	*****	48.1	47.9	47.1	45.9	44.6	43.2	41.9	40.4	39.0	37.4	34.2	26.5	15.3
6	*****	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
7	*****	40.7	40.4	39.8	38.8	37.7	36.5	35.4	34.2	32.9	31.6	28.9	22.4	12.9
8	*****	38.0	37.8	37.3	36.3	35.2	34.2	33.1	32.0	30.8	29.6	27.0	20.9	12.1
9	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.1	27.9	25.5	19.7	11.4
10	*****	34.0	33.8	33.3	32.4	31.5	30.6	29.6	28.6	27.6	26.5	24.2	18.7	10.8
11	*****	32.4	32.3	31.8	30.9	30.0	29.2	28.2	27.3	26.3	25.2	23.0	17.9	10.3
12	*****	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
13	*****	29.8	29.7	29.2	28.4	27.6	26.8	26.0	25.1	24.2	23.2	21.2	16.4	9.5
14	*****	28.7	28.6	28.2	27.4	26.6	25.8	25.0	24.2	23.3	22.4	20.4	15.8	9.1
15	*****	27.8	27.6	27.2	26.5	25.7	25.0	24.2	23.4	22.5	21.6	19.7	15.3	8.8
16	*****	26.9	26.8	26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.5
17	*****	26.1	26.0	25.6	24.9	24.2	23.4	22.7	21.9	21.1	20.3	18.5	14.4	8.3
18	*****		25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
19	*****		24.6	24.2	23.5	22.9	22.2	21.5	20.7	20.0	19.2	17.5	13.6	7.8
20	*****		23.9	23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
21	*****		23.4	23.0	22.4	21.7	21.1	20.4	19.7	19.0	18.3	16.7	12.9	7.5
22	*****		22.8	22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
23	*****		22.3	22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.3	7.1
24	*****		21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
25	*****		21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
30	*****		19.5	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
35	*****			17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.2	12.9	10.0	5.8
40	*****			16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
45	*****			15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
50	*****			14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
55	*****			14.2	13.8	13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6
60	*****			13.6	13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4
65	*****			13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
70	*****			12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
75	*****			12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
80	*****			11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
85	*****			11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
90	*****				10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
95	*****				10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
100	*****				10.3	10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
125	*****				9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
150	*****				8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
200	*****					7.0	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
250	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
300	*****						5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
350	*****							5.0	4.8	4.7	4.5	4.1	3.2	1.8
400	*****							4.7	4.5	4.4	4.2	3.8	3.0	1.7
450	*****								4.3	4.1	3.9	3.6	2.8	1.6
500	*****								4.0	3.9	3.7	3.4	2.6	1.5
750	*****											2.8	2.2	1.2
1000	*****												1.9	1.1
1500	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
SMOKING

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	98.6	98.2	97.7	96.2	93.6	91.0	88.3	85.5	82.6	79.6	76.4	69.8	54.0	31.2
2	*****	69.4	69.1	68.0	66.2	64.3	62.4	60.4	58.4	56.3	54.0	49.3	38.2	22.1
3	*****	56.7	56.4	55.5	54.0	52.5	51.0	49.3	47.7	45.9	44.1	40.3	31.2	18.0
4	*****	49.1	48.8	48.1	46.8	45.5	44.1	42.7	41.3	39.8	38.2	34.9	27.0	15.6
5	*****	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
6	*****	40.1	39.9	39.3	38.2	37.1	36.0	34.9	33.7	32.5	31.2	28.5	22.1	12.7
7	*****	37.1	36.9	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.4	11.8
8	*****	34.7	34.5	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
9	*****	32.7	32.6	32.1	31.2	30.3	29.4	28.5	27.5	26.5	25.5	23.3	18.0	10.4
10	*****	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
11	*****	29.6	29.5	29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.0	21.0	16.3	9.4
12	*****	28.3	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0
13	*****	27.2	27.1	26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7
14	*****	26.2	26.1	25.7	25.0	24.3	23.6	22.8	22.1	21.3	20.4	18.6	14.4	8.3
15	*****	25.4	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
16	*****	24.5	24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
17	*****	23.8	23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
18	*****		23.0	22.7	22.1	21.4	20.8	20.1	19.5	18.8	18.0	16.4	12.7	7.4
19	*****		22.4	22.1	21.5	20.9	20.2	19.6	18.9	18.3	17.5	16.0	12.4	7.2
20	*****		21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
21	*****		21.3	21.0	20.4	19.9	19.3	18.6	18.0	17.4	16.7	15.2	11.8	6.8
22	*****		20.8	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7
23	*****		20.4	20.1	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5
24	*****		19.9	19.6	19.1	18.6	18.0	17.4	16.9	16.2	15.6	14.2	11.0	6.4
25	*****		19.5	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
30	*****		17.8	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7
35	*****			16.3	15.8	15.4	14.9	14.4	14.0	13.4	12.9	11.8	9.1	5.3
40	*****			15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9
45	*****			14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
50	*****			13.6	13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4
55	*****			13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
60	*****			12.4	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
65	*****			11.9	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9
70	*****			11.5	11.2	10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
75	*****			11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
80	*****			10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5
85	*****			10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
90	*****				9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
95	*****				9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
100	*****				9.4	9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1
125	*****				8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
150	*****				7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5
200	*****					6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
250	*****					5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
300	*****						5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8
350	*****							4.6	4.4	4.3	4.1	3.7	2.9	1.7
400	*****							4.3	4.1	4.0	3.8	3.5	2.7	1.6
450	*****								3.9	3.8	3.6	3.3	2.5	1.5
500	*****								3.7	3.6	3.4	3.1	2.4	1.4
750	*****											2.5	2.0	1.1
1000	*****												1.7	1.0
1500	*****													0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

ALBERTA
TOTAL CHOLESTEROL

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ('000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	104.5	104.0	103.5	101.9	99.2	96.4	93.5	90.5	87.5	84.3	81.0	73.9	57.3	33.1
2	*****	73.6	73.2	72.1	70.1	68.2	66.1	64.0	61.9	59.6	57.3	52.3	40.5	23.4
3	*****	60.1	59.8	58.8	57.3	55.7	54.0	52.3	50.5	48.7	46.8	42.7	33.1	19.1
4	*****	52.0	51.8	51.0	49.6	48.2	46.8	45.3	43.7	42.1	40.5	37.0	28.6	16.5
5	*****	46.5	46.3	45.6	44.4	43.1	41.8	40.5	39.1	37.7	36.2	33.1	25.6	14.8
6	*****	42.5	42.3	41.6	40.5	39.4	38.2	37.0	35.7	34.4	33.1	30.2	23.4	13.5
7	*****	39.3	39.1	38.5	37.5	36.4	35.3	34.2	33.1	31.9	30.6	27.9	21.6	12.5
8	*****	36.8	36.6	36.0	35.1	34.1	33.1	32.0	30.9	29.8	28.6	26.1	20.2	11.7
9	*****	34.7	34.5	34.0	33.1	32.1	31.2	30.2	29.2	28.1	27.0	24.6	19.1	11.0
10	*****	32.9	32.7	32.2	31.4	30.5	29.6	28.6	27.7	26.7	25.6	23.4	18.1	10.5
11	*****	31.4	31.2	30.7	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
12	*****	30.0	29.9	29.4	28.6	27.8	27.0	26.1	25.3	24.3	23.4	21.3	16.5	9.5
13	*****	28.9	28.7	28.3	27.5	26.7	25.9	25.1	24.3	23.4	22.5	20.5	15.9	9.2
14	*****	27.8	27.7	27.2	26.5	25.8	25.0	24.2	23.4	22.5	21.6	19.8	15.3	8.8
15	*****	26.9	26.7	26.3	25.6	24.9	24.1	23.4	22.6	21.8	20.9	19.1	14.8	8.5
16	*****	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3
17	*****	25.2	25.1	24.7	24.1	23.4	22.7	22.0	21.2	20.4	19.6	17.9	13.9	8.0
18	*****	*****	24.4	24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8
19	*****	*****	23.7	23.4	22.8	22.1	21.5	20.8	20.1	19.3	18.6	17.0	13.1	7.6
20	*****	*****	23.1	22.8	22.2	21.6	20.9	20.2	19.6	18.8	18.1	16.5	12.8	7.4
21	*****	*****	22.6	22.2	21.6	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2
22	*****	*****	22.1	21.7	21.1	20.6	19.9	19.3	18.6	18.0	17.3	15.8	12.2	7.0
23	*****	*****	21.6	21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
24	*****	*****	21.1	20.8	20.2	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.7
25	*****	*****	20.7	20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
30	*****	*****	18.9	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0
35	*****	*****	*****	17.2	16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
40	*****	*****	*****	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
45	*****	*****	*****	15.2	14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9
50	*****	*****	*****	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
55	*****	*****	*****	13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
60	*****	*****	*****	13.2	12.8	12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3
65	*****	*****	*****	12.6	12.3	12.0	11.6	11.2	10.9	10.5	10.0	9.2	7.1	4.1
70	*****	*****	*****	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0
75	*****	*****	*****	11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
80	*****	*****	*****	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
85	*****	*****	*****	11.1	10.8	10.5	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
90	*****	*****	*****	*****	10.5	10.2	9.9	9.5	9.2	8.9	8.5	7.8	6.0	3.5
95	*****	*****	*****	*****	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
100	*****	*****	*****	*****	9.9	9.6	9.4	9.1	8.7	8.4	8.1	7.4	5.7	3.3
125	*****	*****	*****	*****	8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
150	*****	*****	*****	*****	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
200	*****	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3
250	*****	*****	*****	*****	*****	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
300	*****	*****	*****	*****	*****	*****	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9
350	*****	*****	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.3	4.0	3.1	1.8
400	*****	*****	*****	*****	*****	*****	*****	4.5	4.4	4.2	4.0	3.7	2.9	1.7
450	*****	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.8	3.5	2.7	1.6
500	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.8	3.6	3.3	2.6	1.5
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	2.1	1.2
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0
1500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES