


# Canadian Community Health Survey (CCHS)

**2009-2010 Public Use Microdata File**

## **Approximate Sampling Variability Tables**

June 2010



Statistique  
Canada

Statistics  
Canada

Canada



## TABLE OF CONTENTS

<b>INPUT DATA FOR SAMPLING VARIABILITY TABLES .....</b>	<b>6</b>
PROVINCES, TERRITORIES AND CANADA.....	6
CANADA BY AGE GROUP .....	7
HEALTH REGIONS.....	8
<b>APPROXIMATE SAMPLING VARIABILITY TABLES .....</b>	<b>16</b>
CANADA.....	16
CANADA BY AGE GROUP .....	17
Age group 12-19.....	17
Age group 20-29.....	18
Age group 30-44.....	19
Age group 45-64.....	20
Age group 65+ .....	21
PROVINCES AND TERRITORIES.....	22
Newfoundland.....	22
Prince Edward Island .....	23
Nova Scotia.....	24
New Brunswick.....	25
Quebec .....	26
Ontario .....	27
Manitoba.....	28
Saskatchewan.....	29
Alberta.....	30
British Columbia .....	31
Territories .....	32
HEALTH REGIONS .....	33
Newfoundland: EASTERN REGIONAL INTEGRATED HA (10911) .....	33
Newfoundland: CENTRAL REGIONAL INTEGRATED HA (10912) .....	34
Newfoundland: WESTERN/LABRADOR-GRENFELL REGIONAL HA (10913).....	35
Prince Edward Island: PRINCE EDWARD ISLAND (11901).....	36
Nova Scotia: ZONE 1 (12901) .....	37
Nova Scotia: ZONE 2 (12902) .....	38
Nova Scotia: ZONE 3 (12903) .....	39
Nova Scotia: ZONE 4 (12904) .....	40
Nova Scotia: ZONE 5 (12905) .....	41
Nova Scotia: ZONE 6 (12906) .....	42
New Brunswick: ZONE 1 (13901).....	43
New Brunswick: ZONE 2 (13902).....	44
New Brunswick: ZONE 3 (13903).....	45
New Brunswick: ZONES 4 AND 5 (13904) .....	46
New Brunswick: ZONES 6 AND 7 (13906) .....	47

Quebec: RÉGION DU BAS-SAINT-LAURENT (24901) .....	48
Quebec: RÉGION DU SAGUENAY - LAC-SAINT-JEAN (24902).....	49
Quebec: RÉGION DE QUÉBEC (24903) .....	50
Quebec: RÉGION DE LA MAURICIE-CENTRE-DU-QUÉBEC (24904) .....	51
Quebec: RÉGION DE L'ESTRIE (24905) .....	52
Quebec: RÉGION DE MONTRÉAL-CENTRE (24906).....	53
Quebec: RÉGION DE L'OUTAOUAIS (24907) .....	54
Quebec: RÉGION DE L'ABITIBI-TÉMISCAMINGUE (24908).....	55
Quebec: RÉGION DE LA CÔTE-NORD (24909).....	56
Quebec: RÉG. DE LA GASPÉSIE-ÎLES-DE-LA-MADELEINE (24911) .....	57
Quebec: RÉGION DE LA CHAUDIÈRE-APPALACHES (24912) .....	58
Quebec: RÉGION DE LAVAL (24913) .....	59
Quebec: RÉGION DE LANAUDIÈRE (24914) .....	60
Quebec: RÉGION DES LAURENTIDES (24915) .....	61
Quebec: RÉGION DE LA MONTÉRÉGIE (24916) .....	62
Ontario: DISTRICT OF ALGOMA HEALTH UNIT (35926) .....	63
Ontario: BRANT COUNTY HEALTH UNIT (35927).....	64
Ontario: DURHAM REGIONAL HEALTH UNIT (35930) .....	65
Ontario: ELGIN-ST THOMAS HEALTH UNIT (35931) .....	66
Ontario: GREY BRUCE HEALTH UNIT (35933) .....	67
Ontario: HALDIMAND-NORFOLK HEALTH UNIT (35934) .....	68
Ontario: HALIBURTON-KAWARTHA-PINE RIDGE DHU (35935) .....	69
Ontario: HALTON REGIONAL HEALTH UNIT (35936) .....	70
Ontario: CITY OF HAMILTON HEALTH UNIT (35937) .....	71
Ontario: HASTINGS AND PRINCE EDWARD COUNTIES HU (35938).....	72
Ontario: HURON AND PERTH HEALTH UNITS (35939).....	73
Ontario: CHATHAM-KENT HEALTH UNIT (35940).....	74
Ontario: KINGSTON-FRONTENAC-LENNOX-ADDINGTON HU (35941).....	75
Ontario: LAMBTON HEALTH UNIT (35942).....	76
Ontario: LEEDS-GRENVILLE-LANARK DHU (35943).....	77
Ontario: MIDDLESEX-LONDON HEALTH UNIT (35944) .....	78
Ontario: NIAGARA REGIONAL AREA HEALTH UNIT (35946).....	79
Ontario: NORTH BAY AND TIMISKAMING HEALTH UNITS (35947).....	80
Ontario: NORTHWESTERN HEALTH UNIT (35949).....	81
Ontario: CITY OF OTTAWA HEALTH UNIT (35951).....	82
Ontario: OXFORD COUNTY HEALTH UNIT (35952) .....	83
Ontario: PEEL REGIONAL HEALTH UNIT (35953) .....	84
Ontario: PETERBOROUGH COUNTY-CITY HEALTH UNIT (35955).....	85
Ontario: PORCUPINE HEALTH UNIT (35956) .....	86
Ontario: RENFREW COUNTY AND DISTRICT HEALTH UNIT (35957) .....	87
Ontario: EASTERN ONTARIO HEALTH UNIT (35958).....	88
Ontario: SIMCOE COUNTY DISTRICT HEALTH UNIT (35960).....	89
Ontario: SUDBURY AND DISTRICT HEALTH UNIT (35961) .....	90
Ontario: THUNDER BAY DISTRICT HEALTH UNIT (35962).....	91
Ontario: WATERLOO HEALTH UNIT (35965).....	92
Ontario: WELLINGTON-DUFFERIN-GUELPH HU (35966) .....	93

<i>Ontario: WINDSOR-ESSEX COUNTY HEALTH UNIT (35968)</i> .....	94
<i>Ontario: YORK REGIONAL HEALTH UNIT (35970)</i> .....	95
<i>Ontario: CITY OF TORONTO HEALTH UNIT (35995)</i> .....	96
<i>Manitoba: WINNIPEG REGIONAL HEALTH AUTHORITY (46910)</i> .....	97
<i>Manitoba: BRANDON AND ASSINIBOINE RHA (46915)</i> .....	98
<i>Manitoba: NORTH AND SOUTH EASTMAN RHA (46920)</i> .....	99
<i>Manitoba: INTERLAKE/PARKLAND REGIONAL HEALTH AUTHORITY (46931)</i> .....	100
<i>Manitoba: CENTRAL REGIONAL HEALTH AUTHORITY (46940)</i> .....	101
<i>Manitoba: NOR-MAN/BURNTWOOD &amp; CHURCHILL RHA (46970)</i> .....	102
<i>Saskatchewan: SUN COUNTRY, FIVE HILLS AND CYPRESS RHA (47901)</i> .....	103
<i>Saskatchewan: REGINA QU'APPELLE REGIONAL HLTH AUTHO. (47904)</i> .....	104
<i>Saskatchewan: SUNRISE AND KELSEY TRAIL RHA (47905)</i> .....	105
<i>Saskatchewan: SASKATOON REGIONAL HEALTH AUTHORITY (47906)</i> .....	106
<i>Saskatchewan: HEARTLAND AND PRAIRIE NORTH RHA (47907)</i> .....	107
<i>Saskatchewan: PRINCE ALBERT, MAMAWETAN/KEEWATIN/ATHABA (47909)</i> .....	108
<i>Alberta: SOUTH ZONE (48931)</i> .....	109
<i>Alberta: CALGARY ZONE (48932)</i> .....	110
<i>Alberta: CENTRAL ZONE (48933)</i> .....	111
<i>Alberta: EDMONTON ZONE (48934)</i> .....	112
<i>Alberta: NORTH ZONE (48935)</i> .....	113
<i>British Columbia: EAST KOOTENAY (59911)</i> .....	114
<i>British Columbia: KOOTENAY-BOUNDARY (59912)</i> .....	115
<i>British Columbia: OKANAGAN (59913)</i> .....	116
<i>British Columbia: THOMPSON CARIBOO (59914)</i> .....	117
<i>British Columbia: FRASER EAST (59921)</i> .....	118
<i>British Columbia: FRASER NORTH (59922)</i> .....	119
<i>British Columbia: FRASER SOUTH (59923)</i> .....	120
<i>British Columbia: RICHMOND (59931)</i> .....	121
<i>British Columbia: VANCOUVER (59932)</i> .....	122
<i>British Columbia: NORTH SHORE/COAST GARIBALDI (59933)</i> .....	123
<i>British Columbia: SOUTH VANCOUVER ISLAND (59941)</i> .....	124
<i>British Columbia: CENTRAL VANCOUVER ISLAND (59942)</i> .....	125
<i>British Columbia: NORTH VANCOUVER ISLAND (59943)</i> .....	126
<i>British Columbia: NORTHWEST (59951)</i> .....	127
<i>British Columbia: NORTHERN INTERIOR (59952)</i> .....	128
<i>British Columbia: NORTHEAST (59953)</i> .....	129
<i>Territories: YUKON, NORTHWEST TERRITORIES AND NUNAVUT (60901)</i> .....	130
<b>TABLES OF RELEASE CUT-OFFS FOR TOTALS</b> .....	<b>131</b>
PROVINCES, TERRITORIES AND CANADA .....	131
CANADA BY AGE GROUP .....	132
HEALTH REGIONS .....	133

**INPUT DATA FOR SAMPLING VARIABILITY TABLES***Provinces, Territories and Canada*

<b>PROVINCE/TERRITORIES</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>Newfoundland</b>	2.07	3,589	423,562
<b>Prince Edward Island</b>	1.83	1,835	118,407
<b>Nova Scotia</b>	2.22	4,421	761,017
<b>New Brunswick</b>	2.01	4,598	613,279
<b>Quebec</b>	2.87	21,310	6,334,244
<b>Ontario</b>	3.25	40,403	10,438,821
<b>Manitoba</b>	3.61	6,404	910,532
<b>Saskatchewan</b>	2.78	6,955	758,917
<b>Alberta</b>	3.04	10,713	2,776,643
<b>British Columbia</b>	2.72	13,951	3,572,007
<b>Territories</b>	2.23	2,754	70,341
<b>Canada</b>	3.31	116,933	26,777,768

*Canada by age group*

<b>AGE GROUP</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>12-19</b>	2.87	13,682	3,128,856
<b>20-29</b>	2.61	14,220	4,293,231
<b>30-44</b>	3.13	23,403	6,428,910
<b>45-64</b>	3.89	37,352	8,797,519
<b>65+</b>	2.78	28,276	4,129,251

*Health Regions*

<b>HEALTH REGION</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>Newfoundland: EASTERN REGIONAL INTEGRATED HA (10911)</b>	1.82	1,465	252,600
<b>Newfoundland: CENTRAL REGIONAL INTEGRATED HA (10912)</b>	2.04	797	75,326
<b>Newfoundland: WESTERN/LABRADOR-GRENFELL REGIONAL HA (10913)</b>	2.01	1,327	95,636
<b>Prince Edward Island: PRINCE EDWARD ISLAND (11901)</b>	1.83	1,835	118,407
<b>Nova Scotia: ZONE 1 (12901)</b>	2.05	717	97,120
<b>Nova Scotia: ZONE 2 (12902)</b>	2.15	605	68,059
<b>Nova Scotia: ZONE 3 (12903)</b>	2.09	619	87,295
<b>Nova Scotia: ZONE 4 (12904)</b>	3.05	561	60,987
<b>Nova Scotia: ZONE 5 (12905)</b>	2.01	701	101,120
<b>Nova Scotia: ZONE 6 (12906)</b>	1.99	1,218	346,436
<b>New Brunswick: ZONE 1 (13901)</b>	1.95	902	168,544
<b>New Brunswick: ZONE 2 (13902)</b>	1.91	908	145,260
<b>New Brunswick: ZONE 3 (13903)</b>	2.09	882	135,471



<b>HEALTH REGION</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>New Brunswick: ZONES 4 AND 5 (13904)</b>	2.23	881	60,818
<b>New Brunswick: ZONES 6 AND 7 (13906)</b>	1.84	1,025	103,187
<b>Quebec: RÉGION DU BAS-SAINT-LAURENT (24901)</b>	2.46	1,018	160,870
<b>Quebec: RÉGION DU SAGUENAY - LAC-SAINT-JEAN (24902)</b>	2.14	1,194	225,133
<b>Quebec: RÉGION DE QUÉBEC (24903)</b>	1.93	1,838	581,309
<b>Quebec: RÉGION DE LA MAURICIE-CENTRE-DU- QUÉBEC (24904)</b>	2.87	1,443	409,094
<b>Quebec: RÉGION DE L'ESTRIE (24905)</b>	2.81	1,106	254,719
<b>Quebec: RÉGION DE MONTRÉAL-CENTRE (24906)</b>	2.43	2,700	1,535,747
<b>Quebec: RÉGION DE L'OUTAOUAIS (24907)</b>	2.25	1,263	300,088
<b>Quebec: RÉGION DE L'ABITIBI-TÉMISCAMINGUE (24908)</b>	2.31	1,009	111,440
<b>Quebec: RÉGION DE LA CÔTE-NORD (24909)</b>	2.35	1,058	70,789
<b>Quebec: RÉG. DE LA GASPÉSIE-ÎLES-DE-LA- MADELEINE (24911)</b>	2.22	1,082	77,234
<b>Quebec: RÉGION DE LA CHAUDIÈRE-APPALACHES (24912)</b>	2.58	1,381	329,217
<b>Quebec: RÉGION DE LAVAL (24913)</b>	2.99	1,230	314,611

<b>HEALTH REGION</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>Quebec: RÉGION DE LANAUDIÈRE (24914)</b>	2.95	1,212	352,543
<b>Quebec: RÉGION DES LAURENTIDES (24915)</b>	2.60	1,327	432,398
<b>Quebec: RÉGION DE LA MONTÉRÉGIE (24916)</b>	2.33	2,449	1,179,051
<b>Ontario: DISTRICT OF ALGOMA HEALTH UNIT (35926)</b>	2.41	815	96,648
<b>Ontario: BRANT COUNTY HEALTH UNIT (35927)</b>	2.31	726	109,104
<b>Ontario: DURHAM REGIONAL HEALTH UNIT (35930)</b>	3.17	1,468	493,888
<b>Ontario: ELGIN-ST THOMAS HEALTH UNIT (35931)</b>	2.48	647	73,267
<b>Ontario: GREY BRUCE HEALTH UNIT (35933)</b>	2.19	964	135,310
<b>Ontario: HALDIMAND-NORFOLK HEALTH UNIT (35934)</b>	2.50	740	92,649
<b>Ontario: HALIBURTON-KAWARTHA-PINE RIDGE DHU (35935)</b>	2.28	734	146,419
<b>Ontario: HALTON REGIONAL HEALTH UNIT (35936)</b>	2.61	1,321	413,677
<b>Ontario: CITY OF HAMILTON HEALTH UNIT (35937)</b>	2.73	1,498	437,082
<b>Ontario: HASTINGS AND PRINCE EDWARD COUNTIES HU (35938)</b>	2.38	876	133,307
<b>Ontario: HURON AND PERTH HEALTH UNITS (35939)</b>	2.58	1,230	112,125

<b>HEALTH REGION</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>Ontario: CHATHAM-KENT HEALTH UNIT (35940)</b>	2.00	724	89,380
<b>Ontario: KINGSTON-FRONTENAC-LENNOX- ADDINGTON HU (35941)</b>	2.76	919	154,959
<b>Ontario: LAMBTON HEALTH UNIT (35942)</b>	2.26	797	107,161
<b>Ontario: LEEDS-GRENVILLE-LANARK DHU (35943)</b>	2.08	881	138,942
<b>Ontario: MIDDLESEX-LONDON HEALTH UNIT (35944)</b>	2.35	1,385	368,129
<b>Ontario: NIAGARA REGIONAL AREA HEALTH UNIT (35946)</b>	2.58	1,367	361,991
<b>Ontario: NORTH BAY AND TIMISKAMING HEALTH UNITS (35947)</b>	2.41	1,062	132,033
<b>Ontario: NORTHWESTERN HEALTH UNIT (35949)</b>	2.43	796	53,060
<b>Ontario: CITY OF OTTAWA HEALTH UNIT (35951)</b>	2.31	1,840	710,196
<b>Ontario: OXFORD COUNTY HEALTH UNIT (35952)</b>	2.06	717	87,764
<b>Ontario: PEEL REGIONAL HEALTH UNIT (35953)</b>	2.73	2,478	1,068,315
<b>Ontario: PETERBOROUGH COUNTY-CITY HEALTH UNIT (35955)</b>	2.32	766	117,692
<b>Ontario: PORCUPINE HEALTH UNIT (35956)</b>	2.44	679	66,605
<b>Ontario: RENFREW COUNTY AND DISTRICT HEALTH UNIT (35957)</b>	2.36	706	81,337

<b>HEALTH REGION</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>Ontario: EASTERN ONTARIO HEALTH UNIT (35958)</b>	2.39	931	162,225
<b>Ontario: SIMCOE COUNTY DISTRICT HEALTH UNIT (35960)</b>	2.72	2,044	428,876
<b>Ontario: SUDBURY AND DISTRICT HEALTH UNIT (35961)</b>	2.32	1,004	163,952
<b>Ontario: THUNDER BAY DISTRICT HEALTH UNIT (35962)</b>	2.60	1,251	118,541
<b>Ontario: WATERLOO HEALTH UNIT (35965)</b>	2.25	1,475	427,509
<b>Ontario: WELLINGTON-DUFFERIN-GUELPH HU (35966)</b>	2.36	1,070	224,939
<b>Ontario: WINDSOR-ESSEX COUNTY HEALTH UNIT (35968)</b>	2.51	1,305	331,608
<b>Ontario: YORK REGIONAL HEALTH UNIT (35970)</b>	2.80	1,694	809,465
<b>Ontario: CITY OF TORONTO HEALTH UNIT (35995)</b>	3.07	3,493	1,990,666
<b>Manitoba: WINNIPEG REGIONAL HEALTH AUTHORITY (46910)</b>	2.41	1,855	554,997
<b>Manitoba: BRANDON AND ASSINIBOINE RHA (46915)</b>	2.56	1,135	90,818
<b>Manitoba: NORTH AND SOUTH EASTMAN RHA (46920)</b>	3.00	944	80,051
<b>Manitoba: INTERLAKE/PARKLAND REGIONAL HEALTH AUTHORITY (46931)</b>	3.72	1,002	81,708

<b>HEALTH REGION</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>Manitoba: CENTRAL REGIONAL HEALTH AUTHORITY (46940)</b>	2.49	673	76,717
<b>Manitoba: NOR-MAN/BURNTWOOD &amp; CHURCHILL RHA (46970)</b>	2.56	795	26,241
<b>Saskatchewan: SUN COUNTRY, FIVE HILLS AND CYPRESS RHA (47901)</b>	1.94	1,628	117,974
<b>Saskatchewan: REGINA QU'APPELLE REGIONAL HLTH AUTHO. (47904)</b>	2.41	1,118	188,417
<b>Saskatchewan: SUNRISE AND KELSEY TRAIL RHA (47905)</b>	2.32	961	69,312
<b>Saskatchewan: SASKATOON REGIONAL HEALTH AUTHORITY (47906)</b>	2.49	1,208	243,637
<b>Saskatchewan: HEARTLAND AND PRAIRIE NORTH RHA (47907)</b>	2.55	954	77,459
<b>Saskatchewan: PRINCE ALBERT, MAMAWETAN/KEEWATIN/ATHABA (47909)</b>	2.87	1,086	62,119
<b>Alberta: SOUTH ZONE (48931)</b>	2.70	1,530	202,088
<b>Alberta: CALGARY ZONE (48932)</b>	2.43	2,545	1,069,128
<b>Alberta: CENTRAL ZONE (48933)</b>	2.66	1,910	331,587
<b>Alberta: EDMONTON ZONE (48934)</b>	2.79	2,286	869,719
<b>Alberta: NORTH ZONE (48935)</b>	2.76	2,442	304,121

<b>HEALTH REGION</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>British Columbia: EAST KOOTENAY (59911)</b>	2.30	569	66,231
<b>British Columbia: KOOTENAY-BOUNDARY (59912)</b>	2.77	508	64,610
<b>British Columbia: OKANAGAN (59913)</b>	2.68	1,129	285,349
<b>British Columbia: THOMPSON CARIBOO (59914)</b>	2.68	828	174,904
<b>British Columbia: FRASER EAST (59921)</b>	2.56	883	220,917
<b>British Columbia: FRASER NORTH (59922)</b>	3.02	1,313	467,628
<b>British Columbia: FRASER SOUTH (59923)</b>	2.55	1,452	571,514
<b>British Columbia: RICHMOND (59931)</b>	2.71	660	157,896
<b>British Columbia: VANCOUVER (59932)</b>	2.98	1,280	504,487
<b>British Columbia: NORTH SHORE/COAST GARIBALDI (59933)</b>	3.12	866	226,752
<b>British Columbia: SOUTH VANCOUVER ISLAND (59941)</b>	2.30	1,205	303,520
<b>British Columbia: CENTRAL VANCOUVER ISLAND (59942)</b>	3.07	930	215,770
<b>British Columbia: NORTH VANCOUVER ISLAND (59943)</b>	2.80	483	97,618
<b>British Columbia: NORTHWEST (59951)</b>	2.18	626	51,806

<b>HEALTH REGION</b>	<b>DESIGN EFFECT</b>	<b>SAMPLE SIZE</b>	<b>POPULATION SIZE (aged 12 and older)</b>
<b>British Columbia: NORTHERN INTERIOR (59952)</b>	2.43	736	111,002
<b>British Columbia: NORTHEAST (59953)</b>	3.03	483	52,002
<b>Territories: YUKON, NORTHWEST TERRITORIES AND NUNAVUT (60901)</b>	2.23	2,754	70,341

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010  
APPROXIMATE SAMPLING VARIABILITY TABLES

CANADA

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	87.0	86.6	86.2	84.9	82.6	80.3	77.9	75.4	72.8	70.2	67.4	61.6	47.7	27.5
2	61.5	61.3	60.9	60.0	58.4	56.8	55.1	53.3	51.5	49.6	47.7	43.5	33.7	19.5
3	50.2	50.0	49.8	49.0	47.7	46.3	45.0	43.5	42.1	40.5	38.9	35.5	27.5	15.9
4	43.5	43.3	43.1	42.4	41.3	40.1	38.9	37.7	36.4	35.1	33.7	30.8	23.8	13.8
5	38.9	38.7	38.5	37.9	36.9	35.9	34.8	33.7	32.6	31.4	30.2	27.5	21.3	12.3
6	35.5	35.4	35.2	34.6	33.7	32.8	31.8	30.8	29.7	28.7	27.5	25.1	19.5	11.2
7	32.9	32.7	32.6	32.1	31.2	30.3	29.4	28.5	27.5	26.5	25.5	23.3	18.0	10.4
8	30.8	30.6	30.5	30.0	29.2	28.4	27.5	26.7	25.8	24.8	23.8	21.8	16.9	9.7
9	29.0	28.9	28.7	28.3	27.5	26.8	26.0	25.1	24.3	23.4	22.5	20.5	15.9	9.2
10	27.5	27.4	27.3	26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7
11	26.2	26.1	26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3
12	25.1	25.0	24.9	24.5	23.8	23.2	22.5	21.8	21.0	20.3	19.5	17.8	13.8	7.9
13	24.1	24.0	23.9	23.5	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
14	23.3	23.2	23.0	22.7	22.1	21.5	20.8	20.2	19.5	18.8	18.0	16.5	12.7	7.4
15	22.5	22.4	22.3	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
16	21.8	21.7	21.5	21.2	20.6	20.1	19.5	18.8	18.2	17.5	16.9	15.4	11.9	6.9
17	21.1	21.0	20.9	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7
18	20.5	20.4	20.3	20.0	19.5	18.9	18.4	17.8	17.2	16.5	15.9	14.5	11.2	6.5
19	20.0	19.9	19.8	19.5	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
20	19.5	19.4	19.3	19.0	18.5	17.9	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
21	19.0	18.9	18.8	18.5	18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.4	10.4	6.0
22	18.6	18.5	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
23	18.1	18.1	18.0	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.1	12.8	9.9	5.7
24	17.8	17.7	17.6	17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
25	17.4	17.3	17.2	17.0	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
30	*****	15.8	15.7	15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
35	*****	14.6	14.6	14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
40	*****	13.7	13.6	13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
45	*****	12.9	12.8	12.6	12.3	12.0	11.6	11.2	10.9	10.5	10.1	9.2	7.1	4.1
50	*****	12.3	12.2	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
55	*****	11.7	11.6	11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
60	*****	11.2	11.1	11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	7.9	6.2	3.6
65	*****	10.7	10.7	10.5	10.2	10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
70	*****	10.4	10.3	10.1	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
75	*****	10.0	10.0	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
80	*****	9.7	9.6	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
85	*****	9.4	9.3	9.2	9.0	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
90	*****	9.1	9.1	8.9	8.7	8.5	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
95	*****	8.9	8.8	8.7	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
100	*****	8.7	8.6	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8
125	*****	7.7	7.7	7.6	7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5
150	*****	7.1	7.0	6.9	6.7	6.6	6.4	6.2	5.9	5.7	5.5	5.0	3.9	2.2
200	*****	6.1	6.1	6.0	5.8	5.7	5.5	5.3	5.2	5.0	4.8	4.4	3.4	1.9
250	*****	5.5	5.5	5.4	5.2	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7
300	*****	5.0	4.9	4.8	4.6	4.5	4.4	4.2	4.1	3.9	3.8	3.6	2.8	1.6
350	*****	4.6	4.5	4.4	4.3	4.2	4.0	3.9	3.8	3.6	3.5	3.3	2.5	1.5
400	*****	4.3	4.2	4.1	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.1	2.4	1.4
450	*****	4.1	4.0	3.9	3.8	3.7	3.6	3.4	3.3	3.2	3.1	2.9	2.2	1.3
500	*****	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.1	3.0	2.8	2.6	2.1	1.2
750	*****	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.4	2.3	2.2	1.7	1.0
1000	*****	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.5	0.9
1500	*****	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.1	0.7
2000	*****	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.4	1.3	1.2	1.1	0.9	0.6
3000	*****	1.5	1.4	1.4	1.3	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.7	0.4
4000	*****	1.3	1.2	1.2	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.6	0.4
5000	*****	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.5	0.3
6000	*****	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.4	0.2
7000	*****	0.9	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.3	0.2
8000	*****	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.2
9000	*****	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.2	0.1
10000	*****	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.2	0.2	0.1	0.1
12500	*****	0.6	0.6	0.5	0.4	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1
15000	*****	0.4	0.4	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010  
Canada by Age Group

Age group 12-19

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
1	81.0	80.6	80.2	79.0	76.9	74.7	72.5	70.2	67.8	65.3	62.8	57.3	44.4	25.6	
2	57.3	57.0	56.7	55.8	54.3	52.8	51.2	49.6	47.9	46.2	44.4	40.5	31.4	18.1	
3	46.7	46.5	46.3	45.6	44.4	43.1	41.8	40.5	39.1	37.7	36.2	33.1	25.6	14.8	
4	*****	40.3	40.1	39.5	38.4	37.3	36.2	35.1	33.9	32.7	31.4	28.6	22.2	12.8	
5	*****	36.0	35.9	35.3	34.4	33.4	32.4	31.4	30.3	29.2	28.1	25.6	19.8	11.5	
6	*****	32.9	32.7	32.2	31.4	30.5	29.6	28.6	27.7	26.7	25.6	23.4	18.1	10.5	
7	*****	30.5	30.3	29.8	29.0	28.2	27.4	26.5	25.6	24.7	23.7	21.7	16.8	9.7	
8	*****	28.5	28.4	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1	
9	*****	26.9	26.7	26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.5	
10	*****	25.5	25.4	25.0	24.3	23.6	22.9	22.2	21.4	20.7	19.8	18.1	14.0	8.1	
11	*****	24.3	24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7	
12	*****	23.3	23.2	22.8	22.2	21.6	20.9	20.3	19.6	18.9	18.1	16.5	12.8	7.4	
13	*****	22.4	22.2	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1	
14	*****	21.5	21.4	21.1	20.5	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.8	
15	*****	20.8	20.7	20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6	
16	*****	20.2	20.0	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4	
17	*****	19.6	19.5	19.2	18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2	
18	*****	19.0	18.9	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0	
19	*****	18.5	18.4	18.1	17.6	17.1	16.6	16.1	15.6	15.0	14.4	13.1	10.2	5.9	
20	*****	18.0	17.9	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7	
21	*****	17.6	17.5	17.2	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6	
22	*****	17.2	17.1	16.8	16.4	15.9	15.4	15.0	14.5	13.9	13.4	12.2	9.5	5.5	
23	*****	16.8	16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3	
24	*****	16.5	16.4	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	
25	*****	16.1	16.0	15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.6	11.5	8.9	5.1	
30	*****	14.7	14.6	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7	
35	*****	13.6	13.3	13.0	12.6	12.2	11.9	11.5	11.0	10.6	9.7	7.5	4.3	4.3	
40	*****	12.7	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1	4.1	
45	*****	12.0	11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8	3.8	
50	*****	11.3	11.2	10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6	3.6	
55	*****	10.8	10.6	10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5	3.5	
60	*****	10.4	10.2	9.9	9.6	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3	3.3	
65	*****	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.5	6.8	5.1	3.0	3.0	
70	*****	9.4	9.2	8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0	3.0	
75	*****	9.1	8.9	8.6	8.3	8.1	7.9	7.6	7.4	7.1	6.8	5.0	2.9	2.9	
80	*****	8.8	8.6	8.4	8.1	7.8	7.6	7.4	7.1	6.9	6.6	5.0	2.9	2.9	
85	*****	8.6	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7	2.7	
90	*****	8.3	8.1	7.9	7.7	7.4	7.2	7.0	6.7	6.4	5.9	4.6	2.6	2.6	
95	*****	8.1	7.9	7.7	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6	2.6	
100	*****	7.9	7.7	7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.8	5.1	4.0	2.3	
125	*****	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.7	3.6	2.1	
150	*****	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.1	3.1	1.8	
200	*****	5.4	5.3	5.1	5.0	4.8	4.6	4.4	4.3	4.1	4.0	3.6	2.8	1.6	
250	*****	4.9	4.7	4.6	4.4	4.3	4.1	3.9	3.8	3.6	3.4	3.1	2.4	1.4	
300	*****	4.4	4.3	4.2	4.1	3.9	3.8	3.6	3.5	3.4	3.1	2.9	2.2	1.3	
350	*****	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.1	3.0	2.7	2.1	1.2	1.2	
400	*****	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.1	
450	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.5	2.1	1.6	0.9	
500	*****	3.2	3.1	3.0	2.9	2.8	2.6	2.5	2.4	2.3	2.1	1.8	1.4	0.8	
750	*****	2.6	2.5	2.4	2.3	2.1	2.0	1.8	1.7	1.6	1.5	1.1	0.7	0.7	
1000	*****	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.0	0.6	0.6	
1500	*****	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.4	
2000	*****	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Age group 20-29

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	88.7	88.3	87.9	86.5	84.2	81.8	79.4	76.9	74.3	71.6	68.8	62.8	48.6	28.1
2	62.7	62.5	62.1	61.2	59.5	57.9	56.1	54.4	52.5	50.6	48.6	44.4	34.4	19.8
3	51.2	51.0	50.7	50.0	48.6	47.3	45.8	44.4	42.9	41.3	39.7	36.2	28.1	16.2
4	44.4	44.2	43.9	43.3	42.1	40.9	39.7	38.4	37.1	35.8	34.4	31.4	24.3	14.0
5	*****	39.5	39.3	38.7	37.7	36.6	35.5	34.4	33.2	32.0	30.8	28.1	21.7	12.6
6	*****	36.1	35.9	35.3	34.4	33.4	32.4	31.4	30.3	29.2	28.1	25.6	19.8	11.5
7	*****	33.4	33.2	32.7	31.8	30.9	30.0	29.1	28.1	27.1	26.0	23.7	18.4	10.6
8	*****	31.2	31.1	30.6	29.8	28.9	28.1	27.2	26.3	25.3	24.3	22.2	17.2	9.9
9	*****	29.4	29.3	28.8	28.1	27.3	26.5	25.6	24.8	23.9	22.9	20.9	16.2	9.4
10	*****	27.9	27.8	27.4	26.6	25.9	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9
11	*****	26.6	26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
12	*****	25.5	25.4	25.0	24.3	23.6	22.9	22.2	21.4	20.7	19.8	18.1	14.0	8.1
13	*****	24.5	24.4	24.0	23.4	22.7	22.0	21.3	20.6	19.8	19.1	17.4	13.5	7.8
14	*****	23.6	23.5	23.1	22.5	21.9	21.2	20.5	19.8	19.1	18.4	16.8	13.0	7.5
15	*****	22.8	22.7	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.8	16.2	12.6	7.2
16	*****	22.1	22.0	21.6	21.1	20.5	19.8	19.2	18.6	17.9	17.2	15.7	12.2	7.0
17	*****	21.4	21.3	21.0	20.4	19.8	19.3	18.6	18.0	17.4	16.7	15.2	11.8	6.8
18	*****	20.8	20.7	20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
19	*****	20.3	20.2	19.8	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.2	6.4
20	*****	19.7	19.6	19.3	18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3
21	*****	19.3	19.2	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
22	*****	18.8	18.7	18.4	18.0	17.4	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
23	*****	18.4	18.3	18.0	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
24	*****	18.0	17.9	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
25	*****	17.7	17.6	17.3	16.8	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
30	*****	16.1	16.0	15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.6	11.5	8.9	5.1
35	*****	14.9	14.9	14.6	14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7
40	*****	14.0	13.9	13.7	13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4
45	*****	13.1	12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.2	4.2	4.2
50	*****	12.4	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0	4.0
55	*****	11.8	11.7	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8	3.8
60	*****	11.3	11.2	10.9	10.6	10.3	9.9	9.6	9.2	8.9	8.1	6.3	3.6	3.6
65	*****	10.9	10.7	10.4	10.2	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5	3.5
70	*****	10.5	10.3	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4	3.4
75	*****	10.1	10.0	9.7	9.5	9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2	3.2
80	*****	9.8	9.7	9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1	3.1
85	*****	9.5	9.4	9.1	8.9	8.6	8.3	8.1	7.8	7.5	6.8	5.3	3.0	3.0
90	*****	9.1	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.1	6.4	5.0	2.9	2.9
95	*****	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.1	6.8	6.1	4.9	2.8	2.8
100	*****	8.7	8.4	8.2	7.9	7.7	7.4	7.2	6.9	6.6	6.0	4.9	2.8	2.8
125	*****	7.7	7.5	7.3	7.1	6.9	6.6	6.4	6.2	5.9	5.4	4.3	2.5	2.5
150	*****	7.1	6.9	6.7	6.5	6.3	6.1	5.8	5.6	5.4	5.1	4.0	2.3	2.3
200	*****	6.1	6.0	5.8	5.6	5.4	5.3	5.1	4.9	4.7	4.5	3.4	2.0	2.0
250	*****	5.3	5.2	5.0	4.9	4.7	4.5	4.3	4.1	4.0	3.8	2.8	1.6	1.6
300	*****	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.8	3.7	3.5	2.6	1.5	1.5
350	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.5	3.4	3.2	2.3	1.3	1.3
400	*****	4.2	4.1	4.0	3.8	3.7	3.6	3.4	3.2	3.1	2.9	2.0	1.2	1.2
450	*****	3.9	3.7	3.6	3.5	3.4	3.2	3.1	2.9	2.8	2.6	1.8	1.0	1.0
500	*****	3.7	3.6	3.4	3.3	3.2	3.1	2.9	2.8	2.6	2.5	1.8	1.0	1.0
750	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.5	0.9	0.9
1000	*****	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.1	0.7	0.7
1500	*****	1.8	1.8	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.7	0.4	0.4
2000	*****	1.4	1.4	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.3
3000	*****	0.9	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.3	0.2	0.2	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Age group 30-44

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	92.7	92.3	91.8	90.4	88.0	85.5	82.9	80.3	77.6	74.8	71.8	65.6	50.8	29.3
2	65.5	65.2	64.9	63.9	62.2	60.5	58.6	56.8	54.9	52.9	50.8	46.4	35.9	20.7
3	53.5	53.3	53.0	52.2	50.8	49.4	47.9	46.4	44.8	43.2	41.5	37.9	29.3	16.9
4	46.3	46.1	45.9	45.2	44.0	42.7	41.5	40.2	38.8	37.4	35.9	32.8	25.4	14.7
5	41.4	41.3	41.1	40.4	39.3	38.2	37.1	35.9	34.7	33.4	32.1	29.3	22.7	13.1
6	37.8	37.7	37.5	36.9	35.9	34.9	33.9	32.8	31.7	30.5	29.3	26.8	20.7	12.0
7	*****	34.9	34.7	34.2	33.2	32.3	31.3	30.4	29.3	28.3	27.1	24.8	19.2	11.1
8	*****	32.6	32.5	32.0	31.1	30.2	29.3	28.4	27.4	26.4	25.4	23.2	18.0	10.4
9	*****	30.8	30.6	30.1	29.3	28.5	27.6	26.8	25.9	24.9	23.9	21.9	16.9	9.8
10	*****	29.2	29.0	28.6	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.1	9.3
11	*****	27.8	27.7	27.3	26.5	25.8	25.0	24.2	23.4	22.5	21.7	19.8	15.3	8.8
12	*****	26.6	26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
13	*****	25.6	25.5	25.1	24.4	23.7	23.0	22.3	21.5	20.7	19.9	18.2	14.1	8.1
14	*****	24.7	24.5	24.2	23.5	22.8	22.2	21.5	20.7	20.0	19.2	17.5	13.6	7.8
15	*****	23.8	23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
16	*****	23.1	22.9	22.6	22.0	21.4	20.7	20.1	19.4	18.7	18.0	16.4	12.7	7.3
17	*****	22.4	22.3	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
18	*****	21.7	21.6	21.3	20.7	20.2	19.5	18.9	18.3	17.6	16.9	15.5	12.0	6.9
19	*****	21.2	21.1	20.7	20.2	19.6	19.0	18.4	17.8	17.2	16.5	15.0	11.7	6.7
20	*****	20.6	20.5	20.2	19.7	19.1	18.5	18.0	17.3	16.7	16.1	14.7	11.4	6.6
21	*****	20.1	20.0	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
22	*****	19.7	19.6	19.3	18.8	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.3
23	*****	19.2	19.1	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1
24	*****	18.8	18.7	18.4	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
25	*****	18.5	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
30	*****	16.8	16.8	16.5	16.1	15.6	15.1	14.7	14.2	13.6	13.1	12.0	9.3	5.4
35	*****	15.6	15.5	15.3	14.9	14.5	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0
40	*****	14.6	14.5	14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
45	*****	13.8	13.7	13.5	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
50	*****	13.0	13.0	12.8	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1
55	*****	12.4	12.4	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0
60	*****	11.9	11.9	11.7	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
65	*****	11.4	11.4	11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
70	*****	11.0	10.8	10.5	10.2	9.9	9.6	9.3	8.9	8.6	8.3	7.6	6.1	3.5
75	*****	10.6	10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	8.0	7.3	5.9	3.4
80	*****	10.3	10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
85	*****	10.0	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.4	3.1
90	*****	9.7	9.5	9.3	9.0	8.8	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0
95	*****	9.4	9.3	9.0	8.8	8.5	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9
100	*****	9.2	9.0	8.8	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.4	5.0	2.6
125	*****	8.2	8.1	7.9	7.6	7.4	7.2	6.9	6.7	6.4	6.1	5.5	4.4	2.4
150	*****	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.9	5.7	5.4	4.9	4.1	2.2
200	*****	6.4	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.3	3.7	1.9
250	*****	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.5	4.3	4.1	3.8	3.2	1.7
300	*****	5.2	5.1	4.9	4.8	4.6	4.5	4.3	4.1	4.0	3.8	3.5	2.9	1.6
350	*****	4.7	4.6	4.4	4.3	4.1	4.0	3.8	3.7	3.5	3.4	3.1	2.5	1.5
400	*****	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.5	3.4	3.2	2.9	2.3	1.3
450	*****	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.3	3.2	3.0	2.7	2.1	1.1
500	*****	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.0	2.9	2.6	2.0	1.0
750	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.9	1.5	0.9
1000	*****	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.5	1.1	0.7
1500	*****	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.0	0.8	0.5
2000	*****	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.5	0.3
3000	*****	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1
4000	*****	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1
5000	*****	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Age group 45-64

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	95.7	95.2	94.8	93.3	90.8	88.2	85.6	82.9	80.1	77.2	74.1	67.7	52.4	30.3
2	67.6	67.3	67.0	66.0	64.2	62.4	60.5	58.6	56.6	54.6	52.4	47.9	37.1	21.4
3	55.2	55.0	54.7	53.9	52.4	51.0	49.4	47.9	46.2	44.6	42.8	39.1	30.3	17.5
4	47.8	47.6	47.4	46.6	45.4	44.1	42.8	41.4	40.0	38.6	37.1	33.8	26.2	15.1
5	42.8	42.6	42.4	41.7	40.6	39.5	38.3	37.1	35.8	34.5	33.2	30.3	23.4	13.5
6	39.1	38.9	38.7	38.1	37.1	36.0	35.0	33.8	32.7	31.5	30.3	27.6	21.4	12.4
7	36.2	36.0	35.8	35.3	34.3	33.4	32.4	31.3	30.3	29.2	28.0	25.6	19.8	11.4
8	33.8	33.7	33.5	33.0	32.1	31.2	30.3	29.3	28.3	27.3	26.2	23.9	18.5	10.7
9	*****	31.7	31.6	31.1	30.3	29.4	28.5	27.6	26.7	25.7	24.7	22.6	17.5	10.1
10	*****	30.1	30.0	29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.4	21.4	16.6	9.6
11	*****	28.7	28.6	28.1	27.4	26.6	25.8	25.0	24.1	23.3	22.4	20.4	15.8	9.1
12	*****	27.5	27.4	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7
13	*****	26.4	26.3	25.9	25.2	24.5	23.7	23.0	22.2	21.4	20.6	18.8	14.5	8.4
14	*****	25.5	25.3	24.9	24.3	23.6	22.9	22.2	21.4	20.6	19.8	18.1	14.0	8.1
15	*****	24.6	24.5	24.1	23.4	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8
16	*****	23.8	23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
17	*****	23.1	23.0	22.6	22.0	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.3
18	*****	22.4	22.3	22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	16.0	12.4	7.1
19	*****	21.8	21.7	21.4	20.8	20.2	19.6	19.0	18.4	17.7	17.0	15.5	12.0	6.9
20	*****	21.3	21.2	20.9	20.3	19.7	19.1	18.5	17.9	17.3	16.6	15.1	11.7	6.8
21	*****	20.8	20.7	20.4	19.8	19.3	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6
22	*****	20.3	20.2	19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5
23	*****	19.9	19.8	19.5	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
24	*****	19.4	19.3	19.0	18.5	18.0	17.5	16.9	16.3	15.8	15.1	13.8	10.7	6.2
25	*****	19.0	19.0	18.7	18.2	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
30	*****	17.4	17.3	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5
35	*****	16.1	16.0	15.8	15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1
40	*****	15.1	15.0	14.8	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
45	*****	14.2	14.1	13.9	13.5	13.2	12.8	12.4	11.9	11.5	11.1	10.1	7.8	4.5
50	*****	13.5	13.4	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
55	*****	12.8	12.8	12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
60	*****	12.3	12.2	12.0	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
65	*****	11.8	11.8	11.6	11.3	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8
70	*****	11.4	11.3	11.2	10.9	10.5	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
75	*****	11.0	10.9	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.6	7.8	6.1	3.5
80	*****	10.6	10.6	10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
85	*****	10.3	10.3	10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
90	*****	*****	10.0	9.8	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
95	*****	*****	9.7	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
100	*****	*****	9.5	9.3	9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
125	*****	*****	8.5	8.3	8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
150	*****	*****	7.7	7.6	7.4	7.2	7.0	6.8	6.5	6.3	6.1	5.5	4.3	2.5
200	*****	*****	6.6	6.4	6.2	6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1	1.9
250	*****	*****	5.9	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9	1.7
300	*****	*****	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.3	3.9	3.0	1.7	1.6
350	*****	*****	5.0	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.6	2.8	1.6	1.5
400	*****	*****	4.7	4.5	4.4	4.3	4.1	4.0	3.9	3.7	3.4	2.6	1.5	1.4
450	*****	*****	4.3	4.2	4.0	3.9	3.8	3.6	3.5	3.3	3.0	2.3	1.4	1.1
500	*****	*****	4.1	3.9	3.8	3.7	3.6	3.5	3.3	3.0	2.7	2.5	1.9	1.1
750	*****	*****	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.5	2.3	2.1	1.7	1.0
1000	*****	*****	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.9	1.7	1.5	1.2	0.7
1500	*****	*****	2.2	2.1	2.1	2.0	1.9	1.7	1.5	1.4	1.2	1.0	0.8	0.5
2000	*****	*****	1.9	1.8	1.7	1.6	1.5	1.4	1.2	1.1	1.0	0.8	0.5	0.4
3000	*****	*****	1.4	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.4	0.3
4000	*****	*****	1.1	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1
5000	*****	*****	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.0	0.0
6000	*****	*****	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0
7000	*****	*****	0.5	0.4	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Age group 65+

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	63.7	63.4	63.1	62.1	60.4	58.7	57.0	55.2	53.3	51.4	49.4	45.1	34.9	20.1
2	45.0	44.8	44.6	43.9	42.7	41.5	40.3	39.0	37.7	36.3	34.9	31.9	24.7	14.2
3	36.8	36.6	36.4	35.9	34.9	33.9	32.9	31.9	30.8	29.7	28.5	26.0	20.1	11.6
4	31.8	31.7	31.5	31.1	30.2	29.4	28.5	27.6	26.7	25.7	24.7	22.5	17.4	10.1
5	*****	28.4	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0
6	*****	25.9	25.8	25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.1	18.4	14.2	8.2
7	*****	24.0	23.8	23.5	22.8	22.2	21.5	20.9	20.1	19.4	18.7	17.0	13.2	7.6
8	*****	22.4	22.3	22.0	21.4	20.8	20.1	19.5	18.8	18.2	17.4	15.9	12.3	7.1
9	*****	21.1	21.0	20.7	20.1	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.6	6.7
10	*****	20.0	19.9	19.6	19.1	18.6	18.0	17.4	16.9	16.2	15.6	14.2	11.0	6.4
11	*****	19.1	19.0	18.7	18.2	17.7	17.2	16.6	16.1	15.5	14.9	13.6	10.5	6.1
12	*****	18.3	18.2	17.9	17.4	17.0	16.5	15.9	15.4	14.8	14.2	13.0	10.1	5.8
13	*****	17.6	17.5	17.2	16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
14	*****	16.9	16.9	16.6	16.2	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
15	*****	16.4	16.3	16.0	15.6	15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2
16	*****	15.8	15.8	15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0
17	*****	15.4	15.3	15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
18	*****	14.9	14.9	14.6	14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7
19	*****	14.5	14.5	14.2	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
20	*****	14.2	14.1	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
21	*****	13.8	13.8	13.6	13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4
22	*****	13.5	13.4	13.2	12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3
23	*****	13.2	13.2	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
24	*****	12.9	12.9	12.7	12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
25	*****	12.7	12.6	12.4	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
30	*****	11.6	11.5	11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
35	*****	10.7	10.7	10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
40	*****	10.0	10.0	9.8	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
45	*****	9.4	9.3	9.0	8.8	8.5	8.2	7.9	7.7	7.4	7.1	6.7	5.2	3.0
50	*****	8.9	8.8	8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.7	6.4	4.9	2.8
55	*****	8.5	8.4	8.2	7.9	7.7	7.4	7.2	6.9	6.7	6.4	6.1	4.7	2.7
60	*****	8.1	8.0	7.8	7.6	7.4	7.1	6.9	6.6	6.4	6.1	5.8	4.5	2.6
65	*****	7.8	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.9	5.6	4.3	2.5
70	*****	7.5	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.7	5.4	4.2	2.4
75	*****	7.3	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.5	5.2	4.0	2.3
80	*****	7.1	6.9	6.8	6.6	6.4	6.2	6.0	5.7	5.5	5.2	5.0	3.9	2.2
85	*****	6.7	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.1	4.9	4.7	3.7	2.1
90	*****	6.5	6.4	6.2	6.0	5.8	5.6	5.4	5.1	4.9	4.7	4.5	3.5	2.0
95	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.1	4.9	4.7	4.5	4.3	3.3	1.9
100	*****	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.3	3.3	1.9
125	*****	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.2	4.0	3.7	2.8	1.6
150	*****	5.1	4.9	4.8	4.7	4.5	4.4	4.2	4.0	3.8	3.6	3.5	2.5	1.4
200	*****	4.4	4.3	4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.2	3.1	2.2	1.3
250	*****	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.8	2.6	2.0	1.2
300	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.4	1.9	1.1
350	*****	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.6	0.9
400	*****	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.6	0.9
450	*****	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.3	0.7
500	*****	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.1	0.6
750	*****	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	0.8	0.5
1000	*****	1.7	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.5	0.4
1500	*****	1.3	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2
2000	*****	1.0	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1
3000	*****	0.7	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010  
Provinces and Territories

Newfoundland

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	49.2	48.9	48.2	46.9	45.6	44.2	42.8	41.4	39.8	38.3	34.9	27.1	15.6
2	*****	34.8	34.6	34.1	33.2	32.2	31.3	30.3	29.2	28.2	27.1	24.7	19.1	11.1
3	*****	28.4	28.2	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
4	*****	24.6	24.5	24.1	23.4	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8
5	*****	21.9	21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	16.3	14.3	11.1	6.4
6	*****	20.0	19.7	19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.5	13.2	10.2	5.9
7	*****	18.5	18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.6	14.1	13.5	12.4	9.6
8	*****	17.3	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.8	11.6	9.0	5.2
9	*****	16.1	15.6	15.2	14.7	14.3	13.8	13.3	12.8	12.1	11.1	10.5	8.2	4.7
10	*****	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.5	10.6	9.7	7.5	4.3
11	*****	14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	11.1	10.6	9.3	7.2	4.2
12	*****	13.9	13.5	13.2	12.8	12.4	11.9	11.5	11.1	10.6	10.2	9.0	7.0	4.0
13	*****	13.4	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.9	8.7	6.8	3.9
14	*****	12.9	12.5	12.2	11.8	11.4	11.1	10.7	10.3	10.0	9.6	8.5	6.6	3.8
15	*****	12.4	12.1	11.8	11.4	11.1	10.7	10.4	10.0	9.7	9.3	8.2	6.4	3.7
16	*****	12.0	11.7	11.4	11.1	10.7	10.4	10.1	9.7	9.4	9.0	8.0	6.2	3.6
17	*****	11.7	11.4	11.1	10.7	10.4	10.1	9.8	9.5	9.1	8.8	7.8	6.1	3.5
18	*****	11.4	11.1	10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.4	7.6	5.9	3.4
19	*****	11.1	10.8	10.5	10.1	9.8	9.5	9.1	8.8	8.5	8.2	7.5	5.8	3.3
20	*****	10.8	10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.6	3.3
21	*****	10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
22	*****	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.6	7.3	6.6	5.0	3.1
23	*****	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.4	7.1	6.4	4.9	2.9
24	*****	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.5	7.2	6.9	6.2	4.7	2.8
25	*****	9.4	9.1	8.8	8.5	8.2	7.9	7.6	7.3	7.0	6.7	6.0	4.6	2.6
30	*****	8.6	8.3	8.1	7.8	7.5	7.3	7.0	6.7	6.4	6.1	5.5	4.3	2.5
35	*****	7.9	7.7	7.5	7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.2	4.0	2.3
40	*****	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.0	3.8	2.2
45	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.4	3.4	1.9
50	*****	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.1	3.1	1.8
55	*****	6.1	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	3.8	2.9	1.7
60	*****	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.5	2.7	1.6
65	*****	5.5	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.1	2.4	1.4
70	*****	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.5	2.9	2.2	1.3
75	*****	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.5	3.3	2.7	2.1	1.2
80	*****	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.5	3.3	3.1	2.5	1.9	1.1
85	*****	4.6	4.5	4.3	4.1	3.9	3.7	3.5	3.3	3.1	2.9	2.3	1.7	1.0
90	*****	4.5	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.2	1.6	0.9
95	*****	4.4	4.2	4.1	3.9	3.7	3.5	3.3	3.1	2.9	2.7	2.1	1.5	0.8
100	*****	4.3	4.1	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.0	1.4	0.7
125	*****	3.7	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.5	1.0	0.5
150	*****	3.1	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.1	0.8	0.4
200	*****	2.5	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.9	0.7	0.5	0.3
250	*****	1.7	1.6	1.4	1.2	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2
300	*****	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2
350	*****	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Prince Edward Island

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	34.2	34.0	33.5	32.6	31.7	30.7	29.8	28.8	27.7	26.6	24.3	18.8	10.9
2	*****	24.1	23.7	23.1	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7	
3	*****		19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3	
4	*****		16.7	16.3	15.8	15.4	14.9	14.4	13.9	13.3	12.1	9.4	5.4	
5	*****		15.0	14.6	14.2	13.7	13.3	12.9	12.4	11.9	10.9	8.4	4.9	
6	*****			13.3	12.9	12.5	12.1	11.7	11.3	10.9	9.9	7.7	4.4	
7	*****			12.3	12.0	11.6	11.2	10.9	10.5	10.1	9.2	7.1	4.1	
8	*****			11.5	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8	
9	*****			10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6	
10	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4	
11	*****		9.8		9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3	
12	*****				9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1	
13	*****				8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0	
14	*****				8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9	
15	*****				8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8	
16	*****				7.9	7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7	
17	*****				7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6	
18	*****					7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6	
19	*****					7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5	
20	*****					6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4	
21	*****					6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4	
22	*****					6.6	6.3	6.1	5.9	5.7	5.2	4.0	2.3	
23	*****					6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3	
24	*****						6.1	5.9	5.7	5.4	5.0	3.8	2.2	
25	*****						6.0	5.8	5.5	5.3	4.9	3.8	2.2	
30	*****							5.2	5.1	4.9	4.4	3.4	2.0	
35	*****							4.9	4.7	4.5	4.1	3.2	1.8	
40	*****								4.4	4.2	3.8	3.0	1.7	
45	*****									4.0	3.6	2.8	1.6	
50	*****										3.4	2.7	1.5	
55	*****											3.3	2.5	
60	*****												2.4	
65	*****												2.3	
70	*****												2.2	
75	*****												2.2	
80	*****												2.1	
85	*****													1.2
90	*****													1.1
95	*****													1.1
100	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Nova Scotia

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	61.5	61.2	60.3	58.6	57.0	55.3	53.5	51.7	49.8	47.9	43.7	33.9	19.5
2	*****	43.5	43.3	42.6	41.5	40.3	39.1	37.9	36.6	35.2	33.9	30.9	23.9	13.8
3	*****	35.5	35.3	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.6	25.2	19.5	11.3
4	*****	30.8	30.6	30.1	29.3	28.5	27.6	26.8	25.9	24.9	23.9	21.9	16.9	9.8
5	*****	27.5	27.4	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7
6	*****	25.1	25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.3	19.5	17.8	13.8	8.0
7	*****	23.2	23.1	22.8	22.2	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
8	*****	21.6	21.3	20.7	20.2	19.5	18.9	18.3	17.6	16.9	16.0	14.6	11.3	6.5
9	*****	20.4	20.1	19.5	19.0	18.4	17.8	17.2	16.6	16.0	15.0	13.2	10.2	5.9
10	*****	19.4	19.1	18.5	18.0	17.5	16.9	16.4	15.8	15.1	14.4	12.6	9.8	5.6
11	*****	18.5	18.2	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9	5.6
12	*****	17.7	17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6	5.4
13	*****	17.0	16.7	16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4	5.2
14	*****	16.4	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2	5.0
15	*****	15.8	15.6	15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
16	*****	15.1	14.7	14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.7
17	*****	14.6	14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6	4.5
18	*****	14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	9.6	8.7	6.8	3.9
19	*****	13.8	13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.0	9.8	7.6	4.4	4.3
20	*****	13.5	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	9.5	7.4	4.2	4.2
21	*****	13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	9.1	7.1	4.1	4.0
22	*****	12.8	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	8.9	6.9	4.0	3.6
23	*****	12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	8.7	6.8	3.9	3.3
24	*****	12.3	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	8.0	6.2	3.6	3.1
25	*****	12.1	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	7.4	5.7	3.3	2.9
30	*****	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.9	5.4	3.1	2.8
35	*****	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	6.5	5.0	2.9	2.8
40	*****	9.3	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.8	6.2	4.8	2.8	2.6
45	*****	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.8	6.2	5.6	4.4	2.5	2.4
50	*****	8.3	8.1	7.8	7.6	7.3	7.0	6.7	6.4	6.2	5.9	5.4	4.2	2.3
55	*****	7.9	7.7	7.5	7.2	7.0	6.7	6.5	6.2	5.9	5.4	4.2	2.3	2.3
60	*****	7.6	7.4	7.1	6.9	6.7	6.4	6.2	6.0	5.7	5.2	4.0	2.3	2.3
65	*****	7.3	7.1	6.9	6.6	6.4	6.2	6.0	5.8	5.5	5.0	3.9	2.3	2.2
70	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
75	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.9	4.3	3.0	1.7
80	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.9	4.7	4.4	3.4	2.0	1.6
85	*****	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	3.9	3.0	1.7
90	*****	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	3.9	3.0	1.7
95	*****	5.8	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.0	1.7
100	*****	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.6	2.8	1.6
125	*****	4.9	4.8	4.6	4.5	4.4	4.2	4.1	3.9	3.7	3.5	3.4	3.1	2.4
150	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.5	3.4	3.2	3.0	2.8	2.1
200	*****	3.7	3.5	3.4	3.2	3.1	3.0	2.8	2.7	2.5	2.4	2.2	2.0	1.1
250	*****	3.2	3.0	2.8	2.7	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.6	0.9
300	*****	2.8	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3	0.9
350	*****	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	0.9
400	*****	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5
450	*****	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4
500	*****	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

New Brunswick

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	51.5	51.3	50.5	49.1	47.7	46.3	44.8	43.3	41.7	40.1	36.6	28.4	16.4
2	*****	36.4	36.2	35.7	34.7	33.8	32.7	31.7	30.6	29.5	28.4	25.9	20.1	11.6
3	*****	29.7	29.6	29.1	28.4	27.6	26.7	25.9	25.0	24.1	23.2	21.1	16.4	9.5
4	*****	25.8	25.6	25.2	24.6	23.9	23.2	22.4	21.7	20.9	20.1	18.3	14.2	8.2
5	*****	23.0	22.9	22.6	22.0	21.3	20.7	20.1	19.4	18.7	17.9	16.4	12.7	7.3
6	*****	21.0	20.9	20.6	20.1	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7
7	*****	19.4	19.1	18.6	18.0	17.5	16.9	16.4	15.8	15.2	14.6	13.8	10.7	6.2
8	*****	18.1	17.8	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.6	12.9	10.0	5.8
9	*****	17.1	16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.8	12.2	9.5	5.5
10	*****	16.2	16.0	15.5	15.1	14.6	14.2	13.7	13.2	12.7	12.1	11.6	9.0	5.2
11	*****	15.5	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.6	11.0	8.6	4.9
12	*****	14.8	14.6	14.2	13.8	13.4	12.9	12.5	12.1	11.6	11.1	10.6	8.2	4.7
13	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.2	10.7	10.2	9.8	7.9	4.5
14	*****	13.5	13.1	12.8	12.4	12.0	11.6	11.2	10.8	10.4	9.9	9.5	7.6	4.4
15	*****	13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.5	9.1	7.3	4.2
16	*****	12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.5	9.1	8.7	6.9	4.0
17	*****	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	9.3	8.9	8.5	6.7	3.9
18	*****	11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.4	9.0	8.6	8.2	6.5	3.7
19	*****	11.6	11.3	11.0	10.6	10.3	9.9	9.5	9.1	8.7	8.3	7.9	6.3	3.6
20	*****	11.3	11.0	10.7	10.4	10.0	9.7	9.3	8.9	8.5	8.1	7.7	6.1	3.5
21	*****	11.0	10.7	10.4	10.1	9.8	9.4	9.0	8.6	8.2	7.8	7.4	5.8	3.4
22	*****	10.8	10.5	10.2	9.9	9.6	9.2	8.8	8.4	8.0	7.6	7.2	5.6	3.3
23	*****	10.5	10.2	10.0	9.7	9.3	9.0	8.7	8.3	8.0	7.6	7.2	5.6	3.3
24	*****	10.3	10.0	9.7	9.5	9.2	8.8	8.5	8.2	7.8	7.5	7.1	5.5	3.2
25	*****	10.1	9.8	9.5	9.3	9.0	8.7	8.3	8.0	7.7	7.3	6.9	5.3	3.0
30	*****	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.9	6.6	6.3	4.7	2.8
35	*****	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.5	6.2	5.9	5.6	4.0	2.6
40	*****	7.8	7.5	7.3	7.1	6.8	6.5	6.2	5.9	5.6	5.3	5.0	3.4	2.4
45	*****	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.2	3.3	2.3
50	*****	6.9	6.8	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	3.2	2.2
55	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	2.9	2.1
60	*****	6.3	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	2.8	2.0
65	*****	5.9	5.7	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	4.0	2.7	1.9
70	*****	5.7	5.5	5.4	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	2.6	1.8
75	*****	5.5	5.3	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	2.5	1.7
80	*****	5.3	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	2.4	1.6
85	*****	5.2	5.0	4.9	4.7	4.5	4.4	4.2	4.0	3.8	3.6	3.4	2.3	1.5
90	*****	5.0	4.9	4.7	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	2.2	1.4
95	*****	4.8	4.6	4.4	4.3	4.1	3.9	3.7	3.6	3.4	3.2	3.0	2.1	1.3
100	*****	4.6	4.5	4.3	4.2	4.0	3.9	3.7	3.5	3.4	3.2	3.0	2.0	1.2
125	*****	4.0	3.9	3.7	3.6	3.4	3.3	3.1	3.0	2.8	2.6	2.4	1.7	1.0
150	*****	3.7	3.5	3.4	3.3	3.1	3.0	2.8	2.6	2.4	2.2	2.0	1.5	0.9
200	*****	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.5
250	*****	2.3	2.1	1.9	1.7	1.5	1.3	1.1	1.0	0.9	0.8	0.7	0.5	0.3
300	*****	2.1	1.9	1.7	1.5	1.3	1.1	1.0	0.9	0.8	0.7	0.6	0.4	0.2
350	*****	1.9	1.7	1.5	1.3	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.3	0.2
400	*****	1.7	1.5	1.3	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2
450	*****	1.5	1.3	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1
500	*****	1.3	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	92.3	91.9	91.4	90.0	87.6	85.2	82.6	80.0	77.3	74.5	71.5	65.3	50.6	29.2
2	65.3	65.0	64.7	63.7	62.0	60.2	58.4	56.6	54.6	52.7	50.6	46.2	35.8	20.7
3	53.3	53.1	52.8	52.0	50.6	49.2	47.7	46.2	44.6	43.0	41.3	37.7	29.2	16.9
4	46.2	45.9	45.7	45.0	43.8	42.6	41.3	40.0	38.6	37.2	35.8	32.7	25.3	14.6
5	41.3	41.1	40.9	40.3	39.2	38.1	36.9	35.8	34.6	33.3	32.0	29.2	22.6	13.1
6	37.7	37.5	37.3	36.8	35.8	34.8	33.7	32.7	31.5	30.4	29.2	26.7	20.7	11.9
7	*****	34.7	34.6	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
8	*****	32.5	32.3	31.8	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	17.9	10.3
9	*****	30.6	30.5	30.0	29.2	28.4	27.5	26.7	25.8	24.8	23.8	21.8	16.9	9.7
10	*****	29.1	28.9	28.5	27.7	26.9	26.1	25.3	24.4	23.5	22.6	20.7	16.0	9.2
11	*****	27.7	27.6	27.1	26.4	25.7	24.9	24.1	23.3	22.5	21.6	19.7	15.3	8.8
12	*****	26.5	26.4	26.0	25.3	24.6	23.8	23.1	22.3	21.5	20.7	18.9	14.6	8.4
13	*****	25.5	25.4	25.0	24.3	23.6	22.9	22.2	21.4	20.7	19.8	18.1	14.0	8.1
14	*****	24.6	24.4	24.1	23.4	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8
15	*****	23.7	23.6	23.2	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5
16	*****	23.0	22.9	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.6	7.3
17	*****	22.3	22.2	21.8	21.3	20.7	20.0	19.4	18.7	18.1	17.4	15.8	12.3	7.1
18	*****	21.7	21.6	21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
19	*****	21.1	21.0	20.7	20.1	19.5	19.0	18.4	17.7	17.1	16.4	15.0	11.6	6.7
20	*****	20.5	20.4	20.1	19.6	19.0	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
21	*****	20.1	20.0	19.6	19.1	18.6	18.0	17.5	16.9	16.2	15.6	14.3	11.0	6.4
22	*****	19.6	19.5	19.2	18.7	18.2	17.6	17.1	16.5	15.9	15.3	13.9	10.8	6.2
23	*****	19.2	19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1
24	*****	18.8	18.7	18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
25	*****	18.4	18.3	18.0	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
30	*****	16.8	16.7	16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
35	*****	15.5	15.5	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.6	4.9
40	*****	14.5	14.5	14.2	13.9	13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6
45	*****	13.7	13.6	13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
50	*****	13.0	12.9	12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
55	*****	12.4	12.3	12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
60	*****	11.9	11.8	11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
65	*****	*****	11.3	11.2	10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
70	*****	*****	10.9	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.6	7.8	6.0	3.5
75	*****	*****	10.6	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
80	*****	*****	10.2	10.1	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.7	3.3
85	*****	*****	9.9	9.8	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
90	*****	*****	9.6	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
95	*****	*****	9.4	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
100	*****	*****	9.1	9.0	8.8	8.5	8.3	8.0	7.7	7.4	7.2	6.5	5.1	2.9
125	*****	*****	8.2	8.1	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
150	*****	*****	*****	7.4	7.2	7.0	6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4
200	*****	*****	*****	6.4	6.2	6.0	5.8	5.7	5.5	5.3	5.1	4.6	3.6	2.1
250	*****	*****	*****	5.7	5.5	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8
300	*****	*****	*****	5.2	5.1	4.9	4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7
350	*****	*****	*****	*****	4.7	4.6	4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6
400	*****	*****	*****	*****	4.4	4.3	4.1	4.0	3.9	3.7	3.6	3.3	2.5	1.5
450	*****	*****	*****	*****	4.1	4.0	3.9	3.8	3.6	3.5	3.4	3.1	2.4	1.4
500	*****	*****	*****	*****	3.9	3.8	3.7	3.6	3.5	3.3	3.2	2.9	2.3	1.3
750	*****	*****	*****	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.4	2.1	1.8	1.1
1000	*****	*****	*****	*****	*****	2.6	2.5	2.4	2.4	2.3	2.1	1.6	0.9	0.9
1500	*****	*****	*****	*****	*****	*****	2.1	2.0	1.9	1.8	1.7	1.3	0.8	0.8
2000	*****	*****	*****	*****	*****	*****	*****	1.7	1.6	1.5	1.5	1.1	0.7	0.7
3000	*****	*****	*****	*****	*****	*****	*****	*****	1.2	1.1	1.0	0.9	0.5	0.5
4000	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0	0.9	0.8	0.5	0.5
5000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9	0.8	0.5	0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	91.6	91.2	90.7	89.3	86.9	84.5	82.0	79.4	76.7	73.9	71.0	64.8	50.2	29.0
2	64.8	64.5	64.1	63.2	61.5	59.7	58.0	56.1	54.2	52.2	50.2	45.8	35.5	20.5
3	52.9	52.6	52.4	51.6	50.2	48.8	47.3	45.8	44.3	42.7	41.0	37.4	29.0	16.7
4	45.8	45.6	45.4	44.7	43.5	42.2	41.0	39.7	38.3	36.9	35.5	32.4	25.1	14.5
5	41.0	40.8	40.6	39.9	38.9	37.8	36.7	35.5	34.3	33.0	31.7	29.0	22.4	13.0
6	37.4	37.2	37.0	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8
7	34.6	34.5	34.3	33.8	32.9	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	11.0
8	32.4	32.2	32.1	31.6	30.7	29.9	29.0	28.1	27.1	26.1	25.1	22.9	17.7	10.2
9	30.5	30.4	30.2	29.8	29.0	28.2	27.3	26.5	25.6	24.6	23.7	21.6	16.7	9.7
10	29.0	28.8	28.7	28.2	27.5	26.7	25.9	25.1	24.2	23.4	22.4	20.5	15.9	9.2
11	*****	27.5	27.4	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7
12	*****	26.3	26.2	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4
13	*****	25.3	25.2	24.8	24.1	23.4	22.7	22.0	21.3	20.5	19.7	18.0	13.9	8.0
14	*****	24.4	24.2	23.9	23.2	22.6	21.9	21.2	20.5	19.7	19.0	17.3	13.4	7.7
15	*****	23.5	23.4	23.1	22.4	21.8	21.2	20.5	19.8	19.1	18.3	16.7	13.0	7.5
16	*****	22.8	22.7	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.2	12.5	7.2
17	*****	22.1	22.0	21.7	21.1	20.5	19.9	19.2	18.6	17.9	17.2	15.7	12.2	7.0
18	*****	21.5	21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
19	*****	20.9	20.8	20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.9	11.5	6.6
20	*****	20.4	20.3	20.0	19.4	18.9	18.3	17.7	17.1	16.5	15.9	14.5	11.2	6.5
21	*****	19.9	19.8	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	11.0	6.3
22	*****	19.4	19.3	19.0	18.5	18.0	17.5	16.9	16.3	15.8	15.1	13.8	10.7	6.2
23	*****	19.0	18.9	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0
24	*****	18.6	18.5	18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
25	*****	18.2	18.1	17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
30	*****	16.6	16.6	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
35	*****	15.4	15.3	15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
40	*****	14.4	14.3	14.1	13.7	13.4	13.0	12.5	12.1	11.7	11.2	10.2	7.9	4.6
45	*****	13.6	13.5	13.3	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
50	*****	12.9	12.8	12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1
55	*****	12.3	12.2	12.0	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
60	*****	11.8	11.7	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7
65	*****	11.3	11.3	11.1	10.8	10.5	10.2	9.8	9.5	9.2	8.8	8.0	6.2	3.6
70	*****	10.9	10.8	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5
75	*****	10.5	10.5	10.3	10.0	9.8	9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.3
80	*****	10.2	10.1	10.0	9.7	9.4	9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2
85	*****	9.9	9.8	9.7	9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
90	*****	9.6	9.6	9.4	9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
95	*****	9.4	9.3	9.2	8.9	8.7	8.4	8.1	7.9	7.6	7.3	6.6	5.1	3.0
100	*****	9.1	9.1	8.9	8.7	8.4	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
125	*****	8.1	8.0	7.8	7.6	7.3	7.1	6.9	6.6	6.3	5.8	4.5	2.6	2.6
150	*****	7.4	7.3	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4	2.4
200	*****	6.4	6.3	6.1	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0	2.0
250	*****	5.6	5.5	5.3	5.2	5.0	4.8	4.7	4.5	4.4	4.1	3.2	1.8	1.8
300	*****	5.2	5.0	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.7	2.9	1.7	1.7
350	*****	4.8	4.6	4.5	4.4	4.2	4.1	3.9	3.8	3.5	3.2	2.5	1.5	1.5
400	*****	4.5	4.3	4.2	4.1	4.0	3.8	3.7	3.5	3.3	3.1	2.4	1.4	1.4
450	*****	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.3	3.2	2.9	2.2	1.3	1.3
500	*****	4.0	3.9	3.8	3.7	3.5	3.4	3.3	3.2	2.9	2.4	1.8	1.1	1.1
750	*****	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.4	2.2	2.0	1.6	0.9	0.9
1000	*****	2.7	2.7	2.6	2.5	2.4	2.3	2.2	2.0	1.8	1.7	1.3	0.7	0.7
1500	*****	2.2	2.1	2.0	2.0	1.9	1.8	1.7	1.6	1.4	1.3	1.1	0.6	0.6
2000	*****	1.8	1.8	1.7	1.7	1.6	1.5	1.4	1.3	1.2	1.0	0.8	0.5	0.5
3000	*****	1.4	1.4	1.3	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.4	0.4
4000	*****	1.1	1.1	1.0	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2
5000	*****	0.9	0.9	0.8	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1
6000	*****	0.7	0.7	0.6	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1
7000	*****	0.6	0.6	0.5	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1
8000	*****	0.5	0.5	0.4	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9000	*****	0.4	0.4	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Manitoba

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	71.3	70.9	69.8	68.0	66.1	64.1	62.0	59.9	57.8	55.5	50.7	39.2	22.7
2	*****	50.4	50.2	49.4	48.1	46.7	45.3	43.9	42.4	40.8	39.2	35.8	27.7	16.0
3	*****	41.2	40.9	40.3	39.2	38.1	37.0	35.8	34.6	33.3	32.0	29.2	22.7	13.1
4	*****	35.6	35.5	34.9	34.0	33.0	32.0	31.0	30.0	28.9	27.7	25.3	19.6	11.3
5	*****	31.9	31.7	31.2	30.4	29.5	28.7	27.7	26.8	25.8	24.8	22.7	17.5	10.1
6	*****	29.1	29.0	28.5	27.7	27.0	26.2	25.3	24.5	23.6	22.7	20.7	16.0	9.2
7	*****	26.9	26.8	26.4	25.7	25.0	24.2	23.5	22.7	21.8	21.0	19.1	14.8	8.6
8	*****	25.2	25.1	24.7	24.0	23.4	22.7	21.9	21.2	20.4	19.6	17.9	13.9	8.0
9	*****	23.8	23.6	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
10	*****	22.4	22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.5	16.0	12.4	7.2	6.8
11	*****	21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8	6.5
12	*****	20.5	20.2	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5	6.3
13	*****	19.7	19.4	18.9	18.3	17.8	17.2	16.6	16.0	15.4	14.1	10.9	6.3	6.1
14	*****	19.0	18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	5.8	5.7
15	*****	18.3	18.0	17.5	17.1	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.5
16	*****	17.7	17.5	17.0	16.5	16.0	15.5	15.0	14.5	14.0	13.5	12.3	9.5	5.3
17	*****	17.2	16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.6	13.1	11.9	9.2	5.2
18	*****	16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.3	12.9	11.3	8.8	5.1
19	*****	16.0	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.8	10.6	8.2	4.7
20	*****	15.6	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.6	10.6	8.2	4.6
21	*****	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.6	11.1	10.1	7.8	4.5
22	*****	14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	11.3	10.8	9.8	7.2	4.1
23	*****	14.6	14.2	13.8	13.4	12.9	12.5	12.0	11.6	11.1	10.6	9.6	7.0	3.8
24	*****	14.3	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.8	10.3	9.3	6.7	3.6
25	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.6	10.1	9.1	6.5	3.4
30	*****	12.7	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.7	9.2	8.2	5.6	3.2
35	*****	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.9	8.4	7.4	4.9	2.8
40	*****	11.0	10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.4	8.0	7.0	4.4	2.5
45	*****	10.4	10.1	9.8	9.6	9.2	8.9	8.6	8.3	7.9	7.6	6.6	4.0	2.3
50	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.2	6.8	5.8	3.2	2.0
55	*****	9.2	8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.9	6.5	5.5	2.9	1.8
60	*****	8.8	8.5	8.3	8.0	7.7	7.4	7.1	6.8	6.5	6.1	5.1	2.5	1.6
65	*****	8.4	8.2	7.9	7.7	7.4	7.1	6.8	6.5	6.1	5.8	4.8	2.2	1.4
70	*****	8.1	7.9	7.7	7.4	7.1	6.8	6.5	6.1	5.8	5.4	4.4	1.9	1.3
75	*****	7.8	7.6	7.4	7.2	6.9	6.7	6.4	6.1	5.8	5.4	4.4	1.8	1.1
80	*****	7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.9	5.6	5.2	4.2	1.7	1.0
85	*****	7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.7	5.4	5.0	4.0	1.6	0.9
90	*****	7.2	7.0	6.8	6.5	6.3	6.1	5.8	5.5	5.2	4.8	3.8	1.5	0.8
95	*****	6.8	6.6	6.4	6.1	5.9	5.7	5.4	5.1	4.8	4.4	3.4	1.4	0.7
100	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.3	5.0	4.7	4.3	3.3	1.3	0.6
125	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.8	4.6	4.4	4.2	3.2	1.2	0.5
150	*****	5.2	5.1	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	2.6	1.1	0.4
200	*****	4.4	4.2	4.1	3.9	3.7	3.5	3.3	3.1	2.9	2.7	1.7	0.9	0.3
250	*****	3.8	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.5	0.8	0.2
300	*****	3.3	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.2	0.7	0.1
350	*****	3.0	2.9	2.7	2.5	2.3	2.1	1.9	1.7	1.5	1.3	1.0	0.6	0.1
400	*****	2.5	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.9	0.7	0.5	0.1
450	*****	2.4	2.3	2.1	1.9	1.7	1.5	1.3	1.1	0.9	0.8	0.6	0.4	0.1
500	*****	2.0	1.9	1.7	1.5	1.3	1.1	0.9	0.8	0.7	0.6	0.5	0.3	0.1
750	*****	1.8	1.7	1.5	1.3	1.1	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Saskatchewan

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.8	54.5	53.7	52.3	50.8	49.3	47.7	46.1	44.4	42.7	38.9	30.2	17.4
2	*****	38.8	38.6	38.0	36.9	35.9	34.8	33.7	32.6	31.4	30.2	27.5	21.3	12.3
3	*****	31.6	31.5	31.0	30.2	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.1
4	*****	27.4	27.3	26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7
5	*****	24.5	24.4	24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8
6	*****	22.4	22.3	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
7	*****	20.7	20.6	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
8	*****		19.3	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
9	*****		18.2	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
10	*****		17.2	17.0	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
11	*****		16.4	16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.7	9.1	5.3
12	*****		15.7	15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
13	*****		15.1	14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
14	*****		14.6	14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
15	*****		14.1	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
16	*****			13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
17	*****			13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2
18	*****			12.7	12.3	12.0	11.6	11.2	10.9	10.5	10.1	9.2	7.1	4.1
19	*****			12.3	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
20	*****			12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
21	*****			11.7	11.4	11.1	10.7	10.4	10.1	9.7	9.3	8.5	6.6	3.8
22	*****			11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
23	*****			11.2	10.9	10.6	10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6
24	*****			11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	7.9	6.2	3.6
25	*****			10.7	10.5	10.2	9.9	9.5	9.2	8.9	8.5	7.8	6.0	3.5
30	*****			9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
35	*****			9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
40	*****				8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8
45	*****				7.8	7.6	7.3	7.1	6.9	6.6	6.4	5.8	4.5	2.6
50	*****				7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5
55	*****				7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.3	4.1	2.3
60	*****				6.7	6.6	6.4	6.2	5.9	5.7	5.5	5.0	3.9	2.2
65	*****				6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
70	*****				6.2	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
75	*****				6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
80	*****					5.7	5.5	5.3	5.2	5.0	4.8	4.4	3.4	1.9
85	*****					5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
90	*****					5.4	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8
95	*****					5.2	5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8
100	*****					5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7
125	*****						4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6
150	*****						4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4
200	*****							3.3	3.1	3.0	2.8	2.1	1.2	
250	*****								2.8	2.7	2.5	1.9	1.1	
300	*****									2.5	2.2	1.7	1.0	
350	*****										2.1	1.6	0.9	
400	*****											1.5	0.9	
450	*****												1.4	0.8
500	*****												1.3	0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Alberta

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	88.7	88.3	87.9	86.5	84.2	81.8	79.4	76.9	74.3	71.6	68.8	62.8	48.6	28.1
2	62.7	62.5	62.1	61.2	59.5	57.9	56.1	54.4	52.5	50.6	48.6	44.4	34.4	19.8
3	*****	51.0	50.7	50.0	48.6	47.2	45.8	44.4	42.9	41.3	39.7	36.2	28.1	16.2
4	*****	44.2	43.9	43.3	42.1	40.9	39.7	38.4	37.1	35.8	34.4	31.4	24.3	14.0
5	*****	39.5	39.3	38.7	37.7	36.6	35.5	34.4	33.2	32.0	30.7	28.1	21.7	12.6
6	*****	36.1	35.9	35.3	34.4	33.4	32.4	31.4	30.3	29.2	28.1	25.6	19.8	11.5
7	*****	33.4	33.2	32.7	31.8	30.9	30.0	29.1	28.1	27.0	26.0	23.7	18.4	10.6
8	*****	31.2	31.1	30.6	29.8	28.9	28.1	27.2	26.3	25.3	24.3	22.2	17.2	9.9
9	*****	29.4	29.3	28.8	28.1	27.3	26.5	25.6	24.8	23.9	22.9	20.9	16.2	9.4
10	*****	27.9	27.8	27.4	26.6	25.9	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9
11	*****	26.6	26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
12	*****	25.5	25.4	25.0	24.3	23.6	22.9	22.2	21.4	20.7	19.8	18.1	14.0	8.1
13	*****	24.5	24.4	24.0	23.4	22.7	22.0	21.3	20.6	19.8	19.1	17.4	13.5	7.8
14	*****	23.6	23.5	23.1	22.5	21.9	21.2	20.5	19.8	19.1	18.4	16.8	13.0	7.5
15	*****	22.8	22.7	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.8	16.2	12.6	7.2
16	*****	22.1	22.0	21.6	21.1	20.5	19.8	19.2	18.6	17.9	17.2	15.7	12.2	7.0
17	*****	21.4	21.3	21.0	20.4	19.8	19.3	18.6	18.0	17.4	16.7	15.2	11.8	6.8
18	*****	20.8	20.7	20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
19	*****	20.3	20.2	19.8	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.2	6.4
20	*****	19.7	19.6	19.3	18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3
21	*****	19.3	19.2	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
22	*****	18.8	18.7	18.4	18.0	17.4	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
23	*****	18.4	18.3	18.0	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
24	*****	18.0	17.9	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
25	*****	17.7	17.6	17.3	16.8	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
30	*****	16.0	15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.6	12.1	11.5	8.9	5.1
35	*****	14.9	14.6	14.2	13.8	13.4	13.0	12.6	12.1	11.6	11.1	10.6	8.2	4.7
40	*****	13.9	13.7	13.3	12.9	12.6	12.2	11.7	11.3	10.9	10.4	9.9	7.7	4.4
45	*****	13.1	12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.2	9.7	9.4	7.2	4.2
50	*****	12.4	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	9.2	8.9	6.9	4.0
55	*****	11.8	11.7	11.4	11.0	10.7	10.4	10.0	9.6	9.3	8.9	8.5	6.6	3.8
60	*****	11.2	11.2	10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.5	8.1	6.3	3.6
65	*****	10.7	10.7	10.4	10.2	9.8	9.5	9.2	8.9	8.5	8.1	7.8	6.0	3.5
70	*****	10.3	10.3	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.9	7.5	5.8	3.4
75	*****	10.0	10.0	9.7	9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.2	5.6	3.2
80	*****	9.7	9.7	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.4	7.0	5.4	3.1
85	*****	9.4	9.4	9.1	8.9	8.6	8.3	8.1	7.8	7.5	7.2	6.8	5.3	3.0
90	*****	9.1	9.1	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.6	5.1	3.0
95	*****	8.9	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.7	6.4	5.0	2.9
100	*****	8.7	8.7	8.4	8.2	7.9	7.7	7.4	7.2	6.9	6.6	6.3	4.9	2.8
125	*****	7.7	7.7	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.9	5.6	4.3	2.5
150	*****	6.9	6.9	6.7	6.5	6.3	6.1	5.8	5.6	5.4	5.1	4.9	4.0	2.3
200	*****	6.0	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	3.4	2.0
250	*****	5.3	5.3	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.1	1.8
300	*****	4.7	4.7	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.8	1.6
350	*****	4.4	4.4	4.2	4.1	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	1.5
400	*****	4.1	4.1	4.0	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.4	1.4
450	*****	3.7	3.7	3.6	3.5	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.3	1.3
500	*****	3.6	3.6	3.4	3.3	3.2	3.0	2.8	2.6	2.4	2.2	2.0	2.2	1.3
750	*****	2.7	2.7	2.6	2.5	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.8	1.0
1000	*****	2.2	2.2	2.0	1.9	1.8	1.6	1.4	1.2	1.0	0.9	0.8	1.5	0.9
1500	*****	1.3	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	1.3	0.7
2000	*****	1.3	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	1.3	0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	83.4	83.0	82.6	81.3	79.2	76.9	74.6	72.3	69.8	67.3	64.6	59.0	45.7	26.4
2	59.0	58.7	58.4	57.5	56.0	54.4	52.8	51.1	49.4	47.6	45.7	41.7	32.3	18.7
3	48.2	47.9	47.7	47.0	45.7	44.4	43.1	41.7	40.3	38.8	37.3	34.1	26.4	15.2
4	*****	41.5	41.3	40.7	39.6	38.5	37.3	36.1	34.9	33.6	32.3	29.5	22.9	13.2
5	*****	37.1	36.9	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.4	11.8
6	*****	33.9	33.7	33.2	32.3	31.4	30.5	29.5	28.5	27.5	26.4	24.1	18.7	10.8
7	*****	31.4	31.2	30.7	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
8	*****	29.4	29.2	28.8	28.0	27.2	26.4	25.6	24.7	23.8	22.9	20.9	16.2	9.3
9	*****	27.7	27.5	27.1	26.4	25.6	24.9	24.1	23.3	22.4	21.5	19.7	15.2	8.8
10	*****	26.3	26.1	25.7	25.0	24.3	23.6	22.9	22.1	21.3	20.4	18.7	14.5	8.3
11	*****	25.0	24.9	24.5	23.9	23.2	22.5	21.8	21.1	20.3	19.5	17.8	13.8	8.0
12	*****	24.0	23.8	23.5	22.9	22.2	21.5	20.9	20.2	19.4	18.7	17.0	13.2	7.6
13	*****	23.0	22.9	22.6	22.0	21.3	20.7	20.0	19.4	18.7	17.9	16.4	12.7	7.3
14	*****	22.2	22.1	21.7	21.2	20.6	19.9	19.3	18.7	18.0	17.3	15.8	12.2	7.1
15	*****	21.4	21.3	21.0	20.4	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
16	*****	20.8	20.7	20.3	19.8	19.2	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6
17	*****	20.1	20.0	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
18	*****	19.6	19.5	19.2	18.7	18.1	17.6	17.0	16.5	15.9	15.2	13.9	10.8	6.2
19	*****	19.0	19.0	18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
20	*****	18.6	18.5	18.2	17.7	17.2	16.7	16.2	15.6	15.0	14.5	13.2	10.2	5.9
21	*****	18.1	18.0	17.7	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
22	*****	17.7	17.6	17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
23	*****	17.3	17.2	17.0	16.5	16.0	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
24	*****	16.9	16.9	16.6	16.2	15.7	15.2	14.8	14.3	13.7	13.2	12.0	9.3	5.4
25	*****	16.6	16.5	16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
30	*****	15.2	15.1	14.9	14.5	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8
35	*****	14.0	14.0	13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
40	*****	*****	13.1	12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
45	*****	*****	12.3	12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
50	*****	*****	11.7	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.3	6.5	3.7
55	*****	*****	11.1	11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6
60	*****	*****	10.7	10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
65	*****	*****	10.2	10.1	9.8	9.5	9.3	9.0	8.7	8.3	8.0	7.3	5.7	3.3
70	*****	*****	9.9	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2
75	*****	*****	*****	9.4	9.1	8.9	8.6	8.3	8.1	7.8	7.5	6.8	5.3	3.0
80	*****	*****	*****	9.1	8.9	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	3.0
85	*****	*****	*****	8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
90	*****	*****	*****	8.6	8.3	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
95	*****	*****	*****	8.3	8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
100	*****	*****	*****	8.1	7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
125	*****	*****	*****	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
150	*****	*****	*****	6.6	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
200	*****	*****	*****	*****	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9
250	*****	*****	*****	*****	5.0	4.9	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7
300	*****	*****	*****	*****	4.6	4.4	4.3	4.2	4.0	3.9	3.7	3.4	2.6	1.5
350	*****	*****	*****	*****	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.2	2.4	1.4
400	*****	*****	*****	*****	*****	3.8	3.7	3.6	3.5	3.4	3.2	3.0	2.3	1.3
450	*****	*****	*****	*****	*****	3.6	3.5	3.4	3.3	3.2	3.0	2.8	2.2	1.2
500	*****	*****	*****	*****	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2
750	*****	*****	*****	*****	*****	*****	2.6	2.5	2.5	2.4	2.2	1.7	1.0	0.7
1000	*****	*****	*****	*****	*****	*****	*****	2.2	2.1	2.0	1.9	1.4	0.8	0.5
1500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.5	1.2	0.7
2000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0	0.6
3000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Territories

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		23.6	23.3	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5
2	*****		16.4	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3	
3	*****		13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4	
4	*****			11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8	
5	*****				10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
6	*****					9.2	9.0	8.7	8.4	8.2	7.9	7.5	6.9	5.3
7	*****						8.6	8.3	8.1	7.8	7.5	7.0	6.4	4.9
8	*****							7.8	7.5	7.3	7.1	6.8	6.5	6.0
9	*****								7.3	7.1	6.9	6.7	6.4	6.2
10	*****									7.0	6.8	6.5	6.3	6.1
11	*****										6.4	6.2	6.0	5.8
12	*****											6.2	6.0	5.8
13	*****												5.9	5.7
14	*****													5.5
15	*****													
16	*****													
17	*****													
18	*****													
19	*****													
20	*****													
21	*****													
22	*****													
23	*****													
24	*****													
25	*****													
30	*****													
35	*****													
40	*****													
45	*****													
50	*****													
55	*****													
60	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010  
Health Regions

Newfoundland: EASTERN REGIONAL INTEGRATED HA (10911)

NUMERATOR OF PERCENTAGE ('000)		ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	55.7	55.5	54.6	53.1	51.6	50.1	48.5	46.9	45.2	43.4	39.6	30.7	17.7	
2	*****	39.4	39.2	38.6	37.6	36.5	35.4	34.3	33.1	31.9	30.7	28.0	21.7	12.5	
3	*****		32.0	31.5	30.7	29.8	28.9	28.0	27.1	26.1	25.1	22.9	17.7	10.2	
4	*****		27.7	27.3	26.6	25.8	25.1	24.3	23.4	22.6	21.7	19.8	15.3	8.9	
5	*****		24.8	24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9	
6	*****			22.3	21.7	21.1	20.5	19.8	19.1	18.4	17.7	16.2	12.5	7.2	
7	*****			20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7	
8	*****			19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.3	14.0	10.8	6.3	
9	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9	
10	*****			17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6	
11	*****			16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3	
12	*****			15.8	15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1	
13	*****				14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
14	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7	
15	*****				13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6	
16	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4	
17	*****				12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3	
18	*****				12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
19	*****				12.2	11.8	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1	
20	*****				11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0	
21	*****				11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.6	6.7	3.9	
22	*****				11.3	11.0	10.7	10.3	10.0	9.6	9.3	8.4	6.5	3.8	
23	*****				11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7	
24	*****				10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6	
25	*****				10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5	
30	*****					9.4	9.1	8.9	8.6	8.2	7.9	7.2	5.6	3.2	
35	*****					8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0	
40	*****						7.9	7.7	7.4	7.1	6.9	6.3	4.9	2.8	
45	*****						7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6	
50	*****						7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5	
55	*****							6.5	6.3	6.1	5.9	5.3	4.1	2.4	
60	*****							6.3	6.1	5.8	5.6	5.1	4.0	2.3	
65	*****								5.8	5.6	5.4	4.9	3.8	2.2	
70	*****								5.6	5.4	5.2	4.7	3.7	2.1	
75	*****								5.4	5.2	5.0	4.6	3.5	2.0	
80	*****									5.0	4.9	4.4	3.4	2.0	
85	*****										4.9	4.7	3.3	1.9	
90	*****											4.6	3.2	1.9	
95	*****												4.1	3.1	1.8
100	*****													3.1	1.8
125	*****														1.6
150	*****														1.4
200	*****														1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Newfoundland: CENTRAL REGIONAL INTEGRATED HA (10912)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		43.5	42.8	41.7	40.5	39.3	38.0	36.7	35.4	34.0	31.0	24.1	13.9
2	*****			30.3	29.5	28.6	27.8	26.9	26.0	25.0	24.1	22.0	17.0	9.8
3	*****			24.7	24.1	23.4	22.7	22.0	21.2	20.4	19.6	17.9	13.9	8.0
4	*****				20.8	20.2	19.6	19.0	18.4	17.7	17.0	15.5	12.0	6.9
5	*****				18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2
6	*****				17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7
7	*****				15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
8	*****					14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
9	*****					13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
10	*****					12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4
11	*****					12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
12	*****						11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
13	*****						10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.9
14	*****						10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
15	*****						10.1		9.8	9.5	9.1	8.8	8.0	6.2
16	*****							9.5	9.2	8.9	8.5	7.8	6.0	3.5
17	*****							9.2	8.9	8.6	8.2	7.5	5.8	3.4
18	*****							9.0	8.7	8.3	8.0	7.3	5.7	3.3
19	*****								8.4	8.1	7.8	7.1	5.5	3.2
20	*****								8.2	7.9	7.6	6.9	5.4	3.1
21	*****								8.0	7.7	7.4	6.8	5.2	3.0
22	*****								7.8	7.5	7.3	6.6	5.1	3.0
23	*****									7.4	7.1	6.5	5.0	2.9
24	*****									7.2	6.9	6.3	4.9	2.8
25	*****									7.1	6.8	6.2	4.8	2.8
30	*****										6.2	5.7	4.4	2.5
35	*****											5.2	4.1	2.3
40	*****												3.8	2.2
45	*****												3.6	2.1
50	*****												3.4	2.0
55	*****													1.9
60	*****													1.8
65	*****													1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Newfoundland: WESTERN/LABRADOR-GRENFELL REGIONAL HA (10913)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		37.7	37.1	36.1	35.1	34.0	33.0	31.8	30.7	29.5	26.9	20.8	12.0
2	*****			26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.8	19.0	14.7	8.5
3	*****			21.4	20.8	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	6.9
4	*****			18.5	18.1	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0
5	*****				16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
6	*****				14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9
7	*****				13.6	13.3	12.9	12.5	12.0	11.6	11.1	10.2	7.9	4.5
8	*****				12.8	12.4	12.0	11.7	11.3	10.8	10.4	9.5	7.4	4.3
9	*****				12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
10	*****					11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
11	*****					10.6	10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6
12	*****					10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5
13	*****					9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
14	*****					9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
15	*****						8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
16	*****						8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0
17	*****						8.3	8.0	7.7	7.4	7.2	6.5	5.1	2.9
18	*****						8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
19	*****						7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
20	*****							7.4	7.1	6.9	6.6	6.0	4.7	2.7
21	*****							7.2	6.9	6.7	6.4	5.9	4.5	2.6
22	*****							7.0	6.8	6.5	6.3	5.7	4.4	2.6
23	*****							6.9	6.6	6.4	6.1	5.6	4.3	2.5
24	*****								6.5	6.3	6.0	5.5	4.3	2.5
25	*****								6.4	6.1	5.9	5.4	4.2	2.4
30	*****									5.6	5.4	4.9	3.8	2.2
35	*****										5.0	4.5	3.5	2.0
40	*****											4.3	3.3	1.9
45	*****											4.0	3.1	1.8
50	*****												2.9	1.7
55	*****												2.8	1.6
60	*****												2.7	1.6
65	*****												2.6	1.5
70	*****													1.4
75	*****													1.4
80	*****													1.3
85	*****													1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Prince Edward Island: PRINCE EDWARD ISLAND (11901)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	34.2	34.0	33.5	32.6	31.7	30.7	29.8	28.8	27.7	26.6	24.3	18.8	10.9
2	*****	24.1	23.7	23.1	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7	
3	*****		19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3	
4	*****		16.7	16.3	15.8	15.4	14.9	14.4	13.9	13.3	12.1	9.4	5.4	
5	*****		15.0	14.6	14.2	13.7	13.3	12.9	12.4	11.9	10.9	8.4	4.9	
6	*****			13.3	12.9	12.5	12.1	11.7	11.3	10.9	9.9	7.7	4.4	
7	*****			12.3	12.0	11.6	11.2	10.9	10.5	10.1	9.2	7.1	4.1	
8	*****			11.5	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8	
9	*****			10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6	
10	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4	
11	*****			9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3	
12	*****				9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1	
13	*****				8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0	
14	*****				8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9	
15	*****				8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8	
16	*****				7.9	7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7	
17	*****				7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6	
18	*****					7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6	
19	*****					7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5	
20	*****					6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4	
21	*****					6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4	
22	*****					6.6	6.3	6.1	5.9	5.7	5.2	4.0	2.3	
23	*****					6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3	
24	*****						6.1	5.9	5.7	5.4	5.0	3.8	2.2	
25	*****						6.0	5.8	5.5	5.3	4.9	3.8	2.2	
30	*****							5.2	5.1	4.9	4.4	3.4	2.0	
35	*****							4.9	4.7	4.5	4.1	3.2	1.8	
40	*****								4.4	4.2	3.8	3.0	1.7	
45	*****									4.0	3.6	2.8	1.6	
50	*****										3.4	2.7	1.5	
55	*****											3.3	2.5	
60	*****												2.4	
65	*****												2.3	
70	*****												2.2	
75	*****												2.2	
80	*****												2.1	
85	*****													1.2
90	*****													1.1
95	*****													1.1
100	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Nova Scotia: ZONE 1 (12901)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		52.2	51.4	50.0	48.6	47.1	45.6	44.1	42.5	40.8	37.3	28.9	16.7
2	*****		36.3	35.3	34.4	33.3	32.3	31.2	30.0	28.9	26.3	20.4	11.8	
3	*****		29.7	28.9	28.0	27.2	26.3	25.5	24.5	23.6	21.5	16.7	9.6	
4	*****		25.7	25.0	24.3	23.6	22.8	22.0	21.2	20.4	18.6	14.4	8.3	
5	*****			22.4	21.7	21.1	20.4	19.7	19.0	18.3	16.7	12.9	7.5	
6	*****			20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8	
7	*****			18.9	18.4	17.8	17.2	16.7	16.1	15.4	14.1	10.9	6.3	
8	*****			17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9	
9	*****			16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6	
10	*****				15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3	
11	*****				14.6	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0	
12	*****				14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8	
13	*****				13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6	
14	*****				13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5	
15	*****					12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3	
16	*****					11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
17	*****					11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0	
18	*****					11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9	
19	*****					10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8	
20	*****						10.2	9.9	9.5	9.1	8.3	6.5	3.7	
21	*****						10.0	9.6	9.3	8.9	8.1	6.3	3.6	
22	*****							9.7	9.4	9.1	8.7	7.9	6.2	3.6
23	*****							9.5	9.2	8.9	8.5	7.8	6.0	3.5
24	*****							9.3	9.0	8.7	8.3	7.6	5.9	3.4
25	*****								8.8	8.5	8.2	7.5	5.8	3.3
30	*****									7.8	7.5	6.8	5.3	3.0
35	*****										6.9	6.3	4.9	2.8
40	*****											5.9	4.6	2.6
45	*****											5.6	4.3	2.5
50	*****												4.1	2.4
55	*****												3.9	2.2
60	*****												3.7	2.2
65	*****												3.6	2.1
70	*****													2.0
75	*****													1.9
80	*****													1.9
85	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Nova Scotia: ZONE 2 (12902)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		48.7	47.9	46.7	45.3	44.0	42.6	41.1	39.6	38.1	34.8	26.9	15.6
2	*****			33.9	33.0	32.1	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0
3	*****			27.7	26.9	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0
4	*****				23.3	22.7	22.0	21.3	20.6	19.8	19.0	17.4	13.5	7.8
5	*****				20.9	20.3	19.7	19.0	18.4	17.7	17.0	15.6	12.0	7.0
6	*****				19.0	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.3
7	*****					17.1	16.6	16.1	15.6	15.0	14.4	13.1	10.2	5.9
8	*****					16.0	15.6	15.1	14.5	14.0	13.5	12.3	9.5	5.5
9	*****					15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
10	*****					14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9
11	*****						13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7
12	*****						12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5
13	*****						12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
14	*****							11.4	11.0	10.6	10.2	9.3	7.2	4.2
15	*****							11.0	10.6	10.2	9.8	9.0	7.0	4.0
16	*****							10.6	10.3	9.9	9.5	8.7	6.7	3.9
17	*****							10.3	10.0	9.6	9.2	8.4	6.5	3.8
18	*****							9.7	9.3	9.0	8.6	8.2	6.3	3.7
19	*****								9.4	9.1	8.7	8.0	6.2	3.6
20	*****								9.2	8.9	8.5	7.8	6.0	3.5
21	*****									8.7	8.3	7.6	5.9	3.4
22	*****									8.5	8.1	7.4	5.7	3.3
23	*****									8.3	7.9	7.3	5.6	3.2
24	*****										7.8	7.1	5.5	3.2
25	*****										7.6	7.0	5.4	3.1
30	*****											6.3	4.9	2.8
35	*****												4.6	2.6
40	*****												4.3	2.5
45	*****												4.0	2.3
50	*****													2.2
55	*****													2.1
60	*****													2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Nova Scotia: ZONE 3 (12903)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		53.7	52.9	51.5	50.1	48.6	47.0	45.4	43.8	42.1	38.4	29.7	17.2
2	*****			37.4	36.4	35.4	34.3	33.2	32.1	31.0	29.7	27.1	21.0	12.1
3	*****			30.6	29.7	28.9	28.0	27.1	26.2	25.3	24.3	22.2	17.2	9.9
4	*****			26.5	25.8	25.0	24.3	23.5	22.7	21.9	21.0	19.2	14.9	8.6
5	*****				23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
6	*****				21.0	20.4	19.8	19.2	18.5	17.9	17.2	15.7	12.1	7.0
7	*****				19.5	18.9	18.4	17.8	17.2	16.5	15.9	14.5	11.2	6.5
8	*****				18.2	17.7	17.2	16.6	16.1	15.5	14.9	13.6	10.5	6.1
9	*****					16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
10	*****					15.8	15.4	14.9	14.4	13.8	13.3	12.1	9.4	5.4
11	*****					15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
12	*****					14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0
13	*****					13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
14	*****						13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
15	*****						12.5	12.1	11.7	11.3	10.9	9.9	7.7	4.4
16	*****						12.1	11.8	11.4	10.9	10.5	9.6	7.4	4.3
17	*****						11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
18	*****						11.1	10.7	10.3	9.9	9.0	7.0	4.0	4.0
19	*****						10.8	10.4	10.0	9.6	8.8	6.8	3.9	3.9
20	*****						10.5	10.2	9.8	9.4	8.6	6.6	3.8	3.8
21	*****						10.3	9.9	9.6	9.2	8.4	6.5	3.7	3.7
22	*****							9.7	9.3	9.0	8.2	6.3	3.7	3.7
23	*****							9.5	9.1	8.8	8.0	6.2	3.6	3.6
24	*****							9.3	8.9	8.6	7.8	6.1	3.5	3.5
25	*****							9.1	8.8	8.4	7.7	5.9	3.4	3.4
30	*****								8.0	7.7	7.0	5.4	3.1	3.1
35	*****										6.5	5.0	2.9	2.9
40	*****											6.1	4.7	2.7
45	*****												4.4	2.6
50	*****												4.2	2.4
55	*****												4.0	2.3
60	*****												3.8	2.2
65	*****													2.1
70	*****													2.1
75	*****													2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Nova Scotia: ZONE 4 (12904)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		57.0	56.1	54.6	53.1	51.5	49.9	48.2	46.4	44.6	40.7	31.5	18.2
2	*****			39.7	38.6	37.5	36.4	35.3	34.1	32.8	31.5	28.8	22.3	12.9
3	*****			32.4	31.5	30.7	29.7	28.8	27.8	26.8	25.8	23.5	18.2	10.5
4	*****				27.3	26.5	25.8	24.9	24.1	23.2	22.3	20.4	15.8	9.1
5	*****				24.4	23.7	23.0	22.3	21.5	20.8	19.9	18.2	14.1	8.1
6	*****				22.3	21.7	21.0	20.4	19.7	19.0	18.2	16.6	12.9	7.4
7	*****					20.1	19.5	18.8	18.2	17.5	16.9	15.4	11.9	6.9
8	*****					18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.2	6.4
9	*****					17.7	17.2	16.6	16.1	15.5	14.9	13.6	10.5	6.1
10	*****						16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
11	*****						15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
12	*****						14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
13	*****							13.8	13.4	12.9	12.4	11.3	8.7	5.1
14	*****							13.3	12.9	12.4	11.9	10.9	8.4	4.9
15	*****							12.9	12.4	12.0	11.5	10.5	8.1	4.7
16	*****								12.0	11.6	11.2	10.2	7.9	4.6
17	*****								11.7	11.3	10.8	9.9	7.6	4.4
18	*****								11.4	10.9	10.5	9.6	7.4	4.3
19	*****									10.7	10.2	9.3	7.2	4.2
20	*****									10.4	10.0	9.1	7.1	4.1
21	*****									10.1	9.7	8.9	6.9	4.0
22	*****										9.5	8.7	6.7	3.9
23	*****										9.3	8.5	6.6	3.8
24	*****										9.1	8.3	6.4	3.7
25	*****											8.1	6.3	3.6
30	*****											7.4	5.8	3.3
35	*****												5.3	3.1
40	*****												5.0	2.9
45	*****													2.7
50	*****													2.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Nova Scotia: ZONE 5 (12905)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	53.6	53.3	52.5	51.1	49.6	48.2	46.6	45.1	43.4	41.7	38.1	29.5	17.0
2	*****	37.7	37.1	36.1	35.1	34.1	33.0	31.9	30.7	29.5	26.9	20.9	12.0	
3	*****		30.3	29.5	28.7	27.8	26.9	26.0	25.1	24.1	22.0	17.0	9.8	
4	*****		26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.9	19.0	14.7	8.5	
5	*****		23.5	22.8	22.2	21.5	20.9	20.1	19.4	18.7	17.0	13.2	7.6	
6	*****			20.9	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	7.0	
7	*****			19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.1	6.4	
8	*****			18.1	17.6	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0	
9	*****			17.0	16.5	16.1	15.5	15.0	14.5	13.9	12.7	9.8	5.7	
10	*****			16.2	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	
11	*****				15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1	
12	*****				14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
13	*****				13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7	
14	*****				13.3	12.9	12.5	12.0	11.6	11.1	10.2	7.9	4.6	
15	*****				12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	
16	*****					12.0	11.7	11.3	10.9	10.4	9.5	7.4	4.3	
17	*****					11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	
18	*****					11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0	
19	*****					11.0	10.7	10.3	10.0	9.6	8.7	6.8	3.9	
20	*****					10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	
21	*****						10.2	9.8	9.5	9.1	8.3	6.4	3.7	
22	*****						9.9	9.6	9.3	8.9	8.1	6.3	3.6	
23	*****						9.7	9.4	9.1	8.7	7.9	6.1	3.6	
24	*****						9.5	9.2	8.9	8.5	7.8	6.0	3.5	
25	*****						9.3	9.0	8.7	8.3	7.6	5.9	3.4	
30	*****							8.2	7.9	7.6	7.0	5.4	3.1	
35	*****								7.3	7.1	6.4	5.0	2.9	
40	*****									6.6	6.0	4.7	2.7	
45	*****										5.7	4.4	2.5	
50	*****											5.4	4.2	2.4
55	*****												4.0	2.3
60	*****													3.8
65	*****													3.7
70	*****													3.5
75	*****													2.0
80	*****													1.9
85	*****													1.8
90	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Nova Scotia: ZONE 6 (12906)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	74.9	74.5	73.3	71.4	69.4	67.3	65.2	62.9	60.7	58.3	53.2	41.2	23.8
2	*****	52.9	52.7	51.9	50.5	49.0	47.6	46.1	44.5	42.9	41.2	37.6	29.1	16.8
3	*****	43.2	43.0	42.3	41.2	40.0	38.9	37.6	36.3	35.0	33.6	30.7	23.8	13.7
4	*****	37.2	36.7	35.7	34.7	33.6	32.6	31.5	30.3	29.1	26.6	20.6	11.9	
5	*****	33.3	32.8	31.9	31.0	30.1	29.1	28.2	27.1	26.1	23.8	18.4	10.6	
6	*****	30.4	29.9	29.1	28.3	27.5	26.6	25.7	24.8	23.8	21.7	16.8	9.7	
7	*****		27.7	27.0	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0	
8	*****		25.9	25.2	24.5	23.8	23.0	22.3	21.4	20.6	18.8	14.6	8.4	
9	*****		24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9	
10	*****		23.2	22.6	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5	
11	*****		22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.6	16.0	12.4	7.2	
12	*****		21.2	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9	
13	*****		20.3	19.8	19.2	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6	
14	*****		19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4	
15	*****		18.9	18.4	17.9	17.4	16.8	16.3	15.7	15.0	13.7	10.6	6.1	
16	*****		18.3	17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9	
17	*****		17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8	
18	*****		16.8	16.3	15.9	15.4	14.8	14.3	13.7	12.5	9.7	5.6		
19	*****		16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.5	5.5		
20	*****		16.0	15.5	15.0	14.6	14.1	13.6	13.0	11.9	9.2	5.3		
21	*****		15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2		
22	*****		15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1		
23	*****		14.9	14.5	14.0	13.6	13.1	12.6	12.2	11.1	8.6	5.0		
24	*****		14.6	14.2	13.7	13.3	12.8	12.4	11.9	10.9	8.4	4.9		
25	*****		14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8		
30	*****		13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3		
35	*****			11.7	11.4	11.0	10.6	10.3	9.9	9.0	7.0	4.0		
40	*****			11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8		
45	*****			10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5		
50	*****			9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4		
55	*****				9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2		
60	*****				8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1		
65	*****				8.3	8.1	7.8	7.5	7.2	6.6	5.1	3.0		
70	*****					7.8	7.5	7.2	7.0	6.4	4.9	2.8		
75	*****					7.5	7.3	7.0	6.7	6.1	4.8	2.7		
80	*****					7.3	7.0	6.8	6.5	5.9	4.6	2.7		
85	*****					7.1	6.8	6.6	6.3	5.8	4.5	2.6		
90	*****						6.6	6.4	6.1	5.6	4.3	2.5		
95	*****						6.5	6.2	6.0	5.5	4.2	2.4		
100	*****						6.3	6.1	5.8	5.3	4.1	2.4		
125	*****							5.2	4.8	4.3	3.4	2.1		
150	*****								4.3	3.8	3.0	1.9		
200	*****									2.9	2.3	1.7		
250	*****										1.5	1.5		
300	*****											1.4		

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

New Brunswick: ZONE 1 (13901)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	60.1	59.8	58.8	57.3	55.7	54.0	52.3	50.5	48.7	46.8	42.7	33.1	19.1
2	*****	42.3	41.6	40.5	39.4	38.2	37.0	35.7	34.4	33.1	30.2	23.4	13.5	
3	*****	34.5	34.0	33.1	32.1	31.2	30.2	29.2	28.1	27.0	24.6	19.1	11.0	
4	*****	29.4	28.6	27.8	27.0	26.1	25.3	24.3	23.4	21.3	16.5	9.5		
5	*****	26.3	25.6	24.9	24.1	23.4	22.6	21.8	20.9	19.1	14.8	8.5		
6	*****	24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8		
7	*****	22.2	21.6	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2		
8	*****	20.8	20.2	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.7		
9	*****	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4			
10	*****	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0			
11	*****	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8			
12	*****	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5			
13	*****	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3			
14	*****	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1			
15	*****	14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9			
16	*****	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8			
17	*****	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5			
18	*****	13.1	12.7	12.3	11.9	11.5	11.0	10.5	9.5	7.4	4.3			
19	*****	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4				
20	*****	12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3				
21	*****	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2				
22	*****	11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1				
23	*****	11.6	11.3	10.9	10.5	10.1	9.7	8.9	6.9	4.0				
24	*****	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9				
25	*****	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8				
30	*****	9.9	9.5	9.2	8.9	8.5	8.2	7.9	7.2	5.6	3.2			
35	*****	8.8	8.5	8.2	7.9	7.6	7.2	6.9	6.6	5.3	3.0			
40	*****	8.3	8.0	7.7	7.4	7.1	6.8	6.5	6.2	5.0	2.8			
45	*****	7.5	7.3	7.0	6.7	6.4	6.1	5.8	5.5	4.4	2.7			
50	*****	7.1	6.9	6.6	6.3	6.0	5.7	5.4	5.1	4.1	2.6			
55	*****	6.6	6.3	6.0	5.7	5.4	5.1	4.8	4.5	3.6	2.5			
60	*****	6.0	5.8	5.5	5.2	4.9	4.6	4.3	4.0	3.2	2.4			
65	*****	5.8	5.5	5.2	4.9	4.6	4.3	4.0	3.7	3.0	2.3			
70	*****	5.1	4.9	4.6	4.3	4.0	3.7	3.4	3.1	2.5	2.0			
75	*****	4.9	4.6	4.3	4.0	3.7	3.4	3.1	2.8	2.3	1.9			
80	*****	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.2	1.7			
85	*****	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.2	1.7			
90	*****	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.2	1.7			
95	*****	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.2	1.7			
100	*****	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.2	1.7			
125	*****	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.2	1.7			
150	*****	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.2	1.7			

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

New Brunswick: ZONE 2 (13902)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	55.0	54.7	53.9	52.4	51.0	49.4	47.9	46.2	44.6	42.8	39.1	30.3	17.5
2	*****	38.7	38.1	37.1	36.0	35.0	33.9	32.7	31.5	30.3	27.6	21.4	12.4	
3	*****		31.1	30.3	29.4	28.5	27.6	26.7	25.7	24.7	22.6	17.5	10.1	
4	*****		26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7	
5	*****		24.1	23.5	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8	
6	*****		22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	16.0	12.4	7.1	
7	*****		20.4	19.8	19.3	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6	
8	*****			18.5	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2	
9	*****			17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.0	10.1	5.8	
10	*****			16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5	
11	*****			15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3	
12	*****			15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0	
13	*****			14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8	
14	*****			14.0	13.6	13.2	12.8	12.4	11.9	11.4	10.4	8.1	4.7	
15	*****				13.2	12.8	12.4	11.9	11.5	11.1	10.1	7.8	4.5	
16	*****				12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4	
17	*****				12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2	
18	*****				12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1	
19	*****				11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0	
20	*****				11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9	
21	*****				11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	
22	*****					10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7	
23	*****					10.3	10.0	9.6	9.3	8.9	8.2	6.3	3.6	
24	*****					10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	
25	*****					9.9	9.6	9.2	8.9	8.6	7.8	6.1	3.5	
30	*****						8.7	8.4	8.1	7.8	7.1	5.5	3.2	
35	*****						8.1	7.8	7.5	7.2	6.6	5.1	3.0	
40	*****							7.3	7.0	6.8	6.2	4.8	2.8	
45	*****								6.6	6.4	5.8	4.5	2.6	
50	*****								6.3	6.1	5.5	4.3	2.5	
55	*****									5.8	5.3	4.1	2.4	
60	*****										5.0	3.9	2.3	
65	*****										4.8	3.8	2.2	
70	*****										4.7	3.6	2.1	
75	*****											3.5	2.0	
80	*****											3.4	2.0	
85	*****											3.3	1.9	
90	*****											3.2	1.8	
95	*****											3.1	1.8	
100	*****											3.0	1.7	
125	*****												1.6	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

New Brunswick: ZONE 3 (13903)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	56.4	56.1	55.2	53.8	52.2	50.7	49.1	47.4	45.7	43.9	40.1	31.0	17.9
2	*****	39.7	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7	
3	*****		31.9	31.0	30.2	29.3	28.3	27.4	26.4	25.3	23.1	17.9	10.3	
4	*****		27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0	
5	*****		24.7	24.0	23.4	22.7	21.9	21.2	20.4	19.6	17.9	13.9	8.0	
6	*****		22.5	21.9	21.3	20.7	20.0	19.4	18.6	17.9	16.4	12.7	7.3	
7	*****			20.3	19.7	19.2	18.5	17.9	17.3	16.6	15.1	11.7	6.8	
8	*****			19.0	18.5	17.9	17.3	16.8	16.2	15.5	14.2	11.0	6.3	
9	*****			17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.3	6.0	
10	*****			17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7	
11	*****			16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4	
12	*****			15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2	
13	*****			14.9	14.5	14.1	13.6	13.1	12.7	12.2	11.1	8.6	5.0	
14	*****				14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8	
15	*****				13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6	
16	*****				13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5	
17	*****				12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3	
18	*****				12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	
19	*****				12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1	
20	*****				11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0	
21	*****					11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9	
22	*****					10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8	
23	*****					10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
24	*****					10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7	
25	*****					10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
30	*****						9.0	8.7	8.3	8.0	7.3	5.7	3.3	
35	*****							8.0	7.7	7.4	6.8	5.2	3.0	
40	*****								7.5	7.2	6.9	6.3	4.9	2.8
45	*****									6.8	6.5	6.0	4.6	2.7
50	*****										6.2	5.7	4.4	2.5
55	*****											5.4	4.2	2.4
60	*****											5.2	4.0	2.3
65	*****											5.0	3.8	2.2
70	*****												3.7	2.1
75	*****												3.6	2.1
80	*****												3.5	2.0
85	*****												3.4	1.9
90	*****												3.3	1.9
95	*****													1.8
100	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

New Brunswick: ZONES 4 AND 5 (13904)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	38.8	38.2	37.2	36.2	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4	
2	*****	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8		
3	*****	22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.5	16.0	12.4	7.2		
4	*****	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2			
5	*****	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5			
6	*****	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1			
7	*****	13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7				
8	*****	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4				
9	*****	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1				
10	*****	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9					
11	*****	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7					
12	*****	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6					
13	*****	9.4	9.1	8.8	8.4	7.7	6.0	3.4						
14	*****	9.1	8.8	8.5	8.1	7.4	5.7	3.3						
15	*****	8.8	8.5	8.2	7.8	7.2	5.5	3.2						
16	*****	8.2	7.9	7.6	7.2	6.5	5.1	2.9						
17	*****	8.0	7.7	7.4	6.7	5.2	3.0							
18	*****	7.7	7.5	7.2	6.5	5.1	2.9							
19	*****	7.3	7.0	6.4	4.9	2.8								
20	*****	7.1	6.8	6.2	4.8	2.8								
21	*****	6.9	6.6	6.1	4.7	2.7								
22	*****	6.5	5.9	4.6	2.6									
23	*****	6.3	5.8	4.5	2.6									
24	*****	6.2	5.7	4.4	2.5									
25	*****	5.5	4.3	2.5										
30	*****	5.1	3.9	2.3										
35	*****	3.6	2.1											
40	*****	3.4	2.0											
45	*****	1.8												
50	*****	1.8												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

New Brunswick: ZONES 6 AND 7 (13906)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	42.8	42.6	41.9	40.8	39.7	38.5	37.3	36.0	34.7	33.3	30.4	23.6	13.6
2	*****	30.1	29.7	28.9	28.1	27.2	26.4	25.5	24.5	23.6	21.5	16.7	9.6	
3	*****		24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.2	17.6	13.6	7.9	
4	*****		21.0	20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8	
5	*****		18.8	18.3	17.7	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1	
6	*****			16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6	
7	*****			15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1	
8	*****			14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8	
9	*****			13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5	
10	*****			12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3	
11	*****				12.0	11.6	11.2	10.9	10.5	10.1	9.2	7.1	4.1	
12	*****				11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9	
13	*****				11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8	
14	*****				10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6	
15	*****				10.2	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5	
16	*****					9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	
17	*****					9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3	
18	*****					9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	
19	*****					8.8	8.6	8.3	8.0	7.6	7.0	5.4	3.1	
20	*****					8.6	8.3	8.1	7.8	7.5	6.8	5.3	3.0	
21	*****						8.1	7.9	7.6	7.3	6.6	5.1	3.0	
22	*****						7.9	7.7	7.4	7.1	6.5	5.0	2.9	
23	*****						7.8	7.5	7.2	7.0	6.3	4.9	2.8	
24	*****						7.6	7.4	7.1	6.8	6.2	4.8	2.8	
25	*****						7.5	7.2	6.9	6.7	6.1	4.7	2.7	
30	*****							6.6	6.3	6.1	5.6	4.3	2.5	
35	*****								5.9	5.6	5.1	4.0	2.3	
40	*****									5.3	4.8	3.7	2.2	
45	*****										4.5	3.5	2.0	
50	*****										4.3	3.3	1.9	
55	*****											3.2	1.8	
60	*****											3.0	1.8	
65	*****											2.9	1.7	
70	*****											2.8	1.6	
75	*****												1.6	
80	*****												1.5	
85	*****												1.5	
90	*****												1.4	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DU BAS-SAINT-LAURENT (24901)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	62.0	61.7	60.8	59.1	57.5	55.8	54.0	52.2	50.3	48.3	44.1	34.2	19.7
2	*****		43.6	43.0	41.8	40.6	39.4	38.2	36.9	35.5	34.2	31.2	24.1	13.9
3	*****		35.6	35.1	34.2	33.2	32.2	31.2	30.1	29.0	27.9	25.5	19.7	11.4
4	*****			30.4	29.6	28.7	27.9	27.0	26.1	25.1	24.1	22.0	17.1	9.9
5	*****			27.2	26.5	25.7	24.9	24.1	23.3	22.5	21.6	19.7	15.3	8.8
6	*****			24.8	24.1	23.5	22.8	22.0	21.3	20.5	19.7	18.0	13.9	8.0
7	*****			23.0	22.4	21.7	21.1	20.4	19.7	19.0	18.3	16.7	12.9	7.5
8	*****			21.5	20.9	20.3	19.7	19.1	18.4	17.8	17.1	15.6	12.1	7.0
9	*****			19.7	19.2	18.6	18.0	17.4	16.8	16.1	15.4	14.7	11.4	6.6
10	*****			18.7	18.2	17.6	17.1	16.5	15.9	15.3	14.6	13.9	10.8	6.2
11	*****			17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.9	13.3	10.3	5.9
12	*****			17.1	16.6	16.1	15.6	15.1	14.5	13.9	13.3	12.7	9.9	5.7
13	*****			16.4	15.9	15.5	15.0	14.5	13.9	13.4	12.8	12.2	9.5	5.5
14	*****			15.8	15.4	14.9	14.4	13.9	13.4	12.9	12.4	11.8	9.1	5.3
15	*****			15.3	14.8	14.4	13.9	13.5	13.0	12.5	12.0	11.4	8.8	5.1
16	*****			14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.6	11.0	8.5	4.9
17	*****				13.9	13.5	13.1	12.7	12.2	11.7	11.2	10.7	8.3	4.8
18	*****				13.5	13.1	12.7	12.3	11.8	11.4	10.9	10.4	8.0	4.6
19	*****				13.2	12.8	12.4	12.0	11.5	11.1	10.6	10.1	7.8	4.5
20	*****				12.9	12.5	12.1	11.7	11.2	10.8	10.3	9.9	7.6	4.4
21	*****				12.5	12.2	11.8	11.4	11.0	10.5	10.1	9.6	7.5	4.3
22	*****				12.3	11.9	11.5	11.1	10.7	10.3	9.9	9.4	7.3	4.2
23	*****				12.0	11.6	11.3	10.9	10.5	10.1	9.7	9.2	7.1	4.1
24	*****				11.7	11.4	11.0	10.6	10.3	9.9	9.5	9.0	7.0	4.0
25	*****					11.2	10.8	10.4	10.1	9.7	9.3	8.8	6.8	3.9
30	*****						10.2	9.9	9.5	9.2	8.8	8.4	6.2	3.6
35	*****							9.1	8.8	8.5	8.2	7.9	5.8	3.3
40	*****							8.5	8.2	7.9	7.6	7.3	5.4	3.1
45	*****								7.8	7.5	7.2	6.9	5.1	2.9
50	*****									7.1	6.8	6.5	4.8	2.8
55	*****									6.8	6.5	6.2	4.6	2.7
60	*****										6.2	5.9	4.4	2.5
65	*****											5.5	4.2	2.4
70	*****												5.3	4.1
75	*****												5.1	3.9
80	*****												4.9	3.8
85	*****													3.7
90	*****													3.6
95	*****													3.5
100	*****													3.4
125	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DU SAGUENAY - LAC-SAINT-JEAN (24902)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	63.2	62.9	61.9	60.3	58.6	56.8	55.0	53.1	51.2	49.2	44.9	34.8	20.1
2	*****	44.7	44.5	43.8	42.6	41.4	40.2	38.9	37.6	36.2	34.8	31.8	24.6	14.2
3	*****		36.3	35.7	34.8	33.8	32.8	31.8	30.7	29.6	28.4	25.9	20.1	11.6
4	*****		31.4	31.0	30.1	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.0
5	*****			27.7	27.0	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0
6	*****			25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.3	14.2	8.2
7	*****			23.4	22.8	22.1	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6
8	*****			21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1
9	*****			20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
10	*****			19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
11	*****			18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
12	*****				17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
13	*****				16.7	16.2	15.8	15.3	14.7	14.2	13.6	12.5	9.6	5.6
14	*****				16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
15	*****				15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
16	*****				15.1	14.6	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
17	*****				14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
18	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
19	*****				13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
20	*****				13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.0	7.8	4.5
21	*****				13.2	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4
22	*****				12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
23	*****					12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
24	*****					12.0	11.6	11.2	10.8	10.5	10.0	9.2	7.1	4.1
25	*****					11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
30	*****					10.7	10.4	10.0	9.7	9.4	9.0	8.2	6.4	3.7
35	*****						9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
40	*****						9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
45	*****						8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
50	*****							7.8	7.5	7.2	7.0	6.4	4.9	2.8
55	*****							7.4	7.2	6.9	6.6	6.1	4.7	2.7
60	*****								6.9	6.6	6.4	5.8	4.5	2.6
65	*****								6.6	6.4	6.1	5.6	4.3	2.5
70	*****									6.1	5.9	5.4	4.2	2.4
75	*****									5.9	5.7	5.2	4.0	2.3
80	*****										5.5	5.0	3.9	2.2
85	*****										5.3	4.9	3.8	2.2
90	*****										5.2	4.7	3.7	2.1
95	*****											4.6	3.6	2.1
100	*****											4.5	3.5	2.0
125	*****												3.1	1.8
150	*****												2.8	1.6
200	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE QUÉBEC (24903)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	77.7	77.3	76.2	74.1	72.0	69.9	67.7	65.4	63.0	60.5	55.2	42.8	24.7
2	*****	55.0	54.7	53.8	52.4	50.9	49.4	47.8	46.2	44.5	42.8	39.1	30.3	17.5
3	*****	44.9	44.7	44.0	42.8	41.6	40.3	39.1	37.7	36.4	34.9	31.9	24.7	14.3
4	*****	38.9	38.7	38.1	37.1	36.0	34.9	33.8	32.7	31.5	30.3	27.6	21.4	12.4
5	*****	34.8	34.6	34.1	33.1	32.2	31.3	30.3	29.2	28.2	27.1	24.7	19.1	11.0
6	*****	31.6	31.1	30.3	29.4	28.5	27.6	26.7	26.7	25.7	24.7	22.6	17.5	10.1
7	*****	29.2	28.8	28.0	27.2	26.4	25.6	24.7	24.7	23.8	22.9	20.9	16.2	9.3
8	*****	27.3	26.9	26.2	25.5	24.7	23.9	23.1	23.1	22.3	21.4	19.5	15.1	8.7
9	*****	25.8	25.4	24.7	24.0	23.3	22.6	21.8	21.8	21.0	20.2	18.4	14.3	8.2
10	*****	24.5	24.1	23.4	22.8	22.1	21.4	20.7	20.7	19.9	19.1	17.5	13.5	7.8
11	*****	23.3	23.0	22.3	21.7	21.1	20.4	19.7	19.7	19.0	18.2	16.7	12.9	7.4
12	*****	22.0	21.4	20.8	20.2	19.5	18.9	18.9	18.2	17.5	16.8	15.3	11.9	6.9
13	*****	21.1	20.6	20.0	19.4	18.8	18.1	17.5	17.5	16.8	16.2	14.8	11.4	6.6
14	*****	20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2
15	*****	19.7	19.1	18.6	18.0	17.5	16.9	16.3	15.7	15.1	14.4	13.0	10.1	5.8
16	*****	19.0	18.5	18.0	17.5	16.9	16.4	15.9	15.4	14.8	14.3	13.0	10.1	5.8
17	*****	18.5	18.0	17.5	16.9	16.4	15.9	15.4	14.8	14.3	13.0	10.1	5.8	5.7
18	*****	17.9	17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.0	10.1	5.8	5.7	5.5
19	*****	17.5	17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7	5.5	5.4
20	*****	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5	5.4	5.3
21	*****	16.6	16.2	15.7	15.2	14.8	14.3	13.7	13.2	12.1	9.3	5.4	5.3	5.2
22	*****	16.2	15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3	5.2	5.0
23	*****	15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2	5.0	4.9
24	*****	15.5	15.1	14.7	14.3	13.8	13.3	12.9	12.4	11.3	8.7	5.0	4.5	4.2
25	*****	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.6	4.9	4.5	4.4
30	*****	13.5	13.2	12.8	12.4	11.9	11.5	11.0	10.6	9.3	7.2	4.2	3.9	3.7
35	*****	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.6	8.7	6.8	3.9	3.5	3.3
40	*****	11.7	11.4	11.0	10.7	10.3	10.0	9.6	9.0	8.2	6.4	3.7	3.5	3.2
45	*****	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.6	7.8	6.1	3.5	3.3	3.2
50	*****	10.5	10.2	9.9	9.6	9.2	8.9	8.6	8.2	7.4	5.8	3.3	3.2	3.1
55	*****	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.8	7.1	5.5	3.2	3.1	3.0
60	*****	9.3	9.0	8.7	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0	2.9	2.8
65	*****	8.9	8.7	8.4	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.9	2.7	2.6
70	*****	8.6	8.4	8.1	7.8	7.5	7.2	6.9	6.6	6.0	4.6	2.7	2.6	2.5
75	*****	8.3	8.1	7.8	7.5	7.3	7.0	6.8	6.6	6.0	4.6	2.7	2.6	2.5
80	*****	8.1	7.8	7.6	7.3	7.1	6.8	6.6	6.4	5.8	4.5	2.6	2.5	2.4
85	*****	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	5.7	4.4	2.5	2.4	2.3
90	*****	7.4	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.4	4.3	2.5	2.4	2.3
95	*****	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.1	2.4	2.3	2.2
100	*****	7.0	6.8	6.5	6.3	6.1	5.9	5.7	5.5	5.0	4.0	2.3	2.2	2.1
125	*****	6.1	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.1	3.2	2.2	2.1	2.0
150	*****	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.4	2.6	2.1	2.0	1.9
200	*****	4.5	4.3	4.1	3.9	3.7	3.5	3.3	3.1	2.7	2.0	1.9	1.8	1.7
250	*****	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.8	1.4	1.7	1.6	1.6
300	*****	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.8	1.4	1.7	1.6	1.6
350	*****	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.8	1.4	1.7	1.6	1.6
400	*****	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.8	1.4	1.7	1.6	1.6
450	*****	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.8	1.4	1.7	1.6	1.6
500	*****	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.8	1.4	1.7	1.6	1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE LA MAURICIE-CENTRE-DU-QUÉBEC (24904)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	89.8	89.3	87.9	85.6	83.2	80.7	78.1	75.5	72.7	69.9	63.8	49.4	28.5
2	*****	63.5	63.1	62.2	60.5	58.8	57.0	55.2	53.4	51.4	49.4	45.1	34.9	20.2
3	*****	51.8	51.6	50.8	49.4	48.0	46.6	45.1	43.6	42.0	40.3	36.8	28.5	16.5
4	*****	44.9	44.6	44.0	42.8	41.6	40.3	39.1	37.7	36.4	34.9	31.9	24.7	14.3
5	*****		39.9	39.3	38.3	37.2	36.1	34.9	33.8	32.5	31.2	28.5	22.1	12.8
6	*****		36.5	35.9	34.9	34.0	32.9	31.9	30.8	29.7	28.5	26.0	20.2	11.6
7	*****		33.8	33.2	32.3	31.4	30.5	29.5	28.5	27.5	26.4	24.1	18.7	10.8
8	*****		31.6	31.1	30.3	29.4	28.5	27.6	26.7	25.7	24.7	22.6	17.5	10.1
9	*****			29.3	28.5	27.7	26.9	26.0	25.2	24.2	23.3	21.3	16.5	9.5
10	*****			27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
11	*****			26.5	25.8	25.1	24.3	23.6	22.8	21.9	21.1	19.2	14.9	8.6
12	*****			25.4	24.7	24.0	23.3	22.6	21.8	21.0	20.2	18.4	14.3	8.2
13	*****			24.4	23.7	23.1	22.4	21.7	20.9	20.2	19.4	17.7	13.7	7.9
14	*****			23.5	22.9	22.2	21.6	20.9	20.2	19.4	18.7	17.0	13.2	7.6
15	*****			22.7	22.1	21.5	20.8	20.2	19.5	18.8	18.0	16.5	12.8	7.4
16	*****			22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.4	7.1
17	*****			21.3	20.8	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9
18	*****			20.7	20.2	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.6	6.7
19	*****			20.2	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
20	*****			19.7	19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.3	11.0	6.4
21	*****				18.7	18.1	17.6	17.0	16.5	15.9	15.2	13.9	10.8	6.2
22	*****				18.2	17.7	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1
23	*****				17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9
24	*****				17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.0	10.1	5.8
25	*****				17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.8	9.9	5.7
30	*****				15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.6	9.0	5.2
35	*****				14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8
40	*****				13.5	13.1	12.8	12.4	11.9	11.5	11.0	10.1	7.8	4.5
45	*****					12.4	12.0	11.6	11.3	10.8	10.4	9.5	7.4	4.3
50	*****					11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
55	*****					11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8
60	*****					10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
65	*****						10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
70	*****						9.6	9.3	9.0	8.7	8.4	7.6	5.9	3.4
75	*****						9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
80	*****						9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
85	*****						8.5	8.2	7.9	7.6	7.3	6.6	5.1	3.1
90	*****						8.2	8.0	7.7	7.4	7.1	6.4	5.0	3.0
95	*****						8.0	7.7	7.5	7.2	6.9	6.2	4.8	2.9
100	*****						7.8	7.5	7.3	7.0	6.7	6.0	4.6	2.8
125	*****							6.5	6.2	5.9	5.6	5.0	3.7	2.6
150	*****								5.7	5.4	5.1	4.5	3.3	2.3
200	*****									4.5	4.2	3.7	2.7	2.0
250	*****										3.1	2.8	2.1	1.8
300	*****											1.6	1.3	1.6
350	*****												1.5	1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE L'ESTRIE (24905)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	80.0	79.6	78.4	76.3	74.2	72.0	69.7	67.3	64.9	62.3	56.9	44.1	25.4
2	*****	56.6	56.3	55.4	54.0	52.4	50.9	49.3	47.6	45.9	44.1	40.2	31.2	18.0
3	*****		46.0	45.3	44.1	42.8	41.5	40.2	38.9	37.4	36.0	32.8	25.4	14.7
4	*****		39.8	39.2	38.2	37.1	36.0	34.8	33.7	32.4	31.2	28.4	22.0	12.7
5	*****		35.6	35.1	34.1	33.2	32.2	31.2	30.1	29.0	27.9	25.4	19.7	11.4
6	*****			32.0	31.2	30.3	29.4	28.4	27.5	26.5	25.4	23.2	18.0	10.4
7	*****			29.6	28.8	28.0	27.2	26.3	25.4	24.5	23.6	21.5	16.7	9.6
8	*****			27.7	27.0	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0
9	*****			26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.8	19.0	14.7	8.5
10	*****			24.8	24.1	23.5	22.8	22.0	21.3	20.5	19.7	18.0	13.9	8.0
11	*****			23.6	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
12	*****			22.6	22.0	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.3
13	*****				21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1
14	*****				20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8
15	*****				19.7	19.2	18.6	18.0	17.4	16.7	16.1	14.7	11.4	6.6
16	*****				19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
17	*****				18.5	18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2
18	*****				18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0
19	*****				17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.1	10.1	5.8
20	*****				17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7
21	*****				16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
22	*****				16.3	15.8	15.3	14.9	14.3	13.8	13.3	12.1	9.4	5.4
23	*****				15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3
24	*****				15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
25	*****				15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1
30	*****					13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
35	*****					12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3
40	*****						11.4	11.0	10.6	10.3	9.9	9.0	7.0	4.0
45	*****						10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
50	*****						10.2	9.9	9.5	9.2	8.8	8.0	6.2	3.6
55	*****							9.4	9.1	8.7	8.4	7.7	5.9	3.4
60	*****							9.0	8.7	8.4	8.0	7.3	5.7	3.3
65	*****								8.3	8.0	7.7	7.1	5.5	3.2
70	*****								8.0	7.8	7.4	6.8	5.3	3.0
75	*****									7.8	7.5	7.2	6.6	5.1
80	*****										7.3	7.0	6.4	4.9
85	*****											7.0	6.8	4.8
90	*****												6.6	4.6
95	*****													6.4
100	*****													6.2
125	*****													5.7
150	*****													5.1
200	*****													3.6
														1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE MONTRÉAL-CENTRE (24906)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	117.5	117.0	116.4	114.6	111.5	108.4	105.2	101.8	98.4	94.8	91.1	83.1	64.4	37.2
2	*****	82.7	82.3	81.0	78.9	76.6	74.4	72.0	69.6	67.0	64.4	58.8	45.5	26.3
3	*****	67.5	67.2	66.2	64.4	62.6	60.7	58.8	56.8	54.7	52.6	48.0	37.2	21.5
4	*****	58.5	58.2	57.3	55.8	54.2	52.6	50.9	49.2	47.4	45.5	41.6	32.2	18.6
5	*****	52.3	52.0	51.2	49.9	48.5	47.0	45.5	44.0	42.4	40.7	37.2	28.8	16.6
6	*****	47.8	47.5	46.8	45.5	44.3	42.9	41.6	40.2	38.7	37.2	33.9	26.3	15.2
7	*****	44.2	44.0	43.3	42.2	41.0	39.7	38.5	37.2	35.8	34.4	31.4	24.3	14.1
8	*****	41.4	41.1	40.5	39.4	38.3	37.2	36.0	34.8	33.5	32.2	29.4	22.8	13.1
9	*****	39.0	38.8	38.2	37.2	36.1	35.1	33.9	32.8	31.6	30.4	27.7	21.5	12.4
10	*****	37.0	36.8	36.2	35.3	34.3	33.3	32.2	31.1	30.0	28.8	26.3	20.4	11.8
11	*****	35.3	35.1	34.5	33.6	32.7	31.7	30.7	29.7	28.6	27.5	25.1	19.4	11.2
12	*****	33.8	33.6	33.1	32.2	31.3	30.4	29.4	28.4	27.4	26.3	24.0	18.6	10.7
13	*****	32.4	32.3	31.8	30.9	30.1	29.2	28.2	27.3	26.3	25.3	23.1	17.9	10.3
14	*****	31.3	31.1	30.6	29.8	29.0	28.1	27.2	26.3	25.3	24.3	22.2	17.2	9.9
15	*****	30.2	30.1	29.6	28.8	28.0	27.2	26.3	25.4	24.5	23.5	21.5	16.6	9.6
16	*****	29.1	28.6	27.9	27.1	26.3	25.5	24.6	23.7	22.8	21.8	20.8	16.1	9.3
17	*****	28.2	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	21.2	20.2	15.6	9.0
18	*****	27.4	27.0	26.3	25.5	24.8	24.0	23.2	22.3	21.5	20.6	19.6	15.2	8.8
19	*****	26.7	26.3	25.6	24.9	24.1	23.4	22.6	21.7	20.9	19.9	18.8	14.8	8.5
20	*****	26.0	25.6	24.9	24.2	23.5	22.8	22.0	21.2	20.4	19.4	18.6	14.4	8.3
21	*****	25.4	25.0	24.3	23.7	22.9	22.2	21.5	20.7	19.9	18.9	18.1	14.1	8.1
22	*****	24.8	24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	18.4	17.7	13.7	7.9
23	*****	24.3	23.9	23.3	22.6	21.9	21.2	20.5	19.8	19.0	18.0	17.3	13.4	7.8
24	*****	23.8	23.4	22.8	22.1	21.5	20.8	20.1	19.3	18.6	17.7	17.0	13.1	7.6
25	*****	23.3	22.9	22.3	21.7	21.0	20.4	19.7	19.0	18.2	17.4	16.6	12.9	7.4
30	*****	21.2	20.9	20.4	19.8	19.2	18.6	18.0	17.3	16.6	15.8	15.2	11.8	6.8
35	*****	19.4	18.9	18.3	17.8	17.2	16.6	16.0	15.4	14.7	14.1	13.4	10.9	6.3
40	*****	18.1	17.6	17.1	16.6	16.1	15.6	15.0	14.4	13.8	13.2	12.6	10.2	5.9
45	*****	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	13.0	12.4	11.8	9.6	5.5
50	*****	16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	12.4	11.8	11.2	9.1	5.3
55	*****	15.5	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.8	11.2	10.7	8.7	5.0
60	*****	14.8	14.4	14.0	13.6	13.1	12.7	12.2	11.8	11.3	10.8	10.3	8.3	4.8
65	*****	14.2	13.8	13.4	13.0	12.6	12.2	11.8	11.3	10.9	10.4	9.9	8.0	4.6
70	*****	13.7	13.3	13.0	12.6	12.2	11.8	11.3	10.9	10.4	9.9	9.4	7.7	4.4
75	*****	13.2	12.9	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.7	9.2	7.4	4.3
80	*****	12.5	12.1	11.8	11.4	11.0	10.7	10.3	9.9	9.4	8.9	8.4	6.8	4.2
85	*****	12.1	11.8	11.4	11.0	10.7	10.3	9.9	9.4	8.9	8.4	7.9	6.4	4.0
90	*****	11.8	11.4	11.1	10.7	10.4	10.0	9.6	9.2	8.8	8.3	7.8	6.3	3.9
95	*****	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.9	8.5	8.1	7.6	6.1	3.8
100	*****	11.2	10.8	10.5	10.2	9.8	9.5	9.1	8.7	8.3	7.9	7.5	6.0	3.7
125	*****	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.8	7.4	7.0	6.6	5.1	3.3
150	*****	9.1	8.9	8.6	8.3	8.0	7.7	7.4	7.0	6.7	6.4	6.0	4.6	3.0
200	*****	7.7	7.4	7.2	6.9	6.6	6.3	6.0	5.7	5.4	5.1	4.8	3.7	2.6
250	*****	6.7	6.4	6.2	5.9	5.6	5.3	5.0	4.7	4.4	4.1	3.8	3.0	2.4
300	*****	6.1	5.9	5.7	5.4	5.1	4.8	4.5	4.2	3.9	3.6	3.3	2.7	2.1
350	*****	5.4	5.3	5.1	4.9	4.6	4.3	4.0	3.7	3.4	3.1	2.8	2.3	2.0
400	*****	4.9	4.7	4.6	4.4	4.1	3.8	3.5	3.2	2.9	2.6	2.3	1.9	1.8
450	*****	4.6	4.5	4.3	4.1	3.8	3.5	3.2	2.9	2.6	2.3	2.0	1.7	1.7
500	*****	4.2	4.1	3.9	3.7	3.4	3.1	2.8	2.5	2.2	1.9	1.6	1.4	1.4
750	*****	3.0	2.9	2.7	2.5	2.3	2.1	1.9	1.7	1.5	1.3	1.1	1.0	1.0
1000	*****	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	1.0	1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE L'OUTAOUAIS (24907)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	72.7	72.4	71.3	69.4	67.4	65.4	63.3	61.2	58.9	56.6	51.7	40.0	23.1
2	*****	51.4	51.2	50.4	49.0	47.7	46.2	44.8	43.3	41.7	40.0	36.6	28.3	16.3
3	*****	42.0	41.8	41.1	40.0	38.9	37.8	36.6	35.3	34.0	32.7	29.8	23.1	13.3
4	*****	36.2	35.6	34.7	33.7	32.7	31.7	30.6	29.5	28.3	25.9	20.0	11.6	
5	*****	32.4	31.9	31.0	30.1	29.2	28.3	27.4	26.4	25.3	23.1	17.9	10.3	
6	*****	29.5	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.3	9.4	
7	*****		26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7	
8	*****		25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.2	
9	*****		23.8	23.1	22.5	21.8	21.1	20.4	19.6	18.9	17.2	13.3	7.7	
10	*****		22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3	
11	*****		21.5	20.9	20.3	19.7	19.1	18.4	17.8	17.1	15.6	12.1	7.0	
12	*****		20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.3	14.9	11.6	6.7	
13	*****		19.8	19.2	18.7	18.1	17.6	17.0	16.3	15.7	14.3	11.1	6.4	
14	*****		19.0	18.5	18.0	17.5	16.9	16.3	15.8	15.1	13.8	10.7	6.2	
15	*****		18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0	
16	*****			17.3	16.9	16.3	15.8	15.3	14.7	14.2	12.9	10.0	5.8	
17	*****			16.8	16.3	15.9	15.4	14.8	14.3	13.7	12.5	9.7	5.6	
18	*****			16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4	
19	*****			15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3	
20	*****			15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2	
21	*****			15.1	14.7	14.3	13.8	13.3	12.9	12.4	11.3	8.7	5.0	
22	*****			14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9	
23	*****			14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8	
24	*****			14.2	13.8	13.3	12.9	12.5	12.0	11.6	10.6	8.2	4.7	
25	*****			13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6	
30	*****			12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	
35	*****				11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9	
40	*****				10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7	
45	*****					10.0	9.7	9.4	9.1	8.8	8.4	7.7	3.4	
50	*****						9.2	9.0	8.7	8.3	8.0	7.3	3.3	
55	*****						8.8	8.5	8.2	7.9	7.6	7.0	3.1	
60	*****						8.4	8.2	7.9	7.6	7.3	6.7	3.0	
65	*****							7.9	7.6	7.3	7.0	6.4	2.9	
70	*****							7.6	7.3	7.0	6.8	6.2	2.8	
75	*****							7.3	7.1	6.8	6.5	6.0	2.7	
80	*****								6.8	6.6	6.3	5.8	2.6	
85	*****								6.6	6.4	6.1	5.6	2.5	
90	*****								6.4	6.2	6.0	5.4	2.4	
95	*****									6.0	5.8	5.3	2.4	
100	*****									5.9	5.7	5.2	2.3	
125	*****											4.6	3.6	2.1
150	*****											4.2	3.3	1.9
200	*****												2.8	1.6
250	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE L'ABITIBI-TÉMISCAMINGUE (24908)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	50.3	50.0	49.2	47.9	46.6	45.2	43.7	42.3	40.7	39.1	35.7	27.7	16.0
2	*****	35.4	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.7	25.3	19.6	11.3	11.3
3	*****		28.4	27.7	26.9	26.1	25.3	24.4	23.5	22.6	20.6	16.0	9.2	9.2
4	*****		24.6	24.0	23.3	22.6	21.9	21.1	20.4	19.6	17.9	13.8	8.0	8.0
5	*****		22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1	7.1
6	*****			19.6	19.0	18.4	17.9	17.3	16.6	16.0	14.6	11.3	6.5	6.5
7	*****			18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0	6.0
8	*****			16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6	5.6
9	*****			16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3	5.3
10	*****			15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.1	5.1
11	*****			14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8	4.8
12	*****				13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6	4.6
13	*****				12.9	12.5	12.1	11.7	11.3	10.9	9.9	7.7	4.4	4.4
14	*****				12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3	4.3
15	*****				12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1	4.1
16	*****				11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0	4.0
17	*****					11.0	10.6	10.2	9.9	9.5	8.7	6.7	3.9	3.9
18	*****					10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8	3.8
19	*****					10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7	3.7
20	*****					10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	3.6
21	*****					9.9	9.5	9.2	8.9	8.5	7.8	6.0	3.5	3.5
22	*****					9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	3.4
23	*****						9.1	8.8	8.5	8.2	7.4	5.8	3.3	3.3
24	*****						8.9	8.6	8.3	8.0	7.3	5.6	3.3	3.3
25	*****						8.7	8.5	8.1	7.8	7.1	5.5	3.2	3.2
30	*****							7.7	7.4	7.1	6.5	5.1	2.9	2.9
35	*****								6.9	6.6	6.0	4.7	2.7	2.7
40	*****									6.2	5.6	4.4	2.5	2.5
45	*****										5.3	4.1	2.4	2.4
50	*****											5.1	3.9	2.3
55	*****											4.8	3.7	2.2
60	*****												3.6	2.1
65	*****												3.4	2.0
70	*****												3.3	1.9
75	*****												3.2	1.8
80	*****													1.8
85	*****													1.7
90	*****													1.7
95	*****													1.6
100	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE LA CÔTE-NORD (24909)

NUMERATOR OF PERCENTAGE ('000)		ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		39.3	38.6	37.6	36.6	35.5	34.3	33.2	32.0	30.7	28.0	21.7	12.5	
2	*****			27.3	26.6	25.9	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9	
3	*****			22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.2	12.5	7.2	
4	*****				18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3	
5	*****				16.8	16.3	15.9	15.4	14.8	14.3	13.7	12.5	9.7	5.6	
6	*****				15.4	14.9	14.5	14.0	13.5	13.1	12.5	11.4	8.9	5.1	
7	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7	
8	*****					12.9	12.5	12.1	11.7	11.3	10.9	9.9	7.7	4.4	
9	*****					12.2	11.8	11.4	11.1	10.7	10.2	9.3	7.2	4.2	
10	*****					11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0	
11	*****						10.7	10.4	10.0	9.6	9.3	8.5	6.5	3.8	
12	*****						10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6	
13	*****						9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5	
14	*****						9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.4	
15	*****							8.9	8.6	8.3	7.9	7.2	5.6	3.2	
16	*****							8.6	8.3	8.0	7.7	7.0	5.4	3.1	
17	*****							8.3	8.0	7.8	7.4	6.8	5.3	3.0	
18	*****								7.8	7.5	7.2	6.6	5.1	3.0	
19	*****								7.6	7.3	7.0	6.4	5.0	2.9	
20	*****								7.4	7.1	6.9	6.3	4.9	2.8	
21	*****								7.2	7.0	6.7	6.1	4.7	2.7	
22	*****									6.8	6.5	6.0	4.6	2.7	
23	*****									6.7	6.4	5.8	4.5	2.6	
24	*****									6.5	6.3	5.7	4.4	2.6	
25	*****										6.1	5.6	4.3	2.5	
30	*****											5.1	4.0	2.3	
35	*****												4.7	3.7	2.1
40	*****													3.4	2.0
45	*****													3.2	1.9
50	*****														1.8
55	*****														1.7
60	*****														1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉG. DE LA GASPÉSIE-ÎLES-DE-LA-MADELEINE (24911)

NUMERATOR OF PERCENTAGE ('000)		ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		39.4	38.8	37.8	36.7	35.6	34.5	33.3	32.1	30.8	28.1	21.8	12.6	
2	*****		27.4	26.7	26.0	25.2	24.4	23.6	22.7	21.8	19.9	15.4	8.9		
3	*****		22.4	21.8	21.2	20.6	19.9	19.2	18.5	17.8	16.3	12.6	7.3		
4	*****			18.9	18.4	17.8	17.2	16.7	16.0	15.4	14.1	10.9	6.3		
5	*****			16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6		
6	*****			15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1		
7	*****			14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8		
8	*****				13.0	12.6	12.2	11.8	11.3	10.9	10.0	7.7	4.5		
9	*****				12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2		
10	*****				11.6	11.3	10.9	10.5	10.1	9.8	8.9	6.9	4.0		
11	*****				11.1	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8		
12	*****					10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6		
13	*****					9.9	9.6	9.2	8.9	8.6	7.8	6.0	3.5		
14	*****					9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4		
15	*****					9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3		
16	*****						8.6	8.3	8.0	7.7	7.0	5.5	3.1		
17	*****						8.4	8.1	7.8	7.5	6.8	5.3	3.1		
18	*****						8.1	7.9	7.6	7.3	6.6	5.1	3.0		
19	*****						7.9	7.6	7.4	7.1	6.5	5.0	2.9		
20	*****							7.4	7.2	6.9	6.3	4.9	2.8		
21	*****							7.3	7.0	6.7	6.1	4.8	2.7		
22	*****							7.1	6.8	6.6	6.0	4.6	2.7		
23	*****							6.9	6.7	6.4	5.9	4.5	2.6		
24	*****								6.6	6.3	5.7	4.5	2.6		
25	*****								6.4	6.2	5.6	4.4	2.5		
30	*****									5.6	5.1	4.0	2.3		
35	*****										4.8	3.7	2.1		
40	*****											3.4	2.0		
45	*****												3.3	1.9	
50	*****													3.1	1.8
55	*****														1.7
60	*****														1.6
65	*****														1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE LA CHAUDIÈRE-APPALACHES (24912)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	78.0	77.6	76.4	74.4	72.3	70.1	67.9	65.6	63.2	60.7	55.5	43.0	24.8
2	*****	55.2	54.9	54.1	52.6	51.1	49.6	48.0	46.4	44.7	43.0	39.2	30.4	17.5
3	*****	45.1	44.8	44.1	43.0	41.7	40.5	39.2	37.9	36.5	35.1	32.0	24.8	14.3
4	*****	38.8	38.2	37.2	36.2	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4	
5	*****	34.7	34.2	33.3	32.3	31.4	30.4	29.3	28.3	27.2	24.8	19.2	11.1	
6	*****	31.7	31.2	30.4	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1	
7	*****		28.9	28.1	27.3	26.5	25.7	24.8	23.9	23.0	21.0	16.2	9.4	
8	*****		27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8	
9	*****		25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3	
10	*****		24.2	23.5	22.9	22.2	21.5	20.7	20.0	19.2	17.5	13.6	7.8	
11	*****		23.0	22.4	21.8	21.1	20.5	19.8	19.1	18.3	16.7	13.0	7.5	
12	*****		22.1	21.5	20.9	20.2	19.6	18.9	18.3	17.5	16.0	12.4	7.2	
13	*****		21.2	20.6	20.1	19.5	18.8	18.2	17.5	16.8	15.4	11.9	6.9	
14	*****		20.4	19.9	19.3	18.7	18.2	17.5	16.9	16.2	14.8	11.5	6.6	
15	*****		19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4	
16	*****		19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2	
17	*****			18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.4	10.4	6.0	
18	*****			17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
19	*****			17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7	
20	*****			16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5	
21	*****			16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4	
22	*****				15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
23	*****				15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
24	*****				15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
25	*****				14.9	14.5	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0
30	*****				13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
35	*****					12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
40	*****					11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
45	*****						10.8	10.5	10.1	9.8	9.4	9.1	8.3	3.7
50	*****							9.9	9.6	9.3	8.9	8.6	7.8	3.5
55	*****							9.5	9.2	8.8	8.5	8.2	7.5	3.3
60	*****							9.1	8.8	8.5	8.2	7.8	7.2	3.2
65	*****							8.7	8.4	8.1	7.8	7.5	6.9	3.1
70	*****								8.1	7.8	7.6	7.3	6.6	3.0
75	*****								7.8	7.6	7.3	7.0	6.4	2.9
80	*****								7.6	7.3	7.1	6.8	6.2	2.8
85	*****									7.1	6.9	6.6	6.0	2.7
90	*****									6.9	6.7	6.4	5.8	2.6
95	*****									6.7	6.5	6.2	5.7	2.5
100	*****										6.3	6.1	5.5	2.5
125	*****											5.4	5.0	3.8
150	*****												4.5	3.5
200	*****													3.0
250	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE LAVAL (24913)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	87.0	86.6	85.2	83.0	80.6	78.2	75.7	73.2	70.5	67.7	61.8	47.9	27.7
2	*****	61.5	61.2	60.3	58.7	57.0	55.3	53.6	51.7	49.9	47.9	43.7	33.9	19.6
3	*****	50.2	50.0	49.2	47.9	46.5	45.2	43.7	42.2	40.7	39.1	35.7	27.7	16.0
4	*****	43.3	42.6	41.5	40.3	39.1	37.9	36.6	35.3	33.9	30.9	23.9	13.8	
5	*****	38.7	38.1	37.1	36.1	35.0	33.9	32.7	31.5	30.3	27.7	21.4	12.4	
6	*****	35.3	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.7	25.2	19.6	11.3	
7	*****		32.2	31.4	30.5	29.6	28.6	27.7	26.6	25.6	23.4	18.1	10.5	
8	*****		30.1	29.3	28.5	27.7	26.8	25.9	24.9	23.9	21.9	16.9	9.8	
9	*****		28.4	27.7	26.9	26.1	25.2	24.4	23.5	22.6	20.6	16.0	9.2	
10	*****		27.0	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.6	15.1	8.7	
11	*****		25.7	25.0	24.3	23.6	22.8	22.1	21.3	20.4	18.6	14.4	8.3	
12	*****		24.6	23.9	23.3	22.6	21.9	21.1	20.4	19.6	17.9	13.8	8.0	
13	*****		23.6	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7	
14	*****		22.8	22.2	21.5	20.9	20.2	19.6	18.8	18.1	16.5	12.8	7.4	
15	*****		22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1	
16	*****			20.7	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9	
17	*****			20.1	19.6	19.0	18.4	17.7	17.1	16.4	15.0	11.6	6.7	
18	*****			19.6	19.0	18.4	17.9	17.2	16.6	16.0	14.6	11.3	6.5	
19	*****			19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3	
20	*****			18.6	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2	
21	*****			18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0	
22	*****				17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
23	*****				17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
24	*****				16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
25	*****				16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5
30	*****				15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0
35	*****					13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
40	*****					12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
45	*****					12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1
50	*****						11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
55	*****						10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
60	*****						10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
65	*****							9.4	9.1	8.7	8.4	7.7	5.9	3.4
70	*****							9.1	8.7	8.4	8.1	7.4	5.7	3.3
75	*****							8.7	8.4	8.1	7.8	7.1	5.5	3.2
80	*****							8.2	7.9	7.6	7.3	6.9	5.4	3.1
85	*****							7.9	7.6	7.3	7.0	6.7	5.2	3.0
90	*****							7.7	7.4	7.1	6.8	6.5	5.0	2.9
95	*****								7.2	6.9	6.6	6.3	4.9	2.8
100	*****								7.1	6.8	6.5	6.2	4.8	2.8
125	*****									6.1	5.8	5.5	4.3	2.5
150	*****										5.0	4.7	3.9	2.3
200	*****											3.4	2.0	1.7
250	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE LANAUDIÈRE (24914)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	92.2	91.7	90.3	87.9	85.4	82.9	80.2	77.5	74.7	71.8	65.5	50.7	29.3
2	*****	65.2	64.8	63.8	62.1	60.4	58.6	56.7	54.8	52.8	50.7	46.3	35.9	20.7
3	*****	53.2	52.9	52.1	50.7	49.3	47.8	46.3	44.7	43.1	41.4	37.8	29.3	16.9
4	*****	45.9	45.1	43.9	42.7	41.4	40.1	38.8	37.3	35.9	32.8	25.4	14.6	
5	*****	41.0	40.4	39.3	38.2	37.1	35.9	34.7	33.4	32.1	29.3	22.7	13.1	
6	*****	37.4	36.9	35.9	34.9	33.8	32.8	31.6	30.5	29.3	26.7	20.7	12.0	
7	*****	34.7	34.1	33.2	32.3	31.3	30.3	29.3	28.2	27.1	24.8	19.2	11.1	
8	*****		31.9	31.1	30.2	29.3	28.4	27.4	26.4	25.4	23.2	17.9	10.4	
9	*****		30.1	29.3	28.5	27.6	26.7	25.8	24.9	23.9	21.8	16.9	9.8	
10	*****		28.6	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.0	9.3	
11	*****		27.2	26.5	25.8	25.0	24.2	23.4	22.5	21.6	19.7	15.3	8.8	
12	*****		26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.6	8.5	
13	*****		25.0	24.4	23.7	23.0	22.2	21.5	20.7	19.9	18.2	14.1	8.1	
14	*****		24.1	23.5	22.8	22.1	21.4	20.7	20.0	19.2	17.5	13.6	7.8	
15	*****		23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6	
16	*****		22.6	22.0	21.4	20.7	20.1	19.4	18.7	17.9	16.4	12.7	7.3	
17	*****		21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1	
18	*****		20.7	20.1	19.5	18.9	18.3	17.6	16.9	16.3	15.4	12.0	6.9	
19	*****		20.2	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.6	6.7		
20	*****		19.7	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.6		
21	*****		19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4		
22	*****		18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2		
23	*****		18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1		
24	*****		17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.4	6.0		
25	*****		17.6	17.1	16.6	16.0	15.5	14.9	14.4	13.1	10.1	5.9		
30	*****		16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.0	9.3	5.3		
35	*****		14.9	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0		
40	*****			13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6		
45	*****			12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4		
50	*****			12.1	11.7	11.3	11.0	10.6	10.1	9.3	7.2	4.1		
55	*****				11.2	10.8	10.5	10.1	9.7	8.8	6.8	3.9		
60	*****				10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8		
65	*****				10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6		
70	*****				9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5		
75	*****					9.3	8.9	8.6	8.3	7.6	5.9	3.4		
80	*****					9.0	8.7	8.3	8.0	7.3	5.7	3.3		
85	*****					8.7	8.4	8.1	7.8	7.1	5.5	3.2		
90	*****						8.2	7.9	7.6	6.9	5.3	3.1		
95	*****						8.0	7.7	7.4	6.7	5.2	3.0		
100	*****						7.8	7.5	7.2	6.6	5.1	2.9		
125	*****							6.4	6.2	5.9	4.5	2.6		
150	*****								5.3	5.3	4.1	2.4		
200	*****										3.6	2.1		
250	*****											1.9		
300	*****												1.7	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DES LAURENTIDES (24915)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	91.6	91.1	89.7	87.3	84.9	82.3	79.7	77.0	74.2	71.3	65.1	50.4	29.1
2	*****	64.8	64.4	63.4	61.7	60.0	58.2	56.4	54.5	52.5	50.4	46.0	35.6	20.6
3	*****	52.9	52.6	51.8	50.4	49.0	47.5	46.0	44.5	42.8	41.2	37.6	29.1	16.8
4	*****	45.8	45.6	44.9	43.7	42.4	41.2	39.9	38.5	37.1	35.6	32.5	25.2	14.6
5	*****	40.7	40.1	39.1	38.0	36.8	35.6	34.4	33.2	31.9	29.1	22.5	13.0	
6	*****	37.2	36.6	35.6	34.6	33.6	32.5	31.4	30.3	29.1	26.6	20.6	11.9	
7	*****	34.4	33.9	33.0	32.1	31.1	30.1	29.1	28.0	26.9	24.6	19.1	11.0	
8	*****	32.2	31.7	30.9	30.0	29.1	28.2	27.2	26.2	25.2	23.0	17.8	10.3	
9	*****	29.9	29.1	28.3	27.4	26.6	25.7	24.7	23.8	21.7	16.8	9.7		
10	*****	28.4	27.6	26.8	26.0	25.2	24.4	23.5	22.5	20.6	15.9	9.2		
11	*****	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8		
12	*****	25.9	25.2	24.5	23.8	23.0	22.2	21.4	20.6	18.8	14.6	8.4		
13	*****	24.9	24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.1	14.0	8.1		
14	*****	24.0	23.3	22.7	22.0	21.3	20.6	19.8	19.1	17.4	13.5	7.8		
15	*****	23.2	22.5	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5		
16	*****	22.4	21.8	21.2	20.6	19.9	19.3	18.6	17.8	16.3	12.6	7.3		
17	*****	21.8	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1		
18	*****	21.1	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.3	11.9	6.9		
19	*****	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7		
20	*****	20.1	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.6	11.3	6.5		
21	*****	19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4		
22	*****	18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.7	6.2			
23	*****	18.2	17.7	17.2	16.6	16.1	15.5	14.9	13.6	10.5	6.1			
24	*****	17.8	17.3	16.8	16.3	15.7	15.1	14.6	13.3	10.3	5.9			
25	*****	17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.0	10.1	5.8			
30	*****	15.9	15.5	15.0	14.6	14.1	13.5	13.0	11.9	9.2	5.3			
35	*****	14.8	14.3	13.9	13.5	13.0	12.5	12.1	11.0	8.5	4.9			
40	*****	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6			
45	*****	12.7	12.3	11.9	11.5	11.1	10.6	10.1	9.2	7.5	4.3			
50	*****	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1				
55	*****	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9				
60	*****	11.0	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8				
65	*****	10.2	9.9	9.6	9.2	8.8	8.1	6.3	3.6					
70	*****	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5					
75	*****	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4					
80	*****	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3					
85	*****	8.9	8.6	8.4	8.0	7.7	7.1	5.5	3.2					
90	*****	8.4	8.1	7.8	7.5	6.9	5.3	3.1						
95	*****	8.2	7.9	7.6	7.3	6.7	5.2	3.0						
100	*****	8.0	7.7	7.4	7.1	6.5	5.0	2.9						
125	*****	6.9	6.6	6.4	5.8	4.5	2.6							
150	*****	6.1	5.8	5.3	4.1	2.4								
200	*****	4.6	3.6	2.1										
250	*****	3.2	1.8											
300	*****	2.9	1.7											
350	*****	1.6												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Quebec: RÉGION DE LA MONTÉRÉGIE (24916)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	105.9	105.4	104.8	103.2	100.5	97.6	94.7	91.7	88.6	85.4	82.0	74.9	58.0	33.5
2	*****	74.5	74.1	73.0	71.0	69.0	67.0	64.9	62.7	60.4	58.0	53.0	41.0	23.7
3	*****	60.8	60.5	59.6	58.0	56.4	54.7	53.0	51.2	49.3	47.4	43.2	33.5	19.3
4	*****	52.7	52.4	51.6	50.2	48.8	47.4	45.9	44.3	42.7	41.0	37.4	29.0	16.7
5	*****	47.1	46.9	46.2	44.9	43.7	42.4	41.0	39.6	38.2	36.7	33.5	25.9	15.0
6	*****	43.0	42.8	42.1	41.0	39.9	38.7	37.4	36.2	34.9	33.5	30.6	23.7	13.7
7	*****	39.8	39.6	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7
8	*****	37.3	37.1	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8
9	*****	35.1	34.9	34.4	33.5	32.5	31.6	30.6	29.5	28.5	27.3	25.0	19.3	11.2
10	*****	33.3	33.2	32.6	31.8	30.9	30.0	29.0	28.0	27.0	25.9	23.7	18.3	10.6
11	*****	31.8	31.6	31.1	30.3	29.4	28.6	27.7	26.7	25.7	24.7	22.6	17.5	10.1
12	*****	*****	30.3	29.8	29.0	28.2	27.3	26.5	25.6	24.6	23.7	21.6	16.7	9.7
13	*****	*****	29.1	28.6	27.9	27.1	26.3	25.4	24.6	23.7	22.8	20.8	16.1	9.3
14	*****	*****	28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
15	*****	*****	27.1	26.7	25.9	25.2	24.5	23.7	22.9	22.0	21.2	19.3	15.0	8.6
16	*****	*****	26.2	25.8	25.1	24.4	23.7	22.9	22.2	21.3	20.5	18.7	14.5	8.4
17	*****	*****	25.4	25.0	24.4	23.7	23.0	22.2	21.5	20.7	19.9	18.2	14.1	8.1
18	*****	*****	24.7	24.3	23.7	23.0	22.3	21.6	20.9	20.1	19.3	17.7	13.7	7.9
19	*****	*****	24.1	23.7	23.1	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
20	*****	*****	23.4	23.1	22.5	21.8	21.2	20.5	19.8	19.1	18.3	16.7	13.0	7.5
21	*****	*****	22.9	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3
22	*****	*****	22.4	22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1
23	*****	*****	21.9	21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	15.6	12.1	7.0
24	*****	*****	*****	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
25	*****	*****	*****	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
30	*****	*****	*****	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1
35	*****	*****	*****	17.4	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
40	*****	*****	*****	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
45	*****	*****	*****	15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0
50	*****	*****	*****	14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
55	*****	*****	*****	13.9	13.5	13.2	12.8	12.4	11.9	11.5	11.1	10.1	7.8	4.5
60	*****	*****	*****	*****	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
65	*****	*****	*****	*****	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
70	*****	*****	*****	*****	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
75	*****	*****	*****	*****	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.6	6.7	3.9
80	*****	*****	*****	*****	11.2	10.9	10.6	10.3	9.9	9.5	9.2	8.4	6.5	3.7
85	*****	*****	*****	*****	10.9	10.6	10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6
90	*****	*****	*****	*****	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
95	*****	*****	*****	*****	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
100	*****	*****	*****	*****	10.0	9.8	9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.3
125	*****	*****	*****	*****	*****	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
150	*****	*****	*****	*****	*****	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
200	*****	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
250	*****	*****	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.2	4.7	3.7	2.1
300	*****	*****	*****	*****	*****	*****	*****	*****	5.1	4.9	4.7	4.3	3.3	1.9
350	*****	*****	*****	*****	*****	*****	*****	*****	4.7	4.6	4.4	4.0	3.1	1.8
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.3	4.1	3.7	2.9	1.7
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.5	2.7	1.6
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	2.6	1.5
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.1	1.2
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: DISTRICT OF ALGOMA HEALTH UNIT (35926)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		52.9	52.1	50.7	49.3	47.8	46.3	44.7	43.1	41.4	37.8	29.3	16.9
2	*****			36.8	35.9	34.9	33.8	32.7	31.6	30.5	29.3	26.7	20.7	12.0
3	*****			30.1	29.3	28.5	27.6	26.7	25.8	24.9	23.9	21.8	16.9	9.8
4	*****			26.1	25.4	24.6	23.9	23.1	22.4	21.6	20.7	18.9	14.6	8.5
5	*****				22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
6	*****				20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9
7	*****				19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
8	*****				17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.4	6.0
9	*****				16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
10	*****					15.6	15.1	14.6	14.1	13.6	13.1	12.0	9.3	5.3
11	*****					14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
12	*****					14.2	13.8	13.4	12.9	12.4	12.0	10.9	8.5	4.9
13	*****					13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7
14	*****					13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
15	*****						12.3	12.0	11.5	11.1	10.7	9.8	7.6	4.4
16	*****						12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
17	*****						11.6	11.2	10.8	10.5	10.0	9.2	7.1	4.1
18	*****						11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0
19	*****						11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
20	*****							10.4	10.0	9.6	9.3	8.5	6.5	3.8
21	*****							10.1	9.8	9.4	9.0	8.2	6.4	3.7
22	*****							9.9	9.5	9.2	8.8	8.1	6.2	3.6
23	*****							9.7	9.3	9.0	8.6	7.9	6.1	3.5
24	*****							9.5	9.1	8.8	8.5	7.7	6.0	3.5
25	*****								8.9	8.6	8.3	7.6	5.9	3.4
30	*****									7.9	7.6	6.9	5.3	3.1
35	*****										7.0	6.4	4.9	2.9
40	*****											6.0	4.6	2.7
45	*****											5.6	4.4	2.5
50	*****												4.1	2.4
55	*****												3.9	2.3
60	*****												3.8	2.2
65	*****												3.6	2.1
70	*****													2.0
75	*****													2.0
80	*****													1.9
85	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: BRANT COUNTY HEALTH UNIT (35927)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	58.6	58.3	57.4	55.9	54.3	52.7	51.0	49.3	47.5	45.6	41.7	32.3	18.6
2	*****	41.2	40.6	39.5	38.4	37.3	36.1	34.9	33.6	32.3	29.5	22.8	13.2	
3	*****		33.2	32.3	31.4	30.4	29.5	28.5	27.4	26.3	24.1	18.6	10.8	
4	*****		28.7	27.9	27.2	26.3	25.5	24.6	23.8	22.8	20.8	16.1	9.3	
5	*****		25.7	25.0	24.3	23.6	22.8	22.0	21.2	20.4	18.6	14.4	8.3	
6	*****			22.8	22.2	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6	
7	*****			21.1	20.5	19.9	19.3	18.6	18.0	17.2	15.7	12.2	7.0	
8	*****			19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6	
9	*****			18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2	
10	*****			17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9	
11	*****				16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6	
12	*****				15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	
13	*****				15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2	
14	*****				14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0	
15	*****				14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8	
16	*****				13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7	
17	*****					12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
18	*****					12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	
19	*****					12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3	
20	*****					11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
21	*****					11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1	
22	*****						10.9	10.5	10.1	9.7	8.9	6.9	4.0	
23	*****						10.6	10.3	9.9	9.5	8.7	6.7	3.9	
24	*****						10.4	10.1	9.7	9.3	8.5	6.6	3.8	
25	*****						10.2	9.9	9.5	9.1	8.3	6.5	3.7	
30	*****							9.0	8.7	8.3	7.6	5.9	3.4	
35	*****								8.0	7.7	7.0	5.5	3.1	
40	*****									7.2	6.6	5.1	2.9	
45	*****										6.2	4.8	2.8	
50	*****											5.9	4.6	
55	*****												4.4	
60	*****												4.2	
65	*****												4.0	
70	*****												3.9	
75	*****												3.7	
80	*****													2.1
85	*****													2.0
90	*****													2.0
95	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: DURHAM REGIONAL HEALTH UNIT (35930)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	102.8	102.2	100.7	98.0	95.2	92.4	89.4	86.4	83.3	80.0	73.0	56.6	32.7
2	*****	72.7	72.3	71.2	69.3	67.3	65.3	63.2	61.1	58.9	56.6	51.6	40.0	23.1
3	*****	59.3	59.0	58.1	56.6	55.0	53.3	51.6	49.9	48.1	46.2	42.2	32.7	18.9
4	*****	51.4	51.1	50.3	49.0	47.6	46.2	44.7	43.2	41.6	40.0	36.5	28.3	16.3
5	*****		45.7	45.0	43.8	42.6	41.3	40.0	38.6	37.2	35.8	32.7	25.3	14.6
6	*****		41.7	41.1	40.0	38.9	37.7	36.5	35.3	34.0	32.7	29.8	23.1	13.3
7	*****		38.6	38.0	37.0	36.0	34.9	33.8	32.7	31.5	30.2	27.6	21.4	12.3
8	*****		36.1	35.6	34.6	33.7	32.7	31.6	30.5	29.4	28.3	25.8	20.0	11.5
9	*****		34.1	33.6	32.7	31.7	30.8	29.8	28.8	27.8	26.7	24.3	18.9	10.9
10	*****			31.8	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	17.9	10.3
11	*****			30.3	29.5	28.7	27.9	27.0	26.1	25.1	24.1	22.0	17.1	9.8
12	*****			29.1	28.3	27.5	26.7	25.8	24.9	24.0	23.1	21.1	16.3	9.4
13	*****			27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1
14	*****			26.9	26.2	25.4	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7
15	*****			26.0	25.3	24.6	23.8	23.1	22.3	21.5	20.7	18.9	14.6	8.4
16	*****			25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.1	8.2
17	*****			24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9
18	*****			23.7	23.1	22.4	21.8	21.1	20.4	19.6	18.9	17.2	13.3	7.7
19	*****			23.1	22.5	21.8	21.2	20.5	19.8	19.1	18.4	16.8	13.0	7.5
20	*****			22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.6	7.3
21	*****			22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.3	7.1
22	*****			21.5	20.9	20.3	19.7	19.1	18.4	17.8	17.1	15.6	12.1	7.0
23	*****			21.0	20.4	19.9	19.3	18.6	18.0	17.4	16.7	15.2	11.8	6.8
24	*****			20.5	20.0	19.4	18.9	18.3	17.6	17.0	16.3	14.9	11.5	6.7
25	*****				19.6	19.0	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
30	*****				17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
35	*****				16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
40	*****				15.5	15.1	14.6	14.1	13.7	13.2	12.6	11.5	8.9	5.2
45	*****				14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
50	*****					13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6
55	*****					12.8	12.5	12.1	11.7	11.2	10.8	9.8	7.6	4.4
60	*****					12.3	11.9	11.5	11.2	10.7	10.3	9.4	7.3	4.2
65	*****					11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
70	*****					11.4	11.0	10.7	10.3	10.0	9.6	8.7	6.8	3.9
75	*****						10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
80	*****						10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.7
85	*****						10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
90	*****						9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
95	*****						9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.4
100	*****							8.9	8.6	8.3	8.0	7.3	5.7	3.3
125	*****								7.7	7.4	7.2	6.5	5.1	2.9
150	*****									6.8	6.5	6.0	4.6	2.7
200	*****										5.2		4.0	2.3
250	*****												3.6	2.1
300	*****												3.3	1.9
350	*****													1.7
400	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: ELGIN-ST THOMAS HEALTH UNIT (35931)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		52.5	51.7	50.3	48.9	47.4	45.9	44.3	42.7	41.0	37.5	29.0	16.8
2	*****			36.5	35.5	34.5	33.5	32.5	31.4	30.2	29.0	26.5	20.5	11.8
3	*****			29.8	29.0	28.2	27.4	26.5	25.6	24.7	23.7	21.6	16.8	9.7
4	*****				25.1	24.4	23.7	22.9	22.2	21.4	20.5	18.7	14.5	8.4
5	*****				22.5	21.9	21.2	20.5	19.8	19.1	18.4	16.8	13.0	7.5
6	*****				20.5	19.9	19.4	18.7	18.1	17.4	16.8	15.3	11.8	6.8
7	*****				19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3
8	*****					17.3	16.8	16.2	15.7	15.1	14.5	13.2	10.3	5.9
9	*****					16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
10	*****					15.5	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
11	*****						14.3	13.8	13.4	12.9	12.4	11.3	8.8	5.1
12	*****						13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
13	*****						13.1	12.7	12.3	11.8	11.4	10.4	8.1	4.6
14	*****						12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
15	*****							11.8	11.4	11.0	10.6	9.7	7.5	4.3
16	*****							11.5	11.1	10.7	10.3	9.4	7.3	4.2
17	*****							11.1	10.8	10.4	10.0	9.1	7.0	4.1
18	*****							10.8	10.5	10.1	9.7	8.8	6.8	3.9
19	*****								10.2	9.8	9.4	8.6	6.7	3.8
20	*****								9.9	9.6	9.2	8.4	6.5	3.7
21	*****								9.7	9.3	9.0	8.2	6.3	3.7
22	*****									9.1	8.8	8.0	6.2	3.6
23	*****									8.9	8.6	7.8	6.1	3.5
24	*****									8.7	8.4	7.6	5.9	3.4
25	*****									8.5	8.2	7.5	5.8	3.4
30	*****											6.8	5.3	3.1
35	*****											6.3	4.9	2.8
40	*****												4.6	2.6
45	*****												4.3	2.5
50	*****												4.1	2.4
55	*****													2.3
60	*****													2.2
65	*****													2.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: GREY BRUCE HEALTH UNIT (35933)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	55.2	54.9	54.0	52.6	51.1	49.6	48.0	46.4	44.7	42.9	39.2	30.4	17.5
2	*****	38.8	38.2	37.2	36.1	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4	
3	*****		31.2	30.4	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1	
4	*****		27.0	26.3	25.6	24.8	24.0	23.2	22.3	21.5	19.6	15.2	8.8	
5	*****		24.2	23.5	22.9	22.2	21.5	20.7	20.0	19.2	17.5	13.6	7.8	
6	*****		22.1	21.5	20.9	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.2	
7	*****			19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6	
8	*****			18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2	
9	*****			17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
10	*****			16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5	
11	*****			15.9	15.4	15.0	14.5	14.0	13.5	12.9	11.8	9.2	5.3	
12	*****			15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1	
13	*****			14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9	
14	*****				13.7	13.3	12.8	12.4	11.9	11.5	10.5	8.1	4.7	
15	*****				13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
16	*****				12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4	
17	*****				12.4	12.0	11.6	11.3	10.8	10.4	9.5	7.4	4.3	
18	*****				12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	
19	*****				11.7	11.4	11.0	10.6	10.3	9.9	9.0	7.0	4.0	
20	*****				11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	
21	*****					10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8	
22	*****					10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
23	*****					10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7	
24	*****					10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
25	*****					9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5	
30	*****						8.8	8.5	8.2	7.8	7.2	5.5	3.2	
35	*****						7.8	7.6	7.3	6.6	6.6	5.1	3.0	
40	*****							7.3	7.1	6.8	6.2	4.8	2.8	
45	*****								6.7	6.4	5.8	4.5	2.6	
50	*****									6.1	5.5	4.3	2.5	
55	*****										5.3	4.1	2.4	
60	*****										5.1	3.9	2.3	
65	*****										4.9	3.8	2.2	
70	*****											3.6	2.1	
75	*****											3.5	2.0	
80	*****											3.4	2.0	
85	*****											3.3	1.9	
90	*****											3.2	1.8	
95	*****												1.8	
100	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: HALDIMAND-NORFOLK HEALTH UNIT (35934)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		55.4	54.5	53.1	51.6	50.0	48.5	46.8	45.1	43.3	39.6	30.6	17.7
2	*****			38.6	37.5	36.5	35.4	34.3	33.1	31.9	30.6	28.0	21.7	12.5
3	*****			31.5	30.6	29.8	28.9	28.0	27.0	26.0	25.0	22.8	17.7	10.2
4	*****			27.3	26.5	25.8	25.0	24.2	23.4	22.6	21.7	19.8	15.3	8.8
5	*****				23.7	23.1	22.4	21.7	20.9	20.2	19.4	17.7	13.7	7.9
6	*****					21.7	21.1	20.4	19.8	19.1	18.4	17.7	16.2	7.2
7	*****					20.1	19.5	18.9	18.3	17.7	17.0	16.4	15.0	6.7
8	*****					18.8	18.2	17.7	17.1	16.5	15.9	15.3	14.0	6.3
9	*****					17.7	17.2	16.7	16.2	15.6	15.0	14.4	13.2	5.9
10	*****						16.3	15.8	15.3	14.8	14.3	13.7	12.5	5.6
11	*****						15.6	15.1	14.6	14.1	13.6	13.1	11.9	5.3
12	*****						14.9	14.4	14.0	13.5	13.0	12.5	11.4	5.1
13	*****							14.3	13.9	13.4	13.0	12.5	12.0	4.9
14	*****								13.4	12.9	12.5	12.1	11.6	4.7
15	*****								12.9	12.5	12.1	11.6	11.2	4.6
16	*****								12.5	12.1	11.7	11.3	10.8	4.4
17	*****								12.1	11.8	11.4	10.9	10.5	4.3
18	*****								11.8	11.4	11.0	10.6	10.2	4.2
19	*****								11.1	10.7	10.3	9.9	9.1	4.1
20	*****								10.8	10.5	10.1	9.7	8.8	4.0
21	*****								10.6	10.2	9.8	9.5	8.6	3.9
22	*****								10.3	10.0	9.6	9.2	8.4	3.8
23	*****								10.1	9.8	9.4	9.0	8.2	3.7
24	*****									9.6	9.2	8.8	8.1	3.6
25	*****									9.4	9.0	8.7	7.9	3.5
30	*****										8.2	7.9	7.2	3.2
35	*****											7.3	6.7	3.0
40	*****												6.3	2.8
45	*****												5.9	2.6
50	*****													2.5
55	*****													2.4
60	*****													2.3
65	*****													2.2
70	*****													2.1
75	*****													2.0
80	*****													2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: HALIBURTON-KAWARTHA-PINE RIDGE DHU (35935)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	67.1	66.8	65.7	64.0	62.2	60.3	58.4	56.4	54.4	52.2	47.7	36.9	21.3
2	*****	47.2	46.5	45.2	44.0	42.7	41.3	39.9	38.4	36.9	33.7	26.1	15.1	
3	*****		38.0	36.9	35.9	34.8	33.7	32.6	31.4	30.2	27.5	21.3	12.3	
4	*****		32.9	32.0	31.1	30.2	29.2	28.2	27.2	26.1	23.8	18.5	10.7	
5	*****		29.4	28.6	27.8	27.0	26.1	25.2	24.3	23.4	21.3	16.5	9.5	
6	*****		26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7	
7	*****		24.8	24.2	23.5	22.8	22.1	21.3	20.6	19.7	18.0	14.0	8.1	
8	*****			22.6	22.0	21.3	20.6	19.9	19.2	18.5	16.9	13.1	7.5	
9	*****			21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1	
10	*****			20.2	19.7	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7	
11	*****			19.3	18.7	18.2	17.6	17.0	16.4	15.8	14.4	11.1	6.4	
12	*****			18.5	17.9	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2	
13	*****			17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9	
14	*****			17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7	
15	*****				16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5	
16	*****				15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3	
17	*****				15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2	
18	*****				14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0	
19	*****				14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9	
20	*****				13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8	
21	*****				13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7	
22	*****					12.9	12.5	12.0	11.6	11.1	10.2	7.9	4.5	
23	*****					12.6	12.2	11.8	11.3	10.9	9.9	7.7	4.4	
24	*****					12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4	
25	*****					12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3	
30	*****						10.7	10.3	9.9	9.5	8.7	6.7	3.9	
35	*****						9.9	9.5	9.2	8.8	8.1	6.2	3.6	
40	*****							8.9	8.6	8.3	7.5	5.8	3.4	
45	*****								8.1	7.8	7.1	5.5	3.2	
50	*****									7.7	7.4	6.7	5.2	3.0
55	*****										7.0	6.4	5.0	2.9
60	*****											6.2	4.8	2.8
65	*****											5.9	4.6	2.6
70	*****												5.7	4.4
75	*****													4.3
80	*****													4.1
85	*****													4.0
90	*****													3.9
95	*****													3.8
100	*****													3.7
125	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: HALTON REGIONAL HEALTH UNIT (35936)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	90.0	89.5	88.1	85.8	83.4	80.9	78.3	75.6	72.9	70.0	63.9	49.5	28.6
2	*****	63.6	63.3	62.3	60.6	58.9	57.2	55.4	53.5	51.5	49.5	45.2	35.0	20.2
3	*****	51.9	51.7	50.9	49.5	48.1	46.7	45.2	43.7	42.1	40.4	36.9	28.6	16.5
4	*****	45.0	44.7	44.1	42.9	41.7	40.4	39.1	37.8	36.4	35.0	32.0	24.8	14.3
5	*****		40.0	39.4	38.4	37.3	36.2	35.0	33.8	32.6	31.3	28.6	22.1	12.8
6	*****		36.5	36.0	35.0	34.0	33.0	32.0	30.9	29.8	28.6	26.1	20.2	11.7
7	*****		33.8	33.3	32.4	31.5	30.6	29.6	28.6	27.5	26.5	24.2	18.7	10.8
8	*****		31.6	31.2	30.3	29.5	28.6	27.7	26.7	25.8	24.8	22.6	17.5	10.1
9	*****			29.4	28.6	27.8	27.0	26.1	25.2	24.3	23.3	21.3	16.5	9.5
10	*****			27.9	27.1	26.4	25.6	24.8	23.9	23.0	22.1	20.2	15.7	9.0
11	*****			26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
12	*****			25.4	24.8	24.1	23.3	22.6	21.8	21.0	20.2	18.5	14.3	8.3
13	*****			24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9
14	*****			23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
15	*****			22.8	22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
16	*****			22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1
17	*****			21.4	20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	12.0	6.9
18	*****			20.8	20.2	19.6	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7
19	*****			20.2	19.7	19.1	18.6	18.0	17.4	16.7	16.1	14.7	11.4	6.6
20	*****			19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
21	*****				18.7	18.2	17.6	17.1	16.5	15.9	15.3	14.0	10.8	6.2
22	*****				18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
23	*****				17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
24	*****				17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.0	10.1	5.8
25	*****				17.2	16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
30	*****				15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2
35	*****				14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
40	*****				13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
45	*****					12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
50	*****					11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
55	*****					11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
60	*****					10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7
65	*****						10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
70	*****						9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
75	*****						9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
80	*****						9.0	8.8	8.5	8.1	7.8	7.1	5.5	3.2
85	*****							8.5	8.2	7.9	7.6	6.9	5.4	3.1
90	*****							8.3	8.0	7.7	7.4	6.7	5.2	3.0
95	*****							8.0	7.8	7.5	7.2	6.6	5.1	2.9
100	*****							7.8	7.6	7.3	7.0	6.4	5.0	2.9
125	*****								6.5	6.3	6.0	5.7	4.4	2.6
150	*****									5.7	5.2	4.0	2.3	
200	*****										4.5	3.5	2.0	
250	*****											3.1	1.8	
300	*****												1.7	
350	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: CITY OF HAMILTON HEALTH UNIT (35937)

NUMERATOR OF PERCENTAGE ('000)		ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	88.8	88.4	87.0	84.7	82.3	79.8	77.3	74.7	72.0	69.1	63.1	48.9	28.2	
2	*****	62.8	62.5	61.5	59.9	58.2	56.4	54.7	52.8	50.9	48.9	44.6	34.6	20.0	
3	*****	51.3	51.0	50.2	48.9	47.5	46.1	44.6	43.1	41.5	39.9	36.4	28.2	16.3	
4	*****	44.4	44.2	43.5	42.3	41.1	39.9	38.6	37.3	36.0	34.6	31.6	24.4	14.1	
5	*****		39.5	38.9	37.9	36.8	35.7	34.6	33.4	32.2	30.9	28.2	21.9	12.6	
6	*****		36.1	35.5	34.6	33.6	32.6	31.6	30.5	29.4	28.2	25.8	20.0	11.5	
7	*****		33.4	32.9	32.0	31.1	30.2	29.2	28.2	27.2	26.1	23.9	18.5	10.7	
8	*****		31.2	30.8	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0	
9	*****			29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.0	21.0	16.3	9.4	
10	*****			27.5	26.8	26.0	25.2	24.4	23.6	22.8	21.9	20.0	15.5	8.9	
11	*****			26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.8	19.0	14.7	8.5	
12	*****			25.1	24.4	23.8	23.0	22.3	21.6	20.8	20.0	18.2	14.1	8.1	
13	*****			24.1	23.5	22.8	22.1	21.4	20.7	20.0	19.2	17.5	13.6	7.8	
14	*****			23.2	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5	
15	*****			22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.8	16.3	12.6	7.3	
16	*****			21.7	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1	
17	*****			21.1	20.5	20.0	19.4	18.7	18.1	17.5	16.8	15.3	11.9	6.8	
18	*****			20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7	
19	*****			20.0	19.4	18.9	18.3	17.7	17.1	16.5	15.9	14.5	11.2	6.5	
20	*****			19.5	18.9	18.4	17.8	17.3	16.7	16.1	15.5	14.1	10.9	6.3	
21	*****			19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2	
22	*****				18.1	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0	
23	*****				17.7	17.2	16.6	16.1	15.6	15.0	14.4	13.2	10.2	5.9	
24	*****				17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8	
25	*****				16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6	
30	*****				15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2	
35	*****				14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8	
40	*****				13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5	
45	*****					12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
50	*****					11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0	
55	*****					11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	
60	*****					10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6	
65	*****					10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5	
70	*****						9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4	
75	*****						9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3	
80	*****						8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2	
85	*****						8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1	
90	*****							8.1	7.9	7.6	7.3	6.7	5.2	3.0	
95	*****							7.9	7.7	7.4	7.1	6.5	5.0	2.9	
100	*****							7.7	7.5	7.2	6.9	6.3	4.9	2.8	
125	*****								6.7	6.4	6.2	5.6	4.4	2.5	
150	*****									5.9	5.6	5.2	4.0	2.3	
200	*****											4.5	3.5	2.0	
250	*****													3.1	1.8
300	*****													2.8	1.6
350	*****														1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: HASTINGS AND PRINCE EDWARD COUNTIES HU (35938)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	59.9	59.6	58.7	57.1	55.5	53.8	52.1	50.4	48.5	46.6	42.6	33.0	19.0
2	*****	42.1	41.5	40.4	39.2	38.1	36.9	35.6	34.3	33.0	30.1	23.3	13.5	
3	*****		33.9	33.0	32.0	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0	
4	*****		29.3	28.5	27.7	26.9	26.1	25.2	24.3	23.3	21.3	16.5	9.5	
5	*****		26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.8	19.0	14.7	8.5	
6	*****		23.9	23.3	22.7	22.0	21.3	20.6	19.8	19.0	17.4	13.5	7.8	
7	*****			21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.5	7.2	
8	*****			20.2	19.6	19.0	18.4	17.8	17.2	16.5	15.0	11.7	6.7	
9	*****			19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3	
10	*****			18.1	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0	
11	*****			17.2	16.7	16.2	15.7	15.2	14.6	14.1	12.8	9.9	5.7	
12	*****			16.5	16.0	15.5	15.0	14.5	14.0	13.5	12.3	9.5	5.5	
13	*****			15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3	
14	*****				14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1	
15	*****				14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
16	*****				13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8	
17	*****				13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6	
18	*****				13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5	
19	*****				12.7	12.3	12.0	11.6	11.1	10.7	9.8	7.6	4.4	
20	*****					12.0	11.7	11.3	10.8	10.4	9.5	7.4	4.3	
21	*****					11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
22	*****					11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1	
23	*****					11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0	
24	*****					11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9	
25	*****					10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	
30	*****						9.5	9.2	8.9	8.5	7.8	6.0	3.5	
35	*****							8.5	8.2	7.9	7.2	5.6	3.2	
40	*****								7.7	7.4	6.7	5.2	3.0	
45	*****									7.2	6.9	4.9	2.8	
50	*****										6.6	4.7	2.7	
55	*****											5.7	4.4	2.6
60	*****											5.5	4.3	2.5
65	*****											5.3	4.1	2.4
70	*****												3.9	2.3
75	*****												3.8	2.2
80	*****												3.7	2.1
85	*****												3.6	2.1
90	*****												3.5	2.0
95	*****													2.0
100	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: HURON AND PERTH HEALTH UNITS (35939)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	48.3	48.0	47.3	46.0	44.7	43.4	42.0	40.6	39.1	37.6	34.3	26.6	15.3
2	*****	33.9	33.4	32.5	31.6	30.7	29.7	28.7	27.6	26.6	24.2	18.8	10.8	
3	*****		27.3	26.6	25.8	25.0	24.2	23.4	22.6	21.7	19.8	15.3	8.9	
4	*****		23.6	23.0	22.4	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7	
5	*****		21.1	20.6	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.9	
6	*****			18.8	18.3	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3	
7	*****			17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8	
8	*****			16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4	
9	*****			15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1	
10	*****			14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8	
11	*****			13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6	
12	*****				12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4	
13	*****				12.4	12.0	11.6	11.3	10.8	10.4	9.5	7.4	4.3	
14	*****				11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1	
15	*****				11.5	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0	
16	*****				11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8	
17	*****					10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7	
18	*****					10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6	
19	*****					10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5	
20	*****					9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4	
21	*****					9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.3	
22	*****					9.2	9.0	8.7	8.3	8.0	7.3	5.7	3.3	
23	*****						8.8	8.5	8.2	7.8	7.2	5.5	3.2	
24	*****						8.6	8.3	8.0	7.7	7.0	5.4	3.1	
25	*****						8.4	8.1	7.8	7.5	6.9	5.3	3.1	
30	*****							7.4	7.1	6.9	6.3	4.8	2.8	
35	*****								6.6	6.3	5.8	4.5	2.6	
40	*****									5.9	5.4	4.2	2.4	
45	*****										5.1	4.0	2.3	
50	*****											4.8	3.8	2.2
55	*****											4.6	3.6	2.1
60	*****												3.4	2.0
65	*****												3.3	1.9
70	*****												3.2	1.8
75	*****												3.1	1.8
80	*****													1.7
85	*****													1.7
90	*****													1.6
95	*****													1.6
100	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: CHATHAM-KENT HEALTH UNIT (35940)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		49.2	48.4	47.1	45.8	44.4	43.0	41.6	40.1	38.5	35.1	27.2	15.7
2	*****			34.2	33.3	32.4	31.4	30.4	29.4	28.3	27.2	24.8	19.2	11.1
3	*****			28.0	27.2	26.4	25.7	24.8	24.0	23.1	22.2	20.3	15.7	9.1
4	*****			24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.2	17.6	13.6	7.9
5	*****				21.1	20.5	19.9	19.2	18.6	17.9	17.2	15.7	12.2	7.0
6	*****				19.2	18.7	18.1	17.6	17.0	16.4	15.7	14.3	11.1	6.4
7	*****				17.8	17.3	16.8	16.3	15.7	15.1	14.5	13.3	10.3	5.9
8	*****				16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
9	*****					15.3	14.8	14.3	13.9	13.4	12.8	11.7	9.1	5.2
10	*****					14.5	14.1	13.6	13.1	12.7	12.2	11.1	8.6	5.0
11	*****					13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
12	*****					13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5
13	*****					12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
14	*****						11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
15	*****						11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
16	*****						11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
17	*****						10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
18	*****						10.1	9.8	9.4	9.1	8.7	7.9	6.1	3.5
19	*****						9.9	9.5	9.2	8.8	8.4	7.7	5.9	3.4
20	*****						9.6	9.3	9.0	8.6	8.2	7.5	5.8	3.4
21	*****						9.4	9.1	8.7	8.4	8.0	7.3	5.7	3.3
22	*****						9.2	8.9	8.5	8.2	7.8	7.1	5.4	3.1
23	*****							8.7	8.4	8.0	7.7	7.0	5.4	3.1
24	*****							8.5	8.2	7.9	7.5	6.8	5.1	2.9
25	*****							8.3	8.0	7.7	7.3	6.6	4.9	2.7
30	*****								7.3	7.0	6.6	5.9	4.6	2.7
35	*****									6.5	6.1	5.4	4.3	2.5
40	*****										5.6	5.0	4.1	2.3
45	*****											4.1	3.8	2.2
50	*****												3.7	2.1
55	*****												3.5	2.0
60	*****													1.9
65	*****													1.9
70	*****													1.8
75	*****													1.8
80	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: KINGSTON-FRONTENAC-LENNOX-ADDINGTON HU (35941)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	67.9	67.5	66.5	64.7	62.9	61.0	59.1	57.1	55.0	52.8	48.2	37.4	21.6
2	*****	47.8	47.0	45.8	44.5	43.1	41.8	40.4	38.9	37.4	34.1	26.4	15.3	
3	*****	39.0	38.4	37.4	36.3	35.2	34.1	33.0	31.8	30.5	27.9	21.6	12.5	
4	*****	33.2	32.4	31.4	30.5	29.5	28.5	27.5	26.4	24.1	18.7	10.8		
5	*****	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6		
6	*****	27.1	26.4	25.7	24.9	24.1	23.3	22.5	21.6	19.7	15.3	8.8		
7	*****	25.1	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2		
8	*****	22.9	22.2	21.6	20.9	20.2	19.4	18.7	17.1	13.2	7.6			
9	*****	21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.5	7.2			
10	*****	20.5	19.9	19.3	18.7	18.0	17.4	16.7	15.3	11.8	6.8			
11	*****	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5			
12	*****	18.7	18.2	17.6	17.1	16.5	15.9	15.3	13.9	10.8	6.2			
13	*****	17.9	17.4	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0			
14	*****	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8			
15	*****	16.7	16.2	15.8	15.3	14.7	14.2	13.6	12.5	9.6	5.6			
16	*****	15.7	15.3	14.8	14.3	13.7	13.2	12.1	9.3	5.4				
17	*****	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2				
18	*****	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1				
19	*****	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	4.9				
20	*****	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8				
21	*****	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7				
22	*****	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6				
23	*****	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5				
24	*****	12.5	12.1	11.7	11.2	10.8	9.8	7.6	4.4					
25	*****	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3					
30	*****	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9					
35	*****	10.0	9.6	9.3	8.9	8.2	6.3	3.6						
40	*****	9.0	8.7	8.4	7.6	5.9	3.4							
45	*****	8.5	8.2	7.9	7.2	5.6	3.2							
50	*****	7.8	7.5	6.8	5.3	3.1								
55	*****	7.1	6.5	5.0	2.9									
60	*****	6.8	6.2	4.8	2.8									
65	*****	6.0	4.6	2.7										
70	*****	5.8	4.5	2.6										
75	*****	5.6	4.3	2.5										
80	*****	4.2	2.4											
85	*****	4.1	2.3											
90	*****	3.9	2.3											
95	*****	3.8	2.2											
100	*****	3.7	2.2											
125	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: LAMBTON HEALTH UNIT (35942)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.8	54.6	53.7	52.3	50.8	49.3	47.7	46.1	44.4	42.7	39.0	30.2	17.4
2	*****		38.6	38.0	37.0	35.9	34.9	33.8	32.6	31.4	30.2	27.6	21.3	12.3
3	*****			31.0	30.2	29.3	28.5	27.6	26.6	25.7	24.7	22.5	17.4	10.1
4	*****			26.9	26.1	25.4	24.7	23.9	23.1	22.2	21.3	19.5	15.1	8.7
5	*****			24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8
6	*****				21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
7	*****				19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
8	*****				18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
9	*****				17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
10	*****				16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.5	5.5
11	*****					15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
12	*****					14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0
13	*****					14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
14	*****					13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
15	*****					13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
16	*****					12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
17	*****						12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
18	*****						11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
19	*****						11.3	11.0	10.6	10.2	9.8	8.9	6.9	4.0
20	*****						11.0	10.7	10.3	9.9	9.5	8.7	6.8	3.9
21	*****						10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
22	*****							10.2	9.8	9.5	9.1	8.3	6.4	3.7
23	*****							10.0	9.6	9.3	8.9	8.1	6.3	3.6
24	*****							9.7	9.4	9.1	8.7	8.0	6.2	3.6
25	*****							9.5	9.2	8.9	8.5	7.8	6.0	3.5
30	*****								8.4	8.1	7.8	7.1	5.5	3.2
35	*****									7.5	7.2	6.6	5.1	2.9
40	*****										6.8	6.2	4.8	2.8
45	*****											5.8	4.5	2.6
50	*****											5.5	4.3	2.5
55	*****												4.1	2.4
60	*****												3.9	2.3
65	*****												3.7	2.2
70	*****												3.6	2.1
75	*****												3.5	2.0
80	*****													1.9
85	*****													1.9
90	*****													1.8
95	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: LEEDS-GRENVILLE-LANARK DHU (35943)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	57.0	56.7	55.8	54.3	52.8	51.2	49.6	47.9	46.2	44.4	40.5	31.4	18.1
2	*****	40.1	39.5	38.4	37.3	36.2	35.1	33.9	32.7	31.4	28.6	22.2	12.8	
3	*****		32.2	31.4	30.5	29.6	28.6	27.7	26.7	25.6	23.4	18.1	10.5	
4	*****		27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.2	15.7	9.1	
5	*****		25.0	24.3	23.6	22.9	22.2	21.4	20.7	19.8	18.1	14.0	8.1	
6	*****		22.8	22.2	21.6	20.9	20.2	19.6	18.9	18.1	16.5	12.8	7.4	
7	*****			20.5	20.0	19.4	18.7	18.1	17.5	16.8	15.3	11.9	6.8	
8	*****			19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4	
9	*****			18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0	
10	*****			17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7	
11	*****			16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5	
12	*****			15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	
13	*****			15.1	14.6	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0	
14	*****				14.1	13.7	13.3	12.8	12.3	11.9	10.8	8.4	4.8	
15	*****				13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7	
16	*****				13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
17	*****				12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	
18	*****				12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3	
19	*****				12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
20	*****				11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.0	
21	*****					11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	
22	*****					10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9	
23	*****					10.7	10.3	10.0	9.6	9.3	8.4	6.5	3.8	
24	*****					10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	
25	*****					10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6	
30	*****						9.1	8.7	8.4	8.1	7.4	5.7	3.3	
35	*****							8.1	7.8	7.5	6.8	5.3	3.1	
40	*****							7.6	7.3	7.0	6.4	5.0	2.9	
45	*****								6.9	6.6	6.0	4.7	2.7	
50	*****									6.3	5.7	4.4	2.6	
55	*****									6.0	5.5	4.2	2.4	
60	*****										5.2	4.0	2.3	
65	*****										5.0	3.9	2.2	
70	*****											3.7	2.2	
75	*****											3.6	2.1	
80	*****											3.5	2.0	
85	*****											3.4	2.0	
90	*****											3.3	1.9	
95	*****											3.2	1.9	
100	*****												1.8	
125	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: MIDDLESEX-LONDON HEALTH UNIT (35944)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	78.6	78.2	77.0	75.0	72.9	70.7	68.4	66.1	63.7	61.2	55.9	43.3	25.0
2	*****	55.6	55.3	54.5	53.0	51.5	50.0	48.4	46.8	45.1	43.3	39.5	30.6	17.7
3	*****	45.4	45.2	44.5	43.3	42.1	40.8	39.5	38.2	36.8	35.3	32.3	25.0	14.4
4	*****	39.1	38.5	37.5	36.4	35.3	34.2	33.1	31.9	30.6	27.9	21.6	12.5	
5	*****	35.0	34.4	33.5	32.6	31.6	30.6	29.6	28.5	27.4	25.0	19.4	11.2	
6	*****	31.9	31.4	30.6	29.7	28.9	27.9	27.0	26.0	25.0	22.8	17.7	10.2	
7	*****	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4	
8	*****		27.2	26.5	25.8	25.0	24.2	23.4	22.5	21.6	19.8	15.3	8.8	
9	*****		25.7	25.0	24.3	23.6	22.8	22.0	21.2	20.4	18.6	14.4	8.3	
10	*****		24.4	23.7	23.0	22.4	21.6	20.9	20.1	19.4	17.7	13.7	7.9	
11	*****		23.2	22.6	22.0	21.3	20.6	19.9	19.2	18.5	16.8	13.1	7.5	
12	*****		22.2	21.6	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2	
13	*****		21.4	20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	12.0	6.9	
14	*****		20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7	
15	*****		19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5	
16	*****		19.3	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2	
17	*****		18.7	18.2	17.7	17.1	16.6	16.0	15.5	14.8	13.6	10.5	6.1	
18	*****		18.2	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9	
19	*****			17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7	
20	*****			16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6	
21	*****			16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5	
22	*****			16.0	15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3	
23	*****			15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2	
24	*****			15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1	
25	*****			15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0	
30	*****			13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6	
35	*****			12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	
40	*****				11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	
45	*****				10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7	
50	*****				10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5	
55	*****					9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
60	*****						9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
65	*****						8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
70	*****						8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
75	*****						7.9	7.6	7.4	7.1	6.5	5.0	2.9	
80	*****						7.7	7.4	7.1	6.8	6.2	4.8	2.8	
85	*****						7.4	7.2	6.9	6.6	6.1	4.7	2.7	
90	*****						7.2	7.0	6.7	6.5	5.9	4.6	2.6	
95	*****							6.8	6.5	6.3	5.7	4.4	2.6	
100	*****							6.6	6.4	6.1	5.6	4.3	2.5	
125	*****								5.7	5.5	5.0	3.9	2.2	
150	*****										4.6	3.5	2.0	
200	*****												3.1	1.8
250	*****												2.7	1.6
300	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: NIAGARA REGIONAL AREA HEALTH UNIT (35946)

NUMERATOR OF PERCENTAGE ('000)		ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	82.2	81.8	80.6	78.4	76.2	73.9	71.6	69.2	66.6	64.0	58.4	45.3	26.1	
2	*****	58.2	57.9	57.0	55.4	53.9	52.3	50.6	48.9	47.1	45.3	41.3	32.0	18.5	
3	*****	47.5	47.2	46.5	45.3	44.0	42.7	41.3	39.9	38.5	37.0	33.7	26.1	15.1	
4	*****		40.9	40.3	39.2	38.1	37.0	35.8	34.6	33.3	32.0	29.2	22.6	13.1	
5	*****		36.6	36.0	35.1	34.1	33.1	32.0	30.9	29.8	28.6	26.1	20.2	11.7	
6	*****		33.4	32.9	32.0	31.1	30.2	29.2	28.2	27.2	26.1	23.9	18.5	10.7	
7	*****		30.9	30.4	29.6	28.8	27.9	27.1	26.1	25.2	24.2	22.1	17.1	9.9	
8	*****			28.5	27.7	26.9	26.1	25.3	24.4	23.6	22.6	20.7	16.0	9.2	
9	*****			26.9	26.1	25.4	24.6	23.9	23.1	22.2	21.3	19.5	15.1	8.7	
10	*****			25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3	
11	*****			24.3	23.6	23.0	22.3	21.6	20.9	20.1	19.3	17.6	13.7	7.9	
12	*****			23.3	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5	
13	*****			22.3	21.7	21.1	20.5	19.9	19.2	18.5	17.8	16.2	12.6	7.2	
14	*****			21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	15.6	12.1	7.0	
15	*****			20.8	20.2	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.7	
16	*****			20.1	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5	
17	*****			19.5	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3	
18	*****			19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2	
19	*****				18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0	
20	*****				17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
21	*****				17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.8	9.9	5.7	
22	*****				16.7	16.2	15.8	15.3	14.7	14.2	13.7	12.5	9.7	5.6	
23	*****				16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5	
24	*****				16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3	
25	*****				15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	
30	*****				14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8	
35	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4	
40	*****					12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	
45	*****					11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9	
50	*****					10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	
55	*****						10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5	
60	*****						9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4	
65	*****						9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2	
70	*****						8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1	
75	*****						8.3	8.0	7.7	7.4	7.1	6.7	5.2	3.0	
80	*****						8.0	7.7	7.5	7.2	6.9	6.5	5.1	2.9	
85	*****						7.8	7.5	7.2	6.9	6.6	6.3	4.9	2.8	
90	*****						7.5	7.3	7.0	6.7	6.4	6.2	4.8	2.8	
95	*****							7.1	6.8	6.6	6.3	6.0	4.6	2.7	
100	*****							6.9	6.7	6.4	6.1	5.8	4.5	2.6	
125	*****								6.0	5.7	5.4	5.2	4.0	2.3	
150	*****										4.8		3.7	2.1	
200	*****												3.2	1.8	
250	*****												2.9	1.7	
300	*****													1.5	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: NORTH BAY AND TIMISKAMING HEALTH UNITS (35947)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.5	54.2	53.4	51.9	50.5	49.0	47.4	45.8	44.1	42.4	38.7	30.0	17.3
2	*****	38.3	37.7	36.7	35.7	34.6	33.5	32.4	31.2	30.0	27.4	21.2	12.2	12.2
3	*****		30.8	30.0	29.1	28.3	27.4	26.4	25.5	24.5	22.3	17.3	10.0	10.0
4	*****		26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7	8.7
5	*****		23.9	23.2	22.6	21.9	21.2	20.5	19.7	19.0	17.3	13.4	7.7	7.7
6	*****		21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.2	7.1	7.1
7	*****			19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5	6.5
8	*****			18.4	17.8	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1	6.1
9	*****			17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8	5.8
10	*****			16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.2	9.5	5.5	5.5
11	*****			15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2	5.2
12	*****			15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0	5.0
13	*****			14.4	14.0	13.6	13.1	12.7	12.2	11.8	10.7	8.3	4.8	4.8
14	*****				13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6	4.6
15	*****				13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5	4.5
16	*****				12.6	12.2	11.9	11.4	11.0	10.6	9.7	7.5	4.3	4.3
17	*****				12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	4.2
18	*****				11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1	4.1
19	*****				11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0	4.0
20	*****					10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9	3.9
21	*****					10.7	10.3	10.0	9.6	9.3	8.4	6.5	3.8	3.8
22	*****					10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7	3.7
23	*****					10.2	9.9	9.5	9.2	8.8	8.1	6.3	3.6	3.6
24	*****					10.0	9.7	9.3	9.0	8.7	7.9	6.1	3.5	3.5
25	*****					9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5	3.5
30	*****						8.7	8.4	8.1	7.7	7.1	5.5	3.2	3.2
35	*****							7.7	7.5	7.2	6.5	5.1	2.9	2.9
40	*****								7.0	6.7	6.1	4.7	2.7	2.7
45	*****									6.6	6.3	5.8	4.5	4.5
50	*****										6.0	5.5	4.2	4.2
55	*****											5.2	4.0	4.0
60	*****											5.0	3.9	3.9
65	*****											4.8	3.7	3.7
70	*****												3.6	3.6
75	*****												3.5	3.5
80	*****												3.4	3.4
85	*****												3.3	3.3
90	*****												3.2	3.2
95	*****													1.8
100	*****													1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: NORTHWESTERN HEALTH UNIT (35949)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		39.8	39.2	38.2	37.1	36.0	34.9	33.7	32.4	31.2	28.5	22.0	12.7
2	*****			27.7	27.0	26.2	25.5	24.6	23.8	22.9	22.0	20.1	15.6	9.0
3	*****				22.0	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.3
4	*****				19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
5	*****				17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7
6	*****					15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
7	*****					14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8
8	*****						12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
9	*****						12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
10	*****						11.4	11.0	10.6	10.3	9.9	9.0	7.0	4.0
11	*****							10.5	10.2	9.8	9.4	8.6	6.6	3.8
12	*****							10.1	9.7	9.4	9.0	8.2	6.4	3.7
13	*****							9.7	9.3	9.0	8.6	7.9	6.1	3.5
14	*****								9.0	8.7	8.3	7.6	5.9	3.4
15	*****								8.7	8.4	8.0	7.3	5.7	3.3
16	*****									8.1	7.8	7.1	5.5	3.2
17	*****									7.9	7.6	6.9	5.3	3.1
18	*****									7.6	7.3	6.7	5.2	3.0
19	*****										7.2	6.5	5.1	2.9
20	*****										7.0	6.4	4.9	2.8
21	*****											6.8	4.8	2.8
22	*****												6.1	4.7
23	*****												5.9	4.6
24	*****												5.8	4.5
25	*****												5.7	4.4
30	*****													4.0
35	*****													3.7
40	*****													2.0
45	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: CITY OF OTTAWA HEALTH UNIT (35951)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	94.0	93.5	92.0	89.6	87.1	84.5	81.8	79.0	76.1	73.1	66.8	51.7	29.9
2	*****	66.4	66.1	65.1	63.3	61.6	59.7	57.8	55.9	53.8	51.7	47.2	36.6	21.1
3	*****	54.2	54.0	53.1	51.7	50.3	48.8	47.2	45.6	44.0	42.2	38.5	29.9	17.2
4	*****	47.0	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.1	36.6	33.4	25.9	14.9
5	*****	42.0	41.8	41.2	40.1	38.9	37.8	36.6	35.3	34.0	32.7	29.9	23.1	13.4
6	*****	38.4	38.2	37.6	36.6	35.5	34.5	33.4	32.3	31.1	29.9	27.3	21.1	12.2
7	*****	35.5	35.3	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.6	25.2	19.5	11.3
8	*****	33.0	32.5	31.7	30.8	29.9	28.9	27.9	26.9	25.9	24.9	23.6	18.3	10.6
9	*****	31.2	30.7	29.9	29.0	28.2	27.3	26.3	25.4	24.4	23.4	22.3	17.2	10.0
10	*****	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	22.1	21.1	16.4	9.4
11	*****	28.2	27.7	27.0	26.2	25.5	24.7	23.8	23.0	22.1	21.1	20.1	15.6	9.0
12	*****	27.0	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	20.1	19.3	14.9	8.6
13	*****	25.9	25.5	24.8	24.1	23.4	22.7	21.9	21.1	20.3	19.5	18.5	14.3	8.3
14	*****	25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.3	19.5	18.5	17.8	13.8	8.0
15	*****	23.8	23.1	22.5	21.8	21.1	20.4	19.8	19.0	18.3	17.7	16.7	12.9	7.5
16	*****	23.0	22.4	21.8	21.1	20.4	19.8	19.0	18.3	17.7	16.7	16.2	12.5	7.2
17	*****	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.9	17.2	16.2	15.7	12.2	7.0
18	*****	21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	16.4	15.6	14.9	11.6	6.7
19	*****	21.1	20.6	20.0	19.4	18.8	18.1	17.5	16.8	16.0	15.3	14.6	11.3	6.5
20	*****	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	15.6	14.9	14.2	11.0	6.4
21	*****	20.1	19.5	19.0	18.4	17.8	17.2	16.6	16.0	15.3	14.6	13.9	10.8	6.2
22	*****	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	15.0	14.4	13.8	10.6	6.1
23	*****	19.2	18.7	18.2	17.6	17.1	16.5	15.9	15.3	14.7	14.1	13.5	10.3	6.0
24	*****	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	14.3	13.7	13.1	10.0	5.5
25	*****	18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	14.0	13.4	12.8	9.7	5.0
30	*****	16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.9	12.4	11.9	9.0	4.5
35	*****	15.6	15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.9	11.4	10.9	8.0	4.2
40	*****	14.2	13.8	13.4	12.9	12.5	12.0	11.6	11.1	10.6	10.1	9.6	6.7	3.9
45	*****	13.4	13.0	12.6	12.2	11.8	11.3	10.9	10.4	9.9	9.4	8.9	6.0	3.7
50	*****	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.9	9.4	8.9	8.4	5.5	3.1
55	*****	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.4	8.9	8.4	7.9	5.0	3.0
60	*****	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.9	8.4	7.9	7.4	4.6	2.7
65	*****	11.1	10.8	10.5	10.1	9.8	9.4	9.0	8.5	8.0	7.5	7.0	4.2	2.4
70	*****	10.7	10.4	10.1	9.8	9.4	9.0	8.5	8.0	7.5	7.0	6.5	3.7	2.1
75	*****	10.1	9.8	9.4	9.0	8.6	8.2	7.8	7.4	6.9	6.5	6.0	3.3	1.9
80	*****	9.7	9.4	9.0	8.6	8.2	7.8	7.4	6.9	6.5	6.0	5.5	3.1	1.7
85	*****	9.4	9.0	8.6	8.2	7.8	7.4	6.9	6.5	6.0	5.5	5.0	2.8	1.6
90	*****	9.2	8.8	8.4	8.0	7.6	7.2	6.8	6.4	5.9	5.5	5.0	2.6	1.5
95	*****	8.9	8.5	8.1	7.7	7.3	6.9	6.5	6.1	5.7	5.3	4.9	2.4	1.4
100	*****	8.7	8.3	7.9	7.5	7.1	6.7	6.3	5.9	5.5	5.1	4.7	2.2	1.3
125	*****	7.6	7.2	6.8	6.4	6.0	5.6	5.2	4.8	4.4	4.0	3.6	1.9	1.1
150	*****	6.7	6.3	5.9	5.5	5.1	4.7	4.3	3.9	3.5	3.1	2.7	1.5	0.9
200	*****	5.6	5.2	4.8	4.4	4.0	3.6	3.2	2.8	2.4	2.0	1.6	0.9	0.5
250	*****	4.6	4.2	3.8	3.4	3.0	2.6	2.2	1.8	1.4	1.0	0.6	0.4	0.2
300	*****	3.9	3.5	3.1	2.7	2.3	1.9	1.5	1.1	0.7	0.3	0.2	0.2	0.1
350	*****	3.6	3.2	2.8	2.4	2.0	1.6	1.2	0.8	0.4	0.2	0.1	0.1	0.0
400	*****	3.2	2.8	2.4	2.0	1.6	1.2	0.8	0.4	0.2	0.1	0.0	0.0	0.0
450	*****	2.8	2.4	2.0	1.6	1.2	0.8	0.4	0.2	0.1	0.0	0.0	0.0	0.0
500	*****	2.4	2.0	1.6	1.2	0.8	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: OXFORD COUNTY HEALTH UNIT (35952)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		49.7	48.9	47.6	46.3	44.9	43.5	42.0	40.5	38.9	35.5	27.5	15.9
2	*****			34.6	33.7	32.7	31.8	30.8	29.7	28.6	27.5	25.1	19.4	11.2
3	*****			28.3	27.5	26.7	25.9	25.1	24.3	23.4	22.5	20.5	15.9	9.2
4	*****			24.5	23.8	23.1	22.5	21.7	21.0	20.2	19.4	17.8	13.8	7.9
5	*****				21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1
6	*****				19.4	18.9	18.3	17.8	17.2	16.5	15.9	14.5	11.2	6.5
7	*****				18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0
8	*****				16.8	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
9	*****					15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
10	*****					14.6	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
11	*****					14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
12	*****					13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
13	*****					12.8	12.5	12.1	11.7	11.2	10.8	9.8	7.6	4.4
14	*****						12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2
15	*****						11.6	11.2	10.8	10.5	10.0	9.2	7.1	4.1
16	*****						11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
17	*****						10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.9
18	*****						10.3	9.9	9.5	9.2	8.8	8.4	6.5	3.7
19	*****							10.0	9.6	9.3	8.9	8.1	6.3	3.6
20	*****							9.7	9.4	9.1	8.7	7.9	6.2	3.6
21	*****							9.5	9.2	8.8	8.5	7.7	6.0	3.5
22	*****								9.0	8.6	8.3	7.6	5.9	3.4
23	*****								8.8	8.4	8.1	7.4	5.7	3.3
24	*****								8.6	8.3	7.9	7.2	5.6	3.2
25	*****								8.4	8.1	7.8	7.1	5.5	3.2
30	*****									7.4	7.1	6.5	5.0	2.9
35	*****										6.6	6.0	4.6	2.7
40	*****											5.6	4.3	2.5
45	*****												4.1	2.4
50	*****												3.9	2.2
55	*****												3.7	2.1
60	*****												3.6	2.1
65	*****													2.0
70	*****													1.9
75	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: PEEL REGIONAL HEALTH UNIT (35953)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	108.4	107.9	107.4	105.7	102.9	100.0	97.0	94.0	90.8	87.5	84.0	76.7	59.4	34.3
2	*****	76.3	75.9	74.8	72.8	70.7	68.6	66.4	64.2	61.8	59.4	54.2	42.0	24.3
3	*****	62.3	62.0	61.0	59.4	57.7	56.0	54.2	52.4	50.5	48.5	44.3	34.3	19.8
4	*****	54.0	53.7	52.9	51.5	50.0	48.5	47.0	45.4	43.7	42.0	38.4	29.7	17.2
5	*****	48.3	48.0	47.3	46.0	44.7	43.4	42.0	40.6	39.1	37.6	34.3	26.6	15.3
6	*****	44.1	43.8	43.2	42.0	40.8	39.6	38.4	37.1	35.7	34.3	31.3	24.3	14.0
7	*****	40.8	40.6	40.0	38.9	37.8	36.7	35.5	34.3	33.1	31.8	29.0	22.5	13.0
8	*****	38.2	38.0	37.4	36.4	35.4	34.3	33.2	32.1	30.9	29.7	27.1	21.0	12.1
9	*****	36.0	35.8	35.2	34.3	33.3	32.3	31.3	30.3	29.2	28.0	25.6	19.8	11.4
10	*****	34.1	34.0	33.4	32.5	31.6	30.7	29.7	28.7	27.7	26.6	24.3	18.8	10.8
11	*****	32.4	31.9	31.0	30.2	29.3	28.3	27.4	26.4	25.3	24.3	23.1	17.9	10.3
12	*****	31.0	30.5	29.7	28.9	28.0	27.1	26.2	25.2	24.3	23.3	22.1	17.2	9.9
13	*****	29.8	29.3	28.5	27.7	26.9	26.1	25.2	24.3	23.3	22.3	21.3	16.5	9.5
14	*****	28.7	28.3	27.5	26.7	25.9	25.1	24.3	23.4	22.5	21.5	20.5	15.9	9.2
15	*****	27.7	27.3	26.6	25.8	25.1	24.3	23.4	22.6	21.7	20.8	19.8	15.3	8.9
16	*****	26.8	26.4	25.7	25.0	24.3	23.5	22.7	21.9	21.0	20.1	19.2	14.9	8.6
17	*****	26.0	25.6	25.0	24.3	23.5	22.8	22.0	21.2	20.4	19.6	18.6	14.4	8.3
18	*****	25.3	24.9	24.3	23.6	22.9	22.1	21.4	20.6	19.8	18.9	18.1	14.0	8.1
19	*****	24.6	24.3	23.6	22.9	22.3	21.6	20.8	20.1	19.3	18.5	17.6	13.6	7.9
20	*****	24.0	23.6	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.9	17.2	13.3	7.7
21	*****	23.4	23.1	22.5	21.8	21.2	20.5	19.8	19.1	18.3	17.5	16.7	13.0	7.5
22	*****	22.5	22.1	21.5	20.9	20.2	19.6	18.9	18.2	17.5	16.7	16.0	12.7	7.3
23	*****	22.0	21.5	21.0	20.4	19.8	19.2	18.5	17.9	17.2	16.5	15.7	12.1	7.0
24	*****	21.6	21.1	20.6	20.0	19.4	18.8	18.2	17.5	16.8	16.1	15.3	11.9	6.9
25	*****	21.1	20.6	20.0	19.4	18.8	18.2	17.5	16.8	16.1	15.3	14.5	11.1	6.6
30	*****	19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.3	14.6	13.9	13.2	10.8	6.3
35	*****	17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.6	13.0	12.4	10.0	5.8
40	*****	16.7	16.3	15.8	15.3	14.9	14.4	13.8	13.3	12.7	12.1	11.5	9.4	5.4
45	*****	15.8	15.3	14.9	14.5	14.0	13.5	13.0	12.5	12.0	11.4	10.8	8.9	5.1
50	*****	15.0	14.6	14.1	13.7	13.3	12.8	12.4	11.9	11.4	10.8	10.2	8.4	4.9
55	*****	13.9	13.5	13.1	12.7	12.3	11.8	11.3	10.8	10.3	9.7	9.2	7.7	4.6
60	*****	13.3	12.9	12.5	12.1	11.7	11.3	10.8	10.3	9.7	9.2	8.6	7.1	4.4
65	*****	12.8	12.4	12.0	11.6	11.2	10.8	10.3	9.7	9.2	8.6	8.1	6.6	4.3
70	*****	12.3	12.0	11.6	11.2	10.8	10.3	9.7	9.2	8.6	8.1	7.5	6.1	4.1
75	*****	11.9	11.5	11.2	10.8	10.5	10.1	9.7	9.2	8.6	8.1	7.5	6.1	4.0
80	*****	11.5	11.2	10.8	10.5	10.1	9.7	9.2	8.6	8.1	7.5	6.9	5.5	3.8
85	*****	11.2	10.8	10.5	10.2	9.8	9.5	9.1	8.7	8.3	7.9	7.5	6.1	3.7
90	*****	10.8	10.5	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.9	7.5	6.1	3.6
95	*****	10.6	10.3	10.0	9.6	9.3	9.0	8.6	8.3	7.9	7.5	7.1	5.9	3.5
100	*****	10.3	10.0	9.7	9.4	9.1	8.7	8.4	8.1	7.8	7.5	7.1	5.9	3.4
125	*****	8.9	8.7	8.4	8.1	7.8	7.5	7.1	6.8	6.5	6.2	5.9	5.3	3.1
150	*****	8.2	7.9	7.7	7.4	7.1	6.8	6.5	6.2	5.9	5.6	5.3	4.9	2.8
200	*****	6.9	6.6	6.4	6.2	5.9	5.6	5.3	5.0	4.7	4.4	4.1	4.2	2.4
250	*****	5.9	5.7	5.5	5.3	5.0	4.7	4.4	4.1	3.8	3.5	3.2	3.8	2.2
300	*****	5.2	5.0	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.5	3.3	3.4	2.0
350	*****	4.7	4.5	4.4	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.8	3.2	1.8
400	*****	4.2	4.0	3.9	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.8	1.7
450	*****	3.6	3.4	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.9	1.7	2.8	1.6
500	*****	3.4	3.2	3.1	2.9	2.7	2.5	2.3	2.1	1.9	1.7	1.5	2.7	1.5
750	*****	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	1.5	1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: PETERBOROUGH COUNTY-CITY HEALTH UNIT (35955)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	59.4	59.1	58.2	56.6	55.0	53.4	51.7	50.0	48.1	46.2	42.2	32.7	18.9
2	*****	41.8	41.1	40.1	38.9	37.8	36.6	35.3	34.0	32.7	29.9	23.1	13.4	
3	*****		33.6	32.7	31.8	30.8	29.9	28.8	27.8	26.7	24.4	18.9	10.9	
4	*****		29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4	
5	*****		26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4	
6	*****			23.1	22.5	21.8	21.1	20.4	19.7	18.9	17.2	13.4	7.7	
7	*****			21.4	20.8	20.2	19.5	18.9	18.2	17.5	16.0	12.4	7.1	
8	*****			20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7	
9	*****			18.9	18.3	17.8	17.2	16.7	16.0	15.4	14.1	10.9	6.3	
10	*****			17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.3	6.0	
11	*****			17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7	
12	*****				15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5	
13	*****				15.3	14.8	14.3	13.9	13.4	12.8	11.7	9.1	5.2	
14	*****				14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0	
15	*****				14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9	
16	*****				13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7	
17	*****				13.4	13.0	12.5	12.1	11.7	11.2	10.2	7.9	4.6	
18	*****					12.6	12.2	11.8	11.3	10.9	10.0	7.7	4.5	
19	*****					12.3	11.9	11.5	11.0	10.6	9.7	7.5	4.3	
20	*****					11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	
21	*****					11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1	
22	*****					11.4	11.0	10.6	10.3	9.9	9.0	7.0	4.0	
23	*****					11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9	
24	*****						10.6	10.2	9.8	9.4	8.6	6.7	3.9	
25	*****						10.3	10.0	9.6	9.2	8.4	6.5	3.8	
30	*****							9.1	8.8	8.4	7.7	6.0	3.4	
35	*****							8.4	8.1	7.8	7.1	5.5	3.2	
40	*****								7.6	7.3	6.7	5.2	3.0	
45	*****									6.9	6.3	4.9	2.8	
50	*****										6.0	4.6	2.7	
55	*****											5.7	4.4	2.5
60	*****												4.2	2.4
65	*****												4.1	2.3
70	*****												3.9	2.3
75	*****												3.8	2.2
80	*****												3.7	2.1
85	*****													2.0
90	*****													2.0
95	*****													1.9
100	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: PORCUPINE HEALTH UNIT (35956)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		48.4	47.7	46.4	45.1	43.8	42.4	40.9	39.4	37.9	34.6	26.8	15.5
2	*****			33.7	32.8	31.9	30.9	30.0	28.9	27.9	26.8	24.5	18.9	10.9
3	*****			27.5	26.8	26.0	25.3	24.5	23.6	22.8	21.9	20.0	15.5	8.9
4	*****				23.2	22.6	21.9	21.2	20.5	19.7	18.9	17.3	13.4	7.7
5	*****				20.8	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9
6	*****				18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
7	*****					17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
8	*****					15.9	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5
9	*****					15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
10	*****						13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
11	*****						13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
12	*****						12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
13	*****						12.1	11.8	11.4	10.9	10.5	9.6	7.4	4.3
14	*****							11.3	10.9	10.5	10.1	9.2	7.2	4.1
15	*****							10.9	10.6	10.2	9.8	8.9	6.9	4.0
16	*****							10.6	10.2	9.9	9.5	8.6	6.7	3.9
17	*****								9.9	9.6	9.2	8.4	6.5	3.8
18	*****								9.6	9.3	8.9	8.2	6.3	3.6
19	*****									9.4	9.0	8.7	7.9	6.1
20	*****										8.8	8.5	7.7	6.0
21	*****										8.6	8.3	7.5	5.8
22	*****										8.4	8.1	7.4	5.7
23	*****										8.2	7.9	7.2	5.6
24	*****											7.7	7.1	5.5
25	*****											7.6	6.9	5.4
30	*****												6.3	4.9
35	*****													4.5
40	*****													4.2
45	*****													4.0
50	*****													2.2
55	*****													2.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: RENFREW COUNTY AND DISTRICT HEALTH UNIT (35957)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		51.6	50.8	49.5	48.1	46.6	45.2	43.6	42.0	40.4	36.9	28.6	16.5
2	*****			35.9	35.0	34.0	33.0	31.9	30.8	29.7	28.6	26.1	20.2	11.7
3	*****			29.3	28.6	27.8	26.9	26.1	25.2	24.3	23.3	21.3	16.5	9.5
4	*****			25.4	24.7	24.0	23.3	22.6	21.8	21.0	20.2	18.4	14.3	8.2
5	*****				22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
6	*****				20.2	19.6	19.0	18.4	17.8	17.2	16.5	15.1	11.7	6.7
7	*****				18.7	18.2	17.6	17.1	16.5	15.9	15.3	13.9	10.8	6.2
8	*****				17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.0	10.1	5.8
9	*****					16.0	15.5	15.1	14.5	14.0	13.5	12.3	9.5	5.5
10	*****					15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2
11	*****					14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
12	*****					13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
13	*****						12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6
14	*****						12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4
15	*****						12.0	11.7	11.3	10.9	10.4	9.5	7.4	4.3
16	*****						11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1
17	*****							11.0	10.6	10.2	9.8	8.9	6.9	4.0
18	*****							10.6	10.3	9.9	9.5	8.7	6.7	3.9
19	*****							10.4	10.0	9.6	9.3	8.5	6.6	3.8
20	*****							10.1	9.8	9.4	9.0	8.2	6.4	3.7
21	*****								9.5	9.2	8.8	8.0	6.2	3.6
22	*****								9.3	9.0	8.6	7.9	6.1	3.5
23	*****								9.1	8.8	8.4	7.7	6.0	3.4
24	*****								8.9	8.6	8.2	7.5	5.8	3.4
25	*****									8.4	8.1	7.4	5.7	3.3
30	*****										7.4	6.7	5.2	3.0
35	*****											6.2	4.8	2.8
40	*****											5.8	4.5	2.6
45	*****												4.3	2.5
50	*****												4.0	2.3
55	*****												3.9	2.2
60	*****													2.1
65	*****													2.0
70	*****													2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: EASTERN ONTARIO HEALTH UNIT (35958)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	64.2	63.9	62.9	61.2	59.5	57.7	55.9	54.0	52.0	50.0	45.6	35.3	20.4
2	*****	45.2	44.5	43.3	42.1	40.8	39.5	38.2	36.8	35.3	32.3	25.0	14.4	
3	*****	36.9	36.3	35.3	34.4	33.3	32.3	31.2	30.0	28.9	26.3	20.4	11.8	
4	*****	31.4	30.6	29.7	28.9	27.9	27.0	26.0	25.0	22.8	17.7	10.2		
5	*****	28.1	27.4	26.6	25.8	25.0	24.1	23.3	22.4	20.4	15.8	9.1		
6	*****	25.7	25.0	24.3	23.6	22.8	22.0	21.2	20.4	18.6	14.4	8.3		
7	*****	23.8	23.1	22.5	21.8	21.1	20.4	19.7	18.9	17.2	13.4	7.7		
8	*****	22.2	21.6	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2		
9	*****	20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8			
10	*****	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5			
11	*****	18.5	17.9	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2			
12	*****	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9			
13	*****	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7			
14	*****	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5			
15	*****	15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3			
16	*****	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1			
17	*****	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	4.9				
18	*****	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8				
19	*****	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7				
20	*****	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6				
21	*****	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5				
22	*****	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4				
23	*****	12.4	12.0	11.7	11.3	10.8	10.4	9.5	7.4	4.3				
24	*****	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2				
25	*****	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1					
30	*****	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7					
35	*****	9.4	9.1	8.8	8.4	7.7	6.0	3.4						
40	*****	8.8	8.5	8.2	7.9	7.2	5.6	3.2						
45	*****	8.0	7.8	7.5	6.8	5.3	3.0							
50	*****	7.4	7.1	6.5	5.0	2.9								
55	*****	7.0	6.7	6.2	4.8	2.8								
60	*****	6.5	5.9	4.6	2.6									
65	*****	5.7	4.4	2.5										
70	*****	5.5	4.2	2.4										
75	*****	5.3	4.1	2.4										
80	*****	5.1	4.0	2.3										
85	*****	3.8	2.2											
90	*****	3.7	2.2											
95	*****	3.6	2.1											
100	*****	3.5	2.0											
125	*****		1.8											

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: SIMCOE COUNTY DISTRICT HEALTH UNIT (35960)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	75.2	74.8	73.6	71.7	69.6	67.6	65.4	63.2	60.9	58.5	53.4	41.4	23.9
2	*****	53.2	52.9	52.1	50.7	49.2	47.8	46.3	44.7	43.1	41.4	37.8	29.3	16.9
3	*****	43.4	43.2	42.5	41.4	40.2	39.0	37.8	36.5	35.2	33.8	30.8	23.9	13.8
4	*****	37.6	37.4	36.8	35.8	34.8	33.8	32.7	31.6	30.5	29.3	26.7	20.7	11.9
5	*****	*****	33.4	32.9	32.1	31.1	30.2	29.3	28.3	27.2	26.2	23.9	18.5	10.7
6	*****	*****	30.5	30.1	29.3	28.4	27.6	26.7	25.8	24.9	23.9	21.8	16.9	9.8
7	*****	*****	28.3	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
8	*****	*****	26.4	26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4
9	*****	*****	*****	24.5	23.9	23.2	22.5	21.8	21.1	20.3	19.5	17.8	13.8	8.0
10	*****	*****	*****	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
11	*****	*****	*****	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.6	16.1	12.5	7.2
12	*****	*****	*****	21.3	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
13	*****	*****	*****	20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
14	*****	*****	*****	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4
15	*****	*****	*****	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
16	*****	*****	*****	18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.3	6.0
17	*****	*****	*****	17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
18	*****	*****	*****	17.4	16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
19	*****	*****	*****	16.9	16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
20	*****	*****	*****	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3
21	*****	*****	*****	16.1	15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2
22	*****	*****	*****	*****	15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1
23	*****	*****	*****	*****	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
24	*****	*****	*****	*****	14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9
25	*****	*****	*****	*****	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
30	*****	*****	*****	*****	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.8	7.6	4.4
35	*****	*****	*****	*****	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
40	*****	*****	*****	*****	11.3	11.0	10.7	10.3	10.0	9.6	9.3	8.4	6.5	3.8
45	*****	*****	*****	*****	*****	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
50	*****	*****	*****	*****	*****	9.8	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4
55	*****	*****	*****	*****	*****	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
60	*****	*****	*****	*****	*****	9.0	8.7	8.4	8.2	7.9	7.6	6.9	5.3	3.1
65	*****	*****	*****	*****	*****	*****	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0
70	*****	*****	*****	*****	*****	*****	8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9
75	*****	*****	*****	*****	*****	*****	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
80	*****	*****	*****	*****	*****	*****	7.6	7.3	7.1	6.8	6.5	6.0	4.6	2.7
85	*****	*****	*****	*****	*****	*****	7.3	7.1	6.9	6.6	6.3	5.8	4.5	2.6
90	*****	*****	*****	*****	*****	*****	*****	6.9	6.7	6.4	6.2	5.6	4.4	2.5
95	*****	*****	*****	*****	*****	*****	*****	6.7	6.5	6.2	6.0	5.5	4.2	2.5
100	*****	*****	*****	*****	*****	*****	*****	6.5	6.3	6.1	5.9	5.3	4.1	2.4
125	*****	*****	*****	*****	*****	*****	*****	*****	5.7	5.4	5.2	4.8	3.7	2.1
150	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.0	4.8	4.4	3.4	2.0
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.8	2.9	1.7
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	1.5
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.4
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: SUDBURY AND DISTRICT HEALTH UNIT (35961)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	61.2	60.9	60.0	58.4	56.7	55.1	53.3	51.5	49.6	47.7	43.5	33.7	19.5
2	*****	43.1	42.4	41.3	40.1	38.9	37.7	36.4	35.1	33.7	30.8	23.8	13.8	
3	*****	35.2	34.6	33.7	32.8	31.8	30.8	29.7	28.7	27.5	25.1	19.5	11.2	
4	*****		30.0	29.2	28.4	27.5	26.7	25.7	24.8	23.8	21.8	16.9	9.7	
5	*****		26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7	
6	*****		24.5	23.8	23.2	22.5	21.8	21.0	20.3	19.5	17.8	13.8	7.9	
7	*****		22.7	22.1	21.4	20.8	20.1	19.5	18.8	18.0	16.5	12.7	7.4	
8	*****		21.2	20.6	20.1	19.5	18.8	18.2	17.5	16.9	15.4	11.9	6.9	
9	*****		19.5	18.9	18.4	17.8	17.2	16.5	15.9	14.5	11.2	6.5		
10	*****		18.5	17.9	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2		
11	*****		17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9		
12	*****		16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6		
13	*****		16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4		
14	*****		15.6	15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2		
15	*****		15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0		
16	*****		14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9		
17	*****			13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7		
18	*****			13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6		
19	*****			13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5		
20	*****			12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4		
21	*****			12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2		
22	*****			12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1		
23	*****			11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1		
24	*****			11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0		
25	*****				11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9		
30	*****					10.1	9.7	9.4	9.1	8.7	7.9	6.2	3.6	
35	*****						9.0	8.7	8.4	8.1	7.4	5.7	3.3	
40	*****							8.4	8.1	7.8	7.5	6.9	5.3	3.1
45	*****								7.7	7.4	7.1	6.5	5.0	2.9
50	*****									7.0	6.7	6.2	4.8	2.8
55	*****										6.7	6.4	5.9	4.5
60	*****											6.2	5.6	4.4
65	*****												5.9	4.2
70	*****													5.2
75	*****													5.0
80	*****													4.9
85	*****													4.9
90	*****													4.9
95	*****													4.9
100	*****													4.9
125	*****													4.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: THUNDER BAY DISTRICT HEALTH UNIT (35962)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	49.4	49.1	48.4	47.1	45.8	44.4	43.0	41.5	40.0	38.4	35.1	27.2	15.7
2	*****	34.7	34.2	33.3	32.4	31.4	30.4	29.4	28.3	27.2	24.8	19.2	11.1	
3	*****		27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1	
4	*****		24.2	23.5	22.9	22.2	21.5	20.8	20.0	19.2	17.5	13.6	7.8	
5	*****		21.6	21.1	20.5	19.9	19.2	18.6	17.9	17.2	15.7	12.2	7.0	
6	*****			19.2	18.7	18.1	17.5	17.0	16.3	15.7	14.3	11.1	6.4	
7	*****			17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.3	10.3	5.9	
8	*****			16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5	
9	*****			15.7	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	
10	*****			14.9	14.5	14.0	13.6	13.1	12.7	12.2	11.1	8.6	5.0	
11	*****			14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7	
12	*****				13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.8	4.5	
13	*****				12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4	
14	*****				12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
15	*****				11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1	
16	*****				11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	
17	*****				11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	
18	*****					10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	
19	*****					10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6	
20	*****						9.9	9.6	9.3	8.9	8.6	6.1	3.5	
21	*****						9.7	9.4	9.1	8.7	8.4	5.9	3.4	
22	*****						9.5	9.2	8.9	8.5	8.2	5.8	3.3	
23	*****						9.3	9.0	8.7	8.3	8.0	5.7	3.3	
24	*****							8.8	8.5	8.2	7.8	5.5	3.2	
25	*****							8.6	8.3	8.0	7.7	5.4	3.1	
30	*****								7.6	7.3	7.0	5.0	2.9	
35	*****								7.0	6.8	6.5	5.9	4.6	2.7
40	*****									6.3	6.1	5.5	4.3	2.5
45	*****										5.7	5.2	4.1	2.3
50	*****											5.0	3.8	2.2
55	*****											4.7	3.7	2.1
60	*****												3.5	2.0
65	*****												3.4	1.9
70	*****												3.2	1.9
75	*****												3.1	1.8
80	*****												3.0	1.8
85	*****													1.7
90	*****													1.7
95	*****													1.6
100	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: WATERLOO HEALTH UNIT (35965)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	80.3	79.9	78.7	76.6	74.5	72.2	69.9	67.6	65.1	62.6	57.1	44.2	25.5
2	*****	56.8	56.5	55.7	54.2	52.6	51.1	49.5	47.8	46.0	44.2	40.4	31.3	18.1
3	*****	46.4	46.2	45.4	44.2	43.0	41.7	40.4	39.0	37.6	36.1	33.0	25.5	14.7
4	*****	40.2	40.0	39.4	38.3	37.2	36.1	35.0	33.8	32.6	31.3	28.6	22.1	12.8
5	*****		35.8	35.2	34.3	33.3	32.3	31.3	30.2	29.1	28.0	25.5	19.8	11.4
6	*****		32.6	32.1	31.3	30.4	29.5	28.6	27.6	26.6	25.5	23.3	18.1	10.4
7	*****		30.2	29.7	29.0	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.7
8	*****		28.3	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
9	*****			26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.9	19.0	14.7	8.5
10	*****			24.9	24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.1	14.0	8.1
11	*****			23.7	23.1	22.4	21.8	21.1	20.4	19.6	18.9	17.2	13.3	7.7
12	*****			22.7	22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
13	*****			21.8	21.2	20.6	20.0	19.4	18.7	18.1	17.3	15.8	12.3	7.1
14	*****			21.0	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
15	*****			20.3	19.8	19.2	18.6	18.1	17.4	16.8	16.2	14.7	11.4	6.6
16	*****			19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4
17	*****			19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.8	10.7	6.2
18	*****			18.6	18.1	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0
19	*****			18.1	17.6	17.1	16.6	16.0	15.5	14.9	14.4	13.1	10.1	5.9
20	*****			17.6	17.1	16.6	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7
21	*****			17.2	16.7	16.2	15.8	15.3	14.7	14.2	13.7	12.5	9.7	5.6
22	*****				16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
23	*****				16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3
24	*****				15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2
25	*****				15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
30	*****				14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
35	*****				12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
40	*****				12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
45	*****					11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
50	*****					10.5	10.2	9.9	9.6	9.2	8.8	8.1	6.3	3.6
55	*****					10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
60	*****					9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
65	*****						9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
70	*****						8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
75	*****						8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
80	*****						8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9
85	*****						7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
90	*****							7.4	7.1	6.9	6.6	6.0	4.7	2.7
95	*****							7.2	6.9	6.7	6.4	5.9	4.5	2.6
100	*****							7.0	6.8	6.5	6.3	5.7	4.4	2.6
125	*****								6.0	5.8	5.6	5.1	4.0	2.3
150	*****										5.1	4.7	3.6	2.1
200	*****											4.0	3.1	1.8
250	*****												2.8	1.6
300	*****													1.5
350	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: WELLINGTON-DUFFERIN-GUELPH HU (35966)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	70.1	69.7	68.7	66.8	64.9	63.0	61.0	58.9	56.8	54.6	49.8	38.6	22.3
2	*****	49.6	49.3	48.5	47.3	45.9	44.5	43.1	41.7	40.2	38.6	35.2	27.3	15.8
3	*****		40.3	39.6	38.6	37.5	36.4	35.2	34.0	32.8	31.5	28.8	22.3	12.9
4	*****		34.9	34.3	33.4	32.5	31.5	30.5	29.5	28.4	27.3	24.9	19.3	11.1
5	*****			30.7	29.9	29.0	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
6	*****				28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.8
7	*****				25.9	25.3	24.5	23.8	23.1	22.3	21.5	20.6	18.8	14.6
8	*****				24.3	23.6	23.0	22.3	21.6	20.8	20.1	19.3	17.6	13.6
9	*****				22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9
10	*****				21.7	21.1	20.5	19.9	19.3	18.6	18.0	17.3	15.8	12.2
11	*****				20.7	20.1	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.6
12	*****					19.3	18.7	18.2	17.6	17.0	16.4	15.8	14.4	11.1
13	*****					18.5	18.0	17.5	16.9	16.3	15.8	15.1	13.8	10.7
14	*****					17.9	17.4	16.8	16.3	15.8	15.2	14.6	13.3	10.3
15	*****					17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0
16	*****					16.7	16.2	15.8	15.2	14.7	14.2	13.6	12.5	9.6
17	*****					16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4
18	*****					15.8	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1
19	*****					15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9
20	*****					14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6
21	*****					14.6	14.2	13.7	13.3	12.9	12.4	11.9	10.9	8.4
22	*****					14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2
23	*****						13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0
24	*****						13.3	12.9	12.5	12.0	11.6	11.1	10.2	7.9
25	*****						13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7
30	*****						11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0
35	*****						10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8
40	*****						10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
45	*****							9.1	8.8	8.5	8.1	7.4	5.8	3.3
50	*****							8.6	8.3	8.0	7.7	7.0	5.5	3.2
55	*****							8.2	7.9	7.7	7.4	6.7	5.2	3.0
60	*****								7.6	7.3	7.0	6.4	5.0	2.9
65	*****								7.3	7.0	6.8	6.2	4.8	2.8
70	*****									6.8	6.5	6.0	4.6	2.7
75	*****									6.6	6.3	5.8	4.5	2.6
80	*****										6.1	5.6	4.3	2.5
85	*****										5.9	5.4	4.2	2.4
90	*****											5.3	4.1	2.3
95	*****											5.1	4.0	2.3
100	*****											5.0	3.9	2.2
125	*****												3.5	2.0
150	*****												3.2	1.8
200	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: WINDSOR-ESSEX COUNTY HEALTH UNIT (35968)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	79.5	79.1	77.8	75.8	73.6	71.4	69.2	66.8	64.4	61.9	56.5	43.7	25.3
2	*****	56.2	55.9	55.0	53.6	52.1	50.5	48.9	47.2	45.5	43.7	39.9	30.9	17.9
3	*****	45.9	45.6	44.9	43.7	42.5	41.2	39.9	38.6	37.2	35.7	32.6	25.3	14.6
4	*****	39.5	38.9	37.9	36.8	35.7	34.6	33.4	32.2	30.9	28.2	21.9	12.6	
5	*****	35.4	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.7	25.3	19.6	11.3	
6	*****	32.3	31.8	30.9	30.1	29.2	28.2	27.3	26.3	25.3	23.1	17.9	10.3	
7	*****		29.4	28.6	27.8	27.0	26.1	25.3	24.3	23.4	21.3	16.5	9.5	
8	*****		27.5	26.8	26.0	25.3	24.5	23.6	22.8	21.9	20.0	15.5	8.9	
9	*****		25.9	25.3	24.5	23.8	23.1	22.3	21.5	20.6	18.8	14.6	8.4	
10	*****		24.6	24.0	23.3	22.6	21.9	21.1	20.4	19.6	17.9	13.8	8.0	
11	*****		23.5	22.8	22.2	21.5	20.9	20.1	19.4	18.7	17.0	13.2	7.6	
12	*****		22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3	
13	*****		21.6	21.0	20.4	19.8	19.2	18.5	17.9	17.2	15.7	12.1	7.0	
14	*****		20.8	20.2	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.7	
15	*****		20.1	19.6	19.0	18.4	17.9	17.3	16.6	16.0	14.6	11.3	6.5	
16	*****		19.5	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3	
17	*****			18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1	
18	*****			17.9	17.4	16.8	16.3	15.7	15.2	14.6	13.3	10.3	6.0	
19	*****			17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8	
20	*****			16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6	
21	*****			16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.5	5.5	
22	*****			16.2	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	
23	*****			15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3	
24	*****			15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2	
25	*****			15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.1	
30	*****			13.8	13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6	
35	*****				12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3	
40	*****				11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0	
45	*****				11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8	
50	*****					10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	
55	*****						9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
60	*****						9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
65	*****						8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
70	*****							8.3	8.0	7.7	7.4	6.7	5.2	3.0
75	*****							8.0	7.7	7.4	7.1	6.5	5.1	2.9
80	*****							7.7	7.5	7.2	6.9	6.3	4.9	2.8
85	*****								7.2	7.0	6.7	6.1	4.7	2.7
90	*****								7.0	6.8	6.5	6.0	4.6	2.7
95	*****								6.9	6.6	6.3	5.8	4.5	2.6
100	*****									6.4	6.2	5.6	4.4	2.5
125	*****										5.5	5.1	3.9	2.3
150	*****											4.6	3.6	2.1
200	*****												3.1	1.8
250	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: YORK REGIONAL HEALTH UNIT (35970)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	115.1	114.5	112.7	109.7	106.6	103.5	100.2	96.8	93.3	89.6	81.8	63.4	36.6
2	*****	81.4	81.0	79.7	77.6	75.4	73.2	70.8	68.4	65.9	63.4	57.8	44.8	25.9
3	*****	66.4	66.1	65.1	63.4	61.6	59.7	57.8	55.9	53.8	51.7	47.2	36.6	21.1
4	*****	57.5	57.3	56.4	54.9	53.3	51.7	50.1	48.4	46.6	44.8	40.9	31.7	18.3
5	*****	51.5	51.2	50.4	49.1	47.7	46.3	44.8	43.3	41.7	40.1	36.6	28.3	16.4
6	*****	47.0	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.1	36.6	33.4	25.9	14.9
7	*****	43.5	43.3	42.6	41.5	40.3	39.1	37.9	36.6	35.2	33.9	30.9	23.9	13.8
8	*****	40.7	40.5	39.9	38.8	37.7	36.6	35.4	34.2	33.0	31.7	28.9	22.4	12.9
9	*****	38.2	37.6	36.6	35.5	34.5	33.4	32.3	31.1	29.9	27.3	21.1	12.2	
10	*****	36.2	35.7	34.7	33.7	32.7	31.7	30.6	29.5	28.3	25.9	20.0	11.6	
11	*****	34.5	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0	
12	*****	33.1	32.5	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6	
13	*****	31.8	31.3	30.4	29.6	28.7	27.8	26.8	25.9	24.8	22.7	17.6	10.1	
14	*****	30.6	30.1	29.3	28.5	27.7	26.8	25.9	24.9	23.9	21.9	16.9	9.8	
15	*****	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4	
16	*****	28.6	28.2	27.4	26.7	25.9	25.0	24.2	23.3	22.4	20.4	15.8	9.1	
17	*****	27.3	26.6	25.9	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9		
18	*****	26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6		
19	*****	25.9	25.2	24.5	23.8	23.1	22.4	21.6	20.9	20.0	18.3	14.2	8.2	
20	*****	24.6	23.9	23.3	22.6	21.9	21.1	20.4	19.6	17.8	13.8	8.0		
21	*****	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8		
22	*****	23.5	22.9	22.2	21.6	20.9	20.2	19.4	18.7	17.1	13.2	7.6		
23	*****	23.0	22.4	21.8	21.1	20.4	19.8	19.0	18.3	16.7	12.9	7.5		
24	*****	22.5	21.9	21.3	20.7	20.0	19.4	18.7	17.9	16.4	12.7	7.3		
25	*****	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7		
30	*****	19.1	18.5	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2		
35	*****	17.8	17.4	16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8		
40	*****	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5			
45	*****	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2			
50	*****	14.8	14.4	14.0	13.5	13.0	12.6	12.1	11.0	8.5	4.9			
55	*****	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7			
60	*****	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5			
65	*****	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4			
70	*****	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2			
75	*****	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1			
80	*****	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0				
85	*****	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9				
90	*****	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8				
95	*****	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7				
100	*****	9.3	9.0	8.7	8.3	8.0	7.3	5.7	3.3					
125	*****	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0					
150	*****	7.1	6.8	6.6	6.3	5.8	4.5	2.6						
200	*****	5.9	5.7	5.2	4.0	2.3								
250	*****	5.2	4.7	3.7	2.1									
300	*****	4.4	3.4	2.0										
350	*****	4.1	3.2	1.8										
400	*****	3.0	1.7											
450	*****	2.8	1.6											
500	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Ontario: CITY OF TORONTO HEALTH UNIT (35995)

NUMERATOR OF PERCENTAGE ('000)		ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	132.2	131.6	130.9	128.9	125.5	121.9	118.3	114.6	110.7	106.6	102.5	93.5	72.4	41.8	
2	*****	93.1	92.6	91.2	88.7	86.2	83.7	81.0	78.3	75.4	72.4	66.1	51.2	29.6	
3	*****	76.0	75.6	74.4	72.4	70.4	68.3	66.1	63.9	61.6	59.2	54.0	41.8	24.1	
4	*****	65.8	65.5	64.5	62.7	61.0	59.2	57.3	55.3	53.3	51.2	46.8	36.2	20.9	
5	*****	58.9	58.6	57.7	56.1	54.5	52.9	51.2	49.5	47.7	45.8	41.8	32.4	18.7	
6	*****	53.7	53.5	52.6	51.2	49.8	48.3	46.8	45.2	43.5	41.8	38.2	29.6	17.1	
7	*****	49.7	49.5	48.7	47.4	46.1	44.7	43.3	41.8	40.3	38.7	35.4	27.4	15.8	
8	*****	46.5	46.3	45.6	44.4	43.1	41.8	40.5	39.1	37.7	36.2	33.1	25.6	14.8	
9	*****	43.9	43.6	43.0	41.8	40.6	39.4	38.2	36.9	35.5	34.2	31.2	24.1	13.9	
10	*****	41.6	41.4	40.8	39.7	38.6	37.4	36.2	35.0	33.7	32.4	29.6	22.9	13.2	
11	*****	39.7	39.5	38.9	37.8	36.8	35.7	34.5	33.4	32.2	30.9	28.2	21.8	12.6	
12	*****	38.0	37.8	37.2	36.2	35.2	34.2	33.1	31.9	30.8	29.6	27.0	20.9	12.1	
13	*****	36.5	36.3	35.8	34.8	33.8	32.8	31.8	30.7	29.6	28.4	25.9	20.1	11.6	
14	*****	35.2	35.0	34.5	33.5	32.6	31.6	30.6	29.6	28.5	27.4	25.0	19.4	11.2	
15	*****	34.0	33.8	33.3	32.4	31.5	30.5	29.6	28.6	27.5	26.5	24.1	18.7	10.8	
16	*****	32.9	32.7	32.2	31.4	30.5	29.6	28.6	27.7	26.7	25.6	23.4	18.1	10.5	
17	*****	31.9	31.8	31.3	30.4	29.6	28.7	27.8	26.8	25.9	24.8	22.7	17.6	10.1	
18	*****	31.0	30.9	30.4	29.6	28.7	27.9	27.0	26.1	25.1	24.1	22.0	17.1	9.9	
19	*****	30.2	30.0	29.6	28.8	28.0	27.1	26.3	25.4	24.5	23.5	21.5	16.6	9.6	
20	*****	29.3	28.8	28.1	27.3	26.5	25.6	24.7	23.8	22.9	22.0	20.9	16.2	9.4	
21	*****	28.6	28.1	27.4	26.6	25.8	25.0	24.1	23.3	22.4	21.4	20.4	15.8	9.1	
22	*****	27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.7	21.8	20.9	19.9	15.4	8.9	
23	*****	27.3	26.9	26.2	25.4	24.7	23.9	23.1	22.2	21.4	20.5	19.5	15.1	8.7	
24	*****	26.7	26.3	25.6	24.9	24.1	23.4	22.6	21.8	20.9	20.1	19.1	14.8	8.5	
25	*****	26.2	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	19.7	18.7	14.5	8.4	
30	*****	23.9	23.5	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.9	17.1	13.2	7.6	
35	*****	22.1	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	16.5	15.8	12.2	7.1	
40	*****	20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	15.5	14.8	14.1	11.5	6.6	
45	*****	19.2	18.7	18.2	17.6	17.1	16.5	15.9	15.3	14.7	14.1	13.5	10.8	6.2	
50	*****	18.2	17.7	17.2	16.7	16.2	15.7	15.1	14.5	13.9	13.3	12.7	10.2	5.9	
55	*****	17.4	16.9	16.4	16.0	15.4	14.9	14.4	13.8	13.2	12.6	12.1	9.8	5.6	
60	*****	16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.6	12.1	11.6	9.4	5.4	
65	*****	16.0	15.6	15.1	14.7	14.2	13.7	13.2	12.7	12.2	11.7	11.2	9.0	5.2	
70	*****	15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.7	11.2	10.7	8.7	5.0	
75	*****	14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	11.3	10.8	10.3	8.4	4.8	
80	*****	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	11.0	10.6	10.1	8.1	4.7	
85	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.7	10.2	9.7	7.9	4.5	
90	*****	13.6	13.2	12.9	12.5	12.1	11.7	11.2	10.8	10.3	9.9	9.4	7.6	4.4	
95	*****	13.2	12.9	12.5	12.1	11.8	11.4	10.9	10.5	10.0	9.6	9.1	7.4	4.3	
100	*****	12.5	12.2	11.8	11.5	11.1	10.7	10.2	9.8	9.3	8.9	8.4	7.2	4.2	
125	*****	11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.7	8.3	7.9	7.5	6.5	3.7	
150	*****	10.2	10.0	9.7	9.4	9.0	8.7	8.4	8.0	7.7	7.3	7.0	6.5	3.4	
200	*****	8.6	8.4	8.1	7.8	7.5	7.2	6.9	6.6	6.3	6.0	5.7	5.1	3.0	
250	*****	7.7	7.5	7.2	7.0	6.7	6.4	6.1	5.8	5.5	5.2	4.9	4.6	2.6	
300	*****	6.8	6.6	6.4	6.2	5.9	5.7	5.4	5.1	4.8	4.6	4.3	4.2	2.4	
350	*****	6.3	6.1	5.9	5.7	5.4	5.1	4.8	4.6	4.3	4.0	3.7	3.9	2.2	
400	*****	5.7	5.5	5.3	5.1	4.9	4.7	4.4	4.1	3.9	3.6	3.3	3.6	2.1	
450	*****	5.4	5.2	5.0	4.8	4.6	4.4	4.1	3.9	3.6	3.3	3.0	3.4	2.0	
500	*****	4.9	4.7	4.5	4.3	4.1	3.9	3.6	3.3	3.1	2.8	2.5	3.2	1.9	
750	*****	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.9	1.7	2.6	1.5	
1000	*****	2.3	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	2.3	1.3	
1500	*****	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	1.1	0.7	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Manitoba: WINNIPEG REGIONAL HEALTH AUTHORITY (46910)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	84.5	84.1	82.8	80.6	78.3	75.9	73.5	71.0	68.5	65.8	60.0	46.5	26.9
2	*****	59.7	59.4	58.5	57.0	55.4	53.7	52.0	50.2	48.4	46.5	42.5	32.9	19.0
3	*****	48.8	48.5	47.8	46.5	45.2	43.8	42.5	41.0	39.5	38.0	34.7	26.9	15.5
4	*****	42.2	42.0	41.4	40.3	39.1	38.0	36.8	35.5	34.2	32.9	30.0	23.3	13.4
5	*****	37.8	37.6	37.0	36.0	35.0	34.0	32.9	31.8	30.6	29.4	26.9	20.8	12.0
6	*****	*****	34.3	33.8	32.9	32.0	31.0	30.0	29.0	27.9	26.9	24.5	19.0	11.0
7	*****	*****	31.8	31.3	30.4	29.6	28.7	27.8	26.9	25.9	24.9	22.7	17.6	10.1
8	*****	*****	29.7	29.3	28.5	27.7	26.9	26.0	25.1	24.2	23.3	21.2	16.4	9.5
9	*****	*****	28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
10	*****	*****	26.6	26.2	25.5	24.8	24.0	23.3	22.5	21.6	20.8	19.0	14.7	8.5
11	*****	*****	25.3	25.0	24.3	23.6	22.9	22.2	21.4	20.6	19.8	18.1	14.0	8.1
12	*****	*****	*****	23.9	23.3	22.6	21.9	21.2	20.5	19.8	19.0	17.3	13.4	7.8
13	*****	*****	*****	23.0	22.3	21.7	21.1	20.4	19.7	19.0	18.2	16.7	12.9	7.4
14	*****	*****	*****	22.1	21.5	20.9	20.3	19.7	19.0	18.3	17.6	16.0	12.4	7.2
15	*****	*****	*****	21.4	20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	12.0	6.9
16	*****	*****	*****	20.7	20.1	19.6	19.0	18.4	17.8	17.1	16.4	15.0	11.6	6.7
17	*****	*****	*****	20.1	19.5	19.0	18.4	17.8	17.2	16.6	16.0	14.6	11.3	6.5
18	*****	*****	*****	19.5	19.0	18.5	17.9	17.3	16.7	16.1	15.5	14.2	11.0	6.3
19	*****	*****	*****	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
20	*****	*****	*****	18.5	18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0
21	*****	*****	*****	18.1	17.6	17.1	16.6	16.0	15.5	14.9	14.4	13.1	10.1	5.9
22	*****	*****	*****	17.6	17.2	16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
23	*****	*****	*****	17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6
24	*****	*****	*****	16.9	16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
25	*****	*****	*****	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
30	*****	*****	*****	*****	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
35	*****	*****	*****	*****	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5
40	*****	*****	*****	*****	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2
45	*****	*****	*****	*****	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
50	*****	*****	*****	*****	11.4	11.1	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
55	*****	*****	*****	*****	10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
60	*****	*****	*****	*****	*****	10.1	9.8	9.5	9.2	8.8	8.5	7.8	6.0	3.5
65	*****	*****	*****	*****	*****	9.7	9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3
70	*****	*****	*****	*****	*****	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
75	*****	*****	*****	*****	*****	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
80	*****	*****	*****	*****	*****	8.8	8.5	8.2	7.9	7.7	7.4	6.7	5.2	3.0
85	*****	*****	*****	*****	*****	*****	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
90	*****	*****	*****	*****	*****	*****	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
95	*****	*****	*****	*****	*****	*****	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8
100	*****	*****	*****	*****	*****	*****	7.6	7.4	7.1	6.8	6.6	6.0	4.7	2.7
125	*****	*****	*****	*****	*****	*****	*****	6.6	6.4	6.1	5.9	5.4	4.2	2.4
150	*****	*****	*****	*****	*****	*****	*****	*****	5.8	5.6	5.4	4.9	3.8	2.2
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.7	4.2	3.3	1.9
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.8	2.9	1.7
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	1.6
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.4
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Manitoba: BRANDON AND ASSINIBOINE RHA (46915)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		44.8	44.1	42.9	41.7	40.5	39.2	37.9	36.5	35.1	32.0	24.8	14.3
2	*****			31.2	30.4	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1
3	*****			25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3
4	*****			22.1	21.5	20.9	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.2
5	*****				19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
6	*****				17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
7	*****				16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
8	*****				15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
9	*****					14.3	13.9	13.5	13.1	12.6	12.2	11.7	8.3	4.8
10	*****						13.2	12.8	12.4	12.0	11.5	11.1	7.8	4.5
11	*****						12.6	12.2	11.8	11.4	11.0	10.6	7.5	4.3
12	*****						12.0	11.7	11.3	10.9	10.5	10.1	7.2	4.1
13	*****							11.6	11.2	10.9	10.5	10.1	6.9	4.0
14	*****								10.8	10.5	10.1	9.8	6.6	3.8
15	*****								10.5	10.1	9.8	9.4	6.4	3.7
16	*****								10.1	9.8	9.5	9.1	6.2	3.6
17	*****								9.8	9.5	9.2	8.8	6.0	3.5
18	*****								9.5	9.2	8.9	8.6	5.8	3.4
19	*****								9.0	8.7	8.4	8.0	5.7	3.3
20	*****								8.8	8.5	8.2	7.8	5.5	3.2
21	*****								8.6	8.3	8.0	7.7	5.4	3.1
22	*****								8.4	8.1	7.8	7.5	5.3	3.1
23	*****									7.9	7.6	7.3	5.2	3.0
24	*****									7.7	7.4	7.2	5.1	2.9
25	*****									7.6	7.3	7.0	5.0	2.9
30	*****										6.7	6.4	4.5	2.6
35	*****											5.9	4.2	2.4
40	*****												5.1	2.3
45	*****												4.8	2.1
50	*****													3.5
55	*****													3.3
60	*****													3.2
65	*****													1.8
70	*****													1.7
75	*****													1.7
80	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Manitoba: NORTH AND SOUTH EASTMAN RHA (46920)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	49.9	49.2	47.8	46.5	45.1	43.7	42.2	40.7	39.1	35.7	27.6	15.9	
2	*****		34.8	33.8	32.9	31.9	30.9	29.8	28.8	27.6	25.2	19.5	11.3	
3	*****		28.4	27.6	26.8	26.0	25.2	24.4	23.5	22.6	20.6	15.9	9.2	
4	*****		24.6	23.9	23.3	22.6	21.8	21.1	20.3	19.5	17.8	13.8	8.0	
5	*****			21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.4	7.1	
6	*****			19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.6	11.3	6.5	
7	*****			18.1	17.6	17.1	16.5	15.9	15.4	14.8	13.5	10.4	6.0	
8	*****			16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6	
9	*****				15.5	15.0	14.6	14.1	13.6	13.0	11.9	9.2	5.3	
10	*****				14.7	14.3	13.8	13.3	12.9	12.4	11.3	8.7	5.0	
11	*****				14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8	
12	*****				13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6	
13	*****					12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4	
14	*****					12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3	
15	*****					11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1	
16	*****					11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0	
17	*****						10.6	10.2	9.9	9.5	8.7	6.7	3.9	
18	*****						10.3	9.9	9.6	9.2	8.4	6.5	3.8	
19	*****						10.0	9.7	9.3	9.0	8.2	6.3	3.7	
20	*****							9.8	9.4	9.1	8.7	8.0	6.2	
21	*****								9.2	8.9	8.5	7.8	6.0	
22	*****								9.0	8.7	8.3	7.6	5.9	
23	*****									8.8	8.5	8.1	7.4	
24	*****									8.6	8.3	8.0	7.3	
25	*****										8.1	7.8	7.1	
30	*****											7.1	6.5	
35	*****												6.0	
40	*****												5.6	
45	*****													4.1
50	*****													3.9
55	*****													3.7
60	*****													2.1
65	*****													2.0
70	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Manitoba: INTERLAKE/PARKLAND REGIONAL HEALTH AUTHORITY (46931)

NUMERATOR OF PERCENTAGE (*000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		54.5	53.7	52.3	50.8	49.3	47.7	46.1	44.4	42.7	38.9	30.2	17.4
2	*****			38.0	36.9	35.9	34.8	33.7	32.6	31.4	30.2	27.5	21.3	12.3
3	*****			31.0	30.2	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.1
4	*****			26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7
5	*****				23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8
6	*****				21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
7	*****				19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
8	*****				18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
9	*****					16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
10	*****					16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
11	*****					15.3	14.9	14.4	13.9	13.4	12.9	11.7	9.1	5.3
12	*****					14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
13	*****						13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
14	*****						13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
15	*****						12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
16	*****						12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
17	*****							11.6	11.2	10.8	10.3	9.4	7.3	4.2
18	*****							11.2	10.9	10.5	10.1	9.2	7.1	4.1
19	*****							10.9	10.6	10.2	9.8	8.9	6.9	4.0
20	*****							10.7	10.3	9.9	9.5	8.7	6.7	3.9
21	*****								10.1	9.7	9.3	8.5	6.6	3.8
22	*****								9.8	9.5	9.1	8.3	6.4	3.7
23	*****								9.6	9.3	8.9	8.1	6.3	3.6
24	*****								9.4	9.1	8.7	7.9	6.2	3.6
25	*****									8.9	8.5	7.8	6.0	3.5
30	*****										7.8	7.1	5.5	3.2
35	*****											6.6	5.1	2.9
40	*****											6.2	4.8	2.8
45	*****												4.5	2.6
50	*****												4.3	2.5
55	*****												4.1	2.3
60	*****													2.2
65	*****													2.2
70	*****													2.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Manitoba: CENTRAL REGIONAL HEALTH AUTHORITY (46940)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		52.7	51.9	50.5	49.1	47.7	46.1	44.6	43.0	41.3	37.7	29.2	16.8
2	*****			36.7	35.7	34.7	33.7	32.6	31.5	30.4	29.2	26.6	20.6	11.9
3	*****			30.0	29.2	28.4	27.5	26.6	25.7	24.8	23.8	21.8	16.8	9.7
4	*****				25.3	24.6	23.8	23.1	22.3	21.5	20.6	18.8	14.6	8.4
5	*****				22.6	22.0	21.3	20.6	19.9	19.2	18.5	16.8	13.1	7.5
6	*****				20.6	20.1	19.5	18.8	18.2	17.5	16.8	15.4	11.9	6.9
7	*****				19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
8	*****					17.4	16.8	16.3	15.8	15.2	14.6	13.3	10.3	6.0
9	*****					16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
10	*****					15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
11	*****					14.8	14.4	13.9	13.4	13.0	12.4	11.4	8.8	5.1
12	*****						13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
13	*****						13.2	12.8	12.4	11.9	11.4	10.4	8.1	4.7
14	*****						12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
15	*****						12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
16	*****							11.5	11.1	10.7	10.3	9.4	7.3	4.2
17	*****							11.2	10.8	10.4	10.0	9.1	7.1	4.1
18	*****							10.9	10.5	10.1	9.7	8.9	6.9	4.0
19	*****							10.6	10.2	9.9	9.5	8.6	6.7	3.9
20	*****								10.0	9.6	9.2	8.4	6.5	3.8
21	*****								9.7	9.4	9.0	8.2	6.4	3.7
22	*****								9.5	9.2	8.8	8.0	6.2	3.6
23	*****								9.3	9.0	8.6	7.9	6.1	3.5
24	*****									8.8	8.4	7.7	6.0	3.4
25	*****									8.6	8.3	7.5	5.8	3.4
30	*****										7.5	6.9	5.3	3.1
35	*****											6.4	4.9	2.8
40	*****												4.6	2.7
45	*****												4.4	2.5
50	*****												4.1	2.4
55	*****													2.3
60	*****													2.2
65	*****													2.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Manitoba: NOR-MAN/BURNTWOOD & CHURCHILL RHA (46970)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****			28.3	27.6	26.8	26.0	25.2	24.3	23.4	22.5	20.6	15.9	9.2
2	*****				19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5
3	*****					15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3
4	*****						13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
5	*****						11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
6	*****							10.3	9.9	9.6	9.2	8.4	6.5	3.8
7	*****								9.2	8.9	8.5	7.8	6.0	3.5
8	*****									8.3	8.0	7.3	5.6	3.2
9	*****									7.8	7.5	6.9	5.3	3.1
10	*****										7.1	6.5	5.0	2.9
11	*****											6.2	4.8	2.8
12	*****											5.9	4.6	2.7
13	*****											5.7	4.4	2.5
14	*****												4.3	2.5
15	*****												4.1	2.4
16	*****												4.0	2.3
17	*****												3.9	2.2
18	*****												3.8	2.2
19	*****													2.1
20	*****													2.1
21	*****													2.0
22	*****													2.0
23	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Saskatchewan: SUN COUNTRY, FIVE HILLS AND CYPRESS RHA (47901)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	37.3	37.1	36.5	35.6	34.6	33.5	32.5	31.4	30.2	29.0	26.5	20.5	11.9
2	*****	26.2	25.8	25.2	24.4	23.7	23.0	22.2	21.4	20.5	18.7	14.5	8.4	
3	*****		21.1	20.5	20.0	19.4	18.7	18.1	17.5	16.8	15.3	11.9	6.8	
4	*****		18.3	17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.3	10.3	5.9	
5	*****		16.3	15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3	
6	*****			14.5	14.1	13.7	13.3	12.8	12.3	11.9	10.8	8.4	4.8	
7	*****			13.4	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5	
8	*****			12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
9	*****			11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	
10	*****			11.2	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.7	
11	*****			10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
12	*****				10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4	
13	*****					9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
14	*****					9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
15	*****					8.9	8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1
16	*****					8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0
17	*****					8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
18	*****						7.9	7.7	7.4	7.1	6.8	6.2	4.8	2.8
19	*****						7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7
20	*****						7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7
21	*****						7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
22	*****						7.1	6.9	6.7	6.4	6.2	5.7	4.4	2.5
23	*****						7.0	6.8	6.5	6.3	6.1	5.5	4.3	2.5
24	*****							6.6	6.4	6.2	5.9	5.4	4.2	2.4
25	*****							6.5	6.3	6.0	5.8	5.3	4.1	2.4
30	*****								5.7	5.5	5.3	4.8	3.7	2.2
35	*****								5.3	5.1	4.9	4.5	3.5	2.0
40	*****									4.8	4.6	4.2	3.2	1.9
45	*****										4.3	4.0	3.1	1.8
50	*****											3.7	2.9	1.7
55	*****												3.6	2.8
60	*****													2.7
65	*****													2.5
70	*****													2.5
75	*****													2.4
80	*****													2.3
85	*****													2.3
90	*****													1.2
95	*****													1.2
100	*****													1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Saskatchewan: REGINA QU'APPELLE REGIONAL HLTH AUTHO. (47904)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	63.4	63.1	62.1	60.5	58.8	57.0	55.2	53.3	51.4	49.4	45.1	34.9	20.2
2	*****	44.6	43.9	42.8	41.5	40.3	39.0	37.7	36.3	34.9	31.9	24.7	14.3	
3	*****	36.4	35.9	34.9	33.9	32.9	31.9	30.8	29.7	28.5	26.0	20.2	11.6	
4	*****		31.1	30.2	29.4	28.5	27.6	26.7	25.7	24.7	22.5	17.5	10.1	
5	*****		27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.2	15.6	9.0	
6	*****		25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.2	18.4	14.3	8.2	
7	*****		23.5	22.9	22.2	21.5	20.9	20.2	19.4	18.7	17.0	13.2	7.6	
8	*****		22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.3	7.1	
9	*****		20.7	20.2	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.6	6.7	
10	*****			19.1	18.6	18.0	17.5	16.9	16.2	15.6	14.3	11.0	6.4	
11	*****			18.2	17.7	17.2	16.6	16.1	15.5	14.9	13.6	10.5	6.1	
12	*****			17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.0	10.1	5.8	
13	*****			16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6	
14	*****			16.2	15.7	15.2	14.8	14.3	13.7	13.2	12.0	9.3	5.4	
15	*****			15.6	15.2	14.7	14.3	13.8	13.3	12.7	11.6	9.0	5.2	
16	*****			15.1	14.7	14.3	13.8	13.3	12.8	12.3	11.3	8.7	5.0	
17	*****			14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9	
18	*****			14.3	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.8	
19	*****				13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6	
20	*****				13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5	
21	*****				12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	
22	*****				12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3	
23	*****				12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
24	*****				12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1	
25	*****				11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0	
30	*****					10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7	
35	*****					9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	
40	*****						8.7	8.4	8.1	7.8	7.1	5.5	3.2	
45	*****						8.2	7.9	7.7	7.4	6.7	5.2	3.0	
50	*****							7.5	7.3	7.0	6.4	4.9	2.9	
55	*****							7.2	6.9	6.7	6.1	4.7	2.7	
60	*****								6.6	6.4	5.8	4.5	2.6	
65	*****								6.4	6.1	5.6	4.3	2.5	
70	*****									5.9	5.4	4.2	2.4	
75	*****									5.7	5.2	4.0	2.3	
80	*****										5.0	3.9	2.3	
85	*****										4.9	3.8	2.2	
90	*****										4.8	3.7	2.1	
95	*****											3.6	2.1	
100	*****											3.5	2.0	
125	*****												3.1	1.8
150	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Saskatchewan: SUNRISE AND KELSEY TRAIL RHA (47905)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		40.5	39.9	38.8	37.7	36.6	35.4	34.2	33.0	31.7	28.9	22.4	12.9
2	*****			28.2	27.4	26.7	25.9	25.0	24.2	23.3	22.4	20.5	15.8	9.1
3	*****			23.0	22.4	21.8	21.1	20.5	19.8	19.0	18.3	16.7	12.9	7.5
4	*****				19.4	18.9	18.3	17.7	17.1	16.5	15.8	14.5	11.2	6.5
5	*****				17.4	16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8
6	*****				15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
7	*****					14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
8	*****					13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6
9	*****					12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
10	*****					11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
11	*****						11.0	10.7	10.3	9.9	9.6	8.7	6.8	3.9
12	*****						10.6	10.2	9.9	9.5	9.1	8.3	6.5	3.7
13	*****						10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
14	*****							9.5	9.1	8.8	8.5	7.7	6.0	3.5
15	*****							9.1	8.8	8.5	8.2	7.5	5.8	3.3
16	*****							8.9	8.6	8.2	7.9	7.2	5.6	3.2
17	*****							8.6	8.3	8.0	7.7	7.0	5.4	3.1
18	*****								8.1	7.8	7.5	6.8	5.3	3.0
19	*****								7.9	7.6	7.3	6.6	5.1	3.0
20	*****								7.7	7.4	7.1	6.5	5.0	2.9
21	*****									7.2	6.9	6.3	4.9	2.8
22	*****									7.0	6.8	6.2	4.8	2.8
23	*****									6.9	6.6	6.0	4.7	2.7
24	*****									6.7	6.5	5.9	4.6	2.6
25	*****										6.3	5.8	4.5	2.6
30	*****											5.3	4.1	2.4
35	*****												3.8	2.2
40	*****												3.5	2.0
45	*****												3.3	1.9
50	*****													1.8
55	*****													1.7
60	*****													1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Saskatchewan: SASKATOON REGIONAL HEALTH AUTHORITY (47906)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	70.5	70.2	69.1	67.2	65.3	63.4	61.4	59.3	57.1	54.9	50.1	38.8	22.4
2	*****	49.9	49.6	48.8	47.5	46.2	44.8	43.4	41.9	40.4	38.8	35.4	27.4	15.8
3	*****		40.5	39.9	38.8	37.7	36.6	35.4	34.2	33.0	31.7	28.9	22.4	12.9
4	*****		35.1	34.5	33.6	32.7	31.7	30.7	29.6	28.6	27.4	25.1	19.4	11.2
5	*****			30.9	30.1	29.2	28.3	27.4	26.5	25.6	24.5	22.4	17.4	10.0
6	*****				28.2	27.4	26.7	25.9	25.1	24.2	23.3	22.4	20.5	15.8
7	*****				26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.7	18.9	14.7
8	*****				24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7
9	*****				23.0	22.4	21.8	21.1	20.5	19.8	19.0	18.3	16.7	12.9
10	*****				21.8	21.3	20.7	20.0	19.4	18.7	18.1	17.4	15.8	12.3
11	*****				20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.6	15.1	11.7
12	*****				19.9	19.4	18.9	18.3	17.7	17.1	16.5	15.8	14.5	11.2
13	*****					18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8
14	*****					18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4
15	*****					17.4	16.9	16.4	15.8	15.3	14.8	14.2	12.9	10.0
16	*****					16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7
17	*****					16.3	15.8	15.4	14.9	14.4	13.9	13.3	12.2	9.4
18	*****					15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1
19	*****					15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9
20	*****					15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7
21	*****					14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5
22	*****					14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3
23	*****					14.0	13.6	13.2	12.8	12.4	11.9	11.4	10.4	8.1
24	*****					13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9
25	*****						13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8
30	*****						11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1
35	*****						11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6
40	*****						10.0	9.7	9.4	9.0	8.7	8.3	7.5	5.8
45	*****							9.4	9.1	8.8	8.5	8.2	7.5	5.5
50	*****								8.7	8.4	8.1	7.8	7.1	5.3
55	*****								8.3	8.0	7.7	7.4	6.8	5.2
60	*****								7.9	7.7	7.4	7.1	6.5	5.0
65	*****									7.4	7.1	6.8	6.2	4.8
70	*****									7.1	6.8	6.6	6.0	4.6
75	*****										6.6	6.3	5.8	4.5
80	*****											6.4	6.1	4.3
85	*****											6.2	6.0	4.2
90	*****												5.8	4.1
95	*****												5.6	4.0
100	*****												5.0	3.9
125	*****													3.5
150	*****													3.2
200	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Saskatchewan: HEARTLAND AND PRAIRIE NORTH RHA (47907)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		45.0	44.4	43.2	42.0	40.7	39.4	38.1	36.7	35.2	32.2	24.9	14.4
2	*****			31.4	30.5	29.7	28.8	27.9	26.9	25.9	24.9	22.8	17.6	10.2
3	*****			25.6	24.9	24.2	23.5	22.8	22.0	21.2	20.3	18.6	14.4	8.3
4	*****				21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.5	7.2
5	*****				19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.1	6.4
6	*****				17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
7	*****				16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
8	*****					14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1
9	*****					14.0	13.6	13.1	12.7	12.2	11.7	10.7	8.3	4.8
10	*****					13.3	12.9	12.5	12.0	11.6	11.1	10.2	7.9	4.6
11	*****					12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
12	*****						11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.2
13	*****						11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
14	*****						10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8
15	*****						10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
16	*****							9.9	9.5	9.2	8.8	8.0	6.2	3.6
17	*****							9.6	9.2	8.9	8.5	7.8	6.0	3.5
18	*****							9.3	9.0	8.6	8.3	7.6	5.9	3.4
19	*****							9.0	8.7	8.4	8.1	7.4	5.7	3.3
20	*****								8.5	8.2	7.9	7.2	5.6	3.2
21	*****								8.3	8.0	7.7	7.0	5.4	3.1
22	*****								8.1	7.8	7.5	6.9	5.3	3.1
23	*****								7.9	7.6	7.3	6.7	5.2	3.0
24	*****									7.5	7.2	6.6	5.1	2.9
25	*****									7.3	7.0	6.4	5.0	2.9
30	*****										6.4	5.9	4.6	2.6
35	*****											5.4	4.2	2.4
40	*****												3.9	2.3
45	*****												3.7	2.1
50	*****												3.5	2.0
55	*****													1.9
60	*****													1.9
65	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Saskatchewan: PRINCE ALBERT, MAMAWETAN/KEEWATIN/ATHABA (47909)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		40.1	39.5	38.4	37.4	36.2	35.1	33.9	32.7	31.4	28.6	22.2	12.8
2	*****			27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1
3	*****			22.8	22.2	21.6	20.9	20.3	19.6	18.9	18.1	16.5	12.8	7.4
4	*****				19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
5	*****				17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
6	*****				15.7	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
7	*****					14.1	13.7	13.3	12.8	12.3	11.9	10.8	8.4	4.8
8	*****					13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
9	*****					12.5	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3
10	*****						11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
11	*****						10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
12	*****						10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
13	*****							9.7	9.4	9.1	8.7	7.9	6.2	3.6
14	*****							9.4	9.1	8.7	8.4	7.7	5.9	3.4
15	*****							9.1	8.8	8.4	8.1	7.4	5.7	3.3
16	*****								8.5	8.2	7.8	7.2	5.5	3.2
17	*****								8.2	7.9	7.6	6.9	5.4	3.1
18	*****								8.0	7.7	7.4	6.8	5.2	3.0
19	*****									7.5	7.2	6.6	5.1	2.9
20	*****									7.3	7.0	6.4	5.0	2.9
21	*****										7.1	6.8	4.8	2.8
22	*****											6.7	6.1	4.7
23	*****											6.5	6.0	4.6
24	*****											6.4	5.8	4.5
25	*****												5.7	4.4
30	*****												5.2	4.1
35	*****													3.8
40	*****													3.5
45	*****													1.9
50	*****													1.8
55	*****													1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Alberta: SOUTH ZONE (48931)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	59.4	59.1	58.2	56.7	55.1	53.4	51.7	50.0	48.1	46.3	42.2	32.7	18.9
2	*****	42.0	41.8	41.2	40.1	38.9	37.8	36.6	35.3	34.0	32.7	29.9	23.1	13.4
3	*****		34.1	33.6	32.7	31.8	30.8	29.9	28.8	27.8	26.7	24.4	18.9	10.9
4	*****		29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4
5	*****			26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4
6	*****				23.8	23.1	22.5	21.8	21.1	20.4	19.7	18.9	17.2	7.7
7	*****				22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	16.0	7.1
8	*****				20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	6.7
9	*****				19.4	18.9	18.4	17.8	17.2	16.7	16.0	15.4	14.1	6.3
10	*****				18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	6.0
11	*****					17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	5.7
12	*****					16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	5.5
13	*****					15.7	15.3	14.8	14.3	13.9	13.4	12.8	11.7	5.2
14	*****					15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	5.0
15	*****					14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	4.9
16	*****					14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	4.7
17	*****					13.7	13.4	13.0	12.5	12.1	11.7	11.2	10.2	4.6
18	*****					13.4	13.0	12.6	12.2	11.8	11.3	10.9	10.0	4.5
19	*****					13.0	12.6	12.3	11.9	11.5	11.0	10.6	9.7	4.3
20	*****					12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	4.2
21	*****					12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1
22	*****					11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
23	*****					11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
24	*****					11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
25	*****					11.0	10.7	10.3	10.0	9.6	9.3	8.4	6.5	3.8
30	*****					10.1	9.8	9.4	9.1	8.8	8.4	7.7	6.0	3.4
35	*****						9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
40	*****						8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
45	*****							7.7	7.4	7.2	6.9	6.3	4.9	2.8
50	*****							7.3	7.1	6.8	6.5	6.0	4.6	2.7
55	*****								6.7	6.5	6.2	5.7	4.4	2.5
60	*****								6.5	6.2	6.0	5.5	4.2	2.4
65	*****									6.0	5.7	5.2	4.1	2.3
70	*****									5.8	5.5	5.0	3.9	2.3
75	*****										5.3	4.9	3.8	2.2
80	*****										5.2	4.7	3.7	2.1
85	*****											4.6	3.5	2.0
90	*****											4.5	3.4	2.0
95	*****											4.3	3.4	1.9
100	*****											4.2	3.3	1.9
125	*****												2.9	1.7
150	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Alberta: CALGARY ZONE (48932)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	101.0	100.5	100.0	98.5	95.9	93.2	90.4	87.5	84.5	81.5	78.3	71.4	55.3	32.0
2	*****	71.1	70.7	69.6	67.8	65.9	63.9	61.9	59.8	57.6	55.3	50.5	39.1	22.6
3	*****	58.0	57.7	56.9	55.3	53.8	52.2	50.5	48.8	47.0	45.2	41.2	32.0	18.4
4	*****	50.3	50.0	49.2	47.9	46.6	45.2	43.7	42.3	40.7	39.1	35.7	27.7	16.0
5	*****	45.0	44.7	44.0	42.9	41.7	40.4	39.1	37.8	36.4	35.0	32.0	24.7	14.3
6	*****	41.0	40.8	40.2	39.1	38.0	36.9	35.7	34.5	33.3	32.0	29.2	22.6	13.0
7	*****	38.0	37.8	37.2	36.2	35.2	34.2	33.1	32.0	30.8	29.6	27.0	20.9	12.1
8	*****	35.5	35.4	34.8	33.9	32.9	32.0	30.9	29.9	28.8	27.7	25.3	19.6	11.3
9	*****	33.5	33.3	32.8	32.0	31.1	30.1	29.2	28.2	27.2	26.1	23.8	18.4	10.7
10	*****	31.8	31.6	31.1	30.3	29.5	28.6	27.7	26.7	25.8	24.7	22.6	17.5	10.1
11	*****	30.2	29.7	28.9	28.1	27.2	26.4	25.5	24.6	23.6	22.6	21.5	16.7	9.6
12	*****	28.9	28.4	27.7	26.9	26.1	25.3	24.4	23.5	22.6	21.7	20.6	16.0	9.2
13	*****	27.7	27.3	26.6	25.8	25.1	24.3	23.4	22.6	21.7	20.9	19.1	14.8	8.5
14	*****	26.7	26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	20.2	18.4	14.3	8.2
15	*****	25.8	25.4	24.7	24.1	23.3	22.6	21.8	21.0	20.2	19.6	17.9	13.8	8.0
16	*****	25.0	24.6	24.0	23.3	22.6	21.9	21.1	20.4	19.6	19.0	17.3	13.4	7.7
17	*****	24.3	23.9	23.2	22.6	21.9	21.2	20.5	19.8	19.0	18.4	16.8	13.0	7.5
18	*****	23.6	23.2	22.6	22.0	21.3	20.6	19.9	19.2	18.4	17.5	16.0	12.4	7.1
19	*****	22.9	22.6	22.0	21.4	20.7	20.1	19.4	18.7	18.0	17.1	15.6	12.1	7.0
20	*****	22.4	22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.7	15.2	11.8	6.8
21	*****	21.8	21.5	20.9	20.3	19.7	19.1	18.4	17.8	17.1	16.3	14.9	11.5	6.7
22	*****	21.0	20.4	19.9	19.3	18.7	18.0	17.4	16.7	16.0	15.3	14.3	11.1	6.4
23	*****	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	15.7	15.0	14.0	11.0	6.0
24	*****	20.1	19.6	19.0	18.4	17.9	17.3	16.6	16.0	15.4	14.7	13.9	11.0	5.8
25	*****	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.7	15.0	14.3	13.4	10.7	5.4
30	*****	18.0	17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.7	13.0	12.1	9.4	5.1
35	*****	16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.6	12.0	11.1	8.2	4.8
40	*****	15.6	15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.8	11.3	10.4	7.8	4.5
45	*****	14.7	14.3	13.9	13.5	13.0	12.6	12.1	11.7	11.1	10.6	9.6	7.5	4.3
50	*****	13.9	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.5	10.0	9.2	7.1	4.1
55	*****	12.9	12.6	12.2	11.8	11.4	11.0	10.6	10.1	9.6	9.1	8.2	6.4	3.8
60	*****	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.6	9.1	8.6	7.7	5.9	3.5
65	*****	11.9	11.6	11.2	10.9	10.5	10.1	9.6	9.1	8.6	8.1	7.2	5.4	3.3
70	*****	11.5	11.1	10.8	10.5	10.1	9.7	9.2	8.7	8.2	7.7	6.8	5.0	3.1
75	*****	11.1	10.8	10.4	10.1	9.7	9.2	8.7	8.2	7.7	7.2	6.3	4.5	2.9
80	*****	10.7	10.4	10.1	9.8	9.4	8.9	8.4	7.9	7.4	6.9	6.0	4.2	2.7
85	*****	10.4	10.1	9.8	9.4	9.0	8.5	8.0	7.5	7.0	6.5	5.6	3.8	2.5
90	*****	10.1	9.8	9.5	9.1	8.7	8.2	7.7	7.2	6.7	6.2	5.3	3.5	2.3
95	*****	9.8	9.6	9.3	9.0	8.7	8.2	7.7	7.2	6.7	6.2	5.3	3.5	2.3
100	*****	9.6	9.3	9.0	8.7	8.2	7.7	7.2	6.7	6.2	5.7	4.8	3.0	2.1
125	*****	8.3	8.1	7.8	7.6	7.3	7.0	6.7	6.4	6.0	5.6	4.7	2.9	2.0
150	*****	7.6	7.4	7.1	6.9	6.7	6.4	6.0	5.8	5.5	5.1	4.2	2.6	1.8
200	*****	6.4	6.2	6.0	5.8	5.5	5.1	4.9	4.7	4.4	4.1	3.2	2.1	1.5
250	*****	5.5	5.3	5.2	4.9	4.7	4.4	4.1	3.9	3.6	3.3	2.4	1.6	1.1
300	*****	4.9	4.7	4.5	4.2	4.0	3.7	3.4	3.1	2.9	2.6	1.7	1.1	0.8
350	*****	4.4	4.2	4.0	3.7	3.4	3.1	2.9	2.6	2.3	2.0	1.4	0.9	0.6
400	*****	3.9	3.6	3.3	3.0	2.7	2.4	2.1	1.9	1.6	1.3	0.9	0.6	0.4
450	*****	3.4	3.1	2.8	2.5	2.2	1.9	1.6	1.3	1.1	0.8	0.5	0.3	0.2
500	*****	3.2	2.9	2.6	2.3	2.0	1.7	1.4	1.1	0.9	0.7	0.4	0.2	0.1
750	*****	2.4	2.1	1.8	1.5	1.2	1.0	0.8	0.6	0.4	0.3	0.2	0.1	0.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Alberta: CENTRAL ZONE (48933)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	67.6	67.3	66.2	64.5	62.7	60.8	58.9	56.9	54.8	52.6	48.1	37.2	21.5
2	*****	47.8	47.6	46.8	45.6	44.3	43.0	41.6	40.2	38.7	37.2	34.0	26.3	15.2
3	*****	39.0	38.8	38.2	37.2	36.2	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4
4	*****	33.6	33.1	32.2	31.3	30.4	29.4	28.4	27.4	26.3	24.0	18.6	10.7	
5	*****	30.1	29.6	28.8	28.0	27.2	26.3	25.4	24.5	23.5	21.5	16.6	9.6	
6	*****	27.5	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8	
7	*****		25.0	24.4	23.7	23.0	22.2	21.5	20.7	19.9	18.2	14.1	8.1	
8	*****		23.4	22.8	22.2	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6	
9	*****		22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.5	16.0	12.4	7.2	
10	*****		20.9	20.4	19.8	19.2	18.6	18.0	17.3	16.6	15.2	11.8	6.8	
11	*****		20.0	19.4	18.9	18.3	17.7	17.1	16.5	15.9	14.5	11.2	6.5	
12	*****		19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2	
13	*****		18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0	
14	*****		17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.1	12.8	9.9	5.7	
15	*****		17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5	
16	*****		16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	
17	*****			15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2	
18	*****			15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1	
19	*****			14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9	
20	*****			14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.7	8.3	4.8	
21	*****			14.1	13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7	
22	*****			13.7	13.4	13.0	12.5	12.1	11.7	11.2	10.2	7.9	4.6	
23	*****			13.4	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5	
24	*****			13.2	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4	
25	*****			12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3	
30	*****			11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	
35	*****				10.6	10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6	
40	*****				9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	
45	*****					9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
50	*****						8.6	8.3	8.0	7.7	7.4	6.8	5.3	3.0
55	*****						8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
60	*****						7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
65	*****						7.5	7.3	7.1	6.8	6.5	6.0	4.6	2.7
70	*****							7.0	6.8	6.5	6.3	5.7	4.4	2.6
75	*****							6.8	6.6	6.3	6.1	5.5	4.3	2.5
80	*****							6.6	6.4	6.1	5.9	5.4	4.2	2.4
85	*****								6.2	5.9	5.7	5.2	4.0	2.3
90	*****								6.0	5.8	5.5	5.1	3.9	2.3
95	*****								5.8	5.6	5.4	4.9	3.8	2.2
100	*****									5.5	5.3	4.8	3.7	2.1
125	*****										4.7	4.3	3.3	1.9
150	*****											3.9	3.0	1.8
200	*****												2.6	1.5
250	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Alberta: EDMONTON ZONE (48934)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	102.5	102.0	100.4	97.7	95.0	92.2	89.2	86.2	83.1	79.8	72.9	56.4	32.6
2	*****	72.5	72.1	71.0	69.1	67.2	65.2	63.1	61.0	58.7	56.4	51.5	39.9	23.0
3	*****	59.2	58.9	58.0	56.4	54.8	53.2	51.5	49.8	48.0	46.1	42.1	32.6	18.8
4	*****	51.3	51.0	50.2	48.9	47.5	46.1	44.6	43.1	41.5	39.9	36.4	28.2	16.3
5	*****	45.8	45.6	44.9	43.7	42.5	41.2	39.9	38.5	37.1	35.7	32.6	25.2	14.6
6	*****	41.8	41.6	41.0	39.9	38.8	37.6	36.4	35.2	33.9	32.6	29.7	23.0	13.3
7	*****	38.7	38.5	38.0	36.9	35.9	34.8	33.7	32.6	31.4	30.2	27.5	21.3	12.3
8	*****	36.2	36.1	35.5	34.6	33.6	32.6	31.5	30.5	29.4	28.2	25.8	20.0	11.5
9	*****	34.0	33.5	32.6	31.7	30.7	29.7	28.7	27.7	26.6	25.4	23.3	18.8	10.9
10	*****	32.3	31.8	30.9	30.0	29.1	28.2	27.3	26.3	25.2	23.0	17.8	10.3	
11	*****	30.8	30.3	29.5	28.6	27.8	26.9	26.0	25.0	24.1	22.0	17.0	9.8	
12	*****	29.4	29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.0	21.0	16.3	9.4	
13	*****	28.3	27.9	27.1	26.3	25.6	24.7	23.9	23.0	22.1	20.2	15.7	9.0	
14	*****	27.3	26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7	
15	*****	26.3	25.9	25.2	24.5	23.8	23.0	22.3	21.4	20.6	18.8	14.6	8.4	
16	*****	25.5	25.1	24.4	23.7	23.0	22.3	21.5	20.8	20.0	18.2	14.1	8.1	
17	*****	24.7	24.4	23.7	23.0	22.3	21.6	20.9	20.1	19.4	17.7	13.7	7.9	
18	*****	23.7	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7		
19	*****	23.0	22.4	21.8	21.1	20.5	19.8	19.1	18.3	16.7	12.9	7.5		
20	*****	22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.8	16.3	12.6	7.3		
21	*****	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1		
22	*****	21.4	20.8	20.3	19.6	19.0	18.4	17.7	17.0	15.5	12.0	6.9		
23	*****	20.9	20.4	19.8	19.2	18.6	18.0	17.3	16.6	15.2	11.8	6.8		
24	*****	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7		
25	*****	20.1	19.5	19.0	18.4	17.8	17.2	16.6	16.0	14.6	11.3	6.5		
30	*****	18.3	17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9		
35	*****	17.0	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5		
40	*****	15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2		
45	*****	14.6	14.2	13.7	13.3	12.8	12.4	11.9	11.9	10.9	8.4	4.9		
50	*****	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6			
55	*****	13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4			
60	*****	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2			
65	*****	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0			
70	*****	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9			
75	*****	11.3	11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8			
80	*****	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6			
85	*****	10.6	10.3	10.0	9.7	9.3	9.0	8.7	7.9	6.1	3.5			
90	*****	10.0	9.7	9.4	9.1	8.8	8.4	8.0	7.7	5.9	3.4			
95	*****	9.7	9.5	9.2	8.8	8.5	8.2	7.9	7.5	5.8	3.3			
100	*****	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.4	5.6	3.3			
125	*****	8.5	8.2	8.0	7.7	7.4	7.1	6.8	6.5	5.0	2.9			
150	*****	7.5	7.3	7.0	6.8	6.5	6.2	5.9	5.6	4.6	2.7			
200	*****	6.3	6.1	5.9	5.6	5.3	5.0	4.7	4.4	3.6	2.3			
250	*****	5.5	5.3	5.0	4.7	4.4	4.1	3.8	3.5	2.8	1.9			
300	*****	4.8	4.6	4.3	4.0	3.7	3.4	3.1	2.8	2.2	1.7			
350	*****	4.0	3.8	3.5	3.2	2.9	2.6	2.3	2.0	1.6	1.3			
400	*****	3.6	3.4	3.1	2.8	2.5	2.2	1.9	1.6	1.3	1.0			
450	*****	3.2	3.0	2.7	2.4	2.1	1.8	1.5	1.2	1.0	0.8			
500	*****	2.8	2.6	2.3	2.0	1.7	1.4	1.1	0.9	0.7	0.6			
750	*****	2.5	2.3	2.0	1.7	1.4	1.1	0.9	0.7	0.5	0.4			

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Alberta: NORTH ZONE (48935)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	58.3	58.0	57.1	55.6	54.1	52.4	50.8	49.1	47.3	45.4	41.5	32.1	18.5
2	*****	41.2	41.0	40.4	39.3	38.2	37.1	35.9	34.7	33.4	32.1	29.3	22.7	13.1
3	*****	33.7	33.5	33.0	32.1	31.2	30.3	29.3	28.3	27.3	26.2	23.9	18.5	10.7
4	*****	29.0	28.6	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.1	9.3	
5	*****	26.0	25.6	24.9	24.2	23.5	22.7	21.9	21.1	20.3	18.5	14.4	8.3	
6	*****	23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6	
7	*****	21.6	21.0	20.4	19.8	19.2	18.5	17.9	17.2	15.7	12.1	7.0		
8	*****	20.2	19.7	19.1	18.5	18.0	17.3	16.7	16.1	14.7	11.4	6.6		
9	*****	19.0	18.5	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2		
10	*****	18.1	17.6	17.1	16.6	16.1	15.5	14.9	14.4	13.1	10.2	5.9		
11	*****	17.2	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6		
12	*****	16.5	16.1	15.6	15.1	14.7	14.2	13.6	13.1	12.0	9.3	5.4		
13	*****	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1		
14	*****	15.3	14.9	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0		
15	*****	14.8	14.4	14.0	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6	
16	*****	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5		
17	*****	13.5	13.1	12.7	12.3	11.9	11.6	11.1	10.7	9.8	7.6	4.4		
18	*****	13.1	12.7	12.4	12.0	11.6	11.3	10.8	10.4	9.5	7.4	4.3		
19	*****	12.8	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1		
20	*****	12.4	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0		
21	*****	11.9	11.5	11.2	10.8	10.5	10.1	9.7	9.3	8.5	6.6	3.8		
22	*****	11.6	11.3	10.9	10.6	10.2	9.9	9.5	9.1	8.3	6.4	3.7		
23	*****	11.4	11.0	10.7	10.4	10.0	9.6	9.3	8.9	8.1	6.3	3.5		
24	*****	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.7	7.9	6.2	3.3		
25	*****	10.2	9.9	9.6	9.3	9.0	8.6	8.3	8.0	7.2	5.5	3.0		
30	*****	9.1	8.9	8.6	8.3	8.0	7.7	7.4	7.0	6.2	4.8	2.8		
35	*****	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.7	6.4	5.1	3.4		
40	*****	8.1	7.8	7.6	7.3	7.0	6.8	6.5	6.2	5.9	4.8	3.1		
45	*****	7.4	7.2	6.9	6.7	6.4	6.2	5.9	5.6	5.4	4.4	2.9		
50	*****	7.1	6.8	6.6	6.4	6.1	5.9	5.6	5.4	5.0	4.1	2.6		
55	*****	6.8	6.6	6.3	6.1	5.9	5.6	5.4	5.0	4.7	3.8	2.2		
60	*****	6.3	6.1	5.9	5.6	5.4	5.0	4.7	4.4	4.1	3.3	1.9		
65	*****	6.1	5.9	5.6	5.4	5.0	4.7	4.4	4.1	3.8	3.0	1.7		
70	*****	5.9	5.7	5.5	5.2	4.9	4.6	4.3	4.0	3.7	2.9	1.5		
75	*****	5.5	5.3	5.1	4.9	4.6	4.3	4.0	3.7	3.4	2.6	1.3		
80	*****	5.3	5.1	4.9	4.6	4.3	4.0	3.7	3.4	3.1	2.3	1.2		
85	*****	5.2	5.0	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.2	1.1		
90	*****	4.8	4.7	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.0	1.0		
95	*****	4.7	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.4	1.8	0.9		
100	*****	4.7	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.4	1.8	0.9		
125	*****													
150	*****													
200	*****													
250	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: EAST KOOTENAY (59911)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		51.2	50.4	49.1	47.7	46.3	44.8	43.3	41.7	40.1	36.6	28.3	16.4
2	*****			35.7	34.7	33.7	32.7	31.7	30.6	29.5	28.3	25.9	20.0	11.6
3	*****			29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4
4	*****				24.5	23.9	23.1	22.4	21.6	20.9	20.0	18.3	14.2	8.2
5	*****				22.0	21.3	20.7	20.0	19.4	18.7	17.9	16.4	12.7	7.3
6	*****				20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7
7	*****					18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2
8	*****					16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8
9	*****					15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5
10	*****						14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
11	*****						14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9
12	*****						13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
13	*****						12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5
14	*****							12.0	11.6	11.1	10.7	9.8	7.6	4.4
15	*****							11.6	11.2	10.8	10.3	9.4	7.3	4.2
16	*****							11.2	10.8	10.4	10.0	9.1	7.1	4.1
17	*****								10.5	10.1	9.7	8.9	6.9	4.0
18	*****								10.2	9.8	9.4	8.6	6.7	3.9
19	*****									9.9	9.6	9.2	8.4	6.5
20	*****										9.3	9.0	8.2	6.3
21	*****											9.1	8.7	6.2
22	*****												8.9	6.0
23	*****													8.7
24	*****													8.4
25	*****													8.2
30	*****													8.0
35	*****													7.8
40	*****													7.6
45	*****													7.5
50	*****													7.3
55	*****													7.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: KOOTENAY-BOUNDARY (59912)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	58.8	57.9	56.3	54.7	53.1	51.4	49.7	47.9	46.0	42.0	32.5	18.8	
2	*****	40.9	39.8	38.7	37.5	36.3	35.1	33.8	32.5	29.7	23.0	13.3		
3	*****	33.4	32.5	31.6	30.7	29.7	28.7	27.6	26.5	24.2	18.8	10.8		
4	*****		28.2	27.4	26.5	25.7	24.8	23.9	23.0	21.0	16.3	9.4		
5	*****		25.2	24.5	23.7	23.0	22.2	21.4	20.6	18.8	14.5	8.4		
6	*****		23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7		
7	*****			20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1		
8	*****			19.3	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6		
9	*****			18.2	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3		
10	*****				16.8	16.3	15.7	15.1	14.5	13.3	10.3	5.9		
11	*****				16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7		
12	*****				15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4		
13	*****					14.3	13.8	13.3	12.8	11.6	9.0	5.2		
14	*****					13.7	13.3	12.8	12.3	11.2	8.7	5.0		
15	*****						13.3	12.8	12.4	11.9	10.8	8.4	4.8	
16	*****						12.9	12.4	12.0	11.5	10.5	8.1	4.7	
17	*****							12.0	11.6	11.2	10.2	7.9	4.6	
18	*****							11.7	11.3	10.8	9.9	7.7	4.4	
19	*****								11.4	11.0	10.5	9.6	7.5	4.3
20	*****									10.7	10.3	9.4	7.3	4.2
21	*****										10.4	10.0	9.2	7.1
22	*****											10.2	9.8	8.9
23	*****												9.6	8.9
24	*****													9.6
25	*****													9.4
30	*****													9.2
35	*****													9.2
40	*****													9.2
45	*****													9.2
50	*****													9.2
55	*****													9.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: OKANAGAN (59913)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	81.9	81.5	80.2	78.1	75.9	73.6	71.3	68.9	66.4	63.8	58.2	45.1	26.0
2	*****	57.9	57.6	56.7	55.2	53.7	52.1	50.4	48.7	46.9	45.1	41.2	31.9	18.4
3	*****		47.0	46.3	45.1	43.8	42.5	41.2	39.8	38.3	36.8	33.6	26.0	15.0
4	*****		40.7	40.1	39.0	37.9	36.8	35.6	34.4	33.2	31.9	29.1	22.5	13.0
5	*****		36.4	35.9	34.9	33.9	32.9	31.9	30.8	29.7	28.5	26.0	20.2	11.6
6	*****			32.7	31.9	31.0	30.1	29.1	28.1	27.1	26.0	23.8	18.4	10.6
7	*****			30.3	29.5	28.7	27.8	26.9	26.0	25.1	24.1	22.0	17.0	9.8
8	*****			28.4	27.6	26.8	26.0	25.2	24.3	23.5	22.5	20.6	15.9	9.2
9	*****			26.7	26.0	25.3	24.5	23.8	23.0	22.1	21.3	19.4	15.0	8.7
10	*****			25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.2	18.4	14.3	8.2
11	*****			24.2	23.5	22.9	22.2	21.5	20.8	20.0	19.2	17.5	13.6	7.8
12	*****			23.2	22.5	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5
13	*****			22.2	21.7	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2
14	*****			21.4	20.9	20.3	19.7	19.0	18.4	17.7	17.0	15.6	12.0	7.0
15	*****			20.2	19.6	19.0	18.4	17.8	17.2	16.6	16.0	14.5	11.3	6.7
16	*****			19.5	19.0	18.4	17.8	17.2	16.6	16.0	15.4	13.9	10.9	6.3
17	*****			18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.9	13.4	10.4	6.0
18	*****			18.4	17.9	17.4	16.8	16.2	15.6	15.0	14.4	12.9	10.0	5.8
19	*****			17.9	17.4	16.9	16.4	15.8	15.2	14.6	14.0	12.5	9.7	5.5
20	*****			17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.7	12.2	9.4	5.4
21	*****			17.0	16.6	16.1	15.6	15.0	14.5	13.9	13.4	11.9	9.2	5.3
22	*****			16.6	16.2	15.7	15.2	14.7	14.1	13.6	13.1	11.6	8.9	5.2
23	*****			16.3	15.8	15.3	14.9	14.4	13.8	13.3	12.8	11.3	8.6	4.8
24	*****			15.9	15.5	15.0	14.5	14.1	13.5	13.0	12.5	11.0	8.3	4.4
25	*****			15.6	15.2	14.7	14.3	13.8	13.3	12.8	12.3	10.8	8.1	4.1
30	*****				13.9	13.4	13.0	12.6	12.1	11.6	11.1	9.6	7.0	3.9
35	*****				12.8	12.4	12.0	11.6	11.2	10.8	10.4	8.9	6.4	3.7
40	*****				12.0	11.6	11.3	10.9	10.5	10.1	9.7	8.2	5.8	3.5
45	*****					11.0	10.6	10.3	9.9	9.5	9.1	7.6	5.3	3.4
50	*****					10.4	10.1	9.7	9.4	9.0	8.6	7.1	4.9	3.2
55	*****						9.9	9.6	9.3	8.9	8.6	7.1	4.8	3.1
60	*****							9.2	8.9	8.6	8.2	6.7	4.6	2.7
65	*****							8.8	8.5	8.2	7.9	6.4	4.4	2.6
70	*****							8.5	8.2	7.9	7.6	6.1	4.2	2.3
75	*****								8.0	7.7	7.4	5.9	4.0	2.1
80	*****								7.7	7.4	7.1	5.6	3.7	1.8
85	*****								7.5	7.2	6.9	5.4	3.5	1.6
90	*****									7.0	6.7	5.2	3.3	
95	*****									6.8	6.5	5.0	3.1	
100	*****										6.4	4.8	2.9	
125	*****											4.0	2.3	
150	*****												1.8	
200	*****													1.6
250	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: THOMPSON CARIBOO (59914)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	74.9	74.5	73.3	71.4	69.4	67.3	65.2	63.0	60.7	58.3	53.2	41.2	23.8
2	*****		52.7	51.9	50.5	49.1	47.6	46.1	44.5	42.9	41.2	37.6	29.1	16.8
3	*****		43.0	42.3	41.2	40.0	38.9	37.6	36.3	35.0	33.6	30.7	23.8	13.7
4	*****			36.7	35.7	34.7	33.6	32.6	31.5	30.3	29.1	26.6	20.6	11.9
5	*****			32.8	31.9	31.0	30.1	29.1	28.2	27.1	26.1	23.8	18.4	10.6
6	*****			29.9	29.1	28.3	27.5	26.6	25.7	24.8	23.8	21.7	16.8	9.7
7	*****			27.7	27.0	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0
8	*****			25.9	25.2	24.5	23.8	23.0	22.3	21.4	20.6	18.8	14.6	8.4
9	*****				23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9
10	*****				22.6	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5
11	*****				21.5	20.9	20.3	19.6	19.0	18.3	17.6	16.0	12.4	7.2
12	*****				20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9
13	*****				19.8	19.2	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6
14	*****				19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
15	*****				18.4	17.9	17.4	16.8	16.3	15.7	15.0	13.7	10.6	6.1
16	*****				17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9
17	*****				17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
18	*****					16.4	15.9	15.4	14.8	14.3	13.7	12.5	9.7	5.6
19	*****					15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.5	5.5
20	*****					15.5	15.0	14.6	14.1	13.6	13.0	11.9	9.2	5.3
21	*****					15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
22	*****					14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
23	*****					14.5	14.0	13.6	13.1	12.6	12.2	11.1	8.6	5.0
24	*****					14.2	13.7	13.3	12.8	12.4	11.9	10.9	8.4	4.9
25	*****					13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
30	*****						12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
35	*****						11.0	10.6	10.3	9.9	9.0	7.0	4.0	
40	*****							10.3	10.0	9.6	9.2	8.4	6.5	3.8
45	*****								9.4	9.0	8.7	7.9	6.1	3.5
50	*****								8.9	8.6	8.2	7.5	5.8	3.4
55	*****									8.2	7.9	7.2	5.6	3.2
60	*****									7.8	7.5	6.9	5.3	3.1
65	*****										7.2	6.6	5.1	3.0
70	*****											6.4	4.9	2.8
75	*****											6.1	4.8	2.7
80	*****											5.9	4.6	2.7
85	*****											5.8	4.5	2.6
90	*****												4.3	2.5
95	*****												4.2	2.4
100	*****												4.1	2.4
125	*****													2.1
150	*****													1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: FRASER EAST (59921)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	79.6	79.2	78.0	75.9	73.8	71.6	69.3	67.0	64.5	62.0	56.6	43.8	25.3
2	*****	56.3	56.0	55.2	53.7	52.2	50.6	49.0	47.3	45.6	43.8	40.0	31.0	17.9
3	*****		45.7	45.0	43.8	42.6	41.3	40.0	38.7	37.3	35.8	32.7	25.3	14.6
4	*****		39.6	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7
5	*****			34.9	34.0	33.0	32.0	31.0	29.9	28.9	27.7	25.3	19.6	11.3
6	*****				31.8	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	17.9
7	*****				29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.4	21.4	16.6
8	*****				27.6	26.8	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5
9	*****				26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6
10	*****				24.7	24.0	23.3	22.6	21.9	21.2	20.4	19.6	17.9	13.9
11	*****				23.5	22.9	22.2	21.6	20.9	20.2	19.5	18.7	17.1	13.2
12	*****					21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7
13	*****					21.1	20.5	19.9	19.2	18.6	17.9	17.2	15.7	12.2
14	*****					20.3	19.7	19.1	18.5	17.9	17.2	16.6	15.1	11.7
15	*****					19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3
16	*****					19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	11.0
17	*****					18.4	17.9	17.4	16.8	16.2	15.6	15.0	13.7	10.6
18	*****					17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3
19	*****					17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1
20	*****					17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8
21	*****					16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6
22	*****					16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.3
23	*****						15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1
24	*****						15.1	14.6	14.1	13.7	13.2	12.7	11.6	8.9
25	*****						14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8
30	*****						13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0
35	*****							12.1	11.7	11.3	10.9	10.5	9.6	7.4
40	*****							11.3	11.0	10.6	10.2	9.8	8.9	6.9
45	*****								10.3	10.0	9.6	9.2	8.4	6.5
50	*****								9.8	9.5	9.1	8.8	8.0	6.2
55	*****								9.3	9.0	8.7	8.4	7.6	5.9
60	*****									8.6	8.3	8.0	7.3	5.7
65	*****									8.3	8.0	7.7	7.0	5.4
70	*****										7.7	7.4	6.8	5.2
75	*****										7.5	7.2	6.5	5.1
80	*****											6.9	6.3	4.9
85	*****											6.7	6.1	4.8
90	*****												6.0	4.6
95	*****												5.8	4.5
100	*****												5.7	4.4
125	*****													3.9
150	*****													3.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: FRASER NORTH (59922)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	103.2	102.7	101.1	98.4	95.6	92.8	89.8	86.8	83.6	80.3	73.3	56.8	32.8
2	*****	73.0	72.6	71.5	69.6	67.6	65.6	63.5	61.4	59.1	56.8	51.9	40.2	23.2
3	*****	59.6	59.3	58.4	56.8	55.2	53.6	51.9	50.1	48.3	46.4	42.3	32.8	18.9
4	*****	51.6	51.3	50.5	49.2	47.8	46.4	44.9	43.4	41.8	40.2	36.7	28.4	16.4
5	*****	45.9	45.2	44.0	42.8	41.5	40.2	38.8	37.4	35.9	32.8	25.4	14.7	
6	*****	41.9	41.3	40.2	39.0	37.9	36.7	35.4	34.1	32.8	29.9	23.2	13.4	
7	*****	38.8	38.2	37.2	36.1	35.1	33.9	32.8	31.6	30.4	27.7	21.5	12.4	
8	*****	36.3	35.7	34.8	33.8	32.8	31.8	30.7	29.6	28.4	25.9	20.1	11.6	
9	*****	34.2	33.7	32.8	31.9	30.9	29.9	28.9	27.9	26.8	24.4	18.9	10.9	
10	*****	32.0	31.1	30.2	29.3	28.4	27.4	26.4	25.4	24.2	22.1	17.1	9.9	
11	*****	30.5	29.7	28.8	28.0	27.1	26.2	25.2	24.2	22.1	17.1	9.9		
12	*****	29.2	28.4	27.6	26.8	25.9	25.0	24.1	23.2	21.2	16.4	9.5		
13	*****	28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.8	9.1		
14	*****	27.0	26.3	25.6	24.8	24.0	23.2	22.3	21.5	19.6	15.2	8.8		
15	*****	26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.7	18.9	14.7	8.5		
16	*****	25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.3	14.2	8.2		
17	*****	24.5	23.9	23.2	22.5	21.8	21.0	20.3	19.5	17.8	13.8	8.0		
18	*****	23.8	23.2	22.5	21.9	21.2	20.5	19.7	18.9	17.3	13.4	7.7		
19	*****	23.2	22.6	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5		
20	*****	22.6	22.0	21.4	20.7	20.1	19.4	18.7	18.0	16.4	12.7	7.3		
21	*****	22.1	21.5	20.9	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.2		
22	*****	21.6	21.0	20.4	19.8	19.1	18.5	17.8	17.1	15.6	12.1	7.0		
23	*****	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.8	15.3	11.8	6.8		
24	*****	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7			
25	*****	19.7	19.1	18.6	18.0	17.4	16.7	16.1	14.7	11.4	6.6			
30	*****	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0			
35	*****	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5			
40	*****	15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2			
45	*****	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9			
50	*****	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6				
55	*****	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4				
60	*****	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2				
65	*****	11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1				
70	*****	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9				
75	*****	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8					
80	*****	10.4	10.0	9.7	9.3	9.0	8.2	6.4	3.7					
85	*****	10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6					
90	*****	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5					
95	*****	9.2	8.9	8.6	8.2	7.5	5.8	3.4						
100	*****	9.0	8.7	8.4	8.0	7.3	5.7	3.3						
125	*****	7.8	7.5	7.2	6.6	5.1	2.9							
150	*****	6.8	6.6	6.0	4.6	2.7								
200	*****	5.2	4.0	2.3										
250	*****	3.6	2.1											
300	*****	3.3	1.9											
350	*****	1.8												
400	*****	1.6												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: FRASER SOUTH (59923)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	99.7	99.2	97.6	95.0	92.4	89.6	86.8	83.8	80.8	77.6	70.8	54.9	31.7
2	*****	70.5	70.1	69.0	67.2	65.3	63.4	61.4	59.3	57.1	54.9	50.1	38.8	22.4
3	*****	57.6	57.3	56.4	54.9	53.3	51.7	50.1	48.4	46.6	44.8	40.9	31.7	18.3
4	*****	49.8	49.6	48.8	47.5	46.2	44.8	43.4	41.9	40.4	38.8	35.4	27.4	15.8
5	*****	44.6	44.4	43.7	42.5	41.3	40.1	38.8	37.5	36.1	34.7	31.7	24.5	14.2
6	*****	*****	40.5	39.9	38.8	37.7	36.6	35.4	34.2	33.0	31.7	28.9	22.4	12.9
7	*****	*****	37.5	36.9	35.9	34.9	33.9	32.8	31.7	30.5	29.3	26.8	20.7	12.0
8	*****	*****	35.1	34.5	33.6	32.7	31.7	30.7	29.6	28.6	27.4	25.0	19.4	11.2
9	*****	*****	33.1	32.5	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6
10	*****	*****	31.4	30.9	30.1	29.2	28.3	27.4	26.5	25.5	24.5	22.4	17.4	10.0
11	*****	*****	29.9	29.4	28.7	27.8	27.0	26.2	25.3	24.4	23.4	21.4	16.5	9.6
12	*****	*****	*****	28.2	27.4	26.7	25.9	25.0	24.2	23.3	22.4	20.5	15.8	9.1
13	*****	*****	*****	27.1	26.4	25.6	24.9	24.1	23.2	22.4	21.5	19.6	15.2	8.8
14	*****	*****	*****	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
15	*****	*****	*****	25.2	24.5	23.8	23.1	22.4	21.6	20.9	20.0	18.3	14.2	8.2
16	*****	*****	*****	24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9
17	*****	*****	*****	23.7	23.1	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
18	*****	*****	*****	23.0	22.4	21.8	21.1	20.5	19.8	19.0	18.3	16.7	12.9	7.5
19	*****	*****	*****	22.4	21.8	21.2	20.6	19.9	19.2	18.5	17.8	16.3	12.6	7.3
20	*****	*****	*****	21.8	21.3	20.7	20.0	19.4	18.7	18.1	17.4	15.8	12.3	7.1
21	*****	*****	*****	21.3	20.7	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9
22	*****	*****	*****	20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.8
23	*****	*****	*****	20.4	19.8	19.3	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6
24	*****	*****	*****	19.9	19.4	18.9	18.3	17.7	17.1	16.5	15.8	14.5	11.2	6.5
25	*****	*****	*****	19.5	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3
30	*****	*****	*****	*****	17.4	16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8
35	*****	*****	*****	*****	16.1	15.6	15.1	14.7	14.2	13.7	13.1	12.0	9.3	5.4
40	*****	*****	*****	*****	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
45	*****	*****	*****	*****	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
50	*****	*****	*****	*****	13.4	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5
55	*****	*****	*****	*****	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
60	*****	*****	*****	*****	*****	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
65	*****	*****	*****	*****	*****	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
70	*****	*****	*****	*****	*****	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
75	*****	*****	*****	*****	*****	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
80	*****	*****	*****	*****	*****	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
85	*****	*****	*****	*****	*****	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
90	*****	*****	*****	*****	*****	*****	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
95	*****	*****	*****	*****	*****	*****	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
100	*****	*****	*****	*****	*****	*****	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
125	*****	*****	*****	*****	*****	*****	7.8	7.7	7.5	7.2	6.9	6.3	4.9	2.8
150	*****	*****	*****	*****	*****	*****	*****	6.8	6.6	6.3	6.0	5.8	4.5	2.6
200	*****	*****	*****	*****	*****	*****	*****	*****	5.7	5.5	5.0	3.9	2.2	1.5
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.5	3.5	2.0	1.4
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.2	1.8	1.1
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.9	1.7	1.0
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	1.6	0.9
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.5	0.8
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4	0.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: RICHMOND (59931)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	80.1	79.7	78.5	76.4	74.2	72.0	69.7	67.4	64.9	62.4	56.9	44.1	25.5
2	*****	56.4	55.5	54.0	52.5	50.9	49.3	47.6	45.9	44.1	40.3	31.2	18.0	
3	*****	46.0	45.3	44.1	42.9	41.6	40.3	38.9	37.5	36.0	32.9	25.5	14.7	
4	*****		39.2	38.2	37.1	36.0	34.9	33.7	32.5	31.2	28.5	22.1	12.7	
5	*****		35.1	34.2	33.2	32.2	31.2	30.1	29.0	27.9	25.5	19.7	11.4	
6	*****		32.0	31.2	30.3	29.4	28.5	27.5	26.5	25.5	23.2	18.0	10.4	
7	*****		29.7	28.9	28.1	27.2	26.4	25.5	24.5	23.6	21.5	16.7	9.6	
8	*****			27.0	26.2	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0	
9	*****			25.5	24.7	24.0	23.2	22.5	21.6	20.8	19.0	14.7	8.5	
10	*****			24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	13.9	8.1	
11	*****			23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7	
12	*****			22.1	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.4	
13	*****			21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1	
14	*****			20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8	
15	*****			19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6	
16	*****				18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4	
17	*****				18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2	
18	*****				17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0	
19	*****				17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
20	*****				16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7	
21	*****				16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6	
22	*****					15.8	15.4	14.9	14.4	13.8	13.3	12.1	9.4	5.4
23	*****					15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3
24	*****						14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2
25	*****						14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1
30	*****						13.1	12.7	12.3	11.9	11.4	10.4	8.1	4.6
35	*****						11.8	11.4	11.0	10.5	9.6	7.5	4.3	
40	*****							10.7	10.3	9.9	9.0	7.0	4.0	
45	*****							10.0	9.7	9.3	8.5	6.6	3.8	
50	*****								9.2	8.8	8.1	6.2	3.6	
55	*****								8.8	8.4	7.7	5.9	3.4	
60	*****									8.1	7.4	5.7	3.3	
65	*****										7.1	5.5	3.2	
70	*****											6.8	5.3	3.0
75	*****											6.6	5.1	2.9
80	*****												4.9	2.8
85	*****												4.8	2.8
90	*****												4.6	2.7
95	*****												4.5	2.6
100	*****												4.4	2.5
125	*****													2.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: VANCOUVER (59932)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	107.8	107.3	105.6	102.8	99.9	96.9	93.9	90.7	87.4	83.9	76.6	59.4	34.3
2	*****	76.2	75.9	74.7	72.7	70.7	68.5	66.4	64.1	61.8	59.4	54.2	42.0	24.2
3	*****	62.3	61.9	61.0	59.4	57.7	56.0	54.2	52.3	50.4	48.5	44.2	34.3	19.8
4	*****	53.9	53.6	52.8	51.4	50.0	48.5	46.9	45.3	43.7	42.0	38.3	29.7	17.1
5	*****	48.2	48.0	47.2	46.0	44.7	43.3	42.0	40.6	39.1	37.5	34.3	26.5	15.3
6	*****	*****	43.8	43.1	42.0	40.8	39.6	38.3	37.0	35.7	34.3	31.3	24.2	14.0
7	*****	*****	40.6	39.9	38.9	37.8	36.6	35.5	34.3	33.0	31.7	29.0	22.4	13.0
8	*****	*****	37.9	37.3	36.3	35.3	34.3	33.2	32.1	30.9	29.7	27.1	21.0	12.1
9	*****	*****	35.8	35.2	34.3	33.3	32.3	31.3	30.2	29.1	28.0	25.5	19.8	11.4
10	*****	*****	33.9	33.4	32.5	31.6	30.7	29.7	28.7	27.6	26.5	24.2	18.8	10.8
11	*****	*****	*****	31.8	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	17.9	10.3
12	*****	*****	*****	30.5	29.7	28.8	28.0	27.1	26.2	25.2	24.2	22.1	17.1	9.9
13	*****	*****	*****	29.3	28.5	27.7	26.9	26.0	25.1	24.2	23.3	21.3	16.5	9.5
14	*****	*****	*****	28.2	27.5	26.7	25.9	25.1	24.2	23.4	22.4	20.5	15.9	9.2
15	*****	*****	*****	27.3	26.5	25.8	25.0	24.2	23.4	22.6	21.7	19.8	15.3	8.8
16	*****	*****	*****	26.4	25.7	25.0	24.2	23.5	22.7	21.8	21.0	19.2	14.8	8.6
17	*****	*****	*****	25.6	24.9	24.2	23.5	22.8	22.0	21.2	20.4	18.6	14.4	8.3
18	*****	*****	*****	24.9	24.2	23.6	22.8	22.1	21.4	20.6	19.8	18.1	14.0	8.1
19	*****	*****	*****	24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.3	17.6	13.6	7.9
20	*****	*****	*****	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
21	*****	*****	*****	23.1	22.4	21.8	21.2	20.5	19.8	19.1	18.3	16.7	13.0	7.5
22	*****	*****	*****	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3
23	*****	*****	*****	22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1
24	*****	*****	*****	21.6	21.0	20.4	19.8	19.2	18.5	17.8	17.1	15.6	12.1	7.0
25	*****	*****	*****	21.1	20.6	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.9
30	*****	*****	*****	*****	18.8	18.2	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3
35	*****	*****	*****	*****	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
40	*****	*****	*****	*****	16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
45	*****	*****	*****	*****	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
50	*****	*****	*****	*****	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
55	*****	*****	*****	*****	*****	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
60	*****	*****	*****	*****	*****	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
65	*****	*****	*****	*****	*****	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.3
70	*****	*****	*****	*****	*****	11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1
75	*****	*****	*****	*****	*****	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.9	4.0
80	*****	*****	*****	*****	*****	*****	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
85	*****	*****	*****	*****	*****	*****	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
90	*****	*****	*****	*****	*****	*****	10.2	9.9	9.6	9.2	8.8	8.1	6.3	3.6
95	*****	*****	*****	*****	*****	*****	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5
100	*****	*****	*****	*****	*****	*****	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4
125	*****	*****	*****	*****	*****	*****	*****	8.4	8.1	7.8	7.5	6.9	5.3	3.1
150	*****	*****	*****	*****	*****	*****	*****	*****	7.4	7.1	6.9	6.3	4.8	2.8
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.9	5.4	4.8	3.4	2.4
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.8	4.2	3.0	2.2
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.4	2.4	1.8
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.4
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.3
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: NORTH SHORE/COAST GARIBALDI (59933)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	89.9	89.5	88.1	85.7	83.3	80.8	78.3	75.6	72.9	70.0	63.9	49.5	28.6
2	*****	63.6	63.3	62.3	60.6	58.9	57.2	55.3	53.5	51.5	49.5	45.2	35.0	20.2
3	*****		51.7	50.9	49.5	48.1	46.7	45.2	43.7	42.1	40.4	36.9	28.6	16.5
4	*****		44.7	44.0	42.9	41.7	40.4	39.1	37.8	36.4	35.0	32.0	24.8	14.3
5	*****			39.4	38.3	37.3	36.2	35.0	33.8	32.6	31.3	28.6	22.1	12.8
6	*****				36.0	35.0	34.0	33.0	32.0	30.9	29.7	28.6	26.1	11.7
7	*****				33.3	32.4	31.5	30.6	29.6	28.6	27.5	26.5	24.2	10.8
8	*****				31.1	30.3	29.5	28.6	27.7	26.7	25.8	24.8	22.6	10.1
9	*****				29.4	28.6	27.8	26.9	26.1	25.2	24.3	23.3	21.3	9.5
10	*****				27.9	27.1	26.4	25.6	24.8	23.9	23.0	22.1	20.2	9.0
11	*****				26.6	25.9	25.1	24.4	23.6	22.8	22.0	21.1	19.3	8.6
12	*****					24.8	24.1	23.3	22.6	21.8	21.0	20.2	18.4	8.3
13	*****					23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	7.9
14	*****					22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	7.6
15	*****					22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	7.4
16	*****					21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	7.1
17	*****					20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	6.9
18	*****					20.2	19.6	19.1	18.4	17.8	17.2	16.5	15.1	6.7
19	*****					19.7	19.1	18.5	18.0	17.3	16.7	16.1	14.7	6.6
20	*****					19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	6.4
21	*****					18.7	18.2	17.6	17.1	16.5	15.9	15.3	13.9	6.2
22	*****					18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	6.1
23	*****						17.4	16.9	16.3	15.8	15.2	14.6	13.3	6.0
24	*****						17.0	16.5	16.0	15.4	14.9	14.3	13.0	5.8
25	*****						16.7	16.2	15.7	15.1	14.6	14.0	12.8	5.7
30	*****						15.2	14.8	14.3	13.8	13.3	12.8	11.7	5.2
35	*****						13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
40	*****						12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
45	*****						12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
50	*****						11.1	10.7	10.3	9.9	9.0	7.0	4.0	
55	*****							10.6	10.2	9.8	9.4	8.6	6.7	3.9
60	*****								9.8	9.4	9.0	8.3	6.4	3.7
65	*****								9.4	9.0	8.7	7.9	6.1	3.5
70	*****									8.7	8.4	7.6	5.9	3.4
75	*****										8.4	8.1	7.4	3.3
80	*****											7.8	7.1	3.2
85	*****											7.6	6.9	3.1
90	*****											7.4	6.7	3.0
95	*****												6.6	2.9
100	*****												6.4	2.9
125	*****													4.4
150	*****													4.0
200	*****													2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: SOUTH VANCOUVER ISLAND (59941)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	75.7	75.3	74.2	72.2	70.2	68.1	65.9	63.7	61.4	59.0	53.8	41.7	24.1
2	*****	53.6	53.3	52.5	51.1	49.6	48.1	46.6	45.0	43.4	41.7	38.1	29.5	17.0
3	*****	43.7	43.5	42.8	41.7	40.5	39.3	38.1	36.8	35.4	34.0	31.1	24.1	13.9
4	*****	37.7	37.1	36.1	35.1	34.0	33.0	31.8	30.7	29.5	26.9	20.8	12.0	
5	*****	33.7	33.2	32.3	31.4	30.4	29.5	28.5	27.4	26.4	24.1	18.6	10.8	
6	*****	30.8	30.3	29.5	28.6	27.8	26.9	26.0	25.1	24.1	22.0	17.0	9.8	
7	*****		28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.8	9.1	
8	*****		26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.8	19.0	14.7	8.5	
9	*****		24.7	24.1	23.4	22.7	22.0	21.2	20.5	19.7	17.9	13.9	8.0	
10	*****		23.5	22.8	22.2	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6	
11	*****		22.4	21.8	21.2	20.5	19.9	19.2	18.5	17.8	16.2	12.6	7.3	
12	*****		21.4	20.8	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	6.9	
13	*****		20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	14.9	11.6	6.7	
14	*****		19.8	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.1	6.4	
15	*****		19.2	18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2	
16	*****			18.1	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0	
17	*****			17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.1	10.1	5.8	
18	*****			17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7	
19	*****			16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5	
20	*****			16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	
21	*****			15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.7	9.1	5.3	
22	*****			15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1	
23	*****			15.1	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0	
24	*****			14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
25	*****			14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8	
30	*****			13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	
35	*****				11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1	
40	*****				11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	
45	*****				10.5	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
50	*****					9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	
55	*****					9.2	8.9	8.6	8.3	7.9	7.3	5.6	3.2	
60	*****					8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1	
65	*****					8.2	7.9	7.6	7.3	7.0	6.4	5.0	2.9	
70	*****					7.9	7.6	7.3	7.0	6.7	6.4	5.0	2.9	
75	*****					7.6	7.3	7.0	6.7	6.4	6.1	4.8	2.8	
80	*****					7.1	6.9	6.6	6.3	6.0	5.7	4.4	2.7	
85	*****					6.9	6.7	6.4	6.1	5.8	5.5	4.3	2.5	
90	*****					6.7	6.5	6.2	5.9	5.6	5.3	4.1	2.4	
95	*****						6.3	6.0	5.7	5.4	5.1	3.9	2.2	
100	*****						6.1	5.8	5.5	5.2	4.9	3.7	2.2	
125	*****							5.4	5.1	4.8	4.5	3.4	2.0	
150	*****								4.8	4.5	4.2	3.1	1.7	
200	*****									4.4	4.1	3.0	1.5	
250	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: CENTRAL VANCOUVER ISLAND (59942)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	84.0	83.5	82.3	80.1	77.8	75.5	73.1	70.6	68.0	65.4	59.7	46.2	26.7
2	*****	59.4	59.1	58.2	56.6	55.0	53.4	51.7	49.9	48.1	46.2	42.2	32.7	18.9
3	*****		48.2	47.5	46.2	44.9	43.6	42.2	40.8	39.3	37.7	34.5	26.7	15.4
4	*****		41.8	41.1	40.0	38.9	37.7	36.5	35.3	34.0	32.7	29.8	23.1	13.3
5	*****			36.8	35.8	34.8	33.8	32.7	31.6	30.4	29.2	26.7	20.7	11.9
6	*****			33.6	32.7	31.8	30.8	29.8	28.8	27.8	26.7	24.4	18.9	10.9
7	*****			31.1	30.3	29.4	28.5	27.6	26.7	25.7	24.7	22.6	17.5	10.1
8	*****			29.1	28.3	27.5	26.7	25.8	25.0	24.1	23.1	21.1	16.3	9.4
9	*****			27.4	26.7	25.9	25.2	24.4	23.5	22.7	21.8	19.9	15.4	8.9
10	*****			26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4
11	*****			24.1	23.5	22.8	22.0	21.3	20.5	19.7	18.9	17.2	13.3	8.0
12	*****			23.1	22.5	21.8	21.1	20.4	19.6	18.9	18.1	16.6	12.8	7.7
13	*****			22.2	21.6	20.9	20.3	19.6	18.9	18.2	17.5	15.9	12.4	7.4
14	*****			21.4	20.8	20.2	19.5	18.9	18.2	17.5	16.9	15.4	11.9	7.1
15	*****			20.7	20.1	19.5	18.9	18.2	17.6	16.9	16.3	14.9	11.6	6.9
16	*****			20.0	19.5	18.9	18.3	17.7	17.0	16.3	15.9	14.5	11.2	6.7
17	*****			19.4	18.9	18.3	17.7	17.1	16.5	15.9	15.4	14.1	10.9	6.5
18	*****			18.9	18.3	17.8	17.2	16.6	16.0	15.4	14.8	13.3	10.3	6.3
19	*****			18.4	17.9	17.3	16.8	16.2	15.6	15.0	14.4	13.0	10.1	6.1
20	*****			17.9	17.4	16.9	16.3	15.8	15.2	14.6	14.0	12.7	9.9	6.0
21	*****			17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.7	12.4	9.6	5.8
22	*****				16.6	16.1	15.6	15.1	14.5	13.9	13.3	12.0	9.2	5.7
23	*****				16.2	15.7	15.2	14.7	14.2	13.6	13.0	11.7	8.9	5.6
24	*****				15.9	15.4	14.9	14.4	13.9	13.3	12.7	11.4	8.6	5.4
25	*****				15.6	15.1	14.6	14.1	13.6	13.1	12.5	11.2	8.4	5.3
30	*****				14.2	13.8	13.3	12.9	12.4	11.9	11.4	10.1	7.8	4.9
35	*****				12.8	12.4	11.9	11.5	11.1	10.6	10.1	8.9	6.9	4.5
40	*****					11.9	11.6	11.2	10.8	10.3	9.8	8.6	6.6	4.2
45	*****						10.9	10.5	10.1	9.7	9.2	8.0	6.0	4.0
50	*****						10.3	10.0	9.6	9.2	8.7	7.5	5.5	3.8
55	*****							9.5	9.2	8.8	8.3	7.1	5.1	3.6
60	*****							9.1	8.8	8.4	7.9	6.7	4.7	3.4
65	*****								8.4	8.1	7.6	6.4	4.4	3.3
70	*****								8.1	7.8	7.3	6.1	4.1	3.2
75	*****								7.9	7.5	7.0	5.8	3.8	3.1
80	*****									7.3	6.7	5.5	3.5	3.0
85	*****									7.1	6.5	5.3	3.3	2.9
90	*****										6.3	5.1	3.1	2.8
95	*****											6.1	4.1	2.7
100	*****												4.6	2.7
125	*****													4.1
150	*****													3.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: NORTH VANCOUVER ISLAND (59943)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	74.5	73.3	71.4	69.4	67.3	65.1	62.9	60.6	58.3	53.2	41.2	23.8	
2	*****		51.8	50.5	49.0	47.6	46.1	44.5	42.9	41.2	37.6	29.1	16.8	
3	*****		42.3	41.2	40.0	38.8	37.6	36.3	35.0	33.6	30.7	23.8	13.7	
4	*****		36.7	35.7	34.7	33.6	32.6	31.5	30.3	29.1	26.6	20.6	11.9	
5	*****			31.9	31.0	30.1	29.1	28.1	27.1	26.1	23.8	18.4	10.6	
6	*****			29.1	28.3	27.5	26.6	25.7	24.8	23.8	21.7	16.8	9.7	
7	*****			27.0	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0	
8	*****			25.2	24.5	23.8	23.0	22.3	21.4	20.6	18.8	14.6	8.4	
9	*****			23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9	
10	*****				21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5	
11	*****				20.9	20.3	19.6	19.0	18.3	17.6	16.0	12.4	7.2	
12	*****				20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9	
13	*****				19.2	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6	
14	*****				18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4	
15	*****					17.4	16.8	16.3	15.7	15.0	13.7	10.6	6.1	
16	*****					16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9	
17	*****					16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8	
18	*****					15.9	15.4	14.8	14.3	13.7	12.5	9.7	5.6	
19	*****					15.4	14.9	14.4	13.9	13.4	12.2	9.5	5.5	
20	*****						14.6	14.1	13.6	13.0	11.9	9.2	5.3	
21	*****						14.2	13.7	13.2	12.7	11.6	9.0	5.2	
22	*****						13.9	13.4	12.9	12.4	11.3	8.8	5.1	
23	*****						13.6	13.1	12.6	12.2	11.1	8.6	5.0	
24	*****						13.3	12.8	12.4	11.9	10.9	8.4	4.9	
25	*****							12.6	12.1	11.7	10.6	8.2	4.8	
30	*****								11.1	10.6	9.7	7.5	4.3	
35	*****									9.8	9.0	7.0	4.0	
40	*****										8.4	6.5	3.8	
45	*****											7.9	6.1	3.5
50	*****												5.8	3.4
55	*****												5.6	3.2
60	*****												5.3	3.1
65	*****												5.1	3.0
70	*****													2.8
75	*****													2.7
80	*****													2.7
85	*****													2.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: NORTHWEST (59951)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		42.0	41.4	40.3	39.2	38.0	36.8	35.5	34.2	32.9	30.0	23.3	13.4
2	*****		29.3	28.5	27.7	26.9	26.0	25.1	24.2	23.3	21.2	16.5	9.5	
3	*****			23.3	22.6	21.9	21.2	20.5	19.8	19.0	17.3	13.4	7.8	
4	*****			20.1	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.6	6.7	
5	*****			18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.4	10.4	6.0	
6	*****				16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5	
7	*****				14.8	14.4	13.9	13.4	12.9	12.4	11.4	8.8	5.1	
8	*****					13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7	
9	*****					12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5	
10	*****					12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2	
11	*****						11.1	10.7	10.3	9.9	9.1	7.0	4.0	
12	*****							10.6	10.3	9.9	9.5	8.7	6.7	3.9
13	*****								9.9	9.5	9.1	8.3	6.5	3.7
14	*****									9.5	9.2	8.8	8.0	6.2
15	*****										9.2	8.8	8.5	7.8
16	*****											8.6	8.2	7.5
17	*****												8.3	8.0
18	*****													8.1
19	*****													
20	*****													
21	*****													
22	*****													
23	*****													
24	*****													
25	*****													
30	*****													
35	*****													
40	*****													
45	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: NORTHERN INTERIOR (59952)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	60.2	59.9	59.0	57.4	55.8	54.1	52.4	50.6	48.8	46.9	42.8	33.2	19.1
2	*****	42.4	41.7	40.6	39.5	38.3	37.1	35.8	34.5	33.2	30.3	23.4	13.5	7.8
3	*****		34.1	33.2	32.2	31.3	30.3	29.2	28.2	27.1	24.7	19.1	11.1	6.4
4	*****		29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.4	21.4	16.6	9.6	5.8
5	*****		26.4	25.7	25.0	24.2	23.4	22.7	21.8	21.0	19.1	14.8	8.6	5.1
6	*****			23.4	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8	4.6
7	*****			21.7	21.1	20.5	19.8	19.1	18.4	17.7	16.2	12.5	7.2	4.1
8	*****			20.3	19.7	19.1	18.5	17.9	17.3	16.6	15.1	11.7	6.8	3.9
9	*****			19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.3	11.1	6.4	3.5
10	*****			18.2	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1	3.2
11	*****			17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8	3.0
12	*****				16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5	2.9
13	*****					15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3
14	*****					14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1
15	*****					14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9
16	*****						14.0	13.5	13.1	12.7	12.2	11.7	10.7	4.8
17	*****							13.1	12.7	12.3	11.8	11.4	10.4	4.6
18	*****							12.8	12.4	11.9	11.5	11.1	10.1	4.5
19	*****							12.4	12.0	11.6	11.2	10.8	9.8	4.4
20	*****							12.1	11.7	11.3	10.9	10.5	9.6	4.3
21	*****							11.8	11.4	11.1	10.7	10.2	9.3	4.2
22	*****							11.5	11.2	10.8	10.4	10.0	9.1	4.1
23	*****								10.9	10.6	10.2	9.8	8.9	4.0
24	*****								10.7	10.3	10.0	9.6	8.7	3.9
25	*****								10.5	10.1	9.8	9.4	8.6	3.8
30	*****									9.2	8.9	8.6	7.8	3.5
35	*****										8.2	7.9	7.2	3.2
40	*****											7.4	6.8	3.0
45	*****												6.4	2.9
50	*****												6.1	2.7
55	*****												5.8	2.6
60	*****													4.3
65	*****													4.1
70	*****													4.0
75	*****													3.8
80	*****													2.1
85	*****													2.1
90	*****													2.0
95	*****													2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION



# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

British Columbia: NORTHEAST (59953)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		56.5	55.7	54.2	52.7	51.1	49.5	47.8	46.0	44.2	40.4	31.3	18.1
2	*****		39.4	38.3	37.2	36.1	35.0	33.8	32.6	31.3	28.6	22.1	12.8	
3	*****			31.3	30.4	29.5	28.6	27.6	26.6	25.5	23.3	18.1	10.4	
4	*****			27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0	
5	*****			24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.1	14.0	8.1	
6	*****				21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4	
7	*****				19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8	
8	*****					18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4	
9	*****					17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0	
10	*****					16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7	
11	*****						14.9	14.4	13.9	13.3	12.2	9.4	5.4	
12	*****						14.3	13.8	13.3	12.8	11.7	9.0	5.2	
13	*****						13.7	13.3	12.8	12.3	11.2	8.7	5.0	
14	*****							12.8	12.3	11.8	10.8	8.4	4.8	
15	*****							12.3	11.9	11.4	10.4	8.1	4.7	
16	*****								11.5	11.1	10.1	7.8	4.5	
17	*****								11.2	10.7	9.8	7.6	4.4	
18	*****								10.9	10.4	9.5	7.4	4.3	
19	*****									10.1	9.3	7.2	4.1	
20	*****									9.9	9.0	7.0	4.0	
21	*****										8.8	6.8	3.9	
22	*****										8.6	6.7	3.9	
23	*****										8.4	6.5	3.8	
24	*****										8.2	6.4	3.7	
25	*****										8.1	6.3	3.6	
30	*****											5.7	3.3	
35	*****											5.3	3.1	
40	*****												2.9	
45	*****												2.7	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

# CCHS 2009/2010 – Public-Use Microdata File : Approximate Sampling Variability Tables

Canadian Community Health Survey - 2009\_2010

Territories: YUKON, NORTHWEST TERRITORIES AND NUNAVUT (60901)

NUMERATOR OF PERCENTAGE ( '000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		23.6	23.3	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5
2	*****			16.4	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
3	*****			13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
4	*****				11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
5	*****				10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
6	*****					9.2	9.0	8.7	8.4	8.2	7.9	7.5	6.9	3.1
7	*****					8.6	8.3	8.1	7.8	7.5	7.3	7.0	6.4	2.9
8	*****						7.8	7.5	7.3	7.1	6.8	6.5	6.0	2.7
9	*****						7.3	7.1	6.9	6.7	6.4	6.2	5.6	2.5
10	*****						7.0	6.8	6.5	6.3	6.1	5.8	5.3	2.4
11	*****							6.4	6.2	6.0	5.8	5.6	5.1	2.3
12	*****							6.2	6.0	5.8	5.6	5.3	4.9	2.2
13	*****							5.9	5.7	5.5	5.3	5.1	4.7	2.1
14	*****							5.7	5.5	5.3	5.1	4.9	4.5	2.0
15	*****								5.3	5.2	5.0	4.8	4.4	1.9
16	*****								5.2	5.0	4.8	4.6	4.2	1.9
17	*****								5.0	4.8	4.7	4.5	4.1	1.8
18	*****									4.7	4.5	4.4	4.0	1.8
19	*****									4.6	4.4	4.2	3.9	1.7
20	*****									4.5	4.3	4.1	3.8	1.7
21	*****									4.4	4.2	4.0	3.7	1.6
22	*****										4.1	3.9	3.6	1.6
23	*****										4.0	3.9	3.5	1.6
24	*****										3.9	3.8	3.4	1.5
25	*****											3.7	3.4	1.5
30	*****												3.1	1.4
35	*****												2.9	1.3
40	*****													1.2
45	*****												1.9	1.1
50	*****													1.1
55	*****													1.0
60	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

## TABLES OF RELEASE CUT-OFFS FOR TOTALS

*Provinces, Territories and Canada*

PROVINCE/TERRITORIES	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
Newfoundland	9,000	2,000
Prince Edward Island	4,000	1,000
Nova Scotia	14,000	3,500
New Brunswick	9,500	2,500
Quebec	31,000	7,500
Ontario	31,000	7,500
Manitoba	18,500	4,500
Saskatchewan	11,000	2,500
Alberta	28,500	7,000
British Columbia	25,500	6,500
Territories	2,000	500
Canada	28,000	7,000

*Canada by age group*

	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
<b>AGE GROUP</b>	24,000	6,000
<b>Age group 12-19</b>		
<b>Age group 20-29</b>	29,000	7,000
<b>Age group 30-44</b>	31,500	7,500
<b>Age group 45-64</b>	33,500	8,500
<b>Age group 65+</b>	15,000	3,500

*Health Regions*

HEALTH REGION	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
Newfoundland: EASTERN REGIONAL INTEGRATED HA (10911)	11,000	3,000
Newfoundland: CENTRAL REGIONAL INTEGRATED HA (10912)	6,500	1,500
Newfoundland: WESTERN/LABRADOR-GRENFELL REGIONAL HA (10913)	5,000	1,500
Prince Edward Island: PRINCE EDWARD ISLAND (11901)	4,000	1,000
Nova Scotia: ZONE 1 (12901)	9,000	2,500
Nova Scotia: ZONE 2 (12902)	8,000	2,000
Nova Scotia: ZONE 3 (12903)	9,500	2,500
Nova Scotia: ZONE 4 (12904)	10,000	3,000
Nova Scotia: ZONE 5 (12905)	9,500	2,500
Nova Scotia: ZONE 6 (12906)	19,500	5,000
New Brunswick: ZONE 1 (13901)	12,500	3,000
New Brunswick: ZONE 2 (13902)	10,500	2,500

HEALTH REGION	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
New Brunswick: ZONE 3 (13903)	11,000	3,000
New Brunswick: ZONES 4 AND 5 (13904)	5,000	1,500
New Brunswick: ZONES 6 AND 7 (13906)	6,500	1,500
Quebec: RÉGION DU BAS-SAINT-LAURENT (24901)	13,000	3,500
Quebec: RÉGION DU SAGUENAY - LAC-SAINT-JEAN (24902)	14,000	3,500
Quebec: RÉGION DE QUÉBEC (24903)	21,500	5,500
Quebec: RÉGION DE LA MAURICIE-CENTRE-DU-QUÉBEC (24904)	28,000	7,000
Quebec: RÉGION DE L'ESTRIE (24905)	21,500	5,500
Quebec: RÉGION DE MONTRÉAL-CENTRE (24906)	49,000	12,500
Quebec: RÉGION DE L'OUTAOUAIS (24907)	18,500	4,500
Quebec: RÉGION DE L'ABITIBI-TÉMISCAMINGUE (24908)	8,500	2,500
Quebec: RÉGION DE LA CÔTE-NORD (24909)	5,500	1,500
Quebec: RÉG. DE LA GASPÉSIE-ÎLES-DE-LA-MADELEINE (24911)	5,500	1,500
Quebec: RÉGION DE LA CHAUDIÈRE-APPALACHES (24912)	21,000	5,500

HEALTH REGION	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
Quebec: RÉGION DE LAVAL (24913)	26,000	6,500
Quebec: RÉGION DE LANAUDIÈRE (24914)	29,000	7,500
Quebec: RÉGION DES LAURENTIDES (24915)	29,000	7,500
Quebec: RÉGION DE LA MONTRÉGIE (24916)	40,000	10,000
Ontario: DISTRICT OF ALGOMA HEALTH UNIT (35926)	9,500	2,500
Ontario: BRANT COUNTY HEALTH UNIT (35927)	11,500	3,000
Ontario: DURHAM REGIONAL HEALTH UNIT (35930)	36,500	9,500
Ontario: ELGIN-ST THOMAS HEALTH UNIT (35931)	9,000	2,500
Ontario: GREY BRUCE HEALTH UNIT (35933)	10,500	2,500
Ontario: HALDIMAND-NORFOLK HEALTH UNIT (35934)	10,000	2,500
Ontario: HALIBURTON-KAWARTHA-PINE RIDGE DHU (35935)	15,000	4,000
Ontario: HALTON REGIONAL HEALTH UNIT (35936)	28,000	7,000
Ontario: CITY OF HAMILTON HEALTH UNIT (35937)	27,500	7,000
Ontario: HASTINGS AND PRINCE EDWARD COUNTIES HU (35938)	12,000	3,000

HEALTH REGION	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
Ontario: HURON AND PERTH HEALTH UNITS (35939)	8,000	2,000
Ontario: CHATHAM-KENT HEALTH UNIT (35940)	8,000	2,000
Ontario: KINGSTON-FRONTENAC-LENNOX-ADDINGTON HU (35941)	15,500	4,000
Ontario: LAMBTON HEALTH UNIT (35942)	10,000	2,500
Ontario: LEEDS-GRENVILLE-LANARK DHU (35943)	11,000	3,000
Ontario: MIDDLESEX-LONDON HEALTH UNIT (35944)	21,500	5,500
Ontario: NIAGARA REGIONAL AREA HEALTH UNIT (35946)	23,500	6,000
Ontario: NORTH BAY AND TIMISKAMING HEALTH UNITS (35947)	10,000	2,500
Ontario: NORTHWESTERN HEALTH UNIT (35949)	5,500	1,500
Ontario: CITY OF OTTAWA HEALTH UNIT (35951)	31,500	8,000
Ontario: OXFORD COUNTY HEALTH UNIT (35952)	8,500	2,000
Ontario: PEEL REGIONAL HEALTH UNIT (35953)	41,500	10,500
Ontario: PETERBOROUGH COUNTY-CITY HEALTH UNIT (35955)	12,000	3,000
Ontario: PORCUPINE HEALTH UNIT (35956)	8,000	2,000



HEALTH REGION	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
Ontario: RENFREW COUNTY AND DISTRICT HEALTH UNIT (35957)	9,000	2,500
Ontario: EASTERN ONTARIO HEALTH UNIT (35958)	14,000	3,500
Ontario: SIMCOE COUNTY DISTRICT HEALTH UNIT (35960)	20,000	5,000
Ontario: SUDBURY AND DISTRICT HEALTH UNIT (35961)	13,000	3,500
Ontario: THUNDER BAY DISTRICT HEALTH UNIT (35962)	8,500	2,000
Ontario: WATERLOO HEALTH UNIT (35965)	22,500	6,000
Ontario: WELLINGTON-DUFFERIN-GUELPH HU (35966)	17,000	4,500
Ontario: WINDSOR-ESSEX COUNTY HEALTH UNIT (35968)	22,000	5,500
Ontario: YORK REGIONAL HEALTH UNIT (35970)	46,500	12,000
Ontario: CITY OF TORONTO HEALTH UNIT (35995)	62,500	15,500
Manitoba: WINNIPEG REGIONAL HEALTH AUTHORITY (46910)	25,500	6,500
Manitoba: BRANDON AND ASSINIBOINE RHA (46915)	7,000	2,000
Manitoba: NORTH AND SOUTH EASTMAN RHA (46920)	8,500	2,000
Manitoba: INTERLAKE/PARKLAND RHA (46931)	10,000	2,500

HEALTH REGION	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
Manitoba: CENTRAL REGIONAL HEALTH AUTHORITY (46940)	9,000	2,500
Manitoba: NOR-MAN/BURNTWOOD & CHURCHILL RHA (46970)	3,000	500
Saskatchewan: SUN COUNTRY, FIVE HILLS AND CYPRESS RHA (47901)	5,000	1,500
Saskatchewan: REGINA QU'APPELLE REGIONAL HLTH AUTHO. (47904)	14,000	3,500
Saskatchewan: SUNRISE AND KELSEY TRAIL RHA (47905)	5,500	1,500
Saskatchewan: SASKATOON REGIONAL HEALTH AUTHORITY (47906)	17,000	4,500
Saskatchewan: HEARTLAND AND PRAIRIE NORTH RHA (47907)	7,000	2,000
Saskatchewan: PRINCE ALBERT, MAMAWETAN/KEEWATIN/ATHABA (47909)	5,500	1,500
Alberta: SOUTH ZONE (48931)	12,500	3,000
Alberta: CALGARY ZONE (48932)	36,000	9,000
Alberta: CENTRAL ZONE (48933)	16,000	4,000
Alberta: EDMONTON ZONE (48934)	37,500	9,500
Alberta: NORTH ZONE (48935)	12,000	3,000

HEALTH REGION	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
British Columbia: EAST KOOTENAY (59911)	8,500	2,500
British Columbia: KOOTENAY-BOUNDARY (59912)	11,000	3,000
British Columbia: OKANAGAN (59913)	23,000	6,000
British Columbia: THOMPSON CARIBOO (59914)	18,500	5,000
British Columbia: FRASER EAST (59921)	21,500	5,500
British Columbia: FRASER NORTH (59922)	36,500	9,500
British Columbia: FRASER SOUTH (59923)	34,500	9,000
British Columbia: RICHMOND (59931)	20,500	5,500
British Columbia: VANCOUVER (59932)	39,500	10,500
British Columbia: NORTH SHORE/COAST GARIBALDI (59933)	26,500	7,000
British Columbia: SOUTH VANCOUVER ISLAND (59941)	20,000	5,000
British Columbia: CENTRAL VANCOUVER ISLAND (59942)	23,500	6,000
British Columbia: NORTH VANCOUVER ISLAND (59943)	17,000	5,000
British Columbia: NORTHWEST (59951)	6,000	1,500

HEALTH REGION	CV	
	CV BETWEEN 0% AND 16.5%	CV BETWEEN 16.5% AND 33.3%
	ACCEPTABLE	MARGINAL
British Columbia: NORTHERN INTERIOR (59952)	12,000	3,000
British Columbia: NORTHEAST (59953)	9,500	3,000
Territories: YUKON, NORTHWEST TERRITORIES AND NUNAVUT (60901)	2,000	500